

DONI® SEATING

PRICE LIST June 1, 2016 Updated February 2, 2023

800.424.2432

Contents Refer to KI Terms & Conditions document or visit ki.com.

Uraering	Customer's Own Material (C.O.M.) Upholstery Information	3
	mormation	J
Doni®		
	Guest Chair General Information	4
	Guest Chair Technical Specifications	5
	Guest Chair Color Options	6
	Guest Chairs	7
	Stack Chair General Information	11
	Stack Chair Technical Specifications	?
	Stack Chair Color Options	16
	Stack Chairs	17
	Cafe Stools	30
	Task Chair General Information	33
	Task Chair Technical Specifications	?
	Task Chair Color Options	36
	Task Chairs	37
	Task Stools	39
	Tandem Seating General Information	42
	Tandem Seating Color Options	43
	Tandem Seating	44


Refer to KI Terms & Conditions document or visit ki.com.

4

How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer's upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION

Architectural Walls	System 3000
EvokeMN	Universal Overhea
Genius Walls MN	Wireworks
	Unite
Casegoods	
Aristotle TackboardsMN	Residence Hall Furnit
Likha TackboardsMN	RoomScape Furniti
Classroom Furniture	Screens
Intellect Wave ChairsGB	All Terrain
Learn2 GB	Connection Zone
RuckusGB	True/Volition
	Genesis
Desking	Tattoo
700 Series DeskingKP	Universal
Balance Overheads MN	
Genesis Desking MN	Seating
True DeskingKP	400 Series Folding
Universal OverheadsMN	600 Series Folding
WorkZone DeskingMN	600 Series Stools.
	Affina Collection
Files & Storage	Altus Task Chairs
700 Series Pedestal Cushion GB	Apply Stack Chairs
Connection Zone PadsBW	Calida Lounge Sea
U-Series Pedestal CushionGB	Diem Task Chairs
TattooBW	Doni Collection
	Gladly Lounge Sea
Fixed Seating	Grazie Seating
Concerto Auditorium SeatingBW	Hub Modular Loun
Single Pedestal Seating GB	Impress Task Chair
Jury Base Seating	Impress Ultra Task
Lancaster Auditorium SeatingBW	Jessa Lounge Seat
Sequence Seating	Jubilee Lounge Se
University SeatingGB	Katera Guest Chair
	Kurv Benches
Panel Systems	LaResta Day Beds .
All TerrainKP	LimeLite
Balance OverheadsMN	Lyra Lounge Seatin

KI C.O.M. Manufacturing Site Addresses:

BW	F
KI Bonduel	K
Attn: COM Storage	Д
204 West South St.	2
Bonduel, WI 54107	Н

KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263

GB KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

KΡ KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7

Ordering Customer's Own Material (C.O.M.) Upholstery

Maestro Stack Chairs.



GB

	MN
rheads	MN
	ΜN
	MN

urniture

MN urniture

KP
BW
KP
KP
BW

ding Chairs	BW
lding Chairs	BW
ols	BW
on	HN
irs	GB
1airs	GB
Seating	HN
airs	OM
٦	GB
Seating	VQ
	GB
ounge Seating	HN
Chairs	OM
ask Chairs	OM
Seating	HN
e Seating	VQ
Chair	GB
	HN
eds	HN
	GB
eating	HN

Maestro Stack Chairs	. OD
Medical & Laboratory Stools	ОМ
MyPlace Lounge Seating	.HN
MyWay Seating	.HN
Oath Task Chairs and Stools	.GB
Opt4	.GB
Pilot Task Chairs	ОМ
Promenade Seating System	.BW
Ruckus	.GB
Sela Lounge Seating	.HN
Sift Task Chairs	.GB
Signia Task Chairs and Stools	ОМ
Soltice Metal Collection	.HN
Soltice Multiple, Healthcare & Guest	.HN
Soltice II Healthcare Seating	.HN
Strive Multiple, Stack & Task	.GB
Sway	.BW
Tattoo	.HN
Torsion-on-the-Go! Nesting Chairs	.GB
Torsion Air Stack and Task Seating	.GB
Zoetry	.HN

MN KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

<u>OM</u>

Attn: COM Storage 1110 S. Mildred Ave Ontario, CA 91761

VQ Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623











Armless Fourstar Swivel Base Chair

Armless Tapered Steel Leg Chair

Armless Tapered Wood Leg Chair

Armless Wire Tower Base Chair

Features				
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered add 1")	18"	18"	18"	18"
Overall Dimensions				
Width	27-1/2"	19-3/8"	19-3/8"	19-3/8"
Depth	21"	21"	21"	21"
Height	33-3/4"	33-3/4"	33-3/4"	33-3/4"

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Wire Tower Base

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Legs are ⁷/16" diameter steel wire, fully gusseted with ⁵/16" diameter wire. All joints are welded and frames are finished in bright nickel-chrome plating.

Wood Leg Base

A seat ring is made of $\frac{1}{2}$ diameter steel wire and attached to the seat with 14-gauge steel brackets. Inner leg wires made of $\frac{1}{2}$ diameter steel wire complete the subframe. All joints are welded and the subframes are finished with baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint. Legs are turned from beech, stained, and clear-coat finished. Legs are drilled to accept subframe inner leg wires, and fastened by means of a two-part epoxy adhesive.

Tapered Steel Leg Base

A seat ring is made of $\frac{1}{2}$ diameter steel wire and attached to the seat with 14-gauge steel brackets. Inner leg wires are made of $\frac{1}{2}$ diameter steel wire and are plug welded to tapered tubular legs. All joints are welded and the frames are finished in either baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint or bright nickel-chrome plating.

Fourstar Swivel Base

The under-seat support structure is a die-drawn 12-gauge steel plate. A ³/₄" diameter steel pin is welded to the seat plate, allowing the seat to swivel on a nylon bushing housed in the base. Seat structure is finished with baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint. The fixed-height base is constructed of a polished die-cast aluminum fourstar base and a chrome-plated steel tube column.

Glides

The tapered steel legs and wood legs are equipped with swivel glides in a bright steel finish. The floor contact surface on the tapered steel leg is steel, and on the wood legs is natural nylon. The wire tower base and fourstar swivel base are all equipped with black nylon glides.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist

1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs


If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

INFORMATION

Warranty


Refer to KI Terms & Conditions document or visit ki com

DIMENSIONS



STATEMENT OF LINE

All models are available in polypropylene seat/backrest, upholstered seat/ polypropylene backrest, or upholstered seat/backrest.



4

Doni® Guest Chair Color Options

6

Tapered Steel Leg Color		Fourstar Swivel Base Co
Black	BL	Polished Aluminum
Blue Grey	GR	
Bronze Metallic	ZM	Wire Tower Base Color
Cayenne	CY	Chrome
Champagne Metallic	CM	SOLID COLOR Seat and I
Chrome	СН	Non Flame-Retardant
Cool Grey	CG	Black
Cottonwood	CO	Blue Grey
Earthen Clay	EY	Cool Grey
Espresso Metallic	EX	Cottonwood
Everglade Shade	EV	Earthen Clay
Flannel	FN	Everglade Shade
Glitz Metallic	GZ	Flannel
Hazy Jade	HJ	Hazy Jade
Honey Bee	HY	Honey Bee
Light Tone	LG	Light Tone
Mardi Gras	MG	Misty Brown
Misty Brown	MY	Nemo
Nemo	NE	Nordic
Nordic	ND	Poppy Red
Poppy Red	PR	Surf's Up
Purple Haze	PH	Twilight Shadow
Rubber Ducky	RK	Ultra Blue
Sky Blue	SK	Warm Grey
Starlight Silver Metallic	SX	Zesty Lime
Surf's Up	SP	
Twilight Shadow	TI	SOLID COLOR Seat and I
Ultra Blue	UB	Flame-Retardant
Warm Grey	WG	Black
Zesty Lime	ZL	The above seating product ca
Wood Leg Model Finish		flame-retardant materials for 133.
Cherry Storm on Beech	BCX	
Cinnamon on Beech	BCN	TWO-TONE COLOR Seat Non Flame-Retardant
Cocoa on Beech	BCA	
Eclypse Black on Beech	BEB	Outside/Inside
Florence Walnut on Beech	BFC	Outside Black/Inside Cott
Monticello Maple on Beech	BMT	Outside Blue Grey/Inside
Natural on Beech	BNA	Outside Blue Grey/Inside
River Cherry on Beech	BRY	Outside Cool Grey/Inside
All stain colors are acceptable for California Tec	hnical Bulletin 133.	Outside Flannel/Inside Wa Outside Misty Brown/Insi

Wire Tower Base Color	
Chrome	CH
SOLID COLOR Seat and Back Polypropylene Non Flame-Retardant	
Black	PBL
Blue Grey	PGR
Cool Grey	PCG
Cottonwood	PC0
Earthen Clay	PEY
Everglade Shade	PEV
Flannel	PFN
Hazy Jade	PHJ
Honey Bee	PHY
Light Tone	PLG
Misty Brown	PMY
Nemo	PNE
Nordic	PND
Poppy Red	PPR
Surf's Up	PSP
Twilight Shadow	PTI
Ultra Blue	PUB
Warm Grey	PWG
Zesty Lime	PZL
SOLID COLOR Seat and Back Polypropylene Flame-Retardant	
Black	PBL
The above seating product can be manufactured using the a flame-retardant materials for compliance of California Techn 133.	
TWO-TONE COLOR Seat and Back - Polypropylene Non Flame-Retardant	
Outside/Inside	
Outside Black/Inside Cottonwood	OBL/ICO
Outside Blue Grey/Inside Cool Grey	OGR/ICG
Outside Blue Grey/Inside Cottonwood	OGR/ICO
Outside Cool Grey/Inside Cottonwood	OCG/ICO
Outside Flannel/Inside Warm Grey	OFN/IWG
Outside Misty Brown/Inside Cottonwood	OMY/ICO
Outside Nemo/Inside Cottonwood	ONE/ICO
Outside Nordic/Inside Cool Grey	OND/ICG
Outside Poppy Red/Inside Cottonwood	OPR/ICO
Outside Surf's Up/Inside Cool Grey	OSP/ICG
Outside Ultra Blue/Inside Cottonwood	OUB/ICO
Outside Zesty Lime/Inside Cottonwood	OZL/ICO

PA

Fourstar Swivel Base Color

4

Certain options referenced may not be available on GSA Schedule.

									•											
			MODEL	NUMBE	R															
	MODEL	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Glide Option	Upholstery Color	Approx. Packageo Weight			Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Fourstar Swivel Base Armless Chair	Solid Color, Polypropylene	DNX100				GPL		22.0#	\$6	639									
Γ)	 Solid or two-tone colored shell Base available in polished aluminum only 	Solid Color, Upholstered Seat	DNX200				GPL		24.5#		N/A	781	791	810	810	822	868	888	912	945
	 Unlimited color match 	^y Solid Color, Upholstered Seat/Back	DNX300				GPL		26.0#		N/A	812	824	842	842	854	903	920	944	980
	 17 degrees of hip articulation 	Two-Tone, Polypropylene	DNXA00	NFR			GPL		22.0#	7	706									
	Task and stack chair models available	Two-Tone, Upholstered Seat	DNXB00	NFR			GPL		24.5#		N/A	846	859	876	876	888	936	955	978	1013
	 400 pound approved 																			
U																				
DNX1																				
DNX2																				
DNX3																				
DNXA																				
DNXB																				
			A	6	Θ	O	Ø	G	_											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect fire code.

 FR
 - Compliance to TB 133

 NFR
 - Compliance to TB 117-2013
 See Upholstery Information for TB133 upcharge.

Celect solid poly color. Refer to the Product Color Options page in this price list.

DSelect outside/inside poly color. Refer to the Product Color Options page in this price list.

Belect glide option. GPL - Plastic glides

Gelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni® Guest Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL	NUMBEF	1															
	Features	Basic Model	Fire	Poly Poly	de/Inside	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	Delivered Pri Unupholsteri	Delivered Pricing sing Fabric Grade d 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DNY100							22.5#	\$ 480									
F \	Solid Color, Upholstered Seat	DNY200							25.0#	N/A	619	632	650	650	662	710	728	751	786
	Solid Color, Upholstered Seat/Back	DNY300							26.5#	N/A	652	664	684	684	694	743	761	785	821
	Two-Tone, Polypropylene	DNYA00							22.5#	545									
	Two-Tone, Upholstered Seat	DNYB00	NFR						25.0#	N/A	686	697	717	717	728	774	795	819	853
8 <i>B</i>																			
لا DNY1																			
DNY2																			
DNY3																			
DNYA																			
DNYB																			
Tapered Steel Leg Armless Chair																			
 Solid or two-tone colored shell Unlimited color match 																			
 Onimitted color match 17 degrees of hip articulation 																			
Task and stack chair models available																			
 400 pound approved 																			
						-	-												
		A	0	œ	D	Ø	G	œ											

6

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect fire code.

GSelect upholstery grade/color.

Refer to ki.com/fabrics

NFR - Compliance to TB 117-2013 FR - Compliance to TB 133 - Compliance to TB 133 See Upholstery Information for TB133 upcharge.

CSelect solid poly color. Refer to the **Product Color Options** page in this price list.

OSelect outside/inside poly color. Refer to the **Product Color Options** page in this price list.

 Gelect frame color. Refer to the Product Color Options page in this price list.

- GFT
 Felt glides

 GNL
 Plastic/Nylon Glides

 GSL
 Steel glides

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni® Guest Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

										•									
		MODEL	NUMBER	ł															
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Wood Leg Finish	Glide Option	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DNW100					GPL		18.0#	\$ 777									
	Solid Color, Upholstered Seat	DNW200					GPL		20.5#	N/A	919	930	950	950	960	1009	1028	1052	1086
	Solid Color, Upholstered Seat/Back	DNW300							22.0#	N/A	954	963	984	984	994	1041	1061	1085	1119
	Two-Tone, Polypropylene	DNWA00	NFR						18.0#	845									
	Two-Tone, Upholstered Seat	DNWB00	NFR						20.5#	N/A	986	996	1017	1017	1028	1074	1094	1117	1152
DNW1 DNW2																			
DNW2 DNW3																			
DNWS																			
DNWA																			
Tapered Wood Leg Armless Chair																			
Tapereu woou Ley Anniess Gian																			
Solid or two-tone colored shell																			
 Wood legs available in 8 finishes Unlimited color match 																			
 Online coor match 17 degrees of hip articulation 																			
 Task and stack chair models availabl 	9																		
 300 pound approved 																			
			-	~	•	_	_	· ·	1										
		A	₿	œ	O	Ø	G	G											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

A Select basic model.

Refer to ki.com/fabrics

GSelect upholstery grade/color.

Belect fire code.

 FR
 - Compliance to TB 133

 NFR
 - Compliance to TB 117-2013

 See Upholstery Information for TB133

 upcharge.

©Select solid poly color. Refer to the **Product Color Options** page in this price list.

• Select outside/inside poly color. Refer to the **Product Color Options** page in this price list.

Select wood leg finish color. Refer to the **Product Color Options** page in this price list.

GSelect glide option. GPL - Plastic glides

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

HOW TO BUILD A MODEL NUMBER

Doni® Guest Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

									•										
			MODEL	. NUMBEI	7														
	MODEL	Features	Basic Model	Fire Code		Poly Outside/Inside Color	Glide Option	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade d 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Wire Tower Base Armless Chair	Solid Color, Polypropylene	DNZ100						17.5#	\$ 414									
	Solid or two-tone colored shell	Solid Color, Upholstered Seat	DNZ200						20.0#	N/A	553	565	584	584	596	643	662	685	719
1-J	Chrome baseUnlimited color match	Solid Color, Upholstered Seat/ Back	DNZ300						21.5#	N/A	586	598	617	617	629	676	694	718	753
	17 degrees of hip articulation	Two-Tone, Polypropylene	DNZA00	NFR					17.5#	480									
	 Frames finished in bright nickel-chrome 	Two-Tone, Upholstered Seat	DNZB00	NFR					20.0#	N/A	619	632	650	650	662	710	728	751	786
ζ ψ ι	plating Task and stack chair models available 																		
8	 400 pound approved 																		
DNZ1																			
DNZ2																			
DNZ3																			
DNZA																			
DNZB																			
			A	ß	C	D	Ð	G											

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect fire code.

 FR
 - Compliance to TB 133

 NFR
 - Compliance to TB 117-2013
 See Upholstery Information for TB133 upcharge.

©Select solid poly color. Refer to the Product Color Options page in this price list.

DSelect outside/inside poly color. Refer to the Product Color Options page in this price list.

Gelect glide option. GPL - Plastic glides

• Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni® Guest Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Doni[®] Stack Chair General Information



Four-Leg Armless Chair

KI Color Match Program

Service for details.

can be found here.

KI offers the additional option of color matching

Product Modification Requests. Contact Customer

Color Match program lets you pick your color!

Color Match Process - Poly Seating Information



Four-Leg Arm Chair



with Casters





			with ousters	
Features				
Stackable	•	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered add 1")	18"	18"	18"	18"
Overall Dimensions				
Width	22-1/4"	25-3/8"	23-1/4"	25-3/8"
Depth	21-1/2"	21-1/2	22-1/8	22-1/8
Height	33-3/4"	33-3/4"	33-3/4"	33-3/4"
Arms to floor		26-1/2"		26-1/2"
Stacking on Dolly				
Overall width	25"	25-3/8"	25"	25-3/8"
Overall depth	42"	42"	42"	42"
Quantity/height - poly	12 Chairs / 69" High			
Quantity/height - upholstered	6 Chairs / 50" High			
Stacking on Floor				
Width	22-1/4"	25-3/8"	23-1/4"	25-3/8"
Depth	34"	34"	34"	34'
Quantity/height	6 Chairs / 49" High			

	Sied Base Armiess Chair	Sied Base Arm Chair	24" Cafe Stool	30" Cafe Stool	Transport Dolly
					. ,
Features					
Stackable	•	•			
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	
General Dimensions					
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"	
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"	
Seat height (upholstered add 1")	18"	18"	24"	30"	
Overall Dimensions					
Width	22-1/4"	25-3/8"	21"	22-1/2"	23-3/4"
Depth	22-1/8"	22-1/8"	21"	21-1/2"	35-1/2"
Height	33-3/4"	33-3/4"	39-3/4"	45-3/4"	62-1/4"
Arms to floor		26-1/2"			
Stacking on Dolly					
Overall width	25"	25-3/8"			
Overall depth	42"	42"			
Quantity/height - poly	12 Chairs / 69" High	12 Chairs / 69" High			
Quantity/height - upholstered	6 Chairs / 50" High	6 Chairs / 50" High			
Stacking on Floor					
Width	22"	25-3/8"			
Depth	34"	34"			
Quantity/height	6 Chairs / 49" High	6 Chairs / 49" High			

COM Testing and Production Requirements

paint, polypropylene, or wood stain through Not all materials are suitable for upholstering this product. A 1 vd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: COM. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant Whatever you imagine, whatever you require, KI's the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

Doni® Stack Chair General Information

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Four Leg ChangeUp Tablet Arm Chair with Glides

KI Color Match Program

Service for details.

can be found here.

KI offers the additional option of color matching

paint, polypropylene, or wood stain through



Four Leg ChangeUp Tablet Arm Chair with Casters



Sled Base ChangeUp Tablet Arm Chair

Features			
Stackable			
Poly, upholstered seat, or upholstered seat/back	•	•	•
General Dimensions			
Seat width	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered add 1")	18"	18"	18"
Tablet to chair back clearance	16-1/4"	16-1/4"	16-1/4"
Overall Dimensions			
Width	25-3/4"	25-3/4"	25"
Depth	28" - 32-1/4"	28" - 32-1/4"	28-1/2" - 33"
Height	33-3/4"	33-3/4"	33-3/4"
Arms to floor	27-1/4"	27-1/4"	27-1/4"

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Desian

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant Whatever you imagine, whatever you require, KI's the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

Color Match program lets you pick your color! Color Match Process - Poly Seating Information

Product Modification Requests. Contact Customer

TECHNICAL SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest, seat, and shroud are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17-degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

4-leg and Caster Frames

Legs are made from $\frac{7}{8}$ " O.D. by 13-gauge tubular steel. A single ring of $\frac{1}{2}$ " diameter steel wire forms the crossmember. All joints are welded. An optional wallsaver configuration is available. The wallsaver configuration maintains $\frac{1}{2}$ gap between backrest and wall by locking the backrest mechanisms in the upright position.

Sled Frames

Sled side frames are made from $\frac{3}{4}$ O.D. by 13-gauge tubular steel. A single ring of $\frac{1}{2}$ diameter steel wire forms the crossmember. All joints are welded.

Frame Finishes

Frames are finished in either baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint, or bright nickel-chrome plating.

Arms

Optional armrests are available. When equipped with arms, the support structure is a continuation of the rear leg, finished to match the frame color. The armrests are injection-molded glass-reinforced polypropylene. Arm color matches the frame finish, (except Chrome, hammertone, and metallic finishes; which match the outer shell poly color). The steel frame tube is inserted into a socket molded into the armrest, and secured with a screw.

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki com

Glides

4-Leg Chairs

The bottom ends of the leg tubes are formed to be vertical where they meet the floor and the glides are pressed into them. Three glide options are available; felt, plastic, and steel. Felt and plastic glides have a swivel base and have easy-on/easy-off replaceable caps, which makes field replacement easy and efficient (plastic & felt caps are interchangeable). Steel glides have a non-swivel base and do not have interchangeable caps. No color options are available for glides.

Sled Base Chairs

Three glide options are available; non-skid, plastic, and steel. Non-skid glides are molded in two shots with a high impact ridged PVC upper and a flexible PVC base. Plastic glides are injection molded polypropylene. Steel glides are two-part construction consisting of a plastic housing with a stainless steel insert for the base. Glides are attached to the chair frame with one screw each. No color options are available for glides.

Casters

4-leg chairs may be ordered with casters instead of glides. Casters are 50 mm O.D., double-wheel high-impact thermoplastic, available with hard or soft wheel surface, in black only.

Gangers

Optional gangers are available on armless 4-leg and sled base chairs only. Gangers are made of chrome-plated ³/₁₆" diameter steel wire, mounted to the chair with an injection-molded nylon hub.

Café Stool Base

A seat ring is made of $\frac{1}{2}$ diameter steel wire and attached to the seat with 14-gauge steel brackets. Legs are made from 3/4" diameter steel tubing, and the footring is formed of 1/2" diameter steel wire. All joints are welded and the frames are finished in either baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint or bright nickel-chrome plating.

Glides

Café stools are equipped with swivel glides in a bright steel finish. The floor contact surface is either steel or neutral color nylon.

Transport Dolly

Frame construction is welded tubular steel with black powder-coated finish and 5" wheels (two swivel and two fixed). The dolly fits 4-leg or sled base chairs and has a capacity of twelve poly chairs or six upholstered.

ChangeUp[™] Tablet Arm

ChangeUp tablet support is integral to the chair frame and consists of a $\frac{7}{8}$ " diameter solid steel rod welded to the front and rear support tubes. A three-piece molded plastic armrest is included and attached to the chair frame using a $\#10 \times 2^{1}/2^{2}$ Phillips pan head tapping screw.

The tablet mechanism consists a die-cast aluminum housing, upper and lower plastic bearings, and I l-gauge steel clamp and tablet board support plates. The tablet mechanism is clamped onto the chair frame over two plastic bushing halves and a $\frac{5}{16}$ diameter by $\frac{13}{4}$ hardened steel pin with a die-cast aluminum cap secured with two $\frac{1}{4}-20 \times \frac{3}{4}$ " button socket head cap screws. The pin creates a solid 90° up/down pivot stop and the bushings provide a smooth, quiet operation. In the use position, the tablet mechanism rotates outward from the chair back an additional 20° and permits approximately $3^{1}/_{2}^{2}$ of adjustment for ingress/egress without stowing the tablet.

The tablet worksurface is 21" wide by $13^{1}/_{2}$ " deep (235 square inches) is secured to the tablet board support plate with twelve $\# I 2 \times \frac{5}{8}$ " Phillips flat head tapping screws. The tablet board is made of 18 mm Baltic Birch plywood with .040" high-pressure laminate top surface and .02" thick phenolic backer surface for an overall board thickness of approximately 3/4". Edges are lacquered with a clear finish and sealed. The factory installed tablet assembly is not field installable and may not be removed.

STATEMENT OF LINE

\$

upholstered seat/backrest.









DN3100



DNH100



DNW100



DN219R

All models are available in polypropylene seat/backrest, upholstered seat/ polypropylene backrest, or

DN2100



DNJ100



DNY100







DNZ100






DNC111






DIMENSIONS


Doni 4-Leg Armless Chair



Doni 4-Leg Armchair




Doni 4-Leg Armless Chair with Casters




DIMENSIONS


4

Doni 4-Leg ChangeUp Tablet Armchair with Glides





Doni[®] Stack Chair Technical Specifications



16 Doni® Stack Chair Color Options

Zesty Lime

Frame Color	-	SOLID COLOR Seat and Back Polypropylene Flame-Retardant		ChangeUp Table Arm Color - Laminate	
Black	BL	Black	PBL	Belair Bitherena Ohanna	LBQ
Blue Grey	GR	Diack	TDL	Biltmore Cherry	LBT
Bronze Metallic	ZM	The above seating product can be manufactured using the a	appropriate	Black	LBK
Cayenne Champagna Matallia	CY CM	flame-retardant materials for compliance of California Techi 133.	nical Bulletin	Brighton Walnut	LBW LCA
Champagne Metallic Chrome	CH	100.		Canyon Zephyr Castle Oak	LCA
Cool Grey	CG	TWO-TONE COLOR Seat and Back - Polypropylene		Casual Linen	LCU
Cottonwood	CO	Non Flame-Retardant		Cherry Storm	LCU
Earthen Clay	EY	0.1-11-11-11-		Classic Linen	LCI
Espresso Metallic	EX	Outside/Inside	0.01 //0.0	Cloud Zephyr	LCL
Everglade Shade	EV	Outside Black/Inside Cottonwood	OBL/ICO	Cocobala	LCC
Flannel	FN	Outside Blue Grey/Inside Cool Grey	OGR/ICG	Crisp Linen	LRI
Glitz Metallic	GZ	Outside Blue Grey/Inside Cottonwood	OGR/ICO OCG/ICO	Desert Zephyr	LDZ
Hazy Jade	HJ	Outside Cool Grey/Inside Cottonwood Outside Flannel/Inside Warm Grey	OFN/IWG	Dove Grey	LDG
Honey Bee	HY	Outside Misty Brown/Inside Cottonwood	OMY/ICO	Fired Steel	LIL
Light Tone	LG	Outside Nemo/Inside Cottonwood	ONE/ICO	Flax Linen	LXF
Mardi Gras	MG	Outside Nordic/Inside Cool Grey	OND/ICG	Florence Walnut	LFC
Misty Brown	MY	Outside Poppy Red/Inside Cottonwood	OPR/ICO	Forged Steel	LOL
Nemo	NE	Outside Surf's Up/Inside Cool Grey	OSP/ICG	Friston Ash	LFH
Nordic	ND	Outside Ultra Blue/Inside Cottonwood	OUB/ICO	Frosty White	LFW
Poppy Red	PR	Outside Zesty Lime/Inside Cottonwood	OZL/ICO	Graphite Nebula	LGN
Purple Haze	PH		022,100	Grey	LGE
Rubber Ducky	RK			High Rise	LHE
Sky Blue	SK			Hollyberry	LHY
Starlight Silver Metallic	SX			Irish Linen	LIH
Surf's Up	SP			Island	LID
Twilight Shadow	TI			Italian Silver Ash	LIT
Ultra Blue	UB			Kensington Maple	LKM
Warm Grey	WG			Lapis Blue	LLB
Zesty Lime	ZL			Markerboard White	LMK
SOLID COLOR Seat and Back Polypropylene				Misted Zephyr Monticello Maple	LMR LMT
Non Flame-Retardant				Nickel Evolv	LNV
Black	PBL			North Sea	LNA
Blue Grey	PGR			Ocean	LON
Cool Grey	PCG			Pearl Bisque	LPB
Cottonwood	PCO			Pearl Silver	LPS
Earthen Clay	PEY			Pressed Linen	LPR
Everglade Shade	PEV			River Cherry	LRY
Flannel	PFN			Rugged Linen	LRG
Hazy Jade	PHJ			Satin Stainless	LSS
Honey Bee	PHY PLG			Shadow Zephyr	LSR
Light Tone Micty Drown	PLG			Silicon evolv	LSV
Misty Brown	PNE			Sterling Ash	LAZ
Nemo Nordic	PNE			Tailored Linen	LTL
Poppy Red	PND			Titanium evolv	LTV
Surf's Up	PSP			White Nebula	LWL
Twilight Shadow	PTI			White Sand	LWN
Ultra Blue	PUB			Windsor Mahogany	LWY
Warm Grey	PWG				
Zecty Lime	D7I				

4

PZL

		MODEL	NUMBER																
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DN1100							19.0#	\$ 346									
	Solid Color, Upholstered Seat	DN1200							21.5#	N/A	487	497	518	518	527	576	596	618	652
	Solid Color, Upholstered Seat/Back	DN1300							23.0#	N/A	521	532	550	550	562	610	629	651	686
	Two-Tone, Polypropylene	DN1A00							19.0#	414									
	Two-Tone, Upholstered Seat	DN1B00	NFR						21.5#	N/A	553	565	584	584	596	643	662	685	719
u 1)																			
U DN11																			
DN12																			
DN13																			
DN1A																			
DN1B																			
Four-Leg Armless Chair																			
Solid or two-tone colored shell																			
Unlimited color match17 degrees of hip articulation																			
 Task and guest chair models available 	9																		
 400 pound approved Stacking																			
- Stacking																			
				-	•			•											
		A	₿	œ	D	Ð	G	G											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Compliance to TB 133

Refer to the **Product Color Options** page in this

Refer to the Product Color Options page in this

Select frame color. Refer to the **Product Color Options** page in this

See Upholstery Information for TB133

A Select basic model. Belect fire code.

FR

upcharge.

price list.

price list.

price list.

©Select solid poly color.

DSelect outside/inside poly color.

GFT - Felt glides GFT - Felt glides GPL - Plastic glides - Plastic glides GSL - Steel glides

NFR - Compliance to TB 117-2013 GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni® Stack Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODE	L NUMBEI	D															
		WODE		n 															
	Features	Basic Model	Fire Code		Poly Outside/Inside Color	Frame Color	Caster L Type C	lpholstery Color	Approx. Packaged Weight		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DN2100							19.5#	392		_	-						
	Solid Color, Upholstered Seat	DN2200							22.0#	N/A	535	544	565	565	575	622	642	666	699
N /	Solid Color, Upholstered Seat/Back	DN2300							23.5#	N/A	567	577	598	598	609	656	675	698	733
	Two-Tone, Polypropylene	DN2A00							19.5#	459									
	Two-Tone, Upholstered Seat	DN2B00							22.0#	N/A	600	611	632	632	642	689	708	732	767
dd do																			
DN21																			
DN22																			
DN23																			
DN2A																			
DN2B																			
Four-Leg Armless Chair with Casters																			
 Solid or two-tone colored shell 																			
 Unlimited color match 																			
• 17 degrees of hip articulation																			
 Task and guest chair models availab 400 pound approved 	e																		
 Stacking. Caution should be exer- 																			
cised to prevent casters from marrir	g																		
components such as frames, fabric, etc., and to prevent casters from		_																	
becoming "hung up" underneath the																			
seat of the chair																			
								-											
		A	₿	G	D	Ø	6	G											

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

GSelect upholstery grade/color. Refer to ki.com/fabrics

Belect fire code. **NFR** - Compliance to TB 117-2013 FR - Compliance to TB 133 See Upholstery Information for TB133 upcharge. ©Select solid poly color.

Refer to the **Product Color Options** page in this price list.

DSelect outside/inside poly color. Refer to the **Product Color Options** page in this price list.

Select frame color. Refer to the **Product Color Options** page in this price list.

Select casters. CHC - Hard floor casters CCC - Carpet casters

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

6

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni® Stack Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL	L NUMBER	R															
	Features	Basic Model	Fire Code	Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene								20.5#	\$ 418									
	Solid Color, Upholstered Seat	DN1211							23.0#	N/A	559	570	590	590	600	648	667	690	725
	Solid Color, Upholstered Seat/Back	DN1311							24.5#	N/A	592	603	622	622	635	681	699	724	759
	Two-Tone, Polypropylene	DN1A11							20.5#	485									
	Two-Tone, Upholstered Seat	DN1B11	NFR						23.0#	N/A	624	637	656	656	667	715	733	758	793
DN11 DN12 DN13 DN1A DN1B Four-Leg Arm Chair • Solid or two-tone colored shell • Unlimited color match																			
 Onimited color match 17 degrees of hip articulation Task and guest chair models availabl 400 pound approved Stacking 																			
		۵	0	Θ	D	9	Ģ	G											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

FR

Belect fire code.

- Compliance to TB 133 See Upholstery Information for TB133 upcharge.

©Select solid poly color. Refer to the **Product Color Options** page in this price list.

DSelect outside/inside poly color. Refer to the Product Color Options page in this price list.

Select frame color. Refer to the **Product Color Options** page in this price list.

 Select glide option.
 GFT - Felt glides
 GPL - Plastic glides - Plastic glides GSL - Steel glides NFR - Compliance to TB 117-2013 GSelect upholstery grade/color.

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni® Stack Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

										 •									
		MODE	L NUMBE	R	1														
	Features	Basic Model	Fire Code		Poly Outside/Inside Color	Frame Color	Caster Type	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DN2111							21.0#	\$ 463									
	Solid Color, Upholstered Seat	DN2211							23.5#	N/A	606	616	637	637	646	694	714	737	771
	Solid Color, Upholstered Seat/Back	DN2311							25.0#	N/A	639	649	670	670	680	728	746	770	806
	Two-Tone, Polypropylene	DN2A11	NFR						21.0#	532									
	Two-Tone, Upholstered Seat	DN2B11	NFR						23.5#	N/A	672	683	702	702	714	761	781	804	838
∞ ∥ &																			
8																			
DN21																			
DN22		_	_																
DN23																			
DN2A																			
DN2B																			
Four-Leg Arm Chair with Casters								_											
								_											
Solid or two-tone colored shell																			
Unlimited color match																			
 17 degrees of hip articulation Task and guest chair models availab 																			
 400 pound approved 																			
Stacking. Caution should be exer-																			
cised to prevent casters from marrir components such as frames, fabric,	9																		
etc., and to prevent casters from																			
becoming "hung up" underneath the																			
seat of the chair																			
		A	6	G	D	Ð	G	G											
		U)	U	G	U	J	U	9											

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. \bullet The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

GSelect upholstery grade/color. Refer to <u>ki.com/fabrics</u>

BSelect fire	re code.	
NFR		
FR	- Compliance to TB 133	
See Upho	olstery Information for TB133	
upcharge	е.	
-	plid poly color. the Product Color Options page in this 	
-	utside/inside poly color. the Product Color Options page in this t.	
Belect fra Refer to t price list.	the Product Color Options page in this	
Gelect cas	asters.	

CHC - Hard floor casters CCC - Carpet casters

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

6

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni® Stack Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

										•									
		MODEL	NUMBER																
	Features	Basic Model	Fire	Poly Poly Solid Outside Color Color	e/Inside F	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	Delivered P Unupholste	ing fic Grade	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DNH100							19.0#	\$ 414									
	Solid Color, Upholstered Seat	DNH200							21.5#	N/A	553	565	584	584	596	643	662	685	719
))	Solid Color, Upholstered Seat/Back	DNH300							23.0#	N/A	586	598	617	617	629	676	694	718	753
	Two-Tone, Polypropylene	DNHA00	NFR						19.0#	480									
	Two-Tone, Upholstered Seat	DNHB00	NFR						21.5#	N/A	619	632	650	650	662	710	728	751	786
ư U																			
U																			
DNH1			_																
DNH2																			
DNH3																			
DNHA																			
DNHB						_													
Four-Leg Armless Ganging Chair																			
						_													
Solid or two-tone colored shell																			
 Unlimited color match 																			
• 17 degrees of hip articulation																			
 Task and guest chair models availab 400 pound approved 	e																		
 Stacking 																			
-																			
		Ø	0	0 (D	0	G	G	-										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. • Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

able.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect fire code.

 NFR
 - Compliance to TB 117-2013
 Generation
 Select upholstery grade/color.

 FR
 - Compliance to TB 133
 Refer to ki.com/fabrics
 See Upholstery Information for TB133 upcharge.

Celect solid poly color. Refer to the **Product Color Options** page in th price list.

- DSelect outside/inside poly color. Refer to the Product Color Options page in th price list.
- Select frame color. Refer to the **Product Color Options** page in th price list.

Gelect glide option. GFT - Felt glides GPL - Plastic glides GSL - Steel glides

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni® Stack Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL	NUMBER	1															
	Features	Basic Model	Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
_	Solid Color, Polypropylene	DNC100							19.0#	\$ 400									
	Solid Color, Upholstered Seat	DNC200							21.5#	N/A	540	550	571	571	581	631	648	672	707
	Solid Color, Upholstered Seat/Back	DNC300							23.0#	N/A	573	584	604	604	615	663	681	706	740
	Two-Tone, Polypropylene	DNCA00							19.0#	465									
	Two-Tone, Upholstered Seat	DNCB00	NFR						21.5#	N/A	607	617	638	638	648	696	715	738	772
U DNC1																			
DNC2																			
DNC3 DNCA																			
DNCA																			
Four-Leg Armless Wallsaver Chair																			
Solid or two-tone colored shell																			
 Unlimited color match 																			
 Task and guest chair models availabl 400 pound approved 	9																		
Stacking																			
			-				-	-											
		A	0	O	D	Ø	G	G											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Compliance to TB 133

Gelect glide option. GFT - Felt glides GPL - Plastic glides GSL - Steel glides

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Belect fire code.
 NFR
 - Compliance to TB 117-2013
 Select upholstery grade/color.
 FR See Upholstery Information for TB133 upcharge. ©Select solid poly color. Refer to the **Product Color Options** page in this price list.

DSelect outside/inside poly color. Refer to the Product Color Options page in this price list.

Select frame color. Refer to the **Product Color Options** page in this price list.

Doni® Stack Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

										•									
		MODEL	. NUMBER	1															
	Features	Basic Model	Fire Code		Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	Delivered Pricin Unupholstered	Delivered Pricing Ig Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fa Group P
	Solid Color, Polypropylene	DNC111							20.5#	\$ 471									
	Solid Color, Upholstered Seat	DNC211							23.0#	N/A	612	622	643	643	652	701	719	744	777
	Solid Color, Upholstered Seat/Back	DNC311							24.5#	N/A	645	656	676	676	686	734	753	775	811
	Two-Tone, Polypropylene	DNCA11							20.5#	538									
	Two-Tone, Upholstered Seat	DNCB11	NFR						23.0#	N/A	678	689	710	710	719	768	786	810	845
// u																			
u U																			
U		_	_	_		_													
NC1 NC2																			
VC2																			
VCA																			
NCB																			
our-Leg Wallsaver Arm Chair																			
Solid or two-tone colored shell																			
Unlimited color match																			
Task and guest chair models availabl 400 pound approved	e																		
Stacking																			
-																			
		A	6	G	D	Ð	Ģ	G											
		W	U	9	U	G	J	9											

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER Select glide option. GFT - Felt glides GPL - Plastic glides

- Compliance to TB 133

Refer to the **Product Color Options** page in this

Refer to the Product Color Options page in this

Select frame color. Refer to the **Product Color Options** page in this

See Upholstery Information for TB133

A Select basic model. Belect fire code.

FR

upcharge.

price list.

price list.

price list.

©Select solid poly color.

DSelect outside/inside poly color.

- Plastic glides GSL NFR - Compliance to TB 117-2013 GSelect upholstery grade/color.

Refer to ki.com/fabrics

- Steel glides

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

6

Californina TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni® Stack Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL	. NUMBER	1															
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color		Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
_	Solid Color, Polypropylene								20.0#	\$ 359									
	Solid Color, Upholstered Seat	DN3200							22.5#	N/A	500	511	532	532	541	590	609	633	667
	Solid Color, Upholstered Seat/Back	DN3300							24.0#	N/A	535	544	565	565	575	622	642	666	699
H-A	Two-Tone, Polypropylene	DN3A00	NFR						20.0#	424									
	Two-Tone, Upholstered Seat	DN3B00	NFR						22.5#	N/A	567	577	598	598	609	656	675	698	733
DN31																			
DN32																			
DN33																			
DN3A																			
DN3B																			
Sled Base Armless Chair																			
Solid or two-tone colored shell																			
 Unlimited color match 																			
• 17 degrees of hip articulation																			
 Task and guest chair models availabl 400 pound approved 	e																		
Stacking																			
-																			
		A	6	œ	D	Ø	G	G	1										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect fire code. **NFR** - Compliance to TB 117-2013 FR - Compliance to TB 133 See Upholstery Information for TB133 upcharge.

©Select solid poly color. Refer to the **Product Color Options** page in this price list.

OSelect outside/inside poly color. Refer to the Product Color Options page in this price list.

Select frame color. Refer to the **Product Color Options** page in this price list.

Select glide option. GNG - No glides GNS - Non-skid glides GPL - Plastic glides GSL - Steel glides GFT - Felt glides

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni® Stack Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL	NUMBE	R															
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DN3111							21.5#	\$ 430									
	Solid Color, Upholstered Seat	DN3211							24.0#	N/A	572	583	603	603	613	662	680	705	738
	Solid Color, Upholstered Seat/Back	DN3311							25.5#	N/A	606	616	637	637	646	694	714	737	771
	Two-Tone, Polypropylene								21.5#	497									
	Two-Tone, Upholstered Seat	DN3B11	NFR						24.0#	N/A	639	649	670	670	680	728	746	770	806
DN31																			
DN32																			
DN33																			
DN3A																			
DN3B																			
Sled Base Arm Chair																			
Solid or two-tone colored shell																			
 Unlimited color match 17 degrees of hip articulation																			
 Task and guest chair models availabl 	9																		
 400 pound approved 																			
Stacking																			
		A	0	G	D	Ð	G	G	-										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. • Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select fire code. NFR - Compliance to TB 117-2013 FR - Compliance to TB 133

Celect solid poly color. Refer to the **Product Color Options** page in this price list.

OSelect outside/inside poly color. Refer to the **Product Color Options** page in this price list.

Gelect frame color. Refer to the Product Color Options page in this price list.

Select glide option. GNG - No glides GNS - Non-skid glides GPL - Plastic glides GSL - Steel glides GFT - Felt glides

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

See Upholstery Information for TB133 upcharge.

Doni® Stack Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

									•										
		MODEL	NUMBE	R															
	Features	Basic Model	Fire Code	Poly Poly Solid Outside/Inside Color Color	Frame Color		Upholstery Color	Approx. Packaged Weight	Delivered Unuphols	I Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DNJ100						20.0#	\$ 424										
	Solid Color, Upholstered Seat	DNJ200						22.5#	N/A		567	577	598	598	609	656	675	698	733
	Solid Color, Upholstered Seat/Back	DNJ300						24.0#	N/A		600	611	632	632	642	689	708	732	
	Two-Tone, Polypropylene	DNJA00	NFR					20.0#	492										
	Two-Tone, Upholstered Seat	DNJB00	NFR					22.5#	N/A		635	644	664	664	675	721	741	766	799
DNJ1																			
DNJ2																			
DNJ3																			
DNJA																			
DNJB																			
Sled Base Armless Ganging Chair																			
 Solid or two-tone colored shell 																			
Unlimited color match																			
17 degrees of hip articulationTask and guest chair models availab	٩																		
 400 pound approved 																			
Stacking																			
		۵	₿	O D	Ø	G	œ												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect fire code. NFR - Compliance to TB 117-2013 FR - Compliance to TB 133 See Upholstery Information for TB133 upcharge.

©Select solid poly color. Refer to the **Product Color Options** page in this price list.

- OSelect outside/inside poly color. Refer to the Product Color Options page in this price list.
- Select frame color. Refer to the **Product Color Options** page in this price list.

Select glide option. GNG - No glides GNS - Non-skid glides GPL - Plastic glides GSL - Steel glides

GSelect upholstery grade/color. Refer to ki.com/fabrics

- Felt glides

GFT

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni® Stack Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

										•										
		MODEL	NUMBER	1																
	Features	Basic Model	Fire Code		Poly Outside/Inside Color	Frame Color	Glide Option		Upholstery Color	Appro Packa Weigh	iged	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade	Delivered Pricing Fabric Grade	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric	Delivered Pricing Pallas Fabrid Group P2	C
					000				00101	-		•	Γα υ.υ.ινι.	2	ა	20	Group Po	Group P1	Gloup P2	_
	Solid Color, Polypropylene, Left Hand	DN119L								29.		\$ 815								
	Solid Color, Polypropylene, Right Hand	DN119R								40.		815	057	007	000	000	007	1015	1005	
	Solid Color, Upholstered Seat, Left Hand	DN129L								43.		N/A	957	967	988	988	997	1045	1065	
	Solid Color, Upholstered Seat, Right Hand	DN129R								43.		N/A	957	967	988	988	997	1045	1065	
4	Solid Color, Upholstered Seat/Back, Left Hand	DN139L								45.		N/A	990	1002	1020	1020	1031	1080	1098	
l i	Solid Color, Upholstered Seat/Back, Right Hand									45.		N/A	990	1002	1020	1020	1031	1080	1098	
	Two-Tone, Polypropylene, Left Hand	DN1A9L	NFR							40.		883								
	Two-Tone, Polypropylene, Right Hand	DN1A9R								41.		883	4000	1005	1051	1051	1005	4440	4404	
	Two-Tone, Upholstered Seat, Left Hand	DN1B9L	NFR							43.		N/A	1023	1035	1054	1054	1065	1112	1131	
	Two-Tone, Upholstered Seat, Right Hand	DN1B9R	NFR							43.	.5#	N/A	1023	1035	1054	1054	1065	1112	1131	
g ChangeUp Tablet Arm Chair des																				
162																				
r two-tone colored shell																				
ited color match grees of hip articulation																				
vork surface (21"W x 13.3"D)																				
urface flips and folds																				
urface has 20 degrees of																				
egress movement rface rated to 250 pounds																				
ated to 400 pounds																				
		A	6	G	D	G	G	G	0											
		U	U	G	U U	G	U	0	Ψ											

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no

choice is required.
Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model.

upcharge.

Select fire code.
 NFR - Compliance to TB 117-2013
 FR - Compliance to TB 133
 See Upholstery Information for TB133

Select solid poly color. Refer to the **Product Color Options** page in this price list.

OSelect outside/inside poly color. Refer to the **Product Color Options** page in this price list.

Select frame color. Refer to the **Product Color Options** page in this price list.

 GFT
 - Felt glides

 GPL
 - Plastic glides

 GSL
 - Steel glides

GSelect tablet arm color. Refer to the **Product Color Options** page in this price list.

Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

. . .

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

6

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni[®] Stack Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL	NUMBER	1																
	Features	Basic Model	Fire Code	Solid	Poly Outside/Inside Color	Frame Color	Caster	Tablet Arm U¢ Color Cc	pholstery	Approx Packag Waiste	ed Delive		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade	Delivered Pricing Fabric Grade	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
					60101				001	Weight			Γ & U.U.IVI.	2	ა	21	Group PO	Group PT	Group P2	Group PS
	Solid Color, Polypropylene, Left Hand	DN219L								41.0	•									
	Solid Color, Polypropylene, Right Hand	DN219R								41.0		862	1001	1010	1005	1005		1001		
	Solid Color, Upholstered Seat, Left Hand	DN229L								44.0		N/A	1004	1013	1035	1035	1044	1091	1111	1136
	Solid Color, Upholstered Seat, Right Hand	DN229R								44.0		N/A	1004	1013	1035	1035	1044	1091	1111	1136
	Solid Color, Upholstered Seat/Back, Left Hand	DN239L								46.0		N/A	1037	1047	1068	1068	1078	1125	1144	1167
	Solid Color, Upholstered Seat/Back, Right Hand	DN239R								46.0		N/A	1037	1047	1068	1068	1078	1125	1144	1167
DN21	Two-Tone, Polypropylene, Left Hand	DN2A9L	NFR							41.0		929								
DN22	Two-Tone, Polypropylene, Right Hand	DN2A9R								41.0		929								
DN23	Two-Toni, Upholstered Seat, Left Hand		NFR							46.0	#	N/A	1070	1081	1102	1102	1111	1159	1178	1202
DN2A	Two-Tone, Upholstered Seat, Right Hand	DN2B9R	NFR							44.0	#	N/A	1070	1081	1102	1102	1111	1159	1178	1202
DN2B																				
Four-Leg ChangeUp Tablet Arm Chair																				
with Casters																				
 Solid or two-tone colored shell 																				
Unlimited color match																				
 17 degrees of hip articulation Large work surface (21"W x 13.3"D) 																				
Work surface flips and folds																				
 Work surface has 20 degrees of 																				
ingress/egress movement																				
Work surface rated to 250 pounds																				
		A	6	Θ	D	Ø	G	œ	0											

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

NFR - Compliance to TB 117-2013

- Compliance to TB 133

See Upholstery Information for TB133

A Select basic model.

Belect fire code.

FR

upcharge.

price list.

price list.

GSelect tablet arm color. Refer to the **Product Color Options** page in this price list.

• Select upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

6

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

©Select solid poly color. Refer to the **Product Color Options** page in this OSelect outside/inside poly color. Refer to the Product Color Options page in this

Select frame color. Refer to the **Product Color Options** page in this price list.

Gelect casters.

CHC - Hard floor casters CCC - Carpet casters

Doni® Stack Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

										•										
		MODEL	NUMBE	R			_													
	Features	Basic Model	Fire Code	Solid	Poly Outside/Inside Color	Frame Color	Glide Option	Tablet Arm Color	Upholstery Color	Approx Packag Weight	ed D		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Solid Color, Polypropylene, Left Hand	DN319L		_						42.5		\$ 828								
	Solid Color, Polypropylene, Right Hand	DN319R								42.5	#	828								
	Solid Color, Upholstered Seat, Left Hand	DN329L								45.5	#	N/A	970	981	1002	1002	1011	1059	1078	1103
A	Solid Color, Upholstered Seat, Right Hand	DN329R								45.5	#	N/A	970	981	1002	1002	1011	1059	1078	1103
	Solid Color, Upholstered Seat/Back, Left Hand	DN339L								47.5	#	N/A	1004	1013	1035	1035	1044	1091	1111	1136
	Solid Color, Upholstered Seat/Back, Right Hand	DN339R								47.5	#	N/A	1004	1013	1035	1035	1044	1091	1111	1136
DN31	Two-Tone, Polypropylene, Left Hand	DN3A9L	NFR							42.5	#	894								
DN32	TWo-Tone, Polypropylene, Right Hand	DN3A9R								42.5	#	894								
DN33	Two-Tone, Upholstered Seat, Left Hand	DN3B9L	NFR							45.5		N/A	1037	1047	1068	1068	1078	1125	1144	1167
DN3A	Two-Tone, Upholstered Seat, Right Hand	DN3B9R	NFR							47.5	#	N/A	1037	1047	1068	1068	1078	1125	1144	1167
DN3B																				
Sled Base ChangeUp Tablet Arm Chai	r																			
						_														
Solid or two-tone colored shell																				
Unlimited color match																				
 17 degrees of hip articulation Large work surface (21"W x 13.3"D) 																				
Work surface flips and folds																				
Work surface has 20 degrees of																				
ingress/egress movementWork surface rated to 250 pounds																				
Chair rated to 400 pounds																				
		•	6	G	D	Ð	G	G	Û											
		U	U	G	U	G	U	0	Ψ											

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect fire code.
 FR
 - Compliance to TB 133

 NFR
 - Compliance to TB 117-2013
 See Upholstery Information for TB133 upcharge.

©Select solid poly color. Refer to the **Product Color Options** page in this Select upholstery grade/color. price list.

OSelect outside/inside poly color. Refer to the Product Color Options page in this price list.

Select frame color. Refer to the **Product Color Options** page in this price list.

Select glide option. GNG - No glides GNS - Non-skid glides GPL - Plastic glides

GFT - Felt glides GSelect tablet arm color. Refer to the Product Color Options page in

- Steel glides

this price list.

Refer to ki.com/fabrics

GSL

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

6

Californina TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni® Stack Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

										•									
		MODEL NU	JMBER																
	Features	Basic Model	Fire Code	Solid	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	Delivered Pricin Unupholstered		Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DN4100H24							20.5#	\$ 525									
F \	Solid Color, Upholstered Seat	DN4200H24							23.0#	N/A	667	677	697	697	708	757	773	798	834
12-24	Solid Color, Upholstered Seat/Back	DN4300H24							24.5#	N/A	699	711	731	731	741	789	808	833	866
	Two-Tone, Polypropylene	DN4A00H24							20.5#	592									
	Two-Tone, Upholstered Seat	DN4B00H24	NFR						23.0#	N/A	733	744	764	764	773	823	840	865	900
UN41																			
DN41 DN42																			
DN42 DN43																			
DN43 DN4A																			
DN4B																			
Four-Leg Armiess Cafe Stool - 24" Height																			
 Solid or two-tone colored shell 																			
Unlimited color match																			
• 17 degrees of hip articulation																			
 Task, stack and lounge chair models available 																			
 400 pound approved 																			
		A	0	Θ	D	9	0	œ											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

GSelect upholstery grade/color. Refer to ki.com/fabrics

Belect fire code.
 NFR
 - Compliance to TB 117-2013

 FR
 - Compliance to TB 133
 - Compliance to TB 133 See Upholstery Information for TB133 upcharge.

CSelect solid poly color. Refer to the **Product Color Options** page in this price list.

Select outside/inside poly color. Refer to the **Product Color Options** page in this price list.

Gelect frame color.

Refer to the **Product Color Options** page in this price list.

 GNL
 - Plastic/Nylon Glides

 GSL
 - Steel glides

 GFT
 - Felt glides

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni® Cafe Stools

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

MODEL NUMBER Model Number of the second	Delivered	
	Delivered	
Features Poly Poly Poly Poly Pris Pricing Prici	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
Solid Color, Polypropylene DN4100H30 Image:		
Solid Color, Upholstered Seat DN4200H30 💷 💷 💷 💷 💷 💷 24.5# N/A 667 677 697 697 708 757 773	798	834
Solid Color, Upholstered Seat/Back DN4300H30 💷 💷 💷 💷 💷 26.0# N/A 699 711 731 731 741 789 808	833	866
Two-Tone, Polypropylene DN4A00H30 NFR 000000 00 000 000 000 000 000 000 000		
Two-Tone, Upholstered Seat DN4B00H30 NFR DDDDDDD DDDDDD 24.5# N/A 733 744 764 773 823 840	865	900
DN41		
DN42		
DN43		
DN4A		
DN4B		
Four-Leg Armless Cafe Stool - 30"		
Height		
Solid or two-tone colored shell		
Unlimited color match		
 17 degrees of hip articulation Task, stack and lounge chair models 		
available		
400 pound approved		

\$

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. \bullet The absence of the \Box indicates that no choice is required. Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Gelect upholstery grade/color. Refer to <u>ki.com/fabrics</u>

Belect fire code. NFR - Compliance to TB 117-2013 FR - Compliance to TB 133 See Upholstery Information for TB133 upcharge.

• Select solid poly color. Refer to the Product Color Options page in this

price list.

OSelect outside/inside poly color. Refer to the **Product Color Options** page in this price list.

Select frame color.

A Select basic model.

Refer to the **Product Color Options** page in this price list.

 GFT
 - Felt glides

 GNL
 - Plastic/Nylon Glides

 GSL
 - Steel glides

Doni® Cafe Stools

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Doni [®] Stack Chairs				*	
		MODEL NUMBER			
	MODEL	Basic Model	Approx. Packaged Weight	Delivered Pricing	
0	Transport Dolly Black powder-coat finish 	DNCD.BL	43.0 kg	\$ 565	
<pre>h</pre>					
¥					
HRDPT					
	Ganger Kit Includes one male and one female 	DGK	0.0 kg	\$ 67	
	ganger loop per kit All necessary hardware included 				
S	 Each part is installed under the chair 				
I C	 Assembly instructions provided Gangers are field installable 				
HRDPT					
		•			

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required.

 \bullet The absence of the \Box indicates that no choice is required. • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Doni[®] Stack Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Armless Task Chair

Task Armchai

. Task Chair

ak Otaal	Took Arm C
isk Stool	Task Arm S

Features					
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	•
General Dimensions					
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered - add 1")	17-1/2" - 22-1/2"	17-1/2" - 22-1/2"	17-1/2" - 22-1/2"	22-1/2" - 32-3/4"	22-1/2" - 32-3/4"
Overall Dimensions					
Width	27-1/2"	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Height	33-1/4" - 38-1/4"	33-1/4" - 38-1/4"	33-1/4" - 38-1/4"	38-1/4" - 48-1/2"	38-1/4" - 48-1/2"
Arms to floor		26" - 31"			31" - 41-1/4"

PRODUCT SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17-degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Under-Seat Structure

Support structure is a die-drawn 12-gauge steel plate. Structure is finished with baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint coordinated with base selection.

Arms

Optional armrests are available. When equipped with arms, a support structure is 7/8" O.D. by 13-gauge tubular steel welded directly to the seat structure plate. The steel support tube is inserted into a socket molded into the armrest, and secured with a screw. Armrests are molded from glass-reinforced polypropylene. Structure and armrests are Warm Grey when Warm Grey base is selected, or Black when Black or aluminum is selected.

Base

The base is a 26" injection-molded glass-reinforced nylon 5-blade base. A single paddle under the seat operates the height-adjusting pneumatic cylinder. Standard chair base and cylinder available in Black or Warm Grey. Standard stool base available in Black or Warm Grey. Standard stool cylinder available in Black only. An optional polished die-cast aluminum 5-blade base is also available on both chairs and stools.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Desian

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki com

Casters

Casters are 60 mm O.D., double-wheel, high-impact thermoplastic and are available with hard (warm grey or black) or soft (black only) wheel surface.

Foot Ring

Task stools are equipped with an adjustable-height foot ring with black, die-cast aluminum hub and spokes, with an 18" diameter chrome-plated tubular steel ring.

ChangeUp[™] Tablet Arm

ChangeUp tablet support is integral to the chair frame and consists of a $\frac{7}{8}$ diameter solid steel rod welded to the front and rear support tubes. A three-piece molded plastic armrest is included and attached to the chair frame using a $\#10 \times 2^{1}/_{2}$ " Phillips pan head tapping screw.


The tablet mechanism consists a die-cast aluminum housing, upper and lower plastic bearings, and I I-gauge steel clamp and tablet board support plates. The tablet mechanism is clamped onto the chair frame over two plastic bushing halves and a $\frac{5}{16}$ diameter by $\frac{13}{4}$ hardened steel pin with a die-cast aluminum cap secured with two $\frac{1}{4}-20 \times \frac{3}{4}$ " button socket head cap screws. The pin creates a solid 90° up/down pivot stop and the bushings provide a smooth, quiet operation. In the use position, the tablet mechanism rotates outward from the chair back an additional 20° and permits approximately $3^{1}/_{2}^{n}$ of adjustment for ingress/egress without stowing the tablet.

The tablet worksurface is 21" wide by $13^{1}/_{2}$ " deep (235 square inches) is secured to the tablet board support plate with twelve $\# 12 \times \frac{5}{8}$ " Phillips flat head tapping screws. The tablet board is made of 18 mm Baltic Birch plywood with .040" high-pressure laminate top surface and .02" thick phenolic backer surface for an overall board thickness of approximately $\frac{3}{4}$ ". Edges are lacquered with a clear finish and sealed. The factory installed tablet assembly is not field installable and may not be removed.

\$

DIMENSIONS

Doni ChangeUp Tablet Arm Task Chair



ChangeUp Tablet Arm






STATEMENT OF LINE


All models are available in polypropylene seat/backrest, upholstered seat/ polypropylene backrest, or upholstered seat/backrest.













DIMENSIONS

Doni Task Armchair



4

Doni Armless Stool



Base/Caster Color

Base/Caster Color		TWO-TONE COLOR Seat and Back - Polypropylene
Black	BL	Non Flame-Retardant
Warm Grey	WG	
Polished Aluminum	PA	Outside/Inside
Polished Aluminum requires an upcharge.		Outside Black/Inside Cottonwood
		Outside Blue Grey/Inside Cool Grey
Base color selection for black includes; black base, black c and black carpet or hard floor casters.	cylinder	Outside Blue Grey/Inside Cottonwood
		Outside Cool Grey/Inside Cottonwood
Base color selection for warm grey includes; warm grey base, varm grey cylinder and warm grey carper casters (hard floor cast- ers not available in warm grey). Stool cylinder is always black.		Outside Flannel/Inside Warm Grey
		Outside Misty Brown/Inside Cottonwood
		Outside Nemo/Inside Cottonwood
Base color selection for polished aluminum includes; polished alu- ninum base, black cylinder and black carpet or hard floor casters.		Outside Nordic/Inside Cool Grey
		Outside Poppy Red/Inside Cottonwood
SOLID COLOR Seat and Back Polypropylene	Outside Surf's Up/Inside Cool Grey	
Non Flame-Retardant		Outside Ultra Blue/Inside Cottonwood
Black	PBL	Outside Zesty Lime/Inside Cottonwood
Blue Grey	PGR	
Cool Grey	PCG	
Cottonwood	PC0	
Earthen Clay	PEY	
Everglade Shade	PEV	
Flannel	PFN	
Hazy Jade	PHJ	
Honey Bee	PHY	
Light Tone	PLG	
Misty Brown	PMY	
Nemo	PNE	
Nordic	PND	
Poppy Red	PPR	
Surf's Up	PSP	
Twilight Shadow	PTI	
Ultra Blue	PUB	
Warm Grey	PWG	
Zesty Lime	PZL	
SOLID COLOR Seat and Back Polypropylene Flame-Retardant		
Black	PBL	

The above seating product can be manufactured using the appropriate flame-retardant materials for compliance of California Technical Bulletin 133.

	onangeop fable. Ann oolor Lammate	
	Belair	LBQ
	Biltmore Cherry	LBT
	Black	LBK
OBL/ICO	Brighton Walnut	LBW
OGR/ICG	Canyon Zephyr	LCA
OGR/ICO	Castle Oak	LC0
OCG/ICO	Casual Linen	LCU
OFN/IWG	Cherry Storm	LCX
OMY/ICO	Classic Linen	LCI
ONE/ICO	Cloud Zephyr	LCL
OND/ICG	Cocobala	LCC
OPR/ICO	Crisp Linen	LRI
OSP/ICG	Desert Zephyr	LDZ
OUB/ICO	Dove Grey	LDG
OZL/ICO	Fired Steel	LIL
	Flax Linen	LXF
	Florence Walnut	LFC
	Forged Steel	LOL
	Friston Ash	LFH
	Frosty White	LFW
	Graphite Nebula	LGN
	Grey	LGE
	High Rise	LHE
	Hollyberry	LHY
	Irish Linen	LIH
	Island	LID
	Italian Silver Ash	LIT
	Kensington Maple	LKM
	Lapis Blue	LLB
	Markerboard White	LMK
	Misted Zephyr	LMR
	Monticello Maple	LMT
	Nickel Evolv	LNV
	North Sea	LNA
	Ocean	LON
	Pearl Bisque	LPB
	Pearl Silver	LPS
	Pressed Linen	LPR
	River Cherry	LRY
	Rugged Linen	LRG
	Satin Stainless	LSS
	Shadow Zephyr	LSR
	Silicon evolv	LSN
	Sterling Ash	LAZ
	Tailored Linen	LAZ
	Titanium evolv	LTL
	White Nebula	
		LWL
	White Sand	LWN
	Windsor Mahogany	LWY

ChangeUp Tablet Arm Color - Laminate

4

Certain options referenced may not be available on GSA Schedule.

		MODEL		•						-									
		MODEL	NUMBER	1															
	Features	Basic Model	Fire Code		Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing J Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DN5100							24.0#	\$ 534									
	Solid Color, Upholstered Seat	DN5200							26.5#	N/A	673	684	705	705	715	762	782	806	839
	Solid Color, Upholstered Seat/Back	DN5300							28.0#	N/A	707	717	737	737	747	796	813	838	873
	Two-Tone, Polypropylene	DN5A00							24.0#	599									
	Two-Tone, Upholstered Seat	DN5B00	NFR						26.5#	N/A	740	750	770	770	782	829	847	872	906
U U -																			
DN51																			
DN52																			
DN53																			
DN5A DN5B								_											
Task Armless Chair																			
lask Alliless Glali																			
Solid or two-tone colored shell																			
 Unlimited color match 17 degrees of hip articulation 																			
 400 pound approved 																			
Stack and guest chair models avail-																			
able																			
		•	0	G	D	Ð	G	G											
		W	U	G	U	G	U	U U											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER Gelect caster option.

A Select basic model.

NFR - Compliance to TB 117-2013

See Upholstery Information for TB133

- Compliance to TB 133

Refer to the **Product Color Options** page in this

Refer to the Product Color Options page in this

Select base color. Refer to the **Product Color Options** page in this

*Add \$108 for polished aluminum base.

Belect fire code.

FR

upcharge.

price list.

price list.

price list.

©Select solid poly color.

OSelect outside/inside poly color.

 CCC
 - Carpet casters

 CHC
 - Hard floor casters (black only)

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni® Task Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.

		MODEL	NUMBER	R															
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DN5111							26.0#	\$ 604									
	Solid Color, Upholstered Seat	DN5211							28.5#	N/A	745	757	774	774	786	835	853	876	912
	Solid Color, Upholstered Seat/Back	DN5311							30.0#	N/A	777	789	809	809	821	867	887	910	944
	Two-Tone, Polypropylene	DN5A11	NFR						26.0#	671									
	Two-Tone, Upholstered Seat	DN5B11	NFR						28.5#	N/A	811	823	841	841	853	901	919	943	978
Ŭ Ŭ																			
DN51																			
DN52																			
DN53 DN5A																			
DN5A DN5B																			
Task Cantilever Armchair																			
 Solid or two-tone colored shell Unlimited color match 																			
 17 degrees of hip articulation 																			
 400 pound approved 																			
 Stack and guest chair models avail- able 																			
auc																			
		A	₿	œ	O	Ø	G	G											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER Gelect caster option.

A Select basic model.

See Upholstery Information for TB133

NFR - Compliance to TB 117-2013

- Compliance to TB 133

Refer to the **Product Color Options** page in this

Refer to the Product Color Options page in this

Select base color. Refer to the **Product Color Options** page in this

*Add \$108 for polished aluminum base.

Belect fire code.

FR

upcharge.

price list.

price list.

price list.

©Select solid poly color.

DSelect outside/inside poly color.

 CCC
 - Carpet casters

 CHC
 - Hard floor casters (black only)

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni® Task Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.

		MODEL	NUMBER	ł															
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DN6100							27.0#	\$ 645									
	Solid Color, Upholstered Seat	DN6200							29.5#	N/A	786	797	815	815	828	875	894	918	954
	Solid Color, Upholstered Seat/Back	DN6300							31.0#	N/A	821	832	849	849	862	908	928	953	986
	Two-Tone, Polypropylene	DN6A00							27.0#	712									
	Two-Tone, Upholstered Seat	DN6B00							29.5#	N/A	853	864	883	883	894	942	960	985	1020
e V c																			
DN61																			
DN62																			
DN63																			
DN6A																			
DN6B																			
Task Armless Stool																			
Solid or two-tone colored shell																			
Unlimited color match17 degrees of hip articulation																			
 400 pound approved 																			
 Stack and guest chair models avail- 																			
able																			
			_		•		•												
		A	0	G	D	Ø	G	G											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect fire code. NFR - Compliance to TB 117-2013 FR - Compliance to TB 133 See Upholstery Information for TB133 upcharge.

- ©Select solid poly color. Refer to the **Product Color Options** page in this price list.
- OSelect outside/inside poly color. Refer to the **Product Color Options** page in this price list.

Select base color. Refer to the **Product Color Options** page in this price list. *Add \$108 for polished aluminum base.

Gelect caster option.
 CCC
 - Carpet casters

 CHC
 - Hard floor casters (black only)

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni[®] Task Stools

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.

Unlimited color match 17 degrees of hip articulation			_							•									
Normal Normal<			MODEL	NUMBER															
Solid Columbination		Features	Basic Model	Poly Fire Solid Code Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight	Delivered Pricing	Pricing Fabric Grade	Delivered Pricing Fabric Grade 2	Pricing	Pricing Vinyl Group	Pricing Pallas Fabric				
Solid Columbitational Saturdiana International Saturdiana		Solid Color, Polypropylene	DN6111						29.0#	\$717									
Nor-Tone, Polymorphymor		Solid Color, Upholstered Seat	DN6211						31.5#	N/A	860	868	889	889	900	946	966	990	
Yeo-Tone, Upholstered Seat DN691 NFR I DICCO DICCO </th <th></th> <th>Solid Color, Upholstered Seat/Back</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>33.0#</th> <th>N/A</th> <th>891</th> <th>903</th> <th>921</th> <th>921</th> <th>933</th> <th>982</th> <th>998</th> <th>1023</th> <th>1058</th>		Solid Color, Upholstered Seat/Back							33.0#	N/A	891	903	921	921	933	982	998	1023	1058
• Solid or water • Solid or water<		Two-Tone, Polypropylene	DN6A11	NFR					29.0#	784									
DN2 Image: Sector S		Two-Tone, Upholstered Seat	DN6B11	NFR					31.5#	N/A	924	936	956	956	966	1015	1032	1057	1091
DN2 Image: Sector S																			
DN2 Image: Sector S																			
DN2 Image: Sector S																			
DN2 Image: Sector S																			
DN2 Image: Sector S	U U																		
DN3 I																			
DN6A Image: Solid or two-thore colored shell Image: Solid or																			
DN6B Image: Solid or two-tone colored shell <																			
Task Cantilever Arm Stool Image: Solid or two-tone colored shell Image: Solid or two-tone colored shell Image: Solid or two-tone colored shell • Solid or two-tone colored shell Image: Solid or two-tone colored shell Image: Solid or two-tone colored shell Image: Solid or two-tone colored shell • Unlimited color match Image: Solid or two-tone colored shell Image: Solid or two-tone colored shell Image: Solid or two-tone colored shell • 17 degrees of hip articulation Image: Solid or two-tone colored shell Image: Solid or two-tone colored shell Image: Solid or two-tone colored shell																			
 Solid or two-tone colored shell Unlimited color match 17 degrees of hip articulation I degrees of hip articulation 																			
Unlimited color match 17 degrees of hip articulation	Task Cantilever Arm Stool																		
Unlimited color match 17 degrees of hip articulation																			
• 17 degrees of hip articulation	Solid or two-tone colored shell																		
	 Unlimited color match 																		
	 17 degrees of hip articulation 400 pound approved 																		
Stack and quest chair models avail-	 Stack and guest chair models avail- 																		
able	able																		
					_														
			A	0 O	D	Ø	G	G											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER Gelect caster option.

A Select basic model.

See Upholstery Information for TB133

Refer to the **Product Color Options** page in this

Refer to the Product Color Options page in this

Select base color. Refer to the **Product Color Options** page in this

*Add \$108 for polished aluminum base.

Belect fire code.

FR

upcharge.

price list.

price list.

price list.

©Select solid poly color.

DSelect outside/inside poly color.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

 CCC
 - Carpet casters

 CHC
 - Hard floor casters (black only)

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

Doni® Task Stools

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.

										•										
		MODEL	NUMBE	R																
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster		pholstery olor	Approx. Package Weight	d Deliver	red Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Solid Color, Polypropylene, Left Hand	DN519L	_							43.0;	[.] ≇ \$ 100	03						·	·	•
	Solid Color, Polypropylene, Right Hand	DN519R								43.0;	¥ 100	03								
	Solid Color, Upholstered Seat, Left Hand	DN529L								46.0	⊭ Ν	I/A	1143	1153	1175	1175	1185	1232	1252	1274
	Solid Color, Upholstered Seat, Right Hand	DN529R								46.0	¥ Ν	I/A	1143	1153	1175	1175	1185	1232	1252	1274
	Solid Color, Upholstered Seat/Back, Left Hand	DN539L								48.0	¥ Ν	I/A	1177	1187	1206	1206	1217	1266	1283	1308
	Solid Color, Upholstered Seat/Back, Right Hand	DN539R								48.0	¥ Ν	I/A	1177	1187	1206	1206	1217	1266	1283	1308
N51	Two-Tone, Polypropylene, Left Hand	DN5A9L	NFR				1			43.0										
N52	Two-Tone, Polypropylene, Right Hand	DN5A9R								43.0										
N53	Two-Tone, Upholstered Seat, Left Hand		NFR							46.0		I/A	1209	1219	1240	1240	1252	1299	1317	1341
N5A	Two-Tone, Upholstered Seat, Right Hand	DN5B9R	NFR							46.0	¥ Ν	I/A	1209	1219	1240	1240	1252	1299	1317	1341
N5B																				
changeUp Tablet Arm Task Chair																				
						_														
Solid or two-tone colored shell																				
Unlimited color match 17 degrees of hip articulation																				
Large work surface (21"W x 13.3"D																				
Work surface flips and folds																				
Work surface has 20 degrees of																				
ingress/egress movement Work surface rated to 250 pounds																				
Chair rated to 400 pounds																				
		۵	6	Θ	O	Ð	G	G	0											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The □ indicates that a choice is required. • The absence of the □ indicates that no
- choice is required.
 Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select fire code.
 NFR - Compliance to TB 117-2013
 FR - Compliance to TB 133
 Compliance to TB 133

See Upholstery Information for TB133 upcharge. Select solid poly color.

Select solid poly color. Refer to the **Product Color Options** page in this price list.

Oselect outside/inside poly color. Refer to the **Product Color Options** page in this price list.

Select base color. Refer to the **Product Color Options** page in this price list. *Add \$108 for polished aluminum base.

Select casters. CCC - Carpet casters CHC - Hard floor casters (black only)

Gelect tablet arm color. Refer to the **Product Color Options** page in this price list.

Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

Californina TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

UPHOLSTERY INFORMATION

COM. requirement for 10 chairs or less with

upholstered seat or upholstered seat and back

is 3/4 yard per chair of 54" wide nondirectional

ordering C.O.M. see "Ordering Customer's Own

Material (C.O.M) Upholstery." section.

fabric. For orders of 11 or more with upholstered seat and back and for complete information on

COM. Upholstery

Doni[®] Task Chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Green Bay, WI 54302**, **freight prepaid.** Freight class 100.

1-Place Unit



Features				
Corner tables	•	•	•	•
In-line tables	•	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height	17"	17"	17"	17"
Unit width	20"	44"	66"	86"
Unit height	33"	33"	33"	33"
Corner table top	30" × 30"	30" × 30"	30" x 30"	30" × 30"
In-line table	20" x 20"	20" × 20"	20" x 20"	20" x 20"
Table height (all table models)	17"	17"	17"	17"

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal $\frac{1}{2}$ " thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Under-seat Structure

Support structure is a die-drawn 12-gauge steel plate. Structure is finished with baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint.

Tandem Base

Cast aluminum alloy leg section. 14-gauge 1" x 2" seamless steel column. Upright and base are painted monochromatic with beam and yoke. Columns are welded to a plate which clamps onto beam.

In-Line Table

Solid core top is 20" x 20" x $\frac{7}{8}$ " with a vinyl bullnose edge.

Corner Table

Solid core top is $30^{\circ} \times 30^{\circ} \times \frac{7}{8}^{\circ}$ with a vinyl bullnose edge.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Doni[®] Tandem Seating Color Options

Frame Color		Edge Color
Black	BL	Black
Blue Grey	GR	Blue Grey
Bronze Metallic	ZM	Cayenne
Cayenne	CY	Cool Grey
Champagne Metallic	CM	Earthen Clay
Chrome	СН	Everglade Shade
Cool Grey	CG	Flannel
Cottonwood	CO	Frosty White
Earthen Clay	EY	Hazy Jade
Espresso Metallic	EX	Honey Bee
Everglade Shade	EV	Light Tone
Flannel	FN	Mardi Gras
Glitz Metallic	GZ	Misty Brown
Hazy Jade	HJ	Nemo
Honey Bee	HY	Nordic
Light Tone	LG	Poppy Red
Mardi Gras	MG	Purple Haze
Misty Brown	MY	Rubber Ducky
Nemo	NE	Sand
Nordic	ND	Sky Blue
Poppy Red	PR	Sterling Ash
Purple Haze	PH	Surf's Up
Rubber Ducky	RK	Twilight Shadow
Sky Blue	SK	Ultra Blue
Starlight Silver Metallic	SX	Warm Grey
Surf's Up	SP	Zesty Lime
Twilight Shadow	TI	
Ultra Blue	UB	
Warm Grey	WG	
Zesty Lime	ZL	

Surface Finish - Laminate	
Belair	
Biltmore Cherry	
Black	
Brighton Walnut	
Canyon Zephyr	
Castle Oak	
Casual Linen	
Cherry Storm	
Classic Linen	
Cloud Zephyr	
Cocobala	
Crisp Linen	
Desert Zephyr	
Dove Grey	
Fired Steel	
Flax Linen	
Florence Walnut	
Forged Steel	
Friston Ash	
Frosty White	
Graphite Nebula	
Grey	
High Rise	
Hollyberry	
Irish Linen	
Island	
Italian Silver Ash	
Kensington Maple	
Lapis Blue	
Markerboard White	
Misted Zephyr	
Monticello Maple	
Nickel Evolv	
North Sea	
Ocean	
Pearl Bisque	
Pearl Silver	
Pressed Linen	
River Cherry	
Rugged Linen	
Satin Stainless	
Shadow Zephyr	
Silicon evolv	
Sterling Ash	
Tailored Linen	
Titanium evolv	
White Nebula	
White Sand	
Windsor Mahogany	

EBL

EGR

ECY

ECG

EEY

EEV

EFN

EFW

EHJ

EHY

ELG

EMG

EMY

ENE

END

EPR

EPH

ERK

ESA

ESK

EAZ

ESP

ETI

EUB

EWG

EZL



LBQ	SOLID COLOR Seat and Back Polypropylene Non Flame-Retardant	
LBT	Black	PBL
LBK	Blue Grey	PGR
LBW	Cool Grey	PCG
LCA	Cottonwood	PCO
LCO	Earthen Clay	PEY
LCU	Everglade Shade	PEV
LCX	Flannel	PFN
LCI	Hazy Jade	PHJ
LCL	Honey Bee	PHY
LCC	Light Tone	PLG
LRI	Misty Brown	PMY
LDZ	Nemo	PNE
LDG	Nordic	PND
LIL	Poppy Red	PPR
LXF	Surf's Up	PSP
LFC	Twilight Shadow	PTI
LOL	Ultra Blue	PUB
LFH	Warm Grey	PWG
LFW	Zesty Lime	PZL
LGN	SOLID COLOR Seat and Back Polynronylene	
LGE	SOLID COLOR Seat and Back Polypropylene Flame-Retardant	
LHE	Black	PBL
LHY	2.don	
LIH	The above seating product can be manufactured using the	
LID	flame-retardant materials for compliance of California Tec 133.	chnical Bulletin
LIT		
LKM	TWO-TONE COLOR Seat and Back - Polypropyle	1e
LLB	Non Flame-Retardant	
LMK	Outside/Inside	
LMR	Outside Black/Inside Cottonwood	OBL/ICO
LMT	Outside Blue Grey/Inside Cool Grey	OGR/ICG
LNV	Outside Blue Grey/Inside Cottonwood	OGR/ICO
LNA	Outside Cool Grey/Inside Cottonwood	OCG/ICO
LON	Outside Flannel/Inside Warm Grey	OFN/IWG
LPB	Outside Misty Brown/Inside Cottonwood	OMY/ICO
LPS	Outside Nemo/Inside Cottonwood	ONE/ICO
LPR	Outside Nordic/Inside Cool Grey	OND/ICG
LRY	Outside Poppy Red/Inside Cottonwood	OPR/ICO
LRG	Outside Surf's Up/Inside Cool Grey	OSP/ICG
LSS	Outside Ultra Blue/Inside Cottonwood	OUB/ICO
LSR	Outside Zesty Lime/Inside Cottonwood	OZL/ICO
LSV		
LAZ		
LTL		
LTV		

LWL LWN LWY

Certain options referenced may not be available on GSA Schedule.

			MODEL NUI	MDED					•	
								-		
					Po	ly		Approx.		FR
	MODEL	Factures		Frame	Fire Sc	lid Su	rface Edge ish Color	Packaged	Delivered	add to list
			_				ISTI COIOF	Weight	Pricing	price
\frown	Polypropylene - No Arm, SOLID COLOR		DND10S1T0					25.0#	\$ 757	\$ 13
	 Optional in-line tables 1 seat, 0 in-line table models must 	1 Seat, 1 In-Line Table	DND10S1T1					37.0#	1670	13
MLBES	 I seat, o in-line table models must connect to a corner table 	2 Seat, 0 In-Line Table	DND10S2T0					43.0#	1509	27
best.	Corner table is ordered separately	2 Seat, 1 In-Line Table	DND10S2T1					57.0#	2421	27
		3 Seat, 0 In-Line Table	DND10S3T0					63.0#	2264	40
		3 Seat, 1 In-Line Table	DND10S3T1					77.0#	3177	40
		4 Seat, 0 In-Line Table	DND10S4T0					87.0#	3021	53
DND1		3 Seat, 2 In-Line Table	DND10S3T2					96.0#	4089	40
		4 Seat, 1 In-Line Table	DND10S4T1					103.0#	3931	53
		5 Seat, 0 In-Line Table	DND10S5T0					108.0#	3778	67
			•	0		2				

\$

0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. \bullet The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect frame color. Refer to the Product Color Options page in this price list.

Select fire code. FR - Fire retardant NFR - No Fire Retardant See pricing column for TB133 upcharge.

Select solid poly color. Refer to the **Product Color Options** page in this price list.

BSelect surface finish for table. Refer to the **Product Color Options** page in this price list.

Select table edge color. Refer to the **Product Color Options** page in this price list.

Doni[®] Tandem Seating

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.

									-
			MODEL NUI	MBER					
	MODEL	Features	Basic Model		Fire Code	Poly Outside/Inside Color		Edge Color	Approx. Packaged Delivered Weight Pricing
	Polypropylene - No Arm, TWO-TONE	1 Seat, 0 In-Line Table	DNDA0S1T0		NFR				25.0# \$ 823
	Optional in-line tables I seat. 0 in-line table models must	1 Seat, 1 In-Line Table	DNDA0S1T1		NFR				37.0# 1736
	connect to a corner table	2 Seat, 0 In-Line Table	DNDA0S2T0		NFR				43.0# 1641
ES	Corner table is ordered separately	2 Seat, 1 In-Line Table	DNDA0S2T1		NFR				57.0# 2553
		3 Seat, 0 In-Line Table	DNDA0S3T0		NFR				63.0# 2463
		3 Seat, 1 In-Line Table	DNDA0S3T1		NFR				77.0# 3376
		4 Seat, 0 In-Line Table	DNDA0S4T0		NFR				87.0# 3286
DNDA		3 Seat, 2 In-Line Table	DNDA0S3T2		NFR				96.0# 4288
		4 Seat, 1 In-Line Table	DNDA0S4T1		NFR				103.0# 4198
		5 Seat, 0 In-Line Table	DNDA0S5T0		NFR				108.0# 4109
			A	₿	œ	O	Ø	G	

\$

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. \bullet The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect frame color. Refer to the Product Color Options page in this price list.

Select fire code. NFR - No Fire Retardant

DSelect outside/inside poly color. Refer to the **Product Color Options** page in this price list.

BSelect surface finish for table. Refer to the Product Color Options page in this price list.

Select table edge color. Refer to the Product Color Options page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.

			MODEL NU	IMBER															
	MODEL	Features	Basic Model	Frame Color		Poly Solid Color	Surface Finish	Edge Upholste Color Color	, , Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
	Upholstered Seat - No Arm, SOLID	1 Seat, 0 In-Line Table	DND20S1T0						28.0#	\$ 897	\$ 907	\$ 928	\$ 928	\$ 939	\$ 986	\$ 1004	\$ 1029	\$ 1063	\$ 83
	COLOR	1 Seat, 1 In-Line Table	DND20S1T1							1809	1821	1839	1839	1852	1899	1918	1941	1975	83
	 Optional in-line tables 1 seat, 0 in-line table models must 	2 Seat, 0 In-Line Table	DND20S2T0						48.0#	1791	1812	1853	1853	1873	1970	2006	2054	2123	167
	connect to a corner table	2 Seat, 1 In-Line Table	DND20S2T1						62.0#	2703	2725	2765	2765	2786	2883	2919	2967	3036	167
	Corner table is ordered separately	3 Seat, 0 In-Line Table	DND20S3T0						68.0#	2687	2719	2777	2777	2810	2955	3010	3082	3186	252
		3 Seat, 1 In-Line Table	DND20S3T1							3600	3632	3690	3690	3724	3866	3923	3994	4099	252
		4 Seat, 0 In-Line Table	DND20S4T0						92.0#	3586	3628	3709	3709	3752	3944	4018	4112	4251	336
DND2		3 Seat, 2 In-Line Table	DND20S3T2						101.0#	4512	4544	4603	4603	4635	4779	4835	4908	5011	252
		4 Seat, 1 In-Line Table	DND20S4T1						101.0#	4496	4538	4618	4618	4661	4852	4927	5022	5162	336
		5 Seat, 0 In-Line Table	DND20S5T0						113.0#	4482	4535	4635	4635	4688	4928	5021	5141	5314	419
			A	0	G	D	Ø	0 O											

4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER GSelect upholstery grade/color. Refer to ki.com/fabrics

A Select basic model.

Belect frame color. Refer to the Product Color Options page in this price list.

CSelect fire code.

NFR - Compliance to TB 117-2013 FR - Compliance to TB 133 See pricing column for TB133 upcharge.

OSelect solid poly color. Refer to the **Product Color Options** page in this price list.

BSelect surface finish for table. Refer to the **Product Color Options** page in this price list.

Select table edge color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.

47
Doni®
Tandem Seating

			MODEL NUI	MBER															
	MODEL	Features	Basic Model					Edge Upholstery Color Color	Appr Pack Weig	kaged	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Upholstered Seat - No Arm, TWO-TONE	1 Seat, 0 In-Line Table	DNDB0S1T0		NFR				28	28.0#	\$ 963	\$ 973	\$ 994	\$ 994	\$ 1004	\$ 1054	\$ 1070	\$ 1095	\$ 1130
	 Optional in-line tables 1 seat, 0 in-line table models must 	1 Seat, 1 In-Line Table	DNDB0S1T1		NFR				39	89.0#	1875	1887	1906	1906	1918	1966	1984	2007	2043
NLBB	connect to a corner table	2 Seat, 0 In-Line Table	DNDB0S2T0		NFR				48	8.0#	1925	1946	1985	1985	2006	2102	2141	2188	2255
	Corner table is ordered separately	2 Seat, 1 In-Line Table	DNDB0S2T1		NFR				62	62.0#	2837	2859	2897	2897	2919	3014	3051	3100	3169
		3 Seat, 0 In-Line Table	DNDB0S3T0		NFR				68	68.0#	2887	2918	2978	2978	3010	3154	3209	3281	3385
		3 Seat, 1 In-Line Table	DNDB0S3T1		NFR				82	82.0#	3798	3831	3889	3889	3923	4067	4121	4194	4298
		4 Seat, 0 In-Line Table	DNDB0S4T0		NFR				92	92.0#	3851	3894	3975	3975	4018	4209	4282	4378	4518
DNDB		3 Seat, 2 In-Line Table	DNDB0S3T2		NFR				101)1.0#	4712	4744	4802	4802	4835	4979	5035	5106	5210
		4 Seat, 1 In-Line Table	DNDB0S4T1		NFR				101)1.0#	4762	4803	4884	4884	4927	5118	5194	5289	5428
		5 Seat, 0 In-Line Table	DNDB0S5T0		NFR				113	3.0#	4816	4868	4969	4969	5021	5261	5355	5472	5647
			A	6	G	D	Ø	G											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

③Select frame color. Refer to the **Product Color Options** page in this price list.

Select fire code.

 NFR
 - Compliance to TB 117-2013

Select outside/inside poly color. Refer to the **Product Color Options** page in this price list.

Select surface finish for table. Refer to the **Product Color Options** page in this price list.

Select table edge color. Refer to the **Product Color Options** page in this price list.

GSelect upholstery grade/color. Refer to <u>ki.com/fabrics</u>

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 70.

			MODEL NU	MBER																
	MODEL	Features	Basic Model	Frame Color			Surface Finish	Edge Color	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
	Upholstered Seat and Back - No Arm,	1 Seat, 0 In-Line Table	DND30S1T0							33.0#	\$ 930	\$ 941	\$ 960	\$ 960	\$ 971	\$ 1020	\$ 1037	\$ 1062	\$ 1096	\$ 120
	SOLID COLOR	1 Seat, 1 In-Line Table	DND30S1T1							47.0#	1842	1854	1873	1873	1885	1932	1950	1974	2010	120
NHES)	 Optional in-line tables 1 seat, 0 in-line table models must 	2 Seat, 0 In-Line Table	DND30S2T0							58.0#	1858	1878	1919	1919	1939	2036	2075	2121	2190	239
	connect to a corner table	2 Seat, 1 In-Line Table	DND30S2T1							72.0#	2770	2791	2831	2831	2852	2948	2986	3034	3104	239
	Corner table is ordered separately	3 Seat, 0 In-Line Table	DND30S3T0							83.0#	2786	2818	2878	2878	2912	3053	3110	3182	3284	359
		3 Seat, 1 In-Line Table	DND30S3T1							97.0#	3699	3730	3791	3791	3823	3965	4023	4094	4198	359
		4 Seat, 0 In-Line Table	DND30S4T0							108.0#	3718	3762	3842	3842	3884	4076	4149	4247	4383	480
DND3		3 Seat, 2 In-Line Table	DND30S3T2							116.0#	4612	4643	4703	4703	4736	4878	4936	5008	5111	359
		4 Seat, 1 In-Line Table	DND30S4T1							127.0#	4629	4671	4751	4751	4793	4985	5060	5156	5294	480
		5 Seat, 0 In-Line Table	DND30S5T0							138.0#	4648	4701	4801	4801	4855	5095	5187	5308	5481	599
			A	0	C	D	•	Ĵ	G											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER GSelect upholstery grade/color. Refer to ki.com/fabrics

A Select basic model.

Belect frame color. Refer to the Product Color Options page in this price list.

CSelect fire code. NFR - Compliance to TB 117-2013 FR - Compliance to TB 133

See pricing column for TB133 upcharge. OSelect solid poly color. Refer to the **Product Color Options** page in this

price list.

BSelect surface finish for table. Refer to the **Product Color Options** page in this price list.

Select table edge color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.

			MODEL NU	JMBER	T	1	
	MODEL	Fratures	Basic	Frame	Surface	Edge	
	MODEL	Features		Color	Finish	Color	
	Corner Table	Connects 2 units	TCT				
	 Number of tables per arrangement 						l
	 Plastic laminate with vinyl bullnose edge 						
	 For mounting modular units at a 90° 						
	angle						
	 Two required for U-shaped configuration 						
MSCT	One required for L-shaped configuration						
						_	
	Back Ganging Bar		DOP.GANG				
HRDPT	Back Ganging Bar Connects 2 units back-to-back 						
	 Powder coated to match base 						
	 Sold in pairs 						
			0	ß	G	D	
				0	G	ש	

\$

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. \bullet The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect frame color. Refer to the Product Color Options page in this price list.

Select surface finish for table. Refer to the **Product Color Options** page in this price list.

DSelect table edge color. Refer to the **Product Color Options** page in this price list.

49

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000209/KI/PDF

