DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DISINFECTION IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) **AND NON-MEDICAL FACILITIES** (Households, Schools, Restaurants, and Other Non-Medical Facilities): At 4 ounces per gallon of water use level, (850 ppm active quat) (or equivalent use dilution), this product was evaluated with a 10-minute contact time and found to be bactericidal according to the AOAC Use Dilution Test method on hard inanimate surfaces modified in the presence of 5% organic serum against: Acinetobacter baumannii, Corynebacterium ammoniagenes, Enterobacter aerogenes, Enterococcus faecalis Multiple Drug Resistant, Enterococcus faecalis Vancomycin Resistant (VRE), Escherichia coli, Escherichia coli Antibiotic Resistant, Klebsiella pneumoniae, Klebsiella pneumoniae Antibiotic Resistant, Listeria monocytogenes, Pseudomonas aeruginosa, Salmonella enterica, Salmonella schottmuelleri, Serratia marcescens, Shigella dysenteriae, Staphylococcus aureus Multiple Drug Resistant, Staphylococcus aureus Methicillin Resistant (MRSA), Staphylococcus aureus, Staphylococcus aureus Vancomycin Sensitive.

VIRUCIDAL* PERFORMANCE: At 4 ounces per gallon of water use level, (850 ppm active quat), this product was evaluated with a 10 minute contact time and found to be effective in the presence of 5% blood serum against the following viruses on hard, non-porous surfaces: Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Herpes Simplex virus Type 1, Herpes Simplex virus Type 2, Human Coronavirus, HIV-1 (AIDS virus), Influenza A/PR Virus, Influenza A virus/Brazil.

MILDEWCIDE PERFORMANCE: When used as directed at a 1:32 dilution (4 fluid ounces per gallon of water) (or equivalent use dilution) and a 10-minute contact time, this product is highly effective against the following: Aspergillus niger

PREPARATION OF DISINFECTION/VIRUCIDAL*/MILDEWCIDE USE SOLUTION: For heavily soiled areas, a preliminary cleaning is required. Apply 4 ounces of this product with 1 gallon of water (850 ppm active quat) (or equivalent use dilution) to disinfect hard non-porous surfaces Apply use solution using a brush, cloth, mop, sponge, auto scrubber, mechanical spray device coarse pump or trigger spray device or by immersion so as to thoroughly wet surfaces. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, cloth, or sponge. Treated surfaces must remain wet for 10 minutes. Wipe up excess liquid with a paper towel. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly soiled.

FOR DISINFECTING HARD, NON-POROUS SURFACES AGAINST AVIAN INFLUENZA A (H5N1) VIRUS: For use in homes, hospitals, hotels, motels, schools and other non-animal use sites, follow the **PREPARATION OF DISINFECTION/VIRUCIDAL*/MILDEWCIDE USE SOLUTION directions.**

HOSPITAL/HEALTH CARE/INSTITUTIONAL: This product is not for use on Medical device surfaces.

***KILLS HIV, HCV AND HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1 associated with AIDS), Hepatitis B virus (HBV), and Hepatitis C Virus (HCV).

"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HCV & HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS."

Personal Protection: Clean up must always be done wearing protective latex gloves, gowns, masks and eye protection. Cleaning Procedure: Blood and other body fluids containing HIV-1, HBV & HCV must be thoroughly cleaned from surfaces and objects before application of this product. Disposal of infectious materials: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal. Contact Time: Leave surface wet for 10 minutes with 4 ounces per gallon use solution.

Net Contents: 1 Gallon/ 3.785 Liters

Batch No:102816

DISINFECTANT

LEMON 32 LEMON

Disinfectant, Cleaner, Mildewstat, Virucide*, Deodorizer for Hospitals, Nursing Home, Home, Hotels & Motels, Institutional, Industrial, School. Effective as a disinfectant in hard water up to 400 ppm hardness in the presence of 5% serum contamination.

This product is a one-step neutral Hospital Use disinfectant that is effective against a broad spectrum of bacteria, is virucidal* including HIV-1, HCV and HBV and inhibits the growth of mold and mildew and their odors when used as directed.

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride.....0.814%
Didecyl Dimethyl Ammonium Chloride.....0.407%
Dioctyl Dimethyl Ammonium Chloride.....0.407%
Alkyl (C_{14}, 50%; C_{12}, 40%; C_{16}, 10%)
dimethyl benzyl ammonium chloride.....1.085%
INERT INGREDIENTS:.....97.287%
TOTAL.....100.000%

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO

See right panel for additional precautionary statements.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO. DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ELKINS Since 1956 WHOLESALE INC.

Laurel, MS 601-425- 2311 ♦ Jackson, MS 601-968- 8097

PAPER PRODUCTS ♦ JANITORIAL PRODUCTS
LAUNDRY CHEMICALS ♦ DISHWASH CHEMICALS

NON-ACID TOILET BOWL DISINFECTANT/CLEANER DIRECTIONS

FOR USE AS A NON-ACID BOWL CLEANER/DISINFECTANT IN TOILET BOWLS FROM CONCENTRATE: 1: Preclean heavily soiled areas. 2: Add 4 ounces of this product directly into toilet bowl (or equivalent use dilution). 3: Swab entire surface area especially under the rim. 4: Repeat and allow entire surface to remain wet for ten (10) minutes. 5: Flush toilet and rinse swab applicator thoroughly

Mold and Mildew Control Directions: Add 4 ounces of this product per gallon of water to control the growth of mold and mildew and their odors on hard, non-porous surfaces. Thoroughly wet all treated surfaces completely. Treated surfaces must remain wet for 10 minutes. Let air dry. Repeat application weekly or when growth or odor reappears.

FOR USE AS A (GENERAL) CLEANER AND/OR DEODORIZER: Apply use solution of 4 ounces of this product with 1 gallon of water to surfaces. Wipe up excess liquid with a paper towel. For heavy-duty use, add 1 ounce (of this product per 1 gallon to clean surfaces.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

CONTAINER HANDLING/PESTICIDE STORAGE: Store only in original container. Do not reuse empty container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

RESIDUE REMOVAL: Triple rinse as follows: Fill the container ¼ full with water and recap. Agitate vigorously and drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat two more times. Wrap container and put in trash or offer for recycling if available.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides (rinsate). Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. Follow Pesticide Disposal instructions.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.

E.P.A. Reg. No 10324-114-64919 E.P.A. Est. No. 64919-LA-01