Earth Sense

ENVIRONMENTALLY RESPONSIBLE

Evergreen[™] Finish Super-Durable Green Sealer/Finish

DESCRIPTION

EVERGREEN[™] FINISH marks a milestone in floor finish technology. Using cutting edge DURA-TECH[™] polymer technology, this product exhibits exceptional wear and long lasting durability characteristics. Superior gloss and response when buffed with any speed equipment, EVERGREEN[™] FINISH creates a new benchmark for green-certified floor finish performance.

EVERGREEN[™] FINISH Super-Durable Green Sealer/Finish is recommended for use in Federal, State and Local Government Offices, Military Bases, Municipal Facilities, Day Care Centers, Hospitals, Nursing Homes, Office Buildings, Parks and Recreation Centers, Schools, Universities, Hotels, Lodging and any facility sensitive to environmental and human health characteristics.

PRODUCT FEATURES / BENEFITS

- Technologically advanced DURA-TECH[™] formula. Promotes long lasting wear and durability.
- Contains no heavy metals that can be harmful to the environment and aquatic life.
- Contains no environmentally harmful surfactants, no glycol ether based solvents, no ethanolamine, and no environmentally toxic preservatives.
- Responds to burnishing with 300 2000 RPM equipment
- Sealer / Finish combination simplifies floor care maintenance and controls product costs.

DIRECTIONS FOR USE

Initial Floor Preparation: Completely remove the existing floor coating using recommended products. When starting an "environmentally responsible floor finish program" it is important to start with a bare floor. Make sure that the floor is clean and completely dry.

Application: Using a clean mop or applicator apply a thin uniform coat of Earth Sense® EVERGREEN[™] FINISH. Allow to dry for a minimum of 30 minutes after each coat. Do not apply more than 4 coats in a 24 hour period.

High Speed Buffing and Burnishing: This is an ideal product for use with any speed polishing or burnishing equipment (electric, battery or

SPECIFICATIONS

Specific Gravity (g/cc)	1.03 ± 0.1
Density (lbs/gal)	8.6 ± 0.1
pH	7.9 ± 0.5
% Styrene (Free Monomer)	0.0
Color	White, Opaque

propane). For high speed buffing or UHS burnishing / restoration, use an

NCL AQUA MAGIC Buffing Pad with POP & SHINE Gloss Restorer. **Maintenance:** Maintain by dust mopping daily using mop treated with CONTROL Dust Mop Treatment. Damp mop or clean with an automatic scrubber as required, using Earth Sense® pH NEUTRAL ALL-PURPOSE CLEANER.

Stripping: When stripping becomes necessary use a compatible Green Seal™ Certified EARTH SENSE® Stripper following instructions on the original product label.

Odor	Mild acrylic
Heavy Metals	None
Nonylphenol Ethoxolates	None
Environmentally toxic preservatives	None
Ethanolamine	None
Shelf Life1 year minimum in original unopene	ed container

ENVIRONMENTAL RECOGNITIONS



The EARTH SENSE® Seal of Assurance is self-certified by NCL, and identifies our products that are formulated to promote human health and worker safety with a preferred environmental profile.



This product meets Green Seal[™] Standard GS-40 based on effective performance and protective limits on VOCs and human & environmental toxicity. GreenSeal.org.

En Har Bio

VO

Rec

Rea Fla

Cor

ENVIRONMENTAL PROFILE

Chemical Ingredients:	
Heavy Metals (Zn):None	
APE / NPE:None	
Environmentally Toxic PreservativesNone	
Ethanolamine:None	
Added Dyes:None	
Added Fragrances:None	

vironmental Impact: mful to Water Systems:No degradable:	Human Toxi Skin Corrosive: Eye Corrosive: Skin Sensitizer: . Low Toxicity:
activeNo mmableNo mbustibleNo	

icity:

No

...No . Yes DISPOSE OF UNUSED PRODUCT IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS - PLEASE RECYCLE CONTAINER

PPE Information: Respiratory protection is generally not required. No special ventilation is normally required. The use of safety glasses and gloves is recommended. No other protective equipment is required.





401 N. 10th Street • Philadelphia, PA 19123 1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517 www.nclonline.com • e-mail:info@nclonline.com



NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

Section 1 - Identification

Product Identifier Other means of identification Recommended use Recommended restrictions	Earth Sense® EVERGREEN™ Super-Durable Green Sealer/Finish 0508 Floor finish. For commercial and industrial use only.	
Manufacturer / Importer / Supplier / Distributor Information		
Company Name	National Chemical Laboratories of PA, Inc.	
Address	401 N. 10th Street - Philadelphia, PA 19123	
Telephone	1 (215) 922-1200	
Supplier Email	info@nclonline.com	
Contact	CHEM-TEL	
Emergency Phone	1 (800) 255-3924	

Section 2 - Hazard(s) Identification

	Classification	Category
Physical Hazards	Not Classified	
Health Hazards	Not Classified	
OSHA defined hazards	Not Classified.	
Label Elements		
Hazard Symbol	None.	
Signal Word	Not Available	
Hazard Statement	Not available.	
Precautionary statement		
Prevention	Observe good industrial hygiene practices.	
Response	Wash thoroughly after handling.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of contents/container in accordance with local/region	al/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.	

Section 3 - Composition/Information on ingredients

Mixture			
Hazardous Components	Ingredient Name	CAS #	%
	Diethylene Glycol Monoethyl Ether	111-90-0	5 - 10
	Tris(2-Butoxyethyl) Phosphate	78-51-3	1 - 5
	Section 4 - First-aid Mea	sures	
Inhalation	Move to fresh air. Get medical attention if irritation persists.		
Skin contact	Wash skin with soap and water. Get medical attention if irritation persists.		
Eye contact	Flush eyes thoroughly with water for at least 15 minutes. Get medical attention if irritation persists.		
Ingestion	Rinse mouth thoroughly with water. Seek medical advice.		
Most Important symptoms	Mild eye irritation.		
/effects, acute and delayed			
Indication of immediate medical attention and special treatment			
General Information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		
Section 5 - Fire-fighting measures			
Suitable extinguishing media	Suitable extinguishing media Carbon dioxide, alcohol-resistant foam, dry chemical, water spray, or water fog.		
Unsuitable extinguishing media	uishing Not available.		
Specific hazards arising from the chemical	None known.		

Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire-fighting equipment /instructions	Move containers from fire area if you can do it without risk. Use water spray to keep fire-exposed containers cool.	
General fire hazards	This product is not flammable or combustible.	
	Section 6 - Accidental release measures	
Personal precautions, protective equipment and emergency procedures.	Isolate area. Keep unnecessary personnel away. Use personal protection as recommended in Section 8 of the SDS.	
Methods and materials for containment and cleaning up	SMALL SPILLAGE: Absorb spillage with suitable absorbent material. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with water. LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with water.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
	Section 7 - Handling and storage	
Precautions for safe handling	Avoid contact with eyes, skin, and clothing. Avoid breathing mist or vapor. Do not taste or swallow. Use with adequate ventilation. Wash thoroughly after handling. Use Personal Protective Equipment recommended in section 8 of the SDS.	
Conditions for safe storage, including any incompatibilities	Store away from incompatible materials. Keep container closed.	
	Section 8 - Exposure control/personal protection	
Occupational exposure limits US. Workplace environmenta	l Exposure Level (WEEL) Guides	
Component	Type Value	
Diethylene Glycol Monoeth	yl Ether (CAS 111-90-0) TWA 140 mg/m³ , 25 ppm	
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Exposure guidelines	Use personal protective equipment as required. Keep working clothes separately.	
Appropriate engineering controls	Provide adequate ventilation and minimize the risk of inhalation of vapors and mists. Provide easy access to water supply and eye wash facilities.	
Individual protection measures, s	uch as personal protective equipment	
Eye/face protection	Wear safety glasses. If splash potential exists, wear full face shield or chemical goggles.	
Skin protection		
Hand protection	Wear chemical-resistant, impervious gloves. Suitable gloves can be recommended by the glove supplier.	
Other	Wear appropriate chemical resistant clothing.	
	-	

Respiratory protection	Use a respirator when local exhaust or ventilation is not adequate to keep exposures below the OEL. In a confined space a supplied respirator may be required.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance	Opaque Liquid.
Physical state	Liquid.
Form	Liquid.
Color	White.
Odor	Acrylic.
Odor threshold	Not available.
рН	7.8
Melting point/freezing point	Not available.
Initial boinging point and boiling range	Not available.
Flash point	None to boiling.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Similar to water.
Vapor density	Similar to water.

Relative density	1.03 ± 0.01
Relative density temperature	75 °F (23.89 °C)
Solubilities	Disperses
Partition Coefficient n-octanol/water	Not available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	< 10 cP
Viscosity Temperature	75 °F (23.89 °C)

Section 10 - Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable at normal conditions.
Possiblity of hazardous reactions	Hazardous polymerization does not occur.
Conditions to Avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous Decomposition	Carbon monoxide. Carbon dioxide.
Products	

Section 11 - Toxicological information

Section 11 - Toxicological information					
Information on likely routes of ex	posure				
Ingestion	No adverse effects due to ingestion are expected.				
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.				
Skin contact	Prolonged or repeated skin contact may cause drying, cracking, or irritation.				
Eye contact	May cause eye irritation.				
Symptoms related to the	May cause eye irritation. Prolonged or repeated skin contact may cause drying, cracking, or irritation.				
physical, chemical and toxicological characteristics					
Information on toxicological effect	rts				
Acute toxicity	Not expected to be hazardous.				
Skin corrosion/irritation	Prolonged or repeated contact may dry skin and cause irritation.				
Serious eye damage/ eye irritation	May cause eye irritation.				
Respiratory sensitization	Not classified.				
Skin sensitization	Not available.				
Germ cell mutagenicity	Not classified.				
Carcinogenicity	Not classified.				
Reproductive toxicity	Not classified.				
Specific target organ toxicity - single exposure	Not classified.				
Specific target organ toxicity - repeated exposure	Not classified.				
Aspiration hazard	Not available.				
	Section 12 - Ecological Information				
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.				
Persistence and degradability	The product is expected to be biodegradable.				
Bioaccumulative potential	Not known.				
Partition coeficient n-octanol	/ water log (Kow)				
Components	Results				
Diethylene Glycol Monoeth					
Tris(2-Butoxyethyl) Phosph					
Mobility in soil	Not available.				
Mobility in general	The product is water soluble and may spread in water systems.				
Other adverse effects	None known.				
Section 13 - Disposal considerations					
Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.				
Local disposal regulations	Dispose of in accordance with local regulations.				
Hazardous waste code	Waste codes should be assigned by the user based on the application for which the product was used.				

Waste from residues / unused	Dispose in accordance with all applicable regulations.		
products			
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.		

Section 14 - Transport information

 DOT
 Not regulated as dangerous goods.

 IATA
 Not regulated as dangerous goods.

 IMDG
 Not regulated as dangerous goods.

 Transportation in bulk
 This substance/mixture is not intended to be transported in bulk.

 according to Annex II of
 MARPOL 73/78 and IBC Code

	5	Section 15 - Re	gulatory Information	n		
US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.						
TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)			Not regulated.			
US. OSHA Specifically	Regulated Substances (29	CFR 1910.1001-1050)	Not listed.			
CERCLA Hazardous Su	bstance List (40 CFR 302.4	Ļ				
Componen	ts		Result			
Diethylene	Glycol Monoethyl Ether (C	AS 111-90-0)	LISTED			
Tris(2-Buto	xyethyl) Phosphate (CAS 7	8-51-3)	LISTED			
Superfund Amendme	nts and Reauthorization A	ct of 1986 (SARA)				
Hazard Categories	Immediate Hazard	No				
	Delayed Hazard	No				
	Fire Hazard	No				
	Pressure Hazard	No				
	Reactivity Hazard	No				
SARA 302 Extremely h		No				
SARA 311/312 Hazard		No				
SARA 313 (TRI reporti	ng) nical name		CAS #	0/ hunt		
				% by wt.		
	nylene Glycol Monoethyl Et	iner	111-90-0	5 - 10		
	2-Butoxyethyl) Phosphate		78-51-3	1 - 5		
Other federal regulations						
Clean Air Act (CAA) Se	ection 112 Hazardous Air P	Pollutants (HSPs) List				
	Components					
		col Monoethyl Ether (CA				
		hyl) Phosphate (CAS 78-				
	ection 112(r) Accidental Re	•	R 68.130) Not regulate	ed.		
Safe Drinking Water A						
Food and Drug Admin	istration (FDA) Not regu	llated.				
US state regulations US.Massachusetts RT	K. Substanco List	Compo	aanta			
US. Massachusetts Kill	K - Substance List	•	Components Diethylene Glycol Monoethyl Ether (CAS 111-90-0)			
US.New Jersey Worker and Community Right-to-Know Act			Tris(2-Butoxyethyl) Phosphate (CAS 78-51-3) Components			
US.New Jersey Worke		-	ene Glycol Monoethyl Ether (CAS :	111_90_0)		
		-				
		•	Tris(2-Butoxyethyl) Phosphate (CAS 78-51-3) Components			
US.Pennsylvania RTK - Hazardous Substances		•	ene Glycol Monoethyl Ether (CAS :	111_90_0)		
			utoxyethyl) Phosphate (CAS 78-52	,		
LIS Phodo Island PTK				1-3)		
US.Rhode Island RTK		Compor	ene Glycol Monoethyl Ether (CAS :	111 00 0)		
		-		-		
U.C. California Dransition CT			Tris(2-Butoxyethyl) Phosphate (CAS 78-51-3) This product does not contain a chemical known to the State of California to cause cancer,			
US - California Propsition 65		-	fects or other reproductive harm.		allornia to cause cancer,	
International Inventories						
Country(s) or region	Inventory	/ Name			On Inventory (yes/no)*	
Australia Australian Inventory of Chemic		al Substances (AICS)		Yes		
Canada		ic Substances List (DSL)	·/		Yes	
		mestic Substances List (NDSL)		No	
			Substances in China (IECSC)		Yes	
Europe	Europea	n Inventory of Existing	Commercial Chemical Substances	s (EINECS)	Yes	

Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version		
Issue date	5/28/2014	
Version #	01	
Disclaimer	The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.	

Directions:

Initial Floor Preparation: Completely remove the existing floor coating using recommended products. When starting an "environmentally responsible" floor finish program, it is important to start with a bare floor. Make sure that the floor is clean and completely dry.

Application: Using a clean mop or applicator apply a thin uniform coat of Earth Sense® EVERGREEN™ FINISH. Allow to dry for a minimum of 30 minutes after each coat. Do not apply more than 4 coats in a 24 hour period.

High Speed Buffing and Burnishing: This is an ideal product for use with any speed polishing or burnishing equipment (electric, battery or propane). For high speed buffing or UHS burnishing / restoration, use an NCL AQUA MAGIC™ Buffing Pad with POP & SHINE™ Gloss Restorer.

Maintenance: Maintain by dust mopping daily using mop treated with CONTROL[™] Dust Mop Treatment. Damp mop or clean with an automatic scrubber as required, using Earth Sense® pH NEUTRAL ALL-PURPOSE CLEANER.

Stripping: When stripping becomes necessary, use NCL EARTH SENSE® GREEN IMPACT™ Speed Stripper following instructions on the original product label.

Instrucciones para Uso:

Preparacion del piso inicial: Retire completamente el recubrimien de piso existente con los productos recomendados. Al iniciar un programa de acabado de piso "ambientalmente responsible", es importante comenzar con un piso sin cera en él. Asegurese de que el piso este limpio y completamente seco.

Aplicacion: Usando un trapeador limpio o aplicador aplique una capa del gada y uniforme de Earth Sense® ACABADO EVERGREEN™. Deje que se segue durante un minimo de 30 minutos despues de cada capa. No aplique mas de 4 capas en un periodo de 24 horas.

Velocidad de pulido de alta y bruñido: Este es un producto ideal para su uso con cualquier velocidad de pulido o brufiido equipo (electrico, bateria o propano). Para el pulido de alta velocidad o UHS brunido / restauracion, utilice un NCL Agua Magic Pulido Pad con POP & SHINE Gloss Restaurador

Mantenimiento: Mantener por el polvo trapeando di ariamente usando un trapeador tratado con el control de polvo Tratamiento Mop. Pase un trapeador humedo o limpie con un lavador automatico segun sea necesario, utilizando Earth Sense® pH neutro limpiador multiusos.

Removedor: Cuando la eliminacion de la cera se hace necesario, utilice NCL Earth Sense® GREEN IMPACT[™] Speed Stripper siguiendo las instrucciones en la etiqueta del producto original.



This product meets Green Seal[™] Standard GS-40 based on effective performance and protective limits on VOCs and human & environmental toxicity. Greenseal.org.



The EARTH SENSE® Seal of Assurance is self-certified by NCL, and identifies our products that are formulated to promote human health and worker safety with a preferred environmental profile.

** MADE IN USA **

FOR COMMERCIAL AND INDUSTRIAL USE ONLY **OUESTIONS?** Call (800) 628-243







World Class Cleaning Solutions®



Evergreen[™] Finish

Super-Durable Green Sealer Finish

EVERGREEN[™] FINISH marks a milestone in floor finish technology. Using cutting edge DURA-TECH[™] polymer technology, this product exhibits exceptional wear and long lasting durability characteristics. Superior gloss and response when buffed with any speed equipment, EVERGREEN[™] FINISH creates a new benchmark for floor finish performance.

KEEP OUT OF REACH OF CHILDREN. / SUBSISTENCIA FUERA DEL ALCANCE DE NIÑOS See side panel for additional precautionary statements. / Ver panel lateral para las medidas preventivas adicionales. NET CONTENTS: 1 GALLON / 3.79 LITERS

National Chemical Laboratories, Inc. Philadelphia, PA 19123 USA • (800) 628-2436 www.nclonline.com



EN SEAL

Product No.: 0508

Finishing

Additional safety measures:

Read the entire label and SDS before using this product. and for additional first aid measures. SDS for this product is available on the web at www.nclonline.com

symptoms occur.

Skin contact: Wash skin with soap and water. Get medical attention if irritation develops or persists.

Eve contact: Flush eves thoroughly with water for at least 15 minutes. Get medical attention if irritation develops and persists.

medical advice

KEEP FROM FREEZING



0508-29-0614

KEEP OUT OF REACH OF CHILDREN. Precautionary statement

Prevention: Observe good industrial hygiene practices. **Response:** Wash thoroughly after handling.

Storage: Store away from incompatible materials.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations. This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910,1200.

Inhalation: Move to fresh air. Get medical attention if

Ingestion: Rinse mouth thoroughly with water. Seek

SUBSISTENCIA FUERA DEL ALCANCE DE NIÑOS. Palabra de advertencia

Prevención: Mantenga buenas prácticas de higiene industrial. Respuesta: Lávese completamente después del maneio.

Almacenamiento: Consérvese aleiado de materiales incompatibles.

Eliminación: Eliminación de contenidos / contenedor en consonancia con los reglamentos locales / regionales / nacionales / internacionales pertinentes.

Este producto no se considera peligroso según la Norma de Comunicación de Peligros (Hazard Communication Standard) de OSHA, 29 CFR 1910,1200.

Medidas additional de primeros auxilios:

Lea toda la etiqueta y SDS antes de usar este producto, así como medidas adicionales de primeros auxilios. SDS para el artículo está disponible en la web en www.nclonline.com

Inhalación: Traslade al aire libre. Obtenga atención médica en caso de síntomas.

Contacto cutáneo: Lavar la piel con jabón y agua. Buscar atención médica si la irritación aumenta o persiste.

Contacto ocular: Enjuagar los ojos cuidadosamente con abundante agua durante al menos 15 minutos. Buscar atención médica si la irritación se desarrolla y persiste.

Ingestión: Enjuáguese la boca cuidadosamente con agua. Busque atención médica.

CONTAINS: Diethvlene Glvcol Monoethyl Ether CAS# 111-90-0, Tris(2-Butoxyethyl) Phosphate CAS# 78-51-8

orld Class Cleaning Solutions*

401 N. 10th Street • Philadelphia, PA 19123 1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517 www.nclonline.com • e-mail: info@nclonline.com