



Prices effective February 5, 2018

## Everywhere™ Tables

<b>Introduction</b>	<b>page 2</b>
<b>Everywhere™ Tables</b>	<b>3</b>
Standard-Height Tables	5
Standard-Height Table Legs and Bases	58
Standing-Height Tables	61
Occasional Tables	67
Power and Data Support	73
Accessories	91
<b>Indices</b>	<b>125</b>
By Name	125
By Number	127
<b>Appendices</b>	
20-Day or Less/Assigned Lead-Time Order Information	
Vary Easy Program	
Stain-to-Match Program	
<b>For the latest materials information, refer to the Materials pages on <a href="http://HermanMiller.com">HermanMiller.com</a>.</b>	

**A Note on the Organization of This Book**

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

**Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.**

Information wraps from one column to the next and continues for as many pages as it needs to.

**Black bars are clues.**

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

**The index is presented two ways.**

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

**General Information**

This book is effective February 5, 2018, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit [www.HermanMiller.com](http://www.HermanMiller.com).


All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.


Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

**20-Day or Less/Assigned Lead-Time Shipments**

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.


Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Standard-Height Tables	
Standard-Height Table Legs and Bases	
Standing-Height Tables	
Occasional Tables	
Power and Data Support	
Accessories	



## Rectangular Table

DT1AE.  
DT1AS.  
DT1AT.



### Product Information

#### Description

This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have  $\frac{1}{2}$ " leveling range. Shipped knocked down.

Height-adjustable legs have a 5" range in 1" increments.

#### Notes

18" depth available with square edge only.

C-leg and D-leg cannot be used with either the 18" deep or 36" deep tops.

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.

Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.


Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.

For additional details on available edge options see Appendices.

For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.

Note: UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P), T-leg (T) and C-leg (C) options.

### Dimensions



Everywhere™ Standard-Height Tables

# Rectangular Table *continued*

Specification Information	
Step 1.	
<b>DT1A</b>	
Step 2. Edge	
<b>S.</b>	squared-edge
<b>T.</b>	thin-edge
<b>E.</b>	eased-edge
Step 3. Depth	
<i>For squared-edge (S.)</i>	
<b>18</b>	18" deep
<b>24</b>	24" deep
<b>30</b>	30" deep
<b>36</b>	36" deep
<i>For thin-edge (T.) or eased-edge (E.)</i>	
<b>24</b>	24" deep
<b>30</b>	30" deep
<b>36</b>	36" deep
Step 4. Width	
<i>For 18" deep (18)</i>	
<b>48</b>	48" wide
<b>60</b>	60" wide
<b>72</b>	72" wide
<i>For 24" deep (24) or 30" deep (30)</i>	
<b>36</b>	36" wide
<b>42</b>	42" wide
<b>48</b>	48" wide
<b>54</b>	54" wide
<b>60</b>	60" wide
<b>66</b>	66" wide
<b>72</b>	72" wide
<i>For 36" deep (36)</i>	
<b>42</b>	42" wide
<b>48</b>	48" wide
<b>54</b>	54" wide
<b>60</b>	60" wide
<b>66</b>	66" wide
<b>72</b>	72" wide

Step 5. Surface Material

For squared-edge (S.)

L

laminate top/thermoplastic edge

U

laminate top/universal edge

W

veneer top/veneer edge 

A

P

painted Formcoat® top/edge

For thin-edge (T.)

W

veneer top/veneer edge 

A

P

painted Formcoat® top/edge

For eased-edge (E.)

P

painted Formcoat® top/edge

Step 6. Leg Type

For 18" deep (18) or 36" deep (36)

P

post leg

T

T-leg

A

T-leg with height adjustment

For 24" deep (24) or 30" deep (30)

P

post leg

T

T-leg

A

T-leg with height adjustment

C

C-leg

D

C-leg with height adjustment

Prices for Steps 1-6.

LP

LT

LA

LC

LD

UP

DT1AS. 18 48

\$726

942

1179

—

—

726

60

\$798

1037

1295

—

—

798

72

\$861

1118

1399

—

—

861

24 36

\$726

942

1179

942

1179

726

42

\$762

991

1237

991

1237

762

48

\$799

1039

1299

1039

1299

799

54

\$848

1102

1375

1102

1375

848

60

\$898

1167

1457

1167

1457

898

66

\$961

1250

1561

1250

1561

961

72

\$1030

1337

1669

1337

1669

1030

# Rectangular Table *continued*

<b>30 36</b>	\$754	979	1224	979	1224	754
<b>42</b>	\$792	1030	1287	1030	1287	792
<b>48</b>	\$833	1081	1349	1081	1349	833
<b>54</b>	\$882	1145	1431	1145	1431	882
<b>60</b>	\$935	1214	1517	1214	1517	935
<b>66</b>	\$1000	1299	1622	1299	1622	1000
<b>72</b>	\$1070	1388	1737	1388	1737	1070
<b>36 42</b>	\$864	1112	1400	—	—	864
<b>48</b>	\$876	1104	1412	—	—	876
<b>54</b>	\$957	1189	1493	—	—	957
<b>60</b>	\$975	1203	1506	—	—	975
<b>66</b>	\$1029	1319	1660	—	—	1029
<b>72</b>	\$1096	1401	1763	—	—	1096
	<b>UT</b>	<b>UA</b>	<b>UC</b>	<b>UD</b>	<b>WP</b>	<b>WT</b>
<b>DT1AS. 18 48</b>	\$942	1179	—	—	885	1167
<b>60</b>	\$1037	1295	—	—	978	1290
<b>72</b>	\$1118	1399	—	—	1062	1397
<b>24 36</b>	\$942	1179	942	1179	885	1167
<b>42</b>	\$991	1237	991	1237	931	1228
<b>48</b>	\$1039	1299	1039	1299	981	1292
<b>54</b>	\$1102	1375	1102	1375	1042	1373
<b>60</b>	\$1167	1457	1167	1457	1109	1457
<b>66</b>	\$1250	1561	1250	1561	1190	1564
<b>72</b>	\$1337	1669	1337	1669	1277	1677
<b>30 36</b>	\$979	1224	979	1224	923	1216
<b>42</b>	\$1030	1287	1030	1287	969	1278
<b>48</b>	\$1081	1349	1081	1349	1024	1346
<b>54</b>	\$1145	1431	1145	1431	1086	1430
<b>60</b>	\$1214	1517	1214	1517	1155	1519
<b>66</b>	\$1299	1622	1299	1622	1240	1628
<b>72</b>	\$1388	1737	1388	1737	1333	1746
<b>36 42</b>	\$1112	1400	—	—	1240	1492
<b>48</b>	\$1104	1412	—	—	1272	1516
<b>54</b>	\$1189	1493	—	—	1375	1623
<b>60</b>	\$1203	1506	—	—	1420	1670
<b>66</b>	\$1319	1660	—	—	1610	2001
<b>72</b>	\$1401	1763	—	—	1686	2220
	<b>WA</b>	<b>WC</b>	<b>WD</b>	<b>PP</b>	<b>PT</b>	<b>PA</b>
<b>DT1AS. 18 48</b>	\$1471	—	—	836	1084	1355
<b>60</b>	\$1624	—	—	920	1193	1490
<b>72</b>	\$1760	—	—	993	1288	1607

<b>24 36</b>	\$1471	1167	1471	836	1084	1355
<b>42</b>	\$1549	1228	1549	876	1139	1421
<b>48</b>	\$1628	1292	1628	921	1195	1494
<b>54</b>	\$1730	1373	1730	974	1266	1583
<b>60</b>	\$1838	1457	1838	1035	1343	1676
<b>66</b>	\$1970	1564	1970	1106	1438	1795
<b>72</b>	\$2111	1677	2111	1184	1536	1919
<b>30 36</b>	\$1533	1216	1533	866	1127	1410
<b>42</b>	\$1613	1278	1613	912	1184	1481
<b>48</b>	\$1696	1346	1696	958	1243	1552
<b>54</b>	\$1801	1430	1801	1012	1316	1645
<b>60</b>	\$1913	1519	1913	1076	1397	1745
<b>66</b>	\$2051	1628	2051	1150	1494	1865
<b>72</b>	\$2198	1746	2198	1231	1598	1996
<b>36 42</b>	\$1755	—	—	996	1279	1608
<b>48</b>	\$1785	—	—	1008	1269	1624
<b>54</b>	\$1889	—	—	1101	1368	1715
<b>60</b>	\$1960	—	—	1122	1384	1732
<b>66</b>	\$2286	—	—	1139	1490	1890
<b>72</b>	\$2565	—	—	1153	1610	2026
				<b>PC</b>	<b>PD</b>	
<b>DT1AS. 24 36</b>				\$1084	1355	
<b>42</b>				\$1139	1421	
<b>48</b>				\$1195	1494	
<b>54</b>				\$1266	1583	
<b>60</b>				\$1343	1676	
<b>66</b>				\$1438	1795	
<b>72</b>				\$1536	1919	
<b>30 36</b>				\$1127	1410	
<b>42</b>				\$1184	1481	
<b>48</b>				\$1243	1552	
<b>54</b>				\$1316	1645	
<b>60</b>				\$1397	1745	
<b>66</b>				\$1494	1865	
<b>72</b>				\$1598	1996	
	<b>UT</b>	<b>UA</b>	<b>UC</b>	<b>UD</b>	<b>WP</b>	<b>WT</b>
<b>DT1AT. 24 36</b>	—	—	—	—	\$1062	1403
<b>42</b>	—	—	—	—	\$1116	1473
<b>48</b>	—	—	—	—	\$1179	1551
<b>54</b>	—	—	—	—	\$1252	1649
<b>60</b>	—	—	—	—	\$1331	1749
<b>66</b>	—	—	—	—	\$1428	1876
<b>72</b>	—	—	—	—	\$1532	2014

Everywhere™ Standard-Height Tables

# Rectangular Table *continued*

Everywhere™ Standard-Height Tables

<b>30 36</b>	—	—	—	—	\$1106	1458
<b>42</b>	—	—	—	—	\$1164	1533
<b>48</b>	—	—	—	—	\$1228	1615
<b>54</b>	—	—	—	—	\$1303	1714
<b>60</b>	—	—	—	—	\$1386	1823
<b>66</b>	—	—	—	—	\$1489	1953
<b>72</b>	—	—	—	—	\$1598	2095
<b>36 42</b>	—	—	—	—	\$1489	1790
<b>48</b>	—	—	—	—	\$1526	1818
<b>54</b>	—	—	—	—	\$1652	1947
<b>60</b>	—	—	—	—	\$1705	2005
<b>66</b>	—	—	—	—	\$1932	2400
<b>72</b>	—	—	—	—	\$2021	2664

	WA	WC	WD	PP	PT	PA
<b>DT1AT. 24 36</b>	\$1766	1403	1766	890	1155	1444
<b>42</b>	\$1858	1473	1858	934	1212	1515
<b>48</b>	\$1953	1551	1953	978	1272	1592
<b>54</b>	\$2076	1649	2076	1038	1348	1686
<b>60</b>	\$2204	1749	2204	1102	1431	1785
<b>66</b>	\$2363	1876	2363	1179	1529	1912
<b>72</b>	\$2533	2014	2533	1260	1636	2045

<b>30 36</b>	\$1841	1458	1841	925	1200	1501
<b>42</b>	\$1935	1533	1935	971	1260	1575
<b>48</b>	\$2034	1615	2034	1020	1324	1654
<b>54</b>	\$2162	1714	2162	1080	1404	1753
<b>60</b>	\$2295	1823	2295	1145	1488	1858
<b>66</b>	\$2461	1953	2461	1223	1592	1986
<b>72</b>	\$2637	2095	2637	1309	1702	2126

<b>36 42</b>	\$2106	—	—	1059	1363	1713
<b>48</b>	\$2144	—	—	1075	1351	1729
<b>54</b>	\$2265	—	—	1173	1456	1828
<b>60</b>	\$2353	—	—	1195	1476	1845
<b>66</b>	\$2744	—	—	1239	1540	2057
<b>72</b>	\$3076	—	—	1333	1726	2160

	PC	PD
<b>DT1AT. 24 36</b>	\$1155	1444
<b>42</b>	\$1212	1515
<b>48</b>	\$1272	1592
<b>54</b>	\$1348	1686
<b>60</b>	\$1431	1785
<b>66</b>	\$1529	1912
<b>72</b>	\$1636	2045

<b>30 36</b>	\$1200	1501
<b>42</b>	\$1260	1575
<b>48</b>	\$1324	1654
<b>54</b>	\$1404	1753
<b>60</b>	\$1488	1858
<b>66</b>	\$1592	1986
<b>72</b>	\$1702	2126

	WA	WC	WD	PP	PT	PA
<b>DT1AE. 24 36</b>	—	—	—	\$890	1155	1444
<b>42</b>	—	—	—	\$934	1212	1515
<b>48</b>	—	—	—	\$978	1272	1592
<b>54</b>	—	—	—	\$1038	1348	1686
<b>60</b>	—	—	—	\$1102	1431	1785
<b>66</b>	—	—	—	\$1179	1529	1912
<b>72</b>	—	—	—	\$1260	1636	2045

<b>30 36</b>	—	—	—	\$925	1200	1501
<b>42</b>	—	—	—	\$971	1260	1575
<b>48</b>	—	—	—	\$1020	1324	1654
<b>54</b>	—	—	—	\$1080	1404	1753
<b>60</b>	—	—	—	\$1145	1488	1858
<b>66</b>	—	—	—	\$1223	1592	1986
<b>72</b>	—	—	—	\$1309	1702	2126

<b>36 42</b>	—	—	—	\$1059	1363	1713
<b>48</b>	—	—	—	\$1075	1351	1729
<b>54</b>	—	—	—	\$1173	1456	1828
<b>60</b>	—	—	—	\$1195	1476	1845
<b>66</b>	—	—	—	\$1248	1623	2075
<b>72</b>	—	—	—	\$1338	1736	2160

	PC	PD
<b>DT1AE. 24 36</b>	\$1155	1444
<b>42</b>	\$1212	1515
<b>48</b>	\$1272	1592
<b>54</b>	\$1348	1686
<b>60</b>	\$1431	1785
<b>66</b>	\$1529	1912
<b>72</b>	\$1636	2045

<b>30 36</b>	\$1200	1501
<b>42</b>	\$1260	1575
<b>48</b>	\$1324	1654
<b>54</b>	\$1404	1753
<b>60</b>	\$1488	1858
<b>66</b>	\$1592	1986
<b>72</b>	\$1702	2126



# Rectangular Table *continued*

## Step 7.

### Top Finish

*For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)*

<b>76</b>	light brown walnut	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

### Top/Edge Finish: Wood Veneer

*For veneer top/veneer edge (W)*

<b>2U</b>	light brown walnut <b>A</b>	+\$50
<b>40</b>	dark brown walnut <b>A</b>	+\$50
<b>ED</b>	aged cherry <b>A</b>	+\$50
<b>EK</b>	medium red walnut <b>A</b>	+\$50
<b>ET</b>	clear on ash <b>A</b>	+\$50
<b>EU</b>	oak on ash <b>A</b>	+\$50
<b>EV</b>	walnut on ash <b>A</b>	+\$50
<b>UL</b>	natural maple <b>A</b>	+\$50
<b>UX</b>	walnut on cherry <b>A</b>	+\$50

### Top/Edge Finish: Opaque Formcoat®

*For painted Formcoat® top/edge (P)*

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

## Step 8. Edge Finish

*For laminate top/thermoplastic edge (L)*

<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LU</b>	soft white	+\$0
<b>9V</b>	tapestry beige	+\$0

*For laminate top/universal edge (U)*

<b>PLY</b>	plywood edge	+\$50
------------	--------------	-------

## Rectangular Table *continued*

Step 9. Leg Finish		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white <input type="checkbox"/> A	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>MS</b>	metallic silver	+\$0
<b>CD</b>	polished aluminum	+\$110

Step 10. Casters/Glides		
<b>20</b>	casters	+\$0
<b>57</b>	glides	+\$0

Step 11. Grommets		
-------------------	--	--

*For squared-edge (S.) with 18" deep (18)*


<b>NTG</b>	no grommet	+\$0
------------	------------	------

*For 24" deep (24), 30" deep (30) AND 36" deep (36)*

<b>NTG</b>	no grommet	+\$0
<b>253</b>	cutout for Y1420. or Y1425. - 3 port	+\$27
<b>254</b>	cutout for Y1420. or Y1425. - 5 port	+\$27
<b>255</b>	cutout for Y1420. or Y1425. - 6 port	+\$27

## Square Table

DT1BE.  
DT1BS.  
DT1BT.



### Product Information

#### Description

This square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have  $\frac{1}{2}$ " leveling range. Shipped knocked down.

#### Notes

48" tops available only with post leg option for optimum stability.

42" top (4242) with 4-column base (X) available only with glides.





Casters are not compatible with this top/base combination.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.

### Dimensions



## Square Table *continued*

Specification Information	
Step 1.	
<b>DT1B</b>	
Step 2. Edge	
<b>S.</b>	squared-edge
<b>T.</b>	thin-edge
<b>E.</b>	eased-edge
Step 3. Depth/Width	
<b>3030</b>	30" deep x 30" wide
<b>3636</b>	36" deep x 36" wide
<b>4242</b>	42" deep x 42" wide
<b>4848</b>	48" deep x 48" wide
Step 4. Surface Material	
<i>For squared-edge (S.)</i>	
<b>L</b>	lamine top/thermoplastic edge
<b>U</b>	lamine top/universal edge
<b>W</b>	veneer top/veneer edge <span style="border: 1px solid black; padding: 0 2px;">A</span>
<b>P</b>	painted Formcoat® top/edge
<i>For thin-edge (T.)</i>	
<b>W</b>	veneer top/veneer edge <span style="border: 1px solid black; padding: 0 2px;">A</span>
<b>P</b>	painted Formcoat® top/edge
<i>For eased-edge (E.)</i>	
<b>P</b>	painted Formcoat® top/edge
Step 5. Leg/Base Type	
<i>For 30" deep x 30" wide (3030)</i>	
<b>P</b>	post leg
<b>X</b>	4-column base
<b>S</b>	single-column base <span style="border: 1px solid black; padding: 0 2px;">A</span>
<i>For 36" deep x 36" wide (3636)</i>	
<b>P</b>	post leg
<b>X</b>	4-column base
<b>S</b>	single-column base <span style="border: 1px solid black; padding: 0 2px;">A</span>
<i>For 42" deep x 42" wide (4242)</i>	
<b>P</b>	post leg
<b>X</b>	4-column base

*For 48" deep x 48" wide (4848)*

**P** post leg

Prices for Steps 1-5.

	<b>P</b>	<b>X</b>	<b>S</b>
<b>DT1BS. 3030 L</b>	\$690	896	762
<b>U</b>	\$690	896	762
<b>W</b>	\$872	1150	968
<b>P</b>	\$794	1032	876
<b>3636 L</b>	\$828	1075	914
<b>U</b>	\$828	1075	914
<b>W</b>	\$1058	1391	1176
<b>P</b>	\$953	1236	1050
<b>4242 L</b>	\$951	1235	—
<b>U</b>	\$951	1235	—
<b>W</b>	\$1223	1607	—
<b>P</b>	\$1093	1419	—
<b>4848 L</b>	\$1065	—	—
<b>U</b>	\$1065	—	—
<b>W</b>	\$1436	—	—
<b>P</b>	\$1224	—	—
	<b>P</b>	<b>X</b>	<b>S</b>
<b>DT1BT. 3030 W</b>	\$1045	1380	1163
<b>P</b>	\$847	1100	934
<b>3636 W</b>	\$1269	1669	1410
<b>P</b>	\$1013	1315	1118
<b>4242 W</b>	\$1468	1930	—
<b>P</b>	\$1164	1513	—
<b>4848 W</b>	\$1723	—	—
<b>P</b>	\$1304	—	—
	<b>P</b>	<b>X</b>	<b>S</b>
<b>DT1BE. 3030 P</b>	\$847	1100	934
<b>3636 P</b>	\$1013	1315	1118
<b>4242 P</b>	\$1164	1513	—
<b>4848 P</b>	\$1304	—	—

## Square Table *continued*

### Step 6.










#### Top Finish

*For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)*

<b>76</b>	light brown walnut	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

#### Top/Edge Finish: Wood Veneer

*For veneer top/veneer edge (W)*

<b>2U</b>	light brown walnut 	+\$50
<b>40</b>	dark brown walnut 	+\$50
<b>ED</b>	aged cherry 	+\$50
<b>EK</b>	medium red walnut 	+\$50
<b>ET</b>	clear on ash 	+\$50
<b>EU</b>	oak on ash 	+\$50
<b>EV</b>	walnut on ash 	+\$50
<b>UL</b>	natural maple 	+\$50
<b>UX</b>	walnut on cherry 	+\$50

#### Top/Edge Finish: Opaque Formcoat®

*For painted Formcoat® top/edge (P)*

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

### Step 7. Edge Finish

*For laminate top/thermoplastic edge (L)*

<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LU</b>	soft white	+\$0


*For laminate top/universal edge (U)*

<b>PLY</b>	plywood edge	+\$50
------------	--------------	-------

Step 8. Leg Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white <span>A</span>	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0
CD	polished aluminum	+\$110
Step 9. Casters/Glides		
20	casters	+\$0
57	glides	+\$0
For 4-column base (X)		
57	glides	+\$0

## Round Table

DT1CE.  
DT1CS.  
DT1CT.



### Product Information

#### Description

This round table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

#### Notes


48" and 60" tops available only with post leg option for optimum stability.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.

### Dimensions



# Round Table *continued*

Specification Information	
Step 1.	
<b>DT1C</b>	
Step 2. Edge	
<b>S.</b>	squared-edge
<b>T.</b>	thin-edge
<b>E.</b>	eased-edge
Step 3. Diameter	
<b>30</b>	30" diameter
<b>36</b>	36" diameter
<b>42</b>	42" diameter
<b>48</b>	48" diameter
<b>60</b>	60" diameter
Step 4. Surface Material	
<i>For squared-edge (S.)</i>	
<b>L</b>	lamine top/thermoplastic edge
<b>W</b>	veneer top/veneer edge <b>A</b>
<b>P</b>	painted Formcoat® top/edge
<i>For thin-edge (T.)</i>	
<b>W</b>	veneer top/veneer edge <b>A</b>
<b>P</b>	painted Formcoat® top/edge
<i>For eased-edge (E.)</i>	
<b>P</b>	painted Formcoat® top/edge
Step 5. Leg/Base Type	
<i>For 30" diameter (30) or 36" diameter (36)</i>	
<b>P</b>	post leg
<b>X</b>	4-column base
<b>S</b>	single-column base <b>A</b>
<i>For 42" diameter (42)</i>	
<b>P</b>	post leg
<b>X</b>	4-column base
<i>For 48" diameter (48) or 60" diameter (60)</i>	
<b>P</b>	post leg

Prices for Steps 1-5.			
	<b>P</b>	<b>X</b>	<b>S</b>
<b>DT1CS. 30 L</b>	\$792	1032	876
<b>W</b>	\$1003	1322	1113
<b>P</b>	\$912	1186	1008
<b>36 L</b>	\$953	1235	1005
<b>W</b>	\$1003	1600	1350
<b>P</b>	\$1096	1419	1156
<b>42 L</b>	\$1093	1357	—
<b>W</b>	\$1408	1849	—
<b>P</b>	\$1257	1561	—
<b>48 L</b>	\$1223	—	—
<b>W</b>	\$1651	—	—
<b>P</b>	\$1409	—	—
<b>60 L</b>	\$1335	—	—
<b>W</b>	\$1808	—	—
<b>P</b>	\$1533	—	—
	<b>P</b>	<b>X</b>	<b>S</b>
<b>DT1CT. 30 W</b>	\$1203	1587	1337
<b>P</b>	\$971	1263	1075
<b>36 W</b>	\$1203	1919	1620
<b>P</b>	\$1166	1513	1232
<b>42 W</b>	\$1689	2218	—
<b>P</b>	\$1340	1663	—
<b>48 W</b>	\$1980	—	—
<b>P</b>	\$1499	—	—
<b>60 W</b>	\$2169	—	—
<b>P</b>	\$1634	—	—
	<b>P</b>	<b>X</b>	<b>S</b>
<b>DT1CE. 30 P</b>	\$971	1263	1075
<b>36 P</b>	\$1166	1513	1232
<b>42 P</b>	\$1340	1663	—
<b>48 P</b>	\$1499	—	—
<b>60 P</b>	\$1634	—	—



## Step 6.

## Top Finish

## For laminate top/thermoplastic edge (L)

<b>38</b>	twilight	+\$0
<b>39</b>	desert	+\$0
<b>76</b>	light brown walnut	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

## Top/Edge Finish: Wood Veneer

## For veneer top/veneer edge (W)

<b>2U</b>	light brown walnut <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$50
<b>40</b>	dark brown walnut <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$50
<b>ED</b>	aged cherry <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$50
<b>EK</b>	medium red walnut <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$50
<b>ET</b>	clear on ash <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$50
<b>EU</b>	oak on ash <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$50
<b>EV</b>	walnut on ash <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$50
<b>UL</b>	natural maple <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$50
<b>UX</b>	walnut on cherry <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$50

## Top/Edge Finish: Opaque Formcoat®

## For painted Formcoat® top/edge (P)

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0


Step 7. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LU</b>	soft white	+\$0

Step 8. Leg/Base Finish		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>MS</b>	metallic silver	+\$0
<b>CD</b>	polished aluminum	+\$110

Step 9. Casters/Glides		
<b>20</b>	casters	+\$0
<b>57</b>	glides	+\$0

## Oval Table

DT1DE.  
DT1DS.  
DT1DT.



### Product Information

#### Description

This oval table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

#### Notes


When specifying grommets (253, 254, 255), cutouts will be located in the center of table.

Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally and front to back.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

### Dimensions



## Oval Table *continued*

Specification Information	
Step 1.	
<b>DT1D</b>	
Step 2. Edge	
<b>S.</b>	squared-edge
<b>T.</b>	thin-edge
<b>E.</b>	eased-edge
Step 3. Depth	
<b>30</b>	30" deep
<b>36</b>	36" deep
<b>42</b>	42" deep
Step 4. Width	
<i>For 30" deep (30)</i>	
<b>48</b>	48" wide
<b>60</b>	60" wide
<i>For 36" deep (36)</i>	
<b>60</b>	60" wide
<b>72</b>	72" wide
<i>For 42" deep (42)</i>	
<b>72</b>	72" wide
<b>84</b>	84" wide
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
<b>L</b>	laminate top/thermoplastic edge
<b>W</b>	veneer top/veneer edge <b>A</b>
<b>P</b>	painted Formcoat® top/edge
<i>For thin-edge (T.)</i>	
<b>W</b>	veneer top/veneer edge <b>A</b>
<b>P</b>	painted Formcoat® top/edge
<i>For eased-edge (E.)</i>	
<b>P</b>	painted Formcoat® top/edge
Step 6. Leg/Base Type	
<i>For 48" wide (48) or 60" wide (60)</i>	
<b>P</b>	post leg
<b>G</b>	double 3-column base, spanner

*For 72" wide (72) or 84" wide (84)*

<b>P</b>	post leg
<b>E</b>	double 3-column base
<b>G</b>	double 3-column base, spanner

Prices for Steps 1-6.

	LP	LE	LG	WP	WE	WG
<b>DT1DS. 30 48</b>	\$929	—	1530	1377	—	2314
<b>60</b>	\$1003	—	1654	1493	—	2503
<b>36 60</b>	\$1113	—	1836	1666	—	2787
<b>72</b>	\$1280	2175	2112	1924	3312	3215
<b>42 72</b>	\$1371	2326	2259	2064	3550	3445
<b>84</b>	\$1410	2392	2322	2123	3650	3544

	PP	PE	PG
<b>DT1DS. 30 48</b>	\$1068	—	1762
<b>60</b>	\$1153	—	1902
<b>36 60</b>	\$1280	—	2112
<b>72</b>	\$1473	2502	2429
<b>42 72</b>	\$1576	2676	2598
<b>84</b>	\$1620	2751	2671

	LP	LE	LG	WP	WE	WG
<b>DT1DT. 30 48</b>	—	—	—	\$1654	—	2775
<b>60</b>	—	—	—	\$1791	—	3002
<b>36 60</b>	—	—	—	\$2000	—	3344
<b>72</b>	—	—	—	\$2310	3975	3858
<b>42 72</b>	—	—	—	\$2477	4260	4133
<b>84</b>	—	—	—	\$2547	4381	4252

	PP	PE	PG
<b>DT1DT. 30 48</b>	\$1138	—	1875
<b>60</b>	\$1229	—	2024
<b>36 60</b>	\$1364	—	2250
<b>72</b>	\$1568	2664	2586
<b>42 72</b>	\$1678	2849	2767
<b>84</b>	\$1727	2930	2844

	PP	PE	PG
<b>DT1DE. 30 48</b>	\$1138	—	1875
<b>60</b>	\$1229	—	2024
<b>36 60</b>	\$1364	—	2250
<b>72</b>	\$1568	2664	2586
<b>42 72</b>	\$1678	2849	2767
<b>84</b>	\$1727	2930	2844

## Step 7.

## Top Finish

*For laminate top/thermoplastic edge (L)*

<b>1X</b>	vanilla	+\$0
<b>28</b>	canyon	+\$0
<b>29</b>	misted	+\$0
<b>2X</b>	wheat	+\$0
<b>38</b>	twilight	+\$0
<b>39</b>	desert	+\$0
<b>3X</b>	celery	+\$0
<b>4X</b>	coriander	+\$0
<b>5X</b>	chamomile	+\$0
<b>6X</b>	cinnamon	+\$0
<b>76</b>	light brown walnut	+\$0
<b>7X</b>	cardamom	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>8X</b>	kale	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone <b>A</b>	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>J4</b>	frosted light grey	+\$0
<b>J5</b>	frosted inner tone light	+\$0
<b>J7</b>	frosted medium tone	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LG</b>	light grey (discontinuing) <b>A</b>	+\$0

<b>LM</b>	mahogany	+\$0
<b>LT</b>	light tone <b>A</b>	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>OG</b>	honey maple <b>A</b>	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>X1</b>	chalk white <b>A</b>	+\$0

## Top/Edge Finish: Wood Veneer

*For veneer top/veneer edge (W)*

<b>2U</b>	light brown walnut <b>A</b>	+\$50
<b>40</b>	dark brown walnut <b>A</b>	+\$50
<b>ED</b>	aged cherry <b>A</b>	+\$50
<b>EK</b>	medium red walnut <b>A</b>	+\$50
<b>ET</b>	clear on ash <b>A</b>	+\$50
<b>EU</b>	oak on ash <b>A</b>	+\$50
<b>EV</b>	walnut on ash <b>A</b>	+\$50
<b>UL</b>	natural maple <b>A</b>	+\$50
<b>UX</b>	walnut on cherry <b>A</b>	+\$50

## Top/Edge Finish: Opaque Formcoat®

*For painted Formcoat® top/edge (P)*

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

## Step 8. Edge Finish

*For laminate top/thermoplastic edge (L)*

<b>28</b>	canyon	+\$0
<b>29</b>	misted	+\$0
<b>38</b>	twilight	+\$0
<b>39</b>	desert	+\$0
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>8Z</b>	neutral grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>9V</b>	tapestry beige	+\$0
<b>BU</b>	black umber <b>A</b>	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>CM</b>	cinnamon	+\$0
<b>CO</b>	chamomile	+\$0
<b>G2</b>	graphite satin	+\$0

<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone <b>A</b>	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>JB</b>	millwork cherry	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LG</b>	light grey (discontinuing) <b>A</b>	+\$0
<b>LM</b>	mahogany	+\$0
<b>LT</b>	light tone <b>A</b>	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>N3</b>	cool grey	+\$0
<b>OG</b>	honey maple <b>A</b>	+\$0
<b>SG</b>	slate grey	+\$0
<b>WA</b>	wheat	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>X1</b>	chalk white <b>A</b>	+\$0


Step 9. Leg/Base Finish		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white <b>A</b>	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>MS</b>	metallic silver	+\$0
<b>CD</b>	polished aluminum	+\$110

Step 10. Casters/Glides		
<b>20</b>	casters	+\$0
<b>57</b>	glides	+\$0

Step 11. Grommets		
<b>NTG</b>	no grommet	+\$0
<b>253</b>	cutout for Y1420. or Y1425. - 3 port	+\$27
<b>254</b>	cutout for Y1420. or Y1425. - 5 port	+\$27
<b>255</b>	cutout for Y1420. or Y1425. - 6 port	+\$27

## D-Shaped Table

DT1EE.  
DT1ES.  
DT1ET.



### Product Information

#### Description

This D-shaped table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have  $\frac{1}{2}$ " leveling range. Shipped knocked down. Height-adjustable legs have a 5" range in 1" increments.

#### Notes

Thin edge and eased edge tops available only with 30" deep surfaces. T-leg and T-leg with height adjustment cannot be used with 18" deep tops.

Cable grommet options available through Vary Easy Program for round pass through grommet with  $2\frac{1}{4}$ " hole clearance. Holes are located 3" from rear edge and 6" from end for the L and R options. Covers not provided with painted surface option.

Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.


Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P) and T-leg (T) options.

### Dimensions



Everywhere™ Standard-Height Tables

## D-Shaped Table *continued*

Specification Information	
Step 1.	
<b>DT1E</b>	
Step 2. Edge	
<b>S.</b>	squared-edge
<b>T.</b>	thin-edge
<b>E.</b>	eased-edge
Step 3. Depth/Width	
<i>For thin-edge (T.) or eased-edge (E.)</i>	
<b>3060</b>	30" deep x 60" wide
<i>For squared-edge (S.)</i>	
<b>1836</b>	18" deep x 36" wide
<b>2448</b>	24" deep x 48" wide
<b>3060</b>	30" deep x 60" wide
Step 4. Surface Material	
<i>For squared-edge (S.)</i>	
<b>L</b>	laminate top/thermoplastic edge
<b>W</b>	veneer top/veneer edge <b>A</b>
<b>P</b>	painted Formcoat® top/edge
<i>For thin-edge (T.)</i>	
<b>W</b>	veneer top/veneer edge <b>A</b>
<b>P</b>	painted Formcoat® top/edge
<i>For eased-edge (E.)</i>	
<b>P</b>	painted Formcoat® top/edge
Step 5. Leg Type	
<i>For 18" deep x 36" wide (1836)</i>	
<b>P</b>	post leg
<i>For 30" deep x 60" wide (3060) or 24" deep x 48" wide (2448)</i>	
<b>P</b>	post leg
<b>T</b>	T-leg
<b>A</b>	T-leg with height adjustment

Prices for Steps 1-5.			
	<b>P</b>	<b>T</b>	<b>A</b>
<b>DT1ES. 1836 L</b>	\$725	—	—
<b>W</b>	\$844	—	—
<b>P</b>	\$834	—	—
<b>2448 L</b>	\$869	1364	1652
<b>W</b>	\$1025	1536	1951
<b>P</b>	\$1000	1568	1899
<b>3060 L</b>	\$999	1567	1898
<b>W</b>	\$1186	1784	2266
<b>P</b>	\$1149	1802	2181
	<b>P</b>	<b>T</b>	<b>A</b>
<b>DT1ET. 3060 W</b>	\$1422	2142	2720
<b>P</b>	\$1222	1919	2324
	<b>P</b>	<b>T</b>	<b>A</b>
<b>DT1EE. 3060 P</b>	\$1222	1919	2324
Step 6.			
Top Finish			
<i>For laminate top/thermoplastic edge (L)</i>			
<b>28</b>	canyon		+\$0
<b>29</b>	misted		+\$0
<b>38</b>	twilight		+\$0
<b>39</b>	desert		+\$0
<b>76</b>	light brown walnut		+\$0
<b>91</b>	white		+\$0
<b>98</b>	studio white		+\$0
<b>1X</b>	vanilla		+\$0
<b>2X</b>	wheat		+\$0
<b>3X</b>	celery		+\$0
<b>4X</b>	coriander		+\$0
<b>5X</b>	chamomile		+\$0
<b>6X</b>	cinnamon		+\$0
<b>7X</b>	cardamom		+\$0
<b>8X</b>	kale		+\$0
<b>8Q</b>	folkstone grey		+\$0
<b>CL</b>	cool grey neutral		+\$0
<b>HF</b>	inner tone light		+\$0
<b>HM</b>	natural maple		+\$0
<b>HP</b>	light anigre		+\$0
<b>HT</b>	inner tone		+\$0
<b>HX</b>	aged cherry		+\$0
<b>HY</b>	walnut on cherry		+\$0
<b>J4</b>	frosted light grey		+\$0












## D-Shaped Table *continued*

<b>J5</b>	frosted inner tone light	+\$0
<b>J7</b>	frosted medium tone	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LG</b>	light grey (discontinuing)	+\$0
<b>LM</b>	mahogany	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>OG</b>	honey maple	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>X1</b>	chalk white	+\$0

### Top/Edge Finish: Wood Veneer

#### For veneer top/veneer edge (W)

<b>2U</b>	light brown walnut 	+\$50
<b>40</b>	dark brown walnut 	+\$50
<b>ED</b>	aged cherry 	+\$50
<b>EK</b>	medium red walnut 	+\$50
<b>ET</b>	clear on ash 	+\$50
<b>EU</b>	oak on ash 	+\$50
<b>EV</b>	walnut on ash 	+\$50
<b>UL</b>	natural maple 	+\$50
<b>UX</b>	walnut on cherry 	+\$50

### Top/Edge Finish: Opaque Formcoat®

#### For painted Formcoat® top/edge (P)

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

### Step 7. Edge Finish

#### For laminate top/thermoplastic edge (L)


<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LU</b>	soft white	+\$0

## D-Shaped Table *continued*


Step 8. Leg Finish		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>MS</b>	metallic silver	+\$0
<b>CD</b>	polished aluminum	+\$110
Step 9. Casters/Glides		
<b>20</b>	casters	+\$0
<b>57</b>	glides	+\$0

Soft Rectangle - Meeting Table

DT1FE.  
DT1FS.  
DT1FT.



Product Information
Description
This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.
Notes
When specifying grommets (253, 254, 255), cutouts will be located in the center of table.
Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally and front to back.
For additional details on available edge options see Appendices.
For additional size, edge, and finish options, see Vary Easy Program in Appendices.
Dimensions



Specification Information
Step 1.
DT1F
Step 2. Edge
S.      squared-edge
T.      thin-edge
E.      eased-edge
Step 3. Depth
30      30" deep
36      36" deep
42      42" deep
Step 4. Width
For 30" deep (30)
48      48" wide
60      60" wide
For 36" deep (36)
60      60" wide
72      72" wide
For 42" deep (42)
72      72" wide
84      84" wide
Step 5. Surface Material
For squared-edge (S.)
L      laminate top/thermoplastic edge
W      veneer top/veneer edge [A]
P      painted Formcoat® top/edge
For thin-edge (T.)
W      veneer top/veneer edge [A]
P      painted Formcoat® top/edge
For eased-edge (E.)
P      painted Formcoat® top/edge

# Soft Rectangle - Meeting Table

continued

Everywhere™ Standard-Height Tables

## Step 6. Leg/Base Type

For 48" wide (48) or 60" wide (60)

<b>P</b>	post leg
<b>G</b>	double 3-column base, spanner
<b>T</b>	T-leg
<b>A</b>	T-leg with height adjustment

For 72" wide (72) or 84" wide (84)

<b>P</b>	post leg
<b>E</b>	double 3-column base
<b>G</b>	double 3-column base, spanner

Prices for Steps 1-6.

	LP	LE	LG	LT	LA	WP
<b>DT1FS. 30 48</b>	\$1068	—	1761	1506	1879	1586
<b>60</b>	\$1153	—	1901	1646	2166	1715
<b>36 60</b>	\$1280	—	2112	1858	1898	1915
<b>72</b>	\$1473	2502	2428	—	—	2213
<b>42 84</b>	\$1620	2749	2669	—	—	2440
<b>72</b>	\$1576	2676	2598	—	—	2372

	WE	WG	WT	WA	PP	PE
<b>DT1FS. 30 48</b>	—	\$2659	2405	2396	1226	—
<b>60</b>	—	\$2878	2623	2765	1326	—
<b>36 60</b>	—	\$3205	2951	2480	1471	—
<b>72</b>	\$3810	3698	—	—	1693	2876
<b>42 84</b>	\$4198	4074	—	—	1863	3161
<b>72</b>	\$4080	3961	—	—	1813	3076

	PG	PT	PA
<b>DT1FS. 30 48</b>	\$2024	1732	2163
<b>60</b>	\$2184	1895	2491
<b>36 60</b>	\$2428	2135	2181
<b>72</b>	\$2792	—	—
<b>42 84</b>	\$3069	—	—
<b>72</b>	\$2988	—	—

	LP	LE	LG	LT	LA	WP
<b>DT1FT. 30 48</b>	—	—	—	—	—	\$1901
<b>60</b>	—	—	—	—	—	\$2060
<b>36 60</b>	—	—	—	—	—	\$2298
<b>72</b>	—	—	—	—	—	\$2655
<b>42 84</b>	—	—	—	—	—	\$2929
<b>72</b>	—	—	—	—	—	\$2847

	WE	WG	WT	WA	PP	PE
<b>DT1FT. 30 48</b>	—	\$3190	2885	2876	1306	—
<b>60</b>	—	\$3452	3147	3319	1412	—
<b>36 60</b>	—	\$3845	3540	2977	1567	—
<b>72</b>	\$4571	4435	—	—	1804	3063
<b>42 84</b>	\$5036	4888	—	—	1984	3370
<b>72</b>	\$4896	4752	—	—	1930	3275

	PG	PT	PA
<b>DT1FT. 30 48</b>	\$2156	2766	3453
<b>60</b>	\$2328	3024	3976
<b>36 60</b>	\$2585	3410	3485
<b>72</b>	\$2974	—	—
<b>42 84</b>	\$3270	—	—
<b>72</b>	\$3182	—	—

	WE	WG	WT	WA	PP	PE
<b>DT1FE. 30 48</b>	—	—	—	—	\$1306	—
<b>60</b>	—	—	—	—	\$1412	—
<b>36 60</b>	—	—	—	—	\$1567	—
<b>72</b>	—	—	—	—	\$1804	3063
<b>42 84</b>	—	—	—	—	\$1984	3370
<b>72</b>	—	—	—	—	\$1930	3275

	PG	PT	PA
<b>DT1FE. 30 48</b>	\$2156	1845	2304
<b>60</b>	\$2328	2017	2651
<b>36 60</b>	\$2585	2274	2324
<b>72</b>	\$2974	—	—
<b>42 84</b>	\$3270	—	—
<b>72</b>	\$3182	—	—

## Step 7.

### Top Finish










For laminate top/thermoplastic edge (L)

<b>28</b>	canyon	+\$0
<b>29</b>	misted	+\$0
<b>38</b>	twilight	+\$0
<b>39</b>	desert	+\$0
<b>76</b>	light brown walnut	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>1X</b>	vanilla	+\$0
<b>2X</b>	wheat	+\$0
<b>3X</b>	celery	+\$0
<b>4X</b>	coriander	+\$0

# Soft Rectangle - Meeting Table

continued

<b>5X</b>	chamomile	+\$0
<b>6X</b>	cinnamon	+\$0
<b>7X</b>	cardamom	+\$0
<b>8X</b>	kale	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>J4</b>	frosted light grey	+\$0
<b>J5</b>	frosted inner tone light	+\$0
<b>J7</b>	frosted medium tone	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LG</b>	light grey (discontinuing)	+\$0
<b>LM</b>	mahogany	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>OG</b>	honey maple	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>X1</b>	chalk white	+\$0

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
<b>2U</b>	light brown walnut 	+\$85
<b>40</b>	dark brown walnut 	+\$85
<b>ED</b>	aged cherry 	+\$85
<b>EK</b>	medium red walnut 	+\$85
<b>ET</b>	clear on ash 	+\$85
<b>EU</b>	oak on ash 	+\$85
<b>EV</b>	walnut on ash 	+\$85
<b>UL</b>	natural maple 	+\$85
<b>UX</b>	walnut on cherry 	+\$85
Top/Edge Finish: Opaque Formcoat®		
<i>For painted Formcoat® top/edge (P)</i>		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

Everywhere™ Standard-Height Tables

# Soft Rectangle - Meeting Table

continued

Everywhere™ Standard-Height Tables

Step 8. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LU</b>	soft white	+\$0
<b>X1</b>	chalk white	+\$0


Step 9. Leg/Base Finish		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>MS</b>	metallic silver	+\$0
<b>CD</b>	polished aluminum	+\$110

Step 10. Casters/Glides		
<b>20</b>	casters	+\$0
<b>57</b>	glides	+\$0

Step 11. Grommets		
<b>NTG</b>	no grommet	+\$0
<b>253</b>	cutout for Y1420. or Y1425. - 3 port	+\$27
<b>254</b>	cutout for Y1420. or Y1425. - 5 port	+\$27
<b>255</b>	cutout for Y1420. or Y1425. - 6 port	+\$27

## Video Oval - Meeting Table

DT1GE.  
DT1GS.  
DT1GT.



### Product Information

#### Description

This oval table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

#### Notes

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.


Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally and front to back.

For optimum viewing, video camera should be placed 42" from large end of table.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

### Dimensions



### Specification Information

#### Step 1.

**DT1G**

#### Step 2. Edge

**S.** squared-edge  
**T.** thin-edge  
**E.** eased-edge

#### Step 3. Depth

**42** 42" deep

#### Step 4. Width

**72** 72" wide  
**84** 84" wide

#### Step 5. Surface Material

##### For squared-edge (S.)

**L** laminate top/thermoplastic edge  
**W** veneer top/veneer edge **A**  
**P** painted Formcoat® top/edge

##### For thin-edge (T.)

**W** veneer top/veneer edge **A**  
**P** painted Formcoat® top/edge

##### For eased-edge (E.)

**P** painted Formcoat® top/edge

#### Step 6. Leg/Base Type

**E** double 3-column base  
**G** double 3-column base, spanner

#### Prices for Steps 1-6.

	LE	LG	WE	WG	PE	PG
<b>DT1GS. 42 72</b>	\$2676	2598	4080	3961	3076	2988
<b>84</b>	\$2749	2669	4198	4074	3161	3069
<b>DT1GT. 42 72</b>	—	—	\$4896	4752	3768	3660
<b>84</b>	—	—	\$5036	4888	3872	3759
<b>DT1GE. 42 72</b>	—	—	—	—	\$3275	3182
<b>84</b>	—	—	—	—	\$3370	3270

Step 7.		
Top Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
<b>28</b>	canyon	+\$0
<b>29</b>	misted	+\$0
<b>38</b>	twilight	+\$0
<b>39</b>	desert	+\$0
<b>76</b>	light brown walnut	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>1X</b>	vanilla	+\$0
<b>2X</b>	wheat	+\$0
<b>3X</b>	celery	+\$0
<b>4X</b>	coriander	+\$0
<b>5X</b>	chamomile	+\$0
<b>6X</b>	cinnamon	+\$0
<b>7X</b>	cardamom	+\$0
<b>8X</b>	kale	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>J4</b>	frosted light grey	+\$0
<b>J5</b>	frosted inner tone light	+\$0
<b>J7</b>	frosted medium tone	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LG</b>	light grey (discontinuing)	+\$0

<b>LM</b>	mahogany	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>OG</b>	honey maple	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>X1</b>	chalk white	+\$0

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
<b>2U</b>	light brown walnut <input type="checkbox"/> A	+\$85
<b>40</b>	dark brown walnut <input type="checkbox"/> A	+\$85
<b>ED</b>	aged cherry <input type="checkbox"/> A	+\$85
<b>EK</b>	medium red walnut <input type="checkbox"/> A	+\$85
<b>ET</b>	clear on ash <input type="checkbox"/> A	+\$85
<b>EU</b>	oak on ash <input type="checkbox"/> A	+\$85
<b>EV</b>	walnut on ash <input type="checkbox"/> A	+\$85
<b>UL</b>	natural maple <input type="checkbox"/> A	+\$85
<b>UX</b>	walnut on cherry <input type="checkbox"/> A	+\$85

Top/Edge Finish: Opaque Formcoat®		
<i>For painted Formcoat® top/edge (P)</i>		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0



## Video Oval - Meeting Table *continued*

Step 8. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LU</b>	soft white	+\$0


Step 9. Leg/Base Finish		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>MS</b>	metallic silver	+\$0
<b>CD</b>	polished aluminum	+\$110

Step 10. Casters/Glides		
<b>20</b>	casters	+\$0
<b>57</b>	glides	+\$0

Step 11. Grommets		
<b>NTG</b>	no grommet	+\$0
<b>253</b>	cutout for Y1420. or Y1425. - 3 port	+\$27
<b>254</b>	cutout for Y1420. or Y1425. - 5 port	+\$27
<b>255</b>	cutout for Y1420. or Y1425. - 6 port	+\$27

# Concave Rectangle

DT1HE.  
DT1HS.  
DT1HT.



## Product Information


### Description

This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down. Height-adjustable legs have a 5" range in 1" increments.

### Notes

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.  
Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.  
Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.  
For additional details on available edge options see Appendices.  
For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.  
UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P), T-leg (T) and C-leg (C) options.

## Dimensions



## Specification Information

### Step 1.

#### DT1H

### Step 2. Edge

- S. squared-edge
- T. thin-edge
- E. eased-edge

### Step 3. Depth

- 30 30" deep
- 36 36" deep

### Step 4. Width

- 60 60" wide
- 66 66" wide
- 72 72" wide

### Step 5. Surface Material

#### For squared-edge (S.)

- L laminate top/thermoplastic edge
- W veneer top/veneer edge A
- P painted Formcoat® top/edge

#### For thin-edge (T.)

- W veneer top/veneer edge A
- P painted Formcoat® top/edge

#### For eased-edge (E.)

- P painted Formcoat® top/edge

### Step 6. Leg Type

#### For 30" deep (30)

- P post leg
- T T-leg
- A T-leg with height adjustment
- C C-leg
- D D-leg

#### For 36" deep (36)

- P post leg
- T T-leg
- A T-leg with height adjustment

# Concave Rectangle *continued*

## Prices for Steps 1-6.

	LP	LT	LA	LC	LD	WP
<b>DT1HS. 30 60</b>	\$1215	1578	1971	1578	1971	1501
<b>66</b>	\$1302	1692	2113	1692	2113	1616
<b>72</b>	\$1389	1805	2256	1805	2256	1730
<b>36 60</b>	\$1288	1635	1987	—	—	1558
<b>66</b>	\$1356	1724	2174	—	—	1672
<b>72</b>	\$1424	1813	2360	—	—	1785

	WT	WA	WC	WD	PP	PT
<b>DT1HS. 30 60</b>	\$1974	2485	1974	2485	1398	1814
<b>66</b>	\$2122	2671	2122	2671	1497	1945
<b>72</b>	\$2269	2855	2269	2855	1598	2076
<b>36 60</b>	\$2029	2543	—	—	1482	1879
<b>66</b>	\$2178	2727	—	—	1560	1982
<b>72</b>	\$2325	2913	—	—	1638	2083

	PA	PC	PD
<b>DT1HS. 30 60</b>	\$2266	1814	2266
<b>66</b>	\$2430	1945	2430
<b>72</b>	\$2593	2076	2593
<b>36 60</b>	\$2285	—	—
<b>66</b>	\$2499	—	—
<b>72</b>	\$2715	—	—

	LP	LT	LA	LC	LD	WP
<b>DT1HT. 30 60</b>	—	—	—	—	—	\$1801
<b>66</b>	—	—	—	—	—	\$1937
<b>72</b>	—	—	—	—	—	\$2076
<b>36 60</b>	—	—	—	—	—	\$1869
<b>66</b>	—	—	—	—	—	\$2006
<b>72</b>	—	—	—	—	—	\$2144

	WT	WA	WC	WD	PP	PT
<b>DT1HT. 30 60</b>	\$2367	2984	2367	2984	1488	1932
<b>66</b>	\$2545	3205	2545	3205	1595	2071
<b>72</b>	\$2723	3426	2723	3426	1702	2211
<b>36 60</b>	\$2435	3051	—	—	1576	2003
<b>66</b>	\$2613	3272	—	—	1662	2111
<b>72</b>	\$2791	3494	—	—	1745	2219

	PA	PC	PD
<b>DT1HT. 30 60</b>	\$2415	1932	2415
<b>66</b>	\$2587	2071	2587
<b>72</b>	\$2762	2211	2762

<b>36 60</b>	\$2434	—	—
<b>66</b>	\$2661	—	—
<b>72</b>	\$2890	—	—

	WT	WA	WC	WD	PP	PT
<b>DT1HE. 30 60</b>	—	—	—	—	\$1488	1932
<b>66</b>	—	—	—	—	\$1595	2071
<b>72</b>	—	—	—	—	\$1702	2211
<b>36 60</b>	—	—	—	—	\$1576	2003
<b>66</b>	—	—	—	—	\$1662	2111
<b>72</b>	—	—	—	—	\$1745	2219

	PA	PC	PD
<b>DT1HE. 30 60</b>	\$2415	1932	2415
<b>66</b>	\$2587	2071	2587
<b>72</b>	\$2762	2211	2762
<b>36 60</b>	\$2434	—	—
<b>66</b>	\$2661	—	—
<b>72</b>	\$2890	—	—

## Step 7.

### Top Finish

### For laminate top/thermoplastic edge (L)

<b>28</b>	canyon	+\$0
<b>29</b>	misted	+\$0
<b>38</b>	twilight	+\$0
<b>39</b>	desert	+\$0
<b>76</b>	light brown walnut	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>1X</b>	vanilla	+\$0
<b>2X</b>	wheat	+\$0
<b>3X</b>	celery	+\$0
<b>4X</b>	coriander	+\$0
<b>5X</b>	chamomile	+\$0
<b>6X</b>	cinnamon	+\$0
<b>7X</b>	cardamom	+\$0
<b>8X</b>	kale	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0

<b>J4</b>	frosted light grey	+\$0
<b>J5</b>	frosted inner tone light	+\$0
<b>J7</b>	frosted medium tone	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LG</b>	light grey (discontinuing)	+\$0
<b>LM</b>	mahogany	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>OG</b>	honey maple	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>X1</b>	chalk white	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

<b>2U</b>	light brown walnut <b>A</b>	+\$85
<b>40</b>	dark brown walnut <b>A</b>	+\$85
<b>ED</b>	aged cherry <b>A</b>	+\$85
<b>EK</b>	medium red walnut <b>A</b>	+\$85
<b>ET</b>	clear on ash	+\$85
<b>EU</b>	oak on ash	+\$85
<b>EV</b>	walnut on ash	+\$85
<b>UL</b>	natural maple <b>A</b>	+\$85
<b>UX</b>	walnut on cherry <b>A</b>	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

Step 8. Edge Finish


For laminate top/thermoplastic edge (L)

<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LU</b>	soft white	+\$0


Step 9. Leg Finish		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>MS</b>	metallic silver	+\$0
<b>CD</b>	polished aluminum	+\$110
Step 10. Casters/Glides		
<b>20</b>	casters	+\$0
<b>57</b>	glides	+\$0
Step 11. Grommets		
<b>NTG</b>	no grommet	+\$0
<b>253</b>	cutout for Y1420. or Y1425. - 3 port	+\$27
<b>254</b>	cutout for Y1420. or Y1425. - 5 port	+\$27
<b>255</b>	cutout for Y1420. or Y1425. - 6 port	+\$27

# Soft Square Table

DT1JE.  
DT1JS.  
DT1JT.



Product Information
<b>Description</b> This square table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.
<b>Notes</b> 48" tops available only with post leg option for optimum stability. For additional details on available edge options see Appendices. For additional size, edge, and finish options, see Vary Easy Program in Appendices. UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.
<b>Dimensions</b>



Specification Information
<b>Step 1.</b> <b>DT1J</b>
<b>Step 2. Edge</b> <b>S.</b> squared-edge <b>T.</b> thin-edge <b>E.</b> eased-edge
<b>Step 3. Depth/Width</b> <b>3030</b> 30" deep x 30" wide <b>3636</b> 36" deep x 36" wide <b>4242</b> 42" deep x 42" wide <b>4848</b> 48" deep x 48" wide
<b>Step 4. Surface Material</b> <i>For squared-edge (S.)</i> <b>L</b> laminate top/thermoplastic edge <b>W</b> veneer top/veneer edge <b>A</b> <b>P</b> painted Formcoat® top/edge <i>For thin-edge (T.)</i> <b>W</b> veneer top/veneer edge <b>A</b> <b>P</b> painted Formcoat® top/edge <i>For eased-edge (E.)</i> <b>P</b> painted Formcoat® top/edge
<b>Step 5. Leg/Base Type</b> <i>For 30" deep x 30" wide (3030) or 36" deep x 36" wide (3636)</i> <b>P</b> post leg <b>S</b> single-column base <b>A</b> <i>For 42" deep x 42" wide (4242)</i> <b>P</b> post leg <i>For 48" deep x 48" wide (4848)</i> <b>P</b> post leg

Prices for Steps 1-5.	P	S
DT1JS. 3030 L	\$814	898
W	\$1030	1143
P	\$935	1034

<b>3636 L</b>	\$976	1078
<b>W</b>	\$1249	1385
<b>P</b>	\$1122	1239
<b>4242 L</b>	\$1120	—
<b>W</b>	\$1445	—
<b>P</b>	\$1290	—
<b>4848 L</b>	\$1256	—
<b>W</b>	\$1693	—
<b>P</b>	\$1445	—
	<b>P</b>	<b>S</b>
<b>DT1JT. 3030 W</b>	\$1234	1371
<b>P</b>	\$997	1102
<b>3636 W</b>	\$1497	1663
<b>P</b>	\$1196	1321
<b>4242 W</b>	\$1732	—
<b>P</b>	\$1373	—
<b>4848 W</b>	\$2030	—
<b>P</b>	\$1538	—
	<b>P</b>	<b>S</b>
<b>DT1JE. 3030 P</b>	\$997	1102
<b>3636 P</b>	\$1196	1321
<b>4242 P</b>	\$1373	—
<b>4848 P</b>	\$1538	—

## Step 6.

## Top Finish

## For laminate top/thermoplastic edge (L)

<b>28</b>	canyon	+\$0
<b>29</b>	misted	+\$0
<b>38</b>	twilight	+\$0
<b>39</b>	desert	+\$0
<b>76</b>	light brown walnut	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>1X</b>	vanilla	+\$0
<b>2X</b>	wheat	+\$0
<b>3X</b>	celery	+\$0
<b>4X</b>	coriander	+\$0
<b>5X</b>	chamomile	+\$0
<b>6X</b>	cinnamon	+\$0
<b>7X</b>	cardamom	+\$0
<b>8X</b>	kale	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>CL</b>	cool grey neutral	+\$0

<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>J4</b>	frosted light grey	+\$0
<b>J5</b>	frosted inner tone light	+\$0
<b>J7</b>	frosted medium tone	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LG</b>	light grey (discontinuing)	+\$0
<b>LM</b>	mahogany	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>OG</b>	honey maple	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>X1</b>	chalk white	+\$0

## Top/Edge Finish: Wood Veneer

## For veneer top/veneer edge (W)

<b>2U</b>	light brown walnut	+\$85
<b>40</b>	dark brown walnut	+\$85
<b>ED</b>	aged cherry	+\$85
<b>EK</b>	medium red walnut	+\$85
<b>ET</b>	clear on ash	+\$85
<b>EU</b>	oak on ash	+\$85
<b>EV</b>	walnut on ash	+\$85
<b>UL</b>	natural maple	+\$85
<b>UX</b>	walnut on cherry	+\$85

## Top/Edge Finish: Opaque Formcoat®

*For painted Formcoat® top/edge (P)*

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

## Step 7. Edge Finish

*For laminate top/thermoplastic edge (L)*

<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LU</b>	soft white	+\$0

## Step 8. Leg Finish

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>MS</b>	metallic silver	+\$0
<b>CD</b>	polished aluminum	+\$110


## Step 9. Casters/Glides

<b>20</b>	casters	+\$0
<b>57</b>	glides	+\$0



## Tear Drop Table

DT1KE.  
DT1KS.  
DT1KT.



### Product Information

#### Description


This tear drop table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

#### Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

#### Dimensions



### Specification Information

#### Step 1.

**DT1K** A

#### Step 2. Edge

**S.** squared-edge  
**T.** thin-edge  
**E.** eased-edge

#### Step 3. Diameter

**30** 30" diameter  
**36** 36" diameter

#### Step 4. Surface Material

##### For eased-edge (E.)

**P** painted Formcoat® top/edge

##### For thin-edge (T.)

**W** veneer top/veneer edge  
**P** painted Formcoat® top/edge

##### For squared-edge (S.)

**L** laminate top/thermoplastic edge  
**W** veneer top/veneer edge  
**P** painted Formcoat® top/edge

#### Step 5. Leg/Base Type

**S** single-column base A

#### Prices for Steps 1-5.

	<b>S</b>
<b>DT1KS. 30 L</b>	\$922
<b>W</b>	\$1168
<b>P</b>	\$1058
<b>36 L</b>	\$1054
<b>W</b>	\$1418
<b>P</b>	\$1213
	<b>S</b>
<b>DT1KT. 30 W</b>	\$1404
<b>P</b>	\$1127
<b>36 W</b>	\$1701
<b>P</b>	\$1292
	<b>S</b>
<b>DT1KE. 30 P</b>	\$1127

# Tear Drop Table *continued*

<b>36 P</b>		\$1292
Step 6.		
Top Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
<b>28</b>	canyon	+\$0
<b>29</b>	misted	+\$0
<b>38</b>	twilight	+\$0
<b>39</b>	desert	+\$0
<b>76</b>	light brown walnut	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>1X</b>	vanilla	+\$0
<b>2X</b>	wheat	+\$0
<b>3X</b>	celery	+\$0
<b>4X</b>	coriander	+\$0
<b>5X</b>	chamomile	+\$0
<b>6X</b>	cinnamon	+\$0
<b>7X</b>	cardamom	+\$0
<b>8X</b>	kale	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>J4</b>	frosted light grey	+\$0
<b>J5</b>	frosted inner tone light	+\$0
<b>J7</b>	frosted medium tone	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0

<b>LBQ</b>	white twill	+\$0
<b>LG</b>	light grey (discontinuing)	+\$0
<b>LM</b>	mahogany	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>OG</b>	honey maple	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>X1</b>	chalk white	+\$0

## Top/Edge Finish: Opaque Formcoat®

### *For painted Formcoat® top/edge (P)*

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

## Top/Edge Finish: Wood Veneer

### *For veneer top/veneer edge (W)*

<b>2U</b>	light brown walnut	<b>A</b>	+\$85
<b>40</b>	dark brown walnut	<b>A</b>	+\$85
<b>ED</b>	aged cherry	<b>A</b>	+\$85
<b>EK</b>	medium red walnut	<b>A</b>	+\$85
<b>ET</b>	clear on ash		+\$85
<b>EU</b>	oak on ash		+\$85
<b>EV</b>	walnut on ash		+\$85
<b>EY</b>	light anigre	<b>A</b>	+\$85
<b>UL</b>	natural maple	<b>A</b>	+\$85
<b>UX</b>	walnut on cherry	<b>A</b>	+\$85

## Tear Drop Table *continued*


Step 7. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LU</b>	soft white	+\$0

Step 8. Leg/Base Finish		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>MS</b>	metallic silver	+\$0
<b>CD</b>	polished aluminum	+\$110


Step 9. Casters/Glides		
<b>20</b>	casters	+\$0
<b>57</b>	glides	+\$0

# Classroom Curve Table

DT1LE.  
DT1LS.  
DT1LT.



Product Information
<b>Description</b> This classroom table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down. Height-adjustable legs have a 5" range in 1" increments.
<b>Notes</b> Cable grommet options available through Vary Easy Program for round pass through grommet with 2 1/4" hole clearance. Holes are located 3" from rear edge and 6" from end for the L and R options. Covers not provided with painted surface option. Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces. For additional details on available edge options see Appendices. For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices. UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) and T-leg (T) options.
<b>Dimensions</b>



Specification Information
<b>Step 1.</b> <b>DT1L</b>
<b>Step 2. Edge</b> <b>S.</b> squared-edge <b>T.</b> thin-edge <b>E.</b> eased-edge
<b>Step 3. Depth</b> <i>For squared-edge (S.)</i> <b>18</b> 18" deep <b>24</b> 24" deep <i>For thin-edge (T.)</i> <b>24</b> 24" deep <i>For eased-edge (E.)</i> <b>24</b> 24" deep
<b>Step 4. Width</b> <i>For 18" deep (18)</i> <b>60</b> 60" wide <i>For 24" deep (24)</i> <b>48</b> 48" wide <b>60</b> 60" wide
<b>Step 5. Surface Material</b> <i>For squared-edge (S.)</i> <b>L</b> laminate top/thermoplastic edge <b>W</b> veneer top/veneer edge <b>A</b> <b>P</b> painted Formcoat® top/edge <i>For thin-edge (T.)</i> <b>W</b> veneer top/veneer edge <b>A</b> <b>P</b> painted Formcoat® top/edge <i>For eased-edge (E.)</i> <b>P</b> painted Formcoat® top/edge

# Classroom Curve Table *continued*

## Step 6. Leg Type

For 18" deep (18)

**P** post leg

For 24" deep (24)

**P** post leg

**T** T-leg

**A** T-leg with height adjustment

## Prices for Steps 1-6.

	LP	LT	LA	WP	WT	WA
<b>DT1LS. 18 60</b>	\$1038	—	—	1272	—	—
<b>24 48</b>	\$1039	1349	1688	1274	1678	2116
<b>60</b>	\$1167	1518	1896	1442	1896	2389

	PP	PT	PA
<b>DT1LS. 18 60</b>	\$1193	—	—
<b>24 48</b>	\$1194	1552	1941
<b>60</b>	\$1343	1745	2178

	LP	LT	LA	WP	WT	WA
<b>DT1LT. 24 48</b>	—	—	—	\$1529	2015	2538
<b>60</b>	—	—	—	\$1729	2273	2865

	PP	PT	PA
<b>DT1LT. 24 48</b>	\$1271	1654	2066
<b>60</b>	\$1430	1858	2321

	PP	PT	PA
<b>DT1LE. 24 48</b>	\$1271	1654	2066
<b>60</b>	\$1430	1858	2321

## Step 7.

Top Finish

For laminate top/thermoplastic edge (L)

<b>28</b>	canyon	+\$0
<b>29</b>	misted	+\$0
<b>38</b>	twilight	+\$0
<b>39</b>	desert	+\$0
<b>76</b>	light brown walnut	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>1X</b>	vanilla	+\$0
<b>2X</b>	wheat	+\$0
<b>3X</b>	celery	+\$0

<b>4X</b>	coriander	+\$0
<b>5X</b>	chamomile	+\$0
<b>6X</b>	cinnamon	+\$0
<b>7X</b>	cardamom	+\$0
<b>8X</b>	kale	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>J4</b>	frosted light grey	+\$0
<b>J5</b>	frosted inner tone light	+\$0
<b>J7</b>	frosted medium tone	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LG</b>	light grey (discontinuing)	+\$0
<b>LM</b>	mahogany	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>OG</b>	honey maple	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>X1</b>	chalk white	+\$0

Top/Edge Finish: Wood Veneer		
<i>For veneer top/veneer edge (W)</i>		
<b>2U</b>	light brown walnut <span>A</span>	+\$85
<b>40</b>	dark brown walnut <span>A</span>	+\$85
<b>ED</b>	aged cherry <span>A</span>	+\$85
<b>EK</b>	medium red walnut <span>A</span>	+\$85
<b>ET</b>	clear on ash <span>A</span>	+\$85
<b>EU</b>	oak on ash <span>A</span>	+\$85
<b>EV</b>	walnut on ash <span>A</span>	+\$85
<b>UL</b>	natural maple <span>A</span>	+\$85
<b>UX</b>	walnut on cherry <span>A</span>	+\$85

Top/Edge Finish: Opaque Formcoat®		
<i>For painted Formcoat® top/edge (P)</i>		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0


Step 8. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LU</b>	soft white	+\$0

## Classroom Curve Table *continued*


Step 9. Leg Finish		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>MS</b>	metallic silver	+\$0
<b>CD</b>	polished aluminum	+\$110
Step 10. Casters/Glides		
<b>20</b>	casters	+\$0
<b>57</b>	glides	+\$0

# Conference Corner Table

DT1ME.  
DT1MS.  
DT1MT.



Product Information
<p><b>Description</b></p> <p>This corner table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.</p>
<p><b>Notes</b></p> <p>Tables have an additional (5th) leg for stability. Additional ganging bracket kits (Y1338.) can be used with adjacent tables. For additional details on available edge options see Appendices.</p>
<p><b>Dimensions</b></p>



Specification Information		
Step 1.		
DT1M		
Step 2. Edge		
S.	squared-edge	
T.	thin-edge	
E.	eased-edge	
Step 3. Depth		
24	24" deep	
30	30" deep	
Step 4. Surface Material		
For squared-edge (S.)		
L	laminate top/thermoplastic edge	
W	veneer top/veneer edge <span>A</span>	
P	painted Formcoat® top/edge	
For thin-edge (T.)		
W	veneer top/veneer edge <span>A</span>	
P	painted Formcoat® top/edge	
For eased-edge (E.)		
P	painted Formcoat® top/edge	
Step 5. Leg/Base Type		
P	post leg	
Prices for Steps 1-5.		
DT1MS.24 L		P
	W	\$1164
	P	\$1471
30 L		\$1340
	W	\$1398
	P	\$1785
		\$1606
		P
DT1MT.24 W		\$1766
	P	\$1425
30 W		\$2144
	P	\$1710
		P
DT1ME.24 P		\$1425



**30 P** \$1710

Step 6.

Top Finish

*For laminate top/thermoplastic edge (L)*

<b>28</b>	canyon	+\$0
<b>29</b>	misted	+\$0
<b>38</b>	twilight	+\$0
<b>39</b>	desert	+\$0
<b>76</b>	light brown walnut	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>1X</b>	vanilla	+\$0
<b>2X</b>	wheat	+\$0
<b>3X</b>	celery	+\$0
<b>4X</b>	coriander	+\$0
<b>5X</b>	chamomile	+\$0
<b>6X</b>	cinnamon	+\$0
<b>7X</b>	cardamom	+\$0
<b>8X</b>	kale	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>J4</b>	frosted light grey	+\$0
<b>J5</b>	frosted inner tone light	+\$0
<b>J7</b>	frosted medium tone	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0

<b>LBQ</b>	white twill	+\$0
<b>LG</b>	light grey (discontinuing)	+\$0
<b>LM</b>	mahogany	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>OG</b>	honey maple	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>X1</b>	chalk white	+\$0

Top/Edge Finish: Wood Veneer

*For veneer top/veneer edge (W)*

<b>2U</b>	light brown walnut <b>A</b>	+\$85
<b>40</b>	dark brown walnut <b>A</b>	+\$85
<b>ED</b>	aged cherry <b>A</b>	+\$85
<b>EK</b>	medium red walnut <b>A</b>	+\$85
<b>ET</b>	clear on ash <b>A</b>	+\$85
<b>EU</b>	oak on ash <b>A</b>	+\$85
<b>EV</b>	walnut on ash <b>A</b>	+\$85
<b>UL</b>	natural maple <b>A</b>	+\$85
<b>UX</b>	walnut on cherry <b>A</b>	+\$85

Top/Edge Finish: Opaque Formcoat®

*For painted Formcoat® top/edge (P)*

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0


Step 7. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LU</b>	soft white	+\$0

Step 8. Leg/Base Finish		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>MS</b>	metallic silver	+\$0
<b>CD</b>	polished aluminum	+\$110


Step 9. Casters/Glides		
<b>20</b>	casters	+\$0
<b>57</b>	glides	+\$0

Round Corner Table

DT1NE.  
DT1NS.  
DT1NT.



Product Information
Description
This corner table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.
Notes
Tables have an additional (5th) leg for stability.
3 36" deep tables ganged together make an 84" diameter table.
Additional ganging bracket kits (Y1338.), sold separately, can be used to ensure proper alignment with adjacent tables.
For additional details on available edge options see Appendices.
UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.
Dimensions



Specification Information	
Step 1.	
DT1N	
Step 2. Edge	
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3. Depth	
24	24" deep
30	30" deep
36	36" deep
Step 4. Surface Material	
For squared-edge (S.)	
L	laminate top/thermoplastic edge
W	veneer top/veneer edge <span>A</span>
P	painted Formcoat® top/edge
For thin-edge (T.)	
W	veneer top/veneer edge <span>A</span>
P	painted Formcoat® top/edge
For eased-edge (E.)	
P	painted Formcoat® top/edge
Step 5. Leg/Base Type	
P	post leg
Prices for Steps 1-5.	
P	
DT1NS. 24 L	\$1164
W	\$1471
P	\$1340
30 L	\$1398
W	\$1785
P	\$1606
36 L	\$1630
W	\$2101
P	\$1874
P	
DT1NT. 24 W	\$1766
P	\$1425

# Round Corner Table *continued*

Everywhere™ Standard-Height Tables

<b>30 W</b>	\$2144
<b>P</b>	\$1710
<b>36 W</b>	\$2520
<b>P</b>	\$1996
	<b>P</b>
<b>DT1NE. 24 P</b>	\$1425
<b>30 P</b>	\$1710
<b>36 P</b>	\$1996

Step 6.

Top Finish

*For laminate top/thermoplastic edge (L)*

<b>28</b>	canyon	+\$0
<b>29</b>	misted	+\$0
<b>38</b>	twilight	+\$0
<b>39</b>	desert	+\$0
<b>76</b>	light brown walnut	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>1X</b>	vanilla	+\$0
<b>2X</b>	wheat	+\$0
<b>3X</b>	celery	+\$0
<b>4X</b>	coriander	+\$0
<b>5X</b>	chamomile	+\$0
<b>6X</b>	cinnamon	+\$0
<b>7X</b>	cardamom	+\$0
<b>8X</b>	kale	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>J4</b>	frosted light grey	+\$0
<b>J5</b>	frosted inner tone light	+\$0
<b>J7</b>	frosted medium tone	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0

<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LG</b>	light grey (discontinuing)	+\$0
<b>LM</b>	mahogany	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>OG</b>	honey maple	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>X1</b>	chalk white	+\$0

Top/Edge Finish: Wood Veneer

*For veneer top/veneer edge (W)*

<b>2U</b>	light brown walnut <b>A</b>	+\$85
<b>40</b>	dark brown walnut <b>A</b>	+\$85
<b>ED</b>	aged cherry <b>A</b>	+\$85
<b>EK</b>	medium red walnut <b>A</b>	+\$85
<b>ET</b>	clear on ash <b>A</b>	+\$85
<b>EU</b>	oak on ash <b>A</b>	+\$85
<b>EV</b>	walnut on ash <b>A</b>	+\$85
<b>UL</b>	natural maple <b>A</b>	+\$85
<b>UX</b>	walnut on cherry <b>A</b>	+\$85

Top/Edge Finish: Opaque Formcoat®

*For painted Formcoat® top/edge (P)*

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0


Step 7. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LU</b>	soft white	+\$0

Step 8. Leg/Base Finish		
<b>98</b>	studio white	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>MS</b>	metallic silver	+\$0
<b>CD</b>	polished aluminum	+\$110

Step 9. Casters/Glides		
<b>20</b>	casters	+\$0
<b>57</b>	glides	+\$0

# Flip-Top Rectangular Table

DT5AE.  
DT5AS.  
DT5AT.




## Product Information

**Description**  
This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has 2 paddles under the front edge that allow the surface to flip up, minimizing space for storage when not in use. The table has T-legs and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

## Notes

Thin edge and eased edge tops not available with 18"-deep surfaces.  
Cable grommet options available through Vary Easy Program for round pass through grommet with 2 1/4" hole clearance. Holes are located 3" from rear edge and 6" from end for the L and R options. Covers not provided with painted surface option.  
Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.  
Multiple tables can be nested for storage when surface is flipped up. First table in nest requires 23" of floor space. All additional tables require only 9" of additional space.  
Table top overhangs the base by 2 3/4" on each end.  
For additional details on available edge options see Appendices.  
Only fabric modesty panel (Y1114.) will enable flip top table to fold as intended. It is the recommended modesty panel for use with flip top tables. It is full length and folds out of the way for table storage.  
For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.  
UL listed when used with Connect single circuit electrical product (Y137x.) with T-leg (T) option.

## Dimensions



# Flip-Top Rectangular Table *continued*

Specification Information	
Step 1.	
<b>DT5A</b>	
Step 2. Edge	
<b>S.</b>	squared-edge
<b>T.</b>	thin-edge
<b>E.</b>	eased-edge
Step 3. Depth	
<i>For squared-edge (S.)</i>	
<b>18</b>	18" deep
<b>24</b>	24" deep
<b>30</b>	30" deep
<i>For eased-edge (E.)</i>	
<b>24</b>	24" deep
<b>30</b>	30" deep
<i>For thin-edge (T.)</i>	
<b>24</b>	24" deep
<b>30</b>	30" deep
Step 4. Width	
<b>48</b>	48" wide
<b>60</b>	60" wide
<b>72</b>	72" wide
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
<b>L</b>	lamine top/thermoplastic edge
<b>U</b>	lamine top/universal edge
<b>W</b>	veneer top/veneer edge <b>A</b>
<b>P</b>	painted Formcoat® top/edge
<i>For thin-edge (T.)</i>	
<b>W</b>	veneer top/veneer edge <b>A</b>
<b>P</b>	painted Formcoat® top/edge
<i>For eased-edge (E.)</i>	
<b>P</b>	painted Formcoat® top/edge
Step 6. Leg Type	
<b>T</b>	T-leg

Prices for Steps 1-6.				
	LT	UT	WT	PT
<b>DT5AS. 18 48</b>	\$1464	1464	1775	1685
<b>60</b>	\$1536	1536	1870	1767
<b>72</b>	\$1614	1614	1965	1855
<b>24 48</b>	\$1494	1494	1812	1718
<b>60</b>	\$1568	1568	1909	1805
<b>72</b>	\$1646	1646	2005	1895
<b>30 48</b>	\$1584	1584	1924	1820
<b>60</b>	\$1726	1726	2102	1984
<b>72</b>	\$1812	1812	2209	2083
<b>DT5AT. 24 48</b>	—	—	\$2174	1831
<b>60</b>	—	—	\$2289	1921
<b>72</b>	—	—	\$2405	2017
<b>30 48</b>	—	—	\$2310	1940
<b>60</b>	—	—	\$2521	2114
<b>72</b>	—	—	\$2650	2219
<b>DT5AE. 24 48</b>	—	—	—	\$1831
<b>60</b>	—	—	—	\$1921
<b>72</b>	—	—	—	\$2017
<b>30 48</b>	—	—	—	\$1940
<b>60</b>	—	—	—	\$2114
<b>72</b>	—	—	—	\$2219

# Flip-Top Rectangular Table *continued*

## Step 7.

### Top Finish

*For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)*

<b>76</b>	light brown walnut	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

### Top/Edge Finish: Wood Veneer

*For veneer top/veneer edge (W)*

<b>2U</b>	light brown walnut <b>A</b>	+\$50
<b>40</b>	dark brown walnut <b>A</b>	+\$50
<b>ED</b>	aged cherry <b>A</b>	+\$50
<b>EK</b>	medium red walnut <b>A</b>	+\$50
<b>ET</b>	clear on ash <b>A</b>	+\$50
<b>EU</b>	oak on ash <b>A</b>	+\$50
<b>EV</b>	walnut on ash <b>A</b>	+\$50
<b>UL</b>	natural maple <b>A</b>	+\$50
<b>UX</b>	walnut on cherry <b>A</b>	+\$50

### Top/Edge Finish: Opaque Formcoat®

*For painted Formcoat® top/edge (P)*

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

## Step 8. Edge Finish

*For laminate top/thermoplastic edge (L)*

<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LU</b>	soft white	+\$0

*For laminate top/universal edge (U)*

<b>PLY</b>	plywood edge	+\$50
------------	--------------	-------




## Flip-Top Rectangular Table *continued*

Step 9. Leg Finish		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>MS</b>	metallic silver	+\$0
<b>CD</b>	polished aluminum	+\$110
Step 10. Casters/Glides		
<b>20</b>	casters	+\$0
<b>57</b>	glides	+\$0

Standard-Height Table Leg

DT2A.



Product Information
<p><b>Description</b></p> <p>This product is a kit of a full set of table legs with attachment hardware. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.</p>
<p><b>Notes</b></p> <p>Height adjustable table legs have a 5" range in 1" increments.</p> <p>Tabletop must be no more than 30" deep and no less than 24" deep for C and D options. Tabletop must be no more than 36" deep and no less than 18" deep for P, A, and T options.</p> <p>Tabletops 54" and wider are recommended to have a steel support channel.</p> <p>Not recommended for tables wider than 84".</p> <p>Table leg must be located such that the floor glides are not more than 3" from the front and rear sides for table stability.</p> <p>Tabletop can over hang sides of table base by no more than 15" for tops 60" and wider.</p> <p>1" long screws provided with base are recommended to attach to tabletop. Ensure mounting surface is no less than 1" thick.</p>

Dimensions
<div> <p>P</p> </div> <div> </div>
<div> <p>T</p> </div> <div> </div>
<div> <p>C</p> </div> <div> </div>
<div> <p>A</p> </div> <div> </div>
<div> <p>D</p> </div> <div> </div>

# Standard-Height Table Leg *continued*

## Specification Information

Step 1.

**DT2A.**

Step 2. Depth

<b>18</b>	18" deep
<b>24</b>	24" deep
<b>30</b>	30" deep
<b>36</b>	36" deep

Step 3. Leg Type

*For 18" deep (18) or 36" deep (36)*

<b>P</b>	post leg
<b>T</b>	T-leg
<b>A</b>	T-leg with height adjustment

*For 24" deep (24) or 30" deep (30)*

<b>P</b>	post leg
<b>T</b>	T-leg
<b>A</b>	T-leg with height adjustment
<b>C</b>	C-leg
<b>D</b>	C-leg with height adjustment

Step 4. Table Top Surface Material

*For post leg (P)*

<b>P</b>	painted table top
<b>Z</b>	lamine or veneer table top

*For T-leg (T), T-leg with height adjustment (A), C-leg (C), or C-leg with height adjustment (D)*

<b>N</b>	lamine, painted or veneer table top
----------	-------------------------------------

Prices for Steps 1-4.

	<b>N</b>	<b>P</b>	<b>Z</b>
<b>DT2A. 18 P</b>	—	\$547	547
<b>T</b>	\$693	—	—
<b>A</b>	\$1055	—	—
<b>24 P</b>	—	\$547	547
<b>T</b>	\$717	—	—
<b>A</b>	\$1091	—	—
<b>C</b>	\$717	—	—
<b>D</b>	\$1105	—	—

<b>30 P</b>	—	\$547	547
<b>T</b>	\$717	—	—
<b>A</b>	\$1091	—	—
<b>C</b>	\$717	—	—
<b>D</b>	\$1105	—	—
<b>36 P</b>	—	\$547	547
<b>T</b>	\$756	—	—
<b>A</b>	\$1130	—	—

Step 5. Leg Finish


<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>MS</b>	metallic silver	+\$0
<b>CD</b>	polished aluminum	+\$110

Step 6. Casters/Glides

<b>20</b>	casters	+\$0
<b>57</b>	glides	+\$0

Everywhere™ Standard-Height Table Legs and Bases

Standard-Height Table Base DT2B.




**Product Information**

**Description**  
This product is a kit of a full set of center column table legs with attachment hardware. It has either single column S or 4 column X leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

**Notes**

Tabletop must be no more than 42" deep and no less than 30" deep for X base.  
Tabletop must be no more than 36" deep and no less than 24" deep for S base.  
Table base to be centered side-to-side and left-to-right under tabletop.  
Tabletop can over hang sides of table base by no more than 15" for tops 60" and wider.  
1" long screws provided with base are recommended to attach to tabletop. Ensure mounting surface is no less than 1" thick.

**Dimensions**



**Specification Information**

**Step 1.**  
**DT2B.**

**Step 2. Leg/Base Type**

**X** 4-column base  
**S** single-column base

**Prices for Steps 1-2.**

**DT2B. X** \$764  
**S** \$532

**Step 3. Leg/Base Finish**


**8Q** folkstone grey +\$0  
**91** white +\$0  
**98** studio white ☐ A +\$0  
**BU** black umber +\$0  
**CL** cool grey neutral +\$0  
**G2** graphite satin +\$0  
**HF** inner tone light +\$0  
**LU** soft white +\$0  
**MT** medium tone +\$0  
**SG** slate grey +\$0  
**WL** sandstone +\$0  
**WN** warm grey neutral +\$0  
**CN** metallic champagne +\$0  
**EH** metallic bronze +\$0  
**MS** metallic silver +\$0  
**CD** polished aluminum +\$110

**Step 4. Casters/Glides**

**20** casters +\$0  
**57** glides +\$0

## Standing-Height Square Table

DT3BE.  
DT3BS.  
DT3BT.



### Product Information

#### Description


This 42"-high, square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.

#### Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

#### Dimensions



### Specification Information

#### Step 1.

**DT3B**

#### Step 2. Edge

- S.** squared-edge
- T.** thin-edge
- E.** eased-edge

#### Step 3. Depth/Width

- 3030** 30" deep x 30" wide
- 3636** 36" deep x 36" wide

#### Step 4. Surface Material

##### For squared-edge (S.)

- L** laminate top/thermoplastic edge
- U** laminate top/universal edge
- W** veneer top/veneer edge **A**
- P** painted Formcoat® top/edge

##### For thin-edge (T.)

- W** veneer top/veneer edge **A**
- P** painted Formcoat® top/edge

##### For eased-edge (E.)

- P** painted Formcoat® top/edge

#### Step 5. Base Type

- X** 4-column base

#### Prices for Steps 1-5.

	<b>X</b>
<b>DT3BS. 3030 L</b>	\$933
<b>U</b>	\$933
<b>W</b>	\$1108
<b>P</b>	\$1074
<b>3636 L</b>	\$1118
<b>U</b>	\$1118
<b>W</b>	\$1341
<b>P</b>	\$1288
	<b>X</b>
<b>DT3BT. 3030 W</b>	\$1330
<b>P</b>	\$1143
<b>3636 W</b>	\$1607
<b>P</b>	\$1371

# Standing-Height Square Table

continued

Everywhere™ Standing-Height Tables

	X
DT3BE. 3030 P	\$1143
3636 P	\$1371

## Step 6.










### Top Finish

For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)

76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

### Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$50
40	dark brown walnut 	+\$50
ED	aged cherry 	+\$50
EK	medium red walnut 	+\$50
ET	clear on ash 	+\$50
EU	oak on ash 	+\$50
EV	walnut on ash 	+\$50
UL	natural maple 	+\$50
UX	walnut on cherry 	+\$50

### Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

# Standing-Height Square Table

continued

## Step 7. Edge Finish

### For laminate top/thermoplastic edge (L)

<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LU</b>	soft white	+\$0

### For laminate top/universal edge (U)

<b>PLY</b>	plywood edge	+\$50
------------	--------------	-------


## Step 8. Base Finish

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>BU</b>	black umber	+\$0
<b>CD</b>	polished aluminum	+\$110
<b>CL</b>	cool grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MS</b>	metallic silver	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0


Everywhere™ Standing-Height Tables

# Standing-Height Round Table

DT3CE.  
DT3CS.  
DT3CT.



Product Information
<p><b>Description</b></p> <p>This 42"-high, round table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.</p>
<p><b>Notes</b></p> <p>For additional details on available edge options see Appendices. For additional size, edge, and finish options, see Vary Easy Program in Appendices.</p>
<p><b>Dimensions</b></p>



Specification Information	
Step 1.	
DT3C	
Step 2. Edge	
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3. Diameter	
30	30" diameter
36	36" diameter
Step 4. Surface Material	
For squared-edge (S.)	
L	laminate top/thermoplastic edge
W	veneer top/veneer edge <span>A</span>
P	painted Formcoat® top/edge
For thin-edge (T.)	
W	veneer top/veneer edge <span>A</span>
P	painted Formcoat® top/edge
For eased-edge (E.)	
P	painted Formcoat® top/edge
Step 5. Base Type	
X	4-column base
Prices for Steps 1-5.	
DT3CS. 30 L	X \$1074
W	\$1273
P	\$1235
36 L	\$1287
W	\$1541
P	\$1481
DT3CT. 30 W	X \$1528
P	\$1314
36 W	\$1850
P	\$1575
DT3CE. 30 P	X \$1314



# Standing-Height Round Table

continued

<b>36 P</b>	\$1575
Step 6.	
Top Finish	
<i>For laminate top/thermoplastic edge (L)</i>	
<b>76</b>	light brown walnut +\$0
<b>91</b>	white +\$0
<b>98</b>	studio white +\$0
<b>8Q</b>	folkstone grey +\$0
<b>CL</b>	cool grey neutral +\$0
<b>HF</b>	inner tone light +\$0
<b>HM</b>	natural maple +\$0
<b>HP</b>	light anigre +\$0
<b>HT</b>	inner tone +\$0
<b>HX</b>	aged cherry +\$0
<b>HY</b>	walnut on cherry +\$0
<b>LA</b>	light ash +\$0
<b>LBA</b>	clear on ash +\$0
<b>LBB</b>	oak on ash +\$0
<b>LBC</b>	walnut on ash +\$0
<b>LBD</b>	dark brown walnut +\$0
<b>LBE</b>	medium red walnut +\$0
<b>LBF</b>	neutral twill +\$0
<b>LBG</b>	sarum twill +\$0
<b>LBH</b>	earthen twill +\$0
<b>LBJ</b>	graphite twill +\$0
<b>LBK</b>	pewter mesh +\$0
<b>LBL</b>	steel mesh +\$0
<b>LBM</b>	crisp linen +\$0
<b>LBN</b>	classic linen +\$0
<b>LBP</b>	casual linen +\$0
<b>LBQ</b>	white twill +\$0
<b>LU</b>	soft white +\$0
<b>WL</b>	sandstone +\$0
<b>WN</b>	warm grey neutral +\$0

## Top/Edge Finish: Wood Veneer

### *For veneer top/veneer edge (W)*

<b>2U</b>	light brown walnut <span>A</span>	+\$50
<b>40</b>	dark brown walnut <span>A</span>	+\$50
<b>ED</b>	aged cherry <span>A</span>	+\$50
<b>EK</b>	medium red walnut <span>A</span>	+\$50
<b>ET</b>	clear on ash <span>A</span>	+\$50
<b>EU</b>	oak on ash <span>A</span>	+\$50
<b>EV</b>	walnut on ash <span>A</span>	+\$50
<b>UL</b>	natural maple <span>A</span>	+\$50
<b>UX</b>	walnut on cherry <span>A</span>	+\$50

## Top/Edge Finish: Opaque Formcoat®

### *For painted Formcoat® top/edge (P)*

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

Everywhere™ Standing-Height Tables

# Standing-Height Round Table

continued


Everywhere™ Standing-Height Tables

Step 7. Edge Finish		
For laminate top/thermoplastic edge (L)		
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LU</b>	soft white	+\$0

Step 8. Base Finish		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>MS</b>	metallic silver	+\$0
<b>CD</b>	polished aluminum	+\$110

10. *Journal of the American Medical Association*, 2000; 283: 2686-2692.

100



## Product Information

Description


This 16"-high, square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

## Dimensions



### Specification Information

Step 1.

## DT4B

### Step 2. Edge

**S.** squared-edge

**T.** thin-edge

### Step 3. Depth/Width

**2424** 24" deep x 24" wide

**3030** 30" deep x 30" wide

**3636** 36" deep x 36" wide

#### Step 4. Surface Material

---

*For squared-edge (S.)*

**L** laminate top/thermoplastic edge

**U** laminate top/universal edge

**W** veneer top/veneer edge **A**

**P** painted Formcoat® top/edge

---

*For thin-edge (T.)*

**W** veneer top/veneer edge **A**

**P** painted Formcoat® top/edge

### Step 5. Base Type

**S** single-column base

Prices for Steps 1-5.

		S
DT4BS. 2424	L	\$712
	U	\$712
	W	\$832
	P	\$820
3030	L	\$854
	U	\$854
	W	\$1008
	P	\$983
3636	L	\$983
	U	\$983
	W	\$1168
	P	\$1130
		S
DT4BT. 2424	W	\$998
	P	\$873

# Occasional Table, Square *continued*

<b>3030 W</b>	\$1211
<b>P</b>	\$1045
<b>3636 W</b>	\$1404
<b>P</b>	\$1203

## Step 6.

### Top Finish

For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)

<b>28</b>	canyon	+\$0
<b>29</b>	misted	+\$0
<b>38</b>	twilight	+\$0
<b>39</b>	desert	+\$0
<b>76</b>	light brown walnut	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>1X</b>	vanilla	+\$0
<b>2X</b>	wheat	+\$0
<b>3X</b>	celery	+\$0
<b>4X</b>	coriander	+\$0
<b>5X</b>	chamomile	+\$0
<b>6X</b>	cinnamon	+\$0
<b>7X</b>	cardamom	+\$0
<b>8X</b>	kale	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>J4</b>	frosted light grey	+\$0
<b>J5</b>	frosted inner tone light	+\$0
<b>J7</b>	frosted medium tone	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0

<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LG</b>	light grey (discontinuing)	+\$0
<b>LM</b>	mahogany	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>OG</b>	honey maple	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>X1</b>	chalk white	+\$0

### Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

<b>2U</b>	light brown walnut <b>A</b>	+\$50
<b>40</b>	dark brown walnut <b>A</b>	+\$50
<b>ED</b>	aged cherry <b>A</b>	+\$50
<b>EK</b>	medium red walnut <b>A</b>	+\$50
<b>ET</b>	clear on ash <b>A</b>	+\$50
<b>EU</b>	oak on ash <b>A</b>	+\$50
<b>EV</b>	walnut on ash <b>A</b>	+\$50
<b>UL</b>	natural maple <b>A</b>	+\$50
<b>UX</b>	walnut on cherry <b>A</b>	+\$50

### Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

# Occasional Table, Square *continued*

## Step 7. Edge Finish

### *For laminate top/thermoplastic edge (L)*

<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0


### *For laminate top/universal edge (U)*

<b>PLY</b>	plywood edge	+\$50
------------	--------------	-------

## Step 8. Base Finish

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>BU</b>	black umber	+\$0
<b>CD</b>	polished aluminum	+\$110
<b>CL</b>	cool grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MS</b>	metallic silver	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

Occasional Table, RoundDT4CS.  
DT4CT.



**Product Information**

**Description**


This 16"-high, round table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.

**Notes**

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

**Dimensions**



**Specification Information**

Step 1.

**DT4C**

Step 2. Edge

**S.** squared-edge

**T.** thin-edge

Step 3. Diameter

**30** 30" diameter

**36** 36" diameter

Step 4. Surface Material

*For squared-edge (S.)*

**L** laminate top/thermoplastic edge

**W** veneer top/veneer edge **A**

**P** painted Formcoat® top/edge

*For thin-edge (T.)*

**W** veneer top/veneer edge **A**

**P** painted Formcoat® top/edge

Step 5. Base Type

**S** single-column base

Prices for Steps 1-5.

		<b>S</b>
<b>DT4CS. 30 L</b>		\$981
<b>W</b>		\$1160
<b>P</b>		\$1129
<b>36 L</b>		\$1129
<b>W</b>		\$1344
<b>P</b>		\$1299

		<b>S</b>
<b>DT4CT. 30 W</b>		\$1391
<b>P</b>		\$1202
<b>36 W</b>		\$1613
<b>P</b>		\$1383

Step 6.










Top Finish

*For laminate top/thermoplastic edge (L)*

**28** canyon +\$0

**29** misted +\$0

Occasional Table, Round *continued*


<b>38</b>	twilight	+\$0	<b>WN</b>	warm grey neutral	+\$0
<b>39</b>	desert	+\$0	<b>X1</b>	chalk white	+\$0
<b>76</b>	light brown walnut	+\$0			
<b>91</b>	white	+\$0	Top/Edge Finish: Wood Veneer		
<b>98</b>	studio white	+\$0	<i>For veneer top/veneer edge (W)</i>		
<b>1X</b>	vanilla	+\$0	<b>2U</b>	light brown walnut 	+\$50
<b>2X</b>	wheat	+\$0	<b>40</b>	dark brown walnut 	+\$50
<b>3X</b>	celery	+\$0	<b>ED</b>	aged cherry 	+\$50
<b>4X</b>	coriander	+\$0	<b>EK</b>	medium red walnut 	+\$50
<b>5X</b>	chamomile	+\$0	<b>ET</b>	clear on ash 	+\$50
<b>6X</b>	cinnamon	+\$0	<b>EU</b>	oak on ash 	+\$50
<b>7X</b>	cardamom	+\$0	<b>EV</b>	walnut on ash 	+\$50
<b>8X</b>	kale	+\$0	<b>UL</b>	natural maple 	+\$50
<b>8Q</b>	folkstone grey	+\$0	<b>UX</b>	walnut on cherry 	+\$50
<b>CL</b>	cool grey neutral	+\$0			
<b>HF</b>	inner tone light	+\$0	Top/Edge Finish: Opaque Formcoat®		
<b>HM</b>	natural maple	+\$0	<i>For painted Formcoat® top/edge (P)</i>		
<b>HP</b>	light anigre	+\$0	<b>8Q</b>	folkstone grey	+\$0
<b>HT</b>	inner tone	+\$0	<b>91</b>	white	+\$0
<b>HX</b>	aged cherry	+\$0	<b>CL</b>	cool grey neutral	+\$0
<b>HY</b>	walnut on cherry	+\$0	<b>LU</b>	soft white	+\$0
<b>J4</b>	frosted light grey	+\$0	<b>WL</b>	sandstone	+\$0
<b>J5</b>	frosted inner tone light	+\$0	<b>WN</b>	warm grey neutral	+\$0
<b>J7</b>	frosted medium tone	+\$0			
<b>LA</b>	light ash	+\$0			
<b>LBA</b>	clear on ash	+\$0			
<b>LBB</b>	oak on ash	+\$0			
<b>LBC</b>	walnut on ash	+\$0			
<b>LBD</b>	dark brown walnut	+\$0			
<b>LBE</b>	medium red walnut	+\$0			
<b>LBF</b>	neutral twill	+\$0			
<b>LBG</b>	sarum twill	+\$0			
<b>LBH</b>	earthen twill	+\$0			
<b>LBJ</b>	graphite twill	+\$0			
<b>LBK</b>	pewter mesh	+\$0			
<b>LBL</b>	steel mesh	+\$0			
<b>LBM</b>	crisp linen	+\$0			
<b>LBN</b>	classic linen	+\$0			
<b>LBP</b>	casual linen	+\$0			
<b>LBQ</b>	white twill	+\$0			
<b>LG</b>	light grey (discontinuing)	+\$0			
<b>LM</b>	mahogany	+\$0			
<b>LT</b>	light tone	+\$0			
<b>LU</b>	soft white	+\$0			
<b>MT</b>	medium tone	+\$0			
<b>OG</b>	honey maple	+\$0			
<b>WL</b>	sandstone	+\$0			

# Occasional Table, Round *continued*

Step 7. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBE</b>	medium red walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBK</b>	pewter mesh	+\$0
<b>LBL</b>	steel mesh	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

Step 8. Base Finish		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>MS</b>	metallic silver	+\$0
<b>CD</b>	polished aluminum	+\$110





### Product Information

#### Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is UL listed.

#### Notes

Cable clips for cord management are intended for a 1-time installation.

Clamp versions can be reoriented in the field by a technician.


A small LED light illuminates through the USB ports when the USB version is plugged in and powered.

USB ports provide 10-watt power to charge most devices and tablets at full speed.


Cord color is predetermined. For white (G1) finish cords will be white. For graphite (G1) finish cords will be black.

Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

### Dimensions



Surface Clamp



Grommet Mount

Specification Information

Step 1.

Y1414. ☐ A

Step 2. Configuration

J 1 simplex receptacles, 2 powered USB ☐ A

K 2 simplex receptacles ☐ A

Step 3. Cord/Conduit Length

03 3' cord/conduit ☐ A

06 6' cord/conduit ☐ A

10 10' cord/conduit ☐ A

Step 4. Attachment

G grommet mount ☐ A

S surface clamp ☐ A


Prices for Steps 1-4.

		G	S
Y1414. J	03	\$342	342
	06	\$342	342
	10	\$352	352
<hr/>			
K	03	\$191	191
	06	\$191	191
	10	\$201	201

Step 5. Finish

91 white ☐ A +\$0

G1 graphite ☐ A +\$0



## Product Information

### Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is ETL listed to UL962.

### Notes

Cable clips for cord management are intended for a 1-time installation. Clamp versions can be reoriented in the field by a technician. Jumper length denotes distance between center points of each split point.

Cord length denotes distance from plug end to first split point.

All branch lengths from main power cord to module are 12".



A small LED light illuminates through the USB ports when the USB version is plugged in and powered.

USB ports provide 10-watt power to charge most devices and tablets at full speed.


The cord head contains a circuit breaker when there are more than 3 simplex receptacles.

Grommet mount attachment (Y1415.xxxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.


## Dimensions



Two Power Modules



Three Power Modules



Four Power Modules

### Specification Information

#### Step 1.

**Y1415.**

#### Step 2. Number of Modules

- 2** two power modules   
**3** three power modules   
**4** four power modules

#### Step 3. Power Type

- J** 1 simplex receptacles, 2 powered USB, all modules   
**K** 2 simplex receptacles, all modules   
**L** first module has 1 AC plus 2 powered USB all other modules have all AC simplexes

#### Step 4. Jumper Length

- 36** 36" between split points   
**48** 48" between split points   
**60** 60" between split points

#### Step 5. Attachment

- G** grommet mount   
**S** surface clamp

#### Step 6. Cord/Conduit Length

- 06** 6' cord/conduit   
**10** 10' cord/conduit

#### Prices for Steps 1-6.

		36G06	36G10	36S06	36S10	48G06	48G10
<b>Y1415. 2</b>	<b>J</b>	\$758	768	758	768	766	777
	<b>K</b>	\$454	465	454	465	462	473
	<b>L</b>	\$606	617	606	617	615	625
<b>3</b>	<b>J</b>	\$1129	1139	1129	1139	1145	1156
	<b>K</b>	\$689	700	689	700	707	717
	<b>L</b>	\$842	852	842	852	858	869
<b>4</b>	<b>J</b>	\$1533	1544	1533	1544	1558	1569
	<b>K</b>	\$925	935	925	935	951	961
	<b>L</b>	\$1077	1088	1077	1088	1102	1112
		48S06	48S10	60G06	60G10	60S06	60S10
<b>Y1415. 2</b>	<b>J</b>	\$766	777	775	786	775	786
	<b>K</b>	\$462	473	471	481	471	481
	<b>L</b>	\$615	625	623	633	623	633
<b>3</b>	<b>J</b>	\$1145	1156	1163	1173	1163	1173
	<b>K</b>	\$707	717	723	733	723	733
	<b>L</b>	\$858	869	876	886	876	886


<b>4</b>	<b>J</b>	\$1558	1569	1594	1605	1594	1605
	<b>K</b>	\$951	961	975	986	975	986
	<b>L</b>	\$1102	1112	1128	1138	1128	1138

#### Step 7. Finish

- 91** white  +\$0  
**G1** graphite  +\$0

# Logic C1000 Universal Clamp Mount Distributor

Y1423.



## Product Information

### Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end or a hard-wired connection with electrical conduit. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

### Notes



Clamp mounts on worksurfaces 1"-1 1/4" thick.

Faceplate color matches unit color.



Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.



## Dimensions





2 simplex receptacles, 2 powered USB





4 simplex receptacles, 2 powered USB





5 simplex receptacles, 2 powered USB



3 simplex receptacles



5 simplex receptacles



6 simplex receptacles

Logic C1000 Universal Clamp  
Mount Distributor *continued*

Everywhere™ Power and Data Support

Specification Information

Step 1.

Y1423. ☐ A

Step 2. Configuration

- A 2 simplex receptacles, 2 powered USB ☐ A
- C 4 simplex receptacles, 2 powered USB ☐ A
- D 5 simplex receptacles, 2 powered USB ☐ A
- E 3 simplex receptacles ☐ A
- F 5 simplex receptacles ☐ A
- G 6 simplex receptacles ☐ A

Step 3. Power Type

- A power cord with plug end ☐ A
- B conduit with open end, for hard-wiring ☐ A

Step 4. Cord/Conduit Length

- 03 3' cord/conduit ☐ A
- 06 6' cord/conduit ☐ A
- 10 10' cord/conduit ☐ A

Prices for Steps 1-4.


		03	06	10
Y1423. A	A	\$462	462	473
	B	\$513	513	523
C	A	\$555	555	565
	B	\$606	606	617
D	A	\$594	594	605
	B	\$645	645	656
E	A	\$310	310	321
	B	\$362	362	372
F	A	\$404	404	414
	B	\$454	454	465
G	A	\$442	442	453
	B	\$493	493	504

Step 5. Finish

- 91 white ☐ A +\$0
- G1 graphite ☐ A +\$0
- MS metallic silver ☐ A +\$0

# Logic G1000 Grommet Mounted Electrical Distributor

Y1425.



## Product Information

### Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

### Notes

Field cutting of grommet cutout is possible; factory cutouts are recommended.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.







Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.

Refer to Renew™ Sit-to-Stand Tables and Locale® planning guides for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.

## Dimensions



Logic G1000 Grommet Mounted  
Electrical Distributor *continued*

Everywhere™ Power and Data Support

Specification Information

Step 1.

Y1425. ☐

Step 2. Configuration

A	2 simplex receptacles, 2 powered USB <input type="checkbox"/>
C	4 simplex receptacles, 2 powered USB <input type="checkbox"/>
D	5 simplex receptacles, 2 powered USB <input type="checkbox"/>
E	3 simplex receptacles <input type="checkbox"/>
F	5 simplex receptacles <input type="checkbox"/>
G	6 simplex receptacles <input type="checkbox"/>

Step 3. Power Type

A	power cord with plug end <input type="checkbox"/>
B	conduit with open end, for hard-wiring <input type="checkbox"/>
C	IEC connector for Renew Tables <input type="checkbox"/>

Step 4. Cord/Conduit Length

For power cord with plug end (A)

03	3' cord/conduit <input type="checkbox"/>
06	6' cord/conduit <input type="checkbox"/>
10	10' cord/conduit <input type="checkbox"/>
20	20' cord/conduit <input type="checkbox"/>

For conduit with open end, for hard-wiring (B)

03	3' cord/conduit <input type="checkbox"/>
06	6' cord/conduit <input type="checkbox"/>
10	10' cord/conduit <input type="checkbox"/>

For IEC connector for Renew Tables (C)

03	3' cord/conduit <input type="checkbox"/>
----	--

Prices for Steps 1-4.

	03	06	10	20
Y1425. A A	\$658	658	668	679
B	\$709	709	719	—
C	\$668	—	—	—
C A	\$763	763	774	785
B	\$814	814	825	—
C	\$774	—	—	—
D A	\$831	831	842	852
B	\$882	882	892	—
C	\$842	—	—	—
E A	\$506	506	516	526
B	\$556	556	567	—
C	\$516	—	—	—

F A	\$611	611	622	632
B	\$662	662	673	—
C	\$622	—	—	—
G A	\$679	679	689	700
B	\$729	729	741	—
C	\$689	—	—	—


Step 5. Finish

91	white <input type="checkbox"/>			+\$0
G1	graphite <input type="checkbox"/>			+\$0
MS	metallic silver <input type="checkbox"/>			+\$0



Logic Mini Grommet

Y1412.



**Product Information**

Description


This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.

Notes


Cutout is recommended to be factory cut by HermanMiller.

This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.

Dimensions



Grommet - Rectangle



Grommet - Square

**Specification Information**

Step 1.

Y1412.

Step 2. Configuration

1

mini rectangle grommet

2

mini square grommet

Prices for Steps 1-2.

Y1412. 1

\$27

2

\$31

Step 3. Finish

91

white

+\$0

G1


graphite

+\$0

Everywhere™ Power and Data Support

Logic G1200 Grommet Pass Thru

Y1420.



Product Information

Description

This Logic Power Access Solutions™ grommet mounted metal enclosure provides access to cords kept beneath the surface. The unit has an integrated cord keeper.

Notes

Unit size is based on the grommet mounted electrical distributor (Y1425.) with simplex receptacles.

Dimensions

Specification Information

Step 1.

Y1420. A

Step 2. Configuration

T

three outlet opening A

V

five outlet opening A

X

six outlet opening A

Prices for Steps 1-2.

Y1420. T

\$220

V

\$242

X

\$263

Step 3. Finish

91

white A

+\$0

G1


graphite A


+\$0

MS

metallic silver A

+\$0






**Product Information**

**Description**  
This stand-alone painted steel cable management tray mounts to the underside of most conference table surfaces. It can be used with an in-surface grommet mounted unit, providing cord storage under the surface. The tray drops down for access to cords and can be easily stowed back in place.

**Dimensions**



**Specification Information**

**Step 1.**  
**DT9C.** ☐


Step 2. Table Width		
<b>60</b>	60" wide	<input type="checkbox"/>
<b>72</b>	72" wide	<input type="checkbox"/>
<b>84</b>	84" wide	<input type="checkbox"/>

Prices for Steps 1-2.		
<b>DT9C. 60</b>		\$299
<b>72</b>		\$299
<b>84</b>		\$299

Step 3. Finish		
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>BU</b>	black umber <input type="checkbox"/>	+\$0
<b>CL</b>	cool grey neutral <input type="checkbox"/>	+\$0
<b>CN</b>	metallic champagne <input type="checkbox"/>	+\$0
<b>EH</b>	metallic bronze <input type="checkbox"/>	+\$0
<b>G2</b>	graphite satin <input type="checkbox"/>	+\$0
<b>HF</b>	inner tone light <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0
<b>MS</b>	metallic silver <input type="checkbox"/>	+\$0
<b>MT</b>	medium tone <input type="checkbox"/>	+\$0
<b>SG</b>	slate grey <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral <input type="checkbox"/>	+\$0

Logic HD Cable Manager

Y1424.



Product Information

Description

This Logic Power Access Solutions™ stand-alone cable management tray mounts to the underside of most surfaces. It can be used with a Logic unit for cord storage, or used alone with cords routed through the back side of the unit. Tray drops down and holds cords in place while working and can be easily stowed back in place.

Dimensions

Specification Information

Step 1.

Y1424. 

A

Step 2. Size

1717" wide tray 

A

Prices for Steps 1-2.

Y1424. 17\$242

Step 3. Finish

91

white 

A

+\$0

G1

graphite 

A

+\$0


MS


metallic silver 

A


+\$0

Everywhere™ Power and Data Support






Product Information
Description
This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, and is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.
Notes
Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.
Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.
Dimensions



Specification Information				
Step 1.				
Y1321.				
Step 2. Power Type				
A	power cord with plug end			
B	conduit with open end, for hard-wiring			
Step 3. Cord/Conduit Length				
03	3' cord/conduit			
06	6' cord/conduit			
10	10' cord/conduit			
20	20' cord/conduit			
Prices for Steps 1-3.				
	03	06	10	20
Y1321. A	\$205	205	214	263
B	\$259	259	268	317
Step 4. Wiring Type				
4Z	standard			+\$0
LZ	PVC-free			+\$39
Step 5. Finish				
0H	black			+\$0

Everywhere™ Power and Data Support




Product Information

**Description**  
This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

**Notes**  
Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.  
Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.  
Distributor with silver finish option (ol) or white finish option (oj) and standard wiring (4Z) has painted metal trim with white plastic simplex/data interior. Distributor with black finish option (oH) and standard wiring (4Z) has black painted trim with black plastic simplex/data interior. Distributor with PVC-free wiring option (LZ) has black plastic simplex/data interior, regardless of the finish color.

Dimensions



Specification Information

Step 1.  
**Y1322.**

Step 2. Configuration  
**1** 1 simplex receptacle, 1 data opening  
**2** 2 simplex receptacles


Step 3. Power Type  
**A** power cord with plug end  
**B** conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length  
**03** 3' cord/conduit  
**06** 6' cord/conduit  
**10** 10' cord/conduit  
**20** 20' cord/conduit

Prices for Steps 1-4.		03	06	10	20
Y1322. 1	A	\$244	244	253	302
	B	\$297	297	306	353
2	A	\$259	259	268	317
	B	\$311	311	322	371

Step 5. Wiring Type  
**4Z** standard +\$0  
**LZ** PVC-free +\$39

Step 6. Finish  
**oH** black +\$0  
**ol** silver +\$0  
**oj** white +\$0



### Product Information

#### Description

This electrical distributor can grommet-mount flush in a surface, or clamp-mount to the edge. It can be configured with several combinations of simplex receptacles, data openings, and USB charging ports. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

#### Notes


Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver option (ol) and white option (o) have painted metal trim with white plastic simplex/data interiors. Black option (oH) has black painted trim with black plastic simplex/data interior.

Overall width for distributor with 4 openings is 8" wide. Overall width for distributor with 6 openings is 11" wide.

USB port charges at 2.1 amps.

#### Dimensions



### Specification Information

#### Step 1.

**Y1323.**

#### Step 2. Configuration

<b>3</b>	2 simplex receptacles, 2 data openings
<b>4</b>	3 simplex receptacles, 3 data openings
<b>5</b>	2 simplex receptacles, 1 data opening, 1 charging USB port
<b>6</b>	3 simplex receptacles, 2 data opening, 1 charging USB port

#### Step 3. Power Type

<b>A</b>	power cord with plug end
<b>B</b>	conduit with open end, for hard-wiring

#### Step 4. Cord/Conduit Length

<b>03</b>	3' cord/conduit
<b>06</b>	6' cord/conduit
<b>10</b>	10' cord/conduit
<b>20</b>	20' cord/conduit

#### Step 5. Attachment


<b>G</b>	grommet mount
<b>S</b>	surface clamp

#### Prices for Steps 1-5.

			<b>03G</b>	<b>03S</b>	<b>06G</b>	<b>06S</b>	<b>10G</b>	<b>10S</b>
<b>Y1323. 3</b>	<b>A</b>		\$279	279	279	279	288	288
	<b>B</b>		\$332	332	332	332	341	341
	<b>4</b>	<b>A</b>	\$347	347	347	347	356	356
		<b>B</b>	\$402	402	402	402	412	412
	<b>5</b>	<b>A</b>	\$390	390	390	390	400	400
		<b>B</b>	\$444	444	444	444	453	453
	<b>6</b>	<b>A</b>	\$459	459	459	459	469	469
		<b>B</b>	\$513	513	513	513	523	523
							<b>20G</b>	<b>20S</b>
<b>Y1323. 3</b>	<b>A</b>						\$337	337
	<b>B</b>						\$388	388
	<b>4</b>	<b>A</b>					\$407	407
		<b>B</b>					\$459	459
	<b>5</b>	<b>A</b>					\$449	449
		<b>B</b>					\$521	521
	<b>6</b>	<b>A</b>					\$517	517
		<b>B</b>					\$592	592

Step 6. Finish		
0H	black	+\$0
0I	silver	+\$0
0J	white	+\$0





### Product Information

#### Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with several combinations of simplex receptacles, data openings, and USB charging ports. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

#### Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.


Distributor with silver anodized finish option (OK) and standard wiring (4Z) has anodized trim with white plastic simplex/data interior.

Distributor with silver anodized finish option (OK) and PVC-free wiring (LZ) has anodized trim with black plastic simplex/data interior.

Overall width for distributor with openings is 8 1/4" wide. Overall width for distributor with 7 openings is 12 3/4" wide.

USB port charges at 2.1 amps.

#### Dimensions



### Specification Information

#### Step 1.

**Y1324.**

#### Step 2. Configuration

<b>3</b>	2 simplex receptacles, 2 data openings
<b>5</b>	3 simplex receptacles, 4 data openings
<b>6</b>	2 simplex receptacles, 1 data opening, 1 charging USB port
<b>7</b>	3 simplex receptacles, 3 data opening, 1 charging USB port
<b>8</b>	3 simplex receptacles, 2 data opening, 2 charging USB ports

#### Step 3. Power Type

<b>A</b>	power cord with plug end
<b>B</b>	conduit with open end, for hard-wiring

#### Step 4. Cord/Conduit Length

<b>03</b>	3' cord/conduit
<b>06</b>	6' cord/conduit
<b>10</b>	10' cord/conduit
<b>20</b>	20' cord/conduit

#### Prices for Steps 1-4.


		<b>03</b>	<b>06</b>	<b>10</b>	<b>20</b>
<b>Y1324. 3</b>	<b>A</b>	\$388	388	398	447
	<b>B</b>	\$442	442	453	501
<b>5</b>	<b>A</b>	\$500	500	510	557
	<b>B</b>	\$553	553	559	607
<b>6</b>	<b>A</b>	\$501	501	510	557
	<b>B</b>	\$554	554	564	613
<b>7</b>	<b>A</b>	\$611	611	621	670
	<b>B</b>	\$665	665	672	719
<b>8</b>	<b>A</b>	\$723	723	732	782
	<b>B</b>	\$777	777	784	831

#### Step 5. Wiring Type

<b>4Z</b>	standard	+\$0
<b>LZ</b>	PVC-free	+\$39

#### Step 6. Finish

<b>OK</b>	silver anodized	+\$0
-----------	-----------------	------



Product Information

Description

This electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The flip lid can be closed once devices are connected for a clean visual appearance. It can be configured with several combinations of simplex receptacles, data openings, and USB charging ports. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes



Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver anodized option (OK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 4 openings is 8<sup>3</sup>/<sub>8</sub>" wide. Overall width for distributor with 6 openings is 11<sup>3</sup>/<sub>8</sub>" wide.

USB port charges at 2.1 amps.

Dimensions



Specification Information

Step 1.

Y1325.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
7	3 simplex receptacles, 3 data openings
5	2 simplex receptacles, 1 data opening, 1 charging USB port
6	3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.


		03	06	10	20
Y1325.	3 A	\$458	458	468	516
	B	\$512	512	521	569
	7 A	\$526	526	538	586
	B	\$580	580	591	639
	5 A	\$571	571	580	628
	B	\$624	624	633	681
	6 A	\$639	639	649	698
	B	\$691	691	705	751

Step 5. Finish

OK	silver anodized				+\$0
----	-----------------	--	--	--	------


Cable Management Clip

DT9A.




Product Information
Description
This plastic clip snaps onto an Everywhere™ table leg to route cables or cords. Finish is clear. Package of 10.
Dimensions

Specification Information
Step 1.
DT9A.
\$37



Vertical Cord Covers

DT9B.




Product Information

**Description**  
These cord covers attach to Everywhere™ table T-leg and Y-leg sections that have either casters or glides. The covers are field installed, and are easily removed and reinstalled for ease of cable management.


**Notes**  
The T cover works with both the (T) and (C) base options.  
The Y cover works with both the (E) and (G) base options.  
To ensure proper height of the covers, select (C) if your table has casters or select (G) if your table has glides.

Dimensions


Everywhere™ Accessories




T-leg with casters



T-leg with glides



Y-leg with casters



Y-leg with glides

Specification Information

**Step 1.**  
**DT9B.**

**Step 2. Leg Type**  
**T** T-leg  
**E** Y-leg


**Prices for Steps 1-2.**  
**DT9B. T** \$264  
**E** \$264

**Step 3. Caster or Glide Table**  
**C** for table with caster base +\$0  
**G** for table with glide base +\$0

**Step 4. Leg/Base Finish**  
**8Q** folkstone grey +\$0  
**91** white +\$0  
**98** studio white +\$0  
**BU** black umber +\$0  
**CL** cool grey neutral +\$0  
**G2** graphite satin +\$0  
**HF** inner tone light +\$0  
**LU** soft white +\$0  
**MT** medium tone +\$0  
**SG** slate grey +\$0  
**WL** sandstone +\$0  
**WN** warm grey neutral +\$0  
**CN** metallic champagne +\$0  
**EH** metallic bronze +\$0  
**MS** metallic silver +\$0

Modesty Panel

Y1113.



**Product Information**

**Description**

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

**Notes**

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.


Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width 1/4" less than specified value.

Modesty panel is field installed.

Brackets are located to work with Connect™ 2-circuit power system.

Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

**Dimensions**



**Specification Information**

**Step 1.**

**Y1113.**

**Step 2. Width**

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

**Step 3. Cable Trough**

N	without added cable trough
Y	with added cable trough

**Step 4. Surface Material**

L	laminate top/thermoplastic edge
W	veneer top/veneer edge


Prices for Steps 1-4.		
	L	W
Y1113. 24 N	\$191	339
Y	\$340	505
30 N	\$208	381
Y	\$386	577
36 N	\$227	423
Y	\$420	635
42 N	\$246	466
Y	\$463	702
48 N	\$264	508
Y	\$506	770
54 N	\$284	550
Y	\$549	838
60 N	\$302	592
Y	\$592	905
66 N	\$302	633
Y	\$634	972
72 N	\$327	675
Y	\$676	1039

Step 5. Finish


<i>For laminate top/thermoplastic edge (L)</i>		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<i>For veneer top/veneer edge (W)</i>		
<b>2U</b>	light brown walnut	+\$0
<b>40</b>	dark brown walnut	+\$0
<b>UL</b>	natural maple	+\$0

Fabric Modesty Panel

Y1114.




Product Information
Description
This modesty panel attaches to a table, desk, peninsula, or work surface. It has a fabric surface with aluminum top rail and attachment brackets. Attachment hardware included.
Notes
Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.
For use with flip top table (DT5Ax.), modesty panel (Y1114.) is recommended to enable optimal folding functionality of the table.
Dimensions



Specification Information
Step 1.
Y1114. <input type="text" value="A"/>
Step 2. Width
24 24" wide <input type="text" value="A"/>
30 30" wide <input type="text" value="A"/>
36 36" wide <input type="text" value="A"/>
42 42" wide <input type="text" value="A"/>
48 48" wide <input type="text" value="A"/>
54 54" wide <input type="text" value="A"/>
60 60" wide <input type="text" value="A"/>
66 66" wide <input type="text" value="A"/>
72 72" wide <input type="text" value="A"/>
Prices for Steps 1-2.
Y1114. 24 \$175
30 \$190
36 \$206
42 \$218
48 \$233
54 \$262
60 \$275
66 \$290
72 \$301
Step 3. Fabric
Price Category 1 +\$0

Cable Trough

Y1200.



Product Information


Description

This trough attaches to a table, desk, peninsula, or work surface to hold and conceal cords and cables. It pivots down to allow easy access when laying cords inside, and can be specified with an optional modesty panel. The modesty panel has a fabric surface with aluminum top rail. Attachment hardware is included.

Notes

Specify trough to be equal to or less than the surface width.

Dimensions



Specification Information

Step 1.

Y1200.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 3. Modesty Panel Option

N	no modesty panel
M	modesty panel

Prices for Steps 1-3.

	N	M
Y1200. 24	\$277	354
30	\$302	398
36	\$333	434
42	\$364	475
48	\$392	516

Step 4. Cable Trough Finish

AN	clear anodized aluminum	+\$0
----	-------------------------	------

Step 5. Modesty Panel Fabric


For modesty panel (M)

Price Category 1	+\$0
------------------	------




Cable Management Trough, Work Surface Suspended

AO382.




Product Information
Description
This trough attaches under an Action Office® suspended work surface to manage cables. Attachment hardware is included.
Dimensions



Specification Information
Step 1.
<b>A0382.</b>
Step 2. Width
<b>30</b> 30" wide
<b>40</b> 40" wide
Prices for Steps 1-2.
<b>A0382. 30</b> \$76
<b>40</b> \$93
Step 3. Surface Finish
<b>BU</b> black umber +\$0
<b>MT</b> medium tone +\$0

Cord Manager


FV984.



Product Information

Description  
This cord manager routes a cord from the underside of a hutch to the surface when a task light is attached. Color is black. Package of 6.

Dimensions



Specification Information


Step 1.  
FV984.

Step 2. Height

12	12" high
24	24" high
30	29 1/2" high

Prices for Steps 1-2.

FV984. 12	\$77
24	\$117
30	\$142



### Product Information

#### Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is UL listed.

#### Notes

Cable clips for cord management are intended for a 1-time installation.

Clamp versions can be reoriented in the field by a technician.


A small LED light illuminates through the USB ports when the USB version is plugged in and powered.

USB ports provide 10-watt power to charge most devices and tablets at full speed.


Cord color is predetermined. For white (G1) finish cords will be white. For graphite (G1) finish cords will be black.

Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

### Dimensions



Surface Clamp



Grommet Mount

Specification Information

Step 1.

Y1414. ☐ A

Step 2. Configuration

J 1 simplex receptacles, 2 powered USB ☐ A

K 2 simplex receptacles ☐ A

Step 3. Cord/Conduit Length

03 3' cord/conduit ☐ A

06 6' cord/conduit ☐ A

10 10' cord/conduit ☐ A

Step 4. Attachment

G grommet mount ☐ A

S surface clamp ☐ A


Prices for Steps 1-4.

		G	S
Y1414. J	03	\$342	342
	06	\$342	342
	10	\$352	352
K	03	\$191	191
	06	\$191	191
	10	\$201	201

Step 5. Finish

91 white ☐ A +\$0

G1 graphite ☐ A +\$0



### Product Information

#### Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is ETL listed to UL962.

#### Notes

Cable clips for cord management are intended for a 1-time installation.

Clamp versions can be reoriented in the field by a technician.

Jumper length denotes distance between center points of each split point.

Cord length denotes distance from plug end to first split point.

All branch lengths from main power cord to module are 12".



A small LED light illuminates through the USB ports when the USB version is plugged in and powered.

USB ports provide 10-watt power to charge most devices and tablets at full speed.


The cord head contains a circuit breaker when there are more than 3 simplex receptacles.

Grommet mount attachment (Y1415.xxxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.


### Dimensions



Two Power Modules



Three Power Modules



Four Power Modules

### Specification Information

#### Step 1.

**Y1415.**

#### Step 2. Number of Modules

**2** two power modules

**3** three power modules

**4** four power modules

#### Step 3. Power Type

**J** 1 simplex receptacles, 2 powered USB, all modules

**K** 2 simplex receptacles, all modules

**L** first module has 1 AC plus 2 powered USB all other modules have all AC simplexes

#### Step 4. Jumper Length

**36** 36" between split points

**48** 48" between split points

**60** 60" between split points

#### Step 5. Attachment

**G** grommet mount

**S** surface clamp

#### Step 6. Cord/Conduit Length

**06** 6' cord/conduit

**10** 10' cord/conduit

#### Prices for Steps 1-6.

		<b>36G06</b>	<b>36G10</b>	<b>36S06</b>	<b>36S10</b>	<b>48G06</b>	<b>48G10</b>
<b>Y1415. 2</b>	<b>J</b>	\$758	768	758	768	766	777
	<b>K</b>	\$454	465	454	465	462	473
	<b>L</b>	\$606	617	606	617	615	625
<b>3</b>	<b>J</b>	\$1129	1139	1129	1139	1145	1156
	<b>K</b>	\$689	700	689	700	707	717
	<b>L</b>	\$842	852	842	852	858	869
<b>4</b>	<b>J</b>	\$1533	1544	1533	1544	1558	1569
	<b>K</b>	\$925	935	925	935	951	961
	<b>L</b>	\$1077	1088	1077	1088	1102	1112

		<b>48S06</b>	<b>48S10</b>	<b>60G06</b>	<b>60G10</b>	<b>60S06</b>	<b>60S10</b>
<b>Y1415. 2</b>	<b>J</b>	\$766	777	775	786	775	786
	<b>K</b>	\$462	473	471	481	471	481
	<b>L</b>	\$615	625	623	633	623	633
<b>3</b>	<b>J</b>	\$1145	1156	1163	1173	1163	1173
	<b>K</b>	\$707	717	723	733	723	733
	<b>L</b>	\$858	869	876	886	876	886

<b>4</b>	<b>J</b>	\$1558	1569	1594	1605	1594	1605
	<b>K</b>	\$951	961	975	986	975	986
	<b>L</b>	\$1102	1112	1128	1138	1128	1138


#### Step 7. Finish

**91** white  +\$0

**G1** graphite  +\$0

# Logic C1000 Universal Clamp Mount Distributor

Y1423.



## Product Information

### Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end or a hard-wired connection with electrical conduit. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

### Notes



Clamp mounts on worksurfaces 1"-1 1/4" thick.

Faceplate color matches unit color.



Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.



## Dimensions





2 simplex receptacles, 2 powered USB





4 simplex receptacles, 2 powered USB





5 simplex receptacles, 2 powered USB



3 simplex receptacles



5 simplex receptacles



6 simplex receptacles

Logic C1000 Universal Clamp  
Mount Distributor *continued*

Everywhere™ Accessories

Specification Information

Step 1.

Y1423. ☐ A

Step 2. Configuration

- A 2 simplex receptacles, 2 powered USB ☐ A
- C 4 simplex receptacles, 2 powered USB ☐ A
- D 5 simplex receptacles, 2 powered USB ☐ A
- E 3 simplex receptacles ☐ A
- F 5 simplex receptacles ☐ A
- G 6 simplex receptacles ☐ A

Step 3. Power Type

- A power cord with plug end ☐ A
- B conduit with open end, for hard-wiring ☐ A

Step 4. Cord/Conduit Length

- 03 3' cord/conduit ☐ A
- 06 6' cord/conduit ☐ A
- 10 10' cord/conduit ☐ A

Prices for Steps 1-4.

		03	06	10
Y1423. A	A	\$462	462	473
	B	\$513	513	523
C	A	\$555	555	565
	B	\$606	606	617
D	A	\$594	594	605
	B	\$645	645	656
E	A	\$310	310	321
	B	\$362	362	372
F	A	\$404	404	414
	B	\$454	454	465
G	A	\$442	442	453
	B	\$493	493	504


Step 5. Finish

- 91 white ☐ A +\$0
- G1 graphite ☐ A +\$0
- MS metallic silver ☐ A +\$0



# Logic G1000 Grommet Mounted Electrical Distributor

Y1425.



## Product Information

### Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

### Notes

Field cutting of grommet cutout is possible; factory cutouts are recommended.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.







Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.

Refer to Renew™ Sit-to-Stand Tables and Locale® planning guides for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.

## Dimensions



# Logic G1000 Grommet Mounted Electrical Distributor *continued*

## Specification Information

### Step 1.

**Y1425.** ☐

### Step 2. Configuration

<b>A</b>	2 simplex receptacles, 2 powered USB <input type="checkbox"/>
<b>C</b>	4 simplex receptacles, 2 powered USB <input type="checkbox"/>
<b>D</b>	5 simplex receptacles, 2 powered USB <input type="checkbox"/>
<b>E</b>	3 simplex receptacles <input type="checkbox"/>
<b>F</b>	5 simplex receptacles <input type="checkbox"/>
<b>G</b>	6 simplex receptacles <input type="checkbox"/>

### Step 3. Power Type

<b>A</b>	power cord with plug end <input type="checkbox"/>
<b>B</b>	conduit with open end, for hard-wiring <input type="checkbox"/>
<b>C</b>	IEC connector for Renew Tables <input type="checkbox"/>

### Step 4. Cord/Conduit Length

#### For power cord with plug end (A)

<b>03</b>	3' cord/conduit <input type="checkbox"/>
<b>06</b>	6' cord/conduit <input type="checkbox"/>
<b>10</b>	10' cord/conduit <input type="checkbox"/>
<b>20</b>	20' cord/conduit <input type="checkbox"/>

#### For conduit with open end, for hard-wiring (B)

<b>03</b>	3' cord/conduit <input type="checkbox"/>
<b>06</b>	6' cord/conduit <input type="checkbox"/>
<b>10</b>	10' cord/conduit <input type="checkbox"/>

#### For IEC connector for Renew Tables (C)

<b>03</b>	3' cord/conduit <input type="checkbox"/>
-----------	--


### Prices for Steps 1-4.

		<b>03</b>	<b>06</b>	<b>10</b>	<b>20</b>
<b>Y1425. A</b>	<b>A</b>	\$658	658	668	679
	<b>B</b>	\$709	709	719	—
	<b>C</b>	\$668	—	—	—
	<b>C A</b>	\$763	763	774	785
	<b>B</b>	\$814	814	825	—
	<b>C</b>	\$774	—	—	—
	<b>D A</b>	\$831	831	842	852
	<b>B</b>	\$882	882	892	—
	<b>C</b>	\$842	—	—	—
	<b>E A</b>	\$506	506	516	526
	<b>B</b>	\$556	556	567	—
	<b>C</b>	\$516	—	—	—

<b>F A</b>	\$611	611	622	632
<b>B</b>	\$662	662	673	—
<b>C</b>	\$622	—	—	—
<b>G A</b>	\$679	679	689	700
<b>B</b>	\$729	729	741	—
<b>C</b>	\$689	—	—	—

### Step 5. Finish

<b>91</b>	white <input type="checkbox"/>			+\$0
<b>G1</b>	graphite <input type="checkbox"/>			+\$0
<b>MS</b>	metallic silver <input type="checkbox"/>			+\$0



**Product Information**

Description


This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.

Notes


Cutout is recommended to be factory cut by HermanMiller.

This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.

Dimensions



Grommet - Rectangle



Grommet - Square

**Specification Information**

Step 1.

Y1412.

Step 2. Configuration

1

mini rectangle grommet

2

mini square grommet

Prices for Steps 1-2.

Y1412. 1

\$27

2

\$31

Step 3. Finish

91

white


+\$0

G1

graphite


+\$0

Connect™-Ganging Bracket Kit      Y1338.




Product Information
Description
This kit has 2 clips that attach to the underside of 2 adjacent surfaces, ganging them together to provide stability and allowing electrical components to be routed from 1 surface to another. Finish is black.
Notes
Ganging bracket kit should not be used on 18"-deep Everywhere™ tables.
Dimensions

Specification Information
Step 1.
Y1338.      \$77



Everywhere™ Accessories



**Product Information**

**Description**


This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, and is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

**Notes**

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

**Dimensions**



**Specification Information**

**Step 1.**

**Y1321.**

**Step 2. Power Type**

**A** power cord with plug end

**B** conduit with open end, for hard-wiring

**Step 3. Cord/Conduit Length**

**03** 3' cord/conduit

**06** 6' cord/conduit

**10** 10' cord/conduit

**20** 20' cord/conduit

**Prices for Steps 1-3.**

	<b>03</b>	<b>06</b>	<b>10</b>	<b>20</b>
<b>Y1321. A</b>	\$205	205	214	263
<b>B</b>	\$259	259	268	317


**Step 4. Wiring Type**

**4Z** standard +\$0

**LZ** PVC-free +\$39

**Step 5. Finish**

**0H** black +\$0



Product Information

Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver finish option (oI) or white finish option (oJ) and standard wiring (4Z) has painted metal trim with white plastic simplex/data interior. Distributor with black finish option (oH) and standard wiring (4Z) has black painted trim with black plastic simplex/data interior. Distributor with PVC-free wiring option (LZ) has black plastic simplex/data interior, regardless of the finish color.

Dimensions



Specification Information

Step 1.

Y1322.

Step 2. Configuration

- 1 1 simplex receptacle, 1 data opening
- 2 2 simplex receptacles

Step 3. Power Type

- A power cord with plug end
- B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03 3' cord/conduit
- 06 6' cord/conduit
- 10 10' cord/conduit
- 20 20' cord/conduit

Prices for Steps 1-4.


		03	06	10	20
Y1322. 1	A	\$244	244	253	302
	B	\$297	297	306	353
2	A	\$259	259	268	317
	B	\$311	311	322	371

Step 5. Wiring Type

- 4Z standard +\$0
- LZ PVC-free +\$39

Step 6. Finish

- oH black +\$0
- oI silver +\$0
- oJ white +\$0



### Product Information

#### Description

This electrical distributor can grommet-mount flush in a surface, or clamp-mount to the edge. It can be configured with several combinations of simplex receptacles, data openings, and USB charging ports. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

#### Notes


Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver option (ol) and white option (o) have painted metal trim with white plastic simplex/data interiors. Black option (oH) has black painted trim with black plastic simplex/data interior.

Overall width for distributor with 4 openings is 8" wide. Overall width for distributor with 6 openings is 11" wide.

USB port charges at 2.1 amps.

#### Dimensions



### Specification Information

#### Step 1.

**Y1323.**

#### Step 2. Configuration

<b>3</b>	2 simplex receptacles, 2 data openings
<b>4</b>	3 simplex receptacles, 3 data openings
<b>5</b>	2 simplex receptacles, 1 data opening, 1 charging USB port
<b>6</b>	3 simplex receptacles, 2 data opening, 1 charging USB port

#### Step 3. Power Type

<b>A</b>	power cord with plug end
<b>B</b>	conduit with open end, for hard-wiring

#### Step 4. Cord/Conduit Length

<b>03</b>	3' cord/conduit
<b>06</b>	6' cord/conduit
<b>10</b>	10' cord/conduit
<b>20</b>	20' cord/conduit

#### Step 5. Attachment


<b>G</b>	grommet mount
<b>S</b>	surface clamp

#### Prices for Steps 1-5.

			<b>03G</b>	<b>03S</b>	<b>06G</b>	<b>06S</b>	<b>10G</b>	<b>10S</b>
<b>Y1323. 3</b>	<b>A</b>		\$279	279	279	279	288	288
	<b>B</b>		\$332	332	332	332	341	341
	<b>4</b>	<b>A</b>	\$347	347	347	347	356	356
		<b>B</b>	\$402	402	402	402	412	412
	<b>5</b>	<b>A</b>	\$390	390	390	390	400	400
		<b>B</b>	\$444	444	444	444	453	453
	<b>6</b>	<b>A</b>	\$459	459	459	459	469	469
		<b>B</b>	\$513	513	513	513	523	523
							<b>20G</b>	<b>20S</b>
<b>Y1323. 3</b>	<b>A</b>						\$337	337
	<b>B</b>						\$388	388
	<b>4</b>	<b>A</b>					\$407	407
		<b>B</b>					\$459	459
	<b>5</b>	<b>A</b>					\$449	449
		<b>B</b>					\$521	521
	<b>6</b>	<b>A</b>					\$517	517
		<b>B</b>					\$592	592

Step 6. Finish		
0H	black	+\$0
0I	silver	+\$0
0J	white	+\$0





### Product Information

#### Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with several combinations of simplex receptacles, data openings, and USB charging ports. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

#### Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.


Distributor with silver anodized finish option (OK) and standard wiring (4Z) has anodized trim with white plastic simplex/data interior.

Distributor with silver anodized finish option (OK) and PVC-free wiring (LZ) has anodized trim with black plastic simplex/data interior.

Overall width for distributor with openings is 8 1/4" wide. Overall width for distributor with 7 openings is 12 3/4" wide.

USB port charges at 2.1 amps.

#### Dimensions



### Specification Information

#### Step 1.

**Y1324.**

#### Step 2. Configuration

<b>3</b>	2 simplex receptacles, 2 data openings
<b>5</b>	3 simplex receptacles, 4 data openings
<b>6</b>	2 simplex receptacles, 1 data opening, 1 charging USB port
<b>7</b>	3 simplex receptacles, 3 data opening, 1 charging USB port
<b>8</b>	3 simplex receptacles, 2 data opening, 2 charging USB ports

#### Step 3. Power Type

<b>A</b>	power cord with plug end
<b>B</b>	conduit with open end, for hard-wiring

#### Step 4. Cord/Conduit Length

<b>03</b>	3' cord/conduit
<b>06</b>	6' cord/conduit
<b>10</b>	10' cord/conduit
<b>20</b>	20' cord/conduit

#### Prices for Steps 1-4.


		<b>03</b>	<b>06</b>	<b>10</b>	<b>20</b>
<b>Y1324. 3</b>	<b>A</b>	\$388	388	398	447
	<b>B</b>	\$442	442	453	501
<b>5</b>	<b>A</b>	\$500	500	510	557
	<b>B</b>	\$553	553	559	607
<b>6</b>	<b>A</b>	\$501	501	510	557
	<b>B</b>	\$554	554	564	613
<b>7</b>	<b>A</b>	\$611	611	621	670
	<b>B</b>	\$665	665	672	719
<b>8</b>	<b>A</b>	\$723	723	732	782
	<b>B</b>	\$777	777	784	831

#### Step 5. Wiring Type

<b>4Z</b>	standard	+\$0
<b>LZ</b>	PVC-free	+\$39

#### Step 6. Finish

<b>OK</b>	silver anodized	+\$0
-----------	-----------------	------



Product Information

Description

This electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The flip lid can be closed once devices are connected for a clean visual appearance. It can be configured with several combinations of simplex receptacles, data openings, and USB charging ports. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes



Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver anodized option (OK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 4 openings is 8<sup>3</sup>/<sub>8</sub>" wide. Overall width for distributor with 6 openings is 11<sup>3</sup>/<sub>8</sub>" wide.

USB port charges at 2.1 amps.

Dimensions



Specification Information

Step 1.

Y1325.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
7	3 simplex receptacles, 3 data openings
5	2 simplex receptacles, 1 data opening, 1 charging USB port
6	3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.


		03	06	10	20
Y1325.	3 A	\$458	458	468	516
	B	\$512	512	521	569
	7 A	\$526	526	538	586
	B	\$580	580	591	639
	5 A	\$571	571	580	628
	B	\$624	624	633	681
	6 A	\$639	639	649	698
	B	\$691	691	705	751

Step 5. Finish


OK	silver anodized				+\$0
----	-----------------	--	--	--	------

Connect™ - S710 - Connect Single  
Circuit Power Unit

Y1371.




Product Information
Description
This dedicated modular single circuit electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.
Notes
Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.
UL listed when used in conjunction with most Everywhere™ fixed height tables.
To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.
Order single circuit power entry (Y1377.) separately.
Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.
Dimensions



Specification Information
Step 1.
Y1371.
Step 2. Configuration
32 simplex receptacles, 2 data openings
Step 3. Cord Length
6060" long
Prices for Steps 1-3.
60
Y1371. 3\$319
Step 4. Finish
0Hblack+\$0

Everywhere™ Accessories

Connect™ - S720 - Connect Single  
Circuit Power Unit Y1372.




Product Information

**Description**  
This dedicated modular single circuit electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. Cord length is 60". A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

**Notes**  
Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.  
UL listed when used in conjunction with most Everywhere™ fixed height tables.  
To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.  
Order single circuit power entry (Y1377.) separately.  
Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.  
Silver option (ol) and white option (oj) have painted metal trim with white plastic simplex/data interiors. Black option (oh) has black painted trim with black plastic simplex/data interior.

Dimensions



Specification Information

**Step 1.**  
**Y1372.**


Step 2. Configuration	
1	1 simplex receptacle, 1 data opening
2	2 simplex receptacles

Step 3. Cord Length	
60	60" long


Prices for Steps 1-3.	
	60
Y1372. 1	\$356
2	\$372

Step 4. Finish		
OH	black	+\$0
Ol	silver	+\$0
OJ	white	+\$0

Connect™ - S730 - Connect Single  
Circuit Power Unit Y1373.




Product Information
Description
This dedicated modular single circuit electrical distributor mounts flush in a surface or with an edge clamp mount. It has 2 simplex receptacles and 2 data openings, or 2 simplex receptacles and 1 data opening and 1 USB charging port, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included.
Notes
Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.
UL listed when used in conjunction with most Everywhere™ fixed height tables.
To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.
Order single circuit power entry (Y1377.) separately.
Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.
Silver option (OI) and white option (OJ) have painted metal trim with white plastic simplex/data interiors. Black option (OH) has black painted trim with black plastic simplex/data interior.
USB port charges at 2.1 amps.
Dimensions



Specification Information
Step 1.
Y1373.
Step 2. Configuration
3 2 simplex receptacles, 2 data openings
4 2 simplex receptacles, 1 data opening, 1 charging USB port
Step 3. Cord Length
60 60" long
Step 4. Attachment
G grommet mount
S surface clamp
Prices for Steps 1-4.
Y1373. 3 60 \$402 390
4 60 \$513 503
Step 5. Finish
OH black +\$0
OI silver +\$0
OJ white +\$0

## Connect™ - S740 - Connect Single Circuit Power Unit Y1374.



### Product Information

#### Description

This dedicated modular single circuit electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, or 2 simplex receptacles and 1 data opening and 1 USB charging port, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included.

#### Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere™ fixed height tables.

To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.

Order single circuit power entry (Y1377.) separately.


Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver anodized option (oK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 4 openings is 8 1/4" wide.

USB port charges at 2.1 amps.


### Dimensions



Connect™ - S740 - Connect Single  
 Circuit Power Unit *continued*

Specification Information		
Step 1.		
<b>Y1374.</b>		
Step 2. Configuration		
<b>3</b>	2 simplex receptacles, 2 data openings	
<b>4</b>	2 simplex receptacles, 1 data opening, 1 charging USB port	
Step 3. Cord Length		
<b>60</b>	60" long	
Prices for Steps 1-3.		
		<b>60</b>
<b>Y1374. 3</b>		\$499
<b>4</b>		\$610
Step 4. Finish		
<b>OK</b>	silver anodized	+\$0

# Connect™ - S750 - Connect Single Circuit Power Unit Y1375.



## Product Information

### Description

This dedicated modular single circuit electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The lid can be closed once devices are connected for a clean visual appearance. The distributor has 2 simplex receptacles and 2 data openings, or 2 simplex receptacles and 1 data opening and 1 USB charging port, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included.

### Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere™ fixed height tables.

To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.

Order single circuit power entry (Y1377.) separately.



Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver anodized option (oK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 4 openings is 8<sup>3</sup>/<sub>8</sub>" wide.

USB port charges at 2.1 amps.

## Dimensions






Connect™ - S750 - Connect Single  
 Circuit Power Unit *continued*

Specification Information		
Step 1.		
Y1375.		
Step 2. Configuration		
3	2 simplex receptacles, 2 data openings	
4	2 simplex receptacles, 1 data opening, 1 charging USB port	
Step 3. Cord Length		
60	60" long	
Prices for Steps 1-3.		
		60
Y1375. 3		\$565
4		\$678
Step 4. Finish		
OK	silver anodized	+\$0

Connect™ Single Circuit Electrical Power Entry

Y1377.



Product Information

Description

This standard receptacle 15-amp power entry provides power for single circuit electrical distributors. Up to 8 single circuit modular electrical distributors can be daisy chained and connected in any order. If more than 8 units are connected to this power entry, the system automatically shuts down and a red LED illuminates. A green LED indicates that more units can be connected and the system is ready. Standard attachment hardware is included.

Notes

UL listed when used in conjunction with most Everywhere™ fixed height tables.

Order electrical distributors (Y1371., Y1372., Y1373., Y1374., Y1375.) and single circuit jumpers (Y1378.) separately.


Dimensions

Specification Information

Step 1.


Y1377.		
Step 2. Cord Length		
06	6' long	
10	10' long	
Prices for Steps 1-2.		
Y1377. 06		\$456
10		\$478

Everywhere™ Accessories



Connect™ Single Circuit Electrical By-Pass Jumper

Y1378.



Product Information

Description


This electrical jumper provides additional length for the Connect™ single circuit modular electrical system. Jumpers are available in a variety of lengths and count as one of the 8 electrical distributors allowed per power entry.

Notes

UL listed when used in conjunction with most Everywhere™ fixed height tables.

Order electrical distributors (Y1371., Y1372., Y1373., Y1374., Y1375.) and single circuit power entry (Y1377.) separately.

Dimensions



Specification Information

Step 1.

Y1378.

Step 2. Cord Length

12	12" long
24	24" long
36	36" long
48	48" long
60	60" long

Prices for Steps 1-2.

Y1378. 12	\$94
24	\$102
36	\$112
48	\$121
60	\$129

Everywhere™ Accessories



## Index by Product Name

Everywhere™ Tables	
Cable Management Clip	page(s) 91
Cable Management Trough, Work Surface Suspended	97
Cable Trough	96
Classroom Curve Table	44
Concave Rectangle	34
Conference Corner Table	48
Conference Table HD Trough	83
Connect™ - S710 - Connect Single Circuit Power Unit	115
Connect™ - S720 - Connect Single Circuit Power Unit	116
Connect™ - S730 - Connect Single Circuit Power Unit	117
Connect™ - S740 - Connect Single Circuit Power Unit	118
Connect™ - S750 - Connect Single Circuit Power Unit	120
Connect™-Ganging Bracket Kit	108
Connect™-S100	85, 109
Connect™-S200	86, 110
Connect™-S300	87, 111
Connect™-S400	89, 113
Connect™-S500	90, 114
Connect™ Single Circuit Electrical By-Pass Jumper	123
Connect™ Single Circuit Electrical Power Entry	122
Cord Manager	98
D-Shaped Table	23
Fabric Modesty Panel	95
Flip-Top Rectangular Table	54
Logic C1000 Universal Clamp Mount Distributor	77, 103
Logic G1000 Grommet Mounted Electrical Distributor	79, 105
Logic G1200 Grommet Pass Thru	82
Logic HD Cable Manager	84
Logic Mini	73, 99
Logic Mini - Vine	75, 101
Logic Mini Grommet	81, 107
Modesty Panel	93
Occasional Table, Round	70
Occasional Table, Square	67
Oval Table	19
Rectangular Table	5
Round Corner Table	51
Round Table	15
Soft Rectangle - Meeting Table	27
Soft Square Table	38
Square Table	11
Standard-Height Table Base	60
Standard-Height Table Leg	58
Standing-Height Round Table	64
Standing-Height Square Table	61

Tear Drop Table	41
Vertical Cord Covers	92
Video Oval - Meeting Table	31



## Index by Product Number

AO382. Cable Management Trough, Work Surface Suspended	page(s) 97
DT1AE. Rectangular Table	5
DT1AS.	
DT1AT.	
DT1BE. Square Table	11
DT1BS.	
DT1BT.	
DT1CE. Round Table	15
DT1CS.	
DT1CT.	
DT1DE. Oval Table	19
DT1DS.	
DT1DT.	
DT1EE. D-Shaped Table	23
DT1ES.	
DT1ET.	
DT1FE. Soft Rectangle - Meeting Table	27
DT1FS.	
DT1FT.	
DT1GE. Video Oval - Meeting Table	31
DT1GS.	
DT1GT.	
DT1HE. Concave Rectangle	34
DT1HS.	
DT1HT.	
DT1JE. Soft Square Table	38
DT1JS.	
DT1JT.	
DT1KE. Tear Drop Table	41
DT1KS.	
DT1KT.	
DT1LE. Classroom Curve Table	44
DT1LS.	
DT1LT.	
DT1ME. Conference Corner Table	48
DT1MS.	
DT1MT.	
DT1NE. Round Corner Table	51
DT1NS.	
DT1NT.	
DT2A. Standard-Height Table Leg	58
DT2B. Standard-Height Table Base	60
DT3BE. Standing-Height Square Table	61
DT3BS.	
DT3BT.	

DT3CE. Standing-Height Round Table	64
DT3CS.	
DT3CT.	
DT4BS. Occasional Table, Square	67
DT4BT.	
DT4CS. Occasional Table, Round	70
DT4CT.	
DT5AE. Flip-Top Rectangular Table	54
DT5AS.	
DT5AT.	
DT9A. Cable Management Clip	91
DT9B. Vertical Cord Covers	92
DT9C. Conference Table HD Trough	83
FV984. Cord Manager	98
Y1113. Modesty Panel	93
Y1114. Fabric Modesty Panel	95
Y1200. Cable Trough	96
Y1321. Connect™-S100	85, 109
Y1322. Connect™-S200	86, 110
Y1323. Connect™-S300	87, 111
Y1324. Connect™-S400	89, 113
Y1325. Connect™-S500	90, 114
Y1338. Connect™-Ganging Bracket Kit	108
Y1371. Connect™ - S710 - Connect Single Circuit Power Unit	115
Y1372. Connect™ - S720 - Connect Single Circuit Power Unit	116
Y1373. Connect™ - S730 - Connect Single Circuit Power Unit	117
Y1374. Connect™ - S740 - Connect Single Circuit Power Unit	118
Y1375. Connect™ - S750 - Connect Single Circuit Power Unit	120
Y1377. Connect™ Single Circuit Electrical Power Entry	122
Y1378. Connect™ Single Circuit Electrical By-Pass Jumper	123
Y1412. Logic Mini Grommet	81, 107
Y1414. Logic Mini	73, 99
Y1415. Logic Mini - Vine	75, 101
Y1420. Logic G1200 Grommet Pass Thru	82
Y1423. Logic C1000 Universal Clamp Mount Distributor	77, 103
Y1424. Logic HD Cable Manager	84
Y1425. Logic G1000 Grommet Mounted Electrical Distributor	79, 105







## 20-Day or Less/Assigned Lead-Time Order Information

### 20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

### Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:  
(616) 654 3085.

For more information, contact your Customer Care representative at:  
(866) 854 3048 EXT 3400.

### Shipments and Delivery

Per Herman Miller Terms and Conditions.

### Changes and Cancellation

Per Herman Miller Terms and Conditions.



# Vary Easy Program

## Program Overview

Vary Easy is a program designed to help dealers specify standard products with a larger breadth of options. For example, depending on the type of product being specified, choices include additional size, finish, edge types, and cable management features. Vary Easy 3D, specIT, and third-party text-based specification packages support the Vary Easy program. Vary Easy 3D enables designers to create a 3D image, CAD symbols, and a price book page. A Vary Easy product number is assigned for each product as the user selects specific options. Once the product is completely specified, the order can be submitted via Kiosk's Order Manager or a dealer's business system.

## Accessing and Specifying Vary Easy

To view the full product vocabulary, go to the Vary Easy Product Offering on Kiosk. To specify Vary Easy, go to the Vary Easy 3D website on Kiosk, specIT, or your third-party text-based specification package.

Once you've made your product line selection, continue to follow through each option and enter the specific options that represent the product you need. When the product is fully specified, Vary Easy will generate an orderable product number and instantly calculate a price.

*Note: Failure to completely specify a product will cause a delay in order acknowledgements. Be sure to make a selection for all options offered.*

The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead time and are competitively priced.

For more information, contact your Customer Care Line at (866) 854 3048 EXT 3400.

# Stain-to-Match Program

## Stain-to-Match Program

### Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:  
(800) 654 3910

### Stain-to-Match Process

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
3. If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to:  
options@hermanmiller.com.
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

## Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STB: Stain-to-Match on Beech
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STM: Stain-to-Match on Recut Mahogany
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.







For more information about our products and services or to see a list of dealers, please visit us at [HermanMiller.com](http://HermanMiller.com) or call (800) 851 1196.

© 2018 Herman Miller, Inc., Zeeland, Michigan

® **HermanMiller**, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisiyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Intent, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Locale, Logic Mini, Logic Power Access Solutions, Live OS, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Mora, Motia, Multiscrim, Nelson, Pari, Pixelated Support, Plex, PostureFit SL, Prospect, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, Verus and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.