
EXHIBIT

WALL RAIL SOLUTION

| | |
|------------------------|-----|
| Product Specifications | 276 |
| Production Options | 277 |
| Product Overview | 279 |
| Application Guidelines | 280 |
| Product Pages | 281 |

PRODUCT SPECIFICATIONS

HORIZONTAL WALL RAIL AND FACEPLATE


- Wall rail and faceplate are a powder coated aluminum extrusion
- Available in lengths of 72" and 144"
- Wall rails come in sets of 1 or 2 and include faceplate and alignment brackets
- Wall rails can also be ordered without faceplates
- When attaching worksurfaces to the wall rail without the use of tack board, marker board, or slat wall inserts, wall rail can be ordered without the faceplate
- Faceplate snaps onto wall rail to secure marker board, tack board and slat wall inserts in place; Inserts can be removed or replaced without removing wall rail
- Faceplate conceals alignment brackets, fasteners and provides a clean aesthetic look
- Wall rail is mounted horizontally providing tie in to appropriate load bearing studs
- Alignment bracket is required to align 2 adjacent sections of wall rail and is included with wall rails
- Alignment bracket is hidden from view once installation is complete
- Wall rails can be cut to size in the field
- WaveWorks and Epic worksurfaces can be attached to wall rails with worksurface brackets
- Worksurfaces that are attached to the wall rail can be ordered with or without a wire manager; Worksurfaces with a wire manager have a flexible vinyl trough that allows cords and cables to be routed along the back edge or sides of worksurface

MARKER BOARD INSERTS

- Marker board inserts have erasable writing surface and are available in HPL or magnetic porcelain models
- Marker board inserts are available in white only
- HPL marker board and tack board insert models can be scribed in field
- Marker board, tack board and slat wall inserts include 2 trim channels

TACK BOARD INSERTS

- Tack board insert is available in textile, see page 277 for textile options
- Shaded rectangle portrays a railroaded tack board



SLAT WALL INSERTS

- Slat wall inserts are powder coated aluminum
- Slat wall inserts offer flexibility in placement of work tools; Combo slat wall inserts offer a slat wall insert combined with a tack board insert providing a multi-functional area and is an economical alternative when overhead storage will be used

ORGANIZER SHELF INSERTS

- Veneer and laminate organizer shelf inserts

EXHIBIT TV MOUNT INSERT

- Single TV Mount included with laminate or veneer inserts
- Dual TV Mount available as an option on 60" inserts for additional upcharge

TRIM CHANNELS

- Quantity of 2 is standard with each board/insert
- Available in powder coat paint or textile
- Provides an expansion joint, vertical cable manager attachment and compensates for out-of-plumb walls
- Trim Channels can be ordered separately for boards/inserts that have been scribed in the field

FULL END TRIM

- Full end trim is steel and powder coated
- Full end trim finishes the end of a run and connects the top and bottom wall rail

SINGLE END CAP

- Single end cap is steel and powder coated
- Single end cap finishes the end of a single wall rail by capping off the wall rail, perfect for when a wall rail is used without inserts and a faceplate

VERTICAL CABLE MANAGER

- Vertical cable manager attaches between the insert and trim channel
- Conceals and allows for power cords to be managed and routed from overhead to outlet

VERTICAL CABLE MANAGER FOR TV MOUNT INSERT

- Vertical Cable Manager attaches to the Exhibit TV Mount Insert
- Conceals and allows for power cords to be managed and routed from TV to outlet

WORKSURFACE BRACKETS

- Exhibit worksurface brackets attach worksurfaces to lower wall rail
- A worksurface bracket is required every 48" along back edge of worksurface
- Worksurface bracket is anodized aluminum

PLANNING TIPS

- Wall rails can be mounted at any height if not utilizing with WaveWorks or Epic vertical storage units
- Consider the worksurface load when planning support; For worksurfaces that will hold office equipment, such as printers and copiers, additional support other than standard worksurface brackets is recommended
- Undersurface storage and pedestals satisfy both storage and support needs
- Reconfiguring existing worksurfaces may require new supports or brackets
- When worksurfaces meet end-to-end, a support panel or undersurface storage is required for additional support of the front edge
- Perpendicular worksurfaces can use flat brackets and worksurface brackets to provide adequate support from 1 surface to the other at the worksurface joint
- Worksurface brackets and supports can be positioned anywhere along the worksurface without the limitations of pre-drilled or predetermined locations
- Knife rim adds 1½" per side to worksurface depth. Knife rim is not recommended on lower storage as it affects user's kneespace
- Consider where you specify a worksurface with Worksurface wire manager. When attached to Exhibit lower wall rail, do not use at the end of run for a cleaner aesthetic
- Tack boards may be field scribed to match Epic knife rim worksurface depth

DIMENSION KEY

| | |
|----|-------------------------|
| D | Depth |
| W | Width |
| H | Height |
| A | Overhang: Approach Side |
| KW | Kneespace Width |

WALL RAIL/FACEPLATE/
SLAT WALL INSERT
PAINT COLORS

| | |
|-----|-----------------------|
| 462 | Cinder |
| 423 | Concrete |
| 463 | Iron |
| 501 | Platinum Metallic |
| 503 | Satin Nickel Metallic |

TRIM CHANNEL
PAINT COLORS

| | |
|-----|-----------------------|
| 462 | Cinder |
| 423 | Concrete |
| 463 | Iron |
| 501 | Platinum Metallic |
| 503 | Satin Nickel Metallic |
| 401 | White |

END TRIM/END CAP
PAINT COLORS

| | |
|-----|-----------------------|
| 462 | Cinder |
| 423 | Concrete |
| 463 | Iron |
| 501 | Platinum Metallic |
| 503 | Satin Nickel Metallic |

WORK TOOLS (METAL)

| | |
|-----|-----------------------|
| 462 | Cinder |
| 423 | Concrete |
| 463 | Iron |
| 501 | Platinum Metallic |
| 503 | Satin Nickel Metallic |


TACK BOARD INSERT/TRIM CHANNEL VERTICAL TEXTILE OPTIONS

| | |
|------------|---------------|
| Grade A | Grade B |
| Compose | Basket |
| Crossroads | Frenzied |
| Dune | Fuse |
| Fusion | Linen |
| Infuse | Lyko |
| Meander | Pact |
| Merge | Prose |
| Mykel | Savile |
| Plinth | |
| Repetition | |
| Tapestry | COM (Grade B) |
| Universe | |

EXHIBIT TV MOUNT
INSERT OPTIONS

| | |
|----|---|
| TS | Single TV Mount, Front |
| TD | Dual TV Mount, Front (\$968 list upcharge) |

EXHIBIT COMPONENTS



SH6 ORGANIZER
SHELF HEIGHT
36"/37"/48"/49"
HIGH MODELS

- A Align with 13H Overhead
- B Align with 18H Overhead
- C Align with 30H Overhead*
*48"/49" high models only
- D Align with SH1 top shelf

CONFIGURATION OPTIONS - EXHIBIT

WOOD FINISHES (ORGANIZER SHELF INSERT)

| | |
|-----|---------------------------|
| AD | Almond Straight Grain |
| MC | Amber Cherry |
| AC | Autumn Cherry |
| IM | Brighton Maple |
| CO | Canyon Straight Grain |
| CL | Caramel Maple |
| CC | Cordoba Cherry |
| CW | Cordovan Walnut |
| DF | Driftwood Straight Grain |
| HN | Honey Maple |
| TM | Huntington Maple |
| DW | Judicial Walnut |
| MW | Midtown Walnut |
| MH | Mocha Cherry |
| YO | Monterey Straight Grain |
| NM | Natural Maple |
| PB | Portobello Straight Grain |
| 792 | Sable Straight Grain |
| SC | Sedona Cherry |
| TW | Tribeca Walnut |
| TF | Truffle Cherry |
| NW | Tuscan Straight Grain |
| UW | Urban Walnut |

LAMINATE COLORS (ORGANIZER SHELF INSERT)

WOODGRAIN LAMINATE

| | |
|------|-----------------------|
| 793 | Acorn* |
| AD | Almond |
| ADH | Almond Horizontal |
| MC | Amber |
| AC2 | Autumn 2 |
| BZ | Brazilwood* |
| IM | Brighton |
| CO | Canyon |
| CL | Caramel |
| CI | Chai* |
| CC | Cordoba |
| CW | Cordovan |
| DF | Driftwood |
| HN2 | Honey 2 |
| TM | Huntington |
| DW | Judicial |
| KN | Kona* |
| MW | Midtown |
| MH | Mocha |
| YO | Monterey |
| NM | Natural |
| PC | Porcini* |
| PT | Portico* |
| PTH | Portico Horizontal* |
| PB | Portobello |
| PBH | Portobello Horizontal |
| 792 | Sable |
| 792H | Sable Horizontal |
| SC | Sedona |
| SK | Skyline* |
| SKH | Skyline Horizontal* |
| TW | Tribeca |
| TF | Truffle |
| NW | Tuscan |
| UW | Urban |
| WL | Willow* |

SOLID LAMINATE

| | |
|------|----------------------------------|
| 462 | Cinder |
| 492 | Cinder Linear |
| 492H | Cinder Linear Horizontal |
| 440 | Cloud |
| 457 | Dapple |
| 405 | Designer White |
| 491 | Designer White Linear |
| 491H | Designer White Linear Horizontal |
| 450 | Fog |
| 488 | Frosty White |
| 461 | Graphite |
| 478 | Platinum Grey |
| 425 | Shadow |
| 460 | Storm |
| 419 | Wallaby |

GALLERY LAMINATE

| | |
|---------|-----------------|
| Grade 1 | – 5% upcharge |
| G1001 | Citadel |
| G1011 | Pepperdust |
| Grade 2 | – 6% upcharge |
| G1002 | Planked Raw Oak |
| G1003 | Evening Notte |
| G1004 | Kirsche |
| G1005 | Midnight Run |
| G1006 | Sepia Walnut |
| G1007 | Serotina |
| G1008 | Timeless |
| G1009 | White Nebbia |
| G1012 | Phantom Ecru |

*Not available on laminate/wood models


OVERVIEW

Exhibit is a series consisting of a horizontal rail, marker board, tack board, and slat wall inserts, and work tools.

Exhibit can be used in numerous applications. Here are a few examples of how it can be used with National Office Furniture products.

EXHIBIT WITH WAVEWORKS AND EPIC MODELS

The Exhibit rail is a horizontal rail that attaches to walls to accommodate WaveWorks and Epic worksurfaces and components. Attaching worksurfaces directly to the wall rail allows the reduction of modesty panels and opens the space for a clean aesthetic.



APPLICATION GUIDELINES

FASTENERS

- Fasteners must tie in directly to the substructure of a structural wall for proper attachment of Exhibit wall rail. National defines a structural wall as a load bearing wall constructed of materials such as poured concrete, concrete block, or studs

MINIMUM REQUIREMENTS


- Wood studs must be nominal 2" x 4" minimum
- Metal studs must be "C" channel, 20 gauge minimum thickness
- Metal or wood studs must be on centers no greater than 24" and have a maximum height of 14' restrained at floor and ceiling
- Interior walls must be designed to resist not less than a force of 5 lbs. per sq. ft. applied perpendicular to the wall. The deflection of such walls under a load of 5 lbs. per square foot shall not exceed 1/200 of the span for walls with brittle finishes and 1/100 of the span for walls with flexible finishes (per International Building Code sections 1604.4 and 1607.13)
- Exhibit wall rail may not extend more than 6" beyond the last solid attachment point
- Minimum width of Exhibit wall rail that can be attached to a wall is 16" mounted to studs 16" apart
- If an overhead is being mounted, the minimum width for Exhibit is 30" with the Exhibit wall rail being centered on studs 24" apart, so as not to extend more than 6" beyond the last solid attachment point

RECOMMENDED FASTENERS

- Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer


| Type and Size | Description |
|--|-------------|
| Steel Studs (1/2" to 3/4" drywall) | |
| Hilti® Toggler® anchor toggle bolts, 1/4"-20 x 2" grade 5 bolts | |
| Wood Studs (1/4" to 1/2" drywall) | |
| Meets or exceeds ANSI/ASME B18.6.4 and SAE J933. | |
| Pan head sheet metal screw | 10-2 PHPMS |
| Solid Masonry | |
| Crown Bolt lag shields 1/4" x 1 1/2" | |
| Buildex Tapcon concrete anchor screw 1/4" x 2 3/4" | |
| Masonry Block | |
| Hilti Toggler anchor toggle bolts, 1/4"-20 x 2" grade 5 bolts | |
| Crown Bolt lag shields 1/4" x 1 1/2" | |
| Buildex Tapcon concrete anchor screw 1/4" x 2 3/4" | |
| <ul style="list-style-type: none">Actual mounting height can be varied to meet specific needs; however, undersurface storage height must be consideredVariations in the floor surface (peaks and valleys) should be considered, especially where horizontal placement is criticalExhibit wall rail extends 1/8" from the wall. This dimensional loss should be considered when space planning for components, when Exhibit wall rails are being used on 2 or more walls of a spaceSelect worksurfaces and inserts can be field scribed to fit spaceIn fixed wall Exhibit applications, choose your insert height based on your specific application or height of corresponding WaveWorks vertical storage. Consider the height of the cabinet and clearance between the bottom of the overhead and the worksurface | |

34" Tall Inserts




36" and 48" Tall Inserts

Compatible with WaveWorks and Epic 68" and WaveWorks 79" High WW Models



37" and 49" Tall Inserts

Compatible with WaveWorks 69" and 80" High WWN Models



- Conference and training rooms commonly use 49" tall inserts, but with Exhibit, you can use any of the 5 heights to achieve the customer's needs.

WALL

- Trim when using full insert

PRODUCT SPECIFICATIONS

- Exhibit rail can be cut to size in the field
- Alignment brackets are required to align 2 sections of Exhibit rail in line
- Exhibit mount overheads available in the WaveWorks and Epic series, see Casegoods Book 2 Price List
- For worksurface brackets, end trim and end caps see pages 323-325

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

11N72EXFP2 462

- See pages 277-278 for all options available in Exhibit



| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | A | KW | CARTONED WEIGHT | CUBIC FEET | | |
|--|-------------------------|------------|------------|-----|---|-----|----|-----------------|------------|---------|-----|
| | | | D | W | H | | | | | | |
|  | WALL RAIL AND FACEPLATE | | | | | | | | | | |
| | 11N72EXFP2 | Set of 2 | \$ | 381 | ¾ | 72 | 1¾ | — | — | 6 lbs. | 0.7 |
| | 11N144EXFP2 | Set of 2 | | 547 | ¾ | 144 | 1¾ | — | — | 12 lbs. | 1.4 |
| | | | | | | | | | | | |
| | 11N72EXFP1 | Set of 1 | \$ | 219 | ¾ | 72 | 1¾ | — | — | 6 lbs. | 0.7 |
| | 11N144EXFP1 | Set of 1 | | 303 | ¾ | 144 | 1¾ | — | — | 12 lbs. | 1.4 |
| <ul style="list-style-type: none">• Set of 2 includes 2 rails, 2 faceplates, and 4 alignment brackets• Set of 1 includes 1 rail, 1 faceplate, and 2 alignment brackets• Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic• Faceplates must be used when using an insert | | | | | | | | | | | |

EXHIBIT WALL RAIL



| | | | | | | | | | | |
|---|---------------------|----|-----|---|-----|----|---|---|---------|-----|
| 11N72EXP1 | 1 Rail/No faceplate | \$ | 133 | ¾ | 72 | 1½ | — | — | 6 lbs. | 0.7 |
| 11N144EXP1 | 1 Rail/No faceplate | | 193 | ¾ | 144 | 1½ | — | — | 12 lbs. | 1.4 |
| <ul style="list-style-type: none"> • Includes 1 wall rail and 2 alignment brackets • Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic • For use when hanging a worksurface or overhead without the use of an insert | | | | | | | | | | |

EXHIBIT

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs


TO ORDER, SPECIFY:

- Model Number
- Textile Grade
- Textile Color

SAMPLE MODEL NUMBERS:

11N1834TB B 25413
11N1836TB B 25413
11N1837TB B 25413

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|--|-------------------------|------------|-------------|---|----|-----|----|-----------------|------------|-----|
| TACK BOARD INSERTS | 34"H TACK BOARD INSERTS | | D | W | H | A | KW | | | |
|  | | GRADE A | GRADE B/COM | | | | | | | |
| | 11N1834TBA | \$ 321 | \$ 376 | ½ | 18 | 34½ | — | — | 3 lbs. | 0.5 |
| | 11N2434TBA | 337 | 392 | ½ | 24 | 34½ | — | — | 4 lbs. | 0.6 |
| | 11N3034TBA | 394 | 449 | ½ | 30 | 34½ | — | — | 5 lbs. | 0.8 |
| | 11N3634TBA | 413 | 479 | ½ | 36 | 34½ | — | — | 6 lbs. | 0.9 |
| | 11N4234TBA | 422 | 488 | ½ | 42 | 34½ | — | — | 7 lbs. | 1.0 |
| | 11N4834TBA | 454 | 531 | ½ | 48 | 34½ | — | — | 8 lbs. | 1.2 |
| | 11N5434TBA | 515 | 603 | ½ | 54 | 34½ | — | — | 9 lbs. | 1.3 |
| | 11N6034TBA | 519 | 607 | ½ | 60 | 34½ | — | — | 10 lbs. | 1.4 |
| COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS | | | | | | | | | | |
| | 36"H TACK BOARD INSERTS | | | | | | | | | |
| | 11N1836TBA | \$ 343 | \$ 398 | ½ | 18 | 36½ | — | — | 3 lbs. | 0.5 |
| | 11N2436TBA | 360 | 415 | ½ | 24 | 36½ | — | — | 4 lbs. | 0.6 |
| | 11N3036TBA | 416 | 471 | ½ | 30 | 36½ | — | — | 5 lbs. | 0.8 |
| | 11N3636TBA | 440 | 506 | ½ | 36 | 36½ | — | — | 6 lbs. | 0.9 |
| | 11N4236TBA | 452 | 518 | ½ | 42 | 36½ | — | — | 7 lbs. | 1.0 |
| | 11N4836TBA | 481 | 558 | ½ | 48 | 36½ | — | — | 8 lbs. | 1.2 |
| | 11N5436TBA | 547 | 635 | ½ | 54 | 36½ | — | — | 9 lbs. | 1.3 |
| | 11N6036TBA | 550 | 638 | ½ | 60 | 36½ | — | — | 10 lbs. | 1.4 |
| COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS | | | | | | | | | | |
| | 37"H TACK BOARD INSERTS | | | | | | | | | |
| | 11N1837TBA | \$ 343 | \$ 398 | ½ | 18 | 37 | — | — | 3 lbs. | 0.5 |
| | 11N2437TBA | 360 | 415 | ½ | 24 | 37 | — | — | 4 lbs. | 0.6 |
| | 11N3037TBA | 416 | 471 | ½ | 30 | 37 | — | — | 5 lbs. | 0.8 |
| | 11N3637TBA | 440 | 506 | ½ | 36 | 37 | — | — | 6 lbs. | 0.9 |
| | 11N4237TBA | 452 | 518 | ½ | 42 | 37 | — | — | 7 lbs. | 1.0 |
| | 11N4837TBA | 481 | 558 | ½ | 48 | 37 | — | — | 8 lbs. | 1.2 |
| | 11N5437TBA | 547 | 635 | ½ | 54 | 37 | — | — | 9 lbs. | 1.3 |
| | 11N6037TBA | 550 | 638 | ½ | 60 | 37 | — | — | 10 lbs. | 1.4 |

- 2 trim channels included with each tack board insert in the same textile
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Textile will be railroded

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade
3. Textile Color

SAMPLE MODEL NUMBERS:

11N1848TB A 8600
11N1849TB A 8600

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|---------------------------------------|--|----------------|--------------------|---|----|-----|----|-----------------|-------------|
| | | | D | W | H | A | KW | | |
| TACK BOARD INSERTS (CONTINUED) | COMPATIBLE WITH WAVEWORKS 79" HIGH WVN MODELS | | | | | | | | |
| | 48"H TACK BOARD INSERTS | | | | | | | | |
| | | GRADE A | GRADE B/COM | | | | | | |
| | 11N1848TBA | \$ 394 | \$ 460 | ½ | 18 | 48¾ | — | — | 4 lbs. 1.2 |
| | 11N2448TBA | 410 | 476 | ½ | 24 | 48¾ | — | — | 5 lbs. 1.3 |
| | 11N3048TBA | 479 | 545 | ½ | 30 | 48¾ | — | — | 6 lbs. 1.7 |
| | 11N3648TBA | 486 | 552 | ½ | 36 | 48¾ | — | — | 7 lbs. 2.0 |
| | 11N4248TBA | 506 | 572 | ½ | 42 | 48¾ | — | — | 8 lbs. 2.3 |
| | 11N4848TBA | 528 | 605 | ½ | 48 | 48¾ | — | — | 9 lbs. 2.7 |
| | 11N5448TBA | 602 | 690 | ½ | 54 | 48¾ | — | — | 10 lbs. 3.0 |
| | 11N6048TBA | 607 | 695 | ½ | 60 | 48¾ | — | — | 11 lbs. 3.3 |
| | COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS | | | | | | | | |
| | 49"H TACK BOARD INSERTS | | | | | | | | |
| | 11N1849TBA | \$ 394 | \$ 460 | ½ | 18 | 48⅞ | — | — | 4 lbs. 1.2 |
| | 11N2449TBA | 410 | 476 | ½ | 24 | 48⅞ | — | — | 5 lbs. 1.3 |
| | 11N3049TBA | 479 | 545 | ½ | 30 | 48⅞ | — | — | 6 lbs. 1.7 |
| | 11N3649TBA | 486 | 552 | ½ | 36 | 48⅞ | — | — | 7 lbs. 2.0 |
| | 11N4249TBA | 506 | 572 | ½ | 42 | 48⅞ | — | — | 8 lbs. 2.3 |
| | 11N4849TBA | 528 | 605 | ½ | 48 | 48⅞ | — | — | 9 lbs. 2.7 |
| | 11N5449TBA | 602 | 690 | ½ | 54 | 48⅞ | — | — | 10 lbs. 3.0 |
| | 11N6049TBA | 607 | 695 | ½ | 60 | 48⅞ | — | — | 11 lbs. 3.3 |
| | <ul style="list-style-type: none"> • 2 trim channels included with each tack board insert in the same textile • Tack board inserts can be field scribed • Additional trim channels should be specified separately if creating additional tack board inserts • Textile will be railroaded | | | | | | | | |

EXHIBIT

PRODUCT SPECIFICATIONS


- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

- 11N2434MB
- See pages 277-278 for all options available in Exhibit

| MODEL NO./DESCRIPTION | | | | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | | |
|--|---------------------------|-----|-------------|-------------|------------|------|----|-----|-----|-----------------|------------|---------|-----|
| | | | | D | W | H | A | KW | | | | | |
| <div>MARKER BOARD INSERTS</div> <div></div> | 34"H MARKER BOARD INSERTS | | | | | | | | | | | | |
| | HPL | | | | | | | | | | | | |
| | PORCELAIN | | | | | | | | | | | | |
| | 11N2434MB | \$ | 598 | 11N2434MB2P | \$ | 910 | ½ | 24 | 34½ | — | — | 14 lbs. | 0.6 |
| | 11N3034MB | | 600 | 11N3034MB2P | | 919 | ½ | 30 | 34½ | — | — | 18 lbs. | 0.8 |
| | 11N3634MB | | 672 | 11N3634MB2P | | 1012 | ½ | 36 | 34½ | — | — | 22 lbs. | 0.9 |
| | 11N4234MB | | 723 | 11N4234MB2P | | 1013 | ½ | 42 | 34½ | — | — | 25 lbs. | 1.0 |
| | 11N4834MB | | 884 | 11N4834MB2P | | 1298 | ½ | 48 | 34½ | — | — | 29 lbs. | 1.2 |
| 11N5434MB | | 886 | 11N5434MB2P | | 1306 | ½ | 54 | 34½ | — | — | 32 lbs. | 1.3 | |
| 11N6034MB | | 888 | 11N6034MB2P | | 1317 | ½ | 60 | 34½ | — | — | 36 lbs. | 1.4 | |
| COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS | | | | | | | | | | | | | |
| 36"H MARKER BOARD INSERTS | | | | | | | | | | | | | |
| HPL | | | | | | | | | | | | | |
| PORCELAIN | | | | | | | | | | | | | |
| 11N2436MB | \$ | 620 | 11N2436MB2P | \$ | 935 | ½ | 24 | 36½ | — | — | 14 lbs. | 0.6 | |
| 11N3036MB | | 622 | 11N3036MB2P | | 937 | ½ | 30 | 36½ | — | — | 18 lbs. | 0.8 | |
| 11N3636MB | | 697 | 11N3636MB2P | | 1038 | ½ | 36 | 36½ | — | — | 22 lbs. | 0.9 | |
| 11N4236MB | | 749 | 11N4236MB2P | | 1041 | ½ | 42 | 36½ | — | — | 25 lbs. | 1.0 | |
| 11N4836MB | | 910 | 11N4836MB2P | | 1326 | ½ | 48 | 36½ | — | — | 29 lbs. | 1.2 | |
| 11N5436MB | | 912 | 11N5436MB2P | | 1334 | ½ | 54 | 36½ | — | — | 32 lbs. | 1.3 | |
| 11N6036MB | | 921 | 11N6036MB2P | | 1346 | ½ | 60 | 36½ | — | — | 36 lbs. | 1.4 | |
| COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS | | | | | | | | | | | | | |
| 37"H MARKER BOARD INSERTS | | | | | | | | | | | | | |
| HPL | | | | | | | | | | | | | |
| PORCELAIN | | | | | | | | | | | | | |
| 11N2437MB | \$ | 620 | 11N2437MB2P | \$ | 935 | ½ | 24 | 37 | — | — | 14 lbs. | 0.6 | |
| 11N3037MB | | 622 | 11N3037MB2P | | 937 | ½ | 30 | 37 | — | — | 18 lbs. | 0.8 | |
| 11N3637MB | | 697 | 11N3637MB2P | | 1038 | ½ | 36 | 37 | — | — | 22 lbs. | 0.9 | |
| 11N4237MB | | 749 | 11N4237MB2P | | 1041 | ½ | 42 | 37 | — | — | 25 lbs. | 1.0 | |
| 11N4837MB | | 910 | 11N4837MB2P | | 1326 | ½ | 48 | 37 | — | — | 29 lbs. | 1.2 | |
| 11N5437MB | | 912 | 11N5437MB2P | | 1334 | ½ | 54 | 37 | — | — | 32 lbs. | 1.3 | |
| 11N6037MB | | 921 | 11N6037MB2P | | 1346 | ½ | 60 | 37 | — | — | 36 lbs. | 1.4 | |
| <div><div><div>• HPL marker board inserts can be field scribed</div><div>• Additional trim channels should be specified separately if additional inserts are created</div><div>• Porcelain marker board inserts are magnetic</div><div>• Porcelain marker board inserts are double sided</div><div>• Specify model number only</div><div>• 2 trim channels included with each marker board insert in white to match board</div><div>• Marker board inserts available in white only</div></div></div> | | | | | | | | | | | | | |

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs


TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

11N2448MB

- See pages 277-278 for all options available in Exhibit

| MODEL NO./DESCRIPTION | | | | | LIST PRICE | DIMENSIONS | | | | CARTONED WEIGHT | CUBIC FEET | |
|---|--|--------|-------------|---------|------------|------------|-----|---|----|-----------------|------------|--|
| | | | | | D | W | H | A | KW | | | |
| <div>MARKER BOARD INSERTS (CONTINUED)</div> <div></div> | COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS | | | | | | | | | | | |
| | 48"H MARKER BOARD INSERTS | | | | | | | | | | | |
| | HPL | | PORCELAIN | | | | | | | | | |
| | 11N2448MB | \$ 724 | 11N2448MB2P | \$ 1078 | ½ | 24 | 48¾ | — | — | 16 lbs. | 1.3 | |
| | 11N3048MB | 725 | 11N3048MB2P | 1080 | ½ | 30 | 48¾ | — | — | 20 lbs. | 1.7 | |
| | 11N3648MB | 809 | 11N3648MB2P | 1198 | ½ | 36 | 48¾ | — | — | 24 lbs. | 2.0 | |
| | 11N4248MB | 878 | 11N4248MB2P | 1290 | ½ | 42 | 48¾ | — | — | 27 lbs. | 2.3 | |
| | 11N4848MB | 1063 | 11N4848MB2P | 1536 | ½ | 48 | 48¾ | — | — | 31 lbs. | 2.7 | |
| | 11N5448MB | 1068 | 11N5448MB2P | 1777 | ½ | 54 | 48¾ | — | — | 34 lbs. | 3.0 | |
| | 11N6048MB | 1077 | 11N6048MB2P | 1915 | ½ | 60 | 48¾ | — | — | 38 lbs. | 3.3 | |
| | COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS | | | | | | | | | | | |
| | 49"H MARKER BOARD INSERTS | | | | | | | | | | | |
| | HPL | | PORCELAIN | | | | | | | | | |
| | 11N2449MB | \$ 724 | 11N2449MB2P | \$ 1078 | ½ | 24 | 48⅞ | — | — | 16 lbs. | 1.3 | |
| | 11N3049MB | 725 | 11N3049MB2P | 1080 | ½ | 30 | 48⅞ | — | — | 20 lbs. | 1.7 | |
| | 11N3649MB | 809 | 11N3649MB2P | 1198 | ½ | 36 | 48⅞ | — | — | 24 lbs. | 2.0 | |
| | 11N4249MB | 878 | 11N4249MB2P | 1290 | ½ | 42 | 48⅞ | — | — | 27 lbs. | 2.3 | |
| | 11N4849MB | 1063 | 11N4849MB2P | 1536 | ½ | 48 | 48⅞ | — | — | 31 lbs. | 2.7 | |
| | 11N5449MB | 1068 | 11N5449MB2P | 1777 | ½ | 54 | 48⅞ | — | — | 34 lbs. | 3.0 | |
| | 11N6049MB | 1077 | 11N6049MB2P | 1915 | ½ | 60 | 48⅞ | — | — | 38 lbs. | 3.3 | |
| <ul style="list-style-type: none">• HPL marker board inserts can be field scribed• Additional trim channels should be specified separately if additional inserts are created• Porcelain marker board inserts are magnetic• Porcelain marker board inserts are double sided• Specify model number only• 2 trim channels included with each marker board insert in white to match board• Marker board inserts available in white only | | | | | | | | | | | | |

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information


TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

11N2434SW 462

- See pages 277-278 for all options available in Exhibit

| | | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|--|-------------------|----------------|------------|---|----|-----|----|-----------------|------------|-----|
| MODEL NO./DESCRIPTION | | | D | W | H | A | KW | | | |
|  | SLAT WALL INSERTS | 34"H FULL SLAT | | | | | | | | |
| | | 11N2434SW | \$ 1551 | ½ | 24 | 34½ | — | — | 45 lbs. | 1.2 |
| | | 11N3034SW | 1560 | ½ | 30 | 34½ | — | — | 57 lbs. | 1.4 |
| | | 11N3634SW | 1784 | ½ | 36 | 34½ | — | — | 69 lbs. | 1.7 |
| | | 11N4234SW | 1785 | ½ | 42 | 34½ | — | — | 79 lbs. | 2.0 |
| | | 11N4834SW | 1980 | ½ | 48 | 34½ | — | — | 91 lbs. | 2.3 |

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS

36"H FULL SLAT

| | | | | | | | | |
|-----------|---------|---|----|-----|---|---|---------|-----|
| 11N2436SW | \$ 1574 | ½ | 24 | 36½ | — | — | 48 lbs. | 1.2 |
| 11N3036SW | 1583 | ½ | 30 | 36½ | — | — | 60 lbs. | 1.4 |
| 11N3636SW | 1804 | ½ | 36 | 36½ | — | — | 72 lbs. | 1.7 |
| 11N4236SW | 1806 | ½ | 42 | 36½ | — | — | 82 lbs. | 2.0 |
| 11N4836SW | 2010 | ½ | 48 | 36½ | — | — | 94 lbs. | 2.3 |

COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS

37"H FULL SLAT

| | | | | | | | | |
|-----------|---------|---|----|----|---|---|---------|-----|
| 11N2437SW | \$ 1574 | ½ | 24 | 37 | — | — | 48 lbs. | 1.2 |
| 11N3037SW | 1583 | ½ | 30 | 37 | — | — | 60 lbs. | 1.4 |
| 11N3637SW | 1804 | ½ | 36 | 37 | — | — | 72 lbs. | 1.7 |
| 11N4237SW | 1806 | ½ | 42 | 37 | — | — | 82 lbs. | 2.0 |
| 11N4837SW | 2010 | ½ | 48 | 37 | — | — | 94 lbs. | 2.3 |

COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS

48"H FULL SLAT

| | | | | | | | | |
|-----------|---------|---|----|-----|---|---|----------|-----|
| 11N2448SW | \$ 1856 | ½ | 24 | 48½ | — | — | 63 lbs. | 1.6 |
| 11N3048SW | 1866 | ½ | 30 | 48½ | — | — | 80 lbs. | 1.9 |
| 11N3648SW | 2132 | ½ | 36 | 48½ | — | — | 97 lbs. | 2.0 |
| 11N4248SW | 2134 | ½ | 42 | 48½ | — | — | 111 lbs. | 2.2 |
| 11N4848SW | 2371 | ½ | 48 | 48½ | — | — | 128 lbs. | 2.5 |

- 2 trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 326-329

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information


TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

11N2449SW 462

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | A | KW | CARTONED WEIGHT | CUBIC FEET |
|---|---|------------|------------|----|----------------------------------|---|---|----------|-----------------|------------|
| | | | D | W | H | | | | | |
| <div>SLAT WALL INSERTS (CONTINUED)</div>  | COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS | | | | | | | | | |
| | 49"H FULL SLAT | | | | | | | | | |
| | 11N2449SW | \$ 1856 | ½ | 24 | 48 ¹³ / ₁₆ | — | — | 63 lbs. | 1.6 | |
| | 11N3049SW | 1866 | ½ | 30 | 48 ¹³ / ₁₆ | — | — | 80 lbs. | 1.9 | |
| | 11N3649SW | 2132 | ½ | 36 | 48 ¹³ / ₁₆ | — | — | 97 lbs. | 2.0 | |
| | 11N4249SW | 2134 | ½ | 42 | 48 ¹³ / ₁₆ | — | — | 111 lbs. | 2.2 | |
| | 11N4849SW | 2371 | ½ | 48 | 48 ¹³ / ₁₆ | — | — | 128 lbs. | 2.5 | |
| <ul style="list-style-type: none">• 2 trim channels included with each slat wall insert in corresponding color to match slat• Slat wall insert requires the use of trim channels and mounting bracket included with the model• Slat wall should only be used with National certified work tools and monitor arms; reference pages 326-329 | | | | | | | | | | |

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information


TO ORDER, SPECIFY:

- Model Number
- Textile Grade
- Textile Color
- Paint Color

SAMPLE MODEL NUMBER:

11N2434SWTBFA A 8600 501

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | | | | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--|--------------------------|---------------|----------|-------------|------------|------------|----|-----|---|----|-----------------|------------|
| | | | | | | D | W | H | A | KW | | |
| <div>SLAT WALL INSERTS COMBO SLAT/TACK</div> <div></div> | 23"H SLAT WITH 11"H TACK | | GRADE A | GRADE B/COM | | | | | | | | |
| | TEXTILE TRIM | PAINTED TRIM | | | | | | | | | | |
| | 11N2434SWTBFA | 11N2434SWTBPA | Railroad | \$ 1406 | \$ 1439 | ½ | 24 | 34½ | — | — | 32 lbs. | 1.2 |
| | 11N3034SWTBFA | 11N3034SWTBPA | Railroad | 1409 | 1449 | ½ | 30 | 34½ | — | — | 41 lbs. | 1.4 |
| | 11N3634SWTBFA | 11N3634SWTBPA | Railroad | 1609 | 1657 | ½ | 36 | 34½ | — | — | 50 lbs. | 1.7 |
| | 11N4234SWTBFA | 11N4234SWTBPA | Railroad | 1610 | 1665 | ½ | 42 | 34½ | — | — | 59 lbs. | 2.0 |
| | 11N4834SWTBFA | 11N4834SWTBPA | Railroad | 1790 | 1852 | ½ | 48 | 34½ | — | — | 68 lbs. | 2.3 |
| COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS | | | | | | | | | | | | |
| | 23"H SLAT WITH 13"H TACK | | GRADE A | GRADE B/COM | | | | | | | | |
| | TEXTILE TRIM | PAINTED TRIM | | | | | | | | | | |
| | 11N2436SWTBFA | 11N2436SWTBPA | Railroad | \$ 1427 | \$ 1460 | ½ | 24 | 36½ | — | — | 35 lbs. | 1.2 |
| | 11N3036SWTBFA | 11N3036SWTBPA | Railroad | 1434 | 1474 | ½ | 30 | 36½ | — | — | 44 lbs. | 1.4 |
| | 11N3636SWTBFA | 11N3636SWTBPA | Railroad | 1632 | 1680 | ½ | 36 | 36½ | — | — | 53 lbs. | 1.7 |
| | 11N4236SWTBFA | 11N4236SWTBPA | Railroad | 1637 | 1692 | ½ | 42 | 36½ | — | — | 62 lbs. | 2.0 |
| | 11N4836SWTBFA | 11N4836SWTBPA | Railroad | 1815 | 1877 | ½ | 48 | 36½ | — | — | 71 lbs. | 2.3 |
| COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS | | | | | | | | | | | | |
| | 23"H SLAT WITH 14"H TACK | | GRADE A | GRADE B/COM | | | | | | | | |
| | TEXTILE TRIM | PAINTED TRIM | | | | | | | | | | |
| | 11N2437SWTBFA | 11N2437SWTBPA | Railroad | \$ 1427 | \$ 1460 | ½ | 24 | 37 | — | — | 35 lbs. | 1.2 |
| | 11N3037SWTBFA | 11N3037SWTBPA | Railroad | 1434 | 1474 | ½ | 30 | 37 | — | — | 44 lbs. | 1.4 |
| | 11N3637SWTBFA | 11N3637SWTBPA | Railroad | 1632 | 1680 | ½ | 36 | 37 | — | — | 53 lbs. | 1.7 |
| | 11N4237SWTBFA | 11N4237SWTBPA | Railroad | 1637 | 1692 | ½ | 42 | 37 | — | — | 62 lbs. | 2.0 |
| | 11N4837SWTBFA | 11N4837SWTBPA | Railroad | 1815 | 1877 | ½ | 48 | 37 | — | — | 71 lbs. | 2.3 |
| COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS | | | | | | | | | | | | |
| | 23"H SLAT WITH 25"H TACK | | GRADE A | GRADE B/COM | | | | | | | | |
| | TEXTILE TRIM | PAINTED TRIM | | | | | | | | | | |
| | 11N2448SWTBFA | 11N2448SWTBPA | Railroad | \$ 1683 | \$ 1716 | ½ | 24 | 48½ | — | — | 45 lbs. | 1.4 |
| | 11N3048SWTBFA | 11N3048SWTBPA | Railroad | 1690 | 1730 | ½ | 30 | 48½ | — | — | 58 lbs. | 1.7 |
| | 11N3648SWTBFA | 11N3648SWTBPA | Railroad | 1926 | 1974 | ½ | 36 | 48½ | — | — | 71 lbs. | 2.1 |
| | 11N4248SWTBFA | 11N4248SWTBPA | Railroad | 1929 | 1984 | ½ | 42 | 48½ | — | — | 83 lbs. | 2.5 |
| | 11N4848SWTBFA | 11N4848SWTBPA | Railroad | 2143 | 2205 | ½ | 48 | 48½ | — | — | 96 lbs. | 2.9 |

- 2 trim channels included with each combo slat wall insert, customer can choose either textile or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 326-329
- Slat section must be located on the lower portion of the insert
- Textile will be railroaded
- Not recommended to use more than 2 monitor arms per combo slat/tack model

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information


TO ORDER, SPECIFY:

- Model Number
- Textile Grade
- Textile Color
- Paint Color

SAMPLE MODEL NUMBER:

11N2449SWTBFA A 8600 501

- See pages 277-278 for all options available in Exhibit

| SLAT WALL INSERTS COMBO SLAT/TACK (CONTINUED) | MODEL NO./DESCRIPTION | | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | | |
|---|---|---------------|---------------|-----------------|---------|---|----|-----|--------------------|---------------|---------|-----|
| | | | | D | W | H | A | KW | | | | |
|  | COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS | | GRADE A | GRADE B/ COM | | | | | | | | |
| | TEXTILE TRIM | PAINTED TRIM | | | | | | | | | | |
| | 11N2449SWTBFA | 11N2449SWTBPA | Railroad | \$ 1683 | \$ 1716 | ½ | 24 | 48⅜ | — | — | 45 lbs. | 1.4 |
| | 11N3049SWTBFA | 11N3049SWTBPA | Railroad | 1690 | 1730 | ½ | 30 | 48⅜ | — | — | 58 lbs. | 1.7 |
| | 11N3649SWTBFA | 11N3649SWTBPA | Railroad | 1926 | 1974 | ½ | 36 | 48⅜ | — | — | 71 lbs. | 2.1 |
| | 11N4249SWTBFA | 11N4249SWTBPA | Railroad | 1929 | 1984 | ½ | 42 | 48⅜ | — | — | 83 lbs. | 2.5 |
| | 11N4849SWTBFA | 11N4849SWTBPA | Railroad | 2143 | 2205 | ½ | 48 | 48⅜ | — | — | 96 lbs. | 2.9 |

- 2 trim channels included with each combo slat wall insert, customer can choose either textile or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 326-329
- Slat section must be located on the lower portion of the insert
- Textile will be railroaded
- Not recommended to use more than 2 monitor arms per combo slat/tack model

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH1W MH
11N3634SH1LW 462 CW
11N3634SH1L 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--|--|------------|------------|-----|-----|---|----|-----------------|------------|
| | | | D | W | H | A | KW | | |
|  | 34"H ORGANIZER SHELF INSERTS | | | | | | | | |
| | 11N3634SH1W Wood | \$ 2582 | 10½ | 35⅞ | 34⅞ | — | — | 47 lbs. | 3.1 |
| | 11N3634SH1LW Laminate Shelves, Wood Wall | 2582 | 10½ | 35⅞ | 34⅞ | — | — | 47 lbs. | 3.1 |
| | 11N3634SH1L Laminate | 1784 | 10½ | 35⅞ | 34⅞ | — | — | 47 lbs. | 3.1 |
| | 11N3634SH1WL Wood Shelves, Laminate Wall | 2582 | 10½ | 35⅞ | 34⅞ | — | — | 47 lbs. | 3.1 |
| | 11N4234SH1W Wood | \$ 2583 | 10½ | 41⅞ | 34⅞ | — | — | 53 lbs. | 3.3 |
| | 11N4234SH1LW Laminate Shelves, Wood Wall | 2583 | 10½ | 41⅞ | 34⅞ | — | — | 53 lbs. | 3.3 |
| | 11N4234SH1L Laminate | 1785 | 10½ | 41⅞ | 34⅞ | — | — | 53 lbs. | 3.3 |
| | 11N4234SH1WL Wood Shelves, Laminate Wall | 2583 | 10½ | 41⅞ | 34⅞ | — | — | 53 lbs. | 3.3 |
| | 11N4834SH1W Wood | \$ 2872 | 10½ | 47⅞ | 34⅞ | — | — | 58 lbs. | 3.5 |
| | 11N4834SH1LW Laminate Shelves, Wood Wall | 2872 | 10½ | 47⅞ | 34⅞ | — | — | 58 lbs. | 3.5 |
| | 11N4834SH1L Laminate | 1980 | 10½ | 47⅞ | 34⅞ | — | — | 58 lbs. | 3.5 |
| | 11N4834SH1WL Wood Shelves, Laminate Wall | 2872 | 10½ | 47⅞ | 34⅞ | — | — | 58 lbs. | 3.5 |
| | 11N5434SH1W Wood | \$ 3161 | 10½ | 53⅞ | 34⅞ | — | — | 64 lbs. | 3.5 |
| | 11N5434SH1LW Laminate Shelves, Wood Wall | 3161 | 10½ | 53⅞ | 34⅞ | — | — | 64 lbs. | 3.5 |
| | 11N5434SH1L Laminate | 2178 | 10½ | 53⅞ | 34⅞ | — | — | 64 lbs. | 3.5 |
| | 11N5434SH1WL Wood Shelves, Laminate Wall | 3161 | 10½ | 53⅞ | 34⅞ | — | — | 64 lbs. | 3.5 |
| | 11N6034SH1W Wood | \$ 3477 | 10½ | 59⅞ | 34⅞ | — | — | 71 lbs. | 3.9 |
| | 11N6034SH1LW Laminate Shelves, Wood Wall | 3477 | 10½ | 59⅞ | 34⅞ | — | — | 71 lbs. | 3.9 |
| | 11N6034SH1L Laminate | 2397 | 10½ | 59⅞ | 34⅞ | — | — | 71 lbs. | 3.9 |
| | 11N6034SH1WL Wood Shelves, Laminate Wall | 3477 | 10½ | 59⅞ | 34⅞ | — | — | 71 lbs. | 3.9 |

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH2W MH
11N3634SH2LW 462 CW
11N3634SH2L 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--|---|------------|------------|-----|-----|---|----|-----------------|------------|
| | | | D | W | H | A | KW | | |
| ORGANIZER SHELF INSERTS (CONTINUED) | 34"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | |
| | 11N3634SH2W Wood | \$ 2582 | 10½ | 35⅝ | 34⅝ | — | — | 47 lbs. | 3.1 |
| | 11N3634SH2LW Laminate Shelves, Wood Wall | 2582 | 10½ | 35⅝ | 34⅝ | — | — | 47 lbs. | 3.1 |
| | 11N3634SH2L Laminate | 1784 | 10½ | 35⅝ | 34⅝ | — | — | 47 lbs. | 3.1 |
| | 11N3634SH2WL Wood Shelves, Laminate Wall | 2582 | 10½ | 35⅝ | 34⅝ | — | — | 47 lbs. | 3.1 |
| | 11N4234SH2W Wood | \$ 2583 | 10½ | 41⅞ | 34⅝ | — | — | 53 lbs. | 3.3 |
| | 11N4234SH2LW Laminate Shelves, Wood Wall | 2583 | 10½ | 41⅞ | 34⅝ | — | — | 53 lbs. | 3.3 |
| | 11N4234SH2L Laminate | 1785 | 10½ | 41⅞ | 34⅝ | — | — | 53 lbs. | 3.3 |
| | 11N4234SH2WL Wood Shelves, Laminate Wall | 2583 | 10½ | 41⅞ | 34⅝ | — | — | 53 lbs. | 3.3 |
| | 11N4834SH2W Wood | \$ 2872 | 10½ | 47⅞ | 34⅝ | — | — | 58 lbs. | 3.5 |
| | 11N4834SH2LW Laminate Shelves, Wood Wall | 2872 | 10½ | 47⅞ | 34⅝ | — | — | 58 lbs. | 3.5 |
| | 11N4834SH2L Laminate | 1980 | 10½ | 47⅞ | 34⅝ | — | — | 58 lbs. | 3.5 |
| | 11N4834SH2WL Wood Shelves, Laminate Wall | 2872 | 10½ | 47⅞ | 34⅝ | — | — | 58 lbs. | 3.5 |
| | 11N5434SH2W Wood | \$ 3161 | 10½ | 53⅞ | 34⅝ | — | — | 64 lbs. | 3.5 |
| | 11N5434SH2LW Laminate Shelves, Wood Wall | 3161 | 10½ | 53⅞ | 34⅝ | — | — | 64 lbs. | 3.5 |
| | 11N5434SH2L Laminate | 2178 | 10½ | 53⅞ | 34⅝ | — | — | 64 lbs. | 3.5 |
| | 11N5434SH2WL Wood Shelves, Laminate Wall | 3161 | 10½ | 53⅞ | 34⅝ | — | — | 64 lbs. | 3.5 |
| | 11N6034SH2W Wood | \$ 3477 | 10½ | 59⅞ | 34⅝ | — | — | 71 lbs. | 3.9 |
| | 11N6034SH2LW Laminate Shelves, Wood Wall | 3477 | 10½ | 59⅞ | 34⅝ | — | — | 71 lbs. | 3.9 |
| | 11N6034SH2L Laminate | 2397 | 10½ | 59⅞ | 34⅝ | — | — | 71 lbs. | 3.9 |
| | 11N6034SH2WL Wood Shelves, Laminate Wall | 3477 | 10½ | 59⅞ | 34⅝ | — | — | 71 lbs. | 3.9 |

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH3W MH
11N3634SH3LW 462 CW
11N3634SH3L 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--|---|------------|------------|-----|-----|---|----|-----------------|------------|
| | | | D | W | H | A | KW | | |
| ORGANIZER SHELF INSERTS (CONTINUED) | 34"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | |
| | 11N3634SH3W Wood | \$ 2198 | 10½ | 35⅞ | 34⅞ | — | — | 41 lbs. | 3.3 |
| | 11N3634SH3LW Laminate Shelves, Wood Wall | 2198 | 10½ | 35⅞ | 34⅞ | — | — | 41 lbs. | 3.3 |
| | 11N3634SH3L Laminate | 1516 | 10½ | 35⅞ | 34⅞ | — | — | 41 lbs. | 3.3 |
| | 11N3634SH3WL Wood Shelves, Laminate Wall | 2198 | 10½ | 35⅞ | 34⅞ | — | — | 41 lbs. | 3.3 |
| | 11N4234SH3W Wood | \$ 2199 | 10½ | 41⅞ | 34⅞ | — | — | 48 lbs. | 3.8 |
| | 11N4234SH3LW Laminate Shelves, Wood Wall | 2199 | 10½ | 41⅞ | 34⅞ | — | — | 48 lbs. | 3.8 |
| | 11N4234SH3L Laminate | 1517 | 10½ | 41⅞ | 34⅞ | — | — | 48 lbs. | 3.8 |
| | 11N4234SH3WL Wood Shelves, Laminate Wall | 2199 | 10½ | 41⅞ | 34⅞ | — | — | 48 lbs. | 3.8 |
| | 11N4834SH3W Wood | \$ 2442 | 10½ | 47⅞ | 34⅞ | — | — | 54 lbs. | 4.3 |
| | 11N4834SH3LW Laminate Shelves, Wood Wall | 2442 | 10½ | 47⅞ | 34⅞ | — | — | 54 lbs. | 4.3 |
| | 11N4834SH3L Laminate | 1684 | 10½ | 47⅞ | 34⅞ | — | — | 54 lbs. | 4.3 |
| | 11N4834SH3WL Wood Shelves, Laminate Wall | 2442 | 10½ | 47⅞ | 34⅞ | — | — | 54 lbs. | 4.3 |
| | 11N5434SH3W Wood | \$ 2685 | 10½ | 53⅞ | 34⅞ | — | — | 59 lbs. | 4.8 |
| | 11N5434SH3LW Laminate Shelves, Wood Wall | 2685 | 10½ | 53⅞ | 34⅞ | — | — | 59 lbs. | 4.8 |
| | 11N5434SH3L Laminate | 1855 | 10½ | 53⅞ | 34⅞ | — | — | 59 lbs. | 4.8 |
| | 11N5434SH3WL Wood Shelves, Laminate Wall | 2685 | 10½ | 53⅞ | 34⅞ | — | — | 59 lbs. | 4.8 |
| | 11N6034SH3W Wood | \$ 2955 | 10½ | 59⅞ | 34⅞ | — | — | 66 lbs. | 5.3 |
| | 11N6034SH3LW Laminate Shelves, Wood Wall | 2955 | 10½ | 59⅞ | 34⅞ | — | — | 66 lbs. | 5.3 |
| | 11N6034SH3L Laminate | 2041 | 10½ | 59⅞ | 34⅞ | — | — | 66 lbs. | 5.3 |
| | 11N6034SH3WL Wood Shelves, Laminate Wall | 2955 | 10½ | 59⅞ | 34⅞ | — | — | 66 lbs. | 5.3 |

- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:


11N3634SH4W MH
11N3634SH4W 462 CW
11N3634SH4L 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--|--|-----------------------------|------------|------------|-----|-----|---|----|-----------------|------------|
| | | | | D | W | H | A | KW | | |
| <div>ORGANIZER SHELF INSERTS (CONTINUED)</div>  | 34"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | |
| | 11N3634SH4W | Wood | \$ 2248 | 10½ | 35⅝ | 34⅝ | — | — | 49 lbs. | 3.3 |
| | 11N3634SH4LW | Laminate Shelves, Wood Wall | 2248 | 10½ | 35⅝ | 34⅝ | — | — | 49 lbs. | 3.3 |
| | 11N3634SH4L | Laminate | 1549 | 10½ | 35⅝ | 34⅝ | — | — | 49 lbs. | 3.3 |
| | 11N3634SH4WL | Wood Shelves, Laminate Wall | 2248 | 10½ | 35⅝ | 34⅝ | — | — | 49 lbs. | 3.3 |
| | | | | | | | | | | |
| | 11N4234SH4W | Wood | \$ 2250 | 10½ | 41⅝ | 34⅝ | — | — | 57 lbs. | 3.8 |
| | 11N4234SH4LW | Laminate Shelves, Wood Wall | 2250 | 10½ | 41⅝ | 34⅝ | — | — | 57 lbs. | 3.8 |
| | 11N4234SH4L | Laminate | 1551 | 10½ | 41⅝ | 34⅝ | — | — | 57 lbs. | 3.8 |
| | 11N4234SH4WL | Wood Shelves, Laminate Wall | 2250 | 10½ | 41⅝ | 34⅝ | — | — | 57 lbs. | 3.8 |
| | | | | | | | | | | |
| | 11N4834SH4W | Wood | \$ 2498 | 10½ | 47⅝ | 34⅝ | — | — | 65 lbs. | 4.3 |
| | 11N4834SH4LW | Laminate Shelves, Wood Wall | 2498 | 10½ | 47⅝ | 34⅝ | — | — | 65 lbs. | 4.3 |
| | 11N4834SH4L | Laminate | 1724 | 10½ | 47⅝ | 34⅝ | — | — | 65 lbs. | 4.3 |
| | 11N4834SH4WL | Wood Shelves, Laminate Wall | 2498 | 10½ | 47⅝ | 34⅝ | — | — | 65 lbs. | 4.3 |
| | | | | | | | | | | |
| | 11N5434SH4W | Wood | \$ 2751 | 10½ | 53⅝ | 34⅝ | — | — | 73 lbs. | 4.8 |
| | 11N5434SH4LW | Laminate Shelves, Wood Wall | 2751 | 10½ | 53⅝ | 34⅝ | — | — | 73 lbs. | 4.8 |
| | 11N5434SH4L | Laminate | 1896 | 10½ | 53⅝ | 34⅝ | — | — | 73 lbs. | 4.8 |
| | 11N5434SH4WL | Wood Shelves, Laminate Wall | 2751 | 10½ | 53⅝ | 34⅝ | — | — | 73 lbs. | 4.8 |
| | | | | | | | | | | |
| | 11N6034SH4W | Wood | \$ 3025 | 10½ | 59⅝ | 34⅝ | — | — | 81 lbs. | 5.3 |
| | 11N6034SH4LW | Laminate Shelves, Wood Wall | 3025 | 10½ | 59⅝ | 34⅝ | — | — | 81 lbs. | 5.3 |
| | 11N6034SH4L | Laminate | 2086 | 10½ | 59⅝ | 34⅝ | — | — | 81 lbs. | 5.3 |
| | 11N6034SH4WL | Wood Shelves, Laminate Wall | 3025 | 10½ | 59⅝ | 34⅝ | — | — | 81 lbs. | 5.3 |



- Some assembly required
- "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH6W MH
11N3634SH6LW 462 CW
11N3634SH6L 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--|---|------------|------------|-----|-----|---|----|-----------------|------------|
| | | | D | W | H | A | KW | | |
| ORGANIZER SHELF INSERTS (CONTINUED) | 34"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | |
| | 11N3634SH6W Wood | \$ 2198 | 10½ | 35⅞ | 34⅞ | — | — | 41 lbs. | 3.3 |
| | 11N3634SH6LW Laminate Shelves, Wood Wall | 2198 | 10½ | 35⅞ | 34⅞ | — | — | 41 lbs. | 3.3 |
| | 11N3634SH6L Laminate | 1516 | 10½ | 35⅞ | 34⅞ | — | — | 41 lbs. | 3.3 |
| | 11N3634SH6WL Wood Shelves, Laminate Wall | 2198 | 10½ | 35⅞ | 34⅞ | — | — | 41 lbs. | 3.3 |
| | 11N4234SH6W Wood | \$ 2199 | 10½ | 41⅞ | 34⅞ | — | — | 48 lbs. | 3.8 |
| | 11N4234SH6LW Laminate Shelves, Wood Wall | 2199 | 10½ | 41⅞ | 34⅞ | — | — | 48 lbs. | 3.8 |
| | 11N4234SH6L Laminate | 1517 | 10½ | 41⅞ | 34⅞ | — | — | 48 lbs. | 3.8 |
| | 11N4234SH6WL Wood Shelves, Laminate Wall | 2199 | 10½ | 41⅞ | 34⅞ | — | — | 48 lbs. | 3.8 |
| | 11N4834SH6W Wood | \$ 2442 | 10½ | 47⅞ | 34⅞ | — | — | 54 lbs. | 4.3 |
| | 11N4834SH6LW Laminate Shelves, Wood Wall | 2442 | 10½ | 47⅞ | 34⅞ | — | — | 54 lbs. | 4.3 |
| | 11N4834SH6L Laminate | 1684 | 10½ | 47⅞ | 34⅞ | — | — | 54 lbs. | 4.3 |
| | 11N4834SH6WL Wood Shelves, Laminate Wall | 2442 | 10½ | 47⅞ | 34⅞ | — | — | 54 lbs. | 4.3 |
| | 11N5434SH6W Wood | \$ 2685 | 10½ | 53⅞ | 34⅞ | — | — | 59 lbs. | 4.8 |
| | 11N5434SH6LW Laminate Shelves, Wood Wall | 2685 | 10½ | 53⅞ | 34⅞ | — | — | 59 lbs. | 4.8 |
| | 11N5434SH6L Laminate | 1855 | 10½ | 53⅞ | 34⅞ | — | — | 59 lbs. | 4.8 |
| | 11N5434SH6WL Wood Shelves, Laminate Wall | 2685 | 10½ | 53⅞ | 34⅞ | — | — | 59 lbs. | 4.8 |
| | 11N6034SH6W Wood | \$ 2955 | 10½ | 59⅞ | 34⅞ | — | — | 66 lbs. | 5.3 |
| | 11N6034SH6LW Laminate Shelves, Wood Wall | 2955 | 10½ | 59⅞ | 34⅞ | — | — | 66 lbs. | 5.3 |
| | 11N6034SH6L Laminate | 2041 | 10½ | 59⅞ | 34⅞ | — | — | 66 lbs. | 5.3 |
| | 11N6034SH6WL Wood Shelves, Laminate Wall | 2955 | 10½ | 59⅞ | 34⅞ | — | — | 66 lbs. | 5.3 |

- Some assembly required
- "SH6" 34" high models have 1 shelf that aligns with the bottom of a metal overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color


SAMPLE MODEL NUMBERS:

11N3636SH2W MH
11N3636SH2LW 462 CW
11N3636SH2L 405 478

- See pages 277-278 for all options available in Exhibit



| ORGANIZER SHELF INSERTS (CONTINUED) | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|--|--|------------|------------|-----|-----|---|----|-----------------|------------|--|
| | | | D | W | H | A | KW | | | |
| COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS | | | | | | | | | | |
| 36"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | | |
| | 11N3636SH2W Wood | \$ 2620 | 10½ | 35½ | 36½ | — | — | 51 lbs. | 3.4 | |
| | 11N3636SH2LW Laminate Shelves, Wood Wall | 2620 | 10½ | 35½ | 36½ | — | — | 51 lbs. | 3.4 | |
| | 11N3636SH2L Laminate | 1804 | 10½ | 35½ | 36½ | — | — | 51 lbs. | 3.4 | |
| | 11N3636SH2WL Wood Shelves, Laminate Wall | 2620 | 10½ | 35½ | 36½ | — | — | 51 lbs. | 3.4 | |
| | 11N4236SH2W Wood | \$ 2624 | 10½ | 41½ | 36½ | — | — | 57 lbs. | 3.6 | |
| | 11N4236SH2LW Laminate Shelves, Wood Wall | 2624 | 10½ | 41½ | 36½ | — | — | 57 lbs. | 3.6 | |
| | 11N4236SH2L Laminate | 1806 | 10½ | 41½ | 36½ | — | — | 57 lbs. | 3.6 | |
| | 11N4236SH2WL Wood Shelves, Laminate Wall | 2624 | 10½ | 41½ | 36½ | — | — | 57 lbs. | 3.6 | |
| | 11N4836SH2W Wood | \$ 2915 | 10½ | 47½ | 36½ | — | — | 62 lbs. | 3.9 | |
| | 11N4836SH2LW Laminate Shelves, Wood Wall | 2915 | 10½ | 47½ | 36½ | — | — | 62 lbs. | 3.9 | |
| | 11N4836SH2L Laminate | 2010 | 10½ | 47½ | 36½ | — | — | 62 lbs. | 3.9 | |
| | 11N4836SH2WL Wood Shelves, Laminate Wall | 2915 | 10½ | 47½ | 36½ | — | — | 62 lbs. | 3.9 | |
| | 11N5436SH2W Wood | \$ 3205 | 10½ | 53½ | 36½ | — | — | 68 lbs. | 4.1 | |
| | 11N5436SH2LW Laminate Shelves, Wood Wall | 3205 | 10½ | 53½ | 36½ | — | — | 68 lbs. | 4.1 | |
| | 11N5436SH2L Laminate | 2211 | 10½ | 53½ | 36½ | — | — | 68 lbs. | 4.1 | |
| | 11N5436SH2WL Wood Shelves, Laminate Wall | 3205 | 10½ | 53½ | 36½ | — | — | 68 lbs. | 4.1 | |
| | 11N6036SH2W Wood | \$ 3527 | 10½ | 59½ | 36½ | — | — | 74 lbs. | 4.3 | |
| | 11N6036SH2LW Laminate Shelves, Wood Wall | 3527 | 10½ | 59½ | 36½ | — | — | 74 lbs. | 4.3 | |
| | 11N6036SH2L Laminate | 2432 | 10½ | 59½ | 36½ | — | — | 74 lbs. | 4.3 | |
| | 11N6036SH2WL Wood Shelves, Laminate Wall | 3527 | 10½ | 59½ | 36½ | — | — | 74 lbs. | 4.3 | |



- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color


SAMPLE MODEL NUMBERS:

11N3636SH3W MH
11N3636SH3LW 462 CW
11N3636SH3L 405 478

- See pages 277-278 for all options available in Exhibit



| ORGANIZER SHELF INSERTS (CONTINUED) | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | A | KW | CARTONED WEIGHT | CUBIC FEET |
|---|--|------------|------------|-----|-----|---|----|-----------------|------------|
| | | | D | W | H | | | | |
| COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | |
| | 11N3636SH3W Wood | \$ 2225 | 10½ | 35½ | 36½ | — | — | 43 lbs. | 3.5 |
| | 11N3636SH3LW Laminate Shelves, Wood Wall | 2225 | 10½ | 35½ | 36½ | — | — | 43 lbs. | 3.5 |
| | 11N3636SH3L Laminate | 1535 | 10½ | 35½ | 36½ | — | — | 43 lbs. | 3.5 |
| | 11N3636SH3WL Wood Shelves, Laminate Wall | 2225 | 10½ | 35½ | 36½ | — | — | 43 lbs. | 3.5 |
| | 11N4236SH3W Wood | \$ 2230 | 10½ | 41½ | 36½ | — | — | 49 lbs. | 4.1 |
| | 11N4236SH3LW Laminate Shelves, Wood Wall | 2230 | 10½ | 41½ | 36½ | — | — | 49 lbs. | 4.1 |
| | 11N4236SH3L Laminate | 1538 | 10½ | 41½ | 36½ | — | — | 49 lbs. | 4.1 |
| | 11N4236SH3WL Wood Shelves, Laminate Wall | 2230 | 10½ | 41½ | 36½ | — | — | 49 lbs. | 4.1 |
| | 11N4836SH3W Wood | \$ 2477 | 10½ | 47½ | 36½ | — | — | 56 lbs. | 4.6 |
| | 11N4836SH3LW Laminate Shelves, Wood Wall | 2477 | 10½ | 47½ | 36½ | — | — | 56 lbs. | 4.6 |
| | 11N4836SH3L Laminate | 1708 | 10½ | 47½ | 36½ | — | — | 56 lbs. | 4.6 |
| | 11N4836SH3WL Wood Shelves, Laminate Wall | 2477 | 10½ | 47½ | 36½ | — | — | 56 lbs. | 4.6 |
| | 11N5436SH3W Wood | \$ 2726 | 10½ | 53½ | 36½ | — | — | 63 lbs. | 5.1 |
| | 11N5436SH3LW Laminate Shelves, Wood Wall | 2726 | 10½ | 53½ | 36½ | — | — | 63 lbs. | 5.1 |
| | 11N5436SH3L Laminate | 1880 | 10½ | 53½ | 36½ | — | — | 63 lbs. | 5.1 |
| | 11N5436SH3WL Wood Shelves, Laminate Wall | 2726 | 10½ | 53½ | 36½ | — | — | 63 lbs. | 5.1 |
| | 11N6036SH3W Wood | \$ 2996 | 10½ | 59½ | 36½ | — | — | 69 lbs. | 5.6 |
| | 11N6036SH3LW Laminate Shelves, Wood Wall | 2996 | 10½ | 59½ | 36½ | — | — | 69 lbs. | 5.6 |
| | 11N6036SH3L Laminate | 2068 | 10½ | 59½ | 36½ | — | — | 69 lbs. | 5.6 |
| | 11N6036SH3WL Wood Shelves, Laminate Wall | 2996 | 10½ | 59½ | 36½ | — | — | 69 lbs. | 5.6 |



- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color


SAMPLE MODEL NUMBERS:

11N3636SH4W MH
11N3636SH4LW 462 CW
11N3636SH4L 405 478

- See pages 277-278 for all options available in Exhibit



| ORGANIZER SHELF INSERTS (CONTINUED) | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|--|--|------------|------------|-----|-----|---|----|-----------------|------------|--|
| | | | D | W | H | A | KW | | | |
| COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS | | | | | | | | | | |
| 36"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | | |
| | 11N3636SH4W Wood | \$ 2277 | 10½ | 35½ | 36½ | — | — | 51 lbs. | 3.5 | |
| | 11N3636SH4LW Laminate Shelves, Wood Wall | 2277 | 10½ | 35½ | 36½ | — | — | 51 lbs. | 3.5 | |
| | 11N3636SH4L Laminate | 1572 | 10½ | 35½ | 36½ | — | — | 51 lbs. | 3.5 | |
| | 11N3636SH4WL Wood Shelves, Laminate Wall | 2277 | 10½ | 35½ | 36½ | — | — | 51 lbs. | 3.5 | |
| | 11N4236SH4W Wood | \$ 2283 | 10½ | 41½ | 36½ | — | — | 59 lbs. | 4.1 | |
| | 11N4236SH4LW Laminate Shelves, Wood Wall | 2283 | 10½ | 41½ | 36½ | — | — | 59 lbs. | 4.1 | |
| | 11N4236SH4L Laminate | 1575 | 10½ | 41½ | 36½ | — | — | 59 lbs. | 4.1 | |
| | 11N4236SH4WL Wood Shelves, Laminate Wall | 2283 | 10½ | 41½ | 36½ | — | — | 59 lbs. | 4.1 | |
| | 11N4836SH4W Wood | \$ 2536 | 10½ | 47½ | 36½ | — | — | 68 lbs. | 4.6 | |
| | 11N4836SH4LW Laminate Shelves, Wood Wall | 2536 | 10½ | 47½ | 36½ | — | — | 68 lbs. | 4.6 | |
| | 11N4836SH4L Laminate | 1749 | 10½ | 47½ | 36½ | — | — | 68 lbs. | 4.6 | |
| | 11N4836SH4WL Wood Shelves, Laminate Wall | 2536 | 10½ | 47½ | 36½ | — | — | 68 lbs. | 4.6 | |
| | 11N5436SH4W Wood | \$ 2790 | 10½ | 53½ | 36½ | — | — | 76 lbs. | 5.1 | |
| | 11N5436SH4LW Laminate Shelves, Wood Wall | 2790 | 10½ | 53½ | 36½ | — | — | 76 lbs. | 5.1 | |
| | 11N5436SH4L Laminate | 1926 | 10½ | 53½ | 36½ | — | — | 76 lbs. | 5.1 | |
| | 11N5436SH4WL Wood Shelves, Laminate Wall | 2790 | 10½ | 53½ | 36½ | — | — | 76 lbs. | 5.1 | |
| | 11N6036SH4W Wood | \$ 3069 | 10½ | 59½ | 36½ | — | — | 85 lbs. | 5.6 | |
| | 11N6036SH4LW Laminate Shelves, Wood Wall | 3069 | 10½ | 59½ | 36½ | — | — | 85 lbs. | 5.6 | |
| | 11N6036SH4L Laminate | 2116 | 10½ | 59½ | 36½ | — | — | 85 lbs. | 5.6 | |
| | 11N6036SH4WL Wood Shelves, Laminate Wall | 3069 | 10½ | 59½ | 36½ | — | — | 85 lbs. | 5.6 | |



- Some assembly required
- "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH6W A MH
11N3636SH6LW A 462 CW
11N3636SH6L A 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | | LIST PRICE | DIMENSIONS | | | D | W | H | A | KW | CARTONED WEIGHT | CUBIC FEET |
|---|--|-----------------------------|------------|------------|-----|----|---|---|---|---|----|-----------------|------------|
| ORGANIZER SHELF INSERTS (CONTINUED) | COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS | | | | | | | | | | | | |
| | 36"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | | | | |
|  | 11N3636SH6W | Wood | \$ 2225 | 10½ | 35½ | 36 | — | — | | | | 43 lbs. | 3.5 |
| | 11N3636SH6LW | Laminate Shelves, Wood Wall | 2225 | 10½ | 35½ | 36 | — | — | | | | 43 lbs. | 3.5 |
| | 11N3636SH6L | Laminate | 1535 | 10½ | 35½ | 36 | — | — | | | | 43 lbs. | 3.5 |
| | 11N3636SH6WL | Wood Shelves, Laminate Wall | 2225 | 10½ | 35½ | 36 | — | — | | | | 49 lbs. | 3.5 |
| | | | | | | | | | | | | | |
| | 11N4236SH6W | Wood | \$ 2230 | 10½ | 41½ | 36 | — | — | | | | 49 lbs. | 4.1 |
| | 11N4236SH6LW | Laminate Shelves, Wood Wall | 2230 | 10½ | 41½ | 36 | — | — | | | | 49 lbs. | 4.1 |
| | 11N4236SH6L | Laminate | 1538 | 10½ | 41½ | 36 | — | — | | | | 49 lbs. | 4.1 |
| | 11N4236SH6WL | Wood Shelves, Laminate Wall | 2230 | 10½ | 41½ | 36 | — | — | | | | 49 lbs. | 4.1 |
| | | | | | | | | | | | | | |
| | 11N4836SH6W | Wood | \$ 2477 | 10½ | 47½ | 36 | — | — | | | | 56 lbs. | 4.6 |
| | 11N4836SH6LW | Laminate Shelves, Wood Wall | 2477 | 10½ | 47½ | 36 | — | — | | | | 56 lbs. | 4.6 |
| | 11N4836SH6L | Laminate | 1708 | 10½ | 47½ | 36 | — | — | | | | 56 lbs. | 4.6 |
| | 11N4836SH6WL | Wood Shelves, Laminate Wall | 2477 | 10½ | 47½ | 36 | — | — | | | | 56 lbs. | 4.6 |
| | | | | | | | | | | | | | |
| | 11N5436SH6W | Wood | \$ 2726 | 10½ | 53 | 36 | — | — | | | | 63 lbs. | 5.1 |
| | 11N5436SH6LW | Laminate Shelves, Wood Wall | 2726 | 10½ | 53 | 36 | — | — | | | | 63 lbs. | 5.1 |
| | 11N5436SH6L | Laminate | 1880 | 10½ | 53 | 36 | — | — | | | | 63 lbs. | 5.1 |
| | 11N5436SH6WL | Wood Shelves, Laminate Wall | 2726 | 10½ | 53 | 36 | — | — | | | | 63 lbs. | 5.1 |
| | | | | | | | | | | | | | |
| | 11N6036SH6W | Wood | \$ 2996 | 10½ | 59½ | 36 | — | — | | | | 69 lbs. | 5.6 |
| | 11N6036SH6LW | Laminate Shelves, Wood Wall | 2996 | 10½ | 59½ | 36 | — | — | | | | 69 lbs. | 5.6 |
| | 11N6036SH6L | Laminate | 2068 | 10½ | 59½ | 36 | — | — | | | | 69 lbs. | 5.6 |
| | 11N6036SH6WL | Wood Shelves, Laminate Wall | 2996 | 10½ | 59½ | 36 | — | — | | | | 69 lbs. | 5.6 |

- Some assembly required
- "SH6" 36"/37" high models have 1 shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color


SAMPLE MODEL NUMBERS:

11N3637SH1W MH
11N3637SH1LW 462 CW
11N3637SH1L 405 478

- See pages 277-278 for all options available in Exhibit



| ORGANIZER SHELF INSERTS (CONTINUED) | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|--|--|------------|------------|-----|----|---|----|-----------------|------------|--|
| | | | D | W | H | A | KW | | | |
| COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS | | | | | | | | | | |
| | 11N3637SH1W Wood | \$ 2620 | 10½ | 35⅞ | 37 | — | — | 51 lbs. | 3.4 | |
| | 11N3637SH1LW Laminate Shelves, Wood Wall | 2620 | 10½ | 35⅞ | 37 | — | — | 51 lbs. | 3.4 | |
| | 11N3637SH1L Laminate | 1804 | 10½ | 35⅞ | 37 | — | — | 51 lbs. | 3.4 | |
| | 11N3637SH1WL Wood Shelves, Laminate Wall | 2620 | 10½ | 35⅞ | 37 | — | — | 51 lbs. | 3.4 | |
| | | | | | | | | | | |
| | 11N4237SH1W Wood | \$ 2624 | 10½ | 41⅞ | 37 | — | — | 57 lbs. | 3.6 | |
| | 11N4237SH1LW Laminate Shelves, Wood Wall | 2624 | 10½ | 41⅞ | 37 | — | — | 57 lbs. | 3.6 | |
| | 11N4237SH1L Laminate | 1806 | 10½ | 41⅞ | 37 | — | — | 57 lbs. | 3.6 | |
| | 11N4237SH1WL Wood Shelves, Laminate Wall | 2624 | 10½ | 41⅞ | 37 | — | — | 57 lbs. | 3.6 | |
| | | | | | | | | | | |
| | 11N4837SH1W Wood | \$ 2915 | 10½ | 47⅞ | 37 | — | — | 62 lbs. | 3.9 | |
| | 11N4837SH1LW Laminate Shelves, Wood Wall | 2915 | 10½ | 47⅞ | 37 | — | — | 62 lbs. | 3.9 | |
| | 11N4837SH1L Laminate | 2010 | 10½ | 47⅞ | 37 | — | — | 62 lbs. | 3.9 | |
| | 11N4837SH1WL Wood Shelves, Laminate Wall | 2915 | 10½ | 47⅞ | 37 | — | — | 62 lbs. | 3.9 | |
| | | | | | | | | | | |
| | 11N5437SH1W Wood | \$ 3205 | 10½ | 53⅞ | 37 | — | — | 68 lbs. | 4.1 | |
| | 11N5437SH1LW Laminate Shelves, Wood Wall | 3205 | 10½ | 53⅞ | 37 | — | — | 68 lbs. | 4.1 | |
| | 11N5437SH1L Laminate | 2211 | 10½ | 53⅞ | 37 | — | — | 68 lbs. | 4.1 | |
| | 11N5437SH1WL Wood Shelves, Laminate Wall | 3205 | 10½ | 53⅞ | 37 | — | — | 68 lbs. | 4.1 | |
| | | | | | | | | | | |
| | 11N6037SH1W Wood | \$ 3527 | 10½ | 59⅞ | 37 | — | — | 74 lbs. | 4.3 | |
| | 11N6037SH1LW Laminate Shelves, Wood Wall | 3527 | 10½ | 59⅞ | 37 | — | — | 74 lbs. | 4.3 | |
| | 11N6037SH1L Laminate | 2432 | 10½ | 59⅞ | 37 | — | — | 74 lbs. | 4.3 | |
| | 11N6037SH1WL Wood Shelves, Laminate Wall | 3527 | 10½ | 59⅞ | 37 | — | — | 74 lbs. | 4.3 | |



- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH3W MH
11N3637SH3LW 462 CW
11N3637SH3L 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|---|--|-----------------------------|------------|-----|-----|----|----|-----------------|------------|-----|
| | | | D | W | H | A | KW | | | |
| <div>ORGANIZER SHELF INSERTS (CONTINUED)</div>  | COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | |
| | 11N3637SH3W | Wood | \$ 2225 | 10½ | 35⅞ | 37 | — | — | 43 lbs. | 3.6 |
| | 11N3637SH3LW | Laminate Shelves, Wood Wall | 2225 | 10½ | 35⅞ | 37 | — | — | 43 lbs. | 3.6 |
| | 11N3637SH3L | Laminate | 1535 | 10½ | 35⅞ | 37 | — | — | 43 lbs. | 3.6 |
| | 11N3637SH3WL | Wood Shelves, Laminate Wall | 2225 | 10½ | 35⅞ | 37 | — | — | 43 lbs. | 3.6 |
| | | | | | | | | | | |
| | 11N4237SH3W | Wood | \$ 2230 | 10½ | 41⅞ | 37 | — | — | 50 lbs. | 4.1 |
| | 11N4237SH3LW | Laminate Shelves, Wood Wall | 2230 | 10½ | 41⅞ | 37 | — | — | 50 lbs. | 4.1 |
| | 11N4237SH3L | Laminate | 1538 | 10½ | 41⅞ | 37 | — | — | 50 lbs. | 4.1 |
| | 11N4237SH3WL | Wood Shelves, Laminate Wall | 2230 | 10½ | 41⅞ | 37 | — | — | 50 lbs. | 4.1 |
| | | | | | | | | | | |
| | 11N4837SH3W | Wood | \$ 2477 | 10½ | 47⅞ | 37 | — | — | 56 lbs. | 4.6 |
| | 11N4837SH3LW | Laminate Shelves, Wood Wall | 2477 | 10½ | 47⅞ | 37 | — | — | 56 lbs. | 4.6 |
| | 11N4837SH3L | Laminate | 1708 | 10½ | 47⅞ | 37 | — | — | 56 lbs. | 4.6 |
| | 11N4837SH3WL | Wood Shelves, Laminate Wall | 2477 | 10½ | 47⅞ | 37 | — | — | 56 lbs. | 4.6 |
| | | | | | | | | | | |
| | 11N5437SH3W | Wood | \$ 2726 | 10½ | 53⅞ | 37 | — | — | 63 lbs. | 5.1 |
| | 11N5437SH3LW | Laminate Shelves, Wood Wall | 2726 | 10½ | 53⅞ | 37 | — | — | 63 lbs. | 5.1 |
| | 11N5437SH3L | Laminate | 1880 | 10½ | 53⅞ | 37 | — | — | 63 lbs. | 5.1 |
| | 11N5437SH3WL | Wood Shelves, Laminate Wall | 2726 | 10½ | 53⅞ | 37 | — | — | 63 lbs. | 5.1 |
| | | | | | | | | | | |
| | 11N6037SH3W | Wood | \$ 2996 | 10½ | 59⅞ | 37 | — | — | 70 lbs. | 5.7 |
| | 11N6037SH3LW | Laminate Shelves, Wood Wall | 2996 | 10½ | 59⅞ | 37 | — | — | 70 lbs. | 5.7 |
| | 11N6037SH3L | Laminate | 2068 | 10½ | 59⅞ | 37 | — | — | 70 lbs. | 5.7 |
| | 11N6037SH3WL | Wood Shelves, Laminate Wall | 2996 | 10½ | 59⅞ | 37 | — | — | 70 lbs. | 5.7 |



- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH4W MH
11N3637SH4LW 462 CW
11N3637SH4L 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | D | W | H | A | KW | CARTONED WEIGHT | CUBIC FEET |
|---|---|------------|-----|-----|----|---|----|-----------------|------------|
| ORGANIZER SHELF INSERTS (CONTINUED)  | COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | |
| | 11N3637SH4W Wood | \$ 2277 | 10½ | 35⅞ | 37 | — | — | 51 lbs. | 3.6 |
| | 11N3637SH4LW Laminate Shelves, Wood Wall | 2277 | 10½ | 35⅞ | 37 | — | — | 51 lbs. | 3.6 |
| | 11N3637SH4L Laminate | 1572 | 10½ | 35⅞ | 37 | — | — | 51 lbs. | 3.6 |
| | 11N3637SH4WL Wood Shelves, Laminate Wall | 2277 | 10½ | 35⅞ | 37 | — | — | 51 lbs. | 3.6 |
| | 11N4237SH4W Wood | \$ 2283 | 10½ | 41⅞ | 37 | — | — | 60 lbs. | 4.1 |
| | 11N4237SH4LW Laminate Shelves, Wood Wall | 2283 | 10½ | 41⅞ | 37 | — | — | 60 lbs. | 4.1 |
| | 11N4237SH4L Laminate | 1575 | 10½ | 41⅞ | 37 | — | — | 60 lbs. | 4.1 |
| | 11N4237SH4WL Wood Shelves, Laminate Wall | 2283 | 10½ | 41⅞ | 37 | — | — | 60 lbs. | 4.1 |
| | 11N4837SH4W Wood | \$ 2536 | 10½ | 47⅞ | 37 | — | — | 68 lbs. | 4.6 |
| | 11N4837SH4LW Laminate Shelves, Wood Wall | 2536 | 10½ | 47⅞ | 37 | — | — | 68 lbs. | 4.6 |
| | 11N4837SH4L Laminate | 1749 | 10½ | 47⅞ | 37 | — | — | 68 lbs. | 4.6 |
| | 11N4837SH4WL Wood Shelves, Laminate Wall | 2536 | 10½ | 47⅞ | 37 | — | — | 68 lbs. | 4.6 |
| | 11N5437SH4W Wood | \$ 2790 | 10½ | 53⅞ | 37 | — | — | 77 lbs. | 5.1 |
| | 11N5437SH4LW Laminate Shelves, Wood Wall | 2790 | 10½ | 53⅞ | 37 | — | — | 77 lbs. | 5.1 |
| | 11N5437SH4L Laminate | 1926 | 10½ | 53⅞ | 37 | — | — | 77 lbs. | 5.1 |
| | 11N5437SH4WL Wood Shelves, Laminate Wall | 2790 | 10½ | 53⅞ | 37 | — | — | 77 lbs. | 5.1 |
| | 11N6037SH4W Wood | \$ 3069 | 10½ | 59⅞ | 37 | — | — | 85 lbs. | 5.7 |
| | 11N6037SH4LW Laminate Shelves, Wood Wall | 3069 | 10½ | 59⅞ | 37 | — | — | 85 lbs. | 5.7 |
| | 11N6037SH4L Laminate | 2116 | 10½ | 59⅞ | 37 | — | — | 85 lbs. | 5.7 |
| | 11N6037SH4WL Wood Shelves, Laminate Wall | 3069 | 10½ | 59⅞ | 37 | — | — | 85 lbs. | 5.7 |
| | <ul style="list-style-type: none"> Some assembly required "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves Each horizontal shelf has a 50 lb. maximum limit | | | | | | | | |



EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH6W A MH
11N3637SH6LW A 462 CW
11N3637SH6L A 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | A | KW | CARTONED WEIGHT | CUBIC FEET | |
|--|---|-----------------------------|------------|-----|-----|----|----|-----------------|------------|-----|
| | | | D | W | H | | | | | |
|  | COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | |
| | 11N3637SH6W | Wood | \$ 2225 | 10½ | 35½ | 37 | — | — | 43 lbs. | 3.6 |
| | 11N3637SH6LW | Laminate Shelves, Wood Wall | 2225 | 10½ | 35½ | 37 | — | — | 43 lbs. | 3.6 |
| | 11N3637SH6L | Laminate | 1535 | 10½ | 35½ | 37 | — | — | 43 lbs. | 3.6 |
| | 11N3637SH6WL | Wood Shelves, Laminate Wall | 2225 | 10½ | 35½ | 37 | — | — | 43 lbs. | 3.6 |
| | | | | | | | | | | |
| | 11N4237SH6W | Wood | \$ 2230 | 10½ | 41½ | 37 | — | — | 50 lbs. | 4.1 |
| | 11N4237SH6LW | Laminate Shelves, Wood Wall | 2230 | 10½ | 41½ | 37 | — | — | 50 lbs. | 4.1 |
| | 11N4237SH6L | Laminate | 1538 | 10½ | 41½ | 37 | — | — | 50 lbs. | 4.1 |
| | 11N4237SH6WL | Wood Shelves, Laminate Wall | 2230 | 10½ | 41½ | 37 | — | — | 50 lbs. | 4.1 |
| | | | | | | | | | | |
| | 11N4837SH6W | Wood | \$ 2477 | 10½ | 47½ | 37 | — | — | 56 lbs. | 4.6 |
| | 11N4837SH6LW | Laminate Shelves, Wood Wall | 2477 | 10½ | 47½ | 37 | — | — | 56 lbs. | 4.6 |
| | 11N4837SH6L | Laminate | 1708 | 10½ | 47½ | 37 | — | — | 56 lbs. | 4.6 |
| | 11N4837SH6WL | Wood Shelves, Laminate Wall | 2477 | 10½ | 47½ | 37 | — | — | 56 lbs. | 4.6 |
| | | | | | | | | | | |
| | 11N5437SH6W | Wood | \$ 2726 | 10½ | 53½ | 37 | — | — | 63 lbs. | 5.1 |
| | 11N5437SH6LW | Laminate Shelves, Wood Wall | 2726 | 10½ | 53½ | 37 | — | — | 63 lbs. | 5.1 |
| | 11N5437SH6L | Laminate | 1880 | 10½ | 53½ | 37 | — | — | 63 lbs. | 5.1 |
| | 11N5437SH6WL | Wood Shelves, Laminate Wall | 2726 | 10½ | 53½ | 37 | — | — | 63 lbs. | 5.1 |
| | | | | | | | | | | |
| | 11N6037SH6W | Wood | \$ 2996 | 10½ | 59½ | 37 | — | — | 70 lbs. | 5.7 |
| | 11N6037SH6LW | Laminate Shelves, Wood Wall | 2996 | 10½ | 59½ | 37 | — | — | 70 lbs. | 5.7 |
| | 11N6037SH6L | Laminate | 2068 | 10½ | 59½ | 37 | — | — | 70 lbs. | 5.7 |
| | 11N6037SH6WL | Wood Shelves, Laminate Wall | 2996 | 10½ | 59½ | 37 | — | — | 70 lbs. | 5.7 |

- Some assembly required
- "SH6" 36"/37" high models have 1 shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH1W MH
11N3648SH1LW 462 CW
11N3648SH1L 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|---|---|-----------------------------|------------|-----|-----|-----|----|-----------------|------------|-----|
| | | | D | W | H | A | KW | | | |
| <div>ORGANIZER SHELF INSERTS (CONTINUED)</div>  | COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS | | | | | | | | | |
| | 11N3648SH1W | Wood | \$ 3093 | 10½ | 35½ | 48½ | — | — | 69 lbs. | 5.0 |
| | 11N3648SH1LW | Laminate Shelves, Wood Wall | 3093 | 10½ | 35½ | 48½ | — | — | 69 lbs. | 5.0 |
| | 11N3648SH1L | Laminate | 2132 | 10½ | 35½ | 48½ | — | — | 69 lbs. | 5.0 |
| | 11N3648SH1WL | Wood Shelves, Laminate Wall | 3093 | 10½ | 35½ | 48½ | — | — | 69 lbs. | 5.0 |
| | | | | | | | | | | |
| | 11N4248SH1W | Wood | \$ 3098 | 10½ | 41½ | 48½ | — | — | 77 lbs. | 5.2 |
| | 11N4248SH1LW | Laminate Shelves, Wood Wall | 3098 | 10½ | 41½ | 48½ | — | — | 77 lbs. | 5.2 |
| | 11N4248SH1L | Laminate | 2134 | 10½ | 41½ | 48½ | — | — | 77 lbs. | 5.2 |
| | 11N4248SH1WL | Wood Shelves, Laminate Wall | 3098 | 10½ | 41½ | 48½ | — | — | 77 lbs. | 5.2 |
| | | | | | | | | | | |
| | 11N4848SH1W | Wood | \$ 3439 | 10½ | 47½ | 48½ | — | — | 85 lbs. | 5.5 |
| | 11N4848SH1LW | Laminate Shelves, Wood Wall | 3439 | 10½ | 47½ | 48½ | — | — | 85 lbs. | 5.5 |
| | 11N4848SH1L | Laminate | 2371 | 10½ | 47½ | 48½ | — | — | 85 lbs. | 5.5 |
| | 11N4848SH1WL | Wood Shelves, Laminate Wall | 3439 | 10½ | 47½ | 48½ | — | — | 85 lbs. | 5.5 |
| | | | | | | | | | | |
| | 11N5448SH1W | Wood | \$ 3786 | 10½ | 53½ | 48½ | — | — | 93 lbs. | 5.8 |
| | 11N5448SH1LW | Laminate Shelves, Wood Wall | 3786 | 10½ | 53½ | 48½ | — | — | 93 lbs. | 5.8 |
| | 11N5448SH1L | Laminate | 2609 | 10½ | 53½ | 48½ | — | — | 93 lbs. | 5.8 |
| | 11N5448SH1WL | Wood Shelves, Laminate Wall | 3786 | 10½ | 53½ | 48½ | — | — | 93 lbs. | 5.8 |
| | | | | | | | | | | |
| | 11N6048SH1W | Wood | \$ 4160 | 10½ | 59½ | 48½ | — | — | 101 lbs. | 6.1 |
| | 11N6048SH1LW | Laminate Shelves, Wood Wall | 4160 | 10½ | 59½ | 48½ | — | — | 101 lbs. | 6.1 |
| | 11N6048SH1L | Laminate | 2869 | 10½ | 59½ | 48½ | — | — | 101 lbs. | 6.1 |
| | 11N6048SH1WL | Wood Shelves, Laminate Wall | 4160 | 10½ | 59½ | 48½ | — | — | 101 lbs. | 6.1 |
| <div><div></div><div><ul style="list-style-type: none">• Some assembly required• 48" and 49" high shelf inserts have 5 shelves• The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves• Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves• Each horizontal shelf has a 50 lb. maximum limit</div></div> | | | | | | | | | | |



EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:


11N3648SH2W MH
11N3648SH2LW 462 CW
11N3648SH2L 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|---|---|-----------------------------|------------|-----|-----|-----|----|-----------------|------------|-----|
| | | | D | W | H | A | KW | | | |
| <div>ORGANIZER SHELF INSERTS (CONTINUED)</div>  | COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | |
| | 11N3648SH2W | Wood | \$ 3093 | 10½ | 35⅞ | 48⅞ | — | — | 69 lbs. | 5.0 |
| | 11N3648SH2LW | Laminate Shelves, Wood Wall | 3093 | 10½ | 35⅞ | 48⅞ | — | — | 69 lbs. | 5.0 |
| | 11N3648SH2L | Laminate | 2132 | 10½ | 35⅞ | 48⅞ | — | — | 69 lbs. | 5.0 |
| | 11N3648SH2WL | Wood Shelves, Laminate Wall | 3093 | 10½ | 35⅞ | 48⅞ | — | — | 69 lbs. | 5.0 |
| | | | | | | | | | | |
| | 11N4248SH2W | Wood | \$ 3098 | 10½ | 41⅞ | 48⅞ | — | — | 77 lbs. | 5.2 |
| | 11N4248SH2LW | Laminate Shelves, Wood Wall | 3098 | 10½ | 41⅞ | 48⅞ | — | — | 77 lbs. | 5.2 |
| | 11N4248SH2L | Laminate | 2134 | 10½ | 41⅞ | 48⅞ | — | — | 77 lbs. | 5.2 |
| | 11N4248SH2WL | Wood Shelves, Laminate Wall | 3098 | 10½ | 41⅞ | 48⅞ | — | — | 77 lbs. | 5.2 |
| | | | | | | | | | | |
| | 11N4848SH2W | Wood | \$ 3439 | 10½ | 47⅞ | 48⅞ | — | — | 85 lbs. | 5.5 |
| | 11N4848SH2LW | Laminate Shelves, Wood Wall | 3439 | 10½ | 47⅞ | 48⅞ | — | — | 85 lbs. | 5.5 |
| | 11N4848SH2L | Laminate | 2371 | 10½ | 47⅞ | 48⅞ | — | — | 85 lbs. | 5.5 |
| | 11N4848SH2WL | Wood Shelves, Laminate Wall | 3439 | 10½ | 47⅞ | 48⅞ | — | — | 85 lbs. | 5.5 |
| | | | | | | | | | | |
| | 11N5448SH2W | Wood | \$ 3786 | 10½ | 53⅞ | 48⅞ | — | — | 93 lbs. | 5.8 |
| | 11N5448SH2LW | Laminate Shelves, Wood Wall | 3786 | 10½ | 53⅞ | 48⅞ | — | — | 93 lbs. | 5.8 |
| | 11N5448SH2L | Laminate | 2609 | 10½ | 53⅞ | 48⅞ | — | — | 93 lbs. | 5.8 |
| | 11N5448SH2WL | Wood Shelves, Laminate Wall | 3786 | 10½ | 53⅞ | 48⅞ | — | — | 93 lbs. | 5.8 |
| | | | | | | | | | | |
| | 11N6048SH2W | Wood | \$ 4160 | 10½ | 59⅞ | 48⅞ | — | — | 101 lbs. | 6.1 |
| | 11N6048SH2LW | Laminate Shelves, Wood Wall | 4160 | 10½ | 59⅞ | 48⅞ | — | — | 101 lbs. | 6.1 |
| | 11N6048SH2L | Laminate | 2869 | 10½ | 59⅞ | 48⅞ | — | — | 101 lbs. | 6.1 |
| | 11N6048SH2WL | Wood Shelves, Laminate Wall | 4160 | 10½ | 59⅞ | 48⅞ | — | — | 101 lbs. | 6.1 |



- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color


SAMPLE MODEL NUMBERS:

11N3648SH3W MH
11N3648SH3LW 462 CW
11N3648SH3L 405 478

- See pages 277-278 for all options available in Exhibit



| ORGANIZER SHELF INSERTS (CONTINUED) | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|---|--|---------------|------------|-----|-----|---|----|--------------------|---------------|--|
| | | | D | W | H | A | KW | | | |
| COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | | |
| | 11N3648SH3W Wood | \$ 2628 | 10½ | 35½ | 48½ | — | — | 53 lbs. | 4.5 | |
| | 11N3648SH3LW Laminate Shelves, Wood Wall | 2628 | 10½ | 35½ | 48½ | — | — | 53 lbs. | 4.5 | |
| | 11N3648SH3L Laminate | 1810 | 10½ | 35½ | 48½ | — | — | 53 lbs. | 4.5 | |
| | 11N3648SH3WL Wood Shelves, Laminate Wall | 2628 | 10½ | 35½ | 48½ | — | — | 53 lbs. | 4.5 | |
| | 11N4248SH3W Wood | \$ 2631 | 10½ | 41½ | 48½ | — | — | 61 lbs. | 5.2 | |
| | 11N4248SH3LW Laminate Shelves, Wood Wall | 2631 | 10½ | 41½ | 48½ | — | — | 61 lbs. | 5.2 | |
| | 11N4248SH3L Laminate | 1815 | 10½ | 41½ | 48½ | — | — | 61 lbs. | 5.2 | |
| | 11N4248SH3WL Wood Shelves, Laminate Wall | 2631 | 10½ | 41½ | 48½ | — | — | 61 lbs. | 5.2 | |
| | 11N4848SH3W Wood | \$ 2923 | 10½ | 47½ | 48½ | — | — | 69 lbs. | 5.9 | |
| | 11N4848SH3LW Laminate Shelves, Wood Wall | 2923 | 10½ | 47½ | 48½ | — | — | 69 lbs. | 5.9 | |
| | 11N4848SH3L Laminate | 2015 | 10½ | 47½ | 48½ | — | — | 69 lbs. | 5.9 | |
| | 11N4848SH3WL Wood Shelves, Laminate Wall | 2923 | 10½ | 47½ | 48½ | — | — | 69 lbs. | 5.9 | |
| | 11N5448SH3W Wood | \$ 3219 | 10½ | 53½ | 48½ | — | — | 77 lbs. | 6.5 | |
| | 11N5448SH3LW Laminate Shelves, Wood Wall | 3219 | 10½ | 53½ | 48½ | — | — | 77 lbs. | 6.5 | |
| | 11N5448SH3L Laminate | 2217 | 10½ | 53½ | 48½ | — | — | 77 lbs. | 6.5 | |
| | 11N5448SH3WL Wood Shelves, Laminate Wall | 3219 | 10½ | 53½ | 48½ | — | — | 77 lbs. | 6.5 | |
| | 11N6048SH3W Wood | \$ 3535 | 10½ | 59½ | 48½ | — | — | 86 lbs. | 7.2 | |
| | 11N6048SH3LW Laminate Shelves, Wood Wall | 3535 | 10½ | 59½ | 48½ | — | — | 86 lbs. | 7.2 | |
| | 11N6048SH3L Laminate | 2440 | 10½ | 59½ | 48½ | — | — | 86 lbs. | 7.2 | |
| | 11N6048SH3WL Wood Shelves, Laminate Wall | 3535 | 10½ | 59½ | 48½ | — | — | 86 lbs. | 7.2 | |



- Some assembly required
- "SH3" models have 1 shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH4W MH
11N3648SH4LW 462 CW
11N3648SH4L 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--|---|-----------------------------|------------|------------|-----|-----|---|---|-----------------|------------|
| | D | W | H | A | KW | | | | | |
| ORGANIZER SHELF INSERTS (CONTINUED)  | COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS | | | | | | | | | |
| | 48"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | |
| | 11N3648SH4W | Wood | \$ 2690 | 10½ | 35⅞ | 48¾ | — | — | 60 lbs. | 4.5 |
| | 11N3648SH4LW | Laminate Shelves, Wood Wall | 2690 | 10½ | 35⅞ | 48¾ | — | — | 60 lbs. | 4.5 |
| | 11N3648SH4L | Laminate | 1856 | 10½ | 35⅞ | 48¾ | — | — | 60 lbs. | 4.5 |
| | 11N3648SH4WL | Wood Shelves, Laminate Wall | 2690 | 10½ | 35⅞ | 48¾ | — | — | 60 lbs. | 4.5 |
| | | | | | | | | | | |
| | 11N4248SH4W | Wood | \$ 2695 | 10½ | 41⅞ | 48¾ | — | — | 71 lbs. | 5.2 |
| | 11N4248SH4LW | Laminate Shelves, Wood Wall | 2695 | 10½ | 41⅞ | 48¾ | — | — | 71 lbs. | 5.2 |
| | 11N4248SH4L | Laminate | 1858 | 10½ | 41⅞ | 48¾ | — | — | 71 lbs. | 5.2 |
| | 11N4248SH4WL | Wood Shelves, Laminate Wall | 2695 | 10½ | 41⅞ | 48¾ | — | — | 71 lbs. | 5.2 |
| | | | | | | | | | | |
| | 11N4848SH4W | Wood | \$ 2992 | 10½ | 47⅞ | 48¾ | — | — | 81 lbs. | 5.9 |
| | 11N4848SH4LW | Laminate Shelves, Wood Wall | 2992 | 10½ | 47⅞ | 48¾ | — | — | 81 lbs. | 5.9 |
| | 11N4848SH4L | Laminate | 2064 | 10½ | 47⅞ | 48¾ | — | — | 81 lbs. | 5.9 |
| | 11N4848SH4WL | Wood Shelves, Laminate Wall | 2992 | 10½ | 47⅞ | 48¾ | — | — | 81 lbs. | 5.9 |
| | | | | | | | | | | |
| | 11N5448SH4W | Wood | \$ 3292 | 10½ | 53¾ | 48¾ | — | — | 90 lbs. | 6.5 |
| | 11N5448SH4LW | Laminate Shelves, Wood Wall | 3292 | 10½ | 53¾ | 48¾ | — | — | 90 lbs. | 6.5 |
| | 11N5448SH4L | Laminate | 2269 | 10½ | 53¾ | 48¾ | — | — | 90 lbs. | 6.5 |
| | 11N5448SH4WL | Wood Shelves, Laminate Wall | 3292 | 10½ | 53¾ | 48¾ | — | — | 90 lbs. | 6.5 |
| | | | | | | | | | | |
| | 11N6048SH4W | Wood | \$ 3621 | 10½ | 59⅞ | 48¾ | — | — | 100 lbs. | 7.2 |
| | 11N6048SH4LW | Laminate Shelves, Wood Wall | 3621 | 10½ | 59⅞ | 48¾ | — | — | 100 lbs. | 7.2 |
| | 11N6048SH4L | Laminate | 2497 | 10½ | 59⅞ | 48¾ | — | — | 100 lbs. | 7.2 |
| | 11N6048SH4WL | Wood Shelves, Laminate Wall | 3621 | 10½ | 59⅞ | 48¾ | — | — | 100 lbs. | 7.2 |



- Some assembly required
- "SH4" models have 2 shelves that align with the top shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH5W MH
11N3648SH5LW 462 CW
11N3648SH5L 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | | |
|---|---|-----------------------------|------------|------|-----|-----|-----|-----------------|------------|----------|-----|
| | | | D | W | H | A | KW | | | | |
| ORGANIZER SHELF INSERTS (CONTINUED) | COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS | | | | | | | | | | |
| | 48"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | | |
|  | 11N3648SH5W | Wood | \$ | 2785 | 10½ | 35⅞ | 48⅞ | — | — | 69 lbs. | 4.5 |
| | 11N3648SH5LW | Laminate Shelves, Wood Wall | | 2785 | 10½ | 35⅞ | 48⅞ | — | — | 69 lbs. | 4.5 |
| | 11N3648SH5L | Laminate | | 1917 | 10½ | 35⅞ | 48⅞ | — | — | 69 lbs. | 4.5 |
| | 11N3648SH5WL | Wood Shelves, Laminate Wall | | 2785 | 10½ | 35⅞ | 48⅞ | — | — | 69 lbs. | 4.5 |
| | | | | | | | | | | | |
| | 11N4248SH5W | Wood | \$ | 2790 | 10½ | 41⅞ | 48⅞ | — | — | 81 lbs. | 5.2 |
| | 11N4248SH5LW | Laminate Shelves, Wood Wall | | 2790 | 10½ | 41⅞ | 48⅞ | — | — | 81 lbs. | 5.2 |
| | 11N4248SH5L | Laminate | | 1920 | 10½ | 41⅞ | 48⅞ | — | — | 81 lbs. | 5.2 |
| | 11N4248SH5WL | Wood Shelves, Laminate Wall | | 2790 | 10½ | 41⅞ | 48⅞ | — | — | 81 lbs. | 5.2 |
| | | | | | | | | | | | |
| | 11N4848SH5W | Wood | \$ | 3095 | 10½ | 47⅞ | 48⅞ | — | — | 92 lbs. | 5.9 |
| | 11N4848SH5LW | Laminate Shelves, Wood Wall | | 3095 | 10½ | 47⅞ | 48⅞ | — | — | 92 lbs. | 5.9 |
| | 11N4848SH5L | Laminate | | 2133 | 10½ | 47⅞ | 48⅞ | — | — | 92 lbs. | 5.9 |
| | 11N4848SH5WL | Wood Shelves, Laminate Wall | | 3095 | 10½ | 47⅞ | 48⅞ | — | — | 92 lbs. | 5.9 |
| | | | | | | | | | | | |
| | 11N5448SH5W | Wood | \$ | 3406 | 10½ | 53⅞ | 48⅞ | — | — | 104 lbs. | 6.5 |
| | 11N5448SH5LW | Laminate Shelves, Wood Wall | | 3406 | 10½ | 53⅞ | 48⅞ | — | — | 104 lbs. | 6.5 |
| | 11N5448SH5L | Laminate | | 2346 | 10½ | 53⅞ | 48⅞ | — | — | 104 lbs. | 6.5 |
| | 11N5448SH5WL | Wood Shelves, Laminate Wall | | 3406 | 10½ | 53⅞ | 48⅞ | — | — | 104 lbs. | 6.5 |
| | | | | | | | | | | | |
|  | 11N6048SH5W | Wood | \$ | 3744 | 10½ | 59⅞ | 48⅞ | — | — | 115 lbs. | 7.2 |
| | 11N6048SH5LW | Laminate Shelves, Wood Wall | | 3744 | 10½ | 59⅞ | 48⅞ | — | — | 115 lbs. | 7.2 |
| | 11N6048SH5L | Laminate | | 2582 | 10½ | 59⅞ | 48⅞ | — | — | 115 lbs. | 7.2 |
| | 11N6048SH5WL | Wood Shelves, Laminate Wall | | 3744 | 10½ | 59⅞ | 48⅞ | — | — | 115 lbs. | 7.2 |
| <ul style="list-style-type: none">• Some assembly required• "SH5" models have 3 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves• The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves• Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves• Each horizontal shelf has a 50 lb. maximum limit | | | | | | | | | | | |

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH6W B MH
11N3648SH6LW A 462 CW
11N3648SH6L B 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | A | KW | CARTONED WEIGHT | CUBIC FEET | | |
|--|--|-----------------------------|------------|------|-----|-----|-----|-----------------|------------|---------|-----|
| | D | W | H | | | | | | | | |
|  | COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS | | | | | | | | | | |
| | 48"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | | |
| | 11N3648SH6W | Wood | \$ | 2628 | 10½ | 35⅞ | 48⅞ | — | — | 53 lbs. | 4.5 |
| | 11N3648SH6LW | Laminate Shelves, Wood Wall | | 2628 | 10½ | 35⅞ | 48⅞ | — | — | 53 lbs. | 4.5 |
| | 11N3648SH6L | Laminate | | 1810 | 10½ | 35⅞ | 48⅞ | — | — | 53 lbs. | 4.5 |
| | 11N3648SH6WL | Wood Shelves, Laminate Wall | | 2628 | 10½ | 35⅞ | 48⅞ | — | — | 53 lbs. | 4.5 |
| | | | | | | | | | | | |
| | 11N4248SH6W | Wood | \$ | 2631 | 10½ | 41⅞ | 48⅞ | — | — | 61 lbs. | 5.2 |
| | 11N4248SH6LW | Laminate Shelves, Wood Wall | | 2631 | 10½ | 41⅞ | 48⅞ | — | — | 61 lbs. | 5.2 |
| | 11N4248SH6L | Laminate | | 1815 | 10½ | 41⅞ | 48⅞ | — | — | 61 lbs. | 5.2 |
| | 11N4248SH6WL | Wood Shelves, Laminate Wall | | 2631 | 10½ | 41⅞ | 48⅞ | — | — | 61 lbs. | 5.2 |
| | | | | | | | | | | | |
| | 11N4848SH6W | Wood | \$ | 2923 | 10½ | 47⅞ | 48⅞ | — | — | 69 lbs. | 5.9 |
| | 11N4848SH6LW | Laminate Shelves, Wood Wall | | 2923 | 10½ | 47⅞ | 48⅞ | — | — | 69 lbs. | 5.9 |
| | 11N4848SH6L | Laminate | | 2015 | 10½ | 47⅞ | 48⅞ | — | — | 69 lbs. | 5.9 |
| | 11N4848SH6WL | Wood Shelves, Laminate Wall | | 2923 | 10½ | 47⅞ | 48⅞ | — | — | 69 lbs. | 5.9 |
| | | | | | | | | | | | |
| | 11N5448SH6W | Wood | \$ | 3219 | 10½ | 53⅞ | 48⅞ | — | — | 77 lbs. | 6.5 |
| | 11N5448SH6LW | Laminate Shelves, Wood Wall | | 3219 | 10½ | 53⅞ | 48⅞ | — | — | 77 lbs. | 6.5 |
| | 11N5448SH6L | Laminate | | 2217 | 10½ | 53⅞ | 48⅞ | — | — | 77 lbs. | 6.5 |
| 11N5448SH6WL | Wood Shelves, Laminate Wall | | 3219 | 10½ | 53⅞ | 48⅞ | — | — | 77 lbs. | 6.5 | |
| | | | | | | | | | | | |
|  | 11N6048SH6W | Wood | \$ | 3535 | 10½ | 59⅞ | 48⅞ | — | — | 86 lbs. | 7.2 |
| | 11N6048SH6LW | Laminate Shelves, Wood Wall | | 3535 | 10½ | 59⅞ | 48⅞ | — | — | 86 lbs. | 7.2 |
| | 11N6048SH6L | Laminate | | 2440 | 10½ | 59⅞ | 48⅞ | — | — | 86 lbs. | 7.2 |
| | 11N6048SH6WL | Wood Shelves, Laminate Wall | | 3535 | 10½ | 59⅞ | 48⅞ | — | — | 86 lbs. | 7.2 |

- Some assembly required
- "SH6" 48"/49" high models have 1 shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color


SAMPLE MODEL NUMBERS:

11N3648SH7W MH
11N3648SH7LW 462 CW
11N3648SH7L 405 478

- See pages 277-278 for all options available in Exhibit



| ORGANIZER SHELF INSERTS (CONTINUED) | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | | |
|---|-----------------------|-----------------------------|------------|------|-----|-----|-----|--------------------|---------------|----------|-----|
| | | | D | W | H | A | KW | | | | |
| COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | | | |
| | 11N3648SH7W | Wood | \$ | 2690 | 10½ | 35⅞ | 48¾ | — | — | 60 lbs. | 4.5 |
| | 11N3648SH7LW | Laminate Shelves, Wood Wall | | 2690 | 10½ | 35⅞ | 48¾ | — | — | 60 lbs. | 4.5 |
| | 11N3648SH7L | Laminate | | 1856 | 10½ | 35⅞ | 48¾ | — | — | 60 lbs. | 4.5 |
| | 11N3648SH7WL | Wood Shelves, Laminate Wall | | 2690 | 10½ | 35⅞ | 48¾ | — | — | 60 lbs. | 4.5 |
| | | | | | | | | | | | |
| | 11N4248SH7W | Wood | \$ | 2695 | 10½ | 41⅞ | 48¾ | — | — | 71 lbs. | 5.2 |
| | 11N4248SH7LW | Laminate Shelves, Wood Wall | | 2695 | 10½ | 41⅞ | 48¾ | — | — | 71 lbs. | 5.2 |
| | 11N4248SH7L | Laminate | | 1858 | 10½ | 41⅞ | 48¾ | — | — | 71 lbs. | 5.2 |
| | 11N4248SH7WL | Wood Shelves, Laminate Wall | | 2695 | 10½ | 41⅞ | 48¾ | — | — | 71 lbs. | 5.2 |
| | | | | | | | | | | | |
| | 11N4848SH7W | Wood | \$ | 2992 | 10½ | 47⅞ | 48¾ | — | — | 81 lbs. | 5.9 |
| | 11N4848SH7LW | Laminate Shelves, Wood Wall | | 2992 | 10½ | 47⅞ | 48¾ | — | — | 81 lbs. | 5.9 |
| | 11N4848SH7L | Laminate | | 2064 | 10½ | 47⅞ | 48¾ | — | — | 81 lbs. | 5.9 |
| | 11N4848SH7WL | Wood Shelves, Laminate Wall | | 2992 | 10½ | 47⅞ | 48¾ | — | — | 81 lbs. | 5.9 |
| | | | | | | | | | | | |
| | 11N5448SH7W | Wood | \$ | 3292 | 10½ | 53¾ | 48¾ | — | — | 90 lbs. | 6.5 |
| | 11N5448SH7LW | Laminate Shelves, Wood Wall | | 3292 | 10½ | 53¾ | 48¾ | — | — | 90 lbs. | 6.5 |
| | 11N5448SH7L | Laminate | | 2269 | 10½ | 53¾ | 48¾ | — | — | 90 lbs. | 6.5 |
| | 11N5448SH7WL | Wood Shelves, Laminate Wall | | 3292 | 10½ | 53¾ | 48¾ | — | — | 90 lbs. | 6.5 |
| | | | | | | | | | | | |
| | 11N6048SH7W | Wood | \$ | 3621 | 10½ | 59⅞ | 48¾ | — | — | 100 lbs. | 7.2 |
| | 11N6048SH7LW | Laminate Shelves, Wood Wall | | 3621 | 10½ | 59⅞ | 48¾ | — | — | 100 lbs. | 7.2 |
| | 11N6048SH7L | Laminate | | 2497 | 10½ | 59⅞ | 48¾ | — | — | 100 lbs. | 7.2 |
| | 11N6048SH7WL | Wood Shelves, Laminate Wall | | 3621 | 10½ | 59⅞ | 48¾ | — | — | 100 lbs. | 7.2 |



- Some assembly required
- "SH7" models have 2 shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:


1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH1W MH
11N3649SH1LW 462 CW
11N3649SH1L 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | | |
|---|--|-----------------------------|------------|------|-----|-----|-----|-----------------|------------|----------|-----|
| | D | W | H | A | KW | | | | | | |
| <div>ORGANIZER SHELF INSERTS (CONTINUED)</div>  | COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS 49"H ORGANIZER SHELF INSERTS | | | | | | | | | | |
| | 11N3649SH1W | Wood | \$ | 3093 | 10½ | 35⅞ | 48⅜ | — | — | 69 lbs. | 5.0 |
| | 11N3649SH1LW | Laminate Shelves, Wood Wall | | 3093 | 10½ | 35⅞ | 48⅜ | — | — | 69 lbs. | 5.0 |
| | 11N3649SH1L | Laminate | | 2132 | 10½ | 35⅞ | 48⅜ | — | — | 69 lbs. | 5.0 |
| | 11N3649SH1WL | Wood Shelves, Laminate Wall | | 3093 | 10½ | 35⅞ | 48⅜ | — | — | 69 lbs. | 5.0 |
| | | | | | | | | | | | |
| | 11N4249SH1W | Wood | \$ | 3098 | 10½ | 41⅞ | 48⅜ | — | — | 77 lbs. | 5.2 |
| | 11N4249SH1LW | Laminate Shelves, Wood Wall | | 3098 | 10½ | 41⅞ | 48⅜ | — | — | 77 lbs. | 5.2 |
| | 11N4249SH1L | Laminate | | 2134 | 10½ | 41⅞ | 48⅜ | — | — | 77 lbs. | 5.2 |
| | 11N4249SH1WL | Wood Shelves, Laminate Wall | | 3098 | 10½ | 41⅞ | 48⅜ | — | — | 77 lbs. | 5.2 |
| | | | | | | | | | | | |
| | 11N4849SH1W | Wood | \$ | 3439 | 10½ | 47⅞ | 48⅜ | — | — | 85 lbs. | 5.5 |
| | 11N4849SH1LW | Laminate Shelves, Wood Wall | | 3439 | 10½ | 47⅞ | 48⅜ | — | — | 85 lbs. | 5.5 |
| | 11N4849SH1L | Laminate | | 2371 | 10½ | 47⅞ | 48⅜ | — | — | 85 lbs. | 5.5 |
| | 11N4849SH1WL | Wood Shelves, Laminate Wall | | 3439 | 10½ | 47⅞ | 48⅜ | — | — | 85 lbs. | 5.5 |
| | | | | | | | | | | | |
| | 11N5449SH1W | Wood | \$ | 3786 | 10½ | 53⅞ | 48⅜ | — | — | 93 lbs. | 5.8 |
| | 11N5449SH1LW | Laminate Shelves, Wood Wall | | 3786 | 10½ | 53⅞ | 48⅜ | — | — | 93 lbs. | 5.8 |
| | 11N5449SH1L | Laminate | | 2609 | 10½ | 53⅞ | 48⅜ | — | — | 93 lbs. | 5.8 |
| | 11N5449SH1WL | Wood Shelves, Laminate Wall | | 3786 | 10½ | 53⅞ | 48⅜ | — | — | 93 lbs. | 5.8 |
| | | | | | | | | | | | |
| | 11N6049SH1W | Wood | \$ | 4160 | 10½ | 59⅞ | 48⅜ | — | — | 101 lbs. | 6.1 |
| | 11N6049SH1LW | Laminate Shelves, Wood Wall | | 4160 | 10½ | 59⅞ | 48⅜ | — | — | 101 lbs. | 6.1 |
| | 11N6049SH1L | Laminate | | 2869 | 10½ | 59⅞ | 48⅜ | — | — | 101 lbs. | 6.1 |
| | 11N6049SH1WL | Wood Shelves, Laminate Wall | | 4160 | 10½ | 59⅞ | 48⅜ | — | — | 101 lbs. | 6.1 |
| <div><ul style="list-style-type: none">• Some assembly required• 48" and 49" high shelf inserts have 5 shelves• The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves• Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves• Each horizontal shelf has a 50 lb. maximum limit</div>  | | | | | | | | | | | |



PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH2W MH
11N3649SH2LW 462 CW
11N3649SH2L 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | | |
|---|---|-----------------------------|------------|------|-----|-----|-----|-----------------|------------|---------|-----|
| | | | D | W | H | A | KW | | | | |
| ORGANIZER SHELF INSERTS (CONTINUED)  | COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | | |
| | 11N3649SH2W | Wood | \$ | 3093 | 10½ | 35½ | 48½ | — | — | 69 lbs. | 5.0 |
| | 11N3649SH2LW | Laminate Shelves, Wood Wall | | 3093 | 10½ | 35½ | 48½ | — | — | 69 lbs. | 5.0 |
| | 11N3649SH2L | Laminate | | 2132 | 10½ | 35½ | 48½ | — | — | 69 lbs. | 5.0 |
| | 11N3649SH2WL | Wood Shelves, Laminate Wall | | 3093 | 10½ | 35½ | 48½ | — | — | 69 lbs. | 5.0 |
| | | | | | | | | | | | |
| | 11N4249SH2W | Wood | \$ | 3098 | 10½ | 41½ | 48½ | — | — | 77 lbs. | 5.2 |
| | 11N4249SH2LW | Laminate Shelves, Wood Wall | | 3098 | 10½ | 41½ | 48½ | — | — | 77 lbs. | 5.2 |
| | 11N4249SH2L | Laminate | | 2134 | 10½ | 41½ | 48½ | — | — | 77 lbs. | 5.2 |
| | 11N4249SH2WL | Wood Shelves, Laminate Wall | | 3098 | 10½ | 41½ | 48½ | — | — | 77 lbs. | 5.2 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH3W MH
11N3649SH3LW 462 CW
11N3649SH3L 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|---|---|-----------------------------|------------|-----|-----|-----|----|-----------------|------------|-----|
| | | | D | W | H | A | KW | | | |
| <div>ORGANIZER SHELF INSERTS (CONTINUED)</div>  | COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS | | | | | | | | | |
| | 49"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | |
| | 11N3649SH3W | Wood | \$ 2628 | 10½ | 35⅞ | 48⅜ | — | — | 53 lbs. | 4.6 |
| | 11N3649SH3LW | Laminate Shelves, Wood Wall | 2628 | 10½ | 35⅞ | 48⅜ | — | — | 53 lbs. | 4.6 |
| | 11N3649SH3L | Laminate | 1810 | 10½ | 35⅞ | 48⅜ | — | — | 53 lbs. | 4.6 |
| | 11N3649SH3WL | Wood Shelves, Laminate Wall | 2628 | 10½ | 35⅞ | 48⅜ | — | — | 53 lbs. | 4.6 |
| | | | | | | | | | | |
| | 11N4249SH3W | Wood | \$ 2631 | 10½ | 41⅞ | 48⅜ | — | — | 61 lbs. | 5.2 |
| | 11N4249SH3LW | Laminate Shelves, Wood Wall | 2631 | 10½ | 41⅞ | 48⅜ | — | — | 61 lbs. | 5.2 |
| | 11N4249SH3L | Laminate | 1815 | 10½ | 41⅞ | 48⅜ | — | — | 61 lbs. | 5.2 |
| | 11N4249SH3WL | Wood Shelves, Laminate Wall | 2631 | 10½ | 41⅞ | 48⅜ | — | — | 61 lbs. | 5.2 |
| | | | | | | | | | | |
| | 11N4849SH3W | Wood | \$ 2923 | 10½ | 47⅞ | 48⅜ | — | — | 69 lbs. | 5.9 |
| | 11N4849SH3LW | Laminate Shelves, Wood Wall | 2923 | 10½ | 47⅞ | 48⅜ | — | — | 69 lbs. | 5.9 |
| | 11N4849SH3L | Laminate | 2015 | 10½ | 47⅞ | 48⅜ | — | — | 69 lbs. | 5.9 |
| | 11N4849SH3WL | Wood Shelves, Laminate Wall | 2923 | 10½ | 47⅞ | 48⅜ | — | — | 69 lbs. | 5.9 |
| | | | | | | | | | | |
| | 11N5449SH3W | Wood | \$ 3219 | 10½ | 53⅞ | 48⅜ | — | — | 78 lbs. | 6.6 |
| | 11N5449SH3LW | Laminate Shelves, Wood Wall | 3219 | 10½ | 53⅞ | 48⅜ | — | — | 78 lbs. | 6.6 |
| | 11N5449SH3L | Laminate | 2217 | 10½ | 53⅞ | 48⅜ | — | — | 78 lbs. | 6.6 |
| | 11N5449SH3WL | Wood Shelves, Laminate Wall | 3219 | 10½ | 53⅞ | 48⅜ | — | — | 78 lbs. | 6.6 |
| | | | | | | | | | | |
| | 11N6049SH3W | Wood | \$ 3535 | 10½ | 59⅞ | 48⅜ | — | — | 86 lbs. | 7.2 |
| | 11N6049SH3LW | Laminate Shelves, Wood Wall | 3535 | 10½ | 59⅞ | 48⅜ | — | — | 86 lbs. | 7.2 |
| | 11N6049SH3L | Laminate | 2440 | 10½ | 59⅞ | 48⅜ | — | — | 86 lbs. | 7.2 |
| | 11N6049SH3WL | Wood Shelves, Laminate Wall | 3535 | 10½ | 59⅞ | 48⅜ | — | — | 86 lbs. | 7.2 |



- Some assembly required
- "SH3" models have 1 shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH4W MH
11N3649SH4LW 462 CW
11N3649SH4L 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | | |
|--|--|-----------------------------|------------|------|-----|-----|-----|-----------------|------------|---------|-----|
| | | | D | W | H | A | KW | | | | |
| ORGANIZER SHELF INSERTS (CONTINUED)  | COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS | | | | | | | | | | |
| | 49"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | | |
| | 11N3649SH4W | Wood | \$ | 2690 | 10½ | 35⅞ | 48⅜ | — | — | 61 lbs. | 4.6 |
| | 11N3649SH4LW | Laminate Shelves, Wood Wall | | 2690 | 10½ | 35⅞ | 48⅜ | — | — | 61 lbs. | 4.6 |
| | 11N3649SH4L | Laminate | | 1856 | 10½ | 35⅞ | 48⅜ | — | — | 61 lbs. | 4.6 |
| | 11N3649SH4WL | Wood Shelves, Laminate Wall | | 2690 | 10½ | 35⅞ | 48⅜ | — | — | 61 lbs. | 4.6 |
| | | | | | | | | | | | |
| | 11N4249SH4W | Wood | \$ | 2695 | 10½ | 41⅞ | 48⅜ | — | — | 71 lbs. | 5.2 |
| | 11N4249SH4LW | Laminate Shelves, Wood Wall | | 2695 | 10½ | 41⅞ | 48⅜ | — | — | 71 lbs. | 5.2 |
| | 11N4249SH4L | Laminate | | 1858 | 10½ | 41⅞ | 48⅜ | — | — | 71 lbs. | 5.2 |
| 11N4249SH4WL | Wood Shelves, Laminate Wall | | 2695 | 10½ | 41⅞ | 48⅜ | — | — | 71 lbs. | 5.2 | |
| | | | | | | | | | | | |
| 11N4849SH4W | Wood | \$ | 2992 | 10½ | 47⅞ | 48⅜ | — | — | 81 lbs. | 5.9 | |
| 11N4849SH4LW | Laminate Shelves, Wood Wall | | 2992 | 10½ | 47⅞ | 48⅜ | — | — | 81 lbs. | 5.9 | |
| 11N4849SH4L | Laminate | | 2064 | 10½ | 47⅞ | 48⅜ | — | — | 81 lbs. | 5.9 | |
| 11N4849SH4WL | Wood Shelves, Laminate Wall | | 2992 | 10½ | 47⅞ | 48⅜ | — | — | 81 lbs. | 5.9 | |
| | | | | | | | | | | | |
| 11N5449SH4W | Wood | \$ | 3292 | 10½ | 53⅞ | 48⅜ | — | — | 91 lbs. | 6.6 | |
| 11N5449SH4LW | Laminate Shelves, Wood Wall | | 3292 | 10½ | 53⅞ | 48⅜ | — | — | 91 lbs. | 6.6 | |
| 11N5449SH4L | Laminate | | 2269 | 10½ | 53⅞ | 48⅜ | — | — | 91 lbs. | 6.6 | |
| 11N5449SH4WL | Wood Shelves, Laminate Wall | | 3292 | 10½ | 53⅞ | 48⅜ | — | — | 91 lbs. | 6.6 | |
| | | | | | | | | | | | |
| 11N6049SH4W | Wood | \$ | 3621 | 10½ | 59⅞ | 48⅜ | — | — | 100 lbs. | 7.2 | |
| 11N6049SH4LW | Laminate Shelves, Wood Wall | | 3621 | 10½ | 59⅞ | 48⅜ | — | — | 100 lbs. | 7.2 | |
| 11N6049SH4L | Laminate | | 2497 | 10½ | 59⅞ | 48⅜ | — | — | 100 lbs. | 7.2 | |
| 11N6049SH4WL | Wood Shelves, Laminate Wall | | 3621 | 10½ | 59⅞ | 48⅜ | — | — | 100 lbs. | 7.2 | |
| <ul style="list-style-type: none">• Some assembly required• "SH4" models have 2 shelves that align with the top shelves of the "SH1" and "SH2" shelves• The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves• Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves• Each horizontal shelf has a 50 lb. maximum limit | | | | | | | | | | | |



EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH5W MH
11N3649SH5LW 462 CW
11N3649SH5L 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | | |
|---|---|-----------------------------|------------|------|-----|-----|-----|-----------------|------------|----------|-----|
| | | | D | W | H | A | KW | | | | |
| <div>ORGANIZER SHELF INSERTS (CONTINUED)</div>  | COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS | | | | | | | | | | |
| | 49"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | | |
| | 11N3649SH5W | Wood | \$ | 2785 | 10½ | 35⅞ | 48⅜ | — | — | 69 lbs. | 4.6 |
| | 11N3649SH5LW | Laminate Shelves, Wood Wall | | 2785 | 10½ | 35⅞ | 48⅜ | — | — | 69 lbs. | 4.6 |
| | 11N3649SH5L | Laminate | | 1917 | 10½ | 35⅞ | 48⅜ | — | — | 69 lbs. | 4.6 |
| | 11N3649SH5WL | Wood Shelves, Laminate Wall | | 2785 | 10½ | 35⅞ | 48⅜ | — | — | 69 lbs. | 4.6 |
| | | | | | | | | | | | |
| | 11N4249SH5W | Wood | \$ | 2790 | 10½ | 41⅞ | 48⅜ | — | — | 81 lbs. | 5.2 |
| | 11N4249SH5LW | Laminate Shelves, Wood Wall | | 2790 | 10½ | 41⅞ | 48⅜ | — | — | 81 lbs. | 5.2 |
| | 11N4249SH5L | Laminate | | 1920 | 10½ | 41⅞ | 48⅜ | — | — | 81 lbs. | 5.2 |
| | 11N4249SH5WL | Wood Shelves, Laminate Wall | | 2790 | 10½ | 41⅞ | 48⅜ | — | — | 81 lbs. | 5.2 |
| | | | | | | | | | | | |
| | 11N4849SH5W | Wood | \$ | 3095 | 10½ | 47⅞ | 48⅜ | — | — | 93 lbs. | 5.9 |
| | 11N4849SH5LW | Laminate Shelves, Wood Wall | | 3095 | 10½ | 47⅞ | 48⅜ | — | — | 93 lbs. | 5.9 |
| | 11N4849SH5L | Laminate | | 2133 | 10½ | 47⅞ | 48⅜ | — | — | 93 lbs. | 5.9 |
| | 11N4849SH5WL | Wood Shelves, Laminate Wall | | 3095 | 10½ | 47⅞ | 48⅜ | — | — | 93 lbs. | 5.9 |
| | | | | | | | | | | | |
| | 11N5449SH5W | Wood | \$ | 3406 | 10½ | 53⅞ | 48⅜ | — | — | 104 lbs. | 6.6 |
| | 11N5449SH5LW | Laminate Shelves, Wood Wall | | 3406 | 10½ | 53⅞ | 48⅜ | — | — | 104 lbs. | 6.6 |
| | 11N5449SH5L | Laminate | | 2346 | 10½ | 53⅞ | 48⅜ | — | — | 104 lbs. | 6.6 |
| | 11N5449SH5WL | Wood Shelves, Laminate Wall | | 3406 | 10½ | 53⅞ | 48⅜ | — | — | 104 lbs. | 6.6 |
| | | | | | | | | | | | |
| | 11N6049SH5W | Wood | \$ | 3744 | 10½ | 59⅞ | 48⅜ | — | — | 116 lbs. | 7.2 |
| | 11N6049SH5LW | Laminate Shelves, Wood Wall | | 3744 | 10½ | 59⅞ | 48⅜ | — | — | 116 lbs. | 7.2 |
| | 11N6049SH5L | Laminate | | 2582 | 10½ | 59⅞ | 48⅜ | — | — | 116 lbs. | 7.2 |
| | 11N6049SH5WL | Wood Shelves, Laminate Wall | | 3744 | 10½ | 59⅞ | 48⅜ | — | — | 116 lbs. | 7.2 |



- Some assembly required
- "SH5" models have 3 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Shelf Height (SH6 models only)
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH6W B MH
11N3649SH6LW B 462 CW
11N3649SH6L B 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | | LIST PRICE | DIMENSIONS | | | | | | CARTONED WEIGHT | CUBIC FEET |
|--|--|-----------------------------|------------|------------|-----|-----|---|---------|---------|-----------------|------------|
| | D | W | H | A | KW | | | | | | |
| ORGANIZER SHELF INSERTS (CONTINUED)  | COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS | | | | | | | | | | |
| | 49"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | | |
| | 11N3649SH6W | Wood | \$ 2628 | 10½ | 35⅝ | 48⅜ | — | — | 53 lbs. | 4.6 | |
| | 11N3649SH6LW | Laminate Shelves, Wood Wall | 2628 | 10½ | 35⅝ | 48⅜ | — | — | 53 lbs. | 4.6 | |
| | 11N3649SH6L | Laminate | 1810 | 10½ | 35⅝ | 48⅜ | — | — | 53 lbs. | 4.6 | |
| | 11N3649SH6WL | Wood Shelves, Laminate Wall | 2628 | 10½ | 35⅝ | 48⅜ | — | — | 53 lbs. | 4.6 | |
| | | | | | | | | | | | |
| | 11N4249SH6W | Wood | \$ 2631 | 10½ | 41⅝ | 48⅜ | — | — | 61 lbs. | 5.2 | |
| | 11N4249SH6LW | Laminate Shelves, Wood Wall | 2631 | 10½ | 41⅝ | 48⅜ | — | — | 61 lbs. | 5.2 | |
| | 11N4249SH6L | Laminate | 1815 | 10½ | 41⅝ | 48⅜ | — | — | 61 lbs. | 5.2 | |
| | 11N4249SH6WL | Wood Shelves, Laminate Wall | 2631 | 10½ | 41⅝ | 48⅜ | — | — | 61 lbs. | 5.2 | |
| | | | | | | | | | | | |
| | 11N4849SH6W | Wood | \$ 2923 | 10½ | 47⅝ | 48⅜ | — | — | 69 lbs. | 5.9 | |
| | 11N4849SH6LW | Laminate Shelves, Wood Wall | 2923 | 10½ | 47⅝ | 48⅜ | — | — | 69 lbs. | 5.9 | |
| | 11N4849SH6L | Laminate | 2015 | 10½ | 47⅝ | 48⅜ | — | — | 69 lbs. | 5.9 | |
| | 11N4849SH6WL | Wood Shelves, Laminate Wall | 2923 | 10½ | 47⅝ | 48⅜ | — | — | 69 lbs. | 5.9 | |
| | | | | | | | | | | | |
| 11N5449SH6W | Wood | \$ 3219 | 10½ | 53⅞ | 48⅜ | — | — | 78 lbs. | 6.6 | | |
| 11N5449SH6LW | Laminate Shelves, Wood Wall | 3219 | 10½ | 53⅞ | 48⅜ | — | — | 78 lbs. | 6.6 | | |
| 11N5449SH6L | Laminate | 2217 | 10½ | 53⅞ | 48⅜ | — | — | 78 lbs. | 6.6 | | |
| 11N5449SH6WL | Wood Shelves, Laminate Wall | 3219 | 10½ | 53⅞ | 48⅜ | — | — | 78 lbs. | 6.6 | | |
| | | | | | | | | | | | |
| 11N6049SH6W | Wood | \$ 3535 | 10½ | 59⅝ | 48⅜ | — | — | 86 lbs. | 7.2 | | |
| 11N6049SH6LW | Laminate Shelves, Wood Wall | 3535 | 10½ | 59⅝ | 48⅜ | — | — | 86 lbs. | 7.2 | | |
| 11N6049SH6L | Laminate | 2440 | 10½ | 59⅝ | 48⅜ | — | — | 86 lbs. | 7.2 | | |
| 11N6049SH6WL | Wood Shelves, Laminate Wall | 3535 | 10½ | 59⅝ | 48⅜ | — | — | 86 lbs. | 7.2 | | |
| <ul style="list-style-type: none">• Some assembly required• "SH6" 48"/49" high models have 1 shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts• The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves• Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves• Each horizontal shelf has a 50 lb. maximum limit | | | | | | | | | | | |



EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:


11N3649SH7W MH
11N3649SH7LW 462 CW
11N3649SH7L 405 478

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|---|---|-----------------------------|------------|------------|-----|-----|---|---|-----------------|------------|
| | D | W | H | A | KW | | | | | |
| <div>ORGANIZER SHELF INSERTS (CONTINUED)</div>  | COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS | | | | | | | | | |
| | 49"H ORGANIZER SHELF INSERTS (CONTINUED) | | | | | | | | | |
| | 11N3649SH7W | Wood | \$ 2690 | 10½ | 35⅞ | 48⅜ | — | — | 61 lbs. | 4.6 |
| | 11N3649SH7LW | Laminate Shelves, Wood Wall | 2690 | 10½ | 35⅞ | 48⅜ | — | — | 61 lbs. | 4.6 |
| | 11N3649SH7L | Laminate | 1856 | 10½ | 35⅞ | 48⅜ | — | — | 61 lbs. | 4.6 |
| | 11N3649SH7WL | Wood Shelves, Laminate Wall | 2690 | 10½ | 35⅞ | 48⅜ | — | — | 61 lbs. | 4.6 |
| | | | | | | | | | | |
| | 11N4249SH7W | Wood | \$ 2695 | 10½ | 41⅞ | 48⅜ | — | — | 71 lbs. | 5.2 |
| | 11N4249SH7LW | Laminate Shelves, Wood Wall | 2695 | 10½ | 41⅞ | 48⅜ | — | — | 71 lbs. | 5.2 |
| | 11N4249SH7L | Laminate | 1858 | 10½ | 41⅞ | 48⅜ | — | — | 71 lbs. | 5.2 |
| | 11N4249SH7WL | Wood Shelves, Laminate Wall | 2695 | 10½ | 41⅞ | 48⅜ | — | — | 71 lbs. | 5.2 |
| | | | | | | | | | | |
| | 11N4849SH7W | Wood | \$ 2992 | 10½ | 47⅞ | 48⅜ | — | — | 81 lbs. | 5.9 |
| | 11N4849SH7LW | Laminate Shelves, Wood Wall | 2992 | 10½ | 47⅞ | 48⅜ | — | — | 81 lbs. | 5.9 |
| | 11N4849SH7L | Laminate | 2064 | 10½ | 47⅞ | 48⅜ | — | — | 81 lbs. | 5.9 |
| | 11N4849SH7WL | Wood Shelves, Laminate Wall | 2992 | 10½ | 47⅞ | 48⅜ | — | — | 81 lbs. | 5.9 |
| | | | | | | | | | | |
| | 11N5449SH7W | Wood | \$ 3292 | 10½ | 53⅞ | 48⅜ | — | — | 91 lbs. | 6.6 |
| | 11N5449SH7LW | Laminate Shelves, Wood Wall | 3292 | 10½ | 53⅞ | 48⅜ | — | — | 91 lbs. | 6.6 |
| | 11N5449SH7L | Laminate | 2269 | 10½ | 53⅞ | 48⅜ | — | — | 91 lbs. | 6.6 |
| | 11N5449SH7WL | Wood Shelves, Laminate Wall | 3292 | 10½ | 53⅞ | 48⅜ | — | — | 91 lbs. | 6.6 |
| | | | | | | | | | | |
| | 11N6049SH7W | Wood | \$ 3621 | 10½ | 59⅞ | 48⅜ | — | — | 100 lbs. | 7.2 |
| | 11N6049SH7LW | Laminate Shelves, Wood Wall | 3621 | 10½ | 59⅞ | 48⅜ | — | — | 100 lbs. | 7.2 |
| | 11N6049SH7L | Laminate | 2497 | 10½ | 59⅞ | 48⅜ | — | — | 100 lbs. | 7.2 |
| | 11N6049SH7WL | Wood Shelves, Laminate Wall | 3621 | 10½ | 59⅞ | 48⅜ | — | — | 100 lbs. | 7.2 |



- Some assembly required
- "SH7" models have 2 shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit








TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color

SAMPLE MODEL NUMBER:

11N3634WINL 492
NAC12505WGV1

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | A | KW | CARTONED WEIGHT | CUBIC FEET |
|--|--|------------|------------|-----|-----|---|---|----|-----------------|------------|
| | | | D | W | H | | | | | |
| LAMINATE INSERT  | 11N3634WINL | \$ 483 | 10½ | 35½ | 34½ | — | — | | 41 lbs. | 3.3 |
| | 11N3636WINL | 525 | 10½ | 35½ | 36½ | — | — | | 43 lbs. | 3.5 |
| | 11N3637WINL | 525 | 10½ | 35½ | 37 | — | — | | 43 lbs. | 3.6 |
| | 11N3648WINL | 615 | 10½ | 35½ | 48½ | — | — | | 53 lbs. | 4.5 |
| | 11N3649WINL | 615 | 10½ | 35½ | 48½ | — | — | | 53 lbs. | 4.6 |
| | • Can be used to hang additional PPE equipment (ie. Glove holders and sanitizer dispensers). Limit of 10 lbs hung on the back | | | | | | | | | |
| SINGLE WIRE GLOVE BOX  | NAC1205WGV1 Steel | \$ 117 | 3½ | 11½ | 4¾ | — | — | | 1 lbs. | 1.38 |
| | <ul style="list-style-type: none"> • Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 1 std size box of gloves | | | | | | | | | |
| DOUBLE WIRE GLOVE BOX  | NAC1210WGV2 Steel | \$ 160 | 3½ | 11½ | 9½ | — | — | | 1 lbs. | 2.7 |
| | <ul style="list-style-type: none"> • Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 2 std size boxes of gloves | | | | | | | | | |
| QUAD WIRE GLOVE BOX  | NAC1219WGV4 Steel | \$ 229 | 3½ | 11½ | 19 | — | — | | 1 lbs. | 5.2 |
| | <ul style="list-style-type: none"> • Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 4 std size boxes of gloves | | | | | | | | | |
| AUTOMATIC HAND SANITIZER DISPENSER  | NAC0407USD1 | \$ 794 | 4¾ | 6 | 11 | — | — | | 2.2 lbs. | 8.1 |
| | <ul style="list-style-type: none"> • Dispenser accepts most bulk liquid soaps and sanitizers up to 12mL capacity, inside a solid case of durable ABS plastic • 4 C Batteries sold separately. External On-Off switch • Tamper resistant lock system with key for convenient access for assigned personnel • Motion Dispenser: Dispenses within a sense detection of 3"-5" • 2.2 lbs Empty (without fluid) | | | | | | | | | |

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 323
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information



TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color (Veneer/Laminate insert only)
4. Textile Grade (Textile insert only)
5. Textile Color (Textile insert only)

SAMPLE MODEL NUMBERS:

11N3634TVW B 25413
11N6034TVL TS B 25413

- See pages 277-278 for all options available in Exhibit

| MODEL NO./DESCRIPTION | | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|---|-------------------------------|------------|------------|---|-----|-----|----|-----------------|------------|-----|
| | | | D | W | H | A | KW | | | |
|  | 34"H TV MOUNT EXHIBIT INSERTS | | | | | | | | | |
| | 11N3634TVW | Wood | \$ 2747 | ½ | 35⅞ | 34½ | — | — | 47 lbs. | 3.1 |
| | 11N3634TVL | Laminate | 1967 | ½ | 35⅞ | 34½ | — | — | 47 lbs. | 3.1 |
|  | | | | | | | | | | |
| | 11N4234TVW | Wood | \$ 2750 | ½ | 41⅞ | 34½ | — | — | 53 lbs. | 3.3 |
| | 11N4234TVL | Laminate | 1968 | ½ | 41⅞ | 34½ | — | — | 53 lbs. | 3.3 |
| (only 60" models) | | | | | | | | | | |
| | 11N4834TVW | Wood | \$ 3026 | ½ | 47⅞ | 34½ | — | — | 58 lbs. | 3.5 |
| | 11N4834TVL | Laminate | 2160 | ½ | 47⅞ | 34½ | — | — | 58 lbs. | 3.5 |
| | | | | | | | | | | |
| | 11N5434TVW | Wood | \$ 3304 | ½ | 53⅞ | 34½ | — | — | 64 lbs. | 3.5 |
| | 11N5434TVL | Laminate | 2355 | ½ | 53⅞ | 34½ | — | — | 64 lbs. | 3.5 |
| | | | | | | | | | | |
| | 11N6034TVW | Wood | \$ 3612 | ½ | 59⅞ | 34½ | — | — | 71 lbs. | 3.9 |
| | 11N6034TVL | Laminate | 2566 | ½ | 59⅞ | 34½ | — | — | 71 lbs. | 3.9 |

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H TV MOUNT EXHIBIT INSERTS

| | | | | | | | | |
|---------------------|---------|---|-----|-----|---|---|---------|-----|
| 11N3636TVW Wood | \$ 2780 | ½ | 35⅞ | 36⅞ | — | — | 51 lbs. | 3.4 |
| 11N3636TVL Laminate | 1991 | ½ | 35⅞ | 36⅞ | — | — | 51 lbs. | 3.4 |
| 11N4236TVW Wood | \$ 2786 | ½ | 41⅞ | 36⅞ | — | — | 57 lbs. | 3.6 |
| 11N4236TVL Laminate | 1995 | ½ | 41⅞ | 36⅞ | — | — | 57 lbs. | 3.6 |
| 11N4836TVW Wood | \$ 3067 | ½ | 47⅞ | 36⅞ | — | — | 62 lbs. | 3.9 |
| 11N4836TVL Laminate | 2189 | ½ | 47⅞ | 36⅞ | — | — | 62 lbs. | 3.9 |
| 11N5436TVW Wood | \$ 3348 | ½ | 53⅞ | 36⅞ | — | — | 68 lbs. | 4.1 |
| 11N5436TVL Laminate | 2384 | ½ | 53⅞ | 36⅞ | — | — | 68 lbs. | 4.1 |
| 11N6036TVW Wood | \$ 3661 | ½ | 59⅞ | 36⅞ | — | — | 74 lbs. | 4.3 |
| 11N6036TVL Laminate | 2599 | ½ | 59⅞ | 36⅞ | — | — | 74 lbs. | 4.3 |

- TV mount included; some assembly required; VESA mounting compliant
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 323
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information



TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3637TVW MC
11N3637TVL 462

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | | CARTONED WEIGHT | CUBIC FEET |
|---|--|--|------------|---------------------------------|---------------------------------|--------------------------------|----|----------|-----------------|------------|
| | | | D | W | H | A | KW | | | |
| <div>TV MOUNT EXHIBIT INSERTS (CONTINUED)</div> <div>  (only 60" models)</div> | COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS | | | | | | | | | |
| | 37"H TV MOUNT EXHIBIT INSERTS | | | | | | | | | |
| | 11N3637TVW | Wood | \$ 2780 | ½ | 35 ¹ / ₁₆ | 37 | — | — | 51 lbs. | 3.4 |
| | 11N3637TVL | Laminate | 1991 | ½ | 35 ¹ / ₁₆ | 37 | — | — | 51 lbs. | 3.4 |
| | | | | | | | | | | |
| | 11N4237TVW | Wood | \$ 2786 | ½ | 41 ¹ / ₁₆ | 37 | — | — | 57 lbs. | 3.6 |
| | 11N4237TVL | Laminate | 1995 | ½ | 41 ¹ / ₁₆ | 37 | — | — | 57 lbs. | 3.6 |
| | | | | | | | | | | |
| | 11N4837TVW | Wood | \$ 3067 | ½ | 47 ¹ / ₁₆ | 37 | — | — | 62 lbs. | 3.9 |
| | 11N4837TVL | Laminate | 2189 | ½ | 47 ¹ / ₁₆ | 37 | — | — | 62 lbs. | 3.9 |
| | | | | | | | | | | |
| | 11N5437TVW | Wood | \$ 3348 | ½ | 53 ³ / ₁₆ | 37 | — | — | 68 lbs. | 4.1 |
| | 11N5437TVL | Laminate | 2384 | ½ | 53 ³ / ₁₆ | 37 | — | — | 68 lbs. | 4.1 |
| | | | | | | | | | | |
| | 11N6037TVW | Wood | \$ 3661 | ½ | 59 ¹ / ₁₆ | 37 | — | — | 74 lbs. | 4.3 |
| | 11N6037TVL | Laminate | 2599 | ½ | 59 ¹ / ₁₆ | 37 | — | — | 74 lbs. | 4.3 |
| | | | | | | | | | | |
| | COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS | | | | | | | | | |
| | 48"H TV MOUNT EXHIBIT INSERTS | | | | | | | | | |
| | 11N3648TVW | Wood | \$ 3240 | ½ | 35 ¹ / ₁₆ | 48 ³ / ₈ | — | — | 69 lbs. | 5.0 |
| | 11N3648TVL | Laminate | 2309 | ½ | 35 ¹ / ₁₆ | 48 ³ / ₈ | — | — | 69 lbs. | 5.0 |
| | | | | | | | | | | |
| 11N4248TVW | Wood | \$ 3244 | ½ | 41 ¹ / ₁₆ | 48 ³ / ₈ | — | — | 77 lbs. | 5.2 | |
| 11N4248TVL | Laminate | 2311 | ½ | 41 ¹ / ₁₆ | 48 ³ / ₈ | — | — | 77 lbs. | 5.2 | |
| | | | | | | | | | | |
| 11N4848TVW | Wood | \$ 3578 | ½ | 47 ¹ / ₁₆ | 48 ³ / ₈ | — | — | 85 lbs. | 5.5 | |
| 11N4848TVL | Laminate | 2541 | ½ | 47 ¹ / ₁₆ | 48 ³ / ₈ | — | — | 85 lbs. | 5.5 | |
| | | | | | | | | | | |
| 11N5448TVW | Wood | \$ 3912 | ½ | 53 ³ / ₁₆ | 48 ³ / ₈ | — | — | 93 lbs. | 5.8 | |
| 11N5448TVL | Laminate | 2769 | ½ | 53 ³ / ₁₆ | 48 ³ / ₈ | — | — | 93 lbs. | 5.8 | |
| | | | | | | | | | | |
| 11N6048TVW | Wood | \$ 4278 | ½ | 59 ¹ / ₁₆ | 48 ³ / ₈ | — | — | 101 lbs. | 6.1 | |
| 11N6048TVL | Laminate | 3024 | ½ | 59 ¹ / ₁₆ | 48 ³ / ₈ | — | — | 101 lbs. | 6.1 | |
| | | | | | | | | | | |
| | | <ul style="list-style-type: none">• TV mount included; some assembly required; VESA mounting compliant• Maximum TV weight is 120 lbs.• Optional single or dual TV mount on 60" inserts | | | | | | | | |

- TV mount included; some assembly required; VESA mounting compliant
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 323
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

- Model Number
- TV Mount (60W only)
- Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3649TVW MC
11N3649TVL 462

- See pages 277-278 for all options available in Exhibit



| | MODEL NO./DESCRIPTION | | LIST PRICE | DIMENSIONS | | | A | KW | CARTONED WEIGHT | CUBIC FEET |
|---|---|----------|------------|------------|-----|-----|---|----------|-----------------|------------|
| <div>TV MOUNT EXHIBIT INSERTS (CONTINUED)</div> <div></div> <div></div> <div>(only 60" models)</div> | COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS | | | | | | | | | |
| | 49"H TV MOUNT EXHIBIT INSERTS | | | | | | | | | |
| | 11N3649TVW | Wood | \$ 3240 | ½ | 35⅞ | 48⅞ | — | — | 69 lbs. | 5.0 |
| | 11N3649TVL | Laminate | 2309 | ½ | 35⅞ | 48⅞ | — | — | 69 lbs. | 5.0 |
| | | | | | | | | | | |
| | 11N4249TVW | Wood | \$ 3244 | ½ | 41⅞ | 48⅞ | — | — | 77 lbs. | 5.2 |
| | 11N4249TVL | Laminate | 2311 | ½ | 41⅞ | 48⅞ | — | — | 77 lbs. | 5.2 |
| | | | | | | | | | | |
| | 11N4849TVW | Wood | \$ 3578 | ½ | 47⅞ | 48⅞ | — | — | 85 lbs. | 5.5 |
| | 11N4849TVL | Laminate | 2541 | ½ | 47⅞ | 48⅞ | — | — | 85 lbs. | 5.5 |
| | | | | | | | | | | |
| | 11N5449TVW | Wood | \$ 3912 | ½ | 53⅞ | 48⅞ | — | — | 93 lbs. | 5.8 |
| | 11N5449TVL | Laminate | 2769 | ½ | 53⅞ | 48⅞ | — | — | 93 lbs. | 5.8 |
| | | | | | | | | | | |
| 11N6049TVW | Wood | \$ 4278 | ½ | 59⅞ | 48⅞ | — | — | 101 lbs. | 6.1 | |
| 11N6049TVL | Laminate | 3024 | ½ | 59⅞ | 48⅞ | — | — | 101 lbs. | 6.1 | |
| | | | | | | | | | | |
| <ul style="list-style-type: none">• TV mount included; some assembly required; VESA mounting compliant• Maximum TV weight is 120 lbs.• Optional single or dual TV mount on 60" inserts | | | | | | | | | | |

EXHIBIT TV MOUNT VERTICAL WIRE MANAGER



| | | | | | | | | |
|---|--------|----|----|-----|---|---|--------|-----|
| 11N0615WMVW Wood | \$ 475 | 1½ | 5⅞ | 15⅞ | — | — | 8 lbs. | 0.6 |
| 11N0615WMVL Laminate | 317 | 1½ | 5⅞ | 15⅞ | — | — | 8 lbs. | 0.6 |
| <ul style="list-style-type: none"> Attaches to the Exhibit TV mount inserts; used to conceal power in-feed and data cables When using Exhibit TV mount inserts and vertical wire manager with a Mio Exhibit mount worksurface, the worksurface needs to be configured with a notch for the worksurface wire manager | | | | | | | | |

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

- Model Number
- Paint Color
- Textile Grade
- Textile Color

SAMPLE MODEL NUMBER:

11N37ETP 501

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | D | W | H | A | KW | CARTONED WEIGHT | CUBIC FEET |
|---|---|------------|--------|-------|---------|---|----|-----------------|------------|
| | FULL END TRIM | | | | | | | | |
| | FOR USE WITH 34"H INSERTS | | | | | | | | |
| | 11N37ETP Powder Coated | \$ 105 | 1 1/16 | 1 1/2 | 37 1/8 | — | — | 1 lbs. | 0.2 |
| | COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS | | | | | | | | |
| | FOR USE WITH 36"H INSERTS | | | | | | | | |
| | 11N39ETP Powder Coated | \$ 110 | 1 1/16 | 1 1/2 | 39 1/8 | — | — | 1 lbs. | 0.3 |
| | COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS | | | | | | | | |
| | FOR USE WITH 37"H INSERTS | | | | | | | | |
| | 11N40ETP Powder Coated | \$ 110 | 1 1/16 | 1 1/2 | 39 1/8 | — | — | 1 lbs. | 0.3 |
| | COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS | | | | | | | | |
| | FOR USE WITH 48"H INSERTS | | | | | | | | |
| | 11N51ETP Powder Coated | \$ 125 | 1 1/16 | 1 1/2 | 51 1/4 | — | — | 1 lbs. | 0.3 |
| | COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS | | | | | | | | |
| | FOR USE WITH 49"H INSERTS | | | | | | | | |
| | 11N52ETP Powder Coated | \$ 125 | 1 1/16 | 1 1/2 | 51 1/16 | — | — | 1 lbs. | 0.4 |
| <ul style="list-style-type: none"> Specify Full End Trim for finish detail when end of Exhibit rail and tack/marker board insert are exposed Full End Trim is attached to top wall rail and extends down to and attaches to bottom rail | | | | | | | | | |

VERTICAL CABLE MANAGER

| | | GRADE A | GRADE B/COM | | | | | | |
|--|--|---------|-------------|---|---|----|---|---|------------|
| | 11N20WMV Black Plastic | \$ 41 | | 1 | 1 | 20 | — | — | 1 lbs. 0.5 |
| | 11N20WMVFA Textile, Railroad | \$ 56 | \$ 67 | 1 | 1 | 20 | — | — | 1 lbs. 0.5 |
| | <ul style="list-style-type: none"> For use with 34", 36" or 37" inserts when a single height overhead cabinet is attached; or 48" and 49" inserts when a double height overhead cabinet is attached Textile will be railroaded | | | | | | | | |
| | | GRADE A | GRADE B/COM | | | | | | |
| | 11N31WMV Black Plastic | \$ 53 | | 1 | 1 | 31 | — | — | 2 lbs. 0.6 |
| | 11N31WMVFA Textile, Railroad | \$ 68 | \$ 79 | 1 | 1 | 31 | — | — | 2 lbs. 0.6 |
| <ul style="list-style-type: none"> For use with 48" or 49" inserts when a single height cabinet is attached Textile will be railroaded | | | | | | | | | |

EXHIBIT

PRODUCT SPECIFICATIONS


- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color
3. Textile Grade
4. Textile Color

SAMPLE MODEL NUMBERS:

- 11N34TCF B 25413
11N01ETP 501
- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--|-----------------------|------------|------------|----|----|---|----|-----------------|------------|
| | | | D | W | H | A | KW | | |
| SINGLE END CAP | 11N01ETP | \$ 48 | ½ | 1½ | 1½ | — | — | 1 lbs. | 0.3 |
| <div></div> <ul style="list-style-type: none">• Specify end caps for finish detail when end of Exhibit rail is exposed, does not work with faceplate on wall rail• End caps are sold individually• End caps available in Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501) or Satin Nickel Metallic (503)• Exhibit end caps can also be used behind overheads or when used with a worksurface | | | | | | | | | |

TEXTILE WRAPPED TRIM CHANNELS



| 34"H TRIM CHANNELS | | GRADE A | | GRADE B/COM | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|---|-------------------|---------|-------|-------------|------------|---|-----|---|----|-----------------|------------|
| | | | | | D | W | H | A | KW | | |
| 11N34TCFA | Textile, Railroad | \$ 65 | \$ 76 | | ½ | ¾ | 34½ | — | — | 1 lbs. | 0.3 |
| COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS | | | | | | | | | | | |
| 36"H TRIM CHANNELS | | | | | | | | | | | |
| 11N36TCFA | Textile, Railroad | \$ 67 | \$ 78 | | ½ | ¾ | 36½ | — | — | 1 lbs. | 0.3 |
| COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS | | | | | | | | | | | |
| 37"H TRIM CHANNELS | | | | | | | | | | | |
| 11N37TCFA | Textile, Railroad | \$ 67 | \$ 78 | | ½ | ¾ | 37 | — | — | 1 lbs. | 0.3 |
| COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS | | | | | | | | | | | |
| 48"H TRIM CHANNELS | | | | | | | | | | | |
| 11N48TCFA | Textile, Railroad | \$ 75 | \$ 86 | | ½ | ¾ | 48¾ | — | — | 1 lbs. | 0.3 |
| COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS | | | | | | | | | | | |
| 49"H TRIM CHANNELS | | | | | | | | | | | |
| 11N49TCFA | Textile, Railroad | \$ 75 | \$ 86 | | ½ | ¾ | 48¾ | — | — | 1 lbs. | 0.3 |
| <ul style="list-style-type: none">• 2 trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered• Textile will be railroaded | | | | | | | | | | | |

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement


TO ORDER, SPECIFY:

- Model Number
- Paint Color
- Wood/Laminate Finish

SAMPLE MODEL NUMBERS:

11N34TCP 462
11NCPFSL MC

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | | CARTONED WEIGHT | CUBIC FEET |
|---|--|------------|------------|---|-----|---|----|--|-----------------|------------|
| | | | D | W | H | A | KW | | | |
|  | PAINTED TRIM CHANNELS | | | | | | | | | |
| | 34"H TRIM CHANNELS | | | | | | | | | |
| | 11N34TCP Powder Coated | \$ 53 | ½ | ¾ | 34½ | — | — | | 1 lbs. | 0.3 |
| | COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS | | | | | | | | | |
| | 36"H TRIM CHANNELS | | | | | | | | | |
| | 11N36TCP Powder Coated | \$ 58 | ½ | ¾ | 36½ | — | — | | 1 lbs. | 0.3 |
| | COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS | | | | | | | | | |
| | 37"H TRIM CHANNELS | | | | | | | | | |
| | 11N37TCP Powder Coated | \$ 58 | ½ | ¾ | 37 | — | — | | 1 lbs. | 0.3 |
| | COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS | | | | | | | | | |
| | 48"H TRIM CHANNELS | | | | | | | | | |
| | 11N48TCP Powder Coated | \$ 68 | ½ | ¾ | 48½ | — | — | | 1 lbs. | 0.3 |
| | COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS | | | | | | | | | |
| | 49"H TRIM CHANNELS | | | | | | | | | |
| | 11N49TCP Powder Coated | \$ 68 | ½ | ¾ | 49½ | — | — | | 1 lbs. | 0.3 |
| | <ul style="list-style-type: none"> Available in White (401), Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501) or Satin Nickel Metallic (503) 2 trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered | | | | | | | | | |

WORKSURFACE MOUNTING BRACKET




| | | | | | | | | | |
|---|-------|---|---|---|---|---|--|--------|-----|
| 11NBRS Single Bracket | \$ 20 | 2 | 3 | ½ | — | — | | 1 lbs. | 0.3 |
| <ul style="list-style-type: none"> For use when attaching a WaveWorks or Epic worksurface to Exhibit wall rail Standard in anodized aluminum Specify model number only | | | | | | | | | |

Reference this chart for worksurface bracket requirements

| Worksurface Width/Depth | Number of Brackets per edge |
|---------------------------|-----------------------------|
| Less than or equal to 48" | 2 |
| Less than or equal to 72" | 3 |
| Greater than 72" | 4 |

FILLER STRIP KIT EXHIBIT MOUNT



| | | | | | | | | | |
|--|-------|---|---|-----|---|---|--|--------|-----|
| 11NCPFSW Wood | \$ 70 | 1 | 3 | 27¼ | — | — | | 3 lbs. | 1.0 |
| 11NCPFSL Laminate | 36 | 1 | 3 | 27¼ | — | — | | 3 lbs. | 1.0 |
| <ul style="list-style-type: none"> For use with Exhibit mounted overheads when an insert is not used behind the overhead Must be field scribed for 18" and 13" high overhead models Specify solid/woodgrain/Gallery laminate or wood finish | | | | | | | | | |

EXHIBIT

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts








TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

NAC0924SHM 462
• See pages 277-278 for all options available in Exhibit

METAL
WORK TOOLS

| | MODEL NO./DESCRIPTION | | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC WEIGHT FEET | |
|---|-----------------------|----------------------------|---------------|------------------|------------------|----|---|----|-------------------------------|-----|
| | | | | D | W | H | A | KW | | |
| SHELF  | NAC0924SHM | Powder Coated | \$ 143 | 9% | 24 | 2¼ | — | — | 5 lbs. | 0.9 |
| | NAC0930SHM | Powder Coated | 160 | 9% | 30 | 2¼ | — | — | 6 lbs. | 1.1 |
| | NAC0936SHM | Powder Coated | 177 | 9% | 36 | 2¼ | — | — | 7 lbs. | 1.2 |
| | NAC0942SHM | Powder Coated | 200 | 9% | 42 | 2¼ | — | — | 8 lbs. | 1.3 |
| | NAC0948SHM | Powder Coated | 216 | 9% | 48 | 2¼ | — | — | 9 lbs. | 1.4 |
| | | | | | | | | | | |
| SINGLE SIDE TRAY  | NAC1217SPTM | Single Tray | \$ 128 | 11% | 17 | 2¼ | — | — | 5 lbs. | 0.7 |
| | | | | | | | | | | |
| DOUBLE SIDE TRAY  | NAC1217DPTM | Double Tray | \$ 177 | 1% | 17 | 5 | — | — | 9 lbs. | 1.0 |
| | | | | | | | | | | |
| POCKET ORGANIZER  | NAC16POM | Single Pocket | \$ 109 | 1% | 15% | 7¼ | — | — | 4 lbs. | 1.1 |
| | | | | | | | | | | |
| SLANT SORTER  | NAC1212SSM | Polished Aluminum Dividers | \$ 128 | 11¼ | 12 | 7¼ | — | — | 4 lbs. | 1.1 |
| | | | | | | | | | | |
| • Not recommended for use under Epicenter mounted overhead storage cabinets | | | | | | | | | | |
| MARKER HOLDER  | NACMRHM | | \$ 124 | 2½ ₁₆ | 6½ ₁₆ | 4 | — | — | 1 lbs. | 0.1 |
| | | | | | | | | | | |
| BINDER SHELF  | NAC0905SHBM | | \$ 79 | 9% | 5 | 8¾ | — | — | 3 lbs. | 0.5 |
| | | | | | | | | | | |
| • Not recommended for use under Epicenter mounted overhead storage cabinets | | | | | | | | | | |

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts
- Pencil Tray (NAC0510PTB) is only available in black and may not be an exact match

TO ORDER, SPECIFY:


- 1. Model Number

SAMPLE MODEL NUMBER:

- NAC0510PTB
- See pages 277-278 for all options available in Exhibit

METAL
WORK TOOLS

PENCIL TRAY



| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | A | KW | CARTONED WEIGHT | CUBIC FEET |
|-----------------------|---------------|------------|----|---|---|----|--------------------|---------------|
| | | D | W | H | | | | |
| NAC0510PTB | \$ 96 | 5 | 10 | 1 | — | — | 1 lbs. | 0.1 |

- Available in Black only

METAL TOOLS OPERATING LOAD CAPACITIES

| | |
|-------------------|---|
| Component: | Operating Load Capacity (Functional Loads): |
| Metal shelves: | 10 lbs. per 6" of shelf width |
| Single side tray: | 40 lbs. t.w. |
| Double side tray: | 47 lbs. t.w. |
| Pocket organizer: | 4 lbs. t.w. |
| Slant Sorter: | 19 lbs. t.w. |
| Binder shelf: | 10 lbs. t.w. |
| Pencil tray: | 5 lbs. t.w. |

EXHIBIT

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

- NACCP
- See pages 277-278 for all options available in Exhibit

PLASTIC
WORK TOOLS


PENCIL CUP



| MODEL NO./DESCRIPTION | | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-----------------------|---------------|------------|------------|---|---|---|----|-----------------|------------|
| | | | D | W | H | A | KW | | |
| NACCP | Black Plastic | \$ 53 | ½ | 4 | 4 | — | — | 1 lbs. | 0.4 |
| NACCP C | Clear Plastic | 53 | ½ | 4 | 4 | — | — | 1 lbs. | 0.4 |

- Holds pencils, pens, rulers, etc.


LEGAL PAPER TRAY



| | | | | | | | | | |
|--------------|---------------|-------|-----|----|---|---|---|--------|-----|
| NAC1115SPT | Black Plastic | \$ 79 | 10½ | 15 | 2 | — | — | 1 lbs. | 0.1 |
| NAC1115SPT C | Clear Plastic | 79 | 10½ | 15 | 2 | — | — | 1 lbs. | 0.1 |

- Holds letter or legal width papers, folders, etc.

ACCESSORY TRAY



| | | | | | | | | | |
|-------------|---------------|-------|----|----|---|---|---|--------|-----|
| NAC1010AT | Black Plastic | \$ 70 | 10 | 9½ | 2 | — | — | 1 lbs. | 0.2 |
| NAC1010AT C | Clear Plastic | 70 | 10 | 9½ | 2 | — | — | 1 lbs. | 0.2 |

- Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.

SLANT SORTER



| | | | | | | | | | |
|---------|---------------|-------|-----|---|----|---|---|--------|-----|
| NACSS | Black Plastic | \$ 83 | 12½ | 7 | 7½ | — | — | 1 lbs. | 0.2 |
| NACSS C | Clear Plastic | 83 | 12½ | 7 | 7½ | — | — | 1 lbs. | 0.2 |

- Holds folders, papers, etc.
- Not recommended for use under Epicenter mounted overhead storage cabinets

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBER:

NACMAPSMB

- See pages 277-278 for all options available in Exhibit

| | MODEL NO./DESCRIPTION | | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--|-----------------------|--------|---------------|------------|----|-----|---|----|--------------------|---------------|
| | | | | D | W | H | A | KW | | |
| INTUITIVE MONITOR ARM SLAT WALL MOUNT | NACMA1SFB | Black | \$ 799 | 29½ | 2½ | 13⅞ | — | — | 12 lbs. | 2.7 |
| | NACMA1SFS | Silver | 799 | 29½ | 2½ | 13⅞ | — | — | 12 lbs. | 2.7 |



- Weight capacity: 5.5 lbs. minimum - 13 lbs. pounds
- 1 monitor arm every 24" on slat wall and only 1 monitor arm recommended for a slat/tack combo insert
- Must properly install slat wall and Epicenter supports when using a monitor arm
- Recommended to not use monitor arm on the upper 4 slats of a full slat wall and slat wall combo insert

MONITOR ARM INFORMATION

| | |
|--|---|
| National Model | NACMA1SFB/S |
| Description | slat wall mount black/silver |
| Monitor Rotation | port/landscape 360° |
| Monitor Extension | 6¾" - 13⅞" |
| Arm Pivot | 30° |
| Horizontal Monitor Pivot | 180° |
| Monitor Weight Capacity (maximum approved weight) | arm – 5.5 lbs. minimum - 13 lbs. maximum slat rail – 13 lbs. |
| Mounting Option | slat wall mount |
| Arm Height Adjustment | 10" dynamic |
| Pole Height | N/A |
| Maximum Width Per Monitor | no maximum width |
| Manual Height Adjustment | N/A |
| Worksurface Requirements— Desk Clamp | N/A (slat wall mount only) |
| Worksurface Requirements— Grommet Mount | N/A (slat wall mount only) |

