

LIVE LARGER

EZGO[®]

EXPRESS[™] S2



ELITE LITHIUM ACTIVATED
BY SAMSUNG SDI LITHIUM
BATTERY TECHNOLOGY

PREMIUM INTERIOR

10" DAYTONA WHEELS
ON LOADSTAR TIRES

EXPRESS™ S2

LIVE YOUR LIFE TO THE FULLEST.

The Express S2 takes you to the moments that will become memories. As an ELiTE lithium vehicle activated by Samsung SDI lithium battery technology and all-new Express package offerings, the Express S2 has the power and style to get you there.

KEY FEATURES

- Spacious Legroom and Front Room Operator Area
- Functional Dash with Versatile Cup and Technology Holders and Three Storage Areas
- LED Headlights, Taillights and Brake Lights
- Fold-Down Windshield
- Premium Steering Wheel
- Dual USB Ports
- Multi-Function Speed, State of Charge and Hour Meter Gauge
- DC/DC Converter

STANDARD PACKAGE

- Loadstar Tires on Daytona Wheels
- Convex Mirror

CRUISER PACKAGE

- Paramount SBR Tires on Rogue Alloy Wheels
- Convex Mirror
- Turn Signal with Horn
- Brush Guard



ELiTE

DIMENSIONS

OVERALL LENGTH	97 in (246 cm)
OVERALL WIDTH	49.5 in (124 cm)
OVERALL HEIGHT (W/O ROOF)	51 in. (129 cm)
OVERALL HEIGHT (W/ ROOF)	74.4 in (189cm)
WHEEL BASE	67 in (170 cm)
FRONT WHEEL TRACK	38.5 in (98 cm)
REAR WHEEL TRACK	38.5 in (98 cm)
GROUND CLEARANCE @ DIFFERENTIAL	5.25 in (13.3 cm)

POWER

POWER SOURCE	39.2-56.7V Li-Ion Battery
MOTOR TYPE	AC Induction
HORSEPOWER (KW)	22.4 HP (16.7 kW)
ELECTRICAL SYSTEM	48V primary, 12V auxiliary
BATTERIES (QTY/TYPER)	Single, 56.7 Vol Li-Ion Composite Module (Standard Configuration)
BATTERY CHARGER	72V World Charger, 10' DC Cord
KEY OR PEDAL START	Pedal Start
SPEED CONTROLLER	56.7V 350W Domestic Charger, 3m Charging Cord
DRIVETRAIN	Motor Shaft Direct Drive
TRANSAXLE	Differential with Helical Gears
GEAR SELECTION	Dash Mounted Forward-Neutral-Reverse
REAR AXLE RATIO	16.99:1 (Forward)

PERFORMANCE

SEATING CAPACITY	2-Passenger
DRY WEIGHT	648 lb (294 kg) (without batteries)
CURB WEIGHT	695 lb (316 kg)
VEHICLE LOAD CAPACITY	500 lb (227 kg)
OUTSIDE CLEARANCE CIRCLE	22 ft (6.7m)
SPEED (LEVEL GROUND)	Up to 19.5 mph +/- 0.5 mph (31.4 kph - 0.8 kph)

STEERING & SUSPENSION

STEERING	Self-Compensating Reduction Rack and Pinion
SUSPENSION (FRONT & REAR)	Leaf Springs with Hydraulic Shock Absorbers
BRAKES	Rear Wheel Mechanical Self-Adjusting Drum
PARKING BRAKE	Self-Compensating, Single Point Engagement
TIRES	Load Star, 205/65-10 on Daytona Wheel (Standard Package), Paramount SBR 215/40-12 on Rogue Wheel (Cruiser Package)

BODY & CHASSIS

FRAME	Welded steel with E-coat and DuraShield™ Powder Coat
BODY & FINISH	Injection Molded TPO
AVAILABLE BODY COLORS	Black, Bright White, Electric Blue, Flame Red, Inferno Red, Metallic Charcoal, Ocean Grey, Platinum, Slate
AVAILABLE SEAT COLORS	Black, Grey on Black Stitched, White on Beige Stitched
AVAILABLE PREMIUM SEAT COLORS	Black, Grey and Mushroom



Black



Bright White



Electric Blue



Flame Red



Inferno Red



Metallic Charcoal



Ocean Grey



Platinum



Slate

LIVE LARGER



EZGO.com



LIVE LARGER

EZGO

EXPRESS™ L6



ELITE LITHIUM POWERTRAIN
OR 13.5-HP EFI GAS ENGINE

HIGHER GROUND
CLEARANCE

PREMIUM INTERIOR

EXPRESS™ L6

LUXURY FOR YOUR FRIENDS AND THEIRS.

The Express L6 provides an elevated experience for up to 6 passengers and is now available with all-new Express packages to fit your lifestyle. The Express L6 will take you far with the option of an ELiTE lithium powertrain activated by Samsung SDI lithium battery technology or an energy-efficient 13.5 hp EFI gas engine. Meet every heightened expectation with the higher ground clearance of the Express L6.

KEY FEATURES

- Spacious Legroom and Front Room Operator Area
- Functional Dash with Versatile Cup and Technology Holders and Three Storage Areas
- Convertible Rear Seat with Durable Composite Frame and Built-In Storage
- LED Headlights, Taillights and Brake Lights
- Fold-Down Windshield
- Premium Steering Wheel
- Dual USB Ports
- Multi-Function Speed, State of Charge and Hour Meter Gauge (ELiTE Only)
- DC/DC Converter (ELiTE Only)
- Fuel Gauge (Gas Only)
- Low Oil Indicator (Gas Only)

COMMUTER PACKAGE

- Kruizer Tires on SPDR Wheels
- Convex Mirror
- Turn Signal with Horn
- Fender Flares

EXPLORER PACKAGE

- Paramount M/T Tires on SPDR Wheels
- Convex Mirror
- Fender Flares
- Brush Guard



ELiTE



GAS

DIMENSIONS

OVERALL LENGTH	142.8 in (363 cm)	144 in (364 cm)
OVERALL WIDTH	50.5 in (129 cm)	49 in (125 cm)
OVERALL HEIGHT (W/O ROOF)	50.5 in (128 cm)	55.5 in (141 cm)
OVERALL HEIGHT (W/ ROOF)	76.2 in (194 cm)	83 in (211 cm)
WHEEL BASE	94.5 in (240 cm)	97 in (245 cm)
FRONT WHEEL TRACK	40.2 in (102 cm)	38.5 in (98 cm)
REAR WHEEL TRACK	41.3 in (105 cm)	38.5 in (98 cm)
GROUND CLEARANCE @ DIFFERENTIAL	7.0 in (18 cm)	

POWER

POWER SOURCE	56 Volt DC	4 Cycle 24.5 cu in (401 cc)
VALVE TRAIN	N/A	Single Cylinder OHV
MOTOR TYPE	56 Volt AC	N/A
FUEL SYSTEM	N/A	Electronic Fuel Injection
HORSEPOWER (KW)	22.4 hp (16.7 kW) Peak	13.5 hp (10.1 kW) Exceeds SAE J1940 Std
ELECTRICAL SYSTEM	56 Volt	Starter/Generator - Solid State Regulator
BATTERIES (QTY/TYPER)	Two Li-Ion 56 Volt Modules (Standard Configuration)	One, 12 Volt Maintenance Free
KEY OR PEDAL START	Pedal Start	
AIR CLEANER	N/A	Replaceable Dry Cartridge
LUBRICATION	N/A	Pressurized Oil System
OIL FILTER	N/A	Spin-On
COOLING SYSTEM	N/A	Air Cooled
FUEL CAPACITY	N/A	5.2 Gallon (19.8 L) Tank
BATTERY CHARGER	56.7V 811W World Charger	N/A
SPEED CONTROLLER	350 Amp AC	N/A
DRIVETRAIN	Motor Shaft Direct Drive	Continuously Variable Transmission (CVT)
TRANSAXLE	Differential with Helical Gears	
GEAR SELECTION	Dash Mounted Forward-Neutral-Reverse	Forward-Reverse
REAR AXLE RATIO	17:1	11.47:1 (Forward); 14.35:1 (Reverse)

PERFORMANCE

SEATING CAPACITY	6-Passenger	
DRY WEIGHT	1072 lb (486 kg) (without battery)	1150 lb (522 kg) (without battery)
CURB WEIGHT	1225 lb (556 kg)	1190 lb (540 kg)
VEHICLE LOAD CAPACITY	1153 lb (524 kg)	1200 lb (544 kg)
OUTSIDE CLEARANCE CIRCLE	31 ft (9.4 m)	25.5 ft (7.8 m)
SPEED (LEVEL GROUND)	Up to 19 mph ± 0.5 mph (Up to 30.6 kph ± 0.8 kph)	Up to 17 mph ± 0.5 mph (Up to 26 kph ± 0.8 kph)

STEERING & SUSPENSION

STEERING	Self-Compensating Rack and Pinion
SUSPENSION	Leaf Springs with Hydraulic Shock Absorbers
SERVICE BRAKE	Rear Wheel Mechanical Self-Adjusting Drum
PARKING BRAKE	Self-Compensating, Single Point Engagement
TIRES	Kruizer 185/60-14 on SPDR Wheels (Commuter Package), Paramount M/T 23x10-14 on SPDR Wheels (Explorer Package)

BODY & CHASSIS

FRAME	Welded steel with E-coat and DuraShield™ powder coat
BODY & FINISH	Injection Molded TPO
AVAILABLE BODY COLORS	Black, Bright White, Electric Blue, Flame Red, Inferno Red, Metallic Charcoal, Ocean Grey, Platinum, Slate
AVAILABLE SEAT COLORS	Black, Grey on Black, White on Beige
AVAILABLE PREMIUM SEAT COLORS	Black, Grey, Mushroom



LIVE LARGER



EZGO.com



LIVE LARGER

EZGO

EXPRESS™ S4



ELITE LITHIUM POWERTRAIN
OR 13.5-HP EFI GAS ENGINE

PREMIUM INTERIOR

ALL-NEW REAR
FACING SEAT

EXPRESS™ S4

LEAVE ORDINARY BEHIND.

Live your most extraordinary life with the Express S4. With the option of an ELiTE lithium powertrain activated by Samsung SDI lithium battery technology or an energy-efficient 13.5 hp EFI gas engine, the Express S4 offers unrivaled power and enjoyment. The inclusion of all-new Express package offerings create the ability to customize your cart to fit your lifestyle.

KEY FEATURES

- Spacious Legroom and Front Room Operator Area
- Functional Dash with Versatile Cup and Technology Holders and Three Storage Areas
- Convertible Rear Seat with Durable Composite Frame and Built-In Storage
- LED Headlights, Taillights and Brake Lights
- Fold-Down Windshield
- Premium Steering Wheel
- Dual USB Ports
- Multi-Function Speed, State of Charge and Hour Meter Gauge (ELiTE Only)
- DC/DC Converter (ELiTE Only)
- Fuel Gauge (Gas Only)
- Low Oil Indicator (Gas Only)

COMMUTER PACKAGE

- Kruizer Tires on SPDR Wheels
- Convex Mirror
- Turn Signal with Horn
- Fender Flares

EXPLORER PACKAGE

- Paramount M/T Tires on SPDR Wheels
- Convex Mirror
- Fender Flares
- Brush Guard



ELITE



GAS

DIMENSIONS

OVERALL LENGTH	115 in (292 cm)	
OVERALL WIDTH	49.5 in (124 cm)	48.5 in (123 cm)
OVERALL HEIGHT (W/O ROOF)	52 in (132 cm) (Top of steering wheel)	52.5 in (133 cm) (Top of steering wheel)
OVERALL HEIGHT (W/ ROOF)	82 in (208 cm)	83.0 in (210 cm)
WHEEL BASE	67.5 in (171 cm)	65.5 in (166 cm)
FRONT WHEEL TRACK	37.9 in (96.3 cm)	38.5 in (98 cm)
REAR WHEEL TRACK	39.2 in (99.6 cm)	38.5 in (98 cm)
GROUND CLEARANCE @ DIFFERENTIAL	7.3 in (18.5 cm)	6 in (15 cm)

POWER

POWER SOURCE	56 Volt DC	4 Cycle 24.5 cu in (401 cc)
VALVE TRAIN	N/A	Single Cylinder OHV
MOTOR TYPE	56 Volt AC	N/A
FUEL SYSTEM	N/A	Electronic Fuel Injection
HORSEPOWER (KW)	11.7 HP (8.7 kW) Peak	13.5 hp (10.1 kW) Exceeds SAE J1940 Std
ELECTRICAL SYSTEM	56 Volt	Starter/Generator - Solid State Regulator
BATTERIES (QTY/TYPE)	Single, 56 V Li-Ion (Standard Configuration)	One, 12 Volt Maintenance Free
KEY OR PEDAL START	Pedal Start	
AIR CLEANER	N/A	Replaceable Dry Cartridge
LUBRICATION	N/A	Pressurized Oil System
OIL FILTER	N/A	Spin-On
COOLING SYSTEM	N/A	Air Cooled
FUEL CAPACITY	N/A	5.96 Gallon (22.6 L) Tank
BATTERY CHARGER	56VDC, 120/230 VAC, UL/CSA, CE	N/A
SPEED CONTROLLER	235 Amp AC	N/A
DRIVETRAIN	Motor Shaft Direct Drive	Continuously Variable Transmission (CVT)
TRANSAXLE	Differential with Helical Gears	
GEAR SELECTION	Dash Mounted Forward-Neutral-Reverse	
REAR AXLE RATIO	17:1 (Forward)	11.47:1 (Forward); 14.35:1 (Reverse)

PERFORMANCE

SEATING CAPACITY	4-Passenger	
DRY WEIGHT	918 lb (416 kg) (without batteries)	1061 lb (481 kg) (without battery)
CURB WEIGHT	965 lb (437 kg)	1101 lb (499 kg)
VEHICLE LOAD CAPACITY	800 lb (360 kg)	
OUTSIDE CLEARANCE CIRCLE	22.8 ft (7.0 m)	20.3 ft (6.2 m)
SPEED (LEVEL GROUND)	Up to 19 mph ± 0.5 mph (Up to 30.6 kph ± 0.8 kph)	

STEERING & SUSPENSION

STEERING	Self-Compensating Rack and Pinion
SUSPENSION	Leaf Springs with Hydraulic Shock Absorbers
SERVICE BRAKE	Rear Wheel Mechanical Self-Adjusting Drum
PARKING BRAKE	Self-Compensating, Single Point Engagement
TIRES	Kruizer 185/60-14 on SPDR Wheels (Commuter Package), Paramount M/T 23x10-14 on SPDR Wheels (Explorer Package)

BODY & CHASSIS

FRAME	Welded steel with E-coat & DuraShield™ powder coat
BODY & FINISH	Injection Molded TPO
AVAILABLE BODY COLORS	Black, Bright White, Electric Blue, Flame Red, Inferno Red, Metallic Charcoal, Ocean Grey, Platinum, Slate
AVAILABLE SEAT COLORS	Black, Grey on Black, White on Beige
AVAILABLE PREMIUM SEAT COLORS	Black, Grey and Mushroom



LIVE LARGER



EZGO.com



LIVE LARGER
EZGO[®]

EXPRESS[™] S6



ELITE LITHIUM POWERTRAIN
OR 13.5-HP EFI GAS ENGINE

COMFORTABLE
SPACE FOR 6

PREMIUM INTERIOR

EXPRESS™ S6

ARRIVE, THEN KEEP GOING.

The Express S6 has space for 6 passengers to bring family and friends along on your next adventure. With the option of an ELiTE lithium powertrain activated by Samsung SDI lithium battery technology or an energy-efficient 13.5 hp EFI gas engine, the Express S6 will efficiently get you there. The all-new Express packages will make you the talk of the neighborhood with the custom look of your Express S6 golf cart.

KEY FEATURES

- Spacious Legroom and Front Room Operator Area
- Functional Dash with Versatile Cup and Technology Holders and Three Storage Areas
- Convertible Rear Seat with Durable Composite Frame and Built-In Storage
- LED Headlights, Taillights and Brake Lights
- Fold-Down Windshield
- Premium Steering Wheel
- Dual USB Ports
- Multi-Function Speed, State of Charge and Hour Meter Gauge (ELiTE Only)
- DC/DC Converter (ELiTE Only)
- Fuel Gauge (Gas Only)
- Low Oil Indicator (Gas Only)

STANDARD PACKAGE

- Loadstar Tires on Daytona Wheels
- Convex Mirror

CRUISER PACKAGE

- Paramount SBR Tires on Rogue Alloy Wheels
- Convex Mirror
- Turn Signal with Horn
- Brush Guard



ELiTE



GAS

DIMENSIONS

OVERALL LENGTH	142.8 in (363 cm)	144.5 in. (367 cm)
OVERALL WIDTH	51 in (130 cm)	49 in (125 cm)
OVERALL HEIGHT (W/O ROOF)	51 in (130 cm)	51 in (130 cm)
OVERALL HEIGHT (W/ ROOF)	74.5 in (189 cm)	
WHEEL BASE	99.5 in. (253 cm)	
FRONT WHEEL TRACK	38.5 in (98 cm)	
REAR WHEEL TRACK	38.5 in (98 cm)	
GROUND CLEARANCE @ DIFFERENTIAL	6.1 in (15.5 cm)	5.5 in (14 cm)

POWER

POWER SOURCE	56 Volt DC	4 Cycle 24.5 cu in (401 cc)
VALVE TRAIN	N/A	Single Cylinder OHV
MOTOR TYPE	56 Volt AC	N/A
FUEL SYSTEM	N/A	Electronic Fuel Injection
HORSEPOWER (KW)	14.9 hp (11.1 kW) Peak	13.5 hp (10.1 kW) Exceeds SAE J1940 Std
ELECTRICAL SYSTEM	56 Volt	Starter/Generator - Solid State Regulator
BATTERIES (QTY/TYPE)	Two Li-Ion 56 Volt Modules (Standard Configuration)	One, 12 Volt Maintenance Free
KEY OR PEDAL START	Pedal Start	
AIR CLEANER	N/A	Replaceable Dry Cartridge
LUBRICATION	N/A	Pressurized Oil System
OIL FILTER	N/A	Spin-On
COOLING SYSTEM	N/A	Air Cooled
FUEL CAPACITY	N/A	5.2 Gallon (19.8 L) Tank
BATTERY CHARGER	56.7V 811W World Charger	N/A
SPEED CONTROLLER	350 Amp AC	N/A
DRIVETRAIN	Motor Shaft Direct Drive	Continuously Variable Transmission (CVT)
TRANSAXLE	Differential with Helical Gears	
GEAR SELECTION	Dash Mounted Forward-Neutral-Reverse	Forward-Reverse
REAR AXLE RATIO	17:1 (Forward)	11.47:1 (Forward); 14.35:1 (Reverse)

PERFORMANCE

SEATING CAPACITY	6-Passenger	
DRY WEIGHT	966 lb (438 kg) (w/o Batteries)	1090 lb (494 kg) (Without Batteries)
CURB WEIGHT	1100 lb (499 kg)	1130 lb (513 kg)
VEHICLE LOAD CAPACITY	1047 lb (475 kg)	
OUTSIDE CLEARANCE CIRCLE	25.5 ft (7.8 m)	28.8 ft (7.8 m)
SPEED (LEVEL GROUND)	Up to 19 mph ± 0.5 mph (Up to 30.6 kph ± 0.8 kph)	Up to 17 mph ± 0.5 mph (Up to 26 kph ± 0.8 kph)

STEERING & SUSPENSION

STEERING	Self-Compensating Rack and Pinion
SUSPENSION	Leaf Springs with Hydraulic Shock Absorbers
SERVICE BRAKE	Rear Wheel Mechanical Self-Adjusting Drum
PARKING BRAKE	Self-Compensating, Single Point Engagement
TIRES	Load Star, 205/65-10 on Daytona Wheel (Standard Package), Paramount SBR 215/40-12 on Rogue Wheel (Cruiser Package)

BODY & CHASSIS

FRAME	Welded steel with E-coat & DuraShield™ Powder Coat
BODY & FINISH	Injection Molded TPO
AVAILABLE BODY COLORS	Black, Bright White, Electric Blue, Flame Red, Inferno Red, Metallic Charcoal, Ocean Grey, Platinum, Slate
AVAILABLE SEAT COLORS	Black, Grey on Black, White on Beige
AVAILABLE PREMIUM SEAT COLORS	Black, Grey, Mushroom



LIVE LARGER



EZGO.com



The NEW RXV®



Exceptional Go. Inside & Out.

There's a reason the E-Z-GO® RXV is chosen on so many golf courses worldwide. With industry-leading ELiTE Lithium powered by Samsung SDI, ever-innovating Pace Technology, and a new design that is more golf-friendly than ever before, you can trust the RXV will always be good to go.

ELiTE LITHIUM POWERTRAIN
OR EX1 GAS ENGINE WITH
CLOSED LOOP EFI

AUTOMOTIVE STYLE
HANGING PEDALS

NEW GOLFER-CENTRIC
DESIGN

EZGO®

The NEW RXV®



Key Features

- New Golf Centric, Best-In-Class Dash
- Spacious Leg Room
- New Led Headlights with Optional Upgrades (Freedom Model Only)
- Impact-Resistant Bumpers
- Oversized Bag Well
- Superior Performance
- Perfectly Tuned Power
- Refined Handling
- Industry's Lowest Operational Costs
- Optional Fold-Down Windshield
- IntelliBrake™ (ELiTE)
- Industry's Most Efficient Gas Engine (EX1)
- Closed-Loop EFI System (EX1)
- Rear-facing Seat Available in Rxv 2+2 (Freedom Model)
- New Optional Golf Accessories

Color Options



Almond



Black



Bright White



Burgundy



Inferno Red



Ivory



Forest Green



Metallic Charcoal



Ocean Grey



Patriot Blue



Platinum



Slate



ELiTE



EX1

DIMENSIONS

OVERALL LENGTH	92.5 in (235 cm)	
OVERALL WIDTH	45 in (114 cm)	
OVERALL HEIGHT (W/O ROOF)	47.5 (121 cm)	
OVERALL HEIGHT (W/ ROOF)	67 in (170 cm)	
WHEEL BASE	65.7 (167 cm)	
FRONT WHEEL TRACK	35.5 (90 cm)	
REAR WHEEL TRACK	38 (97 cm)	
GROUND CLEARANCE @ DIFFERENTIAL	4.5 in (11 cm)	4 in (10 cm)

POWER

POWER SOURCE	56.7-VDC	Single Cylinder OHC, 4 Cycle, 9.15 cu in (150 cc)
HORSEPOWER (KW)	4.4 hp (3.3 Kw) Continuous	11.5 hp (8.6 kW) J1995 Standard
ELECTRICAL SYSTEM	48 Volt AC	Brushless DC Internal Starter Generator
BATTERIES (QTY/TYPER)	ELITE 2.2, 56.7V Lithium	One, 12 Volt Maintenance Free
KEY OR PEDAL START	Pedal	
BATTERY CHARGER	Lithium World Charger 56VDC 10 ft. DC Cord	N/A
SPEED CONTROLLER	235-amp Solid-State AC Controller	N/A
DRIVETRAIN	Motor Shaft Direct Drive	Continuously Variable Transmission (CVT)
TRANSAXLE	Limited Slip Differential	Differential with Helical Gears
GEAR SELECTION	Dash Mounted Forward-Neutral-Reverse	Forward-Reverse
REAR AXLE RATIO	16.99:1	11.47:1 (Forward) 14.35:1 (Reverse)

PERFORMANCE

SEATING CAPACITY	2 Passenger	
DRY WEIGHT (W/ CANOPY)	633 lb (287 kg)	710 lb (322 kg)
CURB WEIGHT (W/ CANOPY)	680 lb (308 kg)	726 lb (329 kg)
VEHICLE LOAD CAPACITY	500 lb (227 kg) (2 Passenger) or 800 lb (360kg) (4 Passenger)	
OUTSIDE CLEARANCE CIRCLE	19.2 ft (5.9 m)	19.0 ft (5.8 m)
SPEED (LEVEL GROUND)	12 mph ± 0.5 mph (19.3 kph ± 0.8 kph) 19 mph ± 0.5 mph (31 kph ± 0.8 kph) (Freedom Model)	
TOWING CAPACITY	Three E-Z-GO Golf Cars with Approved Permanent Tow Bar	

STEERING & SUSPENSION

STEERING	Double Ended Rack & Pinion	
SUSPENSION	Independent A-Arm Coil Over Shock (Front) - Mono-Leaf Springs with Hydraulic Shocks (Rear)	
SERVICE BRAKE	Induction Motor	Rear Wheel Mechanical Self-Adjusting Drum
PARKING BRAKE	Automatic Electro-Magnetic	Self-Compensating, Single Point Engagement
TIRES	18 x 8.50-8 (4-ply rated)	

BODY & CHASSIS

FRAME	Welded Steel with Powder-Coat Protection	
BODY & FINISH	Injection Molded TPO	
AVAILABLE BODY COLORS	Almond, Black, Bright White, Burgundy, Forest Green, Inferno Red, Ivory, Metallic Charcoal, Ocean Grey, Patriot Blue, Platinum, Slate	
STANDARD SEAT COLORS	Black, Grey, Oyster, Stone Beige	
PREMIUM SEAT COLORS	Black, Mushroom, Grey (custom colors available)	
PINSTRIPED COLORS	Silver, Black, Gold	



EZGO®

IT'S GOOD TO GO

EZGO.com

