
Tables

PRICE LIST | JANUARY 2023

For Canadian pricing, please visit Trendealer to see the current conversion rate being used or contact your local Fellowes Representative.

Tables

This price list includes detailed product information and pricing for these products.

Fellowes product catalogs are available in the following design software: 2020 CAP, 2020 Giza, Project Matrix, Configura, and Ice. The Systems price list is also available in .pdf (Acrobat Reader) format on dealer.trendway.com. For Architects and Designers, a free FSL (Furniture Symbol Library) is available on www.trendway.com.

Product dimensions are given throughout the product catalog and are followed by parenthesis which have the metric equivalent in millimeters. For example: A Rectangular Table Top is available in a 48" (1219)-width.

Ordering Information

The most efficient way to enter an order is through Fellowes On-Line Order Entry on dealer.trendway.com, which also accepts .sif files from the design software listed above. Faxed orders are available as well but may extend lead-times.

For ease in specifying, Fellowes' catalog numbering system uses meaningful characters to convey description, surface type, and size. For example, TTRT2436HPL represents a **Training Table Rectangle** that is **24"** (610)-deep and **36"** (914)-wide.

Order specification examples are shown throughout the price list at the bottom of each page. Be sure to follow the order sequence carefully to ensure complete and accurate order specification.

After placing an order, Fellowes will send an order acknowledgement that follows the sequence of information outlined below. Fellowes encourages you to follow the same steps so that checking your order against the acknowledgement will be as easy as possible.

Placing an Order

To make placing an order simple, Fellowes On-Line Order Entry automatically prompts the product and option decisions that are required. For accurate order processing on faxed orders, please type or use legible handwriting, and be sure to include the following information:

1. A complete "sold to" address with correct Zip code.
2. A complete "ship to" address with correct Zip code.

3. A purchase order number. (The order is issued to Fellowes Corporation, Holland, Michigan.)
4. A signature or name of person authorizing the purchase order.
5. A contact name and phone number at your company.
6. An actual calendar date for the requested delivery date (not ASAP).
7. Line items that are complete, which means all catalog numbers and descriptions, options listed for each product selected, fabric/finish pattern and color descriptions, and all corresponding letter or number codes. Be sure to make a pick for all available options. Also, combine identical items and specify total quantity unless using special marking or tagging.
(Refer to your price list for ordering options.)
8. Special products referenced by their control numbers as well as their descriptions.
9. Line items that include price per unit, as well as extended totals.
10. A total dollar amount for the purchase order.
11. Any special shipping requirements clearly noted; i.e., "call before delivery."

By placing your orders correctly and completely the first time around, your order will be processed and scheduled without delay (subject to credit approval).

Lead-Times

The majority of Table products are shipped within Fellowes' standard lead time. Extended lead-time items in the catalog are designated by shading.

Note: Shipping lead-times are subject to product availability due to order size. For exact lead-times on your order contact Fellowes Customer Care.

Product Questions, Quotes & Order Placement On-Line

dealer.trendway.com

Hours: 24 Hours, 7 Days a Week

Customer Care Representative

Hours: Monday-Friday
7:30 am to 5:30 pm EST
Phone: 1-800-893-8115
Fax: 1-800-893-8121
e-mail: ciquincycustomerservice@fellowes.com

Fellowes Custom Solutions

Phone: 1-800-893-8117

For more information on Order Placement, Confirmation, and Lead-Times, see the Pricing, Procedures & Policies section in the back of this Price List.

Sequence Information

The table below shows a sample of the price list format's sequence of information which will assist when placing an order and checking an order acknowledgement.

Sample Part Number:	TTRT2436HPL	.GY1	.GS	.JOC	.DW
---------------------	-------------	------	-----	------	-----

Table of Contents

Statement of Line	3
Surface Materials	6
Training Tables	
<i>Y Base</i>	11
<i>Choices Tube Base</i>	37
<i>Zona</i>	49
Height Adjustable Tables	
<i>Rejuve</i>	58
<i>Levado</i>	64
<i>Screens</i>	68
Collaborative, Café & Occasional Tables	
<i>Standing Height</i>	
<i>Rectangle</i>	78
<i>Wedge</i>	79
<i>Choices</i>	
<i>Collaborative</i>	81
<i>Café</i>	85
<i>Base only</i>	87
<i>Intrinsic</i>	
<i>Collaborative</i>	89
<i>Café</i>	95
<i>Occasional</i>	97
<i>Trig</i>	
<i>Collaborative</i>	99
Conference Tables	
<i>Choices</i>	104
<i>Intrinsic</i>	111
<i>Trig</i>	117
Conference & Training Room Components	
<i>Mobile Media Cart</i>	122
<i>AQM</i>	124


Training Tables

Y Base

Complete Tables



Fixed Rectangle Table



Flip Rectangle Table
24 x 60
24 x 72
30 x 60
30 x 72

Table Tops



Rectangle Top



Pebble Shape Top



Half Round Top



Trapezoid Top



Quarter Round Top


Table Bases



Fixed



Flip



Corded and Daisy Chain Pop Up Units



Choices

Complete Tables

Rectangular Training Tables



T-Base with
• Fixed Top
• Flip Top



Trapezoid Training Tables



T-Base with
• Fixed Top
• Flip Top

Half-Round Training Tables



T-Base with
• Fixed Top
• Flip Top

Zona Tables


Complete Tables



Flip Rectangular Table
24 x 48 30 x 48
24 x 60 30 x 60
24 x 72 30 x 72


Height Adjustable Tables

Rejuve



- Rectangle
- Two Stage Electric
 - Three Stage Electric


Levado



- Rectangle
- Electric


Collaborative, Café & Occasional Tables

Standing Height




Choices

Collaborative




Café



Collaborative, Café & Occasional Tables (continued)

Intrinsic

Collaborative



D/W
36"
42"
48"
60"

Cafe



Dia.
30"
36"
42"
48"



D / W
30"
36"
42"
48"


Occasional



D W H
22" x 22" x 19"
22" x 48" x 19"

Trig

Collaborative




D/W
36"
42"
48"

Conference Tables

Choices


Boat



Racetrack



Rectangle



Intrinsic

Racetrack



D W
36" x 72"
48" x 72"
48" x 96"
60" x 96"
48" x 120"
48" x 144"

Rectangle



D W
36" x 72"
48" x 72"
48" x 96"
60" x 96"
48" x 120"
48" x 144"

Trig



D W
36" x 72"
42" x 72"
48" x 72"
48" x 96"
48" x 120"
48" x 144"

Conference & Training Room Components



D W H
24" x 36" x 36⁵/₈"

Surface Material Program

The Fellowes Surface Material Program includes a broad selection of coordinated fabrics, laminate and trim finish options. Additionally, Fellowes offers a Customers Own Material (COM) program to allow customers to further personalize their work stations.

The following sections describe the Fellowes Surface Materials vocabulary.

Standard Program

Fellowes' Standard Program of timeless and popular fabrics, finishes, vinyls and laminates, is recommended for corporate standards programs. These fabrics are carded and swatched by Fellowes. Materials in the Fellowes Standard Program offering are readily available for orders to ship within 2-4 weeks. Refer to individual panels for fire rating classifications.

Scheduled Program

Fellowes' Schedule Program is made up of additional colors of standard patterns, as well as an evolving collection of fabrics from our textile partners designed to solve all your needs. Influenced and kept up to date by emerging trends, the typical life span in this program is one to three years and is not considered part of the standard program. To see the Scheduled fabrics go to the surface material page on our website at www.Trendway.com and filter for "Scheduled" under "Lead-Times". Scheduled fabrics may have different lead time than standard fabrics. Please call Fellowes customer care for estimated ship dates.

Both Standard and Scheduled Materials in this program comply with the industry standards for quality and performance.

They all pass California Technical Bulletin 117-2013 and are listed as part of the UL recognized component program.

COM

Customers Own Material program allows customers to select and specify their own fabric or laminate on Fellowes product. For detailed information please see page 130 or Trenddealer.com.

Pre-Approved COM

Select from popular COM fabrics pre-approved by Fellowes. Customers are able to search the COM library on dealer.trendway.com for fabrics and specific applications that have passed manufacturability testing on Fellowes product.

HOW TO ORDER SAMPLES

Standard Program Binder Cards

Seating and panel binder cards are available through Fellowes fulfillment. dealer.trendway.com

Standard Program Samples

Samples of fabrics and finishes are available through Fellowes fulfillment. dealer.trendway.com

Scheduled Samples

Samples must be ordered directly through the supplier. Contact information is listed below and also on our website www.trendway.com/surface-materials. Click on the link next to the swatch samples.

Camira

www.camirafabrics.com
1-616-288-0655

Culp Contract

www.culpcontract.com
336-888-6274

Guilford Of Maine®

www.guilfordofmaine.com
1-800-544-0200

Mayer Fabrics

www.mayerfabrics.com
1-800-428-4415

Momentum® Textiles

www.memosamples.com
1-800-366-6839

Nevamar

www.nevamar.com
1-800-638-4380

Pionite

www.pionite.com
1-800-746-6483

Ultrafabrics®

www.ultrafabricsinc.com
914-460-1730

Wilsonart®

www.wilsonart.com
1-800-433-3222

Surface Material Legend

 = 100% Recycled Content

 = Bleach Cleanable. Refer to specific cleaning instructions for each fabric on www.Trendway.com.

Standard Systems Finishes

Fellowes standard paints include smooth and textured styles in our six trim colors.

Systems Paints and Trim

K	Charcoal
DW	Designer White
G	Gray
L	Light Gray
Y	Sand
J	Stucco
TK	Textured Charcoal
TDW	Textured Designer White
TG	Textured Gray
TL	Textured Light Gray
TY	Textured Sand
TJ	Textured Stucco

Glazed Panels

Plexiglass

01	Clear
E3A	*Frosted

*Tempered Glass

03	Clear
05	Frosted

Ecoresin

The color options are semi-transparent with (or without) patterns.

*3form

E02	Solo Aqua Supermatte Ecoresin
E01	Solo Supermatte Ecoresin
E03	Spider Ecoresin

***Note:** These options are offered at an upcharge. Please refer to a specific item in your price list to determine the amount of upcharge.

Premium Systems Finishes

Premium finishes are offered at a modest upcharge. Please refer to a specific item in your price list to determine the amount of upcharge.

Smooth Metallic Paint

PA	Platinum
----	----------

Standard Vinyl Edgeband

Solid	Patterned	Woodgrain
K Charcoal	E8 Casual Linen	W8 Beigewood
E1 Designer White	E9 Classic Linen	WE Brazilwood
E6 Graphite	EB Crisp Linen	W7 Empire Mahogany
L Light Gray	EG Earthen Twill	ER Espresso Pearwood
Y Sand	EH Graphite Twill	WY Finnish Oak
E7 Shadow	EE Sarum Twill	W5 Fusion Maple
J Stucco		E5 Phantom Charcoal
		E4 Phantom Ecru
		E3 Phantom Pearl
		WZ Walnut
		W6 Wild Cherry

* Available on Capture, Fabric Screens, and Volo

To see all finish options, go to [Trendway.com](https://trendway.com)

High Pressure Laminates – for Work Surfaces and Laminate Tiles

Standard Program

Grade 1

Solid

583	Charcoal
J0C	Designer White
J9D	Graphite
573	Light Gray
J20	Sand
J04	Shadow
J11	Stucco

Pattern

J6B	Casual Linen
J6A	Classic Linen
J69	Crisp Linen
J9H	Earthen Twill
JM4	Evening Tigris
J9J	Graphite Twill
J09	White Tigris
J9G	Sarum Twill

Woodgrain

J0G	Beigewood
J0D	Brazilwood
J2A	Empire Mahogany
J9X	Espresso Pearwood
J98	Finnish Oak
J25	Fusion Maple
J99	Walnut
J1R	Wild Cherry

Grade 2

Woodgrain

J9C	Phantom Charcoal
J9B	Phantom Ecrú
J9A	Phantom Pearl

Thermofused Laminates – for Table Tops and Edge Color

Standard Program

Solid

XZ4 Black
XZH Designer White

Grade 1

Woodgrain

XZ8	Beigewood
XZE	Brazilwood
XZ3	Empire Mahogany
XY6	Espresso Pearwood
XYZ	Finnish Oak
XZ2	Fusion Maple
XZZ	Walnut
XZ1	Wild Cherry

Grade 1

Woodgrain

Grade 2

XY2	Phantom Charcoal
XY1	Phantom Ecru
XY0	Phantom Pearl

CROSS REFERENCE

High Pressure Laminate (HPL), Thermofused Laminate (TFL), Edgebanding, Wood Veneer, Panel Vinyl

Solid Color Name	HPL Capture, Choices, Pack, Worksurfaces	TFL Capture, Intrinsic, Trig	Edgeband	Finish Code	Panel Vinyl Choices, TrendWall, Volo
Black		XZ4			
Charcoal**	583		K	K	V39
Designer White**	J0C	XZH	E1	DW	V52
Graphite	J9D		E6		
Gray**				G	
Light Gray**	573		L	L	V51
Platinum**				PA	V53
Sand**	J20		Y	Y	V48
Shadow	J04		E7		
Stucco**	J11		J	J	V49

Pattern Color Name	HPL Capture, Choices, Pack, Worksurfaces	Edgeband
Casual Linen	J6B	E8
Classic Linen	J6A	E9
Crisp Linen	J69	EB
Earthen Twill	J9H	EG
Graphite Twill	J9J	EH
Sarum Twill	J9G	EE

Woodgrain Pattern Name	HPL Capture, Choices, Pack, Worksurfaces	TFL Capture, Intrinsic, Trig	Edgeband	Wood Veneer Volo	Panel Vinyl TrendWall
Beigewood	J0G	XZ8	W8	M4	
Brazilwood	J0D	XZE	WE	M5	
Empire Mahogany		XZ3	W7	M8	
Espresso Pearwood	J9X	XY6	ER		
Finnish Oak	J98	XZY	WY		
Fusion Maple	J25	XZ2	W5	M2	
Phantom Charcoal	J9C	XY2	E5		
Phantom Ecru	J9B	XY1	E4		
Phantom Pearl	J9A	XY0	E3		
Sorrel Pear					AS4
Walnut	J99	XZZ	WZ		
Wild Cherry	J1R	XZ1	W6	M9	

** Fellowes standard trim paint color

To see all finish options, go to [Trendway.com](https://www.trendway.com)

Overview & Order Information	NOTES									
Statement of Line										
Surface Materials										
Training Tables										
Height Adjustable Tables & Screens										
Collaborative, Café & Occasional Tables										
Conference Tables										
Conference & Training Room Components										
Terms & Policies										

Training Tables


Y Base

Overview.....	12
Complete Fixed Top Training Table	18
Complete Flip Top Training Table	21
Table Tops	24
Table Bases	30
Modesty Panels.....	31
Electrical Options	33
Accessories	36


Y Base Overview

Y Base Options for Table Top Shapes		Flip (24" & 30" Deep Top Only)
Table Top Shape	Base Option: Fixed	
Rectangle - HPL & Thermofused	x	x
Pebble Shape - HPL & Thermofused	x	N/A
Half Round - HPL & Thermofused	x	x
Trapezoid - HPL & Thermofused	x	x
Quarter Round - HPL & Thermofused	N/A	N/A

Fixed Base Table



Flip Base Table (Table top flips up for nesting)



Y Base Table Clearance Dimensions (reference tables on page 12)



Leg Type:	Fixed Base			Flip Base		
Dimension:	E1	W	E2	E1	W	E2
	Edge of table to outside of leg	Between Legs	Front Edge of Table to the Outside of Leg	Edge of table to outside of leg	Between Legs	Front Edge of Table to the Outside of Leg
Rectangle Top Size:						
24"D x 36"W	3.375	27.25	10.75	4.5	24.875	10.75
24"D x 42"W	3.375	33.25	10.75	4.5	30.875	10.75
24"D x 48"W	3.375	39.25	10.75	4.5	36.875	10.75
24"D x 54"W	3.375	45.25	10.75	4.5	42.875	10.75
24"D x 60"W	3.375	51.25	10.75	4.5	48.875	10.75
24"D x 66"W	3.375	57.25	10.75	4.5	54.875	10.75
24"D x 72"W	3.375	63.25	10.75	4.5	60.875	10.75
30"D x 36"W	3.375	27.25	13.75	4.5	24.875	13.75
30"D x 42"W	3.375	33.25	13.75	4.5	30.875	13.75
30"D x 48"W	3.375	39.25	13.75	4.5	36.875	13.75
30"D x 54"W	3.375	45.25	13.75	4.5	42.875	13.75
30"D x 60"W	3.375	51.25	13.75	4.5	48.875	13.75
30"D x 66"W	3.375	57.25	13.75	4.5	54.875	13.75
30"D x 72"W	3.375	63.25	13.75	4.5	60.875	13.75
36"D x 48"W	3.375	39.25	16.75	N/A	N/A	N/A
36"D x 54"W	3.375	45.25	16.75	N/A	N/A	N/A
36"D x 60"W	3.375	51.25	16.75	N/A	N/A	N/A
36"D x 66"W	3.375	57.25	16.75	N/A	N/A	N/A
36"D x 72"W	3.375	63.25	16.75	N/A	N/A	N/A
Pebble Top Size:						
30"D x 72"W	13	44	13.75	N/A	N/A	N/A
36"D x 72"W	13	44	16.75	N/A	N/A	N/A
Half Round Top Size:						
24"D x 48"W	13.25	19.5	10.75	13.5	19	10.75
30"D x 60"W	13.25	31.5	13.75	16.5	25	13.75
36"D x 72"W	13.25	43.5	16.75	N/A	N/A	N/A
Trapezoid Top Size:						
24"D x 48"W	12	22	10.75	12	22	10.75
30"D x 60"W	14.5	29	13.75	14.5	29	13.75
36"D x 72"W	17	36	16.75	N/A	N/A	N/A
Quarter Round Top Size:						
24"	N/A	N/A	N/A	N/A	N/A	N/A
30"	N/A	N/A	N/A	N/A	N/A	N/A
36"	N/A	N/A	N/A	N/A	N/A	N/A

Grommet/Pop Up Electrical Units for Fellowes Training Tables


When specifying training tables, grommets or pop up cutouts may be specified for power/data routing and access. Grommets are available in black or silver and come pre-installed in the table top when GY1 or GY2 are specified as the Power Option. If Pop Up electrical units are chosen as the Power Option, the table top will ship with a factory-cut opening to house the unit, but the Pop Up units must be ordered separately. The chart below indicates which Grommet or Pop Up options are available for specific Training Tables.

Code	Position
GY1	Single grommet, centered left-to-right, 4 ¾" in from back of table top for a 24" deep top and 5 ½" in for 30" and 36" deep tops.
GY2	Pair of grommets, ¼ the width of the top in from each side, and 4 ¾" in from back of table top for a 24" deep top and 5 ½" in for 30" and 36" deep tops.
PMP & PNC	One cutout for Pop Up Unit, centered left-to-right, 4 ¾" in from back of table top for a 24" deep top and 5 ½" in for 30" and 36" deep tops.
PMH	One cutout for Pop Up Unit, centered left-to-right, 4 ½" in from back of table top for a 24" deep top and 5 ¼" in for 30" and 36" deep tops.

Grommet Locations





Trapezoid Training Table



Half Round Training Table

Pop Up Locations



Trapezoid Training Table



Half Round Training Table

Dimensions	Grommet		Pop Up		
	GY1	GY2	PMP	PNC	PMH
Rectangle Top					
24"D x 36"W	x	N/A	x	x	x
24"D x 42"W	x	N/A	x	x	x
24"D x 48"W	x	x	x	x	x
24"D x 54"W	x	x	x	x	x
24"D x 60"W	x	x	x	x	x
24"D x 66"W	x	x	x	x	x
24"D x 72"W	x	x	x	x	x
30"D x 36"W	x	N/A	x	x	x
30"D x 42"W	x	N/A	x	x	x
30"D x 48"W	x	x	x	x	x
30"D x 54"W	x	x	x	x	x
30"D x 60"W	x	x	x	x	x
30"D x 66"W	x	x	x	x	x
30"D x 72"W	x	x	x	x	x
36"D x 48"W	x	x	x	x	x
36"D x 54"W	x	x	x	x	x
36"D x 60"W	x	x	x	x	x

Dimensions	Grommet		Pop Up		
	GY1	GY2	PMP	PNC	PMH
Rectangle Top (continued)					
36"D x 66"W	x	x	x	x	x
36"D x 72"W	x	x	x	x	x
Pebble Shape Top					
30"D x 72"W	N/A	N/A	N/A	N/A	N/A
36"D x 72"W	N/A	N/A	N/A	N/A	N/A
Half Round Top					
24"D x 48"W	x	x	x	x	x
30"D x 60"W	x	x	x	x	x
36"D x 72"W	x	x	x	x	x
Trapezoid Top					
24"D x 48"W	x	N/A	x	x	x
30"D x 60"W	x	N/A	x	x	x
36"D x 72"W	x	N/A	x	x	x
Quarter Round Top					
24"	N/A	N/A	N/A	N/A	N/A
30"	N/A	N/A	N/A	N/A	N/A
36"	N/A	N/A	N/A	N/A	N/A

Training Table Electrical Options

The Angled Leg Training Tables have two Pop Up options: Corded and Daisy Chained and a 4-wire 2 circuit power system.

Corded Pop Ups

The corded Pop Ups come with a 6' cord that plugs into an outlet. Corded Pop Ups cannot plug into other corded Pop Ups or to Daisy Chain Pop Ups.


Daisy Chain Pop Ups

Daisy Chain Pop Ups allow a single Base Feed to power up to eight tables, depending on table width. The Daisy Chain Pop Up consists of three parts, the Base Feed, the Pop Up unit, and the Jumper. The Base Feed plugs into building power using a standard 15 amp plug. The Jumper is used to connect tables 66" and 72" to adjacent tables. In the connection sequence, each Jumper counts as a table in planning for the number of tables that can be linked (maximum eight). The Base Feed prevents overloading and will shut off power if the load is exceeded. It has a regulator with an LED light that is green in normal conditions and red in overload conditions. Pop Up unit includes the Pop Up and two connectors that will each attach to a connector on an adjacent table or to a Base feed.

This example uses three Daisy Chain Pop Up units to run power through three 60" wide tables. Since the tables are all less than 66" wide, no Jumpers are required. (Fig. A)

Daisy Chain Pop Ups as shown on 60" wide table
3 of 8 connections used.


Fig. A



This example uses three Daisy Chain Pop Up units and two Jumpers to run power through three 72" tables. Tables 66" and 72" wide each require one Jumper in order to connect to an adjacent table. (Fig. B)

Daisy Chain Pop Ups as shown on 72" wide table
5 of 8 connections used.

Fig. B



Training Table Power System

The Power System provides a 4-wire, 2-circuit system, with 20 Amps for each system (circuit 1 and 2 only). The system accepts up to 10 receptacles per circuit and 20 receptacles per Base Feed, for a total of 10 Power Sets per Base Feed. The main system components include the Power Set, Electrical Harness, H-Connector and Base Feed. Grommets are required to access the power box under the table.

For this layout, the harness length is calculated by the following equation:


$$(\text{Half of Surface 1 width}) + (\text{Half of Surface 2 width}) - 6" = \text{Harness Length}$$

If calculated harness length does not match an exact size, select next longer length.

Example: Surface (1) is 60" wide
Surface (2) is 60" wide

$$(30") + (30") - 6" = 54" \text{ (Fig. C)}$$

Fig. C



Modesty Guidelines

Fellowes offers five modesty options for Training Tables. Each provides a different function, aesthetic and price to meet various user requirements. All modesty options can be mounted on a Fixed Base table. Laminate, Mesh and Metal modesties have also flip function, and when attached to a Flip Top Table will rotate out of the way when tables are flipped and nested.

Flip Modesty Planning – 24" Deep Tables

There are two configuration options for Laminate, Mesh and Metal flip modesties when specified for 24" deep table tops.



Full width: Modesty must be installed inset from the Table's front edge, 3.5" for Laminate and Metal Modesties and 5.5" for Mesh. Pop Up electrical units and Grommets cannot be specified for this configuration.

12" Shorter: Modesties specified at least 12" shorter than the Table width



can be mounted at the front edge of the Table. They flip into the clearance space between the table legs. Pop Up units and Grommets can be specified for this configuration.

Flip Modesty Planning – 30" Deep Tables

Modesties specified for 30" deep Tables **must** be 12" shorter than the table width. They can then be mounted at the front edge of the table and can flip into the clearance space between table legs. Pop Up units and Grommets can be specified for this configuration.



Pop up Electrical units can not be used with full width modesties on flip top tables.



Pop up Electrical units can be used with these inset modesties on flip top tables.

Note: 36" deep tables cannot accommodate modesties that flip.

Idea Starters

So many ways to arrange and rearrange for almost any learning environment




TABLE WEIGHT LIMITS

Tables with the recommended base/top size combination can support a maximum of 1.5 lb. for each inch of perimeter, evenly distributed.

WARNING:

Failure to observe the recommended practices, such as loading beyond listed weight limits, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Fellowes product will change the criteria referenced above. Fellowes will not honor the product warranty if modifications are made to the product or if the capacities referenced are exceeded.

Complete Fixed Top Rectangle Training Tables – High Pressure Laminate

Complete Tables ship with all parts required for assembly, including top and angled training table Legs. Complete Fixed Top Rectangle Training Tables High Pressure Laminate tops are constructed of high pressure laminate with a 3mm vinyl edge. Table tops are a nominal 1 1/4" thick. Tables are available with glides or locking casters. Casters are 3" high, and available in Black or in a two-tone


platinum/black color. Tables may also be optioned with a factory-cut opening for a Pop Up Electrical Unit or Grommet. Grommets are available in black or silver and ship with the table when specified.

Pop Up Electrical Units are ordered separately, see pages 33 & 34 for details.

Shipped ready to assemble. Tables are 29" (737) high.

For additional Table Top shapes and sizes and base options please refer to pages 24-30.

Complete Fixed Top Rectangle Training Table – High Pressure Laminate

Dimensions		List Price Laminate Grades			Catalog Number	Casters/ Glides	Power Options	Grommet Color	Wire Manager	Laminate Color	Base Trim Color	Edge Color
Depth	Width	1	2	3								
24" (610)	60" (1524)	\$ 1131	\$ 1159	\$ 1271	TTABFXT2460HPL TTABFXT2472HPL	GL No Cost Glides	NN No Power	GB Black	WMN No Cost No Manager	High Pressure Laminate Color	Standard Finish No Cost	See Surface Materials Page 7
	72" (1829)	1243	1271	1383								
30" (762)	60" (1524)	\$1262	\$1307	\$1481	TTABFXT3060HPL TTABFXT3072HPL	BCB + \$120 Black Casters	GY1 One Grommet Center	GS Silver	WMY + \$45 Wire Manager	(See Surface Materials Page 8)	Premium Finish + \$42 See Surface Materials Page 7	
	72" (1829)	1380	1425	1599								
						BCC + \$120 Two Tone Caster Platinum/ Black	GY2 Two Grommets					
Build your complete Part Number here:						----	---	---	--	--	--	--

Sample
Part Number:

TTABFXT2460HPL	.BCB	.GY2	.GS	.WMN	.JOC	.DW	.DW			
\$1131	+	\$120	+	N/C	+	N/C	+	N/C	+	N/C

Total Cost \$1251 =

Complete Fixed Top Rectangle Training Tables Thermofused Laminate

Complete Tables ship with all parts required for assembly, including top and angled training table Legs. Complete Fixed Top Rectangle Training Tables Thermofused Laminate tops are constructed of thermofused laminate with a 3mm vinyl edge. Table tops are a nominal 1" thick. Tables are available with glides or locking casters. Casters are 3" high, and available in Black or in a two-tone


platinum/black color. Tables may also be optioned with a factory-cut opening for a Pop Up Electrical Unit or Grommet. Grommets are available in black or silver and ship with the table when specified

Pop Up Electrical Units are ordered separately, see pages 33 & 34 for details.

Shipped ready to assemble. Tables are 28.75" (730) high.

For additional Table Top shapes and sizes and base options please refer to pages 24-30.

Complete Fixed Top Rectangle Training Table – Thermofused

Dimensions		List Price Thermofused Grades		Catalog Number	Casters/ Glides	Power Options	Grommet Color	Wire Manager	Thermo-fused Color	Base Trim Color	Edge Color
Depth	Width	1	2								
24" (610)	60" (1524)	\$ 1038	\$ 1054	TTABFXT2460TFL TTABFXT2472TFL	GL No Cost Glides	NN No Power	GB Black	WMN No Cost No Manager	Thermo-fused (See Surface Materials Page 8)	Standard Finish No Cost	See Surface Materials Page 7
		72" (1829)	1130								
30" (762)	60" (1524)	\$ 1157	\$ 1188	TTABFXT3060TFL TTABFXT3072TFL	BCB + \$120 Black Casters	GY1 One Grommet in Center	GS Silver	WMY + \$45 Wire Manager		Premium Finish + \$42	See Surface Materials Page 7
		72" (1829)	1260								
					BCC + \$120 Two Tone Caster Platinum/ Black	GY2 Two Grommets	PMP Basic Cut Out	PNC Multi- function Cut Out	PMH Aluminum Cut Out		
Build your complete Part Number here:					-----	---	---	--	---	--	--

Sample Part Number:

TTABFXT2460TFL	.BCB	.GY2	.GS	.WMN	.JOC	.DW	.DW	
\$1038	+	\$120	+	N/C	+	N/C	+	N/C

Total Cost \$1158 =

Complete Flip Top Rectangle Training Tables High Pressure Laminate

Flip Top Tables offer a simple flip function that allows multiple tables to be nested together for space-saving storage. Complete Tables ship with all parts required for assembly, including top and angled training table Legs. Complete Flip Top Rectangle Training Tables High Pressure Laminate tops are constructed of high pressure laminate with a 3mm vinyl edge. Table tops are a nominal 1 1/4" thick. Tables


ship standard with locking casters. Casters are 3" high, and are available in Black or in a two-tone platinum/black color. Tables may be optioned with a factory-cut opening for a Pop Up Electrical Unit or with a Grommet. Grommets are available in black or silver and ship with the table when specified.

Pop Up Electrical Units are ordered separately, see pages 33-34 for details.

Shipped ready to assemble. Tables are 29" (737) high.

For additional Table Top shapes and sizes and base options please refer to pages 24-30.

Complete Flip Top Rectangle Training Table – High Pressure Laminate

Dimensions		List Price			Catalog Number	Casters	Power Options	Grommet Color	Wire Manager	Laminate Color	Base Trim Color	Edge Color
Depth	Width	1	2	3								
24" (610)	60" (1524)	\$2104	\$2132	\$2244	TTABFLP2460HPL TTABFLP2472HPL	BCB Black Casters	NN No Power	GB Black	WMN No Cost No Manager	High Pressure Laminate Color	Standard Finish No Cost	See Surface Materials Page 7
	72" (1829)	2214	2242	2354								
30" (762)	60" (1524)	\$2235	\$2280	\$2454	TTABFLP3060HPL TTABFLP3072HPL	BCC Two Tone Caster Platinum/Black	GY1 One Grommet in Center	GS Silver	WMY + \$45 Wire Manager	(See Surface Materials Page 8)	Premium Finish + \$42	See Surface Materials Page 7
	72" (1829)	2351	2396	2570								
												
Build your complete Part Number here:						_____	---	---	---	---	---	---

Sample Part Number:

TTABFLP2460HPL	.BCB	.GY2	.GS	.WMN	.JOC	.DW	.DW
+	N/C	+	N/C	+	N/C	+	N/C
\$2104							

Total Cost \$2104 =

Complete Flip Top Rectangle Training Tables Thermofused Laminate

Flip Top Tables offer a simple flip function that allows multiple tables to be nested together for space-saving storage. Complete Tables ship with all parts required for assembly, including top and angled training table Legs. Complete Flip Top Rectangle Training Tables Thermofused Laminate tops are constructed of thermofused laminate with a 3mm vinyl edge. Table tops are a nominal 1" thick. Tables ship


standard with locking casters. Casters are 3" high, and are available in Black or in a two-tone platinum/black color. Tables may be optioned with a factory-cut opening for a Pop Up Electrical Unit or with a Grommet. Grommets are available in black or silver and ship with the table when specified

Pop Up Electrical Units are ordered separately, see page 33-34 for details.

Shipped ready to assemble. Tables are 28.75" (730) high.

For additional Table Top shapes and sizes and base options please refer to pages 24-30.

Complete Flip Top Rectangle Training Table – Thermofused Laminate

Dimensions		List Price Thermofused Grades		Catalog Number	Casters/ Glides	Power Options	Grommet Color	Wire Manager	Thermo-fused Color	Base Trim Color	Edge Color				
Depth	Width	1	2												
24" (610)	60" (1524)	\$ 2009	\$ 2025	TTABFLP2460TFL TTABFLP2472TFL	BCB Black Casters	NN No Power	GB Black	WMN No Cost No Manager	Thermo-fused (See Surface Materials Page 8)	Standard Finish No Cost	See Surface Materials Page 7				
	72" (1829)	2103	2134												
30" (762)	60" (1524)	\$ 2129	\$ 2160	TTABFLP3060TFL TTABFLP3072TFL	BCC Two Tone Caster Platinum/ Black	GY1 One Grommet in Center	GS Silver	WMY + \$45 Wire Manager		Premium Finish + \$42	See Surface Materials Page 7				
	72" (1829)	2230	2261												
												GY2 Two Grommets			
													PMP Basic Cut Out		
														PNC Multi-function Cut Out	
															PMH Aluminum Cut Out
Build your complete Part Number here:												_____	___	___	__

Sample Part Number:

TTABFLP2460TFL	.BCB	.GY2	.GS	.WMN	.JOC	.DW	.DW	
\$2009	+	N/C	+	N/C	+	N/C	+	N/C

Total Cost \$2009 =

High Pressure Laminate Rectangle Training Table Tops

High Pressure Laminate Training Table Tops are constructed with High Pressure laminate and have a 3mm vinyl edge. Table Tops are a nominal 1¼" thick. They are available with an optional black or silver grommet or a factory-cut opening for a pop up unit.


Pop ups are ordered separately, see pages 33-34 for details.

These Table Tops are designed for use with the Angled Training Table Base.

They are drilled to accept Fixed and Flip bases (except 36" deep tops).

High Pressure Laminate Rectangle Training Table Top

Dimensions		List Price Laminate Grades			Catalog Number	Power Options	Grommet Color	Laminate Color	Edge Color
Depth	Width	1	2	3					
24" (610)	36" (914)	\$ 278	\$ 306	\$ 418	TTRT2436HPL	NN No Power	GB Black	High Pressure Laminate Color (See Surface Materials Page 8)	See Surface Materials Page 7
	42" (1067)	287	315	427	TTRT2442HPL				
	48" (1219)	293	321	433	TTRT2448HPL				
	54" (1372)	556	584	696	TTRT2454HPL				
	60" (1524)	620	648	760	TTRT2460HPL				
	66" (1676)	700	728	840	TTRT2466HPL				
	72" (1829)	731	759	871	TTRT2472HPL				
30" (762)	36" (914)	\$ 262	\$ 290	\$ 402	TTRT3036HPL	GY1 One Grommet Center	GS Silver		
	42" (1067)	268	296	408	TTRT3042HPL				
	48" (1219)	278	306	418	TTRT3048HPL				
	54" (1372)	636	681	855	TTRT3054HPL				
	60" (1524)	675	720	894	TTRT3060HPL				
	66" (1676)	756	801	975	TTRT3066HPL				
	72" (1829)	795	840	1014	TTRT3072HPL				
36" (914)	48" (1219)	\$ 476	\$ 521	\$ 695	TTRT3648HPL	GY2 Two Grommets for 48" and wider work surfaces			
	54" (1372)	828	873	1047	TTRT3654HPL				
	60" (1524)	939	984	1158	TTRT3660HPL				
	66" (1676)	1012	1070	1301	TTRT3666HPL				
	72" (1829)	1026	1084	1315	TTRT3672HPL				
Build your complete Part Number here:									



Sample
Part Number:

TTRT2436HPL	.GY1	.GS	.JOC	.DW
\$278	+	N/C	+	N/C

Total Cost \$278 =

Thermofused Laminate Rectangle Training Table Tops

Thermofused Laminate Training Table Tops are constructed with Thermofused laminate and have a 3mm vinyl edge. Table Tops are 1" thick. They are available with an optional black or silver grommet or a factory-cut opening for a pop up units.


These Table Tops are designed for use with the Angled Training Table Base.

They are drilled to accept Fixed and Flip bases (except 36" deep tops).

Pop ups are ordered separately, see pages 33-34 for details.

Thermofused Laminate Rectangle Training Table Top

Dimensions		List Price Thermofused Grades		Catalog Number	Power Options	Grommet Color	Thermofused Color	Edge Color
Depth	Width	1	2					
24" (610)	36" (914)	\$ 234	\$ 250	TTRT2436TFL	NN	GB Black GS Silver	Thermofused Laminate Color (See Surface Materials Page 8)	See Surface Materials Page 7
	42" (1067)	242	258	TTRT2442TFL	No Power			
	48" (1219)	248	264	TTRT2448TFL	GY1 One Grommet Center GY2 Two Grommets for 48" and wider work surfaces			
	54" (1372)	471	487	TTRT2454TFL				
	60" (1524)	525	541	TTRT2460TFL				
	66" (1676)	592	623	TTRT2466TFL				
	72" (1829)	619	650	TTRT2472TFL				
30" (762)	36" (914)	\$ 221	\$ 237	TTRT3036TFL	PMP Basic Pop Up Cut Out PNC Multifunction Pop Up Cut Out PMH Aluminum Pop Up Cut Out			
	42" (1067)	228	259	TTRT3042TFL				
	48" (1219)	234	265	TTRT3048TFL				
	54" (1372)	538	569	TTRT3054TFL				
	60" (1524)	571	602	TTRT3060TFL				
	66" (1676)	639	670	TTRT3066TFL				
	72" (1829)	673	704	TTRT3072TFL				
36" (914)	48" (1219)	\$ 403	\$ 434	TTRT3648TFL				
	54" (1372)	700	755	TTRT3654TFL				
	60" (1524)	795	850	TTRT3660TFL				
	66" (1676)	855	910	TTRT3666TFL				
	72" (1829)	868	923	TTRT3672TFL				
Build your complete Part Number here:				-----	---	--	---	--



Sample Part Number:

TTRT2436TFL	.GY1	.GS	.JOC	.DW
\$234	+	N/C	+	N/C

Total Cost \$234 =

High Pressure Laminate Pebble Shape Training Table Tops

Pebble Training Table Tops are constructed with High Pressure Laminate top and have a 3mm vinyl edge. The Tops are a nominal 1 1/4" thick. Bases on this table are more inset, allowing people to sit comfortably all the way around the table. See the table clearance chart on page 13 for base location.


These Table Tops are designed for use with the Angled Training Table Base. They are drilled to accept Fixed base only.

Thermofused Laminate Pebble Shape Training Table Tops

Thermofused Pebble Training Table Tops are constructed with Thermofused laminate and have a 3mm vinyl edge. The Tops are 1" thick. Bases on this table are more inset, allowing people to sit comfortably all


the way around the table. See the table clearance chart on page 13 for base location.

These Table Tops are designed for use with the Angled Training Table Base. These tops are drilled to accept the Fixed base only.



High Pressure Laminate Pebble Shape Training Table Top

Dimensions		List Price Laminate Grades			Catalog Number	Laminate Color	Edge Color
Depth	Width	1	2	3			
30" (762)	72" (1829)	\$ 771	\$ 816	\$ 990	TTPBL3072HPL TTPBL3672HPL	High Pressure Laminate Color (See Surface Materials Page 8)	See Surface Materials Page 7
36" (914)	72" (1829)	993	1051	1282			



Thermofused Laminate Pebble Shape Training Table Top

Dimensions		List Price Thermofused Grades		Catalog Number	Thermo- fused Color
Depth	Width	1	2		
30" (762)	72" (1829)	\$ 651	\$ 682	TTPBL3072TFL TTPBL3672TFL	Thermo- fused Laminate Color (See Surface Materials Page 8)
36" (914)	72" (1829)	841	896		
Build your complete Part Number here:				_____	____

Sample
Part Number:

TTPBL3072HPL	.JOC	.DW
--------------	------	-----

Total Cost \$771 =

\$771	+	N/C	+	N/C
-------	---	-----	---	-----

High Pressure Laminate Half Round Training Table Tops

These Half Round Training Table Tops are constructed with High Pressure Laminate and have a 3mm vinyl edge. Tops are a nominal 1 1/4" thick.

The Table Tops are available with an optional black or silver grommet or into a factory-cut opening for a pop up units.

Pop ups are ordered separately, see pages 33 & 34 for details.

These Table Tops are designed for use

with the Angled Training Table Base. They are drilled to accept Fixed and Flip bases (except 36" deep tops).

Half Round Table Tops can be paired to create a circle shaped table, or used as a cap at the end of a group of rectangle tables.

Thermofused Laminate Half Round Training Table Tops

These Half Round Training Table Tops are constructed with Thermofused laminate and have a 3mm vinyl edge. Tops are 1" thick. The Tops are

available with an optional black or silver grommet or a factory-cut opening for a pop up.


Pop ups are ordered separately, see pages 33 & 34 for details.

These Table Tops are designed for use with the Angled Training Table Base. These tops are drilled to accept Fixed or Flip bases (except 36" deep tops).

Half Round Table Tops can be paired to create a circle shaped table, or used as a cap at the end of a group of rectangle tables.


High Pressure Laminate Half Round Training Table Top

Dimensions		List Price Laminate Grades			Catalog Number	Power Options	Grommet Color	Laminate Color	Edge Color
Depth	Width	1	2	3					
24" (610)	48" (1219)	\$ 445	\$ 473	\$ 585	TTHRT2448HPL TTHRT3060HPL TTHRT3672HPL	NN No Power	GB Black	High Pressure Laminate Color (See Surface Materials Page 8)	See Surface Materials Page 7
30" (762)	60" (1524)	636	681	855		GY1 One Grommet Center	GS Silver		
36" (914)	72" (1829)	756	814	1045		GY2 Two Grommets			
						PMP Basic Pop Up Cut Outs			
						PNC Multifunction Pop Up Cut Outs			
						PMH Aluminum Pop Up Cut Outs			



Thermofused Laminate Half Round Training Table Top

Dimensions		List Price Thermofused Grades		Catalog Number	Thermo- fused Color
Depth	Width	1	2		
24" (610)	48" (1219)	\$ 376	\$ 392	TTHRT2448TFL	Thermo- fused Laminate Color (See Surface Materials Page 8)
30" (762)	60" (1524)	538	569	TTHRT3060TFL	
36" (914)	72" (1829)	639	694	TTHRT3672TFL	



Build your complete
Part Number here:

Sample
Part Number:

Total Cost \$445 =

TTHRT2448HPL	.GY1	.GS	.JOC	.DW				
\$445	+	N/C	+	N/C	+	N/C	+	N/C

High Pressure Laminate Trapezoid Training Table Tops

These Trapezoid Training Table Tops are constructed with High Pressure Laminate and have a 3mm vinyl edge. Tops are a nominal 1 1/4" thick. The Tops are available with an optional black or silver grommet or a factory-cut opening for a pop up units. **Pop ups are ordered separately, see pages 33 & 34 for details.**

These Table Tops are designed for use with the Angled Training Table Base. They are drilled to accept Fixed and Flip bases (except 36" deep tops).

Trapezoid Table Tops can be arranged to create many configurations and environments. For instance, they can be used as corner transitions, or combined with rectangles to create a video conference space.

Thermofused Laminate Trapezoid Training Table Tops

These Trapezoid Training Table Tops are constructed with a Thermofused laminate top and have a 3mm vinyl edge. Tops are 1" thick. The Tops are available with an optional black or silver grommet or a factory-cut opening for a pop up units.

Pop ups are ordered separately, see pages 33 & 34 for details.

These Tops are designed for use with the Angled Training Table Base. They are drilled to accept Fixed and Flip bases (except 36" deep tops).

Trapezoid Table Tops can be arranged to create many configurations and environments. For instance, they can be used as corner transitions, or combined with rectangles to create a video conference space.

High Pressure Laminate Trapezoid Training Table Top

Dimensions		List Price Laminate Grades			Catalog Number	Power Options	Grommet Color	Laminate Color	Edge Color
Depth	Width	1	2	3					
24" (610)	48" (1219)	\$ 445	\$ 473	\$ 585	TTTZZT2448HPL	NN No Power	GB Black	High Pressure Laminate Color (See Surface Materials Page 8)	See Surface Materials Page 7
30" (762)	60" (1524)	636	681	855	TTTZZT3060HPL	GY1 One Grommet Center	GS Silver		
36" (914)	72" (1829)	756	814	1045	TTTZZT3672HPL	PMP Basic Pop Up Cut Outs			
						PNC Multifunction Pop Up Cut Outs			
						PMH Aluminum Pop Up Cut Outs			

Thermofused Laminate Trapezoid Training Table Top

Dimensions		List Price Thermofused Grades		Catalog Number	Thermo- fused Color
Depth	Width	1	2		
24" (610)	48" (1219)	\$ 376	\$ 392	TTTZZT2448TFL	Thermo- fused Laminate Color (See Surface Materials Page 8)
30" (762)	60" (1524)	538	569	TTTZZT3060TFL	
36" (914)	72" (1829)	639	694	TTTZZT3672TFL	
Build your complete Part Number here:					

Sample
Part Number:

TTTZZT2448HPL	.GY1	.GS	.JOC	.DW
---------------	------	-----	------	-----

Total Cost \$445 =

\$445	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----	---	-----

High Pressure Laminate Quarter Round Tops

These Quarter Round Tops are constructed with High Pressure Laminate and have a 3mm vinyl edge. Tops are a nominal 1 1/4" thick. They can be used in conjunction with rectangular tables to provide a rounded 90 degree transition. Tops come with attachment hardware.

To ensure that Quarter Round tops line up with the Rectangular tops, be sure to

order both top pieces with the same top material (High Pressure Laminate vs Thermofused Laminate).


Thermofused Laminate Quarter Round Tops

These Quarter Round Tops are constructed with High Pressure Laminate and have a 3mm vinyl edge. Tops are 1" thick. They can be used in conjunction with rectangular tables to provide a rounded 90 degree transition. Tops come with attachment hardware.

To ensure that Quarter Round tops line up with the Rectangular tops, be sure to order both top pieces with the same top material (High Pressure Laminate vs Thermofused Laminate).


High Pressure Laminate Quarter Round Training Table Top

Dimensions		List Price			Catalog Number	Laminate Color	Edge Color
Depth	Width	1	2	3			
24" (610)	24" (610)	\$ 317	\$ 336	\$ 410	TTQR24HPL	High Pressure Laminate Color (See Surface Materials Page 8)	See Surface Materials Page 7
30" (762)	30" (762)	357	376	450	TTQR30HPL		
36" (914)	36" (914)	571	599	711	TTQR36HPL		



Thermofused Laminate Quarter Round Training Table Top

Dimensions		List Price		Catalog Number	Thermofused Color	
Depth	Width	Thermofused 1	Grades 2			
24" (610)	24" (610)	\$ 267	\$ 283	TTQR24TFL	Thermofused Laminate Color (See Surface Materials Page 8)	
30" (762)	30" (762)	301	317	TTQR30TFL		
36" (914)	36" (914)	437	453	TTQR36TFL		
Build your complete Part Number here:				-----	---	--



Sample Part Number:

TTQR24HPL	.JOC	.DW
-----------	------	-----

Total Cost \$317 =

\$317	+	N/C	+	N/C
-------	---	-----	---	-----

Fixed Angle Training Table Base

The Fixed Angle Base is designed for use with the Table Tops found on pages 24-28. It ships as a set of two leg units. Fixed Angle Bases are available with Locking Casters or Glides. Optional Casters are 3" high, and available in Black or in 2-Tone platinum/black color. Bases are designed to produce a table 29" high when used with High Pressure Laminate tops, and 28 3/4" high when used with Thermofused laminate tops. Bases are available in all Fellowes trim colors.

22" legs are required for use on 24" deep table tops. 28" legs can be used on 30" and 36 inch deep table tops.

If attaching this Base to a table top not supplied by Fellowes, it is the customer's responsibility to provide an adequate number of base supports and to install it according to the instructions provided.

The optional Wire Manager conceals and routes wires and cables from the table top to the floor. The black plastic unit affixes to the inside of the table leg with the double-sided adhesive included. When WMY is specified, one wire manager will ship with the Bases.


Flip Angle Training Table Base

The Flip Angle Base is designed for use with the Table Tops found on pages 24-25 and 27-28. It ships as a set of two leg units. The Flip Angle Base allows the Table Top to flip forward to allow multiple tables to nest together. These Bases are available with Casters only. Casters are 3" high, and available in Black or in 2-Tone platinum/black color. Bases are designed to produce a table 29" high when used with High Pressure Laminate tops, and 28 3/4" high when used with Thermofused laminate tops.


Bases are available in all Fellowes trim colors.
22" legs are required for use on 24" deep table tops. 28" legs can be used on 30" deep table tops.
Note: Flip Angle Bases cannot accommodate 36" deep Table Tops.

If attaching this Base to a table top not supplied by Fellowes, it is the customer's responsibility to provide an adequate number of base supports and to install it according to the instructions provided.

The optional Wire Manager conceals and routes wires and cables from the table top to the floor. The black plastic unit affixes to the inside of the table leg with the double-sided adhesive included. When WMY is specified, one wire manager will ship with the Base.




With Glides



With Casters and Wire Manager

Fixed Angled Training Table Bases					
Fits Table Depth	List Price	Catalog Number	Casters/ Glides	Wire Manager	Base Trim Color
24" (610)	\$ 511	TTFXTB22	GL	WMN	Standard Finish
30" (762) and 36" (914)	585	TTFXTB28	No Cost No Wire Manager	No Cost No Wire Manager	No Cost
			BCB + \$120 Black Casters	WMY + \$45 Wire Manager	Premium Finish + \$42
			BCC + \$120 Two Tone Casters Platinum/ Black		See Surface Materials Page 7



Flip Angled Training Table Bases								
Fits Table Depth	List Price	Catalog Number	Casters					
24" (610)	\$1482	TTFPTB22	BCB					
30" (762)	1557	TTFPTB28	No Cost Black Casters					
			BCC No Cost Two Tone Casters Platinum/ Black					
Build your complete Part Number here:		-----	---	---	--			
Sample Part Number:		TTFXTB22	.BCB	.WMN	.PA			
Total Cost \$673 =		\$511	+	\$120	+	N/C	+	\$42

Cordless Pop Up Electrical Units

Corded Pup Ups consist of the unit and 6' cord which plugs into an adjacent standard 15 amp outlet. The unit inserts into a factory-cut electrical opening in the table top. All units are UL and CUL listed.


The Pop Up must be ordered to match the factory-cut electrical opening specified for the Table Top.

Note: Corded Pop Up units cannot connect to other Corded Pop Up units or Daisy Chain Pop Up units.


Refer to pages 14 and 15 for additional pop up information.

Training Table Corded Pop Up Electrical Units

Basic



Multifunction



Multifunction Pop Up Configurations

2P2U




2P1U1D



2P2D



Aluminum



Aluminum Pop Up Configurations

2P2D



2P1U1D



Dimensions		List Price	Catalog Number
Width	Depth		
Basic Pop Up (PMP Option) 7" (178) 3" (76) BLACK 2 Power Ports, 2 Open Ports		\$ 350	TTPMP2P2D
Multifunction Pop Up (PNC Option) 7 1/4" (184) 3 5/16" (84) BLACK 2 Power Ports, 2 USB Ports 2 Power Ports, 1 USB Port, 1 Data Port 2 Power Ports, 2 Data Ports WHITE 2 Power Ports, 2 USB Ports 2 Power Ports, 1 USB Port, 1 Data Port 2 Power Ports, 2 Data Ports		\$ 728 585 444 \$ 728 585 444	TTPNCR2P2UB TTPNCR2P1U1DB TTPNCR2P2DB TTPNCR2P2UW TTPNCR2P1U1DW TTPNCR2P2DW
Aluminum Pop Up (PMH Option) 8 5/16" (211) 4 3/8" (111) 2 Power Ports, 2 Data Ports 2 Power Ports, 1 USB Port, 1 Data Port		\$ 651 806	TTPMHO2P2D TTPMHO2P1U1D
Build your complete Part Number here:			_____

**Sample
Part Number:**

TTPMP2P2D

Total Cost \$350 =

\$350

Training Table Daisy Chain Power Pop Ups

Daisy Chain Power Pop Ups allow a Base Feed to power from four to eight tables, depending on table width. Since they are easy to disconnect and reconnect, they are ideal for applications where frequent reconfiguration of tables is desired.

Each consists of the Pop Up unit and two connector cables. The unit inserts into a factory-cut opening. Cables attach to the underside of a table with supplied wire management clips, and connect to the Base Feed or to Daisy Chain Pop Ups in adjacent tables. Elements can be assembled in any sequence, allowing greater flexibility for space planning and reconfiguration.

The Pop Up must be ordered to match the factory-cut electrical opening specified for the Table Top. Each unit has one male and one female connection and is able to link two tables, or link to one Base Feed and one table. All units are UL and CUL listed.

Refer to pages 14 and 15 for additional pop up information.

Base Feed

The Base Feed provides power to the connection. It has a 6' cord which plugs into a buildings standard 15 amp outlet. The regulator on the Base Feed prevents overloading and will shut off power if the load is exceeded. It includes an LED light that is green in normal conditions and red in overload conditions.





Jumper

If a unit is installed in a 66" or 72" wide table, a Jumper is needed to connect power to the adjacent table. In the connection sequence, each Jumper counts as a table in planning for the number of tables that can be linked (maximum eight).

Note: Daisy Chain Pop Up units and Corded Pop Up units cannot connect to each other.

Note: Daisy Chain Pop Up units purchased January 2020 and after cannot connect to units purchased before this date.

Training Table Daisy Chain Pop Up Electrical Units

	Width	Depth	List Price	Catalog Number
Multifunction 	Multifunction Pop Up (PNC Option)			
	7 1/4" (184)	3 5/16" (84)		
	BLACK			
	2 Power Ports, 2 USB Ports		\$ 673	TTDCPNCR2P2UB
	2 Power Ports, 1 USB Port, 1 Data Port		532	TTDCPNCR2P1U1DB
	2 Power Ports, 2 Data Ports		390	TTDCPNCR2P2DB
Aluminum 	Aluminum Pop Up (PMH Option)			
	8 5/16" (211)	4 3/8" (111)		
	WHITE			
	2 Power Ports, 2 USB Ports		\$ 673	TTDCPNCR2P2UW
	2 Power Ports, 1 USB Port, 1 Data Port		532	TTDCPNCR2P1U1DW
	2 Power Ports, 2 Data Ports		390	TTDCPNCR2P2DW
	Base Feed		\$ 429	TTDCPBF
			\$ 127	TTDCPJ
	Build your complete Part Number here:			-----

Sample
Part Number:

TTDCPBF

Total Cost \$429 =

\$429

Training Table Power System

Training Table Power Set

The Training Table Power Set 4-wire, 2-circuit, 20Amp electrical system, allow power to be connected between Training Tables. Each Power Set includes two receptacles, for a total of four outlets. Each outlet has one receptacle for circuit 1 and one for circuit 2. Power Sets are a good solution when there is need for greater power access and where the table arrangement will remain static.

Power sets can be mounted to the underside of the table, near the edge for easy access. Spring clips for mounting are included. Power Sets should be located centrally to a long side of the work surface – all specification information in this document is based on the central

location. Power Sets are connected between work surfaces with Training Table Electrical Harnesses. The Training Table Base Feed brings power to the Power Sets. All components are UL and CUL Listed/CSA Certified.


Training Table Base Feed

The Training Table Base Feed conducts power from the building to the Training Table Power Set. It includes 6' (1829) or 12' (3658) of flexible liquid-tight conduit for hard-wiring the standard two-circuit system to the building power supply. Training Table Base Feed is also used with a Training Table H-Connector in cases where a single power feed must be split in two directions. Training Table Electrical Harnesses are used to link the H-Connector to the Power Sets in this type of configuration. Refer to Training Electrical Planning guide before specifying a harness length.

(If your specific layout is not shown, please contact Fellowes Customer Care for assistance.)


Training Table Electrical Harness

Training Table Electrical Harnesses connect Training Table Power Sets between two surfaces. Harnesses are also used with Training Table H-Connectors when a single Base Feed is split in two directions. The specific length of the harness needed will depend on the layout and work surface sizes. Refer to Training Electrical Planning guide before specifying a harness length. (If your specific layout is not shown, please contact Fellowes Customer Care for assistance.)




Training Table Power Set

Dimension Width	List Price	Catalog Number
12" (305)	\$ 184	TTPS12



Training Table Base Feed

Dimension Width	List Price	Catalog Number
6' (1829)	\$ 144	TTPF
12' (3658)	218	TTPF12



Training Table Electrical Harness

Dimension Width	List Price	Catalog Number
18" (457)	\$ 80	TTEH18
24" (610)	82	TTEH24
30" (762)	87	TTEH30
36" (914)	91	TTEH36
42" (1067)	99	TTEH42
48" (1219)	107	TTEH48
54" (1372)	114	TTEH54
60" (1524)	118	TTEH60
66" (1676)	125	TTEH66
Build your complete Part Number here:		-----

Sample Part Number:

TTPS12

Total Cost \$184 =

\$184

Training Table New York Base Feed
The Training Table New York Base Feed conducts power from the building to the Training Table Power Set. It includes 18" (457) of flexible liquid-tight conduit for hard-wiring the standard two-circuit system to the building power supply. Training Table New York Base Feed is also used with a Training Table H-Connector in cases where a single power feed must be split in two directions. Training Table Electrical Harnesses are used to link the H-Connector to the Power Sets

in this type of configuration. Refer to Training Electrical Planning guide before specifying a harness length. (If your specific layout is not shown, please contact Fellowes Customer Care for assistance.)


Training Table H-Connector
The Training Table H-Connector allows power to be routed in up to 3 different directions. This is useful in layouts that require a single Base Feed to reach multiple work surfaces. (See Planning Guide for Specific Uses.)

TRAINING TABLE ACCESSORIES
Training Table Ganging Hardware
Ganging Hardware is used to lock two tables together so they do not move. Table ganging hardware is field installed and can be placed at the outer corners or in the middle of the tables. Attachment hardware included.




Training Table New York Base Feed

Dimension Width	List Price	Catalog Number
18" (457)	\$ 138	TTPFNY



Training Table H-Connector

Dimension Width	List Price	Catalog Number
2" (51)	\$ 28	TTHC



Training Table Ganging Hardware

Description	List Price	Catalog Number
Includes 2 plates and 4 screws	\$ 100	TTGHDWR

Build your complete
Part Number here:

Sample
Part Number:

TTPFNY

Total Cost \$138 =

\$138

Training Tables

Choices Tube Base	
Overview.....	38
Rectangular	41
Trapezoid	43
Half Round	44
Accessories & Base Only.....	45

Table Tops


Standard Features

Each table is surfaced with a high-pressure laminate. Tables will have a PVC flat T-Molded edge or banded edge depending on model.

- Square, Rectangular and Trapezoid training tables are available with PVC Banded Edge only.
- The Half Round table comes with a Banded edge on the flat side and a Flat T-Molded edge on the radiused side.

Wood grain vinyl edges are available as Banded edge only, therefore Half Round tables will be manufactured with a PVC Banded edge.

Tables	Table Top Edge	
	PVC	T-Mold
Rectangular	X	
Trapezoid	X	
Half Round*	combination	



PVC Banded Edge

*If wood grain and Platinum vinyl edge is specified, the entire table will have a PVC Banded Edge


Table Bases

The Training Table Bases in this section are made up of 2-inch tubular steel with flat metal end caps. The bases are powder coated and available in two base styles: T-Base or C-Base.


The T-Base is available on a rectangular, trapezoid or half round table top; allows the top to be fixed or flip.

The C-Base is available on a rectangular desk.

The T-Base, and the C-Base have casters or glides. The flip tables are available with casters only.



Training Table T-Base



Training Table C-Base

TABLE WEIGHT LIMITS

Tables with the recommended base/top size combination can support a maximum of 1.5 lb. for each inch of perimeter, evenly distributed.

WARNING:
Failure to observe the recommended practices, such as loading beyond listed weight limits, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Fellowes product will change the criteria referenced above. Fellowes will not honor the product warranty if modifications are made to the product or if the capacities referenced are exceeded.

Training Table Arrangement

The new shapes of Training Tables allow for many different configurations but not limited to the ones below:





Table Grommets

Grommets are available on the Rectangular, Trapezoid and Half Round Training Tables. They are centered on the table along the back edge. The grommet occupies the same location as the pop-up power/data module. Therefore, allowing only one or the other to be specified.

Grommets are available in black only. The following drawings show standard grommet locations.

Grommet Dimensions




Rectangular Training Table

Trapezoid Training Table

Half Round Training Table

Electrical

Training Table:
The pop-up power data/module ("EN" option) for Training Tables is black molded plastic. The pop-up module can be placed in the Rectangular, Trapezoid and Half Round Training Tables. There is one module per table; see diagram for location. The pop-up module has 2 power receptacles and 2 data openings. A 6' power cord is included. The table ships with a pre-cut mounting location for the pop-up module. The pop-up module is field installed.



RECTANGULAR TABLES AND DESKS - FIXED TOP

Each table has a high-pressure laminate top with PVC Banded edge. They have optional glides or casters. They can also be specified with an optional grommet or pop-up power/data module. If specified, the grommet or power/data module is located along the back edge in the center of the table. Shipped ready to assemble.


Tables are 29" (737)-high.

Rectangular Training Tables - Fixed Top

The Rectangular Training Table has a welded leg. The leg is mounted in the center of the table with both feet being the same distance out from the column.


Rectangular Desk Tables - Fixed Top

The Rectangular Desk has a welded leg. The leg is mounted toward the back of the table with two different length feet. They are arranged to provide support but provide the knee clearance of a desk which is ideal for a classroom or training room.



Rectangular Training Tables - Fixed Top

Dimensions		T-Base Width	List Price			Catalog Number	Casters/ Glides	Electrical/ Grommet	Top Color	Base Color	Edge Color
Depth	Width		Laminate	Grade 1	Grade 2	Grade 3					
18" (472)	48" (1219)	17" (432)	\$674	\$694	\$773	RTFXT1848	GL No Cost Glides BC + \$76 Casters EN + \$297 Electrical No Grommet	NN No Cost No Electrical No Grommet NG + \$19 No Electrical 1 Grommet in center EN + \$297 Electrical No Grommet	High-Pressure Laminate Color (See Surface Materials Page 8)	Standard Finish No Cost	See Surface Materials Page 7
18" (472)	60" (1524)	17" (432)	703	732	850	RTFXT1860					
18" (472)	72" (1829)	17" (432)	885	914	1032	RTFXT1872					
24" (610)	48" (1219)	17" (432)	\$682	\$711	\$830	RTFXT2448					
24" (610)	60" (1524)	17" (432)	732	761	879	RTFXT2460					
24" (610)	72" (1829)	17" (432)	896	925	1043	RTFXT2472					
30" (762)	48" (1219)	23" (584)	\$732	\$761	\$880	RTFXT3048				Premium Finish +\$42	See Surface Materials Page 7
30" (762)	60" (1524)	23" (584)	771	819	1000	RTFXT3060					
30" (762)	72" (1829)	23" (584)	988	1036	1217	RTFXT3072					
36" (914)	60" (1524)	23" (584)	\$971	\$1019	\$1200	RTFXT3660					
36" (914)	72" (1829)	23" (584)	1125	1187	1426	RTFXT3672					



Rectangular Desk Tables - Fixed Top

Dimensions			List Price			Catalog Number
Depth	Width	C-Base Width	Laminate	Grade 1	Grade 2	Grade 3
24" (610)	48" (1219)	17" (432)	\$706	\$735	\$854	RTDFXT2448
24" (610)	60" (1524)	17" (432)	752	781	899	RTDFXT2460
24" (610)	72" (1829)	17" (432)	917	946	1064	RTDFXT2472
30" (762)	48" (1219)	23" (584)	\$754	\$783	\$902	RTDFXT3048
30" (762)	60" (1524)	23" (584)	795	843	1024	RTDFXT3060
30" (762)	72" (1829)	23" (584)	1008	1056	1237	RTDFXT3072

Build your complete Part Number here:

-----	--	--	---	-	-
-------	----	----	-----	---	---

Sample Part Number:

RTFXT2448	.BC	.NN	.J46	.Y	.K
-----------	-----	-----	------	----	----

Total Cost \$758 =

\$682	+	\$76	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	------	---	-----	---	-----	---	-----	---	-----

RECTANGULAR TRAINING TABLES

Each table has a high-pressure laminate top with PVC Banded edge. They have optional pop-up power/data module or grommet. Either a pop-up module or grommet can be specified, not both, as they occupy the same location. The Flip Top have welded legs.


Shipped ready to assemble.

Tables are 29" (737)-high

Rectangular Training Tables - Flip Top

The Flip Top Table has a top that will pivot forward over the legs. The mechanism will lock in both the up (in use) and down (stored) position. The mechanism is operated with a one touch release handle. The tables have casters so they can be easily moved and nested by one person.

Rectangular Training Tables - Flip Top

Dimensions			List Price			Catalog Number		Electrical/ Grommet	Top Color	Base Color	Edge Color						
Depth	Width	T-Base Width	1	2	3												
18" (472)	48" (1219)	17" (432)	\$1585	\$1605	\$1684	RTFLPT1848		NN No Cost No Electrical No Grommet NG + \$19 No Electrical 1 Grommet in center EN + \$297 Electrical No Grommet	High-Pressure Laminate Color (See Surface Materials Page 8)	Standard Finish No Cost Premium Finish +\$42 See Surface Materials Page 7	See Surface Materials Page 7						
18" (472)	60" (1524)	17" (432)	1611	1640	1758	RTFLPT1860											
18" (472)	72" (1829)	17" (432)	1796	1825	1943	RTFLPT1872											
24" (610)	48" (1219)	17" (432)	\$1595	\$1625	\$1749	RTFLPT2448											
24" (610)	60" (1524)	17" (432)	1639	1668	1786	RTFLPT2460											
24" (610)	72" (1829)	17" (432)	1772	1801	1919	RTFLPT2472											
30" (762)	48" (1219)	23" (584)	\$1642	\$1671	\$1790	RTFLPT3048											
30" (762)	60" (1524)	23" (584)	1681	1729	1910	RTFLPT3060											
30" (762)	72" (1829)	23" (584)	1897	1945	2126	RTFLPT3072											
Build your complete Part Number here:												-----	--	--	---	-	-

Sample
Part Number:

RTFLPT2448	--	.NG	.J46	.Y	.K
------------	----	-----	------	----	----

Total Cost \$1614 =

\$1595	+	N/C	+	\$19	+	N/C	+	N/C	+	N/C
--------	---	-----	---	------	---	-----	---	-----	---	-----

TRAPEZOID TRAINING TABLES

Each table has a high-pressure laminate top with PVC Banded edge. They have optional pop-up power/data module or grommet. Either a pop-up module or grommet can be specified, not both, as they occupy the same location.

Trapezoid tables provide the ability to create different shapes. It can be used as a transitional piece to turn a corner.

Shipped ready to assemble.

Tables are 29" (737)-high.

Trapezoid Training Tables - Fixed Top


Fixed Tables are available with casters or glides.

Trapezoid Training Tables - Flip Top

The Flip Top Table has a top that will pivot forward (to the short side) over the legs. The mechanism will lock in both the up (in use) and down (stored) position. The mechanism is operated with a one touch release handle. The tables have casters so they can be easily moved and nested by one person.



Trapezoid Training Tables - Fixed Top

Dimensions		T-Base Width	List Price			Catalog Number	Casters/ Glides	Electrical/ Grommet	Top Color	Base Color	Edge Color
Depth	Width		1	2	3						
24" (610)	48" (1219)	17" (432)	\$729	\$758	\$877	TZFXT2448	GL No Cost Glides BC + \$76 Casters	NN No Cost No Electrical No Grommet NG + \$19 No Electrical 1 Grommet in center EN + \$297 Electrical No Grommet	High-Pressure Laminate Color (See Surface Materials Page 8)	Standard Finish No Cost Premium Finish +\$42 See Surface Materials Page 7	See Surface Materials Page 7
30" (762)	60" (1524)	23" (584)	\$819	\$867	\$1048	TZFXT3060					



Trapezoid Training Tables - Flip Top

Dimensions		T-Base Width	List Price			Catalog Number
Depth	Width		1	2	3	
24" (610)	48" (1219)	17" (432)	\$1561	\$1589	\$1701	TZFLPT2448
30" (762)	60" (1524)	23" (584)	\$1730	\$1778	\$1959	TZFLPT3060



Build your complete
Part Number here:

Sample
Part Number:

TZFLPT2448	__	.NN	.J46	.Y	.K			
\$1561	+	N/C	+	N/C	+	N/C	+	N/C

Total Cost \$1561 =

HALF ROUND TRAINING TABLES

Each table has a high-pressure laminate top with a PVC Banded edge on the flat side and a Flat T-Molded edge on the radiused side. If a wood grain vinyl edge is selected, the entire table will be manufactured with a PVC Banded edge. They have optional pop-up power/data module or grommet. Either a pop-up module or grommet can be specified, not both, as they occupy the same location. The grommet or module is located in the back center of the table on the straight side. The legs are welded.

Half Round Tables provide the ability to create a circle shaped table or use as a cap on the end of rectangular tables.

Shipped ready to assemble.

Tables are 29" (737)-high.

Half Round Training Tables - Fixed Top


Fixed Tables are available with casters or glides.

Half Round Training Tables - Flip Top

The Flip Top Table has a top that will pivot forward (to the straight side) over the legs. The mechanism will lock in both the up (in use) and down (stored) position. The mechanism is operated with a one touch release handle. The tables have casters so they can be easily moved and nested by one person.



Half Round Training Tables - Fixed Top

Dimensions			List Price			Catalog Number	Casters/ Glides	Electrical/ Grommet	Top Color	Base Color	Edge Color
Depth	Width	T-Base Width	Laminate 1	Grade 2	3						
24" (610)	48" (1219)	17" (432)	\$729	\$758	\$877	HRFXT2448	GL No Cost Glides BC + \$76 Casters	NN No Cost No Electrical No Grommet NG + \$19 No Electrical 1 Grommet in center EN + \$297 Electrical No Grommet	High-Pressure Laminate Color (See Surface Materials Page 8)	Standard Finish No Cost Premium Finish +\$42 See Surface Materials Page 7	See Surface Materials Page 7
30" (762)	60" (1524)	23" (584)	\$819	\$867	\$1048	HRFXT3060					



Half Round Training Tables - Flip Top

Dimensions			List Price			Catalog Number
Depth	Width	T-Base Width	Laminate 1	Grade 2	3	
24" (610)	48" (1219)	17" (432)	\$1561	\$1589	\$1701	HRFLPT2448
30" (762)	60" (1524)	23" (584)	\$1730	\$1778	\$1959	HRFLPT3060



Build your complete
Part Number here:

-----	--	--	---	-	-
-------	----	----	-----	---	---

Sample
Part Number:

HRFLPT2448	--	.NN	.J46	.Y	.K
------------	----	-----	------	----	----

Total Cost \$1561 =

\$1561	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----	---	-----

TRAINING TABLE ACCESSORIES CONT.

Training Table Ganging Hardware

Ganging Hardware is used to lock two tables together so they do not move. Table ganging hardware is field installed and can be placed at the outer corners or in the middle of the tables. Attachment hardware included.

Training Table Glides



Training Table Glides can be ordered as a replacement for damaged glides or to retrofit a castered table.

Note: If glides are used to retrofit a cast-ered table the overall height of the table will be up to 2 inches shorter than designed.

Training Table Casters

Training Table Casters can be ordered as a replacement for damaged casters or to retrofit a non-mobile table with glides.

Note: If casters are used to retrofit a table with glides the overall height of the table will be up to 2 inches taller than designed.

	Training Table Ganging Hardware		
	Description	List Price	Catalog Number
	Includes 2 plates and 4 screws	\$100	TTGHDWR
	Training Table Glides		
	Description	List Price	Catalog Number
	Package of four	\$54	TTGLDS
	Training Table Casters		
	Description	List Price	Catalog Number
	Package of four	\$127	TTCSTRS
Build your complete Part Number here:			-----


Sample Part Number: TTGLDS

Total Cost \$54 = \$54

Training Table Legs


The Training Table Legs are available for retrofit installation beneath existing table tops. Bases are 27½" (699)-high.

When attaching this base to a table top not supplied by Fellowes, it is the customer's responsibility to provide adequate number of base supports and install according to provided installation instructions.



Training Table Base - T-Base - Rectangulars, Trapezoids, Half Rounds

Table Size	Bases Required	Base Width	List Price Per Base	Catalog Number	Casters/Glides	Base Trim Color
Fixed						
18"-24" (457-610)	2	17" (432)	\$290	SICTTFX17	GL No Cost	Standard Finish No Cost
30"-36" (762-914)	2	23" (584)	304	SICTTFX23	BC + \$76 Casters (Not available on Café Height bases)	Premium Finish +\$42 See Surface Materials Page 7



Training Table Base - C-Base - Rectangular

Table Size	Bases Required	Base Width	List Price Per Base	Catalog Number
Fixed				
24" (610)	2	17" (432)	\$299	SICTTCB17
30" (762)	2	23" (584)	313	SICTTCB23

Build your complete Part Number here:

Sample Part Number:

Total Cost \$304 =

SICTTFX23	.GL	.Y
-----	--	-
\$304	+	N/C
	+	N/C


Overview & Order Information	NOTES									
Statement of Line										
Surface Materials										
Training Tables										
Height Adjustable Tables & Screens										
Collaborative, Café & Occasional Tables										
Conference Tables										
Conference & Training Room Components										
Terms & Policies										

Training Tables

Zona	
Overview.....	50
Rectangle Flip Top.....	53
Accessories	55

Zona Base Overview

Flip Base Table (Table top flips up for nesting)



Zona Base Table Clearance Dimensions

Leg Type:	Flip T Base		
Dimension:	E1	W	E2
	Edge of table to outside of leg	Between Legs	Front Edge of Table to the Outside of Leg
Rectangle Top Size:			
24"D x 48"W	4.264"	35.627"	10.694"
24"D x 60"W	4.364"	47.427"	10.694"
24"D x 72"W	4.453"	59.249"	10.694"
30"D x 48"W	4.264"	35.627"	13.694"
30"D x 60"W	4.364"	47.427"	13.694"
30"D x 72"W	4.453"	59.249"	13.694"

Grommet/Pop Up Electrical Units for Fellowes Zona Training Tables


When specifying training tables, grommets or pop up cutouts may be specified for power/data routing and access. Grommets are available in black or silver and come pre-installed in the table top when GY1 or GY2 are specified as the Power Option. If Pop Up electrical units are chosen as the Power Option, the table top will ship with a factory-cut opening to house the unit, but the Pop Up units must be ordered separately. The chart below indicates which Grommet or Pop Up options are available for specific Training Tables.

Code	Position
GY1	Single grommet, centered left-to-right, 3 1⁄8" in from back of table top for a 24" deep top and 3 5⁄8" in for 30" deep tops.
GY2	Pair of grommets, 1⁄4 the width of the top in from each side, and 3 1⁄8" in from back of table top for a 24" deep top and 3 5⁄8" in for 30" deep tops.
PMP & PNC	One cutout for Pop Up Unit, centered left-to-right, 3 1⁄8" in from back of table top for a 24" deep top and 3 1⁄2" in for 30" deep tops.
PMH	One cutout for Pop Up Unit, centered left-to-right, 3 1⁄8" in from back of table top for a 24" deep top and 3 5⁄8" in for 30" deep tops.

Grommet Locations



Pop Up Locations



Dimensions	Grommet		Pop Up		
	GY1	GY2	PMP	PNC	PMH
Rectangle Top					
24"D x 48"W	x	x	x	x	N/A
24"D x 60"W	x	x	x	x	N/A
24"D x 72"W	x	x	x	x	N/A
30"D x 48"W	x	x	x	x	x
30"D x 60"W	x	x	x	x	x
30"D x 72"W	x	x	x	x	x

Training Table Electrical Options

The Zona Leg Training Tables have two Pop Up options: Corded and Daisy Chained and a 4-wire 2 circuit power system.

Corded Pop Ups


The corded Pop Ups come with a 6' cord that plugs into an outlet. Corded Pop Ups cannot plug into other corded Pop Ups or to Daisy Chain Pop Ups.

Daisy Chain Pop Ups

Daisy Chain Pop Ups allow a single Base Feed to power up to eight tables, depending on table width. The Daisy Chain Pop Up consists of three parts, the Base Feed, the Pop Up unit, and the Jumper. The Base Feed plugs into building power using a standard 15 amp plug. The Jumper is used to connect tables 66" and 72" to adjacent tables. In the connection sequence, each Jumper counts as a table in planning for the number of tables that can be linked (maximum eight). The Base Feed prevents overloading and will shut off power if the load is exceeded. It has a regulator with an LED light that is green in normal conditions and red in overload conditions. Pop Up unit includes the Pop Up and two connectors that will each attach to a connector on an adjacent table or to a Base feed.


This example uses three Daisy Chain Pop Up units to run power through three 60" wide tables. Since the tables are all less than 66" wide, no Jumpers are required. (Fig. A)

Daisy Chain Pop Ups as shown on 60" wide table
3 of 8 connections used.



This example uses three Daisy Chain Pop Up units and two Jumpers to run power through three 72" tables. Tables 66" and 72" wide each require one Jumper in order to connect to an adjacent table. (Fig. B)

Daisy Chain Pop Ups as shown on 72" wide table
5 of 8 connections used.



Idea Starters

So many ways to arrange and rearrange for almost any learning environment






TABLE WEIGHT LIMITS

Tables with the recommended base/top size combination can support a maximum of 1.5 lb. for each inch of perimeter, evenly distributed.

WARNING:

Failure to observe the recommended practices, such as loading beyond listed weight limits, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Fellowes product will change the criteria referenced above. Fellowes will not honor the product warranty if modifications are made to the product or if the capacities referenced are exceeded.

Zona Rectangular Training Table - Flip Top – High Pressure Laminate

The Zona Training tables are constructed of High Pressure Laminate Tops with a 3mm vinyl edge. Table tops are a nominal 1 1/4" thick. Tables ship standard with four locking casters that are 3" high. Tables may be optioned with a factory-cut opening for a Pop Up Electrical Unit or Grommet. Grommets are available in black or silver and ship with the table when specified.

Pop Up Electrical Units are ordered separately, see pages 33 & 34 for details.

Shipped ready to assemble. Tables are 29" (737) high.

Zona Rectangular Training Table - Flip Top - HPL

Depth	Width	List Price Laminate Grades			Catalog Number	Options	Grommet Color	Wire Manager	Laminate Color	Base Color	Edge Color
		1	2	3							
24" (610)	48" (1219)	\$ 1173	\$ 1201	\$1313	ZNFLPT2448	NN	GB	WMN	High	TG	See Surface Materials Page 7
	60" (1524)	1295	1323	1435	ZNFLPT2460	No Power	Black	No Cost	Pressure	Textured	
	72" (1829)	1357	1385	1497	ZNFLPT2472			No	Laminate	Gray	
30" (762)	48" (1219)	\$1234	\$1262	\$1374	ZNFLPT3048	GY1	GS	Manager	Color	TDW	See Surface Materials Page 8
	60" (1524)	1357	1402	1576	ZNFLPT3060	One Grommet Center	Silver		See	Textured	
	72" (1829)	1481	1526	1700	ZNFLPT3072			WMY +\$45	Surface	Designer	
						GY2		Wire	Materials	BK	See Surface Materials Page 7
						Two		Manager	Page 8	Textured	
						Grommets				Black	
						PMP				See	
						Basic				Surface	
						Cut Out				Materials	
						PNC				Page 7	
						Multi					
						Function					
						Cut Out					
						PMH					
						Aluminum					
						Cut Out					
						*not available					
						24" Deep Tables					
Build your complete											
Part Number here:						---	--	--	---	---	--



Sample
Part Number:

ZNFLPT2448	.NN	.GB	.WMN	.JOC	.TDW	.DW
-------------------	------------	------------	-------------	-------------	-------------	------------

Total Cost \$1173 =

\$ 1173	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
---------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----

Zona Rectangular Training Table - Flip Top – Thermofused Laminate

The Zona Training tables are constructed of Thermofused Laminate Tops with a 3mm vinyl edge. Table tops are a nominal 1" thick. Tables ship standard with four locking casters that are 3" high. Tables may be optioned with a factory-cut opening for a Pop Up Electrical Unit or Grommet. Grommets are available in black or silver and ship with the table when specified.

Pop Up Electrical Units are ordered separately, see pages [33](#) & [34](#) for details.

Shipped ready to assemble. Tables are 29" (737) high.

Zona Rectangular Training Table - Flip Top - TFL

Depth	Width	List Price Thermofused Grades		Catalog Number	Options	Grommet Color	Wire Manager	Laminate Color	Base Color	Edge Color
		1	2							
24" (610)	48" (1219)	\$ 1114	\$ 1130	ZNFLPT2448TFL	NN	GB	WMN	Thermo Fused Laminate Color	TG Textured Gray	See Surface Materials Page 7
	60" (1524)	1230	1246	ZNFLPT2460TFL	No Power	Black	No Cost No Manager			
	72" (1829)	1289	1305	ZNFLPT2472TFL						
30" (762)	48" (1219)	\$ 1173	\$ 1189	ZNFLPT3048TFL	GY1 One Grommet	GS Silver	WMY +\$45 Wire Manager	See Surface Materials Page 8	TDW Textured Designer White	BK Textured Black
	60" (1524)	1289	1320	ZNFLPT3060TFL	Center					
	72" (1829)	1406	1437	ZNFLPT3072TFL	GY2 Two Grommets					
					PMP Basic Cut Out				See Surface Materials Page 7	
					PNC Multi Function Cut Out					
					PMH Aluminum Cut Out *not available 24" Deep Tables					
Build your complete Part Number here:				-----	--	--	---	---	---	--

Sample
Part Number:

ZNFLPT2448TFL

.NN

.GB

.WMN

.XZH

.TDW

.DW

Total Cost \$1114 =

\$1114

+

N/C

+

N/C

+

N/C

+

N/C

+

N/C

+

N/C

Overview & Order Information	NOTES									
Statement of Line										
Surface Materials										
Training Tables										
Height Adjustable Tables & Screens										
Collaborative, Café & Occasional Tables										
Conference Tables										
Conference & Training Room Components										
Terms & Policies										

Height Adjustable Tables

Rejuve	
Overview.....	58
Rectangular	59
Adjustable Base Only	63
Levado	
Overview.....	64
Rectangular	65
Adjustable Base Only	66
	
	


Rejuve Height Adjustable Table

Table Tops

Rejuve Height Adjustable Table	Table Top Edge
	PVC
Rectangular	X

Standard Features


Tables are available with either a 1 1/4" high-pressure laminate top or a 1" thermofused laminate top. Tables will have a PVC Banded Edge.



PVC Banded Edge

Table Bases

The Rejuve Tables bases have an all steel base frame powdercoated with a C-leg design. The frame has a quick connect feature making install very straightforward. It is also outfitted with a Gyro Sensor anti-collision feature. The power cord length is 9".



Rejuve Height Adjustable Table Base

Table Grommets

Grommets are available on the Rejuve Height Adjustable Tables, except the D-Shape Table. They are centered on the table along the back edge. Grommets are available in black or silver. The following drawing shows standard grommet location.

Grommet Dimensions



Rectangular Table

TABLE WEIGHT LIMITS

Tables with the recommended base/top size combination can support a maximum of 1.5 lb. for each inch of perimeter, evenly distributed.

WARNING:
Failure to observe the recommended practices, such as loading beyond listed weight limits, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Fellowes product will change the criteria referenced above. Fellowes will not honor the product warranty if modifications are made to the product or if the capacities referenced are exceeded.

Rejuve Two Stage Rectangle Height Adjustable Table – HPL


The Rejuve Two Stage Rectangle Height Adjustable Table features a nominal 1 1/4" thick High Pressure Laminate top with a PVC banded edge. An optional grommet is located in the back-center of the table top. The table comes with standard glides. The Rejuve 2 Stage Rectangle Height

Adjustable Table offers a height adjustment range from 26.5"–43.5" for a total of 17" of adjustment. Add the top thickness to determine the total height dimension. These tables tops have an option for true to size, which is perfect for a stand alone table or to have the perimeter 1" shorter on all sides to work within any panel environment. The handset is an up and down lever

which has a digital read out and 2 memory settings. Each base leg is a two-section telescoping column. Two rails attach to the legs on the underside of the table top to ensure stability and support. The foot depth on the base is 23" for 24" deep tops, and 29" for 30" deep tops. Tables Ship Ready to Assemble.

Rejuve Two Stage Rectangle Height Adjustable Table - HPL

Actual Depth	Actual Width	Base Depth	List Price Laminate Grade			Catalog Number	Surface Size	Grom- met Options	Grom- met Color	Top Color	Base Color	Edge Color
			1	2	3							
24" (610)	36" (914)	23" (584)	\$1720	\$1748	\$1860	REJ2SREC2436	TS Full True To Size 1P 1" Gap all the way around perimeter	GN No Cost No Grommet GY +\$19 One Grommet	GB Black GS Silver	High- Pressure Laminate Color (See Surface Materials Page 8)	No Cost K Charcoal DW Designer White PA Platinum	See Surface Materials Page 7
	42" (1067)		1779	1807	1919	REJ2SREC2442						
	48" (1219)		1830	1858	1970	REJ2SREC2448						
	54" (1372)		1878	1906	2018	REJ2SREC2454						
	60" (1524)		1929	1957	2069	REJ2SREC2460						
	66" (1676)		1965	1993	2105	REJ2SREC2466						
	72" (1829)		1985	2013	2125	REJ2SREC2472						
30" (762)	36" (914)	29" (737)	\$1759	\$1787	\$1899	REJ2SREC3036						
	42" (1067)		1802	1830	1942	REJ2SREC3042						
	48" (1219)		1872	1900	2012	REJ2SREC3048						
	54" (1372)		1910	1955	2129	REJ2SREC3054						
	60" (1524)		1957	2002	2176	REJ2SREC3060						
	66" (1676)		1978	2023	2197	REJ2SREC3066						
	72" (1829)		2013	2058	2232	REJ2SREC3072						
Build your complete Part Number here:						-----	--	--	--	--	--	--



Sample Part Number:

Total Cost \$1759 =

REJ2SREC3036	.TS	GN	N/A	.573	.K	.E1
-----	--	--	--	--	--	--
\$1759	+	N/C	+	N/C	+	N/C

Rejuve Two Stage Rectangle Height Adjustable Table – TFL


The Rejuve Two Stage Rectangle Height Adjustable Table features a nominal 1" thick Thermofused Laminate top with a PVC banded edge. An optional grommet is located in the back-center of the table top. The table comes with standard glides. The Rejuve Two Stage Rectangle

Height Adjustable Table offers a height adjustment range from 26.5"-43.5" for a total of 17" of adjustment. Add the top thickness to determine the total height dimension. These tables tops have an option for true to size, which is perfect for a standalone table or to have the perimeter 1" shorter on all sides to work within any panel environment. The handset is an up and down lever

which has a digital read out and 2 memory settings. Each base leg is a two-section telescoping column. Two rails attach to the legs on the underside of the table top to ensure stability and support. The foot depth on the base is 23" for 24" deep tops, and 29" for 30" deep tops. Tables Ship Ready to Assemble.

Rejuve Two Stage Rectangle Height Adjustable Table - TFL

			List Price Laminate Grade		Catalog Number	Surface Size	Grom- met Options	Grom- met Color	Top Color	Base Color	Edge Color
Actual Depth	Actual Width	Base Depth	1	2							
24" (610)	36" (914)	23" (584)	\$1610	\$1626	REJ2SREC2436TFL	TS Full True To Size 1P 1" Gap all the way around perimeter	GN No Cost No Grommet GY +\$19 One Grommet	GB Black GS Silver	High- Pressure Laminate Color (See Surface Materials Page 8)	No Cost K Charcoal DW Designer White PA Platinum	See Surface Materials Page 7
	42" (1067)		1646	1662	REJ2SREC2442TFL						
	48" (1219)		1689	1705	REJ2SREC2448TFL						
	54" (1372)		1728	1744	REJ2SREC2454TFL						
	60" (1524)		1759	1775	REJ2SREC2460TFL						
	66" (1676)		1823	1839	REJ2SREC2466TFL						
	72" (1829)		1865	1881	REJ2SREC2472TFL						
30" (762)	36" (914)	29" (737)	\$1631	\$1647	REJ2SREC3036TFL						
	42" (1067)		1660	1676	REJ2SREC3042TFL						
	48" (1219)		1723	1739	REJ2SREC3048TFL						
	54" (1372)		1777	1808	REJ2SREC3054TFL						
	60" (1524)		1830	1861	REJ2SREC3060TFL						
	66" (1676)		1931	1962	REJ2SREC3066TFL						
	72" (1829)		2013	2044	REJ2SREC3072TFL						
Build your complete Part Number here:					-----	--	--	--	--	--	--



Sample
Part Number:

Total Cost \$1631 =

REJ2SREC3036TFL	.TS	GN	N/A	.XZ8	.K	.XZ8
-----	--	--	--	--	--	--
\$1631	+	N/C	+	N/C	+	N/C

Rejuve Three Stage Rectangle Height Adjustable Table – HPL


The Rejuve Three Stage Rectangle Height Adjustable Table features a nominal 1 1/4" thick High Pressure Laminate top with a PVC banded edge. An optional grommet is located in the back-center of the table top. The table comes with standard glides. The Rejuve 3 Stage Rectangle Height

Adjustable Table offers a height adjustment range from 21.5"–47.5" for a total of 26" of adjustment. Add the top thickness to determine the total height dimension. These tables tops have an option for true to size, which is perfect for a standalone table or to have the perimeter 1" shorter on all sides to work within any panel environment. The handset is an up and down lever

which has a digital read out and 2 memory settings. Each base leg is a three-section telescoping column. Two rails attach to the legs on the underside of the table top to ensure stability and support. The foot depth on the base is 23" for 24" deep tops, and 29" for 30" deep tops. Tables Ship Ready to Assemble.

Rejuve Three Stage Rectangle Height Adjustable Table - HPL

Actual Depth	Actual Width	Base Depth	List Price Laminate Grade			Catalog Number	Surface Size	Grommet Options	Grommet Color	Top Color	Base Color	Edge Color
			1	2	3							
24" (610)	36" (914)	23" (584)	\$1961	\$1989	\$2101	REJ3SREC2436	TS Full True To Size 1P 1" Gap all the way around perimeter	GN No Cost No Grommet GY +\$19 One Grommet	GB Black GS Silver	High-Pressure Laminate Color (See Surface Materials Page 8)	No Cost K Charcoal DW Designer White PA Platinum	See Surface Materials Page 7
	42" (1067)		2020	2048	2160	REJ3SREC2442						
	48" (1219)		2071	2099	2211	REJ3SREC2448						
	54" (1372)		2117	2145	2257	REJ3SREC2454						
	60" (1524)		2169	2197	2309	REJ3SREC2460						
	66" (1676)		2190	2218	2330	REJ3SREC2466						
	72" (1829)		2226	2254	2366	REJ3SREC2472						
30" (762)	36" (914)	29" (737)	\$2000	\$2028	\$2140	REJ3SREC3036						
	42" (1067)		2042	2070	2182	REJ3SREC3042						
	48" (1219)		2112	2140	2252	REJ3SREC3048						
	54" (1372)		2155	2200	2374	REJ3SREC3054						
	60" (1524)		2199	2244	2418	REJ3SREC3060						
	66" (1676)		2220	2265	2439	REJ3SREC3066						
	72" (1829)		2253	2298	2472	REJ3SREC3072						
Build your complete Part Number here:						-----	--	--	--	--	--	--



Sample Part Number:

Total Cost \$2000 =

REJ3SREC3036	.TS	GN	N/A	.573	.K	.E1
-----	--	--	--	--	--	--
\$2000	+	N/C	+	N/C	+	N/C

Rejuve Three Stage Rectangle Height Adjustable Table – TFL


The Rejuve Three Stage Rectangle Height Adjustable Table features a nominal 1" thick Thermofused Laminate top with a PVC banded edge. An optional grommet is located in the back-center of the table top. The table comes with standard glides. The Rejuve 3 Stage Rectangle Height

Adjustable Table offers a height adjustment range from 21.5"-47.5" for a total of 26" of adjustment. Add the top thickness to determine the total height dimension. These tables tops have an option for true to size, which is perfect for a standalone table or to have the perimeter 1" shorter on all sides to work within any panel environment. The handset is an up and down lever

which has a digital read out and 2 memory settings. Each base leg is a three-section telescoping column. Two rails attach to the legs on the underside of the table top to ensure stability and support. The foot depth on the base is 23" for 24" deep tops, and 29" for 30" deep tops. Tables Ship Ready to Assemble.

Rejuve Three Stage Rectangle Height Adjustable Table - TFL

			List Price Laminate Grade		Catalog Number	Surface Size	Grom- met Options	Grom- met Color	Top Color	Base Color	Edge Color
Actual Depth	Actual Width	Base Depth	1	2							
24" (610)	36" (914)	23" (584)	\$1851	\$1867	REJ3SREC2436TFL	TS Full True To Size 1P 1" Gap all the way around perimeter	GN No Cost No Grommet GY +\$19 One Grommet	GB Black GS Silver	High- Pressure Laminate Color (See Surface Materials Page 8)	No Cost K Charcoal DW Designer White PA Platinum	See Surface Materials Page 7
	42" (1067)		1886	1902	REJ3SREC2442TFL						
	48" (1219)		1929	1945	REJ3SREC2448TFL						
	54" (1372)		1971	1987	REJ3SREC2454TFL						
	60" (1524)		2000	2016	REJ3SREC2460TFL						
	66" (1676)		2055	2071	REJ3SREC2466TFL						
	72" (1829)		2105	2121	REJ3SREC2472TFL						
30" (762)	36" (914)	29" (737)	\$1872	\$1888	REJ3SREC3036TFL						
	42" (1067)		2020	2036	REJ3SREC3042TFL						
	48" (1219)		1964	1980	REJ3SREC3048TFL						
	54" (1372)		2017	2048	REJ3SREC3054TFL						
	60" (1524)		2071	2102	REJ3SREC3060TFL						
	66" (1676)		2099	2130	REJ3SREC3066TFL						
	72" (1829)		2125	2156	REJ3SREC3072TFL						
Build your complete Part Number here:					-----	--	--	--	--	--	--



Sample
Part Number:

Total Cost \$2020 =


REJ3SREC3042TFL	.TS	GN	N/A	.XZ8	.K	.XZ8
-----	--	--	--	--	--	--
\$2020	+	N/C	+	N/C	+	N/C

Rejuve Two Stage Rectangle Height Adjustable Table Base

The Rejuve Two Stage Rectangle Height Adjustable Table Base is available to purchase for retrofit installations using the customer's table tops. The height adjustment ranges from 26.5"–43.5" high (without the top). The foot depth is 23" for 24" deep tops, and 29" for 30" deep tops. There are

specific bases available to support top widths from 36-72" wide. The bases are available in Charcoal, Designer White, or Platinum paint finishes. Do not operate the adjustment function of a base if the combined load limit exceeds 220 pounds. This load limit includes the weight of the table top plus the weight of any items it supports (e.g., desktop computer, printer etc.).

When attaching the base to a table top not supplied by Fellowes, the customer is responsible for selecting the properly sized table base for the intended table top, and for following the installation instructions provided.



Rejuve Two Stage Rectangle Height Adjustable Table Base


Table Top Sizes	Maximum Load Limit	List Price	Catalog Number	Base Color
24" Deep by 36-42 Wide	220lbs	\$1334	SICREJBASE2S3624	No Cost
24" Deep by 48-72" Wide	220lbs	1334	SICREJBASE2S4824	K Charcoal
30" Deep by 36-42 Wide	220lbs	1334	SICREJBASE2S3630	DW Designer White
30" Deep by 48-72" Wide	220lbs	1334	SICREJBASE2S4830	PA Platinum
Build your complete Part Number here:			-----	--

Rejuve Three Stage Rectangle Height Adjustable Table Base

The Rejuve Three Stage Rectangle Height Adjustable Table Base is available to purchase for retrofit installations using the customer's table tops. The height adjustment ranges from 21.5"–47.5" high (without the top). The foot depth is 23" for 24" deep tops, and 29" for 30" deep tops. There are

specific bases available to support top widths from 36-72" wide. The bases are available in Charcoal, Designer White, or Platinum paint finishes. Do not operate the adjustment function of a base if the combined load limit exceeds 220 pounds. This load limit includes the weight of the table top plus the weight of any items it supports (e.g., desktop computer, printer etc.).

When attaching the base to a table top not supplied by Fellowes, the customer is responsible for selecting the properly sized table base for the intended table top, and for following the installation instructions provided.



Rejuve Three Stage Rectangle Height Adjustable Table Base

Table Top Sizes	Maximum Load Limit	List Price	Catalog Number	Base Color
24" Deep by 36-42 Wide	220lbs	\$1574	SICREJBASE3S3624	No Cost
24" Deep by 48-72" Wide	220lbs	1574	SICREJBASE3S4824	K Charcoal
30" Deep by 36-42 Wide	220lbs	1574	SICREJBASE3S3630	DW Designer White
30" Deep by 48-72" Wide	220lbs	1574	SICREJBASE3S4830	PA Platinum
Build your complete Part Number here:			-----	--

Sample Part Number:

Total Cost \$1574 =

SICREJBASE3S4824	.PA
-----	--
\$1574	+ N/C


Levado™ Height Adjustable Table

Table Tops

Standard Features

Tables are available with either a 1 1/4" high-pressure laminate top or a 1" thermofused laminate top. Tables will have a PVC Banded Edge.


Levado Height Adjustable Table	Table Top Edge
	PVC
Rectangular	X



PVC Banded Edge

Table Bases

The Levado Height Adjustable Table has an all-steel Platinum power coated finish. The base ships fully assembled and in one box and comes complete with a wire management tray. The Power Cord length is 9'.




Levado Height Adjustable Table Base

Table Grommets

Grommets are available on the Levado Height Adjustable Tables, except the D-Shape Table. They are centered on the table along the back edge. Grommets are available in black or silver. The following drawing shows standard grommet location.

Grommet Dimensions



Rectangular Table

TABLE WEIGHT LIMITS

Tables with the recommended base/top size combination can support a maximum of 1.5 lb. for each inch of perimeter, evenly distributed.

WARNING:
Failure to observe the recommended practices, such as loading beyond listed weight limits, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Fellowes product will change the criteria referenced above. Fellowes will not honor the product warranty if modifications are made to the product or if the capacities referenced are exceeded.

Levado Rectangle Height Adjustable Table


The Levado Rectangle Height Adjustable Table features a nominal 1 1/4" thick High Pressure Laminate top or a 1" thick Thermofused Laminate top with a PVC banded edge. An optional grommet is located in the back-center of the table top. The table comes with standard glides. The Levado Rectangle

Height Adjustable Table offers a height adjustment range from 24.5" – 48.5" for a total of 24" of adjustment. Add the top thickness to determine the total height dimension. These tables tops have an option for true to size, which is perfect for a stand alone table or to have the perimeter 1" shorter on all sides to work within any panel environment.

The Levado table features a 4 program digital read out intuitive Feather Lift™ control paddle. Each base leg is a three-section telescoping column. Two rails attach to the legs on the underside of the table top to ensure stability and support. The foot depth on the base is 27.5" for all table tops. The base ships fully assembled in one box. The Base is available in Platinum only.


Levado Rectangle Height Adjustable Table – High Pressure Laminate

Actual Depth	Actual Width	List Price Laminate Grade			Catalog Number	Surface Size	Grommet	Grommet Color	Top Color	Edge Color
		1	2	3						
24" (610)	48"(1219)	\$1869	\$1897	\$2009	LEVHAT2448	TS Full True To Size 1P 1" Gap All The Way Around Perimeter (Not Available On 48" Tops)	GN No Cost No Grommet GY +\$19 One Grommet	GB Black GS Silver	High-Pressure Laminate Color (See Surface Materials Page 8)	(See Surface Materials Page 7)
	54"(1372)	1892	1920	2032	LEVHAT2454					
	60"(1524)	1913	1941	2053	LEVHAT2460					
	66"(1676)	1934	1962	2074	LEVHAT2466					
	72"(1829)	2001	2029	2141	LEVHAT2472					
30" (762)	48"(1219)	\$1955	\$1983	\$2095	LEVHAT3048					
	54"(1372)	1977	2022	2196	LEVHAT3054					
	60"(1524)	2000	2045	2219	LEVHAT3060					
	66"(1676)	2044	2089	2263	LEVHAT3066					
	72"(1829)	2131	2176	2350	LEVHAT3072					



Levado Rectangle Height Adjustable Table - Thermofused Laminate

Actual Depth	Actual Width	List Price Laminate Grade		Catalog Number	Surface Size	Grommet	Grommet Color	Top Color	Edge Color
		1	2						
24" (610)	48"(1219)	\$1761	\$1777	LEVHAT2448TFL	TS Full True To Size 1P 1" Gap All The Way Around Perimeter (Not Available On 48" Tops)	GN No Cost No Grommet GY +\$19 One Grommet	GB Black GS Silver	High-Pressure Laminate Color (See Surface Materials Page 8)	See Surface Material Page 7
	54"(1372)	1779	1795	LEVHAT2454TFL					
	60"(1524)	1799	1815	LEVHAT2460TFL					
	66"(1676)	1820	1836	LEVHAT2466TFL					
	72"(1829)	1881	1897	LEVHAT2472TFL					
30" (762)	48"(1219)	\$1841	\$1857	LEVHAT3048TFL					
	54"(1372)	1861	1892	LEVHAT3054TFL					
	60"(1524)	1881	1912	LEVHAT3060TFL					
	66"(1676)	1924	1955	LEVHAT3066TFL					
	72"(1829)	2005	2036	LEVHAT3072TFL					
Build your complete Part Number here:				_____	__	__	___	___	__



Sample Part Number:

Total Cost \$1761 =

LEVHAT2448TFL	.TS	GN	N/A	.XZ8	.XZ8					
\$1761	+	N/C	+	N/A	+	N/C	+	N/C	+	N/C

Levado Height Adjustable
Table Base

Levado Height Adjustable Table base is available to purchase for retrofit installations using the customer's table tops. The height adjustment ranges from 24.5" – 48.5" high (without the top). The foot depth is 27.5" and supports tops 24-30" deep and 48-72" wide. The base ships complete in one box. Available in Platinum only.


Do not operate the adjustment function of a base if the combined load limit exceeds 220 pounds. This load limit includes the weight of the table top plus the weight of any items it supports (e.g., desktop computer, printer etc.).

When attaching the base to a table top not supplied by Fellowes, the customer is responsible for selecting the properly sized table base for the intended table

top, and for following the installation instructions provided.


Levado Height Adjustable Table Base Only

Table Top Size	Maximum Load Limit	List Price	Catalog Number
24-30" Deep x 48-72" Nominal Width	220 lbs	\$1674	SICLEVHATBASE



Collapsible Height Adjustable Table Wire Manager

This vertical wire manager is constructed of durable plastic and flexes to accommodate the full range of a height adjustable table. It attaches to the underside of the table and has a weighted base to hold it in place on the ground. There are magnets that hold the links tight to the column of the table to assure everything is held in place. Available in 3 colors, Black, DesignerWhite and Platinum.



Collapsible Height Adjustable Table Wire Manager

Dimensions Height	List Price	Catalog Number	Color
53" (1346)	\$256	CVWMHAT	BK Black DW Designer White PA Platinum
Build your complete Part Number here:		-----	---

Sample
Part Number:

CVWMHAT -----	. BK ---
------------------	-------------

Total Cost \$256 =

\$256	+	N/C
-------	---	-----

Collaborative, Cafe & Occasional Tables

Standing Height

<i>Rectangle</i>	78
<i>Wedge</i>	79

Choices

<i>Collaborative</i>	<i>Round</i>	83
	<i>Square</i>	84
<i>Café</i>	<i>Round</i>	85
	<i>Square</i>	86
<i>Base Only</i>		87

Intrinsic

<i>Collaborative</i>	Standard Edge	
	<i>Round</i>	91
	<i>Square</i>	92
	Executive Edge	
	<i>Round</i>	93
	<i>Square</i>	94
<i>Café</i>	Standard Edge	
	<i>Round</i>	95
	<i>Square</i>	95
	Executive Edge	
	<i>Round</i>	96
	<i>Square</i>	96
<i>Occasional</i>	<i>Standard Edge</i>	97
	<i>Executive Edge</i>	98

Trig

<i>Collaborative</i>	<i>Square</i>	101
----------------------	---------------------	-----

Standing Height Rectangle Table


The Standing Height Rectangle Table has a 1-1/4" HPL top with a PVC banded edge. Standard features include a modesty, either half or full height, end panels and leveling glides. The knee space between the end panels is 2-1/2" (64) less than the width of the top.

Shipped ready to assemble. All tables come with a one-piece top and have a finished height of 42" (1067).

Standing Height Rectangle Table

Dimensions			List Price			Catalog Number	Modesty Panel	Top Color	Top Edge Color	Laminate Base Color
Depth	Width	Height	Laminate 1	Grade 2	3					
24" (610)	60" (1524)	42" (1067)	\$ 1099	\$ 1326	\$ 1839	SDHRT2460	H No Cost Half F +\$357 Full	High Pres- sure Lami- nate Color	High Pres- sure Lami- nate Color	(See Surface Materials Page 8)
	66" (1676)		1111	1338	1851	SDHRT2466				
	72" (1283)		1123	1350	1863	SDHRT2472				
	78" (1981)		1136	1363	1876	SDHRT2478				
	84" (2134)		1148	1375	1888	SDHRT2484				
	96" (2438)		1160	1387	1900	SDHRT2496				
30" (762)	60" (1524)	42" (1067)	\$ 1444	\$ 1850	\$ 2617	SDHRT3060		(See Surface Material- als Page 8)	(See Surface Material- als Page 8)	Base edge will match laminate base color
	66" (1676)		1456	1862	2629	SDHRT3066				
	72" (1283)		1468	1874	2641	SDHRT3072				
	78" (1981)		1481	1887	2654	SDHRT3078				
	84" (2134)		1493	1899	2666	SDHRT3084				
	96" (2438)		1505	1911	2678	SDHRT3096				
38" (965)	60" (1524)	42" (1067)	\$ 1617	\$ 2023	\$ 2974	SDHRT3860				
	66" (1676)		1629	2035	2986	SDHRT3866				
	72" (1283)		1641	2047	2998	SDHRT3872				
	78" (1981)		1654	2060	3011	SDHRT3878				
	84" (2134)		1666	2072	3023	SDHRT3884				
	96" (2438)		1678	2084	3035	SDHRT3896				
42" (1067)	60" (1524)	42" (1067)	\$ 1629	\$ 2035	\$ 2986	SDHRT4260				
	66" (1676)		1641	2047	2998	SDHRT4266				
	72" (1283)		1654	2060	3011	SDHRT4272				
	78" (1981)		1666	2072	3023	SDHRT4278				
	84" (2134)		1820	2226	3177	SDHRT4284				
	96" (2438)		1851	2257	3208	SDHRT4296				
48" (1219)	60" (1524)	42" (1067)	\$ 1641	\$ 2047	\$ 2998	SDHRT4860				
	66" (1676)		1654	2060	3011	SDHRT4866				
	72" (1283)		1666	2072	3023	SDHRT4872				
	78" (1981)		1678	2084	3035	SDHRT4878				
	84" (2134)		1851	2257	3208	SDHRT4884				
	96" (2438)		1876	2282	3233	SDHRT4896				

Build your complete
Part Number here:



Sample
Part Number:

SDHRT2460	.H	.J0C	.E1	.J0C
-----------	----	------	-----	------

Total Cost \$1099 =

\$1099	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----

Standing Height Wedge Table


The Standing Height Wedge Table has a 1-1/4" HPL Top with a PVC banded edge. Standard features include a half or full height modesty, end panels and leveling glides. Depth1 side of the Wedge has a 3" (76) clearance from

the top of the surface to the end panel. There is also an optional grommet centered along this side of the table top. The knee space from the end of the Depth 2 side of the top to the end panel support is 12" (305).

Shipped ready to assemble. All tables come with a one-piece top and have a finished height of 42" (1067).

Standing Height Wedge Table

Dimensions				List Price			Catalog Number	Grommet	Grommet Color	Modesty Panel	Top Color	Top Edge Color	Base Color
Depth 1	Depth 2	Width	Height	Laminate 1	Grade 2	3							
40" (1016)	27" (686)	60" (1524)	42"(1067)	\$1573	\$1800	\$2313	SDHWT604027	GN No Cost	See Surface Materials Systems Paint and Trim color Page 7	H No Cost Half	High Pressure Laminate Color	High Pressure Laminate Color	(See Surface Materials Page 8)
48" (1219)	33" (838)	72" (1283)	42"(1067)	1759	2165	3116	SDHWT724833	Grommet					
56" (1422)	38" (965)	84" (2134)	42"(1067)	2037	2443	3394	SDHWT845638	GY +\$20 One Grommet		F +\$357 Full	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Base edge will match laminate base color
Build your complete Part Number here:													



Sample Part Number:

SDHWT604027	.GN	.DW	.H	.J0C	.E1	.J0C				
\$1573	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C

Total Cost \$1573 =

Overview & Order Information	NOTES									
Statement of Line										
Surface Materials										
Training Tables										
Height Adjustable Tables & Screens										
Collaborative, Café & Occasional Tables										
Conference Tables										
Conference & Training Room Components										
Terms & Policies										

Collaborative, Cafe & Occasional Tables

Choices		
Overview.....		82
Collaborative	Round	83
	Square	84
Café	Round	85
	Square	86
Base Only		87

Choices Collaborative and Café
Tables

Choices tables are constructed with High Pressure Laminate. Tables have a PVC Flat banded edge that provides a clean squared corner.

Bases are constructed of steel and have a powder coat finish. X- and Disc-Base tables are available with a Round or Square table top in standard or Café Height. The X-Base standard height has a 2" diameter vertical column, and

the Café Height has a 4" diameter column. The Disc-Base has a 4" diameter column.

Table Tops

Table Top Edge Detail	
Tables	PVC
X-Base & Disc-Base:	
Round	X
Square	X







Table Bases

Finish Table Heights	
Collaborative	29" (737)
Café	42" (1067)



Seating Capacity

Fellowes Tables have the following suggested seating capacities:

	Table Size	Seating Capacity
Round	30 dia	2
	36 dia	3
	42 dia	4
	48 dia	4
Square	30x30	2
	36x36	4
	42x42	4
	48x48	4

TABLE WEIGHT LIMITS

Tables with the recommended base/top size combination can support a maximum of 1.5 lb. for each inch of perimeter, evenly distributed.

WARNING:

Failure to observe the recommended practices, such as loading beyond listed weight limits, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Fellowes product will change the criteria referenced above. Fellowes will not honor the product warranty if modifications are made to the product or if the capacities referenced are exceeded.

Round Tables - Standard Height

Each table has a high-pressure laminate top with a PVC Banded edge. Casters or glides are available on the Standard Height Round Table. Standard height 30"-42" round tables have a 2" diameter column. The 48" round table has a 4" diameter column. Shipped ready to assemble.




Round Tables — X-Base

Dimensions		X-Base Width	List Price			Catalog Number	Casters/ Glides	Top Color	Base Color	Edge Color
Dia.	Height		Laminate 1	Grade 2	3					
30" (762)	29" (737)	27" (686)	\$857	\$876	\$950	RDTT30	GL No Cost BC + \$76 Casters	High-Pressure Laminate Color (See Surface Materials Page 8)	Standard Finish No Cost	See Surface Materials Page 7
36" (914)	29" (737)	27" (686)	981	1026	1200	RDTT36				
42" (1067)	29" (737)	33" (838)	996	1041	1215	RDTT42				
48" (1219)	29" (737)	33" (838)	1014	1059	1233	RDTT48				

Round Tables—Disc-Base

Dimensions		Round Disc Base Width	Square Disc Base Width	List Price			Catalog Number	Base Option	Top Color	Base Color	Edge Color
Dia.	Height			Laminate 1	Grade 2	3					
30" (762)	29" (737)	18" (457)	18" (457)	\$1095	\$1114	\$1188	RDTT30DSK	RDC No Cost Round Disc SDC + \$70 Square Disc	High-Pressure Laminate Color (See Surface Materials Page 8)	Standard Finish No Cost	See Surface Materials Page 7
36" (914)	29" (737)	18" (457)	18" (457)	1204	1249	1423	RDTT36DSK				
42" (1067)	29" (737)	24" (610)	24" (610)	1328	1373	1547	RDTT42DSK				
48" (1219)	29" (737)	28" (711)	28" (711)	1392	1437	1611	RDTT48DSK				
Build your complete Part Number here:								---	---	---	---



Sample Part Number:

RDTT36	.BC	.J46	.Y	.K
--------	-----	------	----	----

Total Cost \$1057 =

\$981	+	\$76	+	N/C	+	N/C	+	N/C
-------	---	------	---	-----	---	-----	---	-----

Square Tables - Standard Height

Each table has a high-pressure laminate top with a PVC Banded edge. Casters or glides are available on the standard height Square table. Standard height 30"-42" square tables have a 2" diameter column. The 48" square table has a 4" diameter column. Shipped ready to assemble.




Square Tables — X-Base

Dimensions				List Price			Catalog Number	Casters/ Glides	Top Color	Base Color	Edge Color
Depth/ Width	Height	X-Base Width		Laminate 1	Grade 2	3					
30" (762)	29" (737)	27" (686)		\$829	\$848	\$922	SQTT30	GL No Cost Glides BC + \$76 Casters	High-Pressure Laminate Color (See Surface Materials Page 8)	Standard Finish No Cost Premium Finish +\$42 See Surface Materials Page 7	See Surface Materials Page 7
36" (914)	29" (737)	27" (686)		958	986	1098	SQTT36				
42" (1067)	29" (737)	33" (838)		971	999	1111	SQTT42				
48" (1219)	29" (737)	33" (838)		989	1017	1129	SQTT48				

Square Tables — Disc-Base

Dimensions				List Price			Catalog Number	Base Option	Top Color	Base Color	Edge Color
Depth/ Width	Height	Round Disc-Base Width	Square Disc-Base Width	Laminate 1	Grade 2	3					
30" (762)	29" (737)	18" (457)	18" (457)	\$919	\$938	\$1012	SQTT30DSK	RDC No Cost Round Disc SDC + \$76 Square Disc	High-Pressure Laminate Color (See Surface Materials Page 8)	Standard Finish No Cost Premium Finish +\$42 See Surface Materials Page 7	See Surface Materials Page 7
36" (914)	29" (737)	24" (610)	24" (610)	1095	1123	1235	SQTT36DSK				
42" (1067)	29" (737)	28" (711)	24" (610)	1165	1193	1305	SQTT42DSK				
48" (1219)	29" (737)	32" (812)	28" (711)	1337	1365	1477	SQTT48DSK				



Build your complete
Part Number here:

-----	----	----	---	—
-------	------	------	-----	---

Sample
Part Number:

SQTT36	.GL	.J46	.Y	.K
-----	---	----	---	---

Total Cost \$958 =

\$958	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----	---	-----

Round Tables - Café Height

Each table has a high-pressure laminate top with a PVC Banded edge. Café height tables have a 4" diameter column. Glides are standard on the Café Height Table. Shipped ready to assemble.

Round Café Height Tables— X-Base									
Dimensions			List Price			Catalog Number	Top Color	Base Color	Edge Color
Dia.	Height	X-Base Width	Laminate	Grade	3				
30" (762)	41" (1041)	27" (686)	\$1046	\$1065	\$1139	RDCH30	High-Pressure Laminate Color (See Surface Materials Page 8)	Standard Finish No Cost	See Surface Materials Page 7
36" (914)	41" (1041)	27" (686)	1176	1221	1395	RDCH36			
42" (1067)	41" (1041)	33" (838)	1188	1233	1407	RDCH42			
48" (1219)	41" (1041)	33" (838)	1205	1250	1424	RDCH48			
								Premium Finish +\$42	See Surface Materials Page 7

Round Café Height Tables—Disc-Base											
Dimensions		Round	Square	List Price			Catalog	Base	Top	Base	Edge
Dia.	Height	Disc-Base	Disc-Base	Laminate	Grade	Number					
30" (762)	41" (1041)	18" (457)	18" (457)	\$1095	\$1114	\$1188	RDCH30DSK	RDC No Cost Round Disc SDC + \$76 Square Disc	High-Pressure Laminate Color (See Surface Materials Page 8)	Standard Finish No Cost	See Surface Materials Page 7
36" (914)	41" (1041)	18" (457)	18" (457)	1274	1319	1493	RDCH36DSK				
42" (1067)	41" (1041)	24" (610)	24" (610)	1345	1390	1564	RDCH42DSK				
48" (1219)	41" (1041)	28" (711)	28" (711)	1557	1602	1776	RDCH48DSK				
Build your complete Part Number here:							-----	--	---	-	-

Sample Part Number:

RDCH30

.J46

.Y

.K

Total Cost \$1046 =

\$1046

+

+

N/C

+

N/C

+

N/C

Square Tables - Café Height

Each table has a high-pressure laminate top with a PVC Banded edge. Glides are standard on the Café Height Square table. Café height tables have a 4" diameter column. Shipped ready to assemble.




Square Café Height Tables — X-Base

Dimensions			List Price			Catalog Number	Top Color	Base Color	Edge Color
Depth/Width	Height	X-Base Width	Laminate 1	Grade 2	3				
30" (762)	41" (1041)	27" (686)	\$1019	\$1038	\$1112	SQCH30 SQCH36 SQCH42 SQCH48	High-Pressure Laminate Color (See Surface Materials Page 8)	Standard Finish No Cost	See Surface Materials Page 7
36" (914)	41" (1041)	27" (686)	1151	1196	1370				
42" (1067)	41" (1041)	33" (838)	1164	1192	1304				
48" (1219)	41" (1041)	33" (838)	1181	1209	1321				
								Premium Finish +\$42	See Surface Materials Page 7

Square Café Height Tables — Disc-Base

Dimensions				List Price			Catalog Number	Base Option	Top Color	Base Color	Edge Color
Depth/Width	Height	Round Disc-Base Width	Square Disc-Base Width	Laminate 1	Grade 2	3					
30" (762)	41" (1041)	18" (457)	18" (457)	\$1076	\$1095	\$1169	SQCH30DSK SQCH36DSK SQCH42DSK SQCH48DSK	RDC No Cost Round Disc SDC + \$76 Square Disc	High-Pressure Laminate Color (See Surface Materials Page 8)	Standard Finish No Cost	See Surface Materials Page 7
36" (914)	41" (1041)	24" (610)	24" (610)	1239	1267	1379					
42" (1067)	41" (1041)	28" (711)	24" (610)	1310	1338	1450					
48" (1219)	41" (1041)	32" (812)	28" (711)	1520	1548	1660					
										Premium Finish +\$42	See Surface Materials Page 7



Build your complete Part Number here:

_____	__	---	-	-
-------	----	-----	---	---

Sample Part Number:

SQCH30		.J46	.Y	.K
--------	--	------	----	----

Total Cost \$1019 =

\$1019	+	+	N/C	N/C	N/C
--------	---	---	-----	-----	-----

Table Legs

The Table Legs are available for retrofit installation beneath existing table tops. Bases are 27 1/2" (699)-high. X-Base is shipped ready to assemble.

When attaching this base to a table top not supplied by Fellowes, it is the customer's responsibility to provide adequate number of base supports and install according to provided installation instructions.

Casters are not available on Café Height Tables.




Table Base - X-Base

Table Size	Bases Required	Base Width	List Price Per Base	Catalog Number	Casters/ Glides	Base Trim Color
30"-36" (762-914) Rounds and Squares	1	27" (686)	\$ 513	SICTTX27	GL	Standard
42" (1067) Rounds and Squares	1	33" (838)	544	SICTTX33	No Cost	Finish
48" (1219) Rounds and Squares	1	33" (838)	564	SICTT48X33	Glides	No Cost
Café Height						Premium
30"-36" (762-914) Rounds and Squares	1	27" (686)	\$ 682	SICCHX27	BC	Finish
42"-48" (1067-1219) Rnds and Sqrs	1	33" (838)	733	SICCHX33	+ \$76 Casters	+\$42
					(Not available on Café Height bases)	See Surface Materials Page 7
Build your complete Part Number here:				-----	-	-

Sample Part Number:

SICTTX27

.GL
--

.Y
-

Total Cost \$513 =

\$513

+

N/C

+

N/C

Overview & Order Information	NOTES										
Statement of Line											
Surface Materials											
Training Tables											
Height Adjustable Tables & Screens											
Collaborative, Café & Occasional Tables											
Conference Tables											
Conference & Training Room Components											
Terms & Policies											

Collaborative, Cafe & Occasional Tables

Intrinsic	
<i>Overview</i>	90
<i>Collaborative</i>	
Standard Edge	
Round	91
Square	92
Executive Edge	
Round	93
Square	94
<i>Café</i>	
Standard Edge	
Round	95
Square	95
Executive Edge	
Round	96
Square	96
<i>Occasional</i>	
Standard Edge	97
Executive Edge	98

Intrinsic Collaborative, Café and Occasional Tables

The Standard 1" Intrinsic Top is surfaced with Thermofused Laminate. The Executive Top is 1.5" thick and surfaced with High Pressure Laminate. All tables have a PVC flat banded

edge. The Executive Tops offer a Flat or Fluted edge option. The tops are available in either round or square or rectangle (occasional only) shapes. Intrinsic Tables offer three base style options. One is constructed of laminate material, two are steel with

a powder coat finish. The laminate base is X-shaped. Column Leg Tables have four 4" diameter column legs. Disc Bases have a 4" column and are available for Round or Square table tops in standard or Café Height.


Table Tops

Tables	Table Top Edge Detail		
	PVC	Flat	Fluted
Standard Top			
Round	X	X	
Square	X	X	
Executive Top			
Round	X	X	X
Square	X	X	X


Table Bases

Intrinsic Table Heights*	
Occasional	19" (483)
Collaborative	28 3/4" (730)
Café	41" (1041)


*Please note Executive Tables will be 1/2" taller



Round Disc-Base



Square Disc-Base



Laminate Base



Column Base

Seating Capacity

Fellowes Tables have the following suggested seating capacities:

	Table Size	Seating Capacity
Round	30 dia	2
	36 dia	3
	42 dia	4
	48 dia	4
	60 dia	6
Square	30x30	2
	36x36	4
	42x42	4
	48x48	4
	60x60	6

TABLE WEIGHT LIMITS

Tables with the recommended base/top size combination can support a maximum of 1.5 lb. for each inch of perimeter, evenly distributed.

WARNING:




Failure to observe the recommended practices, such as loading beyond listed weight limits, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Fellowes product will change the criteria referenced above. Fellowes will not honor the product warranty if modifications are made to the product or if the capacities referenced are exceeded.

Tables - Standard Edge

Intrinsic Tables are shipped complete with your choice of base options and leveling glides. Each table has a 1" Thermofused Laminate top with a 3mm vinyl edgeband. The following bases are available: Thermofused Laminate, steel disc base(s) or 4" steel column legs. Tables are 28³/₄" (730)-high.

Shipped ready to assemble.

	Intrinsic Round Tables – Laminate Base					
	Dimensions Diameter	List Price Thermofused Grade 1 2		Catalog Number	Top Color	Top Edge Color
	36" (914) 42" (1067) 48" (1219) 60" (1524)	\$ 759 804 812 1056	\$ 837 882 890 1111	ZFRDT36 ZFRDT42 ZFRDT48 ZFRDT60	Thermo- fused Laminate See Surface Materials Page 8	Thermo- fused Laminate See Surface Materials Page 8
	Intrinsic Round Tables – Column Leg Base					
	Dimensions Diameter	Qty. of Column Legs	List Price Thermofused Grade 1 2		Catalog Number	Steel Base Color
	36" (914) 42" (1067) 48" (1219) 60" (1524)	4 4 4 4	\$1312 1357 1365 1611	\$1328 1412 1420 1666	ZFRDT36CLM ZFRDT42CLM ZFRDT48CLM ZFRDT60CLM	Standard Finish No Cost Premium Finish +\$70 See Surface Materials Page 7
	Intrinsic Round Tables – Disc Base					
	Dimensions Top Diameter	Round Disc Base Dia.	Square Disc Base Dia.	List Price Thermofused Grade 1 2		Base Option
	36" (914) 42" (1067) 48" (1219) 60" (1524)	18" (457) 24" (610) 28" (711) 28" (711)	18" (457) 24" (610) 28" (711) 28" (711)	\$1142 1302 1350 1594	\$1158 1357 1405 1649	ZFRDT36DSK ZFRDT42DSK ZFRDT48DSK ZFRDT60DSK RDC No Cost Round Disc SDC +\$70 Square Disc
Build your complete Part Number here:				----	----	----
Sample Part Number:				ZFRDT48	----	.XZ3 ----
Total Cost \$812 =				\$812	+	N/C
					+	N/C
					+	N/C
					+	N/C

Tables - Standard Edge, continued

Overview &
Order Information

Statement
of Line

Surface
Materials

Training
Tables


Height
Adjustable
Tables & Screens

Collaborative,
Café & Occasional
Tables

Conference
Tables


Conference &
Training Room
Components

Intrinsic Square Tables – Laminate Base




Dimensions Diameter	List Price Thermofused Grade		Catalog Number	Top Color	Top Edge Color	Laminate Base Color
	1	2				
36" (914)	\$ 706	\$ 784	ZFSQT36	Thermo- fused Laminate See Surface Materials Page 8	Thermo- fused Laminate See Surface Materials Page 8	See Surface Materials Page 8 Base edge will match laminate base color
42" (1067)	778	883	ZFSQT42			
48" (1219)	848	926	ZFSQT48			
60" (1524)	990	1095	ZFSQT60			

Intrinsic Square Tables – Column Leg Base



Dimensions Diameter	Qty. of Column Legs	List Price Thermofused Grade		Catalog Number	Steel Base Color
		1	2		
36" (914)	4	\$1274	\$ 1290	ZFSQT36CLM	Standard Finish No Cost Premium Finish +\$70 See Surface Materials Page 7
42" (1067)	4	1310	1341	ZFSQT42CLM	
48" (1219)	4	1328	1359	ZFSQT48CLM	
60" (1524)	4	1557	1612	ZFSQT60CLM	

Intrinsic Square Tables – Disc Base



Dimensions Top Depth/Width	Round Disc Base Dia.	Square Disc Base Dia.	List Price Thermofused Grade		Catalog Number	Base Option	Steel Base Color
			1	2			
36" (914)	24" (610)	24" (610)	\$ 990	\$ 1006	ZFSQT36DSK	RDC No Cost Rd Disc SDC +\$70 Sq Disc	Standard Finish No Cost Premium Finish +\$42 See Surface Materials Page 7
42" (1067)	28" (711)	24" (610)	1130	1161	ZFSQT42DSK		
48" (1219)	32" (813)	28" (711)	1274	1305	ZFSQT48DSK		
Build your complete Part Number here:							

Sample
Part Number:


ZFSQT36	---	.XZ3	.XZ4	.XZ3
---------	-----	------	------	------

Total Cost \$706 =


\$706	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----	---	-----

Shipped ready to assemble.

Intrinsic Executive Tables are shipped complete with your choice of 3 base options and leveling glides. Each table has a 1½" High-Pressure Laminate top with a 3mm matched vinyl edgeband. The following bases are available: Thermofused Laminate, steel disc base(s) or 4" steel column legs. Tables are 29¼" (743)-high.




Dimensions Diameter	List Price Thermofused Grade		Catalog Number	Edge Detail	Top Color	Top Edge Color	Laminate Base Color
	1	2					
36" (914)	\$1260	\$1461	ZEFRDT36	XS No Cost Flat XF + \$29 Fluted	Thermo- fused Laminate	Thermo- fused Laminate	See Surface Materials Page 8
42" (1067)	1417	1618	ZEFRDT42				
48" (1219)	1466	1700	ZEFRDT48				
60" (1524)	1528	1865	ZEFRDT60				



Dimensions Diameter	Qty. of Column Legs	List Price Thermofused Grade		Catalog Number	Steel Base Color
		1	2		
36" (914)	4	\$1890	\$2091	ZEFRDT36CLM	Standard Finish No Cost Premium Finish +\$70 See Surface Materials Page 7
42" (1067)	4	1915	2116	ZEFRDT42CLM	
48" (1219)	4	1939	2140	ZEFRDT48CLM	
60" (1524)	4	2063	2358	ZEFRDT60CLM	

Dimensions Diameter	Round Disc Base Dia.	Square Disc Base Dia.	List Price Thermofused Grade		Catalog Number	Base Option				Steel Base Color
			1	2						
36" (914)	18" (457)	18" (457)	\$1679	\$1880	ZEFRDT36DSK	RDC No Cost Round Disc SDC +\$70 Square Disc				Standard Finish No Cost Premium Finish +\$42 See Surface Materials Page 7
42" (1067)	24" (610)	24" (610)	1705	1906	ZEFRDT42DSK					
48" (1219)	28" (711)	28" (711)	1730	1931	ZEFRDT48DSK					
60" (1524)	28" (711)	28" (711)	2001	2296	ZEFRDT60DSK					
Build your complete Part Number here:					-----	--				---



ZEFRDT48	---	.XS	.XZ3	.XZ4	.XZ3
---	---	---	---	---	---

\$1466	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----	---	-----

Tables - Executive Edge continued

Overview & Order Information

Statement of Line

Surface Materials

Training Tables


Height Adjustable Tables & Screens

Collaborative, Café & Occasional Tables

Conference Tables


Conference & Training Room Components

Terms & Policies




Intrinsic Executive Square Tables – Laminate Base

Dimensions Depth/Width	List Price Thermofused Grade		Catalog Number	Top Color	Top Edge Color	Laminate Base Color
	1	2				
36" (914)	\$1103	\$ 1304	ZEFSQT36	Thermo- fused Laminate	Thermo- fused Laminate	See Surface Materials Page 8
42" (1067)	1357	1558	ZEFSQT42			
48" (1219)	1415	1616	ZEFSQT48			
60" (1524)	1472	1809	ZEFSQT60			
				See Surface Materials Page 8	See Surface Materials Page 8	Base edge will match laminate base color



Intrinsic Executive Square Tables – Column Leg Base

Dimensions Depth/Width	Qty. of Column Legs	List Price Thermofused Grade		Catalog Number	Steel Base Color
		1	2		
36" (914)	4	\$1755	\$1921	ZEFSQT36CLM	Standard Finish No Cost Premium Finish +\$42 See Surface Materials Pg 7
42" (1067)	4	1810	1976	ZEFSQT42CLM	
48" (1219)	4	1867	2033	ZEFSQT48CLM	
60" (1524)	4	1981	2276	ZEFSQT60CLM	



Intrinsic Executive Square Tables – Disc Base

Dimensions Depth/Width	Height	Round Disc Base Dia.	Square Disc Base Dia.	List Price Thermofused Grade		Catalog Number	Base Option	Steel Base Color
				1	2			
36" (914)	29 1/4" (743)	24" (610)	24" (610)	\$1557	\$1723	ZEFSQT36DSK	RDC No Cost Rd Disc	Standard Finish No Cost Premium Finish +\$42 See Surface Materials Pg 7
42" (1067)	29 1/4" (743)	28" (711)	24" (610)	1641	1807	ZEFSQT42DSK		
48" (1219)	29 1/4" (743)	32" (813)	28" (711)	1669	1835	ZEFSQT48DSK		
							SDC +\$70 Sq Disc	

Build your complete
Part Number here:

-----	--	---	---	---
-------	----	-----	-----	-----

Sample
Part Number:

ZEFSQT36	--	.XZ3	.XZ4	.XZ3
-----	---	---	---	---

Total Cost \$1103 =


\$1103	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----

Café Tables - Standard Edge


Intrinsic Tables are shipped complete with your choice of base options and leveling glides. Each table has a 1" Thermofused Laminate top with a 3mm vinyl edgeband.

Shipped ready to assemble.

Intrinsic Round Tables – Café Height Disc Base										
Dimensions Top		Round Disc Base Dia.	Square Disc Base Dia.	List Price Thermofused Grade		Catalog Number	Base Option	Top Color	Top Edge Color	Steel Base Color
Diameter	Height			1	2					
30" (762)	41" (1041)	18" (457)	18" (457)	\$ 1061	\$ 1077	ZFRDCHT30DSK	RDC No Cost Rd Disc	Thermo-fused Laminate	Thermo-fused Laminate	Standard Finish No Cost
36" (914)	41" (1041)	18" (457)	18" (457)	1204	1220	ZFRDCHT36DSK				
42" (1067)	41" (1041)	24" (610)	24" (610)	1310	1365	ZFRDCHT42DSK				
48" (1219)	41" (1041)	28" (711)	28" (711)	1506	1561	ZFRDCHT48DSK	SDC +\$70 Sq Disc	See Surface Materials Page 8	See Surface Materials Page 8	Premium Finish +\$42 See Surface Materials Page 7



Intrinsic Square Tables – Café Height Disc Base										
Dimensions Top		Round Disc Base Dia.	Square Disc Base Dia.	List Price Thermofused Grade		Catalog Number	Base Option	Top Color	Top Edge Color	Steel Base Color
Depth/Width	Height			1	2					
30" (762)	41" (1041)	18" (457)	18" (457)	\$ 1040	\$ 1056	ZFSQCHT30DSK	RDC No Cost Rd Disc	Thermo-fused Laminate	Thermo-fused Laminate	Standard Finish No Cost
36" (914)	41" (1041)	24" (610)	18" (457)	1165	1181	ZFSQCHT36DSK				
42" (1067)	41" (1041)	28" (711)	24" (610)	1345	1376	ZFSQCHT42DSK				
48" (1219)	41" (1041)	32" (813)	28" (711)	1457	1488	ZFSQCHT48DSK	SDC +\$70 Sq Disc	See Surface Materials Page 8	See Surface Materials Page 8	Premium Finish +\$42 See Surface Materials Page 7
Build your complete Part Number here:						-----	---	---	---	--



Sample Part Number:

ZFSQCHT30DSK	.RDC	.XZ3	.XZ4	.PA
-----	---	---	---	---

Total Cost \$1082 =

\$1040	+	N/C	+	N/C	+	N/C	+	\$42
--------	---	-----	---	-----	---	-----	---	------


Café Tables - Executive Edge

Intrinsic Tables are shipped complete with your choice of base options and leveling glides. Each table has a 1" Thermofused Laminate top with a 3mm vinyl edgeband.

Shipped ready to assemble.


Intrinsic Executive Round Café Height Tables – Disc Base

Dimensions		Round Disc Base Dia.	Square Disc Base Dia.	List Price Thermofused		Catalog Number	Base Option	Edge Detail	Top Color	Top Edge Color	Steel Base Color
Diameter	Height			1	2						
30" (762)	41" (1041)	18" (457)	18" (457)	\$1585	\$1786	ZEFRDCHT30DSK	RDC No Cost Rd Disc	XS No Cost Flat	Thermo-fused Laminate	Thermo-fused Laminate	Std. Finish No Cost
36" (914)	41" (1041)	18" (457)	18" (457)	1698	1899	ZEFRDCHT36DSK					Premium Finish +\$42
42" (1067)	41" (1041)	24" (610)	24" (610)	1810	2011	ZEFRDCHT42DSK					
48" (1219)	41" (1041)	28" (711)	28" (711)	1867	2068	ZEFRDCHT48DSK	SDC +\$70 Sq Disc	XF + \$29 Fluted	See Surface Materials Page 8	See Surface Materials Page 8	See Surface Materials Page 7



Intrinsic Executive Square Café Height Tables - Disc Base

Dimensions		Round Disc Base Dia.	Square Disc Base Dia.	List Price Thermofused		Catalog Number	Base Option	Edge Detail	Top Color	Top Edge Color	Steel Base Color
Diameter	Height			1	2						
30" (762)	41" (1041)	18" (457)	18" (457)	\$1528	\$1694	ZEFSQCHT30DSK	RDC No Cost Rd Disc	XS No Cost Flat	Thermo-fused Laminate	Thermo-fused Laminate	Standard Finish No Cost
36" (914)	41" (1041)	24" (610)	24" (610)	1641	1807	ZEFSQCHT36DSK					
42" (1067)	41" (1041)	28" (711)	24" (610)	1755	1921	ZEFSQCHT42DSK					
48" (1219)	41" (1041)	32" (813)	28" (711)	1810	1976	ZEFSQCHT48DSK	SDC +\$70 Sq Disc	XF + \$29 Fluted	See Surface Materials Page 8	See Surface Materials Page 8	Premium Finish +\$42



Build your complete Part Number here:

_____	____	__	____	____	__
-------	------	----	------	------	----

Sample Part Number:

ZEFRDCHT30DSK	.RDC	.XS	.XZ3	.XZ4	.PA
_____	____	__	____	____	__

Total Cost \$1627 =


\$1585	+	N/C	+	N/C	+	N/C	+	N/C	+	\$42
--------	---	-----	---	-----	---	-----	---	-----	---	------

Reception Area Tables - Standard Edge

Intrinsic Reception Area Tables are shipped complete with base and leveling glides. Each table has a 1" (25) Thermofused Laminate top and base, 3mm matching vinyl edgeband around all tops.

Shipped ready to assemble.

Intrinsic Reception Area Tables								
Depth	Dimensions		List Price		Catalog Number	Top Color	Top Edge Color	Laminate Base Color
	Width	Height	1	2				
22" (559)	22" (559) 48" (1219)	19" (483)	\$ 512 650	\$ 528 705	ZFMT ZFCT	Thermo-fused Laminate See Surface Materials Page 8	Thermo-fused Laminate See Surface Materials Page 8	See Surface Materials Page 8 Base edge will match base laminate color
Build your complete Part Number here:					_____	____	____	____



Sample Part Number:



ZFMT	.XZ1	.XZ4	.XZ1
------	------	------	------

Total Cost \$512 =

\$512	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----

Reception Area Tables - Executive Edge
Intrinsic Reception Area Tables are shipped complete with base and leveling glides. Each table has a 1½" thick High-Pressure Laminate top, 3mm matching vinyl edgeband around all tops.

Shipped ready to assemble.



Intrinsic Executive Reception Area Tables

Depth	Dimensions		List Price		Catalog Number	Edge Detail	Top Color	Top Edge Color	Laminate Base Color
	Width	Height	Grade 1	Grade 2					
22" (559)	22" (559) 48" (1219)	19½" (495)	\$ 539 903	\$ 605 958	ZEFMT ZEFCT	XS No Cost Flat XF + \$29 Fluted	Thermo-fused Laminate See Surface Materials Page 8	Thermo-fused Laminate See Surface Materials Page 8	See Surface Materials Page 8 Base edge will match base laminate color
Build your complete Part Number here:						---	--	---	---

Sample Part Number:

ZEFMT	.XF	.XZ1	.XZ4	.XZ1
---	--	---	---	---

Total Cost \$568 =

\$539	+	\$29	+	N/C	+	N/C	+	N/C
-------	---	------	---	-----	---	-----	---	-----


Collaborative, Cafe & Occasional Tables

Trig	
Overview.....	100
Collaborative Square	101

Trig Collaborative Tables
Trig Collaborative Tables have square Thermofused laminate tops with a PVC edge band.

The base consists of two 2"x 2" U-shaped powder-coated steel legs. The table comes standard with glides. The finished height of the table is 28 ¾" (730)

Table Base



Seating Capacity

Fellowes Tables have the following suggested seating capacities:

	Table Size	Seating Capacity
Square	36x36	4
	42x42	4
	48x48	4
	60x60	6

TABLE WEIGHT LIMITS

Tables with the recommended base/top size combination can support a maximum of 1.5 lb. for each inch of perimeter, evenly distributed.

WARNING:

Failure to observe the recommended practices, such as loading beyond listed weight limits, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Fellowes product will change the criteria referenced above. Fellowes will not honor the product warranty if modifications are made to the product or if the capacities referenced are exceeded.

Tables
Trig Tables are shipped complete with a 1"-thick Thermofused Laminate top and 3mm vinyl edge band. Shipped ready to assemble.

Square Tables
Trig Square Tables come with two work surface support legs, 2" square, and all necessary hardware.

Trig Square Table							
Dimensions		List Price		Catalog Number	Top Color	Top Edge Color	Leg Trim Color
Depth/Width	Height	Thermofused Grade 1	Thermofused Grade 2				
36" (914)	28 ³ / ₄ " (730)	\$ 1390	\$ 1406	TRGSQT36 TRGSQT42 TRGSQT48	Thermo-fused Laminate (See Surface Materials Page 8)	Thermo-fused Laminate (See Surface Materials Page 8)	Standard Finish No Cost Premium Finish + \$40 (See Surface Materials Page 7)
42" (1067)	28 ³ / ₄ " (730)	1623	1678				
48" (1219)	28 ³ / ₄ " (730)	1668	1723				
Build your complete Part Number here:				-----	--	--	-



Sample Part Number:	TRGSQT36	.XZ1	.XZ4	N/A			
Total Cost \$1390 =	\$1390	+	N/C	+	N/C	+	N/C

Overview & Order Information	NOTES									
Statement of Line										
Surface Materials										
Training Tables										
Height Adjustable Tables & Screens										
Collaborative, Café & Occasional Tables										
Conference Tables										
Conference & Training Room Components										
Terms & Policies										

Conference Tables

Choices	
<i>Boat</i>	106
<i>Racetrack</i>	107
<i>Rectangular</i>	108
<i>Steel Bases</i>	110
Intrinsic	
<i>Standard Edge</i>	<i>Racetrack</i> 113
	<i>Rectangular</i> 114
<i>Executive Edge</i>	<i>Racetrack</i> 115
	<i>Rectangular</i> 116
Trig	
<i>Rectangular</i>	119

Choices Conference Tables
Choices Conference Tables are surfaced with High Pressure Laminate. Tables will have a PVC Flat T-Molded Edge or Banded Edge depending on model. The Flat T-Molded edge provides a radius at the corners, while

the banded edge provides a clean squared corner.

The base is powder coated steel with molded end caps. The Base includes adjustable glides.

All tables in this section have a finished height of 29" (737)


Grain Direction
Single piece tops – grain direction runs parallel to the length.
Multiple piece tops – grain direction runs perpendicular to the length.

Table Tops

Tables	Table Top Edge Detail	
	PVC	T-Molded
Boat	X	X
Rectangular	X	X
Racetrack	X	X




PVC Flat T-Molded Edge



PVC Banded Edge



Table Base




Conference Double-Tube
Column Bi-Point

Electrical

Conference Table:
The pop-up power/data module for the Conference Tables is made of clear anodized aluminum. Only Conference Tables that are 96" (2438) and wider have two optional electrical pop-up modules. The pop-up module has 3 power receptacles and 1 data opening. Each receptacle is rated for 15 amps. When specified the table ships with a pre-cut mounting location for the pop-up module. A 6' power cord is included. The pop-up module is field installed.




Side View




Top View

Pop-up Module Locations:



Rectangular
Conference Table



Racetrack
Conference Table



Boat
Conference Table

Seating Capacity

Fellowes Tables have the following suggested seating capacities:

	Table Size	Seating Capacity
Boat	42x84	6
	48x96	8
	54x108	8
	48x120	10
	48x144	10
	60x120	10
	60x144	12
Racetrack	48x96	6
	48x120	10
	48x144	10
	60x96	8
	60x120	10
	60x144	12
Rectangular	42x72	6
	48x60	4
	48x72	6
	48x84	8
	48x96	8
	48x120	10
	48x144	10
	60x120	10
	60x144	12

TABLE WEIGHT LIMITS

Tables with the recommended base/top size combination can support a maximum of 1.5 lb. for each inch of perimeter, evenly distributed.

WARNING:

Failure to observe the recommended practices, such as loading beyond listed weight limits, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Fellowes product will change the criteria referenced above. Fellowes will not honor the product warranty if modifications are made to the product or if the capacities referenced are exceeded.

BOAT CONFERENCE TABLES

Tables are 29" (737)-high. Each table has a high-pressure laminate top with either PVC Flat T-Molded or PVC Banded Edge.

Optional power is available on all Boat Tables 96" (2438) in width and longer. The table comes with two pre-cut mounting locations that will fit the pop-up module.


Shipped ready to assemble. Boat table tops 84" (2134)- to 108" (2743)-wide are shipped in one piece, 120" (3048)-wide in two pieces, and 144" (3658)-wide in three pieces.

Steel Bases


Tables are 29" (737)-high. Tables have the following type and quantity of steel base supports:

Table Width	Support	Quantity
84" (2134)	37" (940) Dbl Tube Bi-Point	2
96" (2438)	37" (940) Dbl Tube Bi-Point	3
108" (2743)	37" (940) Dbl Tube Bi-Point	3
120" (3048)	37" (940) Dbl Tube Bi-Point	3
144" (3658)	37" (940) Dbl Tube Bi-Point	3

Note: Wood grain and Platinum vinyl edges are available as PVC Banded Edge only.



Double Tube Bi-Point
84" (2134) Widths



Double Tube Bi-Point
96" (2438) - 144" (3658) Widths

Boat Conference Tables — Steel Bases

Depth at Ends	Dimensions		List Price			Catalog Number	Electrical	Top Color	Base Trim Color	Edge Color	Foot Trim Color					
	Depth at Center	Width	Laminate	Grade												
			1	2	3											
PVC Flat T-Molded Edge						BT4284FTB2 BT4896FTB8 BT48120FTB7 BT48144FTB1 BT54108FTB8 BT60120FTB5 BT60144FTB0	NN No Cost No Electrical EN + \$1133 Electrical	High- Pressure Laminate Color (See Surface Materials Page 8)	Standard Smooth Finish Only See Surface Materials Page 7	See Surface Materials Page 7	K Charcoal Or Repeat Trim Color For Color Matched					
33 1/4" (845)	42" (1067)	84" (2134)	\$1738	\$1796	\$2027											
38" (965)	48" (1219)	96" (2438)	2500	2558	2789											
38" (965)	48" (1219)	120" (3048)	3118	3193	3470											
38" (965)	48" (1219)	144" (3658)	3573	3666	4013											
42 7/8" (1089)	54" (1372)	108" (2743)	2718	2811	3158											
47 5/8" (1210)	60" (1524)	120" (3048)	3623	3745	4199											
47 5/8" (1210)	60" (1524)	144" (3658)	3805	3898	4245											
PVC Banded Edge						BT4284EB1 BT4896EB7 BT48120EB5 BT48144EB0 BT54108EB6 BT60120EB3 BT60144EB8										
33 1/4" (845)	42" (1067)	84" (2134)	\$2176	\$2234	\$2465											
38" (965)	48" (1219)	96" (2438)	2718	2776	3007											
38" (965)	48" (1219)	120" (3048)	3553	3628	3905											
38" (965)	48" (1219)	144" (3658)	4007	4100	4447											
42 7/8" (1089)	54" (1372)	108" (2743)	3152	3245	3592											
47 5/8" (1210)	60" (1524)	120" (3048)	4169	4291	4745											
47 5/8" (1210)	60" (1524)	144" (3658)	4715	4837	5291											
Build your complete Part Number here:						_____	__	---	-	-	-					
Sample Part Number:						BT4896EB7 _____	.NN __	.J46 ---	.Y _	.K _	.Y _					
Total Cost \$2718 =						\$2718	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C

Shaded items require an extended Lead Time.

RACETRACK CONFERENCE TABLES

Each table has a high-pressure laminate top with either PVC Flat T-Molded or PVC Banded Edge. Optional power is available on all Racetrack Tables. The table comes with two pre-cut mounting locations that will fit the pop-up module.

Shipped ready to assemble. Racetrack table tops 96" (2438)- and 120" (3048)-wide are shipped in two pieces, and 144" (3658)-wide in three pieces.

Steel Bases


Tables are 29" (737)-high. Tables have the following type and quantity of steel base supports:

Table Width	Support	Quantity
96" (2438)	37" (940) Dbl Tube Bi-Point	3
120" (3048)	37" (940) Dbl Tube Bi-Point	3
144" (3658)	37" (940) Dbl Tube Bi-Point	3

Note: Wood grain and Platinum vinyl edges are available as PVC Banded Edge only.

Racetrack Conference Tables — Steel Bases

Dimensions		List Price			Catalog Number	Electrical	Top Color	Base Trim Color	Edge Color	Foot Trim Color
Depth	Width	Laminate 1	Grade 2	3						
PVC Flat T-Molded Edge										
48" (1219)	96" (2438)	\$2518	\$2576	\$2807	RTK4896FTB1	NN No Cost No Electrical	High-Pressure Laminate Color (See Surface Materials Page 8)	Standard Smooth Finish Only	See Surface Materials Page 7	K Charcoal Or Repeat Trim Color For Color Matched
48" (1219)	120" (3048)	3081	3174	3521	RTK48120FTB1					
48" (1219)	144" (3658)	3445	3538	3885	RTK48144FTB2					
60" (1524)	96" (2438)	\$3263	\$3338	\$3615	RTK6096FTB9	EN + \$1133 Electrical		See Surface Materials Page 7		
60" (1524)	120" (3048)	3445	3567	4021	RTK60120FTB7					
60" (1524)	144" (3658)	3805	3898	4245	RTK60144FTB1					
PVC Banded Edge										
48" (1219)	96" (2438)	\$3445	\$3503	\$3734	RTK4896EB0					
48" (1219)	120" (3048)	3623	3716	4063	RTK48120EB3					
48" (1219)	144" (3658)	3988	4081	4428	RTK48144EB9					
60" (1524)	96" (2438)	\$3623	\$3698	\$3975	RTK6096EB7					
60" (1524)	120" (3048)	4169	4291	4745	RTK60120EB0					
60" (1524)	144" (3658)	4715	4837	5291	RTK60144EB6					
Build your complete Part Number here:						---	---	---	-	-



Sample Part Number:

RTK6096FTB9	.EN	.J46	.Y	.I	.Y					
\$3263	+	\$1133	+	N/C	+	N/C	+	N/C	+	N/C

Shaded items require an extended Lead Time.

RECTANGULAR CONFERENCE TABLES

Each table has a high-pressure laminate top with either PVC Flat T-Molded or PVC Banded Edge. Optional power is available on all Rectangular Tables 96" (2438) in width and longer. The table comes with two pre-cut mounting locations that will fit the pop-up module.

Shipped ready to assemble. Rectangular table tops 60" (1524)- to 96" (2438)-wide are shipped in one piece, 120" (3048)-wide in two pieces, and 144" (3658)-wide in three pieces.

Tables are 29" (737)-high.


Steel Bases

Tables have the following type and quantity of steel base supports:

Table Size	Support	Quantity
48"x72"(1219x1829)	37" (940) Dbl Tube Bi-Point	2

Note: Wood grain and Platinum vinyl edges are available as PVC Banded Edge only.

Rectangular Conference Tables — Steel Bases

Dimensions		List Price			Catalog Number	Electrical	Top Color	Base Trim Color	Edge Color	Foot Trim Color
Depth	Width	Laminate 1	Grade 2	3						
PVC Flat T-Molded Edge						NN No Cost No Electrical EN + \$1133 Electrical	High-Pressure Laminate Color (See Surface Materials Page 8)	Standard Smooth Finish Only See Surface Materials Page 7	See Surface Materials Page 7	K Charcoal Or Repeat Trim Color For Color Matched
42" (1067)	72" (1829)	\$1559	\$1617	\$1848	RT4272FTB9					
48" (1219)	60" (1524)	\$1775	\$1833	\$2064	RT4860FTB0					
48" (1219)	72" (1829)	1867	1925	2156	RT4872FTB2					
48" (1219)	84" (2134)	1884	1942	2173	RT4884FTB4					
48" (1219)	96" (2438)	2537	2595	2826	RT4896FTB1					
48" (1219)	120" (3048)	2807	2882	3159	RT48120FTB0					
48" (1219)	144" (3658)	3081	3174	3521	RT48144FTB5					
60" (1524)	120" (3048)	\$3263	\$3385	\$3839	RT60120FTB9					
60" (1524)	144" (3658)	3716	3809	4156	RT60144FTB3					
										
Double Tube Bi-Point 72" (1829) Width										
Build your complete Part Number here:					_____	--	---	-	-	-


Sample Part Number:


RT4860FTB0	.NN	.553	.Y	.K	.Y			
_____	__	__						
\$1775	+	N/C	+	N/C	+	N/C	+	N/C

Total Cost \$1775 =


Table Size	Support	Quantity
48"x60"(1219x1524)	37" (940) Dbl Tube Bi-Point	2
48"x72"(1219x1829)	37" (940) Dbl Tube Bi-Point	2
48"x84"(1219x2134)	37" (940) Dbl Tube Bi-Point	2
48"x96"(1219x2438)	37" (940) Dbl Tube Bi-Point	3
48"x120"(1219x3048)	37" (940) Dbl Tube Bi-Point	3
48"x144"(1219x3658)	37" (940) Dbl Tube Bi-Point	3
60"x120"(1524x3048)	37" (940) Dbl Tube Bi-Point	3
60"x144"(1524x3658)	37" (940) Dbl Tube Bi-Point	3

Rectangular Conference Tables — Steel Bases, Continued

Dimensions		List Price			Catalog Number	Electrical	Top Color	Base Trim Color	Edge Color	Foot Trim Color
Depth	Width	1	2	3						
PVC Banded Edge						NN No Cost No Electrical EN + \$1133 Electrical	High- Pressure Laminate Color (See Surface Materials Page 8)	Stan- dard Smooth Finish Only See Surface Materials Page 7	See Surface Materials Page 7	K Charcoal Or Repeat Trim Color For Color Matched
42" (1067)	72" (1829)	\$1667	\$1725	\$1956	RT4272EB8					
48" (1219)	60" (1524)	\$1811	\$1869	\$2100	RT4860EB9					
48" (1219)	72" (1829)	1904	1962	2193	RT4872EB6					
48" (1219)	84" (2134)	1918	1976	2207	RT4884EB3					
48" (1219)	96" (2438)	2590	2648	2879	RT4896EB0					
48" (1219)	120" (3048)	3315	3390	3667	RT48120EB9					
48" (1219)	144" (3658)	3697	3790	4137	RT48144EB3					
60" (1524)	120" (3048)	\$3338	\$3460	\$3914	RT60120EB7					
60" (1524)	144" (3658)	3843	3965	4419	RT60144EB1					
										
Double Tube Bi-Point 24" - 84" (2134) Widths										
Build your complete Part Number here:						_____	--	---	-	-



Double Tube Bi-Point
60" (1524) - 84" (2134) Widths



Double Tube Bi-Point
96" (2438) - 144" (3658) Widths

Sample
Part Number:

RT4860EB9	.NN	.553	.Y	.A	.Y
-----------	-----	------	----	----	----


Total Cost \$1811 =

\$1811	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----	---	-----

Steel Bases


Steel bases are available for retrofit installation beneath existing table tops. Bases are 27⁷/₈" (708)-high. Steel 4-Point Base shipped ready to assemble.

When attaching this base to a table top not supplied by Fellowes, it is the customer's responsibility to provide adequate number of base supports and install according to provided installation instructions.



Steel Base, Bi-Point

Table Size	Bases Required	Base Width	List Price	Catalog Number	Base Trim Color	Foot Trim Color
24" x 48" (610x1219) Rectangular	2	20" (508)	\$397	SICBPB20	Standard Smooth Finish Only See Surface Materials Page 7	K Charcoal Or Repeat Trim Color For Color Matched
24" x 60" (610x1524) Rectangular	2	20" (508)				
24" x 72" (610x1829) Rectangular	2	20" (508)				
30" x 60" (762x1524) Boat	2	26" (660)	\$390	SICBPB26		
30" x 48" (762x1219) Rectangular	2	26" (660)				
30" x 54" (762x1372) Rectangular	2	26" (660)				
30" x 60" (762x1524) Rectangular	2	26" (660)				
30" x 72" (762x1829) Rectangular	2	26" (660)				
36" x 72" (914x1829) Boat	2	31" (787)	\$447	SICBPB31		
42" x 84" (1067x2134) Boat	2	31" (787)				
36" x 48" (914x1219) Rectangular	2	31" (787)				
36" x 60" (914x1524) Rectangular	2	31" (787)				
36" x 72" (914x1829) Rectangular	2	31" (787)				
36" x 96" (914x2438) Rectangular	3	31" (787)				
42" x 72" (1067x1829) Rectangular	2	31" (787)				



Steel Base, Double Tube Bi-Point

Table Size	Bases Required	Base Width	List Price	Catalog Number
48" x 96" (1219x2438) Boat	3	37" (940)	\$618	SICDBPB37
48" x 120" (1219x3048) Boat	3	37" (940)		
48" x 144" (1219x2743) Boat	3	37" (940)		
54" x 108" (1372x2743) Boat	3	37" (940)		
60" x 120" (1529x3048) Boat	3	37" (940)		
60" x 144" (1529x3658) Boat	3	37" (940)		
48" x 60" (1219x1524) Rectangular	2	37" (940)		
48" x 72" (1219x1829) Rectangular	2	37" (940)		
48" x 84" (1219x2134) Rectangular	2	37" (940)		
48" x 96" (1219x2438) Rectangular	3	37" (940)		
48" x 120" (1219x3048) Rectangular	3	37" (940)		
48" x 144" (1219x3658) Rectangular	3	37" (940)		
60" x 120" (1529x3048) Rectangular	3	37" (940)		
60" x 144" (1529x3658) Rectangular	3	37" (940)		
48" x 96" (1219x2438) Racetrack	3	37" (940)		
48" x 120" (1219x3048) Racetrack	3	37" (940)		
48" x 144" (1219x3658) Racetrack	3	37" (940)		
60" x 96" (1529x2438) Racetrack	3	37" (940)		
60" x 120" (1529x3048) Racetrack	3	37" (940)		
60" x 144" (1529x3658) Racetrack	3	37" (940)		

Build your complete Part Number here:

Sample Part Number:

Total Cost \$397 =

_____	—	—
SICBPB20	.Y	.K
\$397	+	N/C
	+	N/C

Intrinsic

<i>Overview</i>		112
<i>Standard Edge</i>	<i>Racetrack.....</i>	113
	<i>Rectangular.....</i>	114
<i>Executive Edge</i>	<i>Racetrack.....</i>	115
	<i>Rectangular.....</i>	116

Intrinsic Conference Tables

The standard 1" Intrinsic Conference Table top is surfaced with Thermofused Laminate. Executive Tables are 1.5" thick with a High Pressure Laminate top. All tables have a PVC flat banded edge. Executive Tops have a Fluted edge option. Tops are either round or square in shape.

Intrinsic Tables offer two base style options. One is constructed of laminate material, and the other is a steel powder coated column. The laminate base is X-shaped. Column Leg Tables have four 4" diameter column legs.

The finished height for the Standard top Table is 28 ¾" (730") high. The finished height for the Executive top is 29 ¼" (743).


Grain Direction

Single piece tops – grain direction runs parallel to the length.
Multiple piece tops – grain direction runs perpendicular to the length.


Table Tops

Tables	Table Top Edge Detail		
	PVC	Flat	Fluted
Standard Top			
Racetrack	X	X	
Rectangle	X	X	
Executive Top			
Racetrack	X	X	X
Rectangle	X	X	X


Table Bases



Laminate Base
Tables 96" or Less in Width



Laminate Base
Tables 120" or 144" in Width



Column Base

Seating Capacity

Fellowes Tables have the following suggested seating capacities:

	Table Size	Seating Capacity
Racetrack	36x72	6
	48x72	6
	48x96	6
	48x120	10
	48x144	10
	60x96	8
Rectangular	36x72	6
	48x72	6
	48x96	8
	48x120	10
	48x144	10
	60x96	8

TABLE WEIGHT LIMITS

Tables with the recommended base/top size combination can support a maximum of 1.5 lb. for each inch of perimeter, evenly distributed.

WARNING:


Failure to observe the recommended practices, such as loading beyond listed weight limits, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Fellowes product will change the criteria referenced above. Fellowes will not honor the product warranty if modifications are made to the product or if the capacities referenced are exceeded.


Tables - Standard Edge

All Intrinsic Racetrack tables 96" or less in width have one piece tops, and all tables greater than 96" in width have three piece tops.

Laminate Base Tables, 120" or 144" in width, will have a base with three supporting legs.



Laminate Base



Column Leg Base

Intrinsic Racetrack Tables – Laminate Base

Dimensions		List Price		Catalog Number	Top Color	Top Edge Color	Laminate Base Color
Depth	Width	1	2				
36" (914)	72" (1829)	\$1794	\$1899	ZFRTT3672	Thermo-fused Laminate	Thermo-fused Laminate	See Surface Materials Page 8
48" (1219)	72" (1829)	1470	1575	ZFRTT4872			
48" (1219)	96" (2438)	1984	2124	ZFRTT4896			
60" (1524)	96" (2438)	1961	2101	ZFRTT6096			
48" (1219)	120" (3048)	2878	3079	ZFRTT48120			
48" (1219)	144" (3658)	3029	3230	ZFRTT48144			

Intrinsic Racetrack Tables – Column Leg Base

Dimensions		Qty. of Column Legs	List Price		Catalog Number	Steel Base Color
Depth	Width		1	2		
36" (914)	72" (1829)	4	\$2080	\$2158	ZFRTT3672CLM	Standard Finish No Cost
48" (1219)	72" (1829)	4	2114	2192	ZFRTT4872CLM	
48" (1219)	96" (2438)	4	2449	2527	ZFRTT4896CLM	
60" (1524)	96" (2438)	4	2698	2776	ZFRTT6096CLM	
48" (1219)	120" (3048)	6	3709	3849	ZFRTT48120CLM	
48" (1219)	144" (3658)	6	3859	3999	ZFRTT48144CLM	

Build your complete
Part Number here:

-----	---	---	---
-------	-----	-----	-----

Sample
Part Number:

ZFRTT4896CLM	.XZ3	.XZ4	.XZ3
--------------	------	------	------


Total Cost \$2449 =

\$2449	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----


Tables - Standard Edge

All Intrinsic Rectangular tables 96" or less in width have one piece tops, and all tables greater than 96" in width have three piece tops.

Laminate Base Tables, 120" or 144" in width, will have a base with three supporting legs.



Laminate Base



Column Leg Base

Intrinsic Rectangular Tables – Laminate Base

Dimensions		List Price		Catalog Number	Top Color	Top Edge Color	Laminate Base Color
Depth	Width	1	2				
36" (914)	72" (1829)	\$ 1341	\$1446	ZFRECT3672	Thermo-fused Laminate See Surface Materials Page 8	Thermo-fused Laminate See Surface Materials Page 8	See Surface Materials Page 8 Base edge will match laminate base color
48" (1219)	72" (1829)	1419	1524	ZFRECT4872			
48" (1219)	96" (2438)	1649	1789	ZFRECT4896			
60" (1524)	96" (2438)	1807	1947	ZFRECT6096			
48" (1219)	120" (3048)	2748	2936	ZFRECT48120			
48" (1219)	144" (3658)	2909	3041	ZFRECT48144			

Intrinsic Rectangular Tables – Column Leg Base

Dimensions		Qty. of Column Legs	List Price		Catalog Number	Steel Base Color
Depth	Width		1	2		
36" (914)	72" (1829)	4	\$1987	\$2042	ZFRECT3672CLM	Standard Finish No Cost Premium Finish +\$70 4 Legs +\$105 6 Legs See Surface Materials Page 7
48" (1219)	72" (1829)	4	2064	2119	ZFRECT4872CLM	
48" (1219)	96" (2438)	4	2292	2370	ZFRECT4896CLM	
60" (1524)	96" (2438)	4	2546	2624	ZFRECT6096CLM	
48" (1219)	120" (3048)	6	3575	3715	ZFRECT48120CLM	
48" (1219)	144" (3658)	6	3736	3876	ZFRECT48144CLM	

Build your complete
Part Number here:

_____	____	____	____
-------	------	------	------

Sample
Part Number:

ZFRECT48120	.XZ3	.XZ4	.XZ3
-------------	------	------	------


Total Cost \$2748 =

\$2748	+ N/C	+ N/C	+ N/C
--------	-------	-------	-------


Tables - Executive Edge

All Intrinsic Executive Racetrack tables 96" or less in width have one piece tops, and all tables greater than 96" in width have three piece tops.

Laminate Base Tables, 120" or 144" in width, will have a base with three supporting legs.



Laminate Base



Column Leg Base

Intrinsic Executive Racetrack Tables – Laminate Base

Dimensions		List Price		Catalog Number	Edge Detail	Top Color	Top Edge Color	Laminate Base Color
Depth	Width	1	2					
36" (914)	72" (1829)	\$2211	\$2445	ZEFRTT3672	XS No Cost Flat XF + \$29 Fluted	Thermo-fused Laminate	Thermo-fused Laminate	See Surface Materials Page 8
48" (1219)	72" (1829)	2638	2872	ZEFRTT4872				
48" (1219)	96" (2438)	3457	3724	ZEFRTT4896				
60" (1524)	96" (2438)	4101	4438	ZEFRTT6096				
48" (1219)	120" (3048)	4420	5148	ZEFRTT48120				
48" (1219)	144" (3658)	4726	5454	ZEFRTT48144				Base edge will match laminate base color

Intrinsic Executive Racetrack Tables – Column Leg Base

Dimensions		Qty. of Column Legs	List Price		Catalog Number	Steel Base Color
Depth	Width		1	2		
36" (914)	72" (1829)	4	\$3438	\$3639	ZEFRTT3672CLM	Standard Finish No Cost Premium Finish +\$70 4 Legs +\$105 6 Legs See Surface Materials Page 7
48" (1219)	72" (1829)	4	4162	4363	ZEFRTT4872CLM	
48" (1219)	96" (2438)	4	4532	4799	ZEFRTT4896CLM	
60" (1524)	96" (2438)	4	4881	5176	ZEFRTT6096CLM	
48" (1219)	120" (3048)	6	5219	5838	ZEFRTT48120CLM	
48" (1219)	144" (3658)	6	5801	6474	ZEFRTT48144CLM	

Build your complete
Part Number here:

---	---	---	---	---
-----	-----	-----	-----	-----

Sample
Part Number:

ZEFRTT4896CLM	.XF	.XZ3	.XZ4	.XZ3
---	---	---	---	---


Total Cost \$4561 =

\$4532	+	\$29	+	N/C	+	N/C	+	N/C
--------	---	------	---	-----	---	-----	---	-----


Tables - Executive Edge

All Intrinsic Executive Rectangular tables 96" or less in width have one piece tops, and all tables greater than 96" in width have three piece tops.

Laminate Base Tables, 120" or 144" in width, will have a base with three supporting legs.



Laminate Base



Column Leg Base

Intrinsic Executive Rectangular Tables – Laminate Base

Dimensions		List Price		Catalog Number	Edge Detail	Top Color	Top Edge Color	Laminate Base Color
Depth	Width	1	2					
36" (914)	72" (1829)	\$2240	\$2474	ZEFRECT3672	XS No Cost Flat	Thermo-fused Laminate	Thermo-fused Laminate	See Surface Materials Page 8
48" (1219)	72" (1829)	2355	2589	ZEFRECT4872				
48" (1219)	96" (2438)	2976	3313	ZEFRECT4896				
60" (1524)	96" (2438)	3118	3455	ZEFRECT6096				
48" (1219)	120" (3048)	4277	4877	ZEFRECT48120				
48" (1219)	144" (3658)	4759	5487	ZEFRECT48144	XF + \$29 Fluted	See Surface Materials Page 8	See Surface Materials Page 8	Base edge will match laminate base color

Intrinsic Executive Rectangular Tables – Column Leg Base

Dimensions			List Price		Catalog Number	Steel Base Color
Depth	Width	Qty. of Column Legs	1	2		
36" (914)	72" (1829)	4	\$2461	\$2662	ZEFRECT3672CLM	Standard Finish No Cost Premium Finish +\$70 4 Legs +\$105 6 Legs See Surface Materials Page 7
48" (1219)	72" (1829)	4	2548	2749	ZEFRECT4872CLM	
48" (1219)	96" (2438)	4	4643	4938	ZEFRECT4896CLM	
60" (1524)	96" (2438)	4	4906	5201	ZEFRECT6096CLM	
48" (1219)	120" (3048)	6	5095	5633	ZEFRECT48120CLM	
48" (1219)	144" (3658)	6	5672	6345	ZEFRECT48144CLM	

Build your complete
Part Number here:

-----	--	---	---	---
-------	----	-----	-----	-----

Sample
Part Number:

ZEFRECT4896CLM	.XS	.XZ3	.XZ4	.XZ3
-----	--	---	---	---

Total Cost \$4643 =

\$4643	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----

Conference Tables

Trig	
Overview.....	118
Rectangular	119

Trig Conference Tables


Trig Collaborative Tables have rectangular Thermofused laminate tops with a PVC edge band. The base consists of four or six 3"x 3" square powder-coated steel legs. Tables 72"-96" wide will have 4 legs and tables 120"-144" will have 6 legs. The table comes standard with glides.

The finished height of the table is 28 ¾" (730)

Grain Direction

Single piece tops – grain direction runs parallel to the length.
Multiple piece tops – grain direction runs perpendicular to the length




Table Base




Electrical

Trig Conference Tables:


The pop-up power/data module for the Conference Tables is made of clear anodized aluminum. Conference Tables that are 72" (1829) wide have one optional electrical pop up centered on the table; tables that are 96" (2438) and wider can be outfitted with two optional electrical pop-up modules. The pop-up module has 3 power receptacles and 1 data opening. Each receptacle is rated for 15 amps. When specified, the table ships with a pre-cut mounting location for the pop-up module. A 6' power cord is included. The pop-up module is field installed.



Pop-up Module Locations:



Rectangular
Conference Table
96" (2438) and Wider



Rectangular
Conference Table
72" (1819)

Seating Capacity

Fellowes Tables have the following suggested seating capacities:

	Table Size	Seating Capacity
Rectangular	36x72	6
	42x72	6
	48x72	6
	48x96	8
	48x120	10
	48x144	10

TABLE WEIGHT LIMITS

Tables with the recommended base/top size combination can support a maximum of 1.5 lb. for each inch of perimeter, evenly distributed.

WARNING:

Failure to observe the recommended practices, such as loading beyond listed weight limits, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Fellowes product will change the criteria referenced above. Fellowes will not honor the product warranty if modifications are made to the product or if the capacities referenced are exceeded.

Tables

Trig Tables are shipped complete with a 1"-thick Thermofused Laminate top and 3mm vinyl edge band. Shipped ready to assemble.

Rectangular Conference Tables

Trig Rectangular Conference Table tops 72" - 96" wide are shipped in one piece, and tops 120" - 144" wide are shipped in three pieces. Trig Rectangular Conference Tables come with 3"-square legs and all necessary hardware.

The pop-up power/data module for the Rectangular Conference Table is made of clear anodized aluminum. Conference tables that are 96" (2438) and wider have two electrical pop-up modules. The pop-up module has 3 power receptacles and 1 data opening. Each receptacle is rated for 15 amps. A 6' power cord is included.

Trig Rectangular Conference Table

Dimensions			List Price		Catalog Number	Electrical	Top Color	Top Edge Color	Leg Trim Color
Depth	Width	Height	1	2					
36" (914)	72" (1829)	28 ³ / ₄ " (730)	\$2001	\$2056	TRGRECT3672SL	NN No Cost No Electrical	Thermo-fused Laminate (See Surface Materials Page 8)	Thermo-fused Laminate (See Surface Materials Page 8)	Standard Finish No Cost
42" (1067)	72" (1829)	28 ³ / ₄ " (730)	2078	2133	TRGRECT4272SL				
48" (1219)	72" (1829)	28 ³ / ₄ " (730)	2155	2210	TRGRECT4872SL				
48" (1219)	96" (2438)	28 ³ / ₄ " (730)	2312	2390	TRGRECT4896SL	EN Electrical 72" Width + \$588 96"-144" Width + \$1178			Premium Finish + \$40 (See Surface Materials Page 7)
48" (1219)	120" (3048)	28 ³ / ₄ " (730)	3600	3705	TRGRECT48120SL				
48" (1219)	144" (3658)	28 ³ / ₄ " (730)	3763	3868	TRGRECT48144SL				
Build your complete Part Number here:					-----	--	--	--	-



Sample Part Number:

TRGRECT3672SL	.EN	.XZ1	.XZ4	N/A				
\$2001	+	\$588	+	N/C	+	N/C	+	N/C

Total Cost \$2589 =

Overview & Order Information	NOTES									
Statement of Line										
Surface Materials										
Training Tables										
Height Adjustable Tables & Screens										
Collaborative, Café & Occasional Tables										
Conference Tables										
Conference & Training Room Components										
Terms & Policies										

	Overview & Order Information
	Statement of Line
	Surface Materials
	Training Tables
	Height Adjustable Tables & Screens
	Collaborative, Café & Occasional Tables
	Conference Tables
	Conference & Training Room Components
	Terms & Policies

Conference & Training Room Components

Mobile Media Cart	122
-------------------------	-----

Intrinsic Mobile Media Cart
The Intrinsic Mobile Media Cart has two lockable hinged doors, one adjustable shelf behind the doors, one open storage shelf, wire management from top to base of unit and four locking casters. One Grommet is standard.

Shipped assembled.

When the key-alike lock option "T" is chosen a "disposable" core is assembled in the filing unit to temporarily secure the drawers and doors for transit. The "disposable" core must be field replaced with an Intrinsic Core/Key set in order

for the Intrinsic filing unit to lock. The Core/Key set (ZFLCK) must be ordered separately or by using the keying order form.



Intrinsic Mobile Media Cart

Dimensions			List Price		Catalog Number	Pull Style	Unit Color	Top Color	Edge Color	Top Door Color	Lock
Depth	Width	Height	1	2							
24" (610)	36" (914)	36 ⁵ / ₈ " (930)	\$2409	\$2549	ZFMMC	No Cost Applied L Classic E Stream-line AZ Designer MM Mod2 MD Modern	Thermo-fused Laminate See Surface Materials Page 8	Thermo-fused Laminate See Surface Materials Page 8	Thermo-fused Laminate See Surface Materials Page 8	Thermo-fused Laminate See Surface Materials Page 8 Door Edge will match door color	R No Cost Random *T Deduct \$-16 Key-Alike
Build your complete Part Number here:					----	--	---	---	---	---	-

Sample Part Number:

ZFMMC	.E	.XZ3	.XZ4	.XZ4	.XZ2	.R
-------	----	------	------	------	------	----

Total Cost \$2409 =

\$2409	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----

Executive Mobile Media Cart


The Intrinsic Mobile Media Cart has two lockable hinged doors, one adjustable shelf behind the doors, one open storage shelf, wire management from top to base of unit and four locking casters. One Grommet is standard.

Shipped assembled.

Note: The Intrinsic Executive Mobile Media Cart has a 1½" thick High-Pressure Laminate top.

When the key-alike lock option "T" is chosen a "disposable" core is assembled in the filing unit to temporarily secure the drawers and doors for transit. The "disposable" core must be field replaced with an Intrinsic Core/Key set in order for the Intrinsic filing unit to lock. The Core/Key set (ZFLCK) must be ordered separately or by using the keying order form.

Intrinsic Executive Mobile Media Cart

Dimensions			List Price		Catalog	Edge	Pull	Unit	Top	Top	Door	Lock	
Depth	Width	Height	1	2									Number
24" (610)	36" (914)	37 1/8" (943)	\$2745	\$2877	ZEFMMC	XS No Cost Flat	No Cost Applied	Thermo- fused Laminate	Thermo- fused Laminate	Thermo- fused Laminate	Thermo- fused Laminate	R No Cost Random	
						XF + \$29 Fluted	L Classic	See Surface Materials Page 8	See Surface Materials Page 8	See Surface Materials Page 8	See Surface Materials Page 8	*T Deduct \$-16 Key-Alike	
						E Stream- line	AZ Designer					Door Edge will match door color	
							MM Mod2						
							MD Modern						
Build your complete Part Number here:					— — — —	— —	—	— — —	— — —	— — —	— — —	—	

Sample
Part Number:

ZEFMMC	.XS	.E	.XZ3	.XZ4	.XZ4	.XZ2	.R
--------	-----	----	------	------	------	------	----

Total Cost \$2745 =

\$2745	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----