Trig® Desking

PRICE LIST | JANUARY 2023

For Canadian pricing, please visit Trendealer to see the current conversion rate being used or contact your local Fellowes Representative.



Fellowes.

Trig Desking

Trig Desking is a fully integrated line of laminate freestanding components including desks, credenzas, tables and laminate storage. This line offers high-end aesthetics, with a range of styling options and finishes.

Fellowes product catalogs are available in the following design software: 20/20 (CAP/Giza) and Project Matrix. The Core price book is also available in .pdf (Acrobat Reader) format on www.trendealer.com. For Architects and Designers, a free FSL (Furniture Symbol Library) is available on dealer.trendway.com.

Product dimensions are given throughout the product catalog and are followed by parenthesis which have the metric equivalent in millimeters. For example: A Rectangular Work Surface is available in a 48" (1219)-width.

Ordering Information

The most efficient way to enter an order is through Fellowes On-Line Order Entry on dealer.trendway.com, which also accepts .sif files from the design software 8. listed above. Faxed orders are available as well but may extend lead-times.

For ease in specifying, Fellowes' catalog numbering system uses meaningful characters to convey description, surface type, and size. For example, TRGRECD2048 represents a Trig Rectangle Desk that is 20" (508) deep and 48" (1219)-wide.

Order specification examples are shown throughout the price book at the bottom of each page. Be sure to follow the order sequence carefully to ensure complete and accurate order specification.

After placing an order, Fellowes will send an order acknowledgement that follows the sequence of information outlined below. Fellowes encourages you to follow the same steps so that checking your order against the acknowledgement will be as easy as possible.

Placing an Order

To make placing an order simple, Fellowes On-Line Order Entry automatically prompts the product and option decisions that are required. For accurate order processing on faxed orders, please type or use legible handwriting, and be sure to include the following information:

1. A complete "sold to" address with correct Zip code.

- A complete "ship to" address with correct Zip code.
- A purchase order number. (The order is issued to Fellowes Corporation, Holland, Michigan.)
- 4. A signature or name of person authorizing the purchase order.
- 5. A contact name and phone number at your company.
- 6. An actual calendar date for the requested delivery date (not ASAP).
- 7. Line items that are complete, which means all catalog numbers and descriptions, options listed for each product selected, fabric/finish pattern and color descriptions, and all corresponding letter or number codes. Be sure to make a pick for all available options. Also, combine identical items and specify total quantity unless using special marking or tagging.

(Refer to your price list for ordering options.)

- Special products referenced by their control numbers as well as their descriptions.
- 9. Line items that include price per unit, as well as extended totals.
- 10. A total dollar amount for the purchase order.
- 11. Any special shipping requirements clearly noted; i.e., "call before delivery."

By placing your orders correctly and completely the first time around, your order will be processed and scheduled without delay (subject to credit approval).

Lead-Times

The majority of Trig Desking products are shipped within Fellowes' standard lead time.

Note: Shipping lead-times are subject to product availability due to order size. For exact lead-times on your order contact Fellowes Customer Care.

Product Questions, Quotes & Order Placement On-Line

dealer.trendway.com

Hours: 24 Hours, 7 Days a Week

Customer Care Representative

Hours: Monday-Friday

7:30 am to 5:30 pm EST

Phone: 1-800-893-8115 Fax: 1-800-893-8121

e-mail: ciquincycustomerservice

@fellowes.com

Fellowes Custom Solutions

Phone: 1-800-893-8117

For more information on Order Placement, Confirmation, and Lead-Times, see the Pricing, Procedures & Policies section in the back of the price book.

1. Transportation

All orders are shipped by Fellowes truck or common carrier. List prices shown include Fellowes specified freight cost on all orders. For additional information about transportation, contact Fellowes Customer Care 1-800-893-8115.

2. Prices

Prices shown in this offering are F.O.B. origin, freight prepaid. Fellowes reserves the right to change prices without notice.

Sequence Information

The table shows a sample of the price book format's sequence of information which will assist when placing an order and checking an order acknowledgement.

Sample Part Number: Catalog Top Number Color

TRGRECD2048


.XZ3

Storage

2

Trig | Desks | Work Surfaces | Screens & Modesties | Tables | Filing + Storage | Statement of Line

Desks




24" x 36" 24" x 72" 30" x 54" x 20" 30" x 72" x 20" 30" x 54" x 24" 30" x 72" x 24" 30" x 36' 30" x 72'

D1 W* D2 D3 30" x 54" x 42" x 24" 30" x 72" x 42" x 24" 42" x 72" x 20" x 24" 30" x 54" x 48" x 24" 30" x 72" x 48" x 24" 48" x 54" x 20" x 24" 48" x 72" x 20" x 24"

*widths in increments of 6"

← Denotes direction of wood grain

Work Surfaces




48" x 54" x 20" x 24" 48" x 84" x 20" x 24"


24" x 48" 24" x 84" 30" x 54" x 20" 30" x 84" x 20" 30" x 48" 30" x 84" 30" x 54" x 24" 30" x 84" x 24"


*widths in increments of 6"

Work Surface Support Legs



30" x 54" x 48" x 24" 30" x 84" x 48" x 24"







Fellowes

Filing & Storage

Credenzas


















Bench-Height Storage














Freestanding Storage











Stack Storage - Open Shelf*








14" x 30" x 39¹/₄"



^{*}To match 54" & 66" high Storage Towers when placed on top of 26.75" high Credenzas.



Combination Storage







4

Filing & Storage Continued

Tower Storage






Wardrobe Storage







D W H 20" x 15" x 53³/₄" 20" x 15" x 65³/₄"

Benching Electrical



Power Grommets









Tables







D/W H 36" × 28³/₄" 42" × 28³/₄" 48" × 28³/₄"

Note: See the Tables Price Book for the complete Tables offering.



Surface Material Program

The Fellowes Surface Material Program includes a broad selection of coordinated fabrics, laminate and trim finish options. Additionally, Fellowes offers a Customers Own Material (COM) program to allow customers to further personalize their work stations.

The following sections describe the Fellowes Surface Materials vocabulary.

Standard Program

Fellowes' Standard Program of timeless and popular fabrics, finishes, vinyls and laminates, is recommended for corporate standards programs. These fabrics are carded and swatched by Fellowes. Materials in the Fellowes Standard Program offering are readily available for orders to ship within 2-4 weeks. Refer to individual panels for fire rating classifications.

Scheduled Program

Fellowes' Schedule Program is made up of additional colors of standard patterns, as well as an evolving collection of fabrics from our textile partners designed to solve all your needs. Influenced and kept up to date by emerging trends, the typical life span in this program is one to three years and is not considered part of the standard program. To see the Scheduled fabrics go the the surface material page on our website at www.Trendway.com and filter for "Scheduled" under "Lead-Times". Scheduled fabrics may have different lead time than standard fabrics. Please call Fellowes customer care for estimated ship dates.

Both Standard and Scheduled Materials in this program comply with the industry standards for quality and performance.

They all pass California Technical Bulletin 117-2013 and are listed as part of the UL recognized component program.

COM

Customers Own Material program allows customers to select and specify their own fabric or laminate on Fellowes product. For detailed information please see page 100 or Trendealer.com.

Pre-Approved COM

Select from popular COM fabrics pre-approved by Fellowes. Customers are able to search the COM library on dealer.trendway.com for fabrics and specific applications that have passed manufacturability testing on Fellowes product.

HOW TO ORDER SAMPLES

Standard Program Binder Cards

Seating and panel binder cards are available through Fellowes fulfillment. dealer.trendway.com

Standard Program Samples

Samples of fabrics and finishes are available through Fellowes fulfillment. dealer.trendway.com

Scheduled Samples Samples must be ordered directly through the supplier. Contact information is listed below and also on our website www.trendway.com/ surface-materials.Click on the link next to the swatch samples.

Camira

www.camirafabrics.com 1-616-288-0655

Culp Contract

www.culpcontract.com 336-888-6274

Guilford Of Maine®

www.guilfordofmaine.com 1-800-544-0200

Mayer Fabrics

www.maverfabrics.com 1-800-428-4415

Momentum® Textiles

www.memosamples.com 1-800-366-6839

Nevamar

www.nevamar.com 1-800-638-4380

Pionite

www.pionite.com 1-800-746-6483

Ultrafabrics®

www.ultrafabricsinc.com 914-460-1730

Wilsonart®

www.wilsonart.com 1-800-433-3222

Surface Material Legend



= 100% Recycled Content



= Bleach Cleanable.Refer to specific cleaning instructions for each fabric on www.Trendway.com.

6




		Choices Panels &		Tackbo	oards			•
Pattern	Capture Tiles	All Systems Components	Fabric Screens	> 60"	< 60"	TrendWall	Volo	Cushion Tops
Amaze	+			R				•
Anchorage	+			R		•		•
Aurora		•	•	R		•		•
Chase		•	•	R				•
Framework	\$	4	4>	♦	♦	•	₩	•
Glint	+	•		R				•
Intermix		•	•	R				•
Intuition*		•	•	R		•		+
Merge	4	\$	4	4	4	♦	\$	\$
Mingle		•	•	R		•	•	•
Netiquette**	+	•	•	R		•		•
Pact	+			R				•
Pursuit	+	•		R				•
Tabby Weave	₫₽	₫>	♦	€	औं⊳	4>	Þ	•

- Not Available
- Non Directional Pattern will be applied for best yield
- Down Roll The height dimension of the tile or component is parallel to the warp of the fabric
- Railroaded The height dimension of the tile or component is perpendicular to the warp of the fabric
- Multi-use fabric (seating and panel) available on Capture, Fabric Screens, and Volo
- Not available on Choices Panels, but approved on Choice's Tackboards and Flipper Doors

Down-Roll (♣)

Down-roll means the height dimension of the tile or component is parallel to the warp of the fabric (Fig. A).

Fig. A



COM Fabrics

COM fabrics may be applied either Down-roll (Fig. A) or Railroad (Fig. B). When choosing Railroad on COM fabrics please note that 84" (2134)-high Choices and TrendWall Panels cannot be Railroad due to panel fabric being 66" (1676)-wide (Fig. C).

Railroad

Railroad means the height dimension of the tile or component is perpendicular to the warp of the fabric (Fig. B).

Fig. B





Fig. C



7

	Panel Fabrics				<u> </u>			
ramewor		Grade 0	Intermix		Grade 1	Tabby Wea		ide 2
/alue Fab		6 }	Guilford of	Maine		QQ3	Cement Mix	
KK1 BJ7	Cappuccino		KDM	Foggy		175	Crystal Blue	
KK2	Dove Gray		KDK	Husky		238	Grey Mix	
B4Y	Espresso Eucalyptus		KDT	Neptune		K99	Medium Grey	
B4X	Gray Blue		KDJ	Rocket Ship		380	Quartz	
KJX	Grotto		KDH	Seagull		BV2	Silver Papier	
BFP	Hunter		KDV	Smoky Quartz		150	Wedgewood	
BFR	Marble		KDR	Swan		.00	ageeea	
B4V	Sandy Pebble		KBH	Owan		Anchorage	e S Gra	ade :
BG8			Mingle		Grade 1	Guilford O		aue .
DGO	Twilight		Guilford of	Maine	Grade 1			
erge		Grade 0				AR1	Angora	
Z42	Dove		Z53	Biscuit		AR0	Asteroid	
Z42 Z43	Driftwood		Z4X	Carbon		BF4	Aubergine	
Z43 Z44			Z4Y	Crystal		AQ8	Birch	
	Eucalyptus		Z52	Wheatberry		BF9	Cobalt	
Z45	Fawn		Z51	Winter		AQ7	Deep Water	
Z46	Fire Engine					BFM	Graphite	
Z47	Graphite		Netiquette		Grade 1	BFF	Green Apple	
Z49	Green Apple		KK5	Analog		BFA	Lapis	
Z4A	lvy		KK3	Chipset		BFD		
Z4C	Mandarin		KK4	Dashboard			Midnight	
Z4D	Marshmallow					GEB	Onyx	
Z4F	Midnight		KK8	Gamma		KX1	Pool	
Z4H	Slate		KK7	Inkjet		BF2	Pumpkin	
Z411	Olate		KKC	Pixel		AQ6	Quarry Blue	
			KKA	Refresh		BFN	Red Delicious	
			KK6	Schema		AQ5	Slate	
maze		Grade 1	KK9	Vector		BFC	Thistle	
uilford o	f Maine					AQ1	Vanilla	
Z4W	Morel		Pursuit		Grade 1	BXP	Waterfall	
Z4T	Platinum	岙	Guilford of	Maine		BFG	Willow	
Z4V	Steel		KDG	Cement				
Z4U	Sky		KDA	Dove		BFJ	Wolf	
240	ONY							
urora		Grade 1	KDF	Elephant		Glint	Gra Gra	ide 3
uilford c	of Maine		KDC	Mist Grey		Momentun	n	
Z55	Cloud		KD9	Whisper		KG4	Caspian	
			KDD	White Linen		KG5	Column	
Z54	Frost					KG7	Gypsum	
Z56	Latte					KG9	Opal	
Z57	Pewter					KJ2		
Z58	Granite						Pumice	
						KGC	Relic	
nase		Grade 1	Pact		Grade 2	KGE	Serene	
uilford o	f Maine		Guilford of			KGF	Shale	
Z4K	Coin		BM5	Aloe				
Z4M	Ecru		BM8	Coastal		Intuition*	Gra	ade
Z4IVI Z4P	Mushroom					Guilford o		
			BMA	Dove		Z27		
Z4R	Pumice		BME	Fern			Bisque	
Z4N	Shadow		BMF	Harbour		Z2C	Honey	
			BMJ	Midnight		Z2E	Peacock	
			BMM	Patina		Z2G	Sage	
			BMN	Putty				
			BMU	Sketch				
			BMW	Taupe				
			BMX	Toasty				
			אואום	Todoty				
				n Capture, Fabric Scree				
				io ontiono, do to Tr	and the second second			

To see all fabric options, go to Trendway.com

Storage

Fellowes

Standard Systems Finishes

Fellowes standard paints include smooth and textured styles in our six trim colors.

Systems Paints and Trin	n
-------------------------	---

Κ Charcoal DW Designer White G Gray L Light Gray

Υ Sand J Stucco

ΤK **Textured Charcoal TDW** Textured Designer White

TG **Textured Gray** TL Textured Light Gray ΤY Textured Sand TJ **Textured Stucco**

Glazed Panels

Plexiglass

01 Clear E3A *Frosted

*Tempered Glass

03 Clear 05 Frosted

Ecoresin

The color options are semi-transparent with (or without) patterns.

*3form

E02 Solo Aqua Supermatte Ecoresin E01 Solo Supermatte Ecoresin

E03 Spider Ecoresin

*Note: These options are offered at an upcharge. Please refer to a specific item in your price list to determine the amount of upcharge.

Premium Systems Finishes

Premium finishes are offered at a modest upcharge. Please refer to a specific item in your price list to determine the amount of upcharge.

Smooth Metallic Paint

PA Platinum

Thermofused and High Pressure Laminates and Edge Color

Standa	rd Program		
Solid	Grade 1	Woodgr	ain Grade 1
XZ4	Black	XZ8	Beigewood
XZH	Designer White	XZE	Brazilwood
		XZ3	Empire Mahogany
		XY6	Espresso Pearwood
		XZY	Finnish Oak
		XZ2	Fusion Maple
		XZZ	Walnut
		XZ1	Wild Cherry
		Woodar	ain Grade 2

wooagr	am	Grade 2
XY2	Phanton	n Charcoal
XY1	Phanton	n Ecru
XY0	Phanton	n Pearl

To see all finish options, go to Trendway.com

^{*} Available on Capture, Fabric Screens, and Volo



CROSS REFERENCE

High Pressure Laminate (HPL), Thermofused Laminate (TFL), Edgebanding, Wood Veneer, Panel Vinyl

Solid	HPL	TFL	Edgeband	Finish Code	Panel Vinyl
Color Name	Capture, Choices, Pack, Worksurfaces	Capture, Intrinsic, Trig			Choices, TrendWall, Volo
Black		XZ4			
Charcoal**	583		K	K	V39
Designer White**	JOC	XZH	E1	DW	V52
Graphite	J9D		E6		
Gray**				G	
Light Gray**	573		L	L	V51
Platinum**				PA	V53
Sand**	J20		Y	Y	V48
Shadow	J04		E7		
Stucco**	J11		J	J	V49

Pattern Color Name	HPL Capture, Choices, Pack, Worksurfaces	Edgeband
Casual Linen	J6B	E8
Classic Linen	J6A	E9
Crisp Linen	J69	EB
Earthen Twill	J9H	EG
Graphite Twill	J9J	EH
Sarum Twill	J9G	EE

Woodgrain Pattern Name	HPL Capture, Choices, Pack, Worksurfaces	TFL Capture, Intrinsic, Trig	Edgeband	Wood Veneer	Panel Vinyl TrendWall
Beigewood	JOG	XZ8	W8	M4	
Brazilwood	JOD	XZE	WE	M5	
Empire Mahogany		XZ3	W7	M8	
Espresso Pearwood	J9X	XY6	ER		
Finnish Oak	J98	XZY	WY		
Fusion Maple	J25	XZ2	W5	M2	
Phantom Charcoal	J9C	XY2	E5		
Phantom Ecru	J9B	XY1	E4		
Phantom Pearl	J9A	XYO	E3		
Sorrel Pear					AS4
Walnut	J99	XZZ	WZ		
Wild Cherry	J1R	XZ1	W6	M9	

^{**} Fellowes standard trim paint color



Trig Keying Order Form

This form can be used as a worksheet or an order form to determine what kevalike Trig Core/Key Sets are needed for key-alike Trig filing and storage, Trig locks on Choices flipper units and for additional Trig Lock Keys, Core Keys and Master Keys*. It is also used to specify special tagging instructions to designate installation locations, which is offered free of charge.

The information on this form can either be entered in Fellowes' design software, or through Fellowes On-line Order Entry on trendealer.com using the catalog numbers listed below or it can be used as an order form and faxed to Fellowes Customer Care.

Trig Core/Key Set

Trig Core/Key Set includes a lock core and 2 lock key. Trig Core/Key Set numbers are randomly selected from existing inventory unless otherwise specified on this form. Requesting specific numbers** may delay shipment of your key-alike order and may require partial or delayed shipment of your lock cores and keys separately from your order. Additional lock keys are available.

Trig Core Installation/Removal Key

Trig Core Installation/Removal Key is needed to install Core/Key Sets and to remove or replace existing Tria lock cores.

*Trig Master Key

Trig Master Key is used to open any Trig style lock. Master keys are sent out separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Fellowes Customer Care at 1-800-893-8212. Orders are shipped within 24-hours of receipt.

Phone:(80	0) 893-8115 F	/II 49422-9016 Fax: (800) 893-8121			Trig Keying Order Forn
www.fello	wes.com				
	er P.O. Numbe				Fellowes Order Number
Ship to a	ddress if diffe	erent from P.O			
Trig C	ore/Key S	Set - TLCK			
<u> </u>				ı	Key-Alike Special Tagging Instructions
Qty.	List Price \$16	Key Number S101 - S200	Floor	Office	
2	\$32	S101	3	5	John's Office
6	\$96	S101	2		Offices 201, 252
					10
Additi		Lock Key(s)	– TKE	<u> </u>	
Qty.	List Price \$8	Key Number S101 - S200			
1	\$8	S101			
Additi	onal Trig	Core Installa	tion/R	emoval	Key(s) – TCK
Qty.	List Price \$4				l key is included at no charge for every 50 lock sets ordered.
	1	1			

Trig Master Key(s)

1-800-893-8121. Orders are shipped within 24-hours of receipt.

Trig Master Keys are used to open any Trig style lock. Master keys are sent separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Fellowes Customer Care at

Overview & Order Information

Fellowes. **Fellowes**.

P.O. Box 9016 Holland MI 49422-9016 Phone:(800) 893-8115 Fax: (800) 893-8121 www.fellowes.com

Trig Keying Order Form

ig C	ore/Key S	Set - TLCK			
Qty.	List Price \$16	Key Number S101 - S200	Floor	Office	Key-Alike Special Tagging Instructions

Qty.	List Price \$8	Key Number S101 - S200	

Additional Trig Core Installation/Removal Key(s) – TCK

Qty.	List Price \$4	One core removal key is included at no charge for every 50 lock sets ordered.

Trig Master Key(s)

Trig Master Keys are used to open any Trig style lock. Master keys are sent separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Fellowes Customer Care at 1-800-893-8121. Orders are shipped within 24-hours of receipt.



Trig Core/Key Set

The Trig Core/Key Set must be ordered when the Key-Alike Lock option is chosen to replace the "disposable" core that ships with Trig filing units in order for these units to lock. This set can also be ordered to replace an existing Trig Core/Key Set. Includes a Trig lock core and 2 lock keys.

Trig Core Installation/Removal Key

The Trig Core Installation/Removal Key is needed to install or remove Trig Cores in Trig filing units. One Core Key is included at no charge with every 1 to 50 Trig Core/Key Sets ordered. This key is available if additional Installation/Removal Keys are needed.

Trig Lock Key

Replacement Trig Keys are available for order.

Trig Core/Key Set			
	List Price	Catalog Number	Key Number
	\$16	TLCK	S101 - S200
Trig Core Installation/Remova	ıl Key		
	List Price	Catalog Number	
	\$4	тск	
Trig Lock Key			
	List Price	Catalog Number	Key Number
	\$8	TKEY	S101 - S200

Sample

Part Number:

Total Cost \$8 =

. S112

N/C

TKEY

\$8

Fellowes

Wedge Desks

Trig Wedge desks are constructed of 1"-thick Thermofused Laminate with a 3mm vinyl edge band. They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See planning section for standard grommet / power locations. Desks include two work surface support legs for right- and left-hand support. Additional accessories include field installed Screens and Modesties.

Power Grommets are ordered separately. They will only fit into an opening that has been specified PNDR(L). See page 84 for details.

Depth1	Dimensions Width De	pth2	List Price Thermofused 1 Grade 2		Catalog Number		Non-Power Grommet Option		Top Color	Top Edge Color	Leg Trim Color
20" (508)	54" (1372) 24" (60" (1524) 66" (1676) 72" (1829)	(610)	\$1176 1200 1225 1244	\$1192 1216 1241 1260	TRGWEGDR205424 TRGWEGDR206024 TRGWEGDR206624 TRGWEGDR207224	NN No Power PNDR Power	No Cost GN No Grommet	GB Black GS Silver	Thermo- fused Laminate (See Surface Materials	(See Surface Materials	Standard Finish No Cost Premium Finish + \$40
20" (508)	54" (1372) 30" (60" (1524) 66" (1676) 72" (1829)	(762)	\$1182 1214 1240 1256	\$1213 1245 1271 1287	TRGWEGDR205430 TRGWEGDR206030 TRGWEGDR206630 TRGWEGDR207230	PNDL Power Left	1 Grommet GY2 2 Grommets (Not available		Page 8)	Page 8)	
24" (610)	54" (1372) 30" (60" (1524) 66" (1676) 72" (1829)	(762)	\$1182 1214 1240 1256	\$1213 1245 1271 1287	TRGWEGDR245430 TRGWEGDR246030 TRGWEGDR246630 TRGWEGDR247230		if PNDR or PNDL selected)				
	D2										
			d your co								



Total Cost \$1176 =



Surface Materials

Storage

Wedge Desks

Trig Wedge desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include fieldinstalled Screens and Modesties. Power Grommets are ordered separately. They will only fit into an opening that has been specified PNDR(L). See page 84 for details.

Trig Wedge Desk - Left-Hand

	Dimensions			Price sed Grade	Catalog	Power Grom- met	Non-Power Grommet		Ton	Тор	Leg Trim
Depth1	Width	Depth 2	1	2	Number	Option		Color	Top Color	Edge Color	Color
24" (610) 30" (762)	54" (1372) 60" (1524) 66" (1676) 72" (1829) 54" (1372)		\$1176 1200 1225 1244 \$1182	\$1192 1216 1241 1260 \$1213	TRGWEGDL245420 TRGWEGDL246020 TRGWEGDL246620 TRGWEGDL247220	No Power PNDR Power Right	No Cost GN No Grommet GY 1 Grommet	GB Black GS Silver	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	Standard Finish No Cost Premium Finish + \$40
	60" (1524) 66" (1676) 72" (1829)		1214 1240 1256	1245 1271 1287	TRGWEGDL306020 TRGWEGDL306620 TRGWEGDL307220		GY2 2 Grommets (Not available if PNDR or PNDL				
30" (762)	54" (1372) 60" (1524) 66" (1676) 72" (1829)	24" (610)	\$1182 1214 1240 1256	\$1213 1245 1271 1287	TRGWEGDL305424 TRGWEGDL306024 TRGWEGDL306624 TRGWEGDL307224		selected)				
D1											
			uild your c art Numbe								_
Ψ											

Sample Part Number:

Total Cost \$1176 =



Top

Leg



Blade Desks

Trig Blade desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include fieldinstalled Screens and Modesties.

Trig Blade Desk - Right-Hand


	Dimensions			sed Grade	Catalog		Grommet	Тор	Edge	Trim
Depth1	Width	Depth 2	1	2	Number	Grommet	Color	Color	Color	Color
24" (610)	94" (2388) w	30" (914)	\$1638	\$1716	TRGANGDR249430	No Cost GN No Grommet GY Grommet	GB Black GS Silver	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	Standard Finish No Cost Premium Finish + \$40
Trig Bla	ade Desk -	- Left-Ha		Price						
			Thermofu	sed Grade	Catalog					
	Dimensions			•						
Depth1	Dimensions Width	Depth 2	1	2	Number					
Depth1 30" (914)				2 \$1716						

List Price

Sample
Part Number:

Build your complete Part Number here:


Total Cost \$1638 =




Storage

Primary Desks

Trig Primary desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.



Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.



Desks include two work surface support legs for the right- and lefthand support. Additional accessories include field-installed Screens and Modesties.

Trig Primary Desk - Right-Hand

Dimensions			List Price Thermofused Grade		Catalog		Grommet	Тор	Top Edge	Leg Trim	
Depth 1	Width	Depth 2	Depth 3	1	2	Number	Grommet	Color	Color	Color	Color
42" (1067)	54" (1372) 60" (1524) 66" (1676) 72" (1829)	30" (762) 30" (762) 30" (762) 30" (762)	24" (610)	\$1602 1602 1614 1614	\$1657 1657 1669 1669	TRGEPDR425430 TRGEPDR426030 TRGEPDR426630 TRGEPDR427230	No Cost GN No Grommet GY Grommet	GB Black GS Silver	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	Standard Finish No Cost Premium Finish + \$40
48" (1219)	54" (1372) 60" (1524) 66" (1676) 72" (1829)	30" (762) 30" (762) 30" (762) 30" (762)	24" (610)	\$1614 1614 1627 1627	\$1669 1669 1682 1682	TRGEPDR485430 TRGEPDR486030 TRGEPDR486630 TRGEPDR487230	diominet		rayeo)	rage o)	

Trig Primary Desk - Left-Hand


Sample
Decid Microbian





Secondary Desks

Trig Secondary desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.



Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.



Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed Screens and Modesties.

Trig Secondary Desk - Right-Hand

	Dimens	ions		List Price Thermofused Grade		Catalog		Grommet	Тор	Top Edge	Leg Trim
Depth 1	Width	Depth 2	Depth 3	1	2	Number	Grommet	Color	Color	Color	Color
20" (508)	54" (1372) 60" (1524) 66" (1676) 72" (1829)	42" (1067)	24" (610)	\$1589 1589 1602 1602	\$1644 1644 1657 1657	TRGESDR205442 TRGESDR206042 TRGESDR206642 TRGESDR207242	No Cost GN No Grommet	GB Black GS Silver	Thermo- fused Laminate (See Surface Materials	(See Surface Materials	Stan- dard Finish No Cos Pre- mium
20" (508)	54" (1372) 60" (1524) 66" (1676) 72" (1829)	48" (1219)	24" (610)	\$1602 1602 1614 1614	\$1657 1657 1669 1669	TRGESDR205448 TRGESDR206048 TRGESDR206648 TRGESDR207248	- Grommet		Page 8)	Page 8)	Finish + \$40

Trig Secondary Desk - Left-Hand

	Dimens	ions			Price sed Grade	Catalog
Depth 1	Width	Depth 2	Depth 3	1	2	Number
42" (1067)	54" (1372)	20" (508)	24" (610)	\$1589	\$1644	TRGESDL425420
	60" (1524)			1589	1644	TRGESDL426020
	66" (1676)			1602	1657	TRGESDL426620
	72" (1829)			1602	1657	TRGESDL427220
48" (1219)	54" (1372)	20" (508)	24" (610)	\$1602	\$1657	TRGESDL485420
	60" (1524)			1602	1657	TRGESDL486020
	66" (1676)			1614	1669	TRGESDL486620
	72" (1829)			1614	1669	TRGESDL487220
				ild your co		

Part Number here:

Sample Part Number:

Total Cost \$1589 =

Electrical

Fellowes

Rectangular Work Surface

Trig Rectangular Work Surfaces are constructed of 1"-thick Thermofused Laminate with a 3mm vinyl edge band. They are available with an optional black or silver grommet and/ or a factory-cut opening for a power grommet. See planning section for standard grommet / power locations. Work Surfaces do not include supports. Order supports separately. Additional

accessories include field-installed Screens and Modesties.

Note: For 78" and 84" wide work surfaces, support is required under one end using under desk storage or a Credenza with riser.

Power Grommets are ordered separately. They will only fit into an opening that has been specified PNDR(L). See page 84 for details.


Note: For 36" wide surfaces with the PNDR, PNDL or GY2 option, the Trig Power sets, TRGDR12, should not be

Trig Rectangular Work Surface

			Price sed Grade		Power Grom-	Non-Power			Тор
Dime Depth	nsions Width	1	2	Catalog Number	met Option	Grommet Option	Grommet Color	Top Color	Edge Color
20" (508)	24" (610)	\$200	\$216	TRGRECS2024	NN	No Cost	GB	Thermo-	Thermo
\rightarrow	30" (762)	206	222	TRGRECS2030	No	GN	Black	fused	fused
	36" (914)	213	229	TRGRECS2036	Power	No		Laminate	Lamina
	42" (1067)	219	235	TRGRECS2042		Grommet	GS	(See	(See
	48" (1219)	226	242	TRGRECS2048	PNDR		Silver	Surface	Surfac
	54" (1372)	342	358	TRGRECS2054	Power	GY		Materials	Materia
	60" (1524)	350	366	TRGRECS2060	Right (Not	1 Grommet		Page 8)	Page
	66" (1676)	375	391	TRGRECS2066	available	GY2			
	72" (1829)	424	440	TRGRECS2072	on 24"	2 Grommets			
	78" (1981)	450	481	TRGRECS2078	and 30"	(Not avail-			
	84" (2134)	481	512	TRGRECS2084	wide)	able if			
24" (610)	24" (610)	\$248	\$264	TRGRECS2424	PNDL	PNDR or PNDL			
	30" (762)	254	270	TRGRECS2430	Power	selected)			
	36" (914)	260	276	TRGRECS2436	Left	30100t0d)			
	42" (1067)	266	282	TRGRECS2442	(Not				
	48" (1219)	275	291	TRGRECS2448	available				
	54" (1372)	375	391	TRGRECS2454	on 24"				
	60" (1524)	382	398	TRGRECS2460	and 30"				
	66" (1676)	392	408	TRGRECS2466	wide)				
	72" (1829)	424	440	TRGRECS2472					
	78" (1981)	481	512	TRGRECS2478					
	84" (2134)	500	531	TRGRECS2484	-				
30" (762)	24" (610)	\$324	\$340	TRGRECS3024					
	30" (762)	329	345	TRGRECS3030					
	36" (914)	336	352	TRGRECS3036					
	42" (1067)	341	357	TRGRECS3042					
	48" (1219)	350	366	TRGRECS3048					
	54" (1372)	413	444	TRGRECS3054					
	60" (1524)	424	455	TRGRECS3060					
	66" (1676)	450	481	TRGRECS3066					
	72" (1829)	481	512	TRGRECS3072					
	78" (1981)	548	579	TRGRECS3078					
	84" (2134)	582	613	TRGRECS3084					
	Ві	uild your co	mplete						
	Pa	art Number	here:						

Sample Part Number:

Total Cost \$226 =





Wedge Work Surface

Trig Wedge Work Surfaces are constructed of 1"-thick Thermofused Laminate with a 3mm vinyl edge band. They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See planning section for standard grommet / power locations. Work Surfaces do not include supports. Supports must be specified separately. Additional accessories include field-installed Screens and Modesties.

Note: For 78" and 84" wide work surfaces, support is required on under end using under desk storage or a Credenza with riser.


Power Grommets are ordered separately. They will only fit into an opening that has been specified PNDR(L). See page 84 for details.

Trig Wedge Work Surface - Right-Hand

Depth1	Dimensions Width	S Depth 2	List F Thermofus		Catalog Number	Power Grom- met Option	Non-Power Grommet Option	Grommet Color	Top Color	Top Edge Color
20" (508)	54" (1372) 60" (1524) 66" (1676) 72" (1829) 78" (1981) 84" (2134) 54" (1372) 60" (1524) 66" (1676) 72" (1829) 78" (1981)	24" (610) 30" (762)	\$397 424 450 469 532 574 \$397 424 450 469 532	\$413 440 466 485 563 605 \$428 455 481 500 563	TRGWEGSR205424 TRGWEGSR206024 TRGWEGSR206624 TRGWEGSR207224 TRGWEGSR207824 TRGWEGSR208424 TRGWEGSR205430 TRGWEGSR206030 TRGWEGSR206630 TRGWEGSR207230 TRGWEGSR207230 TRGWEGSR207830	NN No Power PNDR Power Right PNDL Power Left	No Cost GN No Grommet GY 1 Grommet GY2 2 Grommets (Not available if PNDR	GB Black GS Silver	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface
24" (610)	54" (1372) 54" (1372) 60" (1524) 66" (1676) 72" (1829) 78" (1981) 84" (2134)	30" (762)	\$397 424 450 469 532 574	605 \$428 455 481 500 563 605	TRGWEGSR208430 TRGWEGSR245430 TRGWEGSR246030 TRGWEGSR246630 TRGWEGSR247230 TRGWEGSR247830 TRGWEGSR248430		or PNDL selected)			
	W User Right	Side Hand								
			Build your							



Total Cost \$397 =



Surface Materials



Wedge Work Surface

Trig Wedge Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See grommet information in the planning section for standard grommet locations.

Work Surfaces do not include supports. Order supports separately. Additional accessories include field-installed Screens and Modesties.

Note: For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.


Power Grommets are ordered separately. They will only fit into an opening that has been specified PNDR(L). See page 84 for details.

Trig Wedge Work Surface - Left-Hand

			List Price Thermofused Grade			Power	Non- Power			Тор
Depth1	Dimensions Width 1	Depth 2	1	2	Catalog Number	Grommet Option	Grommet Option	Grommet Color	Top Color	Edge Color
24" (610)	54" (1372)	20" (508)	\$397	\$413	TRGWEGSL245420	NN	No Cost	GB	Thermo-	Thermo-
	60" (1524)		424	440	TRGWEGSL246020	No	GN	Black	fused	fused
	66" (1676)		450	466	TRGWEGSL246620	Power	No		Laminate	Laminate
	72" (1829)		469	485	TRGWEGSL247220	DNDD	Grommet		(See	(See
	78" (1981)		532	563	TRGWEGSL247820	PNDR Power	GY	Silver	Surface Materials	Surface Materials
	84" (2134)		574	605	TRGWEGSL248420	Right	1 Grom-		Page 8)	Page 8)
30" (762)	54" (1372)	20" (508)	\$397	\$428	TRGWEGSL305420		met		· ago o	l ago o
	60" (1524)		424	455	TRGWEGSL306020	PNDL				
	66" (1676)		450	481	TRGWEGSL306620	Power	GY2			
	72" (1829)		469	500	TRGWEGSL307220	Left	2 Grom- mets			
	78" (1981)		532 563 TRGWEGSL307820		(Not					
	84" (2134)		574	605	TRGWEGSL308420		available			
30" (762)	54" (1372)	24" (610)	\$397	\$428	TRGWEGSL305424		if PNDR			
	60" (1524)		424	455	TRGWEGSL306024		or PNDL			
	66" (1676)		450	481	TRGWEGSL306624		selected)			
	72" (1829)		469	500	TRGWEGSL307224					
	78" (1981)		532	563	TRGWEGSL307824					
DI	84" (2134)		574	605	TRGWEGSL308424					
User S Left Ha	W Joseph	3								
			Build your (Part Numbe							

Sample Part Number:

Total Cost \$397 =



Blade Work Surface

Trig Blade Work Surface are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Right-handed Blade Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately.


Left-handed Blade Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.

Depth1	Dimensions Width	Depth 2	List I Thermofus 1	Price sed Grade 2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color
24" (610) User Side	94" (2388)	30" (914)	\$1250	\$1328	TRGANGSR249430	No Cost GN No Grommet GY Grommet	GB Black GS Silver	Thermo- fused Laminate (See Surface Materials Page 8)	(See Surface Materials
	ade Work S Dimensions Width		List Thermofu	and Price sed Grade 2	Catalog Number				
Trig Bla Depth1 30" (914)	Dimensions	Depth 2 24" (610)	List Thermofu 1	Price sed Grade					

Sample Part Number:

Part Number here:

Total Cost \$1250 =



Primary Work Surface

Trig Primary Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Right-Handed Primary Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.

Left-handed Primary Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately.

Primary Work Surfaces can be used alone or paired with Secondary Work Surfaces to create a U-shape work station. Primary Work Surfaces are available in right- and left-hand versions. Right-hand Primary surfaces are paired with left-hand Secondary surfaces to form a U-shaped work station. Or left-hand Primary surfaces are paired with right-hand Secondary surfaces to form the mirrored affect.

If Primary Work Surfaces are paired with Secondary Work Surfaces to create U-shaped work stations, a Flush Support Plate (SICSP) must be ordered to connect the two work surfaces together.

(See Planning Guide for limitations)

Additional accessories include fieldinstalled Screens and Modesties.

Note: For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.

Trig Primary Work Surface - Right-Hand

Depth 1	· · · · · · · · · · · · · · · · · · ·		List Price Thermofused Grade 1 2		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color	
42" (1067) 48" (1219)	54" (1372) 60" (1524) 66" (1676) 72" (1829) 78" (1981) 84" (2134) 54" (1372)	30" (762) 30" (762) 30" (762) 30" (762) 30" (762) 30" (762)	24" (610) 24" (610)	\$1200 1200 1214 1214 1389 1406 \$1214	\$1255 1255 1269 1269 1467 1484 \$1269	TRGEPSR425430 TRGEPSR426030 TRGEPSR426630 TRGEPSR427230 TRGEPSR427830 TRGEPSR428430 TRGEPSR485430	No Cost GN No Grommet GY Grommet	Black GS Silver	fused Lami- nate (See	Thermo- fused Lami- nate (See Surface Materi- als	dard Finish No Cost Pre- mium
User Side	60" (1524) 66" (1676) 72" (1829) 78" (1981) 84" (2134)	30" (762) 30" (762) 30" (762) 30" (762) 30" (762)		1214 1225 1225 1401 1420	1269 1280 1280 1479 1498	TRGEPSR486030 TRGEPSR486630 TRGEPSR487230 TRGEPSR487830 TRGEPSR488430			Page 8)		Finish + \$20

Trig

g I	Primary W	ork Surfa	ace – Let	t-Hand									
	Depth 1	Dimens Width	ions Depth 2	Depth 3		Price sed Grade 2	Catalog Number						
	30" (762)	54" (1372)	42" (1067)	24" (610)	\$1200	\$1255	TRGEPSL305442						
	30" (762)	60" (1524)			1200	1255	TRGEPSL306042						
	30" (762)	66" (1676)			1214	1269	TRGEPSL306642						
	30" (762)	72" (1829)			1214	1269	TRGEPSL307242						
	30" (762)	78" (1981)			1389	1467	TRGEPSL307842						
	30" (762)	84" (2134)			1406	1484	TRGEPSL308442						
	30" (762)	54" (1372)	48" (1219)	24" (610)	\$1214	\$1269	TRGEPSL305448						
	30" (762)	60" (1524)			1214	1269	TRGEPSL306048						
	30" (762)	66" (1676)			1225	1280	TRGEPSL306648						
	30" (762)	72" (1829)			1225	1280	TRGEPSL307248						
	30" (762)	78" (1981)			1401	1479	TRGEPSL307848						
	30" (762)	84" (2134)			1420	1498	TRGEPSL308448						
D1	<u> </u>												
er	4				d your co Number							_	
*	D3 D2	Ę.			ample art Numb	er:	TRGEPSR425430	.GN	N/A 	.XZ2	.XZ4	.K _	
				т	otal Cost	\$1200 =	\$1200 -	N/C	N/C	N/C	N/C	N/C	1



Secondary Work Surface

Trig Secondary Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Right-handed Secondary Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately.

Left-handed Secondary Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.

Secondary Work Surfaces can be used alone or paired with Primary Work Surfaces to create U-shaped workstations. Secondary Work Surfaces are available in right- and left-hand versions. Right-hand Secondary surfaces are paired with left-hand Primary Surfaces to form U-shaped workstations. Or Left-hand Secondary surfaces can be paired with right-hand

Primary Surfaces to form the mirrored affect. If Secondary Work Surfaces are paired with Primary Work Surfaces to create a U-shaped workstation, a Flush Support Plate (SICSP) must be ordered to connect the two work surfaces together.

(See Planning Guide for limitations)

Additional accessories include fieldinstalled Screens and Modesties.

Note: For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.

Trig Secondary Work Surface - Right-Hand

	•	•		•								
	Dimensions Depth 1 Width Depth 2		Depth 3		Price used Grade 2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color	
02	20" (508) 20" (508) User Side	54" (1372) 60" (1524) 66" (1676) 72" (1829) 78" (1981) 84" (2134) 54" (1372) 60" (1524) 66" (1676) 72" (1829) 78" (1981) 84" (2134)	42" (1067) 48" (1219)	24" (610)	\$1200 1200 1214 1214 1389 1406 \$1214 1214 1225 1225 1401 1420	\$1255 1255 1269 1269 1467 1484 \$1269 1269 1280 1280 1479 1498	TRGESSR205442 TRGESSR206042 TRGESSR206642 TRGESSR207842 TRGESSR208442 TRGESSR205448 TRGESSR206048 TRGESSR206048 TRGESSR207248 TRGESSR207248 TRGESSR207248 TRGESSR207848 TRGESSR207848	No Cost GN No Grommet GY Grommet	GB Black GS Silver	(See Surface	Thermo- fused Laminate (See Surface Materials Page 8)	No Cost
Tri	ig Second	dary Wor	k Surface	e – Left-	Hand							
		Dimon	-1		_	Price Ised Grade	Ostala -					

rig Second	dary work	K Surrac	е – Lетт-	Hand							
Depth 1					Price ised Grade 2	Catalog Number					
42" (1067)	54" (1372)	20" (508)	24" (610)	\$1200	\$1255	TRGESSL425420					
	60" (1524)			1200	1255	TRGESSL426020					
	66" (1676)			1214	1269	TRGESSL426620					
	72" (1829)			1214	1269	TRGESSL427220					
	78" (1981)			1389	1467	TRGESSL427820					
	84" (2134)			1406	1484	TRGESSL428420					
48" (1219)	54" (1372)	20" (508)	24" (610)	\$1214	\$1269	TRGESSL485420					
	60" (1524)			1214	1269	TRGESSL486020					
	66" (1676)			1225	1280	TRGESSL486620					
	72" (1829)			1225	1280	TRGESSL487220					
<u> </u>	78" (1981)			1401	1479	TRGESSL487820					
	84" (2134)			1420	1498	TRGESSL488420					
h h	Build your com										
D3 D1	3 D1				er:	TRGESSL425420	.GY	.GS	.XZ2	.XZ4	.K _
					\$1200 =	\$1200 -	N/C	N/C	N/C	N/C	N/C

Storage

Fellowes

Work Surface Support Legs

Trig Work Surface Support Legs are available in all Fellowes Standard and Premium Systems Finishes.

All necessary attachment hardware is included.

Shared Work Surface Support Legs

Trig Shared Work Surface Support Legs are used when two work surfaces of equal depth are paired together backto-back and a single support is desired. Legs are available in all Fellowes Standard and Premium Systems Finishes.

All necessary attachment hardware is included.

When the Shared Work surface Support Leg is used, Flush Support Plate (SICSP) must be ordered to connect the two surfaces together in the middle.

Trig Work Surface Support Legs




Depth	Dimension: Width	s Height	List Price	Catalog Number	Trim Color
2" (51)	20" (508) 24" (610) 30" (762)	27 ³ / ₄ " (705)	\$388 388 397	TRGULEG20 TRGULEG24 TRGULEG30	Standard Finish No Cost Premium Finish + \$20 (See Surface Materials Page 8)
		Build your Part Numb			_

Trig Shared Work Surface Support Legs



Depth	Dimensions Width	Height	List Price	Catalog Number	Trim Color
2" (51)	40" (1016) 48" (1219) 60" (1524)	27 ³ /4" (705)	\$487 511 526	TRGULEG40 TRGULEG48 TRGULEG60	Standard Finish No Cost Premium Finish + \$20 (See Surface Materials Page 8)
		Build your Part Numb			

Sample



Total Cost \$388 =

Trig Credenza come with a 1" Thermofused laminate top and 2" support legs with leveling glides. Credenzas are 20" deep and 26.75" high, Units are intended for freestanding applications. Units ship fully assembled except for 2" support legs.

Note: Trim color includes support legs and Framed Door option (FD) when selected.

Credenzas with Doors

Features include hinged doors with optional locking. (Locking not available on aluminum door option) Credenzas 60", 72" and 75" wide have (1) adjustable shelf in each double door. The 45" wide Credenza has one adjustable shelf in the double door and one in the single door. Shelves adjust vertically in 2 1/2" increments.

Trig Credenzas with Doors

Depth	Dimensions Width	Height	Therm	Price ofused ade 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	
20" (508)	or and Single 36" (914) Right-Ha	263/4" (680)	1931	\$2009 2009 \$2539	TRGCDDSDL45 TRGCDDSDL45 TRGC2DD60	Laminate Door FD Framed Door 3 Doors + \$1324	No Cost Frosted Plexiglass (E3A) 3 Doors + \$219 4 Doors	Stream-line AZ Designer MM Mod2 MD Modern Not avail- able with framed	(See Surface Materials	Thermo- fused Laminate (See Surface Materials Page 8)	(See Surface Materials	Thermo- fused Laminate Door Edge will match door color Specify only if LD selected	Pre-mium Finish + \$14 (See Surface Materials	NL No Cost No Lock TRG Trig Lock + \$52 Trig Lock	R No Cost Trig Random T \$-32 Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately cape unit)
2 Double D 20" (508) 20" (508)	, ,			\$2864 \$2937	TRGC2DDCS72 TRGC2DDCS75										
			our con umber h	•									_		_






Trig Credenzas with Doors and Shelves

Depth	Dimensions Width	Height	Therm	Price ofused ade 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Option
20" (508) Double Doo 20" (508)	or and Open S	26 ³ / ₄ " (680) chelf LH 26 ³ / ₄ " (680)	2211	2316	TRGCDDOSR60 TRGCDDOSL60	LD No Cost Laminate Door FD Framed Door + \$882	Plexi- glass No Cost Frosted Plexi- glass (E3A) + \$145 3-Form (E01- E03) + \$292	No Cost Applied L Classic E Stream- line AZ Designer MM Mod2 MD Modern Not avail- able with framed door (FD) option	(See Surface Materials	Thermo- fused Laminate (See Surface Materials Page 8)	(See Surface Materials	Thermo- fused Laminate Door Edge will match door color Specify only if LD selected	Standard Finish No Cost Pre- mium Finish + \$14 (See Surfacials Page 8)	NL No Cost No Lock TRG (One Lock) +\$33 Trig Lock	R No Cost Trig Random T \$-16 Trig Key Alike Note: Be sure to order core/ key sets (TLCK) sepa- rately (2 per unit)
	Build your complete Part Number here:												_		_

Sample Part Number:

Total Cost \$3402 =



Credenzas with Laterals

Lateral units include full extension ball bearing slides, and interlock mechanism that allows only one drawer to open at a time, side-to-side filing bars, front to back filing bars, and adjustable leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing. Shelves adjust vertically in 2 1/2" increments.

For 45" wide Lateral Single Door units, the single door includes hinged door with optional locking and (1) adjustable shelf. Shelf adjusts vertically in 2 1/2" increments.

Depth	Dimensions Width	Height	Locks	Thermo	Price ofused ade 2	Catalog Number	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer Color	Trim Color	Lock Type	Lock Optior
(612) Later 20" (508) (612) Later 20" (508) 20" (508) 20" (508) 20" (508) 20" (508) 20" (508)	48" (1219) 60" (1524) ral and 2 Open 45" (1143) 48" (1219) 60" (1524) Right-Hand Sho	263/4" (680) 2 Shelves RH 263/4" (680) 263/4" (680) 263/4" (680) 263/4" (680) 263/4" (680) 263/4" (680)	1 Lock 1 Lock 2 Locks 1 Lock 2 Locks 2 Locks	\$2024 2075 2280 \$2024 2075 2280 \$2666	\$2102 2153 2385 \$2102 2153 2385 \$2771	TRGCLATOS30 TRGCLATOSR45 TRGCLATOSR48 TRGCLATOSL45 TRGCLATOSL48 TRGCLATOSL60 TRGC2LAT60	No Cost Applied L Classic E Streamline AZ Designer MM Mod2 MD Modern	Thermofused Laminate (See Surface Materials Page 8)	Thermofused Laminate (See Surface Materials Page 8)	Thermofused Laminate (See Surface Materials Page 8)	Drawer Edge will match Drawer Color	Standard Finish No Cost Pre- mium Finish + \$14 (See Surface Materials Page 8)	(Two Locks)	R No Cost Trig Ran- dom T (One Lock) \$-16 (Two Locks \$-32 Trig Key Alike Note: Be sure to order core/ key sets (TLCK) sepa- rately.
20" (508)	72" (1829) 75" (1905)	263/4" (508)	2 Locks Build you	\$3001 \$3084 our con	\$3224	TRGC2LATCS72 TRGC2LATCS75						_		_
Sample Part Number:				TRGCLATOSR45	.MD	.ZX2	.XZ2	.XZ2	.XZ2	.K	.TRG	.R		




Credenzas Continued

Note: Trim color includes support legs and Framed Door option (FD) when selected.

Single lock can be specified for laterals.

Trig Credenzas with Doors and Laterals

Dimensions Depth Width	Height	List F Thermo Gra	ofused	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer/ Door Color	Trim Color	Lock Type	Lock Option
(612) Lateral and Single	26°/4" (680) Door LH 26°/4" (680)	2117		TRGCLATSDR45	LD No Cost Lami- nate Door FD +\$440 Framed Door	Plexi- glass (01, 02) No Cost Frosted Plexi- glass (E3A) +\$73 3-Form (E01- E03) +\$145	No Cost Applied L Classic E Streamline AZ Designer MD Modem MMM Mod2 When specifying a Modem pull, the Framed Door (FD) will include coordinating Mod2 pull.	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8) Specify for Lateral/ Laminate Door only	Standard Finish No Cost Pre- mium Finish + \$14 (See Surface Materials Page 8)	No Lock TRG (One Lock) + \$33 Trig Lock	R No Cost Trig Ran- dom T (One Lock) \$-16 (Two Locks) \$-32 Trig Key Alike Note: Be sure to order core/ key sets (TLCK) sepa- rately.
		our com ımber he										_		_



Open Storage Credenza

All Shelves are fixed.

The upper storage units are 10 1/2" high and the bottom storage units are 11 3/4" high.

Trig Cre	Trig Credenzas – Open Storage												
Depth	Dimensions Width	s Height		Price sed Grade 2	Catalog Number	Unit/ Shelf Color	Top Color	Top Edge Color	Leg Trim Color				
Open Stora 20" (508) 20" (508)	30" (762) 36" (914)	26 ³ /4 ¹¹ (680) 26 ³ /4 ¹¹ (680)	\$ 1250 \$1351	\$1305 \$1406	TRGCOS30 TRGCOS36	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	Standard Finish No Cost Premium Finish + \$14 (See Surface				
Open Stora 20" (508)	age 612 45" (1143)	26³/4" (680)	\$1502	\$1580	TRGCOS45				Materials Page 8)				
			Build your (Part Numbe			_	_	_	_				

Sample Part Number:

Total Cost \$1502 =





Freestanding Lateral

The Trig Freestanding Lateral includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side filing bars, front-to-back filing bars and leveling glides. Drawers accommodate side-to-side, letter, A4, legal and EDP filing.

Optional locking available for drawers.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

Freestanding Pedestal

The Trig Freestanding Pedestal includes full extension ball bearing slides, side-to-side filing bars, front-to-back filing bars, and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

Optional locking available for drawers.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

Trig Freestanding Lateral

Depth				ofused ade	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Color	Leg Trim Color	Lock Type	Lock Option
20" (508)	36" (914)	263/4" (680)	\$1802	l .	TRG612LAT20 TRG612LAT2036	No Cost Applied L Classic E Stream- line AZ Designer	Thermo- Fused Lami- nate (See Surface Materials Page 8)	Thermo- Fused Lami- nate (See Surface Materials Page 8)	Thermo- Fused Lami- nate (See Surface Materials Page 8)	Thermo- Fused Lami- nate Drawer Edge will match Drawer Color	Standard Finish No Cost Premium Finish + \$14	NL No Cost No Lock TRG + \$33 Trig Lock	R No Cost Trig Random T \$-16 Trig Key Alike
Trig Fre	Trig Freestanding Pedestal List Price Thermofused Grade Dimensions Depth Width Height 1 2				Catalog Number	MM Mod2 MD				Color	(See Surface Materials Page 8)		Note: Be sure to order core/ key sets (TLCK)
20" (508)	151/2" (394)	263/4" (680)	\$1240	\$1271	TRG612PED20	Modem							separately.
	Build your complete Part Number here:						_	_	_	_	_	_	_

Sample Part Number:

Total Cost \$1597 =





Freestanding Double Door Storage

The Trig Freestanding Double Door Storage include hinged doors with optional locking. (Locking not available with aluminum door option) Unit comes with (1) shelf that adjusts vertically in 2 1/2" increments. Unit also includes leveling glides in each 2" support leg.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

Note: Trim color includes support legs and Framed Door option (FD) when selected.

Trig Bookcase

The bookcase unit includes one adjustable shelf. The shelf is 5/8" thick and adjust vertically in 2 1/2" (64) increments.

Shipped ready to assemble.

Trig Freestanding Double Door Storage

Depth	Dimensions Width	Height	Therm	Price ofused ade 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Option
20" (508)	30" (762) 36" (914)	26 ³ /4" (680) 26 ³ /4" (680)	\$1389 1568	\$1444 1646	TRGDD20 TRGDD2036	LD No Cost Laminate Door FD + \$882 Framed Door	Plexi- glass (01, 02) No Cost Frosted Plexi- glass (E3A) + \$145 3-Form (E01- E03) + \$292	Classic E Stream-line AZ Designer MM Mod2 MD	fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8) Specify only if LD selected	fused Laminate Door Edge will match door color	dard Finish No Cost	No Lock TRG + \$33 Trig	R No Cost Trig Ran- dom T \$-16 Trig Key Alike Note: Be sure to order core/ key sels (TLCK) sepa- rately.
		Build yo Part Nu											_		_

Trig Bookcases

Depth	Dimensions Width	Height	A 222 A 224		Catalog Number	Unit/Shelf Color			Leg Trim Color
20" (508)	30" (762) 36" (914)	263/4" (680)	\$ 939 1040	\$ 994 1095	TRGCBC30 TRGCBC36	Thermofused Laminate (See Surface Materials Page 8)	Thermofused Laminate (See Surface Materials Page 8)	Thermofused Laminate (See Surface Materials Page 8)	Standard Finish No Cost Premium Finish + \$14 (See Surface Materials Page 8)
		Build you Part Num							_

Sample Part Number:	TRGCBC30	.XZY	.XZY	.XZY	.K _		
Total Cost \$939 =	\$939	N/C	N/C	N/C	N/C		

The Trig Bench-Height Storage is available in five different widths. Lateral units include full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars, and leveling glides.

Optional locking available on drawers.

45" wide Lateral Open Shelf unit comes with (1) shelf that adjusts vertically in 2 1/2" increments.

Units are intended for freestanding applications.


Units ship fully assembled except for 2" support legs.

Tria Rench-Height Storage

Depth	Dimensions Width	Height	Lock	Therm	Price ofused ade 2	Catalog Number	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer Front Color	Trim Color	Lock Type	Lock Option
(12) Late 20" (508) 20" (508) (12) Late 20" (508) 20" (508) 20" (508) 20" (508) 20" (508)	eral 30" (762)	21" (533) 21" (533) 21" (533) 21" (533) 21" (533) 21" (533) 21" (533) 21" (533)	1 Lock	\$1522 1699	\$1577 1754 \$1924 1972 2165 \$1924 1972	TRGBFLAT30 TRGBFLAT36 TRGBFLATOSR45 TRGBFLATOSR60 TRGBFLATOSL45 TRGBFLATOSL48 TRGBFLATOSL60	No Cost Applied L Classic E Stream- line AZ De- signer MM Mod2 MD Modern	Thermo- fused Lami- nate (See Surface	Thermo- fused Lami- nate (See Surface Materials	Thermo- fused Lami- nate (See Surface Materials	Thermo- fused Lami- nate Drawer Edge	Standard Finish No Cost Pre- mium Finish + \$14 (See Surface Materials Page 8)	NL No	R No Cost Trig Ran- dom T (One Lock) \$-16 Trig Key Alike Note: Be sure to order core/ key sets (TLCk) separately
	Build your complete Part Number here:													_

Sample Part Number:

Total Cost \$2104 =



Bench-Height Storage (continued)

Bench-Height Cushion

Trig Bench-Height Cushion includes upholstered cushion and four attached velcro tabs to affix cushion to top of Bench-Height Storage Units.

		<u> </u>											
Dimensions Depth Width F	deight	Lock	1	2	Catalog Number	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer Front Color	Trim Color	Lock Type	Lock Option
2 (12) Lateral 20" (508) 60" (1524) 21"	(533)	2 Locks	\$2355	\$2460	TRGBF2LAT60	No Cost Applied L Classic	nate (See Surface	Thermo- fused Lami- nate (See Surface Materials	fused Laminate (See Surface	Thermo- fused Lami- nate Drawer Edge will	Stan- dard Finish No Cost	NL No Cost No Lock TRG (Two	R No Cost Trig Ran- dom
2 (12) Lateral w/ Center Sh 20" (508) 72" (1829) 21" 20" (508) 75" (1905) 21"	(533)		\$2541 2588			Stream-line AZ De-signer MM Mod2 MD Modern	Page 8)	Page 8)	Page 8)	match Drawer Color	Finish + \$14 (See Surface Materi- als Page 8)		(Two Locks) \$-32 Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately.
		I your co		•									

Trig Bench-Height Cushion

	Dimensions Width Depth Height				List Price Fabric Grade										Catalog		
Width	Depth	Height	Α	В	С	D	Е	F	G	Н	ı	J	K	Nu	mber	Color	
15" (381) 30" (762)	20" (508)	1" (25)	\$338 409				\$418 512								BC2015 BC2030	See Seating price book Surface Material Section	
											ır con ber h		•				
	Sample Part Numbe	v.	TRGB	F2LA	TCS7	5 .1	MD	.XZ3	.x:	Z 3	.XZ3	.x	Z4	.K	.TRG	.т	

Total Cost \$2608 =

						_		_
\$2588	N/C	N/C	N/C	N/C	N/C	N/C	\$52	\$-32



Trig Bench-Height Bookcase

The book case unit includes one adjustable shelf. The shelf is 5/8" thick and adjusts vertically in 2 1/2" (64) increments. The bookcase unit is designed to accommodate standard binders on one of the shelves.


Shipped ready to assemble.

Trig Bench-Height Bookcase

Depth	Dimensions Width	Height		Price sed Grade 2	Catalog Number	Unit/Shelf Color	Top Color	Top Edge Color	Leg Trim Color
20" (508)	30" (762) 36" (1219)	21" (533)	\$865 966	\$920 1021	TRGBFBC30 TRGBFBC36	Thermofused Laminate	Thermofused Laminate	Thermofused Laminate	Standard Finish No Cost
						(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Premium Finish + \$14 (See Surface Materials Page 8)
	Ш		d your cor Number h						

Sample Part Number:

Total Cost \$865 =



Electrical

Pedestal Shelf Combination Storage

The Trig Pedestal Shelf Combination Storage combines the functionality of a pedestal with the added storage of shelves. The storage unit is available in Right- and Left- Hand versions. The Right Hand version is intended for placement on the right-hand of a workstation with the shelves facing inward. The Left-Hand version is intended for placement on the left-hand of a workstation with the shelves facing inward. The 6612 Pedestal includes full extension ball bearing slides, sideto-side and front-to-back filing bars and leveling glides. Drawers accommodate


side-to-side letter, A4, legal and EDP filing. The shelf storage includes one adjustable shelf that adjusts. vertically in 2 1/2" increments.

Available accessories include a Marker Board or Tackboard that can be added to the aisle side of the unit. Option locking available on pedestal drawers.

Units are intended for freestanding applications, or can be used as work surface support if used in combination with option Trig Work Surface Support Brackets.

Unit ships fully assembled.

Trig Pedestal Shelf Combination Storage – Right-Hand **List Price** Thermofused Top Drawer Work Grade Dimensions Catalog Pull Unit Тор Surface Edge Front Lock Lock Depth Width Height 2 1 Number Style Color Color Color **Bracket** Color Type Option 6612 Ped and Open Shelves on Side No Thermo-Thermo-Thermo-Thermo-NL BN Cost fused No No No fused 20" (508) 151/2" (394) 473/4" (1213) \$ 1537 \$ 1615 TRGCS6612OSR20 fused fused Applied Laminate Laminate Laminate aminate Cost Cost Cost 24" (610) TRGCS6612OSR24 151/2" (394) 473/4" (1213) 1637 1715 No Trig No 30" (762) TRGCS6612OSR30 151/2" (394) 473/4" (1213) 1715 1793 Lock Ran-**Bracket** (See (See (See Classic Drawer dom Surface Surface Surface **TRG** BY Edge Materials Materials Ε + \$33 + \$64 will Page 8) Page 8) Page 8) Streammatch Trig **\$**-16 Two line Drawer Lock Trig Brack-Color Key ets ΑZ Alike Designer Note: Trig Pedestal Shelf Combination Storage – Be sure MM Left-Hand to order Mod2 core/ List Price key sets Thermofused MD (TLCK) Grade **Dimensions** Catalog Modern sepa-Depth Width Height Number rately 6612 Ped and Open Shelves on Side \$1615 TRGCS6612OSL20 20" (508) 473/4" (1213) \$1537 151/2" (394) 24" (610) 1715 TRGCS6612OSL24 473/4" (1213) 151/2" (394) 1637 30" (762) 151/2" (394) 473/4" (1213) 1793 TRGCS6612OSL30 1715 **Build your complete** Part Number here:




Marker Boards

The Trig Marker Board provides a white, writing surface for use with dry erase markers. Marker Boards can be mounted to the aisle side of Combination Storage units.

Tackboards

The Trig Tackboard can be mounted to the aisle side of Combination Storage units. The Tackboard has a tackable panel fabric front and velcro attachment tabs.

Width	Usage
12	Front of Pedestal Shelf Combination Storage
16	Aisle Side 20" Deep Ped Shelf Combination Storage
20	Aisle Side 24" Deep Ped Shelf Combination Storage
24	Aisle Side 30" Deep Ped Shelf or 30" Wide Combination Storage



Trig Marker Boards

Dimei Width	nsions Height	List Price	Catalog Number
12" (305)	17" (432)	\$230	TRGMB1217
16" (406)	17" (432)	277	TRGMB1617
20" (508)	17" (432)	346	TRGMB2017
24" (610)	17" (432)	401	TRGMB2417
36" (914)	17" (432)	508	TRGMB3617

Build your complete Part Number here:





<u> </u>									
Dime Width	ensions Height	0/1	2		Price Grade 4	5	6	Catalog Number	Fabric Color
12" (305) 16" (406) 20" (508) 24" (610) 36" (914)	17" (432) 17" (432) 17" (432) 17" (432) 17" (432)	\$ 107 114 122 139 153	\$ 135 142 150 167 181	\$ 150 157 165 182 196	\$164 171 179 196 210	\$183 190 198 215 229	\$200 207 215 238 260	TRGTB1217 TRGTB1617 TRGTB2017 TRGTB2417 TRGTB3617	(See Surface Materials Page 7)
			E	Build yo	ur com	plete			

Part Number here:

Sample **TRGMB1217** N/A Part Number: N/C Total Cost \$230 = \$230

Storage Tower with Double-Door

The Trig Storage Tower with Double-Doors include hinged double doors, with three shelves that adjust vertically in 2 1/2" increments, and leveling glides.

Optional locking and aluminum doors available (Locking not available in combination with aluminum doors)


Units are intended for freestanding applications.

Units ship fully assembled.

Trig Storage Tower with Double-Door

Depth	Dimensions Width	Height	List I Thermo Gra	ofused	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Framed Door Trim Color	Lock Type	Lock Option
		53 ³ / ₄ " (1365) 65 ³ / ₄ " (1670)	\$2087 2312	\$2227 2452	TRGTSDD54 TRGTSDD66	LD No Cost Lami- nate Door FD +\$1178 Framed Door	Plexi- glass (01,02) No Cost Frosted Plexi- glass (E3A) \$292 3-Form (E01- E03) +\$588	No Cost Applied L Classic E Stream- line AZ Designer MM Mod2 MD Modern Not available with Framed Door (FD) option	fused Laminate (See Surface Materials Page 8)	(See Surface	Thermo- fused Laminate (See Surface Materials Page 8)	fused Lami- nate	(See Surfacels Materials Page 8) Specify only if FD selected	NL No Cost No Lock TRG +\$33 Trig Lock	R No Cost Trig Random T \$-16 Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately.
		Build your Part Numb					_								

Sample Part Number:





Lateral, Double Door Storage Tower

The Storage Towers are available with two lateral drawer configurations: 12/12 with 12" drawers or 6/6/12 with two 6" drawers and one 12" drawer.

Lateral drawers includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars. Pre-installed counterbalance weights included. Double-Door storage includes hinged double doors, with two shelves that adjust vertically in 2 1/2" increments.

Optional locking available for both double door and lateral portion. (Lock option not available with framed doors)

Units include leveling glides.

Units ship fully assembled.


Single lock can be specified for laterals.

Trig Lateral, Double-Door Storage Tower

Dimensions Depth Width Height	List Price Thermofused Grade 1 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer/ Door Color	Framed Door Trim Color	Lock Type	Lock Option
6612 Lateral and double-door storage (2 adjustable shelves) 20" (508) 30" (762) 531/4" (1365) 20" (508) 30" (762) 653/4" (1670)	1.		LD No Cost Lami- nate Door FD +\$882 Framed Door	(E3A) + \$145 3-Form	plied L Classic E Stream-line AZ De-	Thermo- fused Lami- nate (See Surface Materi- als Page 8)	Thermo- fused Lami- nate (See Surface Materi- als Page 8)	Materi- als	Thermo- fused Lami- nate Drawer/ Door Edge will match door/ drawer color	No Cost Stan- dard or Pre- mium Finish (See Surface Materi- als Page 8)	NL No Cost No Lock TRG (One Locks) + \$33 Trig Lock	R No Cost Trig Random T (One Lock) \$-16
1212 Lateral and double-door storage(2 adjustable shelves) 20" (508) 30" (762) 53 ¹ / ₄ " (1365) 20" (508) 30" (762) 65 ³ / ₄ " (1670)	1.	TRGTS1212DD54 TRGTS1212DD66		(E01- E03) +\$292	signer MM Mod2 MD Modern When specifying a modern pull, the Framed Door (FD) will include coordinating Mod2 pull				Specify for Lateral/ Lami- nate door only	Specify only if FD se- lected	Locks) + \$52 Trig Lock	\$-32 Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately
Build your o Part Numbe												

Sample Part Number:

Total Cost \$2737 =



Lateral, Open Shelf Storage Tower

Trig Lateral, Open Shelf Storage Tower are available in two lateral drawer configurations: 12/12 with two 12" drawers or 6/6/12 with two 6" drawers and one 12" drawer.

Lateral drawers includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and frontto-back filing bars.

Display Towers

Display Tower with Drawers and Open Shelves The 6" Drawers have full extension ball bearing slides. Locking not available on 6" Drawers.


Display Tower with Open Shelves Features include three shelves that adjust vertically in 2 1/2" increments.

All units are intended for freestanding applications. All units ship fully assembled.

Trig Lat	eral, Op	en Shelf S	Stora	ge To	wer							
D Depth	imensions Width	Height	Therm	Price ofused ade 2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option
1	30" (762)	pen Shelves 53 ³ / ₄ " (1365) 65 ³ / ₄ " (1670)	\$2472 2588	l .	TRGTS6612OS54 TRGTS6612OS66	No Cost Applied	Thermo- fused Lami- nate	Thermo- fused Lami- nate	Thermo- fused Lami- nate	Thermo- fused Lami- nate	NL No Cost	R No Cost Pack
	30" (762)	pen Shelves 533/4" (1365) 653/4" (1670)	\$2355 2434	l .	TRGTS12120S54 TRGTS12120S66	Classic E Stream-line AZ Designer	(See Surface Materials Page 8)	als	(See Surface Materi- als Page 8)	Drawer Edge will match Drawer Color	TRG (One Lock) + \$33	Random T \$-16 Trig Key Alike
Trig Dis	splay To	wers				MM Mod2						Note: Be sure to order core/ key sets
Di Depth	imensions Width	Height	Therm	Price ofused ade 2	Catalog Number	MD Modern						(TLCK) separately.
and Open	Shelves	6" Drawers	0.1500	04.077	TD0T000054							
` ,	15" (381) 15" (381)	53 ³ / ₄ " (1365) 65 ³ / ₄ " (1670)	1820	1898	TRGTS66OS54 TRGTS66OS66							
20" (508)	15" (381)	53 ³ / ₄ " (1365) 65 ³ / ₄ " (1670)	\$1349 1530	l ·	TRGTSOS54 TRGTSOS66							
Build your complete Part Number here:											_	_

Sample Part Number:

Total Cost \$2472 =





Trig Wardrobe Storage Tower and Wardrobe Storage Tower with Bookcase

The Wardrobe Storage Tower provides, wardrobe, drawer and cupboard storage in a single cabinet. Each of these storage areas can be locked independently to allow for varying levels of security. Wardrobe Storage Towers are available in either Right-Hand version with the wardrobe on the right side or a Left-Hand version with the wardrobe on the left side.

Wardrobe Storage Towers have adjustable leveling glides. The wardrobe unit includes a wardrobe bar and one adjustable shelf. The cupboard unit includes two adjustable shelves. The bookcase unit and cupboard unit includes two adjustable shelves. Shelves adjust vertically in 2 ½" (64) increments. The pedestals have full extension ball bearing slides on both the 6" and 12" drawers.

Unit ships fully assembled.

List Price Thermofused When the key-alike lock option "T" is chosen a "disposable" core is assembled in the filing unit to temporarily secure the drawers and doors for transit. The "disposable" core must be field replaced with a Trig Core/Key set in order for the Trig filing unit to lock. The Core/Key set (CLCK) must be order separately or by using the keying order form. Check Customer Care for availability.

Top


Drawer

Trig Wardrobe Storage Tower

Dimensions Depth Width Height		otused ade 2	Catalog Number	Pull Style	Unit Color	Top Color	Edge Color	Front Color	Lock Type	Lock Option
Right Handed Units 24" (610) 24" (610) 66" (1676) Left Handed Units 24" (610) 24" (610) 66" (1676)	\$2580 2637 \$2580 2637	\$2720 2777 \$2720 2777	TRGWSTR661212 TRGWSTR666612 TRGWSTL661212 TRGWSTL666612	No Cost Applied L Classic E Stream-line AZ Designer MM Mod2 MD Modern	Thermo- fused Lami- nate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8) Door Edge will match door color	NL No Cost No Lock TRG (three Lock) + \$75 Trig Lock	R No Cost Trig Random T (three Lock) \$-48 Trig Key Alike *Note: Be sure to order Core/ Key Sets (TLCK) separately
Trig Wardrobe Storage To	List Therm	Price of used ade 2	Okcase Catalog Number						NL No Cost No Lock	No Cost Trig Random
Right Handed Units 24" (610) 24" (610) 66" (1676) Left Handed Units 24" (610) 24" (610) 66" (1676)	\$2697 2757 \$2697 2757	\$2837 2897 \$2837 2897	TRGBCSTR661212 TRGBCSTR666612 TRGBCSTL661212 TRGBCSTL666612						TRG (two Lock) + \$52 Trig Lock	T (two Lock) \$-32 Trig Key Alike *Note: Be sure to order Core/ Key Sets (TLCK) separately
	our comp									-

Sample Part Number:

Total Cost \$2655 =



Display Towers Continue


Display Tower with Door features include a hinged door, with three shelves that adjust vertically in 2 1/2" increments. Optional laminate or framed aluminum doors available. (Lock option not available with aluminum doors)

Trig Display Tower with Door

Dimensions Depth Width Heigh	Therm Gr	Price nofused ade 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Front Color	Framed Door Front Color	Lock Type	Lock Option
Display Tower with Door RH 20" (508) 15" (381) 533/4" (1: 20" (508) 15" (381) 653/4" (1: 20" (508) 15" (381) 533/4" (1: 20" (508) 15" (381) 533/4" (1: 20" (508) 15" (381) 653/4" (1: 20" (508) 15" (508)	70) 1668 65) \$ 1474	1773 \$ 1552	TRGTSSDR54 TRGTSSDR66 TRGTSSDL54 TRGTSSDL66	LD No Cost Lami- nate Door FD + \$588 Framed Door		De- signer	Surface Materials Page 8)	Materi- als	Ther-mo- fused Lami- nate (See Surface Materi- als Page 8)	Ther- mo- fused Lami- nate Door Edge will match door color Specified only if LD selected	No Cost Stan- dard or Pre- mium Finish (See Surface Materials Page 8) Specify only if FD selected	NL No Cost No Lock TRG + \$33 Trig Lock	Trig Ran- dom T \$-16 Trig
	your comp umber he									_	_		_







Trig Wardrobe Display Tower

The Wardrobe Display Tower features include a hinged locking door, one shelf, full width wardrobe bar and leveling glides. Optional laminate or framed aluminum door available. (Lock option not available with framed aluminum door). Wardrobe Display Towers are available in either Right-Hand version with the wardrobe opening to the right side or a Left-Hand version with the wardrobe opening to the left side.

Wardrobe Display Tower has adjustable leveling glides.


Units ship fully assembled.

Trig Wardrobe Display Tower

Depth	Dimensions Width	Height	List F Thermo Gra 1	ofused	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Front Color	Framed Door Front Color	Lock Type	Lock Option
Left Hande 20" (508)	15" (381) 53 ³ / ₄ ' 65 ³ / ₄ ' d 15" (381) 53 ³ / ₄ '	' (1670) ' (1365) ' (1670)	1520	1625 \$1410	TRGTSWRR54 TRGTSWRL54 TRGTSWRL66	LD No Cost Lami- nate Door FD + \$588 Framed Door	Plexi- glass (01, 02) No Cost Frosted Plexi- glass (E3A) +\$145 3-Form (E01- E03) +\$292	No Cost Applied L Classic E Streamline AZ Designer MM Mod2 MD Modern Not available with Framed Door (FD) option	fused Laminate (See Surface		Thermo- fused Lami- nate (See Surface Materials Page 8)	Thermo- fused Lami- nate Door Edge will match Door Color Specify only if LD Selected	Cost Stan- dard or Pre- mium Finish (See Surface	NL No Cost No Lock TRG (one Lock) + \$33 Trig Lock	R No-Cost Trig Ran-dom T (one Lock) \$-16 Trig Key Alike *Note: Be sure to order Core/ Key Sets (TLCK) separately
		ild your							_	_	_	_	_		

Sample Part Number:

Total Cost \$2065 =



Feljowes.

Trig Stack Storage - Open Shelf

Open Shelves can be used where open shelf storage is desired above any Trig credenza or freestanding storage 30" or wider. The stackers are available in two different heights to align with 53 3/4" and 65 3/4" high combination storage and storage towers. Standard features include a 3/8" (10) cord pass-through gap behind the shelves and a 1" full length cord management gap at the base of the back panel. An optional gap guard is available. The 27" high stacker has one adjustable shelf and the 39" has two adjustable shelves. Shelves are 5/8" thick and adjust in 2 1/2" increments.

Stackers ship ready to assemble with all necessary mounting hardware.

Stack Storage - Open Shelf



	Dimensions		Therm	Price ofused ade	Catalog	Unit/ Shelf	Тор	Top Edge	Gap
Depth	Width	Height	1	2	Number	Color	Color	Color	Guard
14" (356)	30" (914)	27" (686) 39" (991)	\$646 808	\$677 863	TRGSOS3027 TRGSOS3039	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	XN No Cost No Gap Guard XG + \$60 Gap Guard
		Build you Part Num							

Sample Part Number:

Total Cost \$646 =



Trig Benching Electrical

Overview & Ordering Information	76
Benching Electrical Components	80
Benching Electrical Accessories	84


Storage



Trig Power Raceway Spanning Cover


The Trig Power Raceway Spanning Cover is used to enclose power and data cables when they span across to an adjacent Table's Raceway. There are three versions of the Cover to accommodate most configurations.

The TRGPRSC12SL is specified when a single U Leg is shared in the center of four adjacent Tops. There is a single notch opening to accommodate the U Leg.







The TRGPRSC12DL is specified when two U Legs are shared legs in the center of four adjacent Tops. There is a single notch opening large enough to accommodate two U Legs.






The TRGPRSC364R is specified when four risers are used, or a combination of four storage pieces that all must be at least 4" shorter than the depth of the Top. There is no opening. This version can be used to accommodate most configurations.








Power Block

Power Blocks ship complete with the Raceway.

- Power Blocks provide power access on both sides, accommodating up to two snap-in Power Duplexes per
- 24" (610) Raceways include only one Power Block, a single Distribution Block that accommodates up to two snap-in Power Duplexes (maximum one per side).
- 30" (762), 36" (914), 42" (1067), 48" (1219), 54" (1372) and 60" (1524) Raceways ship with two Distribution Blocks to accommodate up to four snap-in Power Duplexes (maximum two per side).



Trig Electrical Harness


Electrical Harnesses connect power horizontally from one adjacent Work Surface to



another. The Harness attaches to a Block positioned 9" from the end of each Raceway, so when specifying the Harness length you will add 18" (9" + 9") to the distance between adjacent raceways. The type of Support used will determine the length of Harness required (see table below).

Leg	6"
Ped	18"
Riser	18"
Under Desk Storage	36"

In the figure below, connection A supports include a Ped and a Leg (18" + 6") + (18" for the distance inside the raceway), for a total of 42". For connection B, the supports consist of a Leg and a Leg (6" + 6") + (18") for the distance inside the raceway) for a total of 30".



NOTE: A Harness cannot be used if a full depth storage piece is located next to a Leg. This configuration does not allow sufficient clearance for the Harness to extend to the next table.

NOTE: If no full depth under desk storage is present and fulldepth U legs are positioned diagonally from each other on facing Work Surfaces, you must add 6" to the length of a Harness in order to pass around the U Legs.

Trig Power Infeed

Trig End Mount Infeed

The Trig End Mount Infeed installs into the end of a Power Block. It includes 6' (1829) of flexible liquid tight conduit for hardwiring the standard 4-Circuit Base Feed to the building's electrical system. It can be used on its own or housed by a Trig Floor Power Pole.




Trig Floor Power Pole

The Trig Floor Power Pole is used to channel electrical components and communication cables. It attaches to the side of a Trig U Leg.



The Trig Ceiling Feed supplies power from the ceiling to the Power Block. The Feed is housed by the Trig Ceiling Power Pole. It has 13' (3962) of wire and 12' (3658) of flexible conduit.



Trig Ceiling Power Pole

The Trig Ceiling Power Pole is used to house electrical components and communication cables accessed from the ceiling. It attaches to a Trig U Leg at the end of a run.




Trig Electrical Duplex


The Trig Electrical Duplex provides user access to power. It plugs into the Power Blocks that ship complete with the Raceway. There are nine different duplexes used to create three different 4-Circuit options (See Electrical Circuit Planning section). Each Duplex is color coded and marked to distinguish whether it is a general, dedicated or isolated circuit.

Circuits are marked with the following symbols: I, II, III, IV, I, II, III, IV. Duplexes must be specified separately to match the desired electrical circuit plan.

Communication Module

The Communication Module snaps into an open Duplex location in the Raceway to provide access to communication distribution.








The 8-Wire Trig Electrical Circuit Planning and Hardwiring to Building Electrical Source

The Trig Electrical System is an 8-Wire, 4-Circuit system including a dedicated neutral and ground. Each circuit is rated for 20 amps. The PowerPac Electrical Schematic is included to show how the system installs to the building's power source (Fig. 1). There are three - four circuit options which include:


- Three general circuits, one dedicated circuit (Fig. 2).
- Three isolated circuits, one dedicated circuit (Fig. 3).
- Two general circuits, two isolated circuits (Fig. 4).

Fig. 1 Installing to Buildings Power Source

208/120V 3-Phase Building Supply



240/120V Single-Phase Building Supply



Options for PowerPac Four Circuit System

Fig. 2 Three General Circuits, One Dedicated




Fig. 3 Three Isolated Circuits, One Dedicated





Fig. 4 Two General Circuits, Two Isolated



Electrical

Feliowes

Trig Power Raceway

The Trig Power Raceway provides a steel enclosure that houses and routes power and data in Trig Benching applications. Each Raceway 30" and wider has four openings per side, two for power duplexes and two for data. The 24" Power Raceway has one power and two data openings per side. Raceways are specified to accommodate Fellowes' standard 8 wire 4 circuit power system (P1) or a hardwire solution (H). The Power Raceway ships with an Electrical Block or 2 hardwire boxes included, and attachment brackets installed. Power

Duplexes, Harnesses and Infeeds must be specified separately.

The unit ships with all attachment hardware included. The Raceway is available in all Fellowes Standard and Premium Finishes.

Trig Power Raceway End Cover

The Trig Power Raceway End Cover provides a finished appearance at the end of a Trig Power Raceway.


Not to be used on the same side as an Infeed.

The unit ships with all attachment hardware included. The End Cover is available in all Fellowes Standard and Premium Finishes.

Trig Power Raceway Spanning Covers

The Trig Power Raceway Spanning Cover is used to conceal power and data cables where they span to an adjacent Raceway. The Cover attaches two Trig Power Raceways to create a continuous steel enclosure beneath the surfaces.

The Spanning Cover is available in all Fellowes Štandard and Premium Finishes.




Trig Power Raceway

Width	Dimensions Depth	s Height	List Price	Catalog Number	Power Option	Trim Color
24" (610)	23/4" (70)	51/4" (133)	\$404	TRGPR24	No Cost	Standard
30" (762)			458	TRGPR30	P1	Finish
36" (914)			516	TRGPR36	8 Wire 4 Circuit	No Cost
42" (1067)			538	TRGPR42	1 On our	Premium
48" (1219)			569	TRGPR48	H Ula naturina at	Finishes
54" (1372)			590	TRGPR54	Hardwired	+\$ 40
60" (1524)			638	TRGPR60		



Trig Power Raceway End Cover


Width	Dimensions Height	List Price	Catalog Number	Trim Color
23/4" (70)	51/4" (133)	\$60	TRGPREC	Standard Finish No Cost
				Premium Finishes +\$6



TRGPRSC364R


Trig Power Raceway Spanning Cover

Description	Dime Width	nsions Height	List Price	Catalog Number	Trim Color
Single Shared Leg	141/4" (362)	51/4" (133)	\$143	TRGPRSC12SL	Standard
Double "Single sided" Legs	141/4" (362)	51/4" (133)	143	TRGPRSC12DL	Finish
4 Bench Height Risers	381/4" (972)	51/4" (133)	178	TRGPRSC364R	No Cost
					Premium Finishes +\$20
		d your cor	•		



Sample Part Number:

Total Cost \$404 =



80

TRGPRSC12DL



Trig Ceiling Power Pole

Fellowes


The Trig Ceiling Power Pole encloses and routes power and communication cables from the ceiling to the Trig Power Raceway. The Power Pole is 12' in height and will attach structurally into the ceiling and to the Trig U Leg at the end of a run. Pole capacity is 50 1/4" diameter cables with a ceiling feed.

Note: To connect the Trig electrical system to ceiling power, order the CFTP power feed.

Trig Floor Power Pole


The Trig Floor Power Pole has a 2 inch by 2 inch profile that attaches seamlessly to the side of a Trig U Leg. The Power Pole has a removable 4th side that allows for easy access to power and communication cables. The Pole is 26" high and attaches on the inside quarter of the leg. The Pole capacity is 31 1/4" diameter cables without an infeed, and 23 1/4" diameter cables with an infeed.

Note: To connect the Trig electrical system to building power, order the EBFH Infeed.



Trig Ceiling Power Pole

Width	Dimensions Depth	Height	List Price	Catalog Number	Trim Color
25/8" (67)	2 ⁵ /8" (67)	12' (3658)	\$468	TRGCPP144	Standard Finish No Cost Premium Finishes +\$42
					See Surface Material Page 8



Tria Floor Power Pole

9	<u> </u>				
Width	Dimensions Depth	Height	List Price	Catalog Number	Trim Color
2" (51)	2" (51)	265/8" (676)	\$159	TRGFPP27	Standard Finish No Cost Premium Finishes +\$20 See Surface Material Page 8
		uild your com art Number he			

Sample Part Number:

Total Cost \$159 =



Storage

Fellowes

Trig Ceiling Feed

The Ceiling Feed supplies power from the ceiling to the Trig Raceway. The feed is channeled through the Trig Ceiling Power Pole. The CFTP which has 13' (3692) of wire and 12' (3658) of flexible conduit when fully extended. The Ceiling Feed includes junction box and attachment hardware.


Trig End Mount Feed

The End Mount Base Feed plugs into a Power Block to feed power from the building's electrical system. It provides 6' (1829) of flexible liquid tight conduit for hardwiring the standard four-circuit system. UL and CUL Listed/CSA Certified.

Available in Black only.


Trig Benching Electrical Harness

Trig Electrical Harnesses connect Electrical Blocks, distributing power horizontally from one Trig unit to another. The Electrical Harness is UL Listed and CUL Listed/CSA Certified.



Trig Ceiling Feed

	Wire	Conduit	List	Catalog
	Length	Length	Price	Number
-	15' (67)	14" (4267)	\$213	CFTP144



Trig End Mount Feed

Cord	List	Catalog
Length	Price	Number
6' (1829)	\$233	EBFH



Trig Benching Electrical Harness

Length	List Price	Catalog Number
30" (762)	\$127	TRGPBH30
42" (762)	139	TRGPBH42
48" (762)	150	TRGPBH48
54" (762)	155	TRGPBH54
60" (762)	165	TRGPBH60
66" (762)	169	TRGPBH66
72" (762)	175	TRGPBH72
78" (762)	179	TRGPBH78
90" (762)	181	TRGPBH90

Build your complete Part Number here:

Sample Part Number:

CFTP144

Total Cost \$213 =

\$213

Trig Power Duplexes

The Power Duplex plugs into Electrical Blocks for access to the circuit. Power Duplex is clearly marked for Circuit I, II,III, IV Δ , I Δ , II Δ , III Δ , Δ III Δ or IV access. See Power Electrical Components and Electrical Circuit Planning for guidelines on specifying Electrical Duplexes. Packaged in boxes of six of the same duplex. UL and CUL Listed/CSA Certified.

Communication Modules

The Communication Module snaps into an open duplex location in the baseline and at the beltway. It provides access to communication cables. Jacks are color coded as noted below. Includes icon tabs for easy identification of Data, Phone, Voice, and LAN (Local Area Network) lines.

Note: Verify your configuration with your building telecommunication contractor.

Note: All modules can be installed back to back.

Note: The RJ11 Jacks are rated category 3. The RJ45 Jacks are rated category 5e.


Trig Power Duplexes

Description		List Price	Catalog Number	Trim Color
15 AMP Receptacle	es			Standard
Circuit I	Box of 6	\$ 189	TRGPD151	Finish No Cost
Circuit II	Box of 6	189	TRGPD152	No Cost
Circuit III	Box of 6	189	TRGPD153	See
Circuit IV△	Box of 6	213	TRGPD154	Surface Material
Circuit I△	Box of 6	\$ 228	TRGPD151A	Page 8
Circuit II△	Box of 6	228	TRGPD152A	
Circuit III△	Box of 6	228	TRGPD153A	
Circuit △III△	Box of 6	228	TRGPD153B	
Circuit IV	Box of 6	228	TRGPD154A	



CM552

CM553, CM553BW, CM554



CM555

Communication Modules

Description	List Price	Catalog Number
One RJ45, Cat. 5e, 110 Terminal, Black Jacks, Black Faceplate Two RJ45, Cat. 5e, 110 Terminal, Black Jacks, Black Faceplate Two RJ45, Cat. 5e, 110 Terminal, One Blue Jack, One White	\$ 100 138	CM552 CM553
Jack, Black Faceplate One RJ11, Cat. 3, One RJ45, Cat. 5e, 110 Terminal Three RJ45, Cat. 5e, 110 Terminal, One Black Jack, One Blue	138 138	CM553BW CM554
Jack, One White Jack, Black Faceplate Four RJ45, Cat. 6, One Black Jack, One White Jack, One Green Jack, One Gray Jack	175 389	CM555 CM6666
Note: Communication Modules require an open duplex location.		
110 Terminal		

Build your complete Part Number here:

Sample

\$189

TRGPD151

Part Number:


Total Cost \$189 =


Trig Power Grommet

The Trig Power Grommet includes the Grommet and a 6' cord to plug into an adjacent standard 15 amp outlet. Grommets can be specified with two power outlets, one power outlet and one USB port, or one power outlet and one open data port. The Power Grommet fits a factory cut opening on Trig tops with the PNDR or PNDL option selected. It can also be purchased separately and field installed where desired. Available in Black or White.

Note: A power grommet cannot be installed in a worksurface with a 26.75" high storage unit below.







Trig Power Grommets List Catalog Description Price Number **White Unit Color** 2 Power \$ 301 TRGPND2PW 1 Power 1 USB 425 TRGPND1P1UW TRGPND1P1DW 1 Power a Open Data 301 **Black Unit Color** 2 Power \$ 301 TRGPND2PB 1 Power 1 USB 425 TRGPND1P1UB 1 Power a Open Data 301 TRGPND1P1DB

Build your complete

Part Number here:

Sample Part Number:

TRGPND2PW

Total Cost \$301 =

\$301

Trig Electrical

Electrical Specification Guide	86
Electrical Components	89

Trig Electrical Planning Guide

Trig Workstations can be powered by the optional 4-wire, 2-circuit, 20 Amps each (circuit 1 and 2 only) electrical system. The systems excepts up to 10 receptacles per circuit, 20 receptacles per Base Feed. Allowing for a total of 10 Power Sets per Base Feed.

The main system components are Power Sets, Electrical Harnesses, H-Connectors and Power Base Feeds. All components are UL listed.


All work surfaces are predrilled to accept Power Sets. These are attached to the underside of the surface by a metal spring clip. The overall height of the system is just over an inch. This provides a very low profile which will not interfere with the user's legs under the table.

There is currently no capacity in this system for data management.

Electrical Harness Selection

Trig Electrical Harnesses are used to connect Power Sets mounted on different work surfaces. The length of the harness needed will depend on the layout and size of work surfaces used. The following diagrams and tables will help identify the specific length harness needed for a particular layout.

Side By Side



For this layout, the harness length is calculated by the following equation:


(Half of Surface 1 width) + (Half of Surface 2 width) - 6" = Harness Length

If calculated harness length does not match an exact size, select next longer length.

Surface (1) is 60" wide Example: Surface (2) is 66" wide

(30") + (33") - 6" = 57" (57" is not a standardsize so a 60" length is selected)

Back to Back (Surfaces of Equal Width)




In this layout, the power Base Feed connects to the H-Connector. From there, the power is split to the Electrical Harness to bring power to each surface.

The chart below shows the needed harness length for each width of work surface. (A separate harness will need to be ordered for each surface)

Work Surface Width							
Harness Length	18"	24"	24"	30"	30"	36"	36"


COMBINING LAYOUTS Side by Side and Back to Back



In this layout, both side-by-side and back-toback planning information is needed to specify the correct electrical components. The harness length required to connect the work surfaces side-by-side is determined by using this equation:

(Half of Surface 1 width) + (Half of Surface 2 width) -6" = Harness Length.


To connect these work surfaces back-to-back, refer to the corresponding chart above.



In this U-Shape layout where only 48" deep ends can be used, the power Base Feed will connect to the H-Connector and the power is split to go to each surface. The chart below shows the needed harness length for each width of work surface. (A separate harness will need to be ordered for each surface)

Work Surface Width	54"	60"	66"	72"	78"	84"
Harness Length	60"	60"	66"	66"	66"	66"

L-Shape (Except Blade)



For this layout, the needed harness length will vary as the width and depth of the work surfaces change. The Trig Base Feed will end mount to Power Sets on one of the tables, but the harness length that connects the two work surfaces is determined from the following tables:

Layout 1

Main Surface (1) = 20" deep Return Surface (2) = 20", 24" or 30" deep

Return Surface (2) width (maximum size is 72" with under desk)

Main Surface (1) width

	54"	60"	66"	66"	72"
48"	48"	48"	54"	54"	60"
54"	48"	48"	54"	54"	60"
60"	48"	48"	54"	54"	60"
66"	48"	54"	54"	54"	60"
72"	48"	54"	54"	60"	60"
78"	54"	54"	54"	60"	60"
84"	54"	54"	60"	60"	66"

Layout 2

Main Surface (1) = 24" deep Return Surface (2) = 20", 24" or 30" deep

Return Surface (2) width (maximum size is 72" with under desk)

Main Surface (1) width

	48"	54"	60"	66"	72"
48"	48"	48"	54"	54"	60"
54"	48"	48"	54"	54"	60"
60"	48"	48"	54"	54"	60"
66"	54"	54"	54"	54"	60"
72"	54"	54"	54"	60"	66"
78"	54"	60"	60"	60"	66"
84"	54"	60"	60"	60"	66"

Layout 3

Main Surface (1) = 30" deep Return Surface (2) = 20", 24" or 30" deep

Return Surface (2) width (maximum size is 72" with under desk)

Work Surface (1) width

	48"	54"	60"	66"	72"
48"	54"	60"	60"	66"	66"
54"	54"	60"	60"	66"	66"
60"	54"	60"	60"	66"	66"
66"	60"	60"	66"	66"	66"
72"	60"	60"	66"	66"	72"
78"	60"	66"	66"	66"	72"
84"	60"	66"	66"	72"	72"



Power Set

The Trig Power Sets allow power to be connected between work surfaces without the need for a system panel. Each Power Set includes two receptacles for a total of 4 outlets. Each outlet has one receptacle for circuit 1 and one for circuit 2.

Power Sets are centrally located on the work surfaces. Spring clips for mounting are included. Power Sets are connected between work surfaces with Trig Electrical Harnesses. Trig Base Feed brings power to the Power Sets.

Note: Work surfaces are predrilled for Trig Power Set mounting to assure a standard location that is centrally located. UL and CUL Listed/CSA Certified


Trig Base Feed

The Trig Base Feed conducts power from the building to the Trig Power Set. It includes 6' (1829) of flexible liquid-tight conduit for hard-wiring the standard two-circuit system to the building power supply.

Trig Base Feed is also used with a Trig H-Connector in cases where a single power feed needs to be split in two directions. Trig Electrical Harnesses are used to link the H-Connector to the Power Sets in this type of configuration.


Electrical Harnesses

Trig Electrical Harnesses connect Trig Power Sets between two surfaces. Harnesses are also used with Trig H-Connectors when a single Base Feed is split in two directions. The specific length of the harness needed will depend on the layout and work surface sizes. Refer to Trig Electrical Planning guide before specifying a harness length. (If your specific layout is not shown, please contact Fellowes Customer Care for assistance.)



Trig Power Set

Width	List Price	Catalog Number
12" (305)	\$193	TRGDR12



Trig Base Feed

Width	Lis Pric		Catalog Number
6' (1829) 12' (3658)		52 29	TRGPF TRGPF12



Trig Electrical Harness

	Number
\$83	TRGEH18
87	TRGEH24
91	TRGEH30
95	TRGEH36
104	TRGEH42
113	TRGEH48
119	TRGEH54
125	TRGEH60
130	TRGEH66
139	TRGEH72
145	TRGEH78
	87 91 95 104 113 119 125 130

Build your complete Part Number here:

Sample Part Number:

TRGDR12

Total Cost \$193 =

\$193

New York Base Feed

The Trig New York Base Feed conducts power from the building to the Trig Power Set. It includes 18" (457) of flexible liquid-tight conduit for hard-wiring the standard two-circuit system to the building power supply.

Trig New York Base Feed is also used with a Trig H-Connector in cases where a single power feed needs to be split in two directions. Trig Electrical Harnesses are used to link the H-Connector to the Power Sets in this type of configuration.

H-Connector

The Trig H-Connector allows power to be routed in up to 3 different directions. This is useful in layouts that require a single Base Feed to reach multiple work surfaces.

(See Planning Guide for Specific Uses.)



Trig Base Feed New York

Width	List Price	Catalog Number
18" (457)	\$144	TRGPFNY



Trig H-Connector

Width	List Price	Catalog Number
2" (51)	\$29	TRGHC
Build y	our complete	
raitinu	illiber liere.	

Sample Part Number:

TRGPFNY

Total Cost \$144 =

\$144

Trig Desking Accessories

Accessories	92
Freestanding Touch Un Markers	94



Vertical Wire Channel

The Vertical Wire Channel encloses power or light cords on the face of a panel. It attaches to back panel with self-adhesive backing. Packaged in boxes of three.

Horizontal Wire Manager

The Horizontal Wire Manager accommodates electrical cords and communication cables. It attaches under all work tops and desks. Includes mounting hardware.

Available in Black only.

Grommet for Work Surface


The Work Surface Grommet is available for situations that require grommets in addition to standard locations or as replacements.

Available in black or silver.



Vertical Wire Channel

Length	Dimensions Width	Depth	List Price	Catalog Number	Trim Color
24" (610) Package Co	1/2" (13) ontains 3 Wire Cha	¹ /2" (13) annels	\$30	vwc3	Standard Smooth Finish Only See Surface Materials
					Page 8



Horizontal Wire Manager

Catalog Number	List Price	Height	Dimensions Length	Depth
HWM30	\$44	2" (51)	30" (762)	3" (76)




Grommet for Work Surface

Depth	Dimensions Grommet Diameter	Drill Hole Diameter	List Price	Catalog Number	
¹⁵ / ₁₆ " (24)	2.8" (71)	23/8" (60)	\$75	SIZGWS (Black)	
¹⁵ / ₁₆ " (24)	2.8" (71)	23/8" (60)	\$75	SIGSGWS (Silver)	
Includes 6 gr	ommets.			, ,	

Part Number here:

Sample Part Number:

Total Cost \$30 =



Electrical

Freestanding Touch Up Markers

The Touch Up Markers are for use with the Thermofused Laminate. They are available individually or as a kit. The kit includes one marker of each color.

Description	List Price	Catalog Number
Wild Cherry	\$ 81	ZFTUPXZ1
Fusion Maple	81	ZFTUPXZ2
Empire Mahogany	81	ZFTUPXZ3
Black	81	ZFTUPXZ4
Kit (all 4 colors)	228	ZFTUPKIT
	Build your complete	
	Part Number here:	

Sample Part Number:

ZFTUPXZ3

Total Cost \$81 =

\$81

Terms & Policies

Terms & Policies	96
Warranty	104

96

Fellowes

FELLOWES CONTRACT INTERIORS GLOBAL TERMS AND CONDITIONS OF SALE (All Locations)

These terms shall be considered to be an inseparable part of any additional terms between the applicable Fellowes entity and Customer and are collectively referred to herein as the Terms and Conditions. To the extent that any terms provided by Customer conflict with the terms and conditions that follow, these Terms and Conditions shall govern that transaction.

Acceptance; Entire Agreement.

Acceptance by Customer of delivery of goods constitutes acceptance by Customer of the following terms and conditions. Any additional or different terms proposed by Customer shall be deemed to have been objected to by the Fellowes entity ("Fellowes" or "Seller"), shall be of no force or effect, and shall not be binding upon or enforceable against Seller. These terms and conditions constitute the entire agreement and understanding between the parties and supersede any and all prior agreements, understandings and communications with Customer, oral or written, relating to the goods that Seller or any of its subcontractors may provide (collectively, the "Goods"). No course of dealing or course of performance, either prior to, during or after the delivery of the Goods, shall be relevant or admissible by Customer to supplement, explain or vary these Terms and Conditions. The invalidity or unenforceability of any Terms and Conditions shall not affect the validity or enforceability of any other term or condition, and the remaining terms and conditions shall remain in full force and effect. No waiver, amendment or modification of these Terms and Conditions shall be binding upon or enforceable against Seller until approved in writing by a Fellowes Authorized Signatory.

Proprietary Information; Confidentiality.

Advertising. Customer shall consider all information furnished by Fellowes, as well as information learned about Fellowes' business or products, to be confidential and shall not disclose any such information to any other person or entity or use such information itself for any purpose other than performing hereunder, unless Customer obtains written permission from Fellowes to do so. This paragraph shall apply to drawings, specifications, or other documents prepared by Customer or Fellowes in connection with this order as well as observations of Customer while receiving goods or services. Customer shall not advertise or publish the fact that Fellowes has contracted to sell goods or services to Customer, nor shall any information relating to the order be disclosed without Fellowes' written permission unless otherwise agreed in writing, no commercial financial or technical information disclosed in any manner or at any time by Customer to Fellowes shall be deemed secret or confidential and Customer shall have no rights against Fellowes with respect thereof except such rights as may exist under patent or copyright laws.

Trademark Rights.

Fellowes grants Customer a non-exclusive, royalty-free license to use the Fellowes' trademarks included on any goods purchased hereunder (the "Licensed Marks") in connection with Customer's sale or marketing of goods in the course of Customer's business. The license granted herein does not include a right to sublicense. Customer acknowledges that Fellowes is the owner of the Licensed Marks, and nothing herein shall grant to Customer any right, title or interest in the Licensed Marks, except as specifically set forth herein. Customer shall use Fellowes' trademarks in a manner that is consistent with Fellowes' standards. This includes using the ® designation adjacent to registered trademarks, and the TM designation adjacent to unregistered trademarks, where practicable. Customer shall cooperate with Fellowes' requests to ensure that Fellowes' trademarks are used in this manner. Fellowes shall have the right to review and inspect any marketing or promotional materials relating to the Licensed Products and, in its sole discretion, to prohibit the use of any such materials that do not meet Fellowes' standards. If Customer becomes aware of any infringing products, Customer will promptly notify Fellowes, which reserves the right to take any action. This trademark license is revocable at Fellowes' sole discretion.

Prices guoted by Fellowes are subject to change without notice. Prices billed on invoice at time of shipment shall govern. Unless otherwise stated, all prices are quoted in U.S. Dollars. Seller will not accept or process purchase orders that contain pricing different from the standard prices. Fellowes reserves the right to revise all pricing, discounts, and freight terms, at any time, without notice. Current product pricing is included on product pages at Fellowes.com. Prices which are in effect at the time of order shall apply. Listed prices exclude additional fees applicable to special services requested by Customer (e.g., special cutting).

Taxes.

The prices for the Goods do not include sales, use and other taxes, duties and other governmental fees and charges that may be applicable to the Goods, and Customer shall be responsible for and pay upon demand all such taxes, duties and other governmental fees and charges (other than income taxes of Seller), notwithstanding that responsibility for collection or payment of such taxes, duties and other governmental fees and charges may be imposed by law on Seller or any of its subcontractors. All authorized dealers should ensure that a resale tax exemption certificate is on file with Fellowes.

Discontinued products.

Due to changing market demands, Fellowes may periodically discontinue certain products. Fellowes reserves the right to change and/or discontinue products at any time without notice.

Credit.

Fellowes may, in its sole discretion, extend credit to the Customer. For credit limits in excess of \$100,000, Fellowes requires audited financial statements prior to initial credit approval and on an annual basis thereafter. Fellowes shall perform periodic credit reviews using credit reporting agencies, trade references, industry trade groups and banks. In the event of a material adverse change in Customer's credit standing or in the event that Customer does not comply with the terms of these



provisions, Fellowes shall have the right to change terms of payment, and Fellowes obligation to provide Products will be subject to reaching mutual agreement on revised terms.

To establish an account, Customer must complete and submit Fellowes' New Account Application (signed by company officer of Customer), Federal Taxpayer ID (Form W-9) and State Resale Certificate. Subject to sales, credit history, and credit lines, a deposit or advance payment may be required to process large orders.

Once credit is approved, payment terms are net 30 days. Prior to Customer's credit approval (with receipt of required documents), prepayment of orders may be made by corporate check, wire transfer or ACH or for convenience, credit cards (Visa and Mastercard) are accepted.

Payment.

Unless otherwise agreed in writing or stated on the Invoice, all payments are to be made in US Dollars and all amounts payable by Customer shall be due and payable in full 30 days after invoice. Fellowes will not accept the unilateral assessment of any fee, marketing support, co-op or other advertising, expense reimbursement, rebate, offset or any other financial or marketing support not explicitly authorized in writing by an authorized officer of Seller.

Any amounts not paid in full within 30 days after invoice shall be subject to a late payment charge of 1 ½ % per month (or, if less, the maximum amount permitted by law) from the date due until paid. Fellowes' obligation to provide Products is subject to receipt of prompt payment of all invoices pursuant to the terms of this and other agreements we may have with Customer. Progress billing of interest due or a failure to bill for interest due shall not constitute a waiver of Fellowes' right to charge interest on all amounts past due to the date payment is received. Should any portion of an invoice become disputed you agree to pay the undisputed portion according to its terms, and you will notify us promptly of the dispute.

Both parties agree to use their best efforts to resolve the disputed portion of such invoice within 30 days. Fellowes shall have the right to set off against any amount that Fellowes may be obligated to pay to Customer any amounts due or to become due to Fellowes from Customer and its divisions, subsidiaries and affiliated companies. Fellowes may assign payments due to a wholly-owned subsidiary without consent.

Order Placement and Confirmation.

(a) Stocked Finished Goods (Workspace Category).

Fellowes be submitted via e-mail to ci-orders@Fellowes.com. Orders must include "Ship To" and "Bill To" information along with complete Fellowes product model numbers and Customer cost. Government orders require a copy of the agency PO at the time the order is placed with Fellowes. All orders shall be subject to written acceptance by an authorized representative of Fellowes. Incomplete orders or changes will delay processing and shipment until receipt of all necessary information and Fellowes issuance of revised Sales Order Acknowledgment.

(b) For Made-to-Order, Special, and Custom Products (Furniture, Modular Walls, and Air Quality Management Categories)

Fellowes requires all orders to be submitted electronically via on-line order entry at www.fellowes.com, or in writing following Ordering Procedures. Fellowes recommends using design software for larger projects which allows the dealer to design, specify, and enter an order more efficiently and accurately which will assure completeness and avoid errors and duplications. Customer assumes all responsibility for the correct content of any order which has been acknowledged.

Upon receiving an order, Fellowes will send an acknowledgement with exact pricing information and a scheduled shipping date. Orders can also be confirmed on-line at www.fellowes.com. Customer is responsible for checking acknowledgements to ensure that the order is correct. Order will be processed as acknowledged.

Order changes or cancellations.

All Customer cancellations and changes must be submitted to Fellowes in writing to ci-orders@Fellowes.com. Any request for cancellation or change to an order must be submitted within twenty-four (24) hours of receipt of order acknowledgement by Fellowes. Any requested cancellation or change received thereafter will incur a fee. Order changes include the addition/deletion of line items or changes in quantity or requested Ship Date or Ship To address. Order changes that result in a quantity reduction may be subject to an adjustment in pricing. Change or cancellation requests are not considered accepted until Fellowes provides a revised Sales Order Acknowledgment. Changes may result in processing delays or shipping delays. Under no circumstances will changes or cancellations be accepted on any special order, custom product, or worksurface order without the express written consent of Fellowes. All such custom and special orders are non-returnable.

Lead-Times and Delays.

Fellowes reserves the right to alter lead times as demand for products fluctuate. Stated lead-times begin after a complete order is entered and scheduled. Shipments are subject to product availability. Special products and larger orders may entail extended lead-times. Orders placed by dealers without a requested delivery date will be assigned a delivery date for custom product orders as currently published at www.fellowes.com. Please contact your customer service representative for estimated lead-times. If unforeseen circumstances occur, Fellowes may postpone delivery of orders and will notify Customer when such postponement occurs.

Fellowes shall not be liable for loss or damage due to delay in manufacturing or delivery resulting from any cause beyond Fellowes' reasonable control. This includes, but is not limited to, compliance with any regulations, orders, or instructions of any Federal, State, or Municipal Government, or any department or agency thereof, acts of God, acts or omissions of Customer, acts of civil or military authority, fires, strikes, disease or pandemic, factory shutdowns or alterations, embargoes, war, riot, delays in transportation or inability due to causes beyond Fellowes' reasonable control to obtain necessary labor, manufacturing facilities, or material from Fellowes' usual sources. In no event shall Fellowes be liable for special or consequential damages for any delay for any cause.

Shipping and Transportation.

(a) For Stocked Finished Goods

48-hour shipping program

Fellowes offers 48-hour shipping on the majority of finished goods in that are in stock. Unless otherwise requested, these products are shipped from multiple shipping points throughout the U.S., within two business days of receiving the PO, depending on quantity ordered and available inventory. Orders that include products with longer lead times including special orders, custom products, or worksurface orders, are designated as "LT" (lead time) and therefore excluded from the 48-hour shipping program. Large orders may also require additional lead time. Products designated as LT could take up to 90 days for delivery after Fellowes' receipt of Customer's order. Call for on-hand availability.

Please note:

- 1. For the order to qualify for 48-hour shipping, all products on the PO must be available under the 48-hour shipping
- 2. POs that include LT designated products will be shipped based on the lead time of the LT designated products unless otherwise requested.
- 3. 48-hour orders will be shipped out within two business days of Fellowes' receipt of Customer's order unless otherwise specified on the PO.
- 4. Worksurfaces, Motific, Centro, and Railway may arrive on a date different than the other items on the order.

For all other purchases, delivery dates for the Goods shall be established by mutual agreement of Fellowes and Customer. The minimum order size is \$1500. Fellowes may at its option accept orders not meeting the minimum order size with a \$75 handling fee. Customer shall provide any special shipping or labeling requirements to Fellowes for consideration prior to the first shipment.

Freight terms are as follows:

For U.S.:

- Orders under \$2,500 list will incur a flat \$25 net fee
- Orders between \$2,501 list and \$5,000 list will incur a flat \$100 net fee
- Orders between \$5,001 list and \$7,000 list will incur a flat \$200 net fee
- Orders over \$7,001 list ship free
- Residential freight deliveries will incur a flat \$70 net fee.

For Canada:

- Orders under \$3,125 (CAD) list will incur a flat \$50 (CAD) net fee
- Orders between \$3,126 (CAD) list and \$6,250 (CAD) list will incur a flat \$125 (CAD) net fee
- Orders between \$6251 (CAD) list and \$9375 (CAD) list will incur a flat \$250 (CAD) net fee
- Orders over \$9,376 (CAD) list ship free
- Residential freight deliveries will incur a flat \$140 (CAD) net fee.

Fellowes ships orders by way of standard ground carrier service dock-to-dock within the contiguous 48 states of the United States. Special requests such as "call before delivery", "delivery lift gate required", residential delivery, re-routed deliveries, or specific delivery date/time requests may be subject to additional charges or may not be available. Contact our Customer Service Department for expedited delivery requests or deliveries outside of the contiguous 48 states. Customers will be charged additional fees for changes made to orders that have already departed the facility, resulting in re-delivery or reconsignment.

Fellowes accepts requests for expedited freight at the customer's expense. Please contact our Customer Service Department at 800.833.3746 and provide your preferred carrier account number in which to charge the expedited freight.

Unless an Invoice expressly specifies otherwise, all Goods shall be delivered F.O.B. the shipping platform at the shipping facility, and all shipping and transportation costs from the shipping platform at such facility shall be borne by Customer and all risk of loss, damage or late delivery shall pass to Customer upon loading at the shipping platform at such facility. Seller shall have no responsibility for any failure of or delay in delivery caused by or attributable to war, sabotage, riot, civil disorder, fire, flood, earthquake, explosion, accident, natural or manmade disaster, governmental action, shortage or interruption of supply of materials, supplies, equipment or energy, transportation problem, strike, labor stoppage or slowdown, or other cause beyond the reasonable control of Seller.

(b) For Made-to-Order, Special, and Custom Products

All orders shipped to any destination within the contiguous United States, will be F.O.B. origin, freight prepaid. Except as noted above, title and risk of loss or damage shall pass to Customer upon delivery to carrier. Fellowes shall retain a Purchase Money Security Interest in all such goods until payment is received in full and reserves the right to file and perfect the same. Fellowes will determine the method and agency of transportation to be used.



Exceptions to standard prepaid freight are as follows:

- Customer directed expedites (Air Freight, Team Hauls) will be prepaid by Fellowes and Customer will be billed the difference between standard and expedited freight.
- Truckload deliveries that are requested to deliver on weekends, Holidays or after 12:00 noon EST on Fridays will have an additional charge of \$450 per truck.
- Excessive unloading (in excess of 2 hours) will be billed at \$50 per hour after the initial 4 hour unloading period.
- LTL shipments normally deliver between 8:00 am and 5:00 pm, Monday through Friday. A specific delivery time on your
 assigned delivery date can be requested for an additional charge of \$150. This charge does not apply to full-truckload
 shipments. Requests for specific dates/times falling outside standard delivery timeframe for the carrier serving your area
 constitute Expedites (see Customer-Directed Expedites, above). Expedite charges do apply to full-truckload shipments.
- Lift gate service will have an additional charge of \$85 for an LTL carrier. For lift gate service on a truckload, contact Customer Service.
- Inside delivery service starts at \$50. Call Customer Service for quote.
- Reconsignment cost after shipment starts at \$50. Call Customer Service for quote.
- Special equipment requirements call for a quote.

If delivery is made on Fellowes owned or leased equipment, Customer or its authorized representative is responsible for noting any freight damage or shortage on the freight bill of lading at time of delivery and must notify Fellowes within five (5) days of delivery day of any such damage or shortage. Assistance in a concealed damage claim will be provided by Fellowes only if the product has been immediately unpacked and both the carrier and Fellowes have been promptly notified of resultant damage so the proper inspection can be made.

Damage and Shortage.

Fellowes is not responsible for shipped products when the common carrier is in receipt of the material. Fellowes expects all customers to thoroughly inspect orders on receipt regardless of point of delivery. Clear receipt should not be given on the material until it has been checked for damage in transit. All claims for noted damaged material must be made by the Customer to Fellowes Customer Service. Concealed damage or damage not noted at time of delivery shall be made by the Customer to the common carrier within five (5) days after receipt. Fellowes assumes no liability for such damage. Shortage on ordered products must be reported to Fellowes within five (5) days of product delivery and must be noted on the bill of lading at time of delivery.

Storage.

When shipment is delayed by the Customer, Fellowes reserves the right to place the goods in storage at Customer's risk and cost. Fellowes charges ¼ of 1% of list price per week to cover storage. All terms and conditions of the sale, including but not limited to invoicing and payment, will continue to apply to Customer's confirmed order; except that title shall remain with Fellowes. Fellowes reserves the right to modify payment terms to assure recovery of any additional cost incurred.

Returned Goods.

To receive authorization to return goods, please contact Fellowes' Customer Service Department. All Returned Materials Authorizations expire thirty (30) days from date of issue. Any product returned after thirty (30) days will be refused and returned to sender collect. Electrical components, nonstandard items and fabric-covered goods may not be returned. Replacement products will be billed to you with credit being issued upon return of the product in good condition. All goods returned must be in the original Fellowes packaging. Goods will be inspected for damage upon return. No credit will be issued for goods which are damaged. A return authorization will not be issued for items unless they are Fellowes stock items. If material is authorized for return because of Fellowes error, shipment may be made freight collect. Any other goods that Fellowes authorizes a return will be sent prepaid and a restocking charge of 35% will apply.

Fellowes offers free returns for any accessory product returned in the original Fellowes packaging.

Fellowes does not accept returns of any made to order, special or custom product.

Installation.

Installation and servicing of Fellowes products are normally handled directly by Fellowes-authorized dealers. When this is not possible, assistance is available by calling Fellowes' Customer Service Department. On-site field measurement and installation support is available as a service. The fees are listed below:

Field Installation Assistance: 2 Day On-Site, \$1,200 Field Installation Assistance: 3 Days On-Site, \$1,800 Field Installation Assistance: 4 Days On-site, \$2,400 Field Installation Assistance: 5 Days On-Site, \$3,000

*Days include ½ day travel to and ½ day travel from location. These fees are based on a minimum fourteen (14) business days advanced notification and booking.

*Service requests booked less than fourteen (14) business days in advance may be subject to additional fees due to added travel cost. For more information or to place a request, contact Fellowes Customer Service at 1-800-833-3746.

Feljowes

Product Usage and Compliance.

Customer assumes full responsibility for the application of Fellowes' product to Customer's use and compliance with Fellowes installation and maintenance instructions and reasonable load restrictions. Compliance to local code restrictions regarding fire, electrical, and building codes are the responsibility of the Customer or its authorized agent.

Customer's Own Material or COM.

The Fellowes COM program allows customers to use special materials. By complying with the COM testing procedure in the steps below, Fellowes will be able to identify if your material is appropriate for application to the products you specify. To comply with the COM process, please follow these steps:

- 1. Select the COM material.
- 2. Check first with www.fellowes.com/, and consult the COM library to determine if this material has already passed testing for manufacturability on the intended product.
- 3. If the material is pre-approved in the COM Library, customer must submit a *COM Order Submission Form* (available from Fellowes Customer Service Representative).
- 4. If the material requested is not in the COM Library, customer must submit a COM test request on-line at www.fellowes.com, send a sample of the COM material (see Test Yardage Requirements below) and include a list of Fellowes product numbers designated for the COM application. Material sample should include pattern name, pattern number and color, manufacturer, direction material should be applied, and Control number from the COM Request Form automated e-mail response.
- 5. Ship COM samples to:

U.S. Mail and UPS/ FedEx Shipment: Fellowes - Attn: COM Request 13467 Quincy Street Holland, MI 49424

6. You will be notified within five working days of receiving the material sample by Fellowes, whether your COM has been approved or disapproved for application.

TEST YARDAGE REQUIREMENTS

TrendWall and Volo Tiles 4 yards
Fabric Screens 2 yards
Choices Panels 1½ yards
Capture Tiles, Intrinsic 1 yard
Freestanding, Ped
Cushions, and Tackboards
Flipper Doors 2/3 yard

NOTE: Most fabric houses have a yard- age minimum or an upcharge on less than one-yard cuts.

NOTE: All COM applications are priced at Grade 1 or Grade A.

If Customer desires to use its own material in the production of Fellowes' products, it is necessary to obtain the prior written consent of Fellowes. Whether purchased by Customer or by Fellowes on Customer's behalf, material provided by the Customer shall be shipped to Fellowes at Customer's sole expense and risk of loss. Fellowes will hold Customer's own materials for up to one (1) year from the date of receipt and thereafter return or dispose of such material at Customer's sole cost and expense.

Customer hereby holds Fellowes harmless against any and all claims for loss, liability, injury, or damage arising from use of Customer-provided material; and Customer takes full responsibility for performance and quality of Customer-provided material. Customer should also be aware that Customer-provided materials may not qualify for UL Listings and may not meet fire codes. Please discuss specific concerns and special needs with Fellowes Customer Service before to placing your order.

Custom Color.

Fellowes' Custom Color program allows the customer to specify their own color on many of Fellowes' products. See www.fellowes.com for product availability, individual product guidelines and lead times. Set up fees and lead times are product specific and will vary.

To request a Custom Color:

- 1. Complete a Custom Color Request form (available on www.fellowes.com).
- 2. Send request form along with two 2"x3" samples to Fellowes Customer Service Color Coordinator.
- 3. After the receipt of the request, Fellowes will provide customer with one color sample.
- 4. If approved, Dealer or customer completes custom color form, providing the custom match color number on the back of the sample, signs, and returns by fax or mail to Custom Color Coordinator.



- 5. Samples will be matched under cool white florescent lighting. All orders processed under the Custom Color program will be manufactured within commercially acceptable tolerances.
- 6. If applicable, dealer will be sent an invoice for \$250 color matching fee per customer, per color. See Specials Request form for details.

Limited Warranty; Limitations on Liability.

Fellowes grants a limited warranty to the end-users of its Goods, the terms of which are included with each product. Fellowes warrants to the Customer solely that, subject to the terms, conditions and limitations hereof, the Goods conform to the specifications set forth in the Fellowes catalog and will be transferred to customer free and clear of any and all encumbrances. FELLOWES MAKES NO OTHER WARRANTIES AND GIVES NO OTHER ASSURANCES OR GUARANTEES, EXPRESS OR IMPLIED, WITH RESPECT TO ANY GOODS, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

FELLOWES' SOLE LIABILITY IN CONNECTION WITH ANY GOODS THAT ARE DEFECTIVE OR DELIVERED LATE SHALL BE LIMITED TO EITHER (i) REFUNDING TO THE CUSTOMER A PERCENTAGE OF THE TOTAL PRICE (EXCLUSIVE OF TAXES, SHIPPING AND OTHER SEPARATE CHARGES) THAT THE CUSTOMER HAS PAID TO FELLOWES FOR ALL GOODS PROVIDED EQUAL TO THE PERCENTAGE OF ALL GOODS PROVIDED THAT ARE DEFECTIVE OR DELIVERED LATE DUE TO THE SOLE FAULT OF FELLOWES AND ITS SUBCONTRACTORS, OR (ii) AT FELLOWES' OPTION, REPLACING FOR THE CUSTOMER, AT NO CHARGE TO THE CUSTOMER, THE GOODS THAT ARE DEFECTIVE OR DELIVERED LATE DUE TO THE SOLE FAULT OF FELLOWES AND ITS SUBCONTRACTORS.

IN NO EVENT SHALL FELLOWES OR ANY OF ITS SUBCONTRACTORS BE LIABLE FOR (i) ANY INCIDENTAL, INDIRECT, EXEMPLARY, SPECIAL OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, INTEREST, LOST PROFITS OR INTERRUPTION OF BUSINESS), EVEN IF FELLOWES HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR IF SUCH DAMAGES RESULT FROM ANY RECOMMENDATIONS MADE BY FELLOWES, OR (ii) ANY LOSSES, DAMAGES, LIABILITIES, SUITS OR CLAIMS THAT ARE COVERED BY ANY INSURANCE MAINTAINED BY OR ON BEHALF OF THE CUSTOMER OR ARE OTHERWISE RECOVERABLE FROM THIRD PARTIES.

IN ADDITION, THE LIABILITY OF FELLOWES AND ITS SUBCONTRACTORS FOR LOSSES, DAMAGES, LIABILITIES, SUITS AND CLAIMS, REGARDLESS OF THE FORM OF ACTION (WHETHER BASED ON CONTRACT, ON NEGLIGENCE, ON STRICT LIABILITY OR OTHERWISE) AND THE PERSON OR ENTITY BRINGING SUCH ACTION, SHALL NOT EXCEED, IN THE AGGREGATE, THE TOTAL AMOUNT (EXCLUSIVE OF TAXES, SHIPPING, AND OTHER SEPARATE CHARGES) ACTUALLY PAID TO SELLER BY THE CUSTOMER FOR THE GOODS AT ISSUE. ANY ACTION AGAINST SELLER MUST BE BROUGHT WITHIN ONE YEAR OF THE CAUSE OF ACTION FIRST ARISING.

Lifetime Warranty.

Fellowes warrants to the original purchaser that the products described in its price lists, sold after March 1, 2023, will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses these products. This warranty provides limits on the following products:

	Products	Components
10 Years	Lighting	Panel and Wall Textiles
	Power Solutions	
TO rears	Hana Series	
	Palm Rests/Mouse Pads/ Pencil Drawers	
5 Years		Upholstered Cushions
		PET and Acrylic Screens and Modesties
		Seating Mesh
		Plastic Components
		Paint
Not Covered		Customer's Own Material
		Custom Requested Logos
		Special Paint Textures and Finishes

The following exceptions apply to all product lines:

The Fellowes warranty applies to normal Eight hour, Forty hours per week office use.

Damage caused by improper treatment of the product including exposure to unusual environmental conditions (extreme climates, acids, and moisture)

This comprehensive warranty applies to all products installed or reconfigured by a Fellowes authorized installer. Fellowes will repair, or at its sole option, replace defective merchandise, free of charge, which, when used normally and pursuant to Fellowes' published instructions, and applicable planning guide information, prove to be defective within the period stated. This remedy is expressly agreed to be exclusive as a condition of sale. No person is authorized to assume for Fellowes

any warranty liability, except as expressly set forth in this paragraph, or set forth in writing by an authorized officer of the company.

Any and all labor charge backs must be pre-approved by Fellowes' Customer Service Manager in writing. Fellowes will reimburse authorized Fellowes dealers and service centers with a credit against future orders.

This warranty does not apply to damage resulting from accident, alteration, transport, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. Fellowes employs quality measures to ensure color consistency in our products. However, due to the effects of light and other environmental factors, no guarantee can be made for an exact match to product in an existing installation.

Fellowes makes no warranty to purchasers who acquire products for personal, family, or household purposes, or to purchasers acquiring the product other than directly from Fellowes, its authorized dealers, or others who are specifically authorized by Fellowes to sell such products. Fellowes' liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which a claim might be based, including negligence. Under no circumstances shall Fellowes be liable for incidental or consequential damages. Original product label must be attached to the product in auestion.

The warranty period is not interrupted or prolonged by the performance of a service under the terms of the warranty. There are no other warranties except as expressly set forth above, either express or implied, and Fellowes expressly disclaims any warranty of design, merchantability or fitness for any purpose.

This warranty supersedes all previously printed Fellowes warranties.

Governing Law and Dispute Resolution.

In no case shall the 1980 U.N. Convention on Contracts for the International Sale of Goods apply.

If Seller is Fellowes, Inc. or any other subsidiary or joint venture of Fellowes, Inc. not listed below:

The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the internal laws of the State of Illinois. Seller and Customer agree that any legal action arising out of or relating to this agreement or the transactions contemplated by this agreement shall be brought in either the United States District Court in and for the Eastern Division of the Northern District of Illinois or the Circuit Court in and for Du Page County, Illinois, and consents to personal jurisdiction of such courts over them in any such action. Seller and Customer waive any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of either Seller and Customer.

If Seller is Fellowes Canada, Ltd.

The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the internal laws of the Province of Ontario, without giving effect to any choice or conflict of law provision or rule that would cause the application of the laws of any jurisdiction other that the Province of Ontario. Each of the Parties agrees that any legal action arising out of or relating to this Agreement shall be brought in Ontario, Canada, and consents to the personal jurisdiction of such courts over the Parties in any such action. Each of the Parties waives any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of any Party hereto.

If Seller is Fellowes Ltd, Fellowes Ibérica S.L., Fellowes GmbH, Fellowes Polska S.A., Fellowes RU Ltd, Beswick Office Products (Pty) Ltd., Fellowes Leonardi S.p.A., or Fellowes France SA:

The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the laws of England and Wales. Seller and Customer agree that any legal action arising out of or relating to this agreement or the transactions contemplated by this agreement shall be brought in England and Wales, and consents to personal jurisdiction of such courts over them in any such action. Any such action shall be conducted in English. Seller and Customer waive any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of either Seller and Customer.

If Seller is Fellowes (Australia) Pty. Ltd:

The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the laws of Victoria, Australia. Seller and Customer agree that any legal action arising out of or relating to this agreement or the transactions contemplated by this agreement shall be brought in courts of the State of Victoria, and consents to personal jurisdiction of such courts over them in any such action. Any such action shall be conducted in English. Seller and Customer waive any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of either Seller and Customer.

If Seller is Fellowes Office Products Suzhou Co. Ltd, Fellowes Singapore, Fellowes Malaysia, Fellowes Korea Ltd: The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the internal laws of the State of Illinois. Any controversy or claim arising out of or relating to these Terms and Conditions, or the breach thereof, will be determined by arbitration administered by the International Centre for Dispute Resolution ("ICDR") in accordance with its International Arbitration Rules. A request for interim measures addressed by Seller and Customer to a judicial authority will not be deemed incompatible with the agreement to arbitrate or a waiver of the right to arbitrate. The place of arbitration will be Chicago, Illinois, U.S.A. The number of arbitrators shall be three (3); Seller and Customer will each appoint one (1) arbitrator, and ICDR will appoint a third arbitrator, who will be the presiding arbitrator. The language of the arbitration will be English. The arbitration award made by ICDR will be final and binding upon the parties. The costs of arbitration will be borne by the losing party, unless otherwise determined by the arbitration award.



Notwithstanding the forgoing, if Customer is domiciled in the People's Republic of China or any other jurisdiction that does not enforce the judgments from a court of a jurisdiction designated by the foregoing paragraphs, the paragraph calling for arbitration with the ICDR shall apply.

Relationship of parties.

References herein to "Customer" include the person or entity specifically identified in the Invoice as "Customer" and its divisions, subsidiaries and affiliated companies. The relationship of the Parties hereto is that of vendor and purchaser. Nothing in these Terms and Conditions, and no course of dealing between the Parties, shall be construed to create any other type of relationship. Accordingly, Customer shall not be empowered to bind Fellowes in any way, to incur any liability or otherwise act on behalf of Fellowes.

Severability.

If any clause or portion of these Terms and Conditions shall be held by a court of competent jurisdiction to be illegal, invalid, or unenforceable, the remaining clauses or portions shall remain in full force and effect.

Force majeure.

Fellowes shall not be liable hereunder for any failure or delay in the performance of its obligations under these Terms and Conditions, if such failure or delay is on account of causes beyond its control, including labor disputes, civil commotion, contagion, pandemic, war, fires, floods, inclement weather, governmental regulations or controls, casualty, government authority, strikes, or acts of God, in which event the Fellowes shall be excused from its obligations for the period of the delay and for a reasonable time thereafter. Fellowes shall use reasonable efforts to notify the other Party of the occurrence of such an event within five business days of its occurrence.

Fellowes Customer Service Contacts: *Workspace*

Phone: 800-833-3746

Email: cimesacustomerservice@fellowes.com

Furniture, Modular Walls, and Air Quality Management

Phone: 800-893-8115

Email: ciquincycustomerservice@fellowes.com

Lifetime Warranty

Fellowes warrants to the original purchaser that the products described in its price lists, sold after May 1, 2023, will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses these products. This warranty provides limits on the following products:

	Products	Components
10 Years	LightingPower SolutionsHana SeriesPalm Rests/Mouse Pads/ Pencil Drawers	Panel and Wall Textiles
5 Years		 Upholstered Cushions PET and Acrylic Screens and Modesties Seating Mesh Plastic Components Paint
Not Covered		Customer's Own MaterialCustom Requested LogosSpecial Paint Textures and Finishes

The following exceptions apply to all product lines:

- · The Fellowes warranty applies to normal Eight hour, Forty hours per
- Damage caused by improper treatment of the product including exposure to unusual environmental conditions (extreme climates, acids, and moisture)

This comprehensive warranty applies to all products installed or reconfigured by a Fellowes authorized installer. Fellowes will repair, or at its sole option, replace defective merchandise, free of charge, which, when used normally and pursuant to Fellowes' published instructions, and applicable planning guide information, prove to be defective within the period stated. This remedy is expressly agreed to be exclusive as a condition of sale. No person is authorized to assume for Fellowes any warranty liability, except as expressly set forth in this paragraph, or set forth in writing by an authorized officer of the

Any and all labor charge backs must be pre-approved by Fellowes' Customer Service Manager in writing. Fellowes will reimburse authorized Fellowes dealers and service centers with a credit against future orders

This warranty does not apply to damage resulting from accident, alteration, transport, or misuse, as well as damage from normal

wear and tear such as dents, nicks, scratches, fading and improper maintenance. Fellowes employs quality measures to ensure color consistency in our products. However, due to the effects of light and other environmental factors, no guarantee can be made for an exact match to product in an existing installation.

Fellowes makes no warranty to purchasers who acquire products for personal, family, or household purposes, or to purchasers acquiring the product other than directly from Fellowes, its authorized dealers, or others who are specifically authorized by Fellowes to sell such products. Fellowes' liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which a claim might be based, including negligence. Under no circumstances shall Fellowes be liable for incidental or consequential damages. Original product label must be attached to the product in question

The warranty period is not interrupted or prolonged by the performance of a service under the terms of the warranty. There are no other warranties except as expressly set forth above, either express or implied, and Fellowes expressly disclaims any warranty of design, merchantability or fitness for any purpose.

This warranty supersedes all previously printed Fellowes warranties.

02/23