



FOLDING CHAIRS & STOOLS

PRICE LIST

January 3, 2011

Updated March 31, 2023

800.424.2432




Ordering Customer's Own Material (C.O.M.) Upholstery		
Information		3
Intellectual Property Authorization		
		4
400 Series Folding Chairs		
General Information		5
400 Series		
Product Color Options		6
Folding Chairs (Delivered Pricing)		7
Folding Chairs (Freight Excluded Pricing)		8
600 Series Folding Chairs		
General Information		9
600 Series		
Product Color Options		10
Folding Chairs (Delivered Pricing)		11
Folding Chairs (Freight Excluded Pricing)		12
ValueLite®		
General Information		13
Folding Chairs (Delivered Pricing)		14
Folding Chairs (Freight Excluded Pricing)		15
Industrial Adjustable Stools		
General Information		16
Product Color Options		17
600 Series		
Industrial Stools (Delivered Pricing)		18
Industrial Stools (Freight Excluded Pricing)		19
Industrial Stools (Delivered Pricing)		20
Industrial Stools (Freight Excluded Pricing)		21
Industrial Stools (Delivered Pricing)		22
Industrial Stools (Freight Excluded Pricing)		23
Folding Chair Storage and Accessories		
General Information		24
Product Color Options		25
Folding Chairs (Delivered Pricing)		26
Folding Chairs (Freight Excluded Pricing)		27
Folding Chairs (Delivered Pricing)		28
Folding Chairs (Freight Excluded Pricing)		29
Folding Chair and Stool Accessories		
Folding Chairs and Stools (Delivered Pricing)		30
Folding Chairs and Stools (Freight Excluded Pricing)		31



How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor’s website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer’s upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer’s responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION



Architectural Walls	System 3000..... MN	Maestro Stack Chairs GB
Evoke..... MN	Universal Overheads..... MN	Medical & Laboratory Stools..... OM
Genius Walls..... MN	Wireworks MN	MyPlace Lounge SeatingHN
	Unite..... MN	MyWay Seating.....HN
Casegoods		Oath Task Chairs and Stools..... GB
Aristotle Tackboards.....MN	Residence Hall Furniture	Opt4 GB
Likha Tackboards.....MN	RoomScope Furniture MN	Pilot Task Chairs..... OM
		Promenade Seating SystemBW
Classroom Furniture	Screens	Ruckus.....GB
Intellect Wave Chairs..... GB	All Terrain..... KP	Sela Lounge SeatingHN
Learn2 GB	Connection Zone.....BW	Sift Task Chairs GB
Ruckus.....GB	True/Volition KP	Signia Task Chairs and StoolsOM
	Genesis KP	Soltice Metal Collection.....HN
Desking	Tattoo..... MN	Soltice Multiple, Healthcare & Guest .HN
700 Series DeskingKP	Universal.....BW	Soltice II Healthcare Seating.....HN
Balance Overheads MN		Strive Multiple, Stack & Task GB
Genesis Desking..... MN		SwayBW
True Desking.....KP	Seating	Tattoo.....HN
Universal Overheads..... MN	400 Series Folding Chairs.....BW	Torsion-on-the-Go! Nesting Chairs GB
WorkZone Desking MN	600 Series Folding Chairs.....BW	Torsion Air Stack and Task Seating GB
	600 Series Stools.....BW	ZoetryHN
Files & Storage	Affina Collection.....HN	
700 Series Pedestal Cushion..... GB	Altus Task Chairs..... GB	
Connection Zone Pads.....BW	Apply Stack Chairs GB	
U-Series Pedestal Cushion.....GB	Calida Lounge SeatingHN	
Tattoo.....BW	Diem Task Chairs OM	
	Doni Collection..... GB	
Fixed Seating	Gladly Lounge SeatingVQ	
Concerto Auditorium SeatingBW	Grazie Seating GB	
Single Pedestal Seating GB	Hub Modular Lounge SeatingHN	
Jury Base Seating..... GB	Impress Task Chairs OM	
Lancaster Auditorium SeatingBW	Impress Ultra Task Chairs OM	
Sequence Seating..... GB	Jessa Lounge SeatingHN	
University Seating..... GB	Jubilee Lounge Seating.....VQ	
	Katera Guest Chair..... GB	
Panel Systems	Kurv Benches.....HN	
All Terrain.....KP	LaResta Day BedsHN	
Balance Overheads MN	LimeLite GB	
	Lyra Lounge Seating.....HN	

KI C.O.M. Manufacturing Site Addresses:

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107	<u>HN</u> KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263	<u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220	<u>VQ</u> KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623
<u>GB</u> KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	<u>KP</u> KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7	<u>OM</u> KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761	



“EXHIBIT A”

INTELLECTUAL PROPERTY

Trademarks:

Copyrights:

Logos:

PRODUCTS

(KI product name(s) to be applied with the logo)

KI
1330 Bellevue Street
Green Bay, WI 54302

Tel 920.468.8100
Fax 920.468.0280
www.ki.com

Page 2 of 2

EMAIL



PRODUCT SPECIFICATIONS

400 Series Folding Chair

February 2020

TECHNICAL SPECIFICATIONS

The KI 400 Series Folding Chairs deliver optimum quality at a minimum price.

- KI Model 401 - no upholstery
- KI Model 404 - vinyl upholstered seat and backrest

400 Series Frames

Frames are electrically seam-welded 19-gauge, 7/8" O.D. tubular steel. The two leg braces are 19-gauge, 5/8" O.D. tubular steel.

Steel Backrests

Backrests are 7 1/2" deep, pitched for proper posture support. Panel is curved 24-gauge cold-rolled steel with fully curled edge and spot-welded to frame.

404 Upholstered Backrest

Vinyl upholstered backrest panel of 1/2" polyfoam is stapled to plastic base. Attached to backrest by rivets. Backrests are not field replaceable.

401 Steel Seat

One piece 21-gauge cold-rolled drawn and shaped steel. Seat pivots on 1/4" tempered steel rivets.

404 Upholstered Seats

20-gauge recessed steel seat pan. Vinyl upholstered 1.25" polyfoam stapled to hardboard panel attached by rivets. Upholstered Seats are not field replaceable.

Feet


Replaceable non-marring linear polypropylene.

Frame Finish

Chair frames are finished with baked-on, electrostatically-applied epoxy powder-coat paint.




DIMENSIONS cont.




400 Series Upholstered Folding Chair

STATEMENT OF LINE



DIMENSIONS



400 Series Folding Chair





Frame Color

Beige	BE
Black	BL
Grey	GE

Frame/
Upholstery Color

Black	BL
Grey	GE

Finish Cards

View color swatches for items listed within this document.

Paints

Plastics/Poly

Wood/Veneer

Laminates

Molded Edges

Edge Styles

Hard Plastics

Glass

Certain options referenced may not be available on GSA Schedule.



400 Series

Folding Chairs (Delivered Pricing)



400 Series

Folding Chairs (Delivered Pricing)

		MODEL NUMBER				
		Basic Model	Frame Color	Frame/Upholstery Color		
 FC4	MODEL				Approx. Packaged Weight	Delivered Pricing
	Steel <ul style="list-style-type: none">• Double hinge• Seam-welded tubular steel frame• Heavy-duty steel seat and backrest• 2 double riveted crossbraces--front and rear	Unupholstered	401D	<input type="checkbox"/> <input type="checkbox"/>	11.0#	\$ 69
 FC4U	Upholstered Seat and Back <ul style="list-style-type: none">• Double hinge• Seam-welded tubular steel frame• Heavy-duty steel seat and backrest• 2 double riveted crossbraces--front and rear• 1-1/4" polyfoam seat pad• 1/2" polyfoam backrest	Upholstered	404D	<input type="checkbox"/> <input type="checkbox"/>	13.0#	\$ 96
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select frame/upholstery color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.

400 Series
Folding Chairs (Freight Excluded Pricing)



400 Series
Folding Chairs (Freight Excluded Pricing)

		MODEL NUMBER				
		Basic Model	Frame Color	Frame/Upholstery Color		
 FC4	MODEL				Approx. Packaged Weight	Freight Excluded Pricing
	Steel <ul style="list-style-type: none">• Double hinge• Seam-welded tubular steel frame• Heavy-duty steel seat and backrest• 2 double riveted crossbraces--front and rear	Unupholstered	401D	<input type="checkbox"/> <input type="checkbox"/>	11.0#	\$ 54
 FC4U	Upholstered Seat and Back <ul style="list-style-type: none">• Double hinge• Seam-welded tubular steel frame• Heavy-duty steel seat and backrest• 2 double riveted crossbraces--front and rear• 1-1/4" polyfoam seat pad• 1/2" polyfoam backrest	Upholstered	404D	<input type="checkbox"/> <input type="checkbox"/>	13.0#	\$ 71

A **B** **C**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select frame/upholstery color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight excluded.** Freight class 85.

Specifications and prices are subject to change without prior notice.



PRODUCT SPECIFICATIONS

600 Series Folding Chair

February 2020

TECHNICAL SPECIFICATIONS

The KI 600 Series Folding Chairs deliver optimum quality at a minimum price.

- KI Model 601 - no upholstery
- KI Model 604 - upholstered seat and backrest
- KI Model 634 - screen printed vinyl

600 Series Frames

Frames are electrically seam-welded 19-gauge, 7/8" O.D. tubular steel. The two leg braces are 19-gauge, 5/8" O.D. tubular steel.

Steel Backrests

Backrests are 7 1/2" deep, pitched for proper posture support. Panel is curved 24-gauge cold-rolled steel with fully curled edge and spot-welded to frame.

604 Upholstered Backrest

Vinyl or fabric upholstered backrest panel of 1/2" polyfoam is stapled to plastic base. Attached to backrest by rivets. Backrests are not field replaceable.

601 Steel Seat

One piece 21-gauge cold-rolled drawn and shaped steel. Seat pivots on 1/4" tempered steel rivets.

604 Upholstered Seats

20-gauge recessed steel seat pan. 1.25" polyfoam stapled to hardboard panel attached by rivets. Upholstered Seats are not field replaceable.


Feet

Replaceable non-marring linear polypropylene.

Frame Finish

Chair frames are finished with baked-on, electrostatically-applied epoxy powder-coat paint.


DIMENSIONS



600 Series Folding Chair




DIMENSIONS cont.




600 Series Upholstered Folding Chair

STATEMENT OF LINE



601FC



604FC



634FC



Frame Color

Azure Grey	AGM
Beige	BE
Black	BL
Blue Grey	GR
Brown	BR
Cayenne	CY
Earthen Clay	EY
Nordic	ND
Sand	SA
Warm Grey	WG

Feet/Bumper Color

Beige feet/bumpers	BEF
Black feet/bumpers	BLF
Grey feet/bumpers	GRF

Finish Cards

View color swatches for items listed within this document.

Paints

Plastics/Poly

Wood/Veneer

Laminates

Molded Edges

Edge Styles

Hard Plastics

Glass

Certain options referenced may not be available on GSA Schedule.



600 Series

Folding Chairs (Delivered Pricing)



600 Series

Folding Chairs (Delivered Pricing)

		MODEL NUMBER								
		Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/ Bumper Color				
MODEL	Features						Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Vinyl Group 1
	Steel <ul style="list-style-type: none">• Double hinge• Seam-welded tubular steel frame• Heavy-duty steel seat and backrest• 2 double riveted crossbraces--front and rear	Unupholstered	601FC	□□□			9.5#	\$ 84		
FC6										
	Upholstered Seat and Back <ul style="list-style-type: none">• Double hinge• Seam-welded tubular steel frame• Heavy-duty steel seat and backrest• 2 double riveted crossbraces--front and rear• 1-1/4" polyfoam seat pad• 1/2" polyfoam backrest	Upholstered	604FC	□□□	□□□	□□□□	12.0#	N/A	\$ 142	\$ 142
FC6U										
		A	B	C	D	E				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See Options for TB133 upcharge.
- D**Select upholstery grade/color.
Refer to [ki.com/fabrics](#)
- E**Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = 604FC
Added Lead Time=1 Week
Added List Price=\$11
Model = 634FC
Added Lead Time=1 Week
Added List Price=\$20

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



600 Series

Folding Chairs (Freight Excluded Pricing)



600 Series

Folding Chairs (Freight Excluded Pricing)

		MODEL NUMBER								
		Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/ Bumper Color				
MODEL	Features						Approx. Packaged Weight	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Fabric Grade 1 & C.O.M.	Freight Excluded Pricing Vinyl Group 1
	Steel <ul style="list-style-type: none">• Double hinge• Seam-welded tubular steel frame• Heavy-duty steel seat and backrest• 2 double riveted crossbraces--front and rear	Unupholstered	601FC	□□□			9.5#	\$ 74		
FC6										
	Upholstered Seat and Back <ul style="list-style-type: none">• Double hinge• Seam-welded tubular steel frame• Heavy-duty steel seat and backrest• 2 double riveted crossbraces--front and rear• 1-1/4" polyfoam seat pad• 1/2" polyfoam backrest	Upholstered	604FC	□□□	□□□	□□□□	12.0#	N/A	\$ 123	\$ 123
FC6U										
		A	B	C	D	E				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See Options for TB133 upcharge.
- D**Select upholstery grade/color.
Refer to [ki.com/fabrics](#)
- E**Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = 604FC
Added Lead Time=1 Week
Added List Price=\$11
Model = 634FC
Added Lead Time=1 Week
Added List Price=\$20

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight excluded.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Value Lite Single Hinge (VL.100)

Features	
Seam-welded tubular steel frame	•
Single hinge	•
Wallsaver design	•
General Dimensions	
Seat height	17-3/4"
Overall width	18-1/2"
Overall depth	21-1/8"
Overall height	33-3/8"
Folded depth	3"

SPECIFICATIONS


Frame
Electrically seam-welded 17-gauge x 1-1/8" o.d. tubular steel. 13-gauge "ribbed" linkage, 2-1/4" 11-gauge under seat support brace, 13-gauge side seat support 3/4" arched welded crossbraces.

Seat and Backrest
1-1/4" thick high-density polyethylene plastic.

INFORMATION

Warranty
Refer to KI Terms & Conditions document or visit ki.com



	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
	MODEL	Basic Model		
 HRDPT	ValueLite Single Hinge <ul style="list-style-type: none">• Single hinge• High-density polyethylene seat and back• Front and back arched welded cross-braces• Polyethylene glides• Frame color hammer tone black• Seat and back color speckled white• Sold 4 per carton• Integrated handle in backrest• Seat and back thickness 1-1/4"	VL.100.BL.WH	13.0#	\$ 101

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

Cartoning
Model VL.100 - shipped 4 units per carton

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



MODEL	MODEL NUMBER			
	Basic Model	Approx. Packaged Weight	Freight Excluded Pricing	
 HRDPT	ValueLite Single Hinge <ul style="list-style-type: none">• Single hinge• High-density polyethylene seat and back• Front and back arched welded cross-braces• Polyethylene glides• Frame color hammer tone black• Seat and back color speckled white• Sold 4 per carton• Integrated handle in backrest• Seat and back thickness 1-1/4"	VL.100.BL.WH	13.0#	\$ 76

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

Cartoning
Model VL.100 - shipped 4 units per carton

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight excluded.** Freight class 85.

Specifications and prices are subject to change without prior notice.

Industrial Adjustable Stools

General Information



Industrial Adjustable Stools

General Information



Steel Seat Stool
(630)



Upholstered Seat Stool (618U)



Wood Seat Stool
(624WA)

Features			
Three height ranges available	•	•	•
Adjustable height legs optional	•	•	•
Masonite hardboard seat	•		
Wood seat			•
Upholstered seat		•	
General Dimensions			
Seat height	18", 24", 30"	18" - 38"	19" - 39"
Seat diameter	14"	14"	14"
Base spread	23-1/5"	19-1/4"	20-9/10"



Polypropylene Seat Stool
(624P)

Features	
Three height ranges available	
Adjustable height legs optional	
Masonite hardboard seat	
Wood seat	
Upholstered seat	
Steel backrest	
Polypropylene seat	•
Upholstered backrest	
General Dimensions	
Seat height	18" - 38"
Seat diameter	14"
Backrest height	
Backrest width	
Base spread	20-9/10"

600 SERIES INDUSTRIAL STOOLS SPECIFICATIONS

Frames

Two leg sections of 18-gauge, 7/8" o.d. seam-welded tubular steel are crossed and welded together. Footring and leg frame are welded into a single unit. Footrings are 18-gauge, 5/8" o.d.; shaped for an enlarged weld area at point of contact with leg. Replaceable polyethylene feet.

Steel Seat

20-gauge die-formed steel pan with fully curled edges for strength and safety. 14" diameter. Tempered hardboard Masonite inset riveted into seat recess.

Upholstered Seat

20-gauge die-formed steel pan. 14" diameter. Replaceable 5/8" foam pad mounted to linerboard, fastened into seat recess with mechanical fasteners. Upholstered in vinyl.

Wood Seat

14" diameter, 1-1/4" hardwood (rubberwood) with

clear lacquer finish. Attached to seat with screws. coating.

Polypropylene Stool Seats

Injection-molded thermoplastic with integral rib construction for strength. 13" diameter. Color permeates throughout. White marks may occur at four spots on the front edge of seat but does not alter the structural integrity of the chair.

Nonstandard Steel Stool Seat Heights

Minimum order of 10 stools. Minimum height is 15". Specify standard model with next greater height than required.

Base Spreads

Base spread for 18" stools are 14"; 24" stools are 15-1/4"; 30" stools are 15-1/2".

Glides

Glides are available on standard or adjustable stools. Glides are optional on non-adjustable stools.

Frame Finish

Baked-on, electrostatically-applied epoxy powder

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Frame Color

Azure Grey	AGM
Beige	BE
Black	BL
Blue Grey	GR
Brown	BR
Cayenne	CY
Nordic	ND
Sand	SA
Warm Grey	WG

Feet/Bumper Color

Beige	BEF
Black	BLF
Grey	GRF

Seat Color - Polypropylene

Black	PBL
Cayenne	PCY
Blue Grey	PGR
Light Tone	PLG
Nordic	PND
Sand	PSA
Hazy Jade	PHJ

Finish Cards

View color swatches for items listed within this document.

Paints

Plastics/Poly

Wood/Veneer

Laminates

Molded Edges

Edge Styles

Hard Plastics

Glass

Certain options referenced may not be available on GSA Schedule.



600 Series

Industrial Stools (Delivered Pricing)



600 Series

Industrial Stools (Delivered Pricing)

			MODEL NUMBER							
			Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/ Bumper Color			
MODEL			Features					Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Vinyl Group 1 & C.O.V.
 600	Steel Rimmed Seat Stool <ul style="list-style-type: none">Seam-welded tubular steel frame with steel seat panFixed leg or adjustable height leg models availableFixed legs have polyethylene feetOptional adjustable height legs have 8" range in 1" increments and have self-leveling glidesNickel-plated telescoping leg section locks with set screws14" diameter steel seat with tempered hardboard Masonite inset	Fixed Height, 18"H	618	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	8.0#	\$ 98	
		Adjustable Height, 19"-27"H	618A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				11.0#	134	
		Fixed Height, 24"H	624	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	10.0#	115	
		Adjustable Height, 25"-33"H	624A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				12.0#	148	
		Fixed Height, 30"H	630	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11.0#	134	
		Adjustable Height, 31"-39"H	630A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				13.0#	176	
 600U	Upholstered Seat Stool <ul style="list-style-type: none">Seam-welded tubular steel frame with steel seat panFixed leg or adjustable height leg models availableFixed legs have polyethylene feetOptional adjustable height legs have 8" range in 1" increments and have self-leveling glidesNickel-plated telescoping leg section locks with set screws14" diameter steel seat with upholstered seat pad	Fixed Height, 18"H	618U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	8.0#	N/A	\$ 136
		Adjustable Height, 19"-27"H	618UA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11.0#	N/A	174
		Fixed Height, 24"H	624U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	10.0#	N/A	149
		Adjustable Height, 25"-33"H	624UA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12.0#	N/A	184
		Fixed Height, 30"H	630U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11.0#	N/A	160
		Adjustable Height, 31"-39"H	630UA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	13.0#	N/A	191
			A	B	C	D	E			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select fire code.
NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Options for TB133 upcharge.
- D** Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- E** Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = Upholstered
Added Lead Time-1 Week
Added List Price=\$12

Nonstandard Steel Stool Seat Height
Minimum order of 10 stools. Minimum height is 15”. Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$20 each

Steel Stool Adjustable Leg Components
600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify #13.0700.x \$35/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid**. Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.

600 Series
Industrial Stools (Freight Excluded Pricing)



600 Series
Industrial Stools (Freight Excluded Pricing)

			MODEL NUMBER							
			Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/ Bumper Color	Approx. Packaged Weight	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Vinyl Group 1 & C.O.V.
MODEL			Features							
 600	Steel Rimmed Seat Stool <ul style="list-style-type: none">Seam-welded tubular steel frame with steel seat panFixed leg or adjustable height leg models availableFixed legs have polyethylene feetOptional adjustable height legs have 8" range in 1" increments and have self-leveling glidesNickel-plated telescoping leg section locks with set screws14" diameter steel seat with tempered hardboard Masonite inset	Fixed Height, 18"H	618	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	8.0#	\$ 82	
		Adjustable Height, 19"-27"H	618A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				11.0#	108	
		Fixed Height, 24"H	624	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	10.0#	94	
		Adjustable Height, 25"-33"H	624A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				12.0#	119	
		Fixed Height, 30"H	630	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11.0#	106	
		Adjustable Height, 31"-39"H	630A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				13.0#	144	
 600U	Upholstered Seat Stool <ul style="list-style-type: none">Seam-welded tubular steel frame with steel seat panFixed leg or adjustable height leg models availableFixed legs have polyethylene feetOptional adjustable height legs have 8" range in 1" increments and have self-leveling glidesNickel-plated telescoping leg section locks with set screws14" diameter steel seat with upholstered seat pad	Fixed Height, 18"H	618U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	8.0#	N/A	\$ 112
		Adjustable Height, 19"-27"H	618UA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		11.0#	N/A	140
		Fixed Height, 24"H	624U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	10.0#	N/A	118
		Adjustable Height, 25"-33"H	624UA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		12.0#	N/A	146
		Fixed Height, 30"H	630U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11.0#	N/A	126
		Adjustable Height, 31"-39"H	630UA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		13.0#	N/A	151
			A	B	C	D	E			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select fire code.
NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Options for TB133 upcharge.
- D** Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- E** Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = Upholstered
Added Lead Time-1 Week
Added List Price=\$10

Nonstandard Steel Stool Seat Height
Minimum order of 10 stools. Minimum height is 15”. Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$17 each

Steel Stool Adjustable Leg Components
600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify #13.0700.x \$29/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight excluded**. Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.


600 Series

Industrial Stools (Delivered Pricing)



600 Series

Industrial Stools (Delivered Pricing)

		MODEL NUMBER				
		Basic Model	Frame Color	Feet/Bumper Color	Approx. Packaged Weight	Delivered Pricing Unupholstered
 600	MODEL	Features				
	Wood Seat	Fixed Height, 18”H			16.0#	\$ 174
	• Seam-welded tubular steel frame with steel seat pan	Adjustable Height, 19”-27”H			18.0#	223
	• Fixed legs have polyethylene feet	Fixed Height, 24”H			17.0#	186
	• Optional adjustable height legs have 8” range in 1” increments and have self-leveling glides	Adjustable Height, 25”-33”H			19.0#	227
	• Nickel-plated telescoping leg section locks with set screws	Fixed Height, 30”H			18.0#	186
	• 14” diameter, 1-1/4” rubberwood seat with clear lacquer finish	Adjustable Height, 31”-39”H			20.0#	232
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = Upholstered
Added Lead Time-1 Week
Added List Price=\$12

Nonstandard Steel Stool Seat Height
Minimum order of 10 stools. Minimum height is 15”. Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$20 each

Steel Stool Adjustable Leg Components
600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify #13.0700.x \$35/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid**. Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.


600 Series

Industrial Stools (Freight Excluded Pricing)



600 Series

Industrial Stools (Freight Excluded Pricing)

		MODEL NUMBER				
		Basic Model	Frame Color	Feet/ Bumper Color	Approx. Packaged Weight	Freight Excluded Pricing Unupholstered
 600	MODEL	Features				
	Wood Seat	Fixed Height, 18”H		618W	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	• Seam-welded tubular steel frame with steel seat pan	Adjustable Height, 19”-27”H		618WA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	• Fixed legs have polyethylene feet	Fixed Height, 24”H		624W	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	• Optional adjustable height legs have 8” range in 1” increments and have self-leveling glides	Adjustable Height, 25”-33”H		624WA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	• Nickel-plated telescoping leg section locks with set screws	Fixed Height, 30”H		630W	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	• 14” diameter, 1-1/4” rubberwood seat with clear lacquer finish	Adjustable Height, 31”-39”H		630WA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = Upholstered
Added Lead Time-1 Week
Added List Price=\$10

Nonstandard Steel Stool Seat Height
Minimum order of 10 stools. Minimum height is 15”. Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$17 each

Steel Stool Adjustable Leg Components
600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify #13.0700.x \$29/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight excluded**. Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.


600 Series

Industrial Stools (Delivered Pricing)



600 Series

Industrial Stools (Delivered Pricing)

			MODEL NUMBER					
			Basic Model	Frame Color	Seat Color	Feet/ Bumper Color		
MODEL			Features				Approx. Packaged Weight	Delivered Pricing
 600	Polypropylene Seat <ul style="list-style-type: none">Seam-welded tubular steel frame with steel seat panEnamel frameFixed legs have polyethylene feetOptional adjustable height legs have 8" range in 1" increments and have self-leveling glidesNickel-plated telescoping leg section locks with set screws13" diameter polypropylene seat attaches to steel mounting plate which is welded to legs	Fixed Height, 18"H	618P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		16.0#	\$ 128
		Adjustable Height, 19"-27"H	618PA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		18.0#	176
		Fixed Height, 24"H	624P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	17.0#	136
		Adjustable Height, 25"-33"H	624PA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		19.0#	180
		Fixed Height, 30"H	630P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	18.0#	142
		Adjustable Height, 31"-39"H	630PA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		20.0#	192
			A	B	C	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select seat color.
Refer to the **Product Color Options** page in this price list.
- D** Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

Nonstandard Steel Stool Seat Height
Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$20 each

Steel Stool Adjustable Leg Components
600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached. Specify #13.0700.x \$35/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.


600 Series

Industrial Stools (Freight Excluded Pricing)



600 Series

Industrial Stools (Freight Excluded Pricing)

			MODEL NUMBER					
			Basic Model	Frame Color	Seat Color	Feet/ Bumper Color	Approx. Packaged Weight	Freight Excluded Pricing
MODEL	Features							
	Polypropylene Seat	Fixed Height, 18"H	618P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	16.0#	\$ 100
	• Seam-welded tubular steel frame with steel seat pan	Adjustable Height, 19"-27"H	618PA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		18.0#	144
	• Enamel frame	Fixed Height, 24"H	624P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	17.0#	106
	• Fixed legs have polyethylene feet	Adjustable Height, 25"-33"H	624PA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		19.0#	148
	• Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides	Fixed Height, 30"H	630P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	18.0#	110
		Adjustable Height, 31"-39"H	630PA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		20.0#	161
	• Nickel-plated telescoping leg section locks with set screws							
	• 13" diameter polypropylene seat attaches to steel mounting plate which is welded to legs							
			A	B	C	D		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select seat color.
Refer to the **Product Color Options** page in this price list.
- D** Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

Nonstandard Steel Stool Seat Height
Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$17 each

Steel Stool Adjustable Leg Components
600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached. Specify #13.0700.x \$29/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight excluded**. Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.

Folding Chair Storage and Accessories

General Information



Folding Chair Storage and Accessories

General Information



Vertical Storage Caddy
KV25

KV35

KV50

Features (Capacity)			
VL100 (Value Lite)	21 Chairs	30 Chairs	42 Chairs
400	25 Chairs	35 Chairs	50 Chairs
600	25 Chairs	35 Chairs	50 Chairs
General Dimensions			
Length	56-1/2"	80-1/2"	106-1/2"
Width	20-7/8"	20-7/8"	20-7/8"
Height from floor	30"	30"	30"
Casters on center	15-1/2"	15-1/2"	15-1/2"



Horizontal Storage Caddy
KH50

KH51



Double-Tier Storage Caddy
KDT84

Features (Capacity)			
400	50 Chairs	50 Chairs	84 Chairs
600	50 Chairs	50 Chairs	84 Chairs
General Dimensions			
Length	106-1/2"	106-1/2"	62-1/4"
Width	35-3/8"	33-3/8"	34-1/4"
Height from floor	22"	22"	67-5/8"
Casters on center	15-1/2"	15-1/2"	30"

SPECIFICATIONS

The capacity listed in the above chart is for non-tablet arm chairs. Tablet arm chairs require double the space. Replacement feet and bumpers are available.

KV Series Vertical Storage Caddy

One-piece bed of 16-gauge steel with sides channelled to 1-1/2" high. To each end, a 4-1/2" x 1-1/2" angle steel member is electrically welded. To each outside corner of the bed is welded a 14-gauge, 1-1/4" o.d. end post socket to support removable 1-1/8" o.d., 18-gauge end posts. Loading stops are stamped into the bed. 4" high x 1-1/4" wide roller-bearing wheels.

Optional adjustable end post sockets are constructed of welded steel. Sockets and removable end post are positioned against partial loads to eliminate load from shifting.

KH Series Horizontal Storage Caddy

One-piece bed of 16-gauge steel with sides channelled to 1-1/2" high. Side rails are fitted into sockets welded to end posts. Distance between

side rails is equal to folded height of chairs from top to bottom crossbrace for snug storage. 4" high x 1-1/4" wide roller-bearing wheels.

KDT84 Caddy

Legs, uprights and crossbrace are fabricated of 11-gauge, 1" x 2" tubular steel. Legs are welded to uprights; crossbraces are bolted. Open tubing ends are covered with plastic end caps. Chair suspension tines of 14-gauge, 1" o.d. round tubing. 5" high x 1-3/8" wide roller bearing wheels.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Storage

Frame Color

Black

BL

Finish Cards

View color swatches for items listed within this document.

Paints

Wood/Veneer

Molded Edges

Hard Plastics

Plastics/Poly

Laminates

Edge Styles

Glass

Certain options referenced may not be available on GSA Schedule.



Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)



Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)

		MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
		Basic Model	Frame Color	Base		
 CCAD	MODEL					
	Features					
	Vertical Storage Caddy <ul style="list-style-type: none">One-piece solid bed designAll steel construction4" wheels: 2 fixed, 3 swivel50 chair caddies have swivel wheel in bed centerBlack finish standard (other colors available at an upcharge)30" high from floor-empty; 44" high-loaded	KV25	BL	<input type="checkbox"/> <input type="checkbox"/>	44.0#	\$ 659
	Adjustable Middle Post	KV25A	BL	<input type="checkbox"/> <input type="checkbox"/>	54.0#	727
		KV35	BL	<input type="checkbox"/> <input type="checkbox"/>	52.0#	734
	Adjustable Middle Post	KV35A	BL	<input type="checkbox"/> <input type="checkbox"/>	62.0#	804
		KV50	BL	<input type="checkbox"/> <input type="checkbox"/>	63.0#	863
	Adjustable Middle Post	KV50A	BL	<input type="checkbox"/> <input type="checkbox"/>	73.0#	932
	CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.					
 CCAD	MODEL					
	Features					
	Horizontal Storage Caddy <ul style="list-style-type: none">One-piece solid bed designAll steel construction4" wheels: 2 fixed, 3 swivelSwivel wheel in bed centerModels for #100, #300 and #700 chairsBlack finish standard (others available at an upcharge)22" high from floor-empty; 24-1/2" high-loaded; 40-1/8" wide loaded	KH50	BL	<input type="checkbox"/> <input type="checkbox"/>	68.0#	\$ 1017
	Adjustable End Post	KH50A	BL	<input type="checkbox"/> <input type="checkbox"/>	78.0#	1085
		KH51	BL	<input type="checkbox"/> <input type="checkbox"/>	76.0#	1017
	Adjustable End Post	KH51A	BL	<input type="checkbox"/> <input type="checkbox"/>	86.0#	1085
	CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.					
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select base option.
- | | |
|-----------|--------------------------------|
| C | - Standard swivel/fixed wheels |
| SC | - All swivel wheels; add \$32 |

OPTIONS

Adjustable End post and Sockets
Adapts to KV, KH50 and KH51 series chair caddies. Allows end posts to be repositioned to prevent partial loads from shifting. Speciality #86.5002 for a KV caddy, and #86.5003 for a KH caddy for field-installable parts. Add #10 weight. Upcharge is \$60

Folding Chair Caddy Brake Kits
KV and KH folding chair caddies only. Kit adapts to swivel wheels only; for two wheels. Specify #09.0050
Upcharge is \$12

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Folding Chair Storage and Accessories

Folding Chairs (Freight Excluded Pricing)



Folding Chair Storage and Accessories

Folding Chairs (Freight Excluded Pricing)

		MODEL NUMBER					
		Basic Model	Frame Color	Base			
MODEL		Features			Approx. Packaged Weight	Freight Excluded Pricing	
 CCAD	Vertical Storage Caddy <ul style="list-style-type: none">One-piece solid bed designAll steel construction4" wheels: 2 fixed, 3 swivel50 chair caddies have swivel wheel in bed centerBlack finish standard (other colors available at an upcharge)30" high from floor-empty; 44" high-loaded	Adjustable Middle Post	KV25	BL	<input type="checkbox"/> <input type="checkbox"/>	44.0#	\$ 520
			KV25A	BL	<input type="checkbox"/> <input type="checkbox"/>	54.0#	589
			KV35	BL	<input type="checkbox"/> <input type="checkbox"/>	52.0#	581
		Adjustable Middle Post	KV35A	BL	<input type="checkbox"/> <input type="checkbox"/>	62.0#	649
			KV50	BL	<input type="checkbox"/> <input type="checkbox"/>	63.0#	677
		Adjustable Middle Post	KV50A	BL	<input type="checkbox"/> <input type="checkbox"/>	73.0#	745
		CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.					
 CCAD	Horizontal Storage Caddy <ul style="list-style-type: none">One-piece solid bed designAll steel construction4" wheels: 2 fixed, 3 swivelSwivel wheel in bed centerModels for #100, #300 and #700 chairsBlack finish standard (others available at an upcharge)22" high from floor-empty; 24-1/2" high-loaded; 40-1/8" wide loaded	Adjustable End Post	KH50	BL	<input type="checkbox"/> <input type="checkbox"/>	68.0#	\$ 798
			KH50A	BL	<input type="checkbox"/> <input type="checkbox"/>	78.0#	867
			KH51	BL	<input type="checkbox"/> <input type="checkbox"/>	76.0#	798
		Adjustable End Post	KH51A	BL	<input type="checkbox"/> <input type="checkbox"/>	86.0#	867
		CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.					
		A	B	C			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select base option.
- | | |
|-----------|--------------------------------|
| C | - Standard swivel/fixed wheels |
| SC | - All swivel wheels; add \$26 |

OPTIONS

Adjustable End post and Sockets
Adapts to KV, KH50 and KH51 series chair caddies. Allows end posts to be repositioned to prevent partial loads from shifting. Speciality #86.5002 for a KV caddy, and #86.5003 for a KH caddy; for field-installable parts. Add #10 weight. Upcharge is \$56

Folding Chair Caddy Brake Kits
KV and KH folding chair caddies only. Kit adapts to swivel wheels only; for two wheels. Specify #09.0050
Upcharge is \$13

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight excluded**. Freight class 85.

Specifications and prices are subject to change without prior notice.


Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)



Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)

		MODEL NUMBER				
		Basic Model	Frame Color	Base		
MODEL	Features				Approx. Packaged Weight	Delivered Pricing
 CCAD	Double-Tier Storage Caddy <ul style="list-style-type: none">Rectangular and square tubular steel constructionChairs suspended from tines5" wheels: 2 fixed, 2 swivelBlack finish standard (other colors available at an upcharge)67-7/8" high from floor, empty	KDT84	BL	<input type="checkbox"/> <input type="checkbox"/>	100.0#	\$ 2368
	CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.					
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select base option.
- | | |
|-----------|--------------------------------|
| C | - Standard swivel/fixed wheels |
| SC | - All swivel wheels; add \$32 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Folding Chair Storage and Accessories

Folding Chairs (Freight Excluded Pricing)



Folding Chair Storage and Accessories

Folding Chairs (Freight Excluded Pricing)

		MODEL NUMBER				
		Basic Model	Frame Color	Base		
MODEL	Features				Approx. Packaged Weight	Freight Excluded Pricing
 CCAD	Double-Tier Storage Caddy <ul style="list-style-type: none">Rectangular and square tubular steel constructionChairs suspended from tines5" wheels: 2 fixed, 2 swivelBlack finish standard (other colors available at an upcharge)67-7/8" high from floor, empty	KDT84	BL	<input type="checkbox"/> <input type="checkbox"/>	100.0#	\$ 1864
	CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.					
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select base option.
- | | |
|-----------|--------------------------------|
| C | - Standard swivel/fixed wheels |
| SC | - All swivel wheels; add \$26 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight excluded**. Freight class 70.

Specifications and prices are subject to change without prior notice.



Folding Chair and Stool Accessories

Folding Chairs and Stools (Delivered Pricing)



Folding Chair and Stool Accessories

Folding Chairs and Stools (Delivered Pricing)

		MODEL NUMBER			
		Basic Model			
MODEL	Features		Approx. Packaged Weight	Delivered Pricing	
 HRDPT	Chair and Stool Replacement Feet <ul style="list-style-type: none">High-impact polypropylene	400, 600 Chairs; 600, 800 Stools	53.6152.BE.I.WY	0.0#	\$ 1
		400, 600 Chairs; 600, 800 Stools	53.6152.BL.I.WY	0.0#	1
		400, 600 Chairs; 600, 800 Stools	53.6152.GR.I.WY	0.0#	1
 HRDPT	Chair Replacement Bumpers (Cap) <ul style="list-style-type: none">Plastic bumper fits into top end of rear leg above hinge	400, 600 Chairs	53.6154.BE.I.WY	0.0#	\$ 1
		400, 600 Chairs	53.6154.BL.I.WY	0.0#	1
		400, 600 Chairs	53.6154.GR.I.WY	0.0#	1

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Folding Chair and Stool Accessories

Folding Chairs and Stools (Freight Excluded Pricing)



Folding Chair and Stool Accessories

Folding Chairs and Stools (Freight Excluded Pricing)

		MODEL NUMBER			
		Basic Model			
MODEL	Features		Approx. Packaged Weight	Freight Excluded Pricing	
 HRDPT	Chair and Stool Replacement Feet <ul style="list-style-type: none">High-impact polypropylene	400, 600 Chairs; 600, 800 Stools	53.6152.BE.I.WY	0.0#	\$ 1
		400, 600 Chairs; 600, 800 Stools	53.6152.BL.I.WY	0.0#	1
		400, 600 Chairs; 600, 800 Stools	53.6152.GR.I.WY	0.0#	1
 HRDPT	Chair Replacement Bumpers (Cap) <ul style="list-style-type: none">Plastic bumper fits into top end of rear leg above hinge	400, 600 Chairs	53.6154.BE.I.WY	0.0#	\$ 1
		400, 600 Chairs	53.6154.BL.I.WY	0.0#	1
		400, 600 Chairs	53.6154.GR.I.WY	0.0#	1

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled**, **FOB Bonduel, WI 54107**, **freight excluded**. Freight class 70.

Specifications and prices are subject to change without prior notice.

1330 Bellevue Street
P.O. Box 8100
Green Bay, WI 54308-8100
800.424.2432
ki.com

KI and Furnishing Knowledge are registered
trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc.
All Rights Reserved.
Code KI-PLW-000239/KI/PDF



Furnishing Knowledge®