
January 3, 2011 Updated June 29, 2016 800-424-2432







Contents
Refer to KI Terms & Conditions document or visit ki.com.



Uniframe® Rect	angular Tables with Seating	General
	Information	2
	Rectangular Table with Benches	4
	Rectangular Table with Split Benches	6
	Rectangular Table with Stool Seats	8
Uniframe® Roui	nd Tables with Seating	General
	Information	12
	Round Table with Split Benches	14
	Round Table with Stool Seats	16
Uniframe® Tabl	es without Seating	
	General Information	20
	Rectangular Table	22
	Round Table	24
	Oval Table	26
	Square Table	28
	Hexagonal Table	30
	Octagonal Table	32
	Round Stand-up Height Table	34
Jniframe® Whe	elchair Accessible Tables with Seating	22
	General Information	36
	Rectangular Table with Benches	38
	Rectangular Table with Stool Seats	40
Uniframe® Whe	elchair Accessible Tables without Seating	
Ullillallie" Wile	General Information	44
	Rectangular Table	46
	Round Table	48
	Oval Table	50
	Square Table	52
	Hexagonal Table	54
	Octagonal Table	56
	Octagorial Table	30
Uniframe® Conv	vertible Bench	
	General Information	58
	Uniframe® Convertible Bench	60
Uniframe® Tabl		60
	General Features and Benefits	62
Premier® Foldir	ng Tahles	
i iciliici i oluli	General Information	64
	denotal information	66
Heritage™ Foldi	ing Tables	<u> </u>
-	General Information	68
		70
Emissary® Fold	•	
	General Information	72
		74
Dural Ha@ !!-!!	weight Folding Tobles	
vuraLite [®] Light	weight Folding Tables	70
	General Information	76 70
		78
/alueLite® Fold	ing Tables	
-aiuoLito I Ulu	General Information	80
	aonora mornadon	82
Folding Table S	torage and Accessories	
	General Information	86
	Storage and Accessories	88
Index		92

General Information







Rectangular Tables with Split Benches (UF12SB)

Features

Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
27" height	•	•
29" height	•	•



Bullnose Edge



73P Edge



Perfect Edge (Lifetime Top Warranty)

Seating Capacity:

outing supusity.											
Model	Max. Child Capacity	Rec. Child Capacity	Max. Adult Capacity	Rec. Adult Capacity							
UF12BE	20	16	16	12							
UF10BE	16	12	12	8							
UF08BE	12	12	8	8							
UF12SB	16	16	16	8							
UF128	16	16	16	16							
UF126	12	12	12	12							
UF106	12	12	12	12							
UF084	8	8	8	8							

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A 0.40 high-pressure laminate face is used for the top surface with a balanced high pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Benches

Bench supports are robotically welded steel construction of 14-gauge tubular frame steel with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Benches are secured to steel plates with deep thread screws. Each split bench requires two plates. Full benches for 8' tables require two plates; full benches for 10' and 12' tables require three plates. No field assembly required.

Stools

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to rein-

force points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant vinyl bullnose molding. The barbed 'T' design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4" o.d. 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.



General Information



Rectangular Tables with Stool Seats (UF128)

Features

Solid core top	•
High-pressure laminate surface	•
Bullnose edge	•
73P edge	•
Perfect edge	•
27" height	•
29" height	•

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is gravity operated for automatic engagement and semi-concealed to prevent

accidental release. Release of gravity and storage locks is possible from either side of the table.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of eight per table.

Casters

Large 4" diameter heavy-duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of the table top when in the open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

General

Tables ship fully assembled. Tables are listed to applicable UL standards and

requirements by Underwriters Laboratories,

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Rectangular Table with Benches

			MODEL	NUMBE	R						
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Surface Edge Color	Bench Surface	Bench Edge Color	Frame Color	
$\overline{}$	Rectangular Table with Benches	56-1/2 x 96"	UF08BE								
	Pricing is "Freight Excluded" Available in 20, 400 and 400 and 400.	56-1/2 x 120"	UF10BE								
	 Available in 8', 10' and 12' models Unitized all-steel frames provide superior 	56-1/2 x 139-1/2"	UF12BE								
	stability and durability										
	KI's exclusive combination pneumatic										
	lift assist and torsional energy storage system results in a controlled, effortless										
UFRCB	folding. Also holds tables in a teepee										
	position for easy cleaning										
	 Storage lock standard for added safety Gravity lock stabilizes tables in the open 										
	position and eliminates possibility of										
	tables folding unexpectedly										
	Listed to applicable UL standards and requirements by Underguisters I shorter										
	requirements by Underwriters Laborato- ries, Inc										
	Dimensions include overall depth and										
	width of table and seating										
			A	B	•	•	(3	(3)	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

Select height.

27	- 27" high	
29	- 29" high	

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge

style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- Select bench surface.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select bench edge color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
 Edge color offerings are based on
 edge style selections.
- Select frame color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).



Uniframe® Rectangular Tables with Seating Rectangular Table with Benches

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4' 73P Edge (73P)	Perfect Edge (PR)	Chrom Upcha add to price	rge
295.0#	\$ 1611	\$ 1691	\$ 1923	\$	129
341.0#	1666	1749	2114		131
371.0#	1784	1874	2186		128

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Rectangular Table with Split Benches

			MODEL	NUMBE	R					
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color
	Rectangular Table with Split Benches	59 x 139-1/2"	UF12SB							
	 Pricing is "Freight Excluded" Available in 12' models 									
	 Unitized all-steel frames provide superior. 									
	stability and durability									
	KI's exclusive combination pneumatic lift assist and targinal energy storage.									
***************************************	lift assist and torsional energy storage system results in a controlled, effortless									
UFRCS	folding. Also holds tables in a teepee									
	position for easy cleaning									
	 Storage lock standard for added safety Gravity lock stabilizes tables in the open 									
	position and eliminates possibility of									
	tables folding unexpectedly									
	 Listed to applicable UL standards and requirements by Underwriters Laborato- 									
	ries, Inc									
	Dimensions include overall depth and									
	width of table and seating									
			A	3	•	•	3	(3)	œ	0

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model. Basic model includes base no. of table

with codes for length of table, edge treatment and frame finish. Pricing is "Freight Excluded".

BSelect edge style.

- Flat vinyl T-edge - 3/4" 73P edge PR - Perfect edge

Select height.

style selections.

- 27" high - 29" high

DSelect surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge

• Select surface edge color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- Select bench surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect bench edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).



Approx.

Weight

385.0#

Uniframe® Rectangular Tables with Seating Rectangular Table with Split Benches

Chrome 3/4" 73P Upcharge Edge (73P) Perfect Edge (PR) Packaged Flat Vinyl T-Edge add to list price \$ 1958 \$ 2056 \$ 2496 \$ 142

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Uniframe® Rectangular Tables with Seating Rectangular Table with Stool Seats

				MODEL N	UMBER						
	MODEL	Features	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	
$\overline{}$	Rectangular Table with Stool Seats -	8 Stools	60-1/2 x 96"	UF084/PY							
	Polypropylene	12 Stools	60-1/2 x 120"	UF106/PY							
	Pricing is "Freight Excluded"	12 Stools	60-1/2 x 139-1/2"	UF126/PY							
	 Available in 8', 10' and 12' models Unitized all-steel frames provide superior 	16 Stools	60-1/2 x 139-1/2"	UF128/PY							
	stability and durability										
	 KI's exclusive combination pneumatic 										
UFRCP	lift assist and torsional energy storage system results in a controlled, effortless										
	folding. Also holds tables in a teepee										
	position for easy cleaning										
	Storage lock standard for added safety Gravity lock stabilizes tables in the open										
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 										
	tables folding unexpectedly										
	Listed to applicable UL standards and										
	requirements by Underwriters Laborato- ries, Inc										
	Dimensions include overall depth and										
	width of table and seating										
				A	3	•	0	(3	(3	Э	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material. Pricing is "Freight Excluded".

BSelect edge style.

- Flat vinyl T-edge - 3/4" 73P edge PR - Perfect edge

Select height.

- 27" high - 29" high

DSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

BSelect surface edge color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select stool color - Polypropylene

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavyduty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.



Uniframe® Rectangular Tables with Seating Rectangular Table with Stool Seats

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to list price
299.0#	\$ 1849	\$ 1942	\$ 2045	\$ 124
353.0#	1951	2049	2152	135
377.0#	2046	2148	2258	148
385.0#	2122	2228	2338	142

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Rectangular Table with Stool Seats

				MODEL N	UMBER						
	MODEL	Features	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	
$\overline{}$	Rectangular Table with Stools - Thermo-	8 Stools	60-1/2 x 96"	UF084/CX							
set Hard Plastic	12 Stools	60-1/2 x 120"	UF106/CX								
		12 Stools	60-1/2 x 139-1/2"	UF126/CX							
		16 Stools	60-1/2 x 139-1/2"	UF128/CX							
	stability and durability										
	KI's exclusive combination pneumatic										
UFRCT											
	Rectangular Table with Stools - Thermoset Hard Plastic Pricing is "Freight Excluded" Available in 8', 10' and 12' models Unitized all-steel frames provide superior stability and durability Ki's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements by Underwriters Laboratories, Inc Dimensions include overall depth and										
	width of table and seating										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material. Pricing is "Freight Excluded".

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

27 - 27" high 29 - 29" high

DSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

0

0

0

Select stool color - Thermoset Hard Plastic (CX).

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.



Uniframe® Rectangular Tables with Seating Rectangular Table with Stool Seats

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to list price
299.0#	\$ 1975	\$ 2073	\$ 2168	\$ 124
353.0#	2129	2235	2332	135
377.0#	2225	2336	2437	148
385.0#	2365	2483	2577	142

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

General Information





Round Tables with Split Benches (UFRD5SB/BN/CH)

Round Tables with Stool Seats (UFRD58/PR/PB)

Features

Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
27" height	•	•
29" height	•	•



Bullnose Edge



73P Edge



Perfect Edge (Lifetime Top Warranty)

Seating Capacity:

Model	Max. Child Capacity	Rec. Child Capacity	Max. Adult Capacity	Rec. Adult Capacity
UFRD5SB	12	8	8	4
HEDDEO	0	0	0	0

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A 040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Split Benches

Bench supports shall be robotically welded steel construction consisting of a 14-gauge tubular frame with 6* square, heavy-duty 11-gauge steel plates welded to the uprights. Benches are secured to the steel plates with deep thread screws. There shall be two plates for each split bench. No field assembly required.

Stools

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following: A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to reinforce points of stress. Edges are rolled for

comfort and strength. Front is textured and

color permeates stool. White marks may

occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Edaes

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that

is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4" o.d. 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.



General Information

Frame Finish

Frame finish is one of the following:
A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.
B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Kl's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of four per table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the end of the bench unit or outermost stool when in the open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

General

Tables ship fully assembled. Tables are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Round Table with Split Benches

			MODEL N	UMBER							
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color	Approx. Packaged Weight
	Round Table with Split Benches	81"	UFRD5SB								335.0#
	 Pricing is "Freight Excluded" Unitized all-steel frames provide superior										
	stability and durability										
	KI's exclusive combination pneumatic										
	lift assist and torsional energy storage system results in a controlled, effortless										
	folding. Also holds tables in a teepee										
UFRDS	position for easy cleaning										
	Storage lock standard for added safety										
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 										
	tables folding unexpectedly										
	Listed to applicable UL standards and										
	requirements by Underwriters Laborato- ries, Inc										
	Dimensions include overall depth and										
	width of table and seating; Diameter of										
	top is 60"										

0

0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table
with codes for length of table, edge treat-

ment and frame finish. Pricing is "Freight Excluded".

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

style selections.

27 - 27" high 29 - 29" high

Select surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge

Select surface edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- Select bench surface.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select bench edge color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
 Edge color offerings are based on
 edge style selections.
- Select frame color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

0

0

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).



Uniframe® Round Tables with Seating Round Table with Split Benches

\$



Flat Vinyl T-Edge (BN)

\$ 1883

3/4" 73P

Edge (73P)

\$ 1977



\$ 2398

Chrome Upcharge Perfect Edge (PR) add to list price

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Round Table with Stool Seats

			MODEL NU	MBER						
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	Approx. Packaged Weight
	Round Table with Stool Seats - Polypro-	86"	UFRD58/PY							331.0#
	pylene									
	Pricing is "Freight Excluded" Unitized all steel frames provide superior									
	 Unitized all-steel frames provide superior stability and durability 									
	KI's exclusive combination pneumatic									
1 0	lift assist and torsional energy storage									
UFRDP	system results in a controlled, effortless									
UFRDP	folding. Also holds tables in a teepee position for easy cleaning									
	Available in 8-stool model only									
	Storage lock standard for added safety									
	Gravity lock stabilizes tables in the open									
	position and eliminates possibility of tables folding unexpectedly									
	Listed to applicable UL standards and									
	requirements by Underwriters Laborato-									
	ries, Inc									
	Dimensions include overall depth and									
	width of table and seating • Diameter of top is 60"									
	- Diameter of top is 00									

0

0

0

(3)

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material. Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

Select height.

27 - 27" high 29 - 29" high

DSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select stool color - Polypropylene (PY).

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

INFORMATION

0

Polypropylene Stool

High-impact polypropylene stools of heavyduty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.



Round Table with Stool Seats

Upcharge

add to list price

\$







Flat Vinyl T-Edge

\$ 1611 \$ 1691

Edge

Perfect Edge

\$ 1807

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Round Table with Stool Seats

			MODEL NU	MBER						
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	Approx. Packaged Weight
	Round Table with Stool Seats - Thermoset	86"	UFRD58/CX							331.0#
	Hard Plastic									
	Pricing is "Freight Excluded"									
	 Unitized all-steel frames provide superior stability and durability 									
	KI's exclusive combination pneumatic									
	lift assist and torsional energy storage									
UFRDT	system results in a controlled, effortless									
	folding. Also holds tables in a teepee position for easy cleaning									
	Available in 8-stool model only									
	Storage lock standard for added safety									
	Gravity lock stabilizes tables in the open									
	position and eliminates possibility of tables folding unexpectedly									
	Listed to applicable UL standards and									
	requirements by Underwriters Laborato-									
	ries, Inc									
	Dimensions include overall depth and width of table and accting.									
	width of table and seatingDiameter of top is 60"									
	Diamotor of top is oo									

0

 Θ

0

3

(3)

0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

Select height.

27 - 27" high **29** - 29" high

DSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select stool color - Thermoset Hard Plastic (CX).

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.



Uniframe® Round Tables with Seating Round Table with Stool Seats



3/4" 73P



Chrome Upcharge Perfect Edge (PR) add to list price

Flat Vinyl T-Edge (BN) \$ 1758

Edge (73P) \$ 1846

\$ 1955

\$

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

General Information







Round Table (UFRD5)



Oval Table (UFOV66)

Features

Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P edge	•	•	•
Perfect edge	•	•	•
27" height	•	•	•
29" height	•	•	•



Bullnose Edge



73P Edge



Perfect Edge (Lifetime Top Warranty)



T-Style Leg

SPECIFICATIONS

Lift Mechanism

Rectangular tables fold and open in one fluid motion, assisted by a torsional energy storage system. This ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling.

Shaped tables fold in one fluid motion without pneumatic or torsional energy assistance. Safety lock engages in the semiopen position to halt downward movement. Safety lock can be released from either side of the table.

Tops

Table tops are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with

deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a supe-

rior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames for Rectangular Tables without Seating

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. End leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" x 2" 14-gauge bottom tube. Center leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" round 14-gauge bottom tube. Center hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frames for Shaped Tables without Seating

Table frame is fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge angle steel, pierced to securely anchor the tops. Leg weldments are robotically wire-welded. Leg consists of 1" x 2" 14-gauge vertical tube and bottom tube, 1" round 14-gauge top tube and two support gussets for added strength. Center hinge plates are 7-gauge steel. Stretcher bars are 1"7-gauge steel. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.



General Information









Square Table (UFSQ4)

Hexagonal Table (UFHX4)

Octagonal Table (UFOC5)

Stand-Up Table (UFSU5)

Features

realures				
Solid core top	•	•	•	•
High-pressure laminate surface	•	•	•	•
Bullnose edge	•	•	•	•
73P edge	•	•	•	•
Perfect edge	•	•	•	•
27" height	•	•	•	
29" height	•	•	•	
42" height				•

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks for Rectangular Tables

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Kl's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Locks for Shaped Tables

Gravity lock with spring assist constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Safety lock engages in a semi-open position to halt downward opening movement. Release of

gravity lock is possible from either side of the table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of table top when table is in the open position. Casters are self-lubricating.

General

Tables ship fully assembled. Rectangular tables without seating are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Rectangular Table

			MODEL	MILIME	n					
			MODEL	MOMBE	K					
									Approx.	
	MODEL	D W	Basic	Edge		Surface	Edge	Frame	Packaged	
	MODEL	D x W	Model	Style	Height	Finish	Color	Color	Weight	
	Rectangular Table - Without Seating	30 x 96"	UFRT08						179.0#	
	Pricing is "Freight Excluded"	30 x 120"	UFRT10						200.0#	
	 Unitized all-steel frames provide superior stability and durability 	30 x 139-1/2"	UFRT12						225.0#	
	KI's exclusive combination pneumatic									
	lift assist and torsional energy storage									
	system results in a controlled, effortless folding. Also holds tables in a teepee									
UFRCN	position for easy cleaning									
	Available in 8', 10' and 12' models									
	Storage lock standard for added safety									
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 									
	tables folding unexpectedly									
	T-leg design furnishes maximum leg									
	room and seating capacity									
	 Listed to applicable UL standards and requirements by Underwriters Laborato- 									
	ries, Inc.									
	Ideal for multi-purpose seating									
			•	•	•		•	•		
			A	•	$\mathbf{\Theta}$	O	(3)	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model. Basic model includes base no. of table

with codes for length of table, edge treatment and frame finish. Pricing is "Freight Excluded".

BSelect edge style.

- Flat vinyl T-edge - 3/4" 73P edge PR - Perfect edge

Select height.

- 27" high - 29" high

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

BSelect surface edge color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Uniframe® Tables without Seating Rectangular Table

Flat Vinyl T-Edge (BN)	3/4* 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to list price
\$ 976	\$ 1025	\$ 1167	\$ 111
1070	1124	1228	62
1177	1236	1341	52

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

			MODEL	MODEL NUMBER						
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight	
	Round Table - Without Seating	48"	UFRD4						98.0#	
Pricing is "Freight Excluded" Unitized all-steel frames provide superior	60"	UFRD5						132.0#		
	stability and durability	72"	UFRD6						158.0#	
	KI's exclusive combination pneumatic									
	lift assist and torsional energy storage									
	Storage lock standard for added safety									
	Gravity lock stabilizes tables in the open									
	position and eliminates possibility of									
	tables folding unexpectedly • Safety lock engages in a semi-open									
	position to halt downward opening									
	movement									
	T-leg design furnishes maximum leg									
	room and seating capacity • Dimensions include overall depth and									
	width of table									
	 Ideal for multi-purpose seating 									
			Λ	B			A	A	1	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model. Basic model includes base no. of table

with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

Select height.

27	- 27" high	
29	- 29" high	

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

BSelect surface edge color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.



Flat Vinyl T-Edge (BN)	3/4* 73P Edge (73P)	Perfect Edge (PR)	Chrome Upchar add to I price	ge
\$ 820	\$ 861	\$ 963	\$	23
867	911	1010		24
1166	1225	1438		25

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

			MODEL NUMBER						
	MODEL	DxL	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Oval Table - Without Seating	60 x 66"	UFOV66						143.0#
	Pricing is "Freight Excluded"	60 x 72"	UF0V72						151.0#
	 Unitized all-steel frames provide superior stability and durability 								
	KI's exclusive combination pneumatic								
149	lift assist and torsional energy storage system results in a controlled, effortless								
UFOVN									
	folding. Also holds tables in a teepee position for easy cleaning								
	Storage lock standard for added safety								
	Gravity lock stabilizes tables in the open								
	position and eliminates possibility of								
	tables folding unexpectedly • Safety lock engages in a semi-open								
	position to halt downward opening								
	movement								
	 T-leg design furnishes maximum leg room and seating capacity 								
	Dimensions include overall depth and								
	width of table								
	 Ideal for multi-purpose seating 								
			A	B	e	0	а	А	1

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

- Flat vinyl T-edge - 3/4" 73P edge PR - Perfect edge

Select height.

- 27" high - 29" high

• Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

BSelect surface edge color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.



Uniframe® Tables without Seating Oval Table

	3/4" 73P		Chrome Upchar	
Flat Vinyl T-Edge	Edge	Perfect Edge	add to l	
(BN)	(73P)	(PR)	price	
\$ 1023	\$ 1074	\$ 1218	\$	23
1063	1117	1284		25

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Square Table

			MODEL	MODEL NUMBER					
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Square Table - Without Seating	48 x 48"	UFSQ4						108.0#
	Pricing is "Freight Excluded"Unitized all-steel frames provide superior								
	stability and durability								
	KI's exclusive combination pneumatic								
	lift assist and torsional energy storage								
UFSQN	system results in a controlled, effortless folding. Also holds tables in a teepee								
	position for easy cleaning								
	 Storage lock standard for added safety 								
	Gravity lock stabilizes tables in the open position and aliminates possibility of								
	position and eliminates possibility of tables folding unexpectedly								
	Safety lock engages in a semi-open								
	position to halt downward opening								
	movement T-leg design furnishes maximum leg								
	room and seating capacity								
	 Dimensions include overall depth and 								
	width of table								
	 Ideal for multi-purpose seating 								
			A	3	•	0	3	•	_

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes b

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

Select height.

27	- 27" high	
29	- 29" high	

OSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.



Uniframe® Tables without Seating Square Table





Chrome Upcharge add to list price

\$

Flat Vinyl T-Edge (BN)

781

3/4" 73P Edge (73P) 820

Perfect Edge (PR)

924

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Hexagonal Table

			MODEL	. NUMBI	ER				
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Hexagonal Table - Without Seating	48"	UFHX4						101.0#
	Pricing is "Freight Excluded"								
	 Unitized all-steel frames provide superior stability and durability 								
	Kl's exclusive combination pneumatic								
UFHXN	lift assist and torsional energy storage								
	system results in a controlled, effortless								
	folding. Also holds tables in a teepee position for easy cleaning								
	Storage lock standard for added safety								
	 Gravity lock stabilizes tables in the open 								
	position and eliminates possibility of								
	tables folding unexpectedlySafety lock engages in a semi-open								
	position to halt downward opening								
	movement								
	T-leg design furnishes maximum leg								
	room and seating capacityDimensions include overall depth and								
	width of table								
	Ideal for multi-purpose seating								
			A	B	•	0	(3	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

00.001 00	ago ory to:	
BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

Select height.

27	- 27" high	
29	- 29" high	

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

BSelect surface edge color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.







Chrome Upcharge add to list price

\$

Flat Vinyl T-Edge (BN) 867

3/4" 73P Edge (73P) \$ 911

Perfect Edge (PR)

\$ 1010

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Octagonal Table

			MODEL NUMBER						
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
UFOCN	Octagonal Table - Without Seating Pricing is "Freight Excluded" Unitized all-steel frames provide superior stability and durability Ki's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg room and seating capacity	60"	UFOC5						134.0#
	Dimensions include overall depth and width of table Ideal for multi-purpose seating								
	, , ,		A	B	•	D	(3	(3)	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes to

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

27 - 27" high **29** - 29" high

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.



Uniframe® Tables without Seating Octagonal Table





Chrome Upcharge add to list price

Flat Vinyl T-Edge (BN) 895

3/4" 73P Edge (73P) 939

Perfect Edge (PR)

\$ 1045

\$

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Round Stand-up Height Table

MODEL NUMBER									
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
UFRDU	Round Stand-up Height Table - Without	48"	UFSU4		42				109.0#
	 Pricing is "Freight Excluded" Unitized all-steel frames provide superior stability and durability KI's exclusive combination pneumatic lift assist and torsional energy storage 	60"	UFSU5		42				129.0#
	system results in a controlled, effortless								
	folding. Also holds tables in a teepee position for easy cleaning								
	Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg room and seating capacity								
			A	B	•	•	Э	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes ba

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

42 - 42" high

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.



Uniframe® Tables without Seating Round Stand-up Height Table

Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chrome Upchare add to I price	ge
\$ 911	\$ 956	\$ 1049	\$	23
958	1006	1093		21

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

General Information







Wheelchair Accessible Tables w/Stools (WAUF126)

Features

Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
31-3/4" height	•	•







Perfect Edge (Lifetime Top Warranty)

Bullnose Edge

73P Edge

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A 040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius

Benches

Bench supports are robotically welded steel construction of 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Benches are secured to steel plates with deep thread screws. There shall be three plates for each full bench. No field assembly required.

Stools

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may

occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that

is chemically bonded to the table or bench core.

C. Perfect edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-sup-porting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4" OD 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.



General Information

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is gravity operated for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and

storage locks is possible from either side of the table.

Casters

Large 4" diameter heavy-duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the end of the bench unit or outermost stool when in the open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of four per table.

General

Tables ship fully assembled. Tables are listed with Underwriters Laboratories in compliance with testing for public safety

(Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Rectangular Table with Benches

			MODEL NU	MBER							
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color	
	Wheelchair Accessible Rectangular Table	56-1/2 x 139-1/2"	WAUF12BE		31						
	with Benches										
	Pricing is "Freight Excluded"Height to top of surface is 31-3/4"										ĺ
	31" clearance from floor to underside of table Full bench Storage lock standard for added safety										
UWRCB	 Gravity lock stabilizes tables in the open position and eliminates possibility of 										
	tables folding unexpectedly										
	Listed to applicable UL standards and										
	requirements Underwriters Laboratories,										
	Inc • Dimensions include overall depth and										
	width of table and seating										
			A	B	•	O	(3	(a)	Э	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table

with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

Select height.

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select surface edge color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

- Select bench surface.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select bench edge color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
 Edge color offerings are based on
 edge style selections.
- Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).



Approx. Packaged Weight 309.0#

Uniframe® Wheelchair Accessible Tables with Seating Rectangular Table with Benches

				Chrome
		3/4" 73P		Upcharge
b	Flat Vinyl T-Edge	Edge	Perfect Edge	add to list
	(BN)	(73P)	(PR)	price
	\$ 1701	\$ 1786	\$ 2081	\$ 119

SPECIAL SERVICES


Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Rectangular Table with Stool Seats



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

Select height.

31 - 31" high

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select stool color - Polypropylene

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavyduty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.



Uniframe® Wheelchair Accessible Tables with Seating Rectangular Table with Stool Seats

Approx.		3/4" 73P		Chrom Upchar	rge	
Packaged Weight	Flat Vinyl T-Edge (BN)	Edge (73P)	Perfect Edge (PR)	add to price	list	
312.0#	\$ 1951	\$ 2049	\$ 2149	\$	136	_
316.0#	2020	2121	2224		136	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Rectangular Table with Stool Seats

			MODEL NUM	BER						
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	
	WA Rectangular Table w/Stools - Thermo-	60-1/2 x 139-1/2"	WAUF126/CX		31					
	set Hard Plastic	60-1/2 x 139-1/2"	WAUF128/CX		31					
UWRCT	 Pricing is "Freight Excluded" Height to top of surface is 31-3/4" 31" clearance from floor to underside of table Thermoset Hard Plastic stool seats Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements Underwriters Laboratories, Inc Dimensions include overall depth and width of table and seating 									
			A	3	•	0	(3	(3)	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

31 - 31" high

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select stool color - Thermoset Hard Plastic (CX)

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.



Uniframe® Wheelchair Accessible Tables with Seating Rectangular Table with Stool Seats

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4° 73P Edge (73P)	Perfect Edge (PR)	Chrom Upcha add to price	rge
312.0#	\$ 2037	\$ 2139	\$ 2237	\$	136
316.0#	2142	2250	2345		136

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

General Information



WA Rectangular Table (WAUFRT12)



WA Round Table (WAUFRD5)



WA Oval Table (WAUFOV66)

Features

Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P Edge		•	•
751 Luge		<u> </u>	<u> </u>
Perfect Edge	•	•	•
31-3/4" height	•	•	•



Bullnose Edge



73P Edge



Perfect Edge (Lifetime Top Warranty)



T-Style Leg

SPECIFICATIONS

Lift Mechanism

Rectangular tables fold and open in one fluid motion, assisted by a torsional energy storage system. This ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling.

Shaped tables fold in one fluid motion without pneumatic or torsional energy assistance. Safety lock engages in the semiopen position to halt downward movement. Safety lock can be released from either side of the table.

Tops

Table tops are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with

deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a supe-

rior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames for Rectangular Tables without Seating

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. End leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" x 2" 14-gauge bottom tube. Center leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" round 14-gauge bottom tube. Center hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frames for Shaped Tables without Seating

Table frame is fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge angle steel, pierced to securely anchor the tops. Leg weldments are robotically wire-welded. Leg consists of 1" x 2" 14-gauge vertical tube and bottom tube, 1" round 14-gauge top tube and two support gussets for added strength. Center hinge plates are 7-gauge steel. Stretcher bars are 1" 7-gauge steel. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.



General Information







WA Hexagonal Table (WAUFHX4)



WA Octagonal Table (WAUFOC5)

atu	

1 04(4) 05			
Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P Edge	•	•	•
Perfect Edge	•	•	•
31-3/4" height	•	•	•

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks for Rectangular Tables

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Kl's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Locks for Shaped Tables

Gravity lock with spring assist constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Safety lock engages in a semi-open position to halt downward opening movement. Release of

gravity lock is possible from either side of the table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of table top when table is in the open position. Casters are self-lubricating.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of ABS plastic material are standard. Set of four per table.

Genera

Tables ship fully assembled. Rectangular tables without seating are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Rectangular Table

			MODEL NU	MBER					
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Wheelchair Accessible Rectangular Table	30 x 96"	WAUFRT08		31				170.0#
	- Without Seating	30 x 120"	WAUFRT10		31				193.0#
• Sto	 Pricing is "Freight Excluded" Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements Underwriters Laboratories, 	30 x 139-1/2"	WAUFRT12		31				215.0#
UWRCN									
	Inc								
	T-leg design furnishes maximum leg								
	room and seating capacity • Height to top of surface is 31-3/4"								
	 31" clearance from floor to underside of 								
	table								
			A	B	0	0	(3	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treat-

ment and frame finish. Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge
73P - 3/4* 73P edge
PR - Perfect edge

Select height.

31 - 31" high

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Flat Vinyl T-Edge (BN)	3/4* 73P Edge (73P)	Perfect Edge (PR)	Chron Upcha add to price	arge o list
\$ 990	\$ 1039	\$ 1185	\$	109
1085	1139	1239		62
1192	1251	1349		49

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Round Tabl

			MODEL NUMBER							
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight	
	Wheelchair Accessible Round Table -	48"	WAUFRD4		31				89.0#	
	Without Seating	60"	WAUFRD5		31				115.0#	
	Pricing is "Freight Excluded"Storage lock standard for added safety	72"	WAUFRD6		31				149.0#	
	 Gravity lock stabilizes tables in the open 									
	position and eliminates possibility of									
UWRDN	tables folding unexpectedly									
	Safety lock engages in a semi-open									
	position to halt downward opening movement									
	T-leg design furnishes maximum leg									
	room and seating capacity									
	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of 									
	table									
			•	•	_		A	(a)		
			A	B	$oldsymbol{\Theta}$	O	Œ	G		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treat-

ment and frame finish.
Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

Select height.

31 - 31" high

style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

KI

Uniframe® Wheelchair Accessible Tables without Seating

			J
Round	Ta	h	۱

Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to list price
\$ 831	\$ 872	\$ 977	\$ 25
883	927	1027	23
1183	1242	1453	21

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Oval Table

MODEL NUMBER Approx. Packaged Basic Edge Surface Edge Frame Weight DxL Model Style Height Finish Color Color 60 x 66" WAUFOV66 31 132.0# Wheelchair Accessible Oval Table -Without Seating WAUF0V72 140.0# 60 x 72" 31 · Pricing is "Freight Excluded" Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly **UWOVN** Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg room and seating capacity Height to top of surface is 31-3/4" 31" clearance from floor to underside of table A **3** 0 0 **3**

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

31 - 31" high

style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.



	3/4" 73P		Chrome Upcharge
Flat Vinyl T-Edge (BN)	Edge (73P)	Perfect Edge (PR)	add to list price
\$ 1035	\$ 1087	\$ 1232	\$ 22
1078	1132	1298	21

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Square Table

		MODEL NUMBER							
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Wheelchair Accessible Square Table -	48 X 48"	WAUFSQ4		31				102.0#
	Without Seating								
	Pricing is "Freight Excluded"Storage lock standard for added safety								
Mark the second	Gravity lock stabilizes tables in the open								
	position and eliminates possibility of								
UWSQN	tables folding unexpectedly								
	 Safety lock engages in a semi-open position to halt downward opening 								
	movement								
	T-leg design furnishes maximum leg								
	room and seating capacity • Height to top of surface is 31-3/4"								
	• 31" clearance from floor to underside of								
	table								
			A	B	0	0	(3	(3)	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge 73P - 3/4" 73P edge PR - Perfect edge

Select height.

31 - 31" high

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.







Chrome Upcharge add to list price

\$

Flat Vinyl T-Edge (BN) 793

3/4" 73P Edge (73P) 833

Perfect Edge

936

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Hexagonal Table

			MODEL NU	JMBER					
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Wheelchair Accessible Hexagonal Table - 4 Without Seating	48"	WAUFHX4		31				94.0#
	Pricing is "Freight Excluded"								
	 Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening 								
UWHXN									
	movement								
	T-leg design furnishes maximum leg room and seating capacity								
	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of 								
	table								
			A	B	•	O	Ø	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

Select height.

31 - 31" high

Select surface finish.

Refer to color addend

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.







Chrome Upcharge add to list price

Flat Vinyl T-Edge (BN) 883

3/4" 73P Edge (73P) 927

Perfect Edge (PR)

\$ 1027 \$

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Octagonal Table

	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
		60"	WAUFOC5		31				140.0#
	Without Seating • Pricing is "Freight Excluded"								
	 Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open 								
UWOCN									
OWOON									
	position to halt downward opening movement								
	T-leg design furnishes maximum leg								
	room and seating capacity								
	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of 								
	table								
			A	B	O	O	(3	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

Select height.

31 - 31" high

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column

for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$48 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.





Chrome Upcharge add to list price

\$

Flat Vinyl T-Edge (BN) 912

3/4" 73P Edge (73P) 957

Perfect Edge (PR)

\$ 1057

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Uniframe® Convertible Bench

General Information





Shown as Bench with Worksurface (UCB)

Shown as Bench with Back Support (UCB)

Features

Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Bench height 17"	•	•
Top height 27"	•	
Top height 29"	•	
Open depth 29-1/2"	•	•





Bullnose Edge

73P Edge

SPECIFICATIONS

Tops/Backs and Benches

Tops/backs and benches are of solid core 3/4" thick warp-resistant construction.
Center core is 45 PCF high-density particle-board. A .030 high-pressure laminate face is used for the top surface with a .030 high-pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 2-1/2" radius. Tops measure 14-3/4" wide by 3/4" thick by the length of the bench.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place

with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members and the ganging mechanism into a self-supporting unit. The top/back support apron is 18-gauge bent and welded steel tubing, using double tube construction for leg support vertical and leg support bottom cross tube. The main pivot folding action is heavy-duty 14-gauge steel tubing coupled with thick 11-gauge saddles. The lower leg base shall be welded to the leg assembly.

Frame Finish

Painted frame finish is non-chipping electrostatically applied and baked. Finish

is black only.

Ganging Mechanism

Steel ganging mechanism is provided on all tables as standard, allowing two tables to be locked together into a common unit. Mechanism is located on end of foot for ease of operation.

Bench Support Foot Caps

Bench support foot caps are non-marring rubber.

Casters

Large 4" diameter hard rubber swivel casters, two locking and two non-locking, provide easy and safe maneuverability.

General

Convertible benches ship knocked down in two boxes for customer assembly (unassembled). Benches are listed with Underwriters Laboratories in compliance with testing for public safety (Folding Rollaway Tables).



Uniframe® Convertible Bench





Shown as 2 Benches Ganged Together (UCB-two units)

Shown as 2 Benches Nested Together (UCB-two units)

Features		
Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Folded height 33-1/4"		•
Folded depth 22"		•
Bench height 17"	•	
Top height 27"	•	
Top height 29"	•	

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Uniframe® Convertible Bench Uniframe® Convertible Bench

			MODE	NUMB	ER					
	MODEL	SIZE	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Leg Finish	Approx. Packaged Weight
		96"	UCB8					BL		135.0#
	 Pricing is "Freight Excluded" Tops/backs and seat tops are con-									
	structed of laminated surfaces with									
	solid, high-density particleboard core • Vinyl bullnose edge banding or 73P edge									
	banding									
	Unitized all-steel frames provide superior									
	stability and durability Black frame finish and black or chrome									
" 6"	legs									
UCB	Wide wheel base and large 4" swivel casters permit easy and safe maneuver-									
	ability									
	 Non-marring rubber surface glides Standard, built-in ganging mechanism 									
	Listed to applicable UL standards and									
	requirements Underwriters Laboratories,									
	Inc • Assembly required									
	7.000mbiy roquirou									
			A	$oldsymbol{\Theta}$	$oldsymbol{\Theta}$	O	(3	•	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model. Basic model includes length of bench. Pricing is "Freight Excluded".
- Select edge style.

 BN Flat vinyl T-edge

73P - 3/4" 73P edge

- Height 27 - 27" high 29 - 29" high
- DSelect surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

BL - Black **G**Leg Finish - Black leg finish - Chrome leg finish; add \$16

Frame Color



Uniframe® Convertible Bench Uniframe® Convertible Bench



Flat Vinyl T-Edge (BN)

\$ 686

3/4" 73P Edge (73P)

\$ 720

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #85.

Uniframe® Tables from KI


General Features and Benefits



Uniframe tables have ample doorway clearance and can be moved in the safe, closed and locked position through standard door openings.




For safety and convenience, the storage lock engages automatically when the table is folded and can't move out of correct alignment like competitor' tables can. The lock release is easily accessible from either side of the table without a long reach under the unit.



Textured polypropylene stool seats are standard or choose the Thermoset Hard Plastic option. Thermoset Hard Plastic provides the ultimate seat for lasting appearance and cleaning simplicity.



Uniframe rectangular tables provide sufficient clearance between top halves to prevent fingers from being caught or pinched. Pinch-free center hinges also assure safe operation.



Kl's unique design stores stool seats parallel to the tabletop, discouraging children from climbing and minimizing dust build-up during storage.



Split benches have a generous 4-1/2" clearance between seats for greater comfort and easy access.

Uniframe® Tables from KI General Features and Benefits





T-legs increase knee room and seating capacity around the table and eliminate the need to straddle table leg uprights.



KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding operation. So much so, these tables are the easiest to operate...bar none!



Uniframe rectangular tables automatically stay in a teepee (semi-folded) position for safe, fast and easy floor cleaning. Just lift slightly, clean and push back down.



For non-rectangular units the semi-open safety lock prevents injury from downward opening by keeping the table in a semi-open position until fingers are out of the way.



KI attaches stools to a heavy, 11-gauge, metal plate before shipping. This provides greater strength, durability and stability than the competitors' plastic sleeve and pin style stools that require field installation. With polypropylene stools, white marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool.



The exclusive caster support has a sleek tamperresistant cover that won't trap dust, dirt or food and won't scuff shoes.

Premier® Folding Tables

General Information



Premier® Round Leg Table

Features

Lightweight core	•
High-pressure laminate top	•
Bullnose edge	•
Round legs	•
General Dimensions	
Standard height	29"
Width range	18 - 36"
Length range	60 - 96"



Solid Core (Bench and Round Tables Only)
A. 030" thick, high-pressure laminate surface.

- B. 1-1/8" thick for benches, 5/8" thick for round tables, high-density, high-strength solid core top.
- C. Standard one-piece, roll-formed, 18-gauge steel apron.
- Extruded vinyl bullnose edge.
 Bradded at the joint.

SPECIFICATIONS

Table, Legs and Frames

Legs fold in pairs. Constructed of 18-gauge seam-welded tubular steel. Folding linkage, hinges, locks and fastening hardware of die-formed steel. Aprons are roll-formed for solid, one-piece construction, fastened to top with screws spaced approximately 12" apart.

Rectangular Tables, Round Legs

1-1/8" o.d. steel tubing. Powder coated legs have non-marring polypropylene feet; chrome legs have self-leveling glides.

Wishbone Folding Legs

18" wide tables have 1" o.d. steel tubing with knifelock hinge. 16-gauge, 1-5/8" dieformed steel apron.

Table Tops

Rectangular and square tables feature routed cellular core construction by means of a high-density particleboard substrate.

Extruded vinyl edges are "T" shaped with serrations mechanically locked into table with brads at the joint.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

Round Table Legs

1" O.D., 14-gauge steel tubing. 16-gauge, 2 3/8" die-formed steel apron.

Round Tops

Round tops are 5/8" thick solid core. 1 1/8" thick solid core high-density particleboard with .030" high-pressure melamine laminate surface with .030" phenolic backer.

Laminate Surfaces

Premier® series tables are 3/4" thick. Simulated woodgrain tops are .030" high-pressure laminate with .030" laminate backing sheet.

Finish

Nonchipping electrostatically applied baked on powder-coating.

Premier® Folding Tables General Information







Premier® Adjustable Height Table

Premier® Round Table

Features

Solid core top		•
Lightweight core	•	
High-pressure laminate top	•	•
Bullnose edge	•	•
Round legs	•	•
General Dimensions		
Standard height		29"
Width range	30 - 36"	60 "
Length range	72 - 96"	
Adjustable height range	23-3/4 - 34-3/4"	

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Premier® Folding Tables

				MODEL NUMBER				
		MODEL	SIZE	Basic Model	Laminate Color	Edge Color	Leg Color	Approx. Packaged Weight
		Fixed Height Folding Table - Lightweight	24 x 72"	TP6				42.0#
M		Core Top	24 x 96"	TP8				53.0#
	<u> </u>	Lightweight core topHigh-pressure laminate surface and	30 x 60"	NP5				47.0#
		backer with bullnose edge	30 x 72"	NP6				57.0#
		 Apron color based on the leg color 	30 x 96"	NP8				71.0#
		selected, brown goes with brown and	36 x 72"	WP6				64.0#
RTP		beige legs, all others will get blackLegs equipped with safety lock	36 x 96"	WP8				80.0#
		Polyalloner feet						
	TZ ST	Adjustable Height Folding Table- Light-	30 x 72"	NP6A				60.0#
	r	weight Core Top	30 x 96"	NP8A				74.0#
	<u> </u>	Lightweight core topHigh-pressure laminate surface and	36 x 72"	WP6A				67.0#
		backer with bullnose edge	36 x 96"	WP8A				83.0#
		 Apron color based on the leg color 						
		selected, brown goes with brown and beige legs, all others will get black						
RTP		Legs equipped with safety lock						
		Polyalloner feet						
		Height adjustable in 1" increments						
		Round Folding Table - Solid Core Top	60" Diameter	RP5				102.0#
	[]	 Top made of a single piece of 5/8" thick particleboard 						
		High-pressure laminate surface and						
		backer with bullnose edge						
		 Apron color based on the leg color selected, brown goes with brown and 						
		beige legs, all others will get black						
RDP		 Legs equipped with two-piece lock 						
		 Polyalloner feet 						
				A	B	•	0	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select leg color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.





	Freight		
Delivered	Freight Excluded		
Pricing	Pricing		
\$ 354	\$ 220		
378	249		
398	258		
416	268		
439	290		
488	343		
513	363		
\$ 427	\$ 278		
452	300		
501	353		
526	373		
\$ 614	\$ 410		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered)

Bonduel, Wisconsin 54107 factory. Freight class #85.

Heritage™ Folding Tables

General Information





Heritage™ Fixed Leg

Heritage™ Adjustable Leg

Features

Solid core top	•	•
High-pressure laminate top	•	•
Bullnose edge	•	•
Round legs	•	•
General Dimensions		
Standard height	29"	
Width range	18 - 36"	30 - 36"
Length range	60 - 96"	72 - 96"
Adjustable height range		23-3/4" - 34-3/4"



Solid Core

- A. High-pressure laminate surface.
- B. 3/4" thick, high-density, high-strength Particleboard solid core top.
- C. Standard one-piece, roll-formed, 18-gauge steel apron.
- Extruded vinyl bullnose edge.
 Bradded at the joint.

SPECIFICATIONS

Table, Legs and Frames

Legs fold in pairs. Constructed of 18-gauge seam-welded tubular steel. Folding linkage, hinges, locks and fastening hardware of die-formed steel. Aprons are roll-formed for solid, one-piece construction, fastened to top with screws.

Rectangular Tables, Round Legs

1-1/8" o.d. steel tubing. Powder coat legs have polypropylene feet.

Adjustable Height Table Legs

1" o.d. tubing upper section; 7/8" o.d. telescoping section. Die-formed steel housing and lock mechanisms; spring-loaded safety lock. Height adjusts in 1" increments in a 23-3/4" to 34-3/4" height range. Nonmarring polypropylene feet.

Wishbone Legs

18" wide tables have 1" o.d., steel tubing with knifelock hinge. 16-gauge, 2-1/4" die-

formed steel apron.

Table Tops

3/4" thick particleboard core with highpressure laminate surface. Extruded bullnose edges are "T"-shaped with serrations mechanically locked into table with brads at the joint.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

Enamel Finish

Powder coat finish on legs and frame.





INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Heritage[™] Folding Tables

			MODEL NUMBER				
			Basic	Laminate	Edge	Leg	Approx. Packaged
	MODEL	SIZE	Model	Color	Color	Color	
	Fixed Height Folding Table - Solid Core	24 x 72"	TH6				59.0#
	Тор	24 x 96"	TH8				76.0#
H	 High-pressure textured plastic laminate surface with bullnose edge 	30 x 60"	NH5				63.0#
	Apron color based on the leg color	30 x 72"	NH6				69.0#
	selected, brown goes with brown and	30 x 96"	NH8				91.0#
HRT	beige legs, all others will get blackLegs equipped with safety lock	36 x 72"	WH6				77.0#
	Legs equipped with safety lock Legs fold flat within frame for storage	36 x 96"	WH8				105.0#
	Polypropylene feet						
	Adjustable Height Folding Table - Solid	30 x 72"	NH6A				
	Core TopHigh-pressure textured plastic laminate	30 x 96"	NH8A				
	surface with bullnose edge	36 x 72"	WH6A				
•	Apron color based on the leg color	36 x 96"	WH8A				107.0#
Ų	selected, brown goes with brown and						
HRT	beige legs, all others will get blackLegs equipped with safety lock						
	Legs fold flat within frame for storage						
	Safety lock; 1" increment height adjust-						
	ment • Polypropylene feet						
	- I diypropylelle leet						
			A	3	•	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select leg color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Heritage™ Folding Tables

Dalimanad	Freight Excluded			
Delivered Pricing	Pricing			
\$ 343				
367	227			
343	207			
354	217			
378	227			
391	249			
416	269			
\$ 367	\$ 227	_		
391	249			
404	259			
427	291			

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered)

Bonduel, Wisconsin 54107 factory. Freight class #85.

Emissary® Folding Tables General Information





Emissary® (Heritage) Folding Table

Emissary® (Premier) Folding Table

Features

i catures		
Solid core top	•	
Lightweight core		•
High-pressure laminate top	•	•
Bullnose edge	•	•
General Dimensions		
Standard height	29"	29"
Width range	18 & 24"	18 & 24"
Length range	60 - 96"	60 - 96"
Adjustable height range		

SPECIFICATIONS

Table, Legs and Frames

Legs fold in pairs. Constructed of 18-gauge seam-welded tubular steel. Folding linkage, hinges, locks and fastening hardware of die-formed steel. Aprons are roll-formed for solid, 1-piece construction, fastened to top with screws.

1-1/8" O.D. steel tubing. Powder-coated legs with chrome self-leveling glides.

Aprons

16-gauge, 2-1/4" die-formed steel. Powdercoated.

Table Tops

Solid Core (Heritage) Style 3/4" thick particleboard core with .030" high-pressure laminate surface and .030" backing sheet. Extruded bullnose edges are "T" shaped with serrations mechanically locked into table

with brads.

Lightweight Core (Premier) Style 5/8" thick particleboard frame with routed cellular core construction. .030" highpressure laminate surface and .030" backing sheet. Extruded bullnose edges are "T' shaped with serrations mechanically locked into table with brads.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

Emissary® Folding Tables General Information



Emissary® Folding Tables

	MODEL NUMBER								
	MODEL	SIZE	Basic Model	Laminate Color	Edge Color	Leg Color	Glide Option	Approx. Packaged Weight	
$\overline{}$	Heritage™ Folding Table	18 x 60"	SEMH/1860				SG	40.3#	
N	Solid core tops provide great durability High processes pleatic leminate surface.	18 x 72"	SEMH/1872				SG	47.8#	
	 High-pressure plastic laminate surface with bullnose edge 	18 x 96"	SEMH/1896				SG	59.8#	
	 Apron color based on the leg color 	24 x 60"	SEMH/2460				SG	49.6#	
	selected, brown goes with brown and beige legs, all others will get black Legs equipped with safety lock Legs fold flat within frame for storage Polypropylene feet	24 x 72"	SEMH/2472				SG	60.3#	
SEM		24 x 96"	SEMH/2496				SG	75.8#	
	Premier® Folding Table • Lightweight core tops provide superior strength • High-pressure plastic laminate surface with bullnose edge	18 x 60"	SEMP/1860				SG	34.7#	
		18 x 72"	SEMP/1872				SG	39.1#	
		18 x 96"	SEMP/1896				SG	48.2#	
		24 x 60"	SEMP/2460				SG	43.1#	
	Apron color based on the leg color advantage with brown and	24 x 72"	SEMP/2472				SG	48.7#	
SEM	selected, brown goes with brown and beige legs, all others will get black	24 x 96"	SEMP/2496				SG	49.8#	
	Legs equipped with safety lock								
	Legs fold flat within frame for storage								
	Polypropylene feet								
			A	B	•	0	(3		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base option. SG - Steel glides



Emissary® Folding Tables

		Freight
Delivere	ıd	Excluded
Pricing	u	Pricing
	0	
\$ 349		\$ 235
364	4	245
394	4	265
379		255
394		265
426	6	287
\$ 404	4	\$ 270
426	6	287
456	6	307
442		297
488	8	327
520	0	349

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered)

Bonduel, Wisconsin 54107 factory. Freight class #85.

DuraLite® Lightweight Folding Tables

General Information



Rectangular Top

Round Top

Features

i data o		
Honeycomb cellular core	•	•
High-impact ABS surface	•	•
Corner protection covers	•	•
Aluminum framework	•	•
Adjustable legs		
General Dimensions		
Height range	29"	29"
Width range	30"	60 - 72 ⁿ
Length range	60 - 96"	60 - 72"



Honeycomb Core

- A. Honeycomb core
- B. Sonically welded edges
- C. Molded corner covers
- D. Aluminum beam structure
- E. Aluminum leg plate attached to aluminum beam
- F. .080" thick co-extruded ABS top shell
- G. .095" thick co-extruded ABS
- bottom shell H. Edge extrusion

SPECIFICATIONS

Table Top

The top is composed of a .080" thick, high impact Lustran 752 ABS top shell, internal core, internal framework and .095" thick high impact Lustran 752 ABS bottom shell, chemically bonded together. Edges of top and bottom shell are ultrasonically welded together to form a fully enclosed unit that cannot separate and is impervious to moisture seepage. The 3/4" thick table edge accepts standard industry skirt clips and is protected by a polypropylene edge bumper which allows for rigorous use and ensures a smooth, snag-free edge.

ABS top and bottom shells are supplied in a "flatline haircell" texture which provides the optimal combination of concealment to scratches.

The undersurface is clean and smooth for better appearance and discourages collection of gum or other undesirable materials.

Four black rubber stacking bumpers are attached to the underside of each table top to protect table surfaces when stacked, and to keep loads from shifting on table caddies.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

Internal Framework

Extruded aluminum channels create a framework around the entire perimeter of the top and are joined at the corners with a molded, high-impact polycarbonate corner reinforcing bracket. Unique aluminum leg attachment brackets attach directly to the aluminum side channels, creating superior strength.

Internal Core

3/4" thick honeycomb cellular core is chemically bonded under pressure to the top and bottom shells creating excellent rigidity and strength with minimum added weight.

Corner Protection Covers

Rectangular table corners are protected by an exclusive high-impact polycarbonate corner cover. These are field-replaceable to allow table corners to be "freshened up" in case of damage from misuse or abuse.

Table Legs

Fixed height legs are constructed of 18gauge, 1-1/8" o.d., seam-welded tubular steel with a non-marring polyethylene glide. Folding linkage, hinges, locks and fastening hardware are of heavy-duty die-formed steel. The leg lock is a gravity operated C-shape designed to prevent binding in the leg mechanism during the folding process. Leg uprights are attached to the inverse-U shaped lower section by "fish-mouthing" the uprights to match the curvature of the lower section tubing and are securely welded together. Metal-to-metal leg attachment to table top ensures durability and allows for sure and easy leg replacement, if necessary. Legs and mechanisms are furnished in a

high quality black electrostatically applied and baked on enamel finish.



DuraLite® Lightweight Folding Tables General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

DuraLite® Lightweight Folding Tables

		MODEL NUMBER					
	MODEL	SIZE	Basic Model	Top Color	Frame Color	Approx. Packaged Weight	
	Rectangular Tables, Fixed Height • Temp rating for the top is 180 degree F	30 x 60"	DL3060		BL	41.0#	
		30 x 72"	DL3072		BL	43.0#	
		30 x 96"	DL3096		BL	52.0#	
DLT							
	Round Tables, Fixed Height • Temp rating for the top is 180 degree F	60" Diameter	DLR60		BL	58.0#	
		72" Diameter	DLR72		BL	71.0#	
Ű							
DLT							
			A	B	Θ		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select top color. Includes top and bottom shell and edge band. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select frame color.

BL - Black

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



DuraLite® Lightweight Folding Tables

Delivered Pricing	Freight Excluded Pricing	
\$ 477	\$ 301	
561	343	
598	415	
\$ 710	\$ 519	
916	675	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered)
Tupelo, Mississippi 38804 factory. Freight class #85.

ValueLite® Folding Tables General Information





ValueLite® Rectangle Top

ValueLite® Round Top

Features

- Gatal-GG		
Blow molded top	•	•
Folding frames	•	•
Steel framework	•	•
Round legs	•	•
General Dimensions		
Height	29"	29"
Width range	30"	48, 60, 71"
Length range	60 - 96"	48, 60, 71"
Stack height	2-1/8" - 2-1/4"	3-5/8"

SPECIFICATIONS

Table Top

The top is composed of high density polyethylene. The blow molded top is seamless, eliminating the possibility of separation. Added UV inhibitors prevent fading and maintain appearance. The polyethelyne tops are resistent to stains and easy to clean.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

Rectangle Table Legs

Fixed height legs are constructed of 19 ga. 1-1/8" tubing O.D., seam-welded tubular steel with non-marring feet. Folding linkage, hinges, locks and fastening hardware are of heavy-duty die-formed steel. The gravity operated chain link leg lock puts 200% more material at the point of stress. Leg brace below the bend is stronger than common u-shaped legs.

Round Table Legs

Fixed height legs are constructed of 19 ga. 1-1/4" tubing O.D., seam-welded tubular steel with non-marring feet with snap lock

Legs and mechanisms are furnished in a high quality, black hammertone powder

ValueLite® Folding Tables General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

		MODEL NUMBER	
		MODEL NUMBER	
	MODEL	Basic Model	Approx. Packaged Weight
	Rectangle Tables	VL.2448.BL.WH	20.0#
	For indoor and outdoor use	VL.3060.BL.WH	30.0#
H A	 Top constructed of lightweight blow molded high density polyethylene plastic 	VL.3072.BL.WH	35.0#
Α , ,	with added UV inhibitors	VL.3096.BL.WH	48.0#
ı	Seam-welded tubular steel legs fold within the frame		
HRDPT	Safety lock		
	Frame and legs have a black hammer-		
	tone powder coat finish • Polypropylene feet		
	Top thickness is 1-7/8"		
	Rectangular Table-Folds in Half	VLF.3072.BL.WH	47.0#
HRDPT	For indoor and outdoor use	VLF.3072.BL.WH	47.0#
וווטו ו	Top constructed of lightweight blow		
	molded high density polyethylene plastic with added UV inhibitors		
	 Seam-welded tubular steel legs fold 		
	within the frame		
	Safety lockFrame and legs have a black hammer-		
	tone powder coat finish		
	Polypropylene feetTable top folds in half, latch and carrying		
	handle allow for convenient transport		
	 Top thickness is 1-7/8" 		
	Round Tables	VL.48R.BL.WH	34.0#
	 For indoor and outdoor use 	VL.46N.BL.WH	53.0#
	Top constructed of lightweight blow Top constructed of lightweight blow	VL.71R.BL.WH	73.0#
	molded high density polyethylene plastic with added UV inhibitors		
· I	 Seam-welded tubular steel legs fold 		
HRDPT	within the frame • Snap lock legs		
	Frame and legs have a black hammer-		
	tone powder coat finish		
	Polypropylene feetStorage caddy KTR9 holds - 12 ea		
	• Top thickness is 1-7/8"		
		Α	



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



	Freight
Delivered	Freight Excluded Pricing
Pricing	Pricing
\$ 168	\$ 109
260	135
287	155
333	207
\$ 264	\$ 171
.	A /
\$ 333	\$ 187
406	291
500	405

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Tupelo, Mississippi 38804 factory. Freight class #70.

		MODEL NUMBER Basic	Approx. Packaged	
	MODEL	Model	Weight	
HRDPT	Square Tables For indoor and outdoor use Top constructed of lightweight blow molded high density polyethylene plastic with added UV inhibitors Seam-welded tubular steel legs fold within the frame Safety lock Frame and legs have a black hammertone powder coat finish Polypropylene feet Top thickness is 1-7/8"	VL.3636.BL.WH	26.0#	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered	Freight Excluded
Pricing	Pricing
\$ 199	\$ 129

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Tupelo, Mississippi 38804 factory. Freight class #70.

Folding Table Storage and Accessories General Information





	Vertical Storage Caddy (KTV68)	Horizontal Storage Caddy (KTH6)	
Features			
Rectangular or square table storage	•	•	
Standard beige enamel finish	•	•	
Stackable for storage	•	•	
Capacity	9 (8 for Premier® / 6 for Emissary®)	10 (7 for Emissary®)	
General Dimensions			
Length	78"	78"	
Width	26-5/8"	26-5/8"	
Height from floor	28-1/8"	32"	
Contara	A ^{II}	V ∥	

SPECIFICATIONS

KTV and KTH Table Caddy Frames

Uni-welded construction with all components welded into an integral unit. 16-gauge, 1-1/2" x 4-1/2" angle steel side members with 2-1/4" x 7" channel steel cross members. 18-gauge, 1-1/8" o.d. tubular removable endposts and sideposts.

KTR9 Table Caddy Frame

14-gauge, 1" x 2" seam-welded tubular steel frame welded into an integral unit. Tubular steel table supports of 1-1/8" o.d., 18-gauge seam-welded tubular steel; removable.

Table Caddy Wheels

Black phenolic wheels with roller bearings; 2 fixed and 2 swivel. KTV and KTH have 4" wheels; KTR9 has 5" wheels. (Not recommended for wood floors.)

Enamel

Nonchipping enamel is electostatically applied, then baked; alkyd urea formula.



Folding Table Storage and Accessories General Information





Horizontal Storage Caddy (KTH8)

Vertical Storage Caddy (KTR9)

Features			
Rectangular or square table storage	•	•	
Standard beige enamel finish	•	•	
Stackable for storage	•	•	
Capacity	10 (7 for Emissary®)	8 (10 for Duralite®)	
General Dimensions			
Length	99-3/8"	55-1/4"	
Width	26-5/8"	32-5/8"	
Height from floor	32"	44-3/4"	
Casters	4"	5"	

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

				L NUMBE	R	
	MODEL	WxL	Basic Model	Enamel Color	Base	Approx. Packaged Weight
U TCAD	Folding Table Vertical Storage Caddy Capacity: 9 tables (8 for Premier® / 8 for Emissary®) For 6' or 8' rectangular or square table storage Four 4" wheels: 2 fixed, 2 swivel for maneuverability 28-1/8" high from floor empty Sideposts are removable for stacking empty caddies Beige enamel finish standard (additional colors available at an upcharge)	26-5/8 x 78"	KTV68	BE		70.0#
ψ δ TCAD	Folding Table Horizontal Storage Capacity: 10 tables (7 for Emissary®) For 6' or 8' rectangular or square table storage Four 4" wheels: 2 fixed, 2 swivel for maneuverability 32" high from floor empty Endposts are removable for stacking empty caddies Beige enamel finish standard (additional colors available at an upcharge)	26-5/8 x 78" 26-5/8 x 99-3/8"	KTH6 KTH8	BE BE		53.0# 68.0#
TCAD	Folding Table Vertical Storage Caddy Capacity: 8 Tables (10 for DuraLite®) For 4', 5' or 6' diameter round table storage Four 5" wheels: 2 fixed, 2 swivel for maneuverability 44-3/4" high from floor empty Endposts are removable for stacking empty caddies Beige enamel finish standard (additional colors available at an upcharge) Maximum weight 880 lbs.	32-5/8 x 55-1/4*	KTR9	BE		63.0#
			A	3	Θ	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect enamel finish.

BE - Beige Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base option.

- Standard wheels - All swivel wheels; add \$22



		Freig	pht
Delive	red	Excl	ght uded ing
Pricin	g	Prici	ing
\$ 6	622	\$	465
\$ 5	:10	Φ.	371
	561		403
0	1001		403
\$ 8	270	¢	645
φυ	013	φ	040

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped knockdown f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Bonduel, Wisconsin 54107 factory. Freight class #85.

			MODEL NUMBER			
	MODEL	Features	Basic Model	Frame Color	Approx. Packaged Weight	
	Round Folding Legs • 1-1/8" round tubular steel	30"W and 36"W Solid and Honeycomb	87.0111.A		15.0#	
HRDPT	Enamel finish	24"W	87.0126.A		15.0#	
	 Polypropylene feet 					
	 Hardware included 					
	Wishbone Folding Legs	48", 60" Round	87.0010.P		18.0#	
HRDPT	 1" round tubular steel 	40,00 Hound	07.0010.1		10.0#	
	Enamel finishPolypropylene feet					
	Hardware included					
	Adjustable Height Folding Legs	30"W and 36"W	87.0147.A		18.0#	
HRDPT	1" round tubular steelHeight adjustment 23-3/4" to 34-3/4" in					
	1" increments (includes allowance for					
	3/4" top) • Enamel finish					
	Polypropylene feet					
	Replacement Feet for Tables	Cap Style Foot	NN.06.0001		0.0#	
HRDPT	• 1-1/8" diameter	oup otyle root	1414.00.0001		0.0#	
	Beige is standard color					
HRDPT	Replacement Feet for Tables		06.0019		0.0#	
	1" diameter polypropylene feetBeige only					
	20190 0,					
			A	$oldsymbol{\Theta}$		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered Pricing	Freight Excluded Pricing		
\$ 93	\$ 61		
103	71		
\$ 184	\$ 143		
,	•		
* ***			
\$ 118	\$ 89		
\$ 1	\$ 1		
\$ 1	\$ 1		
φ	φ і		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped knockdown f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Bonduel, Wisconsin 54107 factory. Freight class #85.

Index

Model No.	Description	Page	Model No.	Description	Page
06.0019	Storage and Accessories: Replacement Feet for Tables	90			
87.0010.P	Storage and Accessories: Wishbone Folding Legs	90			
87.0111.A	Storage and Accessories: Round Folding Legs	90			
87.0147.A	Storage and Accessories: Adjustable Height Folding Legs	90			
DL3060	Rectangular Tables, Fixed Height	78			
DLR60	Round Tables, Fixed Height	78			
KTH6	Storage and Accessories: Folding Table Horizontal Storage	88			
KTR9	Storage and Accessories: Folding Table Vertical Storage Ca	•			
KTV68	Storage and Accessories: Folding Table Vertical Storage Ca	ıddy 88			
NH6A	Adjustable Height Folding Table - Solid Core Top	70			
NN.06.0001	Storage and Accessories: Replacement Feet for Tables	90			
NP6A	Adjustable Height Folding Table- Lightweight Core Top	66			
RP5	Round Folding Table - Solid Core Top	66			
SEMH/1860	Heritage™ Folding Table	74			
SEMP/1860	Premier® Folding Table	74			
TH6	Fixed Height Folding Table - Solid Core Top	70			
TP6	Fixed Height Folding Table - Lightweight Core Top	66			
UCB8	Uniframe® Convertible Bench: Convertible Bench	60			
UF084/CX	Rectangular Table with Stool Seats: Rectangular Table				
	with Stools - Thermoset Hard Plastic	10			
UF084/PY	Rectangular Table with Stool Seats: Rectangular Table				
	with Stool Seats - Polypropylene	8			
UF08BE	Rectangular Table with Benches: Rectangular Table				
	with Benches	4			
UF12SB	Rectangular Table with Split Benches: Rectangular				
	Table with Split Benches	6			
UFHX4	Hexagonal Table: Hexagonal Table - Without Seating	30			
UFOC5	Octagonal Table: Octagonal Table - Without Seating	32			
UFOV66	Oval Table: Oval Table - Without Seating	26			
UFRD4	Round Table: Round Table - Without Seating	24			
UFRD58/CX	Round Table with Stool Seats: Round Table with Stool				
	Seats - Thermoset Hard Plastic	18			
UFRD58/PY	Round Table with Stool Seats: Round Table with Stool				
	Seats - Polypropylene	16			
UFRD5SB	Round Table with Split Benches: Round Table with				
LIEDTOO	Split Benches	14			
UFRT08	Rectangular Table: Rectangular Table - Without Seating	22			
UFSQ4	Square Table: Square Table - Without Seating	28			
UFSU4	Round Stand-up Height Table: Round Stand-up Height	0.4			
VI 0000 DI WIII	Table - Without Seating	34			
	Rectangle Tables	82			
VL.48R.BL.WH		82			
WAUF126/CX	Rectangular Table with Stool Seats: WA Rectangular	40			
WAUF126/PY	Table w/Stools - Thermoset Hard Plastic Rectangular Table with Stool Seats: WA Rectangular	42			
WAUF120/P1	Table with Stool Seats - Polypropylene	40			
WAUF12BE	Rectangular Table with Benches: Wheelchair Acces-	40			
WAUFIZBE	•	38			
WALIEUVA	sible Rectangular Table with Benches	30			
WAUFHX4	Hexagonal Table: Wheelchair Accessible Hexagonal	E 4			
WALIFOCE	Table - Without Seating	54			
WAUFOC5	Octagonal Table: Wheelchair Accessible Octagonal	FC			
MALIEOVICE	Table - Without Seating	56			
WAUFOV66	Oval Table: Wheelchair Accessible Oval Table - Without	F0			
WALLEDD 4	Seating	50			
WAUFRD4	Round Table: Wheelchair Accessible Round Table -	40			
WALLEDTOO	Without Seating	48			
WAUFRT08	Rectangular Table: Wheelchair Accessible Rectangular	40			
WALLEGO 4	Table - Without Seating	46			
WAUFSQ4	Square Table: Wheelchair Accessible Square Table -	E0			
	Without Seating	52			





KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11487R2/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.