

FORTRESS

Spray Disinfectant Deodorant

DESCRIPTION

A hospital type broad spectrum spray disinfectant and deodorant. Kills germs and eliminates malodors at their source. Effective against many microorganisms including staph, pseudomonas and salmonella. Also fungicidal against pathogenic fungi and will prevent the growth of mold and mildew. Built-in odor counteractants combined with cosmetic grade perfumes leave behind a pleasant scent after each use. EPA registered.

PRODUCT FEATURES / BENEFITS

- · Hospital type formula / Meets all requirements for hospital use
- Fungicidal / Mildewstat / Prevents the spread of athletes foot fungi and controls the growth of mold and mildew
- Effective against HIV-1 (AIDS virus) / Reduces risk of contamination
- Highly fragranced / Leaves behind a pleasant scent after each use
- Built-in odor counteractant / Destroys malodors at their source

DIRECTIONS FOR USE

This product is designed specifically for homes, hospitals, nursing homes, schools and hotels as a disinfectant and deodorant. It is intended for use as a disinfectant for telephones, bed springs, door knobs, linen carts, hampers, wheel chairs, tables, cabinets, light switches, garbage pails and other clean, inanimate, nonporous, hard surfaces. In addition, this product deodorizes those areas that generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, basements, restrooms, shower stalls, and other areas which are prone to odors caused by microorganisms. This product can also be used as a room deodorizer and refresher.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SURFACE DISINFECTION AND DEODORIZATION- For disinfection, first remove soil deposits from surface to be treated. Hold container six (6) inches from surface and spray area until completely wet, allowing the surface to remain wet for 10 minutes.

AIR DEODORIZER AND AIR FRESHENER- Spray upwards to center of room for three (3) seconds.

MILDEWSTAT- To control mold and mildew on pre-cleaned, hard, nonporous surfaces spray surface to be treated making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth appears.

BACTERICIDAL ACTIVITY- When used as directed, this product exhibits effective disinfectant activity against the organisms: Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas auruginosa and meets all requirements for hospital use.

FUNGICIDAL ACTIVITY- This product is fungicidal against the pathogenic fungi, Tricchophyton mentagrophytes (Athlete's Foot Fungus) when used as directed on hard surfaces found in bathrooms, shower stalls, locker rooms, or other clean, non-porous, hard surfaces commonly contacted by bare feet.

SPECIFICATIONS

Appearance	Clear
Odor	Purí
Propellant	Hydrocarbon
V.O.C. (%)	83
Rinsability	Not Required

Deodorization	Excellent
Bactericidal	Yes
Fungicidal	Yes
Mildewstat	Yes
Flash Point	160°F
Shelf Life1 year minimum in original unope	ened container

SAFETY INFORMATION

CAUTION: Causes eye and skin irritation. Avoid contact with skin and eyes. May cause nasal and respiratory irritation at high concentrations.

FIRST AID: INHALATION: Remove victim to fresh air. Apply artificial respiration if necessary. Get medical attention. EYES: Flush eyes with water for at least 15 minutes. Get medical attention. SKIN: Remove contaminated clothing and launder

before re-wearing. Wash affected areas with soap and water. Get medical attention if irritation persists. INGESTION: Do not induce vomiting. Get medical attention immediately. Never give anything by mouth to an unconscious person.

Registered with the Environmental Protection Agency. Authorized by USDA for use In federally inspected meat and poultry plants.

For Sale To, Use and Storage By Service Personnel Only.



HMIS HAZARD CODE		
1	HEALTH	
3	FLAMMABILITY	
0	REACTIVITY	
В	PERSONAL PROTECTION	



National Chemical Laboratories, Inc.

World Class Cleaning Solutions®



NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

Section 1 - Identification

Product Identifier FORTRESS Spray Disinfectant Deodorant

Other means of identification 2004

Recommended use Spray Disinfectant Deodorant

Recommended restrictions EPA Registered Product. For Commercial and Industrial Use Only. (RTU) Ready-To-Use aerosol.

Manufacturer / Importer / Supplier / Distributor Information

Company Name National Chemical Laboratories of PA, Inc. Address 401 N. 10th Street - Philadelphia, PA 19123

 Telephone
 1 (215) 922-1200

 Supplier Email
 info@nclonline.com

 Contact
 CHEM-TEL

 Emergency Phone
 1 (800) 255-3924

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

Classification Category

Physical Hazards Flammable Aerosols 2

Gasses under pressure Liquefied gas

Health HazardsAcute toxicity, oral5

Serious eye damage/eye irritation 2B
Skin corrosion/irritation 3
Specific target organ toxicity, single exposure 3

OSHA defined hazards

Label Elements

Hazard Symbol



Signal Word Warning

Hazard Statement Flammable aerosol. Contains gas under pressure; may explode if heated. May be harmful if swallowed. Causes eye irritation.

Causes mild skin irritation. May be harmful if inhaled.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. No smoking. Avoid breathing mist or vapor. Use only outdoors or in a

well-ventilated area. Wear eye/face protection. Wash thoroughly after handling. Keep out of reach of children.

Response IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. If in eyes: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Not Classified.

Storage Protect from sunlight. Do not expose to temperatures exceeding 122°F/50°C. Store in a well-ventilated place.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC)

None known.

Section 3 - Composition/Information on ingredients

Mixture

Hazardous ComponentsIngredient NameCAS #%Liquified Petroleum Gas68476-86-830 - 40

. _Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium 85409-23-0 < 0.1

chloride (Alternate CAS 68956-79-6)

_Alkyl Dimethyl Benzyl Ammonium Chloride (C12-C18) 68391-01-5 < 0.1

Composition Comments Components not listed are either non-hazardous or are below reportable limits.

Section 4 - First-aid Measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low to avoid

getting into the lungs. Call a poison control center if large amounts are ingested. Never give anything by mouth to an

unconscious person.

Most Important symptoms /effects, acute and delayed Indication of immediate medical attention and special treatment Eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General Information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5 - Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing Water fog. Dry chemical powder. Carbon dioxide (CO2).

None known

media
Specific hazards arising from

Contents under pressure. Containers may explode when heated.

the chemical

Special protective equipment and precautions for firefighters

 $Self-contained\ breathing\ apparatus\ and\ full\ protective\ clothing\ must\ be\ worn\ in\ case\ of\ fire.$

Fire-fighting equipment /instructions

Specific Methods

In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Use standard fire fighting procedures and consider the hazards of other involved materials.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering

them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed.

Prevent entry into

waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling

HARMFUL IF INHALED OR SWALLOWED. VAPOR HARMFUL. CAUSES SEVERE EYE AND SKIN DAMAGE. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not re-use empty containers. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Do not eat, drink or smoke when using this product. Keep out of reach of children. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Contents under pressure. Do not expose to heat or store at temperatures above 122°F/50°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Type Value Form Liquified Petroleum Gas (CAS 68476-86-8) TWA 1000 ppm Mist

US. ACGIH Threshold Limit Values

Component Type Value Form Liquified Petroleum Gas (CAS 68476-86-8) TLV 1000 ppm Mist

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne

levels to an acceptable level. Provide

eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear eye/face protection.

Skin protection

Hand protection Wear suitable protective clothing.

If conditions risk exposure, wear suitable protective clothing.

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or Respiratory protection

to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material considerations

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants.

Section 9 - Physical and chemical properties

Appearance

Physical state Gas/Liquid mixture.

Form Aerosol. Liquefied gas. Clear liquid.

Color Pale Straw. Odor Floral (Puri™). Odor threshold Not available. рΗ 11.0 - 12.0Melting point/freezing point Not available. Initial boinging point and Not available.

boiling range

Flash point -156.0 °F (-104.4 °C) Propellant estimated

Evaporation rate Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available. Vapor density

Relative density 1.00 ± 0.01 @ (75°F) (liquid)

75 °F (23.89 °C) Relative density temperature Solubilities Soluble. (liquid) Partition Coefficient n-Not available.

octanol/water

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Viscosity <10 cSt.

Viscosity Temperature 75 °F (23.89 °C)

Other Information

VOC's 30 - 40 %

Pressure 40 - 52 psig @ 70F

Section 10 - Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions. Possiblity of hazardous reactions Hazardous polymerization does not occur.

Conditions to Avoid Avoid heat, sparks, open flames and other ignition sources. Temperatures above 122°F/50°C. Contact with incompatible

materials.

Incompatible materials Strong oxidizing agents.

Hazardous Decomposition

Products

Combustion will produce carbon dioxide and, possibly toxic chemicals such as carbon monoxide.

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion May be harmful if swallowed.

Inhalation May cause respiratory tract irritation. This product may be aspirated onto the lungs and cause chemical pneumonitis.

Causes skin irritation. Prolonged or repeated skin contact may cause drying, cracking, or irritation. Skin contact

Eye contact Causes eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and

swelling of the conjunctiva.

Information on toxicological effects.

Acute toxicity May be harmful if swallowed.

> Results Components Level Type Code **Species** _Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl Dermal LD50 Rabbit > 2000 mg/kg Acute

ammonium

chloride (Alternate CAS 68956-79-6) (CAS 85409-23-0)

Acute Inhalation LC50 > 20 mg/l Alkyl Dimethyl Benzyl Ammonium Chloride (C12-Acute Dermal LD50 Rat 1420 mg/kg

C18) (CAS 68391-01-5)

Acute Oral LD50 Rat 500 - 5000 mg/l Dermal LD50 Rabbit > 2000 mg/kg Acute Inhalation LC50 > 20 mg/l Acute

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/ eye

Causes eye irritation.

Respiratory sensitization This product is not expected to cause respiratory sensitization. Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause drowsiness and dizziness.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not likely, due to the form of the product.

Chronic effects Prolonged inhalation may be harmful. May be harmful if absorbed through skin.

Section 12 - Ecological Information

May cause long-term adverse effects in the aquatic environment. **Ecotoxicity**

Persistence and degradability No data is available on the degradability of this product.

No data available. **Bioaccumulative potential** Mobility in soil No data available

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine

disruption, global warming potential) are expected from this component.

Section 13 - Disposal considerations

Disposal instructions Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush. Dispose of

contents/container in accordance with local/regional/national/international regulations.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact

your State Pesticide or Environmental

Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused

products Contaminated packaging Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers

may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

Section 14 - Transport information

DOT

UN1950 **UN number**

Aerosols, flammable Proper shipping name

Transport hazard class(es) 2.1

Packing group Not Applicable.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Labels required

None/Ninguno

Packaging exemption 306

Packaging non bulk None/Ninguno

Packaging bulk None/Ninguno

Comment This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped

as a limited quantity until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the

"Consumer Commodity ORM-D" marking and both may be displayed concurrently.

IATA

UN number UN1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es) 2.1

Packaging group Not Applicable.

Environmental hazards No.
Labels required 2.1
ERG Code 10L

Special precautions for user

Other Information

Read safety instructions, SDS and emergency procedures before handling.

Passenger and Cargo

aircraft

Allowed.

No.

Cargo aircraft only Allowed.
Packaging Exceptions LTD QTY

IMDG

UN number UN1950 UN proper shipping name AEROSOLS

Transport hazard class(es) 2.1

Packaging group Not Applicable.

Environmental hazards Marine pollutant

Labels required 2.1 EmS F-D, S-U

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Packaging Exceptions LTD QTY

Transportation in bulk Not applicable.

according to Annex II of MARPOL 73/78 and IBC Code

Section 15 - Regulatory Information

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)

Components Result Comment

Liquified Petroleum Gas (CAS 68476-86-8) 8-12%

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

CERCLA Hazardous Substance List (40 CFR 302.4 Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard Yes

Delayed Hazard No
Fire Hazard Yes
Pressure Hazard Yes
Reactivity Hazard No

SARA 302 Extremely hazardous substance Not regulated.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.
Food and Drug Administration (FDA) Not regulated.

US state regulations

US.New Jersey Worker and Community Right-to-Know Act
US.Pennsylvania RTK - Hazardous Substances

US.Rhode Island RTK
Not regulated.
Not listed.
Not regulated.

US - California Propsition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This

material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances	No
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Issue date 4/17/2015

Version # 01

Disclaimer

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.

^{*}A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is designed for Homes, Nursing Homes, Hospitals, Institutions, Offices, Schools, Motels and Hotels. When used as directed, this product is formulated to disinfect inanimate hard surfaces (such as walls, desktops, sinktops, telephones, door knobs, diaper pails, toilet seats, bed pans, and hampers.). In addition, this product deodorizes those areas which generally are hard to keep fresh smelling (such as garbage storage areas, empty garbage bins and cans, restrooms, shower stalls and other areas which are prone to odors caused by microorganisms.). When used as directed, this product demonstrates effective disinfection against Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas aeruginosa and Trichophyton mentagrophytes. The product is fungicidal against Pathogenic fungi (Athlete's Foot Fungus), when used as directed on hard surfaces found in the bathroom, shower stall, and locker room, or other clean non-porous surfaces commonly contacted by the bare foot.

Mold and Mildewstat - This product prevents and controls mold and mildew and the odors they cause on hard, non-porous, inanimate surfaces when used as directed.

Surface Disinfection and Deodorization: (1) First remove soil deposits from surface to be treated. (2) Hold can six inches from surface and spray until completely wet, allowing the surface to remain wet for 10 minutes.

Air Deodorizer and Freshener: Point spray upwards to center of room and spray for three seconds.

Mildewstat: To control mold and mildew on hard, non-porous surfaces (such as floors, walls, and table tops), spray the surfaces to be treated, making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.

Kills HIV on Pre-cleaned Environmental Surfaces/Objects Previously Soiled with Blood/Body fluids in health care settings or in other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type-1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/
OBJECTS SOILED WITH BLOOD/BODY FLUIDS PERSONAL PROTECTION: Use disposable latex gloves, gowns, masks, eye covering and any other protective clothing needed to prevent contact with items soiled with blood or body fluids.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal. **CONTACT TIME:** Leave surfaces wet for 10 minutes.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Keep Out Of Reach Of Children. Causes eye and skin irritation. Do not get in eyes, skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use. If swallowed, drink egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL: STORAGE - Store in a cool dry area away from heat and open flame. DISPOSAL - Do not incinerate or puncture empty container. Replace cap. Wrap container and put in trash collection.

First letter of date code on can indicates manufacturing plant.





To learn more about this product, scan this **QR code** to



2004-0817 [©]









Disinfectant

Fortress[™]

Spray Disinfectant Deodorant

Kills HIV-1 on Pre-cleaned Environmental Surfaces.
Controls Mold & Mildew and eliminates odors.

EPA REG. NO. 33595-9-2296 EPA EST. NO. 11623-GA-2 (J) 33595-M0-4 (N)

ACTIVE INGREDIENTS:

 n-Alkyl (C14 60%, C16 30%, C12 5%, C18 5%)

 dimethyl benzyl ammonium chlorides
 .00.1%

 n-Alkyl (C12 68%, C14 32%)
 .00.1%

 dimethyl ethylbenzyl ammonium chlorides
 .00.1%

 lsopropanol
 .53.0%

 INERT INGREDIENTS
 .46.8%

 TOTAL
 .100.00%

KEEP OUT OF REACH OF CHILDREN. WARNING:

FLAMMABLE: CONTENTS UNDER PRESSURE. DO NOT USE NEAR FIRE, SPARKS, OR FLAME. DO NOT PUNCTURE OR INCINERATE CONTAINER. EXPOSURE TO TEMPERATURES ABOVE 120° F MAY CAUSE BURSTING. SEE SIDE PANEL FOR ADDITIONAL CAUTIONS AND HEALTH HAZARDS.

NET WEIGHT: 15 oz. (425 g.)

National Chemical Laboratories, Inc.

Philadelphia, PA 19123 USA • (800) 628-2436 www.nclonline.com

Product No.: 2004