

MY-HITE COLLECTION



2018

Table of Contents

Terms and Conditions	4
Standard Fabrics	6
Fabric Direction Guidelines	7
Standard Finishes	8

MY-HITE

HOW TO ORDER MY-HITE

Freestanding Application	12
Workstation Application	13
Beam Application	14
Recommended Base Application -	
Worksurface Depth	15
Electrical Draw	15
Recommended Base Application - Corner	
Worksurfaces	16
Grommet Locations	17
Power Grommet	23
Mobile Pedestal	24
Straight T-Leg	26
Straight C-Leg	27
Corner T-Leg	28
Corner C-Leg	29
Corner T-Leg Post	30
Corner C-Leg Post	31

WORKSURFACES FOR FREESTANDING APPLICATION

Rectangular	34
Corner	35
90° Extended Curved Corner	36
Rectangular Extension	39
D-Shaped	40
Wedge	41
120° Corner / 90° Ends	42
120° Corner / 120° Ends	43

PRIVACY SCREENS

Modesty Panel, Laminate	44
Privacy Screen, Fabric	45
Privacy Screen, Marker Board	46
Privacy Screen, Laminate	47
Worksurface Mounted Screens, Clear	48
Worksurface Mounted Screens, Frosted	49

MOBILE PEDESTAL

Mobile Pedestal	50
Keyed Alike	51

MONITOR ARMS

Monitor Arms	52
--------------	----

TABLE POWER COMPONENTS

Power Grommet	53
Power Distribution	54

ACCESSORIES

Flat Bracket	55
Wire Manager	55
Casters	55

BEAM

HOW TO ORDER BEAM

How to order Beam	59
Workstation Examples & Pricing	61

SPECIFY BEAM

Beam Package	65
Supporting Post	66
Inline & End of Run	66
Supporting Post	67
2, 3, 4 Way	67
Laminate Insert Package	68
Base Cover, non-powered	70
Beam Package Top Caps	71
Electrical Distribution	72
Beam Mounted Screens	74

WORKSURFACES FOR USE WITH BEAM

Rectangular	76
Corner	77
90° Extended Curved Corner	78
D-Shaped	81
Wedge	82
120° Corner / 90° Ends	83
120° Corner / 120° Ends	83

Terms and Conditions

PRICES

Pricing is delivered, freight included to 48 contiguous states. Specific requirements apply, minimum order required, see freight policy for details. See complete freight rules and policy on www.friant.com.

ORDERING

Purchase Orders should be sent to orders@friant.com or faxed to (510) 535-6895. If your specifications were created with CAP, GIZA or Project Matrix, please send the worksheet (.SP4, or .SIF) with your Purchase Order.

TERMS

Net 30 days from date of invoice. Invoices are delinquent if not paid 30 days from date of invoice. In the event timely payment is not made, interest will be charged at the rate of 1.5% per month on delinquent accounts. Buyers will also be liable for normal collection costs and attorney's fee. 50% deposit is required with every order, unless prior arrangements have been made.

ORDERS

Orders are only accepted by issuance of our formal acknowledgment, and are subject to the terms set forth herein and on our order acknowledgment. It is the responsibility of the buyer to review our acknowledgment for its accuracy, and to notify Friant within 24 hours on 10 Day orders from the date of the acknowledgment of any discrepancies. No changes or cancellations can be made on 5 Day orders.

LEAD TIME

Lead times are subject to availability, see www.Friant.com for details.

SHIPPING

Friant generally palletizes, boxes and/or shrink-wraps its products. If buyer requests additional packaging or special shipping, then it is responsible for any extra costs that result. Buyer obtains title to products and assumes the risk of loss for them upon shipment from Friant's plant.

CLAIMS

We are not responsible for damage suffered in transit. Merchandise should be inspected for possible freight damage upon delivery. The consignee should file for damage or shortages with the carrier within 5 days of delivery. You are also protected for "concealed damage" if you file claim with the carrier within 5 days of delivery. Buyer must make all claims against Friant for defects, errors or shortages in writing within 10 days after delivery. Failure to make such a claim shall constitute full acceptance.

RETURNS

No merchandise may be returned without our written consent and shipping instructions. Unauthorized returns will not be accepted and will be returned freight collect.

PARTIAL SHIPMENTS

We will make every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments, as merchandise is ready. Invoices covering these shipments are to be paid as they become due.

ORDER CHANGE/CANCELLATIONS

There are no cancellations on orders with 5 day lead time. Our order confirmation is final and binding. Any order change or cancellation is subject to our ability to conform. Such requests are to be made in writing to our office.

SHIPMENT AND PREPAID FREIGHT

Unless otherwise instructed, we reserve the option to ship by what is, in our opinion, the best possible way. Upon request, we will prepay and add freight for accounts with established credit.

DELIVERY

We are not liable for delay or failure of delivery due to strikes and/or differences with workmen, war, riot, fire, compliance with government regulations, acts of nature, failure or delays of sources of supply, or any other causes beyond our control.

STORAGE

If buyer cannot accept delivery when merchandise is ready, we reserve the right to transfer goods to storage. Costs of transfer and storage will be charged to the buyer's account, and we will deem such transfer as constituting shipment for all purposes, including invoicing, as of the date the transfer is made.

CONSTRUCTION — SPECIFICATIONS

All items are produced to price list specifications unless otherwise advised. All dimensions shown are approximate. Manufacturer reserves the right to make modifications and/or improvements without prior notice.

FABRIC APPLICATION

Standard fabric application is horizontal. Friant & Associates is not responsible for charges associated with replacement of products due to incorrect specifications. Please note: Some patterns require horizontal or vertical application specifically tailored to those products. See individual pricebook specifications for details.

CUSTOMER'S OWN MATERIAL

Yardage requirement is based on 66" wide plain covering material, and must be increased if less than 66" wide. Special instructions for handling material (pattern, directional fabric, right side of reversible fabric, etc.) must be submitted in writing before fabric is delivered. In the absence of special instructions, we reserve the right to use our own judgment. We reserve the right to reject any covering, which in our opinion, is unsuitable for our upholstery purposes. However, in no instance shall we be held responsible for unsatisfactory results due to use of covering unsuitable for our upholstery methods.

We will not be responsible for errors caused by buyers not supplying us with sample cuttings attached to their order giving full identification of covering material, (name of supplier, covering name, number and color) for identification purposes and advising us of model number and quantity to which each cover is to be applied.

Customer's own material that is shipped freight collect will be refused. A service charge will be applied for the return of unusable C.O.M. Contact factory.

RIGHTS AND WARRANTIES — 5 YEARS

This warranty is given to the initial purchaser and is valid from the date of purchase, for as long as the initial purchaser owns the product. This warranty covers defects in material and craftsmanship found during normal usage of the product during the warranty period. If the product is defective, and if written notice of the defect is given to Friant & Associates within the applicable warranty period, Friant & Associates, at its option, will either repair or replace the defective product with a comparable component or product. This warranty applies to all products except as noted below.

The following exceptions to the limited 10 year warranty apply: All Motors and electrical components are warranted for 5 years.

High wear parts, such as wood veneer, fabrics, laminates and other covering material/finishes, foam, glides, etc. are warranted for one (1) year. This warranty does not apply to damage caused by a carrier, alteration to the product not expressly authorized by Friant & Associates, nor to product considered to be of a consumable nature such as bulbs, light ballasts, etc. It also does not apply to "Customer's Own Material" (i.e. material specified by the customer that is not a standard Friant & Associates offering) used in the manufacture of Friant & Associates products.

Friant & Associates does not warrant the matching of colors, grain or texture, except to within commercially acceptable standards. This includes normal variations between dye lots (fabrics).

A product will not be considered defective, and Friant & Associates will not be obligated to replace it, if it is not installed in a proper manner (i.e. product not leveled, not secured properly, etc.).

Except as noted above, Friant & Associates makes no express or implied warranties to any product, and in particular makes no warranty of fitness for any particular use. At Friant & Associates' option, product repair and replacement is the customer's exclusive remedy for any and all product defects.

Friant & Associates shall not be liable for consequential, economic, or incidental damages arising from any product defect.

CALIFORNIA PROP 65 WARNING

Products in this catalog may contain a chemical known to the state of California to cause cancer, or birth defects or other reproductive harm.

Standard Fabrics

PASSAGE		TERRAIN		SLIDE	
PF601-1	Gull	PF701-1	Cloud	PF101-1	Caramel
PF601-2	Grove	PF701-2	Dusk	PF101-2	Slate
PF601-3	Wing	PF701-3	Wave	PF101-3	Pewter
PF601-4	Quartz	PF701-4	Earth	PF101-7	Java
PF601-5	Leaf			PF101-9	Sterling
PF601-6	Brook			PF101-10	Crema
PF601-7	Trail			PF101-13*	Mustard
PF601-8	Amber			PF101-14*	Avocado
				PF101-15*	Pumpkin
				PF101-16*	Ocean
				PF101-17*	Blueberry
				PF101-18*	Cardinal
				PF101-19*	Flamingo
				PF101-20*	Serenity
				PF101-21*	Azure
				PF101-22*	Orchid
				PF101-23*	Plum
				PF101-24*	Raven

* DISCONTINUED FABRICS FOR Q1

SLIDE

PF101-4	Verde
PF101-5	Twilight
PF101-6	Vintage
PF101-8	Latte
PF101-11	Breeze
PF101-12	Stem

* Contact your Customer Service Representative for availability

NOTE: Fabric direction as per Friant's fabric card.

All textiles listed are 66" wide.

Order fabric cards online at www.friant.com/samples.

Colors may vary slightly between dye lots.

SKY		SILKY		STICKS	
PF301-1	Terra	PF401-1	Natural	PF501-1	Smoke
PF301-2	Birch	PF401-2	Parids	PF501-2	Almond
PF301-3	Moss	PF401-3	Overcast	PF501-3	Sage
		PF401-4	Field	PF501-4	Straw
		PF401-5	Graphite		

Please consult your Friant sales consultant for:

- Other colors not listed above
- C.O.M. fabric

* NEW FABRICS


Fabric Direction Guidelines

Application Direction


Fabric direction is NOT determined by the way that the pattern of the fabric looks visually (i.e. vertical stripes on a panel could have come off of the roll either directionally or non-directionally).

Always order a memo sample of fabric to confirm pattern direction.

NON-DIRECTIONAL (RAILROAD)
 DEFAULT FOR FABRIC PRIVACY SCREENS
 DEFAULT FOR MEMO SAMPLES
 EXCEPTION: PASSAGE AND TERRAIN PATTERNS




DIRECTIONAL (WOVEN WAY)
 PASSAGE & TERRAIN
 PRIVACY SCREENS LESS THAN 64\"/>



Memo Sample

NON-DIRECTIONAL



Standard Finishes

For matching edge PVC, please read across matrix.

WORKSURFACE LAMINATES

EDGE LAMINATES (3MM PVC)

M1	Light Maple	CW grommets	E1	Light Maple
M2	Light Cherry	BU grommets	E2	Light Cherry
M3	Medium Cherry	BU grommets	E3	Medium Cherry
M4	Dark Mahogany	BU grommets	E4	Dark Mahogany
M5	Light Mahogany	BU grommets	E5	Light Mahogany
M6	Light Gray	CW grommets	E6	Light Gray
M7	Off White	CW grommets	E7	Off White
M8	Gray Specks	CW grommets	*See complimentary edge finishes below	
M9	Cloud White	CW grommets	E9	Cloud White
M10	Espresso	BU grommets	E10	Espresso
M11	Light Walnut	CW grommets	E14	Light Walnut
M12	Medium Walnut	BU grommets	E15	Medium Walnut
M13	Licorice	BU grommets	E13	Licorice
M14	Carob	BU grommets	E17	Carob
M15	Mousse	BU grommets	E18	Mousse
M16	Tundra	CW grommets	E19	Tundra
M17	Cocoa	BU grommets	E20	Cocoa
M18	Capitan	BU grommets	E21	Capitan
M19	Fog	CW grommets	E22	Fog
M20	Sandstone	BU grommets	E23	Sandstone
M21	Medium Oak	BU grommets	E24	Medium Oak
M22	Harbor	BU grommets	E25	Harbor
M23	Bark	BU grommets	E26	Bark
M24	Tarmac	BU grommets	E27	Tarmac
M25	Winter	CW grommets	E28	Winter
M26	Storm	BU grommets	E29	Storm
M27	Medium Ash	BU grommets	E30	Medium Ash
M28	Arctic	CW grommets	E31	Arctic
M29	Raven	BU grommets	E32	Raven

Note: Grommets are CW or BU, see chart above. Order grommet cover separately for other color.

Note: For other worksurface finish, please consult your Friant sales consultant.

E11 Medium Tone

*Complimentary Edge Finishes

E8 Black Umber

E12 Dark Tone

*Complimentary edge finishes have no exact laminate match available

Order samples at
www.friant.com/samples

Please Note: Images are printed simulations and are not exact matches of finished product. Please request an actual sample from Friant or your sales consultant before specifying finishes.

PAINT TRIM

CW Cloud White

BU Black Umber

SV Silver

STANDARD GROMMET FINISHES

BU Black Umber

CW Cloud White

SV Silver

POWER GROMMET FINISHES

BA Brushed Aluminum

BC Brushed Charcoal

CW Cloud White

FOAM CUSHION

Green

Blue

Red

Charcoal

Café

Grey

COLOR PEDESTAL TOP


Green

Blue

Red

MY-HITE

HEIGHT ADJUSTABLE TABLES




Freestanding Application Example of My-Hite

As a Standalone

- Order Base (page 26)
- Order Top (page 35 page 34)

Note: Dimensions are actual for standalone tops



Freestanding Workstation Example


- **Base:** FSQAHBT-24-3
Electric height adjustable base range 24.5"-50"
MY-HITE Pricebook
- **Worktop:** FSQAHT-2472
Rectangular worksurface
MY-HITE Pricebook - Page 34
- **Privacy Screen:** FPSFLUSH.2472
Fabric covered privacy screen
MY-HITE Pricebook - Page 45
- **Credenza:** FCREDSQAP.48L
Freestanding credenza
Novo Pricebook - Page 82

Workstation Application Example of My-Hite (Interra)

As part of a Workstation

- Order Base (page 26)
- Order Top within System Pricebook
 - System 2 - Novo
 - Dash - Tiles
 - Intera - Verity

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. See system pricebook for details. We do not recommend using full size worktop in paneled workstation applications.



Interra Workstation Example:

- **Base:** FCNAHB-24-3
Electric height adjustable base range 24.5"-50"
MY-HITE Pricebook
- **Worksurface:** FIECCWS.29467029 L/R
Corner worksurface top only. For use with height adjustable base within workstation application.
Interra Pricebook - Page 70

Beam Application Example of My-Hite

With Beam Application

- Order Base (page 26)
- Order Top (page 76)


Note: Top size reduced 1" in depth and 2" in width to fit with beam application and prevent pinch points. See page 76.

We do not recommend using full size worktops with beam application.

Beam Workstation Example:

- **Base:** Straight Base
- Electric height adjustable base range 24.5"-50"
MY-HITE Pricebook - Page 26
- **Worksurface:** FBRWS.2340
Straight worksurface top only. For use with
height adjustable base within beam application.
My-Hite Pricebook - Page 76

Recommended Base Application Worksurface depth




Electrical Draw of My-Hite

TABLE	MOTION	WATTS	AMPS
ONE (1) ADJUSTABLE TABLE	START UP DRAW	-	< 5 AMP
ONE (1) LOADED ADJUSTABLE TABLE	RUNNING DRAW	100W	4.16 AMP
ONE (1) EMPTY ADJUSTABLE TABLE	RUNNING DRAW	50W	2.08 AMP
ONE (1) ADJUSTABLE TABLE (NOT IN MOTION)	DRAW	-	0 AMP


Recommended Base Application Corner Worksurfaces

1 120° Tops


NOTES: 120° corners - use straight base on 36" and 42" wide worksurfaces.
Use corner base on worksurfaces 48" or larger.



36" Top
(Straight Base)




42" Top
(Straight Base)




48" Top
(Corner Base)

2 90° Tops


NOTES: 90° corners - use straight base on 48" worksurfaces only.
Use corner base on 42" or extended corners.



42" Top
(Corner Base)



48" Top
(Straight Base)




72X72" Top
(Corner Base)

Grommet Locations, My-Hite Tops (Pages page 34 -page 43)

1 Select a My-Hite worksurface

My-Hite tops (see page 34) offer optional grommets. (Please use the codes shown when specifying location of grommets).

Choose



Specify Part #


FCCAHS-24366024R

Specify worksurface and edge




M15 Mousse
E18 Mousse

2a Select a grommet location (Straight & extended corner 90° tops)

Specify location by using the two letter code.



CODE	POSITION
GL	4" from left side - 4" from rear
GR	4" from right side - 4" from rear
GC	Centered from side to side - 4" from rear



Dimensions are measured from grommet center

For other grommet locations, please call Friant customer service.


Grommets are 3" round with cover standard

Please Note: Only the GC location is available on the D-Shaped worksurface.

Base position will vary with 72", 78" and 84" worksurface length.

Grommet Locations cont'd


2b Select a grommet location, 120° Tops



CODE	POSITION
120GL	4" from left side - 4" from rear
120GR	4" from right side - 4" from rear
120GC	Centered from side to side - 4" from rear

Dimensions are measured from grommet center
For other grommet locations, please call Friant customer service.
Grommets are 3" round with cover standard

2c Select a grommet location, 90° Equal Corners



CODE	POSITION
GL or GR	4" from from corner

Dimensions are measured from grommet center
For other grommet locations, please call Friant customer service.
Grommets are 3" round with cover standard

Power Grommet Locations - Notch Cutouts, My-Hite Worksurfaces

FRIANT Power Grommet notch cutouts are required when specifying a Power Grommet on a worksurface supported by a My-Hite C-Leg adjustable height table base. Choose the size of power grommet (5x8 only) and cutout location (left, center or right). Specify Power Grommets on page 23. \$75 upcharge applies for cutouts.

NOTE: Notch cutouts only available with 5x8 Power grommets and C-leg bases.

- 1

Select a My-Hite worksurface

My-Hite worksurfaces (starting on page 26)
- 2

Select a power grommet notch cutout location


Less than 72"

CODE	POSITION (Specific to worksurfaces 72" and below)
PG5L-C	4.5" from left side
PG5C-C	Centered
PG5R-C	4.5" from right side




Over 72"

CODE	POSITION (Specific to 78" and 84")
PG5L-C	11" from left side
PG5C-C	Centered
PG5R-C	11" from right side


Less than 72"






Over 72"




Less than 72"




Over 72"



Positions for 120° worksurfaces:



Positions for 90° equal corner worksurfaces:



Power Grommet Locations - Interior Cutouts, My-Hite Worksurfaces

FRIANT Power Grommet interior cutouts are used when specifying a Power Grommet on a worksurface supported by a My-Hite T-Leg adjustable height table base. Choose the size of power grommet (5x8 or 6x8) and cutout location (left, center or right). Specify Power Grommets on page 23. \$75 upcharge applies for cutouts.

NOTE: Standard position Interior cutouts are not compatible with C-leg bases.

1 Select a My-Hite worksurface

My-Hite worksurfaces (starting on page 26)

2 Select a power grommet interior cutout location

Less than 72"

CODE	POSITION (Specific to worksurfaces 72" and below)
PG6L	4.5" from left side, 1.5" from back
PG6C	Centered, 1.5" from back
PG6R	4.5" from right side, 1.5" from back
PG5L	4.5" from left side, 1.5" from back
PG5C	Centered, 1.5" from back
PG5R	4.5" from right side, 1.5" from back


Over 72"

CODE	POSITION (Specific to 78" and 84")
PG6L	11" from left side, 1.5" from back
PG6C	Centered, 1.5" from back
PG6R	11" from right side, 1.5" from back
PG5L	11" from left side, 1.5" from back
PG5C	Centered, 1.5" from back
PG5R	11" from right side, 1.5" from back


120° and 90° worksurfaces

CODE	POSITION (Specific to 120° and 90°)
PG6L	4.5" from left side, 1.5" from back
PG6C	Centered, 1.5" from back
PG6R	4.5" from right side, 1.5" from back
PG5L	4.5" from left side, 1.5" from back
PG5C	Centered, 1.5" from back
PG5R	4.5" from right side, 1.5" from back


Less than 72"








Over 72"



Less than 72"





Over 72"



Positions for 120° workspaces:


Positions for 90° equal corner workspaces:



Power Grommet

FRIANT power grommets are available to meet different worksurface power and data needs. Choose the color of the power grommet (brushed aluminum, brushed charcoal, or cloud white). Specify power grommets on page 53.

3 FINISHES AVAILABLE
Brushed aluminum, brushed charcoal and cloud white




(2) CAT6 DATA PORTS

(2) DAISY CHAIN PORTS (IN/OUT)

INCLUDES SPRING CORD
(Not shown) For connection to power source

POWER GROMMETS	
	6x8
ABOVE	(2) CAT6 Data Ports (Out)
	(2) Power Outlets
	(2) USB Ports
	5x8
BELOW	(2) CAT6 Data Ports (in)
	(2) Power Outlets
	Daisy Chain Ports (in/out)





(2) POWER OUTLETS (IN)


Mobile Pedestals

FRIANT pedestals are available in a variety of options to meet different storage needs. Choose the color of the pedestal (silver, cloud white or black umber), and, as options, the color of the optional foam cushion (green, café and charcoal) and the color of the top cap (red, green and blue). Pedestals include pencil tray, mail slot and keyed alike options for locks. Front to back file bars are included.

MOBILE PEDESTAL



Straight T-Leg Base




DESCRIPTION	SPECIFICATION OPTIONS
Electric height 3 stage adjustable base range 24.5"-50"	product #: see charts below base finish: page 8
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">• Order worksurface separately• Base adjusts 38" to 68" wide• Maximum recommended top: 84"• Minimum recommended top: 40"• Weight load 220 lbs• Includes (2) T-Leg bases	product #: FSQAHBT-24-3 base finish: SV Silver

STRAIGHT BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FSQAHBT-24-3	24.5" - 50"	40"-78"	24"	\$1,675	<ul style="list-style-type: none">• Order 30" base for use with 36" deep worksurfaces• Minimum worksurface width: 40"• Maximum recommended worksurface width: 78" (5" overhang)• 120° corners - use straight base on 36" and 42" wide worksurfaces• 90° corners, equal or extended - use corner base, page 16 (exception: 90° 48" top uses straight base, see images)
FSQAHBT-30-3	24.5" - 50"	40"-78"	30"	\$1,675	

Straight C-Leg Base



DESCRIPTION

Electric height 3 stage adjustable base range 24.5"-50"

NOTES

- Order worksurface separately
- Base adjusts 38" to 68" wide
- Maximum recommended top: 84"
- Minimum recommended top: 40"
- Weight load 220 lbs
- Includes (2) C-Leg bases

SPECIFICATION OPTIONS

product #: see charts below
base finish: page 8

ORDER EXAMPLE

product #: FSQAHBC-24-3
base finish: CW Cloud White


STRAIGHT BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FSQAHBC-24-3	24.5" - 50"	40"-78"	24"	\$1,675
FSQAHBC-30-3	24.5" - 50"	40"-78"	30"	\$1,675

RECOMMENDED APPLICATION

- Order 30" base for use with 36" deep worksurfaces
- Minimum worksurface width: 40"
- Maximum recommended worksurface width: 78" (5" overhang)
- 120° corners - use straight base on 36" and 42" wide worksurfaces
- 90° corners, equal or extended - use corner base, page 16 (exception: 90° 48" top uses straight base, see images)

Corner T-Leg Base




DESCRIPTION	SPECIFICATION OPTIONS
Electric height 3 stage adjustable base range 24.5"-50"	product #: see charts below base finish: page 8
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">Includes (3) T-Leg bases at the ends and middle of the worksurfaceOrder worksurface separatelyBase is: B - 36"-54" A - 38"-68"Maximum recommended top: 72x96" or 84x84"Minimum recommended top: 36x40"Weight load 331 lbs	product #: FCNAHBT-24-3 base finish: CW Cloud White

CORNER BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FCNAHBT-24-3	24.5" - 50"	40"-78"	24"	\$2,300	<ul style="list-style-type: none">Order 30" base for use with 36" deep worksurfaces120° corners - use corner base on 48" wide worksurfaces90° corners - use corner base on 42" corner worksurfaces and all size extended corner worksurfacesMy-Hite bases are not for use with 36"x36" 90° corner worksurfacesSee page 16 for details
FCNAHBT-30-3	24.5" - 50"	40"-78"	30"	\$2,300	

Corner C-Leg Base



DESCRIPTION

Electric height 3 stage adjustable base range 24.5"-50"

NOTES

- Includes (3) C-Leg bases at the ends and middle of the worksurface
- Order worksurface separately
- Base is: **B** - 36"-54"
A - 38"-68"
- Maximum recommended top: 72x96" or 84x84"
- Minimum recommended top: 36x40"
- Weight load 331 lbs

SPECIFICATION OPTIONS

product #: see charts below
base finish: page 8

ORDER EXAMPLE

product #: FCNAHBC-24-3
base finish: CW Cloud White


CORNER BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FCNAHBC-24-3	24.5" - 50"	40"-78"	24"	\$2,300
FCNAHBC-30-3	24.5" - 50"	40"-78"	30"	\$2,300

RECOMMENDED APPLICATION

- Order 30" base for use with 36" deep worksurfaces
- 120° corners - use corner base on 48" wide worksurfaces
- 90° corners - use corner base on 42" corner worksurfaces and all size extended corner worksurfaces
- My-Hite bases are not for use with 36"x36" 90° corner worksurfaces
- See page 16 for details

Corner T-Leg Post Base




DESCRIPTION	SPECIFICATION OPTIONS
Electric height 3 stage adjustable base range 24.5"-50"	product #: see charts below base finish: page 8
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">Includes (2) T-Leg bases at the ends and (1) Post Leg in the centerOrder worksurface separatelyBase is: B - 36"-54" A - 38"-68"Maximum recommended top: 72x96" or 84x84"Minimum recommended top: 36x40"Weight load 331 lbs	product #: FCNPAHBT-24-3 base finish: CW Cloud White

CORNER BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FCNPAHBT-24-3	24.5" - 50"	40"-78"	24"	\$2,300	<ul style="list-style-type: none">Order 30" base for use with 36" deep worksurfaces120° corners - use corner base on 48" wide worksurfaces90° corners - use corner base on 42" corner worksurfaces and all size extended corner worksurfacesMy-Hite bases are not for use with 36"x36" 90° corner worksurfacesSee page 16 for details
FCNPAHBT-30-3	24.5" - 50"	40"-78"	30"	\$2,300	

Corner C-Leg Post Base



DESCRIPTION

Electric height 3 stage adjustable base range 24.5"-50"

NOTES

- Includes (2) C-Leg bases at the ends and (1) Post Leg in the center
- Order worksurface separately
- Base is: **B** - 36"-54"
A - 38"-68"
- Maximum recommended top: 72x96" or 84x84"
- Minimum recommended top: 36x40"
- Weight load 331 lbs

SPECIFICATION OPTIONS

product #: see charts below
base finish: see page X

ORDER EXAMPLE

product #: FCNPAHB-24-3
base finish: CW Cloud White

CORNER BASE


PART #	HEIGHT	WIDTH	DEPTH	PRICE
FCNPAHBC-24-3	24.5" - 50"	40"-78"	24"	\$2,300
FCNPAHBC-30-3	24.5" - 50"	40"-78"	30"	\$2,300

RECOMMENDED APPLICATION


- Order 30" base for use with 36" deep worksurfaces
- 120° corners - use corner base on 48" wide worksurfaces
- 90° corners - use corner base on 42" corner worksurfaces and all size extended corner worksurfaces
- My-Hite bases are not for use with 36"x36" 90° corner worksurfaces
- See page 16 for details

MY-HITE

WORKSURFACES FOR FREESTANDING APPLICATION



Rectangular Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add circular grommet (add \$75 list)
Specify grommet placement GL, GC, GR
- See page 61 for use within beam application

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8

ORDER EXAMPLE

product #: FSQAHT-3054
edge finish: DT Dark Tone, E12
worksurface finish: Light Maple, M1
grommet: GL (Rear Left)

RECTANGULAR WORKSURFACE

PART #	WIDTH	DEPTH	LIST
FSQAHT-2442	42"	24"	\$247
FSQAHT-2448	48"	24"	\$252
FSQAHT-2454	54"	24"	\$289
FSQAHT-2460	60"	24"	\$315
FSQAHT-2466	66"	24"	\$351
FSQAHT-2472	72"	24"	\$360
FSQAHT-2478	78"	24"	\$444
FSQAHT-2484	84"	24"	\$544


NOTES

- Sizes are actual - for example:
FSQAHT - 2448 is 23 7/8" x 47 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

FSQAHT-3042	42"	30"	\$317
FSQAHT-3048	48"	30"	\$325
FSQAHT-3054	54"	30"	\$368
FSQAHT-3060	60"	30"	\$394
FSQAHT-3066	66"	30"	\$440
FSQAHT-3072	72"	30"	\$449
FSQAHT-3078	78"	30"	\$552
FSQAHT-3084	84"	30"	\$652

FSQAHT-3642	42"	36"	\$382
FSQAHT-3648	48"	36"	\$389
FSQAHT-3654	54"	36"	\$681
FSQAHT-3660	60"	36"	\$689
FSQAHT-3666	66"	36"	\$696
FSQAHT-3672	72"	36"	\$704
FSQAHT-3678	78"	36"	\$711
FSQAHT-3684	84"	36"	\$811

Corner Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add circular grommet (add \$75 list)
Specify grommet placement GL, GC, GR
- See page 61 for use within beam application

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8

ORDER EXAMPLE

product #: FCCAHS-2448
edge finish: DT Dark Tone, E12
worksurface finish: Light Maple, M1
grommet: GC (Rear Center)

CORNER WORKSURFACE


PART #	WIDTH	DEPTH	LIST
FCCAHS-2442	42"	24"	\$364
FCCAHS-2448	48"	24"	\$384
FCCAHS-3042	42"	30"	\$395
FCCAHS-3048	48"	30"	\$416

NOTES

- Sizes are actual - for example:
FCCAHS - 2448 is 23 7/8" x 47 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

90° Extended Curved Corner Freestanding Application

MY-HITE WORKSURFACES - FREESTANDING APPLICATION



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add circular grommet (add \$75 list) Specify grommet placement GL, GC, GR
- See page 61 for use within beam application

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8
left or right extended: L for Left, R for Right

ORDER EXAMPLE

product #: FCCAHS-24366024L
edge finish: E10 Espresso
worksurface finish: M11 Light Walnut

24" D CONNECTING SIDE
24" D EXTENSION
36" D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE	NOTES
FCCAHS-24366024L	1.25"	24"	36"	60"	24"	76	\$475	
FCCAHS-24366024R	1.25"	24"	36"	60"	24"	76	\$475	
FCCAHS-24366624L	1.25"	24"	36"	66"	24"	76	\$529	
FCCAHS-24366624R	1.25"	24"	36"	66"	24"	76	\$529	
FCCAHS-24367224L	1.25"	24"	36"	72"	24"	82	\$538	
FCCAHS-24367224R	1.25"	24"	36"	72"	24"	82	\$538	
FCCAHS-24367824L	1.25"	24"	36"	78"	24"	82	\$645	
FCCAHS-24367824R	1.25"	24"	36"	78"	24"	82	\$645	

30" D CONNECTING SIDE
30" D EXTENSION
36" D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS-30366030L	1.25"	30"	36"	60"	30"	87	\$520
FCCAHS-30366030R	1.25"	30"	36"	60"	30"	87	\$520
FCCAHS-30366630L	1.25"	30"	36"	66"	30"	87	\$573
FCCAHS-30366630R	1.25"	30"	36"	66"	30"	87	\$573
FCCAHS-30367230L	1.25"	30"	36"	72"	30"	95	\$582
FCCAHS-30367230R	1.25"	30"	36"	72"	30"	95	\$582
FCCAHS-30367830L	1.25"	30"	36"	78"	30"	95	\$689
FCCAHS-30367830R	1.25"	30"	36"	78"	30"	95	\$689

24" D CONNECTING SIDE
24" D EXTENSION
42" D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS-24426024L	1.25"	24"	42"	60"	24"	83	\$571
FCCAHS-24426024R	1.25"	24"	42"	60"	24"	83	\$571
FCCAHS-24426624L	1.25"	24"	42"	66"	24"	83	\$643
FCCAHS-24426624R	1.25"	24"	42"	66"	24"	83	\$643
FCCAHS-24427224L	1.25"	24"	42"	72"	24"	89	\$652
FCCAHS-24427224R	1.25"	24"	42"	72"	24"	89	\$652
FCCAHS-24427824L	1.25"	24"	42"	78"	24"	89	\$791
FCCAHS-24427824R	1.25"	24"	42"	78"	24"	89	\$791

30" D CONNECTING SIDE
30" D EXTENSION
42" D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS-30426030L	1.25"	30"	42"	60"	30"	95	\$615
FCCAHS-30426030R	1.25"	30"	42"	60"	30"	95	\$615
FCCAHS-30426630L	1.25"	30"	42"	66"	30"	95	\$687
FCCAHS-30426630R	1.25"	30"	42"	66"	30"	95	\$687
FCCAHS-30427230L	1.25"	30"	42"	72"	30"	103	\$696
FCCAHS-30427230R	1.25"	30"	42"	72"	30"	103	\$696
FCCAHS-30427830L	1.25"	30"	42"	78"	30"	103	\$835
FCCAHS-30427830R	1.25"	30"	42"	78"	30"	103	\$835


24" D CONNECTING SIDE
24" D EXTENSION
48" D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS-24486024L	1.25"	24"	48"	60"	24"	89	\$580
FCCAHS-24486024R	1.25"	24"	48"	60"	24"	89	\$580
FCCAHS-24486624L	1.25"	24"	48"	66"	24"	89	\$652
FCCAHS-24486624R	1.25"	24"	48"	66"	24"	89	\$652
FCCAHS-24487224L	1.25"	24"	48"	72"	24"	95	\$667
FCCAHS-24487224R	1.25"	24"	48"	72"	24"	95	\$667
FCCAHS-24487824L	1.25"	24"	48"	78"	24"	95	\$813
FCCAHS-24487824R	1.25"	24"	48"	78"	24"	95	\$813

30" D CONNECTING SIDE
30" D EXTENSION
48" D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS-30486030L	1.25"	30"	48"	60"	30"	104	\$625
FCCAHS-30486030R	1.25"	30"	48"	60"	30"	104	\$625
FCCAHS-30486630L	1.25"	30"	48"	66"	30"	104	\$696
FCCAHS-30486630R	1.25"	30"	48"	66"	30"	104	\$696
FCCAHS-30487230L	1.25"	30"	48"	72"	30"	112	\$712
FCCAHS-30487230R	1.25"	30"	48"	72"	30"	112	\$712
FCCAHS-30487830L	1.25"	30"	48"	78"	30"	112	\$857
FCCAHS-30487830R	1.25"	30"	48"	78"	30"	112	\$857

Rectangular Extension Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- For use in combination with Extended Corner Worksurfaces and Corner My-Hite Bases only
- Not for use alone, nor with straight bases
- Maximum width combined: 72x96" or 84x84"
- See page 61 for use within beam application


SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 8
edge finish: see page 8

ORDER EXAMPLE

product #: FSQAHT-2424
worksurface finish: Light Maple, M1
edge finish: DT Dark Tone, E12

RECTANGULAR WORKSURFACE




For use in combination with **Extended Corner Worksurfaces** and **Corner My-Hite Bases** only. Not for use alone, nor with straight bases.

Maximum width combined:
72x96" or 84x84"



PART #	DEPTH "A"	WIDTH "E"	LIST	NOTES
FSQAHT-2424	24"	24"	\$169	<ul style="list-style-type: none"> • Sizes are actual - for example: FSQAHT-2424 is 23 7/8" x 23 7/8" • Not recommended in paneled workstation applications • Topsize not reduced to eliminate pinch points • Order Flat Brackets on page 55 separately
FSQAHT-2430	24"	30"	\$194	
FSQAHT-2436	24"	36"	\$200	
FSQAHT-2442	24"	42"	\$247	
FSQAHT-2448	24"	48"	\$252	
FSQAHT-2454	24"	54"	\$289	
FSQAHT-2460	24"	60"	\$315	

PART #	DEPTH "A"	WIDTH "E"	LIST	NOTES
FSQAHT-3024	30"	24"	\$225	<ul style="list-style-type: none"> • Sizes are actual - for example: FSQAHT-2424 is 23 7/8" x 23 7/8" • Not recommended in paneled workstation applications • Topsize not reduced to eliminate pinch points • Order Flat Brackets on page 55 separately
FSQAHT-3030	30"	30"	\$257	
FSQAHT-3036	30"	36"	\$263	
FSQAHT-3042	30"	42"	\$317	
FSQAHT-3048	30"	48"	\$325	
FSQAHT-3054	30"	54"	\$368	
FSQAHT-3060	30"	60"	\$394	



D-Shaped Freestanding Application

MY-HITE WORKSURFACES - FREESTANDING APPLICATION



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add circular grommet (add \$75 list)
Specify grommet placement GC
- See page 61 for use within beam application

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8

ORDER EXAMPLE

product #: FDAHT-2448
edge finish: E10 Espresso
worksurface finish: M11 Light Walnut


D-SHAPED

PART #	HEIGHT	A	B	C	D	PRICE
FDAHT-2448	1.25"	48"	24"	—	—	\$369
FDAHT-2460	1.25"	60"	24"	—	—	\$413
FDAHT-3048	1.25"	48"	30"	—	—	\$405
FDAHT-3060	1.25"	60"	30"	—	—	\$448
FDAHT-3072	1.25"	72"	30"	—	—	\$491
FDAHT-3672	1.25"	72"	36"	—	—	\$542

NOTES

- Sizes are actual - for example:
FDAHT-2448 is 23 7/8" x 47 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

Wedge Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add circular grommet (add \$75 list)
Specify grommet placement GL, GC, GR
- See page 61 for use within beam application

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8

ORDER EXAMPLE

product #: FWDAHT.244230
edge finish: E10 Espresso
worksurface finish: M11 Light Walnut

24"D LEFT 30"D RIGHT

PART #	HEIGHT	A	B	C	D	PRICE
FWDAHT.244230	1.25"	24"	42"	30"	—	\$328
FWDAHT.244830	1.25"	24"	48"	30"	—	\$335
FWDAHT.245430	1.25"	24"	54"	30"	—	\$380
FWDAHT.246030	1.25"	24"	60"	30"	—	\$407
FWDAHT.246630	1.25"	24"	66"	30"	—	\$454
FWDAHT.247230	1.25"	24"	72"	30"	—	\$464
FWDAHT.247830	1.25"	24"	78"	30"	—	\$540

NOTES


- Sizes are actual - for example: FWD AHT-244230 is 23 7/8" x 41 7/8" x 29 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

30"D LEFT 24"D RIGHT

PART #	HEIGHT	A	B	C	D	PRICE
FWDAHT.304224	1.25"	30"	42"	24"	—	\$328
FWDAHT.304824	1.25"	30"	48"	24"	—	\$335
FWDAHT.305424	1.25"	30"	54"	24"	—	\$380
FWDAHT.306024	1.25"	30"	60"	24"	—	\$407
FWDAHT.306624	1.25"	30"	66"	24"	—	\$454
FWDAHT.307224	1.25"	30"	72"	24"	—	\$464
FWDAHT.307824	1.25"	30"	78"	24"	—	\$540

120° Corner / 90° Ends Freestanding Application

MY-HITE WORKSURFACES - FREESTANDING APPLICATION



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add circular grommet (add \$75 list)
Specify grommet placement GL, GC, GR
- See page 61 for use within beam application

SPECIFICATION OPTIONS

product #: see charts below
top, edge finish: see page 8
worksurface finish: see page 8

ORDER EXAMPLE

product #: F120AHT-90WS.2436
top, edge finish: E10 Espresso
worksurface finish: M11 Light Walnut


120° CORNER
90° ENDS

PART #	HEIGHT	A	B	C	D	PRICE
F120AHT-90WS.2436	1.25"	24"	36"	—	—	\$565
F120AHT-90WS.2442	1.25"	24"	42"	—	—	\$676
F120AHT-90WS.2448	1.25"	24"	48"	—	—	\$822

NOTES

- Sizes are actual - for example:
F120AHT-90WS.2436 is 23 7/8" x 35 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

120° Corner / 120° Ends Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add circular grommet (add \$75 list)
Specify grommet placement GL, GC, GR
- See page 61 for use within beam application

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8

ORDER EXAMPLE

product #: F120AHT-120WS.2436
edge finish: E10 Espresso
worksurface finish: M11 Light Walnut

120° CORNER 120° ENDS

PART #	HEIGHT	A	B	C	D	PRICE	NOTES
F120AHT-120WS.2436	1.25"	24"	36"	—	—	\$571	<ul style="list-style-type: none"> • Sizes are actual - for example: F120AHT-120WS.2436 is 23 7/8" x 35 7/8" • Not recommended in paneled workstation applications • Topsize not reduced to eliminate pinch points
F120AHT-120WS.2442	1.25"	24"	42"	—	—	\$684	
F120AHT-120WS.2448	1.25"	24"	48"	—	—	\$831	

Modesty Panel, Laminate



DESCRIPTION

Laminate modesty panel with matching 2mm PVC edge

NOTES

Actual modesty is shorter than the worktop.
Example: FAHLMOD.1648 for use on 46"/48" width table, actual width is 40"

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV
Laminate (Modesty Panel) see page 8

ORDER EXAMPLE

product #: FAHLMOD.0860
paint: CW, Cloud White
laminate: M12, Medium Walnut

Laminate Modesty Panel

PART #	HEIGHT	WIDTH	LIST
FAHLMOD.0842	8"	34"	\$180
FAHLMOD.0848	8"	40"	\$185
FAHLMOD.0854	8"	46"	\$191
FAHLMOD.0860	8"	52"	\$283
FAHLMOD.0866	8"	58"	\$289
FAHLMOD.0872	8"	64"	\$295
FAHLMOD.0878	8"	70"	\$300

NOTES

- Modesty panel will be 8" shorter than free standing top width and 6" shorter than paneled workstation top.

Example:

- FSQAHT-2460 order FAHLMOD.1660 (actual width 52")
- FIRWS.2370 (Interra pricebook) order FAHLMOD.1672 (actual width 64")

FAHLMOD.1642	16"	34"	\$221
FAHLMOD.1648	16"	40"	\$227
FAHLMOD.1654	16"	46"	\$233
FAHLMOD.1660	16"	52"	\$359
FAHLMOD.1666	16"	58"	\$364
FAHLMOD.1672	16"	64"	\$370
FAHLMOD.1678	16"	70"	\$376

Privacy Screen, Fabric



DESCRIPTION

Work Surface mounted fabric covered privacy screen

NOTES

Fabric screen is non-tackable

To use a wire manager on your My-Hite table with a fabric covered privacy screen, you must order "with gap".

Actual screen is shorter than the worktop.

Example: FPSFLUSH.2454 for use on 46"/48" width table, actual width of screen is 40"

Passage fabric not approved for this application

SPECIFICATION OPTIONS

product #: see charts below

Paint (Brackets): CW, BU, SV

fabric: see page 6 (Passage fabric not approved for this application)

ORDER EXAMPLE

product #: FPSFLUSH.2442

brackets: SV, Silver

fabric: PF-701-01, Terrian, Cloud

Fabric Privacy Screen - Flush

Have grommet? Go flush

PART #	HEIGHT	WIDTH	LIST
FPSFLUSH.2442	24"	34"	\$457
FPSFLUSH.2448	24"	40"	\$495
FPSFLUSH.2454	24"	46"	\$533
FPSFLUSH.2460	24"	52"	\$572
FPSFLUSH.2466	24"	58"	\$611
FPSFLUSH.2472	24"	64"	\$650

NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FPSFLUSH.2460 (actual width 52")

Fabric Privacy Screen - with Wire Management Gap

Need space between the screen and top? Add gap

PART #	HEIGHT	WIDTH	LIST
FPSGAP.2442	24"	34"	\$457
FPSGAP.2448	24"	40"	\$495
FPSGAP.2454	24"	46"	\$533
FPSGAP.2460	24"	52"	\$572
FPSGAP.2466	24"	58"	\$611
FPSGAP.2472	24"	64"	\$650

NOTES

- With 1" gap at back of worksurface for cord/wire management.

Example:

1. FSQAHT-2460 order FPSGAP.2460 (actual width 52")

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FPSFLUSH.2460 (actual width 52")

Privacy Screen, Marker Board



DESCRIPTION

Work Surface mounted marker board privacy screen

NOTES

To use a wire manager on your My-Hite table with a marker board privacy screen, you must order "with gap".

Actual screen is shorter than the worktop.

Example: FMPSFLUSH.2454 for use on 46"/48" width table, actual width of screen is 40"

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets): CW, BU, SV

ORDER EXAMPLE

product #: FMPSFLUSH.2454
brackets: SV, Silver

Marker Board Privacy Screen - Flush

Have grommet? Go flush

PART #	HEIGHT	WIDTH	LIST
FMPSFLUSH.2442	24"	34"	\$621
FMPSFLUSH.2448	24"	40"	\$711
FMPSFLUSH.2454	24"	46"	\$801
FMPSFLUSH.2460	24"	52"	\$892
FMPSFLUSH.2466	24"	58"	\$982
FMPSFLUSH.2472	24"	64"	\$1,073

NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FMPSFLUSH.2460 (actual width 52")

Marker Board Privacy Screen- with Wire Management Gap

Need space between the screen and top? Add gap

PART #	HEIGHT	WIDTH	LIST
FMPGAP.2442	24"	34"	\$621
FMPGAP.2448	24"	40"	\$711
FMPGAP.2454	24"	46"	\$801
FMPGAP.2460	24"	52"	\$892
FMPGAP.2466	24"	58"	\$982
FMPGAP.2472	24"	64"	\$1,073

NOTES

- With 1" gap at back of worksurface for cord/wire management.

Example:

1. FSQAHT-2460 order FMPGAP.2460 (actual width 52")
- Privacy screen sits flush with the back of the worktop.
 - Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FMPGAP.2460 (actual width 52")

Privacy Screen, Laminate



DESCRIPTION

Work Surface mounted laminate privacy screen

NOTES

To use a wire manager on your My-Hite table with a laminate privacy screen, you must order "with gap".

Actual screen is shorter than the worktop.

Example: FLPSFLUSH.2454 for use on 46"/48" width table, actual width of screen is 40"

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets): CW, BU, SV
finish: see page 8

ORDER EXAMPLE

product #: FPSFLUSH.2454
brackets: SV, Silver

Laminate Privacy Screen - Flush

Have grommet? Go flush

PART #	HEIGHT	WIDTH	LIST
FLPSFLUSH.2442	24"	34"	\$327
FLPSFLUSH.2448	24"	40"	\$364
FLPSFLUSH.2454	24"	46"	\$400
FLPSFLUSH.2460	24"	52"	\$436
FLPSFLUSH.2466	24"	58"	\$473
FLPSFLUSH.2472	24"	64"	\$509

NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

- FSQAHT-2460 order FPSFLUSH.2460 (actual width 52")

Laminate Privacy Screen - with Wire Management Gap

Need space between the screen and top? Add gap

PART #	HEIGHT	WIDTH	LIST
FLPSGAP.2442	24"	34"	\$327
FLPSGAP.2448	24"	40"	\$364
FLPSGAP.2454	24"	46"	\$400
FLPSGAP.2460	24"	52"	\$436
FLPSGAP.2466	24"	58"	\$473
FLPSGAP.2472	24"	64"	\$509

NOTES

- With 1" gap at back of worksurface for cord/wire management.

Example:

- FSQAHT-2460 order FPSGAP.2460 (actual width 52")
- Privacy screen sits flush with the back of the worktop.
 - Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

- FSQAHT-2460 order FPSFLUSH.2460 (actual width 52")

Worksurface Mounted Screens, Clear

DESCRIPTION

Surface mounted glass screens, including hardware.

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV


NOTES

- Includes: (2) supporting brackets for screens up to 48"W, (3) supporting brackets for screens 54"W and wider.
- Mounts to any laminate/veneer worksurface top.

ORDER EXAMPLE

product #: FWSMG.0824-CL
paint: SV Silver

Glass Screens, Clear
8" HIGH




PART #	HEIGHT	WIDTH	LIST
FWSMG.0824-CL	8"	24"	\$145
FWSMG.0830-CL	8"	30"	\$157
FWSMG.0836-CL	8"	36"	\$169
FWSMG.0842-CL	8"	42"	\$181
FWSMG.0848-CL	8"	48"	\$193
FWSMG.0854-CL	8"	54"	\$253
FWSMG.0860-CL	8"	60"	\$265
FWSMG.0866-CL	8"	66"	\$277
FWSMG.0872-CL	8"	72"	\$288

NOTES

- Screen mounts to any laminate/veneer worksurface top

Glass Screens, Clear
15" HIGH



PART #	HEIGHT	WIDTH	LIST
FWSMG.1522-CL	15"	22"	\$249
FWSMG.1524-CL	15"	24"	\$182
FWSMG.1528-CL	15"	28"	\$265
FWSMG.1530-CL	15"	30"	\$202
FWSMG.1536-CL	15"	36"	\$221
FWSMG.1542-CL	15"	42"	\$240
FWSMG.1548-CL	15"	48"	\$261
FWSMG.1554-CL	15"	54"	\$330
FWSMG.1560-CL	15"	60"	\$348
FWSMG.1566-CL	15"	66"	\$366
FWSMG.1572-CL	15"	72"	\$384

NOTES

- Screen mounts to any laminate/veneer worksurface top

Worksurface Mounted Screens, Frosted

DESCRIPTION

Surface mounted glass screens, including hardware

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV


NOTES

- Includes: (2) supporting brackets for screens up to 48"W, (3) supporting brackets for screens 54"W and wider.
- Mounts to any laminate/veneer worksurface top.

ORDER EXAMPLE

product #: FWSMG.0824-FR
paint: SV Silver

Glass Screens, Frosted 8" HIGH




PART #	HEIGHT	WIDTH	LIST
FWSMG.0824-FR	8"	24"	\$203
FWSMG.0830-FR	8"	30"	\$230
FWSMG.0836-FR	8"	36"	\$257
FWSMG.0842-FR	8"	42"	\$285
FWSMG.0848-FR	8"	48"	\$312
FWSMG.0854-FR	8"	54"	\$364
FWSMG.0860-FR	8"	60"	\$374
FWSMG.0866-FR	8"	66"	\$384
FWSMG.0872-FR	8"	72"	\$394

NOTES

- Screen mounts to any laminate/veneer worksurface top

Glass Screens, Frosted 15" HIGH




PART #	HEIGHT	WIDTH	LIST
FWSMG.1522-FR	15"	22"	\$346
FWSMG.1524-FR	15"	24"	\$284
FWSMG.1528-FR	15"	28"	\$387
FWSMG.1530-FR	15"	30"	\$331
FWSMG.1536-FR	15"	36"	\$377
FWSMG.1542-FR	15"	42"	\$422
FWSMG.1548-FR	15"	48"	\$470
FWSMG.1554-FR	15"	54"	\$524
FWSMG.1560-FR	15"	60"	\$564
FWSMG.1566-FR	15"	66"	\$603
FWSMG.1572-FR	15"	72"	\$643

NOTES


- Screen mounts to any laminate/veneer worksurface top

Mobile Pedestal




DESCRIPTION	SPECIFICATION OPTIONS
Box/File mobile pedestal with lock and matching color top	product #: FBFPED.MOB finish: CW, BU, SV foam color (if applicable): Charcoal, Green, Café, Grey, Blue and Red
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">• Optional Foam cushion available• Optional different color top available• Foam cushion is available in 6 colors• Key-alike available• Changeable colored top available	Pedestal: product #: FBFPED.MOB finish: SV Silver Cushion: product #: FBFPED.CUSH finish: Charcoal

MOBILE PEDESTAL




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FBFPED.MOB					\$600	<ul style="list-style-type: none">• Finish options: SV Silver, CW Cloud White and BU Black Umber

COLOR PEDESTAL TOP



PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
FBFPED.PT				\$75	<ul style="list-style-type: none">• Color options: Green, Blue, and Red• Please select color when ordering

FOAM CUSHION



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FBFPED.CUSH					\$125	<ul style="list-style-type: none">• Color options: Charcoal, Green, Café, Grey, Blue and Red• Please select color when ordering• Cushion is made of foam and not fabric covered

Keyed Alike

DESCRIPTION	SPECIFICATION OPTIONS
All, overheads, credenzas and towers can be keyed alike.	product #: see charts below
NOTES	ORDER EXAMPLE
	product #: FD-FM-X5

PART #	DESCRIPTION	PRICE	NOTES
MY-HITE-PED-KEY-ALIKE-4	(1) Lock Core with 2 keys	\$139	All Friant Pedestals, Lateral Files, and Overhead Cabinets can be keyed-alike. Additional Lock Core Removal Keys and Master Keys are available.
FCK	Lock Core Removal Key	\$21	
FMK	Lock Core Master Key	\$21	

Monitor Arms

SINGLE MONITOR ARM



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FMA-S	—	—	—	—	\$568

NOTES

CW, SV, BU Finish

Includes attachment hardware for clamp, grommet and Verity track mount.

DUAL MONITOR ARM




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FMA-D	—	—	—	—	\$811

NOTES

CW, SV, BU Finish

Includes attachment hardware for clamp, grommet and Verity track mount.

Power Grommet Worksurface Mounted



DESCRIPTION

Worksurface mounted power/data grommet

NOTES

- Includes 8' coiled power cord to connect to power source, or daisy chain to next power grommet
- Optional 10' coiled power cord is sold separately


SPECIFICATION OPTIONS

product #: see charts below
finish: BA Brushed Aluminum, BC Brushed Charcoal or CW Cloud White (contact customer service for lead time)

ORDER EXAMPLE

product #: FPWR.0608
finish: BA Brushed Aluminum

POWER GROMMET, 5x8



PART

FPWR.0508

HEIGHT

WIDTH

DEPTH

PRICE

8"

5"

\$550

NOTES

Worksurface mounted power/data grommet, 5x8


Includes 8' coiled power cord to connect to power source

Optional 10' coiled power cord is sold separately

Above Worksurface: (2) CAT6 data ports (out), (2) power outlets, (2) USB ports

Below Worksurface: (2) CAT6 data ports (in), (1) power outlet, Daisy Chain ports (in/out)

POWER GROMMET, 6x8



PART

FPWR.0608

HEIGHT

WIDTH

DEPTH

PRICE

8"

6"

\$550

NOTES

Worksurface mounted power/data grommet, 6x8

Includes 8' coiled power cord to connect to power source

Optional 10' coiled power cord is sold separately

Above Worksurface: (2) CAT6 data ports (out), (2) power outlets, (2) USB ports

Below Worksurface: (2) CAT6 data ports (in), (2) power outlets, Daisy Chain ports (in/out)

GROMMET COILED POWER CORD

PART

FPWRC-10

HEIGHT

WIDTH

DEPTH

PRICE

10'

\$60

NOTES

Optional 10' coiled power is sold separately.

Power Distribution

DESCRIPTION	SPECIFICATION OPTIONS
Workstation accessories.	product #: see charts below finish: CW Cloud White, DT Dark Tone, MT Medium Tone
NOTES	ORDER EXAMPLE
	product #: FTB.24 finish: CW

SINGLE CIRCUIT INFEEED



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FD-BPI.1CIR	—	—	—	—	\$71	Plug-in power infeed for use with table power distribution 8' cord

TABLE POWER DISTRIBUTION



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FD-SFC-306-4A	—	—	—	—	\$71	Use with single circuit infeed (FD-BPI.1CIR) Power strip to attaches to the underside of tabletops.

DAISY CHAIN POWER CONNECTOR



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FD-DCI.1CIR					\$71	Connects adjacent table power distribution 8' cord

ACCESSORIES

Accessories

DESCRIPTION

Workstation accessories.

SPECIFICATION OPTIONS


product #: see charts below
finish: see page 8

NOTES

ORDER EXAMPLE


product #: FTB.24
finish: CW

FLAT BRACKET




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVFB.08	—	8"	2"	—	\$30	Used to unite two worksurfaces supported by one base. See page 35. Black finish

WIRE MANAGER




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FMHWM	—	38"-68"	—	—	\$81	Wire manager covers user's wiring (i.e.: computer, phone, etc.); adjustable width To use a wire manager on your My-Hite table with a fabric covered privacy screen, you must order "with gap". Wire manager telescopes from 38"-68" Specify finish: CW, BU or SV

CASTERS



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FMHCS.4	—	—	—	—	\$150	There are 4 or 6 locking casters and are installed in the field. Order 4 casters for rectangle base and 6 casters for corner base Height of table is increased by 2" and will not be reflected on the display height
FMHCS.6	—	—	—	—	\$150	


BEAM



How to Order Beam


1 Select a Beam Package

- Beam package with screen support
or
- Beam package without screen support

Choose	Specify Part #	Description	Specify Finish
	FB-BEAM-36A-E	Beam package with screen support	Silver

2 Specify End of Run Posts

- End of Run post for each end of run (Quantity (2) total each run)

Choose	Specify Part # (Quantity 2)	Description
	FB-POSTEND	End of run post

3 Specify Support Posts


- Inline post for each package to package location (Quantity depends on length of run)
- 3 or 4 way post if applicable

Choose	Specify Part # (Quantity TBD)	Description
	FB-POST180-X-D	Support post used in middle of run

4 Specify Electrical

Options include:

- Select either base feed or power pole (power pole at End of Run only - base feed at any post)
- Specify duplexes - Circuit 1-4 ((2) duplexes per side - **except** 36" which is (1) duplex per side)
- Add data port
(FBDPP - less than 20 CAT 6 cables)
(FHDPP - more than 20 CAT 6 cables)

Choose	Specify Part #
	FB-BPE

Choose	Specify Part #
Duplex	FIRECP44.I

Choose	Specify Part #
	FBDPP

5 Specify Beam Mounted Screen (if applicable)

Options include:

- Clear glass
- Frosted glass
- Fabric covered

Choose	Specify Part #	Material
	FB-GLS2436-FR	FROSTED GLASS


6 Specify My-Hite Base

Choose	Specify Part #
	FSQAHBT-24-3

7 Specify My-Hite Top for Beam Application

Options include:

- Tops range from 40" to 76"

Choose	Specify Part #	Specify Finish
	FBRWS.XXXX	M28 Arctic

8 Select additional items to complete your system

Options include:

Monitor Arms	Mobile Pedestal	Power Grommet
		


Configuration & Planning Information



YES

Example: The CORRECT configuration of Support Posts and Worksurfaces. The figures below are just examples, and represent only a small number of possible layouts.

Figure A & B: Beam (6) Six Pack



SPECIFY POWER BEAM

BEAM PACKAGE EXAMPLE				
QTY	NAME	PART #	LIST	EXT LIST
6	MY-HITE BASE	FSQAHBT-24-3	\$1,675	\$10,050
6	NON-POWERED BEAM COVER	FATB-BC-N-60	\$74	\$444
6	NON-POWERED BEAM COVER	FATB-BC-N-72	\$87	\$522
6	POWERED BEAM PACKAGE	FB-BEAM-60A-E	\$855	\$5,130
3	POWERED BEAM PACKAGE	FB-BEAM-72A-E	\$1,028	\$3,084
1	BEAM BASE POWER INFEEED	FB-BPE	\$311	\$311
3	FABRIC SCREENS	FB-FBS2472	\$608	\$1,824
6	FROSTED GLASS SCREENS	FB-GLS2460-FR	\$442	\$2,652
1	3-WAY POSTS	FB-POST90-3	\$738	\$738
2	4-WAY POSTS	FB-POST90-4	\$738	\$1,476
7	END OF RUN POST	FB-POSTEND	\$633	\$4,431
6	MY-HITE TOP	FBRWS.2958	\$394	\$2,364
6	RECEPTACLES 4-CIRCUITS	FIRECP4.I	\$26	\$156
6	RECEPTACLES 4-CIRCUITS	FIRECP4.III	\$26	\$156
			TOTAL	\$33,338


Configuration & Planning Information con't



YES

Example: The CORRECT configuration of Support Posts and Worksurfaces. The figures below are just examples, and not represent a small number of possible layouts.

Figure B




BEAM PACKAGE EXAMPLE				
QTY	NAME	PART #	LIST	EXT LIST
6	MY-HITE BASE	FSQAHBT-24-3	\$1,675	\$10,050
3	POWERED BEAM PACKAGE	FB-BEAM-48A-E	\$702	\$2,106
1	BEAM BASE POWER INFEED	FB-BPE	\$311	\$311
3	FABRIC SCREEN	FB-FBS2448	\$513	\$1,539
2	BEAM INLINE POST 180°	FB-POST180	\$677	\$1,354
2	END OF RUN POST	FB-POSTEND	\$633	\$1,266
6	MY-HITE TOP	FBRWS.2346	\$252	\$1,512
6	RECEPTACLE 4-CIRCUITS	FIRECP4.I	\$26	\$156
6	RECEPTACLE 4-CIRCUITS	FIRECP4.III	\$26	\$156
			TOTAL	\$18,450

Configuration & Planning Information con't





NO

Example: The INCORRECT configuration of Support Posts and Worksurfaces.




Beam Elevation Height



SPECIFY POWER BEAM

Beam Package



INCLUDES: Beam, Top cap &
Base covers with power & data cutouts

DESCRIPTION

Beam package distributes power and data

NOTES

- Order data port plates separately
- All widths provide locations for duplexes; (2) on each side, (4) total per beam except 36": (1) duplex each side, (2) total per beam
- (1) Festoon included in package
- Order support posts separately
- Order infeed separately
- Order duplexes separately
- Order Data Port Plate separately


SPECIFICATION OPTIONS

product #: see charts below
finish: SV, BU, CW

ORDER EXAMPLE

description: Beam package with screen support
product #: FB-BEAM-36A-E
finish: Silver SV

BEAM PACKAGE WITH SCREEN SUPPORT




PART #	WIDTH	DEPTH	LIST
FB-BEAM-36A-E	36"	-	\$556
FB-BEAM-42A-E	42"	-	\$612
FB-BEAM-48A-E	48"	-	\$702
FB-BEAM-54A-E	54"	-	\$766
FB-BEAM-60A-E	60"	-	\$855
FB-BEAM-66A-E	66"	-	\$961
FB-BEAM-72A-E	72"	-	\$1,028

NOTES

- Powered data base covers included
- Non-powered base covers available separately, page 70
- Order screens separately

BEAM PACKAGE WITHOUT SCREEN SUPPORT




PART #	WIDTH	DEPTH	LIST
FB-BEAM-36B-E	36"	-	\$508
FB-BEAM-42B-E	42"	-	\$557
FB-BEAM-48B-E	48"	-	\$640
FB-BEAM-54B-E	54"	-	\$697
FB-BEAM-60B-E	60"	-	\$775
FB-BEAM-66B-E	66"	-	\$876
FB-BEAM-72B-E	72"	-	\$934

NOTES

- Powered data base covers included
- Non-powered base covers available separately, page 70

Supporting Post Inline & End of Run



DESCRIPTION

Posts support beam packages

SPECIFICATION OPTIONS

product #: see charts below
finish: Silver, Cloud White, Black Umber


NOTES

- Posts support beam packages
- See page 61 for usage diagrams

ORDER EXAMPLE


description: Beam inline 180° supporting post
product #: FB-POST180
finish: SV Silver

INLINE POST 180°



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST180					\$677	Use inline, between (2) beam packages


END OF RUN POST



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POSTEND					\$633	Use at end of run

SPECIFY POWER BEAM

Supporting Post 2, 3, 4 Way



DESCRIPTION

Posts support beam packages

SPECIFICATION OPTIONS


product #: see charts below**finish:** Silver, Cloud White, Black Umber

NOTES

ORDER EXAMPLE


description: 3 way supporting post 90°**product #:** FB-POST90-3**finish:** SV Silver

2-WAY POST 90°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST90-2-D					\$651	Use at 2-way, 90°

3-WAY POST 90°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST90-3					\$738	Use at 3-way, 90°

4-WAY POST 90°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST90-4					\$738	Use at 4-way, 90°

2-WAY POST 120°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST120-2					\$741	Use at 2-way, 120°

3-WAY POST 120°



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST120-3					\$810	Use at 3-way, 120°


Laminate Insert Package



DESCRIPTION	SPECIFICATION OPTIONS
Laminate insert packages for Beam posts	product #: see charts below laminate: see page 8
NOTES	ORDER EXAMPLE
	product #: FB-POST180-LAM laminate: M28 Arctic


LAMINATE INSERT PACKAGE FOR INLINE POST 180°

FB-POST180-LAM	17.5"	3.5"	\$104	Includes <ul style="list-style-type: none">(2) Short Inserts
----------------	-------	------	-------	--




LAMINATE INSERT PACKAGE FOR END OF RUN POST

FB-POSTEND-LAM	17.5"/25"	3.5"	\$108	Includes <ul style="list-style-type: none">(1) Short Insert(1) Tall Insert
----------------	-----------	------	-------	---




LAMINATE INSERT PACKAGE FOR 2-WAY POST 90°

FB-POST90-2-DLAM	17.5"/25"	3.5"	\$217	Includes <ul style="list-style-type: none">(2) Short Inserts(2) Tall Inserts
------------------	-----------	------	-------	---




**LAMINATE INSERT
PACKAGE FOR
3-WAY POST 90°**



FB-POST90-3LAM	17.5"/25"	3.5"	\$213
----------------	-----------	------	-------

- Includes
- (3) Short Inserts
 - (1) Tall Insert


**LAMINATE INSERT
PACKAGE FOR
4-WAY POST**



FB-POST90-4LAM	17.5"	3.5"	\$208
----------------	-------	------	-------

- Includes
- (4) Short Inserts


**LAMINATE INSERT
PACKAGE FOR
2-WAY POST 120°**



FB-POST120-2LAM	17.5"	3.5"	\$104
-----------------	-------	------	-------

- Includes
- (2) Short Inserts

**LAMINATE INSERT
PACKAGE FOR
3-WAY POST 120°**



FB-POST120-3LAM	17.5"	3.5"	\$156
-----------------	-------	------	-------

- Includes
- (3) Short Inserts

Beam Base Cover, non-powered



DESCRIPTION

Base cover without power/data knockout

SPECIFICATION OPTIONS

product #: see charts below
finish: SV, BU, CW

NOTES

- Beam package includes power/data base covers


ORDER EXAMPLE

description: Non-powered Beam base cover
product #: FATB-BC-N-48
finish: Silver SV

PART #	LIST	NOTES
FATB-BC-N-36	\$45	<ul style="list-style-type: none">• Non-powered base cover• Order (1) for each side if needed
FATB-BC-N-42	\$53	
FATB-BC-N-48	\$61	
FATB-BC-N-54	\$68	
FATB-BC-N-60	\$74	
FATB-BC-N-66	\$81	
FATB-BC-N-72	\$87	

SPECIFY POWER BEAM

Beam Package Top Caps



DESCRIPTION

- Top cap only.

NOTES

- Top cap is included in beam package #FB-BEAM-XXX-E
- Includes attachment hardware
- Order new top cap to match the size and finish of the original beam package
- **This top cap sold separately for reconfiguration purposes**


SPECIFICATION OPTIONS

product #: see charts below
finish: See page 8

ORDER EXAMPLE

description: Top cap for beam packages
product #: FB-TOPCAP-36-A-XX
finish: Silver SV

BEAM TOP CAP WITH SCREEN SUPPORT



PART #	WIDTH	DEPTH	LIST
FB-TOPCAP-36-A-XX	36"	-	\$204
FB-TOPCAP-42-A-XX	42"	-	\$224
FB-TOPCAP-48-A-XX	48"	-	\$246
FB-TOPCAP-54-A-XX	54"	-	\$266
FB-TOPCAP-60-A-XX	60"	-	\$293
FB-TOPCAP-66-A-XX	66"	-	\$311
FB-TOPCAP-72-A-XX	72"	-	\$337

NOTES

- Order screens separately. (see page 45)

BEAM TOP CAP WITHOUT SCREEN SUPPORT



PART #	WIDTH	DEPTH	LIST
FB-TOPCAP-36-B-XX	36"	-	\$77
FB-TOPCAP-42-B-XX	42"	-	\$88
FB-TOPCAP-48-B-XX	48"	-	\$100
FB-TOPCAP-54-B-XX	54"	-	\$112
FB-TOPCAP-60-B-XX	60"	-	\$124
FB-TOPCAP-66-B-XX	66"	-	\$135
FB-TOPCAP-72-B-XX	72"	-	\$149

NOTES


Beam Electrical Distribution

DESCRIPTION	SPECIFICATION OPTIONS
Electrical distribution components	product #: see charts below finish: see page X
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">• Circuit 4 is dedicated• Power is 8 wire, (4) 20 AMP circuit• Receptacles are rated 120V, 15 AMPS	product #: FIRECP4.1 finish: CW

RECEPTACLE 4-CIRCUITS

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FIRECP4.I	circuit I	—	—	0.25"	\$26	Provides access to I, II, III, IIII circuit
FIRECP4.II	circuit II	—	—	0.25"	\$26	Provides dedicated circuit with "IIII" receptacle
FIRECP4.III	circuit III	—	—	0.25"	\$26	CW, SV, BU
FIRECP4.IIIII	circuit IIII (dedicated)	—	—	0.25"	\$26	Receptacle -CONT are permanently marked CONTROLLED on the face of the receptacle and must be connected to a timer or motion sensor at the infeed location by a licensed electrician in order to comply with California T24
FIRECP4.II-CONT	Circuit II	—	—	0.25"	\$26	
FIRECP4.III-CONT	Circuit III	—	—	0.25"	\$26	


DATA PORT PLATE



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FBDPP	2.125"	3.625"	0.250"	0.10	\$39	If running more than (20) data cables, use FHDPP.
FHDPP	2.125"	3.625"	0.750"	0.10	\$39	If running less than (20) data cables, use FBDPP. CW or BU


Beam Electrical Distribution, cont'd

BASE POWER ENTRY



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-BPE		6'			\$311	Base power entry, 4 circuit, for use with Beam product.


CEILING POWER ENTRY



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-CPE					\$791	Ceiling power entry, 4 circuit, for use with Beam product. CW, SV, BU

SPECIFY POWER BEAM

Beam Mounted Screens



DESCRIPTION

Privacy screens for use with beam product

SPECIFICATION OPTIONS

product #: see charts below


NOTES

- For use with beam packages with screen support: i.e. FB-BEAM-42A-E
- Includes mounting hardware
- Actual screen is 7" shorter than Beam Package

ORDER EXAMPLE

product #: FB-FBS2436
fabric: PF1010-3 Slide Pewter

FROSTED GLASS SCREEN




PART #	WIDTH	HEIGHT	LIST
FB-GLS2436-FR	29"	24"	\$289
FB-GLS2442-FR	35"	24"	\$331
FB-GLS2448-FR	41"	24"	\$360
FB-GLS2454-FR	47"	24"	\$401
FB-GLS2460-FR	53"	24"	\$442
FB-GLS2466-FR	59"	24"	\$483
FB-GLS2472-FR	65"	24"	\$525

NOTES

- Price is for (1) screen

CLEAR GLASS SCREEN




PART #	WIDTH	HEIGHT	LIST
FB-GLS2436-CL	29"	24"	\$176
FB-GLS2442-CL	35"	24"	\$199
FB-GLS2448-CL	41"	24"	\$214
FB-GLS2454-CL	47"	24"	\$236
FB-GLS2460-CL	53"	24"	\$259
FB-GLS2466-CL	59"	24"	\$281
FB-GLS2472-CL	65"	24"	\$303

NOTES

- Price is for (1) screen

FABRIC COVERED SCREEN



PART #	WIDTH	HEIGHT	LIST
FB-FBS2436	29"	24"	\$473
FB-FBS2442	35"	24"	\$493
FB-FBS2448	41"	24"	\$513
FB-FBS2454	47"	24"	\$539
FB-FBS2460	53"	24"	\$560
FB-FBS2466	59"	24"	\$586
FB-FBS2472	65"	24"	\$608


NOTES

- Price is for (1) screen
- Screens are magnetic, not tackable


SPECIFY POWER BEAM

MY-HITE

WORKSURFACES FOR USE WITH BEAM



Rectangular



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add \$75 list)
Specify GL, GC, GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 8
edge finish: see page 8

ORDER EXAMPLE

product #:FBRWS.2340
worksurface finish: Light Maple, M1
edge finish: DT Dark Tone, E12
grommet: GC (Rear Center)

RECTANGULAR
WORKSURFACE, 23" DEEP

PART #	WIDTH	DEPTH	PRICE
FBRWS.2340	40"	23"	\$247
FBRWS.2346	46"	23"	\$252
FBRWS.2352	52"	23"	\$289
FBRWS.2358	58"	23"	\$315
FBRWS.2364	64"	23"	\$351
FBRWS.2370	70"	23"	\$360
FBRWS.2376	76"	23"	\$444

NOTES

- Sizes are actual for example
FBRWS.2370 is 23" x 70"

RECTANGULAR
WORKSURFACE, 29" DEEP

PART #	WIDTH	DEPTH	PRICE
FBRWS.2940	40"	29"	\$317
FBRWS.2946	46"	29"	\$325
FBRWS.2952	52"	29"	\$368
FBRWS.2958	58"	29"	\$394
FBRWS.2964	64"	29"	\$440
FBRWS.2970	70"	29"	\$449
FBRWS.2976	76"	29"	\$552

NOTES

- Sizes are actual for example
FBRWS.2970 is 29" x 70"


RECTANGULAR
WORKSURFACE, 35" DEEP

PART #	WIDTH	DEPTH	PRICE
FBRWS.3540	40"	35"	\$382
FBRWS.3546	46"	35"	\$389
FBRWS.3552	52"	35"	\$681
FBRWS.3558	58"	35"	\$689
FBRWS.3564	64"	35"	\$696
FBRWS.3570	70"	35"	\$704
FBRWS.3576	76"	35"	\$711
FBRWS.3582	82"	35"	\$811

NOTES

- Sizes are actual for example
FBRWS.3570 is 35" x 70"

Corner



DESCRIPTION

Corner worksurface top only, for use with height adjustable base within workstation application.

NOTES

- Add grommet (add \$75 list)
Specify GL, GC, GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8

ORDER EXAMPLE

product #: FBCWS.2340
edge finish: DT Dark Tone, E12
worksurface finish: Light Maple, M1
grommet: GC (Rear Center)

CORNER WORKSURFACE


PART #	WIDTH	DEPTH	PRICE
FBCWS.2340	40"	23"	\$404
FBCWS.2346	46"	23"	\$427
FBCWS.2940	40"	29"	\$439
FBCWS.2946	46"	29"	\$462

NOTES

- Sizes are actual for example FBCWS.2346 is 23" x 46"

90° Extended Curved Corner

MY-HITE WORKSURFACES - POWER BEAM APPLICATION



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Worksurface top only, for use with height adjustable base within workstation application
- See My-Hite pricebook for use inside a freestanding application
- Add circular grommet (add \$75 list) Specify grommet placement GL, GC, GR
- Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points.
- We do not recommend using full size worktop in paneled workstation applications

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8
left or right extended: L for Left, R for Right

ORDER EXAMPLE

product #: FBECCWS.23345823L
top, edge finish: E10 Espresso
worksurface finish: M11 Light Walnut

23" D CONNECTING SIDE
23" D EXTENSION
34" D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.23345823L	1.25"	23"	34"	58"	23"	\$475
FBECCWS.23345823R	1.25"	23"	34"	58"	23"	\$475
FBECCWS.23346423L	1.25"	23"	34"	64"	23"	\$529
FBECCWS.23346423R	1.25"	23"	34"	64"	23"	\$529
FBECCWS.23347023L	1.25"	23"	34"	70"	23"	\$538
FBECCWS.23347023R	1.25"	23"	34"	70"	23"	\$538
FBECCWS.23347623L	1.25"	23"	34"	76"	23"	\$645
FBECCWS.23347623R	1.25"	23"	34"	76"	23"	\$645

29" D CONNECTING SIDE
29" D EXTENSION
34" D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.29345829L	1.25"	29"	34"	58"	29"	\$520
FBECCWS.29345829R	1.25"	29"	34"	58"	29"	\$520
FBECCWS.29346429L	1.25"	29"	34"	64"	29"	\$573
FBECCWS.29346429R	1.25"	29"	34"	64"	29"	\$573
FBECCWS.29347029L	1.25"	29"	34"	70"	29"	\$582
FBECCWS.29347029R	1.25"	29"	34"	70"	29"	\$582
FBECCWS.29347629L	1.25"	29"	34"	76"	29"	\$689
FBECCWS.29347629R	1.25"	29"	34"	76"	29"	\$689

23" D CONNECTING SIDE
23" D EXTENSION
40" D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.23405823L	1.25"	23"	40"	58"	23"	\$571
FBECCWS.23405823R	1.25"	23"	40"	58"	23"	\$571
FBECCWS.23406423L	1.25"	23"	40"	64"	23"	\$643
FBECCWS.23406423R	1.25"	23"	40"	64"	23"	\$643
FBECCWS.23407023L	1.25"	23"	40"	70"	23"	\$652
FBECCWS.23407023R	1.25"	23"	40"	70"	23"	\$652
FBECCWS.23407623L	1.25"	23"	40"	76"	23"	\$791
FBECCWS.23407623R	1.25"	23"	40"	76"	23"	\$791

29" D CONNECTING SIDE
29" D EXTENSION
40" D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.29405829L	1.25"	29"	40"	58"	29"	\$615
FBECCWS.29405829R	1.25"	29"	40"	58"	29"	\$615
FBECCWS.29406429L	1.25"	29"	40"	64"	29"	\$687
FBECCWS.29406429R	1.25"	29"	40"	64"	29"	\$687
FBECCWS.29407029L	1.25"	29"	40"	70"	29"	\$696
FBECCWS.29407029R	1.25"	29"	40"	70"	29"	\$696
FBECCWS.29407629L	1.25"	29"	40"	76"	29"	\$835
FBECCWS.29407629R	1.25"	29"	40"	76"	29"	\$835


23" D CONNECTING SIDE
23" D EXTENSION
46" D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.23465823L	1.25"	23"	46"	58"	23"	\$580
FBECCWS.23465823R	1.25"	23"	46"	58"	23"	\$580
FBECCWS.23466423L	1.25"	23"	46"	64"	23"	\$652
FBECCWS.23466423R	1.25"	23"	46"	64"	23"	\$652
FBECCWS.23467023L	1.25"	23"	46"	70"	23"	\$667
FBECCWS.23467023R	1.25"	23"	46"	70"	23"	\$667
FBECCWS.23467623L	1.25"	23"	46"	76"	23"	\$813
FBECCWS.23467623R	1.25"	23"	46"	76"	23"	\$813

29" D CONNECTING SIDE
29" D EXTENSION
46" D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.29465829L	1.25"	29"	46"	58"	29"	\$625
FBECCWS.29465829R	1.25"	29"	46"	58"	29"	\$625
FBECCWS.29466429L	1.25"	29"	46"	64"	29"	\$696
FBECCWS.29466429R	1.25"	29"	46"	64"	29"	\$696
FBECCWS.29467029L	1.25"	29"	46"	70"	29"	\$712
FBECCWS.29467029R	1.25"	29"	46"	70"	29"	\$712
FBECCWS.29467629L	1.25"	29"	46"	76"	29"	\$857
FBECCWS.29467629R	1.25"	29"	46"	76"	29"	\$857

D-Shaped



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add \$75 list)
Location is GC
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8


ORDER EXAMPLE

product #: FBEDSP.2346
edge finish: DT Dark Tone, E12
worksurface finish: Espresso, M10
grommet: GC (Rear Center)

D-SHAPED

PART #	HEIGHT	A	B	C	D	PRICE	NOTES
FBEDSP.2346	1.25"	46"	23"	—	—	\$369	<ul style="list-style-type: none"> • Sizes are actual for example FBEDSP.2346 is 23" x 46"
FBEDSP.2358	1.25"	58"	23"	—	—	\$413	
FBEDSP.2946	1.25"	46"	29"	—	—	\$405	
FBEDSP.2958	1.25"	58"	29"	—	—	\$448	
FBEDSP.2970	1.25"	70"	29"	—	—	\$491	
FBEDSP.3570	1.25"	70"	35"	—	—	\$542	

Wedge



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add \$75 list)
Specify GL, GC, GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8

ORDER EXAMPLE

product #:FBWDWS.234029
edge finish: DT Dark Tone, E12
worksurface finish: Espresso, M10
grommet: GC (Rear Center)


23"D LEFT
29"D RIGHT

PART #	HEIGHT	A	B	C	D	PRICE
FBWDWS.234029	1.25"	23"	40"	29"	—	\$328
FBWDWS.234629	1.25"	23"	46"	29"	—	\$335
FBWDWS.235229	1.25"	23"	52"	29"	—	\$380
FBWDWS.235829	1.25"	23"	58"	29"	—	\$407
FBWDWS.236429	1.25"	23"	64"	29"	—	\$454
FBWDWS.237029	1.25"	23"	70"	29"	—	\$464
FBWDWS.237629	1.25"	23"	76"	29"	—	\$540

29"D LEFT
23"D RIGHT

PART #	HEIGHT	A	B	C	D	PRICE
FBWDWS.294023	1.25"	29"	40"	23"	—	\$328
FBWDWS.294623	1.25"	29"	46"	23"	—	\$335
FBWDWS.295223	1.25"	29"	52"	23"	—	\$380
FBWDWS.295823	1.25"	29"	58"	23"	—	\$407
FBWDWS.296423	1.25"	29"	64"	23"	—	\$454
FBWDWS.297023	1.25"	29"	70"	23"	—	\$464
FBWDWS.297623	1.25"	29"	76"	23"	—	\$540

120° Corner / 90° Ends



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add \$75 list)
Specify GL, GC, GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8


ORDER EXAMPLE

product #: FB120-90WS.2334
edge finish: DT Dark Tone, E12
worksurface finish: Espresso, M10
grommet: GC (Rear Center)

120° CORNER 90° ENDS

PART #	HEIGHT	A	B	C	D	PRICE
FB120-90WS.2334	1.25"	23"	34"	—	—	\$565
FB120-90WS.2340	1.25"	23"	40"	—	—	\$676
FB120-90WS.2346	1.25"	23"	46"	—	—	\$822

120° Corner / 120° Ends



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add \$75 list)
Specify GL, GC, GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 8
worksurface finish: see page 8

ORDER EXAMPLE

product #: FB120-120WS.2334
edge finish: DT Dark Tone, E12
worksurface finish: Espresso, M10
grommet: GC (Rear Center)

120° CORNER 120° ENDS

PART #	HEIGHT	A	B	C	D	PRICE
FB120-120WS.2334	1.25"	23"	34"	—	—	\$571
FB120-120WS.2340	1.25"	23"	40"	—	—	\$684
FB120-120WS.2346	1.25"	23"	46"	—	—	\$831

