

# Allsteel®

## Further™ System

### **SPECIFICATION AND PRICE LIST 2017**

prices effective January 29

Worksurfaces  
Hubs, Beams, and Supports  
Electrical & Data  
Collaborative Hub  
Further Adaptive  
Screens  
Storage  
Accessories

## PAINT FINISHES

## CORE COLORS GRADE P1

Black*	P27
Brownstone*	P7D
Bungalow	P7C
Carob	P52
Flint	P02
Fossil	P28
Loft	P7B
Muslin	P4J
Parchment	P93

## SELECT COLORS GRADE P2

Brilliant White**	PQ8
Champagne Metallic	PR5
Gunmetal Metallic	PR3
Platinum Metallic	PR2
Silver*	PR6

## ACCENT COLORS GRADE P3

Flame	P7G
Ocean	P7H
Sprout	P7F
Tangelo	P7E

\*\*Face plate on Hub Power Module available only in these 4 colors, other colors available as a special.

## PAINT COLOR INDICATORS

Pages in this pricer reference the following symbols:

## CORE PAINTED METAL COLORS

## SELECT PAINTED METAL COLORS

## ACCENT PAINTED METAL COLORS

*Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)*

## ELECTRICAL AND DATA COMPONENTS

Black	E4
Brownstone	EY
Bungalow	EX
Flint	E9
Loft	EV
Muslin	EU
Silver	ES
White	EW

## Recommended Coordinate Colors:

Brilliant White use White EW  
Carob use Black E4  
Champagne Metallic use Muslin EU  
Fossil use Flint E9  
Gunmetal Metallic use Brownstone EY  
Parchment use Muslin EU  
Platinum Metallic use Loft EV

## LAMINATES

## GRADE L1

## CORE

Ash	LT3B
Brownstone*	LM13
Bungalow*	LM12
Camelstone	LT6A
Canyon Zephyr	LT5B
Desert Zephyr	LT5A
Flint*	LM16
Frosty White*	LM14
Grey Mesh	LT8A
Greystone	TM65
Loft*	LM11
Muslin*	LM15
Parchment	TM20
Pewter Mesh	LT8C
Sheer Mesh	LT8B
Silver Mesh	LT8D
White Tigris	LT2A
Whitestone	TM33

## WOODGRAIN

Natural Maple*	LWD
Shaker Cherry*	LW7C

## GRADE L2

Amber Cherry*	LWAC
Beigewood*	LWBE
Branded Oak* <b>NEW!</b>	LBO1
Brazilwood*	LWBR
Columbian Walnut*	LWZ
Ebony Recon* <b>NEW!</b>	LER1
Fawn Cypress* <b>NEW!</b>	LFC1
Lowell Ash*	LLA1
Mangalore Mango* <b>NEW!</b>	LMM1
Natural Recon*	LNR1
Phantom Charcoal* <b>NEW!</b>	LPC1
Phantom Ecu*	LPE1
Portico Teak*	LPT1
Skyline Walnut*	LSW1

## GRADE L3

Cafelle*	LWC
Charcoal Walnut*	LWCW
Natural Walnut*	LWNW

\*Storage available in these 25 laminates.

## LAMINATE EDGE COLORS

Amber Cherry	DA
Beigewood	DE
Black	E4
Branded Oak <b>NEW!</b>	BO
Brazilwood	DB
Brownstone	EY
Bungalow	EX
Cafelle	DG
Carob	E8
Charcoal Walnut	DC
Columbian Walnut	DZ
Ebony Recon <b>NEW!</b>	DR
Fawn Cypress <b>NEW!</b>	FC
Flint	E9
Fossil	EH
Loft	EV
Lowell Ash	DL
Mangalore Mango <b>NEW!</b>	MM
Muslin	EU
Natural Maple	DD
Natural Recon	NR
Natural Walnut	DN
Parchment	EN
Phantom Charcoal <b>NEW!</b>	PC
Phantom Ecu	PE
Platinum Metallic	EP
Plyband ♦	PL
Portico Teak	DP
Shaker Cherry	DF
Skyline Walnut	SW
White	EW

♦ Edge is limited to flat edge surfaces: rectangle, square, trapezoid, polygon, or round. No curvilinear or combination curve and straight. No T-Mold.

**NOTE:** Refer to individual product pages for upcharges.

FSC Certified Wood at Allsteel

See page 107 for more information.

- Software support packages furnished to the customer, either by Allsteel® or by another source, which support the sale of Allsteel products are superseded by printed price lists.
- Prices are subject to change without notice. All orders are subject to prices in effect at the time of order.
- Please refer to your Allsteel Dealer Sales and Discount Policies for order placement information, terms and conditions.

- Ordering information appears at the bottom of each product page complete with examples on how to specify. Fabric and finish pages are referenced at the bottom of product pages.

This publication is available as a downloadable PDF on Allsteel websites.

#### Questions or Comments?

Please call us at: **888-ALLSTEEL**  
**888-255-7833**

New, Revised, and Discontinued Products.....	4
Warranty, COM, and Specials Policies .....	5-9
Introduction to Further .....	10
Typicals.....	11-12
Statement of Line .....	13

#### WORKSURFACES AND SUPPORTS

Working with Worksurfaces and Supports .....	14-27
Worksurface Brackets and Support Channel.....	28
Rectangular Worksurfaces .....	29
Trapezoid and Runoff Worksurfaces .....	30-32
Symmetrical Trapezoid Worksurfaces.....	33
Worksurface Supports — Hubs, Beams, and Supports .....	34-37

#### ELECTRICAL & DATA

Working with Electrical and Data.....	38-53
Electrical In-Feeds, Power Kits, and Components.....	54-56
Beam Mounted Wire Manager.....	57
Below Beam Electrical Harness .....	58-59

#### COLLABORATIVE HUB

Working with Collaborative Hub .....	60-61
Collaborative Hub Components .....	62-63

#### ADAPTIVE

Adaptive Typical.....	64
Adaptive Statement of Line .....	65
Working with Adaptive Worksurfaces and Supports .....	66-71
Worksurface Support Channel and Worksurfaces .....	72
Worksurface Supports.....	73
Working with Adaptive Electrical and Data .....	74-75
Controls and Electrical & Data Components .....	76
Working with Screens, Storage, and Extensions with Adaptive ...	77-78
Adaptive Retrofit Examples .....	79

#### SCREENS

Working with Screens .....	80-81
Fabric Screens and Modesty Panels.....	82-83
Glass Screens.....	84
User Movable and Lateral Screens .....	85

#### STORAGE — Laminate with Metal

Working with Storage .....	86-89
Horizontal Storage and Worksurface Stanchions.....	90
Dual Sided Horizontal Storage and Beam Mounted Stanchions .....	91
Pedestals and Credenzas.....	92
Storage Towers .....	93

#### EXTENSIONS

Introduction .....	94
Working with Organization Tools.....	95-97
Organization Tools .....	98-99
Working with Ergonomic Accessories.....	100-101
Ergonomic Accessories.....	102
Working with Illumination .....	103
Illumination .....	103

#### APPENDIX & INDEX

Locking Specifications and Appendix.....	104-108
Index .....	109-110
Seating Upholstery and Panel Fabrics.....	114-Inside Back Cover

NEW PRODUCTS

Further

- 2-Sided Port Hubs — 1/5/2017
- Control Box for 3 Height-Adjustable Legs
- Adaptive — 6/14/2016
- 21" Electrical Jumper — 12/15/2016
- 120° Worksurfaces — 1/15/2016
- Elevated Table-Mounted Screens — 10/25/2016

Extensions™

- Power/Data Modules with USB ports — clamp on and under worksurface — 11/7/2016

NEW FINISHES AND FABRICS

- Laminates — Branded Oak LBO1, Ebony Recon LER1, Fawn Cypress LFC1, Mangalore Mango LMM1, Phantom Charcoal LPC1 — 1/29/2017
- Laminates — Lowell Ash LLA1, Natural Recon LNR1, Phantom Ecru LPE1, Portico Teak LPT1, Skyline Walnut LSW1 — 7/3/2016
- Edges — Branded Oak BO, Ebony Recon DR, Fawn Cypress FC, Mangalore Mango MM, Phantom Charcoal PC — 1/29/2017
- Edges — Lowell Ash DL, Natural Recon NR, Phantom Ecru PE, Plyband PL, Portico Teak DP, Skyline Walnut SW — 7/3/2016
- Panel Fabrics — Refuge Eclipse RFG990 and Glacier RFG991 — 1/1/2017
- Panel Fabrics — Appoint Panel Frost APN934, Reflections Galvanized REF929 and Ice REF920, Sarto Fog SRT914, Tempest Slate TP945 and Zebra TP935, Coast Channel COA914, Pebble COA912, and Pier COA913, Spin Panel with 14 colorways, Terrain with 9 colorways, and Script with 13 colorways. (All are listed on inside back cover) — 7/3/2016

DISCONTINUED PRODUCTS

Further

- 3-Sided Port Hubs — 11/3/2016

Touch-Up Paint

- Accent Colors — all colors 10/6/2016

DISCONTINUED FABRICS

- Tasanee — all colorways 12/15/2017
- Celestial — all colorways 12/31/2016
- Imprint, Jet Set, Stagger — all colorways 7/3/2016

# Lifetime Warranty

**Allsteel Inc. warrants its products to be free from defects in material and workmanship for as long as the original purchaser owns them, except as set forth below.**

Allsteel shall repair or replace with comparable product (at Allsteel's discretion), free of charge, any Allsteel product or component manufactured after January 29, 2017, that fails under normal commercial office use.

**This warranty is subject to the following provisions:**

Some natural variations occurring in wood, leather, or other natural materials are inherent to their character and not considered defects. Allsteel does not warrant the colorfastness or matching of colors, grains, or textures of these materials. Additionally, a Customer's Own Material (COM) selected by, and used at the request of, a user is not warranted.

**The materials and components listed below are covered according to the following schedule from the date of sale:**

- Wood products and electrical components (lamps and ballasts are not covered), seating controls, pneumatic cylinders, glides, casters and polymer-based components, and foam — 12 years
- Wood seating, stacking chairs, Sum® AutoFit® technology, and laminates — 10 years
- User-adjustable worksurface mechanisms, tablet arm mechanisms, interior wood-framed seating and lounge products, occasional tables, Mimeo™ mesh, Quip™ mesh, Scout® mesh, panel and seating upholstery fabrics, and other covering materials — 5 years
- Marker board surfaces and upholstery on Gather™ products — 3 years
- #19®, Access™, Acuity®, Clarity®, Inspire®, Lyric™, Relate®, Scout, Seek®, Sum, and Trooper® asynchronous and synchro-tilt models are warranted for multiple shifts and users up to 300 lbs. Mimeo is warranted for multiple shifts and users up to 350 lbs. Lyric Large & Tall is warranted for multiple shifts and users up to 400 lbs. Trooper Large & Tall is warranted for multiple shifts and users up to 500 lbs. All other Allsteel chairs and components are warranted for single-shift, 40-hour workweek usage.

- #19 chair, including components and material, is warranted for as long as the original purchaser owns the chair.
- #19, Access, Acuity, Clarity, Lyric, Relate, and Seek mesh/carriers and Mimeo and Quip carriers are considered structural chair components and as such are warranted for as long as the original purchaser owns the chair.
- Undercabinet LED light — fixture warranted for 3 years; power supply warranted for 1 year
- Link™ LED light — 5 years
- Wand™ LED Light — fixture warranted for 5 years; power supply warranted for 3 years
- Beyond™ Movable Walls — 10 years; moving parts such as door hardware and door mechanisms — 5 years; customer's own hardware — supplier warranty

**This warranty does not apply to:**

- Normal wear and tear over the course of ownership, including fabric puddling
- Damage from sharp objects (e.g., writing utensils, heeled shoes, scissors, jewelry, keys)
- Modifications or attachments to the product not approved by Allsteel
- Products not installed, used, or maintained in accordance with product instructions and warnings
- Products used for rental purposes
- Damage caused by the carrier in-transit, which is handled under separate terms
- Third-party products. Allsteel, to the extent possible, will pass through to the original purchaser (and process claims under) any warranty provided by manufacturers of undercabinet lighting, ergonomic work tools, or other third-party products supplied by Allsteel.

**TO THE EXTENT ALLOWED BY LAW, ALLSTEEL MAKES NO OTHER WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALLSTEEL WILL NOT BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES.**

This warranty applies only to products sold within the United States of America and the Commonwealth of Canada.

Your Allsteel Dealer is our mutual partner in supporting your warranty requests. To obtain service under this warranty, please contact your Allsteel Dealer.

## COM Program

Allsteel understands that customers may at times want to specify fabrics outside of Allsteel's standard fabric offering. Our COM program was designed to make specifying COMs on Allsteel products a simpler, friendlier, and hassle-free process. This process is simple and easy to use, and is described below under "Allsteel to Supply." If a Dealer wishes to manage the COM process themselves, they can do so by following guidelines under "Dealer to Supply". Find out more about Allsteel's COM process by emailing our COM Department at [ASICSCOM@allsteeloffice.com](mailto:ASICSCOM@allsteeloffice.com).

### Allsteel to Supply:

1. Select the fabric you wish to use and check the COM Search on Synergy. You need the COM supplier's name, fabric pattern name, and color name to search for approved fabrics.
2. If your fabric is listed as an approved fabric, you may place your order directly with Allsteel Customer Support. Please use the fabric code (e.g., S216426XP) from the COM Test Request on your order in the place of the standard fabric code. **Make sure to mark on the top of the order "Allsteel to Supply."** If your fabric is not listed as approved, you will need to select the "Request COM Test" link on the COM Search website. Allsteel will arrange to obtain test fabric and you will be notified of the results within 3 to 5 working days of receipt of the test yardage by Allsteel.
3. If the fabric is approved, you will receive an email summary from Allsteel with the correct price grade and fabric code for order purposes. Written COM price quotes hold pricing for 90 days after issue date.
4. Once the fabric has been approved by Allsteel, enter your order directly with Allsteel Customer Support. Allsteel will purchase all COM fabric directly from the COM suppliers and schedule for production.

In the event that the Dealer decides to cancel a COM fabric order, the Dealer is responsible for the cost of the fabric plus a handling charge that is equal to 10% of the fabric cost.

### Dealer to Supply:

1. Select the fabric you wish to use and check the COM Search on Synergy or call Allsteel Customer Support to see if the fabric you have chosen has already been tested and approved on the product you are interested in.  
  
You need to have the COM supplier's name, fabric pattern name, and color name for this inquiry.
2. If your fabric is listed as approved, and it is not a Partnership fabric, you may request a "Dealer to Supply" code and estimate the yardage required by using the yardage requirements listed in the price list by model. For questions please contact Allsteel Customer Support.

3. If your fabric is not listed as already tested and approved, you will need to complete a COM Test Request on Synergy. You will need to arrange for the test fabric to be sent to:

HNI Fabric Testing  
Attn: COM Dept.  
2210 2nd Avenue  
Muscatine, IA 52761

Allsteel requires 3 yards of fabric and 2 memo samples for each panel system fabric being tested; and 4 - 8" x 8" memo samples for all seating testing. You will be notified of the test results within 3 to 5 working days of receipt of the test yardage by Allsteel.

4. Make sure to use a "Dealer to Supply" COM code (e.g., S216426ZP) and place your order directly with Allsteel Customer Support.
5. All "Dealer to Supply" orders will be charged Grade 4 pricing for seating, Grade 3 for Gather, and Grade D pricing for panels. Dealers will pay for the COM fabric separately.
6. All "Dealer to Supply" fabric must be sent on a fabric roll.
7. Place your fabric order directly with the COM Supplier with instructions for the fabric to be sent on a fabric roll to:

**HNI Fabric Distribution Center — Dealer PO Number**  
**COM Production Yardage**  
Docks 20-22  
200 Oak Street  
Muscatine, IA 52761

Information that **MUST** be included in the packing slip attached to the fabric:

1. Dealer's Purchase Order number to Allsteel
2. Allsteel's Tracking number for the COM fabric
3. Dealer Name
4. Yards of Fabric

If the fabric shipment does not match the correct fabric and yardage, Allsteel will notify the Dealer for resolution.

If Allsteel receives fabric with incorrect labeling that cannot be linked to an Allsteel furniture order, Allsteel will hold the fabric for up to 7 days, while the COM Expeditor attempts to identify the order. After 7 days, Allsteel will return the fabric to sender. There are no exceptions to this policy.

Any cancelled orders are subject to cancellation charges up to the full value of the Allsteel product cancelled. Allsteel will determine the actual cancellation charge at the time the cancellation is requested.

8. For additional details on "Dealer to Supply" fabric refer to your Allsteel terms and conditions.

**Additional Policy Information:**

The company assumes no responsibility for the overall appearance, flammability, normal durability, colorfastness, or any other quality standards. The Company reserves the right to reject a COM if the quality of the COM is not satisfactory for the product. Should this occur, the customer will be notified with an explanation within 7 working days of receipt of test materials.

The company is not responsible for fabric that has become obsolete at the COM supplier, that is of poor quality, or that is delivered late to the manufacturer from the COM supplier. Excess yardage will be disposed of at Allsteel's discretion.


All cancellations or changes to COM orders are subject to Company approval. Because of the nature of COM, special fabrics, finishes, and structural modifications, products ordered as specials and then cancelled prior to shipment are subject to cancellation costs up to the full value of the product cancelled. The company determines the actual cancellation charge at the time the cancellation is requested. Upon approval, a cancellation number is issued to the Customer.

Purchase orders will not be accepted or entered unless the testing process is complete with positive results.

If all testing has been previously completed, re-testing is only necessary if fabric is to be used on a different product, or pattern direction has changed from that previously approved.

Previous test results can be obtained by a customer on the COM Search on Synergy or by calling Allsteel Customer Support. COM testing will require 3-5 working days from receipt of test yardage.

COM testing will require 3-5 working days from receipt of test yardage.



All COM fabric will be applied to seating and panel systems Pattern Cut unless Railroad Cut is requested and approved on the COM Test Request. Any fabrics approved as a width pass, the dealer is responsible for clarifying Railroad Cut on orders containing items that are too large to support the Pattern Cut of a fabric application (any items larger than 48" high or wide).

**Fire Retardant**

The Dealer is responsible for ensuring that the COM fabric is certified to meet all flame retardant requirements.

*For more information, please contact Allsteel Customer Support.*

**YARDAGE REQUIREMENTS FOR FABRIC WITH REPEATS — FOR USE ON GATHER™ PRODUCTS**

Fabric Width	Plain Fabric	2" – 14" Repeat	15" – 19" Repeat	20" – 27" Repeat	28" – 36" Repeat
54"	0	+15%	+20%	+25%	+30%
53"	+6%	+19%	+24%	+28%	+36%
52"	+13%	+23%	+28%	+33%	+38%
51"	+19%	+26%	+31%	+36%	+41%
50"	+25%	+30%	+35%	+40%	+45%
49"	+30%	+35%	+40%	+45%	+50%
48"	+35%	+40%	+45%	+50%	+55%
47"	+45%	+50%	+55%	+58%	+65%

Depending upon the pattern repeat, it may be necessary to pattern cut the fabric. This will require 10% additional fabric.

To calculate multiple repeats (vertical and horizontal), add each repeat for total yardage required. For example for a fabric width of 54": 7" vertical requires 15%, 15" horizontal requires 20% total additional yardage required equals 35% (15% + 20%). Therefore, if your chair requires 2 yards of fabric, multiply 2 by 35%. Then 2.7 yards will be yardage required.

## Special Paint & Stain Policy

Allsteel at its own discretion may modify its standard products with non-standard paint and stain colors to meet specific needs. Dealer is required to submit a special paint or stain request via the COM Search on Synergy. A sample of the non-standard paint or stain color desired will be required for matching. Pricing, lead time, and order information will be provided at the time of approval.

- For each new requested stain or paint, there will be a \$500 net fee to cover supplier costs to match the special item.
- For existing, previously-approved stains or paints, there is no \$500 matching fee, however, there is a sample chip fee of \$175 net for stains and \$100 net for paints.
- Samples, preferably at least 3" x 5" chips, of the exact color desired should be sent to the Allsteel Tailored Products Group. Paint matches require (3) sample chips and stain matches require (3) sample chips. Please mail these sample chips to the address below and reference the Special Item Request Number from Tailored Solutions.

### Allsteel Inc.

Attn: Tailored Products Group  
2210 Second Avenue  
Muscatine, IA 52761

- Allsteel will color match the sample and send control samples to the address provided in the request. Dealer will review Allsteel's color match and approve by signing the back of the sample chip. Send the signed sample back to the Allsteel Tailored Products Group.
- Special paints will be assigned a paint price grade.
- Orders will not be accepted until Allsteel receives the Dealer's written approval on the color match.
- Extended lead times will apply on orders containing special paints or stains.
- Due to manufacturing techniques, materials, and quality issues, some exclusions will apply and some matches may be declined.

### Important Notes

- Natural veneer is subject to nature's quality control. Differences in grain and color are naturally occurring variations and cannot be controlled by the manufacturer and cannot be considered as product defects. Natural veneer has the characteristics and beauty of a living organism; with its own variations of grain, growth, and color patterns. For these reasons, Natural veneer is preferred by many for its warmth and personal characteristics.

- Color changes will occur over time when wood is exposed to light. For this reason, when new product is ordered as an addition to existing product, there will be color variances between the old and new product. Please remember when specifying new product that although the species of veneer will be the same, additional product is being manufactured from a different tree. It may take several months for the new furniture to mature to the color level of existing product. Even with this maturation process the additional product will not be an exact match.

## Special Laminate Policy


The Company at its own discretion may modify its standard products with non-standard laminates to meet specific needs. Contact the Allsteel Tailored Products Group for pre-approved Wilson Art laminates and pricing for special laminates. When requesting a special laminate please supply manufacturer, along with name and pattern number of laminate.

- Extended lead times will apply on orders containing special laminates.
- Due to manufacturing techniques, materials, and quality issues, some product exclusions will apply and some requests may be declined.







## HUBS, BEAMS, and SUPPORTS




## WORKSURFACES — Laminate



## ELECTRICAL & DATA — Power Kit




## SCREENS





## STORAGE

### Horizontal — Laminate with Metal




### Floor Based — Laminate with Metal






Flat Edge Detail



External Worksurface Support Channel (Side View)

Trapezoid and Runoff Worksurfaces (Top View)



Shaded edge is side to attach to beam to be on module.

## All Worksurfaces (pages 28-33)

- All worksurfaces for Further are 1 1/4" thick particle board core with top surfaces finished in high pressure laminate, bottom surfaces covered with a backer sheet, and with a flat edge.
- Edge band is 2mm thick ABS plastic on all edges.
- All worksurfaces exclude grommets or scallops.
- 24"D worksurfaces support the use of storage from other Allsteel product lines.
- The gap from the back edge of the worksurface to the beam is 1 7/8".
- Back edge of the worksurface to the beam centerline distance is 3".
- Maximum worksurface overhang of a parent run is 12".  
Worksurfaces that overhang the parent run by more than 12" require system legs or supporting storage to support the overhanging edge.
- Maximum 12" overhang when worksurfaces are used in freestanding or adjustable-height applications.
- Distance from floor to top of worksurface is 29 1/2" with glides fully retracted.
- External worksurface support channels are required for unsupported spans greater than 60" — see description below.
- Legs and supports from other product lines (Stride post legs, Involve open legs, etc.) can be used but there are no pilot holes or threaded metal inserts to support ease of installation and reconfiguration.

## Rectangular Worksurfaces (page 29)

- Primary worksurface depths are 21", 24", and 27" (allows for gap and 24", 27", or 30" dimension to center of beam).
- Actual width and depth are equal to the nominal width and depth.

## External Worksurface Support Channel (page 28)


- Must be added to unsupported spans greater than 60". Pilot holes are included on worksurface to ensure accurate placement to avoid interference with screens, mounting plates etc.
- Extends 1 1/2" below the worksurface. Stiffener is 6 1/2" from back edge of the worksurface to the vertical wall of the stiffener.
- May interfere with storage or mounting of accessories.
- When using tethered surfaces order to match the size of worksurface.  
*Example:* Z5SC72 goes with an 72"W worksurface. Stiffener is 12" shorter than worksurface. For worksurfaces over 84", add a worksurface support leg or support storage centered along the width of the surface.
- If floor support storage is used, subtract width of storage from size of stiffener.
- For freestanding tables order one size down. Stiffener is 18" shorter than worksurface. *Example:* Z5SC66 is used with a 72"W worksurface.

## Trapezoid Worksurfaces (pages 30-32)


- Primary worksurface depths are 21", 24", and 27".
- When using trapezoid surfaces beams will be on module when short side is oriented toward the beam. Using long side oriented to beam will be a non-modular application, specify nearest beam length.

## Trapezoid Runoff Worksurfaces (pages 30-32)

- Run off worksurface depths are 15" and 18".
- When using run off surfaces the hand of the run off should be opposite the hand of the parent to match beam lengths.
- Flat bracket T612FB and system support leg U6L2FG are required when using run off surfaces with primary surfaces in 120 degree applications.
- Are not allowed to be used for freestanding tables.




Flat Edge Detail



## Symmetrical Trapezoid Worksurfaces (page 33)








- Symmetrical Trapezoid worksurface depths are 21", 24", and 27". Sized for intended gap on three sides of worksurface.
- When using trapezoid surfaces beams will be on module when short side is oriented toward the beam. Using long side oriented to beam will result in a non-modular application, specify nearest beam length.
- Back edge widths 39"- 57"W require 4 worksurface brackets U6WBTF. Back edge widths over 57"W require 5 brackets.
- Models with a front edge length of 70" and wider require a support leg centered and no more than 18" from front edge in both tethered and freestanding applications
- Models with back edge of 60" in length and wider require external stiffener. Stiffener should be undersized by 12" from length of front edge.



## 120° Worksurfaces (page 33)

- 120° worksurface depths are 21", 24", and 27".
- Can be configured with Altitude™ height-adjustable bases.
- Can be configured with support storage on either side of the worksurface.
- Requires 4 worksurface brackets U6WBTF when primary sides of surface are parallel with beams.

Shaded edge is side to attach to beam to be on module.



### Beam End Support Leg (page 37)

- Utilized to finish off a beam run when a hub is not used.
- Usage rules vary depending on configuration, see specification rules and examples on pages 19-27.
- Beam end leg includes: leg, die-cast connector, and top trim.
- Beam end legs add 3" to run.
- End legs are a fixed height to support worksurfaces at 29½"H, with leveling glides that provide 3⅜" of adjustment.

### In-Line Beam Support Leg (page 37)

- Inline beam support leg is for use in a 180° condition in beam supported environment. Top trim not included, order 6" trim piece U6B06F (flat trim) or U6B06M (mounting trim for screens).
- Usage rules vary depending on configuration — see pages 19-27.
- In-Line Beam legs are a fixed height to support worksurfaces at 29½"H, with leveling glides that provide 3⅜" of adjustment.

### Wall Mount (page 37)

- Allows for beam run to start from wall.
- Works with both internal and external electrical.
- Cover has knockouts for external electrical and data routing.
- Capacity for two electrical in-feeds and 72 data cables.
- Mounting hardware for attaching to wall is to be supplied by installer. Requires hitting wall stud.
- Exterior dimensions: 5½"W x 3"D x 28½"H.
- Can be used in freestanding beam applications.

### Bench End Connector Kit (page 37)

- Used only with non-powered beams to create end supports. Each end support adds 3" to the length of run.
- Bench end supports cannot be used to make a freestanding table.
- Bench end support components are ordered separately and assembled in the field. It requires 2 – beam end legs U6E2F, 1 – bench end connector kit U3CBBE, 2 – worksurface brackets U6WBTF, and applicable non-powered beam and beam trim:
  - U6B42N beam for 2 – 21"D worksurfaces and U6B42F beam trim — flat
  - U6B54N beam for 2 – 27"D worksurfaces and U6B54F beam trim — flat
- 42" and 54" non-powered beams come with pilot holes for installing the bench end connector kit to help ensure that the parent beams are centered on the bench end beam.
- When used this will deface the user side of the end beam due to self drilling screws used to attach bench end connector kit.
- Power cannot be carried through from parent run to bench end beam.
- Cannot use beam mounted modesty panels.

### Worksurface Support Leg (page 37)

- Worksurface support leg U6L2FG requires one side of worksurface to be tethered to a beam. Same leg can be used as a shared support leg centered between worksurfaces. Hardware pack includes tie bracket for use in shared applications.
- When used as a shared support leg on 27" deep worksurface, must not be more than 18" back from front edge of worksurface; and on 15", 18" and 21" deep worksurfaces not be more than 12" back from front edge.
- Worksurface support legs are a fixed height to support worksurfaces at 29½"H, with leveling glides that provide 3⅜" of adjustment.

### Table Legs (page 37)

- Freestanding tables require either table legs with glides U6T2FG or table legs with casters U6T2FC.
- Leveling glides provide 3⅜" of adjustment.
- Unsupported spans over 60" require external support channel.
- Tables 78" or greater require 2 additional legs in the center of the table (6 legs total) to resist bowing.
- If using 24" or 30" deep surfaces from other product lines table legs will have to be mounted in a non-standard location as the insert and pilot hole locations on these surfaces interfere with the mounting plates.

## Worksurface Brackets Required for Attaching to Beams (Additional Supports Required)



WORKSURFACE SHAPE:	QTY OF WORKSURFACE SUPPORT BRACKETS (Model U6WBTF)			
	1	2	3	4
Rectangular* Perpendicular		21"W– 60"W**	Wider than 60"	
Trapezoid**			28"W– 58"W	Wider than 58"
Runoff***	15"W– 39"W	Wider than 39"		
120°				46"W– 52"W


\*Rectangular ends in return applications require an additional bracket.

\*\*Dimensions are taken from the short width side of surface.


\*\*\*Runoff worksurface dimension is taken from short side of worksurface.

## Worksurface Support Brackets (pages 28 or 37)


- Worksurface support brackets U6WBTF are used to tether worksurface to beam. Further worksurface models contain threaded metal inserts at standard locations for brackets along the back edge of worksurface.
- For surfaces that overhang the parent run the worksurface support bracket cannot be more than 12" from the edge of the worksurface.
- For surfaces extending perpendicular to the beam two worksurface brackets are required and the worksurface support brackets cannot be more than 6" from the edge of the worksurface.
- Quantity of worksurface support brackets varies by shape and size of worksurface, and use of supporting storage — see chart at left. Additional supports are required — see pages 19-27.
- When supporting storage is specified at least two worksurface support brackets are required to ensure proper locating of the worksurface relative to the beam. One bracket may be subtracted for each supporting storage unit if worksurface would normally require more than two support brackets.




Rectangular with System Legs



Rectangular with Bench End



Trapezoid




Trapezoid  
w/Runoff  
or  
120°

# Worksurfaces and Supports

## Further™ — Working with Supports

GSA Reference Page




A **Flat Bracket** is required between the two surfaces when one worksurface is parallel to the beam and another is perpendicular.

### Flat Brackets (page 37)

- Flat bracket T612FB is required when using 15" or 18" deep run off surfaces with primary surfaces in 120 degree applications.
- Flat bracket T624FB is used with 21" and 24" deep worksurfaces.
- Flat bracket T630FB is used with 27" deep worksurfaces.


### Beam Mounted Shelf — U9XXMS (page 83)

- Mounts to beam using wire manager clip model U9BWMC (ordered separately).
- Widths 24" through 60" in 6" increments.
- 0.429" thick sheet metal x 5"D.
- Cannot be used in conjunction with low capacity wire managers (U9XXBWLCM).
- Can be used in conjunction with high capacity wire managers (U9XXBWHCM). Must order matching width.
- Can pass across in-line support leg but not across a hub.
- Cannot be used with below beam electrical.




### Further Stability Requirements


A hub provides the most robust beam support in Further configurations. The stability of a hub can be accomplished by combining other supports as shown:



**In-Line Beam Leg + Floor Storage\* = Stability of Hub**




**Worksurface Support Leg + Floor Storage\* = Stability of Hub**



**Benching End**  
Beam End Leg + Beam and Beam Trim + Beam End Leg = Stability of Hub

\*Floor support storage needs to be within 5" of worksurface leg and on both sides of an in-line beam leg.


## Single Sided Bench — Beam Connected (Tethered)



Example Shown (NOTE: Listing below does not include electrical components)

Qty	Model #	Description	List Price	Total
2	U5F2178S	21"D x 78"W Worksurface	\$ 650	\$1300
2	Z5SC78	66"W External Support Channel	\$ 86	\$ 172
3	U6H2S	Hub Non-Ported	\$ 539	\$1617
3	U3CHB2	2 Beams to Hub Connector Kit	\$ 237	\$ 711
2	U6B72DS222	72"W Beam for Dual Sided Power A2-B2-A2	\$ 593	\$1186
2	U6B72F	72"W Beam Trim Flat	\$ 216	\$ 432
1	U6L2FG	Worksurface Support Leg w/Glide	\$ 204	\$ 204
2	U6E2F	Beam End Support Leg	\$ 281	\$ 562
8	U6WBTF	Worksurface Support Bracket	\$ 57	\$ 456
2	U6B18N	18"W Beam Non-Powered	\$ 193	\$ 386
2	U6B18F	18"W Beam Trim – Flat	\$ 86	\$ 172
1	U3CG12	Carpet Grippers – 12 Pack	\$ 18	\$ 18
TOTAL			\$ 7,216	

- Maximum single-sided benching length is 26'. Every 13' a full depth return beam off of a hub or floor storage is required. 72" beam maximum.
- A hub is required for end run and mid run support for stability – no inline or beam end legs allowed unless used within 6" of floor supported storage.
- When station is on a carpeted surface carpet grippers are required on hubs, beam end legs, and worksurface support legs.
- Surface depth return runs are required at each end of parent run. Order two beam end leg supports; and 24" beam and top trim for 27"D worksurfaces, or 18" beam and top trim for 21"D worksurfaces.
- Consideration to the parent run length is important as it impacts the aesthetic. If the parent run is 6" shorter than worksurfaces, surfaces will overhang the return run by 2". If specified as normal then the return run will extend beyond edge of surfaces by 1". See illustrations at left.
- Support legs used in a shared application must not be more than 18" back from front edge of worksurface on 27"D worksurfaces, 15" on 24"D worksurfaces, or 12" on 21"D worksurfaces.
- Beam mounted shelf is allowed.
- Beam mounted screens are allowed on spine.




Example Shown (NOTE: Listing below does not include electrical components)

Qty	Model #	Description	List Price	Total
2	U5F2178S	21"D x 78"W Worksurface	\$ 650	\$1300
2	Z5SC78	66"W External Support Channel	\$ 86	\$ 172
3	U6H2S	Hub Non-Ported	\$ 539	\$1617
3	U3CHB2	2 Beams to Hub Connector Kit	\$ 237	\$ 711
1	U6B72DS222	72"W Beam for Dual Sided Power A2-B2-A2	\$ 593	\$ 593
1	U6B72F	72"W Beam Trim Flat	\$ 216	\$ 216
1	U6B66DS222	66"W Beam for Dual Sided Power A2-B2-A2	\$ 539	\$ 539
1	U6B66F	66"W Beam Trim Flat	\$ 204	\$ 204
1	U6L2FG	Worksurface Support Leg w/Glide	\$ 204	\$ 204
2	U6E2F	Beam End Support Leg	\$ 281	\$ 562
8	U6WBTF	Worksurface Support Bracket	\$ 57	\$ 456
2	U6B18N	18"W Beam Non-Powered	\$ 193	\$ 386
2	U6B18F	18"W Beam Trim – Flat	\$ 86	\$ 172
1	U3CG12	Carpet Grippers – 12 Pack	\$ 18	\$ 18
TOTAL			\$7,150	




## Dual Sided Bench — Beam Connected (Tethered)



**Example Shown (NOTE: Listing below does not include electrical components)**


Qty	Model #	Description	List Price	Total
6	U5F2772S	27"D x 72"W Worksurface	\$ 567	\$ 3402
6	Z5SC72	60"W External Support Channel	\$ 79	\$ 474
1	U6H2S	Hub Non-Ported	\$ 539	\$ 539
1	U3CHB2	2 Beams to Hub Connector Kit	\$ 237	\$ 237
2	U6B96DR4	96"W Beam for Dual Sided Power – Right A2-B2-A2-B2	\$ 917	\$ 1834
2	U6B96F	96"W Beam Trim – Flat	\$ 258	\$ 516
8	U6L2FG	Worksurface Support Leg w/Glide	\$ 204	\$ 1632
2	U6E2F	Beam End Support Leg	\$ 281	\$ 562
18	U6WBTF	Worksurface Support Bracket	\$ 57	\$ 1026
<b>TOTAL</b>				<b>\$10,222</b>



**Example Shown (NOTE: Listing below does not include electrical components)**

Qty	Model #	Description	List Price	Total
6	U5F2772S	27"D x 72"W Worksurface	\$ 567	\$ 3402
6	Z5SC72	60"W External Support Channel	\$ 79	\$ 474
2	U6H2S	Hub Non-Ported	\$ 539	\$ 1078
2	U3CHB1	1 Beam to Hub Connector Kit	\$ 199	\$ 398
2	U6B96DR4	96"W Beam for Dual Sided Power – Right A2-B2-A2-B2	\$ 917	\$ 1834
2	U6B96F	96"W Beam Trim – Flat	\$ 258	\$ 516
1	U6B06F	6"W Beam Trim – Flat	\$ 64	\$ 64
8	U6L2FG	Worksurface Support Leg w/Glide	\$ 204	\$ 1632
1	U6S2F	In-Line Beam Support Leg	\$ 226	\$ 226
18	U6WBTF	Worksurface Support Bracket	\$ 57	\$ 1026
<b>TOTAL</b>				<b>\$10,650</b>


- Maximum benching length is 60' with worksurfaces tethered on both sides of beam.
- A support "to the edge" of worksurface is required on both sides of the worksurfaces every 18' of run. A "to the edge" support could be one of the following: a.) return beam b.) floor support storage c.) bench end d.) worksurface support leg at front edge of worksurface.
- When two worksurfaces are side by side parallel to the beam, a worksurface support leg in a shared application or floor supported storage is required.
- A minimum of four worksurfaces are required when using bench end supports on both ends of a benching station.
- When using an inline support leg either hub or bench end support are required at either end of connected beams if no supporting storage is specified. Powered applications require a hub.
- A hub is required for mid run support when using beam end support legs at end of parent run and support storage is not specified.
- Beam mounted screens allowed.
- Horizontal storage is allowed as long as worksurface stanchions have a surface to rest on.
- Support legs used in a shared application must not be more than 18" back from front edge of worksurface on 27"D worksurfaces, 15" on 24" worksurfaces, or 12" on 21"D worksurfaces.



**Example Shown (NOTE: Listing below does not include electrical components)**

Qty	Model #	Description	List Price	Total
4	U5F2778S	27"D x 78"W Worksurface	\$ 734	\$ 2936
4	Z5SC78	66"W External Support Channel	\$ 86	\$ 344
2	U6B72DS222	72"W Beam for Dual Sided Power A2-B2-A2	\$ 593	\$ 1186
2	U6B72F	72"W Beam Trim – Flat	\$ 216	\$ 432
2	U6B54N	54"W Beam Non-Powered	\$ 437	\$ 874
2	U6B54F	54"W Beam Trim – Flat	\$ 118	\$ 236
1	U6B06F	6"W Beam Trim – Flat	\$ 64	\$ 64
2	U6L2FG	Worksurface Support Leg w/Glide	\$ 204	\$ 408
1	U6S2F	In-Line Beam Support Leg	\$ 226	\$ 226
2	U6E2F	Beam End Support Leg	\$ 281	\$ 562
2	U3CBBE	Bench End Connector Kit	\$ 65	\$ 130
16	U6WBTF	Worksurface Support Bracket	\$ 57	\$ 912
<b>TOTAL</b>				<b>\$8,310</b>


## Perpendicular to Beam



**Example Shown (NOTE: Listing below does not include electrical components)**

Qty	Model #	Description	List Price	Total
6	U5F2772S	27"D x 72"W Worksurface	\$ 567	\$ 3402
6	Z55C72	60"W External Support Channel	\$ 79	\$ 474
6	U5F2142S	21"D x 42"W Worksurface	\$ 333	\$ 1998
1	U6H2S	Hub Non-Ported	\$ 539	\$ 539
1	U3CHB2	2 Beams to Hub Connector Kit	\$ 237	\$ 237
2	U6B96DS222	96"W Beam for Dual Sided Power A2-B2-A2	\$ 917	\$ 1834
2	U6B96F	96"W Beam Trim – Flat	\$ 258	\$ 516
14	U6L2FG	Worksurface Support Leg w/Glide	\$ 204	\$ 2856
2	U6E2F	Beam End Support Leg	\$ 281	\$ 562
24	U6WBTF	Worksurface Support Bracket	\$ 57	\$ 1368
10	T624FB	24"D Flat Brackets	\$ 46	\$ 460
<b>TOTAL</b>			<b>\$14,246</b>	


- Maximum length is 60'.
- Maximum of two 96" long beams in parent run.
- Requires hubs for both end and mid run supports when perpendicular surfaces are used without storage or parent surfaces. Inline support leg cannot be used as the beam structure. When only perpendicular worksurfaces are specified supporting storage is required to add stability. Storage can be used to support either parent or perpendicular worksurfaces.
- When worksurface is attached perpendicular to the beam, two worksurface support brackets U6WBTF are required to attach worksurface to beam. Brackets cannot be more than 6" from edge of the worksurface.
- When one worksurface is parallel to beam and another is perpendicular, a flat bracket is required between the two surfaces and a worksurface support leg may not be required.
- Beam mounted screens are allowed.
- Horizontal storage is allowed as long as worksurface stanchions have a surface to rest on.



**Example Shown (NOTE: Listing below does not include electrical components)**

Qty	Model #	Description	List Price	Total
3	U5F2772S	27"D x 72"W Worksurface	\$ 567	\$ 1701
3	Z55C72	60"W External Support Channel	\$ 79	\$ 237
3	U5F2760S	27"D x 60"W Worksurface	\$ 483	\$ 2160
1	U6H2S	Hub Non-Ported	\$ 539	\$ 539
1	U3CHB2	2 Beams to Hub Connector Kit	\$ 237	\$ 237
2	U6B96DS222	96"W Beam for Dual Sided Power A2-B2-A2	\$ 917	\$ 1834
2	U6B96F	96"W Beam Trim – Flat	\$ 258	\$ 516
2	U6E2F	Beam End Support Leg	\$ 281	\$ 562
12	U6WBTF	Worksurface Support Bracket	\$ 57	\$ 684
3	U7P1027PBL	28"H x 10"W x 27"D Open Support Pedestal – Left	\$ 1318	\$ 3954
3	U7T501227ADR	50"H Side Access Tower – RH Side Access	\$ 2514	\$ 7542
3	Z6LB	"L" Tower Bracket for 20"D or 24"D	\$ 48	\$ 144
<b>TOTAL</b>			<b>\$20,110</b>	


## 120° Pinwheel — Beam Connected (Tethered) Worksurfaces or Freestanding



- Beam lengths match on module to short side of trapezoid surfaces only.
- Hub used in center of layout.
- Beams finished off with beam end leg or hub.
- Run off worksurface hand must be the opposite of the parent worksurface hand to match beam lengths.
- Horizontal storage allowed with no restrictions.
- When only 2 worksurfaces are tethered to beam structure, the beam with only diagonal worksurface edge tethered cannot overhang the worksurface by more than 6". A system leg can be used in place of the shortened beam if desired.
- Freestanding set ups require freestanding hub base kits (U6HB2L or U6HB3L) at all end locations (center hub does not require a freestanding base kit). Maximum individual beam length is 72" and no beam end legs are allowed.

Example Shown (NOTE: Listing below does not include electrical components)


Qty	Model #	Description	List Price	Total
3	U5F27S7692TL	27"D x 76 1/4" x 91 1/4" Trapezoid – Left	\$ 917	\$ 2751
3	Z55C78	66"W External Support Channel	\$ 86	\$ 258
1	U6H2S	Hub Non-Ported	\$ 539	\$ 539
1	U3CHB3	3 Beams to Hub Connector Kit	\$ 269	\$ 269
3	U6B72DS222	72"W Beam for Dual Sided Power A2-B2-A2	\$ 593	\$ 1779
3	U6B72F	72"W Beam Trim Flat	\$ 216	\$ 648
3	U6L2FG	Worksurface Support Leg w/Glide	\$ 204	\$ 612
3	U6E2F	Beam End Support Leg	\$ 281	\$ 843
12	U6WBTF	Worksurface Support Bracket	\$ 57	\$ 684
TOTAL				\$8,383



Example Shown (NOTE: Listing below does not include electrical components)



Qty	Model #	Description	List Price	Total
4	U6H2S	Hub Non-Ported	\$ 539	\$ 2156
3	U6HB2L	Hub Base Kit – 2 Feet w/leveling	\$ 271	\$ 813
1	U3CHB3	3 Beams to Hub Connector Kit	\$ 269	\$ 269
3	U3CHB1	1 Beam to Hub Connector Kit	\$ 199	\$ 597
3	U6B72DS222	72"W Beam for Dual Sided Power A2-B2-A2	\$ 593	\$ 1779
3	U6B72F	72"W Beam Trim Flat	\$ 216	\$ 648
TOTAL				\$6,262

#### 120° Pinwheel — Beam Connected (Tethered) Worksurfaces or Freestanding





Example Shown (NOTE: Listing below does not include electrical components)

Qty	Model #	Description	List Price	Total
2	U5F27S7692TL	27"D x 76 1/4" x 91 1/4" Trapezoid – Left	\$ 917	\$ 1834
2	Z5SC78	66"W External Support Channel	\$ 86	\$ 172
2	U6H2S	Hub Non-Ported	\$ 539	\$ 1078
1	U3CHB3	3 Beams to Hub Connector Kit	\$ 269	\$ 269
1	U3CHB1	1 Beam to Hub Connector Kit	\$ 199	\$ 199
1	U6HB2L	Hub Base Kit – 2 Feet w/leveling	\$ 271	\$ 271
3	U6B72DS222	72"W Beam for Dual Sided Power A2-B2-A2	\$ 593	\$ 1779
3	U6B72F	72"W Beam Trim – Flat	\$ 216	\$ 648
2	U6L2FG	Worksurface Support Leg w/Glide	\$ 204	\$ 408
2	U6E2F	Beam End Support Leg	\$ 281	\$ 562
8	U6WBTF	Worksurface Support Bracket	\$ 57	\$ 456
TOTAL				\$7,676




Example Shown (NOTE: Listing below does not include electrical components)

Qty	Model #	Description	List Price	Total
2	U5F27S7692TL	27"D x 76 1/4" x 91 1/4" Trapezoid – Left	\$ 917	\$ 1834
2	Z5SC78	66"W External Support Channel	\$ 86	\$ 172
1	U6H2S	Hub Non-Ported	\$ 539	\$ 539
1	U3CHB3	3 Beams to Hub Connector Kit	\$ 269	\$ 269
2	U6B72DS222	72"W Beam for Dual Sided Power A2-B2-A2	\$ 593	\$ 1186
2	U6B72F	72"W Beam Trim – Flat	\$ 216	\$ 432
1	U6B30N	30"W Beam (Non-Powered)	\$ 286	\$ 286
1	U6B30F	30"W Beam Trim – Flat	\$ 96	\$ 96
2	U6L2FG	Worksurface Support Leg w/Glide	\$ 204	\$ 408
3	U6E2F	Beam End Support Leg	\$ 281	\$ 843
8	U6WBTF	Worksurface Support Bracket	\$ 57	\$ 456
TOTAL				\$6,521




Example Shown (NOTE: Listing below does not include electrical components)

Qty	Model #	Description	List Price	Total
2	U5F27S7692TL	27"D x 76 1/4" x 91 1/4" Trapezoid – Left	\$ 917	\$ 1834
2	Z5SC78	66"W External Support Channel	\$ 86	\$ 172
1	U6H2S	Hub Non-Ported	\$ 539	\$ 539
1	U3CHB3	3 Beams to Hub Connector Kit	\$ 269	\$ 269
2	U6B72DS222	72"W Beam for Dual Sided Power A2-B2-A2	\$ 593	\$ 1186
2	U6B72F	72"W Beam Trim – Flat	\$ 216	\$ 432
3	U6L2FG	Worksurface Support Leg w/Glide	\$ 204	\$ 612
2	U6E2F	Beam End Support Leg	\$ 281	\$ 562
7	U6WBTF	Worksurface Support Bracket	\$ 57	\$ 399
TOTAL				\$6,005



## 120° Dogbone — Beam Connected (Tethered) Worksurfaces




- No restrictions on overall length or individual beam length due to nature of set up.
- Inline leg requires hub at opposite end of connected beams unless supporting storage is within 6" of inline leg.
- Run off worksurface hand must be opposite the parent worksurface hand to match beam lengths.
- When run off surfaces are used in all location there is not restriction to beam lengths.
- If only primary surfaces are specified (no run offs) then the beam where only a diagonal edge is tethered cannot overhang worksurface by more than 6". A system leg can be used in place of the shortened beam.

Example Shown (NOTE: Listing below does not include electrical components)


Qty	Model #	Description	List Price	Total
4	U5F27S7692TL	27"D x 76 1/4" x 91 1/4" Trapezoid – Left	\$ 917	\$ 3668
2	U5F27S7692TR	27"D x 76 1/4" x 91 1/4" Trapezoid – Right	\$ 917	\$ 1834
6	Z5SC72	60"W External Support Channel	\$ 79	\$ 474
4	U5F18E45RR	18"D x 45" Trapezoid Runoff – Right	\$ 394	\$ 1576
2	U5F18E45RL	18"D x 45" Trapezoid Runoff – Left	\$ 394	\$ 788
2	U6H2S	Hub Non-Ported	\$ 539	\$ 1078
2	U3CHB3	3 Beams to Hub Connector Kit	\$ 269	\$ 538
6	U6B72DS222	72"W Beam for Dual Sided Power A2-B2-A2	\$ 593	\$ 3558
6	U6B72F	72"W Beam Trim Flat	\$ 216	\$ 1296
10	U6L2FG	Worksurface Support Leg w/Glide	\$ 204	\$ 2040
1	U6S2F	In-Line Beam Support Leg	\$ 226	\$ 226
1	U6B06F	6" Beam Trim - Flat	\$ 64	\$ 64
36	U6WBTF	Worksurface Support Bracket	\$ 57	\$ 2052
6	T612FB	12"D Flat Bracket	\$ 41	\$ 246
TOTAL			\$	\$ 19,438

## Freestanding Beams



**Example Shown (NOTE: Listing below does not include electrical components)**


Qty	Model #	Description	List Price	Total
3	U6H2S	Hub Non-Ported	\$ 539	\$ 1617
1	U3CHB2	2 Beams to Hub Connector Kit	\$ 237	\$ 237
2	U3CHB1	1 Beam to Hub Connector Kit	\$ 199	\$ 398
2	U6HB2L	Hub Base Kit – 2 Feet with Leveling	\$ 271	\$ 542
1	U6HB3L	Hub Base Kit – 3 Feet with Leveling	\$ 287	\$ 287
2	U6B96DS222	96"W Beam for Dual Sided Power A2-B2-A2	\$ 917	\$ 1834
2	U6B96F	96"W Beam Trim – Flat	\$ 258	\$ 516
<b>TOTAL</b>				<b>\$5,431</b>



**Example Shown (NOTE: Listing below does not include electrical components)**

Qty	Model #	Description	List Price	Total
3	U6H2S	Hub Non-Ported	\$ 539	\$ 1617
3	U3CHB2	2 Beams to Hub Connector Kit	\$ 237	\$ 711
2	U6B96DS222	96"W Beam for Dual Sided Power A2-B2-A2	\$ 917	\$ 1834
2	U6B96F	96"W Beam Trim – Flat	\$ 258	\$ 516
2	U6B36N	36"W Beam Non-Powered	\$ 328	\$ 656
2	U6B36F	36"W Beam Trim – Flat	\$ 103	\$ 206
2	U6E2F	Beam End Support Leg	\$ 281	\$ 562
<b>TOTAL</b>				<b>\$6,102</b>

- Requires hubs for both end and mid run supports — inline support leg cannot be used as the beam structure.
- Freestanding base kit with leveling U6H2BL or U6HB3L are required for hubs, except at two-way 90°, three-way, or four-way connections.
- Minimum 54" long beam in a one beam with two hubs application.
- Minimum return run length is 36".
- No restrictions on maximum length for a freestanding beam.
- Maximum return run length using a beam end support leg is 36".
- Beam mounted glass screens are only allowed on freestanding beams between three- or four-way connections.
- Beam mounted fabric screens available in 13"H and 20"H.
- Horizontal storage cannot be used in a freestanding application.
- Use of hub is recommended on end of beams more than 36".



**Example Shown (NOTE: Listing below does not include electrical components)**


Qty	Model #	Description	List Price	Total
2	U6H2S	Hub Non-Ported	\$ 539	\$ 1078
2	U3CHB1	1 Beam to Hub Connector Kit	\$ 199	\$ 398
1	U6B96DS222	96"W Beam for Dual Sided Power A2-B2-A2	\$ 917	\$ 917
1	U6B96F	96"W Beam Trim – Flat	\$ 258	\$ 258
2	U6HB2L	Hub Base Kit – 2 Feet with Leveling	\$ 271	\$ 542
<b>TOTAL</b>				<b>\$3,193</b>

## Altitude® Tables — See Seating, Collaboration, and Tables Price List

### 2- and 3-Stage Height-Adjustable Tables

Allsteel's new Altitude electric height-adjustable tables provide the perfect combination of functionality and user control.







The sit-to-stand adjustment encourages posture changes throughout the day and has been shown to increase workplace satisfaction and overall comfort. These easy-to-operate tables can accommodate different workstyles, making it an ideal solution for any work environment.



For specification information see pages 14-27.

Laminate

GSA SIN 711-1

	Description	Model	List Price
	<b>Worksurface Support Brackets</b>		
	Worksurface Support Bracket — Tethered fixed height	U6WBTF 	\$ 57
	<b>External Worksurface Support Channel (no color option) — 1½"H</b>		
	30"W External Support Channel for 42"W Worksurface	Z5SC42 	\$ 50
	36"W External Support Channel for 48"W Worksurface	Z5SC48 	\$ 52
	42"W External Support Channel for 54"W Worksurface	Z5SC54 	\$ 59
	48"W External Support Channel for 60"W Worksurface or 66" Table	Z5SC60	\$ 64
	54"W External Support Channel for 66"W Worksurface or 72" Table	Z5SC66	\$ 73
	60"W External Support Channel for 72"W Worksurface or 78" Table	Z5SC72	\$ 79
	66"W External Support Channel for 78"W Worksurface	Z5SC78	\$ 86
	72"W External Support Channel for 84"W Worksurface	Z5SC84	\$ 95

**How to specify —**  
Select the  
Model Number  
from above.

**1st Option:**  
**Paint**  
(if applicable):



Examples: U6WBTF.P02 U6WBTF.P7G Z5SC60

 Shippable by small-package carrier.


For specification information see pages 14-27.

**Laminate**

GSA SIN 711-1




U5F2160S




Description	Laminate w/Flat Edge Model	Beam Size	Laminate w/Flat Edge		
			L1	L2	L3
21"D Rectangular Worksurfaces					
30"W	U5F2130S	24"W	\$ 266	\$ 280	\$ 294
36"W	U5F2136S	30"W	\$ 300	\$ 316	\$ 331
42"W	U5F2142S	36"W	\$ 333	\$ 350	\$ 367
48"W	U5F2148S	42"W	\$ 361	\$ 381	\$ 398
54"W	U5F2154S	48"W	\$ 389	\$ 410	\$ 428
60"W	U5F2160S	54"W	\$ 422	\$ 445	\$ 464
66"W	U5F2166S	60"W	\$ 467	\$ 492	\$ 513
72"W	U5F2172S	66"W	\$ 511	\$ 538	\$ 562
78"W	U5F2178S	72"W	\$ 650	\$ 683	\$ 714
84"W	U5F2184S	78"W	\$ 677	\$ 711	\$ 744
90"W	U5F2190S	84"W	\$ 801	\$ 841	\$ 880
96"W	U5F2196S	90"W	\$ 834	\$ 876	\$ 917

U5F2466S



24"D Rectangular Worksurfaces (27" to center of beam)					
30"W	U5F2430S	24" Beam	\$ 294	\$ 310	\$ 324
36"W	U5F2436S	30" Beam	\$ 322	\$ 339	\$ 355
42"W	U5F2442S	36" Beam	\$ 351	\$ 370	\$ 386
48"W	U5F2448S	42" Beam	\$ 375	\$ 395	\$ 413
54"W	U5F2454S	48" Beam	\$ 412	\$ 434	\$ 453
60"W	U5F2460S	54" Beam	\$ 453	\$ 477	\$ 498
66"W	U5F2466S	60" Beam	\$ 495	\$ 521	\$ 544
72"W	U5F2472S	66" Beam	\$ 539	\$ 567	\$ 593
78"W	U5F2478S	72" Beam	\$ 692	\$ 727	\$ 761
84"W	U5F2484S	76" Beam	\$ 723	\$ 759	\$ 795
90"W	U5F2490S	84" Beam	\$ 856	\$ 899	\$ 941
96"W	U5F2496S	90" Beam	\$ 889	\$ 933	\$ 977

U5F2760S



27"D Rectangular Worksurfaces					
30"W	U5F2730S	24"W	\$ 322	\$ 339	\$ 355
36"W	U5F2736S	30"W	\$ 344	\$ 363	\$ 379
42"W	U5F2742S	36"W	\$ 367	\$ 387	\$ 404
48"W	U5F2748S	42"W	\$ 389	\$ 410	\$ 428
54"W	U5F2754S	48"W	\$ 434	\$ 457	\$ 477
60"W	U5F2760S	54"W	\$ 483	\$ 508	\$ 531
66"W	U5F2766S	60"W	\$ 522	\$ 549	\$ 574
72"W	U5F2772S	66"W	\$ 567	\$ 596	\$ 624
78"W	U5F2778S	72"W	\$ 734	\$ 771	\$ 807
84"W	U5F2784S	78"W	\$ 768	\$ 807	\$ 844
90"W	U5F2790S	84"W	\$ 912	\$ 957	\$ 1003
96"W	U5F2796S	90"W	\$ 950	\$ 997	\$ 1045

**How to specify —**  
Select the  
Model Number  
from above.

*1st Option:*  
**Laminate**  
*(if applicable):*

*2nd Option:*  
**Edge**  
(if applicable):

U	5	F					S	.					.		
---	---	---	--	--	--	--	---	---	--	--	--	--	---	--	--

*Examples:* U5F2130S.LM11.EV    U5F2730S.LWBR.DB    Z5SC60.P02

**S** *Shippable by small-package carrier.*







For specification information see pages 14-27.

**Laminate**



GSA SIN 711-1



"L" Left




"R" Right




"L" Left





















"R" Right



"L" Left



"R" Right

Description	Beam Size	Laminate w/Flat Edge Model — Add suffix "L" or "R"	Laminate w/Flat Edge		
			L1	L2	L3
<b>24"D Trapezoid Worksurfaces (27"D to center of beam)</b>					
28"W Back / 42"W Front	24" Beam	U5F24S2842T  	\$ 389	\$ 410	\$ 428
34"W Back / 48"W Front	30" Beam	U5F24S3448T  	\$ 418	\$ 440	\$ 460
40"W Back / 54"W Front	36" Beam	U5F24S4054T  	\$ 472	\$ 497	\$ 519
46"W Back / 60"W Front	42" Beam	U5F24S4660T  	\$ 501	\$ 527	\$ 550
52"W Back / 66"W Front	48" Beam	U5F24S5266T  	\$ 528	\$ 555	\$ 581
58"W Back / 72"W Front	54" Beam	U5F24S5872T  	\$ 555	\$ 559	\$ 611
64"W Back / 78"W Front	60" Beam	U5F24S6478T  	\$ 694	\$ 729	\$ 763
70"W Back / 84"W Front	66" Beam	U5F24S7084T  	\$ 806	\$ 846	\$ 886
76"W Back / 90"W Front	72" Beam	U5F24S7690T  	\$ 888	\$ 932	\$ 976

**NOTE:** Add suffix “L” for Left- or “R” for Right-handed version of worksurface. (See illustration)

*Examples:* U5F24S2842TL    U5F24S2842TR

### 15"D Runoff Worksurfaces for 24"D Trapezoids

19" W	42" Beam	U5F15D19R	□	5	\$ 242	\$ 255	\$ 267
25" W	48" Beam	U5F15D25R	□	5	\$ 263	\$ 277	\$ 291
31" W	54" Beam	U5F15D31R	□	5	\$ 286	\$ 301	\$ 316
37" W	60" Beam	U5F15D37R	□	5	\$ 309	\$ 325	\$ 341
43" W	66" Beam	U5F15D43R	□	5	\$ 330	\$ 347	\$ 364
49" W	72" Beam	U5F15D49R	□	5	\$ 353	\$ 372	\$ 389
55" W	78" Beam	U5F15D55R	□	5	\$ 375	\$ 395	\$ 413

**NOTE:** Add suffix “L” for Left- or “R” for Right-handed version of worksurface. (See illustration)

*Examples:* U5F15D19RL    U5F15D19RR

Use Left Runoff with Right Trapezoid worksurfaces; and Right Runoff with Left Trapezoid worksurfaces.

### 18"D Runoff Worksurfaces for 24"D Trapezoids

19"W	42" Beam	U5F18D19R	□	5	\$ 269	\$ 284	\$ 297
25"W	48" Beam	U5F18D25R	□	5	\$ 292	\$ 308	\$ 322
31"W	54" Beam	U5F18D31R	□	5	\$ 314	\$ 331	\$ 346
37"W	60" Beam	U5F18D37R	□	5	\$ 336	\$ 355	\$ 370
43"W	66" Beam	U5F18D43R	□	5	\$ 358	\$ 378	\$ 394
49"W	72" Beam	U5F18D49R	□	5	\$ 381	\$ 402	\$ 419
55"W	78" Beam	U5F18D55R	□	5	\$ 403	\$ 425	\$ 443

**NOTE:** Add suffix “L” for Left- or “R” for Right-handed version of worksurface. (See illustration)

*Examples:* U5F18D19RL    U5F18D19RR

Use Left Runoff with Right Trapezoid worksurfaces; and Right Runoff with Left Trapezoid worksurfaces.

<p><i>How to specify —</i></p> <p>Select the Model Number from above.</p> <p><u>Suffix</u></p> <p>L Left-handed R Right-handed</p>	<p><i>1st Option:</i></p> <p>Laminate:</p>	<p><i>2nd Option:</i></p> <p>Edge:</p>
<p>U   5   F                   .</p>	<p>        .</p>	<p>   </p>

*Examples:* U5F24S2842TL.LM11.EV      U5F15D19RR.LWBR.DB



**S** *Shippable by small-package carrier.*




For specification information see pages 14-27.

**Laminate**


GSA SIN 711-1




U5F21S5175TS









U5F24S5178TS














U5F27S5182TS



U5F244646C

Description	Beam Size	Laminate w/Flat Edge Model	Laminate w/Flat Edge			
			L1	L2	L3	
21"D Symmetrical Trapezoid Worksurfaces (24"D to center of beam)						
39"W Back / 63"W Front	36" Beam	U5F21S3963TS		\$ 466	\$ 491	\$ 512
45"W Back / 69"W Front	42" Beam	U5F21S4569TS		\$ 494	\$ 520	\$ 543
51"W Back / 75"W Front	48" Beam	U5F21S5175TS		\$ 522	\$ 549	\$ 574
57"W Back / 81"W Front	54" Beam	U5F21S5781TS		\$ 548	\$ 576	\$ 603
63"W Back / 87"W Front	60" Beam	U5F21S6387TS		\$ 688	\$ 723	\$ 757
69"W Back / 93"W Front	66" Beam	U5F21S6993TS		\$ 800	\$ 840	\$ 879

24"D Symmetrical Trapezoid Worksurfaces (27"D to center of beam)						
39"W Back / 66"W Front	36" Beam	U5F24S3966TS		\$ 494	\$ 520	\$ 543
45"W Back / 72"W Front	42" Beam	U5F24S4572TS		\$ 524	\$ 551	\$ 576
51"W Back / 78"W Front	48" Beam	U5F24S5178TS		\$ 550	\$ 578	\$ 605
57"W Back / 84"W Front	54" Beam	U5F24S5784TS		\$ 577	\$ 607	\$ 635
63"W Back / 90"W Front	60" Beam	U5F24S6390TS		\$ 716	\$ 752	\$ 787
69"W Back / 96"W Front	66" Beam	U5F24S6996TS		\$ 825	\$ 866	\$ 908

39"W Back / 70"W Front	36" Beam	U5F27S3970TS		\$ 522	\$ 549	\$ 574
45"W Back / 76"W Front	42" Beam	U5F27S4576TS		\$ 548	\$ 576	\$ 603
51"W Back / 82"W Front	48" Beam	U5F27S5182TS		\$ 580	\$ 610	\$ 638
57"W Back / 88"W Front	54" Beam	U5F27S5788TS		\$ 605	\$ 636	\$ 665
63"W Back / 94"W Front	60" Beam	U5F27S6394TS		\$ 744	\$ 782	\$ 818

21"D 120° Worksurfaces (24"D to center of beam)					
46¼"W Back Left and Right	42" Beam	U5F214646C	\$ 638	\$ 670	\$ 701
52¼"W Back Left and Right	48" Beam	U5F215252C	\$ 692	\$ 727	\$ 761

<b>24"D 120° Worksurfaces</b> (27"D to center of beam)					
46¼"W Back Left and Right	42" Beam	U5F244646C	\$ 654	\$ 687	\$ 719
52¼"W Back Left and Right	48" Beam	U5F245252C	\$ 712	\$ 748	\$ 783

<b>27"D 120° Worksurfaces</b> (30"D to center of beam)					
46¼"W Back Left and Right	42" Beam	U5F274646C	\$ 670	\$ 704	\$ 736
52¼"W Back Left and Right	48" Beam	U5F275252C	\$ 734	\$ 771	\$ 807

<p><b>How to specify —</b> Select the Model Number from above.</p> <p><b>U</b>   <b>5</b>   <b>F</b>                     <b>.</b></p>	<p><i>1st Option:</i> <b>Laminate:</b></p> <p>          <b>.</b></p>	<p><i>2nd Option:</i> <b>Edge:</b></p> <p>   </p>
---	--	---

*Examples:* U5F21S3963TS.LM11.EV      U5F24S3966TS.LWBR.DB























**S** *Shippable by small-package carrier.*

# Worksurface Supports

Further™ — Legs and Supports

For specification information see pages 14-27.

Painted Metal  
GSA SIN 711-1

	Description	Model	List Price		
			P1 Core	P2 Select	P3 Accent
	<b>Worksurface Support Brackets</b>				
	Worksurface Support Bracket — Tethered fixed height	U6WBTF 	\$ 57	N/A	N/A
 	<b>Beam Legs — Seated Height</b>				
	Beam End Support Leg — Adds 3" to run	U6E2F 	\$ 281	\$ 295	\$ 309
	In-Line Beam Support Leg — Adds 6" to run	U6S2F 	\$ 226	\$ 243	\$ 259
	<b>Beam Wall Mount — Adds 3" to run</b>				
	Attaches Beam Run to Wall — requires attachment to stud in wall	U6BMTW 	\$ 323	\$ 340	\$ 361
	<b>Beam Connector</b>				
	Bench End Connector Kit	U3CBBE 	\$ 65	\$ 70	\$ 75
	<b>Worksurface Leg — Seated Height</b>				
	Worksurface Support Leg w/Glide	U6L2FG 	\$ 204	\$ 218	\$ 232
 	<b>Table Legs — Seated Height</b>				
	Table Support Leg w/Glide	U6T2FG 	\$ 221	\$ 235	\$ 249
	Table Support Leg w/Caster	U6T2FC 	\$ 221	\$ 235	\$ 249
	<b>Flat Brackets (no color option)</b>				
	For 12"D	T612FB 	\$ 41	N/A	N/A
	For 24"D	T624FB 	\$ 46	N/A	N/A
	For 30"D	T630FB 	\$ 53	N/A	N/A
	<b>Ganging Brackets with Screws (no color option)</b>				
	2 Ganging Links	AW4GANG 	\$ 57	N/A	N/A

<p><b>How to specify —</b></p> <p>Select the Model Number from above.</p>	<p><b>1st Option:</b></p> <p><b>Paint</b></p> <p>(if applicable):</p> <p>  </p>
---	--

Examples: U6WBTF.P7B U6E2F.P02 T612FB




 Shippable by small-package carrier.

allsteeloffice.com | 37

13"H x 48"W Beam Center Screen — Glass  
U6BC1348G

13"H x 48"W Table Mounted Screen — Glass  
U6TS1348G

48"W Table Mounted Modesty — Fabric  
U6TM48F



#### Fabric Beam Center Screens (page 82)

- Must use mounting top cap to secure to beam.
- Mounting top cap length must be equal to or less than total support run length.
- Must be equal to or less than total length of support run minus end supports.
- When using with a laterally mounted cubby with a screen, subtract at least 18" from width of screen.
- Must use split top cap kit when passing screen over a hub. The screen(s) must pass completely over hub or a gap will be present.

#### Fabric Beam Mounted Modesty Panels (page 82)

- Width must be equal to or less than beam length.

#### Fabric Table Mounted Screens (page 83)

- Subtract 12" from the width of the table/worksurface to allow for clearance of leg mounting plates. See illustration at left.

#### Elevated Table-Mounted Screens (page 83)

- ¾" thick tackable fabric.
- Available in 13"H and 20½"H. Screen travels up and down with the worksurface.
- Screen is framed on vertical sides only. Specify end vertical cap (included) paint color and then the horizontal retainer and stanchion pieces.
- Elevated table mounted screens provide 1¼" clearance for routing of cords off the back edge, as well as, monitor arms and power modules to be installed.
- Screen(s) can match width of surface. Attachment brackets require 1½" of clearance on the underside.

#### Fabric Table Mounted Modesty Panels (page 83)

- Subtract 12" from the width of the table/worksurface to allow for clearance of leg mounting plates. See illustration at left.
- Must be inset at least 3" from back edge of worksurface if used with table mounted or user-movable screens.

### Glass Beam Center Screens (page 84)

- Must use mounting top cap to secure to beam.
- Mounting top cap length must be equal to or less than total support run length.
- Must be equal to or less than total length of support run minus end supports.
- When using with a laterally mounted cubby with a screen, subtract at least 18" from width of screen.
- Must use split top cap kit when passing screen over a hub. The screen(s) must pass completely over hub or a gap will be present.

### Glass Table Mounted Screens (page 84)




- Subtract 12" from the width of the table/worksurface to allow for clearance of leg mounting plates. See illustration at left.
- Only allowed on 27" or deeper surfaces. Cannot be used as a modesty screen below a worksurface or beam.

### Fabric User Movable Screens (page 85)

- Subtract 12" from the width of the table/worksurface to allow for clearance of leg mounting plates. See illustration at left.
- Screens are ¼" taller than 42½"H storage.

### Lateral Screen (page 85)

- Clamps to worksurface back edge via thumb screw. See illustrations at left.
- 1½" thick, 12"H x 20" or 26"D. Designed for front edge to sit back from edge of worksurface.
- Folder front stands 9"H from worksurface. Space for folders is 1½" and holds approximately 340 sheets of copy paper.
- Made from sheet metal.
- One sided storage (LH and RH options).



### Using Stride® or Involve® Model Screens with Further

#### Stride Models w/Beam Mounted Surfaces (Stride price list)

- All models — width must be at least 12" narrower than worksurface width to allow for clearance of leg mounting plates.

#### Involve Models w/Beam Mounted Surfaces (Storage price list)


- Glass models — width must be at least 12" narrower than worksurface width to allow for clearance of leg mounting plates.
- Laminate models — width must be equal to, or less than worksurface width.

#### Stride Models w/Freestanding Tables (Stride price list)

- Only allowed on 27" or deeper worksurfaces.
- All models — width must be at least 12" narrower than worksurface width to allow for clearance of leg mounting plates.

#### Involve Models w/Freestanding Tables (Storage price list)

- Only allowed on 27" or deeper worksurfaces.
- Glass models — width must be at least 18" narrower than worksurface width to allow for clearance of leg mounting plates.
- Laminate models — width must be at least 6" narrower than worksurface width to allow for clearance of leg mounting plates.




# Screens


## Further™ — Fabric Screens and Modesty Panels

For specification information see page 80.















GSA SIN 711-1



U6BC1336F



U6BC2036F

Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Beam Center Screens — Fabric							
24" W Beam Mounted	U6BC1324F 	\$ 457	\$ 477	\$ 494	\$ 536	\$ 582	\$ 635
30" W Beam Mounted	U6BC1330F 	\$ 476	\$ 499	\$ 520	\$ 572	\$ 628	\$ 692
36" W Beam Mounted	U6BC1336F 	\$ 497	\$ 524	\$ 549	\$ 610	\$ 674	\$ 750
42" W Beam Mounted	U6BC1342F 	\$ 521	\$ 551	\$ 581	\$ 651	\$ 725	\$ 814
48" W Beam Mounted	U6BC1348F 	\$ 538	\$ 572	\$ 605	\$ 685	\$ 769	\$ 867
54" W Beam Mounted	U6BC1354F 	\$ 565	\$ 602	\$ 640	\$ 729	\$ 822	\$ 932
60" W Beam Mounted	U6BC1360F 	\$ 603	\$ 644	\$ 686	\$ 785	\$ 889	\$ 1009
20½" H Beam Center Screens — Fabric							
24" W Beam Mounted	U6BC2024F 	\$ 519	\$ 546	\$ 572	\$ 635	\$ 699	\$ 777
30" W Beam Mounted	U6BC2030F 	\$ 539	\$ 572	\$ 603	\$ 680	\$ 759	\$ 852
36" W Beam Mounted	U6BC2036F 	\$ 561	\$ 599	\$ 636	\$ 727	\$ 820	\$ 932
42" W Beam Mounted	U6BC2042F 	\$ 583	\$ 626	\$ 669	\$ 774	\$ 882	\$ 1010
48" W Beam Mounted	U6BC2048F 	\$ 624	\$ 672	\$ 722	\$ 841	\$ 961	\$ 1105
54" W Beam Mounted	U6BC2054F 	\$ 671	\$ 725	\$ 779	\$ 912	\$ 1047	\$ 1208
60" W Beam Mounted	U6BC2060F 	\$ 703	\$ 763	\$ 824	\$ 968	\$ 1118	\$ 1297

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>U   6   B           F   .           .           .</p>	<p><b>1st Option:</b> Fabric:</p>	<p><b>2nd Option:</b> Center Screens End Cap Paint Color (if applicable):  See inside front cover for finishes. Add \$12 for P2 Select or \$28 for P3 Accent Paints.</p>	<p><b>3rd Option:</b> Paint Color:  See inside front cover for finishes. Add \$12 for P2 Select or \$28 for P3 Accent Paints.</p>
---	---------------------------------------	--	---

Example: U6BC1324F.APN911.PR6.PR6

Shippable by small-package carrier.




# Screens







## NEW! Elevated Table Mounted Screens Further™ — Fabric Screens and Modesty Panels


For specification information see page 80.

GSA SIN 711-1




U6TS1336F

Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Table Mounted Screens — Fabric							
30"W Table Mounted	U6TS1330F 	\$ 476	\$ 499	\$ 520	\$ 572	\$ 628	\$ 692
36"W Table Mounted	U6TS1336F 	\$ 497	\$ 524	\$ 549	\$ 610	\$ 674	\$ 750
42"W Table Mounted	U6TS1342F 	\$ 521	\$ 551	\$ 581	\$ 651	\$ 725	\$ 814
48"W Table Mounted	U6TS1348F 	\$ 538	\$ 572	\$ 605	\$ 685	\$ 769	\$ 867
54"W Table Mounted	U6TS1354F 	\$ 565	\$ 602	\$ 640	\$ 729	\$ 822	\$ 932
60"W Table Mounted	U6TS1360F 	\$ 603	\$ 644	\$ 686	\$ 785	\$ 889	\$ 1009




U6TS2036F


<b>20 1/2"H Table Mounted Screens — Fabric</b>							
30"W Table Mounted	U6TS2030F	\$ 539	\$ 572	\$ 603	\$ 680	\$ 759	\$ 852
36"W Table Mounted	U6TS2036F	\$ 561	\$ 599	\$ 636	\$ 727	\$ 820	\$ 932
42"W Table Mounted	U6TS2042F	\$ 583	\$ 626	\$ 669	\$ 774	\$ 882	\$ 1010
48"W Table Mounted	U6TS2048F	\$ 624	\$ 672	\$ 722	\$ 841	\$ 961	\$ 1105
54"W Table Mounted	U6TS2054F	\$ 671	\$ 725	\$ 779	\$ 912	\$ 1047	\$ 1208
60"W Table Mounted	U6TS2060F	\$ 703	\$ 763	\$ 824	\$ 968	\$ 1118	\$ 1297



<b>13"H Elevated Table Mounted Screen — 3/4" Thick Tackable Fabric</b>							
30"W	U6TTS1330F	\$ 509	\$ 531	\$ 552	\$ 603	\$ 657	\$ 657
36"W	U6TTS1336F	\$ 531	\$ 557	\$ 582	\$ 641	\$ 703	\$ 703
42"W	U6TTS1342F	\$ 554	\$ 583	\$ 613	\$ 680	\$ 752	\$ 752
48"W	U6TTS1348F	\$ 576	\$ 609	\$ 642	\$ 719	\$ 801	\$ 801
54"W	U6TTS1354F	\$ 604	\$ 640	\$ 677	\$ 764	\$ 854	\$ 854
60"W	U6TTS1360F	\$ 641	\$ 681	\$ 722	\$ 817	\$ 918	\$ 918



<b>20 1/2"H Elevated Table Mounted Screen — 3/4" Thick Tackable Fabric</b>							
30"W	U6TTS2030F	\$ 576	\$ 598	\$ 639	\$ 713	\$ 790	\$ 790
36"W	U6TTS2036F	\$ 597	\$ 634	\$ 670	\$ 758	\$ 848	\$ 848
42"W	U6TTS2042F	\$ 620	\$ 662	\$ 704	\$ 805	\$ 909	\$ 909
48"W	U6TTS2048F	\$ 664	\$ 711	\$ 759	\$ 874	\$ 990	\$ 990
54"W	U6TTS2054F	\$ 715	\$ 768	\$ 820	\$ 948	\$ 1079	\$ 1079
60"W	U6TTS2060F	\$ 748	\$ 806	\$ 865	\$ 1005	\$ 1149	\$ 1149



U6TM36F

<b>14"H Table Mounted Modesty — Fabric</b>							
18"W Table Mounted	U6TM18F	\$ 352	\$ 368	\$ 383	\$ 418	\$ 457	\$ 500
24"W Table Mounted	U6TM24F	\$ 374	\$ 395	\$ 413	\$ 459	\$ 507	\$ 564
30"W Table Mounted	U6TM30F	\$ 388	\$ 412	\$ 434	\$ 489	\$ 547	\$ 615
36"W Table Mounted	U6TM36F	\$ 421	\$ 449	\$ 476	\$ 540	\$ 608	\$ 687
42"W Table Mounted	U6TM42F	\$ 442	\$ 474	\$ 504	\$ 578	\$ 658	\$ 748
48"W Table Mounted	U6TM48F	\$ 474	\$ 510	\$ 545	\$ 630	\$ 717	\$ 821
54"W Table Mounted	U6TM54F	\$ 507	\$ 546	\$ 585	\$ 680	\$ 778	\$ 895
60"W Table Mounted	U6TM60F	\$ 550	\$ 593	\$ 637	\$ 741	\$ 850	\$ 978

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>U   6   T                 F   .                 .                 .        </p>	<p><b>1st Option:</b> <b>Fabric:</b></p>	<p><b>2nd Option:</b> <b>Mounted Screens</b> <b>End Cap</b> <b>Paint Color</b> (if applicable):</p> <p> </p> <p>See inside front cover for finishes. Add \$12 for P2 Select or \$28 for P3 Accent Paints.</p>	<p><b>3rd Option:</b> <b>Paint Color:</b></p> <p>See inside front cover for finishes. Add \$12 for P2 Select or \$28 for P3 Accent Paints.</p>
---	--	---	--

Examples: U6BC1324F.APN911.PR6.PR6 U6TM18F.APN911.PR6


Shippable by small-package carrier.

# Screens


Further™ — Glass Screens

For specification information see page 80.


GSA SIN 711-1




U6BC1336G
















U6BC2036G



U6TS1336G



U6TS2036G

Description	Model	P1 Core Paint			P2 Select Paint			P3 Accent Paint			
		Clear	Frosted	Writeable	Clear	Frosted	Writeable	Clear	Frosted	Writeable	
13"H Beam Center Screens — Glass											
24"W Beam Mounted	U6BC1324G		\$ 549	\$ 592	\$ 629	\$ 561	\$ 604	\$ 641	\$ 577	\$ 620	\$ 657
30"W Beam Mounted	U6BC1330G		\$ 567	\$ 613	\$ 653	\$ 579	\$ 625	\$ 665	\$ 595	\$ 641	\$ 681
36"W Beam Mounted	U6BC1336G		\$ 597	\$ 648	\$ 693	\$ 609	\$ 660	\$ 705	\$ 625	\$ 676	\$ 721
42"W Beam Mounted	U6BC1342G		\$ 642	\$ 698	\$ 749	\$ 654	\$ 710	\$ 761	\$ 670	\$ 726	\$ 777
48"W Beam Mounted	U6BC1348G		\$ 662	\$ 723	\$ 780	\$ 674	\$ 735	\$ 792	\$ 690	\$ 751	\$ 808
54"W Beam Mounted	U6BC1354G		\$ 711	\$ 777	\$ 834	\$ 723	\$ 789	\$ 846	\$ 739	\$ 805	\$ 862
60"W Beam Mounted	U6BC1360G		\$ 748	\$ 820	\$ 881	\$ 760	\$ 832	\$ 893	\$ 776	\$ 848	\$ 909
66"W Beam Mounted	U6BC1366G		\$ 839	\$ 916	\$ 984	\$ 856	\$ 933	\$ 1001	\$ 880	\$ 957	\$ 1025
72"W Beam Mounted	U6BC1372G		\$ 920	\$ 1003	\$ 1077	\$ 937	\$ 1020	\$ 1094	\$ 961	\$ 1044	\$ 1118
78"W Beam Mounted	U6BC1378G		\$ 1050	\$ 1138	\$ 1216	\$ 1067	\$ 1155	\$ 1233	\$ 1091	\$ 1179	\$ 1257
84"W Beam Mounted	U6BC1384G		\$ 1089	\$ 1185	\$ 1272	\$ 1106	\$ 1202	\$ 1289	\$ 1130	\$ 1226	\$ 1313
90"W Beam Mounted	U6BC1390G		\$ 1132	\$ 1239	\$ 1330	\$ 1149	\$ 1256	\$ 1347	\$ 1173	\$ 1280	\$ 1371
96"W Beam Mounted	U6BC1396G		\$ 1191	\$ 1303	\$ 1408	\$ 1208	\$ 1320	\$ 1425	\$ 1232	\$ 1344	\$ 1449

<b>20 1/2"H Beam Center Screens — Glass</b>										
24"W Beam Mounted	U6BC2024G	\$ 593	\$ 649	\$ 700	\$ 605	\$ 661	\$ 712	\$ 621	\$ 677	\$ 728
30"W Beam Mounted	U6BC2030G	\$ 610	\$ 672	\$ 729	\$ 622	\$ 684	\$ 741	\$ 638	\$ 700	\$ 757
36"W Beam Mounted	U6BC2036G	\$ 641	\$ 708	\$ 770	\$ 653	\$ 720	\$ 782	\$ 669	\$ 736	\$ 798
42"W Beam Mounted	U6BC2042G	\$ 708	\$ 780	\$ 848	\$ 720	\$ 792	\$ 860	\$ 736	\$ 808	\$ 876
48"W Beam Mounted	U6BC2048G	\$ 757	\$ 834	\$ 909	\$ 769	\$ 846	\$ 921	\$ 785	\$ 862	\$ 937
54"W Beam Mounted	U6BC2054G	\$ 812	\$ 895	\$ 974	\$ 824	\$ 907	\$ 986	\$ 840	\$ 923	\$ 1002
60"W Beam Mounted	U6BC2060G	\$ 865	\$ 954	\$ 1037	\$ 877	\$ 966	\$ 1049	\$ 893	\$ 982	\$ 1065
66"W Beam Mounted	U6BC2066G	\$ 952	\$ 1046	\$ 1136	\$ 969	\$ 1063	\$ 1153	\$ 993	\$ 1087	\$ 1177
72"W Beam Mounted	U6BC2072G	\$ 1030	\$ 1128	\$ 1223	\$ 1047	\$ 1145	\$ 1240	\$ 1071	\$ 1169	\$ 1264
78"W Beam Mounted	U6BC2078G	\$ 1292	\$ 1404	\$ 1508	\$ 1309	\$ 1421	\$ 1525	\$ 1333	\$ 1445	\$ 1549
84"W Beam Mounted	U6BC2084G	\$ 1353	\$ 1476	\$ 1589	\$ 1370	\$ 1493	\$ 1606	\$ 1394	\$ 1517	\$ 1630
90"W Beam Mounted	U6BC2090G	\$ 1435	\$ 1563	\$ 1682	\$ 1452	\$ 1580	\$ 1699	\$ 1476	\$ 1604	\$ 1723
96"W Beam Mounted	U6BC2096G	\$ 1618	\$ 1751	\$ 1876	\$ 1635	\$ 1768	\$ 1893	\$ 1659	\$ 1792	\$ 1917

<b>13"H Table Mounted Screens — Glass</b>										
30"W Table Mounted	U6TS1330G	\$ 567	\$ 613	—	\$ 579	\$ 625	—	\$ 595	\$ 641	—
36"W Table Mounted	U6TS1336G	\$ 597	\$ 648	—	\$ 609	\$ 660	—	\$ 625	\$ 676	—
42"W Table Mounted	U6TS1342G	\$ 642	\$ 698	—	\$ 654	\$ 710	—	\$ 670	\$ 726	—
48"W Table Mounted	U6TS1348G	\$ 662	\$ 723	—	\$ 674	\$ 735	—	\$ 690	\$ 751	—
54"W Table Mounted	U6TS1354G	\$ 711	\$ 777	—	\$ 723	\$ 789	—	\$ 739	\$ 805	—
60"W Table Mounted	U6TS1360G	\$ 748	\$ 820	—	\$ 760	\$ 832	—	\$ 776	\$ 848	—

<b>20 1/2"H Table Mounted Screens — Glass</b>										
30"W Table Mounted	U6TS2030G	\$ 610	\$ 672	—	\$ 622	\$ 684	—	\$ 638	\$ 700	—
36"W Table Mounted	U6TS2036G	\$ 641	\$ 708	—	\$ 653	\$ 720	—	\$ 669	\$ 736	—
42"W Table Mounted	U6TS2042G	\$ 708	\$ 780	—	\$ 720	\$ 792	—	\$ 736	\$ 808	—
48"W Table Mounted	U6TS2048G	\$ 757	\$ 834	—	\$ 769	\$ 846	—	\$ 785	\$ 862	—
54"W Table Mounted	U6TS2054G	\$ 812	\$ 895	—	\$ 824	\$ 907	—	\$ 840	\$ 923	—
60"W Table Mounted	U6TS2060G	\$ 865	\$ 954	—	\$ 877	\$ 966	—	\$ 893	\$ 982	—

**How to specify —**  
Select the Model Number from above.

**1st Option:**

**Glass:**

LC Clear  
LF Frosted  
LM Writeable

**2nd Option:**

**Paint Color:**

U 6 | B | C | | | | G . L | | .

Examples: U6BC1324G.LF.PR6 U6TS1330G.LC.PR6


Shippable by small-package carrier.

# Screens









## Further™ — User Movable Screens


For specification information see pages 80-81.

GSA SIN 711-1








U6TU1336F

Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H User Movable Screens — Fabric							
18"W Movable	U6TU1318F 	\$ 423	\$ 439	\$ 454	\$ 488	\$ 526	\$ 569
24"W Movable	U6TU1324F 	\$ 444	\$ 464	\$ 481	\$ 523	\$ 568	\$ 621
30"W Movable	U6TU1330F 	\$ 476	\$ 499	\$ 520	\$ 572	\$ 628	\$ 692
36"W Movable	U6TU1336F 	\$ 499	\$ 526	\$ 551	\$ 612	\$ 676	\$ 752
42"W Movable	U6TU1342F 	\$ 519	\$ 549	\$ 578	\$ 648	\$ 722	\$ 811
48"W Movable	U6TU1348F 	\$ 539	\$ 573	\$ 606	\$ 686	\$ 770	\$ 868
54"W Movable	U6TU1354F 	\$ 568	\$ 605	\$ 643	\$ 733	\$ 826	\$ 936
60"W Movable	U6TU1360F 	\$ 602	\$ 643	\$ 685	\$ 783	\$ 887	\$ 1006



U6BL1221ML

Description	Model	List Price		
		P1 Core	P2 Select	P3 Accent
12"H Lateral Screens — Metal				
20"D Left	U6BL1221ML 	\$ 307	\$ 330	\$ 330
26"D Left	U6BL1227ML 	\$ 327	\$ 350	\$ 350
20"D Right	U6BL1221MR 	\$ 307	\$ 330	\$ 330
26"D Right	U6BL1227MR 	\$ 327	\$ 350	\$ 350



U6BL1221MR

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>U 6   T U   1 3     F   .           .           .          </p>	<p><b>1st Option:</b> Fabric (if applicable):</p>	<p><b>2nd Option:</b> Movable Screen End Cap or Lateral Screen Paint Color (if applicable):</p> <p></p> <p>See inside front cover for finishes. Add \$12 for P2 Select or \$28 for P3 Accent Paints on movable screens.</p>	<p><b>3rd Option:</b> Movable Screen Mounting Bracket Paint Color:</p> <p></p> <p>See inside front cover for finishes. Add \$12 for P2 Select or \$28 for P3 Accent Paints on movable screens.</p>
---	---	---	--

Example: U6TU1324F.APN911.PR6.PR6 U6BL1221ML.PR6

Shippable by small-package carrier.

## EXTENSIONS

*Introduction*

Overview ..... 94

*Organization Tools*

Working with Organization Tools..... 95-97

Worksurface Mounted Rails and Accessories ..... 98

Beam Mounted Shelves and Hook ..... 99

Laptop Drawer and Technology Modules ..... 99

*Ergonomic Accessories*

Working with Ergonomic Accessories ..... 100-101

Monitor Arms, Tablet Holders, Keyboard Support,  
and CPU Hammock ..... 102

*Illumination*

Working with Illumination ..... 103

Link™ LED Lights and Wand™ LED Light ..... 103

**Extensions — Introduction**

**Extensions accessory line by Allsteel is designed to help you create your own space.**

- **Create a unique space**

Each person is unique, no one person works exactly like another, and different tasks require different tools. Extensions work tools allow each person the ability to create a unique environment that is all their own. Lots of paper to manage? Need active files within arm's reach? Want to maximize your worksurface space? Need light somewhere other than below a cabinet? Whatever the task, we have the tools to accommodate your workstyle.

- **Create a comfortable space**

With a full line of organization, ergonomic, and illumination tools, Extensions allow you to create a comfortable, ergonomic work area. Organization tools keep important items visible and within your reach. Ergonomic tools help you stay comfortable while working. Illumination tools allow you to put your light where it suits you.

- **Create an organized space**

Tired of all the piles of paper building up on your worksurface? Organization tools house your materials and keep them in an orderly fashion. With a combination of hanging or freestanding organizational accessories, Extensions let you manage everything from paper to your phone.

- **Organization tools**

Work tools are a durable metal construction. Extensions allow you to manage your workspace smartly with tools like the phone stand to elevate the phone off the worksurface, vertical paper tray, and pencil holder.

Increase your efficiency with organization!

- **Ergonomic tools**


Ergonomics is more than just comfort, it's flexibility and safety. Monitor Arms offer versatile adjustability while providing optimum comfort for the eyes, neck, and shoulders.

- **Illumination tools**


Sleek and flexible, our lighting components offer you choices. LED tasklights' slim design blends in with its surrounding while utilizing energy-efficient LED technology. The Link light offers award-winning style to a highly versatile and energy efficient light.

### Rail Accessories

Side View



Top View





Phone/  
Tablet  
Stand

Pencil  
Holder

Rail  
Mounted  
Shelf

Vertical  
Paper Tray

Front View



### Worksurface Mounted Rail (page 98)

- Aluminum extrusion designed to mount to flat edge worksurfaces. Comes with rail and hardware for mounting.
- Mounted rail extends  $\frac{3}{4}$ " on underside of worksurface which may interfere with the mounting of storage.
- Widths available 12" through 96" in 6" increments.
- Passes behind worksurface bracket on tethered applications.
- Can pass across seams of ganged worksurfaces in tethered applications.
- For freestanding applications rail should be 6" shorter than worksurface (i.e. 54" rail for 60" worksurface).

### Rail Mounted Accessories

Not recommended for use on panel systems due to fit up issues created with worksurface and panel. Adding accessory rail shifts worksurface —  $\frac{3}{16}$ " away from panel along that edge. Forcing worksurface into place crushes fabric tile and with tiles of other material (steel, marker board, etc) is likely to scratch, dent, or otherwise damage tile during installation.

### U9TM Phone/Tablet Stand (page 98)

- $6\frac{1}{2}$ "H x  $4\frac{1}{4}$ "W and angles back  $1\frac{1}{4}$ ".
- Has a  $\frac{1}{4}$ " x 1" slot in bottom flange to allow for routing cables. Requires  $1\frac{3}{4}$ " space behind worksurface edge in order to be used.




### U9TP Pencil Holder (page 98)

- $2\frac{1}{2}$ "H x 6"W x 3"D.
- Holds approximately twenty #2 pencils.




### U9TS Rail Mounted Shelf (page 98)

- 8"W x  $4\frac{1}{2}$ "D and sits  $2\frac{3}{8}$ " higher than top of worksurface.
- Holds up to 8 pounds.



### U9TF Vertical Paper Tray (page 98)

- Sits 12"H x  $1\frac{1}{2}$ "W x 12"D from back of worksurface.
- Folder front stands 9" high from worksurface top,  $1\frac{1}{4}$ " space holds about 280 sheets of copy paper.



### U9WTC Cord Organizer (page 98)

- Can attach to both bottom of worksurface or slides into rail.
- 4"W x  $\frac{7}{8}$ "D, made from sheet metal.
- Top sits flush with worksurface if mounted to worksurface.
- 4 cable cut outs: 2 — .250" diameter and 2 — 0.147" diameter; .250" diameter cut outs are centered between the .147" diameter cut outs.



**U9BH Beam Mounted Hook (page 99)**

- 1" wide, made from sheet metal.
- User movable along slot on beam side.
- Holds 25 pounds.

**Beam Mounted Shelf — U9XXBMS (page 99)**

- Mounts to beam using wire manager clip model U9BWMC (ordered separately — see page 43).
- Widths 24" through 60" in 6" increments.
- 0.429" thick sheet metal x 5"D.
- Cannot be used in conjunction with low capacity wire managers (U9XXBWLCM).
- Can be used in conjunction with high capacity wire managers (U9XXBWHCM). See page 43.
- Can pass across in-line support leg but not across a hub.
- Cannot be used with below beam electrical.


**Laptop Drawer — U7WDA (page 99)**


- Drawer body made of sheet metal.
- Drawer front made of ¾" particle board with high pressure laminate on both sides and fused laser edge banding.
- Core removable lock is located on right side drawer front
- 17⅞"W x 18"D x 3⅜"H Outside (interior 13"W x 16"D x 1⅞"H)
- Minimum surface depth is 21" for surfaces not using an external stiffener; and 27" for surfaces using an external stiffener.
- Drawer extends 16"
- Maximum load: 45 lbs (functional BIFMA load)
- Drawer assembly and cover have cut out in back to allow for cables to exit drawer.
- Distance from floor to bottom of unit w/glides fully retracted is 24¼".
- Does not interfere with Further leg mounting plates so drawer can be placed directly next to either a system or table leg.
- When being placed next tower storage using the tower ell bracket (Z6LB) to support surface the drawer must be inset 3" to clear the ell bracket.
- Can be placed directly next to any support storage from any Allsteel product line (excluding towers).
- Flat brackets — drawer must be offset 3" from seam between surfaces to clear the bracket. See illustration at left.
- Can be used with rabbit edge worksurface models but there will be a larger reveal between surface and drawer.
- Can be used with knife edge worksurface models but reveal and depth need to be considered.

**Flat Brackets**

Front View


Top View






### Power/Data Modules — Clamp On Worksurface (page 99)

- On-surface mounting option, fits on any worksurface with a 4" overhang.
- 6' Power cord. UL Listed.
- Includes adapters to allow use of commercially available data terminals or blanks to fill unused openings. Many of the AMP, AT&T, Krone, Leviton and most commercial data terminals can be used.




### Power/Data Modules — Clamp On Worksurface (page 99)

- Worksurface clamp can be used on any surface with a 2½" overhang.
- Must be installed at time of initial worksurface installation if installing between a worksurface and panel.
- 6' Power cord. UL Listed.
- The USB hub allows simultaneous powering of 2 USB-A devices. The USB hub is a charger only, no ability to connect to a PC. The charging capacity is limited and may not charge all devices.



### Power/Data Modules — Under Worksurface (page 99)

- Under surface mounting can be used on any surface with a 5" clearance.
- 6' Power cord. UL Listed.



### Technology Modules (page 99)

- Can be mounted by clamping to worksurface.
- Must be installed at time of initial worksurface installation if mounting between a worksurface and panel.
- The USB hub allows simultaneous powering of four USB-A devices. The USB hub is a charger only, no ability to connect to a PC. The charging capability is limited and may not charge all devices.

### Byrne's Docking Station for iPod® and iPhone® (page 99)

- The iDoc charges and syncs with patent pending Roc.in.Doc™ technology eliminating the need for charging adapters.
- The mount provides quick access to the iPod or iPhone display for easy user control.
- Contact Byrne to check for compatibility with the latest technology.



### Worksurface Power/Data Module (page 99)


- Provides easy access to technology at primary worksurface.
- Mounts to edge of a worksurface and requires ⅜" gap. Consider whether ⅜" gap will work with layout.
- Must be mounted at time of initial worksurface installation if mounting between a worksurface and a panel. Maintaining ⅜" gap may not be possible with worksurfaces that are panel wrapped.





















# Accessories






## Further™ — Worksurface Mounted Rail and Accessories

For specification information see page 95.

GSA SIN 711-1



Description	Model	List Price		
		P1 Core	P2 Select	P3 Accent
<b>Accessories Rail — Worksurface Mounted</b>				
12" W	U912WTR 	\$ 70	\$ 73	\$ 76
18" W	U918WTR 	\$ 75	\$ 78	\$ 81
24" W	U924WTR 	\$ 86	\$ 89	\$ 92
30" W	U930WTR 	\$ 95	\$ 101	\$ 107
36" W	U936WTR 	\$ 107	\$ 113	\$ 119
42" W	U942WTR 	\$ 117	\$ 123	\$ 129
48" W	U948WTR 	\$ 123	\$ 132	\$ 141
54" W	U954WTR 	\$ 128	\$ 137	\$ 146
60" W	U960WTR 	\$ 134	\$ 145	\$ 156
66" W	U966WTR 	\$ 160	\$ 171	\$ 182
72" W	U972WTR 	\$ 182	\$ 194	\$ 199
78" W	U978WTR 	\$ 257	\$ 269	\$ 274
84" W	U984WTR 	\$ 268	\$ 282	\$ 291
90" W	U990WTR 	\$ 284	\$ 298	\$ 307
96" W	U996WTR 	\$ 301	\$ 318	\$ 329
<b>Rail Mounted Accessories</b>				
Phone/Tablet Stand — 6½"H x 4¼"W	U9TM 	\$ 105	\$ 113	\$ 121
Pencil Holder — 2½"H x 6"W x 3"D	U9TP 	\$ 64	\$ 70	\$ 76
Shelf — 8"W x 4½"D; 2½" above top of worksurface	U9TS 	\$ 78	\$ 84	\$ 90
Vertical Paper Tray — 12"H x 1½"W x 12"D	U9TF 	\$ 115	\$ 123	\$ 131
<b>Cord Organizer</b>				
4"W x ¾"D Metal with 4 cable cutouts	U9WTC 	\$ 114	\$ 119	\$ 124


**How to specify —**  
Select the  
Model Number  
from above.

**1st Option:**  
**Paint:**

U | 9 | | | | | .

| | | |

Examples: U912WTR.PR6 U9TF.P7G

 Shippable by small-package carrier.



# Accessories

## Further™ — Hook, Shelf, Drawer, and Tech Modules

For specification information see pages 96-97.

GSA SIN 711-1



Description	Model	List Price		
		P1 Core	P2 Select	P3 Accent
<b>Beam Mounted Hook</b>				
1" W Metal Beam Hook for backpack or bag	U9BH	\$ 54	\$ 58	\$ 64




<b>Beam Mounted Metal Shelf — 5"D</b> (order mounting clips separately — see page 43)				
24" W	U924BMS	\$ 98	\$ 106	\$ 115
30" W	U930BMS	\$ 109	\$ 117	\$ 126
36" W	U936BMS	\$ 119	\$ 129	\$ 142
42" W	U942BMS	\$ 130	\$ 140	\$ 153
48" W	U948BMS	\$ 141	\$ 153	\$ 169
54" W	U954BMS	\$ 157	\$ 169	\$ 185
60" W	U960BMS	\$ 178	\$ 192	\$ 211




U9BWMC

<b>Wire Manager Clips</b> (also used for Beam Mounted Shelf)				
5 Pack of Clips	U9BWMC	\$ 54	\$ 59	\$ 64


**Note:** See chart on page 41 for quantity of clips required.




<b>Laptop Drawer - Locking, laminate front, metal case</b>				
17½"W x 18"D x 3⅝"H (Interior 13"W x 16"D x 1⅝"H)	U7WDA	\$ 999	\$ 1016	\$ 1032



Description	Model	List Price
<b>Power/Data Modules — Worksurface Clamp</b>		
Dome — 2 Power, 2 Open Data with faceplate adaptors (FOG Fog only)	ACOMDOME2	\$ 291
2 Power, 2 USB (SNW Snow or STRM Storm)	APWRMOD2WC	\$ 400
3 Power (SNW Snow or STRM Storm)	APWRMOD3WC	\$ 310
<b>Power/Data Modules — Under Worksurface Mount</b>		
2 Power, 2 USB (SNW Snow or STRM Storm)	APWRMOD2UWM	\$ 400
3 Power (SNW Snow or STRM Storm)	APWRMOD3UWM	\$ 310



<b>Technology Modules — Worksurface Clamp (EL Silver only)</b>		
2 Power, 4 USB Hub	A87P2U1C	\$ 605
2 Power, 1 iPod Hub	A87P2D1C	\$ 740
2 Power, 1 USB, and 1 iPod Hub	A87P2U1D1C	\$ 902








<b>Worksurface Power/Data Module (PR6 Silver only)</b>		
2 Simplex receptacles, 1 data position	A870302	\$ 227

How to specify — Select the Model Number from above.	1st Option: <b>Laminate</b> (Drawer front if applicable): See inside front cover for finishes.	2nd Option: <b>Edge</b> (Drawer edge if applicable): See inside front cover for finishes.	3rd Option: <b>Paint</b> (If drawer, list exterior case color here): See inside front cover for finishes. Power/Data Module PR6 Silver only.	4th Option: <b>Paint</b> (Interior Drawer if applicable): See inside front cover for finishes.	5th Option: <b>Lock</b> (if applicable): <b>STD</b> Standard <b>OMT</b> Omit Lock Core (Deduct \$18)	6th Option: <b>Lock Color and Tech Modules</b> (if applicable): <b>EL</b> Silver (Lock)
<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>

Examples: U9BH.PR6 U7WDA.LM11EV.P27.PR6.STDEL

Shippable by small-package carrier.

MONITOR ARMS	ZW8 for Tool Tile	ZW8 Single	ZW8 Dual	ZW8 Single-HD	ZW8 Dual-HD
Allsteel Model:	ZW810T	ZW810S	ZW820D	ZW810H	ZW820DH
					
Features:					
Monitor rotation	180°	180°	180°	180°	180°
Monitor Extension	15"	21"	21"	22¼"	26¼"
Monitor retraction	3½"	3½"	3½"	3½"	3½"
Monitor tilt adjustment	+30°/-25°	+30°/-25°	+30°/-25°	+85°/-25°	+35°/-25°
Arm Height adjustment	11¾"	6½" to 19½" (13")	6½" to 19½" (13")	9" to 23" (14")	9" to 23" (14")
Monitor Weight capacity (maximum approved weight)	6½ to 16 lbs.	6½ to 18 lbs.	6½ to 18 lbs. per arm	17½ to 44 lbs.	12 to 38.5 lbs. each
Mounting option	Stride rail mount*	Desk clamp or grommet included	Desk clamp or grommet included	Desk clamp or grommet included	Desk clamp or grommet included
360° lockout feature	No	Yes	Yes	No	No
VESA compatibility	75mm and 100mm	75mm and 100mm	75mm and 100mm	75mm and 100mm	75mm and 100mm
Laptop Tray compatible	Yes	Yes	Yes	No	No
Tool Tile / Stride Bench compatible	Yes	No	No	No	No
Pole height	N/A	N/A	N/A	N/A	N/A
Maximum width per monitor	N/A	N/A	25"	25"	25"
Worksurface requirements — Desk Clamp	N/A	¾" to 2" thick	¾" to 2" thick	¾" to 2" thick	¾" to 2" thick
Worksurface requirements — Grommet Mount	N/A	¾" to 2" thick; hole diameter ⅝" to 2"	¾" to 2" thick; hole diameter ⅝" to 2"	¾" to 2" thick; hole diameter ⅝" to 2"	¾" to 2" thick; hole diameter ⅝" to 2"
Environmental info	99% Recycled content	99% Recycled content	99% Recycled content	99% Recycled content	99% Recycled content

\*ZW810T is NOT approved for Tool Rail Models EASRxx or EAHSRxx that attach to system panel slots or hutches.

#### ZW8 Series Monitor Arms (page 102)


- Versatile adjustability with a refined design and effortless, pneumatic fingertip adjustment.
- Multiple points of adjustment, including 360° swivel at two points, 21" extension and 13" of height adjustment, and a 180° lockout feature.
- Monitor tilts +30°/-25°.
- Tension adjustment feature at two locations to accommodate monitor weight and desired tilt tension.
- Maximize use of worksurface with ability to retract to minimal footprint of 3½", making ZW8 ideal for shallow worksurfaces.
- Model includes grommet and worksurface mounting options.
- Integrated cable management.
- Desk clamp mounts to surfaces ⅞" to 2" thick; grommet mount requires hole diameter of ⅝" to 2" wide, and accommodates surfaces up to 2" thick.
- Single arm supports 6½ to 18 lbs.; dual arm offers perfect horizontal alignment, and each arm supports 6½ to 18 lbs.
- ZW8 for tool tile is compatible on Allsteel tool tiles and Stride bench rail includes one dynamic extension limb. Arm extension is 15" from tile/rail, height adjustment 12".  
(Not approved for tool rail models EASRxx or EAHSRxx that attach to system panel vertical slots or hitches.)
- ZW810S and ZW820D will fit all depths of Stride double-sided benches. Interference with support beam on 54" bench, desk clamp will not install flush to edge of worksurface, but will allow power access door to close completely.
- Mounting location on Stride single-sided bench and screen-based bench may be impacted by location of connecting brackets and supports.
- VESA 75mm and VESA 100mm compatible.
- Quick release feature simplifies monitor installation and exchanges.

#### ZW8 Heavy Duty Series (page 102)

- ZW810H heavy duty arm supports 7.6 to 44 lbs. in total weight.
- ZW820DH supports weight capacity 12 to 38.5 lbs. combined (to accommodate 5.5 lbs. weight of crossbar).
- Single arm features 22¼" extension, dual arm extends 26¾".
- Height adjustment range of 9" to 23" (14" total).
- Features 360° rotation at 3 points.
- Integrated cable management.
- Tension adjustment feature at two locations to accommodate monitor weight and desired tilt tension.
- Quick release feature simplifies monitor installation and exchanges.
- Monitor rotates 180° and tilts +85°/-35°.
- Dual arm crossbar length of 41"; monitors can be positioned by sliding along crossbar to accommodate various sizes. Can accommodate up to two 24" diagonal monitors (total outside casing dimension of 38" wide).
- Cannot be installed on 54" Stride double-sided bench due to interference with support beam.
- Mounting location on Stride single-sided bench and screen-based bench may be impacted by location of connecting brackets and supports.


#### Laptop Tray (page 102)

- Adjustable laptop tray can be used on ZW810S and ZW820D.
- Features adjustable depth of 11¼" to 17¼" to accommodate docking stations along with laptop computer.
- Width 12".
- Designed with ventilation holes for adequate heat dissipation.
- Non-skid protective pads included to prevent laptop from sliding.
- Weight of laptop tray 7 lbs; include when calculating total weight of tray + laptop to comply with weight capacity.



#### AKM1 Keyboard Support w/Mousepad (page 102)

- Simple, spring-assisted mechanism provides 6¼" of height adjustment.
- Features soft-touch knob for simultaneous height and tilt adjustments.
- +10°/-15° tilt adjustment and 360° rotation provides support of neutral position of shoulders, arms, and wrists while accommodating multiple working postures.
- Accommodates keyboard and mouse on the same level
- Includes detachable leatherette-covered gel palm rest, nonslip pad, mouse pad, mouse guard, and cord management clips.
- Keyboard platform made of 90% post-consumer recycled materials and completely recyclable. Free of formaldehydes and carcinogens and emits no VOCs.




#### Keyboard Spacer Kit (page 102)

- Kit provides ten 2½" H spacers and hardware for mounting keyboard support beneath an external worksurface support channel.

#### CPU Hammock™ (page 102)

- Features 360° swivel with 13½" ball bearing glide track.
- Load capacity 55 lbs.
- Fits CPUs 5" to 20" in overall height and 3" to 6" in width.
- Height adjustable from 16" to 23" below worksurface.
- No tools required to make adjustments.
- Features a textured, silver paint finish.




# Extensions™


## Ergonomics — Monitor Arms / Keyboard Supports / CPU Holder

For specification information see pages 100-101.

GSA SIN 711-1



Description	Model	List Price
<b>Monitor Arms — ZW8 Series</b>		
Single — Desk Clamp	ZW810S	\$ 380
Single — Mounts to Toolrail or Tool Tile	ZW810T	\$ 380
Dual — Desk Clamp	ZW820D	\$ 651
Conversion Kit — from Single-to-Dual	ZW82KIT	\$ 380
Single Monitor — for Heavy Duty Monitor	ZW810H	\$ 577
Dual Monitor — for Heavy Duty Monitors	ZW820DH	\$ 990
Laptop Tray	ZW8LT	\$ 243



### Articulating Keyboard Support with Integrated Mousepad (Black only)

25"W x 10½"D (Mounting clearance 17"D)

AKM1



\$ 317




### Keyboard Spacer Kit

10 – 2½"H Spacers and Hardware

AKMH



\$ 37



### CPU Hammock™ (Silver only)

Adjustable Height CPU Holder with 360° swivel

ACPU4



\$ 190

**How to specify —**  
Select the  
Model Number  
from above.

*1st Option:*

**Color for ZW Series:**

SVR Silver


**S | V | R**

Examples: ZW810S.SVR ZW8LT.SVR AKM1 ACPU4

Shippable by small-package carrier.

#### Link™ Light

Link's simple forms, slim profile, and expressive details make a surprising design statement in any workplace. The playful lamp head offers 180-degree movement for natural and precise adjustability. The concentrated array of high-power LEDs delivers a brighter light output than standard fluorescent lights, while operating cooler for consistent, long-lasting, and uniform-quality light. Plus, its efficient design elegantly conserves the amount of materials required, paring them down to their most essential. Engineered for effortless disassembly, Link is 97 percent recyclable.




#### Link Light

- Single- or dual-arm style.
- 3300K color temperature, 7.5 watts.
- Available in two soft-touch colors (Silver and Black).
- Mounting options include a freestanding base, worksurface edge clamp, or tool rail bracket. Each allows for unobstructed lamp rotation.
- Freestanding base is 9½" x 9½".
- Cord length: 9' with detachable power adapter.
- The lamp head forms the handle, offering 180-degree up/down movement.
- Low Profile worksurface clamp allows for minimal clearance conditions but must be installed before worksurface.
- Power is delivered through a conductive aluminum skin, eliminating internal wiring.
- L-shaped base sits in the corner, using minimal workspace.
- Meets California Title 24 Energy Efficiency Standards.
- Link Light is UL, CE, and RoHS compliant.
- Actual length of model LED18U is 19".
- Actual length of model LED36U is 37¼".

#### Wand™ Task Light


Wand freestanding task light offers a clean, simple design along with powerful LED technology to illuminate the workspace. The swivel base and arm tilt allow users to position the light just where they need it. The 7.7 watt LED light offers efficiency and long life, providing up to 25 years of daily use. The slim, sleek design makes it easy to integrate into any workspace. Wand task light is 97% recyclable. Optional Occupancy Sensor available.




#### Wand LED Freestanding Task Light

- Available in Silver or White. 9'4" cord is Silver.
- Full range dimming from 100% — 10% with last state memory.
- More efficient than original Wand light with brighter and broader range of light.
- Uses 7.7 watts at highest setting and as low as 1 watt at its lowest setting, providing 85 to 12 footcandles of light, respectively (16" above worksurface).
- 7½" round swivel base and 16½"H tilt arm allow versatile positioning of the 13" lampshade.
- Designed for 50,000 hours of life, providing up to 25 years of daily use. Warranty — 5 years (fixture); 3 years (power supply).
- Color Temperature: 3500K. Color Rendering Index (CRI): 80.
- Materials: aluminum arm and lampshade, steel base.
- Weight: 4.4 lbs. 97% recyclable, 76% post-consumer.
- Certifications: UL and CUL. TAA compliant.
- Occupancy sensor available with automatic shut-off after 6 minutes if no motion is detected.

### Open Market / GSA SIN 711-1



Open Market



Description	Model	List Price
<b>Link™ LED Light</b>		
Link LED Lamp, 18" Single Arm	LNKSA	\$ 454
Link LED Lamp, 13"/13" Dual Arm	LNKDA  (shown)	\$ 483
Link Freestanding Base	LNKFS	\$ 120
Link Low Profile Worksurface Clamp	LNKCL	\$ 74
Link Tool Tile Attachment	LNKPM	\$ 74

#### Wand™ LED Task Light (Silver or White)

Freestanding LED Task Light w/base	WANDFS	\$ 290
Freestanding LED Task Light w/base and Occupancy Sensor	WANDFSOC	\$ 412

How to specify —  
Select the  
Model Number  
from above.

1st Option:

Color  
(for Link Light):  
SVR Silver

(for Wand LED):  
SVR Silver  
WHT White

Examples: LNKDA.SVR WANDFS.WHT



Shippable by small-package carrier.



Further Laminate Storage

- Standard Options
- Random Keying — The factory will assign key(s) arbitrarily using key numbers from chart below.
  - Omit Lock Core — The factory will omit lock cores. Removable lock core kits with specific key number must be ordered to facilitate keying alike in the field.

- Replacing Lock Cores
- Lock must be in the unlocked position.
  - Insert core removal key and pull core straight out.
  - Insert new core with core removable key, hold core into lock and withdraw core removal key.
  - Retain original core for future use.
  - On Persona Pedestals, open top drawer and hold lock bars in unlocked position before removal of core.

	Random Keying	Omit Lock Core	Key Numbers	Lock Core Kit	Master Key
Further Laminate Storage	X	X	101E-225E	ALKF23C	AMKF22



Description	Model	List Price
<b>Brushed Chrome Removable Lock Core Kit</b>	<b>Key Numbers 101E-225E</b>	
Used on metal and painted wood casegoods product produced after 2/3/97; A980, A990, and A940 Series Vertical Files; Persona Pedestals produced after 8/22/09; Reach Storage units produced after 10/5/09; and Receding Door Overheads produced after 8/1/10. Includes one core, two keys, one core removal tool, adapter and instructions	ALKF23C 	\$ 18
<b>Master Key</b>		
(One key) Available to authorized dealers only on faxed orders. Will open LKF23C, LKF23CE4, LKF24, LKF25EL, and LKF25E4 locks numbered 101E-225E.	AMKF22 	\$ 17



**HOW TO ORDER:**

**NOTE:** Numbers 101E-225E are available. Orders without numbers specified will be keyed at random.

**SAMPLE ORDER:**

Quantity	Model	Color
6	LKF23C	X121E
1	MKF22	X

<b>Brushed Chrome Removable Lock Core Kit*</b>	<b>Key Numbers 101N-225N</b>	
Includes one core, two keys, one core removal tool, adapter and instructions	ALKF23CN 	\$ 18
<b>Master Key*</b>		
(One key) Available to authorized dealers only on faxed orders. Will open LKF23CN locks numbered 101N-225N.	AMF22 	\$ 17

### EASY LOCK PROGRAM

The Allsteel Easy Lock Program simplifies the lock-core ordering process when multiple cores are being specified. The Easy Lock cores can be used with Allsteel storage that currently uses the **ALKF23C** cores (all storage except Receding Door Overheads).

To ensure ease of ordering in different situations the Easy Lock cores can be specified in three different ways — Random, Specified or Sequential.

#### Random Keying

The Random Keying option is provided for instances where there are multiple orders or phases to a project and the offices need to be keyed alike but the key numbering is not required. With the random keying option key numbers are not specified, however, the core kits will be in sequential order from a random starting point.

**Example:** *There are 15 offices which each have 5 black locks that need to be keyed alike, but the actual key numbers are not important.*

This order would look like: **LKFE5BLK.X.15**

This specifies that 15 5-core kits are needed in black with random key numbers.

#### Specified Keying

The Specified Keying option is provided for the instances where there is a specific key number desired for all of the cores ordered.

**Example:** *There are 10 offices which each have 2 silver locks that need to be keyed-alike with key number 202.*

This order would look like: **LKFE2SLV.X202.10**

This specifies that 10 2-core kits are needed in silver with key number 202.

#### Sequential Keying

Allsteel Sequential Keying option is provided for the instances when there are multiple orders or phases to a project and it is imperative that key numbers are not duplicated.

**Example:** *A multiple phase project has 60 total offices — 40 offices in Phase I, and 20 offices in Phase II. The project manager has expressed a need to have keyed-alike offices but doesn't want any of the offices to use the same key numbers.*

*The first 40 offices have 4 silver locks each that need to be keyed-alike.*

This order would look like: **LKFE4SLV.SEQ/101.40**

This specifies that 40 4-core kits are needed in silver and the starting number is 101.

*The second set of 20 offices only have 3 silver locks each that need to be keyed-alike; and it is important which key number starts off the sequence to ensure that no key number is duplicated. It is known that the first key range was key numbers 101-140.*

The second order would look like: **LKFE3SLV.SEQ/141.20**

This specifies that 20 3-core kits are needed in silver and key sequence has to start at key number 141.

#### HOW TO ORDER:

Numbers 101-225 are available. Orders without key numbers specified will be keyed at random.

SAMPLE ORDER FOR EXAMPLES GIVEN:

Model	Key Type	Quantity
LKFE5BLK.	X.	15
LKFE2SLV.	X202.	10
LKFE4SLV.	SEQ/101.	40
LKFE3SLV.	SEQ/141.	20

**NOTE:** Quantity required is last number in model.option string.

Description	Model / Color	List Price
<b>Easy Lock Lock-Core</b>		
Lock Core Kit — 1 core, 2 keys	LKFE1	\$ 18
Lock Core Kit — 2 cores, 2 keys	LKFE2	\$ 36
Lock Core Kit — 3 cores, 2 keys	LKFE3	\$ 54
Lock Core Kit — 4 cores, 2 keys	LKFE4	\$ 72
Lock Core Kit — 5 cores, 2 keys	LKFE5	\$ 90
Lock Core Kit — 6 cores, 2 keys	LKFE6	\$ 108
Lock Core Kit — 7 cores, 2 keys	LKFE7	\$ 126
Lock Core Kit — 8 cores, 2 keys	LKFE8	\$ 144

Add color suffix to model: **SLV** Silver, **BLK** Black, **MTS** Matte Silver

**Note:** One core removal key minimum per order. One additional core removal key per 25 lock-cores will be shipped.


#### Master Key

(One key) Available to authorized dealers only on faxed orders.

**AMKF22** \$ 17


#### How to specify using Easy Lock Program:

**Step 1** — Count the number of lock cores and color required in each workstation that need to be keyed alike.




2 overheads with 1 lock-core each = 2  
2 pedestals with 1 lock-core each = 2  
Total silver lock-cores per station = 4

**Step 2** — Count the total number of workstations needing 4 lock-cores.



4 total workstations

**Step 3** — Specify model number based on total number of lock-cores in a station and quantity of kits based on number of workstations.



**LKFE4SLV.X.4**  
Lock-Cores per station  
Color of Core  
Number of workstations





## FSC Certified Wood at Allsteel

Allsteel has received FSC Chain of Custody certification from Scientific Certification Systems (SCS) and can now offer FSC certified products. Forest Stewardship Council (FSC) certification is intended to promote the sustainable harvesting of forests worldwide by setting requirements for the forest and everyone who handles the wood from forest to product. Certification provides a Chain of Customer number that we will pass on to customers who are pursuing LEED certification or who want to ensure that materials used to manufacture our wood products come from a well-managed forest. For more information, please contact Customer Support at 888-255-7833.

## Load Capacity for Laminate Wood: Nitch, Horizontal Storage, Pedestals, Mobile Credenzas, and Towers

Product Description	Style	Depth	10"W	12"W	15½"W	24"W	30"W	36"W	42"W	48"W	54"W	60"W	72"W
<b>7½"H Nitch</b>	Open	15"D				36 lbs.	45 lbs.	54 lbs.	63 lbs.				
<b>Horizontal</b>	Open — Single Sided	15"D				81 lbs.	102 lbs.	122 lbs.					
	Open — Dual Sided	16"D				79 lbs.	99 lbs.	120 lbs.	140 lbs.	161 lbs.	181 lbs.	202 lbs.	243 lbs.
	Sliding Door — Single Sided	15"D				74 lbs.	94 lbs.	113 lbs.	133 lbs.	152 lbs.	171 lbs.	191 lbs.	
	Sliding Door — Dual Sided	16"D				68 lbs.	85 lbs.	103 lbs.	121 lbs.	138 lbs.	156 lbs.	174 lbs.	209 lbs.
<b>Pedestal</b>	Open Support	21"D	72 lbs.										
	Open Support w/Bin Left	27"D	79 lbs.										
	Open Support w/Bin Right	27"D	79 lbs.										
	Box Pull-Out Drawer	21"D			10 lbs.			124 lbs.					
		27"D			10 lbs.								
	File Pull-Out Drawer	21"D			35 lbs.								
		27"D			44 lbs.								
	Shelf Pull-Out Drawer	21"D			10 lbs.								
		27"D			10 lbs.								
<b>Credenza</b>	Mobile with Hinged Door Left				10 lbs.								
	Mobile with Hinged Door Right	15"D						124 lbs.					
<b>Tower</b>	42½"H Wardrobe Section	21"D		40 lbs.									
		27"D		53 lbs.									
	50"H Wardrobe Section	21"D		68 lbs.									
		27"D		90 lbs.									
	Tower Drawer	21"D		40 lbs.									
		27"D		53 lbs.									

## Quantity of Locks for Laminate Wood: Horizontal Storage, Pedestals, Mobile Credenzas, and Towers

**NOTE:** Open units and shelves are non-locking and are therefore not included in the list below.

Product Description	Style	Depth	10"W	12"W	15½"W	24"W	30"W	36"W	42"W	48"W	54"W	60"W	72"W
<b>Horizontal</b>	Sliding Door — Single Sided	15"D				1 lock	1 lock	1 lock	1 lock	1 lock	1 lock	1 lock	
	Sliding Door — Dual Sided	16"D				2 locks	2 locks	2 locks	2 locks	2 locks	2 locks	2 locks	2 locks
<b>Pedestal</b>	Pull-Out Drawer Support	21"D			1 lock								
		27"D			1 lock								
<b>Credenza</b>	Mobile with Hinged Door Left	15"D						1 lock					
	Mobile with Hinged Door Right	15"D						1 lock					
<b>Tower</b>	42½"H Wardrobe Section	21"D		1 lock									
		27"D		1 lock									
	50"H Wardrobe Section	21"D		1 lock									
		27"D		1 lock									

# Appendix

## Further™ — Storage Dimensions

GSA Reference Page

### Interior Dimensions for Nitch, Horizontal Storage, Pedestals, Credenzas, and Towers

Description	Height	Depth	Width	Description	Height	Depth	Width
<b>NITCH</b>				<b>42"H TOWERS</b>			
24"W	5 <sup>7</sup> / <sub>8</sub> "	12 <sup>3</sup> / <sub>4</sub> "	11 <sup>5</sup> / <sub>8</sub> "	21"D SA Bottom Shelf	5 <sup>1</sup> / <sub>2</sub> "	19 <sup>3</sup> / <sub>8</sub> "	11 <sup>1</sup> / <sub>8</sub> "
30"W	5 <sup>7</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	14 <sup>5</sup> / <sub>8</sub> "	21"D SA Top Shelf	5 <sup>1</sup> / <sub>2</sub> "	19 <sup>3</sup> / <sub>8</sub> "	10 <sup>5</sup> / <sub>8</sub> "
36"W	5 <sup>7</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	17 <sup>7</sup> / <sub>8</sub> "	21"D Drawer Bottom	12 <sup>3</sup> / <sub>8</sub> "	18 <sup>3</sup> / <sub>8</sub> "	7 <sup>7</sup> / <sub>8</sub> "
42"W Side Cavities	5 <sup>7</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	13 <sup>3</sup> / <sub>4</sub> "	21"D Drawer Back	19 <sup>3</sup> / <sub>8</sub> "	5 <sup>3</sup> / <sub>8</sub> "	7 <sup>7</sup> / <sub>8</sub> "
42"W Center Cavity	5 <sup>7</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	13 <sup>3</sup> / <sub>8</sub> "	21"D Drawer Shelf	4 <sup>1</sup> / <sub>4</sub> "	5 <sup>3</sup> / <sub>8</sub> "	7"
<b>HORIZONTAL STORAGE</b>				27"D SA Bottom Shelf	5 <sup>1</sup> / <sub>2</sub> "	25 <sup>5</sup> / <sub>8</sub> "	11 <sup>1</sup> / <sub>8</sub> "
24"W Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	23 <sup>3</sup> / <sub>4</sub> "	27"D SA Top Shelf	5 <sup>1</sup> / <sub>2</sub> "	25 <sup>5</sup> / <sub>8</sub> "	10 <sup>5</sup> / <sub>8</sub> "
30"W Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	29 <sup>3</sup> / <sub>4</sub> "	27"D Drawer Bottom	12 <sup>3</sup> / <sub>8</sub> "	24 <sup>3</sup> / <sub>8</sub> "	7 <sup>7</sup> / <sub>8</sub> "
36"W Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	35 <sup>3</sup> / <sub>4</sub> "	27"D Drawer Back	19 <sup>3</sup> / <sub>8</sub> "	11 <sup>3</sup> / <sub>8</sub> "	7 <sup>7</sup> / <sub>8</sub> "
24"W Slider	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>8</sub> "	11 <sup>1</sup> / <sub>2</sub> "	27"D Drawer Shelf	4 <sup>1</sup> / <sub>4</sub> "	11 <sup>3</sup> / <sub>8</sub> "	7"
30"W Slider	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>2</sub> "	<b>50"H TOWERS</b>			
36"W Slider	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>8</sub> "	17 <sup>1</sup> / <sub>2</sub> "	21"D SA Bottom Shelf	4 <sup>1</sup> / <sub>8</sub> "	19 <sup>3</sup> / <sub>8</sub> "	11 <sup>1</sup> / <sub>8</sub> "
42"W Slider	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>8</sub> "	20 <sup>1</sup> / <sub>2</sub> "	21"D SA Top Shelf	14 <sup>1</sup> / <sub>4</sub> "	19 <sup>3</sup> / <sub>8</sub> "	10 <sup>5</sup> / <sub>8</sub> "
48"W Slider	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>8</sub> "	23 <sup>1</sup> / <sub>2</sub> "	21"D Drawer Bottom	12 <sup>3</sup> / <sub>8</sub> "	18 <sup>3</sup> / <sub>8</sub> "	7 <sup>7</sup> / <sub>8</sub> "
54"W Slider	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>8</sub> "	26 <sup>1</sup> / <sub>2</sub> "	21"D Drawer Back	19 <sup>3</sup> / <sub>8</sub> "	5 <sup>3</sup> / <sub>8</sub> "	7 <sup>7</sup> / <sub>8</sub> "
60"W Slider	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>8</sub> "	29 <sup>1</sup> / <sub>2</sub> "	21"D Drawer Shelf	4 <sup>1</sup> / <sub>4</sub> "	5 <sup>3</sup> / <sub>8</sub> "	7"
24"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	11 <sup>1</sup> / <sub>2</sub> "	27"D SA Bottom Shelf	4 <sup>1</sup> / <sub>8</sub> "	25 <sup>5</sup> / <sub>8</sub> "	11 <sup>1</sup> / <sub>8</sub> "
30"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>2</sub> "	27"D SA Top Shelf	14 <sup>1</sup> / <sub>4</sub> "	25 <sup>5</sup> / <sub>8</sub> "	10 <sup>5</sup> / <sub>8</sub> "
36"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	17 <sup>1</sup> / <sub>2</sub> "	27"D Drawer Bottom	12 <sup>3</sup> / <sub>8</sub> "	24 <sup>3</sup> / <sub>8</sub> "	7 <sup>7</sup> / <sub>8</sub> "
42"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	20 <sup>1</sup> / <sub>2</sub> "	27"D Drawer Back	19 <sup>3</sup> / <sub>8</sub> "	11 <sup>3</sup> / <sub>8</sub> "	7 <sup>7</sup> / <sub>8</sub> "
48"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	23 <sup>1</sup> / <sub>2</sub> "	27"D Drawer Shelf	4 <sup>1</sup> / <sub>4</sub> "	11 <sup>3</sup> / <sub>8</sub> "	7"
54"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	26 <sup>1</sup> / <sub>2</sub> "	Tower File Hanger	11 <sup>1</sup> / <sub>4</sub> "	12 <sup>3</sup> / <sub>4</sub> "	7 <sup>7</sup> / <sub>8</sub> "
60"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	29 <sup>1</sup> / <sub>2</sub> "	(Same for all Towers)			
66"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	32 <sup>1</sup> / <sub>2</sub> "				
72"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	35 <sup>1</sup> / <sub>2</sub> "				
24"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	11 <sup>1</sup> / <sub>2</sub> "				
30"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>2</sub> "				
36"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	17 <sup>1</sup> / <sub>2</sub> "				
42"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	20 <sup>1</sup> / <sub>2</sub> "				
48"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	23 <sup>1</sup> / <sub>2</sub> "				
54"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	26 <sup>1</sup> / <sub>2</sub> "				
60"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	29 <sup>1</sup> / <sub>2</sub> "				
66"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	32 <sup>1</sup> / <sub>2</sub> "				
72"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	35 <sup>1</sup> / <sub>2</sub> "				
<b>PEDESTALS</b>							
Open — Bottom Shelf	12 <sup>3</sup> / <sub>8</sub> "	19 <sup>3</sup> / <sub>4</sub> "	8 <sup>3</sup> / <sub>8</sub> "				
Open — Top Shelf	12 <sup>3</sup> / <sub>8</sub> "	20 <sup>3</sup> / <sub>8</sub> "	8 <sup>3</sup> / <sub>8</sub> "				
Side Access — Bottom Shelf	12 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	8 <sup>3</sup> / <sub>8</sub> "				
Side Access — Top Shelf	12 <sup>3</sup> / <sub>8</sub> "	12 <sup>1</sup> / <sub>2</sub> "	8 <sup>3</sup> / <sub>8</sub> "				
Side Access — Back Area	26 <sup>6</sup> / <sub>8</sub> "	12 <sup>3</sup> / <sub>4</sub> "	9 <sup>1</sup> / <sub>8</sub> "				
Pull-Out Drawer — Shelf	4"	12 <sup>3</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>8</sub> "				
Pull-Out Drawer — Box	2 <sup>3</sup> / <sub>4</sub> "	14 <sup>1</sup> / <sub>2</sub> "	12 <sup>1</sup> / <sub>8</sub> "				
21"D Pull-Out Drawer — File	9 <sup>1</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>2</sub> "	12 <sup>1</sup> / <sub>8</sub> "				
27"D Pull-Out Drawer — File	9 <sup>1</sup> / <sub>8</sub> "	19"	12 <sup>1</sup> / <sub>8</sub> "				
<b>CREDENZAS</b>							
Bottom Shelf	10 <sup>1</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>8</sub> "	22 <sup>3</sup> / <sub>8</sub> "				
Top Shelf	4 <sup>3</sup> / <sub>4</sub> "	13 <sup>3</sup> / <sub>8</sub> "	22 <sup>3</sup> / <sub>8</sub> "				
Cubby	15 <sup>1</sup> / <sub>2</sub> "	14 <sup>3</sup> / <sub>8</sub> "	11 <sup>1</sup> / <sub>4</sub> "				

# Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
A870302.....	99	AKMH.....	102	U5F15E27RL.....	32	U5F21S5264TR.....	30	U5F27S5268TR.....	32
A8701020.....	59	ALKF23C.....	104	U5F15E27RR.....	32	U5F21S5781TS.....	33	U5F27S5788TS.....	33
A8710120A.....	59	ALKF23CN.....	104	U5F15E33RL.....	32	U5F21S5870TL.....	30	U5F27S5874TL.....	32
A8710144.....	59	AMF22.....	104	U5F15E33RR.....	32	U5F21S5870TR.....	30	U5F27S5874TR.....	32
A8710144A.....	59	AMKF22.....	104, 105	U5F15E39RL.....	32	U5F21S6387TS.....	33	U5F27S6394TS.....	33
A871018.....	59	APTK.....	106	U5F15E39RR.....	32	U5F21S6476TL.....	30	U5F27S6480TL.....	32
A871018A.....	59	APWRMOD2UWM.....	99	U5F15E45RL.....	32	U5F21S6476TR.....	30	U5F27S6480TR.....	32
A871024.....	59	APWRMOD2WC.....	99	U5F15E45RR.....	32	U5F21S6993TS.....	33	U5F27S7086TL.....	32
A871024A.....	59	APWRMOD3UWM.....	99	U5F15E51RL.....	32	U5F21S7082TL.....	30	U5F27S7086TR.....	32
A871030.....	59	APWRMOD3WC.....	99	U5F15E51RR.....	32	U5F21S7082TR.....	30	U5F27S7692TL.....	32
A871030A.....	59	ARSLCC.....	106	U5F18C22RL.....	30	U5F21S7688TL.....	30	U5F27S7692TR.....	32
A871036.....	59	ATADF3.....	56	U5F18C22RR.....	30	U5F21S7688TR.....	30	U6B06CN.....	35
A871036A.....	59	ATADF4.....	56	U5F18C28RL.....	30	U5F21S8294TL.....	30	U6B06F.....	36
A871042.....	59	ATADJ5.....	56	U5F18C28RR.....	30	U5F21S8294TR.....	30	U6B06M.....	36
A871042A.....	59	ATADJ6.....	56	U5F18C34RL.....	30	U5F2430S.....	29	U6B07F.....	36
A871048.....	59	ATBCMC.....	76	U5F18C34RR.....	30	U5F2436S.....	29	U6B07M.....	36
A871048A.....	59	AW4GANG.....	37	U5F18C40RL.....	30	U5F2442S.....	29	U6B09CN.....	35
A871060.....	59	K5CT1536SC.....	92	U5F18C40RR.....	30	U5F244646C.....	33, 72	U6B09F.....	36
A871060A.....	59	LKFE.....	105	U5F18C46RL.....	30	U5F2448S.....	29, 72	U6B09M.....	36
A871072.....	59	LNKCL.....	103	U5F18C46RR.....	30	U5F245252C.....	33, 72	U6B12CN.....	35
A871072A.....	59	LNKDA.....	103	U5F18C52RL.....	30	U5F2454S.....	29, 72	U6B12F.....	36
A871096.....	59	LNKFS.....	103	U5F18C52RR.....	30	U5F2460S.....	29, 72	U6B12M.....	36
A871096A.....	59	LNKPM.....	103	U5F18C58RL.....	30	U5F2466S.....	29, 72	U6B12MGF.....	36
A8711120.....	59	LNKSA.....	103	U5F18C58RR.....	30	U5F2472S.....	29, 72	U6B18F.....	36
A8711120A.....	59	SYSFS.....	106	U5F18D19RL.....	31	U5F2478S.....	29	U6B18M.....	36
A8711144.....	59	SYSTG.....	106	U5F18D19RR.....	31	U5F2484S.....	29	U6B18N.....	35
A8711144A.....	59	T612FB.....	37	U5F18D25RL.....	31	U5F2490S.....	29	U6B21F.....	36
A871124.....	59	T624FB.....	37	U5F18D25RR.....	31	U5F2496S.....	29	U6B21N.....	35
A871124A.....	59	T630FB.....	37	U5F18D31RL.....	31	U5F24S2842TL.....	31	U6B24F.....	36
A871130.....	59	TAWG.....	76	U5F18D31RR.....	31	U5F24S2842TR.....	31	U6B24M.....	36
A871130A.....	59	U2HPP.....	54	U5F18D37RL.....	31	U5F24S3448TL.....	31	U6B24N.....	35
A871136.....	59	U2HPPPEC.....	54	U5F18D37RR.....	31	U5F24S3448TR.....	31	U6B30F.....	36
A871136A.....	59	U3CBBE.....	37	U5F18D43RL.....	31	U5F24S3966TS.....	33	U6B30M.....	36
A871142.....	59	U3CG12.....	34	U5F18D43RR.....	31	U5F24S4054TL.....	31	U6B30N.....	35
A871142A.....	59	U3CHB1.....	34	U5F18D49RL.....	31	U5F24S4054TR.....	31	U6B36DL1.....	35
A871148.....	59	U3CHB2.....	34	U5F18D49RR.....	31	U5F24S4572TS.....	33	U6B36DR1.....	35
A871148A.....	59	U3CHB3.....	34	U5F18D55RL.....	31	U5F24S4660TL.....	31	U6B36F.....	36
A871160.....	59	U3CHB4.....	34	U5F18D55RR.....	31	U5F24S4660TR.....	31	U6B36M.....	36
A871160A.....	59	U3CHBC.....	34	U5F18E15RL.....	32	U5F24S5178TS.....	33	U6B36MCH.....	36
A871172.....	59	U3CHBG.....	34	U5F18E15RR.....	32	U5F24S5266TL.....	31	U6B36N.....	35
A871172A.....	59	U3HAE.....	62	U5F18E21RL.....	32	U5F24S5266TR.....	31	U6B42D.....	35
A871196.....	59	U3HAI.....	62	U5F18E21RR.....	32	U5F24S5784TS.....	33	U6B42D.....	35
A871196A.....	59	U3HTPCF.....	62	U5F18E27RL.....	32	U5F24S5872TL.....	31	U6B42F.....	36
A8712102.....	59	U3TBE.....	73	U5F18E27RR.....	32	U5F24S5872TR.....	31	U6B42M.....	36
A8712102A.....	59	U3THCS.....	34, 36	U5F18E33RL.....	32	U5F24S6390TS.....	33	U6B42MCH.....	36
A871224.....	59	U3THFW.....	62	U5F18E33RR.....	32	U5F24S6478TL.....	31	U6B42N.....	35
A871224A.....	59	U5F15C22RL.....	30	U5F18E39RL.....	32	U5F24S6478TR.....	31	U6B48DL2.....	35
A871230.....	59	U5F15C22RR.....	30	U5F18E39RR.....	32	U5F24S6996TS.....	33	U6B48DR2.....	35
A871230A.....	59	U5F15C28RL.....	30	U5F18E45RL.....	32	U5F24S7084TL.....	31	U6B48F.....	36
A871236.....	59	U5F15C28RR.....	30	U5F18E45RR.....	32	U5F24S7084TR.....	31	U6B48M.....	36
A871236A.....	59	U5F15C34RL.....	30	U5F18E51RL.....	32	U5F24S7690TL.....	31	U6B48MCH.....	36
A871242.....	59	U5F15C34RR.....	30	U5F18E51RR.....	32	U5F24S7690TR.....	31	U6B48N.....	35
A871242A.....	59	U5F15C40RL.....	30	U5F2130S.....	29	U5F2730S.....	29	U6B54DL2.....	35
A871248.....	59	U5F15C40RR.....	30	U5F2136S.....	29	U5F2736S.....	29	U6B54DR2.....	35
A871248A.....	59	U5F15C46RL.....	30	U5F2142S.....	29	U5F2742S.....	29	U6B54DS111.....	35
A871254.....	59	U5F15C46RR.....	30	U5F214646C.....	33	U5F274646C.....	33, 72	U6B54F.....	36
A871254A.....	59	U5F15C52RL.....	30	U5F2148S.....	29	U5F2748S.....	29, 72	U6B54M.....	36
A871260.....	59	U5F15C52RR.....	30	U5F215252C.....	33	U5F275252C.....	33, 72	U6B54MCH.....	36
A871260A.....	59	U5F15C58RL.....	30	U5F2154S.....	29	U5F2754S.....	29, 72	U6B54N.....	35
A871266.....	59	U5F15C58RR.....	30	U5F2160S.....	29	U5F2760S.....	29, 72	U6B60DL2.....	35
A871266A.....	59	U5F15D19RL.....	31	U5F2166S.....	29	U5F2766S.....	29, 72	U6B60DR2.....	35
A871278.....	59	U5F15D19RR.....	31	U5F2172S.....	29	U5F2772S.....	29, 72	U6B60DS111.....	35
A871278A.....	59	U5F15D25RL.....	31	U5F2178S.....	29	U5F2778S.....	29	U6B60F.....	36
A871284.....	59	U5F15D25RR.....	31	U5F2184S.....	29	U5F2784S.....	29	U6B60M.....	36
A871284A.....	59	U5F15D31RL.....	31	U5F2190S.....	29	U5F2790S.....	29	U6B60MCH.....	36
A871290.....	59	U5F15D31RR.....	31	U5F2196S.....	29	U5F2796S.....	29	U6B60MGF.....	36
A871290A.....	59	U5F15D37RL.....	31	U5F21S2840TL.....	30	U5F27S2844TL.....	32	U6B60N.....	35
A871296.....	59	U5F15D37RR.....	31	U5F21S2840TR.....	30	U5F27S2844TR.....	32	U6B66DL2C2.....	35
A871296A.....	59	U5F15D43RL.....	31	U5F21S3446TL.....	30	U5F27S3450TL.....	32	U6B66DR2C2.....	35
A871912.....	54, 63	U5F15D43RR.....	31	U5F21S3446TR.....	30	U5F27S3450TR.....	32	U6B66DS222.....	35
A871918.....	54, 63	U5F15D49RL.....	31	U5F21S3963TS.....	33	U5F27S3970TS.....	33	U6B66F.....	36
A877012.....	54, 63	U5F15D49RR.....	31	U5F21S4052TL.....	30	U5F27S4056TL.....	32	U6B66M.....	36
A87P2D1C.....	99	U5F15D55RL.....	31	U5F21S4052TR.....	30	U5F27S4056TR.....	32	U6B66MCH.....	36
A87P2U1C.....	99	U5F15D55RR.....	31	U5F21S4569TS.....	33	U5F27S4576TS.....	33	U6B66N.....	35
A87P2U1D1C.....	99	U5F15E15RL.....	32	U5F21S4658TL.....	30	U5F27S4662TL.....	32	U6B72DL2C2.....	35
ACOMDOME2.....	99	U5F15E15RR.....	32	U5F21S4658TR.....	30	U5F27S4662TR.....	32	U6B72DR2C2.....	35
ACPU4.....	102	U5F15E21RL.....	32	U5F21S5175TS.....	33	U5F27S5182TS.....	33	U6B72DS222.....	35
AKM1.....	102	U5F15E21RR.....	32	U5F21S5264TL.....	30	U5F27S5268TL.....	32	U6B72F.....	36

# Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
U6B72M.....	36	U6E24D2HA.....	73	U6TTS2060F.....	83	U7T501221ADL.....	93	U948WTR.....	98
U6B72MCH.....	36	U6E27D1HA1F.....	73	U6TU1318F.....	85	U7T501221ADR.....	93	U954BMS.....	57, 99
U6B72N.....	35	U6E27D2F.....	73	U6TU1324F.....	85	U7T501227ADL.....	93	U954BWB.....	57
U6B78DL2C2.....	35	U6E27D2HA.....	73	U6TU1330F.....	85	U7T501227ADR.....	93	U954BWHCM.....	57
U6B78DR2C2.....	35	U6E2F.....	37	U6TU1336F.....	85	U7WDA.....	99	U954BWHCT.....	76
U6B78DS222.....	35	U6H2P2.....	34, 62	U6TU1342F.....	85	U87JB.....	55	U954BWLCM.....	57
U6B78F.....	36	U6H2PC2.....	62	U6TU1348F.....	85	U87JH1.....	55	U954WTR.....	98
U6B78M.....	36	U6H2S.....	34, 62	U6TU1354F.....	85	U87JH2.....	55	U960BMS.....	57, 99
U6B78MCH.....	36	U6H2SCU1P4C.....	62	U6TU1360F.....	85	U87JH3.....	55	U960BWHCM.....	57
U6B78N.....	35	U6H2SCU1P4H.....	62	U6WBTF.....	28, 37	U87U321A.....	59, 76	U960BWHCT.....	76
U6B84DL2C2.....	35	U6H2SHC.....	34	U7H07S24P.....	90	U87U327A.....	59	U960BWLCM.....	57
U6B84DR2C2.....	35	U6HB2L.....	34	U7H07S30P.....	90	U87U501.....	56, 63	U960WTR.....	98
U6B84DS222.....	35	U6HB3.....	62	U7H07S36P.....	90	U87U502.....	56, 63	U966BWB.....	57
U6B84F.....	36	U6HB3L.....	34	U7H07S42P.....	90	U87U503.....	56, 63	U966BWHCM.....	57
U6B84M.....	36	U6L2FG.....	37	U7H15D24PL.....	91	U87U504.....	56, 63	U966BWHCT.....	76
U6B84MCH.....	36	U6LHAKIT.....	73	U7H15D24PR.....	91	U87U506.....	56, 63	U966BWLCM.....	57
U6B84N.....	35	U6MS1201HA2F.....	73	U7H15D24SL.....	91	U87UH.....	55	U966WTR.....	98
U6B90DL4.....	35	U6MS1202HA1F.....	73	U7H15D24SR.....	91	U8BBDM.....	56	U972BWHCM.....	57
U6B90DR4.....	35	U6MS1203F.....	73	U7H15D30PL.....	91	U8BBKCH.....	54	U972BWHCT.....	76
U6B90DS222.....	35	U6MS1203HA.....	73	U7H15D30PR.....	91	U8D5PSD.....	56	U972BWLCM.....	57
U6B90F.....	36	U6MSD1HA3F.....	73	U7H15D30SL.....	91	U8D5PSS.....	56	U972WTR.....	98
U6B90M.....	36	U6MSD2HA2F.....	73	U7H15D30SR.....	91	U8EBKCH4.....	54	U978BWHCM.....	57
U6B90MCH.....	36	U6MSD3HA1F.....	73	U7H15D36PL.....	91	U8HA3LCBKIT.....	76	U978BWHCT.....	76
U6B90N.....	35	U6MSD4F.....	73	U7H15D36PR.....	91	U8HACBKIT.....	76	U978BWLCM.....	57
U6B96DL4.....	35	U6MSD4HA.....	73	U7H15D36SL.....	91	U8HSK2H.....	63	U978WTR.....	98
U6B96DR4.....	35	U6MSS1HA1F.....	73	U7H15D36SR.....	91	U8HU1P4C.....	63	U984WTR.....	98
U6B96DS222.....	35	U6MSS2F.....	73	U7H15D42PL.....	91	U8HU1P4H.....	63	U990WTR.....	98
U6B96F.....	36	U6MSS2HA.....	73	U7H15D42PR.....	91	U8IKCH.....	54	U996WTR.....	98
U6B96M.....	36	U6PE241HA.....	73	U7H15D42SL.....	91	U8IKNY1.....	54	U9BH.....	99
U6B96MCH.....	36	U6PE271HA.....	73	U7H15D42SR.....	91	U8IKNY2.....	54	U9BWMC.....	57, 76, 99
U6B96N.....	35	U6S2F.....	37	U7H15D48PL.....	91	U8IKNY3.....	54	U9CMT36.....	76
U6BC1324F.....	82	U6S7L.....	73	U7H15D48PR.....	91	U8K36DE1.....	55	U9CMT42.....	76
U6BC1324G.....	84	U6S9L.....	73	U7H15D48SL.....	91	U8K42DE1.....	55	U9CMT48.....	76
U6BC1330F.....	82	U6T2FC.....	37	U7H15D48SR.....	91	U8K48DE2.....	55	U9CMT54.....	76
U6BC1330G.....	84	U6T2FG.....	37	U7H15D54PL.....	91	U8K54DE2.....	55	U9CMT60.....	76
U6BC1336F.....	82	U6TM18F.....	83	U7H15D54PR.....	91	U8K54DS111.....	55	U9CMT66.....	76
U6BC1336G.....	84	U6TM24F.....	83	U7H15D54SL.....	91	U8K60DE2.....	55	U9CMT72.....	76
U6BC1342F.....	82	U6TM30F.....	83	U7H15D54SR.....	91	U8K60DS111.....	55	U9CMT78.....	76
U6BC1342G.....	84	U6TM36F.....	83	U7H15D60PL.....	91	U8K66D222.....	55	U9TF.....	98
U6BC1348F.....	82	U6TM42F.....	83	U7H15D60PR.....	91	U8K72D222.....	55	U9TM.....	98
U6BC1348G.....	84	U6TM48F.....	83	U7H15D60SL.....	91	U8K78D222.....	55	U9TP.....	98
U6BC1354F.....	82	U6TM54F.....	83	U7H15D60SR.....	91	U8K84D222.....	55	U9TS.....	98
U6BC1354G.....	84	U6TM60F.....	83	U7H15D66PL.....	91	U8K90D222.....	55	U9WTC.....	98
U6BC1360F.....	82	U6TS1330F.....	83	U7H15D66PR.....	91	U8K90DE4.....	55	USBEC12.....	35, 56, 63
U6BC1360G.....	84	U6TS1330G.....	84	U7H15D66SL.....	91	U8K96D222.....	55	USBEC12CH.....	35, 56, 63
U6BC1366G.....	84	U6TS1336F.....	83	U7H15D66SR.....	91	U8K96DE4.....	55	USBEC2.....	35, 56, 63
U6BC1372G.....	84	U6TS1336G.....	84	U7H15D72PL.....	91	U912WTR.....	98	USBEC2CH.....	35, 56, 63
U6BC1378G.....	84	U6TS1342F.....	83	U7H15D72PR.....	91	U918WTR.....	98	WANDFS.....	103
U6BC1384G.....	84	U6TS1342G.....	84	U7H15D72SL.....	91	U924BMS.....	57, 99	WANDFSOC.....	103
U6BC1390G.....	84	U6TS1348F.....	83	U7H15D72SR.....	91	U924BWHCM.....	57	Z5SC42.....	28
U6BC1396G.....	84	U6TS1348G.....	84	U7H15S24P.....	90	U924BWHCT.....	76	Z5SC48.....	28, 72
U6BC2024F.....	82	U6TS1354F.....	83	U7H15S24S.....	90	U924BWLCM.....	57	Z5SC54.....	28, 72
U6BC2024G.....	84	U6TS1354G.....	84	U7H15S30P.....	90	U924HT.....	76	Z5SC60.....	28, 72
U6BC2030F.....	82	U6TS1360F.....	83	U7H15S30S.....	90	U924WTR.....	98	Z5SC66.....	28
U6BC2030G.....	84	U6TS1360G.....	84	U7H15S36P.....	90	U930BMS.....	57, 99	Z5SC72.....	28
U6BC2036F.....	82	U6TS2030F.....	83	U7H15S36S.....	90	U930BWHCM.....	57	Z5SC78.....	28
U6BC2036G.....	84	U6TS2030G.....	84	U7H15S42S.....	90	U930BWHCT.....	76	Z5SC84.....	28
U6BC2042F.....	82	U6TS2036F.....	83	U7H15S48S.....	90	U930BWLCM.....	57	Z6LB.....	93
U6BC2042G.....	84	U6TS2036G.....	84	U7H15S54S.....	90	U930HT.....	76	ZW810H.....	102
U6BC2048F.....	82	U6TS2042F.....	83	U7H15S60S.....	90	U930WTR.....	98	ZW810S.....	102
U6BC2048G.....	84	U6TS2042G.....	84	U7HS24.....	90	U936BMS.....	57, 99	ZW810T.....	102
U6BC2054F.....	82	U6TS2048F.....	83	U7HS30.....	90	U936BWHCM.....	57	ZW820D.....	102
U6BC2054G.....	84	U6TS2048G.....	84	U7HS36.....	90	U936BWHCT.....	76	ZW820DH.....	102
U6BC2060F.....	82	U6TS2054F.....	83	U7HS42.....	90	U936BWLCM.....	57	ZW82KIT.....	102
U6BC2060G.....	84	U6TS2054G.....	84	U7HSB2.....	91	U936HT.....	76	ZW8LT.....	102
U6BC2066G.....	84	U6TS2060F.....	83	U7HSK1.....	90	U936WTR.....	98		
U6BC2072G.....	84	U6TS2060G.....	84	U7HSK2.....	91	U942BMS.....	57, 99		
U6BC2078G.....	84	U6TTS1330F.....	83	U7MC203615HL.....	92	U942BWB.....	57		
U6BC2084G.....	84	U6TTS1336F.....	83	U7MC203615HR.....	92	U942BWHCM.....	57		
U6BC2090G.....	84	U6TTS1342F.....	83	U7P1021P.....	92	U942BWHCT.....	76		
U6BC2096G.....	84	U6TTS1348F.....	83	U7P1027PBL.....	92	U942BWLCM.....	57		
U6BL1221ML.....	85	U6TTS1354F.....	83	U7P1027PBR.....	92	U942HT.....	76		
U6BL1221MR.....	85	U6TTS1360F.....	83	U7P1521PD.....	92	U942WTR.....	98		
U6BL1227ML.....	85	U6TTS2030F.....	83	U7P1527PD.....	92	U948BMS.....	57, 99		
U6BL1227MR.....	85	U6TTS2036F.....	83	U7T421221ADL.....	93	U948BWHCM.....	57		
U6BMTW.....	37	U6TTS2042F.....	83	U7T421221ADR.....	93	U948BWHCT.....	76		
U6E24D1HA1F.....	73	U6TTS2048F.....	83	U7T421227ADL.....	93	U948BWLCM.....	57		
U6E24D2F.....	73	U6TTS2054F.....	83	U7T421227ADR.....	93	U948HT.....	76		







## SEATING UPHOLSTERY FOR SCREENS — RR CUT

## GRADE 1 (Use Grade A Pricing)

<b>CENTURION B, C, F, O, S, T</b>	
CTU code shortened to <b>CU</b>	
<i>(Nanotex™ Stain-Resistant finish)</i>	
Apricot.....	CU47
Bark.....	CU25
Berry.....	CU62
Black.....	CU10
Cerulean.....	CU90
Espresso.....	CU49
Frost.....	CU22
Goldenrod.....	CU27
Iris <b>NEW!</b> .....	CU50
Iron Ore.....	CU19
Jade.....	CU83
Marsala.....	CU63
Morel.....	CU24
Navy.....	CU98
Olivine.....	CU82
Peacock.....	CU97
Pear.....	CU84
Poppy.....	CU42
Ruby.....	CU67

**DAPPER NEW! B<sup>w</sup>, F<sup>w</sup>, S<sup>w</sup>, T<sup>w</sup>**  
(100% Polyester)

Ash.....	DAPR20
Azalea.....	DAPR95
Breeze.....	DAPR06
Canvas.....	DAPR25
Current.....	DAPR00
Emerald.....	DAPR75
Fawn.....	DAPR35
Fern.....	DAPR85
Jewel.....	DAPR08
Marigold.....	DAPR65
Onyx.....	DAPR10
Orchid.....	DAPR90
Peony.....	DAPR50
Pool.....	DAPR05
Rose.....	DAPR40
Sapphire.....	DAPR07
Scarlet.....	DAPR45
Sepia.....	DAPR30
Slate.....	DAPR15
Sorbet.....	DAPR55
Spice.....	DAPR60
Spring.....	DAPR80
Varsity.....	DAPR09
Zest.....	DAPR70

**PERENNIAL E B, C, F, S, T**  
(100% Recycled)

Bark.....	PNL04
Bellflower.....	PNL13
Daylily.....	PNL06
Delphinium.....	PNL05
Fennel.....	PNL07
Fuchsia.....	PNL15
Helenium.....	PNL17
Iris.....	PNL01
Ivy.....	PNL10
Lilium.....	PNL14
Phlox.....	PNL16
Primrose.....	PNL12
Sage.....	PNL03
Zinnia.....	PNL09

## GRADE 2 (Use Grade B Pricing)

<b>MOGULS C, O, F, S</b>	
<i>(100% Recycled)</i>	
Birch.....	MOG43
Flare.....	MOG88
Grape Jelly.....	MOG95
Graphite.....	MOG97
Java.....	MOG42
Mandarin.....	MOG45
Navy.....	MOG86
Onyx.....	MOG99
Verdant.....	MOG44
Waterfall.....	MOG26

**NARRATIVE B, C, F, O, S, T**  
(58% Recycled)

Buff.....	NTV03
Cerulean.....	NTV09
Conifer.....	NTV10
Cordovan.....	NTV05
Falu Red.....	NTV06
Mustard.....	NTV07
Pebble.....	NTV02
Prussian Blue.....	NTV08
Umber.....	NTV01
White Pepper.....	NTV04

## GRADE 4 (Use Grade D Pricing)

**Maharam MEDIUM C, F, S, T**

Alloy.....	MDM003
Bark.....	MDM006
Blackberry.....	MDM052
Cascade.....	MDM051
Clover.....	MDM042
Cosmic.....	MDM050
Cream.....	MDM030
Delight.....	MDM036
Espresso.....	MDM007
Flax.....	MDM004
Furrow.....	MDM034
Hazard.....	MDM035
Hike.....	MDM047
Honey.....	MDM033
Iris.....	MDM037
Laser.....	MDM014
Lavender.....	MDM038
Mallard.....	MDM041
Marina.....	MDM022
Nasturtium.....	MDM053
Nautical.....	MDM039
Pacific.....	MDM049
Pecan.....	MDM008
Persimmon.....	MDM013
Pistachio.....	MDM029
Pool.....	MDM040
Port.....	MDM016
Prospect.....	MDM032
Pumpkin.....	MDM012
Raven.....	MDM001
Sculpture.....	MDM045
Sift.....	MDM031
Smoke.....	MDM002
Tangle.....	MDM048
Thatched.....	MDM046
Thistle.....	MDM043
Washed.....	MDM044
Wooded.....	MDM054

## GRADE 4 (Use Grade D Pricing)

**Maharam MESSENGER C, F, S, T**  
(78% Recycled)

Ash.....	GRM977
Aster.....	GRM967
Azure.....	GRM941
Balsa.....	GRM901
Bayou.....	GRM908
Beyond.....	GRM985
Cactus.....	GRM945
Capri.....	GRM961
Cassis.....	GRM966
Cherry.....	GRM969
Chestnut.....	GRM952
Chili.....	GRM983
Cloud.....	GRM931
Depth.....	GRM938
Electric.....	GRM988
Everglade.....	GRM987
Fennel.....	GRM959
Fireside.....	GRM982
Fossil.....	GRM976
Husk.....	GRM981
Hydrangea.....	GRM950
Ice.....	GRM946
Lilac.....	GRM951
Lumine.....	GRM954
Mao.....	GRM925
Neon.....	GRM948
Nile.....	GRM940
Onyx.....	GRM929
Oyster.....	GRM979
Pensive.....	GRM980
Peridot.....	GRM960
Poppy.....	GRM924
Robust.....	GRM984
Satchel.....	GRM975
Satsuma.....	GRM971
Shadow.....	GRM907
Spice.....	GRM968
Squall.....	GRM963
Tangelo.....	GRM953
Tobacco.....	GRM906
Turf.....	GRM947
Ultramarine.....	GRM962
Vibrant.....	GRM970
Voyage.....	GRM986
Zinc.....	GRM910

## GRADE 5 (Use Grade E Pricing)

<b>WOOLY F</b>	
Bamboo.....	WOL008
Black.....	WOL005
Chaps.....	WOL014
Charcoal Flannel.....	WOL004
Framboise.....	WOL012
Geranium.....	WOL011
Grey Flannel.....	WOL003
Lawn.....	WOL009
Light Grey Mix.....	WOL002
Marine.....	WOL007
Natural Heather.....	WOL001
Squash.....	WOL010
Turquoise.....	WOL006
Violet.....	WOL013
Walnut.....	WOL015

Multi-use fabrics are noted with the following designators:

**B** – Tackboards, **C** – Concensys®,  
**F** – Further™, **O** – Optimize™,  
**S** – Stride®, **T** – Terrace®.<sup>w</sup> limited to 48"W or less

## ALLSTEEL PARTNERSHIP PROGRAM

Allsteel understands that customers may want to specify panel and seating textiles outside of Allsteel's standard offering. Allsteel's Partnership Program consists of on-trend and design-forward patterns that have been tested and approved by Allsteel for use on Allsteel products. A subset of these approved patterns is available on cards in the textile binder, while numerous others are available on our website, [allsteeloffice.com](http://allsteeloffice.com).

For memo samples, please contact our partners:

- Carnegie, [carnegiefabrics.com](http://carnegiefabrics.com) 1.800.727.6770
- CF Stinson, [cfstinson.com](http://cfstinson.com) 1.800.841.6279
- Edelman, [edelmanleather.com](http://edelmanleather.com) 1.800.886.8339
- HBF Textiles, [hbftextiles.com](http://hbftextiles.com) 1.877.494.5727
- Maharam, [maharam.com](http://maharam.com) 1.800.645.3943
- Momentum Textiles, [memosamples.com](http://memosamples.com) 1.800.366.6839
- Ultrafabrics, [ultrafabricsllc.com](http://ultrafabricsllc.com)

The intent of the **Partnership Program** is to offer a wide variety of on-trend textiles to meet your varied needs, but since these textiles are not part of our standard offering they may be subject to extended lead times. Because new materials will be introduced regularly, Allsteel reserves the right to change the offering at any time.



**GRADE A****APPOINT PANEL***100% Polyester*

Artichoke.....	APN911
Blackberry.....	APN932
Bronze.....	APN922
Carbon.....	APN928
Chai.....	APN912
Cherry.....	APN930
Copper.....	APN918
Dark Pewter.....	APN917
Dune.....	APN915
Espresso.....	APN923
Frost.....	APN934
Framboise.....	APN931
Hummus.....	APN914
Jet.....	APN927
Lawn.....	APN925
Mandarin.....	APN929
Morel.....	APN909
Nimbus.....	APN916
Platinum.....	APN924
Turmeric.....	APN910
Turquoise.....	APN926
Walnut.....	APN913

**ELEMENT***100% Polyester*

Flint.....	GN965
Indigo.....	GN967
Latte.....	GN973
Millet.....	GN972
Parchment.....	GN953
Sea.....	GN974
Veil.....	GN913
Warm Beige.....	GN955
Wisp.....	GN975

**ETCH***100% Polyester*

Aquatint.....	ECH901
Crosshatch.....	ECH904
Engrave.....	ECH902
Intaglio.....	ECH906
Lithograph.....	ECH903
Mezzotint.....	ECH907
Woodcut.....	ECH905

**EXCHANGE***100% Polyester*

Florin.....	EXG908
Franc.....	EXG902
Krona.....	EXG907
Lira.....	EXG906
Riyal.....	EXG901
Rupee.....	EXG903
Tolar.....	EXG904

**LANDSCAPE***100% Polyester*

Corn silk.....	LN15
Drift.....	LN05
Khaki.....	LN20
Sheen.....	LN10
Slate.....	LN35
Umber.....	LN25
Urban.....	LN30

**GRADE A – continued****LUCY***100% Recycled Polyester*

Aspen.....	LC932
Corn silk.....	LC930
Dusk.....	LC922
Fawn.....	LC933
Graphite.....	LC934
Mist.....	LC920
Neutra.....	LC924
Pewter.....	LC935
Snowdrop.....	LC928

**REFLECTIONS***100% Recycled Polyester*

Bamboo.....	REF926
Galvanized.....	REF929
Ice.....	REF920
Loggia.....	REF921
Mistral.....	REF928
Moonstone.....	REF923
Pewter.....	REF922
Stainless.....	REF924
Vanilla.....	REF925
Winter.....	REF927

**REFUGE***64% Recycled Polyester**36% Polyester*

Artesian.....	RFG996
Dune.....	RFG992
Eclipse <b>NEW!</b> .....	RFG990
Frost †.....	RFG993
Glacier † <b>NEW!</b> .....	RFG991
Hemp.....	RFG997
Mineral.....	RFG998
Sandbar.....	RFG995
Tidal.....	RFG994

**TANGO***100% Polyester*

Aficionado.....	TG994
Azul.....	TG993
Bongo.....	TG980
Dip.....	TG982
Palma.....	TG991
Pecan.....	TG985
Pistachio.....	TG986
Playa.....	TG933
Salsa.....	TG987
Sol.....	TG992
Tequila.....	TG990

**TEMPEST***100% Recycled Polyester*

Dragonfly.....	TP930
Frost.....	TP915
Full Stream.....	TP980
Ginger.....	TP925
Gold Rush.....	TP910
Sandstorm.....	TP950
Slate.....	TP945
Tumbleweed.....	TP970
Wind Chill.....	TP940
Zebra.....	TP935

**GRADE B****COAST †***100% Antimony-Free Polyester*

Channel.....	COA914
Dune.....	COA903
Fjord.....	COA905
Headlands.....	COA910
Humus.....	COA907
Marsh.....	COA902
Pebble.....	COA912
Pier.....	COA913
Shoal.....	COA901
Silt.....	COA906
Tide.....	COA908
Tombolo.....	COA909

**GRADE B – continued****MICA***100% Recycled Polyester*

Anthracite.....	MCA911
Breeze.....	MCA918
Bronze.....	MCA913
Buff.....	MCA914
Cremini.....	MCA917
Crystal †.....	MCA911
Dew.....	MCA920
Dove.....	MCA912
Fresh.....	MCA916
Mineral.....	MCA915
Nectar.....	MCA919
Shale.....	MCA910

**SPIN PANEL***46% Recycled Polyester,**56% Polyester*

Alabaster.....	SPIN02
Cavern.....	SPIN03
Cobblestone.....	SPIN04
Ember.....	SPIN06
Flame.....	SPIN07
Heron.....	SPIN13
Oat.....	SPIN01
Ocean.....	SPIN12
Plum.....	SPIN15
Pool.....	SPIN11
Raven.....	SPIN10
Rhubarb.....	SPIN14
Tropic.....	SPIN08
Willow.....	SPIN05

**TASANEI D***100% Polyester*

Birch.....	TSN936
Cinder.....	TSN959
Citrus.....	TSN987
Cumin.....	TSN998
Feather.....	TSN924
Frost.....	TSN951
Pebble.....	TSN948
Silk.....	TSN912
Water.....	TSN963
Willow.....	TSN975

**TERRAIN***52% Recycled Polyester,**48% Polyester*

Bay.....	TRRN05
Bayou.....	TRRN35
Canyon.....	TRRN30
Cliff.....	TRRN45
Crest.....	TRRN25
Delta.....	TRRN10
Plateau.....	TRRN15
Ridge.....	TRRN20
Valley.....	TRRN40

**ALLSTEEL****PARTNERSHIP PROGRAM**

See page 114 for detailed explanation of Partnership Program.

**GRADE C****PACT † ♦**

Aloe**.....	PAC900
Azure.....	PAC911
Calla**.....	PAC922
Coastal.....	PAC933
Delft.....	PAC944
Dove**.....	PAC955
Dragon.....	PAC966
Eureka.....	PAC977
Fern.....	PAC988
Harbour.....	PAC999
Lily.....	PAC910
Lime.....	PAC921
Midnight.....	PAC932
Nectar.....	PAC943
Patina.....	PAC954
Putty**.....	PAC965
Roast.....	PAC976
Roma.....	PAC987
Rubine.....	PAC998
Sketch.....	PAC909
Tanzanite.....	PAC920
Taupe**.....	PAC931
Toasty**.....	PAC942

\*\* Colors not available on tackboards

**SCRIPT**

Almond.....	PMOMSCP01
Charcoal.....	PMOMSCP12
Feldspar.....	PMOMSCP23
Flint.....	PMOMSCP34
Nectar.....	PMOMSCP45
Patina.....	PMOMSCP56
Pebble.....	PMOMSCP67
Sand.....	PMOMSCP78
Shadow.....	PMOMSCP89
Slate.....	PMOMSCP00
Sterling.....	PMOMSCP11
Taupe.....	PMOMSCP22
Zinc.....	PMOMSCP33

D Discontinued 12/15/2017

† Panel fabric is not available on Optimize or Concensys.

♦ Panel fabric is not available on Involve.

**SPECIFICATION AND  
PRICE LIST 2017**  
prices effective January 29

**SHOWROOMS**

Atlanta  
Boston  
Chicago  
Dallas  
Los Angeles  
New York  
San Francisco  
Washington, DC

Allsteel®

Allsteel Inc.  
Muscatine, Iowa 52761-5257  
[allsteeloffice.com](http://allsteeloffice.com)

©2017 Allsteel Inc.  
All registered trademarks and trademarks are the property of Allsteel Inc.