
Genesis® Desking Price List

January 3, 2011 Updated January 1, 2016 800-424-2432





1

| Conocie® Nocking | | | |
|---------------------|--|------------|--|
| Genesis® Desking | General information | 2 | |
| | | L | |
| Genesis® Specificat | ions | 4 | |
| enesis® Worksurfa | Ces | | |
| | Basic Rectangular | 6 | |
| | Tripod Corner Fixed Height | 18 | |
| | Tripod Corner Pin and Crank Height Adjustable | 20 | |
| | Tripod Corner Electric Height Adjustable | 24 | |
| | Reduction Tripod Corner Fixed Height | 28 | |
| | Reduction Tripod Corner Fixed Height Dual | 32 | |
| | Reduction Tripod Corner Pin Height Adjustable | 36 | |
| | Reduction Tripod Corner Crank Height Adjustable | 38 | |
| | Reduction Tripod Corner Crank Height Dual | 40 | |
| | Reduction Tripod Corner Electric Height Adjustable | 44 | |
| | Reduction Tripod Corner Electric Height Adjustable Dual | 48 | |
| | Square Shoe Fixed Height | 52 56 | |
| | Square Shoe Fixed Height Dual Square Shoe Pin Height Adjustable | 60 | |
| | Square Shoe Crank Height Adjustable | 62 | |
| | Square Shoe Crank Height Dual | 64 | |
| | Square Shoe Electric Height Adjustable | 68 | |
| | Square Shoe Electric Height Adjustable Dual | 72 | |
| | Reduction Square Shoe Fixed Height | 76 | |
| | Reduction Square Shoe Fixed Height Dual | 80 | |
| | Reduction Square Shoe Pin Height Adjustable | 84 | |
| | Reduction Square Shoe Crank Height Adjustable | 86 | |
| | Reduction Square Shoe Crank Height Dual | 88 | |
| | Reduction Square Shoe Electric Height Adjustable | 92 | |
| | Reduction Square Shoe Electric Height Adjustable Dual | 96 | |
| | "P" Shaped Peninsula | 100 | |
| | Arcade Peninsula | 104 | |
| | Two-Legged Croner | 108 | |
| Balance® Storage A | ccessories | | |
| - | Overhead Storage | 114 | |
| Balance® Storage a | | | |
| | Balance® Task Lights | 116 | |
| Universal Storage A | | | |
| | Overhead Storage | 118 | |
| Jniversal Storage a | | | |
| | Universal Task Lights | 120 | |
| | Overhead Shelf/Tool Rail Kits | 122 | |
| Storage Accessories | | | |
| | Paper Management | 124 | |
| Accessories | | 100 | |
| | Privacy Screens | 128 | |
| | Electrical | 138 144 | |
| A | | | |
| Accessories Worksu | rtaces | 146 | |
| | | 152 | |
| ıdex | | | |



Freestanding Design

| Features | |
|--------------------------|---|
| Rectangular worksurface | • |
| Corner worksurface | • |
| Peninsula worksurface | • |
| Fixed-height base | • |
| Pin-adjustable base | • |
| Crank-adjustable base | • |
| Electric-adjustable base | • |
| Wire management | • |

Modesty panel





3

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

ANSI Requirements All fixed and adjustable tables meet or exceed ANSI/BIFMA 1998 requirements for desk products. The adjustable tables meet the ANSI/HFS 100-1988 standard for adjustability and knee clearance.

ADA Requirements

The tables meet the ADA specification for wheelchair access and height of surfaces.

Genesis[®] Specifications

Genesis® tables are available in fixed height as well as adjustable. All fixed and adjustable tables meet or exceed ANSI/BIFMA 1998 requirements for desk products. The adjustable tables meet the ANSI/HFS 100-1988 standard for adjustability and knee clearance. The tables meet the ADA specifications for wheelchair access and height of surfaces. The metal components of Genesis® tables are powder coated for appearance and durability. All plastic components are color matched in accordance with the KI color program.

TABLE BASE SPECIFICATIONS

Fixed-Height Tables

Each leg assembly is comprised of a 2" \times 3" \times 14-gauge steel tube that is welded to a steel foot, and on the other end, to worksurface support. The 14-gauge, drawformed foot provides strength and room for carpet levelers in a low profile, sculpted component. The worksurface support is an 11-gauge steel, draw-formed component that provides high strength to support large, cantilevered loads. Extruded aluminum covers are attached to the front and back of the upright tubing. Leg assemblies are modified in the factory so that finished heights with glides is 29".

Pin-Adjustable Tables

Each leg assembly is comprised of 1-3/8" x 2-3/4" x 16-gauge steel tube that telescopes inside a 2" x 3" x 14-gauge steel outer leg tube. Nylon bushings ensure a smooth, telescoping action between the tubes. A 14-gauge, draw-formed foot is welded to the outer leg tube, and provides strength and room for carpet levelers in a low profile, sculpted component. An 11-gauge steel, draw-formed worksurface support is welded to the inner tube, and provides strength to support large, cantilevered loads, Extruded aluminum covers are attached to the front and back of the upright tubing for visual appeal. A spring steel button, protruding through holes in both tubes, allows for adjustment in one-inch increments from 24" to 31".

Crank-Adjustable Tables

Each leg assembly is comprised of 1-3/8" x 2-3/4" x 16-gauge steel tube that telescopes inside a 2" x 3" x 14-gauge steel outer leg tube. Nylon bushings ensure a smooth. telescoping action between the tubes. A 14-gauge, draw-formed foot is welded to the outer leg tube, and provides strength and room for carpet levelers in a low profile, sculpted component. An 11-gauge steel, draw-formed worksurface support is welded to the inner tube, and provides strength to support large, cantilevered loads on the worksurface. Extruded aluminum covers are attached to the front and back of the upright tubing for visual appeal. The table is manually adjustable from 22" to 33" or 27" to 43" by turning a crank. The crank raises or lowers the table at a rate of 1 inch per 10 revolutions. A lifting mechanism inside of each leg provides a uniform lifting force to

the worksurface, regardless of the loading condition. Each mechanism is comprised of a steel acme-threaded rod turning through a delrin lead nut. The delrin nut provides a silent operation, low friction, and excellent wear characteristics. The acme rods deliver a lifting force to the underside of the surface supports. Precision needle roller bearings provide a smooth, quiet interface between the rotating acme rods and the surface supports. The lifting mechanisms are synchronized via a 1/4" pitch roller chain that spans the distance between the table legs. The chain engages each acme-threaded rod through a delrin sprocket that is attached to the rod.

Electric-Adjustable Tables

Each leg assembly is comprised of a triple telescoping steel tube with an overall dimension of 4 3" x 2 28" Extruded aluminum covers are attached to the back of the upright tubing for visual appeal. The table is electrically adjustable from 24" to 51" by pressing a button. Motors raise or lower the table at a rate of 1.7 inches per second. The motors drive a lifting mechanism inside of each leg to provide a uniform lifting force to the worksurface, regardless of the loading condition. The parallel connectors synchronize the motors electronically. The controller keeps track of each motor revolution, and ensures that the motors remain in perfect synchronization. The user interface occurs at the switch. The basic controller includes up/down buttons and three memory presets. The deluxe also includes a digital display indicating the height of the worksurface. A keyboard mechanism is available on most electrically adjustable tables. The mechanism allows the keyboard surface to be easily adjusted 5" above or below the primary worksurface. The mechanism also provides +/- 15° of tilt.

WORKSURFACE SPECIFICATIONS

74P, EP and KN Worksurfaces

74P, elliptical-postform (EP) and Knife-edge (KN) worksurfaces are constructed of 1-1/8" thick, 45-pound density particleboard. A .030" minimum thickness laminate provides a durable writing surface. The backer is a .030" minimum thickness melamine sheet. This provides a balanced construction that gives greater strength and prevents warping. All mounting holes are pre-drilled for easier table assembly and maximum holding power. A steel channel is provided for extra structure on tables with unsupported spans over 51". The 74P and KN surfaces are available in curvilinear or traditional shapes. The elliptical-postform surfaces are available in traditional shapes.

MP Worksurfaces

Membrane pressed worksurfaces are constructed of 1-1/8" thick, high-density fiberboard. A .021" thick vinyl foil sheet is applied to the core under heat and pressure. The vinyl foil includes a .005" thick urethane topcoat for surface protection. All mounting holes are pre-drilled for easier table assembly and maximum holding power. A steel channel is provided for extra structure on tables with unsupported spans over 51". Membrane pressed worksurfaces are available in curvilinear or transitional shapes. Peninsula and square shoe shapes are not available.

Powder-Coated Finish

Epoxy powder coating is electrostatically applied. The dry coating is then fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and mar-resistant.

Wire Management Trough

Troughs are formed from 16-gauge CRS and powder coated to match the table base. Trough is 5" tall; width on the bottom of the trough is 3.9" and opens up to 6.4" at the top. On fixed-height tables, the wire management trough is attached to the back of the legs with 4 thread-forming screws.

Modesty Panel

Modesty panels are constructed of textured CRS, 18-gauge to 16-gauge in thickness. The 8" modesty panels are suspended from the worksurface via 11-gauge steel brackets. There is a 1" gap between the panels and the worksurface in order to pass wires, and the panels are inset from the back edge by 1". Modesty panels can be used on all types of Genesis® Desking, regardless of adjustability. However, the modesty panel will conflict with a wire trough on adjustable tables and the two accessories should not be specified together. All corner tables and square shoes use two modesty panels along the back edges. Peninsula tables use one panel along the 48" back edge only so as not to interfere with conferencing capabilities.

Universal and Balance® Overhead-Note different stanchion for overhead support

Balance[®] Overhead Storage

The overhead storage unit shall have door(s) that are mechanically assisted in such a way as to keep the door(s) balanced throughout its operation such that the action of both opening and closing is automatically controlled such that the door doesn't spring open or slam closed. The overhead storage unit structure and mechanical assist mechanism shall have a Lifetime warranty. The overhead storage unit shall comply with the Americans with Disabilities Act ADA 4.2.5 and 4.2.6 whereby a user shall not reach higher than 48" from the floor to the front of the unit or no higher than 54" to the side. The overhead storage unit shall comply with the Americans with Disabilities Act ADA 4.27.4 whereby the door shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to operate the door (open and close) shall be no greater than five foot pounds. The door of the overhead storage unit shall open to the outside of the cabinet to help prevent the storage of unsightly papers on the top of the cabinet, yet there shall be a narrow space at the rear of the cabinet to allow plants or other small items to be displayed. The overhead storage unit shall accommodate standard American size three ring binders as well as A4 and Folscap sized binders, up to 13-3/4" high. The overhead storage unit shall be available with an upper door that can be upholstered in fabric as well as offered in solid colored, translucent, and high-pressure laminate.

Universal Overhead Cabinet

The product shall be offered in widths of 24", 30", 36", 42", 48", 54" and 60". The overall dimensions of the end panels shall be 16-1/2" high and 14-1/2" deep. The shelf depth shall be 13-1/4". Each cabinet shall include separate brackets, which allow for either on or off-module mounting. Off-module cabinet shall mount into slots in vertical posts. Cabinet must be same width as the panel to which it is mounted. Off-module cabinet shall mount into the integral track in the horizontal rail, allowing cabinet to slide along track. Door fronts shall be offered in steel, fabric, and laminate versions with a dual-durometer extruded handle. The door front will operate on a rack and pinion gear system and will utilize a center lock mechanism. The door front will store recessed inside the cabinet with the handle exposed. The steel door front shall be of honevcomb core constructions with a powder coat finish. The construction of the fabric door front shall be identical to the steel door front except that the outer surface of the door front is covered with fabric. The laminate door front shall be high-pressure laminate covering a particleboard core. The overhead stanchions mount to the under surface of any fixed desk with overhead grommets.

Shelf Dividers

Shelf dividers shall be offered in the same color trim as the panels. The shelf dividers shall be powder coated steel. Installation and removal shall be accomplished without the use of tools or fasteners.

Accessories

Task lights shall be available which suspend from the shelf and overhead cabinet. The task light shall mount flush with the underside of the shelf and overhead cabinet. Task lights shall be offered in standard panel trim colors. The task light shall have a 9' cord. Task lights will be available in three versions: standard high-power factor ballast, variable (high/low) high-power factor ballast and electronic ballast. All three options include a cool white lamp. Cords can be concealed by tucking between the reveal along tiles.

Privacy Screens

Privacy screens shall be available to provide sit down privacy or standup privacy within Genesis® workstations. Screens shall be 3/4" thick, 18" through 38" high and available to fit all worksurfaces. Screens shall attach to the back of the legs providing a stationary height for the screen even when attached to an adjustable height desk. Screens are mounted 1" to 1-1/2" from the worksurface

Genesis[®] Specifications

edge. Privacy screens shall be designed for straight-line applications. They shall include mounting brackets for attachment. Screens shall be available for straight applications in 24", 30", 36", 42", 48", 54", 60", 66" and 72" widths. The 66" and 72" widths shall consist of a pair of screens (1) 30" screen plus (1) 36" screen for the 66" application and (2) 36" screens with splice for 72" applications. Screens may be used to serve two worksurfaces placed back-to-back. Privacy screens shall be useable on worksurfaces with overhead storage units to close the opening between the worksurface and the bottom shelf. Privacy screens will consist of two different aluminum extrusion profiles, each with die-cast corner connectors to create a rectangular frame. The frames will be either upholstered or painted, depending on the options. Between the two assembled frames, different core materials can be inserted. The screen material shall be made of 1/2" or 3/4" thick tackable core light or a 10 mm thick non-tackable translucent plastic. The extruded aluminum frame shall be .060" thick. The attachment bracket shall be made of 7 gauge steel. End-of-run privacy screens shall be available in 24" and 30" widths to match the depth of the fixed height worksurface that it will be used on. End-of-run privacy screens attach to the underside of the worksurface. End-of-run privacy screens shall have the same height and finishes as the regular privacy screens.

10-Wire Electrical Distribution System

The 10-wire system is available in two configurations (6-2-2 and 4-4-2). The UL label is green for 6-2-2 and blue for 4-4-2 applications. These numbers refer to the guantity of hot, neutral and ground wires configured in each system. Both 6-2-2 and 4-4-2 systems may be brought into the system from the ceiling, the wall or the floor, through the use of top feeds and base feeds. Genesis® 10-wire electrical will be able to integrate with KI's WireWorks® panel system with the addition of the appropriate connectors. The 10-wire electrical distribution system will consist of a 10-wire harness. table-to-table connectors and a 10-wire infeed kit. The 2.16" wide double-sided rigid 10-wire harness shall mount inside the wire management trough and shall be available in widths to span the worksurface. The 30" to 66" wide worksurface harness kit shall accommodate (2) 15 amp duplex receptacles and the 72" wide worksurface harness kit shall accommodate up to (4) 15 amp duplex receptacles. Receptacles shall be available to access the up to 6 circuits within the harness and must be ordered separately. Both 10-wire circuits are rated at 120 VAC@ 20 amps. All receptacles are rated at 15 amps. The specifics of each wiring configuration are detailed below.

Note: The two 10-wire systems (4-4-2 and 6-2-2) cannot be mixed together. The wiring systems must be separate. There are different receptacles for each system, and different connectors specific to each system. Keyed connectors will not allow the 2 systems to be mixed.

6-2-2 Configuration

The 6-2-2 configuration of the 10-wire system will have three "convenience" circuits (1. 2 and 3) which will each have their own hot wire, will share an oversized neutral wire and will share the building ground wire. Circuits 4, 5 and 6 are "isolated ground" circuits that will each have their own hot wire, will share an oversized neutral wire, and will share an isolated ground wire. The advantage of this system is that it will be able to have 6 circuits coming in via one top feed or base feed. This will cut down on the number of feed points on an installation. The number 4, 5 and 6 receptacles will be colored orange to designate that they are on the isolated ground while the number 1, 2 and 3 receptacles come in standard trim colors

4-4-2 Configuration

The 4-4-2 configuration of the 10-wire system will have two "convenience" circuits (1 and 2), which will each have their own hot wire, their own neutral wire and will share the building ground wire. Circuits 3 and 4 receptacles are the "isolated ground" which will each have their own hot wire their own neutral wire, and will share an isolated ground wire. The advantage of this system is that all of the circuits will have their own neutral wires and it has two circuits (3 and 4) that use an isolated ground. The number 3 and 4 receptacles will be colored orange to designate that they are on the isolated ground, while the number 1 and 2 receptacles come in standard trim colors.

10-Wire Power Infeed Kit

The 10-wire power infeed kit shall provide power from fixed floor or wall sources to the 10-wire harness. It shall include 6' of plastic covered flexible conduit. To connect the hardwire end of a 10-wire top feed or base feed to your building, use a 3/4" Romex connector on the conduit.

10-Wire Power Table-to-Table Connector

10-wire table-to-table connector shall consist of a sleeved flexible harness, which provides power connections from adjoining desks. The jumper shall have a length of 27".

Fabric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Basic Rectangular

| | | MODEL NUM | | | | | | | | | | |
|---|----------|-------------|-------|----------|---------|--------|----------|--------|--------|-------|---------|----------|
| | | MODEL NOM | DER | | | | | | | | | _ |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | Approx. |
| | | Basic | Edge | Module | Modesty | Wire | Overhead | Trans. | Base | Edge | Surface | Packaged |
| | D x W | Model | Style | Location | Panel | Trough | Grommet | Legs | Finish | Color | Finish | Weight |
| ~ | 24 x 30" | GSTR2430S/F | | | | | | | | | | 64.0# |
| | 24 x 36" | GSTR2436S/F | | | | | | | | | | 70.0# |
| | 24 x 42" | GSTR2442S/F | | | | | | | | | | 75.0# |
| | 24 x 48" | GSTR2448S/F | | | | | | | | | | 81.0# |
| | 24 x 54" | GSTR2454S/F | | | | | | | | | | 88.0# |
| | 24 x 60" | GSTR2460S/F | | | | | | | | | | 94.0# |
| GSTR | 24 x 66" | GSTR2466S/F | | | | | | | | | | 100.0# |
| Fixed Height | 24 x 72" | GSTR2472S/F | | | | | | | | | | 110.0# |
| Rectangular surface with straight | 30 x 30" | GSTR3030S/F | | | | | | | | | | 73.0# |
| front | 30 x 36" | GSTR3036S/F | | | | | | | | | | 80.0# |
| Fixed height at 29" Adjustable glides | 30 x 42" | GSTR3042S/F | | | | | | | | | | 87.0# |
| Aujustable glides | 30 x 48" | GSTR3048S/F | | | | | | | | | | 94.0# |
| | 30 x 54" | GSTR3054S/F | | | | | | | | | | 103.0# |
| | 30 x 60" | GSTR3060S/F | | | | | | | | | | 110.0# |
| | 30 x 66" | GSTR3066S/F | | | | | | | | | | 117.0# |
| | 30 x 72" | GSTR3072S/F | | | | | | | | | | 129.0# |
| ~ | 24 x 42" | GSTR2442D/F | | | | | | TS | | | | 96.0# |
| | 24 x 48" | GSTR2448D/F | | | | | | TS | | | | 102.0# |
| | 30 x 42" | GSTR3042D/F | | | | | | | | | | 107.0# |
| | 30 x 48" | GSTR3048D/F | | | | | | | | | | 115.0# |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| STR | | | | | | | | | | | | |
| ixed Height Dual | | | | | | | | | | | | |
| Rectangular surface with straight | | | | | | | | | | | | |
| front | | | | | | | | | | | | |
| Fixed height at 29" | | | | | | | | | | | | |
| Keyboard surface adjusts 5" above/ | | | | | | | | | | | | |
| below primary surface. Adjustable glides | | | | | | | | | | | | |
| Keyboard surface tilts +/-15° | | | | | | | | | | | | |
| | | | | - | | | | | | | | |
| | | A | 6 | C | D | Ø | 6 | G | 0 | 0 | J | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

```
Select edge style.

74P - 74P edge

EP - Elliptical postformed edge

KN - Knife edge

MP - Membrane edge
```

© Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data

 PUL
 - Left module; add \$119

 PUR
 - Right module; add \$119

 PUC
 - Center module; add \$119

 PUB
 - Both left and right modules; add \$242

PUL and PUR option only available on worksurfaces 42" wide or greater. PUB option only available on 60", 66" and 72" wide only. PUC and OGY may not both be selected for 66" and 72" wide. Only PUN or PUC may be selected for 24" deep dual surface rectangular tables.

Select modesty panel option.
 <u>NM</u> - No modesty panel
 <u>WM</u> - With modesty panel
 Add upcharge to unit price for "WM"
 option.

Select wire trough and power option. <u>NW</u> - No wire trough <u>WW</u> - Wire trough Add upcharge to unit price for "WW" option.

Select overhead grommet.
 OGN - Overhead grommets no
 OGY - Overhead grommets yes
 OGY not available for 24" deep dual
 rectangles wider then 60".

GSelect transition legs.

| TS | No transition foot | |
|----|---|--|
| TL | Left transition foot | |
| TR | Right transition foot | |
| TB | Both transition feet | |

TR, TL and TB not allowed on 24" deep dual surfaces.

Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select edge/PowerUp module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

6

Genesis® Worksurfaces

Basic Rectangular

| 74P Edge | Elliptical Postformed Edge | Knife Edge | Membrane Edge | Modesty Panel add to list | Wire Trough add to list |
|----------|----------------------------|------------|---------------|---------------------------------|-------------------------------|
| (74P) | (EP) | (KN) | (MP) | price | price |
| \$ 979 | \$ 1016 | \$ 1035 | \$ 1035 | \$ 131 | \$ 403 |
| 1007 | 1040 | 1084 | 1084 | 136 | 444 |
| 1052 | 1088 | 1101 | 1101 | 145 | 460 |
| 1059 | 1091 | 1106 | 1106 | 157 | 523 |
| 1106 | 1140 | 1280 | 1280 | 163 | 544 |
| 1115 | 1146 | 1297 | 1297 | 193 | 559 |
| 1163 | 1193 | 1395 | 1395 | 199 | 752 |
| 1172 | 1199 | 1396 | 1396 | 219 | 775 |
| 982 | 1026 | 1039 | 1039 | 131 | 403 |
| 1008 | 1057 | 1088 | 1088 | 136 | 444 |
| 1058 | 1083 | 1105 | 1105 | 145 | 460 |
| 1062 | 1091 | 1109 | 1109 | 157 | 523 |
| 1109 | 1161 | 1258 | 1258 | 163 | 544 |
| 1121 | 1173 | 1264 | 1264 | 193 | 559 |
| 1168 | 1223 | 1395 | 1395 | 199 | 752 |
| 1174 | 1226 | 1396 | 1396 | 219 | 775 |
| \$ 2056 | \$ 2095 | \$ 2104 | \$ 2104 | \$ 145 | \$ 460 |
| 2064 | 2098 | 2107 | 2107 | 157 | 523 |
| 2063 | 2081 | 2106 | 2106 | 145 | 460 |
| 2068 | 2095 | 2110 | 2110 | 157 | 523 |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Basic Rectangular

| | | | MODEL NUM | BER | | | | | | | |
|-------------------|---|----------|----------------|---------------|--------------------|------------------|----------------|----------------|---------------|-------------------|--|
| | | | | | | | | | | | |
| | MODEL | D x W | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | |
| ~ | Pin Height Adjustable | 24 x 30" | GSTR2430S/P | | | | | | | | |
| $\langle \rangle$ | Rectangular surface with straight front Height adjusts from 24"-31" in 1" incre- | 24 x 36" | GSTR2436S/P | | | | | | | | |
| | Height adjusts from 24 -31 in 1 incre- ments | 24 x 42" | GSTR2442S/P | | | | | | | | |
| | Adjustable glides | 24 x 48" | GSTR2448S/P | | | | | | | | |
| | Wire trough and modesty panel should | 24 x 54" | GSTR2454S/P | | | | | | | | |
| GSTR | not be ordered together on adjustable tables | 24 x 60" | GSTR2460S/P | | | | | | | | |
| | tables | 24 x 66" | GSTR2466S/P | | | | | | | | |
| | | 24 x 72" | GSTR2472S/P | | | | | | | | |
| | | 30 x 30" | GSTR3030S/P | | | | | | | | |
| | | 30 x 36" | GSTR3036S/P | | | | | | | | |
| | | 30 x 42" | GSTR3042S/P | | | | | | | | |
| | | 30 x 48" | GSTR3048S/P | | | | | | | | |
| | | 30 x 54" | GSTR3054S/P | | | | | | | | |
| | | 30 x 60" | GSTR3060S/P | | | | | | | | |
| | | 30 x 66" | GSTR3066S/P | | | | | | | | |
| | | 30 x 72" | GSTR3072S/P | | | | | | | | |
| | | | Δ | 6 | 0 | 0 | ß | ß | ß | 0 | |
| | | | A | ₿ | C | D | 0 | 6 | G | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| dge |
|-----|
| |
| |
| |

- Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119
 - PUR
 - Right module; add \$119

 PUC
 - Center module; add \$119

 PUB
 - Both left and right modules; add \$242

PUL and PUR option only available on worksurfaces 42" wide or greater. PUB option only available on 60", 66" and 72" wide only.
 NM
 - No modesty panel

 WM
 - With modesty panel

 Add upcharge to unit price for "WM" option.

- Select wire trough and power option.
 <u>NW</u> No wire trough
 <u>WW</u> Wire trough
 Add upcharge to unit price for "WW"
 option.
- Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge/PowerUp module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge, (EP) elliptical postformed edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

DSelect modesty panel option.

131

136

145

157

163

193

199

219

131

136

145

157

163

193

199

219

Basic Rectangular

Wire

price

\$ 403

444

460

523

544

559

752

775

403

444

460

523

544


559

752

775

Trough

add to list



1553

1553

1380

FINISH INFORMATION

134.0#

1324

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Basic Rectangular

| | | | MODEL NUMB | R | | | | | | | |
|------|--|----------|----------------|---------------|--------------------|------------------|----------------|----------------|---------------|-------------------|--|
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | MODEL | D x W | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | |
| | Crank Height Adjustable | 24 x 30" | GSTR2430S/CR | | | | | | | | |
| | Rectangular surface with straight front Height adjusts from 22"-33" | 24 x 36" | GSTR2436S/CR | | | | | | | | |
| | Adjustable glides | 24 x 42" | GSTR2442S/CR | | | | | | | | |
| ľ. | Worksurfaces are undersized by 1/4 | 24 x 48" | GSTR2448S/CR | | | | | | | | |
| | from side-to-side and 1/4" from back-to- front from the stated dimensions | 24 x 54" | GSTR2454S/CR | | | | | | | | |
| GSTR | Wire trough and modesty panel should | 24 x 60" | GSTR2460S/CR | | | | | | | | |
| | not be ordered together on adjustable | 24 x 66" | GSTR2466S/CR | | | | | | | | |
| | tables | 24 x 72" | GSTR2472S/CR | | | | | | | | |
| | | | GSTR3030S/CR | | | | | | | | |
| | | 30 x 36" | GSTR3036S/CR | | | | | | | | |
| | | 30 x 42" | GSTR3042S/CR | | | | | | | | |
| | | 30 x 48" | GSTR3048S/CR | | | | | | | | |
| | | 30 x 54" | GSTR3054S/CR | | | | | | | | |
| | | 30 x 60" | GSTR3060S/CR | | | | | | | | |
| | | 30 x 66" | GSTR3066S/CR | | | | | | | | |
| | | 30 x 72" | GSTR3072S/CR | | | | | | | | |
| | Crank Height Dual | 30 x 42" | GSTR3042D/CR | | | | | | | | |
| | Rectangular surface with straight front Height adjusts from 22"-33" | 30 x 48" | GSTR3048D/CR | | | | | | | | |
| | Adjustable glides | | | | | | | | | | |
| | Keyboard surface adjusts 5" above/below | | | | | | | | | | |
| | primary surface. | | | | | | | | | | |
| GSTR | Keyboard surface tilts +/-15° Worksurfaces are undersized by 1/4" | | | | | | | | | | |
| | from side-to-side and 1/4" from back-to- | | | | | | | | | | |
| | front from the stated dimensions | | | | | | | | | | |
| | Wire trough and modesty panel should not be ordered together on adjustable | | | | | | | | | | |
| | tables | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | ۵ | 0 | œ | D | 0 | 6 | G | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| Bselect | edge style. |
|---------|--|
| 74P | - 74P edge |
| EP | Elliptical postformed edge |
| KN | - Knife edge |
| MP | - Membrane edge |

- Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data
 - PUL
 Left module; add \$119

 PUR
 Right module; add \$119

 PUC
 Center module; add \$119

 PUB
 Both left and right modules; add \$242

PUL and PUR option only available on worksurfaces 42" wide or greater. PUB option only available on 60", 66" and 72" wide only.
 NM
 - No modesty panel

 WM
 - With modesty panel

 Add upcharge to unit price for "WM" option.

- Select wire trough and power option. <u>NW</u> - No wire trough <u>WW</u> - Wire trough Add upcharge to unit price for "WW" option.
- Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge/PowerUp module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge, (EP) elliptical postformed edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

OSelect modesty panel option.



122.0#

2471

2508

| | | \bigcirc | | \checkmark | | | sty | Wire | |
|----------|---|---|--|--|--|---|--|--|---|
| 74P Edge | FI | lintical Postformed Fr | lae Kn | ife Edae | Membrane Edge | | n list | | |
| (74P) | | | | | (MP) | price | , 1101 | price | not |
| \$ 1383 | \$ | 1422 | \$ | 1440 | \$ 1440 | \$ | 131 | \$ | 403 |
| 1411 | | 1444 | | 1487 | 1487 | | 136 | | 444 |
| 1458 | | 1491 | | 1505 | 1505 | | 145 | | 460 |
| 1462 | | 1499 | | 1511 | 1511 | | 157 | | 523 |
| 1511 | | 1545 | | 1686 | 1686 | | 163 | | 544 |
| 1519 | | 1554 | | 1697 | 1697 | | 193 | | 559 |
| 1567 | | 1601 | | 1801 | 1801 | | 199 | | 752 |
| 1572 | | 1604 | | 1803 | 1803 | | 219 | | 775 |
| 1385 | | 1431 | | 1442 | 1442 | | 131 | | 403 |
| 1414 | | 1460 | | 1491 | 1491 | | 136 | | 444 |
| 1461 | | 1481 | | 1510 | 1510 | | 145 | | 460 |
| 1468 | | 1495 | | 1513 | 1513 | | 157 | | 523 |
| 1513 | | 1566 | | 1661 | 1661 | | 163 | | 544 |
| 1523 | | 1575 | | 1669 | 1669 | | 193 | | 559 |
| 1569 | | 1626 | | 1803 | 1803 | | 199 | | 752 |
| 1576 | | 1629 | | 1805 | 1805 | | 219 | | 775 |
| \$ 2467 | \$ | 2498 | \$ | 2515 | \$ 2515 | \$ | 145 | \$ | 460 |
| | \$ 1383 1411 1458 1462 1511 1519 1567 1572 1385 1414 1461 1468 1513 1523 1569 1576 | (74P) (E \$ 1383 \$ 1411 1458 1462 1511 1519 1567 1567 1572 1385 1414 1461 1468 1513 1523 1569 1576 | (74P) (EP) \$ 1383 \$ 1422 1411 1444 1458 1491 1462 1499 1511 1545 1519 1554 1567 1601 1572 1604 1385 1431 1414 1460 1461 1481 1468 1495 1513 1566 1523 1575 1569 1626 1576 1629 | (74P) (EP) (KI \$ 1383 \$ 1422 \$ 1411 1444 \$ 1458 1491 \$ 1462 1499 \$ 1511 1545 \$ 1567 1601 \$ 1567 1604 \$ 1385 1431 \$ 1461 1481 \$ 1468 1495 \$ 1513 1566 \$ 1523 1575 \$ 1569 1626 \$ 1576 1629 \$ | (74P)(EP)(KN)\$ 1383\$ 1422\$ 1440141114441487145814911505146214991511151115451686151915541697156716011801157216041803138514311442141414601491146114811510146814951513151315661661152315751669156916261803157616291805 | (74P)(EP)(KN)(MP)\$ 1383\$ 1422\$ 1440\$ 14401411144414871487145814911505150514621499151115111511154516861686151915541697169715671601180118031385143114421442141414601491149114611481151015131513156616611661152315751669166915691626180318031576162918051805 | 74P Edge (74P) Elliptical Postformed Edge (EP) Knife Edge (KN) Membrane Edge (MP) Panel add tc (MP) add tc price \$ 1383 \$ 1422 \$ 1440 \$ 1440 \$ 1440 \$ 1411 1444 1487 1487 \$ \$ 1411 1444 1487 1487 \$ \$ 1458 1491 1505 1505 \$ \$ 1462 1499 1511 1511 \$ \$ 1511 1545 1686 1686 \$ \$ 1567 1601 1801 1801 \$ \$ 1572 1604 1803 1803 \$ \$ 1461 1481 1510 1510 \$ \$ 1463 1495 1513 1513 \$ \$ 1461 1481 1510 1510 \$ \$ 1463 1495 1513 1513 \$ \$ 1523 1575 | 74P Edge (74P) Elliptical Postformed Edge (EP) Knife Edge (KN) Membrane Edge (MP) Membrane Edge (MP) add to list price \$ 1383 \$ 1422 \$ 1440 \$ 140 \$ 131 1411 1444 1487 1487 136 1458 1491 1505 1505 145 1462 1499 1511 1511 157 1511 1545 1686 1686 163 1519 1554 1697 193 1567 1601 1803 1803 219 1585 1431 1442 1442 141 1461 1481 1510 1510 151 1461 1481 1510 1513 157 151 1468 1495 1513 1513 151 153 1461 1481 1510 1513 151 153 1461 1481 1510 1513 151 153 1523 1575 1669 | 74P Edge (74P) Elliptical Postformed Edge (EP) Knife Edge (KN) Membrane Edge (MP) Panel add to list price Trougt add to price \$ 1383 \$ 1422 \$ 1440 \$ 1440 \$ 1440 \$ 131 \$ 1411 1444 1487 1487 1487 136 \$ 1458 1491 1505 1505 145 \$ \$ 1462 1499 1511 1511 157 \$ \$ 1519 1554 1686 1686 163 \$ \$ 1567 1601 1801 1803 219 \$ \$ 1385 1431 1442 1442 131 \$ 1461 1481 1510 1513 \$ \$ 1468 1495 1513 1513 \$ \$ 1468 1495 1513 1513 157 \$ 1513 1566 1661 1661 \$ \$ 1523 1575 |

2519

2519

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

157

523

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Basic Rectangular

| | | | MODEL NUMBE | R | | | | | | | |
|------|--|----------|----------------|---------------|--------------------|------------------|----------------|----------------|---------------|-------------------|--|
| | | | | | | | | | | | |
| | MODEL | D x W | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | |
| | Crank Sit/Stand Height Adjustable | 24 x 30" | GSTR2430SS/CR | | | | | | | | |
| | Rectangular surface with straight front Height adjusts from 27"-43" | 24 x 36" | GSTR2436SS/CR | | | | | | | | |
| | Adjustable glides | 24 x 42" | GSTR2442SS/CR | | | | | | | | |
| | Worksurfaces are undersized by 1/4" | 24 x 48" | GSTR2448SS/CR | | | | | | | | |
| | from side-to-side | 24 x 54" | GSTR2454SS/CR | | | | | | | | |
| | Wire trough and modesty panel should not be ordered together on adjustable | 24 x 60" | GSTR2460SS/CR | | | | | | | | |
| GSTR | tables | 24 x 66" | GSTR2466SS/CR | | | | | | | | |
| | | 24 x 72" | GSTR2472SS/CR | | | | | | | | |
| | | 30 x 30" | GSTR3030SS/CR | | | | | | | | |
| | | 30 x 36" | GSTR3036SS/CR | | | | | | | | |
| | | 30 x 42" | GSTR3042SS/CR | | | | | | | | |
| | | 30 x 48" | GSTR3048SS/CR | | | | | | | | |
| | | 30 x 54" | GSTR3054SS/CR | | | | | | | | |
| | | 30 x 60" | GSTR3060SS/CR | | | | | | | | |
| | | 30 x 66" | GSTR3066SS/CR | | | | | | | | |
| | | 30 x 72" | GSTR3072SS/CR | | | | | | | | |
| | | | A | B | C | D | 0 | 6 | G | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| dge |
|-----|
| |
| |
| |

CSelect PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data

PUL and PUR option only available on worksurfaces 42" wide or greater. PUB option only available on 60", 66" and 72" wide only.

NM - No modesty panel - With modesty panel WM Add upcharge to unit price for "WM" option.

• Select wire trough and power option. - No wire trough NW - Wire trough ww Add upcharge to unit price for "WW" option.

 Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect edge/PowerUp module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

• Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge, (EP) elliptical postformed edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

PUL · Left module; add \$119 PUR - Right module; add \$119 PUC - Center module; add \$119 PUB - Both left and right modules; add \$242 DSelect modesty panel option.



13

| 4 |
|---|
| |

| Approx. Packaged Weight | 74P Edge (74P) | Elliptical Postformed Edge (EP) | Knife Edge (KN) | Membrane Edge (MP) | Modesty Panel add to list price | Wire Trough add to list price |
|-------------------------------|-------------------|------------------------------------|--------------------|-----------------------|--|--|
| 74.0# | \$ 1558 | \$ 1593 | \$ 1615 | \$ 1615 | \$ 131 | \$ 403 |
| 81.0# | 1582 | 1618 | 1661 | 1661 | 136 | 444 |
| 87.0# | 1629 | 1666 | 1679 | 1679 | 145 | 460 |
| 94.0# | 1636 | 1670 | 1685 | 1685 | 157 | 523 |
| 101.0# | 1685 | 1718 | 1859 | 1859 | 163 | 544 |
| 108.0# | 1694 | 1726 | 1870 | 1870 | 193 | 559 |
| 114.0# | 1740 | 1771 | 1972 | 1972 | 199 | 752 |
| 126.0# | 1748 | 1776 | 1973 | 1973 | 219 | 775 |
| 83.0# | 1560 | 1604 | 1616 | 1616 | 131 | 403 |
| 91.0# | 1584 | 1630 | 1666 | 1666 | 136 | 444 |
| 99.0# | 1633 | 1658 | 1683 | 1683 | 145 | 460 |
| 107.0# | 1638 | 1675 | 1687 | 1687 | 157 | 523 |
| 116.0# | 1687 | 1738 | 1834 | 1834 | 163 | 544 |
| 124.0# | 1696 | 1751 | 1843 | 1843 | 193 | 559 |
| 132.0# | 1744 | 1800 | 1973 | 1973 | 199 | 752 |
| 144.0# | 1752 | 1805 | 1978 | 1978 | 219 | 775 |
| | | | | | | |

>

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Basic Rectangular

| | | | MODEL NU | MBER | | | | | | | |
|--------|---|----------|----------------|---------------|-----------------------|--------------------|------------------|----------------|----------------|---------------|-------------------|
| | MODEL | D x W | Basic Model | Edge Style | Electrical Control | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish |
| | Electric Height Adjustable Single | 24 x 36" | GSRE2436S | | | | | | | | |
| \sim | Rectangular surface with straight front Height adjusts from 24"-51" Standard or deluxe up/down switch | 24 x 42" | GSRE2442S | | | | | | | | |
| | | 24 x 48" | GSRE2448S | | | | | | | | |
| | Adjustable glides | 24 x 54" | GSRE2454S | | | | | | | | |
| | Worksurfaces are undersized by 1-1/4" | 24 x 60" | GSRE2460S | | | | | | | | |
| | from side-to-side and 1/2" from back- tofront from the stated dimensions | 30 x 36" | GSRE3036S | | | | | | | | |
| RE | Wire trough and modesty panel should | 30 x 42" | GSRE3042S | | | | | | | | |
| | not be ordered together on adjustable | 30 x 48" | GSRE3048S | | | | | | | | |
| | tables | 30 x 54" | GSRE3054S | | | | | | | | |
| | | 30 x 60" | GSRE3060S | | | | | | | | |
| | | | A | 6 | C | D | θ | G | G | 0 | 0 |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect ec | lge style. |
|------------|--|
| 74P | - 74P edge |
| EP | Elliptical postformed edge |
| KN | - Knife edge |

MP - Membrane edge Select control style S - Standard up/down switch

S- Standard up/down switchD- Deluxe up/down switch; add\$125

Select PowerUp module location.
 Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUC - Center module; add \$119
 PUB - Both left and right modules; add \$242

PUL and PUR option only available on

worksurfaces 42" wide or greater. PUB option only available on 60", 66" and 72" wide only.

Select modesty panel option.

 NM
 - No modesty panel

 WM
 - With modesty panel

 Add upcharge to unit price for "WM" option.

Select wire trough and power option. <u>NW</u> - No wire trough <u>WW</u> - Wire trough Add upcharge to unit price for "WW" option.

Celect base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. • Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge, (EP) elliptical postformed edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



| Genesis | Worksurfa |
|---------|------------|
| | Basic Rect |
| | |

| Approx. Packaged Weight | 74P Edge (74P) | Elliptical Postformed Edge (EP) | Knife Edge (KN) | Membrane Edge (MP) | Modesty Panel add to list price | Wire Trough add to list price |
|-------------------------------|-------------------|------------------------------------|--------------------|-----------------------|--|--|
| 97.0# | \$ 2652 | \$ 2689 | \$ 2734 | \$ 2734 | \$ 136 | \$ 444 |
| 104.0# | 2718 | 2751 | 2766 | 2766 | 145 | 460 |
| 110.0# | 2741 | 2779 | 2787 | 2787 | 157 | 523 |
| 117.0# | 2816 | 2851 | 2976 | 2976 | 163 | 544 |
| 123.0# | 2834 | 2865 | 2981 | 2981 | 193 | 559 |
| 108.0# | 2655 | 2703 | 2736 | 2736 | 136 | 444 |
| 116.0# | 2722 | 2752 | 2770 | 2770 | 145 | 460 |
| 123.0# | 2745 | 2785 | 2790 | 2790 | 157 | 523 |
| 132.0# | 2818 | 2875 | 2988 | 2988 | 163 | 544 |
| 140.0# | 2836 | 2886 | 3010 | 3010 | 193 | 559 |

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recom-mended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Manito-woc, Wisconsin 54220 factory. Freight class #100.

Basic Rectangular

| | | | MODEL NUI | MBER | | | | | | | |
|--------|--|----------|----------------|---------------|-----------------------|--------------------|------------------|----------------|----------------|---------------|-------------------|
| | MODEL | D x W | Basic Model | Edge Style | Electrical Control | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish |
| \sim | Electric Height Adjustable Dual | 30 x 48" | GSRE3048D | | | | | | | | |
| | Rectangular surface with straight front Height adjusts from 24"-51" | | | | | | | | | | |
| | Keyboard surface adjusts 5" above/below | | | | | | | | | | |
| | primary surface. | | | | | | | | | | |
| | Keyboard surface tilts +/-15° Standard or deluxe up/down switch | | | | | | | | | | |
| GSRE | Adjustable glides | | | | | | | | | | |
| GSRE | Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" from back-to- | | | | | | | | | | |
| | front from the stated dimensions | | | | | | | | | | |
| | Wire trough and modesty panel should | | | | | | | | | | |
| | not be ordered together on adjustable tables | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | A | ß | C | D | Ð | G | Ø | М | 0 |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect ed | ge style. |
|------------|------------------------------|
| 74P | - 74P edge |
| EP | - Elliptical postformed edge |
| KN | - Knife edge |
| MP | - Membrane edge |

Select control style

S - Standard up/down switch
D - Deluxe up/down switch; add
\$125

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUC - Center module; add \$119
 PUB - Both left and right modules;

PUL and PUR option only available on

worksurfaces 42" wide or greater. PUB option only available on 60", 66" and 72" wide only.

Select modesty panel option.

 NM
 - No modesty panel

 WM
 - With modesty panel

 Add upcharge to unit price for "WM" option.

Select wire trough and power option. <u>NW</u> - No wire trough <u>WW</u> - Wire trough Add upcharge to unit price for "WW" option.

Celect base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. OSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge, (EP) elliptical postformed edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

PUL - Le PUR - Ri

add \$242

| 141 | | | | Genesis® V | | SUrf asic Rec | | |
|--|------------------------------------|--------------------|-----------------------|------------|--|----------------------------|----------------|--|
| Approx. Packaged 74P Edge Weight (74P) | Elliptical Postformed Edge (EP) | Knife Edge (KN) | Membrane Edge (MP) | | Modesty Panel add to list price | Win Trou add pric | igh to list | |
| 144.0# \$ 3751 | \$ 3772 | \$ 3797 | \$ 3797 | | \$ 15 | | | |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Genesis® Worksurfaces

Tripod Corner Fixed Height

| | | MODEL NUMBER | | | | | | | | | |
|---|--------------------|-----------------|---------------|--------------------|------------------|----------------|---------------------|----------------|----------------|---------------|-------------------|
| | | | | | | | | | | | |
| | D x W x W x D | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Overhead Grommet | Trans. Legs | Base Finish | Edge Color | Surface Finish |
| | 24 x 36 x 36 x 24" | GCCT24363624S/F | | | | | | | | | |
| | 24 x 42 x 42 x 24" | GCCT24424224S/F | | | | | | | | | |
| | 24 x 48 x 48 x 24" | GCCT24484824S/F | | | | | | | | | |
| | 24 x 54 x 54 x 24" | GCCT24545424S/F | | | | | | | | | |
| | 30 x 42 x 42 x 30" | GCCT30424230S/F | | | | | | | | | |
| | 30 x 48 x 48 x 30" | GCCT30484830S/F | | | | | | | | | |
| GCCT | 30 x 54 x 54 x 30" | GCCT30545430S/F | | | | | | | | | |
| Tripod Corner Fixed Height | | | | | | | | | | | |
| Corner surface with cockpit front | | | | | | | | | | | |
| Three-legged table base | | | | | | | | | | | |
| Fixed height at 29" Adjustable glides | | | | | | | | | | | |
| | | | | | | | | | | | |
| ~ | 24 x 48 x 48 x 24" | GCCT24484824D/F | | | | | | TS | | | |
| | 24 x 54 x 54 x 24" | GCCT24545424D/F | | | | | | TS | | | |
| | 30 x 48 x 48 x 30" | GCCT30484830D/F | | | | | | | | | |
| U | 30 x 54 x 54 x 30" | GCCT30545430D/F | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| GCCT | | | | | | | | | | | |
| Tripod Corner Fixed Height Dual | | | | | | | | | | | |
| Corner surface with cockpit front | | | | | | | | | | | |
| Three-legged table base | | | | | | | | | | | |
| • Fixed height at 29" | | | | | | | | | | | |
| Keyboard surface adjusts 5" above/ below primary surface. | | | | | | | | | | | |
| Keyboard surface tilts +/- 15° | | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | | |
| | | ۵ | 6 | 0 | D | 0 | 6 | G | 0 | 0 | 0 |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect ed | lge style. | |
|------------|-----------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | - Membrane edge | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119 PUB - Both left and right modules;

add \$242

OSelect modesty panel option.

 NM
 - No modesty panel

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

 Select wire trough and power option.
 <u>NW</u> - No wire trough
 <u>WL</u> - Wire trough LH only
 <u>WR</u> - Wire trough RH only
 <u>WW</u> - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

• Select overhead grommet.

OGN - Overhead grommets no OGL - Overhead grommets left OGR - Overhead grommets right

GSelect transition legs.

| TS | No transition foot | |
|----|---|--|
| TL | Left transition foot | |
| TR | Right transition foot | |
| TB | Both transition feet | |

TR, TL and TB not allowed on 24" deep dual surfaces.

Celect base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select edge/PowerUp/crank grommet color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

USelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis® Worksurfaces

| Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------------------|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| 88.0# | \$ 1410 | \$ 1521 | \$ 1521 | \$ 191 | \$ 191 | \$ 380 | \$ 439 | \$ 439 | \$ 881 |
| 103.0# | 1481 | 1597 | 1597 | 198 | 198 | 397 | 476 | 476 | 953 |
| 119.0# | 1556 | 1669 | 1669 | 206 | 206 | 413 | 535 | 535 | 1067 |
| 136.0# | 1719 | 1819 | N/A | 217 | 217 | 435 | 553 | 553 | 1109 |
| 109.0# | 1481 | 1651 | 1651 | 198 | 198 | 397 | 476 | 476 | 953 |
| 127.0# | 1556 | 1722 | 1722 | 206 | 206 | 413 | 535 | 535 | 1067 |
| 145.0# | 1719 | 1847 | N/A | 217 | 217 | 435 | 553 | 553 | 1109 |
| | | | | | | | | | |
| | | | | | | | | | |
| 139.0# | \$ 2559 | \$ 2674 | \$ 2674 | \$ 206 | \$ 206 | \$ 413 | \$ 535 | \$ 535 | \$ 1067 |
| 156.0# | 2723 | 2821 | 2821 | 217 | 217 | 435 | 553 | 553 | 1109 |
| 147.0# | 2559 | 2728 | 2728 | 206 | 206 | 413 | 535 | 535 | 1067 |
| 165.0# | 2723 | 2850 | 2850 | 217 | 217 | 435 | 553 | 553 | 1109 |
| | | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Tripod Corner Pin and Crank Height Adjustable

| | | MODEL NUMBER | | | | | | | | |
|--|--------------------|------------------|-------|----------|---------|--------|--------|-------|---------|----------|
| | | | | | | | | | | |
| | | | | | | | | | | Approx. |
| | | Basic | Edge | Module | Modesty | Wire | Base | Edge | Surface | Packaged |
| | DxWxWxD | Model | Style | Location | Panel | Trough | Finish | Color | Finish | Weight |
| \sim | 24 x 42 x 42 x 24" | GCCT24424224S/P | | | | | | | | 108.0# |
| | 24 x 48 x 48 x 24" | GCCT24484824S/P | | | | | | | | 125.0# |
| | 24 x 54 x 54 x 24" | GCCT24545424S/P | | | | | | | | 143.0# |
| | 30 x 42 x 42 x 30" | GCCT30424230S/P | | | | | | | | 114.0# |
| | 30 x 48 x 48 x 30" | GCCT30484830S/P | | | | | | | | 133.0# |
| GCCT | 30 x 54 x 54 x 30" | GCCT30545430S/P | | | | | | | | 152.0# |
| Tripod Corner Pin Height Adjustable | | | | | | | | | | |
| Corner surface with cockpit front | | | | | | | | | | |
| Three-legged table base | | | | | | | | | | |
| Height adjusts from 24"-31" in 1" | | | | | | | | | | |
| incrementsAdjustable glides | | | | | | | | | | |
| Adjustable glides Wire trough and modesty panel | | | | | | | | | | |
| should not be ordered together on | | | | | | | | | | |
| adjustable tables | | | | | | | | | | |
| | 24 x 42 x 42 x 24" | GCCT24424224S/CR | | | | | | | | 115.0# |
| | 24 x 48 x 48 x 24" | GCCT24484824S/CR | | | | | | | | 132.0# |
| | 24 x 54 x 54 x 24" | GCCT24545424S/CR | | | | | | | | 150.0# |
| | 30 x 42 x 42 x 30" | GCCT30424230S/CR | | | | | | | | 121.0# |
| | 30 x 48 x 48 x 30" | GCCT30484830S/CR | | | | | | | | 140.0# |
| GCCT | 30 x 54 x 54 x 30" | GCCT30545430S/CR | | | | | | | | 160.0# |
| | | | | | | | | | _ | |
| Tripod Corner Crank Height Adjustable | | | | | | | | | | |
| | | | | | | | | | | |
| Corner surface with cockpit front Three-legged table base | | | | | | | | | | |
| Height adjusts from 22"-33" | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | |
| • Worksurfaces are undersized by 1/4" | | | | | | | | | | |
| from side-to-side and 1/4" from back- to-front from the stated dimensions | | | | | | | | | | |
| Wire trough and modesty panel | | | | | | | | | | |
| should not be ordered together on | | | | | | | | | | |
| adjustable tables | | | | | | | | | | |
| | | A | B | C | D | Ø | G | G | 0 | 1 |
| | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

• The absence of the
indicates that no choice is required.

 Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect edge style. | | | | | | | | | | | |
|---------------------|-----------------|--|--|--|--|--|--|--|--|--|--|
| 74P | - 74P edge | | | | | | | | | | |
| KN | - Knife edge | | | | | | | | | | |
| MP | - Membrane edge | | | | | | | | | | |

Select PowerUp module location.
 Select only one from the following and add
 the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119

 PUR
 - Right module; add \$119

 PUB
 - Both left and right modules; add \$242

DSelect modesty panel option.

 NM
 - No modesty panel

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM"

 and "WM" options.

Select wire trough and power option.

 NW
 - No wire trough

 WL
 - Wire trough LH only

 WR
 - Wire trough RH only

 WW
 - Wire trough Both

 Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

GSelect surface finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

GSelect edge/PowerUp/crank grommet color.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis® Worksurfaces

| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| \$ 1701 | \$ 1815 | \$ 1815 | \$ 198 | \$ 198 | \$ 397 | \$ 476 | \$ 476 | \$ 953 |
| 1773 | 1888 | 1888 | 206 | 206 | 413 | 535 | 535 | 1067 |
| 1939 | 2039 | N/A | 217 | 217 | 435 | 553 | 553 | 1109 |
| 1701 | 1869 | 1869 | 198 | 198 | 397 | 476 | 476 | 953 |
| 1773 | 1943 | 1943 | 206 | 206 | 413 | 535 | 535 | 1067 |
| 1939 | 2096 | N/A | 217 | 217 | 435 | 553 | 553 | 1109 |

| \$ 2112 | \$ 222 | 9 \$ | 2229 | \$; | 198 | \$ 198 | \$ 397 | \$ 476 | \$ 476 | \$ 953 |
|------------|--------|------|------|---------|-----|-----------|-----------|-----------|-----------|-----------|
| 2190 | 230 | 1 | 2301 | | 206 | 206 | 413 | 535 | 535 | 1067 |
| 2355 | 245 | 1 | N/A | | 217 | 217 | 435 | 553 | 553 | 1109 |
| 2112 | 228 | 4 | 2284 | | 198 | 198 | 397 | 476 | 476 | 953 |
| 2190 | 235 | 7 | 2357 | | 206 | 206 | 413 | 535 | 535 | 1067 |
| 2355 | 250 | 5 | N/A | | 217 | 217 | 435 | 553 | 553 | 1109 |
| | | | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Tripod Corner Pin and Crank Height Adjustable

| | | MODEL NUMBER | | | | | | | | |
|---|--------------------|------------------|---------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|
| | | | | | | | | | | |
| | D x W x W x D | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| | 24 x 48 x 48 x 24" | GCCT24484824D/CR | | | | | | | | 152.0# |
| | 24 x 54 x 54 x 24" | GCCT24545424D/CR | | | | | | | | 170.0# |
| | 30 x 48 x 48 x 30" | GCCT30484830D/CR | | | | | | | | 160.0# |
| | 30 x 54 x 54 x 30" | GCCT30545430D/CR | | | | | | | | 180.0# |
| | | | | | | | | | | |
| | | | | | | | | | | |
| GCCT | | | | | | | | | | |
| Tripod Corner Crank Height Dual | | | | | | | | | | |
| | | | | | | | | | | |
| Corner surface with cockpit front | | | | | | | | | | |
| Three-legged table base Height adjusts from 22"-33" | | | | | | | | | | |
| Keyboard surface adjusts 5" above/ | | | | | | | | | | |
| below primary surface. | | | | | | | | | | |
| Keyboard surface tilts +/- 15° Adjustable glides | | | | | | | | | | |
| Worksurfaces are undersized by 1/4" | | | | | | | | | | |
| from side-to-side and 1/4" from back- | | | | | | | | | | |
| to-front from the stated dimensions | | | | | | | | | | |
| Wire trough and modesty panel should not be ordered together on | | | | | | | | | | |
| adjustable tables | | | | | | | | | | |
| | | | | | | | | | | |
| | | A | ß | G | D | Ø | G | ຨ | 0 | |
| | | • | 0 | • | 0 | 0 | | 0 | Ŧ | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

ſ

| BSelect e | edge style. | |
|-----------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119

 PUR
 - Right module; add \$119

 PUB
 - Both left and right modules; add \$242

OSelect modesty panel option.

 NM
 - No modesty panel

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM"

and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

• Select base finish.

• Select surface finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

GSelect edge/PowerUp/crank grommet color.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis® Worksurfaces

| 74P Edge | Knife Edge | Membrane Edge | LH Modesty Panel add to list | RH Modesty Panel add to list | Both Modesty Panels add to list | Left Wire Trough add to list | Right Wire Trough add to list | Both Wire Troughs add to list |
|----------|------------|---------------|---------------------------------------|---------------------------------------|--|---------------------------------------|--|--|
| (74P) | (KN) | (MP) | price | price | price | price | price | price |
| \$ 3190 | \$ 3307 | \$ 3307 | \$ 206 | \$ 206 | \$ 413 | \$ 535 | \$ 535 | \$ 1067 |
| 3358 | 3457 | 3457 | 217 | 217 | 435 | 553 | 553 | 1109 |
| 3190 | 3361 | 3361 | 206 | 206 | 413 | 535 | 535 | 1067 |
| 3358 | 3512 | 3512 | 217 | 217 | 435 | 553 | 553 | 1109 |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Tripod Corner Electric Height Adjustable

| | | MODEL NUMBE | R | | | | | | | | |
|---|--------------------|----------------|---------------|-----------------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|
| | | | | | | | | | | | |
| | D x W x W x D | Basic Model | Edge Style | Electrical Control | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| \sim | 24 x 42 x 42 x 24" | GCTE24424224S | | | | | | | | | 136.0# |
| | 24 x 48 x 48 x 24" | GCTE24484824S | | | | | | | | | 153.0# |
| $\langle \rangle$ | 24 x 54 x 54 x 24" | GCTE24545424S | | | | | | | | | 171.0# |
| | 30 x 42 x 42 x 30" | GCTE30424230S | | | | | | | | | 143.0# |
| | 30 x 48 x 48 x 30" | GCTE30484830S | | | | | | | | | 161.0# |
| | 30 x 54 x 54 x 30" | GCTE30545430S | | | | | | | | | 180.0# |
| GCTE | | | | | | | | | | | |
| Tripod Corner Electric Height Adjust- able Single | | | | | | | | | | | |
| Corner surface with cockpit front | | | | | | | | | | | |
| Three-legged table base Height adjusts from 24"-51" | | | | | | | | | | | |
| Standard or deluxe up/down switch | | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | | |
| Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" | | | | | | | | | | | |
| from back-to-front from the stated | | | | | | | | | | | |
| dimensions | | | | | | | | | | | |
| Wire trough and modesty panel should not be ordered together on | | | | | | | | | | | |
| adjustable tables | | | | | | | | | | | |
| | | A | B | C | D | G | G | G | Ø | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect edge style. | | | | | | | | | | |
|---------------------|-----------------------------------|--|--|--|--|--|--|--|--|--|
| 74P | 74P - 74P edge | | | | | | | | | |
| KN | - Knife edge | | | | | | | | | |
| MP | Membrane edge | | | | | | | | | |

Select electric control style. <u>S</u> - Standard up/down switch D - Deluxe up/down switch; add \$125

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUB - Both left and right modules; add \$242

Select modesty panel option.

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

GSelect base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Tripod Corner Electric Height Adjustable

| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| \$ 4230 | \$ 4307 | \$ 4307 | \$ 198 | \$ 198 | \$ 397 | \$ 476 | \$ 476 | \$ 953 |
| 4266 | 4380 | 4380 | 206 | 206 | 413 | 535 | 535 | 1067 |
| 4180 | 4404 | N/A | 217 | 217 | 435 | 553 | 553 | 1109 |
| 4159 | 4363 | 4363 | 198 | 198 | 397 | 476 | 476 | 953 |
| 4194 | 4436 | 4436 | 206 | 206 | 413 | 535 | 535 | 1067 |
| 4228 | 4451 | N/A | 217 | 217 | 435 | 553 | 553 | 1109 |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Tripod Corner Electric Height Adjustable

| | | | _ | | | | | | | | |
|---|--------------------|----------------|---------------|-----------------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|
| | | MODEL NUMBE | R | | | | | | | | |
| | | | | | | | | | | | |
| | D x W x W x D | Basic Model | Edge Style | Electrical Control | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| | 24 x 48 x 48 x 24" | GCTE24484824D | | | | | | | | | 173.0# |
| | 24 x 54 x 54 x 24" | GCTE24545424D | | | | | | | | | 191.0# |
| | 30 x 48 x 48 x 30" | GCTE30484830D | | | | | | | | | 181.0# |
| | 30 x 54 x 54 x 30" | GCTE30545430D | | | | | | | | | 200.0# |
| | | | | | | | | | | | |
| GCTE | | | | | | | | | | | |
| Tripod Corner electric Height Adjust- able Dual | | | | | | | | | | | |
| Corner surface with cockpit front Three-legged table base | | | | | | | | | | | |
| Height adjusts from 24"-51" Keyboard surface adjusts 5" above/ | | | | | | | | | | | |
| below primary surface. | | | | | | | | | | | |
| Keyboard surface tilts +/- 15° Standard or deluxe up/down switch | | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | | |
| Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" | | | | | | | | | | | |
| from back-to-front from the stated dimensions | | | | | | | | | | | |
| Wire trough and modesty panel | | | | | | | | | | | |
| should not be ordered together on adjustable tables | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | A | ₿ | O | O | • | 6 | G | 0 | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style. 74P - 74P edge KN - Knife edge MP - Membrane edge
- Select electric control style. <u>S</u> - Standard up/down switch <u>D</u> - Deluxe up/down switch; add \$125

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUB - Both left and right modules; add \$242

Select modesty panel option. NM - No modesty panel
 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

GSelect base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module. Trim color deesn't apply to the

membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces

Tripod Corner Electric Height Adjustable

| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| \$ 5271 | \$ 5387 | \$ 5387 | \$ 206 | \$ 206 | \$ 413 | \$ 535 | \$ 535 | \$ 1067 |
| 5409 | 5470 | 5470 | 217 | 217 | 435 | 553 | 553 | 1109 |
| 5324 | 5441 | 5441 | 206 | 206 | 413 | 535 | 535 | 1067 |
| 5353 | 5470 | 5470 | 217 | 217 | 435 | 553 | 553 | 1109 |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Fixed Height

| | | MODEL NUMBER | | | | | | | | | |
|--|--------------------|-----------------|-------|----------|---------|--------|----------|--------|--------|-------|---------|
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | Basic | Edge | Module | Modesty | Wire | Overhead | Trans. | Base | Edge | Surface |
| | D x W x W x D | Model | Style | Location | Panel | Trough | Grommet | Legs | Finish | Color | Finish |
| 3 | 24 x 42 x 42 x 30" | GCCT24424230S/F | | | | | | | | | |
| | 24 x 48 x 48 x 30" | GCCT24484830S/F | | | | | | | | | |
| | 24 x 54 x 54 x 30" | GCCT24545430S/F | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| ICCT | | | | | | | | | | | |
| Reduction Tripod Corner Fixed | | | | | | | | | | | |
| leight-Left | | | | | | | | | | | |
| Corner surface with cockpit front Three-legged table base | | | | | | | | | | | |
| Fixed height at 29" | | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | | |
| | | | 1 | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| CR-OCL | | | | | | | | | | | |
| OCR = Overhead right OCL = Overhead left | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | A | ß | C | D | Θ | 6 | G | 0 | 0 | J |
| | | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| B Select e | edge style. | |
|-------------------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

Select PowerUp module location.
 Select only one from the following and add
 the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119

PUB - Both left and right modules; add \$242

OSelect modesty panel option. NM - No modesty panel

- NM
 No modesty panel

 LM
 LH modesty only

 RM
 RH modesty only

 WM
 Both modesty panels
- Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

• Select overhead grommet.

 OGN
 - Overhead grommets no

 OGL
 - Overhead grommets left

 OGR
 - Overhead grommets right

GSelect transition legs.

| TS | No transition foot |
|----|---|
| TL | Left transition foot |
| TR | Right transition foot |
| TR | - Both transition feet |

TR, TL and TB not allowed on 24" deep dual surfaces.

BSelect base finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

Select edge/PowerUp/crank grommet color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

USelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

| 4 | | | | | | Ger | | | Urfaces r Fixed Height |
|--------------------|-------------------|--------------------|-----------------------|------------------------|------------------------|---------------------------|------------------------|-------------------------|---------------------------|
| Approx. | | | | LH Modesty Panel | RH Modesty Panel | Both Modesty Panels | Left Wire Trough | Right Wire Trough | Both Wire Troughs |
| Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | add to list price | add to list price | add to list price | add to list price | add to list price | add to list price |

\$ 198

206

217

198

206

217

\$

\$ 397

413

435

476

535

553

\$

\$ 476

535

553

\$ 1651

1722

N/A

FINISH INFORMATION

106.0#

123.0#

141.0#

\$ 1481

1556

1719

\$ 1651

1722

1847

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

953

1067

1109

\$

Reduction Tripod Corner Fixed Height

| | | MODEL NUMBER | | | | | | | | | | |
|--|--------------------|-----------------|-------|----------|---------|--------|----------|--------|--------|-------|---------|--|
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | D x W x W x D | Basic | Edge | Module | Modesty | Wire | Overhead | Trans. | Base | Edge | Surface | |
| | | Model | Style | Location | Panel | Trough | Grommet | Legs | Finish | Color | Finish | |
| \sim | 30 x 42 x 42 x 24" | GCCT30424224S/F | | | | | | | | | | |
| the the second s | 30 x 48 x 48 x 24" | GCCT30484824S/F | | | | | | | | | | |
| | 30 x 54 x 54 x 24" | GCCT30545424S/F | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| GCCT | | | | | | | | | | | | |
| Reduction Tripod Corner Fixed Height- Right | | | | | | | | | | | | |
| Corner surface with cockpit front | | | | | | | | | | | | |
| Three-legged table baseFixed height at 29" | | | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| OCB OCI | | | | | | | | | | | | |
| OCR-OCL | | | | | | | | | | | | |
| OCR = Overhead right OCL = Overhead left | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | A | ß | C | D | Ø | 6 | G | 0 | 0 | J | |
| | | | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| B Select e | edge style. | |
|-------------------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

Select PowerUp module location.
 Select only one from the following and add
 the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119

PUB - Both left and right modules; add \$242

OSelect modesty panel option. NM - No modesty panel

- NM
 No modesty panel

 LM
 LH modesty only

 RM
 RH modesty only

 WM
 Both modesty panels
- WM Both modesty panels Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

• Select overhead grommet.

 OGN
 - Overhead grommets no

 OGL
 - Overhead grommets left

 OGR
 - Overhead grommets right

GSelect transition legs.

| TS | No transition foot |
|----|---|
| TL | Left transition foot |
| TR | Right transition foot |
| TR | - Both transition feet |

TR, TL and TB not allowed on 24" deep dual surfaces.

BSelect base finish.


Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp/crank grommet color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

USelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



\$ 198

206

217

\$ 198

206

217

\$ 397

413

435

\$ 476

535

553

1651

1722

N/A

\$

FINISH INFORMATION

106.0#

123.0#

141.0#

\$ 1481

1556

1719

\$ 1651

1722

1847

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

476

535

553

\$ 953

1067

1109

\$

Reduction Tripod Corner Fixed Height Dual

| | | MODEL NUMBER | | | | | | | | | |
|--|--------------------|-----------------|-------|----------|---------|--------|----------|--------|--------|-------|---------|
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | Basic | Edge | Module | Modesty | Wire | Overhead | Trans. | Base | Edge | Surface |
| | D x W x W x D | Model | Style | Location | Panel | Trough | Grommet | Legs | Finish | Color | Finish |
| | 24 x 48 x 48 x 30" | GCCT24484830D/F | | | | | | | | | |
| | 24 x 54 x 54 x 30" | GCCT24545430D/F | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| CCCT (100 | | | | | | | | | | | |
| GCCT | | | | | | | | | | | |
| Reduction Tripod Corner Fixed Height Dual-Left | | | | | | | | | | | |
| | | | | | | | | | | | |
| Corner surface with cockpit front | | | | | | | | | | | |
| Three-legged table base Fixed height at 29" | | | | | | | | | | | |
| Keyboard surface adjusts 5" above/ | | | | | | | | | | | |
| below primary surface. | | | | | | | | | | | |
| Keyboard surface tilts +/- 15° Adjustable glides | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| DCR-OCL | | | | | | | | | | | |
| OCR = Overhead right OCL = Overhead left | | | | | | | | | | | |
| | | | | • | | | | | • | | |
| | | A | ₿ | C | D | 0 | • | G | 0 | 0 | J |
| | | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect ed | lge style. | |
|------------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119 PUB - Both left and right modules;

add \$242 Select modesty panel option. <u>NM</u> - No modesty panel

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option. NW - No wire trough WL - Wire trough LH only WR - Wire trough RH only WW - Wire trough Both Add upcharge to unit price for "WL", "WR" and "WW" options.

Select overhead grommet.

 OGN
 - Overhead grommets no

 OGL
 - Overhead grommets left

 OGR
 - Overhead grommets right

GSelect transition legs.

 TS
 - No transition foot

 TR
 - Right transition foot

 TR, TL and TB not allowed on 24" deep dual surfaces.

• Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp/crank grommet

color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

USelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

| 4 | | | | | | | | | J rfaces d Height Dual |
|---|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| • | 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |

\$ 206

217

\$ 206

217

\$ 413

435

\$ 535

553

\$ 535

553

\$ 2728

2850

FINISH INFORMATION

143.0#

161.0#

\$ 2559

2723

\$ 2728

2850

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

\$ 1067

1109

Reduction Tripod Corner Fixed Height Dual

| Corner surface with cockpit front Three-legged table base Fixed height at 29' Keyboard surface adjusts 5" above/ below primary surface. Keyboard surface tilts +/- 15° Adjustable glides | | | | | | | | | | | | |
|---|---|--------------------|-----------------|---|---|---|---|---|---|---|---|---|
| D x W x W x D Model Style Lacation Panel Trough Grommet Legs Finish Color Finish 30 x 48 x 48 x 24' GCCT30484824D/F | | | MODEL NUMBER | | | | | | | | | |
| D x W x W x D Model Style Lacation Panel Trough Grommet Legs Finish Color Finish 30 x 48 x 48 x 24' GCCT30484824D/F | | | | | | | | | | | | |
| D x W x W x D Model Style Lacation Panel Trough Grommet Legs Finish Color Finish 30 x 48 x 48 x 24' GCCT30484824D/F | | | | | | | | | | | | |
| 30 x 48 x 48 x 24' GCCT30545424D/F Image: Comparison of the com | | | | | | | | | | | | |
| 30 x 54 x 54 x 24' GCCT30545424D/F IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII | | | | | | | - | | - | | | |
| Victor | ~ | | | | | | | | | | | |
| duction Tripod Corner Fixed Height Image: Corner surface with cockpit front Three-legged table base Fixed height at 29° Image: Corner surface with cockpit front Keyboard surface adjusts 5° above/ Image: Corner surface with cockpit front Delow primary surface. Image: Corner surface with cockpit solution Adjustable glides Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Keyboard surface adjusts 5° above/ Image: Corner surface with cockpit front Adjustable glides Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front | | 30 x 54 x 54 x 24" | GCCT30545424D/F | | | | | | | | | |
| duction Tripod Corner Fixed Height Image: Corner surface with cockpit front Three-legged table base Fixed height at 29° Image: Corner surface with cockpit front Keyboard surface adjusts 5° above/ Image: Corner surface with cockpit front Delow primary surface. Image: Corner surface with cockpit solution Adjustable glides Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Keyboard surface adjusts 5° above/ Image: Corner surface with cockpit front Adjustable glides Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front | $\langle \rangle$ | | | | | | | | | | | |
| duction Tripod Corner Fixed Height Image: Corner surface with cockpit front Three-legged table base Fixed height at 29° Image: Corner surface with cockpit front Keyboard surface adjusts 5° above/ Image: Corner surface with cockpit front Delow primary surface. Image: Corner surface with cockpit solution Adjustable glides Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Keyboard surface adjusts 5° above/ Image: Corner surface with cockpit front Adjustable glides Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front | | | | | | | | | | | | |
| duction Tripod Corner Fixed Height Image: Corner surface with cockpit front Three-legged table base Fixed height at 29° Image: Corner surface with cockpit front Keyboard surface adjusts 5° above/ Image: Corner surface with cockpit front Delow primary surface. Image: Corner surface with cockpit solution Adjustable glides Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Keyboard surface adjusts 5° above/ Image: Corner surface with cockpit front Adjustable glides Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front | | | | | | | | | | | | |
| duction Tripod Corner Fixed Height Image: Corner surface with cockpit front Three-legged table base Fixed height at 29° Image: Corner surface with cockpit front Keyboard surface adjusts 5° above/ Image: Corner surface with cockpit front Delow primary surface. Image: Corner surface with cockpit solution Adjustable glides Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Keyboard surface adjusts 5° above/ Image: Corner surface with cockpit front Adjustable glides Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front Image: Corner surface with cockpit front | | | | | | | | | | | | |
| al-Right Image: Comer surface with cockpit front Three-legged table base Image: Comer surface with cockpit front Three-legged table base Image: Comer surface with cockpit front Three-legged table base Image: Comer surface with cockpit front Three-legged table base Image: Comer surface with cockpit front Fixed height at 29' Keyboard surface. Keyboard surface tilts +/- 15° Image: Comer surface with cockpit front Image: Comer surface with cockpit front Image: Comer surface with cockpit front Image: Comer surface with cockpit surface Image: Comer surface with cockpit surface Image: Comer surface with cockpit surface Image: Comer surface Image: Comer surface with cockpit surface Image: Comer surface Image: Comer surface Image: C | | | | | | | | | | | | |
| Corner surface with cockpit front Three-legged table base Fixed height at 29" Keyboard surface adjusts 5" above/ below primary surface. Keyboard surface tilts +/- 15° Adjustable glides | Reduction Tripod Corner Fixed Height Dual-Right | | | | | | | | | | | |
| Three-legged table base Fixed height at 29" Keyboard surface adjusts 5" above/ below primary surface. Keyboard surface tilts +/- 15° Adjustable glides | Buar right | | | | | | | | | | | |
| Fixed height at 29" Keyboard surface adjusts 5" above/ below primary surface tilts +/- 15° Adjustable glides | Corner surface with cockpit front | | | | | | | | | | | |
| Keyboard surface adjusts 5" above/ below primary surface. Image: Constraint of the surface adjusts 5" above/ below primary surface. Image: Constraint of the surface adjusts 5" above/ below primary surface. Adjustable glides Image: Constraint of the surface adjusts 5" above/ constraint of the surface adjust 5" above/ constraint of the surface adjust 5 | Three-legged table base | | | | | | | | | | | |
| below primary surface. Keyboard surface tilts +/- 15° Adjustable glides COCR OCR OCR OCL | Keyboard surface adjusts 5" above/ | | | | | | | | | | | |
| Adjustable glides | below primary surface. | | | | | | | | | | | |
| OCR OCL Image: Constraint of the constrai | | | | | | | | | | | | |
| Image: Constraint of the second se | | | | | | | | | | | | |
| Image: Constraint of the second se | | | | | | | | | | | | |
| Image: Constraint of the second se | | | | | | | | | | | | |
| OCR = Overhead right Image: Constraint of the constrai | | | | | | | | | | | | |
| OCR = Overhead right Image: Constraint of the constrai | | | | | | | | | | | | |
| OCR = Overhead right Image: Constraint of the constrai | | | | | | | | | | | | |
| OCL = Overhead left | | | | | | | | | | | | |
| | OCR = Overhead right OCL = Overhead left | | | | | | | | | | | |
| | | | • | • | • | • | • | • | • | • | • | |
| | | | | U | U | U | U | U | G | Û | U | U |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

add \$242

| BSelect edge style. | | |
|---------------------|-----------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | - Membrane edge | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119 PUB - Both left and right modules;

Select modesty panel option. NM - No modesty panel LM - LH modesty only RM - RH modesty only WM - Both modesty panels Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

Select overhead grommet.

 OGN
 - Overhead grommets no

 OGL
 - Overhead grommets left

 OGR
 - Overhead grommets right

GSelect transition legs.

 TS
 - No transition foot

 TL
 - Left transition foot

 TR, TL and TB not allowed on 24" deep dual surfaces.

• Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp/crank grommet

color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

USelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

\$ 206

217

\$ 206

217

\$ 413

435

\$ 535

553

2728

2850

\$

FINISH INFORMATION

143.0#

161.0#

\$ 2559

2723

\$ 2728

2850

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped K.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

535

553

\$ 1067

1109

\$

Reduction Tripod Corner Pin Height Adjustable

| | | | | | | _ | | | _ | |
|---|--------------------|-----------------|---------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|
| | | MODEL NUMBER | | | | | | | | |
| | D x W x W x D | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| | 24 x 42 x 42 x 30" | GCCT24424230S/P | | | | | | | | 112.0# |
| | 24 x 48 x 48 x 30" | GCCT24484830S/P | | | | | | | | 129.0# |
| | 24 x 54 x 54 x 30" | GCCT24545430S/P | | | | | | | | 148.0# |
| GCCT | | | | | | | | | | |
| Reduction Tripod Corner Pin Height Adjustable-Left | | | | | | | | | | |
| Corner surface with cockpit front Three-legged table base Height adjusts from 24"-31" in 1" increments Adjustable glides | | | | | | | | | | |
| Wire trough and modesty panel should not be ordered together on adjustable tables | | | | | | | | | | |
| | 30 x 42 x 42 x 24" | GCCT30424224S/P | | | | | | | | 112.0# |
| | 30 x 48 x 48 x 24" | GCCT30484824S/P | | | | | | | | 129.0# |
| | 30 x 54 x 54 x 24" | GCCT30545424S/P | | | | | | | | 148.0# |
| | | | | | | | | | | |
| | | | | | | | | | | |
| GCCT Reduction Triand Common Dia Uniota | | | | | | | | | | |
| Reduction Tripod Corner Pin Height Adjustable-Right | | | | | | | | | | |
| Corner surface with cockpit front Three-legged table base | | | | | | | | | | |
| Height adjusts from 24"-31" in 1" increments | | | | | | | | | | |
| Adjustable glides Wire trough and modesty panel | | | | | | | | | | |
| should not be ordered together on | | | | | | | | | | |
| adjustable tables | | | | | | | | | | |
| | | ۵ | 6 | 0 | D | 0 | 6 | G | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| Bselect | edge style. | |
|---------|-----------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | - Membrane edge | |

- Select PowerUp module location.
 Select only one from the following and add
 the appropriate upcharge to the base price.
 PUN No data
 PUL Left module; add \$119
 - PUR
 Right module; add \$119

 PUB
 Both left and right modules; add \$242

DSelect modesty panel option.

 NM
 - No modesty panel

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

 NW
 - No wire trough

 WL
 - Wire trough LH only

 WR
 - Wire trough RH only

 WW
 - Wire trough Both

 Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

• Select surface finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

GSelect edge/PowerUp/crank grommet color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Reduction Tripod Corner Pin Height Adjustable

| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| \$ 1701 | \$ 1869 | \$ 1869 | \$ 198 | \$ 198 | \$ 397 | \$ 476 | \$ 476 | \$ 953 |
| 1773 | 1943 | 1943 | 206 | 206 | 413 | 535 | 535 | 1067 |
| 1939 | 2096 | N/A | 217 | 217 | 435 | 553 | 553 | 1109 |

| \$ 1701 | \$ 1869 | \$ 1869 | \$ 198 | \$ 198 | \$ 397 | \$ 476 | \$ 476 | \$ 953 |
|---------|---------|---------|--------|--------|--------|--------|--------|--------|
| 1773 | 1943 | 1943 | 206 | 206 | 413 | 535 | 535 | 1067 |
| 1939 | 2096 | N/A | 217 | 217 | 435 | 553 | 553 | 1109 |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Crank Height Adjustable

| | | MODEL NUMBER | | | | | | | | |
|---|--------------------|------------------|-------|----------|---------|--------|--------|-------|---------|----------|
| | | | | | | | | | | |
| | | | | | | | | | | Approx. |
| | | Basic | Edge | Module | Modesty | Wire | Base | Edge | Surface | Packaged |
| | D x W x W x D | Model | Style | Location | Panel | Trough | Finish | Color | Finish | Weight |
| \sim | 24 x 48 x 48 x 30" | GCCT24484830S/CR | | | | | | | | 136.0# |
| | 24 x 54 x 54 x 30" | GCCT24545430S/CR | | | | | | | | 155.0# |
| | | | | | | | | | | |
| | | | | | | | | | | |
| GCCT | | | | | | | | | | |
| | | | | | | | | | | |
| Reduction Tripod Corner Crank Height Adjustable-Left | | | | | | | | | | |
| | | | | | | | | | | |
| Corner surface with cockpit front Three lagred table base | | | | | | | | | | |
| Three-legged table base Height adjusts from 22"-33" | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | |
| Worksurfaces are undersized by 1/4" from side-to-side and 1/4" from back- | | | | | | | | | | |
| to-front from the stated dimensions | | | | | | | | | | |
| Wire trough and modesty panel | | | | | | | | | | |
| should not be ordered together on adjustable tables | | | | | | | | | | |
| | | | | | | | | | | |
| \sim | 30 x 48 x 48 x 24" | GCCT30484824S/CR | | | | | | | | 136.0# |
| | 30 x 54 x 54 x 24" | GCCT30545424S/CR | | | | | | | | 155.0# |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| GCCT | | | | | | | | | | |
| Reduction Tripod Corner Crank Height Adjustable-Right | | | | | | | | | | |
| | | | | | | | | | | |
| Corner surface with cockpit front Three leaged table base | | | | | | | | | | |
| Three-legged table base Height adjusts from 22"-33" | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | |
| Worksurfaces are undersized by 1/4" from side-to-side and 1/4" from back- | | | | | | | | | | |
| to-front from the stated dimensions | | | | | | | | | | |
| Wire trough and modesty panel | | | | | | | | | | |
| should not be ordered together on adjustable tables | | | | | | | | | | |
| | | | | | | | | | | |
| | | A | 0 | G | D | Ø | G | G | 0 | |
| | | _ | - | - | - | _ | _ | - | - | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| B Select e | dge style. | |
|-------------------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

- Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119
 - PUR
 - Right module; add \$119

 PUB
 - Both left and right modules; add \$242

DSelect modesty panel option.

 NM
 No modesty panel

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

 NW
 - No wire trough

 WL
 - Wire trough LH only

 WR
 - Wire trough RH only

 WW
 - Wire trough Both

 Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

GSelect edge/PowerUp/crank grommet color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection. Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Select surface finish. Refer to color addendum at ki.com or KI

Genesis[®] Worksurfaces Reduction Tripod Corner Crank Height Adjustable

| | | | LH Modesty Panel | RH Modesty Panel | Both Modesty Panels | Left Wire Trough | Right Wire Trough | Both Wire Troughs | |
|----------|------------|---------------|------------------------|------------------------|---------------------------|------------------------|-------------------------|-------------------------|--|
| 74P Edge | Knife Edge | Membrane Edge | add to list | add to list | add to list | add to list | add to list | add to list | |
| (74P) | (KN) | (MP) | price | price | price | price | price | price | |
| \$ 2190 | \$ 2357 | \$ 2357 | \$ 206 | \$ 206 | \$ 413 | \$ 535 | \$ 535 | \$ 1067 | |
| 2355 | 2505 | N/A | 217 | 217 | 435 | 553 | 553 | 1109 | |

| \$ 2190 | \$ 2357 | \$ 2357 | \$ 206 | \$ 206 | \$ 413 | \$ 535 | \$ 535 | \$ 1067 |
|---------|---------|---------|--------|--------|--------|--------|--------|---------|
| 2355 | 2505 | N/A | 217 | 217 | 435 | 553 | 553 | 1109 |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Crank Height Dual

| | | MODEL NUMBER | | | | | | | | |
|---|--------------------|------------------|---------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|
| | | | | | | | | | | |
| | D x W x W x D | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| _ | 24 x 48 x 48 x 30" | GCCT24484830D/CR | | | | | | | | 156.0# |
| | 24 x 54 x 54 x 30" | GCCT24545430D/CR | | | | | | | | 175.0# |
| | | | | | | | | | | |
| GCCT | | | | | | | | | | |
| Reduction Tripod Corner Crank Height Dual-Left | | | | | | | | | | |
| Corner surface with cockpit front Three-legged table base Height adjusts from 22"-33" | | | | | | | | | | |
| Keyboard surface adjusts 5" above/ below primary surface. | | | | | | | | | | |
| Keyboard surface tilts +/- 15° Adjustable glides | | | | | | | | | | |
| Worksurfaces are undersized by 1/4" | | | | | | | | | | |
| from side-to-side and 1/4" from back- | | | | | | | | | | |
| to-front from the stated dimensionsWire trough and modesty panel | | | | | | | | | | |
| should not be ordered together on | | | | | | | | | | |
| adjustable tables | | | | | | | | | | |
| | | | | | | | | | | |
| | | A | 6 | C | D | 9 | 6 | G | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

ſ

| B Select e | dge style. | |
|-------------------|-----------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | - Membrane edge | |

Select PowerUp module location.
 Select only one from the following and add
 the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119

 PUR
 - Right module; add \$119

 PUB
 - Both left and right modules; add \$242

OSelect modesty panel option.

 NM
 - No modesty panel

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM"

and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

• Select base finish.

• Selece surface finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

GSelect edge/PowerUp/crank grommet color.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

| 14 | | | | | | | | Urfaces Ik Height Dual |
|-------------------|--------------------|-----------------------|------------------------|------------------------|---------------------------|------------------------|-------------------------|---------------------------|
| | | | LH Modesty Panel | RH Modesty Panel | Both Modesty Panels | Left Wire Trough | Right Wire Trough | Both Wire Troughs |
| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | add to list price | add to list price | add to list price | add to list price | add to list price | add to list price |
| \$ 3190 | \$ 3361 | \$ 3361 | \$ 206 | \$ 206 | \$ 413 | \$ 535 | \$ 535 | \$ 1067 |
| 3358 | 3512 | 3512 | 217 | 217 | 435 | 553 | 553 | 1109 |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Crank Height Dual

| | | MODEL NUMBER | | | | | | | | |
|---|--------------------|------------------|---------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|
| | | | | | | | | | | |
| | D x W x W x D | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| ~ | 30 x 48 x 48 x 24" | GCCT30484824D/CR | | | | | | | | 156.0# |
| | 30 x 54 x 54 x 24" | GCCT30545424D/CR | | | | | | | | 175.0# |
| | | | | | | | | | | |
| GCCT | | | | | | | | | | |
| Reduction Tripod Corner Crank Height Dual-Right | | | | | | | | | | |
| Corner surface with cockpit front Three-legged table base Height adjusts from 22"-33" Keyboard surface adjusts 5" above/ | | | | | | | | | | |
| below primary surface. | | | | | | | | | | |
| Keyboard surface tilts +/- 15° Adjustable glides | | | | | | | | | | |
| Adjustable glides Worksurfaces are undersized by 1/4" | | | | | | | | | | |
| from side-to-side and 1/4" from back- | | | | | | | | | | |
| to-front from the stated dimensionsWire trough and modesty panel | | | | | | | | | | |
| should not be ordered together on | | | | | | | | | | |
| adjustable tables | | | | | | | | | | |
| | | | | - | | - | | | _ | |
| | | A | ₿ | Θ | D | • | 6 | C | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

 \bullet The absence of the \Box indicates that no choice is required.

 Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

ſ

| BSelect e | dge style. | |
|-----------|-----------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | - Membrane edge | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. <u>PUN</u> - No data <u>PUL</u> - Left module; add \$119

 PUR
 - Right module; add \$119

 PUB
 - Both left and right modules; add \$242

OSelect modesty panel option. NM - No modesty panel

 NM
 - No modesty panel

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM"

and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

• Select base finish.

• Selece surface finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

GSelect edge/PowerUp/crank grommet color.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

| 141 | | | | | | | | Urfaces k Height Dual |
|-------------------|--------------------|-----------------------|------------------------|------------------------|---------------------------|------------------------|-------------------------|--------------------------|
| | | | LH Modesty Panel | RH Modesty Panel | Both Modesty Panels | Left Wire Trough | Right Wire Trough | Both Wire Troughs |
| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | add to list price | add to list price | add to list price | add to list price | add to list price | add to list price |
| \$ 3190 | \$ 3361 | \$ 3361 | \$ 206 | \$ 206 | \$ 413 | \$ 535 | \$ 535 | \$ 1067 |
| 3358 | 3512 | 3512 | 217 | 217 | 435 | 553 | 553 | 1109 |

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recom-mended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Electric Height Adjustable

| | | MODEL NUMBE | R | | | | | | | | |
|--|--------------------|----------------|---------------|-----------------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|
| | D x W x W x D | Basic Model | Edge Style | Electrical Control | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| \sim | 24 x 42 x 42 x 30" | GCTE24424230S | | | | | | | | | 140.0# |
| | 24 x 48 x 48 x 30" | GCTE24484830S | | | | | | | | | 157.0# |
| $\langle \rangle$ | 24 x 54 x 54 x 30" | GCTE24545430S | | | | | | | | | 176.0# |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| GCTE | | | | | | | | | | | |
| Reduction Tripod Corner Electric Height Adjustable Single-Left | | | | | | | | | | | |
| Corner surface with cockpit front Three-legged table base | | | | | | | | | | | |
| Height adjusts from 24"-51" Standard or deluxe up/down switch | | | | | | | | | | | |
| Adjustable glides Worksurfaces are undersized by | | | | | | | | | | | |
| 1-1/4" from side-to-side and 1/2" from back-to-front from the stated | | | | | | | | | | | |
| dimensionsWire trough and modesty panel | | | | | | | | | | | |
| should not be ordered together on adjustable tables | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | A | B | C | D | 0 | 6 | G | 0 | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect e | edge style. | |
|-----------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

Select electric control style. <u>S</u> - Standard up/down switch <u>D</u> - Deluxe up/down switch; add \$125

Select PowerUp module location.
 Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUB - Both left and right modules; add \$242

- No modesty panel

• Select modesty panel option.

NM

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM"

 and "WM" options.

Select wire trough and power option.
 <u>NW</u> - No wire trough
 <u>WL</u> - Wire trough LH only
 <u>WR</u> - Wire trough RH only
 <u>WW</u> - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "RMM extinate"

and "WW" options.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module. Trim color deesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



| | | | LH Modesty Panel | RH Modesty Panel | Both Modesty Panels | Left Wire Trough | Right Wire Trough | Both Wire Troughs |
|-------------------|--------------------|-----------------------|------------------------|------------------------|---------------------------|------------------------|-------------------------|-------------------------|
| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | add to list price | add to list price | add to list price | add to list price | add to list price | add to list price |
| \$ 4230 | \$ 4363 | \$ 4363 | \$ 198 | \$ 198 | \$ 397 | \$ 476 | \$ 476 | \$ 953 |
| 4266 | 4436 | 4436 | 206 | 206 | 413 | 535 | 535 | 1067 |
| 4299 | 4451 | N/A | 217 | 217 | 435 | 553 | 553 | 1109 |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Electric Height Adjustable

| | | MODEL NUMBE | R | | | | | | | | |
|--|--------------------|----------------|---------------|-----------------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|
| | D x W x W x D | Basic Model | Edge Style | Electrical Control | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| \sim | 30 x 42 x 42 x 24" | GCTE30424224S | | | | | | | | | 140.0# |
| | 30 x 48 x 48 x 24" | GCTE30484824S | | | | | | | | | 157.0# |
| $\langle \rangle$ | 30 x 54 x 54 x 24" | GCTE30545424S | | | | | | | | | 176.0# |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| GCTE | | | | | | | | | | | |
| Reduction Tripod Corner Electric Height Adjustable Single-Right | | | | | | | | | | | |
| Corner surface with cockpit front Three leaved table been | | | | | | | | | | | |
| Three-legged table baseHeight adjusts from 24"-51" | | | | | | | | | | | |
| Standard or deluxe up/down switch Adjustable glides | | | | | | | | | | | |
| Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" | | | | | | | | | | | |
| from back-to-front from the stated dimensions | | | | | | | | | | | |
| Wire trough and modesty panel | | | | | | | | | | | |
| should not be ordered together on | | | | | | | | | | | |
| adjustable tables | | | | | | | | | | | |
| | | A | ₿ | C | D | 9 | 6 | G | 0 | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect ed | ge style. |
|------------|-----------------|
| 74P | - 74P edge |
| KN | - Knife edge |
| MP | - Membrane edge |

Select electric control style. <u>S</u> - Standard up/down switch <u>D</u> - Deluxe up/down switch; add \$125

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUB - Both left and right modules; add \$242

Select modesty panel option.
 NM - No modesty panel

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

Celect base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module. Trim color deesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | add to list price |
|-------------------|--------------------|-----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| \$ 4230 | \$ 4363 | \$ 4363 | \$ 198 | \$ 198 | \$ 397 | \$ 476 | \$ 476 | \$ 953 |
| 4266 | 4436 | 4436 | 206 | 206 | 413 | 535 | 535 | 1067 |
| 4299 | 4451 | N/A | 217 | 217 | 435 | 553 | 553 | 1109 |
| | | | | | | | | |
| | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

48

Genesis[®] Worksurfaces

Reduction Tripod Corner Electric Height Adjustable Dual

| | | MODEL NUMBER | | | | | | | | | |
|---|--------------------|----------------|---------------|-----------------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|
| | | | | | | | | | | | |
| | D x W x W x D | Basic Model | Edge Style | Electrical Control | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| | 24 x 48 x 48 x 30" | GCTE24484830D | | | | | | | | | 177.0# |
| | 24 x 54 x 54 x 30" | GCTE24545430D | | | | | | | | | 196.0# |
| | | | | | | | | | | | |
| GCTE | | | | | | | | | | | |
| Reduction Tripod Corner Electric Height Adjustable Dual-Left | | | | | | | | | | | |
| Corner surface with cockpit front Three-legged table base Height adjusts from 24"-51" | | | | | | | | | | | |
| Keyboard surface adjusts 5" above/ | | | | | | | | | | | |
| below primary surface | | | | | | | | | | | |
| Keyboard surface tilts +/- 15° Standard or deluxe up/down switch | | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | | |
| Worksurfaces are undersized by | | | | | | | | | | | |
| 1- 1/4" from side-to-side and 1/2" from back-to-front from the stated | | | | | | | | | | | |
| dimensions | | | | | | | | | | | |
| Wire trough and modesty panel abauld not be ordered together an | | | | | | | | | | | |
| should not be ordered together on adjustable tables | | | | | | | | | | | |
| | | • | B | O | Ð | Ø | G | G | 0 | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style.
 74P 74P edge
 KN Knife edge
 MP Membrane edge
- Select electric control style. <u>S</u> - Standard up/down switch <u>D</u> - Deluxe up/down switch; add \$125

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUB - Both left and right modules; add \$242

Select modesty panel option.

 NM
 - No modesty panel

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.


Gelect base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module. Trim color doesn't apply to the

membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



217

217

435

553

5409

FINISH INFORMATION

5186

5409

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

1109

553

Reduction Tripod Corner Electric Height Adjustable Dual

| | | 1 | | | | | | | | | |
|---|--------------------|---------------|-------|------------|----------|---------|--------|--------|-------|---------|----------|
| | | MODEL NUMBE | R | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | Approx. |
| | | Basic | Edge | Electrical | Module | Modesty | Wire | Base | Edge | Surface | Packaged |
| | D x W x W x D | Model | Style | Control | Location | Panel | Trough | Finish | Color | Finish | Weight |
| | 30 x 48 x 48 x 24" | GCTE30484824D | | | | | | | | | 177.0# |
| A A | 30 x 54 x 54 x 24" | GCTE30545424D | | | | | | | | | 196.0# |
| $\langle \rangle$ | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| GCTE | | | | | | | | | | | |
| Reduction Tripod Corner Electric | | | | | | | | | | | |
| Height Adjustable Dual-Right | | | | | | | | | | | |
| Corner surface with cockpit front | | | | | | | | | | | |
| Three-legged table base | | | | | | | | | | | |
| Height adjusts from 24"-51" | | | | | | | | | | | |
| Keyboard surface adjusts 5" above/ | | | | | | | | | | | |
| below primary surface Keyboard surface tilts +/- 15° | | | | | | | | | | | |
| Standard or deluxe up/down switch | | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | | |
| Worksurfaces are undersized by | | | | | | | | | | | |
| 1- 1/4" from side-to-side and 1/2" from back-to-front from the stated | | | | | | | | | | | |
| dimensions | | | | | | | | | | | |
| Wire trough and modesty panel | | | | | | | | | | | |
| should not be ordered together on | | | | | | | | | | | |
| adjustable tables | | | | | | | | | | | |
| | | • | B | C | D | Ð | G | G | 0 | 0 | |
| | | - | | - | - | - | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style.

 <u>74P</u> 74P edge

 <u>KN</u> Knife edge

 <u>MP</u> Membrane edge
 test for ken
- Select electric control style.
 S
 S
 Standard up/down switch
 D
 Deluxe up/down switch; add
 \$125

Select PowerUp module location.
 Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUB - Both left and right modules; add \$242

• Select modesty panel option.

 NM
 - No modesty panel

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM"

 and "WM" options.

Select wire trough and power option.
 <u>NW</u> - No wire trough
 <u>WL</u> - Wire trough LH only
 <u>WR</u> - Wire trough RH only

WW - Wire trough Both Add upcharge to unit price for "WL", "WR" and "WW" options.

Gelect base finish. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

 Select edge/PowerUp color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



| P Edge 4P) | Knife Edge (KN) | Me (M | embrane Edge P) | LH Modes Panel add to price | · | RH Modes Panel add to price | 5 | Both Modest Panels add to price | - - | Left Wire Trough add to price | | Right Wire Trough add to price | | Both Wire Troug add to price | |
|---------------|--------------------|----------|--------------------|---|-----|---|-----|---|--------|---|-----|--|-----|--|------|
| \$ 4998 | \$ 5176 | \$ | 5176 | \$ | 206 | \$ | 206 | \$ | 413 | \$ | 535 | \$ | 535 | \$ | 1067 |
| 5186 | 5460 | | 5460 | | 217 | | 217 | | 435 | | 553 | | 553 | | 1109 |
| | | | | | | | | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Genesis® Worksurfaces

Square Shoe Fixed Height

| | | MODEL NUMBER | | | | | | | | | |
|--|--------------------|-----------------|-------|----------|---------|--------|----------|--------|--------|-------|---------|
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | Basic | Edge | Module | Modesty | Wire | Overhead | Trans. | Base | Edge | Surface |
| | D x L x W x D | Model | Style | Location | Panel | Trough | Grommet | Legs | Finish | Color | Finish |
| ~ | 24 x 54 x 48 x 24" | GSSH24544824S/F | | | | | | | | | |
| | 24 x 60 x 48 x 24" | GSSH24604824S/F | | | | | | | | | |
| | 24 x 66 x 48 x 24 | GSSH24664824S/F | | | | | | | | | |
| | 24 x 72 x 48 x 24" | GSSH24724824S/F | | | | | | | | | |
| | 24 x 84 x 48 x 24" | GSSH24844824S/F | | | | | | | | | |
| | 30 x 54 x 48 x 30" | GSSH30544830S/F | | | | | | | | | |
| GSSH | 30 x 60 x 48 x 30" | GSSH30604830S/F | | | | | | | | | |
| Basic Square Shoe Fixed Height-Left | 30 x 66 x 48 x 30" | GSSH30664830S/F | | | | | | | | | |
| Extended corner surface | 30 x 72 x 48 x 30" | GSSH30724830S/F | | | | | | | | | |
| Three-legged table base | 30 x 84 x 48 x 30" | GSSH30844830S/F | | | | | | | | | |
| Fixed height at 29" Adjustable glides | | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| CR-OCL | | | | | | | | | | | |
| OCR = Overhead right | | | | | | | | | | | |
| OCL = Overhead left | | | | | | | | | | | |
| | | A | 6 | C | D | Ø | G | G | 0 | 0 | J |
| | | - | - | - | - | - | - | - | - | - | - |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

ſ

| BSelect ed | dge style. | |
|------------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119 PUB - Both left and right modules;

add \$242

Select modesty panel option. NM - No modesty panel LM - LH modesty only RM - RH modesty only WM - Both modesty panels Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 <u>NW</u> - No wire trough
 <u>WL</u> - Wire trough LH only
 <u>WR</u> - Wire trough RH only
 <u>WW</u> - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

Select overhead grommet.

 OGN
 - Overhead grommets no

 OGL
 - Overhead grommets left

 OGR
 - Overhead grommets right

 OGL not available on 84" worksurfaces.

GSelect transition legs.

| | a anonaon rogor |
|----|---|
| TS | No transition foot |
| TL | Left transition foot |
| TR | Right transition foot |
| TB | Both transition feet |

TR, TL and TB not allowed on 24" deep dual surfaces.

Belect base finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis® Worksurfaces Square Shoe Fixed Height

| Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------------------|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| 125.0# | \$ 1627 | \$ 1680 | \$ 1680 | \$ 218 | \$ 206 | \$ 426 | \$ 553 | \$ 535 | \$ 1088 |
| 132.0# | 1630 | 1683 | 1683 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 138.0# | 1670 | 1708 | 1708 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 145.0# | 1718 | 1764 | 1764 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 158.0# | 1795 | 1798 | 1798 | 276 | 206 | 481 | 791 | 535 | 1324 |
| 134.0# | 1627 | 1680 | 1680 | 218 | 206 | 426 | 553 | 535 | 1088 |
| 142.0# | 1630 | 1683 | 1683 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 150.0# | 1670 | 1708 | 1708 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 158.0# | 1718 | 1764 | 1764 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 173.0# | 1795 | 1798 | 1798 | 276 | 206 | 481 | 791 | 535 | 1324 |
| | | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Square Shoe Fixed Height

| | | MODEL NUMBER | | | | | | | | | | |
|---|--------------------|-----------------|-------|----------|---------|--------|----------|--------|--------|-------|---------|--|
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | Basic | Edge | Module | Modesty | Wire | Overhead | Trans. | Base | Edge | Surface | |
| | D x L x W x D | Model | Style | Location | Panel | Trough | Grommet | Legs | Finish | Color | Finish | |
| 2 | 24 x 48 x 54 x 24" | GSSH24485424S/F | | | | | | | | | | |
| | 24 x 48 x 60 x 24" | GSSH24486024S/F | | | | | | | | | | |
| | 24 x 48 x 66 x 24" | GSSH24486624S/F | | | | | | | | | | |
| | 24 x 48 x 72 x 24" | GSSH24487224S/F | | | | | | | | | | |
| | 24 x 48 x 84 x 24" | GSSH24488424S/F | | | | | | | | | | |
| | 30 x 48 x 54 x 30" | GSSH30485430S/F | | | | | | | | | | |
| GSSH | 30 x 48 x 60 x 30" | GSSH30486030S/F | | | | | | | | | | |
| Basic Square Shoe Fixed Height-Right | 30 x 48 x 66 x 30" | GSSH30486630S/F | | | | | | | | | | |
| Extended corner surface | 30 x 48 x 72 x 30" | GSSH30487230S/F | | | | | | | | | | |
| Three-legged table base | 30 x 48 x 84 x 30" | GSSH30488430S/F | | | | | | | | | | |
| Fixed height at 29" | | | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | | | |
| OCR OCL | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| OCR-OCL | | | | | | | | | | | | |
| • OCR = Overhead right | | | | | | | | | | | | |
| OCL = Overhead left | | | | | | | | | | | | |
| | | A | 0 | C | D | Ø | 6 | G | 0 | 0 | J | |
| | | | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect ed | | |
|------------|-----------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | - Membrane edge | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119 PUB - Both left and right modules;

add \$242

Select modesty panel option. NM - No modesty panel LM - LH modesty only RM - RH modesty only WM - Both modesty panels Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 <u>NW</u> - No wire trough
 <u>WL</u> - Wire trough LH only
 <u>WR</u> - Wire trough RH only
 <u>WW</u> - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

Select overhead grommet.

 OGN
 Overhead grommets no

 OGL
 Overhead grommets left

 OGR
 Overhead grommets right

 OGR not available on 84" worksurfaces.

GSelect transition legs.

| TS | No transition foot |
|----|---|
| TL | Left transition foot |
| TR | Right transition foot |
| TB | Both transition feet |

TR, TL and TB not allowed on 24" deep dual surfaces.

Belect base finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



| Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------------------|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| 125.0# | \$ 1627 | \$ 1680 | \$ 1680 | \$ 206 | \$ 218 | \$ 426 | \$ 535 | \$ 553 | \$ 1088 |
| 132.0# | 1630 | 1683 | 1683 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 138.0# | 1670 | 1708 | 1708 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 145.0# | 1718 | 1764 | 1764 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 158.0# | 1795 | 1798 | 1798 | 206 | 276 | 481 | 535 | 791 | 1324 |
| 134.0# | 1627 | 1680 | 1680 | 206 | 218 | 426 | 535 | 553 | 1088 |
| 142.0# | 1630 | 1683 | 1683 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 150.0# | 1670 | 1708 | 1708 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 158.0# | 1718 | 1764 | 1764 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 173.0# | 1795 | 1798 | 1798 | 206 | 276 | 481 | 535 | 791 | 1324 |
| | | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Genesis® Worksurfaces

Square Shoe Fixed Height Dual

| | | MODEL NUMBER | | | | | | | | | |
|--|--------------------|-----------------|-------|----------|---------|--------|----------|--------|--------|-------|---------|
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | Basic | Edge | Module | Modesty | Wire | Overhead | Trans. | Base | Edge | Surface |
| | D x L x W x D | Model | Style | Location | Panel | Trough | Grommet | Legs | Finish | Color | Finish |
| 2 | 24 x 54 x 48 x 24" | GSSH24544824D/F | | | | | | | | | |
| | 24 x 60 x 48 x 24" | GSSH24604824D/F | | | | | | | | | |
| | 24 x 66 x 48 x 24 | GSSH24664824D/F | | | | | | | | | |
| | 24 x 72 x 48 x 24" | GSSH24724824D/F | | | | | | | | | |
| | 24 x 84 x 48 x 24" | GSSH24844824D/F | | | | | | | | | |
| | 30 x 54 x 48 x 30" | GSSH30544830D/F | | | | | | | | | |
| GSSH | 30 x 60 x 48 x 30" | GSSH30604830D/F | | | | | | | | | |
| Basic Square Shoe Fixed Height | 30 x 66 x 48 x 30" | GSSH30664830D/F | | | | | | | | | |
| Dual-Left | 30 x 72 x 48 x 30" | GSSH30724830D/F | | | | | | | | | |
| - · · · · · · · · · · · · · · · · · · · | 30 x 84 x 48 x 30" | GSSH30844830D/F | | | | | | | | | |
| Extended corner surface Three-legged table base | | | | | | | | | | | |
| Fixed height at 29" | | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | | |
| Keyboard surface adjusts 5" above/ below primary surface. | | | | | | | | | | | |
| Keyboard surface tilts +/-15° | | | | | | | | | | | |
| - | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| OCR-OCL | | | | | | | | | | | |
| OCR = Overhead right | | | | | | | | | | | |
| • OCL = Overhead left | | | | | | | | | | | |
| | | A | ß | C | D | Ø | G | G | 0 | 0 | J |
| | | | - | - | - | - | - | - | - | - | - |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect e | dge style. | |
|-----------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119 PUB - Both left and right modules;

But left and right modules, add \$242 Select modesty panel option. NM - No modesty panel

 NM
 - No modesty panel

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

• Select overhead grommet.

 OGN
 Overhead grommets no

 OGL
 Overhead grommets left

 OGR
 Overhead grommets right

 OGL not available on 72" & 84" worksurfaces.

GSelect transition legs.

| TS | No transition foot |
|-------|---|
| TL | Left transition foot |
| TR | Right transition foot |
| TB | Both transition feet |
| TR TI | and TB not allowed on 24" deep |

TR, TL and TB not allowed on 24" deep dual surfaces.

Celect base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis[®] Worksurfaces Square Shoe Fixed Height Dual

| Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------------------|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| 145.0# | \$ 2635 | \$ 2684 | \$ 2684 | \$ 218 | \$ 206 | \$ 426 | \$ 553 | \$ 535 | \$ 1088 |
| 152.0# | 2640 | 2687 | 2687 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 158.0# | 2662 | 2712 | 2712 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 165.0# | 2722 | 2771 | 2771 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 178.0# | 2800 | 2804 | 2804 | 276 | 206 | 481 | 791 | 535 | 1324 |
| 154.0# | 2635 | 2684 | 2684 | 218 | 206 | 426 | 553 | 535 | 1088 |
| 162.0# | 2640 | 2687 | 2687 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 170.0# | 2662 | 2712 | 2712 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 178.0# | 2722 | 2771 | 2771 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 193.0# | 2800 | 2804 | 2804 | 276 | 206 | 481 | 791 | 535 | 1324 |
| | | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Genesis® Worksurfaces

Square Shoe Fixed Height Dual

| | | MODEL NUMBER | | | | | | | | | | |
|---|--------------------|-----------------|-------|----------|---------|--------|----------|--------|--------|-------|---------|---|
| | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | |
| | | Basic | Edge | Module | Modesty | Wire | Overhead | Trans. | Base | Edge | Surface | |
| | D x L x W x D | Model | Style | Location | Panel | Trough | Grommet | Legs | Finish | Color | Finish | |
| | 24 x 48 x 54 x 24" | GSSH24485424D/F | | | | | | | | | | |
| | 24 x 48 x 60 x 24" | GSSH24486024D/F | | | | | | | | | | |
| | 24 x 48 x 66 x 24" | GSSH24486624D/F | | | | | | | | | | |
| | 24 x 48 x 72 x 24" | GSSH24487224D/F | | | | | | | | | | |
| | 24 x 48 x 84 x 24" | GSSH24488424D/F | | | | | | | | | | |
| | 30 x 48 x 54 x 30" | GSSH30485430D/F | | | | | | | | | | |
| GSSH | 30 x 48 x 60 x 30" | GSSH30486030D/F | | | | | | | | | | |
| Basic Square Shoe Fixed Height | 30 x 48 x 66 x 30" | GSSH30486630D/F | | | | | | | | | | |
| Dual-Right | 30 x 48 x 72 x 30" | GSSH30487230D/F | | | | | | | | | | |
| | 30 x 48 x 84 x 30" | GSSH30488430D/F | | | | | | | | | | |
| Extended corner surface | | | | | | | | | | | | |
| Three-legged table base Fixed height at 29" | | | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | | | |
| Keyboard surface adjusts 5" above/ | | | | | | | | | | | | |
| below primary surface. Keyboard surface tilts +/-15° | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| OCR-OCL | | | | | | | | | | | | |
| • OCR = Overhead right | | | | | | | | | | | | |
| OCL = Overhead left | | | | | | | | | | | | |
| | | A | B | G | D | Ø | G | G | 0 | 0 | J | |
| | | ¥ | 0 | U | | 9 | • | 0 | Ψ | v | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

O

| BSelect ed | lge style. | |
|------------|-----------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | - Membrane edge | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119 PUB - Both left and right modules;

PUB - Both left and right module: add \$242

| Select | modesty panel option. |
|--------|---|
| NM | No modesty panel |
| LM | - LH modesty only |
| RM | RH modesty only |
| WM | Both modesty panels |
| Add up | ocharge to unit price for "LM", "RM" |
| and "W | /M" options. |
| | |

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

• Select overhead grommet.

 OGN
 Overhead grommets no

 OGL
 Overhead grommets left

 OGR
 Overhead grommets right

 OGR not available on 72" & 84" worksurfaces.

GSelect transition legs.

| TS | No transition foot |
|-----------|--|
| TL | Left transition foot |
| TR | - Right transition foot |
| TB | Both transition feet |
| TR, TL an | d TB not allowed on 24" deep |

TR, TL and TB not allowed on 24" deep dual surfaces.

Belect base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Square Shoe Fixed Height Dual

| Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------------------|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| 145.0# | \$ 2635 | \$ 2684 | \$ 2684 | \$ 206 | \$ 218 | \$ 426 | \$ 535 | \$ 553 | \$ 1088 |
| 152.0# | 2640 | 2687 | 2687 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 158.0# | 2662 | 2712 | 2712 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 165.0# | 2722 | 2771 | 2771 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 178.0# | 2800 | 2804 | 2804 | 206 | 276 | 481 | 535 | 791 | 1324 |
| 154.0# | 2635 | 2684 | 2684 | 206 | 218 | 426 | 535 | 553 | 1088 |
| 162.0# | 2640 | 2687 | 2687 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 170.0# | 2662 | 2712 | 2712 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 178.0# | 2722 | 2771 | 2771 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 193.0# | 2800 | 2804 | 2804 | 206 | 276 | 481 | 535 | 791 | 1324 |
| | | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Genesis® Worksurfaces

Square Shoe Pin Height Adjustable

| | | MODEL NUMBER | | | | | | | | |
|--|--------------------|-----------------|-------|----------|---------|--------|--------|----------|---------|----------|
| | | | | | | | | | | |
| | | | | | | | | | | Approx. |
| | | Basic | Edge | Module | Modesty | Wire | Base | Edge | Surface | Packaged |
| | D x L x W x D | Model | Style | Location | Panel | Trough | Finish | Color | Finish | Weight |
| \sim | 24 x 54 x 48 x 24" | GSSH24544824S/P | | | | | | | | 132.0# |
| | 24 x 60 x 48 x 24" | GSSH24604824S/P | | | | | | | | 139.0# |
| | 24 x 66 x 48 x 24 | GSSH24664824S/P | | | | | | | | 146.0# |
| | 24 x 72 x 48 x 24" | GSSH24724824S/P | | | | | | | | 152.0# |
| | 24 x 84 x 48 x 24" | GSSH24844824S/P | | | | | | | | 166.0# |
| | 30 x 54 x 48 x 30" | GSSH30544830S/P | | | | | | | | 141.0# |
| GSSH | 30 x 60 x 48 x 30" | GSSH30604830S/P | | | | | | | | 149.0# |
| Basic Square Shoe Pin Height | 30 x 66 x 48 x 30" | GSSH30664830S/P | | | | | | | | 157.0# |
| Adjustable-Left | 30 x 72 x 48 x 30" | GSSH30724830S/P | | | | | | | | 165.0# |
| Extended corner surface | 30 x 84 x 48 x 30" | GSSH30844830S/P | | | | | | | | 182.0# |
| Three-legged table base | | | | | | | | | | |
| Height adjusts from 24"-31" in 1" increments | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | |
| Wire trough and modesty panel | | | | | | | | | | |
| should not be ordered together on | | | | | | | | | | |
| adjustable tables | | | | | | | | | | |
| \sim | 24 x 48 x 54 x 24" | GSSH24485424S/P | | | | | | | | 132.0# |
| | 24 x 48 x 60 x 24" | GSSH24486024S/P | | | | | | | | 139.0# |
| \langle | 24 x 48 x 66 x 24" | GSSH24486624S/P | | | | | | | | 146.0# |
| | 24 x 48 x 72 x 24" | GSSH24487224S/P | | | | | | | | 152.0# |
| | 24 x 48 x 84 x 24" | GSSH24488424S/P | | | | | | | | 166.0# |
| | 30 x 48 x 54 x 30" | GSSH30485430S/P | | | | | | | | 141.0# |
| GSSH | 30 x 48 x 60 x 30" | GSSH30486030S/P | | | | | | | | 149.0# |
| Basic Square Shoe Pin Height | 30 x 48 x 66 x 30" | GSSH30486630S/P | | | | | | | | 157.0# |
| Adjustable-Right | 30 x 48 x 72 x 30" | GSSH30487230S/P | | | | | | | | 165.0# |
| Extended corner surface | 30 x 48 x 84 x 30" | GSSH30488430S/P | | | | | | | | 182.0# |
| Three-legged table base | | | | | | | | | | |
| Height adjusts from 24"-31" in 1" increments | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | |
| Wire trough and modesty panel | | | | | | | | | | |
| should not be ordered together on | | | | | | | | | | |
| adjustable tables | | | | | | | | | | |
| | | A | ß | C | D | Ø | G | G | 0 | |
| | | | • | Ŭ | 0 | • | • | ~ | Ť | |
| | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style.

 74P 74P edge

 KN Knife edge

 MP Membrane edge
- Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. <u>PUN</u> - No data <u>PUL</u> - Left module; add \$119
 - PUR Right module; add \$119
- Select modesty panel option.
 NM No modesty panel
 LM LH modesty only
 RM RH modesty only
 WM Both modesty panels
 Add upcharge to unit price for "LM", "RM"
 and "WM" options.

• Select wire trough and power option.

 NW
 - No wire trough

 WL
 - Wire trough LH only

 WR
 - Wire trough RH only

 WW
 - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

• Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect edge color.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Belect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Square Shoe Pin Height Adjustable

| \$ 1856\$ 1907\$ 1907\$ 218\$ 206\$ 426\$ 553\$ 535\$ 1088186019101910227206435572535110518851936193623623620644270553512381964201320132442064527865351317199320442044276206481791535132418561907190721820642655353510881860191019102272064355725351088186519361936236236206442705535123818651936193623623620644270553512381964201320132042642064527865351317199320442042762064817915351324 | 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|---|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| 1885193619362362064427055351238196420132013244206452786535131719932044204427620648179153513241856190719072182064265535351088186019101910227206435572535110518851936193623620644270553512381964201320132442064527865351317 | \$ 1856 | \$ 1907 | \$ 1907 | \$ 218 | \$ 206 | \$ 426 | \$ 553 | \$ 535 | \$ 1088 |
| 196420132013244206452786535131719932044204427620648179153513241856190719072182064265535351088186019101910227206435572535110518851936193623620644270553512381964201320132442064527865351317 | 1860 | 1910 | 1910 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 1993204420427620648179153513241856190719072182064265535351088186019101910227206435572535110518851936193623620644270553512381964201320132442064527865351317 | 1885 | 1936 | 1936 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 185619072182064265535351088186019101910227206435572535110518851936193623620644270553512381964201320132442064527865351317 | 1964 | 2013 | 2013 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 186019101910227206435572535110518851936193623620644270553512381964201320132442064527865351317 | 1993 | 2044 | 2044 | 276 | 206 | 481 | 791 | 535 | 1324 |
| 18851936193623620644270553512381964201320132442064527865351317 | 1856 | 1907 | 1907 | 218 | 206 | 426 | 553 | 535 | 1088 |
| 1964 2013 2013 244 206 452 786 535 1317 | 1860 | 1910 | 1910 | 227 | 206 | 435 | 572 | 535 | 1105 |
| | 1885 | 1936 | 1936 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 1993 2044 276 206 481 791 535 1324 | 1964 | 2013 | 2013 | 244 | 206 | 452 | 786 | 535 | 1317 |
| | 1993 | 2044 | 2044 | 276 | 206 | 481 | 791 | 535 | 1324 |

| \$ 1856 | \$ 1907 | \$ 1907 | \$ 206 | \$ 218 | \$ 426 | \$ 535 | \$ 553 | \$ 1088 |
|------------|------------|------------|-----------|-----------|-----------|-----------|-----------|------------|
| 1860 | 1910 | 1910 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 1885 | 1936 | 1936 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 1964 | 2013 | 2013 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 1993 | 2044 | 2044 | 206 | 276 | 481 | 535 | 791 | 1324 |
| 1856 | 1907 | 1907 | 206 | 218 | 426 | 535 | 553 | 1088 |
| 1860 | 1910 | 1910 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 1885 | 1936 | 1936 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 1964 | 2013 | 2013 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 1993 | 2044 | 2044 | 206 | 276 | 481 | 535 | 791 | 1324 |
| | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Square Shoe Crank Height Adjustable

62

| | D x L x W x D | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight | |
|---|--------------------|------------------|---------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|--|
| ~ | 24 x 54 x 48 x 24" | GSSH24544824S/CR | | | | | | | | 139.0# | |
| | 24 x 60 x 48 x 24" | GSSH24604824S/CR | | | | | | | | 146.0# | |
| | 24 x 66 x 48 x 24 | GSSH24664824S/CR | | | | | | | | 153.0# | |
| | 24 x 72 x 48 x 24" | GSSH24724824S/CR | | | | | | | | 161.0# | |
| | 24 x 84 x 48 x 24" | GSSH24844824S/CR | | | | | | | | 175.0# | |
| GSSH | 30 x 54 x 48 x 30" | GSSH30544830S/CR | | | | | | | | 148.0# | |
| Basic Square Shoe Crank Height | 30 x 60 x 48 x 30" | GSSH30604830S/CR | | | | | | | | 157.0# | |
| Adjustable-Left | 30 x 66 x 48 x 30" | GSSH30664830S/CR | | | | | | | | 165.0# | |
| Extended corner surface | 30 x 72 x 48 x 30" | GSSH30724830S/CR | | | | | | | | 173.0# | |
| Three-legged table base | 30 x 84 x 48 x 30" | GSSH30844830S/CR | | | | | | | | 190.0# | |
| Height adjusts from 22"-33" | | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | | |
| Worksurfaces are undersized by 1/4" from side-to-side and 1/4" from back- | | | | | | | | | | | |
| to-front from the stated dimensions | | | | | | | | | | | |
| Wire trough and modesty panel | | | | | | | | | | | |
| should not be ordered together on adjustable tables | | | | | | | | | | | |
| | | | | | | | | | | | |
| \sim | 24 x 48 x 54 x 24" | GSSH24485424S/CR | | | | | | | | 139.0# | |
| | 24 x 48 x 60 x 24" | GSSH24486024S/CR | | | | | | | | 146.0# | |
| | 24 x 48 x 66 x 24" | GSSH24486624S/CR | | | | | | | | 153.0# | |
| | 24 x 48 x 72 x 24" | GSSH24487224S/CR | | | | | | | | 161.0# | |
| | 24 x 48 x 84 x 24" | GSSH24488424S/CR | | | | | | | | 175.0# | |
| GSSH | 30 x 48 x 54 x 30" | GSSH30485430S/CR | | | | | | | | 148.0# | |
| Basic Square Shoe Crank Height | 30 x 48 x 60 x 30" | GSSH30486030S/CR | | | | | | | | 157.0# | |
| Adjustable-Right | 30 x 48 x 66 x 30" | GSSH30486630S/CR | | | | | | | | 165.0# | |
| Extended corner surface | 30 x 48 x 72 x 30" | GSSH30487230S/CR | | | | | | | | 173.0# | |
| Three-legged table base | 30 x 48 x 84 x 30" | GSSH30488430S/CR | | | | | | | | 190.0# | |
| Height adjusts from 22"-33" | | | | | | | | | | | |
| Adjustable glides Worksurfaces are undersized by 1/4" | | | | | | | | | | | |
| from side-to-side and 1/4" from back- | | | | | | | | | | | |
| to-front from the stated dimensions | | | | | | | | | | | |
| Wire trough and modesty panel should not be ordered together on | | | | | | | | | | | |
| adjustable tables | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | A | 6 | C | D | Ø | G | G | 0 | | |
| | | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect edge style. | | | | | | | | | | | |
|---------------------|-----------------------------------|--|--|--|--|--|--|--|--|--|--|
| 74P | - 74P edge | | | | | | | | | | |
| KN | - Knife edge | | | | | | | | | | |
| MP | Membrane edge | | | | | | | | | | |

- Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119
 - **PUB** Both left and right modules; add \$242

DSelect modesty panel option.

 NM
 - No modesty panel

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

Select base finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

© Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Square Shoe Crank Height Adjustable

| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| \$ 2264 | \$ 2309 | \$ 2309 | \$ 218 | \$ 206 | \$ 426 | \$ 553 | \$ 535 | \$ 1088 |
| 2267 | 2313 | 2313 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 2299 | 2339 | 2339 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 2350 | 2399 | 2399 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 2383 | 2434 | 2434 | 276 | 206 | 481 | 791 | 535 | 1324 |
| 2264 | 2309 | 2309 | 218 | 206 | 426 | 553 | 535 | 1088 |
| 2267 | 2313 | 2313 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 2299 | 2339 | 2339 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 2350 | 2399 | 2399 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 2383 | 2434 | 2434 | 276 | 206 | 481 | 791 | 535 | 1324 |
| | | | | | | | | |

| \$ 2264 | \$ 2309 | \$ 2309 | \$ 206 | \$ 218 | \$ 426 | \$ 535 | \$ 553 | \$ 1088 |
|------------|------------|------------|-----------|-----------|-----------|-----------|-----------|------------|
| 2267 | 2313 | 2313 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 2299 | 2339 | 2339 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 2350 | 2399 | 2399 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 2383 | 2434 | 2434 | 206 | 276 | 481 | 535 | 791 | 1324 |
| 2264 | 2309 | 2309 | 206 | 218 | 426 | 535 | 553 | 1088 |
| 2267 | 2313 | 2313 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 2299 | 2339 | 2339 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 2350 | 2399 | 2399 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 2383 | 2434 | 2434 | 206 | 276 | 481 | 535 | 791 | 1324 |
| | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Genesis® Worksurfaces

Square Shoe Crank Height Dual

| | D x L x W x D | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
|---|--------------------|------------------|---------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|
| | 24 x 54 x 48 x 24" | GSSH24544824D/CR | | | | | | | | 159.0# |
| | 24 x 60 x 48 x 24" | GSSH24604824D/CR | | | | | | | | 166.0# |
| | 24 x 66 x 48 x 24 | GSSH24664824D/CR | | | | | | | | 173.0# |
| | 24 x 72 x 48 x 24" | GSSH24724824D/CR | | | | | | | | 181.0# |
| | 24 x 84 x 48 x 24" | GSSH24844824D/CR | | | | | | | | 195.0# |
| | 30 x 54 x 48 x 30" | GSSH30544830D/CR | | | | | | | | 166.0# |
| GSSH | 30 x 60 x 48 x 30" | GSSH30604830D/CR | | | | | | | | 177.0# |
| Basic Square Shoe Crank Height | 30 x 66 x 48 x 30" | GSSH30664830D/CR | | | | | | | | 185.0# |
| Dual-Left | 30 x 72 x 48 x 30" | GSSH30724830D/CR | | | | | | | | 193.0# |
| | 30 x 84 x 48 x 30" | GSSH30844830D/CR | | | | | | | | 210.0# |
| Extended corner surface | | | | | | | | | | |
| Three-legged table base Height adjusts from 22"-33" | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | |
| Keyboard surface adjusts 5" above/ | | | | | | | | | | |
| below primary surface Keyboard surface tilts +/-15° | | | | | | | | | | |
| Worksurfaces are undersized by 1/4" | | | | | | | | | | |
| from side-to-side and 1/4" from back- | | | | | | | | | | |
| to-front from the stated dimensions | | | | | | | | | | |
| Wire trough and modesty panel should not be ordered together on | | | | | | | | | | |
| adjustable tables | | | | | | | | | | |
| | | | | | | | | | | |
| | | A | ₿ | C | D | θ | 6 | G | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| B Select e | dge style. | |
|-------------------|-----------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | - Membrane edge | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119

PUB - Both left and right modules; add \$242

Select modesty panel option. NM - No modesty panel LM - LH modesty only RM - RH modesty only WM - Both modesty panels Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

Select base finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Square Shoe Crank Height Dual

| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| \$ 3269 | \$ 3318 | \$ 3318 | \$ 218 | \$ 206 | \$ 426 | \$ 553 | \$ 535 | \$ 1088 |
| 3273 | 3320 | 3320 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 3297 | 3344 | 3344 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 3356 | 3405 | 3405 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 3388 | 3438 | 3438 | 276 | 206 | 481 | 791 | 535 | 1324 |
| 3269 | 3318 | 3318 | 218 | 206 | 426 | 553 | 535 | 1088 |
| 3273 | 3320 | 3320 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 3297 | 3344 | 3344 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 3356 | 3405 | 3405 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 3388 | 3438 | 3438 | 276 | 206 | 481 | 791 | 535 | 1324 |
| | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Genesis® Worksurfaces

Square Shoe Crank Height Dual

| | | MODEL NUMBER | | | | | | | | |
|---|--------------------|------------------|---------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|
| | | | | | | | | | | - |
| | D x L x W x D | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| | 24 x 48 x 54 x 24" | GSSH24485424D/CR | | | | | | | | 159.0# |
| | 24 x 48 x 60 x 24" | GSSH24486024D/CR | | | | | | | | 166.0# |
| | 24 x 48 x 66 x 24" | GSSH24486624D/CR | | | | | | | | 173.0# |
| | 24 x 48 x 72 x 24" | GSSH24487224D/CR | | | | | | | | 181.0# |
| | 24 x 48 x 84 x 24" | GSSH24488424D/CR | | | | | | | | 195.0# |
| | 30 x 48 x 54 x 30" | GSSH30485430D/CR | | | | | | | | 168.0# |
| GSSH | 30 x 48 x 60 x 30" | GSSH30486030D/CR | | | | | | | | 177.0# |
| Basic Square Shoe Crank Height | 30 x 48 x 66 x 30" | GSSH30486630D/CR | | | | | | | | 185.0# |
| Dual-Right | 30 x 48 x 72 x 30" | GSSH30487230D/CR | | | | | | | | 193.0# |
| | 30 x 48 x 84 x 30" | GSSH30488430D/CR | | | | | | | | 210.0# |
| Extended corner surface | | | | | | | | | | |
| Three-legged table base Height adjusts from 22"-33" | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | |
| Keyboard surface adjusts 5" above/ | | | | | | | | | | |
| below primary surface Keyboard surface tilts +/-15° | | | | | | | | | | |
| Worksurfaces are undersized by 1/4" from side-to-side and 1/4" from back- to-front from the stated dimensions | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Wire trough and modesty panel should not be ordered together on | | | | | | | | | | |
| adjustable tables | | | | | | | | | | |
| | | | | | | | | | | |
| | | A | ₿ | C | D | 9 | 6 | G | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect e | edge style. | |
|-----------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119

PUB - Both left and right modules; add \$242

Select modesty panel option. NM - No modesty panel LM - LH modesty only RM - RH modesty only WM - Both modesty panels Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

• Select base finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Square Shoe Crank Height Dual

| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| \$ 3269 | \$ 3318 | \$ 3318 | \$ 206 | \$ 218 | \$ 426 | \$ 535 | \$ 553 | \$ 1088 |
| 3273 | 3320 | 3320 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 3297 | 3344 | 3344 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 3356 | 3405 | 3405 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 3388 | 3438 | 3438 | 206 | 276 | 481 | 535 | 791 | 1324 |
| 3269 | 3318 | 3318 | 206 | 218 | 426 | 535 | 553 | 1088 |
| 3273 | 3320 | 3320 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 3297 | 3344 | 3344 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 3356 | 3405 | 3405 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 3388 | 3438 | 3438 | 206 | 276 | 481 | 535 | 791 | 1324 |
| | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Square Shoe Electric Height Adjustable

| | | MODEL NUMBE | R | | | | | | | | |
|--|--------------------|----------------|---------------|-----------------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|
| | | | | | | | | | | | |
| | D x L x W x D | Basic Model | Edge Style | Electrical Control | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| | 24 x 54 x 48 x 24" | GSHE24544824S | | | | | | | | | 160.0# |
| | 24 x 60 x 48 x 24" | GSHE24604824S | | | | | | | | | 167.0# |
| | 24 x 66 x 48 x 24" | GSHE24664824S | | | | | | | | | 174.0# |
| | 24 x 72 x 48 x 24" | GSHE24724824S | | | | | | | | | 181.0# |
| | 24 x 84 x 48 x 24" | GSHE24844824S | | | | | | | | | 195.0# |
| | 30 x 54 x 48 x 30" | GSHE30544830S | | | | | | | | | 169.0# |
| GSHE | 30 x 60 x 48 x 30" | GSHE30604830S | | | | | | | | | 177.0# |
| Basic Square Shoe Electric Height | 30 x 66 x 48 x 30" | GSHE30664830S | | | | | | | | | 186.0# |
| Adjustable Single-Left | 30 x 72 x 48 x 30" | GSHE30724830S | | | | | | | | | 194.0# |
| Extended corner surface | 30 x 84 x 48 x 30" | GSHE30844830S | | | | | | | | | 210.0# |
| Three-legged table base | | | | | | | | | | | |
| Height adjusts from 24"-51" | | | | | | | | | | | |
| Standard or deluxe up/down switch Adjustable glides | | | | | | | | | | | |
| Worksurfaces are undersized by | | | | | | | | | | | |
| 1-1/4" from side-to-side and 1/2" | | | | | | | | | | | |
| from back-to-front from the stated dimensions | | | | | | | | | | | |
| Wire trough and modesty panel | | | | | | | | | | | |
| should not be ordered together on | | | | | | | | | | | |
| adjustable tables | | | | | | | | | | | |
| | | Ø | ₿ | Θ | D | 9 | 6 | G | 0 | 0 | - |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect edge style. | | | | | | | | |
|---------------------|-----------------------------------|--|--|--|--|--|--|--|
| 74P | - 74P edge | | | | | | | |
| KN | - Knife edge | | | | | | | |
| MP | Membrane edge | | | | | | | |

Select electric control style. <u>S</u> - Standard up/down switch <u>D</u> - Deluxe up/down switch; add \$125

Select PowerUp module location.
 Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUB - Both left and right modules; add \$242

Bselect modesty panel option. NM - No modesty panel
 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

GSelect base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't

apply to the membrane edge selection.

 Select surface finish.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

RH LH Both Left Right Both Wire Modesty Modesty Modesty Wire Wire Panel Panel Panels Trough Trough Troughs 74P Edge Knife Edge Membrane Edge add to list (MP) (74P) (KN) price price price price price price 218 426 \$ 4375 \$ 4427 \$ 4427 \$ \$ 206 \$ \$ 553 \$ 535 \$ 1088 4429 227 535 1105 4379 4429 206 435 572 4489 4489 236 705 535 1238 4437 206 442 4546 244 206 786 535 4499 4546 452 1317 4610 276 481 4561 4610 206 791 535 1324 218 4375 4427 4427 206 426 553 535 1088 4379 4429 4429 227 206 435 572 535 1105 4437 4489 4489 236 206 442 705 535 1238 4499 4546 4546 244 206 452 786 535 1317 4561 4610 4610 276 206 481 791 535 1324

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #100.

Square Shoe Electric Height Adjustable

| | | MODEL NUMBE | R | | | | | | | | | |
|---|--------------------|---------------|-------|------------|----------|---------|--------|--------|-------|---------|---------------------|---|
| | Delaward | Basic | Edge | Electrical | Module | Modesty | Wire | Base | Edge | Surface | Approx. Packaged | |
| | D x L x W x D | Model | Style | Control | Location | Panel | Trough | Finish | Color | Finish | Weight | _ |
| \sim | 24 x 48 x 54 x 24" | GSHE24485424S | | | | | | | | | 160.0# | |
| | 24 x 48 x 60 x 24" | GSHE24486024S | | | | | | | | | 167.0# | |
| | 24 x 48 x 66 x 24" | GSHE24486624S | | | | | | | | | 174.0# | |
| | 24 x 48 x 72 x 24" | GSHE24487224S | | _ | | | | | | | 181.0# | |
| | 24 x 48 x 84 x 24" | GSHE24488424S | | | | | | | | | 195.0# | |
| | 30 x 48 x 54 x 30" | GSHE30485430S | | | | | | | | | 169.0# | |
| GSHE | 30 x 48 x 60 x 30" | GSHE30486030S | | | | | | | | | 177.0# | |
| Basic Square Shoe Electric Height | 30 x 48 x 66 x 30" | GSHE30486630S | | | | | | | | | 186.0# | |
| Adjustable Single-Right | 30 x 48 x 72 x 30" | GSHE30487230S | | | | | | | | | 194.0# | |
| Extended corner surface | 30 x 48 x 84 x 30" | GSHE30488430S | | | | | | | | | 210.0# | |
| Three-legged table base | | | | | | | | | | | | |
| Height adjusts from 24"-51" | | | | | | | | | | | | |
| Standard or deluxe up/down switch Adjustable glides | | | | | | | | | | | | |
| Worksurfaces are undersized by | | | | | | | | | | | | |
| 1-1/4" from side-to-side and 1/2" | | | | | | | | | | | | |
| from back-to-front from the stated | | | | | | | | | | | | |
| dimensions | | | | | | | | | | | | |
| Wire trough and modesty panel should not be ordered together on | | | | | | | | | | | | |
| adjustable tables | | | | | | | | | | | | |
| - | | | | - | | - | - | | | | | |
| | | A | ₿ | Θ | D | Θ | G | G | 0 | 0 | | |
| | | | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect edge style. | | | | | | | | |
|---------------------|-----------------------------------|--|--|--|--|--|--|--|
| 74P | - 74P edge | | | | | | | |
| KN | - Knife edge | | | | | | | |
| MP | Membrane edge | | | | | | | |

Select electric control style. <u>S</u> - Standard up/down switch <u>D</u> - Deluxe up/down switch; add \$125

Select PowerUp module location.
 Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUB - Both left and right modules; add \$242

Select modesty panel option. NM - No modesty panel
 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

GSelect base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't

apply to the membrane edge selection.

 Select surface finish.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis[®] Worksurfaces Square Shoe Electric Height Adjustable

| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | odesty Modesty inel Panels d to list add to list | | Right Wire Trough add to list price | Both Wire Troughs add to list price | |
|-------------------|--------------------|-----------------------|--|--|--|--------|---|---|--|
| \$ 4375 | \$ 4427 | \$ 4427 | \$ 206 | \$ 218 | \$ 426 | \$ 535 | \$ 553 | \$ 1088 | |
| 4379 | 4429 | 4429 | 206 | 227 | 435 | 535 | 572 | 1105 | |
| 4437 | 4489 | 4489 | 206 | 236 | 442 | 535 | 705 | 1238 | |
| 4499 | 4546 | 4546 | 206 | 244 | 452 | 535 | 786 | 1317 | |
| 4561 | 4610 | 4610 | 206 | 276 | 481 | 535 | 791 | 1324 | |
| 4375 | 4427 | 4427 | 206 | 218 | 426 | 535 | 553 | 1088 | |
| 4379 | 4429 | 4429 | 206 | 227 | 435 | 535 | 572 | 1105 | |
| 4437 | 4489 | 4489 | 206 | 236 | 442 | 535 | 705 | 1238 | |
| 4499 | 4546 | 4546 | 206 | 244 | 452 | 535 | 786 | 1317 | |
| 4561 | 4610 | 4610 | 206 | 276 | 481 | 535 | 791 | 1324 | |
| | | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Square Shoe Electric Height Adjustable Dual

| | | MODEL NUMBE | R | | | | | | | | | |
|---|--------------------|----------------|---------------|-----------------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|---|
| | | | | | | | | | | | | |
| | D x L x W x D | Basic Model | Edge Style | Electrical Control | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight | |
| | 24 x 54 x 48 x 24" | GSHE24544824D | | | | | | | | | 180.0# | _ |
| | 24 x 60 x 48 x 24" | GSHE24604824D | | | | | | | | | 187.0# | |
| | 24 x 66 x 48 x 24" | GSHE24664824D | | | | | | | | | 194.0# | |
| | 24 x 72 x 48 x 24" | GSHE24724824D | | | | | | | | | 201.0# | |
| | 24 x 84 x 48 x 24" | GSHE24844824D | | | | | | | | | 215.0# | |
| | 30 x 54 x 48 x 30" | GSHE30544830D | | | | | | | | | 189.0# | |
| GSHE | 30 x 60 x 48 x 30" | GSHE30604830D | | | | | | | | | 197.0# | |
| Basic Square Shoe Electric Height | 30 x 66 x 48 x 30" | GSHE30664830D | | | | | | | | | 206.0# | |
| Adjustable Dual-Left | 30 x 72 x 48 x 30" | GSHE30724830D | | | | | | | | | 214.0# | |
| Extended corner surface | 30 x 84 x 48 x 30" | GSHE30844830D | | | | | | | | | 230.0# | |
| Three-legged table base | | | | | | | | | | | | |
| Height adjusts from 24"-51" | | | | | | | | | | | | |
| Standard or deluxe up/down switch Keyboard surface adjusts 5" above/ | | | | | | | | | | | | |
| below primary surface | | | | | | | | | | | | |
| Keyboard surface tilts +/-15° | | | | | | | | | | | | |
| Adjustable glides Worksurfaces are undersized by | | | | | | | | | | | | |
| 1-1/4" from side-to-side and 1/2" | | | | | | | | | | | | |
| from back-to-front from the stated | | | | | | | | | | | | |
| dimensionsWire trough and modesty panel | | | | | | | | | | | | |
| whe trough and modesty panel should not be ordered together on | | | | | | | | | | | | |
| adjustable tables | | | | | | | | | | | | |
| | | | | - | _ | | - | - | | | | |
| | | A | ₿ | C | D | Ð | G | G | 0 | 0 | | |
| | | | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

ſ

| B Select ed | ge style. | |
|--------------------|-----------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | - Membrane edge | |

Select electric control style. <u>S</u> - Standard up/down switch <u>D</u> - Deluxe up/down switch; add \$125

Select PowerUp module location.
 Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUB - Both left and right modules; add \$242

Eselect modesty panel option.

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

• Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't

apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Square Shoe Electric Height Adjustable Dual

| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price | |
|-------------------|--------------------|-----------------------|--|--|---|--|---|---|--|
| \$ 5382 | \$ 5429 | \$ 5429 | \$ 218 | \$ 206 | \$ 426 | \$ 553 | \$ 535 | \$ 1088 | |
| 5386 | 5432 | 5432 | 227 | 206 | 435 | 572 | 535 | 1105 | |
| 5446 | 5493 | 5493 | 236 | 206 | 442 | 705 | 535 | 1238 | |
| 5504 | 5553 | 5553 | 244 | 206 | 452 | 786 | 535 | 1317 | |
| 5601 | 5618 | 5618 | 276 | 206 | 481 | 791 | 535 | 1324 | |
| 5382 | 5429 | 5429 | 218 | 206 | 426 | 553 | 535 | 1088 | |
| 5386 | 5432 | 5432 | 227 | 206 | 435 | 572 | 535 | 1105 | |
| 5446 | 5493 | 5493 | 236 | 206 | 442 | 705 | 535 | 1238 | |
| 5504 | 5553 | 5553 | 244 | 206 | 452 | 786 | 535 | 1317 | |
| 5601 | 5618 | 5618 | 276 | 206 | 481 | 791 | 535 | 1324 | |
| | | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Square Shoe Electric Height Adjustable Dual

| | | MODEL NUMBER | 3 | | | | | | | | |
|---|--------------------|----------------|---------------|-----------------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|
| | | | | | | | | | | | |
| | D x L x W x D | Basic Model | Edge Style | Electrical Control | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| | 24 x 48 x 54 x 24" | GSHE24485424D | | | | | | | | | 180.0# |
| | 24 x 48 x 60 x 24" | GSHE24486024D | | | | | | | | | 187.0# |
| \sim | 24 x 48 x 66 x 24" | GSHE24486624D | | | | | | | | | 194.0# |
| | 24 x 48 x 72 x 24" | GSHE24487224D | | | | | | | | | 201.0# |
| | 24 x 48 x 84 x 24" | GSHE24488424D | | | | | | | | | 215.0# |
| | 30 x 48 x 54 x 30" | GSHE30485430D | | | | | | | | | 189.0# |
| GSHE | 30 x 48 x 60 x 30" | GSHE30486030D | | | | | | | | | 197.0# |
| Basic Square Shoe Electric Height | 30 x 48 x 66 x 30" | GSHE30486630D | | | | | | | | | 206.0# |
| Adjustable Dual-Right | 30 x 48 x 72 x 30" | GSHE30487230D | | | | | | | | | 214.0# |
| Extended corner surface Three-legged table base Height adjusts from 24"-51" Standard or deluxe up/down switch Keyboard surface adjusts 5" above/ below primary surface Keyboard surface tilts +/-15° Adjustable glides Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" from back-to-front from the stated dimensions Wire trough and modesty panel should not be ordered together on adjustable tables | 30 x 48 x 84 x 30" | GSHE30488430D | | | | | | | | | 230.0# |
| | | ۵ | ₿ | G | D | 9 | 6 | G | 0 | 0 | 1 |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style. 74P - 74P edge KN - Knife edge MP - Membrane edge
- Select electric control style. <u>S</u> - Standard up/down switch <u>D</u> - Deluxe up/down switch; add \$125

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUB - Both left and right modules; add \$242

Select modesty panel option. <u>NM</u> - No modesty panel
 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

Gelect base finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't

apply to the membrane edge selection.

 Select surface finish.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P)
 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price | |
|-------------------|--------------------|-----------------------|--|--|---|--|---|---|--|
| \$ 5382 | \$ 5429 | \$ 5429 | \$ 206 | \$ 218 | \$ 426 | \$ 535 | \$ 553 | \$ 1088 | |
| 5386 | 5432 | 5432 | 206 | 227 | 435 | 535 | 572 | 1105 | |
| 5446 | 5493 | 5493 | 206 | 236 | 442 | 535 | 705 | 1238 | |
| 5504 | 5553 | 5553 | 206 | 244 | 452 | 535 | 786 | 1317 | |
| 5601 | 5618 | 5618 | 206 | 276 | 481 | 535 | 791 | 1324 | |
| 5382 | 5429 | 5429 | 206 | 218 | 426 | 535 | 553 | 1088 | |
| 5386 | 5552 | 5552 | 206 | 227 | 435 | 535 | 572 | 1105 | |
| 5446 | 5493 | 5493 | 206 | 236 | 442 | 535 | 705 | 1238 | |
| 5504 | 5553 | 5553 | 206 | 244 | 452 | 535 | 786 | 1317 | |
| 5601 | 5618 | 5618 | 206 | 276 | 481 | 535 | 791 | 1324 | |
| | | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Square Shoe Fixed Height

| MODEL NUMBER D x L x W x D Basic Model Edge Style Module Location Modesty Panel Wire Trough Overhead Grommet Trans. Legs Base Finish Edge Color Module Finish 24 x 54 x 48 x 30° GSSH24544830S/F |
|--|
| D x L x W x D Model Style Location Panel Trough Grommet Legs Finish Color Finish 24 x 54 x 48 x 30° GSSH24544830S/F □ |
| D x L x W x D Model Style Location Panel Trough Grommet Legs Finish Color Finish 24 x 54 x 48 x 30° GSSH24544830S/F □ |
| D x L x W x D Model Style Location Panel Trough Grommet Legs Finish Color Finish 24 x 54 x 48 x 30° GSSH24544830S/F □ |
| 24 x 54 x 48 x 30° GSSH24544830S/F IIII IIIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII |
| 24 x 60 x 48 x 30° GSSH24604830S/F CCC C |
| 24 x 66 x 48 x 30" GSSH24664830S/F □□□ □□□ □□ □□ □□ □□ □□ □□ □□ □□ |
| |
| |
| |
| 24 x 84 x 48 x 30" GSSH24844830S/F 💷 💷 💷 💷 💷 💷 💷 💷 |
| 30 x 54 x 48 x 24" GSSH30544824S/F 💷 💷 💷 💷 💷 💷 💷 💷 |
| SSH 30 x 60 x 48 x 24* GSSH30604824S/F |
| eduction Basic Square Shoe Fixed 30 × 66 × 48 × 24* GSSH30664824S/F 💷 💷 💷 💷 💷 💷 💷 💷 💷 |
| eight-Left 30 x 72 x 48 x 24" GSSH30724824S/F |
| Extended corner surface 30 x 84 x 48 x 24" GSSH30844824S/F IIII IIII IIII IIIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII |
| Three-legged table base Fixed height at 29" |
| Adjustable glides |
| |
| |
| |
| |
| |
| CR-OCL |
| OCR = Overhead right |
| OCL = Overhead left |
| |
| |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect ed | dge style. | |
|------------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

Select PowerUp module location.
 Select only one from the following and add
 the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119

PUB - Both left and right modules; add \$242

Select modesty panel option. NM - No modesty panel LM - LH modesty only RM - RH modesty only WM - Both modesty panels Add upcharge to unit price for "LM", "RM" and "WM" options.

| BSelect wi | re trough and power option. | | | | | | | |
|---|-----------------------------|--|--|--|--|--|--|--|
| NW | - No wire trough | | | | | | | |
| WL | - Wire trough LH only | | | | | | | |
| WR | - Wire trough RH only | | | | | | | |
| WW | - Wire trough Both | | | | | | | |
| Add upcharge to unit price for "WL", "WR" and "WW" options. | | | | | | | | |
| | optionol | | | | | | | |

Select overhead grommet.

 OGN
 - Overhead grommets no

 OGL
 - Overhead grommets left

 OGR
 - Overhead grommets right

GSelect transition legs.

| TS | No transition foot | |
|----|---|--|
| TL | Left transition foot | |
| TR | Right transition foot | |
| TR | - Both transition feet | |

GSelect base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

USelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Reduction Square Shoe Fixed Height

| Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------------------|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| 130.0# | \$ 1627 | \$ 1680 | \$ 1680 | \$ 218 | \$ 206 | \$ 426 | \$ 553 | \$ 535 | \$ 1088 |
| 136.0# | 1630 | 1683 | 1683 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 143.0# | 1670 | 1708 | 1708 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 149.0# | 1718 | 1764 | 1764 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 162.0# | 1795 | 1798 | 1798 | 276 | 206 | 481 | 791 | 535 | 1324 |
| 131.0# | 1627 | 1680 | 1680 | 218 | 206 | 426 | 553 | 535 | 1088 |
| 139.0# | 1630 | 1683 | 1683 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 146.0# | 1670 | 1708 | 1708 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 154.0# | 1718 | 1764 | 1764 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 170.0# | 1795 | 1798 | 1798 | 276 | 206 | 481 | 791 | 535 | 1324 |


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Basic Model: GSSH**24486030**S/F



INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Square Shoe Fixed Height

| | | MODEL NUMBER | | | | | | | | | | |
|--|--------------------|-----------------|---------------|--------------------|------------------|----------------|---------------------|----------------|----------------|---------------|-------------------|--|
| | | | | | | | | | | | | |
| | D x L x W x D | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Overhead Grommet | Trans. Legs | Base Finish | Edge Color | Surface Finish | |
| | 24 x 48 x 54 x 30" | GSSH24485430S/F | | | | | | | | | | |
| | 24 x 48 x 60 x 30" | GSSH24486030S/F | | | | | | | | | | |
| | 24 x 48 x 66 x 30" | GSSH24486630S/F | | | | | | | | | | |
| | 24 x 48 x 72 x 30" | GSSH24487230S/F | | | | | | | | | | |
| | 24 x 48 x 84 x 30" | GSSH24488430S/F | | | | | | | | | | |
| | 30 x 48 x 54 x 24" | GSSH30485424S/F | | | | | | | | | | |
| GSSH | 30 x 48 x 60 x 24" | GSSH30486024S/F | | | | | | | | | | |
| Reduction Basic Square Shoe Fixed | 30 x 48 x 66 x 24" | GSSH30486624S/F | | | | | | | | | | |
| Height-Right | 30 x 48 x 72 x 24" | GSSH30487224S/F | | | | | | | | | | |
| Extended corner surface Three lagged table base | 30 x 48 x 84 x 24" | GSSH30488424S/F | | | | | | | | | | |
| Three-legged table base Fixed height at 29" | | | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | | | |
| OCR | | | | | | | | | | | | |
| OCR-OCL | | | | | | | | | | | | |
| OCR = Overhead right OCL = Overhead left | | | | | | | | | | | | |
| | | A | ₿ | Θ | D | 0 | G | G | 0 | 0 | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect e | dge style. | |
|-----------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

Select PowerUp module location.
 Select only one from the following and add
 the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119

PUB - Both left and right modules; add \$242

Select modesty panel option. NM - No modesty panel LM - LH modesty only RM - RH modesty only WM - Both modesty panels Add upcharge to unit price for "LM", "RM" and "WM" options.

| Belect wi | re trough and power option. |
|-----------|------------------------------------|
| NW | - No wire trough |
| WL | - Wire trough LH only |
| WR | - Wire trough RH only |
| WW | - Wire trough Both |
| | narge to unit price for "WL", "WR" |
| and "WW | " options. |
| | " options. |

• Select overhead grommet.

 OGN
 - Overhead grommets no

 OGL
 - Overhead grommets left

 OGR
 - Overhead grommets right

GSelect transition legs.

| TS | No transition foot | |
|----|---|---|
| TL | Left transition foot | Ī |
| TR | Right transition foot | |
| TB | Both transition feet | Ī |

Select base finish. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

• Select edge/PowerUp color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

USelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Reduction Square Shoe Fixed Height

| Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------------------|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| 131.0# | \$ 1627 | \$ 1680 | \$ 1680 | \$ 206 | \$ 218 | \$ 426 | \$ 535 | \$ 553 | \$ 1088 |
| 139.0# | 1630 | 1683 | 1683 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 146.0# | 1670 | 1708 | 1708 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 154.0# | 1718 | 1764 | 1764 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 170.0# | 1795 | 1798 | 1798 | 206 | 276 | 481 | 535 | 791 | 1324 |
| 130.0# | 1627 | 1680 | 1680 | 206 | 218 | 426 | 535 | 553 | 1088 |
| 136.0# | 1630 | 1683 | 1683 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 143.0# | 1670 | 1708 | 1708 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 149.0# | 1718 | 1764 | 1764 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 162.0# | 1795 | 1798 | 1798 | 206 | 276 | 481 | 535 | 791 | 1324 |


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Basic Model: GSSH**24486030**S/F



INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Square Shoe Fixed Height Dual

| Reduction Basic Square Shoe Fixed Height Dual-Left 30 × 66 × 48 × 24* GSSH30664824D/F | | | | | | | | | | | | | |
|---|-----------------------------------|--------------------|-----------------|------|--------|---------|------|----------|-------|------|------|---------|--|
| D x L x W x D Model Style Location Panel Trough Grommet Legs Finish Color Finish 24 x 56 x 48 x 30° GSSH24544830D/F 0 | | | MODEL NUMBER | | | | | | | | | | |
| D x L x W x D Model Style Location Panel Trough Grommet Legs Finish Color Finish 24 x 56 x 48 x 30° GSSH24544830D/F 0 | | | | | | | | | | | | | |
| D x L x W x D Model Style Location Panel Trough Grommet Legs Finish Color Finish 24 x 56 x 48 x 30° GSSH24544830D/F 0 | | | | | | | | | | | | | |
| D x L x W x D Model Style Location Panel Trough Grommet Legs Finish Color Finish 24 x 56 x 48 x 30° GSSH24544830D/F 0 | | | Basic | Edge | Module | Modestv | Wire | Overhead | Trans | Base | Edge | Surface | |
| 24 x 60 x 48 x 30° GSSH24604830D/F | | D x L x W x D | | | | | | | | | | | |
| 44 x 66 x 48 x 30' GSSH24664830D/F 1 | | 24 x 54 x 48 x 30" | GSSH24544830D/F | | | | | | - | | | | |
| | | 24 x 60 x 48 x 30" | GSSH24604830D/F | | | | | | | | | | |
| 24 x 84 x 48 x 30° GSSH24844830D/F IIII IIIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII | | 24 x 66 x 48 x 30" | GSSH24664830D/F | | | | | | | | | | |
| 30 x 54 x 48 x 24' GSSH30544824D/F | | 24 x 72 x 48 x 30" | GSSH24724830D/F | | | | | | | | | | |
| GSSH 30 x 60 x 48 x 24" GSSH30604824D/F IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII | | 24 x 84 x 48 x 30" | GSSH24844830D/F | | | | | | | | | | |
| Reduction Basic Square Shoe Fixed Height Dual-Left 30 × 66 × 48 × 24' 30 × 72 × 48 × 24' 30 × 72 × 48 × 24' 30 × 84 × 48 × 24' GSSH3064824D/F IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII | | 30 x 54 x 48 x 24" | GSSH30544824D/F | | | | | | | | | | |
| Height Dual-Left 30 x 72 x 48 x 24* GSSH30724824D/F IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII | GSSH | 30 x 60 x 48 x 24" | GSSH30604824D/F | | | | | | | | | | |
| Height Dual-Left 30 x 72 x 48 x 24* GSSH30724824D/F IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII | Reduction Basic Square Shoe Fixed | 30 x 66 x 48 x 24" | GSSH30664824D/F | | | | | | | | | | |
| Extended corner surface Three-legged table base Fixed height at 29" Adjustable glides Keyboard surface adjusts 5" above/ below primary surface Keyboard surface tilts +/-15° OCR OCR OCL OCR = Overhead right OCL = Overhead left | Height Dual-Left | 30 x 72 x 48 x 24" | GSSH30724824D/F | | | | | | | | | | |
| Three-legged table base Fixed height at 29" Adjustable glides Keyboard surface adjusts 5" above/ below primary surface Keyboard surface tilts +/-15° | | 30 x 84 x 48 x 24" | GSSH30844824D/F | | | | | | | | | | |
| Fixed height at 29" Adjustable glides Keyboard surface adjusts 5" above/ below primary surface Keyboard surface tilts +/-15° OCR OCL OCR OCR OCR OCR OCR OCR OCR OCR OCL OCR OCR OCL OCR OCR OCL OCR OCR | | | | | | | | | | | | | |
| Adjustable glides Keyboard surface adjusts 5" above/ below primary surface Keyboard surface tilts +/-15° OCR OCL OCR OCL OCR - Overhead right OCL = Overhead left | | | | | | | | | | | | | |
| below primary surface • Keyboard surface tilts +/-15° OCR OCR OCR-OCL • OCR = Overhead right | Adjustable glides | | | | | | | | | | | | |
| Keyboard surface tilts +/-15° Keyboard surface tilts +/-15° OCR OCL O | | | | | | | | | | | | | |
| OCR OCL Image: Constraint of the second sec | | | | | | | | | | | | | |
| OCR-OCL OCR = Overhead right • OCL = Overhead left | | | | | | | | | | | | | |
| OCR-OCL OCR = Overhead right • OCL = Overhead left | | | | | | | | | | | | | |
| OCR-OCL OCR = Overhead right • OCL = Overhead left | | | | | | | | | | | | | |
| OCR-OCL OCR = Overhead right • OCL = Overhead left | | | | | | | | | | | | | |
| OCR = Overhead right OCL = Overhead left | | | | | | | | | | | | | |
| OCR = Overhead right OCL = Overhead left | | | | | | | | | | | | | |
| OCL = Overhead left | OCR-OCL | | | | | | | | | | | | |
| | • OCR = Overhead right | | | | | | | | | | | | |
| | OCL = Overhead left | | | | | | | | | | | | |
| | | | Α | ß | 0 | 0 | A | ß | A | 0 | 0 | • | |
| | | | w | U | U | U | G | U | U | Ψ | v | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect e | dge style. | |
|-----------|-----------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | - Membrane edge | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119 PUR - Bight module; add \$119

PUB - Both left and right modules; add \$242

Select modesty panel option. NM - No modesty panel LM - LH modesty only RM - RH modesty only WM - Both modesty panels Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

Select overhead grommet.

 OGN
 - Overhead grommets no

 OGL
 - Overhead grommets left

 OGR
 - Overhead grommets right

GSelect transition legs.

| TS | No transition foot |
|-------|---|
| TL | Left transition foot |
| TR | Right transition foot |
| TB | Both transition feet |
| TD TI | and TD not allowed on 0.4" doon |

TR, TL and TB not allowed on 24" deep dual surfaces.

Celect base finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Select edge/PowerUp color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

USelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Reduction Square Shoe Fixed Height Dual

RH LH Both Left Right Both Modesty Modesty Modesty Wire Wire Wire Approx. Panel Panel Panels Trough Trough Troughs Packaged 74P Edge Knife Edge add to list Membrane Edge (74P) (MP) Weight (KN) price price price price price price 218 150.0# \$ 2635 \$ 2684 \$ 2684 \$ \$ 206 \$ 426 \$ 553 \$ 535 \$ 1088 156.0# 2640 2687 2687 227 206 435 572 535 1105 163.0# 2662 2712 236 705 535 1238 2712 206 442 169.0# 2771 2771 244 206 452 786 535 1317 2722 2804 276 182.0# 2800 2804 206 481 791 535 1324 151.0# 2635 2684 2684 218 206 426 553 535 1088 159.0# 2640 2687 2687 227 206 435 572 535 1105 166.0# 2662 2712 2712 236 206 442 705 535 1238 174.0# 2722 2771 2771 244 206 452 786 535 1317 190.0# 2800 2804 2804 276 206 481 791 535 1324


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Basic Model: GSSH**24486030**S/F



INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Square Shoe Fixed Height Dual

| | | MODEL NUMBER | | | | | | | | | | |
|---|--------------------|-----------------|-------|----------|---------|--------|----------|----------|--------|-------|----------|--|
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | Basic | Edge | Module | Modesty | Wire | Overhead | Trans. | Base | Edge | Surface | |
| | D x L x W x D | Model | Style | Location | Panel | Trough | Grommet | Legs | Finish | Color | Finish | |
| | 24 x 48 x 54 x 30" | GSSH24485430D/F | | | | | | | | | | |
| | 24 x 48 x 60 x 30" | GSSH24486030D/F | | | | | | | | | | |
| | 24 x 48 x 66 x 30" | GSSH24486630D/F | | | | | | | | | | |
| | 24 x 48 x 72 x 30" | GSSH24487230D/F | | | | | | | | | | |
| | 24 x 48 x 84 x 30" | GSSH24488430D/F | | | | | | | | | | |
| | 30 x 48 x 54 x 24" | GSSH30485424D/F | | | | | | | | | | |
| GSSH | 30 x 48 x 60 x 24" | GSSH30486024D/F | | | | | | | | | | |
| Reduction Basic Square Shoe Fixed | 30 x 48 x 66 x 24" | GSSH30486624D/F | | | | | | | | | | |
| Height Dual-Right | 30 x 48 x 72 x 24" | GSSH30487224D/F | | | | | | | | | | |
| | 30 x 48 x 84 x 24" | GSSH30488424D/F | | | | | | | | | | |
| Extended corner surface Three-legged table base | | | | | | | | | | | | |
| Fixed height at 29" | | | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | | | |
| Keyboard surface adjusts 5" above/ heleuu primeru surface | | | | | | | | | | | | |
| below primary surface Keyboard surface tilts +/-15° | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| OCR-OCL | | | | | | | | | | | | |
| • OCR = Overhead right | | | | | | | | | | | | |
| • OCL = Overhead left | | | | | | | | | | | | |
| | | A | ß | C | D | Ø | G | G | 0 | 0 | J | |
| | | • | 0 | Ŭ | 0 | 0 | | ~ | • | • | <u> </u> | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect ec | lge style. | |
|------------|-----------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | - Membrane edge | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119 PUB - Both left and right modules;

PUB - Both left and right module add \$242

Select modesty panel option.
 NM - No modesty panel
 LM - LH modesty only
 RM - RH modesty only
 WM - Both modesty panels
 Add upcharge to unit price for "LM", "RM"
 and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

Select overhead grommet.

 OGN
 - Overhead grommets no

 OGL
 - Overhead grommets left

 OGR
 - Overhead grommets right

GSelect transition legs.

 TS
 - No transition foot

 TL
 - Left transition foot

 TR
 - Right transition foot

 TB
 - Both transition feet

 TB
 TB
 Ofference

TR, TL and TB not allowed on 24" deep dual surfaces.

Belect base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select edge/PowerUp color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

USelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Reduction Square Shoe Fixed Height Dual

| Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------------------|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| 151.0# | \$ 2635 | \$ 2684 | \$ 2684 | \$ 206 | \$ 218 | \$ 426 | \$ 535 | \$ 553 | \$ 1088 |
| 159.0# | 2640 | 2687 | 2687 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 166.0# | 2662 | 2712 | 2712 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 174.0# | 2722 | 2771 | 2771 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 190.0# | 2800 | 2804 | 2804 | 206 | 276 | 481 | 535 | 791 | 1324 |
| 150.0# | 2635 | 2684 | 2684 | 206 | 218 | 426 | 535 | 553 | 1088 |
| 156.0# | 2640 | 2687 | 2687 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 163.0# | 2662 | 2712 | 2712 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 169.0# | 2722 | 2771 | 2771 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 182.0# | 2800 | 2804 | 2804 | 206 | 276 | 481 | 535 | 791 | 1324 |


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.







INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Square Shoe Pin Height Adjustable

| | | MODEL NUMBER | | | | 1 | 1 | | | |
|--|--------------------|-----------------|-------|----------|---------|--------|--------|-------|---------|----------|
| | | | | | | | | | | |
| | | | | | | | | | | Approx. |
| | | Basic | Edge | Module | Modesty | Wire | Base | Edge | Surface | Packaged |
| | D x L x W x D | Model | Style | Location | Panel | Trough | Finish | Color | Finish | Weight |
| \sim | 24 x 54 x 48 x 30" | GSSH24544830S/P | | | | | | | | 136.0# |
| | 24 x 60 x 48 x 30" | GSSH24604830S/P | | | | | | | | 143.0# |
| | 24 x 66 x 48 x 30" | GSSH24664830S/P | | | | | | | | 150.0# |
| | 24 x 72 x 48 x 30" | GSSH24724830S/P | | | | | | | | 157.0# |
| | 24 x 84 x 48 x 30" | GSSH24844830S/P | | | | | | | | 170.0# |
| | 30 x 54 x 48 x 24" | GSSH30544824S/P | | | | | | | | 137.0# |
| GSSH | 30 x 60 x 48 x 24" | GSSH30604824S/P | | | | | | | | 145.0# |
| Reduction Square Shoe Pin Height | 30 x 66 x 48 x 24" | GSSH30664824S/P | | | | | | | | 153.0# |
| Adjustable-Left | 30 x 72 x 48 x 24" | GSSH30724824S/P | | | | | | | | 162.0# |
| Extended corner surface | 30 x 84 x 48 x 24" | GSSH30844824S/P | | | | | | | | 178.0# |
| Three-legged table base | | | | | | | | | | |
| Height adjusts from 24"-31" in 1" | | | | | | | | | | |
| increments Adjustable glides | | | | | | | | | | |
| Wire trough and modesty panel | | | | | | | | | | |
| should not be ordered together on | | | | | | | | | | |
| adjustable tables | | | | | | | | | | |
| \sim | 24 x 48 x 54 x 30" | GSSH24485430S/P | | | | | | | | 137.0# |
| | 24 x 48 x 60 x 30" | GSSH24486030S/P | | | | | | | | 145.0# |
| \sim | 24 x 48 x 66 x 30" | GSSH24486630S/P | | | | | | | | 153.0# |
| | 24 x 48 x 72 x 30" | GSSH24487230S/P | | | | | | | | 162.0# |
| | 24 x 48 x 84 x 30" | GSSH24488430S/P | | | | | | | | 178.0# |
| | 30 x 48 x 54 x 24" | GSSH30485424S/P | | | | | | | | 136.0# |
| GSSH | 30 x 48 x 60 x 24" | GSSH30486024S/P | | | | | | | | 143.0# |
| Reduction Square Shoe Pin Height | 30 x 48 x 66 x 24" | GSSH30486624S/P | | | | | | | | 150.0# |
| Adjustable-Right | 30 x 48 x 72 x 24" | GSSH30487224S/P | | | | | | | | 157.0# |
| Extended corner surface | 30 x 48 x 84 x 24" | GSSH30488424S/P | | | | | | | | 170.0# |
| Three-legged table base | | | | | | | | | | |
| Height adjusts from 24"-31" in 1" | | | | | | | | | | |
| increments Adjustable glides | | | | | | | | | | |
| Wire trough and modesty panel | | | | | | | | | | |
| should not be ordered together on | | | | | | | | | | |
| adjustable tables | | | | | | | | | | |
| | | A | B | C | D | Ø | G | G | 0 | |
| | | • | 0 | 9 | 9 | 9 | | 0 | Ψ | |
| | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

ſ

| B Select e | dge style. | |
|-------------------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

- Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119
 - PUB
 - Both left and right modules;

 add \$242

OSelect modesty panel option. NM - No modesty panel LM - LH modesty only BM - BH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

Select base finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Reduction Square Shoe Pin Height Adjustable

LH RH Both Left Right Both Wire Modesty Modesty Modesty Wire Wire Panel Panel Panels Trough Trough Troughs 74P Edge Knife Edge Membrane Edge add to list (74P) (KN) (MP) price price price price price price 218 206 426 535 1088 \$ 1856 \$ 1907 \$ 1907 \$ \$ \$ \$ 553 \$ \$ 1860 1910 1910 227 206 435 572 535 1105 1936 236 705 535 1885 1936 206 442 1238 786 2013 244 535 1964 2013 206 452 1317 1993 2044 2044 276 206 481 791 535 1324 1856 1907 1907 218 206 426 553 535 1088 1860 1910 1910 227 206 435 572 535 1105 1885 1936 1936 236 206 442 705 535 1238 1964 2013 2013 244 206 452 786 535 1317 1993 2044 2044 276 206 481 791 535 1324

| \$ 1856 | \$ | 1907 | \$ 1907 | \$ | 206 | \$ 218 | \$ 426 | \$ 535 | \$ 553 | \$ 1088 |
|------------|----|------|------------|----|-----|-----------|-----------|-----------|-----------|------------|
| 1860 | | 1910 | 1910 | | 206 | 227 | 435 | 535 | 572 | 1105 |
| 1885 | | 1936 | 1936 | | 206 | 236 | 442 | 535 | 705 | 1238 |
| 1964 | 1 | 2013 | 2013 | | 206 | 244 | 452 | 535 | 786 | 1317 |
| 1993 | 1 | 2044 | 2044 | | 206 | 276 | 481 | 535 | 791 | 1324 |
| 1856 | | 1907 | 1907 | | 206 | 218 | 426 | 535 | 553 | 1088 |
| 1860 | | 1910 | 1910 | | 206 | 227 | 435 | 535 | 572 | 1105 |
| 1885 | | 1936 | 1936 | | 206 | 236 | 442 | 535 | 705 | 1238 |
| 1964 | | 2013 | 2013 | | 206 | 244 | 452 | 535 | 786 | 1317 |
| 1993 | 1 | 2044 | 2044 | | 206 | 276 | 481 | 535 | 791 | 1324 |
| | | | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

-60²





INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Square Shoe Crank Height Adjustable

| | | MODEL NUMBER | | | | | | | | |
|---|--------------------|------------------|-------|----------|---------|--------|--------|-------|---------|----------|
| | | | | | | | | | | |
| | | | | | | | | | | Approx. |
| | | Basic | Edge | Module | Modesty | Wire | Base | Edge | Surface | Packaged |
| | DxLxWxD | Model | Style | Location | Panel | Trough | Finish | Color | Finish | Weight |
| \sim | 24 x 54 x 48 x 30" | GSSH24544830S/CR | | | | | | | | 143.0# |
| | 24 x 60 x 48 x 30" | GSSH24604830S/CR | | | | | | | | 150.0# |
| | 24 x 66 x 48 x 30" | GSSH24664830S/CR | | | | | | | | 157.0# |
| | 24 x 72 x 48 x 30" | GSSH24724830S/CR | | | | | | | | 165.0# |
| | 24 x 84 x 48 x 30" | GSSH24844830S/CR | | | | | | | | 179.0# |
| | 30 x 54 x 48 x 24" | GSSH30544824S/CR | | | | | | | | 146.0# |
| GSSH | 30 x 60 x 48 x 24" | GSSH30604824S/CR | | | | | | | | 155.0# |
| Reduction Basic Square Shoe Crank | 30 x 66 x 48 x 24" | GSSH30664824S/CR | | | | | | | | 163.0# |
| Height Adjustable-Left | 30 x 72 x 48 x 24" | GSSH30724824S/CR | | | | | | | | 172.0# |
| Extended corner surface | 30 x 84 x 48 x 24" | GSSH30844824S/CR | | | | | | | | 189.0# |
| Three-legged table base | | | | | | | | | | |
| Height adjusts from 22"-33" | | | | | | | | | | |
| Adjustable glides Worksurfaces are undersized by 1/4" | | | | | | | | | | |
| from side-to-side and 1/4" from back- | | | | | | | | | | |
| to-front from the stated dimensions | | | | | | | | | | |
| Wire trough and modesty panel | | | | | | | | | | |
| should not be ordered together on adjustable tables | | | | | | | | | | |
| | | | | | | | | | | |
| \sim | 24 x 48 x 54 x 30" | GSSH24485430S/CR | | | | | | | | 144.0# |
| | 24 x 48 x 60 x 30" | GSSH24486030S/CR | | | | | | | | 153.0# |
| | 24 x 48 x 66 x 30" | GSSH24486630S/CR | | | | | | | | 161.0# |
| | 24 x 48 x 72 x 30" | GSSH24487230S/CR | | | | | | | | 170.0# |
| | 24 x 48 x 84 x 30" | GSSH24488430S/CR | | | | | | | | 187.0# |
| | 30 x 48 x 54 x 24" | GSSH30485424S/CR | | | | | | | | 145.0# |
| GSSH | 30 x 48 x 60 x 24" | GSSH30486024S/CR | | | | | | | | 152.0# |
| Reduction Basic Square Shoe Crank | 30 x 48 x 66 x 24" | GSSH30486624S/CR | | | | | | | | 159.0# |
| Height Adjustable-Right | 30 x 48 x 72 x 24" | GSSH30487224S/CR | | | | | | | | 167.0# |
| Extended corner surface | 30 x 48 x 84 x 24" | GSSH30488424S/CR | | | | | | | | 181.0# |
| Extended corner surface Three-legged table base | | | | | | | | | | |
| Height adjusts from 22"-33" | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | |
| Worksurfaces are undersized by 1/4" from side-to-side and 1/4" from back- | | | | | | | | | | |
| to-front from the stated dimensions | | | | | | | | | | |
| Wire trough and modesty panel | | | | | | | | | | |
| should not be ordered together on | | | | | | | | | | |
| adjustable tables | | | | | | | | | | |
| | | Α | 6 | C | D | G | G | G | 0 | |
| | | U | 9 | G | U | G | U | U | Ψ | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect ed | ge style. | |
|------------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

- Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119
 - **PUB** Both left and right modules; add \$242

Select modesty panel option. <u>NM</u> - No modesty panel <u>LM</u> - LH modesty only <u>RM</u> - PH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

Select base finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Reduction Square Shoe Crank Height Adjustable

| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| \$ 2264 | \$ 2309 | \$ 2309 | \$ 218 | \$ 206 | \$ 426 | \$ 553 | \$ 535 | \$ 1088 |
| 2267 | 2313 | 2313 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 2299 | 2339 | 2339 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 2350 | 2399 | 2399 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 2383 | 2434 | 2434 | 276 | 206 | 481 | 791 | 535 | 1324 |
| 2264 | 2309 | 2309 | 218 | 206 | 426 | 553 | 535 | 1088 |
| 2267 | 2313 | 2313 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 2299 | 2339 | 2339 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 2350 | 2399 | 2399 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 2383 | 2434 | 2434 | 276 | 206 | 481 | 791 | 535 | 1324 |
| | | | | | | | | |

| \$ 2264 | \$ 2309 | \$ 2309 | \$ 206 | \$ 218 | \$ 426 | \$ 535 | \$ 553 | \$ 1088 |
|---------|---------|---------|--------|--------|--------|--------|--------|---------|
| 2267 | 2313 | 2313 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 2299 | 2339 | 2339 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 2350 | 2399 | 2399 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 2383 | 2434 | 2434 | 206 | 276 | 481 | 535 | 791 | 1324 |
| 2264 | 2309 | 2309 | 206 | 218 | 426 | 535 | 553 | 1088 |
| 2267 | 2313 | 2313 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 2299 | 2339 | 2339 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 2350 | 2399 | 2399 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 2383 | 2434 | 2434 | 206 | 276 | 481 | 535 | 791 | 1324 |
| | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

30





INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Square Shoe Crank Height Dual

| | | MODEL NUMBER | | | | | | | | |
|---|--------------------|------------------|---------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|
| | | | | | | | | | | |
| | D x L x W x D | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| | 24 x 54 x 48 x 30" | GSSH24544830D/CR | | | | | | | | 163.0# |
| | 24 x 60 x 48 x 30" | GSSH24604830D/CR | | | | | | | | 170.0# |
| | 24 x 66 x 48 x 30" | GSSH24664830D/CR | | | | | | | | 177.0# |
| je se | 24 x 72 x 48 x 30" | GSSH24724830D/CR | | | | | | | | 185.0# |
| | 24 x 84 x 48 x 30" | GSSH24844830D/CR | | | | | | | | 199.0# |
| | 30 x 54 x 48 x 24" | GSSH30544824D/CR | | | | | | | | 166.0# |
| GSSH | 30 x 60 x 48 x 24" | GSSH30604824D/CR | | | | | | | | 175.0# |
| Reduction Basic Square Shoe Crank | 30 x 66 x 48 x 24" | GSSH30664824D/CR | | | | | | | | 183.0# |
| Height Dual-Left | 30 x 72 x 48 x 24" | GSSH30724824D/CR | | | | | | | | 192.0# |
| | 30 x 84 x 48 x 24" | GSSH30844824D/CR | | | | | | | | 209.0# |
| Extended corner surface | | | | | | | | | | |
| Three-legged table base Height adjusts from 22"-33" | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | |
| Keyboard surface adjusts 5" above/ | | | | | | | | | | |
| below primary surface Keyboard surface tilts +/-15° | | | | | | | | | | |
| Worksurfaces are undersized by 1/4" | | | | | | | | | | |
| from side-to-side and 1/4" from back- | | | | | | | | | | |
| to-front from the stated dimensionsWire trough and modesty panel | | | | | | | | | | |
| should not be ordered together on | | | | | | | | | | |
| adjustable tables | | | | | | | | | | |
| | | | | | | | | | | |
| | | A | ₿ | œ | D | 0 | 6 | G | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect e | edge style. | |
|-----------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119

PUB - Both left and right modules; add \$242

Select modesty panel option. NM - No modesty panel LM - LH modesty only RM - RH modesty only WM - Both modesty panels Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power options.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" option.

• Select base finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Reduction Square Shoe Crank Height Dual

| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| \$ 3269 | \$ 3318 | \$ 3318 | \$ 218 | \$ 206 | \$ 426 | \$ 553 | \$ 535 | \$ 1088 |
| 3273 | 3320 | 3320 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 3297 | 3344 | 3344 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 3356 | 3405 | 3405 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 3388 | 3438 | 3438 | 276 | 206 | 481 | 791 | 535 | 1324 |
| 3269 | 3318 | 3318 | 218 | 206 | 426 | 553 | 535 | 1088 |
| 3273 | 3320 | 3320 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 3297 | 3344 | 3344 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 3356 | 3405 | 3405 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 3388 | 3438 | 3438 | 276 | 206 | 481 | 791 | 535 | 1324 |
| | | | | | | | | |


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Basic Model: GSSH24486030S/F



INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Square Shoe Crank Height Dual

| | | MODEL NUMBER | | | | | | | | |
|---|--------------------|------------------|---------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|
| | | | | | | | | | | |
| | D x L x W x D | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| ~ | 24 x 48 x 54 x 30" | GSSH24485430D/CR | | | | | | | | 164.0# |
| | 24 x 48 x 60 x 30" | GSSH24486030D/CR | | | | | | | | 173.0# |
| \$ 8 | 24 x 48 x 66 x 30" | GSSH24486630D/CR | | | | | | | | 181.0# |
| | 24 x 48 x 72 x 30" | GSSH24487230D/CR | | | | | | | | 190.0# |
| | 24 x 48 x 84 x 30" | GSSH24488430D/CR | | | | | | | | 207.0# |
| | 30 x 48 x 54 x 24" | GSSH30485424D/CR | | | | | | | | 165.0# |
| GSSH | 30 x 48 x 60 x 24" | GSSH30486024D/CR | | | | | | | | 172.0# |
| Reduction Basic Square Shoe Crank | 30 x 48 x 66 x 24" | GSSH30486624D/CR | | | | | | | | 179.0# |
| Height Dual-Right | 30 x 48 x 72 x 24" | GSSH30487224D/CR | | | | | | | | 187.0# |
| | 30 x 48 x 84 x 24" | GSSH30488424D/CR | | | | | | | | 201.0# |
| Extended corner surface Three lagreed table base | | | | | | | | | | |
| Three-legged table base Height adjusts from 22"-33" | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | |
| Keyboard surface adjusts 5" above/ | | | | | | | | | | |
| below primary surface Keyboard surface tilts +/-15° | | | | | | | | | | |
| Worksurfaces are undersized by 1/4" | | | | | | | | | | |
| from side-to-side and 1/4" from back- | | | | | | | | | | |
| to-front from the stated dimensionsWire trough and modesty panel | | | | | | | | | | |
| should not be ordered together on | | | | | | | | | | |
| adjustable tables | | | | | | | | | | |
| | | | | | | | | | | |
| | | A | ₿ | Θ | D | 0 | 6 | G | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect e | edge style. | |
|-----------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119

PUB - Both left and right modules; add \$242

Select modesty panel option. NM - No modesty panel LM - LH modesty only RM - RH modesty only WM - Both modesty panels Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power options.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" option.

Eselect base finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Reduction Square Shoe Crank Height Dual

| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price | |
|-------------------|--------------------|-----------------------|--|--|---|--|---|---|--|
| \$ 3269 | \$ 3318 | \$ 3318 | \$ 206 | \$ 218 | \$ 426 | \$ 535 | \$ 553 | \$ 1088 | |
| 3273 | 3320 | 3320 | 206 | 227 | 435 | 535 | 572 | 1105 | |
| 3297 | 3344 | 3344 | 206 | 236 | 442 | 535 | 705 | 1238 | |
| 3356 | 3405 | 3405 | 206 | 244 | 452 | 535 | 786 | 1317 | |
| 3388 | 3438 | 3438 | 206 | 276 | 481 | 535 | 791 | 1324 | |
| 3269 | 3318 | 3318 | 206 | 218 | 426 | 535 | 553 | 1088 | |
| 3273 | 3320 | 3320 | 206 | 227 | 435 | 535 | 572 | 1105 | |
| 3297 | 3344 | 3344 | 206 | 236 | 442 | 535 | 705 | 1238 | |
| 3356 | 3405 | 3405 | 206 | 244 | 452 | 535 | 786 | 1317 | |
| 3388 | 3438 | 3438 | 206 | 276 | 481 | 535 | 791 | 1324 | |
| | | | | | | | | | |


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.







INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Square Shoe Electric Height Adjustable

| | | MODEL NUMBE | R | | | | | | | | |
|--|--------------------|---------------|-------|------------|----------|---------|--------|--------|-------|---------|---------------------|
| | | Basic | Edge | Electrical | Module | Modesty | Wire | Base | Edge | Surface | Approx. Packaged |
| | D x L x W x D | Model | Style | Control | Location | Panel | Trough | Finish | Color | Finish | Weight |
| | 24 x 54 x 48 x 30" | GSHE24544830S | | | | | | | | | 164.0# |
| | 24 x 60 x 48 x 30" | GSHE24604830S | | | | | | | | | 171.0# |
| $\langle \rangle$ | 24 x 66 x 48 x 30" | GSHE24664830S | | | | | | | | | 178.0# |
| v v | 24 x 72 x 48 x 30" | GSHE24724830S | | | | | | | | | 185.0# |
| | 24 x 84 x 48 x 30" | GSHE24844830S | | | | | | | | | 199.0# |
| | 30 x 54 x 48 x 24" | GSHE30544824S | | | | | | | | | 166.0# |
| GSHE | 30 x 60 x 48 x 24" | GSHE30604824S | | | | | | | | | 174.0# |
| Reduction Basic Square Shoe Electric | 30 x 66 x 48 x 24" | GSHE30664824S | | | | | | | | | 182.0# |
| Height Adjustable Single-Left | 30 x 72 x 48 x 24" | GSHE30724824S | | | | | | | | | 190.0# |
| Extended corner surface | 30 x 84 x 48 x 24" | GSHE30844824S | | | | | | | | | 206.0# |
| Three-legged table base | | | | | | | | | | | |
| Height adjusts from 24"-51" Standard or deliver up (devus quitable) | | | | | | | | | | | |
| Standard or deluxe up/down switch Adjustable glides | | | | | | | | | | | |
| Worksurfaces are undersized by | | | | | | | | | | | |
| 1-1/4" from side-to-side and 1/2" | | | | | | | | | | | |
| from back-to-front from the stated dimensions | | | | | | | | | | | |
| Wire trough and modesty panel | | | | | | | | | | | |
| should not be ordered together on | | | | | | | | | | | |
| adjustable tables | | | | | | | | | | | |
| | | ۵ | ₿ | C | O | Ø | 6 | G | 0 | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect e | dge style. | |
|-----------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

Select electric control style. <u>S</u> - Standard up/down switch <u>D</u> - Deluxe up/down switch; add \$125

Select PowerUp module location.
 Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUB - Both left and right modules; add \$242

Select modesty panel option. NM - No modesty panel
 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

Select base finish.
 Befer to color addendum at ki com or KI

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't

apply to the membrane edge selection.

 Select surface finish.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Reduction Square Shoe Electric Height Adjustable

| 437944294429227206435572535110443744894489236206442705535123449945464546244206452786535131456146104610276206481791535132437544274427218206426553535108437944294429227206435572535110 | | 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|--|---|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| 443744894489236206442705535123449945464546244206452786535131456146104610276206481791535132437544274427218206426553535108437944294429227206435572535110 | 9 | \$ 4375 | \$ 4427 | \$ 4427 | \$ 218 | \$ 206 | \$ 426 | \$ 553 | \$ 535 | \$ 1088 |
| 449945464546244206452786535131456146102762064817915351324375442721820642655353510843794429227206435572535110 | | 4379 | 4429 | 4429 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 45614610461027620648179153513243754427442721820642655353510843794429429227206435572535110 | | 4437 | 4489 | 4489 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 43754427442721820642655353510843794429227206435572535110 | | 4499 | 4546 | 4546 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 4379 4429 4429 227 206 435 572 535 110 | | 4561 | 4610 | 4610 | 276 | 206 | 481 | 791 | 535 | 1324 |
| | | 4375 | 4427 | 4427 | 218 | 206 | 426 | 553 | 535 | 1088 |
| <u>4437</u> <u>4489</u> <u>4489</u> <u>236</u> <u>206</u> <u>442</u> <u>705</u> <u>535</u> <u>123</u> | | 4379 | 4429 | 4429 | 227 | 206 | 435 | 572 | 535 | 1105 |
| | | 4437 | 4489 | 4489 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 4499 4546 4546 244 206 452 786 535 131 | | 4499 | 4546 | 4546 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 4561 4610 4610 276 206 481 791 535 132 | | 4561 | 4610 | 4610 | 276 | 206 | 481 | 791 | 535 | 1324 |


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Basic Model: GSSH24486030S/F



INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Square Shoe Electric Height Adjustable

| | | MODEL NUMBE | R | | | | | | | | |
|--|--------------------|----------------|---------------|-----------------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|
| | | | | | | | | | | | |
| | D x L x W x D | Basic Model | Edge Style | Electrical Control | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| | 24 x 48 x 54 x 30" | GSHE24485430S | | | | | | | | | 166.0# |
| | 24 x 48 x 60 x 30" | GSHE24486030S | | | | | | | | | 174.0# |
| $\langle \rangle$ | 24 x 48 x 66 x 30" | GSHE24486630S | | | | | | | | | 182.0# |
| The second secon | 24 x 48 x 72 x 30" | GSHE24487230S | | | | | | | | | 190.0# |
| | 24 x 48 x 84 x 30" | GSHE24488430S | | | | | | | | | 206.0# |
| | 30 x 48 x 54 x 24" | GSHE30485424S | | | | | | | | | 164.0# |
| GSHE | 30 x 48 x 60 x 24" | GSHE30486024S | | | | | | | | | 171.0# |
| Reduction Basic Square Shoe Electric | 30 x 48 x 66 x 24" | GSHE30486624S | | | | | | | | | 178.0# |
| Height Adjustable Single-Right | 30 x 48 x 72 x 24" | GSHE30487224S | | | | | | | | | 185.0# |
| Extended corner surface | 30 x 48 x 84 x 24" | GSHE30488424S | | | | | | | | | 199.0# |
| Three-legged table base | | | | | | | | | | | |
| Height adjusts from 24"-51" Standard or deluxe up/down switch | | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | | |
| Worksurfaces are undersized by | | | | | | | | | | | |
| 1-1/4" from side-to-side and 1/2" | | | | | | | | | | | |
| from back-to-front from the stated dimensions | | | | | | | | | | | |
| Wire trough and modesty panel | | | | | | | | | | | |
| should not be ordered together on | | | | | | | | | | | |
| adjustable tables | | | | | | | | | | | |
| | | ۵ | 0 | C | D | 9 | 6 | G | 0 | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect ed | lge style. | |
|------------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

Select electric control style. <u>S</u> - Standard up/down switch <u>D</u> - Deluxe up/down switch; add \$125

Select PowerUp module location.
 Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUB - Both left and right modules; add \$242

- No modesty panel

• Select modesty panel option.

NM

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM"

 and "WM" options.

Select wire trough and power option.
 <u>NW</u> - No wire trough
 <u>WL</u> - Wire trough LH only
 <u>WR</u> - Wire trough RH only
 <u>WW</u> - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "RMM extinate"

and "WW" options.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't

apply to the membrane edge selection.

 Select surface finish.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Reduction Square Shoe Electric Height Adjustable

| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| \$ 4375 | \$ 4427 | \$ 4427 | \$ 206 | \$ 218 | \$ 426 | \$ 535 | \$ 553 | \$ 1088 |
| 4379 | 4429 | 4429 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 4437 | 4489 | 4489 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 4499 | 4546 | 4546 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 4561 | 4610 | 4610 | 206 | 276 | 481 | 535 | 791 | 1324 |
| 4375 | 4427 | 4427 | 206 | 218 | 426 | 535 | 553 | 1088 |
| 4379 | 4429 | 4429 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 4437 | 4489 | 4489 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 4499 | 4546 | 4546 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 4561 | 4610 | 4610 | 206 | 276 | 481 | 535 | 791 | 1324 |


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Basic Model: GSSH24486030S/F



INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Square Shoe Electric Height Adjustable Dual

| MODEL NUMBER MODEL NUMBER Parking of the state stat | | | | | | | | | | | | |
|---|---|--------------------|---------------|---|---|---|---|----------|---|-----|---|----------|
| Basic Edge Mode Edge Control Control Wodesty Location Wire Panel Wire Trough Base Finish Edge Col Surface Packaged Weight V 24 x 54 x 48 x 30' 24 x 60 x 48 x 30' 30 x 54 x 48 x 48 x 30' 30 x 54 x 48 x 42' 6SHE2456448300 0 <th></th> <th></th> <th>MODEL NUMBE</th> <th>R</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> | | | MODEL NUMBE | R | | | | | | | | |
| Basic Edge Mode Edge Control Control Wodesty Location Wire Panel Wire Trough Base Finish Edge Col Surface Packaged Weight Image: State St | | | | | | | | | | | | |
| 24 × 60 × 48 × 30° CSHE24604830D I < | | D x L x W x D | | | | | | | | U U | | Packaged |
| 24 x 66 x 48 x 30° CSHE24664830D | | 24 x 54 x 48 x 30" | GSHE24544830D | | | | | | | | | 184.0# |
| 4 X2 x 2 x 48 x 30' GSHE24724830D I <t< td=""><td></td><td>24 x 60 x 48 x 30"</td><td>GSHE24604830D</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>191.0#</td></t<> | | 24 x 60 x 48 x 30" | GSHE24604830D | | | | | | | | | 191.0# |
| 24 x 84 x 48 x 30° GSHE248448300 Image: She Icitric Height Adjustable Dual-Left 30 x 54 x 48 x 24° GSHE30604824D Image: She Icitric Height Adjustable Dual-Left Image: She Icitric Height Adjustable Dual-Left 30 x 66 x 48 x 24° GSHE30664824D Image: She Icitric Height Adjustable Dual-Left Image: She Icitri Height Adj | | 24 x 66 x 48 x 30" | GSHE24664830D | | | | | | | | | 198.0# |
| 30 x 54 x 48 x 24* GSHE30544824D IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII | | 24 x 72 x 48 x 30" | GSHE24724830D | | | | | | | | | 205.0# |
| GSHE 30 x 60 x 48 x 24' GSHE30604824D IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII | | 24 x 84 x 48 x 30" | GSHE24844830D | | | | | | | | | 219.0# |
| Reduction Basic Square Shoe Electric Height Adjustable Dual-Left 30 x 66 x 48 x 24" GSHE30664824D IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII | | 30 x 54 x 48 x 24" | GSHE30544824D | | | | | | | | | 186.0# |
| Height Adjustable Dual-Left 30 x 72 x 48 x 24" GSHE30724824D Image: Control of the state of the st | GSHE | 30 x 60 x 48 x 24" | GSHE30604824D | | | | | | | | | 194.0# |
| Extended corner surface Three-legged table base Height adjusts from 24"-51" Standard or deluxe up/down switch Keyboard surface adjusts 5" above/ below primary surface Keyboard surface tilts +/-15° Adjustable glides Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" from back-to-front from the stated dimensions Wire trough and modesty panel should not be ordered together on adjustable tables | | 30 x 66 x 48 x 24" | GSHE30664824D | | | | | | | | | 202.0# |
| Extended corner surface Three-legged table base Height adjusts from 24*-51" Standard or deluxe up/down switch Keyboard surface adjusts 5" above/ below primary surface Keyboard surface tilts +/-15° Adjustable glides Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" from back-to-from the stated dimensions Wire trough and modesty panel should not be ordered together on adjustable tables | Height Adjustable Dual-Left | 30 x 72 x 48 x 24" | GSHE30724824D | | | | | | | | | 210.0# |
| Three-legged table base Height adjusts from 24*-51" Standard or deluxe up/down switch Keyboard surface adjusts 5" above/ below primary surface Keyboard surface tilts +/-15° Adjustable glides Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" from back-to-front from the stated dimensions Wire trough and modesty panel should not be ordered together on adjustable tables | Extended corpor curfoco | 30 x 84 x 48 x 24" | GSHE30844824D | | | | | | | | | 226.0# |
| Height adjusts from 24"-51" Standard or deluxe up/down switch Keyboard surface adjusts 5" above/ below primary surface Keyboard surface tilts +/-15° Adjustable glides Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" from back-to-front from the stated dimensions Wire trough and modesty panel should not be ordered together on adjustable tables | | | | | | | | | | | | |
| Keyboard surface adjusts 5" above/ below primary surface Keyboard surface tilts +/-15° Adjustable glides Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" from back-to-front from the stated dimensions Wire trough and modesty panel should not be ordered together on adjustable tables | Height adjusts from 24"-51" | | | | | | | | | | | |
| below primary surface • Keyboard surface tilts +/-15° • Adjustable glides • Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" from back-to-front from the stated dimensions • Wire trough and modesty panel should not be ordered together on adjustable tables | | | | | | | | | | | | |
| Keyboard surface tilts +/-15° Adjustable glides Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" from back-to-front from the stated dimensions Wire trough and modesty panel should not be ordered together on adjustable tables | | | | | | | | | | | | |
| Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" from back-to-front from the stated dimensions Wire trough and modesty panel should not be ordered together on adjustable tables | | | | | | | | | | | | |
| 1-1/4" from side-to-side and 1/2" from back-to-front from the stated dimensions Wire trough and modesty panel should not be ordered together on adjustable tables | | | | | | | | | | | | |
| from back-to-front from the stated dimensions • Wire trough and modesty panel should not be ordered together on adjustable tables | | | | | | | | | | | | |
| dimensions • Wire trough and modesty panel should not be ordered together on adjustable tables | | | | | | | | | | | | |
| should not be ordered together on adjustable tables | | | | | | | | | | | | |
| adjustable tables | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | ลนานอเสมาช เสมาชอ | | | | | | | | | | | |
| | | | • | ß | 6 | • | A | G | A | Ð | • | <u>-</u> |
| | | | | U | G | U | G | U | U | Ψ | U | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect ec | lge style. | |
|------------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |

Select electric control style. <u>S</u> - Standard up/down switch <u>D</u> - Deluxe up/down switch; add \$125

Select PowerUp module location.
 Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUB - Both left and right modules; add \$242

- No modesty panel

• Select modesty panel option.

NM

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM"

 and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" options.

Gelect base finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Reduction Square Shoe Electric Height Adjustable Dual

| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| \$ 5382 | \$ 5429 | \$ 5429 | \$ 218 | \$ 206 | \$ 426 | \$ 553 | \$ 535 | \$ 1088 |
| 5386 | 5432 | 5432 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 5446 | 5493 | 5493 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 5504 | 5553 | 5553 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 5601 | 5618 | 5618 | 276 | 206 | 481 | 791 | 535 | 1324 |
| 5382 | 5429 | 5429 | 218 | 206 | 426 | 553 | 535 | 1088 |
| 5386 | 5432 | 5432 | 227 | 206 | 435 | 572 | 535 | 1105 |
| 5446 | 5493 | 5493 | 236 | 206 | 442 | 705 | 535 | 1238 |
| 5504 | 5553 | 5553 | 244 | 206 | 452 | 786 | 535 | 1317 |
| 5601 | 5618 | 5618 | 276 | 206 | 481 | 791 | 535 | 1324 |
| | | | | | | | | |


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Basic Model: GSSH24486030S/F



INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Square Shoe Electric Height Adjustable Dual

| | | MODEL NUMBER | R | | | | | | | | |
|--|--------------------|----------------|---------------|-----------------------|--------------------|------------------|----------------|----------------|---------------|-------------------|-------------------------------|
| | | | | | | | | | | | |
| | D x L x W x D | Basic Model | Edge Style | Electrical Control | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| | 24 x 48 x 54 x 30" | GSHE24485430D | | | | | | | | | 186.0# |
| | 24 x 48 x 60 x 30" | GSHE24486030D | | | | | | | | | 194.0# |
| | 24 x 48 x 66 x 30" | GSHE24486630D | | | | | | | | | 202.0# |
| | 24 x 48 x 72 x 30" | GSHE24487230D | | | | | | | | | 210.0# |
| | 24 x 48 x 84 x 30" | GSHE24488430D | | | | | | | | | 226.0# |
| | 30 x 48 x 54 x 24" | GSHE30485424D | | | | | | | | | 184.0# |
| GSHE | 30 x 48 x 60 x 24" | GSHE30486024D | | | | | | | | | 191.0# |
| Reduction Basic Square Shoe Electric | 30 x 48 x 66 x 24" | GSHE30486624D | | | | | | | | | 198.0# |
| Height Adjustable Dual-Right | 30 x 48 x 72 x 24" | GSHE30487224D | | | | | | | | | 205.0# |
| Extended corner surface | 30 x 48 x 84 x 24" | GSHE30488424D | | | | | | | | | 219.0# |
| Three-legged table base | | | | | | | | | | | |
| Height adjusts from 24"-51" | | | | | | | | | | | |
| Standard or deluxe up/down switch | | | | | | | | | | | |
| Keyboard surface adjusts 5" above/ below primary surface | | | | | | | | | | | |
| Keyboard surface tilts +/-15° | | | | | | | | | | | |
| Adjustable glides | | | | | | | | | | | |
| Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" | | | | | | | | | | | |
| from back-to-front from the stated | | | | | | | | | | | |
| dimensions | | | | | | | | | | | |
| Wire trough and modesty panel aboutd pat be ordered together on | | | | | | | | | | | |
| should not be ordered together on adjustable tables | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | A | ₿ | C | D | 0 | 6 | G | 0 | 0 | |
| | | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect e | dge style. |
|-----------|-----------------------------------|
| 74P | - 74P edge |
| KN | - Knife edge |
| MP | Membrane edge |

Select electric control style. <u>S</u> - Standard up/down switch <u>D</u> - Deluxe up/down switch; add \$125

Select PowerUp module location.
 Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUB - Both left and right modules; add \$242

- No modesty panel

• Select modesty panel option.

NM

 LM
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM"

 and "WM" options.

Select wire trough and power option.
 NW - No wire trough
 WL - Wire trough LH only
 WR - Wire trough RH only
 WW - Wire trough Both
 Add upcharge to unit price for "WL", "WR"
 and "WW" option.

Generation Select base finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't

apply to the membrane edge selection.

 Select surface finish.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

Genesis[®] Worksurfaces Reduction Square Shoe Electric Height Adjustable Dual

| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Left Wire Trough add to list price | Right Wire Trough add to list price | Both Wire Troughs add to list price |
|-------------------|--------------------|-----------------------|--|--|---|--|---|---|
| \$ 5382 | \$ 5429 | \$ 5429 | \$ 206 | \$ 218 | \$ 426 | \$ 535 | \$ 553 | \$ 1088 |
| 5386 | 5432 | 5432 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 5446 | 5493 | 5493 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 5504 | 5553 | 5553 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 5601 | 5618 | 5618 | 206 | 276 | 481 | 535 | 791 | 1324 |
| 5382 | 5429 | 5429 | 206 | 218 | 426 | 535 | 553 | 1088 |
| 5386 | 5552 | 5552 | 206 | 227 | 435 | 535 | 572 | 1105 |
| 5446 | 5493 | 5493 | 206 | 236 | 442 | 535 | 705 | 1238 |
| 5504 | 5553 | 5553 | 206 | 244 | 452 | 535 | 786 | 1317 |
| 5601 | 5618 | 5618 | 206 | 276 | 481 | 535 | 791 | 1324 |
| | | | | | | | | |


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.







INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

"P" Shaped Peninsula

| | | MODEL NUMBE | R | | | | | | | | |
|--|---------------|----------------|---------------|--------------------|------------------|----------------|---------------------|----------------|----------------|---------------|-------------------|
| | | | | | | | | | | | |
| | D x W x L | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Overhead Grommet | Trans. Legs | Base Finish | Edge Color | Surface Finish |
| Ŷ | 60 x 48 x 24" | GSTP604824S/F | | | | | | | | | |
| | 66 x 48 x 24" | GSTP664824S/F | | | | | | | | | |
| | 72 x 48 x 24" | GSTP724824S/F | | | | | | | | | |
| | 84 x 48 x 24" | GSTP844824S/F | | | | | | | | | |
| | 60 x 48 x 30" | GSTP604830S/F | | | | | | | | | |
| GSTP | 66 x 48 x 30" | GSTP664830S/F | | | | | | | | | |
| Fixed Height-Left | 72 x 48 x 30" | GSTP724830S/F | | | | | | | | | |
| Corner surface with conferencing end | 84 x 48 x 30" | GSTP844830S/F | | | | | | | | | |
| Fixed height at 29"Adjustable glides | | | | | | | | | | | |
| ~ | 24 x 48 x 60" | GSTP244860S/F | | | | | | | | | |
| | 24 x 48 x 66" | GSTP244866S/F | | | | | | | | | |
| | 24 x 48 x 72" | GSTP244872S/F | | | | | | | | | |
| | 24 x 48 x 84" | GSTP244884S/F | | | | | | | | | |
| | 30 x 48 x 60" | GSTP304860S/F | | | | | | | | | |
| GSTP | 30 x 48 x 66" | GSTP304866S/F | | | | | | | | | |
| Fixed Height-Right | 30 x 48 x 72" | GSTP304872S/F | | | | | | | | | |
| Corner surface with conferencing end Fixed height at 29" Adjustable glides | 30 x 48 x 84" | GSTP304884S/F | | | | | | | | | |
| | | ۵ | 6 | O | D | 9 | 6 | G | 0 | 0 | 0 |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect edge style.

 74P
 - 74P edge

 KN
 - Knife edge

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUB - Both left and right modules;

add \$242

| DSelect mo | DSelect modesty panel options. | | | | | | | |
|------------|---|--|--|--|--|--|--|--|
| NM | - No modesty panel | | | | | | | |
| LM | - LH modesty only | | | | | | | |
| RM | - RH modesty only | | | | | | | |
| WM | Both modesty panels | | | | | | | |
| | arge to unit price for "LM", "RM" | | | | | | | |
| and "WM | " option. | | | | | | | |
| | | | | | | | | |

Select wire trough and power option. <u>NW</u> - No wire trough <u>WW</u> - Wire trough Add upcharge to unit price for "WW" option.

Select overhead grommet.
 OGN - Overhead grommets no
 OGY - Overhead grommets yes
 OGY not available for 24" deep dual
 rectangles wider then 60".

GSelect transition legs.

- TS
 No transition foot

 TL
 Left transition foot
- TR- Right transition footTB- Both transition feet

TR, TL and TB not allowed on 24" deep dual surfaces.

BSelect base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.



| 14 |
|----|
|----|

| Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Wire Trough add to list price |
|-------------------------------|-------------------|--------------------|--|--|---|--|
| 131.0# | \$ 1936 | \$ 2094 | \$ 210 | \$ 157 | \$ 366 | \$ 523 |
| 139.0# | 2011 | 2196 | 218 | 157 | 376 | 523 |
| 147.0# | 2019 | 2232 | 227 | 157 | 383 | 523 |
| 155.0# | 2097 | 2258 | 236 | 157 | 391 | 523 |
| 139.0# | 1936 | 2094 | 210 | 157 | 366 | 523 |
| 147.0# | 2011 | 2196 | 218 | 157 | 376 | 523 |
| 155.0# | 2019 | 2232 | 227 | 157 | 383 | 523 |
| 162.0# | 2097 | 2258 | 236 | 157 | 391 | 523 |
| | | | | | | |
| | | | | | | |
| | · · | | | | | |
| 131.0# | \$ 1936 | \$ 2094 | \$ 157 | \$ 210 | \$ 366 | \$ 523 |
| 139.0# | 2011 | 2196 | 157 | 218 | 376 | 523 |
| 147.0# | 2019 | 2232 | 157 | 227 | 383 | 523 |
| 155.0# | 2097 | 2258 | 157 | 236 | 391 | 523 |
| 139.0# | 1936 | 2094 | 157 | 210 | 366 | 523 |
| 147.0# | 2011 | 2196 | 157 | 218 | 376 | 523 |
| 155.0# | 2019 | 2232 | 157 | 227 | 383 | 523 |
| 162.0# | 2097 | 2258 | 157 | 236 | 391 | 523 |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

"P" Shaped Peninsula

| | | | MODEL NUMBE | R | | | | | | | |
|-------------|--|---------------|----------------|---------------|--------------------|------------------|----------------|----------------|---------------|-------------------|--|
| | | | | | | | | | | 0.6 | |
| | MODEL | D x W x L | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | |
| | Pin Height Adjustable-Left | 60 x 48 x 24" | GSTP604824S/P | | | | | | | | |
| | Corner surface with conferencing end Height adjusts from 24" 21" in 1" increa | 66 x 48 x 24" | GSTP664824S/P | | | | | | | | |
| | Height adjusts from 24"-31" in 1" incre- ments | 72 x 48 x 24" | GSTP724824S/P | | | | | | | | |
| | Adjustable glides Wire trough and modesty panel should not be ordered together on adjustable tables | 84 x 48 x 24" | GSTP844824S/P | | | | | | | | |
| ų – | | 60 x 48 x 30" | GSTP604830S/P | | | | | | | | |
| GSTP | | 66 x 48 x 30" | GSTP664830S/P | | | | | | | | |
| | | 72 x 48 x 30" | GSTP724830S/P | | | | | | | | |
| | | 84 x 48 x 30" | GSTP844830S/P | | | | | | | | |
| ^ | Pin Height Adjustable-Right | 24 x 48 x 60" | GSTP244860S/P | | | | | | | | |
| | Corner surface with conferencing end Height adjusts from 24"-31" in 1" incre- | 24 x 48 x 66" | GSTP244866S/P | | | | | | | | |
| | ments | 24 x 48 x 72" | GSTP244872S/P | | | | | | | | |
| | Adjustable glides | 24 x 48 x 84" | GSTP244884S/P | | | | | | | | |
| ∾ µ GSTP | Wire trough and modesty panel should not be ordered together on adjustable | 30 x 48 x 60" | GSTP304860S/P | | | | | | | | |
| | not be ordered together on adjustable tables | 30 x 48 x 66" | GSTP304866S/P | | | | | | | | |
| | | 30 x 48 x 72" | GSTP304872S/P | | | | | | | | |
| | | 30 x 48 x 84" | GSTP304884S/P | | | | | | | | |
| | | | A | ₿ | C | D | Ø | G | G | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect edge style. | | | | | | | | | |
|---------------------|--------------------------------|--|--|--|--|--|--|--|--|
| 74P | - 74P edge | | | | | | | | |
| KN | Knife edge | | | | | | | | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119 PUB - Both left and right modules;

add \$242

OSelect modesty panel. <u>NM</u> - No modesty panel <u>LM</u> - LH modesty only

 LW
 - LH modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

- Select wire trough and power option.
- NW
 - No wire trough

 WW
 - Wire trough

 Add upcharge to unit price for "WW" option.

Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Gelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module.

Belect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.

Both

LH

RH



| Approx. Packaged Weight | 74P Edge (74P) | nife Edge N) | Modes Panel add to price | · | Modes Panel add to price | - - | Modes Panels add to price | | Wire Trough add to price | |
|-------------------------------|-------------------|-----------------|-----------------------------------|-----|-----------------------------------|--------|------------------------------------|-----|-----------------------------------|-----|
| 135.0# | \$ 2181 | \$ 2337 | \$ | 210 | \$ | 157 | \$ | 366 | \$ | 523 |
| 143.0# | 2257 | 2439 | | 218 | | 157 | | 376 | | 523 |
| 151.0# | 2263 | 2476 | | 227 | | 157 | | 383 | | 523 |
| 159.0# | 2340 | 2501 | | 236 | | 157 | | 391 | | 523 |
| 143.0# | 2181 | 2337 | | 210 | | 157 | | 366 | | 523 |
| 151.0# | 2257 | 2439 | | 218 | | 157 | | 376 | | 523 |
| 159.0# | 2263 | 2476 | | 227 | | 157 | | 383 | | 523 |
| 166.0# | 2340 | 2501 | | 236 | | 157 | | 391 | | 523 |
| 135.0# | \$ 2181 | \$ 2337 | \$ | 157 | \$ | 210 | \$ | 366 | \$ | 523 |
| 143.0# | 2257 | 2439 | | 157 | | 218 | | 376 | | 523 |
| 151.0# | 2263 | 2476 | | 157 | | 227 | | 383 | | 523 |
| 159.0# | 2340 | 2501 | | 157 | | 236 | | 391 | | 523 |
| 143.0# | 2181 | 2337 | | 157 | | 210 | | 366 | | 523 |
| 151.0# | 2257 | 2439 | | 157 | | 218 | | 376 | | 523 |
| 159.0# | 2263 | 2476 | | 157 | | 227 | | 383 | | 523 |
| 166.0# | 2340 | 2501 | | 157 | | 236 | | 391 | | 523 |
| | | | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Arcade Peninsula

| | | MODEL NUMBE | R | | | | | | | | |
|--|---------------|----------------|---------------|--------------------|------------------|----------------|---------------------|----------------|----------------|---------------|-------------------|
| | | | | | | | | | | | |
| | D x W x L | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Overhead Grommet | Trans. Legs | Base Finish | Edge Color | Surface Finish |
| ~ | 60 x 48 x 24" | GSAP604824S/F | | | | | | | | | |
| | 66 x 48 x 24" | GSAP664824S/F | | | | | | | | | |
| | 72 x 48 x 24" | GSAP724824S/F | | | | | | | | | |
| | 84 x 48 x 24" | GSAP844824S/F | | | | | | | | | |
| | 60 x 48 x 30" | GSAP604830S/F | | | | | | | | | |
| GSAP | 66 x 48 x 30" | GSAP664830S/F | | | | | | | | | |
| Fixed Height-Left | 72 x 48 x 30" | GSAP724830S/F | | | | | | | | | |
| | 84 x 48 x 30" | GSAP844830S/F | | | | | | | | | |
| Corner surface with conferencing end Fixed height at 29" Adjustable glides | | | | | | | | | | | |
| ^ | 24 x 48 x 60" | GSAP244860S/F | | | | | | | | | |
| | 24 x 48 x 66" | GSAP244866S/F | | | | | | | | | |
| | 24 x 48 x 72" | GSAP244872S/F | | | | | | | | | |
| | 24 x 48 x 84" | GSAP244884S/F | | | | | | | | | |
| | 30 x 48 x 60" | GSAP304860S/F | | | | | | | | | |
| GSAP | 30 x 48 x 66" | GSAP304866S/F | | | | | | | | | |
| Fixed Height-Right | 30 x 48 x 72" | GSAP304872S/F | | | | | | | | | |
| | 30 x 48 x 84" | GSAP304884S/F | | | | | | | | | |
| Corner surface with conferencing end Fixed height at 29" Adjustable glides | | | | | | | | | | | |
| | | A | B | C | D | 9 | () | G | 0 | 0 | 0 |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style.

 74P
 74P edge

 KN
 Knife edge

 MP
 Membrane edge
- Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119 PUB - Both left and right modules;
 - add \$242
- Select modesty panel.
 NM No modesty panel
 LM LH modesty only
 RM RH modesty only
 WM Both modesty panels
 Add upcharge to unit price for "LM", "RM"
 and "WM" options.

- Select wire trough and power option.
 <u>NW</u> No wire trough
 WW Wire trough
 Add upcharge to unit price for "WW"
 option.
- Select overhead grommet.
 OGN Overhead grommets no
 OGY Overhead grommets yes

Select transition legs.
 TS - No transition foot
 TL - Left transition foot
 TR - Right transition foot
 TB - Both transition feet

Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Select edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.

Genesis® Worksurfaces

Arcade Peninsula

| Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | LH Modesty Panel add to list price | RH Modesty Panel add to list price | Both Modesty Panels add to list price | Wire Trough add to list price |
|-------------------------------|-------------------|--------------------|-----------------------|--|--|---|--|
| 127.0# | \$ 1791 | \$ 1872 | \$ 1872 | \$ 227 | \$ 206 | \$ 435 | \$ 523 |
| 135.0# | 1863 | 1972 | 1972 | 236 | 206 | 442 | 523 |
| 143.0# | 1872 | 2013 | 2013 | 244 | 206 | 452 | 523 |
| 151.0# | 1952 | 2038 | 2038 | 276 | 206 | 481 | 523 |
| 135.0# | 1791 | 1872 | 1872 | 227 | 206 | 435 | 523 |
| 143.0# | 1863 | 1972 | 1972 | 236 | 206 | 442 | 523 |
| 151.0# | 1872 | 2013 | 2013 | 244 | 206 | 452 | 523 |
| 158.0# | 1952 | 2038 | 2038 | 276 | 206 | 481 | 523 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| 127.0# | \$ 1791 | \$ 1872 | \$ 1872 | \$ 206 | \$ 227 | \$ 435 | \$ 523 |
| 135.0# | 1863 | 1972 | 1972 | 206 | 236 | 442 | 523 |
| 143.0# | 1872 | 2013 | 2013 | 206 | 244 | 452 | 523 |
| 151.0# | 1952 | 2038 | 2038 | 157 | 236 | 391 | 523 |
| 135.0# | 1791 | 1872 | 1872 | 206 | 227 | 435 | 523 |
| 143.0# | 1863 | 1972 | 1972 | 206 | 236 | 442 | 523 |
| 151.0# | 1872 | 2013 | 2013 | 206 | 244 | 452 | 523 |
| 158.0# | 1952 | 2038 | 2038 | 206 | 276 | 481 | 523 |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Arcade Peninsula

| | | | MODEL NUMBE | R | | | | | | | |
|-------|---|---------------|----------------|---------------|--------------------|------------------|----------------|----------------|---------------|-------------------|--|
| | | | | | | | | | | | |
| | | | Desia | Edge | Madula | Madaahi | 14/100 | Deee | Edao | Curríana | |
| | MODEL | D x W x L | Basic Model | Edge Style | Module Location | Modesty Panel | Wire Trough | Base Finish | Edge Color | Surface Finish | |
| | Pin Height Adjustable-Left | 60 x 48 x 24" | GSAP604824S/P | | | | | | | | |
| | Corner surface with conferencing end Height adjusts from 24" 21" in 1" increa | 66 x 48 x 24" | GSAP664824S/P | | | | | | | | |
| | Height adjusts from 24"-31" in 1" incre- ments | 72 x 48 x 24" | GSAP724824S/P | | | | | | | | |
| | Adjustable glides | 84 x 48 x 24" | GSAP844824S/P | | | | | | | | |
| ų – | Wire trough and modesty panel should not be ordered together on adjustable tables | 60 x 48 x 30" | GSAP604830S/P | | | | | | | | |
| GSAP | | 66 x 48 x 30" | GSAP664830S/P | | | | | | | | |
| | | 72 x 48 x 30" | GSAP724830S/P | | | | | | | | |
| | | 84 x 48 x 30" | GSAP844830S/P | | | | | | | | |
| ~ | Pin Height Adjustable-Right | 24 x 48 x 60" | GSAP244860S/P | | | | | | | | |
| 10 to | Corner surface with conferencing end Height adjusts from 24"-31" in 1" incre- | 24 x 48 x 66" | GSAP244866S/P | | | | | | | | |
| | ments | 24 x 48 x 72" | GSAP244872S/P | | | | | | | | |
| | Adjustable glides | 24 x 48 x 84" | GSAP244884S/P | | | | | | | | |
| S ₽ | Wire trough and modesty panel should act he ordered together an adjustable | 30 x 48 x 60" | GSAP304860S/P | | | | | | | | |
| | not be ordered together on adjustable tables | 30 x 48 x 66" | GSAP304866S/P | | | | | | | | |
| | | 30 x 48 x 72" | GSAP304872S/P | | | | | | | | |
| | | 30 x 48 x 84" | GSAP304884S/P | | | | | | | | |
| | | | A | ₿ | C | D | 9 | 6 | G | 0 | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect edge style. | | | | | | | | |
|---------------------|-----------------------------------|--|--|--|--|--|--|--|
| 74P | - 74P edge | | | | | | | |
| KN | - Knife edge | | | | | | | |
| MP | Membrane edge | | | | | | | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119 PUB - Both left and right modules;

add \$242 Select modesty panel. MM - No modesty panel LM - LH modesty only RM - RH modesty only WM - Doth modesty only

 RM
 - RH modesty only

 WM
 - Both modesty panels

 Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.
 <u>NW</u> - No wire trough
 <u>WW</u> - Wire trough
 Add upcharge to unit price for "WW"
 option.

Select base finish. Refer to color addendum at

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module.

Belect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN)

knife edge worksurfaces.

Genesis[®] Worksurfaces

Arcade Peninsula

| Approx. Packaged | | P Edge | | fe Edge | | mbrane Edge | LH Modes Panel add to | - | RH Modes Panel add to | · | Both Modes Panels add to | | Wire Trough add to | |
|---------------------|-----|--------|-----|---------|----|-------------|--------------------------------|-----|--------------------------------|-----|-----------------------------------|-----|--------------------------|-----|
| Weight | (74 | 4P) | (KN |) | (M | P) | price | | price | | price | | price | |
| 131.0# | \$ | 2035 | \$ | 2114 | \$ | 2114 | \$ | 227 | \$ | 206 | \$ | 435 | \$ | 523 |
| 139.0# | | 2107 | | 2220 | | 2220 | | 236 | | 206 | | 442 | | 523 |
| 147.0# | | 2113 | | 2258 | | 2258 | | 244 | | 206 | | 452 | | 523 |
| 155.0# | | 2196 | | 2280 | | 2280 | | 276 | | 206 | | 481 | | 523 |
| 139.0# | | 2035 | | 2114 | | 2114 | | 227 | | 206 | | 435 | | 523 |
| 147.0# | | 2107 | | 2220 | | 2220 | | 236 | | 206 | | 442 | | 523 |
| 155.0# | | 2113 | | 2258 | | 2258 | | 244 | | 206 | | 452 | | 523 |
| 162.0# | | 2196 | | 2280 | | 2280 | | 276 | | 206 | | 481 | | 523 |
| 131.0# | \$ | 2035 | \$ | 2114 | \$ | 2114 | \$ | 206 | \$ | 227 | \$ | 435 | \$ | 523 |
| 139.0# | | 2107 | | 2220 | | 2220 | | 206 | | 236 | | 442 | | 523 |
| 147.0# | | 2113 | | 2258 | | 2258 | | 206 | | 244 | | 452 | | 523 |
| 155.0# | | 2196 | | 2280 | | 2280 | | 206 | | 276 | | 481 | | 523 |
| 139.0# | | 2035 | | 2114 | | 2114 | | 206 | | 227 | | 435 | | 523 |
| 147.0# | | 2107 | | 2220 | | 2220 | | 206 | | 236 | | 442 | | 523 |
| 155.0# | | 2113 | | 2258 | | 2258 | | 206 | | 244 | | 452 | | 523 |
| 162.0# | | 2196 | | 2280 | | 2280 | | 206 | | 276 | | 481 | | 523 |
| | | | | | | | | | | | | | | |

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Genesis[®] Worksurfaces

Two-Legged Corner

| | | | MODEL NUM | BER | | | | | | |
|------|---|----------|----------------|---------------|--------------------|------------------|----------------|---------------|-------------------|-------------------------------|
| | | | | | | | | | | - |
| | MODEL | W x H | Basic Model | Edge Style | Module Location | Modesty Panel | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| | Fixed Height | 24 x 42" | GC2C2442S/F | | | | | | | 278.0# |
| | Corner surfaceFixed height at 29" | 24 x 48" | GC2C2448S/F | | | | | | | 290.0# |
| | Adjustable glides | 24 x 54" | GC2C2454S/F | | | | | | | 304.0# |
| | For cross-brace specify GXBRxx (for | 30 x 42" | GC2C3042S/F | | | | | | | 278.0# |
| | rectangles) | 30 x 48" | GC2C3048S/F | | | | | | | 290.0# |
| GC2C | | 30 x 54" | GC2C3054S/F | | | | | | | 304.0# |
| | Fixed Height Dual | 30 x 48" | GC2C3048D/F | | PUN | | | | | 290.0# |
| | Corner surfaceFixed height at 29" | 30 x 54" | GC2C3054D/F | | PUN | | | | | 304.0# |
| | Adjustable glides | | | | | | | | | |
| | Keyboard surface adjusts 5" above/below | | | | | | | | | |
| | primary surface. | | | | | | | | | |
| GC2C | Keyboard surface tilts +/- 15° For cross-brace specify GXBRxx (for | | | | | | | | | |
| | rectangles) | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | ۵ | ₿ | С | D | 9 | 6 | G | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

ſ

| BSelect ed | lge style. | |
|------------|-----------------------------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | Membrane edge | |
| | | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119 PUB - Both left and right modules; add \$242

Select modesty panel.
 <u>NM</u> - No modesty panel
 <u>WM</u> - With modesty panel
 Add upcharge to unit price for "WM"
 option.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module.

GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact Kl.

108

Genesis[®] Worksurfaces Two-Legged Corner

| IP Edge 4P) | Knife Edge (KN) | Membrane Edge (MP) | Modes Panel add to price | |
|----------------|--------------------|-----------------------|-----------------------------------|-----|
| \$ 1146 | \$ 1283 | \$ 1283 | \$ | 391 |
| 1220 | 1360 | 1360 | | 409 |
| 1384 | 1486 | 1486 | | 428 |
| 1193 | 1340 | 1340 | | 391 |
| 1272 | 1415 | 1415 | | 409 |
| 1428 | 1486 | 1486 | | 428 |
| \$ 2225 | \$ 2417 | \$ 2417 | \$ | 409 |
| 2393 | 2493 | 2493 | | 428 |
| | | | | |

14

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Genesis[®] Worksurfaces

Two-Legged Corner

| MODEL NUMBER | | | | | | | | | | |
|--------------|--|----------|----------------|---------------|--------------------|------------------|----------------|---------------|-------------------|-------------------------------|
| | | | | | | | | | | |
| | MODEL | WxH | Basic Model | Edge Style | Module Location | Modesty Panel | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight |
| | Pin Height Adjustable | 24 x 42" | GC2C2442S/P | | | | | | | 76.0# |
| | Corner surface with conferencing end | 24 x 48" | GC2C2448S/P | | | | | | | 97.0# |
| | Height adjusts from 24"-31" in 1" incre- ments | 24 x 54" | GC2C2454S/P | | | | | | | 120.0# |
| | Adjustable glides | 30 x 42" | GC2C3042S/P | | | | | | | 81.0# |
| | Wire trough and modesty panel should | 30 x 48" | GC2C3048S/P | | | | | | | 102.0# |
| GC2C | not be ordered together on adjustable tables | 30 x 54" | GC2C3054S/P | | | | | | | 125.0# |
| | lables | | | | | | | | | |
| | Crank Height Adjustable | 24 x 42" | GC2C2442S/CR | | | | | | | 80.0# |
| * | Corner surface with conferencing end Height adjusts from 22"-33" | 24 x 48" | GC2C2448S/CR | | | | | | | 101.0# |
| | Adjustable glides | 24 x 54" | GC2C2454S/CR | | | | | | | 124.0# |
| | Worksurfaces are undersized by 1/4" | 30 x 42" | GC2C3042S/CR | | | | | | | 85.0# |
| | from side-to-side and 1/4" from back-to- | 30 x 48" | GC2C3048S/CR | | | | | | | 106.0# |
| GC2C | front from the stated dimensionsWire trough and modesty panel should | 30 x 54" | GC2C3054S/CR | | | | | | | 129.0# |
| | not be ordered together on adjustable | | | | | | | | | |
| | tables | | | | | | | | | |
| | | | | | | | | | | |
| | Crank Height Dual | 30 x 48" | GC2C3048D/CR | | PUN | | | | | 126.0# |
| | Corner surface with conferencing end Height adjusts from 22"-33" | 30 x 54" | GC2C3054D/CR | | PUN | | | | | 149.0# |
| . CC | Adjustable glides | | | | | | | | | |
| | Keyboard surface adjusts 5" above/below | | | | | | | | | |
| | primary surface. | | | | | | | | | |
| GC2C | Keyboard surface tilts +/- 15° Worksurfaces are undersized by 1/4" | | | | | | | | | |
| | from side-to-side and 1/4" from back-to- | | | | | | | | | |
| | front from the stated dimensions | | | | | | | | | |
| | Wire trough and modesty panel should not be ordered together on adjustable | | | | | | | | | |
| | tables | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | A | ß | C | D | Ø | G | G | |
| | | | • | 0 | \sim | Ŭ | 0 | • | <u> </u> | |
| | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect ed | | |
|------------|-----------------|--|
| 74P | - 74P edge | |
| KN | - Knife edge | |
| MP | - Membrane edge | |

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price. PUN - No data PUL - Left module; add \$119 PUR - Right module; add \$119 PUB - Both left and right modules; add \$242

Select modesty panel. <u>NM</u> - No modesty panel <u>WM</u> - With modesty panel

WM - With modesty panel Add upcharge to unit price "WM" option. Generation Select base finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

ESelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module.

GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Genesis® Worksurfaces

| | | | | 84 | lodest | |
|----|---------|------------|---------------|----|---------|-----|
| | V | | | | anel | У |
| 7 | 4P Edge | Knife Edge | Membrane Edge | | dd to I | ist |
| | '4P) | (KN) | (MP) | | rice | |
| \$ | 1281 | \$ 1419 | \$ 1419 | | \$ | 391 |
| | 1357 | 1494 | 1494 | | | 409 |
| | 1519 | 1621 | 1621 | | | 428 |
| | 1332 | 1477 | 1477 | | | 391 |
| | 1408 | 1552 | 1552 | | | 409 |
| | 1524 | 1625 | 1625 | | | 428 |
| | | | | | | |
| \$ | 1554 | \$ 1692 | \$ 1692 | | \$ | 391 |
| | 1625 | 1763 | 1763 | | | 409 |
| | 1791 | 1889 | 1889 | | | 428 |
| | 1603 | 1748 | 1748 | | | 391 |
| | 1678 | 1820 | 1820 | | | 409 |
| | 1795 | 1895 | 1895 | | | 428 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| \$ | 2632 | \$ 2824 | \$ 2824 | | \$ | 409 |
| | 2796 | 2899 | 2899 | | | 428 |
| | | | | | | |

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manito-woc, Wisconsin 54220 factory. Freight class #100.

Genesis[®] Worksurfaces

Two-Legged Corner

| | MODEL NU | MBER | | | | | _ | | | |
|-----------|--|----------|-----------|-------|------------|----------|---------|--------|-------|---------|
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | Basic | Edge | Electrical | Module | Modesty | Base | Edge | Surface |
| | MODEL | WxH | Model | Style | Control | Location | Panel | Finish | Color | Finish |
| | Electric Height Adjustable Single | 24 x 42" | GC2E2442S | | | | | | | - |
| | Corner surface with conferencing end | 24 x 48" | GC2E2448S | | | | | | | |
| | Height adjusts from 24"-51" | 24 x 54" | GC2E2454S | | | | | | | |
| | Standard or deluxe up/down switch Adjustable glides | 30 x 48" | GC2E3048S | | | | | | | |
| | Worksurfaces are undersized by 1-1/4" | 30 x 54" | GC2E3054S | | | | | | | |
| GC2E | from side-to-side and 1/2" from back-to- | JU X J4 | 002130343 | | | | | | | |
| GUZE | front from the stated dimensions | | | | | | | | | |
| | Wire trough and modesty panel should not be ordered together on adjustable | | | | | | | | _ | |
| | tables | | | | | | | | | |
| | | 00 v 40" | 000500400 | | _ | DUN | | | | |
| | Electric Height Adjustable Dual Corner surface with conferencing end | 30 x 48" | GC2E3048D | | | PUN | | | | |
| | Height adjusts from 24"-51" Standard or deluxe up/down switch | 30 x 54" | GC2E3054D | | | PUN | | | | |
| | | | | | | | | | | |
| | Keyboard surface adjusts 5" above/below primary surface. | | | | | | | | | |
| · · · · · | Keyboard surface tilts +/- 15° | | | | | | | | | |
| GC2E | Adjustable glides | | | | | | | | | |
| | Worksurfaces are undersized by 1-1/4 | | | | | | | | | |
| | from side-to-side and 1/2" from back-to- front from the stated dimensions | | | | | | | | | |
| | Wire trough and modesty panel should | | | | | | | | | |
| | not be ordered together on adjustable | | | | | | | | | |
| | tables | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | A | B | G | D | Ø | G | G | Ø |
| | | | | U | G | U | G | U | G | Ŵ |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style. 74P - 74P edge KN - Knife edge MP - Membrane edge

Select electric control style. <u>S</u> - Standard up/down switch D - Deluxe up/down switch; add \$125

 Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.
 PUN - No data
 PUL - Left module; add \$119
 PUR - Right module; add \$119
 PUB - Both left and right modules; add \$242

- No modesty panel

• Select modesty panel option.

NM

WM - With modesty panel Add upcharge to unit price for "WM" option.

• Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module.

GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact Kl.

112

Genesis® Worksurfaces



| 102.0# \$ 2828 \$ 2960 \$ 2960 \$ 391 123.0# 2902 3036 3036 409 146.0# 2937 3042 3042 428 123.0# 2902 3089 409 146.0# 3087 3094 428 | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | Mode Pane add t price | l :o list |
|---|-------------------------------|-------------------|--------------------|-----------------------|--------------------------------|--------------|
| 146.0# 2937 3042 3042 428 123.0# 2902 3089 3089 409 | 102.0# | \$ 2828 | \$ 2960 | \$ 2960 | \$ | 391 |
| 123.0# 2902 3089 3089 409 | 123.0# | 2902 | 3036 | 3036 | | 409 |
| | 146.0# | 2937 | 3042 | 3042 | | 428 |
| 146.0# 3087 3094 3094 428 | 123.0# | 2902 | 3089 | 3089 | | 409 |
| | 146.0# | 3087 | 3094 | 3094 | | 428 |

| | | | | | _ |
|--------|---------|---------|---------|--------|---|
| 143.0# | \$ 3906 | \$ 4093 | \$ 4093 | \$ 409 | |
| 166.0# | 3915 | 4098 | 4098 | 428 | |
| | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manito-woc, Wisconsin 54220 factory. Freight class #100.

Balance[®] Storage Accessories

| | | | MODEL NUN | ODEL NUMBER | | | | | | | |
|-----|--|--|--|---------------------------|-----------------|------------------------------|---------------------------|--------------------------------|----------------|--|--|
| | MODEL | W | Basic Model | Cabinet Paint Color | Fabric Color | Upper Door Solid Color | Upper Door Laminate | Laminate Door Edge Color | Lock Option | | |
| | Balance® Overhead Cabinet-Fabric Upper Door • Fabric covered upper door | 30" 36" 42" | BLCF30/GBO BLCF36/GBO BLCF42/GBO | | | | | | | | |
| | Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet | 48" 54" | BLCF48/GB0 BLCF54/GB0 | | | | | | | | |
| | | 60" | BLCF60/GBO | | | | | | | | |
| вон | Balance® Overhead Cabinet-Solid Color Upper Door • Colored or translucent extruded polypropylene door • Painted cabinet and lower door • Shelf dividers available separately • Cabinet is fully assembled • Door stores above top of cabinet | 30" 36" 42" 48" 54" 60" | BLCS30/GBO BLCS36/GBO BLCS42/GBO BLCS48/GBO BLCS54/GBO BLCS60/GBO | | | | | | | | |
| вон | Balance® Overhead Cabinet Laminate Upper Door • Laminate covered upper door • Painted cabinet and lower door • Shelf dividers available separately • Cabinet is fully assembled • Door stores above top of cabinet | 30" 36" 42" 48" 54" 60" | BLCL30/GBO BLCL36/GBO BLCL42/GBO BLCL48/GBO BLCL54/GBO BLCL60/GBO | | | | | | | | |
| вон | | | 0 | 6 | G | 0 | 9 | 6 | G | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ©Select upper door fabric. Refer to Vertical Fabric Pricing Addendum.
- OSelect upper door solid color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upper door laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select laminate door edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Key alike

GSelect lock option. KA

NLC - No Lock Core KS

- Key standard

Balance[®] Storage Accessories

14

| Approx. Packaged Weight | <attrib <br="" a="167" l="10">o="685181" p="875884" s="94" status="1"/></attrib> | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV | Delivered Pricing Pallas Vertical Fabric Grade PV1 | Delivered Pricing Pallas Vertical Fabric Grade PV2 |
|-------------------------------|---|--|---|--|--|--|
| 50.0# | N/A | \$ 1466 | \$ 1476 | \$ 1495 | \$ 1518 | \$ 1540 |
| 56.0# | N/A | 1495 | 1504 | 1529 | 1551 | 1572 |
| 62.0# | N/A | 1527 | 1537 | 1561 | 1583 | 1608 |
| 68.0# | N/A | 1597 | 1610 | 1630 | 1658 | 1681 |
| 74.0# | N/A | 1708 | 1719 | 1747 | 1771 | 1800 |
| 80.0# | N/A | 1727 | 1738 | 1764 | 1794 | 1820 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 50.0# | \$ 1366 | | | | | |
| 56.0# | 1395 | | | | | |
| 62.0# | 1427 | | | | | |
| 68.0# | 1496 | | | | | |
| 74.0# | 1587 | | | | | |
| 80.0# | 1610 | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 50.0# | \$ 1619 | | | | | |
| 56.0# | 1678 | | | | | |
| 62.0# | 1740 | | | | | |
| 68.0# | 1821 | | | | | |
| 74.0# | 1971 | | | | | |
| 80.0# | 2002 | | | | | |
| | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #77.5

Balance[®] Storage and Accessories Balance[®] Task Lights

| | MODEL | W | MODEL NUMBER | Approx. Packaged Weight | | |
|-------|---|-----|--------------|-------------------------------|--|--|
| | Balance® Task Lights Electronic ballast | 24" | BTLT5.24 | 3.9# | | |
| | | 36" | BTLT5.36 | 5.3# | | |
| | | 48" | BTLT5.48 | 6.7# | | |
| | | | | | | |
| Q | | | | | | |
| HRDPT | | | | | | |
| | | | A | | | |

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

INFORMATION TASK LIGHT CABINET WIDTH Cabinet Light Width Width 24" 18" 24" 24" 36" 36" 30" 36" 42" 48" 54" 48" 60" 48" 66" 72" (2)24" (2)24"

Balance[®] Storage and Accessories Balance[®] Task Lights

Delivered Pricing \$ 99 109 114

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.



Universal Storage Accessories

| | | | MODEL NUMBER | | | | | | | |
|----------|---|-----|----------------|----------|----------------|-----------------|-------------------|----------------|-------------------------------|--|
| | | | | | | | | | | |
| | MODEL | w | Basic Model | Assembly | Paint Color | Fabric Color | Laminate Color | Lock Option | Approx. Packaged Weight | |
| | Universal - Fabric Door Overhead Cabinet | 30" | GUOF30 | | | | | | 39.0# | |
| | | 36" | GUOF36 | | | | | | 45.0# | |
| | Steel end panels, bottom and top shelf with powder-coated finish | 42" | GUOF42 | | | | | | 51.0# | |
| | Fabric-covered door | 48" | GUOF48 | | | | | | 57.0# | |
| | | 54" | GUOF54 | | | | | | 63.0# | |
| | | 60" | GUOF60 | | | | | | 69.0# | |
| | | | | | | | | | | |
| U | | | | | | | | | | |
| GUOF | | | | | | | | | | |
| ^ | Universal - Steel Door Overhead Cabinet | 30" | GUOS30 | | | | | | 39.0# | |
| | Steel end panels, bottom, top shelf, and door with powder-coated finish | 36" | GUOS36 | | | | | | 45.0# | |
| | | 42" | GUOS42 | | | | | | 51.0# | |
| | | 48" | GUOS48 | | | | | | 57.0# | |
| | | 54" | GUOS54 | | | | | | 63.0# | |
| | | 60" | GUOS60 | | | | | | 69.0# | |
| | | | | | | | | | | |
| 70 | | | | | | | | | | |
| GUOS | | | | | | | | | | |
| ~ | Universal - Laminate Door Overhead | 30" | GUOL30 | | | | | | 39.0# | |
| | Cabinet Steel end panels, bottom and top shelf | 36" | GUOL36 | | | | | | 45.0# | |
| | with powder-coated finish | 42" | GUOL42 | | | | | | 51.0# | |
| | High-pressure laminate on particleboard | 48" | GUOL48 | | | | | | 57.0# | |
| | door | 54" | GUOL54 | | | | | | 63.0# | |
| | | 60" | GUOL60 | | | | | | 69.0# | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| GUOL | | | | | | | | | | |
| | | | A | 6 | C | D | • | G | | |
| | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- BSelect assembly. - Fully Assembled; add F \$142 U - Unassembled
- CSelect paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **D**Select fabric color. Refer to Vertical Fabric Pricing Addendum.
- Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

| BSelect lo | ck option. | |
|------------|----------------------------------|--|
| KA | - Key alike | |
| NLC | - No Lock Core | |
| KS | Key standard | |

Universal Storage Accessories Overhead Storage

| Delivered Pricing | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV | Delivered Pricing Pallas Vertical Fabric Grade PV1 | Delivered Pricing Pallas Vertical Fabric Grade PV2 |
|----------------------|--|---|--|--|--|
| N/A | \$ 984 | \$ 993 | \$ 1017 | \$ 1034 | \$ 1055 |
| N/A | 1016 | 1024 | 1042 | 1064 | 1085 |
| N/A | 1035 | 1046 | 1067 | 1088 | 1110 |
| N/A | 1064 | 1075 | 1094 | 1118 | 1138 |
| N/A | 1190 | 1204 | 1225 | 1249 | 1274 |
| N/A | 1243 | 1255 | 1280 | 1306 | 1329 |

14

| \$ 917 | |
|-----------|--|
| 938 | |
| 967 | |
| 1035 | |
| 1098 | |
| 1152 | |
| | |
| | |
| | |

| \$ 975 | |
|-----------|--|
| 1020 | |
| 1059 | |
| 1097 | |
| 1207 | |
| 1264 | |
| | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Universal Storage and Accessories

| | | | MODEL NUMBER | | | |
|-------|---|-----|----------------|-------------------------------|--|--|
| | | W | Basic Model | Approx. Packaged Weight | | |
| | Universal Task Lights 2 • Electronic ballast 3 | 24" | TLT5.24 | 3.9# | | |
| | Electronic ballast | 36" | TLT5.36 | 5.3# | | |
| | 1 | 48" | TLT5.48 | 6.7# | | |
| | | | (| | | |
| đ | | | 1 | | | |
| HRDPT | | | (| | | |
| | | | A | | | |

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

Indicate the following information on order

- form:
- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

Universal Storage and Accessories Universal Task Lights

| Del | ivered cing | |
|------|----------------|--|
| Pric | ing | |
| \$ | 74 | |
| | 81 | |
| | 88 | |
| | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manito-woc, Wisconsin 54220 factory. Freight class #100.



Universal Storage and Accessories Overhead Shelf/Tool Rail Kits

| | | | MODEL NU | MBER | | | |
|----------|--|-----------------|----------------|----------------|-------------------------------|--|--|
| | MODEL | W x H | Basic Model | Paint Color | Approx. Packaged Weight | | |
| | Shelf Kits | 30" | GUSS30 | | 23.0# | | |
| <u>·</u> | Powder-coated steel end panels and bottom shelf | 36" | GUSS36 | | 29.0# | | |
| | Accepts shelf dividers | 42" | GUSS42 | | 35.0# | | |
| | Field installable to compatible Genesis[®] | 48" | GUSS48 | | 41.0# | | |
| | surfaces | 54" | GUSS54 | | 47.0# | | |
| | | 60" | GUSS60 | | 53.0# | | |
| | | | | | | | |
| 5 | | | | | | | |
| GUSS | | | | | | | |
| 4 | Tool Rail Kits Accommodates paper management components | 30" | GTBS30 | | 3.0# | | |
| | | 36" | GTBS36 | | 4.0# | | |
| | Attaches between overhead uprights | 42" | GTBS42 | | 4.0# | | |
| | Field installable | 48" | GTBS48 | | 5.0# | | |
| GTBS | | 54" | GTBS54 | | 6.0# | | |
| | | 60" | GTBS60 | | 6.0# | | |
| \sim | Shelf Divider | 7-1/4 x 11-1/2" | NSD | | 1.0# | | |
| | Steel shelf dividers with powder-coated finish | | | | | | |
| \geq | Fits shelves and overheads | | | | | | |
| - w | | | | | | | |
| HRDPT | | | | | | | |
| | | | A | ß | | | |
| | | | U | 0 | | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- **B**Select paint color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Universal Storage and Accessories Overhead Shelf/Tool Rail Kits

| 14 |
|----|
|----|

| De | elivered icing | |
|----|-------------------|--|
| | | |
| \$ | 646 | |
| | 659 | |
| | 672 | |
| | 683 | |
| | 715 | |
| | 734 | |
| | | |
| | | |
| | | |
| \$ | 131 | |
| | 136 | |
| | 142 | |
| | 151 | |
| | 173 | |
| | 193 | |
| \$ | 25 | |
| | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

| | | | MODEL NUM | | | |
|-----------|--|---------------------|----------------|---------------|-------------------------------|--|
| | - | | | VIDER | | |
| | MODEL | H x W x D | Basic Model | Trim Color | Approx. Packaged Weight | |
| | Paper Tray | 2 x 9-1/2 x 14" | PLL | | 1.0# | |
| | Plastic constructionStores letter or legal size documents | | | | | |
| | Suspends from tool rail | | | | | |
| ··· | Suitable for free-standing worksurface or overhead location | | | | | |
| HRDPT | | | | | | |
| | Diagonal Storage | 2-1/2 x 7 x 12-1/2" | PDS | | 4.0# | |
| \bigcap | Plastic construction Suspends only from tool rail Suitable for free-standing Worksurface or overhead location Three slanted partitions per unit Dividers in black only | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| HRDPT | | | | | | |
| | Vertical Storage | 9 x 5 x 10-1/2" | PVS | | 1.0# | |
| | Injection molded plastic construction Suspends only from tool rail | | | | | |
| | Suitable for free-standing worksurface or | | | | | |
| | overhead location Stores binder, phone books or periodicals | | | | | |
| HRDPT | | | | | | |
| | | | Ø | 6 | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- BSelect trim color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

| Deliv Prici | vered ing | |
|----------------|--------------|--|
| \$ | 37 | |
| | | |
| | | |
| | | |
| | | |
| | | |
| \$ | 37 | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| \$ | 35 | |
| | | |
| | | |

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Storage Accessories Paper Management

| | | | MODEL NUI | MBER | | | |
|-------|---|--------------------|----------------|---------------|-------------------------------|--|--|
| | MODEL | H x W x D | Basic Model | Trim Color | Approx. Packaged Weight | | |
| | Telephone Caddy Plastic construction | 2 x 8-1/2 x 9-1/2" | PTC | | 1.0# | | |
| | Holds telephone up to 8-1/2" wide and 9-1/2" deep | | | | | | |
| | Suspends from tool rail | | | | | | |
| HRDPT | | | | | | | |
| | Accessory Tray | 2 x 9-1/2 x 10" | PAT | | 6.0# | | |
| FEB | Injection molded plastic Stores stamps, tape dispenser, post-it pads and paper clips | | | | | | |
| | | | | | | | |
| HRDPT | Suspends from tool rail | | | | | | |
| | Pencil Cup | 4 x 4 x 3-1/2" | PPC | | 1.0# | | |
| | Injection molded plastic Suspends from tool rail | | | | | | |
| | | | | | | | |
| HRDPT | | | | | | | |
| | | | A | ₿ | | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- BSelect trim color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

127

| 4 | |
|---|--|
| | |

| D P | elivered ricing | |
|--------|--------------------|--|
| \$ | | |
| | | |
| | | |
| | | |
| | | |
| \$ | 31 | |
| | | |
| | | |
| | | |
| | | |
| \$ | 31 | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Accessories Privacy Screens

| | | | | MODEL NUM | BER | | | |
|----|--|-------------------|------------|----------------|-------|----------------|---------------------|-------------------------------|
| | MODEL | Overall Height | W x H | Basic Model | Usage | Paint Color | Upholstery Color | Approx. Packaged Weight |
| | Exposed Frame Fabric Screen | | 24 x 25.3" | GSCR2442/EF | END | | | 7.0# |
| | Upholstered screen with painted frame | 48 | 24 x 31.3" | GSCR2448/EF | END | | | 9.0# |
| | Screens attach to frame so height remains constant Overall height is from the floor | 51 | 24 x 34.1" | GSCR2451/EF | END | | | 10.0# |
| | | 54 | 24 x 37.3" | GSCR2454/EF | END | | | 11.0# |
| | Fabric within screens larger than 60" will | 42 | 30 x 25.3" | GSCR3042/EF | | | | 9.0# |
| | be two pieces with a metal trim piece separating the two parts and trim will | 48 | 30 x 31.3" | GSCR3048/EF | | | | 11.0# |
| | match frame | 51 | 30 x 34.1" | GSCR3051/EF | | | | 12.0# |
| CR | CLH used for screens mounted on the | 54 | 30 x 37.3 | GSCR3054/EF | | | | 14.0# |
| | left side of a corner or square shoe when sitting at the desk | 42 | 36 x 25.3" | GSCR3642/EF | | | | 11.0# |
| | CRH used for screens mounted on the right side of a corner or square shoe | 48 | 36 x 31.3" | GSCR3648/EF | | | | 14.0# |
| | | 51 | 36 x 34.1" | GSCR3651/EF | | | | 15.0# |
| | when sitting at the desk | 54 | 36 x 37.3" | GSCR3654/EF | | | | 16.0# |
| | 24 and 30" wide 'End of Run' screens are surface mounted and not frame | 42 | 42 x 25.3" | GSCR4242/EF | | | | 13.0# |
| | mounted and are to be used on fixed | 48 | 42 x 31.3" | GSCR4248/EF | | | | 16.0# |
| | 'non-adjustable' only | 51 | 42 x 34.1" | GSCR4251/EF | | | | 17.0# |
| | | 54 | 42 x 37.3" | GSCR4254/EF | | | | 19.0# |
| | | 42 | 48 x 25.3" | GSCR4842/EF | | | | 15.0# |
| | | 48 | 48 x 31.3" | GSCR4848/EF | | | | 18.0# |
| | | 51 | 48 x 34.1" | GSCR4851/EF | | | | 20.0# |
| | | 54 | 48 x 37.3" | GSCR4854/EF | | | | 22.0# |
| | | 42 | 54 x 25.3" | GSCR5442/EF | | | | 17.0# |
| | | 48 | 54 x 31.3" | GSCR5448/EF | | | | 21.0# |
| | | 51 | 54 x 34.1" | GSCR5451/EF | | | | 22.0# |
| | | 54 | 54 x 37.3" | GSCR5454/EF | | | | 25.0# |
| | | | | A | ₿ | C | D | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect usage for screens.
 - CLH CRH - Corner or shoe (left handed) - Corner or shoe (right handed) END - End of run STR - Rectangle or peninsula 'End of Run Screens' only available in 24" and 30" widths.

Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

129

| Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV | Delivered Pricing Pallas Vertical Fabric Grade PV1 | Delivered Pricing Pallas Vertical Fabric Grade PV2 | |
|--|---|--|--|--|--|
| \$ 409 | \$ 427 | \$ 443 | \$ 472 | \$ 488 | |
| 480 | 501 | 519 | 548 | 574 | |
| 513 | 535 | 551 | 588 | 611 | |
| 548 | 574 | 595 | 634 | 656 | |
| 484 | 504 | 522 | 554 | 578 | |
| 574 | 595 | 619 | 655 | 681 | |
| 614 | 638 | 663 | 703 | 731 | |
| 661 | 687 | 714 | 760 | 788 | |
| 560 | 580 | 603 | 643 | 667 | |
| 665 | 690 | 718 | 765 | 791 | |
| 714 | 740 | 771 | 821 | 849 | |
| 771 | 798 | 832 | 886 | 918 | |
| 634 | 656 | 683 | 727 | 755 | |
| 756 | 787 | 820 | 870 | 900 | |
| 816 | 845 | 881 | 933 | 970 | |
| 881 | 915 | 950 | 1014 | 1049 | |
| 707 | 735 | 766 | 813 | 844 | |
| 848 | 883 | 917 | 974 | 1014 | |
| 914 | 949 | 985 | 1049 | 1088 | |
| 989 | 1028 | 1071 | 1137 | 1179 | |
| 783 | 816 | 845 | 898 | 932 | |
| 939 | 976 | 1018 | 1080 | 1122 | |
| 1015 | 1054 | 1092 | 1163 | 1208 | |
| 1098 | 1142 | 1188 | 1263 | 1310 | |
| | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Accessories Privacy Screens

| | | | | MODEL NUM | BER | | | |
|-----|--|-------------------|------------|----------------|-------|----------------|---------------------|-------------------------------|
| | MODEL | Overall Height | W x H | Basic Model | Usage | Paint Color | Upholstery Color | Approx. Packaged Weight |
| | Exposed Frame Fabric Screen | 42 | 60 x 25.3" | GSCR6042/EF | | | | 18.0# |
| | Upholstered screen with painted frame Screens attach to frame so height | 48 | 60 x 31.3" | GSCR6048/EF | | | | 23.0# |
| | remains constant • Overall height is from the floor • Fabric within screens larger than 60" will | 51 | 60 x 34.1" | GSCR6051/EF | | | | 25.0# |
| | | 54 | 60 x 37.3" | GSCR6054/EF | | | | 27.0# |
| | | 42 | 66 x 25.3" | GSCR6642/EF | | | | 20.0# |
| | be two pieces with a metal trim piece separating the two parts and trim will | 48 | 66 x 31.3" | GSCR6648/EF | | | | 25.0# |
| | match frameCLH used for screens mounted on the | 51 | 66 x 34.1" | GSCR6651/EF | | | | 27.0# |
| SCR | | 54 | 66 x 37.3" | GSCR6654/EF | | | | 30.0# |
| | left side of a corner or square shoe when | 42 | 72 x 25.3" | GSCR7242/EF | | | | 22.0# |
| | sitting at the desk CBH used for screens mounted on the | 48 | 72 x 31.3" | GSCR7248/EF | | | | 27.0# |
| | right side of a corner or square shoe | 51 | 72 x 34.1" | GSCR7251/EF | | | | 30.0# |
| | when sitting at the desk | 54 | 72 x 37.3" | GSCR7254/EF | | | | 33.0# |
| | 24 and 30" wide 'End of Run' screens are surface mounted and not frame | 42 | 84 x 25.3" | GSCR8442/EF | | | | 26.0# |
| | mounted and are to be used on fixed | 48 | 84 x 31.3" | GSCR8448/EF | | | | 32.0# |
| | 'non-adjustable' only | 51 | 84 x 34.1" | GSCR8451/EF | | | | 35.0# |
| | | 54 | 84 x 37.3" | GSCR8454/EF | | | | 38.0# |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- BSelect usage for screens.
 - CLH
 - Corner or shoe (left handed)

 CRH
 - Corner or shoe (right handed)

 STR
 - Rectangle or peninsula
 'End of Run Screens' only available in 24" and 30" widths.
- Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Oselect upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



131

| Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV | Delivered Pricing Pallas Vertical Fabric Grade PV1 | Delivered Pricing Pallas Vertical Fabric Grade PV2 | |
|--|---|--|--|--|--|
| \$ 855 | \$ 889 | \$ 924 | \$ 983 | \$ 1022 | |
| 1030 | 1073 | 1115 | 1185 | 1231 | |
| 1113 | 1157 | 1204 | 1278 | 1327 | |
| 1208 | 1256 | 1307 | 1386 | 1440 | |
| 930 | 967 | 1004 | 1068 | 1110 | |
| 1124 | 1171 | 1215 | 1291 | 1340 | |
| 1213 | 1260 | 1311 | 1393 | 1445 | |
| 1316 | 1369 | 1424 | 1513 | 1569 | |
| 1003 | 1043 | 1085 | 1156 | 1198 | |
| 1215 | 1264 | 1314 | 1396 | 1450 | |
| 1311 | 1366 | 1419 | 1509 | 1564 | |
| 1426 | 1483 | 1543 | 1639 | 1702 | |
| 1155 | 1198 | 1247 | 1324 | 1374 | |
| 1398 | 1454 | 1512 | 1610 | 1669 | |
| 1511 | 1570 | 1633 | 1738 | 1803 | |
| 1647 | 1712 | 1780 | 1894 | 1962 | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Accessories Privacy Screens

| | | | | MODEL NUM | BER | | | |
|-------|---|-------------------|------------|----------------|-------|----------------|---------------------|-------------------------------|
| | MODEL | Overall Height | W x H | Basic Model | Usage | Paint Color | Upholstery Color | Approx. Packaged Weight |
| 8 | Fully Upholstered Fabric Screen Fully upholstered screen | 42 | 24 x 25.3" | GSCR2442/UF | END | | | 9.0# |
| | Screens attach to frame so height | 48 | 24 x 31.3" | GSCR2448/UF | END | | | 10.0# |
| | remains constant | 51 | 24 x 34.1" | GSCR2451/UF | END | | | 11.0# |
| | Overall height is from the floor | 54 | 24 x 37.3" | GSCR2454/UF | END | | | 13.0# |
| | CLH used for screens mounted on the left side of a corner or square shoe when | 42 | 30 x 25.3" | GSCR3042/UF | | | | 11.0# |
| | sitting at the desk | 48 | 30 x 31.3" | GSCR3048/UF | | | | 13.0# |
| | CRH used for screens mounted on the | 51 | 30 x 34.1" | GSCR3051/UF | | | | 14.0# |
| GSCRU | right side of a corner or square shoe | 54 | 30 x 37.3 | GSCR3054/UF | | | | 16.0# |
| | when sitting at the desk 24 and 30" wide 'End of Run' screens | 42 | 36 x 25.3" | GSCR3642/UF | | | | 13.0# |
| | are surface mounted and not frame | 48 | 36 x 31.3" | GSCR3648/UF | | | | 16.0# |
| | mounted and are to be used on fixed 'non-adjustable' only | 51 | 36 x 34.1" | GSCR3651/UF | | | | 17.0# |
| | | 54 | 36 x 37.3" | GSCR3654/UF | | | | 19.0# |
| | | 42 | 42 x 25.3" | GSCR4242/UF | | | | 15.0# |
| | | 48 | 42 x 31.3" | GSCR4248/UF | | | | 18.0# |
| | | 51 | 42 x 34.1" | GSCR4251/UF | | | | 20.0# |
| | | 54 | 42 x 37.3" | GSCR4254/UF | | | | 22.0# |
| | | 42 | 48 x 25.3" | GSCR4842/UF | | | | 17.0# |
| | | 48 | 48 x 31.3" | GSCR4848/UF | | | | 21.0# |
| | | 51 | 48 x 34.1" | GSCR4851/UF | | | | 23.0# |
| | | 54 | 48 x 37.3" | GSCR4854/UF | | | | 25.0# |
| | | 42 | 54 x 25.3" | GSCR5442/UF | | | | 19.0# |
| | | 48 | 54 x 31.3" | GSCR5448/UF | | | | 24.0# |
| | | 51 | 54 x 34.1" | GSCR5451/UF | | | | 26.0# |
| | | 54 | 54 x 37.3" | GSCR5454/UF | | | | 28.0# |
| | | 42 | 60 x 25.3" | GSCR6042/UF | | | | 21.0# |
| | | 48 | 60 x 31.3" | GSCR6048/UF | | | | 26.0# |
| | | 51 | 60 x 34.1" | GSCR6051/UF | | | | 28.0# |
| | | 54 | 60 x 37.3" | GSCR6054/UF | | | | 31.0# |
| | | | | A | 0 | C | D | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect usage for screens.
 - CLH CRH - Corner or shoe (left handed) - Corner or shoe (right handed) END - End of run STR - Rectangle or peninsula 'End of Run Screens' only available in 24" and 30" widths.

Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

| Prici Fabr 1 & | ic Grade C.O.M. | Prici Fabr 2 | rered ng ic Grade | Fabri 3 & I Fabri PV | ic Grade Pallas Vertical ic Grade | Prici Palla Fabr PV1 | ing as Vertical ric Grade | Pric Pall Fab PV2 | as Vertical ric Grade |
|----------------------|--------------------|--------------------|-------------------------|-------------------------------|---|-------------------------------|---------------------------------|----------------------------|--------------------------|
| \$ | 409 | \$ | 427 | | 443 | \$ | | \$ | 488 |
| | 480 | | 501 | | 519 | | 548 | | 574 |
| | 513 | | 535 | | 551 | | 588 | | 611 |
| | 548 | | 574 | | 595 | | 634 | | 656 |
| | 484 | | 504 | | 522 | | 554 | | 578 |
| | 574 | | 595 | | 619 | | 655 | | 681 |
| | 614 | | 638 | | 663 | | 705 | | 731 |
| | 661 | | 687 | | 714 | | 760 | | 788 |
| | 560 | | 581 | | 603 | | 643 | | 651 |
| | 665 | | 691 | | 718 | | 765 | | 791 |
| | 714 | | 740 | | 771 | | 821 | | 849 |
| | 771 | | 799 | | 832 | | 886 | | 918 |
| | 634 | | 656 | | 683 | | 727 | | 755 |
| | 756 | | 786 | | 820 | | 869 | | 900 |
| | 816 | | 845 | | 881 | | 933 | | 970 |
| | 881 | | 915 | | 950 | 1 | 1012 | | 1049 |
| | 707 | | 735 | | 766 | | 813 | | 844 |
| | 848 | | 883 | | 917 | | 974 | | 1014 |
| | 914 | | 949 | | 985 | 1 | 1049 | | 1088 |
| | 989 | 1 | 1028 | 1 | 1071 | 1 | 1137 | | 1179 |
| | 783 | | 816 | | 845 | | 898 | | 932 |
| | 939 | | 976 | 1 | 1018 | | 1082 | | 1122 |
| 1 | 1015 | 1 | 1054 | 1 | 092 | 1 | 1163 | | 1208 |
| - | 1098 | | 1142 | 1 | 188 | | 1263 | | 1311 |
| | 855 | | 889 | | 924 | | 983 | | 1022 |
| - | 1030 | | 1073 | 1 | 115 | | 1185 | | 1231 |
| 1 | 1113 | 1 | 1157 | 1 | 204 | 1 | 1278 | | 1326 |
| | 1208 | - | 1256 | 1 | 307 | - | 1386 | | 1440 |
| | | | | | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Accessories Privacy Screens

| | MODEL | Overall Height | W x H | Basic Model | Usage | Paint Color | Approx. Packaged Weight | |
|-----|---|-------------------|------------|----------------|-------|----------------|-------------------------------|--|
| | Clear Fluted Plastic Core Screen | 42 | 24 x 25.3" | GSCR2442/TF | END | | 6.0# | |
| | Painted metal frame with a fluted plastic core | 48 | 24 x 31.3" | GSCR2448/TF | END | | 8.0# | |
| | Screens attach to frame so height | 51 | 24 x 34.1" | GSCR2451/TF | END | | 9.0# | |
| | remains constant | 54 | 24 x 37.3" | GSCR2454/TF | END | | 10.0# | |
| | Overall height is from the floor CLH used for screens mounted on the | 42 | 30 x 25.3" | GSCR3042/TF | | | 8.0# | |
| | CLH used for screens mounted on the left side of a corner or square shoe when | 48 | 30 x 31.3" | GSCR3048/TF | | | 10.0# | |
| (C) | sitting at the desk | 51 | 30 x 34.1" | GSCR3051/TF | | | 11.0# | |
| SCR | CRH used for screens mounted on the | 54 | 30 x 37.3 | GSCR3054/TF | | | 12.0# | |
| | right side of a corner or square shoe when sitting at the desk | 42 | 36 x 25.3" | GSCR3642/TF | | | 10.0# | |
| | 24 and 30" wide 'End of Run' screens | 48 | 36 x 31.3" | GSCR3648/TF | | | 12.0# | |
| | are surface mounted and not frame | 51 | 36 x 34.1" | GSCR3651/TF | | | 13.0# | |
| | mounted and are to be used on fixed | 54 | 36 x 37.3" | GSCR3654/TF | | | 14.0# | |
| | 'non-adjustable' only | 42 | 42 x 25.3" | GSCR4242/TF | | | 11.0# | |
| | | 48 | 42 x 31.3" | GSCR4248/TF | | | 14.0# | |
| | | 51 | 42 x 34.1" | GSCR4251/TF | | | 15.0# | |
| | | 54 | 42 x 37.3" | GSCR4254/TF | | | 16.0# | |
| | | 42 | 48 x 25.3" | GSCR4842/TF | | | 13.0# | |
| | | 48 | 48 x 31.3" | GSCR4848/TF | | | 16.0# | |
| | | 51 | 48 x 34.1" | GSCR4851/TF | | | 17.0# | |
| | | 54 | 48 x 37.3" | GSCR4854/TF | | | 19.0# | |
| | | 42 | 54 x 25.3" | GSCR5442/TF | | | 14.0# | |
| | | 48 | 54 x 31.3" | GSCR5448/TF | | | 18.0# | |
| | | 51 | 54 x 34.1" | GSCR5451/TF | | | 19.0# | |
| | | 54 | 54 x 37.3" | GSCR5454/TF | | | 21.0# | |
| | | | | A | B | C | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- BSelect usage for screens.
 - CLH - Corner or shoe (left handed) - Corner or shoe (right handed) END - End of run STR - Rectangle or peninsula 'End of Run Screens' only available in 24" and 30" widths.
- Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

135

| 4 |
|---|
|---|

| Delivered | |
|-----------|--|
| Pricing | |
| \$ 409 | |
| 480 | |
| 513 | |
| 548 | |
| 484 | |
| 574 | |
| 614 | |
| 661 | |
| 560 | |
| 665 | |
| 714 | |
| 771 | |
| 634 | |
| 756 | |
| 816 | |
| 881 | |
| 707 | |
| 848 | |
| 914 | |
| 989 | |
| 783 | |
| 939 | |
| 1015 | |
| 1098 | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Accessories Privacy Screens

| | | | | MODEL NUMBER | | | | |
|--------|---|-------------------|------------|----------------|-------|----------------|-------------------------------|--|
| | MODEL | Overall Height | W x H | Basic Model | Usage | Paint Color | Approx. Packaged Weight | |
| • | Clear Fluted Plastic Core Screen | 42 | 60 x 25.3" | GSCR6042/TF | | | 16.0# | |
| | Painted metal frame with a fluted plastic | 48 | 60 x 31.3" | GSCR6048/TF | | | 20.0# | |
| | coreScreens attach to frame so height | 51 | 60 x 34.1" | GSCR6051/TF | | | 21.0# | |
| | remains constant | 54 | 60 x 37.3" | GSCR6054/TF | | | 23.0# | |
| | Overall height is from the floor | 42 | 66 x 25.3" | GSCR6642/TF | | | 17.0# | |
| | CLH used for screens mounted on the left side of a corner or square shoe when | 48 | 66 x 31.3" | GSCR6648/TF | | | 22.0# | |
| F | sitting at the desk | 51 | 66 x 34.1" | GSCR6651/TF | | | 23.0# | |
| CR | CRH used for screens mounted on the | 54 | 66 x 37.3" | GSCR6654/TF | | | 26.0# | |
| | right side of a corner or square shoe when sitting at the desk | 42 | 72 x 25.3" | GSCR7242/TF | | | 19.0# | |
| | 24 and 30" wide 'End of Run' screens | 48 | 72 x 31.3" | GSCR7248/TF | | | 24.0# | |
| | are surface mounted and not frame | 51 | 72 x 34.1" | GSCR7251/TF | | | 26.0# | |
| | mounted and are to be used on fixed | 54 | 72 x 37.3" | GSCR7254/TF | | | 28.0# | |
| | 'non-adjustable' only | 42 | 84 x 25.3" | GSCR8442/TF | | | 22.0# | |
| | | 48 | 84 x 31.3" | GSCR8448/TF | | | 27.0# | |
| | | 51 | 84 x 34.1" | GSCR8451/TF | | | 30.0# | |
| | | 54 | 84 x 37.3" | GSCR8454/TF | | | 33.0# | |
| \sim | Table Mounted Plastic Dividers | With overhead | 24" | GDVD24/0 | | | 3.0# | |
| | Plastic dividers to divide a shared work- surface | Without overhead | 24" | GDVD24/S | | | 3.0# | |
| | • 16" high | With overhead | 30" | GDVD30/O | | | 3.0# | |
| | - | Without overhead | 30" | GDVD30/S | | | 3.0# | |
| DVD | | | | | | | | |
| | | | | A | ß | C | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- BSelect usage for screens.
 - CLH
 - Corner or shoe (left handed)

 CRH
 - Corner or shoe (right handed)

 STR
 - Rectangle or peninsula
 'End of Run Screens' only available in 24" and 30" widths.
- Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

137

| 4 |
|---|
|---|

| Delivered | |
|-----------|--|
| Pricing | |
| \$ 855 | |
| 1030 | |
| 1113 | |
| 1208 | |
| 930 | |
| 1124 | |
| 1213 | |
| 1316 | |
| 1003 | |
| 1215 | |
| 1311 | |
| 1426 | |
| 1155 | |
| 1398 | |
| 1511 | |
| 1647 | |
| \$ 221 | |
| 221 | |
| 251 | |
| 251 | |
| | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Accessories

| MODEL L Basic Model Base Finish Approx. Packaged Straight Wire Trough Cannot be used to house ridged wireway Cannot be use with modesty panel on adjustable height surfaces 30 42 42 42 42 42 42 42 42 42 42 42 42 42 | | | | MODEL N | UMBER | | |
|---|--|---|-----|---------|-------|----------|--|
| MODEL L Basic Model Basic Finish Coor Packaged Weight Straight Wire Trough - <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> | | | | | | | |
| • To be used to house ridged wireway • Cannot be use with modesty panel on adjustable height surfaces 36' GWTR36 0 13.0# GWTR • GWTR42 0 15.0# GWTR • GWTR42 0 15.0# GWTR • GWTR42 0 15.0# GWTR • GWTR60 0 21.0# GWTR • GWTR60 0 23.0# GWTR • Ob used to house ridged wireway • To be used to house ridged wireway • To be used to house ridged wireway • To be mounted on the right side of the ormer/squares shoe unit when sitting the desk 6'' GWTC42R 0 12.0# GWTC • To be used to house ridged wireway • To be mounted on the right side of the ormer/squares shoe unit when sitting the desk 6'' GWTC42R 0 15.0# GWTC • To be used to house ridged wireway • To be mounted on the right side of the cormer/squares shoe unit when sitting the desk 6'' GWTC60R 0 23.0# GWTC • To be used to house ridged wireway • To be mounted on the left side of the cormer/squares shoe unit when sitting the cormer/squares s | | MODEL | L | | | Packaged | |
| - Cannot be use with modesty panel on adjustable height surfaces | 0 | | 30" | GWTR30 | | 10.0# | |
| Adjustable height surfaces 42° GWTR42 15.0# 48° GWTR48 1 18.0# 60° GWTR60 1 21.0# 60° GWTR60 1 22.0# 60° GWTR60 1 22.0# 60° GWTR60 1 15.0# 60° GWTR60 1 1 22.0# 60° GWTR60 1 1 20.0# 60° GWTR60 1 1 1 1 60° GWTR60 1 1 20.0# 1 60° GWTR60 1 1 1 1 1 60° GWTC3R 1 1 1 1 1 1 60° GWTC60R 1 1 1 1 1 1 1 1 60° GWTC60R 1 1 1 1 1 1 1 1 1 1 1 1 | | | 36" | GWTR36 | | 13.0# | |
| GWTR 48° GWTR48 0 18.0# GWTR 54° GWTR54 0 21.0# GWTR 60° GWTR60 0 23.0# GWTR 72° GWTR72 0 22.0# To be used to house ridged wireway 56° GWTR68 0 12.0# * To be used to house ridged wireway 56° GWTC4R 15.0# 12.0# GWTC For be used to house ridged wireway 56° GWTC4R 0 18.0# GWTC For be used to house ridged wireway 56° GWTC6R 0 18.0# GWTC For be used to house ridged wireway 56° GWTC2R 0 18.0# GWTC For be used to house ridged wireway 54° GWTC2R 0 18.0# GWTC For be used to house ridged wireway 54° GWTC2R 0 12.0# For be nouthed on the left side of the comer/square shoe unit when sitting at the desk 56° GWTC4R 0 12.0# GWTC4 For be used to house ridged wireway <t< td=""><td></td><td></td><td>42"</td><td>GWTR42</td><td></td><td>15.0#</td><td></td></t<> | | | 42" | GWTR42 | | 15.0# | |
| GWTR 60° GWTR60 0 23.0# GWTR 66° GWTR60 0 226.0# 72° GWTR72 0 29.0# To be used to house ridged wireway To be mounted on the right side of the correr/square shoe unit when sitting at the desk 36° GWTC42R 0 12.0# GWTC To be used to house ridged wireway the desk 36° GWTC42R 0 13.0# GWTC 66° GWTC60R 0 23.0# 13.0# GWTC 66° GWTC60R 0 23.0# GWTC 66° GWTC8R 0 0 23.0# GWTC 84° GWTC8R 0 0 12.0# GWTC42L 60° 0 | | | 48" | GWTR48 | | 18.0# | |
| GWTR 66° GWTR66 Construction 26.0# 72° GWTR72 C C 29.0# Corner Wire Trough - Right 36° GWTC36R C 12.0# Yob e used to house ridged wireway To be used to house ridged wireway GWTC42R C C 15.0# GWTC 66° GWTC42R C C 23.0# GWTC 66° GWTC42R C C 23.0# For be used to house ridged wireway For be used to house ridged wireway C C 29.0# GWTC 66° GWTC60R C C 29.0# 66° GWTC60R C C 29.0# 72° GWTC72R C C 29.0# 84° GWTC34R C C 29.0# 84° GWTC34R C C 20.0# 84° GWTC34R C C 20.0# 84° GWTC34R C C 20.0# 84° | | | | | | | |
| T2 GWTR72 Comment 29.0# Corner Wire Trough - Right - To be used to house ridged wireway - To be used to house ridged wir | | | | | | | |
| Corner Wire Trough - Right 36° GWTC36R 12.0# • To be used to house ridged wireway • To be mounted on the right side of the corner/square shoe unit when sitting at the desk 6WTC42R 15.0# GWTC • GWTC42R • GWTC54R • Corner Wire Trough - Left 60° GWTC72R 23.0# For be used to house ridged wireway • To be used to house ridged wireway 66° GWTC42R • Corner Wire Trough - Left 60° GWTC72R 29.0# Mathematical for the desk • To be used to house ridged wireway 36° GWTC36R • Corner Wire Trough - Left 60° GWTC36R • Corner Wire Trough - Left 66° GWTC36L • Corner/square shoe unit when sitting at the desk 66° GWTC42L • Corner/square shoe unit when sitting at the desk 66° GWTC42L • Corner/square shoe unit when sitting at the desk 66° GWTC42L • Corner/square shoe unit when sitting at the desk 66° GWTC42L • Corner/square shoe unit when sitting at the desk 66° GWTC42L • Corner/square shoe unit when sitting at the desk 66° GWTC42L • Corner/square shoe unit when sitting at the desk 66° GWTC42L • Corner/square shoe unit when sitting at the | GWTR | | | | | | |
| • To be used to house ridged wireway 42° GWTC42R 15.0# • To be mounted on the right side of the corner/square shoe unit when sitting at the desk 6WTC48R 18.0# GWTC 60° GWTC60R 21.0# 60° GWTC60R 23.0# 72° GWTC72R 29.0# 84" GWTC36R 21.0# 72° GWTC36R 22.0# 66° GWTC42R 29.0# 84" GWTC36R 22.0# 72° GWTC36R 22.0# 84" GWTC36R 22.0# 84" GWTC36R 21.0# 72° GWTC36L 11.0# 72° GWTC36L 12.0# 84" GWTC36L 11.0# 72° GWTC42L 11.0# 66° GWTC42L 11.0# 60° GWTC42L 11.0# 60° GWTC42L 11.0# 60° GWTC42L 11.0# 60° GWTC42L 12.0# 60° GWTC42L 12.0# 60° GWTC42L 12.0# | | | | | | | |
| To be mounted on the right side of the corner/square shoe unit when sitting at the desk GWTC Former Wire Trough - Left To be used to house ridged wireway To be mounted on the left side of the corner/square shoe unit when sitting at the desk GWTC Corner Wire Trough - Left To be used to house ridged wireway To be mounted on the left side of the corner/square shoe unit when sitting at the desk GWTC GWTC GWTC Corner Wire Trough - Left To be mounted on the left side of the corner/square shoe unit when sitting at the desk GWTC4 GWTC4 GWTC4 GWTC4 To be mounted on the left side of the corner/square shoe unit when sitting at the desk GWTC4 GWTC4 GWTC4 GWTC4 To be mounted on the left side of the corner/square shoe unit when sitting at the desk GWTC4 GWTC4 GWTC4 To be mounted on the left side of the corner/square shoe unit when sitting at the desk GWTC4 GWTC4 GWTC4 To be mounted on the left side of the corner/square shoe unit when sitting at the desk | | | | | | | |
| corner/square shoe unit when sitting at the desk 48° GWTC48R 18.0# GWTC 54° GWTC54R 21.0# 60° GWTC60R 23.0# 66° GWTC72R 29.0# 84° GWTC84R 21.0# 72° GWTC64R 21.0# 72° GWTC72R 29.0# 84° GWTC84R 21.0# 70° De used to house ridged wireway 56° 70° GWTC42L 21.0# 70° De mounted on the left side of the corner/square shoe unit when sitting at the desk 54° GWTC54L 21.0# 60° GWTC60L 22.0# 21.0# 23.0# 60° GWTC66L 22.0# 29.0# | al la l | | | | | | |
| GWTC 60° GWTC60R 0 23.0# GWTC 66° GWTC60R 0 23.0# 66° GWTC60R 0 0 26.0# 72° GWTC72R 0 0 29.0# 84° GWTC84R 0 0 34.0# • To be used to house ridged wireway • To be mounted on the left side of the corner/square shoe unit when sitting at the desk 36° GWTC42L 0 112.0# 60° GWTC60L 0 0 15.0# 15.0# 60° GWTC60L 0 0 23.0# 60° GWTC60L 0 0 23.0# 60° GWTC60L 0 0 23.0# GWTC 72° GWTC60L 0 0 23.0# | | corner/square shoe unit when sitting at | | | | | |
| GWTC 66° GWTC66R 0 26.0# 72° GWTC72R 0 29.0# 84° GWTC84R 0 34.0# Corner Wire Trough - Left * To be used to house ridged wireway 36° GWTC42L 0 12.0# * To be used to house ridged wireway 42° GWTC42L 0 15.0# * To be mounted on the left side of the corner/square shoe unit when sitting at the desk 60° GWTC54L 0 12.0# GWTC 60° GWTC42L 0 0 15.0# GWTC 60° GWTC54L 0 0 21.0# GWTC 60° GWTC60L 0 0 23.0# GWTC 72° GWTC72L 0 0 29.0# | | the desk | | | | | |
| 72° 6WTC72R 0 29.0# 84° 6WTC84R 0 34.0# Corner Wire Trough - Left 36° GWTC42L 0 12.0# • To be used to house ridged wireway 42° 6WTC42L 0 15.0# • To be mounted on the left side of the corner/square shoe unit when sitting at the desk 54° 6WTC4L 0 18.0# 60° 6WTC64L 0 0 23.0# 60° 6WTC64L 0 0 23.0# 60° 6WTC64L 0 0 28.0# 60° 6WTC72L 0 0 29.0# | N | | | | | | |
| Solution 84" GWTC84R Conner Wire Trough - Left 36" GWTC84L Conner Wire Trough - Left 36" GWTC42L | GWIC | | | | | | |
| Corner Wire Trough - Left 36" GWTC36L 12.0# • To be used to house ridged wireway 42" GWTC42L 15.0# • To be mounted on the left side of the corner/square shoe unit when sitting at the desk 6WTC48L 18.0# 60" GWTC54L 10 21.0# 60" GWTC60L 10 23.0# GWTC 72" GWTC72L 10 29.0# | | | | | | | |
| • To be used to house ridged wireway 42" GWTC42L 15.0# • To be mounted on the left side of the corner/square shoe unit when sitting at the desk 6WTC42L 18.0# 60" GWTC5LL 12.0# 60" GWTC60L 12.0# 60" GWTC60L 12.0# 60" GWTC60L 12.0# 60" GWTC60L 12.0# 60" GWTC72L 12.0# 60" GWTC72L 12.0# | | Corner Wire Trough Loft | - | | | | |
| • To be mounted on the left side of the corner/square shoe unit when sitting at the desk -42 GWTC42L -10 13.0# 60" GWTC4LL -10 18.0# 60" GWTC60L -10 21.0# 60" GWTC60L -10 23.0# 60" GWTC72L -10 29.0# | A | | | | | | |
| Contract-square since unit within study at the desk 54" GWTC54L □ □ 21.0# 60" GWTC60L □ □ 23.0# 66" GWTC6L □ □ 26.0# GWTC 72" GWTC72L □ □ 29.0# | J. | To be mounted on the left side of the | | | | | |
| 60" GWTC60L 000 23.0# 66" GWTC66L 000 26.0# GWTC 72" GWTC72L 000 29.0# | | | | | | | |
| 66" GWTC66L □□ 26.0# GWTC 72" GWTC72L □□ 29.0# | | 110 4658 | | | | | |
| GWTC 72" GWTC72L 00 29.0# | ¥0* | | | | | | |
| | GWTC | | | | | | |
| | | | | | | | |
| | | | • · | | | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- **B**Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect door color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

| 4 |
|---|
|---|

| Deli | ivered | |
|------|--------|--|
| Pric | | |
| \$ | 418 | |
| | 461 | |
| | 479 | |
| | 544 | |
| | 568 | |
| | 581 | |
| | 780 | |
| | 804 | |
| \$ | 455 | |
| | 495 | |
| | 554 | |
| | 577 | |
| | 594 | |
| | 732 | |
| | 819 | |
| | 824 | |
| \$ | 455 | |
| | 495 | |
| | 554 | |
| | 577 | |
| | 594 | |
| | 732 | |
| | 819 | |
| | 824 | |
| | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Manito-woc, Wisconsin 54220 factory. Freight class #100.

Accessories

| | | | | MODEL NU | MBER | | |
|--|--|---------------------------------|-----------|----------------|----------------|-------------------------------|--|
| | MODEL | Features | L | Basic Model | Base Finish | Approx. Packaged Weight | |
| . ~ | Wire Trough End Cap | LH end cap for corner condition | | GWTECLH | | 1.0# | |
| | | RH end cap for corner condition | | GWTECRH | | 1.0# | |
| 1 AST | | LH end cap for table end | | GWTELH | | 0.6# | |
| | | RH end cap for table end | | GWTERH | | 0.6# | |
| | | | | | | | |
| * | | | | | | | |
| HRDPT | | | | | | | |
| $\langle \rangle$ | Wire Trough Data Face Plate Data tree is included | | | GWTD | | 0.2# | |
| LUN | | | | | | | |
| | | | | | | | |
| \sim | | | | | | | |
| HRDPT | | | | | | | |
| HRUPI | Rigid Wireway | | 30" | G6DS30 | | 4.0# | |
| | For use with 6-2-2 power | | 30 36" | G6DS36 | | 5.0# | |
| | | | 42" | G6DS42 | | 5.0# | |
| | | | 48" | G6DS48 | | 8.0# | |
| in the second se | | | 54" | G6DS54 | | 8.0# | |
| HRDPT | | | 60" | G6DS60 | | 11.0# | |
| | | | 66" | G6DS66 | | 11.0# | |
| | | | 72" | G6DS72 | | 12.0# | |
| | | | 84" | G6DS84 | | 13.0# | |
| | Rigid Wireway | | 30" | G4DS30 | | 4.0# | |
| | • For use with 4-2-2 power | | 36" | G4DS36 | | 5.0# | |
| | | | 42" | G4DS42 | | 5.0# | |
| | | | 48" | G4DS48 | | 8.0# | |
| - The second | | | 54" | G4DS54 | | 8.0# | |
| HRDPT | | | 60" | G4DS60 | | 11.0# | |
| | | | 66" | G4DS66 | | 11.0# | |
| | | | 72" | G4DS72 | | 12.0# | |
| | | | 84" | G4DS84 | | 13.0# | |
| | | | | A | 0 | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Belect base finish.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



\$ 33

| Deliv Prici | ered 1g | |
|----------------|------------|--|
| \$ | 57 | |
| | 57 | |
| | 55 | |
| | 55 | |
| | | |
| | | |
| | | |

| \$ 125 | |
|--|--|
| 129 | |
| 133 | |
| 139 | |
| 143 | |
| 160 | |
| 171 | |
| 179 | |
| | |
| 196 | |
| \$ 196 125 | |
| \$ | |
| \$ 125 | |
| \$ 125 129 | |
| \$ 125 129 133 | |
| \$ 125 129 133 139 | |
| \$ 125 129 133 139 143 | |
| \$ 125 129 133 139 143 160 | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped K.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Accessories Electrical

| | | | | MODEL NUM | /IBER | | | | |
|---|---|-----------|-----|----------------|----------------|---------------|---------------------|-------------------------------|--|
| | MODEL | Features | L | Basic Model | Base Finish | Door Color | Receptacle Color | Approx. Packaged Weight | |
| \sim | Jumpers | No power | 18" | GCJ.18 | | | | 4.0# | |
| | Fills gap at trough 21" use when screen is present | No power | 21" | GCJ.21 | | | | 4.0# | |
| O LAD | 18" for adjacent table | 4-4-2 | 18" | GCJ.418 | | | | 5.0# | |
| n n n n n n n n n n n n n n n n n n n | | 4-4-2 | 21" | GCJ.421 | | | | 5.0# | |
| | | 6-2-2 | 18" | GCJ.618 | | | | 5.0# | |
| | | 6-2-2 | 21" | GCJ.621 | | | | 5.0# | |
| CJ | | | | | | | | | |
| / | Infeeds | 4-4-2 | 72" | GEIFF442 | | | | 4.0# | |
| and the second se | Base infeed Specify 4-4-2 or 6-2-2 power | 6-2-2 | 72" | GEIFF622 | | | | 4.0# | |
| •0 | | | | | | | | | |
| RDPT | | | | | | | | | |
| a A | Receptacles - Shared Ground 6-2-2 | Circuit 1 | | GE.RECP6.1 | | | | 0.2# | |
| A AND A | Includes the modular duplex 15 amp re- ceptacle that snaps onto a rigid wireway | Circuit 2 | | GE.RECP6.2 | | | | 0.2# | |
| | Available in two 10-wire styles. Note: | Circuit 3 | | GE.RECP6.3 | | | | 0.2# | |
| | 10-wire styles must match on all electri- | Circuit 4 | | GE.RECP6.4I | | | | 0.2# | |
| | cal parts | Circuit 5 | | GE.RECP6.5I | | | | 0.2# | |
| RDPT | | Circuit 6 | | GE.RECP6.6I | | | | 0.2# | |
| a A | Receptacles - Shared Ground 4-4-2 | Circuit 1 | | GE.RECP4.1 | | | | 0.2# | |
| A A A A A A A A A A A A A A A A A A A | Includes the modular duplex 15 amp re- ceptacle that snaps onto a rigid wireway | Circuit 2 | | GE.RECP4.2 | | | | 0.2# | |
| 100 | Available in two 10-wire styles. Note: | Circuit 3 | | GE.RECP4.3 | | | | 0.2# | |
| Pe- | 10-wire styles must match all electrical | Circuit 3 | | GE.RECP4.3I | | | | 0.2# | |
| | parts | Circuit 4 | | GE.RECP4.4I | | | | 0.2# | |
| RDPT | | | | | | | | | |
| | | | | A | 6 | G | D | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- **B**Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **D**Select receptacle color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

143

| 4 |
|---|
|---|

| De | livered | |
|-----|---------|--|
| Pri | cing | |
| \$ | 147 | |
| | 153 | |
| | 274 | |
| | 283 | |
| | 274 | |
| | 283 | |
| | | |
| \$ | 203 | |
| | 203 | |
| | | |
| | | |
| \$ | 34 | |
| | 34 | |
| | 34 | |
| | 34 | |
| | 34 | |
| | 34 | |
| \$ | 34 | |
| | 34 | |
| | 34 | |
| | 34 | |
| | 34 | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Manito-woc, Wisconsin 54220 factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

Accessories

| | | | MODEL N | UMBER | ł | | |
|--------------|--|-----|----------------|----------------|----------------|-------------------------------|--|
| | MODEL | W | Basic Model | Paint Color | Base Finish | Approx. Packaged Weight | |
| | Cross-Braces for Rectangles | 30" | GXBR30 | | | 2.0# | |
| | Included on adjustableOnly necessary when using mini cable | 36" | GXBR36 | | | 2.0# | |
| | tray | 42" | GXBR42 | | | 3.0# | |
| V | | 48" | GXBR48 | | | 3.0# | |
| GXBR | 0010010 | 54" | GXBR54 | | | 4.0# | |
| | corners | 60" | GXBR60 | | | 4.0# | |
| | | 66" | GXBR66 | | | 5.0# | |
| | | 72" | GXBR72 | | | 5.0# | |
| | | 36" | GXBR36C | | | 2.0# | |
| | has a basel on a second basel of the | 42" | GXBR42C | | | 3.0# | |
| | Only necessary when using mini cable | 48" | GXBR48C | | | 3.0# | |
| e T | Only necessary when using mini cable tray Cross-brace is non-directional | 54" | GXBR54C | | | 3.0# | |
| | | 60" | GXBR60C | | | 4.0# | |
| GXBR | | 66" | GXBR66C | | | 4.0# | |
| | | 72" | GXBR72C | | | 5.0# | |
| | | 84" | GXBR84C | | | 6.0# | |
| | · · · · · · · · · · · · · · · · · · · | 24" | GXBT.24 | | | 5.0# | |
| | Allow cables to be stored within tray 48" must be used on 54" tables or wider | 48" | GXBT.48 | | | 9.0# | |
| | When cable trays are specified on COR- | | [] | | | | |
| \checkmark | NER UNITS & SQUARE SHOES, 24" trays | | | | | | |
| HRDPT | will fit under lengths of 36" - 54" and 48" trays will fit under lengths of 60" - 84" | | | | | | |
| | trays will lit under lengths of 60 - 64 | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | Fixed Height Ganging Kit | | GANG.24 | | | 1.0# | |
| < > | | | GANG.30 | | | 2.0# | |
| | | | | | | | |
| 1 × | | | | | | | |
| 1 | | | | | | | |
| | | | | | | | |
| HRDPT | | I | | | | | |
| | | | A | B | G | | |
| | | | w | U | U | | |
| | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect base finish.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Accessories

| 14 |
|----|
|----|

| Deli | ivered | |
|------|--------|--|
| | cing | |
| \$ | 40 | |
| | 45 | |
| | 47 | |
| | 49 | |
| | 58 | |
| | 65 | |
| | 66 | |
| | 67 | |
| \$ | 70 | |
| | 74 | |
| | 75 | |
| | 76 | |
| | 93 | |
| | 94 | |
| | 95 | |
| | 114 | |
| \$ | 83 | |
| | 113 | |
| | | |

\$ 5 11

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Manito-woc, Wisconsin 54220 factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

| | | | MODEL N | | | | |
|------------|--|-----|---------|-------|-------|---------|----------|
| | - | | | | | | |
| | | | | | | | |
| | | | | | | | Approx. |
| | MODEL | | Basic | Edge | Edge | Surface | Packaged |
| | | | Model | Style | Color | Finish | Weight |
| < <i>/</i> | The selfer states and ded for 0.4 | | GTQR24 | | | | 19.0# |
| \sim | Four splice plates provided for 24 | 30" | GTQR30 | | | | 29.0# |
| \sim | For use with fixed height workstations | _ | | | | | |
| | onlyFor use as conferencing corner | | | | | | |
| | Wireway option not available | _ | | | | | |
| GTQR | Modesty panel not required | | | | | | |
| | 24" surface has radius of 26-2/3" and 30" surface has a radius of 35" | _ | | | | | |
| | Only one privacy screen can be used | | | | | | |
| | with this surface | | | | | | |
| | Overstein Deursch Treue Stiller eil Overfange | 0.4 | 0700040 | | | | 01.0// |
| | Quarter Round Transitional Surface Two splice plates provided for 24" | | GTQR24P | | | | 21.0# |
| | Four splice plates provided for 30" | 30" | GTQR30P | | | | 31.0# |
| | For use with fixed height workstations | _ | | | | | |
| | only For use as conferencing corner | | | | | | |
| | Wireway option not available | | | | | | |
| | Modesty panel not required | | | | | | |
| | 24" surface has radius of 26-2/3" and 30" surface has a radius of 35" | | | | | | |
| GTQR | Surface has a faulus of 35 | | | | | | |
| | | L | | | | | |
| | | | A | ₿ | C | D | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect edge style. | | | | | | | | | |
|---------------------|-----------------------------------|--|--|--|--|--|--|--|--|
| 74P | - 74P edge | | | | | | | | |
| KN | - Knife edge | | | | | | | | |
| MP | Membrane edge | | | | | | | | |

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

| 141 | | | Accessories Worksurfaces |
|-------------------|--------------------|-----------------------|--------------------------|
| | | | |
| 74P Edge (74P) | Knife Edge (KN) | Membrane Edge (MP) | |
| \$ 350 | \$ 377 | \$ 377 | |
| 397 | 445 | 445 | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| \$ 387 | \$ 412 | \$ 412 | |
| 435 | 481 | 481 | |
| | | | |
| | | | |
| | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Manito-woc, Wisconsin 54220 factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

| | | | | UMBER | | | | |
|-------------------|---|-----|----------------|---------------|---------------|-------------------|-------------------------------|--|
| | | | | | | | | |
| | MODEL | W | Basic Model | Edge Style | Edge Color | Surface Finish | Approx. Packaged Weight | |
| | Square Transitional Surface | 24" | GTSQ24 | | | | 25.0# | |
| \sim \times , | For use with fixed height workstations only | 30" | GTSQ30 | | | | 39.0# | |
| \sim | For use as conferencing corner | | | | | | | |
| | Wireway option not available | | | | | | | |
| | Modesty panel not required Only one privacy screen can be used with this surface | | | | | | | |
| GTSQ | | | | | | | | |
| | | | | | | | | |
| | Square Transitional Surface | 24" | GTSQ24P | | | | 27.0# | |
| | For use with fixed height workstations only | 30" | GTSQ30P | | | | 41.0# | |
| | For use as conferencing corner | | | | | | | |
| \rightarrow | Wireway option not available | | | | | | | |
| \sim > | Modesty panel not required | | | | | | | |
| M | | | | | | | | |
| | | | | | | | | |
| GTSQ | | | | | | | | |
| | | | A | ₿ | C | D | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

| BSelect edge style. | | | | | | | | | |
|---------------------|-----------------------------------|--|--|--|--|--|--|--|--|
| 74P | - 74P edge | | | | | | | | |
| KN | - Knife edge | | | | | | | | |
| MP | Membrane edge | | | | | | | | |

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

| * | | | | | Accessories Worksurfaces |
|------------------|---------------|-----|-------------|------------------|--------------------------|
| | \bigcirc | | | | |
| 74P Edg (74P) | ge Kni (KN | | Mem (MP) | nbrane Edge) | |
| \$ 35 | 0 \$ | 377 | \$ | 377 | |
| 39 | 7 | 445 | | 445 | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| \$ 38 | | | | 412 | |
| 43 | 5 | 481 | | 481 | |
| | | | | | |
| | | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Manito-woc, Wisconsin 54220 factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

| | MODEL | NUMBEI | 1 | | | | | | |
|------|---|--------|----------------|---------------|----------------|---------------|-------------------|-------------------------------|--|
| | MODEL | W | Basic Model | Edge Style | Base Finish | Edge Color | Surface Finish | Approx. Packaged Weight | |
| | Rectangle Transitional Top | 30" | GTRA30 | | | | | 25.0# | |
| | For use with any fixed surface with overhead grommets Surface is designed to clear the 42" high screen Receiving surface must have overhead | 36" | GTRA36 | | | | | 29.0# | |
| | | 42" | GTRA42 | | | | | 33.0# | |
| | | 48" | GTRA48 | | | | | 37.0# | |
| | | 54" | GTRA54 | | | | | 41.0# | |
| | grommet | 60" | GTRA60 | | | | | 44.0# | |
| | | | | | | | | 54.0# | |
| GTRA | | 72" | GTRA72 | | | | | 58.0# | |
| | | | A | 0 | C | D | Ø | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B

| Select e | dge style. |
|----------|--|
| 74P | - 74P edge |
| EP | Elliptical postformed edge |
| KN | - Knife edge |
| MP | - Membrane edge |

Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

4







| 74P Edge (74P) | Elliptical Postformed Edge (EP) | Knife Edge (KN) | Membrane Edge (MP) | |
|-------------------|------------------------------------|--------------------|-----------------------|--|
| \$ 338 | \$ 352 | \$ 378 | \$ 378 | |
| 364 | 382 | 409 | 409 | |
| 393 | 410 | 442 | 442 | |
| 420 | 442 | 473 | 473 | |
| 447 | 472 | 504 | 504 | |
| 477 | 501 | 536 | 536 | |
| 578 | 605 | 648 | 648 | |
| 621 | 651 | 698 | 698 | |
| | | | | |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manito-woc, Wisconsin 54220 factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

Index

| Model No. | Description | Page | Model No. | Description | Page |
|----------------------------|---|------------|----------------------------|---|------------|
| BLCF30/GBO | Overhead Storage: Balance® Overhead Cabinet-Fabric Upper Door | 114 | GCTE24424224 | STripod Corner Electric Height Adjustable: Tripod Corner Electric Height Adjustable Single | 24 |
| BLCL30/GBO | Overhead Storage: Balance [®] Overhead Cabinet Lami- nate Upper Door | 114 | GCTE24424230 | SReduction Tripod Corner Electric Height Adjustable: Reduction Tripod Corner Electric Height Adjustable Single | |
| BLCS30/GBO | Overhead Storage: Balance® Overhead Cabinet-Solid | | GCTE24484824 | ID | Long III |
| | Color Upper Door Delense® Teals Lighte | 114 | | Tripod Corner Electric Height Adjustable: Tripod Corner | 00 |
| BTLT5.24 | Balance® Task Lights: Balance® Task Lights | 116 | 007504404000 | electric Height Adjustable Dual | 26 |
| G4DS30 | Electrical: Rigid Wireway | 140 | GCTE24484830 | | |
| G6DS30 | Electrical: Rigid Wireway | 140 | | Reduction Tripod Corner Electric Height Adjustable | |
| GANG.24 | Fixed Height Ganging Kit | 144 | | Dual: Reduction Tripod Corner Electric Height Adjust- | 40 |
| | Two-Legged Corner: Crank Height Adjustable | 110 | 007500404004 | able Dual-Left | 48 |
| GC2C2442S/F GC2C2442S/P | Two-Legged Corner: Fixed Height | 108 110 | GU1E30424224 | SReduction Tripod Corner Electric Height Adjustable: | |
| | Two-Legged Corner: Pin Height Adjustable | | | Reduction Tripod Corner Electric Height Adjustable | 40 |
| GC2C3048D/CF | Two-Legged Corner: Crank Height Dual | 110 108 | GCTE30484824 | Single-Right | 46 |
| GC2E2442S | Two-Legged Corner: Fixed Height Dual | 112 | GU1E30404024 | | |
| | Two-Legged Corner: Electric Height Adjustable Single | | | Reduction Tripod Corner Electric Height Adjustable | |
| GC2E3048D | Two-Legged Corner: Electric Height Adjustable Dual | 112 | | Dual: Reduction Tripod Corner Electric Height Adjust- | 50 |
| GCCT24363624 | | 10 | | able Dual-Right | 50 |
| CCCT04404004 | Tripod Corner Fixed Height: Tripod Corner Fixed Height | 18 | GDVD24/0 GE.RECP4.1 | Privacy Screens: Table Mounted Plastic Dividers | 136 |
| GCCT24424224 | Tripod Corner Pin and Crank Height Adjustable: Tripod | | GE.RECP4.1 GE.RECP6.1 | Electrical: Receptacles - Shared Ground 4-4-2 Electrical: Receptacles - Shared Ground 6-2-2 | 142 142 |
| | Corner Crank Height Adjustable | 20 | GEIFF442 | Electrical: Infeeds | 142 |
| GCCT24424224 | , | 20 | | /F Arcade Peninsula: Fixed Height-Right | 142 |
| 666124424224 | | | | PArcade Peninsula: Pin Height Adjustable-Right | 104 |
| | Tripod Corner Pin and Crank Height Adjustable: Tripod Corner Pin Height Adjustable | 20 | | /F Arcade Peninsula: Fixed Height-Left | 100 |
| GCCT24424230 | | 20 | | PArcade Peninsula: Pin Height Adjustable-Left | 104 |
| 000124424230 | Reduction Tripod Corner Fixed Height: Reduction | | GSCR2442/EF | Privacy Screens: Exposed Frame Fabric Screen | 128 |
| | Tripod Corner Fixed Height-Left | 28 | GSCR2442/EF | Privacy Screens: Clear Fluted Plastic Core Screen | 134 |
| GCCT24424230 | | 20 | GSCR2442/11 GSCR2442/UF | Privacy Screens: Fully Upholstered Fabric Screen | 134 |
| 000124424230 | Reduction Tripod Corner Pin Height Adjustable: | | GSCR6042/EF | Privacy Screens: Exposed Frame Fabric Screen | 132 |
| | Reduction Tripod Corner Pin Height Adjustable. | 36 | GSCR6042/EF | Privacy Screens: Clear Fluted Plastic Core Screen | 136 |
| GCCT24484824 | | 50 | GSHE24485424 | | 150 |
| 000124404024 | Tripod Corner Pin and Crank Height Adjustable: Tripod | | 001122440042- | Square Shoe Electric Height Adjustable Dual: Basic | |
| | Corner Crank Height Dual | 22 | | Square Shoe Electric Height Adjustable Dual Basic | 74 |
| GCCT24484824 | - | ~~~ | GSHE24485424 | | 14 |
| 000124404024 | Tripod Corner Fixed Height: Tripod Corner Fixed Height Dual | I 18 | 001122440342- | Square Shoe Electric Height Adjustable: Basic Square | |
| GCCT24484830 | | 1 10 | | Shoe Electric Height Adjustable Single-Right | 70 |
| 000121101000 | Reduction Tripod Corner Crank Height Dual: Reduction | | GSHE24485430 | | 10 |
| | Tripod Corner Crank Height Dual-Left | 40 | | Reduction Square Shoe Electric Height Adjustable | |
| GCCT24484830 | | 10 | | Dual: Reduction Basic Square Shoe Electric Height | |
| | Reduction Tripod Corner Fixed Height Dual: Reduction | | | Adjustable Dual-Right | 98 |
| | Tripod Corner Fixed Height Dual-Left | 32 | GSHE24485430 | , . | |
| GCCT24484830 | | | | Reduction Square Shoe Electric Height Adjustable: Re- | |
| | Reduction Tripod Corner Crank Height Adjustable: | | | duction Basic Square Shoe Electric Height Adjustable | |
| | Reduction Tripod Corner Crank Height Adjustable-Left | 38 | | Single-Right | 94 |
| GCCT30424224 | | | GSHE24544824 | | |
| | Reduction Tripod Corner Fixed Height: Reduction | | | Square Shoe Electric Height Adjustable Dual: Basic | |
| | Tripod Corner Fixed Height-Right | 30 | | Square Shoe Electric Height Adjustable Dual-Left | 72 |
| GCCT30424224 | | | GSHE24544824 | | |
| | Reduction Tripod Corner Pin Height Adjustable: | | | Square Shoe Electric Height Adjustable: Basic Square | |
| | Reduction Tripod Corner Pin Height Adjustable-Right | 36 | | Shoe Electric Height Adjustable Single-Left | 68 |
| GCCT30484824 | | | GSHE24544830 |)D | |
| | Reduction Tripod Corner Crank Height Dual: Reduction | | | Reduction Square Shoe Electric Height Adjustable | |
| | Tripod Corner Crank Height Dual-Right | 42 | | Dual: Reduction Basic Square Shoe Electric Height | |
| GCCT30484824 | | | | Adjustable Dual-Left | 96 |
| | Reduction Tripod Corner Fixed Height Dual: Reduction | | GSHE24544830 | | |
| | Tripod Corner Fixed Height Dual-Right | 34 | | Reduction Square Shoe Electric Height Adjustable: Re- | |
| GCCT30484824 | | | | duction Basic Square Shoe Electric Height Adjustable | |
| | Reduction Tripod Corner Crank Height Adjustable: | | | Single-Left | 92 |
| | Reduction Tripod Corner Crank Height Adjustable-Right | 38 | GSRE2436S | Basic Rectangular: Electric Height Adjustable Single | 14 |
| GCJ.18 | Electrical: Jumpers | 142 | GSRE3048D | Basic Rectangular: Electric Height Adjustable Dual | 16 |
| | | | | | |
| | | | | | |

153

Index



| Model No. | Description | Page | Model No. | Description | Page |
|---------------|---|------|---------------|---|------------|
| GSSH24485424 | 4D/CR | | GSTP244860S/F | P "P" Shaped Peninsula: Pin Height Adjustable-Right | 102 |
| | Square Shoe Crank Height Dual: Basic Square Shoe | | GSTP604824S/F | "P" Shaped Peninsula: Fixed Height-Left | 100 |
| | Crank Height Dual-Right | 66 | | P "P" Shaped Peninsula: Pin Height Adjustable-Left | 102 |
| GSSH24485424 | | | | Basic Rectangular: Crank Height Adjustable | 10 |
| | Square Shoe Fixed Height Dual: Basic Square Shoe | | GSTR2430S/F | Basic Rectangular: Fixed Height | 6 |
| | Fixed Height Dual-Right | 58 | GSTR2430S/P | Basic Rectangular: Pin Height Adjustable | 8 |
| GSSH24485424 | | | GSTR2430SS/CI | | |
| | Square Shoe Crank Height Adjustable: Basic Square | 00 | 007004400/5 | Basic Rectangular: Crank Sit/Stand Height Adjustable | 12 |
| GSSH24485424 | Shoe Crank Height Adjustable-Right | 62 | GSTR2442D/F | Basic Rectangular: Fixed Height Dual | 6 |
| G99U24400424 | | | GTBS3042D/CR | Basic Rectangular: Crank Height Dual Overhead Shelf/Tool Rail Kits: Tool Rail Kits | 10 |
| | Square Shoe Fixed Height: Basic Square Shoe Fixed Height-Right | 54 | GTQR24 | Quarter Round Transitional Surface | 122 146 |
| GSSH24485424 | | 54 | GTQR24P | Quarter Round Transitional Surface | 146 |
| | Square Shoe Pin Height Adjustable: Basic Square Shoe | | GTRA30 | Rectangle Transitional Top | 150 |
| | Pin Height Adjustable-Right | 60 | GTSQ24 | Square Transitional Surface | 148 |
| GSSH24485430 | | | GTSQ24P | Square Transitional Surface | 148 |
| | Reduction Square Shoe Crank Height Dual: Reduction | | GUOF30 | Overhead Storage: Universal - Fabric Door Overhead Cabine | t 118 |
| | Basic Square Shoe Crank Height Dual-Right | 90 | GUOL30 | Overhead Storage: Universal - Laminate Door Over- | |
| GSSH24485430 | | | | head Cabinet | 118 |
| | Reduction Square Shoe Fixed Height Dual: Reduction | | GUOS30 | Overhead Storage: Universal - Steel Door Overhead Cabinet | 118 |
| | Basic Square Shoe Fixed Height Dual-Right | 82 | GUSS30 | Overhead Shelf/Tool Rail Kits: Shelf Kits | 122 |
| GSSH24485430 | DS/CR | | GWTC36L | Electrical: Corner Wire Trough - Left | 138 |
| | Reduction Square Shoe Crank Height Adjustable: | | GWTC36R | Electrical: Corner Wire Trough - Right | 138 |
| | Reduction Basic Square Shoe Crank Height Adjustable-Right | t 86 | GWTD | Electrical: Wire Trough Data Face Plate | 140 |
| GSSH24485430 | | | GWTECLH | Electrical: Wire Trough End Cap | 140 |
| | Reduction Square Shoe Fixed Height: Reduction Basic | | GWTR30 | Electrical: Straight Wire Trough | 138 |
| | Square Shoe Fixed Height-Right | 78 | GXBR30 | Cross-Braces for Rectangles | 144 |
| GSSH24485430 | | | GXBR36C | Cross-Braces for Corners/Shoes (for one side only) | 144 |
| | Reduction Square Shoe Pin Height Adjustable: Reduc- | 0.4 | GXBT.24 | Mini Cable Tray (requires Cross-Brace) | 144 |
| 0001104544004 | tion Square Shoe Pin Height Adjustable-Right | 84 | NSD | Overhead Shelf/Tool Rail Kits: Shelf Divider | 122 |
| GSSH24544824 | | | PAT | Paper Management: Accessory Tray | 126 |
| | Square Shoe Crank Height Dual: Basic Square Shoe | 64 | PDS | Paper Management: Diagonal Storage | 124 |
| GSSH24544824 | Crank Height Dual-Left | 04 | PLL PPC | Paper Management: Paper Tray Paper Management: Pencil Cup | 124 126 |
| 0001124044024 | Square Shoe Fixed Height Dual: Basic Square Shoe | | PTC | Paper Management: Telephone Caddy | 126 |
| | Fixed Height Dual-Left | 56 | PVS | Paper Management: Vertical Storage | 124 |
| GSSH24544824 | | | TLT5.24 | Universal Task Lights: Universal Task Lights | 120 |
| | Square Shoe Crank Height Adjustable: Basic Square | | | | |
| | Shoe Crank Height Adjustable-Left | 62 | | | |
| GSSH24544824 | | | | | |
| | Square Shoe Fixed Height: Basic Square Shoe Fixed | | | | |
| | Height-Left | 52 | | | |
| GSSH24544824 | 4S/P | | | | |
| | Square Shoe Pin Height Adjustable: Basic Square Shoe | | | | |
| | Pin Height Adjustable-Left | 60 | | | |
| GSSH24544830 | | | | | |
| | Reduction Square Shoe Crank Height Dual: Reduction | | | | |
| | Basic Square Shoe Crank Height Dual-Left | 88 | | | |
| GSSH24544830 | | | | | |
| | Reduction Square Shoe Fixed Height Dual: Reduction | 00 | | | |
| 0001104544000 | Basic Square Shoe Fixed Height Dual-Left | 80 | | | |
| GSSH24544830 | | | | | |
| | Reduction Square Shoe Crank Height Adjustable: | 86 | | | |
| GSSH24544830 | Reduction Basic Square Shoe Crank Height Adjustable-Left | 00 | | | |
| GGGHZ434403L | Reduction Square Shoe Fixed Height: Reduction Basic | | | | |
| | Square Shoe Fixed Height-Left | 76 | | | |
| GSSH24544830 | | 10 | | | |
| 0001127077000 | Reduction Square Shoe Pin Height Adjustable: Reduc- | | | | |
| | tion Square Shoe Pin Height Adjustable-Left | 84 | | | |
| CCTD044960C/ | E "D" Shanad Daningula: Eivad Haight Dight | 100 | | | |

100

tion Square Shoe Pin Height Adjustable-Left GSTP244860S/F "P" Shaped Peninsula: Fixed Height-Right

KI

1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 1-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11382R5/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.