### NIJ 06 LEVEL III RIFLE PLATE

 STANDARD
 NIJ 0101.06

 SERIES
 306-1801

THREAT LEVEL Level III

CONFIGURATION Stand-Alone

Multi-Hit

COMPOSITION | Composite

COVER Polyurea

WARRANTY Ballistics: 5 Years

Cover: 1 Year

COUNTRY USA





#### PRODUCT SPECIFICATIONS

SIZE	THINNESS	SHAPE	CURVATURE	WEIGHT
6 x 6"	1.07"	Full Cut	Single-Curve	0.80 lbs
6 x 8"	1.07"	Full Cut	Single-Curve	1.00 lbs
8 × 10"	1.07"	Full Cut	Multi-Curve	1.70 lbs
8 x 10"	1.07"	Shooter's Cut	Multi-Curve	1.50 lbs
10 x 12"	1.07"	Full Cut	Multi-Curve	2.70 lbs
10 x 12"	1.07"	Shooter's Cut	Multi-Curve	2.20 lbs

### CERTIFICATION AND SPECIAL THREAT TESTING

#### **AMMUNITION**

7.62 x 51mm M80 @ 2780 ft/s±30	7.62 x 51mm 149gr FMJ (M80)	
7.62 x 39mm PS Ball MSC		

All weights are approximate.



### NIJ 06 LEVEL III RIFLE PLATE

STANDARD

NIJ 0101.06

**SERIES** 

306-1808

THREAT LEVEL

Level III

CONFIGURATION

Stand-Alone

Multi-Hit

**COMPOSITION** 

Alloy

COVER

Cordura

WARRANTY

Ballistics: 10 Years

Cover: 1 Year

COUNTRY

USA

**DEA COMPLIANT** 

Yes





#### PRODUCT SPECIFICATIONS

SIZE	THINNESS	SHAPE	CURVATURE	WEIGHT
6 x 6"	0.35"	Full Cut	Single-Curve	2.50 lbs
6 x 8"	0.35"	Full Cut	Single-Curve	3.50 lbs
8 × 10"	0.35"	Full Cut	Single-Curve	5.80 lbs
8 x 10"	0.35"	Shooter's Cut	Single-Curve	5.70 lbs
10 × 12"	0.35"	Full Cut	Single-Curve	8.70 lbs
10 x 12"	0.35"	Shooter's Cut	Single-Curve	7.30 lbs

### CERTIFICATION AND SPECIAL THREAT TESTING

#### **AMMUNITION**

7.62 x 51mm M80 @ 2780 ft/s±30	M855 SS109 (DEA 2009)	
.223 60gr (DEA 2009)	M43 PS Ball MSC (DEA 2009)	

All weights are approximate.



### NIJ 06 LEVEL III RIFLE PLATE

STANDARD | NIJ 0101.06 SERIES | 306-1809 THREAT LEVEL | Level III

CONFIGURATION Stand-Alone Multi-Hit

COMPOSITION Ceramic/Composite

WARRANTY Ballistics: 5 Years

Cover: 1 Year

Polyurea/Cordura

COUNTRY USA

**COVER** 





#### PRODUCT SPECIFICATIONS

SIZE	THINNESS	SHAPE	CURVATURE	WEIGHT
6 x 6"	1.10"	Full Cut	Single-Curve	1.80 lbs
6 x 8"	1.10''	Full Cut	Single-Curve	2.4 lbs
8 × 10"	1.10''	Full Cut	Multi-Curve	3.20 lbs
8 × 10"	1.10"	Shooter's Cut	Multi-Curve	2.90 lbs
10 × 12"	1.10''	Full Cut	Multi-Curve	4.80 lbs
10 x 12"	1.10''	Shooter's Cut	Multi-Curve	4.30 lbs

#### CERTIFICATION AND SPECIAL THREAT TESTING

#### AMMUNITION

7.62 x 63mm JSP @2780 ft/s±30	7.62 x 39mm - M67 @ 2390 ft/s±30
7.62 x 39mm MSC -M43 @ 2390 ft/s±30	5.56 x 45mm M855/SS109 @ 3150 ft/s±30
7.62 x 51mm M80 @ 2800 ft/s±30	5.56 x 45mm M193 @ 3150 ft/s±30

All weights are approximate.



### NIJ 06 LEVEL III RIFLE PLATE

 STANDARD
 NIJ 0101.06

 SERIES
 306-1811

THREAT LEVEL Level III

CONFIGURATION Stand-Alone Multi-Hit

COMPOSITION | Polyethylene

COVER Nylon

WARRANTY | Ballistics: 10 Years

Cover: 1 Year

**THINNESS** 

COUNTRY USA

SIZE





	PRODUCT SPECIFICATIONS						
3	SHAPE	CURVATURE	WEIGHT				
	Full Cut	Multi-Curve	0.72 lbs				
	Full Cut	Multi Cumio	1.67. lbc				

6 x 6"	1.00"	Full Cut	Multi-Curve	0.72 lbs
8 × 10"	1.00"	Full Cut	Multi-Curve	1.64 lbs
10 x 12"	1.00"	Full Cut	Multi-Curve	2.26 lbs
10 x 12"	1.00"	Shooter's Cut	Multi-Curve	2.16 lbs

### CERTIFICATION AND SPECIAL THREAT TESTING

AMMUNITION				
7.62mm 147 gr NATO FMJ	5.56 x 45-mm 55 gr M193			
7.62 x 39mm 123 gr PS Ball				

All weights are approximate.



### NIJ 06 LEVEL III RIFLE PLATE

STANDARD | NIJ 0101.06 SERIES | 306-1812 THREAT LEVEL | Level III

CONFIGURATION Stand-Alone Multi-Hit

COMPOSITION | Polyethylene

COVER Polyurea

**WARRANTY** | Ballistics: 10 Years

Cover: 1 Year

COUNTRY USA





PRODUCT SPECIFICATIONS					
SIZE THINNESS SHAPE CURVATURE WEIGHT					
6 × 6"	1.25"	Full Cut	Multi-Curve	1.00 lbs	
8 x 10"	1.25"	Full Cut	Multi-Curve	2.30 lbs	
10 x 12"	1.25"	Full Cut	Multi-Curve	3.50 lbs	
10 × 12"	1 25"	Shootar's Cut	Multi-Curvo	3.20 lbs	

### CERTIFICATION AND SPECIAL THREAT TESTING

AMMUNITION				
7.62mm 147 gr NATO FMJ		5.56 x 45-mm 55 gr M193		
7.62 x 39mm PS Ball AK47 Steel Core				

All weights are approximate.



### NIJ 06 LEVEL III RIFLE PLATE

STANDARD NIJ 0101.06

**SERIES** 306-1813

THREAT LEVEL Level III

CONFIGURATION Stand-Alone Multi-Hit

COMPOSITION Ceramic, Glass,

Polyethylene

Composite

COVER | Nylon

WARRANTY Ballistics: 5 Years

Cover: 1 Year

COUNTRY USA





### PRODUCT SPECIFICATIONS

SIZE	THINNESS	SHAPE	CURVATURE	WEIGHT
6 x 6"	0.95"	Full Cut	Multi-Curve	1.90 lbs
8 x 10"	0.95"	Full Cut	Multi-Curve	4.60 lbs
10 x 12"	0.95"	Shooter's Cut	Multi-Curve	5.80 lbs

### CERTIFICATION AND SPECIAL THREAT TESTING

AMMUNITION								
7.62-mm 147 gr NATO FMJ M80	5.56 x 45 mm 62 gr M855 SS109							
7.62 x 39 mm 123 gr MSC	5.56 x 45mm 62 gr Bonded SP							
7.62 x 54Rmm 150 gr LPS	7 5.56 x 45mm 55 gr M193							
300 Winchester Mag 180 gr PSP	5.56 x 45mm 62 gr M855 A1							

All weights are approximate.



### NIJ 06 LEVEL IV RIFLE PLATE

STANDARD

NIJ 0101.06

**SERIES** 

406-1909

THREAT LEVEL

Level IV

**CONFIGURATION** 

Stand-Alone

COMPOSITION

Ceramic/Composite

**COVER** 

Cordura

WARRANTY

Ballistics: 5 Years

Cover: 1 Year

**COUNTRY** 

USA





DD	Π	UC1	121	FC	IF	IC 1	١T١		10
ГΝ	UЦ	uu	і аг	EL	IF	1 W <i>F</i>	4 I I	UN	IJ

SIZE	THINNESS	SHAPE	CURVATURE	WEIGHT
8 x 10"	0.90"	Full Cut	Single-Curve	5.50 lbs
8 x 10"	0.90"	Shooter's Cut	Single-Curve	4.9 lbs
10 x 12"	0.90"	Full Cut	Single-Curve	8.50 lbs
10 x 12"	0.90"	Shooter's Cut	Single-Curve	7.60 lbs

### CERTIFICATION AND SPECIAL THREAT TESTING

AMMUNITION							
7.62 x 45mm - M193 @ 3150 ft/s±30	7.62 x 39mm - M43 @ 2380 ft/s±30						
7.62 x 39mm - M67 @ 2390 ft/s±30	7.62 x 39mm API @ 2390 ft/s±30						
7.62 x 51 mm M80 @ 2800 ft/s±30	7.62 x 54R B-32 - API @ 2850 ft/s±30						
7.62 x 63mm JSP @ 2780 ft/s±3	7.62 x 51 mm - M61 @ 2380 ft/s±30						
7.62 x 45mm M855/SS109 @ 3150 ft/s±30	7.62 x 63mm - AP M2 @ 2880 ft/s±30						

All weights are approximate.



### NIJ 06 LEVEL IV RIFLE PLATE

STANDARD | NIJ 0101.06

SERIES 406-1910

THREAT LEVEL | Level IV

CONFIGURATION Stand-Alone


COMPOSITION Ceramic/Glass

COVER Nylon

WARRANTY | Ballistics: 5 Years

Cover: 1 Year

COUNTRY USA



PRODUCT SPECIFICATIONS											
SIZE THINNESS SHAPE CURVATURE WEIGHT											
6 x 6"	0.99"	Full Cut	Single-Curve	2.60 lbs							
8 x 10"	0.99"	Full Cut	Multi-Curve	5.70 lbs							
10 x 12"	0.99''	Full Cut	Multi-Curve	8.50 lbs							
10 x 12"	0.99"	Shooter's Cut	Multi-Curve	7.70 lbs							

### CERTIFICATION AND SPECIAL THREAT TESTING

#### **AMMUNITION**

7.62 x 63mm 166 gr AP 30-06 M2 AP

All weights are approximate.



### **ATLAS T3** PLATE CARRIER

Part of the Atlas Tactical Series, the Atlas T3 Tactical Plate Carrier is designed for operators that require lightweight protective coverage and high-speed mobility. Engineered as a scalable ballistic platform with optional quick release functionality and a range of accessories that are compatible with all Atlas series vests. The Atlas T3 offers a low-profile solution that is fully customizable with soft and hard armor inserts for mission-specific adaptability.





#### STANDARD ON ALL ATLAS MODELS

- · Available in all Level IIIA ballistic packages
- Construction utilizes dual 1000/500 denier Cordura nylon with urethane/water-repellent coating for durability
- Front and rear 3x9" VELCRO® brand loop for ID attachment
- Bottom-loading 10x12" front and rear plate pockets with plate-leveling system (Small accepts 8x10" plates)
- · Spacer mesh on body side for ventilation and comfort
- Fully adjustable shoulders with communication pass-through
- MOLLE webbing attachment coverage for pouches and accessories
- Expandable rear drag strap for emergency extraction
- · Ballistic suspension for proper panel alignment

#### ATLAS ACCESSORIES

- · Collar and Throat Protectors
- · Groin Protector
- · Lower Back Protector



- Bicep Protectors
- Cummerbund
- · Side Plate Pockets 6x6" or 6x8"
- · Quick Release System



Black



Ranger Green



Coyote



Multi Cam




### **ATLAS** TACTICAL SERIES



### **ACCESSORIES**



#### **COVERAGE**



The Atlas Tactical Series offers a holistic approach to tactical design. Three platforms offer varying areas of coverage without sacrificing consistency of appearance or interoperability of accessories. Whether the mission is dynamic entry or team support from afar, the Atlas allows teams to select a single design solution while offering each member a choice of platform that is consistent with their individual role and functional requirements. The Atlas Tactical Series...

for the one team with many missions.

### **ATLAS T5** EXTENDED COVERAGE

Part of the Atlas Tactical Series, the Atlas T5 Extended Coverage Tactical Vest is designed for operators that require lightweight protective coverage and high-speed mobility. Engineered as a scalable ballistic platform with optional quick release functionality and a range of accessories that are compatible with all Atlas series vests. The Atlas T5 offers a low-profile solution that is fully customizable with soft and hard armor inserts for mission-specific adaptability.





#### STANDARD ON ALL ATLAS MODELS

- · Available in all Level IIIA ballistic packages
- Construction utilizes dual 1000/500 denier Cordura nylon with urethane/water-repellent coating for durability
- Front and rear 3x9" VELCRO® brand loop for ID attachment
- Bottom-loading 10x12" front and rear plate pockets with plate-leveling system (Small accepts 8x10" plates)
- · Spacer mesh on body side for ventilation and comfort
- Fully adjustable shoulders with communication pass-through
- MOLLE webbing attachment coverage for pouches and accessories
- Expandable rear drag strap for emergency extraction
- · Ballistic suspension for proper panel alignment

#### ATLAS ACCESSORIES

- · Collar and Throat Protectors
- · Groin Protector
- · Lower Back Protector



- $\cdot \ \mathsf{Bicep} \ \mathsf{Protectors}$
- Cummerbund
- · Side Plate Pockets 6x6" or 6x8"
- · Quick Release System



Black



Ranger Green



Coyote



Multi Cam



### **ATLAS** TACTICAL SERIES



### **ACCESSORIES**



#### **COVERAGE**



The Atlas Tactical Series offers a holistic approach to tactical design. Three platforms offer varying areas of coverage without sacrificing consistency of appearance or interoperability of accessories. Whether the mission is dynamic entry or team support from afar, the Atlas allows teams to select a single design solution while offering each member a choice of platform that is consistent with their individual role and functional requirements. The Atlas Tactical Series...

for the one team with many missions.

### **ATLAS T7** FULL COVERAGE

Part of the Atlas Tactical Series, the Atlas T7 Full Coverage Tactical Vest is designed for operators that require lightweight protective coverage and high-speed mobility. Engineered as a scalable ballistic platform with optional quick release functionality and a range of accessories that are compatible with all Atlas series vests. The Atlas T7 offers a low-profile solution that is fully customizable with soft and hard armor inserts for mission-specific adaptability.



\*Shown with cummerbund



#### STANDARD ON ALL ATLAS MODELS

- · Available in all Level IIIA ballistic packages
- Construction utilizes dual 1000/500 denier Cordura nylon with urethane/water-repellent coating for durability
- Front and rear 3x9" VELCRO® brand loop for ID attachment
- Bottom-loading 10x12" front and rear plate pockets with plate-leveling system (Small accepts 8x10" plates)
- · Spacer mesh on body side for ventilation and comfort
- Fully adjustable shoulders with communication pass-through
- MOLLE webbing attachment coverage for pouches and accessories
- Expandable rear drag strap for emergency extraction
- · Ballistic suspension for proper panel alignment

#### ATLAS ACCESSORIES

- · Collar and Throat Protectors
- · Groin Protector
- · Lower Back Protector
- $\cdot \ \mathsf{Bicep\ Protectors}$
- $\cdot \, \text{Cummerbund}$
- · Side Plate Pockets 6x6" or 6x8"
- · Quick Release System



Black



Ranger Green



Coyote



Multi Cam



### **ATLAS** TACTICAL SERIES

Plate Carrier

Extended Coverage

Full Coverage

\*Shown with no accessories

IIIA BALLISTICS

FETHOS

FETHOS

FULL Coverage

Full Coverage

Full Coverage

\*Shown with cummerbund

\*Shown with cummerbund


\*Shown with cummerbund

\*Shown with all accessories

### **ACCESSORIES**



### **COVERAGE**



The Atlas Tactical Series offers a holistic approach to tactical design. Three platforms offer varying areas of coverage without sacrificing consistency of appearance or interoperability of accessories. Whether the mission is dynamic entry or team support from afar, the Atlas allows teams to select a single design solution while offering each member a choice of platform that is consistent with their individual role and functional requirements. The Atlas Tactical Series...

for the one team with many missions.

### **ATLAS T3** PLATE CARRIER

Part of the Atlas Tactical Series, the Atlas T3 Tactical Plate Carrier is designed for operators that require lightweight protective coverage and high-speed mobility. Engineered as a scalable ballistic platform with optional quick release functionality and a range of accessories that are compatible with all Atlas series vests. The Atlas T3 offers a low-profile solution that is fully customizable with soft and hard armor inserts for mission-specific adaptability.





#### STANDARD ON ALL ATLAS MODELS

- · Available in all Level IIIA ballistic packages
- Construction utilizes dual 1000/500 denier Cordura nylon with urethane/water-repellent coating for durability
- Front and rear 3x9" VELCRO® brand loop for ID attachment
- Bottom-loading 10x12" front and rear plate pockets with plate-leveling system (Small accepts 8x10" plates)
- · Spacer mesh on body side for ventilation and comfort
- Fully adjustable shoulders with communication pass-through
- MOLLE webbing attachment coverage for pouches and accessories
- Expandable rear drag strap for emergency extraction
- · Ballistic suspension for proper panel alignment

#### ATLAS ACCESSORIES

- · Collar and Throat Protectors
- · Groin Protector
- · Lower Back Protector



- $\cdot \ \mathsf{Bicep} \ \mathsf{Protectors}$
- $\cdot \, \text{Cummerbund} \\$
- · Side Plate Pockets 6x6" or 6x8"
- · Quick Release System



Black



Ranger Green



Coyote



Multi Cam



### **ATLAS T5** EXTENDED COVERAGE

Part of the Atlas Tactical Series, the Atlas T5 Extended Coverage Tactical Vest is designed for operators that require lightweight protective coverage and high-speed mobility. Engineered as a scalable ballistic platform with optional quick release functionality and a range of accessories that are compatible with all Atlas series vests. The Atlas T5 offers a low-profile solution that is fully customizable with soft and hard armor inserts for mission-specific adaptability.





#### STANDARD ON ALL ATLAS MODELS

- · Available in all Level IIIA ballistic packages
- Construction utilizes dual 1000/500 denier Cordura nylon with urethane/water-repellent coating for durability
- Front and rear 3x9" VELCRO® brand loop for ID attachment
- Bottom-loading 10x12" front and rear plate pockets with plate-leveling system (Small accepts 8x10" plates)
- · Spacer mesh on body side for ventilation and comfort
- Fully adjustable shoulders with communication pass-through
- MOLLE webbing attachment coverage for pouches and accessories
- Expandable rear drag strap for emergency extraction
- · Ballistic suspension for proper panel alignment

#### ATLAS ACCESSORIES

- · Collar and Throat Protectors
- · Groin Protector
- · Lower Back Protector
- $\cdot \ \mathsf{Bicep\ Protectors}$
- · Cummerbund
- · Side Plate Pockets 6x6" or 6x8"
- · Quick Release System



Black



Ranger Green



Coyote



Multi Cam



### **ATLAS T7** FULL COVERAGE

Part of the Atlas Tactical Series, the Atlas T7 Full Coverage Tactical Vest is designed for operators that require lightweight protective coverage and high-speed mobility. Engineered as a scalable ballistic platform with optional quick release functionality and a range of accessories that are compatible with all Atlas series vests. The Atlas T7 offers a low-profile solution that is fully customizable with soft and hard armor inserts for mission-specific adaptability.



\*Shown with cummerbund



#### STANDARD ON ALL ATLAS MODELS

- · Available in all Level IIIA ballistic packages
- Construction utilizes dual 1000/500 denier Cordura nylon with urethane/water-repellent coating for durability
- Front and rear 3x9" VELCRO® brand loop for ID attachment
- Bottom-loading 10x12" front and rear plate pockets with plate-leveling system (Small accepts 8x10" plates)
- · Spacer mesh on body side for ventilation and comfort
- Fully adjustable shoulders with communication pass-through
- MOLLE webbing attachment coverage for pouches and accessories
- Expandable rear drag strap for emergency extraction
- · Ballistic suspension for proper panel alignment

#### ATLAS ACCESSORIES

- · Collar and Throat Protectors
- · Groin Protector
- · Lower Back Protector
- $\cdot \ \mathsf{Bicep} \ \mathsf{Protectors}$
- $\cdot \, \text{Cummerbund} \\$
- · Side Plate Pockets 6x6" or 6x8"
- · Quick Release System



Black



Ranger Green



Coyote



Multi Cam



### **ATLAS** TACTICAL SERIES

Plate Carrier

Extended Coverage

Full Coverage

\*Shown with no accessories

IIIA BALLISTICS

FETHOS

FETHOS

FULL Coverage

Full Coverage


Full Coverage

\*Shown with cummerbund

### **ACCESSORIES**



#### **COVERAGE**



The Atlas Tactical Series offers a holistic approach to tactical design. Three platforms offer varying areas of coverage without sacrificing consistency of appearance or interoperability of accessories. Whether the mission is dynamic entry or team support from afar, the Atlas allows teams to select a single design solution while offering each member a choice of platform that is consistent with their individual role and functional requirements. The Atlas Tactical Series...

for the one team with many missions.



### HARD ARMOR RIFLE PLATES

#### **READY IS THE ONLY OPTION.**

	LEVE	L & CEI	RTIFIC <i>I</i>	ATION		SPECS			A۷	/AILAB	LE SIZE	ES			CON	MPOSIT	ION			COV	'ER	
MODEL	LEVEL	90 FIN	NIJ 05	SPECIAL THREAT	WEIGHT 10 x 12° SH	THINNESS	WARRANTY	6 x 6" FC	6 x 8" FC	8 × 10" FC	8 × 10" SH	10 x 12" FC	10 x 12" SH	ALLOY	COMPOSITE	CERAMIC	GLASS	POLYETHYLENE	CORDURA	POLYOLEFIN SPALL	NATON	POLYUREA
306-1801	III	Х		Х	2.2 lbs	1.07"	5 yrs	Х	Х	Х	Х	Х	Х		Х							Х
306-1808	III	Χ		Χ	7.3 lbs	0.35"	10 yrs	Χ	X	Χ	X	Χ	X	Χ					Χ			
306-1809	III	Χ		Χ	4.3 lbs	1.10"	5 yrs	Χ	X	Χ	X	Χ	Х		X	Χ			Χ			
306-1810	III	Χ		Χ	5.8 lbs	1.10"	5 yrs			Χ	X	Χ	X		X	Χ			Χ			X
306-1811	III	Χ		Х	2.1 lbs	1.00"	10 yrs	Χ		Χ		Χ	X					X			Χ	
306-1812	III	Х		Х	3.2 lbs	1.25"	10 yrs	Χ		Χ		Χ	X					X				X
306-1813	III	Х		Х	5.8 lbs	0.95"	5 yrs	Χ		Х			X		X	Χ	Х	X			Χ	
405-1908	IV		Χ	Χ	8.2 lbs	0.73"	5 yrs					Χ	X			Χ			Χ			
406-1909	IV	Х			7.6 lbs	0.90"	5 yrs			Χ	X	Х	X		X	Χ			Χ			
406-1910	IV	Χ		Х	7.7 lbs	0.99"	5 yrs	Х		Χ		Χ	Χ			Х	Χ				Χ	
ST-101				Х	5.4 lbs	0.60"	5 yrs			Χ	Χ	Х	Χ		Х	Χ			Χ			
ST-102				Χ	5.5 lbs	0.40"	5 yrs	Χ					Χ		Χ	Χ				Х		

ST-102 ICW Special Threat Plate (6x6", 5x8", 7x9" and 10x12") is tested in conjuction with ballistic models HeliX IIIA HX03 (GPXIIIA), LiteX IIIA LX02 (UG3AKXP) and ProX IIIA PX03 (BA-3A00S-MR01).

1 Sentry Drive | PO Box 280 | Dover, TN 37058 (866) 920-5940 | www.gharmorsystems.com







## HB2-ACH

### LEVEL IIIA ACH HELMET

STANDARD | NIJ 0106.01

THREAT LEVEL | Level IIIA

CONFIGURATION | Stand Alone

Multi-Hit

COMPOSITION | Composite

HARNESS 4-pt

PADDING | Mesh Crown or Pad

COLORS Black, Coyote, Khaki, Tactical

Green, Foliage Green

WARRANTY | Shell: 5 Years

Harness & Padding: 1 Year

COUNTRY USA

**OPTIONAL** Ratchet Retention System,

Rail Set, NVG 3-Hole Shroud, Nape Curtain, Adjustable

Retention Dial, Helmet Carry

Bag, Helmet Cover, Ballistic Face Shield,

Non-Ballistic Face Shield



PRODUCT SPECIFICATIONS											
SIZE	CIRCUMFERENCE	FULL CUT WEIGHT	MID CUT WEIGHT	HIGH CUT WEIGHT							
Small	20 1/2 - 21 5/8 in.	2.78 lbs	2.70 lbs	2.50 lbs							
Medium	21 5/8 – 22 3/4 in.	2.78 lbs	2.70 lbs	2.50 lbs							
Large	22 3/4 - 24 1/4 in.	2.88 lbs	2.80 lbs	2.58 lbs							
X-Large	24 1/4 - 26 in.	2.88 lbs	2.90 lbs	2.58 lbs							
Jumbo	26 in. +	2.98 lbs	2.90 lbs	2.67 lbs							

#### TEST PROTOCOL

#### **AMMUNITION**

9mm 124 gr FMJ

.44 Magnum 240 gr SJHP

All weights are approximate. All helmets are independently tested to NIJ Standard 0106.01.



## HB2-PAS

### LEVEL IIIA PASGT HELMET

STANDARD NIJ 0106.01
THREAT LEVEL Level IIIA

CONFIGURATION Stand Alone

Multi-Hit

COMPOSITION | Composite

HARNESS | 4-pt PASGT

PADDING | Mesh Crown or Pad

COLORS | Black, Coyote, Khaki, Tactical

Green, Foliage Green

WARRANTY | Shell: 5 Years

Harness & Padding: 1 Year

COUNTRY USA

OPTIONAL | Na

Nape Curtain, Adjustable

Retention Dial, Helmet Carry

Bag, Helmet Cover, Ballistic Face Shield, Non-Ballistic Face Shield



PRODUCT SPECIFICATIONS									
SIZE	CIRCUMFERENCE	WEIGHT							
Small	20 1/2 - 21 5/8 in.	2.4 lbs							
Medium	21 5/8 – 22 3/4 in.	2.4 lbs							
Large	22 3/4 - 24 1/4 in.	2.6 lbs							
X-Large	24 1/4 - 26 in.	2.6 lbs							
Jumbo	26 in. +	2.8 lbs							

### **TEST PROTOCOL**

		w	ш	М		
Δ	м	M	ш	N	ш	01

9mm 124 gr FMJ

.44 Magnum 240 gr SJHP

All weights are approximate. All helmets are independently tested to NIJ Standard 0106.01.



LEO-H2

### **SPECIAL THREAT PLATES**

### **HANDGUN PROTECTION**



### PRODUCT SPECIFICATIONS

SIZE	THINNESS	SHAPE	CURVATURE	WEIGHT
5×7"	0.25"	Full Cut	Single-Curve	0.25 lbs
5 × 8"	0.25"	Full Cut	Single-Curve	0.30 lbs
7 x 9''''	0.25"	Full Cut	Single-Curve	0.50 lbs
10 x 12"	0.25"	Shooter's Cut	Single-Curve	0.70 lbs
10 x 12"	0.25"	Full Cut	Single-Curve	0.80 lbs

Diamond Rip-Stop Nylon Cover | Polyethylene Construction | Multi-Hit | 5-Year Warranty

### SPECIAL THREAT TESTING

Speer .357 Sig 125 gr FMJ	Norinco 7.62x25mm Tokarev 85 gr FMJ
Speer .44 Mag 240 gr SJHP	FN 5.7x28mm 28 gr SS195LF (Belgium)
Winchester 9 mm +P+ 127 gr SXT	FN 5.7x28mm 40 gr SS197 (Blue Tip)
Speer .357 Sig 125 gr GDHP	
	•

 $<sup>^*</sup> Independent special threat testing in accordance with abbreviated NIJ Standard 0101.06 and 0115.00$ 



LEO-M2

### **SPECIAL THREAT PLATES**



### PRODUCT SPECIFICATIONS

SIZE	THINNESS	SHAPE	CURVATURE	WEIGHT
5 x 7"	0.40"	Full Cut	Single-Curve	0.70 lbs
5 x 8"	0.40"	Full Cut	Single-Curve	0.80 lbs
7×9""	0.40"	Full Cut	Single-Curve	1.20 lbs
10 x 12"	0.40"	Shooter's Cut	Single-Curve	2.00 lbs

Diamond Rip-Stop Nylon Cover | Fiberglass Polyethylene Construction | Multi-Hit | 5-Year Warranty

### SPECIAL THREAT TESTING

Speer .357 Sig 125 gr FMJ	FN 5.7x28mm 28 gr SS195LF (Belgium)
Speer .44 Mag 240 gr SJHP	FN 5.7x28mm 40 gr SS197 (Blue Tip)
Remington 9mm 124 gr FMJ	Rem. 9mm +P 101 gr Plated Frangible Disintegrator
Winchester 9mm +P+ 127 gr SXT	Aquila IQ 9mm 65 gr HP
Speer .357 Sig 125 gr GDHP	Spike Level 3
Norinco 7.62x25mm Tokarev 85 gr FMJ	Knife Blade, P1 & S1 Edge

 $<sup>^*</sup> Independent special threat testing in accordance with abbreviated NIJ Standard 0101.06 and 0115.00$ 



LEO-R1

### **SPECIAL THREAT PLATES**



### RIFLE/HANDGUN PROTECTION

PRODUCT SPECIFICATIONS							
SIZE	THINNESS	SHAPE	CURVATURE	WEIGHT			
5 x 8"	0.55"	Full Cut	Single-Curve	1.70 lbs			
7×9"	0.55"	Full Cut	Single-Curve	2.70 lbs			
8 x 10"	0.55"	Full Cut	Multi-Curve	3.60 lbs			
8 x 10"	0.55"	Shooter's Cut	Multi-Curve	3.10 lbs			
10 x 12"	0.55"	Full Cut	Multi-Curve	5.40 lbs			
10 x 12"	0.55"	Shooter's Cut	Multi-Curve	4.80 lbs			

Stand-Alone Performance | Polyethylene/Ceramic Construction | 5-Year Warranty

### SPECIAL THREAT TESTING

Speer .357 SIG 125gr FMJ FN	5.56mm x 45mm 55gr Ball (M193)
Speer .44 Mag. 240gr SJHP	5.56mm x 45mm 62gr Ball (M855)
	7.62mm x 39mm 123gr PS Ball (MSC)

<sup>\*</sup>Independent special threat testing in accordance with abbreviated NIJ Standard 0101.06



## PH1

## TACTICAL PLATE HARNESS



- Front and rear 10x12" plate pockets
- · Available in Shooter's Cut or Full Cut front configuration
- · Available in Standard and Slim design for secure plate insertion
- · Durable 1000 denier Cordura nylon with MOLLE attachment system
- Front and rear Velcro® brand loop for accessory attachment
- · Rear drag strap for emergency extraction
- Optional padded shoulder attachment with spacer mesh for added comfort and weight distribution
- Optional front and rear ID's (Shooter's Cut 3x7" or Full Cut 3x9")
- · Optional soft armor plate backers

### **VIEWS**



**BACK** 

### **OPTIONAL FEATURES**



**CARRY BAG** 



PADDED SHOULDERS



BLACK



RANGER GREEN



COYOTE



**MULTI CAM** 



RED



## PH<sub>2</sub>

## TACTICAL PLATE HARNESS



- Front and rear 10x12" plate pockets
- · Available in Shooter's Cut or Full Cut front configuration
- · Available in Standard and Slim design for secure plate insertion
- Durable 1000 denier Cordura nylon with MOLLE attachment system
- Included MOLLE cummerbund for supplemental soft armor coverage (panels sold separately) and accessory attachment
- Front and rear Velcro® brand loop for accessory attachment
- · Rear drag strap for emergency extraction
- Optional padded shoulder attachment with spacer mesh for added comfort and weight distribution
- Optional front and rear ID's (Shooter's Cut 3x7" or Full Cut 3x9")
- · Optional cummerbund ballistic inserts
- · Optional soft armor plate backers

### **VIEWS**



**BACK** 

### **OPTIONAL FEATURES**



**CARRY BAG** 



PADDED SHOULDERS



RANGER GREEN



COYOTE



**MULTI CAM** 



**∕6**H

## SHB2-FC

### LEVEL IIIA BALLISTIC SHIELD FULL CUT

STANDARD | NIJ 0108.01 THREAT LEVEL | Level IIIA

CONFIGURATION Stand Alone

Multi-Hit

COMPOSITION | Composite

COLORS Black, Carbon Gray,

Coyote, Ranger Green

WARRANTY Ballistics: 5 Years

Cover: 1 Year

Optional Light: 2 Years

COUNTRY USA

INCLUDED | Forearm Strap and Pad,

Straight Bar Handle,

Rear Pouch Management

Surface (hook and loop)

OPTIONAL | 900 Lumen LED

ID Decal Carry Bag

Pouch Attachment Grids





|--|

SIZE	VIEWPORT	WEIGHT
18 x 24"	None	13 lbs
18 × 30"	5 x 11"	15 lbs
20 x 34"	5 × 11"	16 lbs
24 x 36"	5 × 11"	18 lbs
24 × 48"	5 × 11"	20 lbs

### **TEST PROTOCOL**

-		п	_		п	п	•	п	ш	_		Т	П
A	м	п	м	м	п	п	n				•	ш	ч
ш	п	п	ш	л	п	п	ш	ч			•	ш	ч

9mm 124gr FMJ - 1450 ft/s±50

44 Mag 240gr SWC - 1450 ft/s±50

All weights are approximate and without LED light kit (1.1 lbs). All shields are independently tested to NIJ Standard 0108.01.



## SHB2-WC LEVEL IIIA BALLISTIC SHIELD WEAPONS CUT

**STANDARD** NIJ 0108.01 THREAT LEVEL Level IIIA **CONFIGURATION** Stand Alone Multi-Hit

**COMPOSITION** Composite

> **COLORS** Black, Carbon Gray Coyote, Ranger Green

Ballistics: 5 Years **WARRANTY** 

Cover: 1 Year

Optional Light: 2 Years

**COUNTRY USA** 

**INCLUDED** Forearm Strap and Pad

Straight Bar Handle

Rear Pouch Management

Surface (hook and loop)

**OPTIONAL** 900 Lumen LED

> ID Decal Carry Bag

Pouch Attachment Grids





PRI	ווחח	CT	ÇΡ	FCI	FI	C A I	TIONS
$\Gamma \Pi V$	טעט	U	ЭГ	EUI	IFI	U A I	IUNS

SIZE	VIEWPORT	WEIGHT
18 x 30"	5 x 11"	12.0 lbs
20 x 34"	5 × 11"	13.0 lbs
24 × 36"	5 × 11"	15.0 lbs
24 x 48"	5 × 11"	18.0 lbs

### **TEST PROTOCOL**

ΛM	IMI	INI	TIUN
AIV	шиц	,111	1 1011

9mm 124gr FMJ - 1450 ft/s±50 44 Mag 240gr SWC - 1450 ft/s±50

> All weights are approximate and without LED light kit (1.1 lbs). All shields are independently tested to NIJ Standard 0108.01.



# SHB3-FC

### **LEVEL III BALLISTIC SHIELD** FULL CUT

STANDARD | NIJ 0108.01

THREAT LEVEL Level III

CONFIGURATION Stand Alone

Multi-Hit

COMPOSITION | Composite

COLORS | Black, Carbon Gray,

Coyote, Ranger Green

WARRANTY | Ballistics: 5 Years

Cover: 1 Year

COUNTRY USA

INCLUDED | Forearm Strap and Pad

Rear Pouch Attachment

Straight Bar Handle

OPTIONAL 900 Lumen LED

ID Decal Carry Bag

Pouch Attachment Grids





PRODUCT SPECIFICATIONS						
SIZE	WEIGHT					
18 × 24"	13 lbs					
18 x 30"	16 lbs					
20 x 36"	22 lbs					
20 × 48"	30 lbs					

### **TEST PROTOCOL**

AMM	Ш	NI	п	Ш	Ш	Ν	V
WIALIAL	U	ш	ш	ш	U	Ц	u

7.62 x 51mm 147 gr. M80 Ball – 2750 ft/s±50 7.62 x 39mm 123gr. – 2380 ft/s±50

All weights are approximate and without LED light kit (1.1 lbs). All shields are independently tested to NIJ Standard 0108.01.



## SHB3-WC

### LEVEL III BALLISTIC SHIELD WEAPONS CUT

STANDARD | NIJ 0108.01 THREAT LEVEL | Level III

CONFIGURATION Stand Alone

Multi-Hit

COMPOSITION | Composite

COLORS Black, Carbon Gray, Coyote, Ranger Green

WARRANTY Ballistics: 5 Years

Cover: 1 Year

COUNTRY USA

INCLUDED Forearm Strap and Pad

Rear Pouch Attachment

Weapons Mount Straight Bar Handle

OPTIONAL 900 Lumen LED

ID Decal Carry Bag

Pouch Attachment Grids





PRNN	UCT	SPECI	FICAT	SMOL

SIZE	WEIGHT
18 x 24"	13 lbs
18 × 30"	15 lbs
24 × 30"	16 lbs

### **TEST PROTOCOL**

#### **AMMUNITION**

7.62 x 51mm 147 gr. M80 Ball – 2750 ft/s±50 7.62 x 39mm 123gr. – 2380 ft/s±50

All weights are approximate and without LED light kit (1.1 lbs). All shields are independently tested to NIJ Standard 0108.01.



## ST-101

### SPECIAL THREAT RIFLE PLATE

**SERIES** 

ST-101

THREAT LEVEL

Special Threat

**CONFIGURATION** 

Stand-Alone

COMPOSITION

Composite/Ceramic

**COVER** 

Cordura

Multi-hit

**WARRANTY** 

Ballistics: 5 Years

Cover: 1 Year

**COUNTRY** 

**USA** 





PROD	110	CD	COIL	LOAT	INNC
PKIIII	III.	1 2 P I	F 1.1F	HAL	111N 2

1 NODOGI GI ZONI IGNI				
SIZE	THINNESS	SHAPE	CURVATURE	WEIGHT
8 × 10"	0.60"	Full Cut	Single-Curve	3.90 lbs
8 x 10"	0.60"	Shooter's Cut	Single-Curve	3.50 lbs
10 x 12"	0.60"	Full Cut	Single-Curve	6.00 lbs
10 × 12"	0.60"	Shooter's Cut	Single-Curve	5.40 lbs

### CERTIFICATION AND SPECIAL THREAT TESTING

AMMUNITION			
5.56 x 45mm - M193 @ 3150 ft/s±30	7.62 x 39mm - M43 @ 2390 ft/s±30		
7.62 x 39mm - M67 @ 2390 ft/s±30	7.62 x 39mm API @ 2390 ft/s±30		
5.56 x 45mm - M855 SS109 @ 3150 ft/s±30			

All weights are approximate. Independent special threat testing in accordance with abbreviated NIJ Standard 0101.06.



## ST-102

### SPECIAL THREAT RIFLE PLATE

SERIES ST-102

THREAT LEVEL | Special Threat

CONFIGURATION | ICW

COMPOSITION | Composite/Ceramic

COVER | Polyolefin Spall

Coating

WARRANTY | Ballistics: 5 Years

Cover: 1 Year

COUNTRY USA



PRODUCT SPECIFICATIONS				
SIZE	THINNESS	SHAPE	CURVATURE	WEIGHT
6 × 6"	0.40"	Full Cut	Single-Curve	1.80 lbs
5 x 8"	0.40''	Full Cut	Single-Curve	2.10 lbs
7×9"	0.40"	Full Cut	Single-Curve	3.30 lbs
10 x 12"	0.40"	Shooter's Cut	Multi-Curve	5.46 lbs

### CERTIFICATION AND SPECIAL THREAT TESTING

AMMUNITION		
5.56 X 45-mm 62 gr M855 SS109	7.62 x 39-mm 119 gr API BZ	
5.56 X 45-mm 55 gr M193	7.62 x 54R-mm 150 gr LPS FMJ	
7.62 x 39-mm 123 gr MSC	7.62 x 51-mm 147 gr FMJ NATO M80	

All weights are approximate.

Independent special threat testing in accordance with abbreviated NIJ Standard 0101.06. Plates are tested inconjunction with the following ballistic models HeliX IIIA HX03 (GPXIIIA), LiteX IIIA LX02 (UG3AKXP), ProX IIIA PX03 (BA-3A00S-MR01)



## VFO

### **VELOCITY FRONT-OPENING TACTICAL VEST**



**VIEWS** 



**BACK** 

- · Available in front-opening Level IIIA ballistic package
- Front-opening design with secure dual closure featuring extra-heavy zipper and Velcro® brand hook and loop
- Construction utilizes dual 1000/500 denier Cordura nylon with urethane/water-repellent coating for durability
- Front and rear 4x10" Velcro® brand loop for ID attachment (smaller sizes may offer reduced attachment area)
- Top-loading rear pocket for 8x10" or 10x12" hard armor plate with internal plate-leveling system (smaller vests may be equipped for smaller plates)
- Side-loading front plate pocket for 8x10" or 10x12" hard armor plate (smaller vests may be equipped for smaller plates)
- Padded spacer mesh on shoulders and rear body side of vest for ventilation and cooling
- Fully adjustable shoulders with communication pass through
- Adjustable side closures with overlapping Velcro® brand hook and loop
- Easy and secure body-side panel access
- Ballistic suspension for proper panel alignment prevents sagging and curling
- Expansive MOLLE attachment coverage for pouches and accessories



RANGER GREEN









