



compile systems



PROTECTING THE ENVIRONMENT FOR FUTURE GENERATIONS

Our environmental success story began with the challenge to create an office system that would meet today's business requirements while maintaining a firm commitment to save and protect the environment.

Sustainability became a part of the creative focus and development of Compile that incorporates the latest technology and design features to provide excellent performance at a competitive price.

As government and industry environment ratings such as LEEDS & Greenguard become more prevalent, Compile offers designers and architects functional, attractive, and economical office designs that meet these standards.

Evolve Furniture Group is a leader in reducing waste in the manufacturing of its products as well as utilizing recycled materials wherever possible. We make extensive use of recycled plastic and wood waste from other Global factories.

Evolve Furniture Group is committed to the continuous improvement of our environmental systems, the prevention of pollution, and to comply with both the spirit and the letter of all relevant environmental legislation.

Compile Panels are 100% recyclable at the end of their lifespan. Nothing from an Evolve Panel needs to end up in a landfill.

SUSTAINABILITY INFORMATION

Compile offers fabrics that are made from 100% recycled polyester, which means less waste going to landfills. These fabrics also reduced the demand for petroleum products, and decrease the environmental impacts of processing those petroleum products into polyester.

Compile's epoxy powder coating process involves no liquids and is solvent free. It contains no harmful VOC's or lead. Up to 99% of over sprayed powdered is reclaimed, mixed with virgin powder and reused.

Compile's entire panel is up to 82% recycled.

Compile masonite is up to 85% recycled.

Compile's entire product line is up to 99% recyclable.

REFERENCES

Features, Benefits & General Information 3

Coding an Order 4-6

Textiles & Finishes 92-96

Panel COM Form 97

Panel Fabric Specification Sheet 98

Panel Fabric Sample..... 100

Appendix 101

Terms & Conditions 102-103

Index 104-106

PANELS

Panels – Technical Information..... 8

Panel – Types 9-14

Panel Package – Configuration 15

Monolithic Panel Packages..... 16-20

Segmented Panel Packages..... 21-25

Acoustic Panel Packages 26-30

Glazed Panel Packages 34-35

Partly Glazed Panel Packages..... 36-38

Privacy Glass 38

Single Segmented Open Bottom Panel Packages 39-43

Mini Panel Kit 43

Connectors - Panel Packages..... 44-45

Raceway & Knockout Covers 46

Posts & Trim Inserts 47

Trim Inserts..... 48

Post Covers 49-50

ELECTRICAL

Electrical – Technical Information 52

Electrical – Wire Schematic 53

Electrical – Configuration..... 54

Power Distribution Housing..... 55

Cables..... 56-57

I Connector 57

Duplex Receptacle 58

Power Entry 58

Electrical Box..... 58-59

Post Extension..... 58

Ceiling Feed..... 58

Under Storage Task Lights 59

WORKSURFACES

Worksurfaces – Technical Information 62

Worksurfaces – Configuration 63

Rectangular Worksurface 64

Curvilinear Worksurface 65

Corner Worksurface 66

Extended Curved Corner..... 67-68

“D” Worksurface 69

Hatchet Worksurface 69

Straight Wedge Worksurfaces 69

Quarter Round Panel Worksurface 70

Transaction Worksurface 71-72

Accessories 73-74

STORAGE

Storage – Technical Information 76

Storage – Configuration 77

Pedestals..... 78-80

Overhead Storage 81-82

Lateral Files..... 83-84

Key Alike Form 85

ACCESSORIES

Tack Board..... 86

White Marker Board 87

Load Bars..... 88

Rail Accessories..... 88-89



PANELS

- Panel Fabric modules consist of Module Frames, Module Interiors and Fabric Skins.

Fabric

- Fabric offerings include selections woven with 100% recycled yarn.

Panel Frame

- Typical workstation contains up to 62.2% recycled material.
- Panel is made of 82.3% recycled material.
- Acoustic panels are light tackable with 0.70 NRC and a 26 STC rating.
- Non Acoustic panels are not tackable with 0.17 NRC and a 28 STC rating.
- Raceway covers are aluminum.
- Plastic top cap vs Aluminum top cap.

Metal Components/Raceway Finish

- All aluminum components are painted with environmentally friendly epoxy powder.
- Raceway interiors are coated with recycled epoxy powder.
- The entire Compile Panel and the processes used to manufacture it are designed to save and protect the environment. Compile Panels are made from recycled materials and are 99% recyclable.

Panel Options

- Compile Panels come in 4 heights: 30", 42", 54" and 66".
- Panel widths come in 7 sizes including: 24", 30", 36", 42", 48", 54" and 60".
- Panels conform to CGSB and ANSI/BIFMA standards.
 - This is your assurance that the quality, and performance level of these Panels have been tested to equal or exceed the requirements of the US government.
- Rigid, aluminum Panel Frame is 2 3/8" thick.
- Aluminum Panel Frame combined with easy to assemble "Quick Connect" clips, create a rigid Panel Wall.
- Levelling glides extend 2". Enables the client to deal with severe undulations in the flooring levels of a building.
- Compile makes it easy to select a Panel function that is suitable for your application.
- Compile makes it easy to select a Panel type and height that is suitable for your application.

VOICE/DATA AND ELECTRICAL POWER

- Voice/data cables can be inserted at the base. 8 wire, 4 circuit electrical capability, 2 utility + 2 dedicated circuits, each with 10 gauge (oversized) neutrals. All circuits can support up to 20 amps (15 CSA).
- Raceway Cover opening sizes conform to the ANSI/TIA/EIA Furniture Opening Standard of 1.345"x2.680".
- Panels 24" wide include raceway covers with one knockout.
- Panels 30" wide include raceway covers with two knockouts.

- Panels 36"-60" wide include raceway covers with three knockouts.
- Panels and electrical components are CSA/UL approved.
- Compile panel raceway is roughly 2.13" x 4.6" without power distribution housing installed. With power distribution housing installed inside, the dimension is reduced to roughly 2.13" x 2.13
- The base raceway cavity accommodates 50 .25" diameter communication cables without power installed or 30 .25" diameter communication cables with power installed.
- 90-degree posts accommodate 25 .25" diameter communication cables without a ceiling infeed or 20 .25" diameter communication cables with a ceiling infeed installed.
- 120-degree posts may not be utilized for power infeeds or communication cables. 90-degree posts may be utilized at the end of a 120-degree configuration if ceiling infeed of power and/or data cables is required.
- No tools are required to install electrical in the Compile Panel System.

WORKSURFACES

- 1" thick worksurfaces come in a variety of shapes and sizes. Essentially, they are 24" or 30" deep and are available in 6" increments from 24" to 84" wide.
- Cable scoops located at the back of each Worksurface provide routing of power and data cables.
- This convenient feature, together with a 3/8" gap between the Worksurface and the Panel, allows access to cables without having grommet holes in the Worksurface.
- With this choice of product, we can tailor each installation to your requirements. The addition of custom sizes shows a commitment to client satisfaction that not every manufacturer offers.
- Thermally fused laminate tops are standard.
- All Worksurfaces utilize balanced construction.
- Predrilled holes in worksurfaces enable installer to properly align worksurface.

STORAGE

- 19", 23" and 29" deep Pedestals. Freestanding and Worksurface supporting options available.
- Drawer divider and pencil tray included in all Freestanding Pedestals containing box drawers. Drawer divider and pencil tray not included in Worksurface Supporting Pedestals.
- Adjustable glides are accessible from the inside of the cabinet.
- Positive and secure locking system on all Pedestals is standard.
- Full height drawer sides are standard on all file drawers. This enables you to hang files from the drawer side so no extra hardware is necessary. File drawers accept letter sized files. Optional file bars are available to file legal and metric sized files.
- Steel construction guarantees the performance of the product over the long term. Welded joints with a full top, back and base ensure that the Pedestal will

sit square and adequately support the Worksurface where necessary.

- Worksurface supporting Pedestals are standard with Compile.
- Shelves feature all metal construction.
- All storage components as well as the Panel Frames are epoxy powder coated.
- Glides enable you to level the cabinet to the floor and or Worksurface. The convenient adjustment feature allows the installer to adjust the height of the cabinet while it is under the Worksurface. This saves time in the installation process.
- For additional security and peace of mind, locks can be keyed alike or master keyed for additional convenience. Standard recessed handle offers uncluttered aesthetic.
- "Environmentally friendly" epoxy powder coat is 15 times more durable in independent testing than a wet paint spray. This helps maintain the look of the product over its many years of service.


WARRANTIES AND PERFORMANCE

- A Lifetime Warranty
- Non Obsolescence Warranty
- Reduced cost of assembly and reconfiguration
- ISO9001:2008 Registered
- ISO14001:2004 Registered
- GreenGuard Certified
- Level 2 Certified
- ANSI/BIFMA CGSB testing on all products
- For piece of mind over the long term, we cover you with a comprehensive warranty that is supported by our dealer network.
- Some installation companies claim that the Compile Panels System can be installed in half the time it takes to install most of our competitor's segmented panels. This cost saving can amount to thousands of dollars over the lifetime of our furniture.
- Your assurance of consistent quality to an international standard. Evolve Furniture Group is committed to design, manufacture and distribute superior quality office furniture, which meets or exceeds the requirements of our customers.
- Confirmation that Evolve Furniture Group is committed (1) to providing product that, through their entire life cycle, minimize negative environmental impacts on the environment, (2) to continuous improvement to our environmental systems and programs and (3) to comply to all relevant environmental legislation and regulations.
- Compile Panel System can help a company meet LEED requirements for office furniture.
- Compile components are tested to the highest standard in the industry. This is your assurance of quality and longevity.
- Panel textiles, adjustable keyboard mechanisms, task lights and electrical devices = five (5) Years
- Other parts = Lifetime Warranty

Compile products have been coded using alphas that correspond with the product name. This creates an easy-to-remember code. The following breaks down the coding logic and highlights the required code components needed to order within each product category.

Panels

Example: **Product:** Compile Fabric Monolithic Panel



Base Code found on the product page to the left of the product name and a simple product illustration.

CoMpile product line

Fabric-covered Panel

Monolithic panel category

2 CMFM**6648**

Panel size offering. Listed on every product page with price listing.
Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

3 CMFM6648-**BK**


Standard paint code for frame. See the Fabric & Finish listing in this section.

To specify fabric for a Compile Panel, please note:

4 CMFM6648-BK-**B84A**


Fabric code for all modules on both sides of the Panel*. See the Fabric & Finish listing in this section.

* **NOTE:** If different fabrics are to be included on a Compile Panel, please use the following ordering format. **Start at the bottom** of one side of a Panel and work to the top module of that Panel. Then start the process over on the other side of the Panel. As an example:



Electrical

Example: Product: Flexible Mesh Jumper Cable



Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Electrical category.


Cable Panel.

Pass-Through.

Product size offering – length. Listed on every product page with price listing.
Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

Worksurfaces

Example: Product: Curvilinear Worksurface – Left



Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Worksurface category.

CurVilinear shape.

Left hand configuration.


Worksurface size offering. Listed on every product page with price listing.
Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

Laminate code for surface. See the Fabric & Finish listing in this section.

PVC code for trim. See the Fabric & Finish listing in this section.

Worksurfaces – Hardware

Example: Product: End Panel



Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Hardware category.


End Panel.

End Panel.

Laminte code for End Panel. See the Fabric & Finish listing in this section.

Storage

Example: Product: Box, Box, File Pedestal



Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Storage category.

19 Product Series.

23" Pedestal depth in inches.

Box drawer, Box drawer, File drawer.

panels


THE INFORMATION LISTED BELOW PROVIDES YOU WITH BASIC FEATURES OF COMPILE PANELS:

- Compile Panels are:
 - Available in four (4) heights: 30", 42", 54" and 66"; and seven (7) widths: 24", 30", 36", 42", 48", 54" and 60".
 - 2 3/8" thick.
 - Monolithic, Segmented, Acoustic, and Glazed.
- Acoustic panels are lightly tackable with 0.70 NRC rating and a 26 STC rating.
- Compile Non - Acoustic panels are not tackable.
- Raceway openings are 1.375" x 2.680".
- Panels 24" wide include raceway covers with one knockout.
- Panels 30" wide include raceway covers with three knockouts.
- Panels 36"- 60" wide include raceway covers with three knockouts.
- Opposite sides of each Module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at the highest grade.
- Standard with aluminum frame.
- Individual fabric covered acoustic modules incorporated into an aluminum frame.
- Reinforced aluminum raceway covers are included when ordering panel packages or may be ordered and shipped separately. Raceway covers can be replaced in the field to change a panel from non-powered to powered (or vice versa).
- Base raceway lifts up and locks in an upright 90-degree position, or can be removed for open access to base raceway.
- Electric knockouts in the raceway have black plastic covers that snap into place from the outside of the cover, when a duplex is not required. Electric knockout covers must be specified separately. Available in standard paint finishes.
- 3 panel connector brackets per side for 30"h, 42"h and 54"h come installed on panels and universal posts.
- 4 panel connector brackets per side for 66"h panels come installed on panels and universal posts.
- Panel connector brackets are opposite direction of each other per panel side, and can be removed with one screw per bracket.




PANEL PACKAGES - PAGES 16-20


Non-Powered Compile Fabric Monolithic Panel Package




Powered Compile Fabric Monolithic Panel Package




Non-Powered Compile Fabric Monolithic Panel Package



Powered Compile Fabric Monolithic Panel Package



Non-Powered Compile Fabric Monolithic Panel Package




Model Definitions:


- N0 = No punch outs on raceways.
- N1 = Raceway punch out on one side.
- N2 = Raceway punch out on both sides.
- P1 = Power harness and raceway punch out on one side.
- P2 = Power harness and raceway punch outs on two sides.

SEGMENTED - PANEL PACKAGES - PAGES 21-25


Non-Powered Compile Single Segmented Fabric Panel Package



Non-Powered Compile Single Segmented Fabric Panel Package




Non-Powered Compile Single Segmented Fabric Panel Package




SEGMENTED - PANEL PACKAGES - PAGES 21-25

Powered Compile Single Segmented Fabric Panel Package




Powered Compile Single Segmented Fabric Panel Package




ACOUSTIC PANEL PACKAGES - PAGES 26-30


Non-Powered Compile Monolithic Acoustic Panel Package




Powered Compile Monolithic Acoustic Panel Package




Non-Powered Compile Monolithic Acoustic Panel Package



Powered Compile Monolithic Acoustic Panel Package




Non-Powered Compile Monolithic Acoustic Panel Package




GLAZED PANEL PACKAGES - PAGES 31-35


Non-Powered Compile Glazed Panel Package




Powered Compile Glazed Panel Package




Non-Powered Compile Glazed Panel Package



Powered Compile Glazed Panel Package




Non-Powered Compile Glazed Panel Package




PARTLY GLAZED PANEL PACKAGES - PAGES 36-38


Non-Powered Compile Partly Glazed Panel Package




Powered Compile Partly Glazed Panel Package




Non-Powered Compile Partly Glazed Panel Package




Powered Compile Partly Glazed Panel Package



Non-Powered Compile Partly Glazed Panel Package



Compile Privacy Glass
Available in widths from 24" to 60".



DOOR PANELS - PAGE 39


Sliding Privacy Door




CMPDSL6636/42

SINGLE SEGMENTED OPEN BOTTOM PANEL PACKAGES - PAGES 39-43


Non-Powered Compile Single Segmented Open Bottom Panel Package




Powered Compile Single Segmented Open Bottom Panel Package




Non-Powered Compile Single Segmented Open Bottom Panel Package



Powered Compile Single Segmented Open Bottom Panel Package




Non-Powered Compile Single Segmented Open Bottom Panel Package



MINI PANEL KIT - PAGE 43

Mini Panel Kit



CMFMA2418KIT1




This page provides an exploded view of a sample Panel Package highlighting each **Panel** component included within the package.

Package Components


Package 1 CMFM6636N0

- A. (1) 66"h x 36"w Monolithic Fabric Panel
- B. (2) 36"w Raceway Covers Without Knockouts




Package 2 CMFF6636P2

- C. (1) 66"h x 36"w Single Segmented Fabric Panel
- D. (2) 36"w Raceway Covers With Knockouts
- E. (1) 36"w Power Distribution Housing



Package 3 CHP66-2

- F. (1) 66"h Universal Corner Post
- G. (2) Trim Inserts for 66" Universal Corner Post
- H. (1) Post Base Cover for 2-Way Application
- I. "Quick Connect" comes standard with Panels and Universal Corner Post



CMFMXXYYNO - NON-POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE





- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 30"h, 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Fabric Monolithic Panel Package - 30"	CMFM3024NO	264	287	30	24	2 3/8
		CMFM3030NO	298	320	30	30	2 3/8
		CMFM3036NO	324	370	30	36	2 3/8
		CMFM3042NO	358	403	30	42	2 3/8
		CMFM3048NO	381	426	30	48	2 3/8
		CMFM3054NO	421	466	30	54	2 3/8
		CMFM3060NO	444	488	30	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 42"	CMFM4224NO	264	287	42	24	2 3/8
		CMFM4230NO	298	320	42	30	2 3/8
		CMFM4236NO	324	370	42	36	2 3/8
		CMFM4242NO	358	403	42	42	2 3/8
		CMFM4248NO	381	426	42	48	2 3/8
		CMFM4254NO	421	466	42	54	2 3/8
		CMFM4260NO	444	488	42	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 54"	CMFM5424NO	275	302	54	24	2 3/8
		CMFM5430NO	311	338	54	30	2 3/8
		CMFM5436NO	347	400	54	36	2 3/8
		CMFM5442NO	386	440	54	42	2 3/8
		CMFM5448NO	407	462	54	48	2 3/8
		CMFM5454NO	439	494	54	54	2 3/8
		CMFM5460NO	480	533	54	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 66"	CMFM6624NO	308	342	66	24	2 3/8
		CMFM6630NO	354	389	66	30	2 3/8
		CMFM6636NO	404	470	66	36	2 3/8
		CMFM6642NO	455	521	66	42	2 3/8
		CMFM6648NO	492	559	66	48	2 3/8
		CMFM6654NO	548	614	66	54	2 3/8
		CMFM6660NO	601	668	66	60	2 3/8



CMFMXXYYN1 - NON-POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE

- Non powered.
- Includes one panel, one raceway cover with no punchout and one raceway cover with punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 30"h, 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Fabric Monolithic Panel Package - 30"	CMFM3024N1	264	287	30	24	2 3/8
		CMFM3030N1	298	320	30	30	2 3/8
		CMFM3036N1	324	370	30	36	2 3/8
		CMFM3042N1	358	403	30	42	2 3/8
		CMFM3048N1	381	426	30	48	2 3/8
		CMFM3054N1	421	466	30	54	2 3/8
		CMFM3060N1	444	488	30	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 42"	CMFM4224N1	264	287	42	24	2 3/8
		CMFM4230N1	298	320	42	30	2 3/8
		CMFM4236N1	324	370	42	36	2 3/8
		CMFM4242N1	358	403	42	42	2 3/8
		CMFM4248N1	381	426	42	48	2 3/8
		CMFM4254N1	421	466	42	54	2 3/8
		CMFM4260N1	444	488	42	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 54"	CMFM5424N1	275	302	54	24	2 3/8
		CMFM5430N1	311	338	54	30	2 3/8
		CMFM5436N1	347	400	54	36	2 3/8
		CMFM5442N1	386	440	54	42	2 3/8
		CMFM5448N1	407	462	54	48	2 3/8
		CMFM5454N1	439	494	54	54	2 3/8
		CMFM5460N1	480	533	54	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 66"	CMFM6624N1	308	342	66	24	2 3/8
		CMFM6630N1	354	389	66	30	2 3/8
		CMFM6636N1	404	470	66	36	2 3/8
		CMFM6642N1	455	521	66	42	2 3/8
		CMFM6648N1	492	559	66	48	2 3/8
		CMFM6654N1	522	585	66	54	2 3/8
		CMFM6660N1	572	636	66	60	2 3/8

CMFMXXYYN2 - NON-POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE





- Non powered.
- Includes one panel and two raceway covers with punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 30"h, 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Fabric Monolithic Panel Package - 30"	CMFM3024N2	264	287	30	24	2 3/8
		CMFM3030N2	298	320	30	30	2 3/8
		CMFM3036N2	324	370	30	36	2 3/8
		CMFM3042N2	358	403	30	42	2 3/8
		CMFM3048N2	381	426	30	48	2 3/8
		CMFM3054N2	421	466	30	54	2 3/8
		CMFM3060N2	444	488	30	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 42"	CMFM4224N2	264	287	42	24	2 3/8
		CMFM4230N2	298	320	42	30	2 3/8
		CMFM4236N2	324	370	42	36	2 3/8
		CMFM4242N2	358	403	42	42	2 3/8
		CMFM4248N2	381	426	42	48	2 3/8
		CMFM4254N2	421	466	42	54	2 3/8
		CMFM4260N2	444	488	42	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 54"	CMFM5424N2	275	302	54	24	2 3/8
		CMFM5430N2	311	338	54	30	2 3/8
		CMFM5436N2	347	400	54	36	2 3/8
		CMFM5442N2	386	440	54	42	2 3/8
		CMFM5448N2	407	462	54	48	2 3/8
		CMFM5454N2	439	494	54	54	2 3/8
		CMFM5460N2	480	533	54	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 66"	CMFM6624N2	308	342	66	24	2 3/8
		CMFM6630N2	354	389	66	30	2 3/8
		CMFM6636N2	404	470	66	36	2 3/8
		CMFM6642N2	455	521	66	42	2 3/8
		CMFM6648N2	492	559	66	48	2 3/8
		CMFM6654N2	548	614	66	54	2 3/8
		CMFM6660N2	572	636	66	60	2 3/8







CMFMXXYP1 - POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 30"h, 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Fabric Monolithic Panel Package - 30"	CMFM3024P1	375	398	30	24	2 3/8
		CMFM3030P1	448	470	30	30	2 3/8
		CMFM3036P1	482	527	30	36	2 3/8
		CMFM3042P1	519	564	30	42	2 3/8
		CMFM3048P1	554	600	30	48	2 3/8
		CMFM3054P1	595	641	30	54	2 3/8
		CMFM3060P1	620	664	30	60	2 3/8
	Powered Compile Fabric Monolithic Panel Package - 42"	CMFM4224P1	375	398	42	24	2 3/8
		CMFM4230P1	448	470	42	30	2 3/8
		CMFM4236P1	482	527	42	36	2 3/8
		CMFM4242P1	519	564	42	42	2 3/8
		CMFM4248P1	554	600	42	48	2 3/8
		CMFM4254P1	595	641	42	54	2 3/8
		CMFM4260P1	620	664	42	60	2 3/8
	Powered Compile Fabric Monolithic Panel Package - 54"	CMFM5424P1	386	414	54	24	2 3/8
		CMFM5430P1	461	488	54	30	2 3/8
		CMFM5436P1	504	558	54	36	2 3/8
		CMFM5442P1	547	601	54	42	2 3/8
		CMFM5448P1	581	635	54	48	2 3/8
		CMFM5454P1	613	668	54	54	2 3/8
		CMFM5460P1	655	709	54	60	2 3/8
	Powered Compile Fabric Monolithic Panel Package - 66"	CMFM6624P1	419	454	66	24	2 3/8
		CMFM6630P1	504	539	66	30	2 3/8
		CMFM6636P1	562	628	66	36	2 3/8
		CMFM6642P1	615	681	66	42	2 3/8
		CMFM6648P1	666	732	66	48	2 3/8
		CMFM6654P1	688	751	66	54	2 3/8
		CMFM6660P1	739	803	66	60	2 3/8

CMFMXXYP2 - POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE




- With power distribution harness
- Includes one panel, power harness, and two raceway covers with punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 30"h, 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Fabric Monolithic Panel Package - 30"	CMFM3024P2	375	398	30	24	2 3/8
		CMFM3030P2	448	470	30	30	2 3/8
		CMFM3036P2	482	527	30	36	2 3/8
		CMFM3042P2	519	564	30	42	2 3/8
		CMFM3048P2	554	600	30	48	2 3/8
		CMFM3054P2	595	641	30	54	2 3/8
		CMFM3060P2	620	664	30	60	2 3/8
	Powered Compile Fabric Monolithic Panel Package - 42"	CMFM4224P2	375	398	42	24	2 3/8
		CMFM4230P2	448	470	42	30	2 3/8
		CMFM4236P2	482	527	42	36	2 3/8
		CMFM4242P2	519	564	42	42	2 3/8
		CMFM4248P2	554	600	42	48	2 3/8
		CMFM4254P2	595	641	42	54	2 3/8
		CMFM4260P2	620	664	42	60	2 3/8
	Powered Compile Fabric Monolithic Panel Package - 54"	CMFM5424P2	386	414	54	24	2 3/8
		CMFM5430P2	461	488	54	30	2 3/8
		CMFM5436P2	504	558	54	36	2 3/8
		CMFM5442P2	547	601	54	42	2 3/8
		CMFM5448P2	581	635	54	48	2 3/8
		CMFM5454P2	613	668	54	54	2 3/8
		CMFM5460P2	655	709	54	60	2 3/8
	Powered Compile Fabric Monolithic Panel Package - 66"	CMFM6624P2	419	454	66	24	2 3/8
		CMFM6630P2	504	539	66	30	2 3/8
		CMFM6636P2	562	628	66	36	2 3/8
		CMFM6642P2	615	681	66	42	2 3/8
		CMFM6648P2	666	732	66	48	2 3/8
		CMFM6654P2	688	751	66	54	2 3/8
		CMFM6660P2	739	803	66	60	2 3/8






CMFFXXYYN0 - NON-POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE

- Non powered.
- Includes one panel, two raceway covers with no punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Power Compile Single Segmented Fabric Panel Package - 42"	CMFF4224N0	276	299	42	24	2 3/8
		CMFF4230N0	311	334	42	30	2 3/8
		CMFF4236N0	330	374	42	36	2 3/8
		CMFF4242N0	376	421	42	42	2 3/8
		CMFF4248N0	401	446	42	48	2 3/8
		CMFF4254N0	447	492	42	54	2 3/8
		CMFF4260N0	478	523	42	60	2 3/8
	Non-Powered Compile Single Segmented Fabric Panel Package - 54"	CMFF5424N0	301	328	54	24	2 3/8
		CMFF5430N0	335	362	54	30	2 3/8
		CMFF5436N0	378	432	54	36	2 3/8
		CMFF5442N0	428	482	54	42	2 3/8
		CMFF5448N0	463	517	54	48	2 3/8
		CMFF5454N0	492	546	54	54	2 3/8
		CMFF5460N0	529	583	54	60	2 3/8
	Non-Powered Compile Single Segmented Fabric Panel Package - 66"	CMFF6624N0	353	387	66	24	2 3/8
		CMFF6630N0	403	438	66	30	2 3/8
		CMFF6636N0	448	515	66	36	2 3/8
		CMFF6642N0	511	578	66	42	2 3/8
		CMFF6648N0	516	579	66	48	2 3/8
		CMFF6654N0	560	623	66	54	2 3/8
		CMFF6660N0	595	658	66	60	2 3/8




CMFFXXYYN1 - NON-POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE

- Non powered.
 - Includes one panel, one raceway cover with no punchout and one raceway cover with punchout.
 - Individual fabric-covered modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
 - Note: Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides. Maximum extension of glides is 2”.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Single Segmented Fabric Panel Package - 42"	CMFF4224N1	276	299	42	24	2 3/8
		CMFF4230N1	311	334	42	30	2 3/8
		CMFF4236N1	330	374	42	36	2 3/8
		CMFF4242N1	376	421	42	42	2 3/8
		CMFF4248N1	401	446	42	48	2 3/8
		CMFF4254N1	447	492	42	54	2 3/8
		CMFF4260N1	478	523	42	60	2 3/8
	Non-Powered Compile Single Segmented Fabric Panel Package - 54"	CMFF5424N1	301	328	54	24	2 3/8
		CMFF5430N1	335	362	54	30	2 3/8
		CMFF5436N1	378	432	54	36	2 3/8
		CMFF5442N1	428	482	54	42	2 3/8
		CMFF5448N1	463	517	54	48	2 3/8
		CMFF5454N1	492	546	54	54	2 3/8
		CMFF5460N1	529	583	54	60	2 3/8
	Non-Powered Compile Single Segmented Fabric Panel Package - 66"	CMFF6624N1	353	387	66	24	2 3/8
		CMFF6630N1	403	438	66	30	2 3/8
		CMFF6636N1	448	515	66	36	2 3/8
		CMFF6642N1	511	578	66	42	2 3/8
		CMFF6648N1	542	608	66	48	2 3/8
		CMFF6654N1	588	654	66	54	2 3/8
		CMFF6660N1	625	691	66	60	2 3/8




CMFFXXYYN2 - NON-POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE

- Non powered.
- Includes one panel, two raceway covers with punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Power Compile Single Segmented Fabric Panel Package - 42"	CMFF4224N2	276	299	42	24	2 3/8
		CMFF4230N2	311	334	42	30	2 3/8
		CMFF4236N2	330	374	42	36	2 3/8
		CMFF4242N2	376	421	42	42	2 3/8
		CMFF4248N2	401	446	42	48	2 3/8
		CMFF4254N2	447	492	42	54	2 3/8
		CMFF4260N2	478	523	42	60	2 3/8
	Non-Powered Compile Single Segmented Fabric Panel Package - 54"	CMFF5424N2	301	328	54	24	2 3/8
		CMFF5430N2	335	362	54	30	2 3/8
		CMFF5436N2	378	432	54	36	2 3/8
		CMFF5442N2	428	482	54	42	2 3/8
		CMFF5448N2	463	517	54	48	2 3/8
		CMFF5454N2	492	546	54	54	2 3/8
		CMFF5460N2	529	583	54	60	2 3/8
	Non-Powered Compile Single Segmented Fabric Panel Package - 66"	CMFF6624N2	353	387	66	24	2 3/8
		CMFF6630N2	403	438	66	30	2 3/8
		CMFF6636N2	448	515	66	36	2 3/8
		CMFF6642N2	511	578	66	42	2 3/8
		CMFF6648N2	516	579	66	48	2 3/8
		CMFF6654N2	560	623	66	54	2 3/8
		CMFF6660N2	595	658	66	60	2 3/8




CMFFXXYP1 - POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE

- With power distribution harness.
 - Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
 - Individual fabric-covered modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
 - Note: Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides. Maximum extension of glides is 2”.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Single Segmented Fabric Panel Package - 42"	CMFF4224P1	387	411	42	24	2 3/8
		CMFF4230P1	461	484	42	30	2 3/8
		CMFF4236P1	487	531	42	36	2 3/8
		CMFF4242P1	537	582	42	42	2 3/8
		CMFF4248P1	574	620	42	48	2 3/8
		CMFF4254P1	622	667	42	54	2 3/8
		CMFF4260P1	653	698	42	60	2 3/8
	Powered Compile Single Segmented Fabric Panel Package - 54"	CMFF5424P1	413	439	54	24	2 3/8
		CMFF5430P1	485	512	54	30	2 3/8
		CMFF5436P1	536	589	54	36	2 3/8
		CMFF5442P1	589	643	54	42	2 3/8
		CMFF5448P1	636	690	54	48	2 3/8
		CMFF5454P1	667	720	54	54	2 3/8
		CMFF5460P1	705	758	54	60	2 3/8
	Powered Compile Single Segmented Fabric Panel Package - 66"	CMFF6624P1	464	499	66	24	2 3/8
		CMFF6630P1	553	588	66	30	2 3/8
		CMFF6636P1	606	672	66	36	2 3/8
		CMFF6642P1	672	738	66	42	2 3/8
		CMFF6648P1	681	744	66	48	2 3/8
		CMFF6654P1	726	789	66	54	2 3/8
		CMFF6660P1	762	825	66	60	2 3/8




CMFFXXYP2 - POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, and two raceway cover with punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Single Segmented Fabric Panel Package - 42"	CMFF4224P2	387	411	42	24	2 3/8
		CMFF4230P2	461	484	42	30	2 3/8
		CMFF4236P2	487	531	42	36	2 3/8
		CMFF4242P2	537	582	42	42	2 3/8
		CMFF4248P2	574	620	42	48	2 3/8
		CMFF4254P2	622	667	42	54	2 3/8
		CMFF4260P2	653	698	42	60	2 3/8
	Powered Compile Single Segmented Fabric Panel Package - 54"	CMFF5424P2	413	439	54	24	2 3/8
		CMFF5430P2	485	512	54	30	2 3/8
		CMFF5436P2	536	589	54	36	2 3/8
		CMFF5442P2	589	643	54	42	2 3/8
		CMFF5448P2	636	690	54	48	2 3/8
		CMFF5454P2	667	720	54	54	2 3/8
		CMFF5460P2	705	758	54	60	2 3/8
	Powered Compile Single Segmented Fabric Panel Package - 66"	CMFF6624P2	464	499	66	24	2 3/8
		CMFF6630P2	553	588	66	30	2 3/8
		CMFF6636P2	606	672	66	36	2 3/8
		CMFF6642P2	672	738	66	42	2 3/8
		CMFF6648P2	715	781	66	48	2 3/8
		CMFF6654P2	762	828	66	54	2 3/8
		CMFF6660P2	800	866	66	60	2 3/8




CMFMAXYYNO - NON-POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- Non powered.
 - Includes one panel and two raceway covers with no punchouts.
 - Individual fabric-covered acoustic modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
 - Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides. Maximum extension of glides is 2”.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Monolithic Acoustic Panel Package - 42"	CMFMA4224N0	314	336	42	24	2 3⁄8
		CMFMA4230N0	353	375	42	30	2 3⁄8
		CMFMA4236N0	384	429	42	36	2 3⁄8
		CMFMA4242N0	423	468	42	42	2 3⁄8
		CMFMA4248N0	449	495	42	48	2 3⁄8
		CMFMA4254N0	497	542	42	54	2 3⁄8
		CMFMA4260N0	523	567	42	60	2 3⁄8
	Non-Powered Compile Monolithic Acoustic Panel Package - 54"	CMFMA5424N0	327	354	54	24	2 3⁄8
		CMFMA5430N0	369	396	54	30	2 3⁄8
		CMFMA5436N0	408	463	54	36	2 3⁄8
		CMFMA5442N0	457	511	54	42	2 3⁄8
		CMFMA5448N0	482	536	54	48	2 3⁄8
		CMFMA5454N0	518	572	54	54	2 3⁄8
		CMFMA5460N0	565	620	54	60	2 3⁄8
	Non-Powered Compile Monolithic Acoustic Panel Package - 66"	CMFMA6624N0	366	401	66	24	2 3⁄8
		CMFMA6630N0	420	455	66	30	2 3⁄8
		CMFMA6636N0	480	546	66	36	2 3⁄8
		CMFMA6642N0	540	606	66	42	2 3⁄8
		CMFMA6648N0	583	649	66	48	2 3⁄8
		CMFMA6654N0	648	715	66	54	2 3⁄8
		CMFMA6660N0	677	740	66	60	2 3⁄8




CMFMAXYYN1 - NON-POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- Non powered.
- Includes one panel, one raceway cover with no punchout and one raceway cover with punchout.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Monolithic Acoustic Panel Package - 42"	CMFMA4224N1	314	336	42	24	2 3/8
		CMFMA4230N1	353	375	42	30	2 3/8
		CMFMA4236N1	384	429	42	36	2 3/8
		CMFMA4242N1	423	468	42	42	2 3/8
		CMFMA4248N1	449	495	42	48	2 3/8
		CMFMA4254N1	497	542	42	54	2 3/8
		CMFMA4260N1	523	567	42	60	2 3/8
	Non-Powered Compile Monolithic Acoustic Panel Package - 54"	CMFMA5424N1	327	354	54	24	2 3/8
		CMFMA5430N1	369	396	54	30	2 3/8
		CMFMA5436N1	408	463	54	36	2 3/8
		CMFMA5442N1	457	511	54	42	2 3/8
		CMFMA5448N1	482	536	54	48	2 3/8
		CMFMA5454N1	518	572	54	54	2 3/8
		CMFMA5460N1	565	620	54	60	2 3/8
	Non-Powered Compile Acoustic Panel Package - 66"	CMFMA6624N1	366	401	66	24	2 3/8
		CMFMA6630N1	420	455	66	30	2 3/8
		CMFMA6636N1	480	546	66	36	2 3/8
		CMFMA6642N1	540	606	66	42	2 3/8
		CMFMA6648N1	555	618	66	48	2 3/8
		CMFMA6654N1	617	681	66	54	2 3/8
		CMFMA6660N1	677	740	66	60	2 3/8




CMFMAXYYN2 - NON-POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- Non powered.
 - Includes one panel and two raceway covers with punchouts.
 - Individual fabric-covered acoustic modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
 - Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides. Maximum extension of glides is 2”.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Monolithic Acoustic Panel Package - 42"	CMFMA4224N2	314	336	42	24	2 3⁄8
		CMFMA4230N2	353	375	42	30	2 3⁄8
		CMFMA4236N2	384	429	42	36	2 3⁄8
		CMFMA4242N2	423	468	42	42	2 3⁄8
		CMFMA4248N2	449	495	42	48	2 3⁄8
		CMFMA4254N2	497	542	42	54	2 3⁄8
		CMFMA4260N2	523	567	42	60	2 3⁄8
	Non-Powered Compile Monolithic Acoustic Panel Package - 54"	CMFMA5424N2	327	354	54	24	2 3⁄8
		CMFMA5430N2	369	396	54	30	2 3⁄8
		CMFMA5436N2	408	463	54	36	2 3⁄8
		CMFMA5442N2	457	511	54	42	2 3⁄8
		CMFMA5448N2	482	536	54	48	2 3⁄8
		CMFMA5454N2	518	572	54	54	2 3⁄8
		CMFMA5460N2	565	620	54	60	2 3⁄8
	Non-Powered Compile Monolithic Acoustic Panel Package - 66"	CMFMA6624N2	366	401	66	24	2 3⁄8
		CMFMA6630N2	420	455	66	30	2 3⁄8
		CMFMA6636N2	480	546	66	36	2 3⁄8
		CMFMA6642N2	540	606	66	42	2 3⁄8
		CMFMA6648N2	583	649	66	48	2 3⁄8
		CMFMA6654N2	648	715	66	54	2 3⁄8
		CMFMA6660N2	711	777	66	60	2 3⁄8




CMFMAXYYYP1 - POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Monolithic Acoustic Panel Package - 42"	CMFMA4224P1	425	447	42	24	2 3/8
		CMFMA4230P1	503	525	42	30	2 3/8
		CMFMA4236P1	542	587	42	36	2 3/8
		CMFMA4242P1	584	629	42	42	2 3/8
		CMFMA4248P1	623	668	42	48	2 3/8
		CMFMA4254P1	671	716	42	54	2 3/8
		CMFMA4260P1	698	742	42	60	2 3/8
	Powered Compile Monolithic Acoustic Panel Package - 54"	CMFMA5424P1	438	465	54	24	2 3/8
		CMFMA5430P1	519	546	54	30	2 3/8
		CMFMA5436P1	566	621	54	36	2 3/8
		CMFMA5442P1	617	672	54	42	2 3/8
		CMFMA5448P1	655	709	54	48	2 3/8
		CMFMA5454P1	692	747	54	54	2 3/8
		CMFMA5460P1	740	795	54	60	2 3/8
	Powered Compile Monolithic Acoustic Panel Package - 66"	CMFMA6624P1	478	512	66	24	2 3/8
		CMFMA6630P1	570	605	66	30	2 3/8
		CMFMA6636P1	607	670	66	36	2 3/8
		CMFMA6642P1	667	730	66	42	2 3/8
		CMFMA6648P1	720	783	66	48	2 3/8
		CMFMA6654P1	783	847	66	54	2 3/8
		CMFMA6660P1	844	907	66	60	2 3/8




CMFMAXYYP2 - POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- With power distribution harness
 - Includes one panel, power harness, and two raceway covers with punchouts.
 - Individual fabric-covered acoustic modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
 - Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides. Maximum extension of glides is 2”.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Monolithic Acoustic Panel Package - 42"	CMFMA4224P2	425	447	42	24	2 3⁄8
		CMFMA4230P2	503	525	42	30	2 3⁄8
		CMFMA4236P2	542	587	42	36	2 3⁄8
		CMFMA4242P2	584	629	42	42	2 3⁄8
		CMFMA4248P2	623	668	42	48	2 3⁄8
		CMFMA4254P2	671	716	42	54	2 3⁄8
		CMFMA4260P2	698	742	42	60	2 3⁄8
	Powered Compile Monolithic Acoustic Panel Package - 54"	CMFMA5424P2	438	465	54	24	2 3⁄8
		CMFMA5430P2	519	546	54	30	2 3⁄8
		CMFMA5436P2	566	621	54	36	2 3⁄8
		CMFMA5442P2	617	672	54	42	2 3⁄8
		CMFMA5448P2	655	709	54	48	2 3⁄8
		CMFMA5454P2	692	747	54	54	2 3⁄8
		CMFMA5460P2	740	795	54	60	2 3⁄8
	Powered Compile Monolithic Acoustic Panel Package - 66"	CMFMA6624P2	478	512	66	24	2 3⁄8
		CMFMA6630P2	570	605	66	30	2 3⁄8
		CMFMA6636P2	637	704	66	36	2 3⁄8
		CMFMA6642P2	700	767	66	42	2 3⁄8
		CMFMA6648P2	756	822	66	48	2 3⁄8
		CMFMA6654P2	822	889	66	54	2 3⁄8
		CMFMA6660P2	886	952	66	60	2 3⁄8




CMFGXXYYN0 - NON-POWERED COMPILE GLAZED PANEL PACKAGE

- Non powered.
 - Includes one panel and two raceway covers with no punchouts.
 - Individual fabric-covered module in lower position incorporated into a solid steel frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
 - Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides. Maximum extension of glides is 2”.
 - Standard clear (CLR) plexi.
 - Optional Smoked Plexi-Glass or Frosted Plexi with 15% upcharge. Please note the smoked glass has 51% light transmittance.
 - PVC glass retainer in matching paint color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Glazed Panel Package - 42"	CMFG4224N0	347	357	42	24	2 3/8
		CMFG4230N0	396	408	42	30	2 3/8
		CMFG4236N0	443	460	42	36	2 3/8
		CMFG4242N0	495	513	42	42	2 3/8
		CMFG4248N0	542	562	42	48	2 3/8
		CMFG4254N0	609	631	42	54	2 3/8
	Non-Powered Compile Glazed Panel Package - 54"	CMFG5424N0	374	386	54	24	2 3/8
		CMFG5430N0	438	452	54	30	2 3/8
		CMFG5436N0	498	515	54	36	2 3/8
		CMFG5442N0	560	578	54	42	2 3/8
		CMFG5448N0	609	630	54	48	2 3/8
		CMFG5454N0	710	733	54	54	2 3/8
	Non-Powered Compile Glazed Panel Package - 66"	CMFG6624N0	469	487	66	24	2 3/8
		CMFG6630N0	546	567	66	30	2 3/8
		CMFG6636N0	623	646	66	36	2 3/8
		CMFG6642N0	701	731	66	42	2 3/8
		CMFG6648N0	761	793	66	48	2 3/8
		CMFG6654N0	880	915	66	54	2 3/8
		CMFG6660N0	995	1032	66	60	2 3/8




CMFGXXYYN1 - NON-POWERED COMPILE GLAZED PANEL PACKAGE

- Non powered.
 - Includes one panel, one raceway cover with no punchout and one raceway cover with punchout.
 - Individual fabric-covered modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
 - Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides. Maximum extension of glides is 2”.
 - Standard clear (CLR) plexi.
 - Optional Smoked Plexi-Glass or Frosted Plexi with 15% upcharge. Please note the smoked glass has 51% light transmittance
 - PVC glass retainer in matching paint color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Glazed Panel Package - 42"	CMFG4224N1	347	357	42	24	2 3/8
		CMFG4230N1	396	408	42	30	2 3/8
		CMFG4236N1	443	460	42	36	2 3/8
		CMFG4242N1	495	513	42	42	2 3/8
		CMFG4248N1	542	562	42	48	2 3/8
		CMFG4254N1	609	631	42	54	2 3/8
		CMFG4260N1	672	697	42	60	2 3/8
	Non-Powered Compile Glazed Panel Package - 54"	CMFG5424N1	374	386	54	24	2 3/8
		CMFG5430N1	438	452	54	30	2 3/8
		CMFG5436N1	498	515	54	36	2 3/8
		CMFG5442N1	560	578	54	42	2 3/8
		CMFG5448N1	609	630	54	48	2 3/8
		CMFG5454N1	710	733	54	54	2 3/8
		CMFG5460N1	803	831	54	60	2 3/8
	Non-Powered Compile Glazed Panel Package - 66"	CMFG6624N1	469	487	66	24	2 3/8
		CMFG6630N1	546	567	66	30	2 3/8
		CMFG6636N1	623	646	66	36	2 3/8
		CMFG6642N1	701	731	66	42	2 3/8
		CMFG6648N1	761	793	66	48	2 3/8
		CMFG6654N1	880	915	66	54	2 3/8
		CMFG6660N1	995	1032	66	60	2 3/8




CMFGXXYYN2 - NON-POWERED COMPILE GLAZED PANEL PACKAGE

- Non powered.
 - Includes one panel and two raceway covers with punchouts.
 - Individual fabric-covered modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
 - Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides. Maximum extension of glides is 2”.
 - Standard clear (CLR) plexi.
 - Optional Smoked Plexi-Glass or Frosted Plexi with 15% upcharge. Please note the smoked glass has 51% light transmittance
 - PVC glass retainer in matching paint color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Glazed Panel Package - 42"	CMFG4224N2	347	357	42	24	2 3/8
		CMFG4230N2	396	408	42	30	2 3/8
		CMFG4236N2	443	460	42	36	2 3/8
		CMFG4242N2	495	513	42	42	2 3/8
		CMFG4248N2	542	562	42	48	2 3/8
		CMFG4254N2	609	631	42	54	2 3/8
	Non-Powered Compile Glazed Panel Package - 54"	CMFG5424N2	374	386	54	24	2 3/8
		CMFG5430N2	438	452	54	30	2 3/8
		CMFG5436N2	498	515	54	36	2 3/8
		CMFG5442N2	560	578	54	42	2 3/8
		CMFG5448N2	609	630	54	48	2 3/8
		CMFG5454N2	710	733	54	54	2 3/8
	Non-Powered Compile Glazed Panel Package - 66"	CMFG6624N2	469	487	66	24	2 3/8
		CMFG6630N2	546	567	66	30	2 3/8
		CMFG6636N2	623	646	66	36	2 3/8
		CMFG6642N2	701	731	66	42	2 3/8
		CMFG6648N2	761	793	66	48	2 3/8
		CMFG6654N2	880	915	66	54	2 3/8
		CMFG6660N2	995	1032	66	60	2 3/8





CMFGXXYP1 - POWERED COMPILE GLAZED PANEL PACKAGE

- With power distribution harness.
 - Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
 - Individual fabric-covered modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
 - Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides. Maximum extension of glides is 2”.
 - Standard clear (CLR) plexi.
 - Optional Smoked Plexi-Glass or Frosted Plexi with 15% upcharge. Please note the smoked glass has 51% light transmittance
 - PVC glass retainer in matching paint color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Glazed Panel Package - 42"	CMFG4224P1	458	468	42	24	2 3/8
		CMFG4230P1	546	559	42	30	2 3/8
		CMFG4236P1	601	617	42	36	2 3/8
		CMFG4242P1	655	674	42	42	2 3/8
		CMFG4248P1	715	735	42	48	2 3/8
		CMFG4254P1	783	805	42	54	2 3/8
		CMFG4260P1	847	873	42	60	2 3/8
	Powered Compile Glazed Panel Package - 54"	CMFG5424P1	485	498	54	24	2 3/8
		CMFG5430P1	588	602	54	30	2 3/8
		CMFG5436P1	655	673	54	36	2 3/8
		CMFG5442P1	720	738	54	42	2 3/8
		CMFG5448P1	782	803	54	48	2 3/8
		CMFG5454P1	884	907	54	54	2 3/8
		CMFG5460P1	979	1006	54	60	2 3/8
	Powered Compile Glazed Panel Package - 66"	CMFG6624P1	581	599	66	24	2 3/8
		CMFG6630P1	696	717	66	30	2 3/8
		CMFG6636P1	780	803	66	36	2 3/8
		CMFG6642P1	862	891	66	42	2 3/8
		CMFG6648P1	935	966	66	48	2 3/8
		CMFG6654P1	1054	1089	66	54	2 3/8
		CMFG6660P1	1171	1208	66	60	2 3/8



CMFGXXYP2 - POWERED COMPILE GLAZED PANEL PACKAGE

- With power distribution harness
 - Includes one panel, power harness, and two raceway covers with punchouts.
 - Individual fabric-covered modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
 - Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides. Maximum extension of glides is 2”.
 - Standard clear (CLR) plexi.
 - Optional Smoked Plexi-Glass or Frosted Plexi with 15% upcharge. Please note the smoked glass has 51% light transmittance
 - PVC glass retainer in matching paint color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Glazed Panel Package - 42"	CMFG4224P2	458	468	42	24	2 3/8
		CMFG4230P2	546	559	42	30	2 3/8
		CMFG4236P2	601	617	42	36	2 3/8
		CMFG4242P2	655	674	42	42	2 3/8
		CMFG4248P2	715	735	42	48	2 3/8
		CMFG4254P2	783	805	42	54	2 3/8
	Powered Compile Glazed Panel Package - 54"	CMFG5424P2	485	498	54	24	2 3/8
		CMFG5430P2	588	602	54	30	2 3/8
		CMFG5436P2	655	673	54	36	2 3/8
		CMFG5442P2	720	738	54	42	2 3/8
		CMFG5448P2	782	803	54	48	2 3/8
		CMFG5454P2	884	907	54	54	2 3/8
	Powered Compile Glazed Panel Package - 66"	CMFG6624P2	581	599	66	24	2 3/8
		CMFG6630P2	696	717	66	30	2 3/8
		CMFG6636P2	780	803	66	36	2 3/8
		CMFG6642P2	862	891	66	42	2 3/8
		CMFG6648P2	935	966	66	48	2 3/8
		CMFG6654P2	1004	1037	66	54	2 3/8
	Powered Compile Glazed Panel Package - 66"	CMFG6660P2	1115	1150	66	60	2 3/8



CMPGXXYYN0 - NON-POWERED COMPILE PARTLY GLAZED PANEL PACKAGE

- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered module in lower position incorporated into a solid steel frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 10% upcharge. Please note the smoked glass has 51% light transmittance
- PVC glass retainer in matching paint color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Partly Glazed Panel Package - 54"	CMPG5424N0	399	428	54	24	2 3/8
		CMPG5430N0	460	498	54	30	2 3/8
		CMPG5436N0	513	552	54	36	2 3/8
		CMPG5442N0	571	620	54	42	2 3/8
		CMPG5448N0	631	689	54	48	2 3/8
		CMPG5454N0	696	757	54	54	2 3/8
		CMPG5460N0	757	824	54	60	2 3/8
	Non-Powered Compile Partly Glazed Panel Package - 66"	CMPG6624N0	437	468	66	24	2 3/8
		CMPG6630N0	502	541	66	30	2 3/8
		CMPG6636N0	563	665	66	36	2 3/8
		CMPG6642N0	627	675	66	42	2 3/8
		CMPG6648N0	693	750	66	48	2 3/8
		CMPG6654N0	764	823	66	54	2 3/8
		CMPG6660N0	832	897	66	60	2 3/8

CMPGXXYYN1 - NON-POWERED COMPILE PARTLY GLAZED PANEL PACKAGE



- Non powered.
- Includes one panel, one raceway cover with no punchout and one raceway cover with punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 15% upcharge. Please note the smoked glass has 51% light transmittance
- PVC glass retainer in matching paint color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Partly Glazed Panel Package - 54"	CMPG5424N1	399	428	54	24	2 3/8
		CMPG5430N1	460	498	54	30	2 3/8
		CMPG5436N1	513	552	54	36	2 3/8
		CMPG5442N1	571	620	54	42	2 3/8
		CMPG5448N1	631	689	54	48	2 3/8
		CMPG5454N1	696	757	54	54	2 3/8
		CMPG5460N1	757	824	54	60	2 3/8
	Non-Powered Compile Partly Glazed Panel Package - 66"	CMPG6624N1	437	468	66	24	2 3/8
		CMPG6630N1	502	541	66	30	2 3/8
		CMPG6636N1	563	665	66	36	2 3/8
		CMPG6642N1	627	675	66	42	2 3/8
		CMPG6648N1	693	750	66	48	2 3/8
		CMPG6654N1	764	823	66	54	2 3/8
		CMPG6660N1	832	897	66	60	2 3/8





CMPGXXYYN2 - NON-POWERED COMPILE PARTLY GLAZED PANEL PACKAGE

- Non powered.
- Includes one panel and two raceway covers with punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 10% upcharge. Please note the smoked glass has 51% light transmittance.
- PVC glass retainer in matching paint color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Partly Glazed Panel Package - 54"	CMPG5424N2	399	428	54	24	2 3/8
		CMPG5430N2	460	498	54	30	2 3/8
		CMPG5436N2	513	552	54	36	2 3/8
		CMPG5442N2	571	620	54	42	2 3/8
		CMPG5448N2	631	689	54	48	2 3/8
		CMPG5454N2	696	757	54	54	2 3/8
	Non-Powered Compile Partly Glazed Panel Package - 66"	CMPG6624N2	437	468	66	24	2 3/8
		CMPG6630N2	502	541	66	30	2 3/8
		CMPG6636N2	563	665	66	36	2 3/8
		CMPG6642N2	627	675	66	42	2 3/8
		CMPG6648N2	693	750	66	48	2 3/8
		CMPG6654N2	764	823	66	54	2 3/8
		CMPG6660N2	832	897	66	60	2 3/8



CMPGXXYP1 - POWERED COMPILE PARTLY GLAZED PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 15% upcharge. Please note the smoked glass has 51% light transmittance
- PVC glass retainer in matching paint color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Partly Glazed Panel Package - 54"	CMPG5424P1	510	540	54	24	2 3/8
		CMPG5430P1	610	648	54	30	2 3/8
		CMPG5436P1	671	710	54	36	2 3/8
		CMPG5442P1	732	780	54	42	2 3/8
		CMPG5448P1	804	862	54	48	2 3/8
		CMPG5454P1	870	931	54	54	2 3/8
	Powered Compile Partly Glazed Panel Package - 66"	CMPG5460P1	932	1000	54	60	2 3/8
		CMPG6624P1	548	580	66	24	2 3/8
		CMPG6630P1	652	691	66	30	2 3/8
		CMPG6636P1	720	822	66	36	2 3/8
		CMPG6642P1	788	836	66	42	2 3/8
		CMPG6648P1	866	923	66	48	2 3/8
		CMPG6654P1	939	998	66	54	2 3/8
		CMPG6660P1	1007	1072	66	60	2 3/8


CMPGXYP2 - POWERED COMPILE PARTLY GLAZED PANEL PACKAGE

- With power distribution harness
 - Includes one panel, power harness, and two raceway covers with punchouts.
 - Individual fabric-covered modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
 - Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides. Maximum extension of glides is 2”.
 - Standard clear (CLR) plexi.
 - Optional Smoked Plexi-Glass or Frosted Plexi with 10% upcharge. Please note the smoked glass has 51% light transmittance.
 - PVC glass retainer in matching paint color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Partly Glazed Premium Panel Package - 54"	CMPG5424P2	510	540	54	24	2 3/8
		CMPG5430P2	610	648	54	30	2 3/8
		CMPG5436P2	671	710	54	36	2 3/8
		CMPG5442P2	732	780	54	42	2 3/8
		CMPG5448P2	804	862	54	48	2 3/8
		CMPG5454P2	870	931	54	54	2 3/8
		CMPG5460P2	932	1000	54	60	2 3/8
	Powered Compile Partly Glazed Premium Panel Package - 66"	CMPG6624P2	548	580	66	24	2 3/8
		CMPG6630P2	652	691	66	30	2 3/8
		CMPG6636P2	720	822	66	36	2 3/8
		CMPG6642P2	788	836	66	42	2 3/8
		CMPG6648P2	866	923	66	48	2 3/8
		CMPG6654P2	939	998	66	54	2 3/8
		CMPG6660P2	1007	1072	66	60	2 3/8

CMPSXX - COMPILE PRIVACY GLASS


- Attaches on top of Compile Panels to add privacy or divide space.
 - Standard in clear (CLR) or frosted (FRST) glass.
 - Clamps available in satin chrome finish only.
 - Width dimensions given are width of glass only.
- Attachment hardware is provided for attaching to panels.
 - Please note Privacy Glass in 24" - 54" widths includes 2 clamps and a Privacy Glass in 60" width includes 3 clamps.
 - Square profile on clamps and glass corners.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			CLR	FRST	H	W	D
	Compile Privacy Glass	CMPS24	213	258	12	24	6mm
		CMPS30	225	260	12	30	6mm
		CMPS36	239	263	12	36	6mm
		CMPS42	246	288	12	42	6mm
		CMPS48	253	308	12	48	6mm
		CMPS54	261	327	12	54	6mm
		CMPS60	270	353	12	60	6mm






CMPSL/R - SLIDING PRIVACY DOOR

- Sliding Privacy Door attaches to Compile Panels using standard connectors to add privacy. Brackets that attach to Connectors are included.
- This door must mount on panels of equal width. It is also intended to be used for openings of equal width.
- Left (L) or right-handedness (R) is determined by the direction of door movement (from compressed to expanded position), while facing the door on the panel mounted side.
- Painted frame may match any Compile Standard Paint Finish. The door interior is standard with a louvered acrylic finish.
- STL paint on Compile sliding doors is a smooth finish paint comparable to the standard STL paint offering."
- Telescoping arms eliminate the need for thresholds, wheels or casters.
- Thickness of louvered acrylic is 6 mm.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Sliding Privacy Door - 66" High	CMPSL6636R	2277	66	36	
		CMPSL6636L	2277	66	36	
		CMPSL6642R	2336	66	42	
		CMPSL6642L	2336	66	42	




CMFOXXYYNO - NON-POWERED COMPILE SINGLE SEGMENTED OPEN BOTTOM PANEL PACKAGE

- Non powered.
- Includes one panel and two raceways covers with no punchouts and a integrated aluminum top cap.
- Individual fabric-covered module in upper position incorporated into an aluminum frame. Bottom is open.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Single Segmented Open Bottom Panel Package - 42"	CMFO4224NO	256	266	42	24	2 3/8
		CMFO4230NO	288	296	42	30	2 3/8
		CMFO4236NO	305	322	42	36	2 3/8
		CMFO4242NO	349	366	42	42	2 3/8
		CMFO4248NO	371	389	42	48	2 3/8
		CMFO4254NO	414	436	42	54	2 3/8
	Non-Powered Compile Single Segmented Open Bottom Panel Package - 54"	CMFO4260NO	442	460	42	60	2 3/8
		CMFO5424NO	278	292	54	24	2 3/8
		CMFO5430NO	310	323	54	30	2 3/8
		CMFO5436NO	350	363	54	36	2 3/8
		CMFO5442NO	396	422	54	42	2 3/8
		CMFO5448NO	428	455	54	48	2 3/8
	Non-Powered Compile Single Segmented Open Bottom Panel Package - 66"	CMFO5454NO	455	482	54	54	2 3/8
		CMFO5460NO	490	517	54	60	2 3/8
		CMFO6624NO	326	348	66	24	2 3/8
		CMFO6630NO	373	395	66	30	2 3/8
		CMFO6636NO	415	454	66	36	2 3/8
		CMFO6642NO	473	512	66	42	2 3/8
		CMFO6648NO	501	541	66	48	2 3/8
		CMFO6654NO	544	583	66	54	2 3/8
		CMFO6660NO	578	616	66	60	2 3/8




CMFOXYYN1 - NON-POWERED COMPILE SINGLE SEGMENTED - OPEN BOTTOM PANEL PACKAGE

- Non powered.
 - Includes one panel, one raceway cover with no punchout, one raceway cover with punchout and a integrated aluminum top cap.
 - Individual fabric-covered module in upper position incorporated into an aluminum frame. Bottom is open.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
 - Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides. Maximum extension of glides is 2”.
 - 24” wide panels have one punchout, 30” wide panels or wider have two punchouts.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Single Segmented Open Bottom Panel Package - 42"	CMFO4224N1	256	266	42	24	2 3/8
		CMFO4230N1	288	296	42	30	2 3/8
		CMFO4236N1	305	322	42	36	2 3/8
		CMFO4242N1	349	366	42	42	2 3/8
		CMFO4248N1	371	389	42	48	2 3/8
		CMFO4254N1	414	422	42	54	2 3/8
		CMFO4260N1	442	460	42	60	2 3/8
	Non-Powered Compile Single Segmented Open Bottom Panel Package - 54"	CMFO5424N1	278	292	54	24	2 3/8
		CMFO5430N1	310	323	54	30	2 3/8
		CMFO5436N1	350	363	54	36	2 3/8
		CMFO5442N1	396	422	54	42	2 3/8
		CMFO5448N1	428	455	54	48	2 3/8
		CMFO5454N1	455	482	54	54	2 3/8
		CMFO5460N1	490	517	54	60	2 3/8
	Non-Powered Compile Single Segmented Open Bottom Panel Package - 66"	CMFO6624N1	326	348	66	24	2 3/8
		CMFO6630N1	373	395	6	30	2 3/8
		CMFO6636N1	415	454	66	36	2 3/8
		CMFO6642N1	473	512	66	42	2 3/8
		CMFO6648N1	501	541	66	48	2 3/8
		CMFO6654N1	544	583	66	54	2 3/8
		CMFO6660N1	578	616	66	60	2 3/8




CMFOXXYYN2 - NON-POWERED COMPILE SINGLE SEGMENTED - OPEN BOTTOM PANEL PACKAGE

- Non powered.
- Includes one panel, two raceway covers with punchouts and a integrated aluminum top cap.
- Individual fabric-covered module in upper position incorporated into an aluminum frame. Bottom is open.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- 24" wide panels have one punchout, 30" wide panels or wider have two punchouts.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Single Segmented Open Bottom Panel Package - 42"	CMFO4224N2	256	266	42	24	2 3/8
		CMFO4230N2	288	296	42	30	2 3/8
		CMFO4236N2	305	322	42	36	2 3/8
		CMFO4242N2	349	349	42	42	2 3/8
		CMFO4248N2	371	389	42	48	2 3/8
		CMFO4254N2	414	422	42	54	2 3/8
		CMFO4260N2	442	460	42	60	2 3/8
	Non-Powered Compile Single Segmented Open Bottom Panel Package - 54"	CMFO5424N2	278	292	54	24	2 3/8
		CMFO5430N2	310	323	54	30	2 3/8
		CMFO5436N2	350	363	54	36	2 3/8
		CMFO5442N2	396	449	54	42	2 3/8
		CMFO5448N2	428	455	54	48	2 3/8
		CMFO5454N2	455	482	54	54	2 3/8
		CMFO5460N2	490	517	54	60	2 3/8
	Non-Powered Compile Single Segmented Open Bottom Panel Package - 66"	CMFO6624N2	326	348	66	24	2 3/8
		CMFO6630N2	373	395	6	30	2 3/8
		CMFO6636N2	415	454	66	36	2 3/8
		CMFO6642N2	473	512	66	42	2 3/8
		CMFO6648N2	501	541	66	48	2 3/8
		CMFO6654N2	544	583	66	54	2 3/8
		CMFO6660N2	578	616	66	60	2 3/8




CMFOXXYP1 - POWERED COMPILE SINGLE SEGMENTED - OPEN BOTTOM PANEL PACKAGE

- With power distribution harness.
 - Includes one panel, power harness, one raceway cover with punchout, one raceway cover without punchout and a integrated aluminum top cap.
 - Individual fabric-covered module in upper position incorporated into an aluminum frame. Bottom is open.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
 - Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides. Maximum extension of glides is 2”.
 - 24” wide panels have one punchout, 30” wide panels or wider have two punchouts.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Single Segmented Open Bottom Panel Package - 42"	CMFO4224P1	358	368	42	24	2 3/8
		CMFO4230P1	426	436	42	30	2 3/8
		CMFO4236P1	449	467	42	36	2 3/8
		CMFO4242P1	496	513	42	42	2 3/8
		CMFO4248P1	530	548	42	48	2 3/8
		CMFO4254P1	574	583	42	54	2 3/8
		CMFO4260P1	604	622	42	60	2 3/8
	Powered Compile Single Segmented Open Bottom Panel Package - 54"	CMFO5424P1	381	395	54	24	2 3/8
		CMFO5430P1	448	461	54	30	2 3/8
		CMFO5436P1	495	508	54	36	2 3/8
		CMFO5442P1	544	571	54	42	2 3/8
		CMFO5448P1	588	615	54	48	2 3/8
		CMFO5454P1	616	643	54	54	2 3/8
		CMFO5460P1	651	677	54	60	2 3/8
	Powered Compile Single Segmented Open Bottom Panel Package - 66"	CMFO6624P1	429	450	66	24	2 3/8
		CMFO6630P1	510	532	6	30	2 3/8
		CMFO6636P1	560	600	66	36	2 3/8
		CMFO6642P1	621	659	66	42	2 3/8
		CMFO6648P1	659	699	66	48	2 3/8
		CMFO6654P1	704	742	66	54	2 3/8
		CMFO6660P1	739	779	66	60	2 3/8


CMFOXXYP2 - POWERED COMPILE SINGLE SEGMENTED - OPEN BOTTOM PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, two raceway covers with punchout and a integrated aluminum top cap.
- Individual fabric-covered module in upper position incorporated into an aluminum frame. Bottom is open.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- 24" wide panels have one punchout, 30" wide panels or wider have two punchouts.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Single Segmented Open Bottom Panel Package - 42"	CMFO4224P2	358	368	42	24	2 3/8
		CMFO4230P2	426	436	42	30	2 3/8
		CMFO4236P2	449	467	42	36	2 3/8
		CMFO4242P2	496	513	42	42	2 3/8
		CMFO4248P2	530	548	42	48	2 3/8
		CMFO4254P2	574	583	42	54	2 3/8
	Powered Compile Single Segmented Open Bottom Panel Package - 54"	CMFO5424P2	381	395	54	24	2 3/8
		CMFO5430P2	448	461	54	30	2 3/8
		CMFO5436P2	495	508	54	36	2 3/8
		CMFO5442P2	544	571	54	42	2 3/8
		CMFO5448P2	588	615	54	48	2 3/8
		CMFO5454P2	616	643	54	54	2 3/8
	Powered Compile Single Segmented Open Bottom Panel Package - 66"	CMFO6624P2	429	450	66	24	2 3/8
		CMFO6630P2	510	532	66	30	2 3/8
		CMFO6636P2	560	600	66	36	2 3/8
		CMFO6642P2	621	659	66	42	2 3/8
		CMFO6648P2	659	699	66	48	2 3/8
		CMFO6654P2	704	742	66	54	2 3/8
		CMFO6660P2	739	779	66	60	2 3/8




CMFMA - MINI PANEL KIT

- Compile's Mini Panel Kits are now available to our dealers and their sales staff. The Compile mini panel is an excellent sales tool featuring two panel and samples of various hardware and electrical components and consists of the following:
- One Monolithic Mini Panel (Laminate side one / Acoustic side two).
- One Segmented Glazed Mini panel.
- One 2-way Universal Corner Post Kit.
- Two 24" Raceway Cover with Punch Out.
- Two 24" Raceway Cover with out Punch Out.
- One Raceway Cut Out Cover.
- One 3-way Post Base Cover.
- One End of Run Trim.
- One Pair of Corner Brackets.
- One Mid span Worksurface Support Bracket.
- One Duplex.
- One Power Distribution Harness.
- One Mesh jumper.
- One Carry Bag.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Mini Panel Kit	CMFMA2418KIT1	1769	30	24	2 7/8



CHP POST PACKAGE

- Universal Post with all "Quick-Connection" clips.
 - Post trim(s)
- Post base and top cap

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	2 - Way Post	CHP30-2	82	30		
		CHP42-2	82	42		
		CHP54-2	101	54		
		CHP66-2	120	66		
	3 - Way Post	CHP30-3	71	30		
		CHP42-3	71	42		
		CHP54-3	90	54		
		CHP66-3	108	66		
	4 - Way Post *No trim or base. Includes top cap only.	CHP30-4	57	30		
		CHP42-4	57	42		
		CHP54-4	74	54		
		CHP66-4	90	66		


CHPXW - 60 DEGREE POST PACKAGE

- Universal Post with all "Quick-Connection" clips.
 - Post trim is incorporated into 2 - Way aluminum post extrusion.
 - Post top cap
- Outer part of the post is the full panel height and the inner part of the post is 6" shorter.
 - 3 - Way post is 6" shorter than panel height to accommodate electric and base.
 - PVC post trims can not be added to 60 degree posts.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	2 - Way - 60 Degree Post Package	CHP2W30	57	30		
		CHP2W42	57	42		
		CHP2W54	74	54		
		CHP2W66	90	66		
	3 - Way - 60 Degree Post Package	CHP3W30	57	30		
		CHP3W42	57	42		
		CHP3W54	74	54		
		CHP3W66	90	66		


CMRCXXNP - COMPILE RACEWAY COVER - WITHOUT KNOCKOUTS

- No electrical knockouts included.
- Note: Made of reinforced aluminum.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Compile Raceway Cover Without Knockouts	CMRC24NP	11	24	
		CMRC30NP	14	30	
		CMRC36NP	16	36	
		CMRC42NP	18	42	
		CMRC48NP	20	48	
		CMRC54NP	25	54	
		CMRC60NP	27	60	


CMRCXXPO - COMPILE RACEWAY COVER - WITH KNOCKOUTS

- Contains one knockout for 24" w and three knockouts for 30" w+.
- Raceway Knockout Cover must be added to openings where duplex receptacles are not used.
- Note: Made of reinforced aluminum.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Compile Raceway Cover With Knockouts	CMRC24PO	11	24	
		CMRC30PO	14	30	
		CMRC36PO	16	36	
		CMRC42PO	18	42	
		CMRC48PO	20	48	
		CMRC54PO	25	54	
		CMRC60PO	27	60	


CMRCB01 - COMPILE RACEWAY KNOCKOUT COVER

- Fills knockout when duplex is not used.
- Available in Black, White, Nevada, and Tungsten (Steel)
- Note: Knockout covers are made of plastic.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Compile Raceway Knockout Cover	CMRCB01	10		


CHP - 90-DEGREE UNIVERSAL CORNER POST

- Available in 42", 54" and 66"h.
 - Standard Compile paint options.
 - Specify the corner post height that matches the tallest or smallest panel connection.
 - Can be used for any variation of 90-degree connections: 2-way, 3-way or 4-way.
 - Requires post trim inserts to finish off post where there are no panel connections. Post trim inserts are specified separately.
- 6" shorter than panel height to accommodate electric in base.
 - Requires a post basecover to finish off post at the base (for 2- or 3-way). Refer to CMPC.
 - See Panel Configuration Tips for application.
 - Made of aluminum.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	90-Degree Universal Corner Post				
	CHP30	57	30		
	CHP42	57	36		
	CHP54	74	48		
	CHP66	90	60		


CMET - END OF RUN TRIM INSERT FOR PANEL

- Trim inserts are not included with panels.
 - Cannot be used for a universal post application.
 - Used at the end of each panel run and cannot be used to attach a panel run to a fixed wall.
 - Vertical trims must be specified separately. Trim snaps in the panel at the end of run.
- Standard Compile paint options.
 - See Panel Configuration Tips for application.
 - Trims are PVC.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	End of Run Trim Insert for Panel				
	CMET30	10	30		
	CMET42	10	42		
	CMET54	11	54		
	CMET66	12	66		


CMETP - TRIM INSERT FOR UNIVERSAL CORNER POST

- Does not come with a post.
 - Trim installs on all exposed sides of a Universal Corner Post.
 - Specify to equal post height.
 - Trims must be specified separately. Trim snaps in the post.
- Available in standard Compile paint options.
 - 6" shorter than Universal Corner Post to accommodate Post Base Cover (must be specified separate)
 - See Panel Configuration Tips for application.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Trim Insert for Universal Corner Post	CMETP30	10	30	
		CMETP42	10	36	
		CMETP54	11	48	
		CMETP66	12	60	


CMET - TRIM INSERT FOR STEP DOWN

- Does not come with a post. Trim inserts are not included with Universal Corner Posts.
 - Specify to meet the taller post.
 - Trim snaps in the post or end of run at a change in height.
- Available in standard Compile paint options.
 - Can not be applied to 60 degree posts.
 - See Panel Configuration Tips for application.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Trim Insert for Step Down	CMET12	4	12	
		CMET24	7	24	
		CMET36		36	

CHWAXX - WALL ADAPTER

- Same profile as vertical extrusion.
- Wall attachment hardware not provided.
- Made of aluminum.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Wall Adapter	CHWA30	28	30	
		CHWA42	28	42	
		CHWA54	34	54	
		CHWA66	41	66	

CWMA - VERTICAL CHANNEL

- Used to attach system components to fixed wall.
 - Panel frame finish.
 - Comes in 60" length only.
 - Care should be taken to mount adapters only to wall studs using correct fasteners.
- Does not include mounting hardware. Mounting hardware selection to be based on wall material. Sold in pairs.
 - Failure to do this may result in collapse of the unit and subsequent possible personal injury.
 - Compile vertical channels cannot be shared.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Vertical Channel	CWMA60	27	60	0.6	0.7



CMPC - UNIVERSAL POST CAP

- Comes standard with universal post.
 - Specified separately for reconfiguration purposes.
- Available in standard Compile paint options.
 - Made of PVC.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Universal Post Cap	CMPC	3	2	3	8




CMPC - POST BASE COVER

- Post Base Covers are not included with Universal Corner Posts.
 - Base trim for universal post. These are connected with screws at the base and the trims at the post will slide to meet.
- Available for 2-way and 3-way configurations.
 - Finish is smooth plastic.
 - Available in standard Compile paint options.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D




Post Base Cover - 3-Way Connection	CMPC1	7	6
------------------------------------	-------	---	---



Post Base Cover - 2-Way Connection	CMPC2	8	6
------------------------------------	-------	---	---

CMPS - POST SEPARATOR

- Creates a diagonal division within a compile post.
- Please specify post height.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Post Separator	CMPS01	111	96	3.25	14

electrical

STEP-BY-STEP SPECIFICATION – 8-WIRE ELECTRICAL SYSTEM

Step

1

Determine the location of the source power entering the Panel Run.

1. At the base of the Panel.

(a) Use CE8FR1 Reversible Floor Power Entry (default to CE8FR1).

(b) Select the Panel to which the Floor Power Entry will be attached.

(c) Select the side of the Panel and the receptacle outlet to which the Floor Power Entry is to be attached.

Note: When using Pass Through Connectors in conditions other than a straight line, you must use a CE8CI-1 I-Connector along with a CE8CP17 Flexible Mesh Jumper Cable through the corner post.

Step

2

Determine which Panels are to be powered.

1. Use CE8PD Power Distribution Housing that corresponds with the width of the Panel.

Step

3

Connect power to the powered Panels.

1. Use CE8CP17 Flexible Mesh Jumper Cable between two adjacent powered Panels.

2. Use CE8CP17 Flexible Mesh Jumper Cable between two adjacent powered Panels separated by a post.

3. Use CE8CP17 Flexible Mesh cable (to turn the post) and a CE8CI-1 "I" Connector to attach the CE8CP Pass Through Cable.

(a) The length of the Pass-Through Cable is calculated by adding together the widths of the non-powered Panels that separate the two powered Panels and applying an additional 16" to the total. (CE8PD Power Distribution Housing is positioned 8" in from the ends of the powered Panel.)

(b) An additional 3" must be added to the Pass-Through Cable for each post that the cable passes through.

(c) Subtract 17" from the total length to find the pass through cable length required.

4. From the price list, select the CE8CP Pass-Through Cable that matches the calculated length. If the length is between listed sizes, use the next size up.

Step

4

Determine the location and circuitry of the receptacles.

1. Each powered Panel has four (4) potential locations for CE8RD Duplex Receptacles – 2 per side. (Exception: 24" wide Panel has only two potential locations – 1 per side.)

2. At each receptacle location there is a choice of four circuit options. Select a circuit option for each location. Circuits one & two are utility circuits; circuits A & B are dedicated circuits.

COMPILE'S 8-WIRE ELECTRICAL SYSTEM

Electrical
This modification allows for the integration of the commonly required "2+2" configuration (2 utility circuits, 2 dedicated circuits) found in the source power of most of today's North American buildings.

- This system is rated for connection to:**
- 1. A grounded 120/240V, single phase, 20 A, 60Hz
 - 2. A 120/208V, 3 phase, 20 A, 60Hz branch circuit

EQUIPMENT AMPERAGE



Calculator	0.25
Electric Eraser	0.50
Pencil Sharpener.....	1.00
Radio	0.05
Paper Shredder.....	4.40 - 13.00
Electric Typewriter	1.20
Personal Computer	2.00 - 4.00
Video Display Terminal	0.08
Draft / Letter Quality Printer	1.20 - 3.00
Laser Printer	5.00 - 8.00
Processor / Disk Unit.....	1.00 - 10.00

Data/Comm
Compile's duplex receptacle openings (1.345 x 2.80) will conform to the ANSI/TIA/EIA Furniture Opening Standard of 1.38 +/- .035 x 2.71 +/- .04

Desk Top Plotter	1.50
Fan	1.00
Heater	8.50 - 12.50
Coffee Pot.....	15.00
Task Light	1.00
Slide Projector	2.00 - 6.00

Since some equipment, such as large copiers, printers, plotters, heaters and coffee makers would occupy most of the circuit capacity, it is recommended that such devices be supplied with the power directly from the wall or building receptacle.

Wiring Schematic



Defining "2 + 2" Wiring Configurations

2 + 2 Configuration (8 wire, 4 circuit)

Two Utility Circuits [Compile's new #1 & #2 circuits] share one neutral wire and one ground wire.

(2 hot [circuit] wires + 1 neutral wire*** + 1 green ground wire* = 4 wires)

Two Dedicated Circuits [Compile's new "A" & "B" circuits] share one neutral wire and one ground wire.

(2 hot [circuit] wires + 1 neutral wire*** + 1 green/yellow ground wire** = 4 wires)

Note:

It is the ground wire that makes the difference between "Utility" and "Dedicated" circuits. Refer to Wiring Schematics found above.

* A Green ground wire is a "system" ground. This means it could be grounded to any piece of metal, including the Panel.


** A Green/Yellow ground wire is isolated, within the wiring conduit, all the way back to the box at the source (building ground).

*** All Neutral Wires are 10 gauge rather than 12 gauge meaning they are larger than normal, allowing greater protection against "noise" or interference on the circuit.

This page provides an exploded view of a sample configuration highlighting each **Electrical** component required when specifying this configuration.


Components

- A. CE8PD36 Power Distribution Housing
Note: 8 wire, 4 circuits, 2+2 configuration
- B. CE8CP17 Flexible Mesh Jumper Cable (connects two panels side by side or separated by a post)
- C. CE8RD Duplex Receptacle
- D. CE8CI-1 "I" Connector
- E. CE8CP Pass-Through Cable
Note: Must run in a straight line application only
Note: Pass-Through Extension Cable (CE8CPF154) available – extends power capability beyond 208".




E8PD - POWER DISTRIBUTION HOUSING

- Power housing is specified per panel size (e.g. CE8PD36 is for use in a 36" panel).
- 8 wire, 4 circuits (4th circuit dedicated).
- Power distribution housing is required for each powered panel, the power distribution housing should equal the width of the panel that it is specified in.
- Provides two duplex receptacle ports per panel side on all panel widths except the 24" wide panel.
- 24" wide panel allows for only one (1) duplex receptacle on one panel side.
- Each power distribution housing supports 15-20 amps.
- Must specify Raceway Cover with Knockouts on panels, where Power Distribution Housings will be utilized.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Power Distribution Housing	CE8PD24		6 1/4	
		CE8PD30		11 1/2	
		CE8PD36		17 1/2	
		CE8PD42		23 1/2	
		CE8PD48		29 1/2	
		CE8PD54		39 1/4	
		CE8PD60		41 1/2	

CE8CP17 - FLEXIBLE MESH JUMPER CABLE


- 17" mesh jumper.
- Jumper cable is used to pass through a post or connect two panels together.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Flexible Mesh Jumper Cable	CE8CP17		85	17

ELECTRICAL


CE8CP - PASS THROUGH CABLE

- Flexible metal conduit is used to distribute electrical power through non-powered panels.
- Metal conduit pass through cables should be in used in a straight runs. Metal conduit pass through cables cannot pass through a post.
- Flexible conduit is required to turn a post. This only comes as 17" w. If panels at the posts do not all have power distribution housings, they must be added even if duplexes are not specified.
- To calculate the length of a Pass-Through Cable, add the widths of the non-powered panels separating the powered panels (panels with distribution housing attached). To this add 16" (distance from the edge of the panel to the distribution housing x 2).
- Add additional 3" when passing through a corner post. See the Tips at the beginning of the section for more details.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Pass Through Cable	CE8CP28		28 1/2	
		CE8CP40		40 1/2	
		CE8CP46		46 1/2	
		CE8CP52		52 1/2	
		CE8CP58		58 1/2	
		CE8CP64		64 1/2	
		CE8CP70		70 1/2	
		CE8CP76		76 1/2	
		CE8CP82		82 1/2	
		CE8CP88		88 1/2	
		CE8CP94		94 1/2	
		CE8CP100		100 1/2	
		CE8CP106		106 1/2	
		CE8CP118		118 1/2	
		CE8CP130		130 1/2	
		CE8CP142		142 1/2	
		CE8CP154		154 1/2	
		CE8CP172		172 1/2	
		CE8CP190		190 1/2	
		CE8CP208		208 1/2	
Pass Through Extension Cable	CE8CPF154	222		154 1/2	

CE8CI-1 - "I" CONNECTOR


- Female - Female connector connects two Pass-Through Cables.
- Connects 17" Flexible Jumper Cable or ceiling feeds to pass through cables.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	"I" Connector	CE8CI-1	63		

ELECTRICAL

CE8RD - DUPLEX RECEPTACLE

- Up to 3 receptacles per circuit
- Up to 6 receptacles per circuit (24 per infeed), not to exceed total of 15 Amps per circuit.
- Duplex Receptacles standard in Black (BLK).
- CE8RD1 = Circuit #1 (utility circuit)
- CE8RD2 = Circuit #2 (utility circuit)
- CE8RDA = Circuit A (dedicated)
- CE8RDB = Circuit B (dedicated)
- CE8RD1 and CE8RD2 (#1 and #2 share common ground)
- CE8RDA and CE8RDB (A and B share common ground)

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Duplex Receptacle	CE8RD1	23		
		CE8RD2	23		
		CE8RDA	23		
		CE8RDB	23		

CE8FR1 - REVERSIBLE FLOOR POWER ENTRY

- Takes the place of a duplex receptable by snapping into the base power way.
- Includes 72" long flexible metal conduit.
- Must be hard wired to source power by a licensed electrician.
- Diameter is 0.85"


CE8FR2 - REVERSIBLE FLOOR POWER ENTRY

- Takes the place of a duplex receptable by snapping into the base power way.
- Includes 144" long flexible metal conduit.
- Must be hard wired to source power by a licensed electrician.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Reversible Floor Power Entry	CE8FR1	251	72	
	Reversible Floor Power Entry	CE8FR2	324	144	

CMEB01 - ELECTRICAL BOX - CHICAGO


- Can be retrofitted in any size of panel at the receptacle location.
- Gives access from one side only at each location.
- Customer to supply conduit, wiring, receptacle, and face plate.
- 2 per panel ,except 24" panel only one
- Note: A licensed electrician must provide hardware connection with the junction box.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Electrical Box - Chicago	CMEB01	71		

ELECTRICAL


CMEB02NY - ELECTRICAL BOX - NEW YORK

- Shipped assembled.
 - Comes with pig tail electric.
 - Use with 30" wide Panel of larger
- Post extension cable capacities: without electric, 30 with electric, 20
 - Includes ceiling bezel and screws.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Electrical Box - New York	CMEB02NY	321			


CEPEXX - POST EXTENSION

- Same profile as post.
- Includes two post extension brackets, four screws and four trim inserts.
- Includes ceiling bezel and screws.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Post Extension	CEPE64	138	64		
	CEPE82	173	82		

CE8ECX - CEILING FEED


- Snaps into the end of a Power Distribution Housing.
 - Flexible metal conduit extends into the ceiling through a corner post and post extension.
- Must be hard wired to source power by a licensed electrician.
 - 4" junction box included.
 - Post extension ordered separately

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Ceiling Feed	CE8EC1	193	132		
	CE8EC2	339	144		
	CE8EC3	383	180		

ELECTRICAL


CEET - UNDER STORAGE LOW WATTAGE (T5) TASK LIGHTS

- Task light must be at least 6" shorter than storage component to which it is attached.
 - T5 rapid start fluorescent lamps
 - Uses low wattage for energy efficient illumination
 - Meets Chicago and NY electrical codes
 - Electronic ballast
- Miniature rocker switch, positive position rocker
 - 7 ft. black cord on all under storage models except 48". 48" models come with a 9 ft. cord.
 - Available in black only
 - Task light bulbs not replaced by manufacturer.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Under Storage Low Wattage (T5) Task Lights	CEET5L18	143		18	
		CEET5L24	150		24	
		CEET5L36	161		36	
		CEET5L48	180		48	

CMECC - CABLE COVER

- Attaches to panels vertically between modules to provide enclosures for power or data cords.
 - Available in 21" and 36" lengths, 6 per pack.
- Available in Steel (STL), Black (BLK), Nevada (NEV) only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Cord Cover	CMECC21	22	21	0.5	1
		CMECC36	34	36	0.5	1


NOTES




worksurfaces

The information listed below provides you with basic features of Compile Worksurfaces.

- Compile thermally fused Worksurfaces are 1" thick and are finished with 3 mm PVC edging on all sides.
- Worksurfaces are predrilled to enable proper alignment with worksurface supports.
- Standard laminate offerings are available in thermally-fused (T). See laminate listings for details.
- Wood grain laminates on corner Worksurfaces up to 42" available in laminate run diagonally for an upcharge. Otherwise, standard horizontal application of laminate will be used.
- Most wood grain laminate Worksurfaces will have matching woodgrain trim unless specified otherwise.
- Depth of the Worksurface scoops are 1 1/8" when measured from the Panel the Worksurface is attached to.
- All Worksurfaces require support items. These are priced separately within this section.
- Grain Direction for Worksurfaces are as follows:




- Communication and electrical wires are routed through a cable scoop located at the back of the Worksurface. When specifying a Straight Worksurface (CWS) or a Curvilinear Worksurface (CWVL), note that the number of cable scoops depends upon the width of the Worksurface. All other Worksurface shapes have one scoop on Panel edges.



This page provides a three dimensional view of a sample configuration highlighting each **Worksurface** component required when specifying this configuration.

Components



- A.** CWVL2436 Curvilinear Worksurface – Left
Note: When deepest end equals 24", opposite depth is 18"
When deepest end equals 30", opposite depth is 24"
- B.** CWCC3618 Corner Curved Worksurface
- C.** CWVR2436 Curvilinear Worksurface – Right



WORKSURFACES



CWS - RECTANGULAR WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- All surfaces over 48" will have two scoops, all others have one.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Rectangular Worksurfaces - 24" Deep	CWS2424	99	24	24
		CWS2430	106	24	30
		CWS2436	120	24	36
		CWS2442	154	24	42
		CWS2448	186	24	48
		CWS2454	217	24	54
		CWS2460	244	24	60
		CWS2466	255	24	66
		CWS2472	266	24	72
		CWS2478	428	24	78
		CWS2484	433	24	84
		CWS2490	454	24	90
	Rectangular Worksurfaces - 30" Deep	CWS3024	117	30	24
		CWS3030	124	30	30
		CWS3036	147	30	36
		CWS3042	207	30	42
		CWS3048	217	30	48
		CWS3054	239	30	54
		CWS3060	255	30	60
		CWS3066	265	30	66
		CWS3072	280	30	72
		CWS3078	533	30	78
		CWS3084	542	30	84

CWSP - RECTANGULAR WORKSURFACES - SPAN A POST



- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Rectangular Worksurfaces - 24" Deep Span a Post	CWSP2426	120	24	26
		CWSP2432	144	24	32
		CWSP2438	168	24	38
		CWSP2444	191	24	44
		CWSP2450	215	24	50
		CWSP2456	239	24	56
		CWSP2462	316	24	62
		CWSP2468	344	24	68
		CWSP2474	374	24	74
		CWSP2480	402	24	80
		CWSP2486	460	24	86
	Rectangular Worksurfaces - 30" Deep Span a Post	CWSP3026	150	30	26
		CWSP3032	180	30	32
		CWSP3038	214	30	38
		CWSP3044	239	30	44
		CWSP3050	269	30	50
		CWSP3056	299	30	56
		CWSP3062	395	30	62
		CWSP3068	431	30	68
		CWSP3074	467	30	74
		CWSP3080	503	30	80
		CWSP3086	574	30	86

WORKSURFACES



CWVR - CURVILINEAR WORKSURFACES - RIGHT

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- When deepest end equals 24". the opposite depth is 18". When deepest end equals 30", the opposite depth is 24"
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Curvilinear Worksurfaces - 24" Deep	CWVR2424	128	24	24
		CWVR2430	133	24	30
		CWVR2436	160	24	36
		CWVR2442	186	24	42
		CWVR2448	213	24	48
		CWVR2454	239	24	54
		CWVR2460	259	24	60
		CWVR2466	287	24	66
		CWVR2472	308	24	72
		CWVR2478	428	24	78
	Curvilinear Worksurfaces - 30" Deep	CWVR3024	133	30	24
		CWVR3030	140	30	30
		CWVR3036	167	30	36
		CWVR3042	229	30	42
		CWVR3048	239	30	48
		CWVR3054	265	30	54
		CWVR3060	287	30	60
		CWVR3066	308	30	66
		CWVR3072	327	30	72
		CWVR3078	533	30	78
		CWVR3084	542	30	84

CWVL - CURVILINEAR WORKSURFACES - LEFT




- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- When deepest end equals 24". the opposite depth is 18". When deepest end equals 30", the opposite depth is 24"
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Curvilinear Worksurfaces - 24" Deep	CWVL2424	128	24	24
		CWVL2430	133	24	30
		CWVL2436	160	24	36
		CWVL2442	186	24	42
		CWVL2448	213	24	48
		CWVL2454	239	24	54
		CWVL2460	259	24	60
		CWVL2466	287	24	66
		CWVL2472	308	24	72
		CWVL2478	428	24	78
	Curvilinear Worksurfaces - 30" Deep	CWVL3024	133	30	24
		CWVL3030	140	30	30
		CWVL3036	167	30	36
		CWVL3042	229	30	42
		CWVL3048	239	30	48
		CWVL3054	265	30	54
		CWVL3060	287	30	60
		CWVL3066	308	30	66
		CWVL3072	327	30	72
		CWVL3078	533	30	78
		CWVL3084	542	30	84

WORKSURFACES




CWCC - CORNER CURVED WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
 - Compile worksurfaces feature a 3mm edge.
 - Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.
 - Note: Wood grain laminates do not run diagonally on corner worksurfaces.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Corner Curved Worksurfaces - 36"	CWCC3618	337	18	36
		CWCC3624	369	24	36
	Corner Curved Worksurfaces - 42"	CWCC4224	500	24	42
		CWCC4230	543	30	42
	Corner Curved Worksurfaces - 48"	CWCC4824	584	24	48
		CWCC4830	612	30	48

CWCF - FIVE SIDED WORKSURFACES


- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
 - Compile worksurfaces feature a 3mm edge.
 - Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.
 - Note: Wood grain laminates do not run diagonally on corner worksurfaces.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Five Sided Worksurface - 36"	CWCF3618	334	18	36
		CWCF3624	369	24	36
	Five Sided Worksurface - 42"	CWCF4224	500	24	42
		CWCF4230	543	30	42
	Five Sided Worksurface - 48"	CWCF4824	584	24	48
		CWCF4830	612	30	48

WORKSURFACES


CWC6 - CURVED CORNER WORKSURFACE FOR 60° POST

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.

	DESCRIPTION	PRODUCT CODE	LIST PRICE TF	DIMENSIONS/INCHES	
				D	W
	Curved Corner Worksurface for 60° Post - 24"	CWC62424	315	24	24
		CWC62430	560	24	30
		CWC62436	631	24	36
		CWC62442	964	24	42
		CWC62448	1051	24	48
	Curved Corner Worksurface for 60° Post - 30"	CWC63024	315	30	24
		CWC63030	560	30	30
		CWC63036	631	30	36
		CWC63042	964	30	42
		CWC63048	1051	30	48

CWCEL - EXTENDED CURVED CORNER - LEFT


- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
	Extended Curved Corner - 36" x 24"	CWCEL362448	457	36	24	48
		CWCEL362460	498	36	24	60
		CWCEL362466	547	36	24	66
		CWCEL362472	606	36	24	72
		CWCEL362478	647	36	24	78
		CWCEL362484	696	36	24	84
	Extended Curved Corner - 42" x 24"	CWCEL422460	524	42	24	60
		CWCEL422466	548	42	24	66
		CWCEL422472	637	42	24	72
		CWCEL422478	648	42	24	78
		CWCEL422484	734	42	24	84
	Extended Curved Corner - 42" x 30"	CWCEL423060	590	42	30	60
		CWCEL423066	647	42	30	66
		CWCEL423072	707	42	30	72
		CWCEL423078	758	42	30	78
		CWCEL423084	807	42	30	84
	Extended Curved Corner - 48" x 24"	CWCEL482460	621	48	24	60
		CWCEL482466	671	48	24	66
		CWCEL482472	720	48	24	72
		CWCEL482478	793	48	24	78
		CWCEL482484	824	48	24	84
	Extended Curved Corner - 48" x 30"	CWCEL483060	656	48	30	60
		CWCEL483066	681	48	30	66
		CWCEL483072	776	48	30	72
		CWCEL483078	834	48	30	78
		CWCEL483084	872	48	30	84

WORKSURFACES


CWCER - EXTENDED CURVED CORNER - RIGHT

- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
	Extended Curved Corner - 36" x 24"	CWCER362448	457	36	24	48
		CWCER362460	498	36	24	60
		CWCER362466	547	36	24	66
		CWCER362472	606	36	24	72
		CWCER362478	647	36	24	78
		CWCER362484	696	36	24	84
	Extended Curved Corner - 42" x 24"	CWCER422460	524	42	24	60
		CWCER422466	575	42	24	66
		CWCER422472	637	42	24	72
		CWCER422478	680	42	24	78
		CWCER422484	734	42	24	84
	Extended Curved Corner - 42" x 30"	CWCER423060	590	42	30	60
		CWCER423066	647	42	30	66
		CWCER423072	707	42	30	72
		CWCER423078	758	42	30	78
		CWCER423084	807	42	30	84
	Extended Curved Corner - 48" x 24"	CWCER482460	621	48	24	60
		CWCER482466	671	48	24	66
		CWCER482472	720	48	24	72
		CWCER482478	793	48	24	78
		CWCER482484	824	48	24	84
	Extended Curved Corner - 48" x 30"	CWCER483060	656	48	30	60
		CWCER483066	715	48	30	66
		CWCER483072	776	48	30	72
		CWCER483078	834	48	30	78
		CWCER483084	872	48	30	84

CWD - "D" WORKSURFACE


- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	"D" Worksurface - 24"	CWD2442	373	24	42
		CWD2448	383	24	48
		CWD2460	402	24	60
		CWD2472	431	24	72
	"D" Worksurface - 30"	CWD3042		30	42
		CWD3048	410	30	48
		CWD3060	431	30	60
		CWD3072	478	30	72

WORKSURFACES



CWH - HATCHET WORKSURFACE (LEFT SHOWN)

- Cable scoop is in the center of the 36" wide edge.
- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included
- Must be specified either left or right handed.
- Note: Wood Grain Laminates do not run diagonally on Hatchet Corners

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
 Left Shown	Hatchet Worksurface - Left	CWHL3672	823	36	30	72
	Hatchet Worksurface - Right	CWHR3672	823	36	30	72


CWSW - STRAIGHT WEDGE WORKSURFACES

- Support hardware must be ordered separately. See the listings in this section.
- Must be specified either left or right handed.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
 Straight Wedge Worksurface - Left		CWSW241848	260	24	18	48
		CWSW241854	293	24	18	54
		CWSW241860	323	24	18	60
		CWSW241866	358	24	18	66
		CWSW241872	390	24	18	72
		CWSW302448	323	30	24	48
		CWSW302454	365	30	24	54
		CWSW302460	406	30	24	60
		CWSW302466	446	30	24	66
		CWSW302472	488	30	24	72
 Straight Wedge Worksurface - Right		CWSW182448	260	18	24	48
		CWSW182454	293	18	24	54
		CWSW182460	323	18	24	60
		CWSW182466	358	18	24	66
		CWSW182472	390	18	24	72
		CWSW243048	323	24	30	48
		CWSW243054	365	24	30	54
		CWSW243060	406	24	30	60
		CWSW243066	446	24	30	66
		CWSW243072	488	24	30	72

CWQR - QUARTER ROUND PANEL WORKSURFACE

- The worksurface edge running along the panel is a slightly different length than that of the worksurface end, causing the surface to be handed.
- Left hand surface shown.
- Support hardware must be ordered separately. See the listings in this section.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
 Quarter Round Panel Worksurface - Left		CWQRL2424	154	24	24
		CWQRL3030	204	30	30
	Quarter Round Panel Worksurface - Right	CWQRR2424	154	24	24
		CWQRR3030	204	30	30

WORKSURFACES

CWQRC - QUARTER ROUND PANEL CORNER WORKSURFACE

- Wraps around a 90° corner post.
- Support hardware must be ordered separately. See the listing in this section.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
Quarter Round Panel Corner Worksurface	CWQRC2424	185	24	24
	CWQRC3030	228	30	30



CWT - STRAIGHT TRANSACTION WORKSURFACE

- Support hardware must be ordered separately. See the listings in this section.
- Compile worksurfaces feature a 3mm edge.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
Straight Transaction Worksurface	CWT1512	45	15	12
	CWT1518	60	15	18
	CWT1524	71	15	24
	CWT1530	86	15	30
	CWT1536	98	15	36
	CWT1542	111	15	42
	CWT1548	126	15	48
	CWT1554	137	15	54
	CWT1560	152	15	60
	CWT1566	164	15	66
	CWT1572	177	15	72
	CWT1578	191	15	78
	CWT1584	203	15	84



CWTE - END TRANSACTION SURFACE

- Support hardware must be ordered separately. See the listings in this section.
- Extends 1.5" past end of run.
- Compile worksurfaces feature a 3mm edge.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
End Transaction Surface	CWTE1512	60	15	14
	CWTE1518	71	15	20
	CWTE1524	86	15	26
	CWTE1530	98	15	32
	CWTE1536	111	15	38
	CWTE1542	126	15	44
	CWTE1548	137	15	50
	CWTE1554	152	15	56
	CWTE1560	164	15	62
	CWTE1566	177	15	68
	CWTE1572	191	15	74



WORKSURFACES


CWTCL - "L" CORNER TRANSACTION SURFACE

- Support hardware must be ordered separately. See the listings in this section.
- When specifying this item along with a straight surface, deduct 12" from each return side.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
 "L" Corner Transaction Surface	CWTCL90	129	15	21


CW9T - CORNER TRANSACTION SURFACE FOR 90° POST

- Support hardware must be ordered separately. See the listing in this section.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
 Corner Transaction Surface for 90° Post	CW9T1524	176	15	32.861
	CW9T1530	211	15	38.861
	CW9T1536	243	15	44.861
	CW9T1542	277	15	50.861
	CW9T1548	314	15	56.861


CHCB2 - CORNER BRACKET

- Attaches the corner of any worksurface to a panel connector.
- Priced and shipped in pairs.
- Available in standard paint colors.
- Cannot be used off modular.
- Can be used when a panel is the same depth as the worksurface in the front and back application.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
 Corner Bracket	CHCB2	14	2.5	

CHWB1 - MID SPAN SUPPORT BRACKET

- Does not need to be on module.
- Used when a panel exceeds the depth of the adjacent worksurface.
- Can only be used with a Segmented Panel.
- Comes in unfinished zinc.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
 Mid Span Support Bracket	CHWB1	8		

WORKSURFACES


CHC15 & CHC22- CANTILEVER

- Attaches a worksurface to a panel.
- Use one cantilever to support two convergent worksurfaces when specified with 3 Flat Brackets or two cantilevers with one flat bracket to support two convergent worksurfaces.
- Does not include Flat Brackets.
- Priced individually
- Specify handedness of each cantilever
- Available in standard paint colors.
- Right and left Cantilever needs to be specified unless flat brackets are also specified.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Cantilever - 15"	CHC15L	34	15	6
		CHC15R	34	15	6
	Cantilever - 22"	CHC22L	55	22	6
		CHC22R	55	22	6


CMHC - WORKSURFACE SUPPORT CHANNEL

- Support channel attaches to underside of worksurface with screws
- Support channel should be 14" shorter than top length.
- Screws are included.
- Only available in Black.
- Tops with post legs should be specified with support channel for structural reinforcement.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				L	D
	Worksurface Support Channel	CMHC40 - for 54" wide table	59	40	5
		CMHC46 - for 60" wide table	65	46	5
		CMHC52 - for 66" wide table	71	52	5
		CMHC58 - for 72" wide table	81	58	5
		CMHC64 - for 78" wide table	88	64	5
		CMHC70 - for 84" wide table	98	70	5


CHFB1 - FLAT BRACKET

- Use in conjunction with Cantilever to make it a shared Cantilever to support convergent worksurfaces.
- Used at the front of 2 convergent worksurfaces to keep worksurfaces flush at seams.
- Available in Black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Flat Bracket	CHFB1	13	3	4

CHTB2 - TRANSACTION TOP BRACKETS

- Securely attaches a transaction surface to the top of a panel.
- One pair must be on each side of transaction surface.
- Priced and shipped in pairs.
- Available in Anodized Aluminum only.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Transaction Top Brackets	CHTB2	18		

WORKSURFACES

CHEP - END PANEL

- Supports the worksurface and enhances the stability of connected panels.
- Provides solid support at the end of a run of worksurfaces.
- Finished in thermally-fused laminate.
- Includes flat brackets and hardware.
- End panel height is inclusive of panel glides extended to their fullest height.
- If wood grains is selected, grain runs vertically.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
End Panel - 28"High	CHEP2924	191	28	24
	CHEP2930	224	28	30



CHMSL - MID SUPPORT LEG

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H
Mid Support Leg - Round	CHMSL1	65	28
Mid Support Leg - Square	CHMSL2	65	28



CMHCL & CHHCL - CORNER LEG WITH LEVELER

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and attachment plate.
- 1.5" diameter
- Available in standard paint colors.
- Legs can be used in the corner of a single worksurface or be rotated 45 degrees to support the corners of two worksurfaces.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H
Corner Leg Round	CMHCL1	91	28
Corner Leg Square	CMHCL2	91	28



WORKSURFACES


CHMEGR - METAL END GABLE - RIGHT

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	CHMEG18R	193	28	17	4
	CHMEG24R	205	28	23	4
	CHMEG30R	216	28	29	4


CHMEGL - METAL END GABLE - LEFT

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	CHMEG18L	193	28	17	4
	CHMEG24L	205	28	23	4
	CHMEG30L	216	28	29	4

CHMSL - METAL SUPPORT LEG

- Supports two adjoining worksurfaces and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.
- Flat brackets recommended to ensure alignment of neighboring surface.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	CHMSL12	171	28	11	4

PEDESTAL FILLER BRACKET

- Screws to back of pedestal
- Fills the gap between the pedestal and panel when wing pnael is not used.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W

	Pedestal Filler Bracket-	CHPBF	39	26.875	1.375
---	--------------------------	-------	----	--------	-------

storage

LATERAL FILE FEATURES

DRAWERS/SHELVES

- Drawer interlocking system
- Three-stage, anti-bounceback suspension
- Pre-installed, side-to-side file bars for letter, legal and A4
- Front-to-back file bars – optional
- Full-height dividers – optional
- Angled full pull

CONSTRUCTION

- Top stiffener bar
- Corner gussets
- Four (4) ganging drill points are marked to ensure correct positioning
- Cam lock included
- Leveling glides
- Counterweights are included in 2, 3 and 4 drawer cabinets. BIFMA does not require counterweight in 5 drawer cabinets.

PEDESTAL FEATURES

DRAWERS/SHELVES

- All drawer fronts feature a recessed, angled full pull.
- Drawers feature ball bearing suspension.

CONSTRUCTION

- Central Core removable cam locks.
- Pedestals are 15” wide.
- Counterweight is standard on all Freestanding models.
- Worksurfaces supporting models have holes drilled in top to attach underneath a worksurface.

STANDARD PAINT COLORS

BLACK	BLK
DESIGNER WHITE	DWT
NEVADA	NEV
STEEL	STL

TEXTURED PAINT COLORS

Only available on Compile Storage.

BLIZZARD	BZD
STONE DUST	SDT


GENERAL WARRANTY INFORMATION

- Evolve warrants all components of metal storage and filing for the lifetime of the product to the original purchaser.

This page provides a three dimensional view of a sample configuration highlighting each storage component required when specifying this configuration.

Components


- A.** CSOF13XX KD Overhead
- B.** CSSL13XX Low-Profile Shelf
- C.** CM19XXBBF Worksurface Supporting Box, Box, File Pedestal



STORAGE


CS19XXBBF - WORKSURFACE SUPPORTING BOX/BOX/FILE 15" PEDESTAL

- Worksurface supporting, with predrilled holes in the top.
 - Also available as freestanding with finished top.
 - All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
 - Pencil tray and Lock included.
 - File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Worksurface Supporting Box/Box/File 15" Pedestal	CS1919BBF	347	27 5/8	18 5/8	15
		CS1923BBF	357	27 5/8	22 5/8	15
		CS1929BBF	405	27 5/8	29 5/8	15


CS19XXFF - WORKSURFACE SUPPORTING FILE/FILE 15" PEDESTAL

- Worksurface supporting, with predrilled holes in the top.
 - Also available as freestanding with finished top.
 - All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
 - Lock included.
 - File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Worksurface Supporting File/File 15" Pedestal	CS1919FF	347	27 5/8	18 5/8	15
		CS1923FF	357	27 5/8	22 5/8	15
		CS1929FF	405	27 5/8	29 5/8	15


CS19FXXBBF - FREESTANDING BOX/BOX/FILE 15" PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
 - Pedestal height shown includes glide.
 - Finished top.
- Counterweight, Pencil tray and Lock included.
 - File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Freestanding Box/Box/File 15" Pedestal	CS19F19BBF	357	27 5/8	18 5/8	15
		CS19F23BBF	368	27 5/8	22 5/8	15
		CS19F29BBF	415	27 5/8	29 5/8	15

CS19FXXFF - FREESTANDING FILE/FILE 15" PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
 - Pedestal height shown includes glide.
 - Finished top.
- Counterweight and Lock included.
 - File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Freestanding File/File 15" Pedestal	CS19F19FF	357	27 5/8	18 5/8	15
		CS19F23FF	368	27 5/8	22 5/8	15
		CS19F29FF	415	27 5/8	29 5/8	15

STORAGE

CS19MPXXBBF - MOBILE BOX/BOX/FILE PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
 - Pedestal height shown includes glide.
 - Finished top.
- Counterweight, Pencil tray, and Lock included.
 - File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Mobile Box/Box/File Pedestal	CS19MP19BBF	473	27 5/8	18 5/8	15
	CS19MP23BBF	499	27 5/8	22 5/8	15



CS19MPXXFF - MOBILE FILE/FILE PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
 - Pedestal height shown includes glide.
 - Finished top.
- Counterweight and Lock included.
 - File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Mobile File/File Pedestal	CS19MP19FF	473	27 5/8	18 5/8	15
	CS19MP23FF	499	27 5/8	22 5/8	15



CSMCPXXBFNC - MOBILE BOX/FILE PEDESTAL WITH 60MM CASTERS

- Mobile pedestal that includes one pencil tray and one divider.
 - Includes factory installed counterweight.
 - Lock is standard.
- 60mm high castors.
 - For use with pedestal seat cushion. See model below.
 - Casters do not lock.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Mobile Box/File Pedestal with 60mm Castors	CSMCP19BFNC	515	23.875	18.625	15
	CSMCP23BFNC	525	23.875	22.625	15



STORAGE


CSCUSH15 - PEDESTAL SEAT CUSHIONS

- Cushions will have single stitching at the seams.
 - Velcro included for quick attachment to pedestal file.
 - 1" Cushion will have a rectilinear design on all sides.
- 2" Cushion will have waterfall edges Front and Back,
 - Cushions are for use on CSMCPXXBFNC Mobile Pedestals.
 - Please choose a fabric from the standard cushion textiles on pages 94-96

	DESCRIPTION	PRODUCT CODE	LIST PRICE/GRADES																	DIM./INCH			YRDS
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	H	D	W	
	Pedestal Seat	CSCUSH15X18-5/8x1	141	165	183	210	249	267	302	358	401	449	547	652	636	724	901	1077	1254	1	18.625	15	1
	Cushions - 1" Thick	CSCUSH15X22-5/8x1	159	183	201	228	267	285	320	376	419	467	565	670	651	739	916	1092	1269	1	22.625	15	1
	Pedestal Seat	CSCUSH15X18-5/8x2	157	180	198	225	264	282	317	373	416	464	561	668	820	938	1173	1408	1644	2	18.625	15	2
	Cushions - 2" Thick	CSCUSH15X22-5/8x2	176	200	222	257	307	330	375	447	502	563	689	824	729	828	1026	1225	1424	2	22.625	15	2


CSSL13 - LOW PROFILE SHELF

- 13" deep panel-mounted storage shelf with backlip.
- Mounting brackets are included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Low Profile Shelf - 13"	CSSL1324	84	5	13	24
		CSSL1330	94	5	13	30
		CSSL1336	101	5	13	36
		CSSL1342	110	5	13	42
		CSSL1348	115	5	13	48
		CSSL1354	120	5	13	54
		CSSL1360	125	5	13	60

CSOF13 - KD OVERHEAD


- Mounting brackets are included.
 - Door retracts up and over the cabinet
 - Ready for quick assembly on site.
 - Quality steel construction.
- 60" unit is reinforced for proper weight distribution.
 - Inside dimensions: 12" h x 12.75" d
 - Lock sold separately, see model CMSLK13 - list price \$25 each.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	KD Overhead - 13"	CSOF1324	225	14.5	13	24
		CSOF1330	247	14.5	13	30
		CSOF1336	273	14.5	13	36
		CSOF1342	289	14.5	13	42
		CSOF1348	305	14.5	13	48
		CSOF1354	345	14.5	13	54
		CSOF1360	373	14.5	13	60

STORAGE


CMDAOHXX - CENTER MOUNT OVERHEAD

- Inside dimensions 13" high x 13" deep.
- Laminate Overhead. No doors.
- Available in standard Compile laminate finishes.
- Top mount on panels.
- Overhead Support Brackets are included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Center Mount Overhead - 13"	CMDAOH36	744	15	13	36
		CMDAOH42	808	15	13	42
		CMDAOH48	845	15	13	48
		CMDAOH54	909	15	13	54
		CMDAOH60	945	15	13	60

CMSLK13 - LOCK FOR KD OVERHEAD

- Must be specified seperately.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Lock for KD Overhead	CMSLK13	27		

CMS__ - ADDITIONAL KEY

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	LOCKKEY - Core and Key	CSLOCKKEY	25		

CMADAXXPM - ADA COMPLIANT OVERHEAD STORAGE UNIT


- Panel Mounted Overhead Storage with metal sides and opaque door that retracts on top of the unit
- Meets CSA B651 Barrier Free Design & ADA (American Disabilities Act).
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.25" high x 12" deep.
- Unit includes attachment hardware, lock and mounting brackets. Back not included.
- Shipped partially assembled.
- Available in standard Compile paint colors only. Door made of opaque plastic. **add 10% upcharge for Tungsten

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	ADA Compliant Overhead Storage Unit	CMADA30PM	757	16	14.2	30
		CMADA36PM	817	16	14.2	36
		CMADA42PM	873	16	14.2	42
		CMADA48PM	932	16	14.2	48
		CMADA54PM	990	16	14.2	54
		CMADA60PM	1047	16	14.2	60

STORAGE


CS19XX-1X1FH - ONE 1/2 HEIGHT FIXED FRONT & ONE 12" FIXED FRONT LATERAL FILE

- 1/2 Height Box Drawer.
- 1 Fixed Drawer Front.
- Includes Lock.
- Lateral File Top is required when not installed under a worksurface.
- Counterweights must be specified on lateral files with pull out drawers, unless worksurface supporting, ganged together or anchored to the floor or wall.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	One 1/2 Height Fixed Front & One 12" Fixed Front Lateral File	CS1930P-1x1FH	788	21.75	19.25	30
		CS1936P-1x1FH	840	21.75	19.25	36
		CS1942P-1x1FH	893	21.75	19.25	42



CS19XX-1XSND - ONE 1/2 HEIGHT OPEN SHELF & ONE 12" OPEN SHELF LATERAL CABINET

- 1/2 Height Open Shelf.
- Bottom Open Shelf.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	One 1/2 Height Open Shelf & One 12" Open Shelf Lateral Cabinet	CS1930-1xSND	394	21.75	19.25	30
		CS1936-1xSND	447	21.75	19.25	36
		CS1942-1xSND	499	21.75	19.25	42

CSCUSH19 - LATERAL SEAT CUSHIONS


- Cushions will have single stitching at the seams,
- Velcro included for quick attachment to lateral file.
- 1" Cushion will have a rectilinear design on all sides.
- 2" Cushion will have waterfall edges Front and Back.
- Please choose a fabric from the standard cushion textiles on pages 244-246.

	DESCRIPTION	PRODUCT CODE	LIST PRICE/GRADES																	DIM./INCH			YRDS
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	H	D	W	
	Lateral Seat	CSCUSH19-25X30X1	261	292	316	352	405	430	477	553	611	676	808	950	982	1106	1352	1599	1847	1	19	30	1
	Cushions - 1" Thick	CSCUSH19-25X36X1	270	300	325	362	414	438	486	561	620	684	817	958	1136	1221	1503	1783	2064	1	19	36	1
		CSCUSH19-25X42X1	280	310	335	371	423	448	496	571	629	694	826	968	1143	1230	1511	1791	2072	1	19	42	1
	Lateral Seat	CSCUSH19-25X30X2	290	321	345	381	434	458	505	580	639	703	836	978	1154	1239	1520	1801	2082	2	19	30	2
	Cushions - 2" Thick	CSCUSH19-25X36X2	298	329	353	390	441	467	514	589	647	712	844	986	1173	1258	1538	1819	2100	2	19	36	2
		CSCUSH19-25X42X2	308	339	363	400	452	476	523	599	657	721	854	996	1183	1267	1548	1829	2109	2	18	42	2

STORAGE


CWFT - LATERAL FILE TOPS

- Available in standard Compile finishes.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	D	W
	Lateral File Tops	CWFT1930	117	1	19.25	30
		CWFT1936	120	1	19.25	36
		CWFT1942	154	1	19.25	42
	2 Lateral Files SBS Top	CWFT1960	244	1	19.25	60
		CWFT1972	266	1	19.25	72
		CWFT1984	433	1	19.25	84
	4 Lateral File BTB Top	CWFT3860	487	1	38.75	60
		CWFT3872	555	1	38.75	72
		CWFT3884	658	1	38.75	84


CS19XXP - 2F12 - LATERAL FILES - 2 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Two fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.
- File cannot be used to store standard three ring binders.
- Lock included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Lateral Files - 2 Drawers with Counterweight	CS1930P-2F12	625	27.14	19.25	30
		CS1936P-2F12	672	27.14	19.25	36
		CS1942P-2F12	699	27.14	19.25	42

CS19XXP - 3F12 - LATERAL FILES - 3 DRAWERS WITH COUNTERWEIGHT


- Counterweight is standard. Three fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.
- File cannot be used to store standard three ring binders.
- Lock included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Lateral Files - 3 Drawers with Counterweight	CS1930P-3F12	777	39.52	19.25	30
		CS1936P-3F12	819	39.52	19.25	36
		CS1942P-3F12	856	39.52	19.25	42

STORAGE


CS19XXP - 4F12 - LATERAL FILES - 4 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Four fixed front drawers.
 - Side-to-side hanging file bars included.
 - Drawers are 12.25" high.
- File cannot be used to store standard three ring binders.
 - Posting shelf option NOT available.
 - Lock included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Lateral Files - 4 Drawers with Counterweight	CS1930P-4F12	993	51.89	19.25	30
		CS1936P-4F12	1040	51.89	19.25	36
		CS1942P-4F12	1119	51.89	19.25	42

CS19XXP - 5F12 - LATERAL FILES - 5 DRAWERS

- Four fixed front drawers plus top drawer with receding door and roll-out shelf.
 - Side-to-side hanging file bars included.
 - Drawers are 12.25" high.
- File cannot be used to store standard three ring binders.
 - Posting shelf option NOT available.
 - Lock included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Lateral Files - 5 Drawers	CS1930P-5F12	1182	66.39	19.25	30
		CS1936P-5F12	1234	66.39	19.25	36
		CS1942P-5F12	1302	66.39	19.25	42

SO#

PO#

TAG#

Date

KEY#	SETS REQ'D	KEY#	SETS REQ'D	KEY#	SETS REQ'D	KEY#	SETS REQ'D	KEY#	SETS REQ'D
401		431		461		491		521	
402		432		462		492		522	
403		433		463		493		523	
404		434		464		494		524	
405		435		465		495		525	
406		436		466		496		526	
407		437		467		497		527	
408		438		468		498		528	
409		439		469		499		529	
410		440		470		500		530	
411		441		471		501		531	
412		442		472		502		532	
413		443		473		503		533	
414		444		474		504		534	
415		445		475		505		535	
416		446		476		506		536	
417		447		477		507		537	
418		448		478		508		538	
419		449		479		509		539	
420		450		480		510		540	
421		451		481		511		541	
422		452		482		512		542	
423		453		483		513		543	
424		454		484		514		544	
425		455		485		515		545	
426		456		486		516		546	
427		457		487		517		547	
428		458		488		518		548	
429		459		489		519		549	
430		460		490		520		550	

401-430 =

431-460 =

461-490 =

491-520 =

521-550 =

Total:

NOTE : If Key Alike Instructions are not submitted to EVOLVE with the Customer’s Purchase Order, all components will be keyed randomly.

NOTES




accessories

ACCESSORIES


CATB - TACK BOARD

- Provide a tackable surface for notes and memos in a work area.
- Includes two pairs of panel-mounting brackets.
- Only fabric must be specified.
- 10" to be installed on 42"h panels.
- 21" specified for use under overhead shelf or storage bin.
- 24" for use without any overhangs.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
	Tack Board - 10" High	CATB1024	132	139	10	24
		CATB1030	140	148	10	30
		CATB1036	155	164	10	36
		CATB1042	170	181	10	42
		CATB1048	188	198	10	48
		CATB1054	207	221	10	54
		CATB1060	222	236	10	60
Tack Board - 21" High		CATB2124	192	198	21	24
		CATB2130	208	216	21	30
		CATB2136	237	244	21	36
		CATB2142	270	280	21	42
		CATB2148	303	313	21	48
		CATB2154	333	347	21	54
		CATB2160	365	380	21	60
Tack Board - 24" High		CATB2424	192	198	24	24
		CATB2430	208	216	24	30
		CATB2436	237	244	24	36
		CATB2442	270	280	24	42
		CATB2448	303	313	24	48
		CATB2454	333	347	24	54
		CATB2460	365	380	24	60

CAWB - WHITE MARKER BOARD


- Provides a writing surface within a work area.
- Includes two pairs of panel-mounting brackets.
- 10" to be installed on 42"h panels.
- 21" specified for use under overhead shelf or storage bin.
- 24" for use without any overhangs.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	White Marker Board - 10" High	CAWB1030	127	10	30
		CAWB1036	143	10	36
		CAWB1042	159	10	42
		CAWB1048	183	10	48
White Marker Board - 21" High		CAWB2130	223	21	30
		CAWB2136	251	21	36
		CAWB2142	282	21	42
		CAWB2148	329	21	48
White Marker Board - 24" High		CAWB2430	223	24	30
		CAWB2436	251	24	36
		CAWB2442	282	24	42
		CAWB2448	329	24	48

ACCESSORIES


CALB - LOAD BAR

- Frame available in Steel (STL), Black (BLK), and Nevada (NEV) only.
- Mounting brackets and clear end caps are included.

DESCRIPTION		PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Load Bar	CALB24	107	2.25	24	1
		CALB30	119	2.25	30	1
		CALB36	129	2.25	36	1
		CALB42	150	2.25	42	1
		CALB48	173	2.25	48	1
		CALB54	185	2.25	54	1
		CALB60	198	2.25	60	1


CSABB01 - BINDER BIN

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Binder Bin	CSABB01	56	9	4	10.25


CSALT01 - LETTER TRAY

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Letter Tray	CSALT01	48	2	13.5	9.25

CSASS01 - SLANT SORTER


- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Slant Sorter	CSASS01L	35	9.5	5	10.25
		CSASS01R	35	9.5	5	10.25

ACCESSORIES


EVAMB01 - MEDIA BIN

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See “Textile & Finish Listings” in Introduction for complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Media Bin	CSAMB01	44	3	5.75	5.25


CSAUT01 - UTILITY TRAY

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See “Textile & Finish Listings” in Introduction for complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Utility Tray	CSAUT01	29	1	8.5	3.75


CSAFS01 - FLIP SORTER

- Must be ordered in conjunction with a load bar option. in Introduction for complete list of offerings and conditions.
- Comes with nickel plated wire.
- Available in standard and premium paint selections. See “Textile & Finish Listings”

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Flip Sorter	CSAFS01	41	9.25	2.75	9.25

CSAPP01 - MAIL BOX

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See “Textile & Finish Listings” in Introduction for complete list of offerings and conditions.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Mail Box	CSAPP01	71	9	12	2.75



ACCESSORIES


CSATH01 - TELEPHONE HOLDER

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Telephone Holder	CSATH01	68	2	9	10


CPNP01 - NAME PLATE

- Name Plate attached to 1" increment slots.
- Available in single sided (parallel to panel) or double sided (perpendicular to panel) for isle application displaying name on both sides.
- Injection molded frame and die cast base with black rubberized finish.
- Includes two slide-in name cards, steel brackets and fasteners.
- Available in black only.
- Free template for additional slide-in name cards are available at http://www.evolvefurnituregroup.com/Product_Sheets.html

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Name Plate	CPNP01	104	3.30	5.3	1.25


CMCH01 - COAT HOOK

- Coat hook for Compile panels.
- Available in standard Compile paint finishes: DWT, BLK, STL, NEV.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Coat Hook	CMCH01	44	5.5	0.65	1

CATP91 - TOUCH-UP PAINT KIT

- Available in standard paint colors to facilitate easy touch-ups.
- 1/2 fl. ounce bottle (spray not available).
- Specify color.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Touch-Up Paint Kit	CATP91	34			

NOTES



textiles and finishes

Care and Cleaning

The following guide encompasses the Compile System line.

The guide was compiled using information from our “raw” material suppliers and is relevant only to our standard offering finishes and textiles.

FABRICS

To extend the life of your upholstered panels, regularly dust the panel to prevent airborne particles from penetrating the fabric surface.

For light soiling, use a damp cloth and blot the spot with very slight pressure, taking care never to soak the fabric. Dry with a clean cloth by blotting - never rub fabric. More intense stains can be treated the same way, but with a mild detergent. Always test fabric first in an unseen area before using any cleaning method.

PANEL FRAMES

The panel frames are manufactured out of sturdy aluminum with a powder coated enamel paint finish. To clean the frames of the panels, and all hardware associated with the Evolve line, simply utilize a clean, damp cloth. For stubborn stains on the panel frames, you may consider adding a mild detergent.

GLAZED PANELS

Cleaning of the glazing in panels should only be done with a damp lint-free cloth. A mild detergent can be used if necessary. Do not use paper towels in combination with a window cleaner-this may cause scratches to the glazing.

WORKSURFACES

The worksurfaces are manufactured using primarily Nevamar Brand laminates as the exposed surface. To properly clean these areas, it is best to use a clean, damp cloth and circular motion to prevent streaks. For stubborn stains, you are able to add a mild detergent to the water. Be certain not to use an ammonia-based solution. It will react with the PVC, or wood edge trim, causing permanent damage to the contacted areas.

ACCESSORIES

The accessories sold with the Evolve product line can be simply cleaned with a clean, damp cloth. If they are really dirty, a mild, non-abrasive solution may be added. Wipe with a damp cloth after the solution, and finally, a dry cloth.

LAMINATES – THERMALLY FUSED & HIGH PRESSURE

Absolute Acajou*	ACJ
Asian Night*	ASN
Avant Cherry*	AWC
Avant Honey*	AWH
Black*	BLK
Blizzard*	BZD
Blizzard Matrix	BMX
Brushed Cobalt*	BRC
Clear Maple*	CMB
Custom Grey	CGY
Dark Espresso*	DES
Designer White*	DWT
Grey	GRY
Grey Matrix	GRX
Hayden Grey (Taupe)*	HGT
Hayden Linen	HLN
Quartered Mahogany*	QTM
Shaker Cherry*	SKC
Stone Dust	SDT
Stone Linen	SLN
Storm Grey	SOG
Studio White Matrix	SWX
String	STG
Tiger Fruitwood*	TFW
Tiger Maple*	TMP
Tiger Walnut*	TWL
Walnut Heights*	WHE
Willow Grey	WGY
Winter Cherry	WCR
White Chocolate*	WHC

Additional paint and laminates may be available. Contact Evolve Customer Support for details.

* Matching Wood Grain PVC edge available.

* PVC panel and connector trims are discontinued. Effective 12/2014

* 1 1/8" Worksurfaces are discontinued. Effective December 2014

PVC EDGE TRIM

Absolute Acajou	AAE
Asian Night	ASE
Avant Cherry	ACE
Avant Honey	AHE
Black	BLK
Blizzard	BZD
Brushed Cobalt	BRC
Charcoal	CHR
Clear Maple	CMB
Dark Espresso*	DES
Designer White	DWE
Nevada	NEV
Quartered Mahogany	QTM
Shaker Cherry	SKE
Silver	SIL
Taupe	TPE
Tiger Fruitwood*	TFW
Tiger Maple*	TMP
Tiger Walnut*	TWL
Tungsten	TUN
Walnut Heights	WHE
White Chocolate*	CBE
Winter Cherry	WCR

* 1 7/16" HPW PVC Trim for Worksurfaces is not available in Dark Espresso (DES), Tiger Fruitwood (TFW), Tiger Maple (TMP) and Tiger Walnut (TWL).

WOOD VENEER WORKSURFACES*

Biscotti	VBO
Caramel Bamboo	VBM
Cocoa Walnut	VCW
Dark Cherry	VDC
Espresso Walnut	VEW
Hazelnut	VHM
Honey Maple	VMS
Java	VJO
Latte Walnut	VLW
Natural Cherry	VNC
Natural Maple	VMP
Red Cherry	VRC
Tuscan Walnut	VTW
Walnut	VWL
Warm Cherry	VWC

All wood veneer worksurfaces are 1.38" thick.

*Note: Wood veneer options for worksurfaces are available at an up charge and with an extended lead time. Contact Evolve Customer Support for details.

PAINT & FRAME COLORS

(for application to trim, steel components, PVC, vertical and horizontal members)	
Black	BLK
Designer White	DWT
Nevada	NEV
Steel	STL

ACCENT PAINTED FINISHES

Crystal Blue	CYB
Lime Green	LMG
Orange Flame	ORF
Steel Blue	STB
Vermilion Red	VLR

Accessory painted finishes are subject to 10% upcharge and minimum order of 50 pieces, orders under 50 pieces subject to \$500 net fee



PANEL FABRICS – GRADE 1**Anchorage** - 35% Post - consumer Recycled Polyester and 65% Pre -consumer Recycled Polyester

Birch	AN40
Green Apple	AN41
Lapis	AN42
Straw	AN43
Wolf	AN44
Goose	AN45
Angora	AN46
Cumin	AN47
Asteriod	AN48
Geranium	AN49
Thistle	AN50
Graphite	AN51
Slate	AN52
Quarry Blue	AN53
Onyx	AN54
Pumpkin	AN55
Red Delicious	AN56
Sunshine	AN57
Magenta	AN58
Waterfall	AN59
Green Olive	AN60
Vanilla	AN61
Cobalt	AN62

Birdseye - 100% Recycled Polyester

Outlook	BE21
Rock	BE22
Vista	BE23
Impression	BE25
Glide	BE26
Panorama	BE27
Flight	BE29

Chance - 63% Virgin Polyester, 37% Post-Consumer Recycled Polyester

Mist	CN51
Dill	CN52
Island	CN53
Plaza	CN54
Tranquil	CN55
Malt	CN56
Navajo	CN57
Prairie	CN58
Cinder	CN59
Oasis	CN66

Linea - 100% Post Consumer Recycled Polyester

Queue	LN41
Cord	LN42
Twine	LN43
Thread	LN44
Contour	LN45
Silhouette	LN46
Cable	LN47
Route	LN48

Loopy - 100% Recycled Polyester

Oyster	LP60
Putty	LP61
Marble	LP62
Hazelnut	LP63
Latte	LP64
Bay	LP65
Wild Rice	LP66
Harbor	LP67

Meander - 100% Polyester

Sandshell	MN71
Overcast	MN72
Agate Taupe	MN73

Melody - 100% Recycled Polyester

Spray	ME40
Pond	ME41
Sand Bar	ME42
Silt	ME43
Pebble	ME44
Lake	ME45
Gravel	ME46
Boulder	ME47

Pact - 65% Post Industrial Recycled Polyester / 35% Post-Consumer Recycled Polyester

*Grade 1 + 10%	
Midnight	PA51
Sketch	PA52
Harbor	PA53
Dove	PA54
Putty	PA55
Lime	PA56
Eureka	PA57
Delft	PA58
Coastal	PA59
Nectar	PA60
Rubine	PA61
Roma	PA62

Pinpoint - 100% Post-Consumer Recycled Polyester

Bliss	PN11
Delight	PN12
Dune	PN13
Infusion	PN14
Ebony	PN15
Fresh	PN16
Carrot	PN17
Splash	PN18
Vibe	PN19
Gala	PN20

Script - 89% Post-Consumer Recycled Polyester / 11% Polyester.
*Grade 1 + 10%

Almond	SC60
Patina	SC61
Sterling	SC62
Slate	SC63
Charcoal	SC64
Flint	SC65
Taupe	SC66
Feldspar	SC67
Pebble	SC68
Shadow	SC69

Streak - 100% Recycled Polyester

Beach	SR81
Shade	SR86
Stretch	SR88
Sprint	SR89
Roll	SR91
Dart	SR92
Zoom	SR93
Splash	SR94
Whiz	SR95
Flash	SR96

Tek - 100% Recycled Polyester

Finesse	TX60
Grain	TX61
Essence	TX62
Warp	TX64
Mesh	TX67
Form	TX69
Spice	TX71
Glacier	TX72
Spring	TX73
Harmony	TX74
Smoke	TX75
Pebble	TX76

Terrace - 100% Post-Consumer Recycled Polyester

Lotus	TC60
Tigerlily	TC61
Shadow	TC62
Cobble	TC63
Cherry Blossom	TC64
Bluebell	TC65
Apple	TC66
Haze	TC67
Cerise	TC68
Twilight	TC69
Wintergreen	TC70
Ironwork	TC71
Flirt	TC73
Echo	TC74
Glacier	TC75

Universe - 100% Polyester

Milkyway	UV01
Creme Brulee	UV02
Whitecap	UV03
Wheat	UV04
Seneca	UV05
Mica	UV06
Cosmic	UV07
Depth	UV08

PANEL FABRICS— GRADE 2

Cyclone - 56% post-consumer recycled polyester and 44% polyester.

Stove Pipe	IM37
Stainless.....	IM40
Polished Pewter	IM41
Welded Steel	IM43
Etched Bronze.....	IM44
Fired Titanium.....	IM46
Chrome.....	IM49
Dark Annealed.....	IM50
Karat.....	IM54
Red Metal.....	IM55
Oxidized Bronze.....	IM56
Bright Ray.....	IM57
Bismuth Crystal	IM58
Gallium Blue.....	IM59

Dashing -100% Post-Consumer Recycled Polyester

Classic Silver.....	DS21
Refined Marble.....	DS22
Antique Sage.....	DS23
Polished Slate	DS24
Genteel Beige	DS25
Bespoke Tan.....	DS26
Dapper Grey.....	DS27

Frost - 100% EcoPolyester

Dew.....	FR30
Earth.....	FR31
Blight.....	FR32
Chill.....	FR34

Mesh - 100% Recycled Polyester

Canyon.....	B33A
Napa Valley.....	B34A
Huntington.....	B36A
Huron.....	B37A
Heartland.....	B39A
Oat.....	B81A
Pepper	B82A
Limestone.....	B84A
Zinc.....	B86A

Peripheral - 100% Eco Polyester

Smut.....	PE82
Smudge	PE83
Coal	PE84
Ash	PE85
Cream	PE86
Powder	PE87

Punch Card - 78% Polyester / 22%

Recycled Polyester.

*Maximum panel width is 48'.

Crisp	PU61
Orange.....	PU62
Alabaster.....	PU63
Crimson	PU64
Sky.....	PU65
Putty.....	PU66
Burgundy	PU67
Cadet	PU68
Silver Lining.....	PU69
Navy.....	PU70
Carbon	PU71
Peat	PU72
Abyss.....	PU73

Quadrille - 52.5% Polyester / 47.5%

Recycled Polyester

*Maximum panel width is 48'

Escapade	QU30
Shenanigan	QU31
Revelry	QU32
Spring.....	QU33
Regalia	QU34
Soiree.....	QU35
Zest.....	QU36
Gambol.....	QU37
Leisure	QU38
Fair	QU39
Fiesta.....	QU40
Carnival	QU41
Spree	QU42
Opus	QU43
Jubilee.....	QU44
Masquerade	QU45
Cabarets	QU46



GRADE 1**Drama** - 65% Olefin / 35% Polyester

Grey	D801
Dusk	D802
Navy Blue	D803
Black	D804
Burgundy	D805
Sage	D806
Beige	D807
Denim Blue	D808
Wheat	D809
Tan	D810

Hudson - 100 Post-Consumer Recycled Polyester

Cordovan	HD02
Ruby	HD03
Orange	HD04
Wheat	HD05
Meadow	HD06
Coffee	HD07
Grey	HD08
Mocha	HD09
Thyme	HD10
Carbon	HD11
Midnight	HD12
Ocean	HD13
Cerulean	HD14

Jenny - 100% Polyester

Midnite	JN01
Ebony	JN02
Slate	JN03
Vermilion	JN07
Admiral	JN08
Charcoal	JN11
Silver Lining	JN25
Oatmeal	JN26
Sunflower	JN27
Cascade	JN28
Harvest	JN29
Mellon	JN30
Berry	JN31
Green Grass	JN32
Roast	JN33

Mock Leather - 100% Polyvinyl

Chloride	
Black	550
Chamois	559
Surf	570
Latte	571
Melon	572
Delta	573
Bronze	574
Rouge	575
Jade	576
Graphite	577
Chaps	578
Cabernet	579
Alpine	591

Pebbles - 100% Polypropylene

Clay	PB01
Fawn	PB02
Sea Side	PB03
Stone	PB04
Marine	PB05
Atrium	PB06
Rhapsody	PB07
Ocean	PB08
Asphalt	PB09

Quilt - 100% Polyester

Black	QL10
Charcoal Grey	QL11
Navy	QL14
Wine	QL16
Silver	QL19
Feather	QL20
Dune	QL21
Meadow	QL22
Cadet	QL23
Geranium	QL24
Daisy	QL25
Quest	QL26
Punch	QL27
Tangerine	QL28
Cocoa	QL29

Sprinkle - 68% Olefin / 32% Polyester

Cabernet	S101
Plum	S102
Barley	S103
Copper	S104
Sapphire	S106
Jade	S107
Stone	S108
Cobalt	S109
Black	S110
Graphite	S111

Station - 61% Recycled Polyester / 39% Polypropylene

Green Olive	SN81
Sterling Silver	SN82
New Silver	SN83
Wheat	SN84
Sand	SN85
Sapphire	SN86
Tomato	SN87
Copper	SN88
Marine	SN89
Night Time	SN90
Charcoal	SN91
Taupe	SN92
Milk Chocolate	SN93

Terrace - 100% Post-Consumer

Recycled Polyester	
Lotus	TC60
Tigerlily	TC61
Shadow	TC62
Cobble	TC63
Cherry Blossom	TC64
Bluebell	TC65
Apple	TC66
Haze	TC67
Cerise	TC68
Twilight	TC69
Wintergreen	TC70
Ironwork	TC71
Pine Cone	TC72
Flirt	TC73
Echo	TC74

Urban - 62% Recycled Polyester / 32%

Polyester	
Red Rose	UR10
Ocean Blue	UR11
Blue Bayou	UR12
Green Grass	UR13
Sandcastle	UR14
Beach Day	UR15
Boardwalk	UR16
Earth	UR17
Brown Ridge	UR18
White Sand	UR19
Granite Rock	UR20
Gravel Road	UR21
Black Coal	UR22

Waterfall - 60% Virgin Polyester / 40%

Post - Consumer Recycled Polyester	
Trance	WA40
Tryst	WA41
Splash	WA42
Victoria	WA43
Imagine	WA44
Sky	WA45
Rainforest	WA46
Rumble	WA47
Prism	WA48
Tranquility	WA49
Grand	WA50
Rushing	WA51
Majestic	WA52
Pacific	WA53
Dance	WA54

GRADE 2 (FABRIC)**Crescent** - 100% Nylon with Teflon

Designed to color coordinate with Renewal and Quantum fabrics.	
Cocoa	700
Pear	701
Silver	702
Oatmeal	703
Lemon	704
Flame	705
Stem	706
Ruby	709
Raven	789
Cobalt Blue	790
Cinder Grey	792
Pine	799
Arctic	800

Imprint - 100% Post-Consumer

Polyester	
Almond	IM70
Cork	IM71
Sand	IM72
Currie	IM73
Candy Apple	IM74
Ocean	IM75
Navy	IM76
Green Tea	IM77
Celery	IM78
Oregano	IM79
Walnut	IM80
Paprika	IM81
Graphite	IM82
Slate	IM83
Licorice	IM84

Match - 100% Recycled Polyester

Desert	MT20
Sand	MT21
Moss	MT22
Orange	MT23
Sunset	MT24
Blue	MT25
Wave	MT26
Green	MT27
Chocolate	MT28
Burgundy	MT29
Grey	MT30
Quarry	MT31
Black	MT32
Arctic	MT33

GRADE 2 (FABRIC) - CONTINUED

Renewal - 70% Nylon / 30% Recycled Polyester with Teflon Designed to color coordinate with Crescent and Quantum fabrics.

Pewter	RN30
Cork	RN31
Cherry Fields	RN32
Volcanic Ash	RN33
Thunderstorm	RN34
Blue Grass	RN36
Leaf	RN38
Melon	RN39
Blueberry	RN40
Blue Bayou	RN41
Tomato	RN44
Amethyst	RN45
Ochre	RN47

Replay - 100% Post-Consumer Recycled Polyester

Taupe	RP20
Caramel	RP21
Paprika	RP22
Wine	RP23
Ocean	RP24
Navy	RP25
Pistachio	RP26
Moss	RP27
Turquoise	RP28
Teal	RP29
Autumn	RP30
Dark Chocolate	RP31
Slate	RP32
Dove	RP33
Coal	RP34

Silhouette - 100% Nylon with Teflon Designed to color coordinate with Cumulus and Oxygen fabrics.

Asphalt	SL20
Acorn	SL21
Indigo	SL22
Shiraz	SL23
Verdant	SL24
Bronze	SL25
Camel	SL26
Jade	SL27
Sienna	SL28
Charcoal	SL30
Claret	SL32
Hunter	SL35
Sapphire	SL36

GRADE 2 (VINYL)

For availability of chair series in Vinyl, please contact a Global Sales Representative.

Allante - 100% Vinyl Face / 100%

Polyester Backing	
Cadet	A01E
Light Neutral	A02E
Charcoal	A03E
Regimental Blue	A11E
Galaxy	A13E
Burgundy	A17E
Wine	A18E
Nu-Red	A19E
Elephant	A21E
Cinnamon	A22E
Beach Wood	A23E
Teak	A24E
Light Sand	A25E
Cream	A26E
Medium Beige	A27E
Light Sandlewood	A29E
Light Parchment	A31E
Sea Oyster	A32E
Espresso	A33E
Medium Neutral	A35E
Nu-Antelope	A36E
Dark Pewter	A38E
Nu-Shale	A40E
Grey	A41E
Bisque	A42E
Black	A43E
Ash	A44E
Medium Grey	A45E
Pearl Grey	A46E
White	A48E
Tundra	A49E
Harvest	A50E
Magnolia	A51E
River Blue	A52E
Meadow	A53E
Hideaway	A54E
Sea Cruise	A55E
Reef	A56E
Parrot	A57E
Khaki	A58E
Tumbleweed	A59E
Cayenne	A60E
Butterscotch	A61E
Twine	A62E
Mango	A63E

GRADE 3 (RECYCLED)

Couture - 100% Post-Consumer

Polyester	
Champagne	CE70
Mocha	CE71
Pecan	CE72
Raspberry	CE73
Sapphire	CE74
Neptune	CE75
Lake	CE76
Willow	CE77
Sassy	CE78
Fudge	CE79
Persimmon	CE80
Carbon	CE81
Sterling	CE82
Peat	CE83

GRADE 5

Genuine Leather/Mock Leather

combinations - 100% Leather / 100%

Polyvinyl Chloride	
Black	450/550
Chamois	459/559
Surf	470/570
Latte	471/571
Melon	472/572
Delta	473/573
Bronze	474/574
Rouge	475/575
Jade	476/576
Graphite	477/577
Chaps	478/578
Cabernet	479/579
Alpine	491/591

GRADE 8

Genuine Leather 100% Leather

Black	450
Chamois	459
Surf	470
Latte	471
Melon	472
Delta	473
Bronze	474
Rouge	475
Jade	476
Graphite	477
Chaps	478
Cabernet	479
Alpine	491



PANEL COM REQUEST FOR APPLICATION TEST

SEND COMPLETED FORM AND FABRIC TO:

Compile Customer Service
555 Petrolia Road
Toronto, Ontario M3J2X8
Phone: 416.739.5000

Requested By: _____

Phone #: _____ Fax #: _____

Dealer/Specifier _____

Dealer Contact: _____ Evolve CSR: _____

Phone #: _____ Fax #: _____

FABRIC INFORMATION

Fabric Manufacturer: _____

Color Name: _____ Color #: _____

Pattern Name: _____ Pattern #: _____

Content: _____

Weight: _____ Width: _____

Repeat Horizontal: _____ Repeat Vertical: _____

Other Comments: _____

REQUEST FOR APPLICATION TEST (THIS REQUIRES 2 YARDS OF FABRIC)

_____ Compile Panel _____ Compile Tackboard

Total Number of yards for testing: _____

Please Note:
Compile is not responsible for the duty and brokerage fees for C.O.M. Fabric to clear customs. These charges will be billed to the dealer on a separate invoice.

PANEL FABRIC SPECIFICATION SHEET

SEND COMPLETED FORM TO: Compile Customer Support 555 Petrolia Road Toronto, Ontario M3J2X8 Phone: 416.739.5000		
SUPPLIER PATTERN WIDTH CONTENT	REMARKS: 	
LIGHT FASTNESS FLAMMABILITY TUNNER TEST	REMARKS: 	
CUT PRICE 1 - 3 ROLLS 4 ROLLS	REMARKS: 	
DIRECTIONAL PANELS CORNERS RACEWAY COVER RACEWAY CORNERS STRETCH	REMARKS: 	EASY HARD X-HARD
APPROVED <input type="checkbox"/> NOT APPROVED <input type="checkbox"/> CONDITIONAL APPROVAL <input type="checkbox"/>		
REMARKS: 		
* This fabric is approved for upholster-ability only. The approval does not account for the durability of the fabric at the time of, and after installation of the product		
APPROVAL SIGNATURE: DATE:		



C.O.M AUTHORIZATION FORM FOR COMPILE PEDESTAL CUSHIONS

CUSTOMER INFORMATION

To be completed by the dealer/design firm. Use one form per textile. Incomplete information may delay or prevent approval.

A+D/Dealer/Company Name:		Contact:	Date:
Billing Address:		Phone:	
City:	State:	Zip:	Fax:
End-User/Project Name:		End-User/Project Registered?	YES NO If YES, The Evolve Quote#:

TEXTILE APPLICATION INFORMATION

MODEL NUMBER	QUANTITY	SPECIAL INSTRUCTIONS

Textile Name (Series/Style #):

Textile Color Name and Description:

Country of Origin:

Mill or Manufacturer's Name:


Textile Content (% Cotton, % Poly, % Wool, etc.):

Textile Width:

Pattern Repeat: VERTICAL HORIZONTAL

Rail Roaded? YES NO

TEXTILE DIRECTION



STAPLE FABRIC TO THIS FORM IN THE DIRECTION IN WHICH THE FABRIC IS TO BE UPHOLSTERED WITH THE LEFT SIDE OF THIS PAGE BEING THE SAME LEFT AS THE CUSHION.

NEW TEXTILE

Attached textile sample
(Minimum 5"x 5" Max 12"x 12")
In correct DIRECTION and SIDE.

PREVIOUSLY APPROVED TEXTILE

Fax completed form to: 856.596.5684

MAIL FORM AND TEXTILE SAMPLE ONLY TO:

GLOBAL - COM Department
17 West Stow Road
Marlton, NJ 08053 | 856.596.3390

Please contact your local EVOLVE CustomerCare representative for status of all COM requests. When textile is approved and an authorization number issued, a set of shipping instructions will be faxed or e-mailed to you.

Approved textiles are to be shipped to the address that will be included with instructions. Do not ship textiles to the address on this form. Dealer is responsible for the shipping expenses. Brokerage fees will be paid for by Global. However, duties imposed by North American Governments related to textile materials, content and Country of Origin, additional fees may apply and will be billed separately.

Please Note: C.O.M Textiles may not be shipped without shipping documents. GLOBAL is not responsible for any material shipped without the authorization number.

Please be advised that Global has phased out the use of textiles that contain certain Phthalates, including but not limited to: DEHP (di (2-ethylhexyl) phthalate), DBP (di-n-butyl phthalate), BBP (butyl benzyl phthalate) and DINP (di-isononyl phthalate) (collectively the "Listed Chemicals"). The Listed Chemicals are used in certain types of vinyls. Global cannot accept orders for textiles that contain the Listed Chemicals, if such orders are to be shipped to the U.S.A. or are intended for customer in the U.S.A. If you are not sure if the C.O.M you have selected contains the Listed Chemicals, please contact the manufacturer or supplier of the fabric to verify.

EVOLVE AUTHORIZATION FORM (TO BE COMPLETED BY CUSTOMERCARE REP.)

CAN#:

TEXTILE YARDAGE (REQUIRED FOR THE ORDER):

GU CODE:

SIGNATURE: _____

PRINT NAME: _____

DATE: _____



APPENDIX

The Evolve Furniture Group has partnered with the software vendors listed below to provide you with an online source for viewing the 2014 Compile Electronic Catalog. Please visit their websites for additional information and download details.

2020 Technologies

www.2020technologies.com
5503 Mile Road NW
Grand Rapids, MI 49544
Phone: 800-638-6002

Ice Edge Business Solutions

www.ice-edge.com
4001 S 700 East, Suite 450
Salt Lake City, UT 84107
Phone: 801-747-0373

KISP

www.kisp.com
Customer Support: 416-499-2457
Cad Services Team: 416-499-2457 x3
Customer Service e-mail: tellmemore@kisp.com
CAD Services requests CadServices@kisptech.com

Project Matrix

www.projectmatrix.com
11655 Lebanon Rd.
Cincinnati, OH 45241
Tech Support Instant Messenger: projectmatrixtech@yahoo.com
Phone: 513.554.1665
Fax: 513.554.1255

Quintero-Smith Incorporated/Midnight Oil

www.midnight-oil.com
10469 Kinnard Avenue
Los Angeles, CA 90024
voice: 800-350-7434 (US Only)
international: 310-478-5140
fax: 310-478-4572
e-mail: jimsr@q-si.com



TERMS & CONDITIONS

APPLICATION OF STANDARD TERMS

Sales of Evolve products are made only on Evolve standard terms and conditions of sale which are contained in the Price Book and in Evolve's order acknowledgments. These standard terms and conditions may be modified or supplemented only by a separately written document signed by Evolve's authorized personnel at its head office in Marlton, New Jersey. An offer by Purchaser of said terms and conditions shall not be binding until accepted by Evolve in writing.

All illustrations, specifications and prices in this Price List are based on the latest product information available at the time of publication. Evolve reserves the right to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

PRICES AND PAYMENT

The prices shown in this Price List, as well as those quoted by Evolve, shall be in US dollars for orders shipped to destinations within the continental United States.

Prices listed herein are for standard product. Quotations for special product are available through Evolve Customer Support Department in Marlton, New Jersey.

If shipping date requested is more than 90 days from date of order Evolve shall use published list prices effective at the time of shipment.

Not included in the list price are special or export packing, unpacking and installation. Orders are invoiced at the time of shipment. The Customer agrees to pay a charge of 2% per month of invoices outstanding more than 30 days.

FOR PAYMENTS ONLY, MAIL TO:

Evolve Furniture Group, a division of:
Global Industries, Inc.
17 West Stow Road
P.O. Box 562
Marlton, New Jersey 08053

Any products sold shall remain the property of Evolve until fully paid for in cash. The Purchaser agrees to perform all acts which may be necessary to perfect and assure retention of title to such products to Evolve until such time as the goods have been paid for in full.

Freight charges will be prepaid by Evolve to destinations within the contiguous United States on shipments of \$10,000 list and greater. For shipments less than \$10,000 list, the freight charge will be 5% of the total list price.

Please note exception below:

All showroom and mock-up orders will be subject to actual freight charges.

Evolve shall, in its sole discretion, determine the most appropriate method of shipment routing and carrier. Shipments of less than a full trailer load (LTL) shall ship via common carrier. **These LTL shipments are not subject to specific delivery days or times.** Full trailer loads will provide for dedicated delivery time and schedule. Purchaser may request special packaging or method of shipment at Purchaser's sole expense.

TAXES

All sales, use, excise and other applicable taxes and the collection and reporting thereof (excluding only taxes on the net income of Evolve) are the Purchaser's responsibility and will be invoiced to the Purchaser. If Purchaser claims an exemption from such taxes, it shall be the Purchaser's responsibility to furnish an appropriate exemption certificate to Evolve.

ORDER INFORMATION

Evolve requires that **all orders be submitted in writing** to avoid errors and/or duplication. Orders will be acknowledged with Evolve's acknowledgement forms governing the transaction. The details appearing on the acknowledgement will describe the items to be shipped to Purchaser who must ascertain that they are correct. If not correct, Purchaser should notify Evolve immediately by telephone or fax followed by written confirmation. Acknowledgment shows approximate shipping date of items ordered. **Shipping dates are assigned to orders based on the item having the longest manufacturing lead time.** Orders with Customer's Own Material (C.O.M.), or missing or incorrect information (finish selections, fabric selections, etc.) will be scheduled for manufacturing upon receipt of COM or correct complete information. Purchaser must indicate if multiple shipping schedules are required including noting if the shipping date requested is longer than standard posted lead time. Each shipment will be invoiced at time of shipping and will be subject to payment terms described herein.

C.O.M. CUSTOMER'S OWN MATERIAL

Should Purchaser request a fabric, not standard to the Evolve upholstery line, Purchaser shall submit a sample of not less than two yards for approval. Evolve will determine whether fabric is suitable to manufacturing process and applicable UL or code requirements. Should Evolve be required to test such fabric, it shall so advise Purchaser, and Purchaser shall be responsible for all costs associated therewith. This includes all duty and brokerage fees.

Fabric yardage requirement will be determined by Evolve. An additional charge may be made to cover the cost of cutting, matching or sewing unusual or directional patterns. Evolve shall have no responsibility for condition, quality, performance, physical properties or any other aspect of C.O.M. For panels, price as if grade 1 fabric is used.

Evolve reserves the right to reject any C.O.M. deemed unsuitable.

Evolve reserves the right to cancel an order at any time if C.O.M. is, in the sole judgement of Evolve, inadequate for any reason.

CHANGES AND CANCELLATION

The order may not be changed or cancelled by Purchaser without the written consent of Evolve. This charge can be as much as 100% based upon proximity to scheduled shipment date. Special order items and fabric-covered items already in production are not subject to change or cancellation under any circumstances. Fabric-covered items are considered to be in production once the fabric has been cut.

DEPOSIT ON SPECIAL ORDERS

Orders for nonstandard products may, at Evolve's discretion, require deposit prior to scheduling of production, the amount of the deposit being credited against the total price of the project.

SUSPENSION

In the event that the Purchaser defaults in the payment of any sum due Evolve, or in the event the Purchaser's financial condition becomes unsatisfactory to Evolve, Evolve shall have the right at its option, upon written notice to the Purchaser, to cancel shipment of any goods, unless within ten (10) days of Purchaser's receipt of such notice Purchaser provides assurance of payment to Evolve in such form, content and/or amounts as Evolve, in its sole discretion, deems adequate.

COMBINED SHIPMENTS

Evolve will make every effort to combine shipments and orders on written request. However, acceptance of such request shall be with Evolve's sole discretion.

CODE RESTRICTIONS

Evolve portable furniture may be subject to local fire, electrical and/or building codes applicable to portable furniture. It shall be Purchaser's sole responsibility for the proper application of Evolve items within the limitations of such local codes, which may be different from area to area.

SERVICE

Service problems shall be handled by the authorized Evolve dealer. Where this cannot be accomplished on a local level, service problems should be referred to:

Evolve Furniture Group
Customer Support
17 West Stow Road
Marlton, New Jersey USA 08053
856-552-4000 888-827-2500
Attention: Evolve Operations Manager



TERMS & CONDITIONS

STORAGE

In the event Purchaser requests postponement of delivery beyond the acknowledged shipping date, Evolve may transfer the goods to storage on Purchaser's account and at Purchaser's risk and expense subject to a daily storage rate. Such transfer to storage shall be deemed shipment to Purchaser for all purposes, including invoicing and payment.

DELAYS

Evolve's order acknowledgement will state a shipping date which is Evolve's best estimate at the time the order is acknowledged. However, Evolve shall not incur any obligation or liability to Purchaser for failure to ship by a specified date. In addition, Evolve shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgement where such delay, failure, loss or damage is the proximate result of any act of any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, act of enemies, delay or default in transportation, strike disputes among or between unions or other labor disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of Evolve, whether of the class of causes enumerated or otherwise. Without limiting the generality of the foregoing, Evolve may, without causing any breach or incurring liability, allocate goods which are in short supply, regardless of the reasons therefore, among purchasers, in any manner which Evolve, in its sole discretion, deems advisable.

BACK CHARGES

Evolve will not accept charges for expense incurred by the Purchaser in expediting shipments or otherwise. Evolve will not accept charges for the repair of damage by others.

CLAIMS

All goods are sold F.O.B. Toronto, Canada, unless otherwise agreed to in writing by Evolve. Evolve is not responsible for damage which occurs in transit or in storage. The carrier signs for all goods received in good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Any claims made against Evolve for apparent defects, errors or shortages must be made by the Purchaser in writing, within fifteen (15) working days after any delivery. Failure by the Purchaser to make any claim against Evolve within the above-described ten days shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

RETURNS

No returns of goods will be accepted without written consent and shipping instructions, including Evolve's Return Goods Authorization (R.G.A.) numbers, to Evolve. A minimum restocking charge of 35% is made on all authorized returns for credit or refund, provided goods are received by Evolve in the condition in which they left the factory. No credit will be given if goods cannot be reused. Special order items and fabric-covered items are in no event subject to return. All returns must be approved and authorized in writing by Evolve Customer Support, Marlton, New Jersey.

LIFETIME WARRANTY

Evolve warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original purchaser. This warranty is made by Evolve only to original customers acquiring the product directly from Evolve's authorized dealers. The customer's sole remedy pursuant to this warranty is limited to repair or replacement of parts or product at Evolve's option. Consent from Evolve must be obtained before any warranty work is performed. This warranty shall not apply to any products which must be replaced because of normal wear and tear, negligence, abuse or "accident", shipping damage, or product use and installation other than in accordance with written instructions or warnings. It shall also not apply when product has been modified or altered, repaired or refurbished by someone other than Evolve or an authorized dealer or because of natural variations over which Evolve has no control. In the event of repair and/or replacement of any defective product, Evolve does not warrant matching color, grain, texture or dye lots. Evolve's warranty does not cover the cost of transportation or labor. Repair or replacement will be at Evolve's option. Evolve makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, expressed or implied, other than those set forth in this Price List. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Evolve be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

This Lifetime Warranty is NOT applicable to customers who use Evolve products for rental purposes and is effective only for products, parts or components manufactured after January 1, 2011.

Exceptions to this warranty include:

- Global fabrics and wood veneers, which are warranted for five years from date of delivery.
- Electrical components, which are warranted for ten years from the date of delivery.
- Moving parts such as glides, slides, casters, user-adjustable worksurface mechanisms, which are warranted for five years from date of delivery.

- Fading on fabric and wood veneers can be caused by exposure to U.V. rays/sunlight. Natural wood veneer, being a natural material, will have shade differences between veneer sheers, the difference will be more apparent between dye lots.

Evolve does not warrant color fastness on Customer's Own Material.

Because of natural variations over which Evolve has no control, this warranty does not extend to color, grain or texture of wood, and Evolve does not warrant matching of color, grain or texture.

Evolve makes no warranties, including implied warranties of merchantability and fitness for a particular purpose, other than the express warranties contained herein.

LIMITATION OF REMEDY

Purchaser's sole and exclusive remedy (excluding the repair or replacement of goods for breach of the express warranty above) for any matter or claim arising under or relating to these terms and conditions, the goods covered hereby and any transaction involving or relating to such goods, whether in contract, tort (including negligence) or otherwise, shall be payment of the lesser of the cost to repair or replace said product or the purchase price for the goods to which the claim relates. In no event shall Evolve be liable for any special, indirect, consequential, or incidental damages, including without limitation, damages for loss of business profits, business interruptions, or loss of information.

EVOLVE'S WARRANTY DOES NOT APPLY (FOR ANY PRODUCT CATEGORY) TO THE FOLLOWING:

- Failures due to wear and tear
- Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Evolve's written instructions and warnings
- Modifications, attachments or repair methods not approved by Evolve
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colors, grains or textures (wood, leather, etc.) of natural materials and color matching of textiles
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Colorfastness or the matching of color of textiles
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products used for rental purposes

Evolve's warranty applies to products sold within the United States of America, Mexico, the Commonwealth of Puerto Rico and Canada.

INDEX

CALB24.....	83	CE8CP82.....	54	CMECC36.....	57	CMFF5436.....	40	CMFF6660.....	40	CMFG5454N0.....	29
CALB30.....	83	CE8CP88.....	54	CMETP30.....	46	CMFF5436N0.....	19	CMFF6660N0.....	19	CMFG5454N1.....	30
CALB36.....	83	CE8CP94.....	54	CMETP42.....	46	CMFF5436N1.....	20	CMFF6660N1.....	20	CMFG5454N2.....	31
CALB42.....	83	CE8EC1.....	56	CMETP54.....	46	CMFF5436N2.....	21	CMFF6660N2.....	21	CMFG5454P1.....	32
CALB48.....	83	CE8EC2.....	56	CMETP66.....	46	CMFF5436P1.....	22	CMFF6660P1.....	22	CMFG5454P2.....	33
CALB54.....	83	CE8EC3.....	56	CMET12.....	46	CMFF5436P2.....	23	CMFF6660P2.....	23	CMFG5460N0.....	29
CALB60.....	83	CE8FR1.....	50, 55	CMET24.....	46	CMFF5442.....	40	CMFG4224N0.....	11, 29	CMFG5460N1.....	30
CATB1024.....	82	CE8FR2.....	55	CMET30.....	45	CMFF5442N0.....	19	CMFG4224N1.....	11, 30	CMFG5460N2.....	31
CATB1030.....	82	CE8PD24.....	53	CMET36.....	46	CMFF5442N1.....	20	CMFG4224N2.....	11, 31	CMFG5460P1.....	32
CATB1036.....	82	CE8PD30.....	53	CMET42.....	45	CMFF5442N2.....	21	CMFG4224P1.....	11, 32	CMFG5460P2.....	33
CATB1042.....	82	CE8PD36.....	53	CMET54.....	45	CMFF5442P1.....	22	CMFG4224P2.....	11, 33	CMFG6624N0.....	11, 29
CATB1048.....	82	CE8PD42.....	53	CMET66.....	45	CMFF5442P2.....	23	CMFG4230N0.....	29	CMFG6624N1.....	11, 30
CATB1054.....	82	CE8PD48.....	53	CMFF4224.....	12, 40	CMFF5448.....	40	CMFG4230N1.....	30	CMFG6624N2.....	11, 31
CATB1060.....	82	CE8PD54.....	53	CMFF4224N0.....	9, 19	CMFF5448N0.....	19	CMFG4230N2.....	31	CMFG6624P1.....	11, 32
CATB2124.....	82	CE8PD60.....	53	CMFF4224N1.....	9, 20	CMFF5448N1.....	20	CMFG4230P1.....	32	CMFG6624P2.....	11, 33
CATB2130.....	82	CE8RDA.....	55	CMFF4224N2.....	9, 21	CMFF5448N2.....	21	CMFG4230P2.....	33	CMFG6630N0.....	29
CATB2136.....	82	CE8RDB.....	55	CMFF4224P1.....	9, 22	CMFF5448P1.....	22	CMFG4236N0.....	29	CMFG6630N1.....	30
CATB2142.....	82	CE8RD1.....	55	CMFF4224P2.....	10, 23	CMFF5448P2.....	23	CMFG4236N1.....	30	CMFG6630N2.....	31
CATB2148.....	82	CE8RD2.....	55	CMFF4230.....	40	CMFF5454.....	40	CMFG4236N2.....	31	CMFG6630P1.....	32
CATB2154.....	82	CHCB2.....	70	CMFF4230N0.....	19	CMFF5454N0.....	19	CMFG4236P1.....	32	CMFG6630P2.....	33
CATB2160.....	82	CHC15L.....	70	CMFF4230N1.....	20	CMFF5454N1.....	20	CMFG4236P2.....	33	CMFG6636N0.....	29
CATB2424.....	82	CHC15R.....	70	CMFF4230N2.....	21	CMFF5454N2.....	21	CMFG4242N0.....	29	CMFG6636N1.....	30
CATB2430.....	82	CHEP2924.....	71	CMFF4230P1.....	22	CMFF5454P1.....	22	CMFG4242N1.....	30	CMFG6636N2.....	31
CATB2436.....	82	CHEP2930.....	71	CMFF4230P2.....	23	CMFF5454P2.....	23	CMFG4242N2.....	31	CMFG6636P1.....	32
CATB2442.....	82	CHF81.....	70	CMFF4236.....	40	CMFF5460.....	40	CMFG4242P1.....	32	CMFG6636P2.....	33
CATB2448.....	82	CHP30.....	45	CMFF4236N0.....	19	CMFF5460N0.....	19	CMFG4242P2.....	33	CMFG6642N0.....	29
CATB2454.....	82	CHP30-2.....	37	CMFF4236N1.....	20	CMFF5460N1.....	20	CMFG4248N0.....	29	CMFG6642N1.....	30
CATB2460.....	82	CHP30-3.....	37	CMFF4236N2.....	21	CMFF5460N2.....	21	CMFG4248N1.....	30	CMFG6642N2.....	31
CAWB1030.....	82	CHP30-4.....	37	CMFF4236P1.....	22	CMFF5460P1.....	22	CMFG4248N2.....	31	CMFG6642P1.....	32
CAWB1036.....	82	CHP42.....	45	CMFF4236P2.....	23	CMFF5460P2.....	23	CMFG4248P1.....	32	CMFG6642P2.....	33
CAWB1042.....	82	CHP42-2.....	37	CMFF4242.....	40	CMFF6624.....	12, 40	CMFG4248P2.....	33	CMFG6648N0.....	29
CAWB1048.....	82	CHP42-3.....	37	CMFF4242N0.....	19	CMFF6624N0.....	9, 19	CMFG4254N0.....	29	CMFG6648N1.....	30
CAWB2130.....	82	CHP42-4.....	37	CMFF4242N1.....	20	CMFF6624N1.....	9, 20	CMFG4254N1.....	30	CMFG6648N2.....	31
CAWB2136.....	82	CHP54.....	45	CMFF4242N2.....	21	CMFF6624N2.....	9, 21	CMFG4254N2.....	31	CMFG6648P1.....	32
CAWB2142.....	82	CHP54-2.....	37	CMFF4242P1.....	22	CMFF6624P1.....	9, 22	CMFG4254P1.....	32	CMFG6648P2.....	33
CAWB2148.....	82	CHP54-3.....	37	CMFF4242P2.....	23	CMFF6624P2.....	10, 23	CMFG4254P2.....	33	CMFG6654N0.....	29
CAWB2430.....	82	CHP54-4.....	37	CMFF4248.....	40	CMFF6630.....	40	CMFG4260N0.....	29	CMFG6654N1.....	30
CAWB2436.....	82	CHP66.....	45	CMFF4248N0.....	19	CMFF6630N0.....	19	CMFG4260N1.....	30	CMFG6654N2.....	31
CAWB2442.....	82	CHP66-2.....	37	CMFF4248N1.....	20	CMFF6630N1.....	20	CMFG4260N2.....	31	CMFG6654P1.....	32
CAWB2448.....	82	CHP66-3.....	37	CMFF4248N2.....	21	CMFF6630N2.....	21	CMFG4260P1.....	32	CMFG6654P2.....	33
CEET5L18.....	57	CHP66-4.....	37	CMFF4248P1.....	22	CMFF6630P1.....	22	CMFG4260P2.....	33	CMFG6660N0.....	29
CEET5L24.....	57	CHP2W30.....	38	CMFF4248P2.....	23	CMFF6630P2.....	23	CMFG5424N0.....	11, 29	CMFG6660N1.....	30
CEET5L36.....	57	CHP2W42.....	38	CMFF4254.....	40	CMFF6636.....	40	CMFG5424N1.....	11, 30	CMFG6660N2.....	31
CEET5L48.....	57	CHP2W54.....	38	CMFF4254N0.....	19	CMFF6636N0.....	19	CMFG5424N2.....	11, 31	CMFG6660P1.....	32
CEPE64.....	56	CHP2W66.....	38	CMFF4254N1.....	20	CMFF6636N1.....	20	CMFG5424P1.....	11, 32	CMFG6660P2.....	33
CEPE82.....	56	CHP3W30.....	38	CMFF4254N2.....	21	CMFF6636N2.....	21	CMFG5424P2.....	11, 33	CMFMA4224N0.....	10, 24
CE8CI-1.....	50, 54	CHP3W42.....	38	CMFF4254P1.....	22	CMFF6636P1.....	22	CMFG5430N0.....	29	CMFMA4224N1.....	10, 25
CE8CP154.....	54	CHP3W54.....	38	CMFF4254P2.....	23	CMFF6636P2.....	23	CMFG5430N1.....	30	CMFMA4224N2.....	10, 26
CE8CP100.....	54	CHP3W66.....	38	CMFF4260.....	40	CMFF6642.....	40	CMFG5430N2.....	31	CMFMA4224P1.....	10, 27
CE8CP106.....	54	CHT82.....	71	CMFF4260N0.....	19	CMFF6642N0.....	19	CMFG5430P1.....	32	CMFMA4224P2.....	10, 28
CE8CP118.....	54	CHWA30.....	47	CMFF4260N1.....	20	CMFF6642N1.....	20	CMFG5430P2.....	33	CMFMA4230N0.....	24
CE8CP130.....	54	CHWA42.....	47	CMFF4260N2.....	21	CMFF6642N2.....	21	CMFG5436N0.....	29	CMFMA4230N1.....	25
CE8CP142.....	54	CHWA54.....	47	CMFF4260P1.....	22	CMFF6642P1.....	22	CMFG5436N1.....	30	CMFMA4230N2.....	26
CE8CP154.....	54	CHWA66.....	47	CMFF4260P2.....	23	CMFF6642P2.....	23	CMFG5436N2.....	31	CMFMA4230P1.....	27
CE8CP17.....	50, 53	CHWB1.....	70	CMFF5424.....	12, 40	CMFF6648.....	40	CMFG5436P1.....	32	CMFMA4230P2.....	28
CE8CP172.....	54	CHMSL1.....	71	CMFF5424N0.....	9, 19	CMFF6648N0.....	19	CMFG5436P2.....	33	CMFMA4236N0.....	24
CE8CP190.....	54	CHMSL2.....	71	CMFF5424N1.....	9, 20	CMFF6648N1.....	20	CMFG5442N0.....	29	CMFMA4236N1.....	25
CE8CP208.....	54	CMADA30PM.....	78	CMFF5424N2.....	9, 21	CMFF6648N2.....	21	CMFG5442N1.....	30	CMFMA4236N2.....	26
CE8CP28.....	54	CMADA36PM.....	78	CMFF5424P1.....	9, 22	CMFF6648P1.....	22	CMFG5442N2.....	31	CMFMA4236P1.....	27
CE8CP40.....	54	CMADA42PM.....	78	CMFF5424P2.....	10, 23	CMFF6648P2.....	23	CMFG5442P1.....	32	CMFMA4236P2.....	28
CE8CP46.....	54	CMADA48PM.....	78	CMFF5430.....	40	CMFF6654.....	40	CMFG5442P2.....	33	CMFMA4242N0.....	24
CE8CP52.....	54	CMADA54PM.....	78	CMFF5430N0.....	19	CMFF6654N0.....	19	CMFG5448N0.....	29	CMFMA4242N1.....	25
CE8CP58.....	54	CMADA60PM.....	78	CMFF5430N1.....	20	CMFF6654N1.....	20	CMFG5448N1.....	30	CMFMA4242N2.....	26
CE8CP64.....	54	CMEB01.....	55	CMFF5430N2.....	21	CMFF6654N2.....	21	CMFG5448N2.....	31	CMFMA4242P1.....	27
CE8CP70.....	54	CMEB02NY.....	56	CMFF5430P1.....	22	CMFF6654P1.....	22	CMFG5448P1.....	32	CMFMA4242P2.....	28
CE8CP76.....	54	CMECC21.....	57	CMFF5430P2.....	23	CMFF6654P2.....	23	CMFG5448P2.....	33	CMFMA4248N0.....	24



INDEX

CMFMA4248N125	CMFMA6642N226	CMPG546043	CMFM4242P218	CMFM6624P29, 18	CMPG5454N235
CMFMA4248N226	CMFMA6642P127	CMPG662443	CMFM424839	CMFM663039	CMPG5454P135
CMFMA4248P127	CMFMA6642P228	CMPG663043	CMFM4248N014	CMFM6630N014	CMPG5454P236
CMFMA4248P228	CMFMA6648N024	CMPG663643	CMFM4248N115	CMFM6630N115	CMPG5460N034
CMFMA4254N024	CMFMA6648N125	CMPG664243	CMFM4248N216	CMFM6630N216	CMPG5460N134
CMFMA4254N125	CMFMA6648N226	CMPG664843	CMFM4248P117	CMFM6630P117	CMPG5460N235
CMFMA4254N226	CMFMA6648P127	CMPG665443	CMFM4248P218	CMFM6630P218	CMPG5460P135
CMFMA4254P127	CMFMA6648P228	CMPG666043	CMFM425439	CMFM663639	CMPG5460P236
CMFMA4254P228	CMFMA6654N024	CMFM3024N09, 14	CMFM4254N014	CMFM6636N014	CMPG6624N012, 34
CMFMA4260N024	CMFMA6654N125	CMFM3024N19, 15	CMFM4254N115	CMFM6636N115	CMPG6624N112, 34
CMFMA4260N125	CMFMA6654N226	CMFM3024N29, 16	CMFM4254N216	CMFM6636N216	CMPG6624N212, 35
CMFMA4260N226	CMFMA6654P127	CMFM3024P19, 17	CMFM4254P117	CMFM6636P117	CMPG6624P112, 35
CMFMA4260P127	CMFMA6654P228	CMFM3024P29, 18	CMFM4254P218	CMFM6636P218	CMPG6624P212, 36
CMFMA4260P228	CMFMA6660N024	CMFM3030N014	CMFM426039	CMFM664239	CMPG6630N034
CMFMA5424N010, 24	CMFMA6660N125	CMFM3030N115	CMFM4260N014	CMFM6642N014	CMPG6630N134
CMFMA5424N110, 25	CMFMA6660N226	CMFM3030N216	CMFM4260N115	CMFM6642N115	CMPG6630N235
CMFMA5424N210, 26	CMFMA6660P127	CMFM3030P117	CMFM4260N216	CMFM6642N216	CMPG6630P135
CMFMA5424P110, 27	CMFMA6660P228	CMFM3030P218	CMFM4260P117	CMFM6642P117	CMPG6630P236
CMFMA5424P210, 28	CMFMA422441	CMFM3036N014	CMFM4260P218	CMFM6642P218	CMPG6636N034
CMFMA5430N024	CMFMA423041	CMFM3036N115	CMFM542412, 39	CMFM664839	CMPG6636N134
CMFMA5430N125	CMFMA423641	CMFM3036N216	CMFM5424N09, 14	CMFM6648N014	CMPG6636N235
CMFMA5430N226	CMFMA424241	CMFM3036P117	CMFM5424N19, 15	CMFM6648N115	CMPG6636P135
CMFMA5430P127	CMFMA424841	CMFM3036P218	CMFM5424N29, 16	CMFM6648N216	CMPG6636P236
CMFMA5430P228	CMFMA425441	CMFM3042N014	CMFM5424P19, 17	CMFM6648P117	CMPG6642N034
CMFMA5436N024	CMFMA426041	CMFM3042N115	CMFM5424P29, 18	CMFM6648P218	CMPG6642N134
CMFMA5436N125	CMFMA542441	CMFM3042N216	CMFM543039	CMFM665439	CMPG6642N235
CMFMA5436N226	CMFMA543041	CMFM3042P117	CMFM5430N014	CMFM6654N014	CMPG6642P135
CMFMA5436P127	CMFMA543641	CMFM3042P218	CMFM5430N115	CMFM6654N115	CMPG6642P236
CMFMA5436P228	CMFMA544241	CMFM3048N014	CMFM5430N216	CMFM6654N216	CMPG6648N034
CMFMA5442N024	CMFMA544841	CMFM3048N115	CMFM5430P117	CMFM6654P117	CMPG6648N134
CMFMA5442N125	CMFMA545441	CMFM3048N216	CMFM5430P218	CMFM6654P218	CMPG6648N235
CMFMA5442N226	CMFMA546041	CMFM3048P117	CMFM543639	CMFM666039	CMPG6648P135
CMFMA5442P127	CMFMA662441	CMFM3048P218	CMFM5436N014	CMFM6660N014	CMPG6648P236
CMFMA5442P228	CMFMA663041	CMFM3054N014	CMFM5436N115	CMFM6660N115	CMPG6654N034
CMFMA5448N024	CMFMA663641	CMFM3054N115	CMFM5436N216	CMFM6660N216	CMPG6654N134
CMFMA5448N125	CMFMA664241	CMFM3054N216	CMFM5436P117	CMFM6660P117	CMPG6654N235
CMFMA5448N226	CMFMA664841	CMFM3054P117	CMFM5436P218	CMFM6660P218	CMPG6654P135
CMFMA5448P127	CMFMA665441	CMFM3054P218	CMFM544239	CMPC147	CMPG6654P236
CMFMA5448P228	CMFMA666041	CMFM3060N014	CMFM5442N014	CMPC247	CMPG6660N034
CMFMA5454N024	CMFG422442	CMFM3060N115	CMFM5442N115	CMPG5424N012, 34	CMPG6660N134
CMFMA5454N125	CMFG423042	CMFM3060N216	CMFM5442N216	CMPG5424N112, 34	CMPG6660N235
CMFMA5454N226	CMFG423642	CMFM3060P117	CMFM5442P117	CMPG5424N212, 35	CMPG6660P135
CMFMA5454P127	CMFG424242	CMFM3060P218	CMFM5442P218	CMPG5424P112, 35	CMPG6660P236
CMFMA5454P228	CMFG424842	CMFM422412, 39	CMFM544839	CMPG5424P212, 36	CMPS2436, 43
CMFMA5460N024	CMFG425442	CMFM4224N09, 14	CMFM5448N014	CMPG5430N034	CMPS3012, 36, 43
CMFMA5460N125	CMFG426042	CMFM4224N19, 15	CMFM5448N115	CMPG5430N134	CMPS3636, 43
CMFMA5460N226	CMFG542442	CMFM4224N29, 16	CMFM5448N216	CMPG5430N235	CMPS4236, 43
CMFMA5460P127	CMFG543042	CMFM4224P19, 17	CMFM5448P117	CMPG5430P135	CMPS4836, 43
CMFMA5460P228	CMFG543642	CMFM4224P29, 18	CMFM5448P218	CMPG5430P236	CMPS5436, 43
CMFMA6624N010, 24	CMFG544242	CMFM423039	CMFM545439	CMPG5436N034	CMPS6036, 43
CMFMA6624N110, 25	CMFG544842	CMFM4230N014	CMFM5454N014	CMPG5436N134	CMRCB0144
CMFMA6624N210, 26	CMFG545442	CMFM4230N115	CMFM5454N115	CMPG5436N235	CMRC24NP44
CMFMA6624P110, 27	CMFG546042	CMFM4230N216	CMFM5454N216	CMPG5436P135	CMRC24PO44
CMFMA6624P210, 28	CMFG662442	CMFM4230P117	CMFM5454P117	CMPG5436P236	CMRC30NP44
CMFMA6630N024	CMFG663042	CMFM4230P218	CMFM5454P218	CMPG5442N034	CMRC30PO44
CMFMA6630N125	CMFG663642	CMFM423639	CMFM546039	CMPG5442N134	CMRC36NP44
CMFMA6630N226	CMFG664242	CMFM4236N014	CMFM5460N014	CMPG5442N235	CMRC36PO44
CMFMA6630P127	CMFG664842	CMFM4236N115	CMFM5460N115	CMPG5442P135	CMRC42NP44
CMFMA6630P228	CMFG665442	CMFM4236N216	CMFM5460N216	CMPG5442P236	CMRC42PO44
CMFMA6636N024	CMFG666042	CMFM4236P117	CMFM5460P117	CMPG5448N034	CMRC48NP44
CMFMA6636N125	CMPG542443	CMFM4236P218	CMFM5460P218	CMPG5448N134	CMRC48PO44
CMFMA6636N226	CMPG543043	CMFM424239	CMFM662412, 39	CMPG5448N235	CMRC54NP44
CMFMA6636P127	CMPG543643	CMFM4242N014	CMFM6624N09, 14	CMPG5448P135	CMRC54PO44
CMFMA6636P228	CMPG544243	CMFM4242N115	CMFM6624N19, 15	CMPG5448P236	CMRC60NP44
CMFMA6642N024	CMPG544843	CMFM4242N216	CMFM6624N29, 16	CMPG5454N034	CMRC60PO44
CMFMA6642N125	CMPG545443	CMFM4242P117	CMFM6624P19, 17	CMPG5454N134	CMSCK9378

INDEX

CMSLK13.....	78	CWCC4230.....	64	CWD3060.....	67	CWS3042.....	62	CWVR3024.....	63
CMSMK93.....	78	CWCC4824.....	64	CWD3072.....	67	CWS3048.....	62	CWVR3030.....	63
CSABB01.....	83	CWCC4830.....	64	CWHL3672.....	67	CWS3054.....	62	CWVR3036.....	63
CSAFS01.....	84	CWCEL362448.....	65	CWHR3672.....	67	CWS3060.....	62	CWVR3042.....	63
CSALT01.....	83	CWCEL362460.....	65	CWQRC2424.....	68	CWS3066.....	62	CWVR3048.....	63
CSAMB01.....	84	CWCEL362466.....	65	CWQRC3030.....	68	CWS3072.....	62	CWVR3054.....	63
CSAPP01.....	85	CWCEL362472.....	65	CWQRL2424.....	68	CWS3078.....	62	CWVR3060.....	63
CSASS01L.....	83	CWCEL362478.....	65	CWQRL3030.....	68	CWS3084.....	62	CWVR3066.....	63
CSASS01R.....	83	CWCEL362484.....	65	CWQRR2424.....	68	CWTCL90.....	69	CWVR3072.....	63
CSATH01.....	85	CWCEL422460.....	65	CWQRR3030.....	68	CWTE1512.....	69	CWVR3078.....	63
CSAUT01.....	84	CWCEL422466.....	65	CWSP2426.....	62	CWTE1518.....	69	CWVR3084.....	63
CSOF1324.....	77	CWCEL422472.....	65	CWSP2432.....	62	CWTE1524.....	69	CW9T1524.....	69
CSOF1330.....	77	CWCEL422478.....	65	CWSP2438.....	62	CWTE1530.....	69	CW9T1530.....	69
CSOF1336.....	77	CWCEL422484.....	65	CWSP2444.....	62	CWTE1536.....	69	CW9T1536.....	69
CSOF1342.....	77	CWCEL423060.....	65	CWSP2450.....	62	CWTE1542.....	69	CW9T1542.....	69
CSOF1348.....	77	CWCEL423066.....	65	CWSP2456.....	62	CWTE1548.....	69	CW9T1548.....	69
CSOF1354.....	77	CWCEL423072.....	65	CWSP2462.....	62	CWTE1554.....	69		
CSOF1360.....	77	CWCEL423078.....	65	CWSP2468.....	62	CWTE1560.....	69		
CSSL1324.....	77	CWCEL423084.....	65	CWSP2474.....	62	CWTE1566.....	69		
CSSL1330.....	77	CWCEL482460.....	65	CWSP2480.....	62	CWTE1572.....	69		
CSSL1336.....	77	CWCEL482466.....	65	CWSP2486.....	62	CWT1512.....	68		
CSSL1342.....	77	CWCEL482472.....	65	CWSP3026.....	62	CWT1518.....	68		
CSSL1348.....	77	CWCEL482478.....	65	CWSP3032.....	62	CWT1524.....	68		
CSSL1354.....	77	CWCEL482484.....	65	CWSP3038.....	62	CWT1530.....	68		
CSSL1360.....	77	CWCEL483060.....	65	CWSP3044.....	62	CWT1536.....	68		
CS19F19BBF.....	76	CWCEL483066.....	65	CWSP3050.....	62	CWT1542.....	68		
CS19F19FF.....	76	CWCEL483072.....	65	CWSP3056.....	62	CWT1548.....	68		
CS19F23BBF.....	76	CWCEL483078.....	65	CWSP3062.....	62	CWT1554.....	68		
CS19F23FF.....	76	CWCEL483084.....	65	CWSP3068.....	62	CWT1560.....	68		
CS19F29BBF.....	76	CWCER362448.....	66	CWSP3074.....	62	CWT1566.....	68		
CS19F29FF.....	76	CWCER362460.....	66	CWSP3080.....	62	CWT1572.....	68		
CS19MP19BBF.....	77	CWCER362466.....	66	CWSP3086.....	62	CWT1578.....	68		
CS19MP23BBF.....	77	CWCER362472.....	66	CWSW182448.....	67	CWT1584.....	68		
CS19MP19FF.....	77	CWCER362478.....	66	CWSW182454.....	67	CWVL2424.....	63		
CS19MP23FF.....	77	CWCER362484.....	66	CWSW182460.....	67	CWVL2430.....	63		
CS1919BBF.....	76	CWCER422460.....	66	CWSW182466.....	67	CWVL2436.....	63		
CS1919FF.....	76	CWCER422466.....	66	CWSW182472.....	67	CWVL2442.....	63		
CS1923BBF.....	76	CWCER422472.....	66	CWSW241848.....	67	CWVL2448.....	63		
CS1923FF.....	76	CWCER422478.....	66	CWSW241854.....	67	CWVL2454.....	63		
CS1929BBF.....	76	CWCER422484.....	66	CWSW241860.....	67	CWVL2460.....	63		
CS1929FF.....	76	CWCER423060.....	66	CWSW241866.....	67	CWVL2466.....	63		
CS1930P-2F12.....	78	CWCER423066.....	66	CWSW241872.....	67	CWVL2472.....	63		
CS1930P-3F12.....	79	CWCER423072.....	66	CWSW243048.....	67	CWVL2478.....	63		
CS1930P-4F12.....	79	CWCER423078.....	66	CWSW243054.....	67	CWVL2484.....	63		
CS1930P-5F12.....	79	CWCER423084.....	66	CWSW243060.....	67	CWVL3024.....	63		
CS1936P-2F12.....	78	CWCER482460.....	66	CWSW243066.....	67	CWVL3030.....	63		
CS1936P-3F12.....	79	CWCER482466.....	66	CWSW243072.....	67	CWVL3036.....	63		
CS1936P-4F12.....	79	CWCER482472.....	66	CWSW302448.....	67	CWVL3042.....	63		
CS1936P-5F12.....	79	CWCER482478.....	66	CWSW302454.....	67	CWVL3048.....	63		
CS1942P-2F12.....	78	CWCER482484.....	66	CWSW302460.....	67	CWVL3054.....	63		
CS1942P-3F12.....	79	CWCER483060.....	66	CWSW302466.....	67	CWVL3060.....	63		
CS1942P-4F12.....	79	CWCER483066.....	66	CWSW302472.....	67	CWVL3066.....	63		
CS1942P-5F12.....	79	CWCER483072.....	66	CWS2424.....	62	CWVL3072.....	63		
CWC62424.....	66	CWCER483078.....	66	CWS2430.....	62	CWVL3078.....	63		
CWC62430.....	66	CWCER483084.....	66	CWS2436.....	62	CWVL3084.....	63		
CWC62436.....	66	CWCF3618.....	64	CWS2442.....	62	CWVR2424.....	63		
CWC62442.....	66	CWCF3624.....	64	CWS2448.....	62	CWVR2430.....	63		
CWC62448.....	66	CWCF4224.....	64	CWS2454.....	62	CWVR2436.....	63		
CWC6K3024.....	66	CWCF4230.....	64	CWS2460.....	62	CWVR2442.....	63		
CWC6K3030.....	66	CWCF4824.....	64	CWS2466.....	62	CWVR2448.....	63		
CWC6K3036.....	66	CWCF4830.....	64	CWS2472.....	62	CWVR2454.....	63		
CWC6K3042.....	66	CWD2442.....	67	CWS2478.....	62	CWVR2460.....	63		
CWC6K3048.....	66	CWD2448.....	67	CWS2484.....	62	CWVR2466.....	63		
CWCC3618.....	64	CWD2460.....	67	CWS3024.....	62	CWVR2472.....	63		
CWCC3624.....	64	CWD2472.....	67	CWS3030.....	62	CWVR2478.....	63		
CWCC4224.....	64	CWD3048.....	67	CWS3036.....	62	CWVR2484.....	63		



showrooms and distribution centers throughout the united states

SHOWROOMS

Atlanta
10 10th Street, Suite 150
Atlanta, GA 30309
T 404.879.0998
F 404.879.9995

Chicago
The Merchandise Mart
10th Floor, Suite 1035
Chicago, IL 60654
T 312.755.0843
F 312.755.0837

Ft. Lauderdale
Las Olas City Centre
401 East Las Olas Blvd.,
Suite 230
Ft. Lauderdale, FL 33301
T 954.763.2684
F 954.763.6870

Philadelphia Area
119 Greentree Road
Marlton, NJ 08053
T 856.596.3390
F 856.596.4472

St. Louis
5 Document Drive
St. Louis, MO 63114
T 314.432.4463
F 314.432.4471

Boston
One Harbor Street,
Suite 104
Boston, MA 02210
T 617.406.5435
F 617.406.5438

Detroit Area
25925 Telegraph Road
Suite 145
Southfield, MI 48034
T 248.357.7211
F 248.357.7241

New York City
386 Park Avenue South,
7th floor
New York, NY 10016
T 212.545.9900
F 212.545.5826

Phoenix
4675 East Cotton
Center Boulevard,
Suite 165
Phoenix, AZ 85040
T 602.426.0666
F 602.426.1148

Washington, DC
1130 Connecticut
Avenue
Washington, DC 20036
T 202.659.0230
F 202.659.0306

SHOWROOMS + DISTRIBUTION CENTERS

Atlanta Area
2124 Evergreen Blvd.
Duluth, GA 30096
T 678.602.4130
F 678.602.4136

Chicago Area
1879 Internationale Blvd.
Glendale Heights, IL
60139
T 630.681.2818
F 630.681.1631

Denver Area
16401 E. 33rd Dr., Ste. 50
Aurora, CO 80011
T 303.340.1617
F 303.340.1657

Los Angeles Area
12320 Bloomfield
Avenue, Unit A
Santa Fe Springs, CA
90670
T 562.484.9686
F 562.484.9685

Pittsburgh Area
380 Leetsdale
Industrial Dr.
Leetsdale, PA 15056
T 724.385.1200
F 724.385.1207

Seattle Area
Oakesdale Commerce
Center
820 Southwest 34th St.
Building W7, Suite A
Renton, WA 98057
T 425.291.9282
F 425.291.9287

Baltimore Area
Troy Hill Corporate
Center
7030 Troy Hill Drive
Elkridge, MD 21075
T 410.379.8021
F 301.362.9444

Cincinnati Area
8712 LeSaint Drive
Fairfield, OH 45014
T 513.777.0009
F 513.777.5863

Ft. Lauderdale Area
560 Sawgrass
Corporate Parkway
Sunrise, FL 33325
T 954.846.8888
F 954.846.8110

Minneapolis Area
2000 Freeway
Boulevard
Brooklyn Center, MN
55430
T 763.560.8196
F 763.560.2098

San Antonio Area
6950 Alamo Downs
Parkway, Suite 100
San Antonio, TX 78238
T 210.684.8450
F 210.684.3700

Kansas Area
11617 West 81st Street
Lenexa, KS 66214
T 913.310.9963
F 913.310.9976

Boston Area
19 Connector Rd., Unit 1
Andover, MA 01810
T 978.470.8463
F 978.470.8920

Dallas Area
2025 W. Beltline Rd.,
#100
Carrollton, TX 75006
T 972.236.1366
F 972.236.1372

Houston
7865 Northcourt Road,
Building D, Suite 200
Houston, TX 77040
T 713.695.5777
F 713.695.5778

New Orleans Area
901 South Labarre
Road, Suite 201
Metairie, LA 70001
T 504.834.6228
F 504.835.9638

San Francisco Area
44091 Nobel Drive
Fremont, CA 94538
T 510.897.4150
F 510.897.4156

Tampa Area
10351 Windhorst Road
Tampa, FL 33619
T 813.621.6272
F 813.621.7958

Global - USA Headquarters

17 West Stow Road P.O. Box 562
Marlton, New Jersey U.S.A. 08053
Tel (856) 596-3390 (800) 220-1900
Fax (856) 596-5684
www.globalfurnituregroup.com

Global - Canada Headquarters

1350 Flint Road
Downsview, ON Canada M3J 2J7
Sales & Marketing: Tel (1-877) 446-2251
Customer Service: Fax (800) 361-3182
Government Customer Service: Fax (416) 739-6319

