SILEA

Price & Specification Guide

PDF updated March 14, 2023

Gunlocke®

VENEER 1 (SELECT)

NATURAL FC CHERRY	
A. Cinnamon/Biltmore	NC260
B. Lowell Ash	NC394
C. Medium Red	NC512
D. Light	NC701
E. Shaker	NC774
F. Burnished	NC777
NATURAL FC MAPLE	
G. Natural	NE800
H. Harvest	NE856
NATURAL FC WALNUT	
I Florence	NT579
J. Light	NT601
K. Skyline	NT625
L. Nutmeg	NT629
M. Pinnacle	NT679
N. Sumatra	NT693
O. Ebony	NT509
(Use OP TopFin Only)	



VENEER 1 (SELECT)

STRATAWOOD CHERRY	Vertical	Horizontal			
. Cinnamon/Biltmore	SC260	HSC260			
B. Lowell Ash	SC394	HSC394			
C. Clear	SC700	HSC700			
D. Light	SC701	HSC701		学 等。 (2015年) March 1966 - 196	
E. Shaker	SC774	HSC774	A	В	C
F. Burnished	SC777	HSC777			
STRATAWOOD MAPLE					
a. Belair	SE934	HSE934		The second second second second	The Street of th
H. Beigewood	SE878	HSE878			
. Field Elm	SE599	HSE599			-
I. Clear Maple	SE800	HSE800	D	E	F
(. Harvest	SE856	HSE856			
. Phantom Ecru	SE912	HSE912		位置建筑设置 能靠到 财产员会保险员主持位于	
(Use OP TopFin Only)	25312	ПЭЕЭ12			
STRATAWOOD WALNUT			· · · · · · · · · · · · · · · · · · ·		
M. Florence	ST579	HST579	元 即位于10年中央10日 10日 10日 10日 10日 10日 10日 10日 10日 10日		
N. Light	ST601	HST601	G	H	THE THE PERSON NAMED IN
O. Skyline	ST625	HST625			
P. Pinnacle	ST679	HST679			
Q. Sumatra	ST693	HST693			
STRATAWOOD OAK					
R. Clear	SF300	HSF300		The Land Land Land Republication	
S. Dark	SF331	HSF331	J	K	
		1101 001			
STRATAWOOD SILVER O	AK				
T. Clear	SB100	HSB100		THE RESERVE THE PARTY OF	
U. Portico Teak	SB150	HSB150			
STRATAWOOD WASHED	WALNUT		M	N	0
V. Clear	SW600			and the second	
W. Smoked Onyx	SW697		SHEET THE RESERVE		
X. Smoked Grey	SW612				
•			The state of the s		
			The same of the sa		
			A THE WAR PERSON OF		
			P	Q	R
				The second second second second second	
			A CONTRACTOR OF THE PARTY OF TH		
			The tente of the second	Section of the Section of	
			S	T	U
			() () () () () () () () () ()	分科特兰斯·尔芬特 孙 图 5数	
				() 1 (1) (1) (1) (1) (1) (1) (1) (1) (1)	
				[4] (1) [4] [4] [4] [4] [4] [4] [4] [4] [4] [4]	

VENEER 2 (PREMIUM)

NATURAL QC WALNUT

Α.	Florence	QT579
В.	Light	QT601
C.	Skyline	QT625
D.	Nutmeg	QT629
Ε.	Pinnacle	QT679
F.	Sumatra	QT693
G.	Ebony	QT509
	(Use OP TopFin Only)	

NATURAL RIFT CUT OAK

Н	. Light	RF301
I.	Dark	RF331
J.	Phantom Ecru	RF912
	(Use OP TopFin Only)	

K. Fawn Cypress RF108



LAMINATES

WOODGRAIN

Α.	Lowell Ash	LLA1
В.	Natural Recon	LNR1
C.	Phantom Ecru	LPE1
D.	Portico Teak	LPT1
E.	Skyline Walnut	LSW1
F.	Pinnacle Walnut	PINC
G.	Fawn Cypress	LFC1
Н.	Natural Maple	LWD
l.	Harvest Maple	C
J.	Shaker Cherry	LW7C
K.	Biltmore Cherry	COGN
L.	Florence Walnut	LFW1
M.	Kingswood Walnut	LKI1
N.	NeoWalnut	LNU1
0.	Veranda Teak	LVT1


SOLID

P.	Designer White 15051	LDW.
Q.	Loft	LM11
R.	Flint	LM16



GLASS

Α.	Ice White	GWH2
В.	Black	GBK2
C.	Muslin	GML2
D.	Flint	GFL2
Ε.	Loft	GL02
F.	Beige	GBG2
G.	Clear Ribbed Glass (For Panel Legs Only)	RB




SOLID SURFACE

Α.	Deep Night Sky	SES
В.	Designer White	SDW
C.	Cameo White	SAW







C

METAL

Α.	Black	P71
В.	Silver	PR6
C.	Matte Gold	P8G
D.	Pyrite	PJE
E.	Designer White	PJW



TABLE OF CONTENTS

General Information	Modular Casegoods	
Conditions of Sale	Desk Worksurface	
GSA Terms & Conditions3-4	Desk Pedestals	
Warranty5	Desk Legs	156-160
Delivery Information6	Desk Runoff Modesty Panel	161-166
Reference7-9	24 & 30 Depth Worksurfaces	167-170
Pulls Pull Locations10-11	24 & 30 Depth Pedestals	1/1-200
Locks & Keying	Modular End Panel	
Product Reference	Modular L Supports	
	Support & Ped Backs	203-213
Statement of Line	Layers W/ Laptop Drawer	214
	Round Tops	215
Technical Specs	Guitar Pick Top	
Height Reference	Layers Box & Brackets	220
Wire Management		220
Grommets	Cantilever Height Adjustable Desks and	004 005
Details	Smart Storage	221-235
Height Adjustability	Cantilever Height Adjustable Desks	222-225
Storage	Smart Pedestals	
Surface Mount Cabinets	Accessory Trays and Bins For Smart Pedestal	
Dimensions	False Pedestals	
Worksurface Finish Specifications 48	Smart Closets	
Grain Direction Specification49	Smart Pedestal Power Units For Grommet Cut	
Unitized Casegoods	Solidwood Desktop Accessories	
Double Pedestal Desk		
Single Pedestal Desk	Storage	237-267
Runoff Desks	Bookcases	238
Layers Runoff W/ Layers Box / Laptop Drawer 56-57	Bookcase / Coat Hook / Closet	239
Double Pedestal Credenza	Lateral Files.	
Single Pedestal Credenza	Closets	
Full Bank Credenza	Storage Box / Utility Cabinet	247-259
Returns	Side Access Storage Locker	
Rectangular Table Desk	Mobile Pedestal	204-203
Runoffs	Storage External Tops	
Rectangular Runoff	Wall Mount	
Layers Rectangular Runoff W/ Layers Box /	Cabinets	
Laptop Drawer	Wall Mount Wall Overhead	
Ellipse Table Desk	Tackboard in Tackzone	
Layers Ellipse Runoff W/ Layers Box 71	Tackboard to Top of Overhead	
Arc Boat Table Desk	Glass Whiteboard from Floor.	
Layers Arc Boat Runoff W/Layers Box	Wall Mount Wall in Tackzone	
Sightline Runoff	Magnetic Wood to Top of Overhead Shelving for Wall Mount Wall	202 202
Layers Sightline Runoff W/ Layers Box /	Floating Shelves	304
Laptop Drawer75-76		
Layers Cockpit Runoff W/ Layers Box	Surface Mount	
Media Top	Cabinets	
Height Adjustable79-123	Tackboard	
Height Adjustable Split-Top Desks	External Tops	
Freestanding Desk / Extension 84-89		
Credenza90-93	Workwall	3 19-324
Bridge	Workwalls	320-321
Return	Workwall Tackboard	202 204
L Shape Height Adjustable Spec Tips	Lounge Level Media Unit	
L Shape Height Adjustable	Accessories	325-340
Shroud for T-Base	LED Tasklighting	
Layers Bookcase	Trough Accessories	
Height Adjustable Base	Personal Corner	329
Height Adjustable Tops	Drawer Filing Rails & Reinforcement Bars	
Wall Mount Cantilever Bracket	Magnets	
Mixed Material Telescoping Height Adjustable	Counterweights	222
Welcome Desk	Center Drawer	
Working with Welcome Desks	Pencil Tray	
Welcome Desk Typicals	Grommet	
Advanced Height Adjustable Welcome Desk 132-135	Power Unit	
Advanced Fixed Height Welcome Desk	3" Dia Field Installed Grommet	
Fixed Height Welcome Desk		
Welcome Desk Shell	Grade Fabric Pricing	
Welcome Desk Bridge	Weights + Cubes	346-384
Welcome Desk Returns		
Welcome Desk Credenzas		
Waterfall Transaction Tops		
Transaction Tops		
Welcome Desk Tackboard147		
In/Out Storage Unit 148		

INTRODUCTION

The Gunlocke Company is dedicated to providing the finest products and service possible. This price list reflects that commitment. Included is a current listing of our casegood models.

Seating and Lounge are presented in a separate price list. Contact your Gunlocke Customer Services Representative for more information, (800) 828-6300.

Designed for easy use, each page of this price list, and the inside front cover fold out provide all information required to order a product correctly. Should additional information be needed, contact your Gunlocke customer service representative.

PRICING

Prices shown cover standard product specifications. Any changes or alterations, other than those listed, will be subject to an additional charge. Prices include cartoning and freight. Authorization and pricing must be secured in advance for orders or contracts calling for large quantities, indefinite quantities, or extended delivery dates. Prices are subject to change without notice; the most current prices are published on http://www.gunlocke.com.

ORDERING

To expedite order entry and to assure proper service, email or fax all orders directly to:

The Gunlocke Company

Attn: Order Entry One Gunlocke Drive Wayland, New York 14572

585-728-5111 585-728-8350 FAX 800-828-6300 www.gunlocke.com

Gunlocke will not be responsible for duplicate orders if purchase orders are left unmarked.

ACKNOWLEDGEMENT

Each order will be acknowledged by Gunlocke. Customers should check each acknowledgment for accuracy and immediately notify Gunlocke of any discrepancies. The printed acknowledgment is the final agreement between The Gunlocke Company and the customer, superseding all previous communications regarding the order.

SPECIFICATION CHANGES

Gunlocke reserves the right to change specifications for the improvement of products at any time, without notice.

ORDER CHANGES

Gunlocke is not required to accept changes in orders after confirmation. Reasonable changes are subject to additional charges for labor, material and administrative costs

Order changes of acknowledgment may result in re-scheduling of product.

RETURNED MERCHANDISE

No merchandise may by returned without prior authorization.

SHOWROOMS

For all showroom locations and tour information, please reference the showrooms page online at: www.gunlocke.com/inspiration/showrooms

CANCELLATIONS

Cancellation of orders cannot be accepted since every order is manufactured according to customer specifications.

STORAGE

If delivery cannot be made and products are ready, Gunlocke will transfer products to a storage facility and products will be invoiced at that time. The customer is responsible for storage charges and assumes and bears all risks associated with the storage of that product.

TERMS

Net 30 days from date of invoice. A service charge of eighteen percent (18%) per year or .0004931% per day, compounded monthly, will be added to balance due beyond the thirtieth day. Products are shipped FOB factory, freight prepaid and allowed. Title passes to purchaser and Gunlocke's responsibility ceases when shipment is accepted for transportation by a carrier. A full explanation of all payment terms is found on order and invoice forms.

ORDERING INFORMATION

1a.Intended use: The furniture on this schedule is intended for use by Government executives (or equivalent military rank) in the Executive, Judicial and Legislative Branches of the Federal Government. To help customers make a good purchasing decision based on their needs and budget, GSA has established four grades of furniture. Grade (1) includes furniture that tends to be the most expensive on this schedule, grade (2) furniture tends to be more moderately priced and grades (3) and (4) furniture tend to be affordably priced when compared to grades (1) and (2). Some pieces of furniture on this schedule may be significantly higher in price than GSA Traditional and Contemporary Executive Special Order Program furniture. The ordering agency or service is responsible for determining furniture appropriate for use in its offices which will fit within its budget and comply with applicable Federal or internal agency procurement regulations. Please see reverse for GSA terms and conditions.

Grade 1 All exposed solid parts such as top rims, base rails etc. (except decorative accents and inlays) shall be the same species as the face veneer. Top and bottom edges of drawer fronts shall be solid wood in the same species as the face veneers. Drawer sides and backs shall be solid wood.

Grade 2 Exposed wood panel trim and trim on tops shall be the same wood species as the face veneer on the top. Some or all other exposed solid parts, such as base rails can be an alternative wood species (such as poplar or gum) different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Silea is grade 2.

Grade 3 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Credentials, and all tables are grade 3.

Grade 4 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be composite wood material construction such as MDF. Trio is grade 4.

1. Maximum Order Threshold:

2. Minimum order: \$2,000 list

3. Geographic coverage:

48 contiguous states and DC (CONUS)

4. Points of production:

Wayland, NY, Steuben County, USA Muscatine, IA, Muscatine County, USA

5. Discount Statement: Discount is applied to List Price.

Structure in List \$:

\$2,000 – \$100,000 list	60.5%
\$100,001 – \$400,000 list	62.7%
\$400,001 – MOT (\$1,428,571 List)	65.0%
Over MOT (\$1,428,572 List)	egotiable

* These discounts apply to single purchase orders, shipping to the same place in the same time period

6. Quantity Discount: See above

7. Payment terms:

1% 23 days Net 30 days from date of shipment, for product only, for all electronic invoices processed through a Federal payment system (including, but not limited to, WAWF, IPP, etc.).

All other invoice sales are Net 30 days from date of shipment. Prompt payment terms are not applicable to credit card orders

8. Government Credit Cards are accepted above and below the micro-purchase levels.

Written confirmation and authorized signatures are required. Activities may verbally provide card information, but products shall be confirmed in writing.

Use of credit cards shall be at the time of order placement with cards charged at the time of shipment, see GSAR 552-232-80 (C).

There are no additional discounts for using a credit card.

9. Foreign items: None

10a. Time of delivery: 60 days ARO

10b. Expedited delivery: Contact Gunlocke

10c. Overnight and 2-day delivery: Contact Gunlocke

10d. Urgent requirements: Contact Gunlocke

11. FOB point(s): F.O.B. Origin, with freight being paid by Gunlocke for all deliveries within CONUS.

12. Ordering address(es):

The Gunlocke Company c/o Authorized Gunlocke GSA Dealer One Gunlocke Drive Wayland, NY 14572

Phone: (800) 828-6300 Fax: (585) 728-8350

13. Payment address(es):

The Gunlocke Company LLC 13367 Collections Center Drive Chicago, IL 60693

14. Warranty provision: See warranty on page 5

15. Export packing charges:

Write for quotation on export packaging.

- **16.** Terms and conditions of Government commercial credit card acceptance: Credit Cards are accepted.
- 17. Terms and conditions of rental, maintenance, and repair:
 Not applicable

18. Terms and conditions of installation:

Installation services shall be priced at a rate not to exceed 30% of the net product price, per project. The minimum order charge for installation shall be \$175.00. Projects involving extraordinary circumstances which require installation charges exceeding the proposed installation rates will be submitted to the GSA Contracting Officer for review and approval.

19. Project Management:

\$65 Per Hour, inclusive of IFF

20. Reconfiguration and Relocation Services:

\$65 Per Hour, inclusive of IFF

21. Design/Layout Services:

\$65 Per Hour, inclusive of IFF

22. Terms and conditions of repair:

Refer to Gunlocke Customer Support

- 23. List of service and distribution: Points: Not applicable
- 24. Participating dealers: A list of participating dealers will be supplied to any government agency upon request or is available on our website at www.qunlocke.com.

25. Preventative maintenance:

Not applicable. Instruction sheets available upon request.

26. Environmental attributes: Gunlocke has an active environmental program. Please call (800) 828-6300 for details.

27. Data universal number system:

(DUNS) number is 19-993-6550

28. CCR registration/Cage Code: The Gunlocke Company is registered in the DoD CCR. Cage Code - 26574

29. Returns:

No returns of goods will be accepted without written consent and shipping instructions from Gunlocke, and the Government customer will be required to pay all return freight charges. A restocking fee of 30% net will apply on all authorized returns provided Gunlocke receives goods in the condition in which they left the factory. No credit will be given if goods cannot be reused. Special order items are in no event subject to return. Goods must be returned within 70 days of shipment from factory.

- 30. Cancellations: No charge prior to production. After production has begun (5 days ARO), only the actual costs that the contractor can demonstrate will be billed to the customer if the merchandise cannot be resold within a reasonable period of time (90 days).
- 31. Inside Delivery: Gunlocke rates are for dock-to-dock delivery and do not include inside delivery, un-cartoning or set up. If desired, arrangements for inside delivery must be made and approved when the order is placed and will have a corresponding fee of 7% of list price of the order with a minimum charge of \$75. Requests for un-cartoning and set up will be coordinated with a Gunlocke Dealer with applicable charges applied to the order.
- 32. Federal Tax ID # 22-3887942

12 YEAR WARRANTY

Subject to the limitations set forth below. The Gunlocke Company warrants to the original purchaser all product in this price list to be free from defects in material and workmanship for a twelve year period from the date of shipment. This 12-year warranty applies to all products sold and installed by a Gunlocke authorized agent for normal commercial single shift service. Gunlocke will repair, or at its option, replace defective merchandise, free of charge. The following components not manufactured by Gunlocke have the following warranties:

- High wear components such as casters and glides are warrantied for five years after date of shipment to original owner.
- Electrical components are warrantied 10 years from date of manufacture with exception of lamps and ballasts which are not warrantied. This includes Fluorescent Tasklights.
- LED tasklights are warrantied for 3 years from date of shipment to original owner.
- **Drawer suspensions** are warrantied for lifetime of product after shipment to original owner.
- Personal corners including covering (leather) are warrantied for three years of single shift and normal use after shipment to original owner.
- Height adjustable electrical components are warrantied for 7 years of single shift and normal use after shipment to original owner.

Any non-standard material selected by the customer is not warrantied. Neither does this warranty apply to damage resulting from accident, alteration, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. That is, Gunlocke's warranty is only valid if products are given proper use and care. Gunlocke assumes no responsibility for product damages resulting from improper installation or user modification.

WOOD FURNITURE

Wood owes its inherent beauty to variations in color, grain, and texture, and therefore, these variations are not considered defects. There may be minor variations from one piece of furniture to the next even though they are finished at the same time. Exposure to light and the aging process will cause a darkening of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. The Gunlocke Company does not guarantee the exact matching of grain, pattern, and color.

These finishes do not cover any of the natural characteristics of the wood, including nature's colorations, pitch pockets, and the variations of steambent wood. Merchandise will not be replaced because of these natural variations.

It is expressly understood and agreed that the buyer's sole and exclusive remedy for any and all losses or damages resulting from nonconforming goods, or from any other cause, shall be repair or replacement of defective parts, and that Gunlocke shall not be liable for damages or injury to persons or property, nor for replacement of the entire commercial unit, if repair or replacement of defective parts can reasonably render the unit conforming.

All warranty claims must be made in writing by the original owner. Owner may be required to produce the invoice or other evidence to establish that a claim is within the warranty period. Warranty claims may be submitted on the Gunlocke website.

https://apps.gunlockeadvantage.com/QualityFeedback/

As stated and illustrated on the website, serial numbers are required to process a warranty claim. No person, firm or corporation is authorized to assume for Gunlocke any liability in connection with the sale or installation of Gunlocke products except as stated above.

All other warranties, expressed or implied, are excluded. Gunlocke shall not be liable for incidental or consequential damages of any sort.

Gunlocke sin# 33721 5

Within the Continental USA, all orders above \$20,000 list are shipped FOB factory, freight prepaid and allowed. All orders less than \$20,000 list will be subject to a \$200 net freight charge. Products shipped to Alaska and Hawaii FOB factory, freight prepaid and allowed to port of embarkation. Customer is responsible for freight charges from port of embarkation to final destination.

An anticipated shipping date is indicated on the order acknowledgment. Gunlocke cannot accept responsibility for shipping delays caused by outside sources or unforeseen problems. Delay of shipments requested by customers must be approved by Gunlocke. Any resultant storage charges will be charged to the customer.

Gunlocke may await completion of the entire order and ship all at once or may make partial shipments from time to time at its sole discretion unless the customer requests in writing that partial shipments are needed and Gunlocke approves the specific shipping schedule. Additional charges may apply.

Gunlocke is not liable for any delay or failure to deliver or perform due to strikes, lock-outs, or other labor or transportation difficulties, delay of sources or supply, accidents, fires, acts of God, or any other causes of like or unlike nature beyond the control of Gunlocke.

LIABILITY

Gunlocke products and their packaging are tendered to a transportation company only after passing rigid quality control inspection. At that time, title to the product is passed to the purchaser. However the transportation company assumes all liability from acceptance of shipment through its delivery. That is, Gunlocke's liability ceases at the time of shipment.

FILING OF CLAIMS

All claims for damage or loss must be submitted via our website at: https://apps.gunlockeadvantage.com/QualityFeedback/within 15 days after receipt of merchandise. Do not return freight damaged merchandise to Gunlocke. Follow the steps below to expedite processing and resolution of claims.

For Visible Damage

- Make damage notation on delivery receipt and have driver sign. Do not reject or refuse the shipment.
- Immediately contact Gunlocke Traffic Department at 585-728-8268.
- Hold damaged carton and all interior packing for carrier's inspection. These materials will be needed to substantiate the claim.

For Concealed Damage

- Open cartons within 15 days of receipt and inspect.
- 2. Follow steps 2, and 3 as listed under Visible Damage.
- 3. Do not remove product from delivered destination.

For Loss

- Be sure loss notation is made on delivery receipt and have driver sign.
- 2. Contact Gunlocke Distribution at 585-728-8268.

Should transportation company seek to limit its liability on concealed, loss, or damage claims, please contact Gunlocke's traffic department. After a thorough investigation of the claim, the traffic department will provide you with guidance in corresponding with the carrier.

Returned merchandise, regardless of delivery method, will not be accepted unless specifically authorized by Gunlocke.

For Damage or Loss of Parcel Post or UPS Shipment

Notify Gunlocke distribution immediately at 585-728-8268.

NORMAL DELIVERY

All normal ground transportation by Gunlocke will be made on a dock-to-dock basis. The Gunlocke traffic department will determine the recommended method of shipment according to the ship to destination. If the delivery on a shipment takes longer than 2 hours to be unloaded, an additional charge will be billed at \$60/hour at 15 minute increments. Gunlocke reserves the absolute right to determine the method of shipping unless special delivery instructions have been previously approved.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

If a guaranteed delivery time is needed please call Gunlocke Traffic Department at 585-728-8268 for a quote as additional charges will apply. Weekend or after hours deliveries are subject to additional charges.

WEEKEND DELIVERY

A \$500 charge will apply on weekend delivery after 3:00 PM Friday through Sunday evenings.

DROP SHIP / JOB SITE DELIVERY

Orders under \$50,000 list will incur a \$125 charge for ship to locations other than a designated dealer warehouse.

INSIDE DELIVERY

Inside delivery must be noted on order. A minimum \$100 charge will apply.

SPECIAL DELIVERY

Please contact the Gunlocke traffic department for special delivery services such as inside delivery, weekend or after hour deliveries, reconsignment or other special needs. These are billable services.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

DOCK RESTRICTIONS

Gunlocke trailers are 53' x 102"; when attached to truck cab the total length is 75'. If delivery dock will not accommodate trucks of this sizes, the Gunlocke traffic department must be contacted prior to shipping. Alternate arrangements can be made; additional charges may apply.

REFERENCE Materials & finishes

VENEERS

Available in 8 select veneers and 2 premium veneers. All exposed wood surfaces utilize select flat cut Cherry, Maple, Walnut veneers, Stratawood (FSC reconstituted veneer), premium quarter cut Walnut, or Rift Oak veneers. Stratawood veneer is made from rapidly renewable wood veneer, which provides a repeatable, consistent straight grain pattern. Stratawood veneers are available in Cherry, Maple, Walnut, or Oak at veneer 1 pricing in vertical or horizontal orientation.

All veneers are carefully selected and matched to assure balance and consistency.

SPECIALTY FINISHES

- Submit a color sample block (minimum size 3" x 3") to Gunlocke so that a finish formulation can be developed to match the special finish and color
- Review the approval sample provided by Gunlocke.
- Written approval and sign off is required for Gunlocke Customer Service
- Once written approval and sign off is received, the special finish order will be acknowledged.

Note: See Gunlocke Advantage website for special finish request forms.

All Casegoods & Tables Purchase Orders:

- 10% list upcharge per wood unit to specified veneer option receiving special finish.
- \$250 net formulation fee for special finish.

veneer 1 (select)

Natural Flat Cut Cherry
Natural Flat Cut Maple
Natural Flat Cut Walnut
Stratawood Cherry
Stratawood Maple
Stratawood Walnut
Stratawood Oak
Stratawood Silver Oak
Stratawood Washed Walnut

veneer 2 (premium)

Natural Quarter Cut Walnut	
Natural Rift Cut Oak	

UV TOP FINISH

Worksurfaces feature two low emitting UV finish options that enhance the beauty of natural wood and ensures depth, clarity, color consistency, and durability throughout the life of the product.

Open Pore Low Sheen	OP
Full-Fill Cleartech (upcharge)	FF

Full Fill Top ≤ 120" Length (+\$273) Full Fill Top ≥ 120" Length (+\$475)

Note: FSC options can be chosen as option pick for each model.

REFERENCE

Materials & finishes

The plastic laminate offering includes 11 woodgrain and 3 solid laminate options from Wilsonart. Laminate tops are high-pressure laminate (HPL), and chassis/storage components are thermally fused laminate (TFL). Laminate edgebands are 2mm thick and are color matched to the laminate option chosen.

Laminates	Description	Option Code	Supplier Name	Supplier Code	Edgeband (ABS, PVC)	Gunlocke Finish Match*
WOODGRAIN	Lowell Ash	LLA1	Wilsonart	7994-12	ABS	NC394
	Natural Recon	LNR1	Wilsonart	7996-12	ABS	RF301
	Phantom Ecru	LPE1	Wilsonart	8212-12	ABS	RF912
	Portico Teak	LPT1	Wilsonart	8210K-12	ABS	SB150
	Skyline Walnut	LSW1	Wilsonart	7964K-12	ABS	QT625
	Pinnacle Walnut	PINC	Wilsonart	7992-38	PVC	NT679
	Fawn Cypress	LFC1	Wilsonart	8208K-12	ABS	N/A
	Natural Maple	LWD	Wilsonart	11021-38	PVC	NE800
	Harvest Maple	С	Wilsonart	7953-38	PVC	NE856
	Shaker Cherry	LW7C	Wilsonart	7935K-07	PVC	NC774
	Biltmore Cherry	COGN	Wilsonart	7924K-07	PVC	NC260
	Veranda Teak	LVT1	Wilsonart	8209K-12	ABS	SB100
	Kingswood Walnut	LKI1	Wilsonart	8218-38	ABS	N/A
	Florence Walnut	LFW1	Wilsonart	7993-38	ABS	N/A
	Neo Walnut	LNU1	Wilsonart	7991-38	ABS	N/A
SOLID	Designer White 15051	LDW1	Wilsonart	15051-60	ABS	WPSW
	Loft – Grey Cloud	LM11	Wilsonart	15034-60	ABS	WPLF
	Charcoal/Flint	LM16	Wilsonart	10592-38	PVC	WPFT
GLASS	Ice White	GWH2				
	Black	GBK2				
	Muslin	GML2				
	Flint	GFL2				
	Loft	GLO2				
	Beige	GBG2				
	Clear Ribbed Glass (For Panel Legs Only)	RB				
SOLID SURFACE	Deep Night Sky	SES				
	Designer White	SDW				
	Cameo White	SAW				

^{*} See cross reference above for Gunlocke wood finish match. Although these are good matches, they are not exact matches due to grain pattern and sheen variation from laminate to veneer. They coordinate throughout a floorplate, but we recommend they not be utilized in the same office.

Note: Gunlocke does not guarantee an exact finish match to the plastic laminates listed above.

REFERENCE Options

EDGE DETAIL

Medley 1/2"	Med	ley ¹ /2"	Medley 1/2"	
2 mm Square SQ Square SQM		ole Flute DFM		oftened SN
* Only edge available for laminate *Add +\$327	*Add	+\$327	*Add +\$327 * S	Solid Surface Tops only
FSC CERTIFIED		LOCKS		
Standard - No FSC	Х	Locks Y	es, Random Matte Silver Keying	
FSC Certified (5% upcharge)	F	(Factory	Installed)	LYSTD
FSC TACKBOARD			0 111 1 0 (51111 1 1 1	(Add +\$153
FSC Mixed Credit	FSC	Locks Y	es, Omit Lock Core (Field Installed) LYOMT (Add +\$153
(Upcharge – See Tack & Cushion Pricing		Locks N	0	LN
FSC Not Required	NR		0	LIN
TOP GRAIN DIRECTION		KEYING		
Long Grain	VLG		Matte Silver Keying (Factory Insta	
Short Grain	VST	Omit Lo	ck Core (Field Installed)	OMT
• Laminate tops optional grain up to 60", above		HARDWARE COL	OR	
long grain standard.	•	Black		P71
DRAWERS		Silver		PR6
	naine WW	Matte G	old	P8G
Vinyl Wrapped, with Soft Close suspension VW		Pyrite	NAME OF	PJE
BACK PANEL		Designe	r White	PJW
No Back Panel	BN	HEIGHT ADJUST	ABLE BASE COLOR (METAL T BA	ASES)
Back Panel Included	ВҮ	Black (P	71)	ВК
POWER UNIT COLOR		Silver (P	R6)	sv
Black	BK	- Designe	r White (PJW)	PJW
Silver	sv	MAGNETIC ACCE	SSORY	
White	WH	White		AWH
DOWED HAIT COLOR /Familiano Laval Ma	alia)	Black		ABK
POWER UNIT COLOR (For Lounge Level Me		Muslin		AML
Black Std Plug	BKSP BKHW	PERSONAL CORI	MED	
Black Hardwire Silver Std Plug	SVSP	-		
Silver Hardwire	SVHW	Leather	White Black	CWH
White Std Plug	WHSP		Chocolate	CBL CCH
White Hardwire	WHHW	Vinyl	White	VWH
01 400 001 00		,	Black	VBL
GLASS COLOR		-	Chocolate	VCH
Ice White	GWH2	CUSHION UPHOL	CTEDV	
Black Muslin	GBK2		SIENT	
Musiin Flint	GML2 GFL2	Fabric		COM-G27
Loft	GLO2	Leather		COL-L5
Beige	GBG2	TASKLIGHT COR	D GROMMET (For Surface Mou	nt Cabinets)
Clear Ribbed (panel leg insert only)	RB	Gromme	et Included	WY
		Gromme	et No	WN
		MODESTY PANE	L	
		Modesty		MN
Overlands		Modesty		MV
Gunlocke sin# 33721				IVII

METAL PULL

Silea Black (P71)	PP71		
Silea Silver (PR6)	PPR6		
Silea Matte Gold (P8G)	PP8G		SILEA
Silea Pyrite (PJE)	PPJE		
Silea Designer White (PJW)	PPJW		
Medley Arch Black (P71)	HARB	Ŋ	MEDLEY ARCH
Medley Arch Silver (PR6)	HARS		
Medley Arette Black (P71)	HATB		MEDLEY ARETTE
Medley Arette Silver (PR6)	HATS		
Trio Linear Black (P71)	HLEB		TRIO LINEAR
Trio Linear Silver (PR6)	HLES		
Trio Bar Black (P71)	HBRB		TRIO BAR
Trio Bar Silver (PR6)	HBRS		
Modern Black (P71)	MP71	_	
Modern Silver (PR6)	MPR6		
Modern Matte (P8G)	MP8G		MODERN
Modern Pyrite (PJE)	MPJE		
Modern Designer White (PJW)	MPJW		




The Silea style metal pull is available in 5 metal finish colors - Silver, Black, Pyrite, Matte Gold, and Designer White. Pulls have the ability to be placed left, right or center with the same drawer front and pull hardware. Pulls are 6" less than the drawer front size with the exception of a 9" pedestal which comes with a 9" pull. Note: This applies to the Silea style pull only. This does not apply to the Arch, Arette, Linear, Bar, or Modern pulls.

CENTERED	CONTINUOUS
LEFT ALIGNED	RIGHT ALIGNED
	Choice.
	The Silea pull enables you to select
	drawer pull orientation at the time of
	installation. Maximum flexibility.

CLOSET LOCATIONS

PEDESTAL LOCATIONS



LOCKS & KEYING

Locks are standard on all below worksurface storage units. Closets and overhead storage are optional locking.

STANDARD OPTIONS

• Random Keying: Key(s) arbitrarily assigned and installed at the factory. Factory installed locks are silver.

Note: When the random option is selected, some units may be shipped with the same key number.

• Omit Lock Core: The factory will omit lock cores. Removable lock core kits with specific key numbers must be ordered to facilitate keying alike in the field. A lock program must be specified. Field installed locks are available in Matte Silver, Black, Pyrite, Matte Gold, and Designer White.

KEYING

Random Matte Silver Keying (Factory Installed)	STD	
Omit Lock Core (Field Installed)	OMT	(If option is chosen, a field installed lock program must be specified)

LOCK PROGRAM (FIELD INSTALLED ONLY)

Random Keying	x
Specified Keying	X101 - X225
Sequential Keying	SEQ/101 - SEQ/225

KEYING COLOR (FIELD INSTALLED ONLY)

Matte Silver	MTS
Black	BLK
Matte Gold	MGD
Pyrite	PYT
Designer White	PJW

REPLACING LOCK CORES

- Lock must be in the unlocked position.
- Insert core removal key and pull core straight out.
- Insert new core with core removable key, hold core into lock and withdraw core removal key.
- Retain original core for future use.

FIELD INSTALLED LOCK PROGRAMS

For field installed locks, the "Omit Lock Core" option must be chosen. Then, specify lock model based on total quantity of lock cores within each office. To ensure ease of ordering for a variety of situations, lock cores can be specified in 3 ways – Random, Specified or Sequential.

LOCKING MODELS	DESCRIPTION	LIST
GLKFE1	1 core, 2 keys	\$16
GLKFE2	2 core, 2 keys	\$21
GLKFE3	3 core, 2 keys	\$26
GLKFE4	4 core, 2 keys	\$30
GLKFE5	5 core, 2 keys	\$34
GLKFE6	6 core, 2 keys	\$42
GLKFE7	7 core, 2 keys	\$48
GLKFE8	8 core, 2 keys	\$56
GLKFE9	9 core, 2 keys	\$63
GLKFE10	10 core, 2 keys	\$69
GLKFE11	11 core, 2 keys	\$77
GLKFE12	12 core, 2 keys	\$83
GLKFE13	13 core, 2 keys	\$91
GLKFE14	14 core, 2 keys	\$98
GLKFE15	15 core, 2 keys	\$104

Note: One core removal key minimum per order. One additional core removal key per 25 lock cores will be shipped.

MASTER KEY

One key available **GLKMSTR** \$9 to authorized dealers

KEY NUMBERS 101-225 ARE AVAILABLE.

Orders without key numbers will be specified at random.

RANDOM KEYING (FIELD INSTALLED)

The Random Keying option is provided for instances where there are multiple orders or phases to a project and the offices need to be keyed alike but the key numbering is not required. With the random keying option, key numbers are not specified. However, the core kits will be in sequential order from a random starting point.

SPECIFIED KEYING (FIELD INSTALLED)

The Specified Keying option is provided for instances where there is a specific key number desired for all of the cores ordered.

SEQUENTIAL KEYING (FIELD INSTALLED)

The Sequential Keying option is provided for instances when there are multiple orders or phases to a project and it is imperative that key numbers are not duplicated..

RANDOM KEYING EXAMPLE

• There are 18 offices which have 3 black locks that need to be keyed alike, but the key number is not important.

Model String:

GLKFE3. BLK. X. 18

Model Color Program # of Offices

SPECIFIED KEYING EXAMPLE

• There are 6 offices which have 2 silver locks that need to be keyed alike with the key number 202.

Model String:

GLKFE2. MTS. X202. 6

Model Color Program # of Offices

SEQUENTIAL KEYING EXAMPLE

• A multiple phase project has 100 offices - 60 in the first phase with 4 locks, 40 in the second phase with 3 locks. No key number can be duplicated.

Model String (First Phase):

GLKFE4. PYT. SEQ/101. 60

Model String (Second Phase)

GLKFE3. PYT. SEQ/161. 40

Model Color Program # of Offices

PRODUCT REFERENCE

Product Reference
Statement of Line
Features + Advantages
Technical Specs
Filing Reference29-30
Height Reference31
Wire Management
Grommets
Details
Height Adjustability
Storage
Surface Mount Cabinets
Dimensions
Worksurface Finish Specifications48
Grain Direction Specification49

Silea 03/23

Unitized

RECTANGULAR TABLE DESK













ELLIPSE TABLE DESK







FULL BANK CREDENZA





STATEMENT OF LINE

Height adjustable |

WORKSURFACE FOR T-BASE



LAYERS BOOKCASE FOR T-BASE



T-BASE



STATEMENT OF LINE

Modular

Silea 03/23

DESK & RUNOFF WORKSURFACE

30 & 36D Rectangular

Bow

Racetrack

b shape

d shape

24D TOP Standard or Trough



ROUND TOP





GUITAR PICK TOP

Smart Storage and Accessories

SMART PEDESTAL GROMMET ACCESSORIES

HQ Power w/ Wireless Charging

Bezel Mount Power





SOLIDWOOD DESKTOP ACCESSORIES

Pencil Cup





REPLACEMENT HEIGHT ADJUSTABLE KEYPAD ACCESSORIES Basic Up/Down Keypad Memory Preset Keypad








Bluetooth App Control



STATEMENT OF LINE

Storage



MOBILE PEDESTAL



Gunlocke sin# 33721 21


CABINET W/ HINGED DOORS (1H)

CABINET W/ HINGED GLASS DOORS (1H)

CABINET W/ NO DOORS (1H)







CABINET W/ HINGED DOORS (2H)

(Wood only)



CABINET W/ HINGED GLASS DOORS (2H)


(Wood only)



TOWER W/ HINGED DOORS (1H)









TOWER W/ HINGED DOORS (2H)

TOWER W/ NO DOORS (1H)



TOWER W/ NO DOORS (2H)



EXTERNAL SURFACE MOUNT



ATTRIBUTE	FEATURE	ADVANTAGE
STYLE/DESIGN	Refined Aesthetic Range	 Application solutions for solo, team and community spaces Empowers design choice through a flexible aesthetic range Complete integration of components and functionality options Curated and compatible materials and finish options embrace diverse styling options Attention to detail High level of space customization & functionality Variety of metal pull options, along with integral pull on wood Interchangeability of materials provide design flexibility
	Hand Selected Veneer	 Quarter cut walnut Flat cut cherry, maple and walnut Rift cut oak Stratawood veneer (horizontal or vertical orientation)
	Mixed Material Solutions	 11 woodgrain laminates 3 solid laminates 6 back painted glass options 3 Corian options 5 metal finish colors
SCALABILITY	Size & Scale Aesthetic Cost	 Flexibility in material options and components allow for a variety of product planning solutions to meet customer requirements Standard height and layers height Application versatility from enclosed spaces to team collaborative settings to community gathering areas
FUNCTIONALITY	Unlimited Outcomes	High-performance workplaces driven by integration, agility, choice, and aesthetic options.
	Integrated Height Adjustability Solutions	 Mixed material, full modesty and half modesty desks & extensions Sit to stand bridges, returns and credenzas Shrouded height adjustable t-bases
		Layers application sit to stand solutions
	Soft Close Suspensions & Hardware	Soft close drawers and hinges on all materials
	Magnetic Tack zone	 Back painted glass, wood tack zones provide a magnetic surface for posting papers and magnetic accessories
	Personal Corner	Creates an ergonomic corner for use
	Collaborative Worksurface Shapes	 Media, sightline and guitar pick tops provide collaborative solutions in the private office or open areas Integration of private office components that enable effective meeting spaces
	Workwall Solutions	 Progressive meeting office option that allows for collaboration and personalized space Fits in private office applications or can be pulled into open areas
TECHNOLOGY INTEGRATION	Wire Management Trough	 Continuous trough with non-handed pedestals Easy access to power and data Clean, simple wire management Use of clip-in accessories
	Grommets	 Rectangular grommets in desks and credenzas Three grommet positions - closed, small opening for cords, larger opening for monitor arms Cutout can utilize a power unit to bring technology to the surface
	Wall Access Panels	Hinged wall access panels provide simple, clean wire management and access to cords

FEATURES + ADVANTAGES

ATTRIBUTE	FEATURE	ADVANTAGE
	Laptop Drawer	 Incorporated into layers applications under runoff worksurfaces to provide technology storage and power to the user and guest
	Lighting	Optional high-efficiency LED task lightingLow energy usage
TECHNOLOGY INTEGRATION	Wire Management Trough	 Continuous trough with non-handed pedestals Easy access to power and data Clean, simple wire management Use of clip-in accessories
	Grommets	 Rectangular grommets in desks and credenzas Three grommet positions - closed, small opening for cords, larger opening for monitor arm Cutout can utilize a power unit to bring power to the surface
	Wall Access Panels	 Hinged wall access panels provide simple, clean wire management and access to cords
	Laptop Tray	 Incorporated into layers applications under runoff worksurfaces to provide technology storage and power to the user and guest
	Lighting	Optional high-efficiency LED task lightingLow energy usage
STORAGE	Storage Locker	 Provides side access shelving for easy access for the user Hidden coat hook and personal storage Door available in wood and laminate Back Painted Glass doors serve as a whiteboard with a kickstand for collaborative meetings
	Wall Mount and Surface Mount Overheads	Hinged and sliding doorsWood models have back painted glass door optionMix of open and closed storage
	Hidden Accessory Drawers	Provides clean lines and fewer frontsMaximize space usage in drawers
SUSTAINABILITY	Designed for the Environment	 FSC certified products available FSC reconstituted veneer SCS Indoor Advantage™ Gold Certification High percentage of recycled content - greater than 43% BIFMA level® 3 certified Contribution to LEED V4 and WELL V1 Energy Efficient LED Task lighting
DURABILITY	ClearTech™ Finish	 Cured finish on worksurfaces - durable top coat Chemical, heat, scratch, and mar resistant Open pore or full-filled finish option, smooth to touch Robotic sprayer - uniformity of finish Depth, clarity, color consistency, and durability
	Gunlocke Craftsmanship	 Backed by Gunlocke's 12-year warranty High attention to detail, fit, finish and refinement across all material options
PRICE/VALUE	Budget Flexibility	 Range of basic to premium options and materiality choice provides a broad price range to accommodate solutions without sacrificing design or functionality
	Value	 12-year warranty Quality/value built into product throughout the manufacturing process

Gunlocke sin# 33721 25

TECHNICAL SPECS

Product specifications

VENEERS

Available in 8 select veneers and 2 premium veneers. All exposed wood surfaces utilize select flat cut Cherry, Maple, Walnut veneers, Stratawood - FSC reconstituted veneer, premium quarter cut Walnut, or Rift Cut Oak veneers. Stratawood veneer is made from rapidly renewable wood veneer, which provides a repeatable, consistent straight grain pattern. Stratawood veneers are available in Cherry, Maple, Walnut, or Oak at veneer 1 pricing in vertical or horizontal orientation. All veneers are carefully selected and matched to assure balance and consistency.

VENEER TOPS

Wood veneer tops feature 3-ply construction and are comprised of a premium 1.125" thick substrate. Tops are available with a square edge profile and are constructed of 45 lb. density particleboard. Tops are faced with premium veneer and backed with a polymer resin impregnated moisture resistant material. Rectangular tops utilize 2mm solid wood edgebands that are species matched except for Rift Cut Oak which is paired with solid ash hardwoods. Non-rectangular tops utilize matching 1mm edgebands that are doubled up for added durability, creating a total thickness of 2mm.

LAMINATE

The standard laminate offering includes solid and woodgrain laminates from Wilsonart. Laminate tops feature a high pressure laminate (HPL), a balanced 3-ply construction and are comprised of a 1.125" thick substrate. Tops are available with a square edge and are made with 45 lb. density particleboard. Laminate tops have a 2mm matching vinyl edgeband on all sides. Chassis and storage components feature a thermally fused laminate (TFL).

For complete technical specifications, visit www.wilsonart.com.

SOLID SURFACE TOPS

Solid surface tops with plywood subtops are a total of 1.25" thick. Tops are constructed with 0.5" Corian solid surface material applied to premium 0.75" plywood with a built up softened edge detail. Corian has a matte finish.

BACK PAINTED GLASS

Back painted glass is captured by an extruded aluminum mitered frame. The frame is low profile, allowing only a 0.063" visible frame around the perimeter of the glass from the front view. Aluminum frames are powder coated to match the color of the glass option chosen. Back painted glass is 4mm thick and whiteboard applications include a steel backer for use with magnets - 6 magnets are included with each whiteboard. Back painted glass has a clear glossy finish for use as a writable surface and can be used with dry-erase markers. Whiteboards are mounted to the wall with a z-bracket connection.

CHASSIS & PEDESTAL CONSTRUCTION

All chassis are constructed with a mixture of 3/4" thick balanced 3-ply panels and 3/4" thick panels. Panels are securely fastened together using cam-lock fasteners and dowels. Steel glide plates are attached to single end panels with screws. End panels are pre-bored to accept the stem of the glide. The threaded steel glide plate provides a durable connection from glide to end panel.

Each unit is equipped with a minimum of four adjustable glides.

OVERHEAD CABINET CONSTRUCTION

All cabinets are constructed with a mixture of 0.75" thick balanced 3-ply panels and 0.75" thick MDF panels. Wood panels are securely attached with hidden fasteners and dowels, and are securely adhered with PVAcdispersion adhesive. All laminate panels are securely fastened together

using cam-lock fasteners and dowels.

All surface mount cabinets connect to worksurface with double-sided adhesive tape.

Wall mount cabinets are mounted to the wall with a spade and "z" bracket attachment method. Spade brackets are securely mounted through the back of wall mount cabinets. All units ship with a steel z bracket. This bracket is mounted to the wall by field installers. Installers are responsible for selecting and supplying appropriate fasteners for wall conditions.

GLIDES

Glides provide 1.125" of vertical leveling adjustment. Glide bottom is durable non-rust nylon.

TACKBOARDS

Tackboards are constructed of 0.875" thick material comprised of a 0.125" thick hardboard glued in between a layer of 0.375" thick pressboard on each side. The fabric is precisely aligned and fitted to the tackboard and adhered to the rigid hardboard with staples.

DRAWERS

All drawers are constructed of four sides and a bottom, which are attached to a drawer front with screws for easy removal. Drawer fronts feature matched veneer within each pedestal set. The drawer side material is 3-ply 12mm vinyl wrapped particleboard and are miterfold construction. The bottom material is a 3-ply substrate consisting of vinyl wrapped high density fiberboard core.

SUSPENSIONS

Suspensions utilize cold rolled steel, zinc plated, high-grade drawer suspensions. Box drawers are full extension, featuring precision steel ball bearings for a smoother, quieter range of motion and are load rated for 120 lbs. File drawers are full extension, featuring precision steel ball bearings

for increased weight capacity and are load rated for 120 lbs. Lateral file suspensions are load rated for 150 lbs. and include an anti-tip mechanism that prevents both drawers from being opened at the same time. All suspensions are soft close and are warranted for the lifetime of the product.

HINGES

Doors with metal pulls include a 105° hinge with an integrated soft-close mechanism. Doors with touch latch utilize a 110° hinge. Hinges are fully adjustable.

FILING

The file hanging system is an integral part of the drawer. A highly durable black plastic extrusion is securely fastened into a rout on the top of the drawer. The plastic extrusion was designed to promote optimum filing capacity within the drawer while providing a durable, reliable and maintenance free filing system. (See filing capability section for technical information on drawer dimensions).

LOCKS

Locks are standard on all desks, credenzas, returns, modular pedestals, and storage units. Locks are optional on closets and overhead cabinets.

Each pedestal is independently locked.

Keying is available either random (factory installed), or omit (field installed).

When "Random Keying" is chosen, the factory will assign key(s) arbitrarily. Factory installed lock cores will be matte silver.

When "Omit Lock Core" is chosen, the factory will omit lock cores and locks will be field installed. A keying program must be chosen - Random, Specified, or Sequential – to specify keys. Field installed locks will be available in matte silver, black, pyrite, and matte gold.

WIRE MANAGEMENT

Wire management capabilities include optional worksurface grommets that can house cords, a monitor arm, or be replaced with a power unit to bring technology to the worksurface. Cavities in the back of pedestals, removable panels, and wall access panels can be used for cord concealment and management.

Under worksurface wire managers (Model # ACWM) are sold separately to conceal wires between pedestals. These units house and manage wires horizontally around a station.

Continuous aluminum wire management troughs provide seamless integration of technology in the credenza. Modular trough tops come with 2 end caps to close off the open-end condition. Clipin wire management accessories are provided to assist with technology ease and organization. Troughs, end caps and clip-in accessories are available in 5 metal finish colors – silver, black, pyrite, matte gold, and designer white.

POWER

Power units are available in three sizes and are offered as surface mount, under worksurface mount, and clamp mount units. Available in black, white or silver, power units incorporate a combination of power, USB power, and data integration. Each enclosure is rated for 15 amp, 125 volt. Units can be specified with 10' standard plug or 6' hardwire conduit option. Unit is field installed. UL Listed. USB charging ports are 2.1 amps per port. For information on each model, reference the "Power Units" page in the price book.

MAGNETIC ACCESSORIES

Magnetic accessories include imbedded magnets and can be positioned anywhere on magnetic tackzones and back painted glass tackzones/whiteboards. The accessories provide quick access to files, pencils, and other work utensils.

PERSONAL CORNER & DESKPADS

Personal corners can be used between two perpendicular worksurfaces to create an ergonomic corner for user. Deskpads are used in-line. All units are wrapped in leather or vinyl. The bottom surface has a felt lining to protect the worksurface. The chassis is made from 10-gauge aluminum. Personal corners are 36W x 12.5D. Deskpads are 36W x 18D. Units are designed to fit over 1 ½ worksurfaces.

LIGHTING

LED lighting provides high efficiency, low energy lighting with a long life. All LED lights are encased in a silver aluminum extrusion and include a built-in switch to turn the light on/off with a dimming feature. Lights are field installed. All units include a standard plug.

- Low profile strip light 0.625"H x 0.75"D
- Power: 2.92W / Foot
 LED's per meter: 120
 Color Temp: 3000K
 Certification: UL Listed
 GSA and TAA compliant

HEIGHT ADJUSTABLE

Height adjustable components include:

- Qty (2) height adjustable lifting columns
- Qty (1) control box
- Qty (5) keypad options from basic to premium
- Qty (2) cables connecting lifting columns to control box
- Qty (1) standard plug power cable to connect control box to power source

Lifting columns are rated for 225 lbs. dynamic load per column and are connected to tops using steel support brackets. Height range is 29" to 42.5". Each control box is powered by 120V / 60Hz. 2 lifting columns may draw approximately 1.5 amps total maximum under full load. Standby power is 0.1W.

Gunlocke sin# 33721 27

TECHNICAL SPECS

Product specifications

WORKWALLS

WorkWalls include wall mounted, wall mounted with wall access panels, stack on, and freestanding versions. Incorporating both a collaborative side and personal side, WorkWalls utilize a back painted glass sliding door that can serve as a whiteboard and be secured with a digital lock. The digital lock incorporates a keypad and smartphone app, along with 2 standard USB ports for emergency power jump and battery charging.

WOOD FINISH

Natural veneer is subject to nature's quality control. Each species will exhibit differences in grain pattern and tone. This is to be expected and, in fact, contributes to the beauty and individuality of each product. Flat Cut veneers emphasize the variations of wood by exhibiting cathedrals in the grain pattern. Quarter Cut and Rift Cut veneers are a premium cut that maintains variations in the grain but without cathedral patterns. Stratawood is a natural, FSC® - certified reconstituted veneer that is designed to exhibit a straight-grain pattern, absent of cathedrals or other significant grain and tone variations.

Worksurfaces are protected by one of the world's most advanced UV cured finish coatings, available in Full Fill ClearTech® or Open Pore low sheen finish, applied by state-of-the-art finishing equipment. Both finishes meet the EPA's stringent requirements for VOC emissions and air quality. Cured in a specially designed ultraviolet oven, the finish fuses to the wood, forming a durable shield that provides a high level of scratch, stain, chemical, and heat resistance, along with a high level of clarity.

Chassis, storage, overheads and veneer bases are finished with a 30 sheen. For the Finish System Guide & Technical specifications, visit www. gunlocke.com.

CLEANING CLEARTECH™ FINISH

Dust with a damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Note: Do not use furniture polishes containing oil, wax, or silicone, which can produce an oily film or haze.

CLEANING LAMINATE

Dust with a damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Note: Do not use furniture polishes containing oil, wax, or silicone, which can produce an oily film or haze.

For specific cleaning instructions on Wilsonart laminates, please visit www. wilsonart.com.

CLEANING GLASS

Dust with a damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth.

CLEANING SOLID SURFACE CORIAN

Using a damp sponge or cloth, use warm soapy water, an ammonia-based household cleaner, or a dedicated countertop cleaner to clean Corian solid surface. Rub over area using small circular motions, from the front to the back, then side to side, overlapping the circles until the entire area has been cleaned. Rinse the top thoroughly with clean water and wipe surface completely dry.

STANDARD FILING OPTIONS **FOR PEDESTALS**

9 wide x 30 and 36 deep pedestal

File rails included: 2 per drawer

- A. 2 rows of letter side to side with 2 file rails
- B. 1 row of legal side to side

Replacement File Rail Kit Model #ACFLR9-P






15 wide x 30 and 36 deep pedestal

File rails included: 2 per drawer

- C. 2 rows of letter side to side with 2 file rails
- D. 1 row of legal-side to side,

Replacement File Rail Kit Model #ACFLR15-P





15 wide x 24 deep pedestal

File rails included: 1 per drawer

- E. Legal-side to side
- F. 1 row letter side to side, Model #ACFLR15 Ships w/pedestal.

1 per file drawer.

Replacement File Rail Kit Model #ACFLR15-P





18 wide x 24 deep pedestal

File rails included: 1 per drawer

- G. Letter-front to back with file rail
- H. Legal-side to side

Replacement File Rail Kit Model #ACFLR18-P





FILING REFERENCE Silea
03/23

STANDARD FILING OPTIONS


(continued)


Lateral 30 wide x 24 deep pedestal


File rails included: 1 kit per drawer

- I. Legal-side to side
- J. Letter-side to side
- K. 2 rows letter front to back

Replacement File Rail Kit Model #ACFLR30-P








Lateral 36 wide x 24 deep pedestal


File rails included: 1 kit per drawer


- L. Letter-side to side
- M. 2 rows letter front to back
- N. Legal-side to side
- O. 2 rows legal front to back

Replacement File Rail Kit Model #ACFLR36-P










HEIGHT REFERENCE


Standard Height




14-1/8

32-1/16


22-3/8



46-3/16




Layers Height



TYPICAL 2-HIGH SIDE PROFILE







WIRE MANAGEMENT

Silea
03/23




TROUGH INFORMATION





GROMMET LOCATIONS





GROMMET CUTOUT LOCATIONS

UNIT	А	CENTER	В
24D Rectangular Tops	12	CENTER	4.25
30D Rectangular Tops	12	-	9.500
36D Rectangular Tops	12	-	9.500
Media Tops	-	CENTER	3.750
Round Tops	-	CENTER	-
Guitar Pick Tops	-	CENTER	-
22D Height Adjustable Tops	10	CENTER	3.5
28D & 34D Height Adjustable Tops	10	CENTER	4
30D Telescoping Height Adjustable Tops	12.500	-	6.125
36D Telescoping Height Adjustable Tops	12.500	-	9.125
30D Half/Full Modesty Height Adjustable Tops	12.500	-	4.500
36D Half/Full Modesty Height Adjustable Tops	12.500	-	7.500
24D Height Adjustable Units	-	CENTER	5.11

• Add \$77 per grommet based on chosen grommet configuration

Gunlocke provides versatile storage features, including convenient options for pull orientation and drawer configuration. The accessory drawer includes convenient internal compartments crafted with Gunlocke quality.









IMPORTANT SPEC TIP: HEIGHT ADJUSTABILITY WITH MONITOR ARMS

- Monitor arms should **ALWAYS** be installed in grommets on Silea HAT units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm.
- $\bullet \ \ \text{Monitor arms should} \ \ \underline{\textbf{NOT}} \ \ \text{be clamped to back edge of top} \ \ \text{where chassis interference can occur.}$
- The dimension from top of chassis to bottom of top on many HAT units allows for only approximately 2.250" clearance. Many monitor arm clamps, including Allsteel Pivot Monitor arms, have a taller clamp mount that will crash into the chassis during operation resulting in damage and/or loss of operation.


Storage options feature a nested laptop drawer, thoughtfully placed power access, and a multi-functional storage locker.




Laptop Drawer




Storage Drawer



SURFACE MOUNT CABINETS






52 High


Technology information & wire management:

- Tasklight cord grommet optional.
- Located in upper right-hand corner, provides task light cord access to wall outlets.




Grommet Height 39H and 52H = 24

Surface mount overhead cabinets must be supported with adequate pedestal or panel support on ends. In addition, the location where the surface mount cabinet and tower meet the worksurface using intermediate supports.



When specifying surface mount storage across multiple units, careful considerations must be used to ensure the correct overall length. An end or back panel of a supporting unit must support the end panel of an overhead cabinet.



		EXTER	NAL DIME	NSIONS		INTERN	NAL DIME	NSIONS
DESCRIPTION	STYLE	width	depth	height	LOCATION	width	depth	height
Desk Pedestals 9" Wid	de Box Box File	9 ² / ₅	29.13	27.88	Box Drawer	5.84	15.02	2.91
30" Deep	Dec Box Box File 9 2/5 29.13 27.88 Box Drawer 5.84	5.84	25.22	9.17				
	Acc. Box File	9 ² / ₅	29.13	27.88	Acc. Drawer	5.93	width depth 5.84 15.02 5.84 25.22 5.93 14.92 5.84 15.02 5.84 25.22 5.84 25.22 5.84 15.02 5.84 25.22 5.93 14.92 5.84 15.02 5.84 25.22 5.84 25.22	1.50
					Box Drawer	5.84	15.02	2.91
					File Drawer	5.84	25.22	9.17
	File File	9 ² / ₅	29.13	27.88	File Drawer	5.84	25.22	9.17
	Box Box File 9 2/s 35.13 27.88 Box Drawer 5.84 15.02 2.91 Acc. Box File 9 2/s 35.13 27.88 Acc. Drawer 5.93 14.92 1.50 Box Drawer 5.84 15.02 2.91 File Drawer 5.84 25.22 9.17 File File 9 2/s 35.13 27.88 File Drawer 5.84 25.22 9.17 Box Box File 15 29.13 27.88 Box Drawer 11.40 15.02 2.91 File File 15 29.13 27.88 File Drawer 11.40 25.22 9.20 Box Box File 15 35.13 27.88 Box Drawer 11.40 25.22 9.20 Box Box File 15 35.13 27.88 Box Drawer 11.40 25.22 9.20 File File 15 35.13 27.88 File Drawer 11.40 25.22 9.20 File File 15 35.13 27.88<	2.91						
36" Deep					File Drawer	5.84 15.02 5.84 25.22 5.93 14.92 5.84 25.22 5.84 25.22 5.84 25.22 5.84 15.02 5.84 25.22 5.93 14.92 5.84 25.22 5.84 25.22 5.84 25.22 11.40 15.02 11.40 25.22 11.40 25.22 11.40 15.02 11.40 15.02 11.40 15.02 11.40 15.02 11.40 15.02 11.40 15.02 11.40 15.02 11.40 15.02 11.40 15.02 11.40 15.02 14.40 15.02 14.40 15.02 14.40 15.02 14.40 15.02 26.40 13.09 25.90 15.02 28.47 <	9.17	
	Acc. Box File	9 ² / ₅	35.13	27.88	Acc. Drawer	5.93	14.92	1.50
					Box Drawer	5.84	15.02	2.91
					File Drawer	5.84	25.22	9.17
	File File	9 ² / ₅	35.13	27.88	File Drawer	5.84	25.22	9.17
Desk Pedestals 15" Wide	Box Box File	15	29.13	27.88	Box Drawer	11.40	15.02	2.91
30" Deep					File Drawer	11.40	25.22	9.20
	File File	15	29.13	27.88	File Drawer	11.40	25.22	9.20
Desk Pedestals 15" Wide	Box Box File	15	35.13	27.88	Box Drawer	11.40	15.02	2.91
36" Deep					File Drawer	11.40	25.22	9.20
	File File	15	35.13	27.88	File Drawer	11.40	25.22	9.20
Standard Height Modula	r Box Box File	15	23.13	27.88	Box Drawer	11.40	15.02	2.91
Pedestals 15"W					File Drawer	11.40	15.02	9.17
	Acc. Box File	15	23.13	27.88	Acc. Drawer	11.50	14.92	1.50
					Box Drawer	11.40	15.02	2.91
					File Drawer	11.40	15.02	9.17
	File File	15	23.13	27.88	File Drawer	11.40	15.02	9.17
Standard Height Modula	r Box Box File	18	23.13	27.88	Box Drawer	14.40	1.40 15.02	2.91
Pedestals 18"W					File Drawer	14.40	0 14.92 0 15.02 0 15.02 0 15.02 0 15.02 0 15.02 0 15.02 9 14.92	9.17
	Acc. Box File	18	23.13	27.88	Acc. Drawer	14.49	14.92	1.56
					Box Drawer	14.40	15.02	2.91
					File Drawer	14.40	15.02	9.17
	File File	18	23.13	27.88	File Drawer	14.40	15.02	9.17
Standard Height Modula	r File File	30	23.13	27.88	File Drawer	25.90	15.02	9.25
Pedestals 30"W	Box Box File	30	23.13	27.88	Box Drawer	14.40 15.02 14.49 14.92 14.40 15.02 14.40 15.02 14.40 15.02 25.90 15.02 26.40 13.09	2.91	
					File Drawer	25.90	15.02	9.25
	Hinged Door	30	23.13	27.88	Total	28.47	13.55	26.38
					Above Shelf	28.47	13.45	12.78
					Below Shelf	28.47	13.55	12.85
	Bookcase	30	22.32	27.88	Total	28.47	13.55	26.38
					Above Shelf	28.47	13.45	12.78
					Below Shelf	28.47	13.55	12.85
Standard Height Modula	File File	36	23.13	27.88	File Drawer	31.90	15.02	9.25
Pedestals 36"W	Box Box File	36	23.13	27.88	Box Drawer	32.40	13.09	2.91
					File Drawer	31.90	15.02	9.25
	Hinged Door	36	23.13	27.88	Total	34.47	13.55	26.44
					Above Shelf	34.47	13.45	12.74
					Below Shelf	34.47	13.55	12.89

		EXTER	EXTERNAL DIMENSIONS			INTERNAL DIMENSIONS		
DESCRIPTION	STYLE	width	depth	height	LOCATION	width	depth	height
	Bookcase	36	22.32	27.88	Total	34.47	13.55	26.36
					Above Shelf	34.47	13.45	12.70
					Below Shelf	34.47	13.55	12.85
ayers Height Modular	Box File	15	23.13	20.75	Box Drawer	11.40	15.02	2.91
Pedestals 15"W					File Drawer	11.40	15.02	9.17
ayers Height Modular	Box File	18	23.13	20.75	Box Drawer	14.40	15.02	2.91
Pedestals 18"W	<u>.</u>				File Drawer	14.40	15.02	9.17
_ayers Height Modular	Box File	30	23.13	20.75	Box Drawer	26.40	13.09	2.91
Pedestals 30"W					File Drawer	25.90	15.02	9.25
edesiais 50 VV	Hinged Door	30	23.13	20.75	Total	28.47	13.45	19.25
					Above Shelf	28.47	13.45	5.66
					Below Shelf	28.47	13.45	12.85
	Bookcase	30	22.32	20.75	Total	28.47	13.45	19.25
		30	22.02	20.70	Above Shelf	28.47	13.45	5.66
					Below Shelf	28.47	13.45	12.85
	Cido Assess	20	00.10	00.7F				
	Side Access	30	23.13	20.75	Total	28.47	25.59	19.25
	0 15"		00.40	00.75	Box Drawer	25.44	15.25	5.12
ayers Height Modular Pedestals 36"W	Box File	36	23.13	20.75	Box Drawer	32.40	13.09	2.91
					File Drawer	31.90	15.02	9.25
	Hinged Door	36	23.13	20.75	Total	34.47	13.55	19.23
					Above Shelf	34.47	13.45	5.58
					Below Shelf	34.47	13.55	12.85
	Bookcase	36	22.32	20.75	Total	34.47	13.55	19.23
					Above Shelf	34.47	13.45	5.58
					Below Shelf	34.47	13.55	12.85
	Side Access	36	23.13	20.75	Total	34.47	25.59	19.23
					Box Drawer	31.44	15.25	5.12
Mobile Pedestal	Mobile pedestal	15	21.80	22.63	Box Drawer	11.40	15.02	2.91
					File Drawer	11.40	15.02	9.17
Bookcases	2H	30	14.88	27.88	2H Top Shelf	28.47	13.91	12.76
					2H Bottom Shelf	28.47	14.07	12.85
	3H	30	14.88	41.77	3H Top Shelf	28.47	13.91	11.98
					3H Middle Shelf	28.47	13.91	13.93
					3H Bottom Shelf	28.47	14.07	12.85
	4H	30	14.88	54.00	4H Top Shelf	28.47	13.91	11.48
					4H 2nd Shelf	28.47	13.91	11.98
					4H 3rd Shelf	28.47	13.91	13.93
					4H Bottom Shelf	28.47	14.07	12.85
	5H	30	14.88	68.13	5H Top Shelf	28.47	13.91	12.61
					5H 2nd Shelf	28.47	13.91	12.25
					5H 3rd Shelf	28.47	13.91	11.98
					5H 4th Shelf	28.47	13.91	13.93
		20	14.00	01.50	5H Bottom Shelf	28.47	14.07	12.85
	6H	30	14.88	81.50	6H Top Shelf	28.47	13.91	12.62
					6H 2nd Shelf	28.47	13.91	12.61

		EXTER	TERNAL DIMENSIONS			INTERN	NSIONS	
DESCRIPTION	STYLE	width	depth	height	LOCATION	width	depth	height
					6H 3rd Shelf	28.47	13.91	12.25
					6H 4th Shelf	28.47	13.91	11.98
					6H 5th Shelf	28.47	13.91	13.93
					6H Bottom Shelf	28.47	14.07	12.85
Bookcase / Closet	5H	18	23.88	68.13	5H Top Shelf	7.86	21.10	12.61
					5H 2nd Shelf	7.86	21.10	12.25
					5H 3rd Shelf	7.86	21.10	11.98
					5H 4th Shelf	7.86	21.10	13.93
					5H Bottom Shelf	7.86	22.26	12.85
					Closet	7.86	22.26	66.61
	6H	18	23.88	81.50	6H Top Shelf	7.86	21.10	12.62
					6H 2nd Shelf	7.86	21.10	12.61
					6H 3rd Shelf	7.86	21.10	12.25
					6H 4th Shelf	7.86	21.10	11.98
					6H 5th Shelf	7.86	21.10	13.93
					6H Bottom Shelf	7.86	22.26	12.85
	-				Closet Above Shelf	7.86	21.10	12.62
					Closet Below Shelf	7.86	22.26	66.61
Lateral Files	2H	30"	23.88	29.04	File Drawer	25.90	15.02	9.25
		36"	23.88	29.04	File Drawer	31.90	15.02	9.25
	3H	30"	23.88	41.77	File Drawer	25.90	15.02	9.25
		36"	23.88	41.77	File Drawer	31.90	15.02	9.25
	4H	30"	23.88	54.00	File Drawer	25.90	15.02	9.25
		36"	23.88	54.00	File Drawer	31.90	15.02	9.25
	5H	30"	23.88	68.13	File Drawer	25.90	15.02	9.25
	-				Hinged Door	28.47	22.26	13.37
		36"	23.88	68.13	File Drawer	31.90	15.02	9.25
					Hinged Door	34.47	22.26	13.37
	6H	30"	23.88	81.50	File Drawer	25.90	15.02	9.25
					Hinged Door Above Shelf	28.47	21.45	13.00
					Hinged Door Below Shelf	28.47	22.26	13.00
	-	36"	23.88	81.50	File Drawer	31.90	15.02	9.25
					Hinged Door Above Shelf	34.47	21.45	13.00
					Hinged Door Below Shelf	34.47	22.26	13.00
Closets	15"	15	23.88	68.13	Total	13.47	22.26	66.61
	18"	18	23.88	68.13	Total	16.47	22.26	66.61
	18" 6H	18	23.88	81.50	Above Shelf	16.47	21.10	12.62
	-				Below Shelf	16.47	22.26	66.61
	5H - D	30	23.88	68.13	Top Shelf	13.86	21.10	12.61
					2nd Shelf	13.86	21.10	12.25
	-				3rd Shelf	13.86	21.10	11.98
					4th Shelf	13.86	21.10	13.93
					Bottom Shelf	13.86	22.26	12.85
					Coat Rod Section	13.86	22.26	66.61
	5H - S	30	23.88	68.13	Top Shelf	28.47	21.10	12.61
				227.10				

			NAL DIME	NSIONS		INTERNAL DIMENSIONS		
DESCRIPTION	STYLE	width	depth	height	LOCATION	width	depth	height
					2nd Shelf	28.47	21.10	12.25
					3rd Shelf	28.47	21.10	11.98
					4th Shelf	28.47	21.10	13.93
					Bottom Shelf	28.47	22.26	12.85
	6H - D	30	23.88	81.50	Top Shelf	13.86	21.10	12.62
					2nd Shelf	13.86	21.10	12.61
					3rd Shelf	13.86	21.10	12.25
					4th Shelf	13.86	21.10	11.98
					5th Shelf	13.86	21.10	13.93
					Bottom Shelf	13.86	22.26	12.85
	-				Coat Rod Section Above Top Shelf	13.86	21.10	12.62
					Coat Rod Section Bellow Top Shelf	13.86	22.25	66.61
	6H - S	30	23.88	81.50	Top Shelf	28.47	21.10	12.62
					2nd Shelf	28.47	21.10	12.61
					3rd Shelf	28.47	21.10	12.25
	-				4th Shelf	28.47	21.10	11.98
					5th Shelf	28.47	21.10	13.93
			_		Bottom Shelf	28.47	22.26	12.85
Ctorogo Dov			00.00	00.10				
Storage Box	5H	30	23.88	68.13	File Drawer	25.90	15.02	9.25
					Total Hinged Door	28.47	22.26	39.50
			_		Top Shelf	28.47	19.45	12.61
					Middle Shelf	28.47	19.45	12.10
					Bottom Shelf	28.47	22.26	13.29
	6H	30	23.88	81.50	File Drawer	25.90	15.02	9.25
					Total Hinged Door	28.47	22.26	52.87
					Top Shelf	28.47	19.45	12.62
					2nd Shelf	28.47	19.45	12.61
					3rd Shelf	28.47	19.45	12.10
					Bottom Shelf	28.47	22.26	13.29
Storage Box 18" Wide	5H	18	23.88	68.13	File Drawer	14.40	15.02	9.17
					Total Hinged Door	16.47	22.26	39.50
					Top Shelf	16.47	19.45	12.61
					Middle Shelf	16.47	19.45	12.10
					Bottom Shelf	16.47	22.26	13.29
	6H	18	23.88	81.50	File Drawer	14.40	15.02	9.17
					Total Hinged Door	16.47	22.26	52.87
					Top Shelf	16.47	19.45	12.62
					2nd Shelf	16.47	19.45	12.61
					3rd Shelf	16.47	19.45	12.10
					Bottom Shelf	16.47	22.26	13.29
Storage Box 18" Wide No	5H	18	23.88	68.13	File Drawer	14.40	15.02	9.17
Door					Total Shelf	16.47	22.26	39.50
					Top Shelf	16.47	19.45	12.61
	-				Middle Shelf	16.47	19.45	12.10
					Bottom Shelf		22.26	
					DOMONII SHEII	16.47	22.20	13.29

Gunlocke sin# 33721 41

		EXTER	TERNAL DIMENSIONS		INTERNAL DIMENSIONS			
DESCRIPTION	STYLE	width	depth	height	LOCATION	width	depth	height
	6H	18	23.88	81.50	File Drawer	14.40	15.02	9.17
					Total Shelf	16.47	22.26	52.87
					Top Shelf	16.47	19.45	12.62
					2nd Shelf	16.47	19.45	12.61
					3rd Shelf	16.47	19.45	12.10
					Bottom Shelf	16.47	22.26	13.29
Utility Cabinet	5H	24	23.88	68.13	Closet	7.84	22.26	66.60
					File Drawer	11.40	15.02	9.17
					Total Hinged Door	13.47	22.32	39.53
					Top Shelf	13.47	19.45	12.61
					Middle Shelf	13.47	19.45	12.10
					Bottom Shelf	13.47	22.32	13.33
	6H	24	23.88	81.50	Closet Above Top Shelf	7.84	19.45	12.62
					Closet Below Top Shelf	7.84	22.26	66.61
					File Drawer	13.47 22.32 13.47 19.45 13.47 19.45 13.47 22.32 7.84 19.45 7.84 22.26 11.40 15.02 13.47 22.32 13.47 19.45 13.47 19.45 13.47 19.45 13.47 22.32 28.47 22.26 28.47 22.26 34.47 22.26 34.47 22.26 14.70 22.32 14.70 22.32 21.55 15.41	9.17	
					Total Hinged Door	13.47	22.32	52.91
					Top Shelf	13.47	19.45	12.62
					2nd Shelf	13.47	19.45	12.61
					3rd Shelf	13.47	19.45	12.10
					Bottom Shelf	13.47	22.32	13.33
Storage Cabinet	30"W	30	23.88	29.04	Total	28.47	22.26	26.38
					Top Shelf	28.47	21.45	12.78
					Bottom Shelf	28.47	22.26	12.85
	36"W	36	23.88	29.04	Total	34.47	22.26	26.38
					Top Shelf	34.47	21.45	12.72
					Bottom Shelf	34.47	22.26	12.85
Standard & Layers Side	5H w/ door	23 7/8	23.90	68.13	Inside Top Shelf	14.70	22.32	12.61
Access Storage Locker					Inside Bottom Shelf	14.70	11.40 15.02 13.47 22.32 13.47 19.45 13.47 19.45 13.47 19.45 13.47 22.32 28.47 22.26 28.47 22.26 34.47 22.26 34.47 22.26 34.47 22.32 14.70 22.32 21.55 15.41 21.55 15.47 14.70 21.12 21.55 15.47 22.50 14.08 34.50 14.08 19.67 14.08	12.85
					Top Side Access Shelf	21.55	15.41	12.25
					Bottom Side Access Shelf	21.55	15.47	11.97
	6H w/ door	23 7/8	23.90	81.50	Inside Shelf	14.70	21.12	12.62
					Inside Bottom Shelf	14.70	21.12	13.94
					Top Side Access Shelf	21.55	15.41	12.25
					Bottom Side Access Shelf	21.55	15.47	11.97
1H Wall Mount Cabinets	1H Hinged Door (16 ¹ / ₅ "D)	30"	See depth	14.13	Shelf	28.50	14.08	12.59
- Hinged Door & Open	1H Glass Door (16 ¹ / ₄ "D)	36"	dimensions	14.13	Shelf	34.50	14.08	12.59
Shelf	1H Open (15 ³ / ₈ "D)	42"	by style	14.13	Left Shelf	19.67	14.08	12.59
					Right Shelf	19.67	14.08	12.59
		48"		14.13	Left Shelf	22.67	14.08	12.59
					Right Shelf	22.67	14.08	12.59
		54"		14.13	Left Shelf	25.67	14.08	12.59
					Right Shelf	25.67	14.08	12.59
		60"		14.13	Left Shelf	28.67	14.08	12.59
					Right Shelf	28.67	14.08	12.59
		66"		14.13	Left Shelf	31.67	14.08	12.59

		EXTER	RNAL DIME	NSIONS		INTER	NAL DIME	NSIONS
DESCRIPTION	STYLE	width	depth	height	LOCATION	width	depth	height
					Right Shelf	31.67	14.08	12.59
		72"		14.13	Left Shelf	34.67	14.08	12.59
					Right Shelf	34.67	14.08	12.59
		78"		14.13	Left Shelf	37.67	14.08	12.59
					Right Shelf	37.67	14.08	12.59
		84"		14.13	Left Shelf	26.67	14.08	12.59
					Middle Shelf	26.84	14.08	12.59
					Right Shelf	26.67	14.08	12.59
		90"		14.13	Left Shelf	28.67	14.08	12.59
					Middle Shelf	28.84	14.08	12.59
					Right Shelf	28.67	14.08	12.59
		96"		14.13	Left Shelf	30.67	14.08	12.59
					Middle Shelf	30.84	14.08	12.59
					Right Shelf	30.67	14.08	12.59
		102"		14.13	Left Shelf	32.67	14.08	12.59
					Middle Shelf	32.84	14.08	12.59
					Right Shelf	32.67	14.08	12.59
		108"		14.13	Left Shelf	34.67	14.08	12.59
		100		14.10	Middle Shelf	34.84	14.08	12.59
					Right Shelf	34.67	14.08	12.59
IH Wall Mount Cabinets –	1⊔	60"	16.20	14.13	Left Shelf	28.67	14.08	12.59
Sliding Doors			10.20	14.10	Right Shelf	28.67	14.08	12.59
		72"	16.20	14.13	Left Shelf	34.67	14.08	12.59
		12	10.20	14.13	Right Shelf			
		00"	10.00	14.10	Left Shelf	34.67	14.08	12.59
		90"	16.20	14.13		28.66	14.08	12.59
					Middle Shelf	28.86	14.08	12.59
		400"	40.00	11.10	Right Shelf	28.66	14.08	12.59
		108"	16.20	14.13	Left Shelf	34.66	14.08	12.59
					Middle Shelf	34.86	14.08	12.59
			_		Right Shelf	34.66	14.08	12.59
2H Wall Mount Cabinets - Hinged Door & Open	2H Hinged Door (16 ¹ / ₅ "D)	30"	_ See depth	27.50	Top Shelf	28.50	13.95	12.61
Shelf	2H Glass Door (16 ¹ / ₄ "D)		dimensions		Bottom Shelf	28.50	13.95	12.61
	2H Open (15 ³ / ₈ "D)	36"	by style	27.50	Top Shelf	34.50	13.95	12.61
					Bottom Shelf	34.50	13.95	12.61
		42"		27.50	Top Shelf Left	19.67	13.95	12.61
					Top Shelf Right	19.67	13.95	12.61
					Bottom Shelf Left	19.67	13.95	12.61
					Bottom Shelf Right	19.67	13.95	12.61
		48"		27.50	Top Shelf Left	22.67	13.95	12.61
					Top Shelf Right	22.67	13.95	12.61
					Bottom Shelf Left	22.67	13.95	12.61
					Bottom Shelf Right	22.67	13.95	12.61
		54"		27.50	Top Shelf Left	25.67	13.95	12.61
					Top Shelf Right	25.67	13.95	12.61
					Bottom Shelf Left	25.67	13.95	12.61

Gunlocke sin# 33721 43

		EXTERI	NAL DIME	NSIONS		INTERN	NTERNAL DIMEN		
DESCRIPTION	STYLE	width	depth	height	LOCATION	width	depth	height	
					Bottom Shelf Right	25.67	13.95	12.61	
		60"		27.50	Top Shelf Left	28.67	13.95	12.61	
					Top Shelf Right	28.67	13.95	12.61	
					Bottom Shelf Left	28.67	13.95	12.61	
					Bottom Shelf Right	28.67	13.95	12.61	
		66"		27.50	Top Shelf Left	31.67	13.95	12.58	
					Top Shelf Right	31.67	13.95	12.58	
					Bottom Shelf Left	31.67	13.95	12.58	
					Bottom Shelf Right	31.67	13.95	12.58	
		72"		27.50	Top Shelf Left	34.67	13.95	12.58	
					Top Shelf Right	34.67	13.95	12.58	
					Bottom Shelf Left	34.67	13.95	12.58	
					Bottom Shelf Right	34.67	13.95	12.58	
		78"		27.50	Top Shelf Left	37.67	13.95	12.58	
					Top Shelf Right	37.67	13.95	12.58	
					Bottom Shelf Left	37.67	13.95	12.58	
					Bottom Shelf Right	37.67	13.95	12.58	
		84"		27.50	Top Shelf Left	26.67	13.95	12.61	
					Top Shelf Middle	26.84	13.95	12.61	
					Top Shelf Right	12.67	13.95	12.61	
					Bottom Shelf Left	26.67	14.08	12.61	
					Bottom Shelf Middle	26.84	14.08	12.61	
					Bottom Shelf Right	26.67	14.08	12.61	
		90"		27.50	Top Shelf Left	28.67	13.95	12.61	
					Top Shelf Middle	28.84	13.95	12.61	
					Top Shelf Right	28.67	13.95	12.61	
					Bottom Shelf Left	28.67	14.08	12.61	
					Bottom Shelf Middle	28.84	14.08	12.61	
					Bottom Shelf Right	28.67	14.08	12.61	
2H Wall Mount Cabinets	2H	60"	16.20	27.50	Top Shelf Left	28.67	12.89	12.61	
 Sliding Doors 					Top Shelf Right	28.67	12.89	12.61	
					Bottom Shelf Left	28.67	13.41	12.61	
					Bottom Shelf Right	28.67	13.41	12.61	
		72"	16.20	27.50	Top Shelf Left	34.67	12.89	12.58	
					Top Shelf Right	34.67	12.89	12.58	
					Bottom Shelf Left	34.67	13.41	12.58	
					Bottom Shelf Right		13.41	12.58	
		90"	16.20	27.50	Top Shelf Left	28.66	12.89	12.61	
			.0.20		Top Shelf Middle	28.86	12.89	12.61	
					Top Shelf Right	28.66	66 12.89 66 13.41	12.61	
					Bottom Shelf Left	28.66		12.61	
					Bottom Shelf Middle	28.86		12.61	
					Bottom Shelf Right	28.66	13.41	12.6	

		EXTER	NAL DIME	NSIONS		INTERN	IAL DIME	NSIONS
DESCRIPTION	STYLE	width	depth	height	LOCATION	width	depth	height
1H Surface Mount	1H Hinged Door (15 ² / ₃ "D)	60"	See depth	39.09	Cabinet Left	28.67	14.11	12.61
Cabinets – Hinged Door & Open Shelf	1H Glass Door (15 ³ / ₄ "D)		dimensions		Cabinet Right	28.67	14.11	12.61
d Open Shell	1H Open (14 ⁷ / ₈ "D)		by style		Tackzone	58.50	14.25	24.97
		66"		39.09	Cabinet Left	31.67	.67 14.11 .67 14.11 .50 14.25 .67 14.11 .67 14.11 .50 14.25 .67 14.11 .67 14.11	12.61
					Cabinet Right	31.67		12.61
					Tackzone	64.50	14.25	24.97
		72"		39.09	Cabinet Left	34.67	14.11	12.61
					Cabinet Right	34.67		12.61
					Tackzone	70.50	14.25	24.97
		78"		39.09	Cabinet Left	37.67	14.11	12.61
					Cabinet Right	37.67		12.61
					Tackzone	76.50		24.97
		84"		39.09	Cabinet Left	26.67		12.61
		04			Cabinet Middle	26.84		12.61
					Cabinet Right	26.67		12.61
					Tackzone	82.50		24.97
		00"		20.00				
		90"		39.09	Cabinet Left	28.67		12.61
					Cabinet Middle	28.84		12.61
					Cabinet Right	28.67		12.61
			_		Tackzone	88.50		24.97
		96"		39.09	Cabinet Left	30.67	14.11	12.61
					Cabinet Middle	30.84	14.11	12.61
					Cabinet Right	30.67	14.11	12.61
					Tackzone	94.50	14.25	24.97
		102"		39.09	Cabinet Left	32.67	14.11	12.61
					Cabinet Middle	32.84	14.11	12.61
					Cabinet Right	32.67	14.11	12.61
					Tackzone	100.50	14.25	24.97
		108"		39.09	Cabinet Left	34.67	14.11	12.61
					Cabinet Middle	34.84	14.11	12.61
					Cabinet Right	34.67	14.11	12.61
					Tackzone	106.50	14.13	24.97
H Surface Mount	2H Hinged Door (15 ² / ₃ "D)	60"	_ See depth	52.47	Top Shelf Left	28.67	13.98	12.61
Cabinets – Hinged Door	2H Glass Door (15 ³ / ₄ "D)		dimensions		Top Shelf Right	28.67	13.98	12.61
Open Shelf	2H Open (14 ⁷ / ₈ "D)		by style		Bottom Shelf Left	28.67	14.11	12.63
					Bottom Shelf Right	28.67	14.11	12.63
					Tackzone	58.50	14.25	24.97
		66"		52.47	Top Shelf Left	31.67	13.98	15.58
					Top Shelf Right	31.67	13.98	15.58
					Bottom Shelf Left	31.67	14.11	12.60
					Bottom Shelf Right	31.67	14.11	12.60
					Tackzone	64.50	14.25	24.97
		72"		52.47	Top Shelf Left	31.67	13.98	12.58
		12		<i>52.</i> 41	Top Shelf Right	31.67	13.98	12.58
					· · · · · · · · · · · · · · · · · · ·			
					Bottom Shelf Left	31.67	14.11	12.

Gunlocke sin# 33721 45