

EFFECTIVE 1/1/17
ALL PRODUCTS MADE IN USA



THE CRAFT OF SEATING

PRICE LIST

table of contents

GENERAL INFORMATION

TERMS AND CONDITIONS1
COM/COL3
FABRIC UPGRADES4
SURFACE MATERIALS5
SURFACE MATERIAL UPGRADES5
EKO TEXTILE PROGRAM5
ARC COM	
CF STINSON	
DESIGN TEX	
KNOLL	
MAHARAM	
MOMENTUM	
ULTRAFABRICS	
HELVETIA LEATHER	
+EKO CARE FEATURE DEFINITIONS6

HEALTHCARE SEATING

HYPATE8
KARDIA PUBLIC14
KARDIA MULTIPLE24
KARDIA LOUNGE34
KARDIA PATIENT46
KARDIA GLIDERS52
KARDIA TRANSPORT54
KARDIA RECLINERS58
KARDIA SLEEPERS66
MACHI72
MACHI 276
MOD80
NV SIMPLEX84
NV86
REED90
STRATOS94
SUTTON104

HEALTHCARE LOUNGE TABLES

FUSE106
KLASS109
META110

FORMS

COM FORM111
CUSTOM FINISH FORM112

terms and conditions

LIFETIME WARRANTY

+EKOCARE warrants products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components and materials not manufactured by EKO. These are subject to the specific warranties of their manufacturers (if any). Repairs or replacement of any defect covered under this warranty by EKO will be made, at our option and method, at no charge to the original purchaser. EKO's judgment is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner or repair or replacement. This warranty does not apply to defects or damage resulting from:

- 1.) Normal wear and tear occurring with the use of the product.
- 2.) Negligence, misuse, excessive use, alteration, improper cleaning or repair.
- 3.) Substitution or use of incorrect or unauthorized components or material.
- 4.) Handling or installation that is incorrect, or that causes damage or defect.
- 5.) Damage incurred by a freight carrier other than EKO.
- 6.) Wearing of finishes and fabrics, and normal variations in materials (including dye lot variations).
- 7.) Properties of natural materials, including wood and leather.
- 8.) Exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate controlled conditions).

CUSTOMER SATISFACTION

It is the primary goal of EKO and our team to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with an EKO product after the expiration of the limited warranty period, EKO will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

TERMS AND CONDITIONS

Net 30 days. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized EKO dealers. Acceptance of any order and terms of sale may be established at the discretion of EKO. Deposits are required from new accounts as well as on large or special orders. EKO reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

ORDERING AND ORDER ACKNOWLEDGEMENTS

Please email all orders to sales@ekocontract.com. You will receive an order acknowledgement, with ship date or terms of purchase, within 24 hours of order notification. This email is for incoming orders only.

To make your purchase experience with EKO the best possible, make sure your purchase order is complete. Many times our products are not ordered complete. Orders with missing finish colors, laminate colors, incorrect pricing, and options not matching descriptions will be returned to clients and must be revised with corrections and resent to EKO before an order is placed. See product price list for ordering instructions and please double check your order prior to sending.

Each order will be acknowledged via email or fax. This acknowledgement is the final agreement between EKO and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between the product code and a description, EKO will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgements for accuracy, and advise EKO of any discrepancies with a purchase order.

If you have not received an order acknowledgement after 24 hours, please contact brandi@ekocontract.com for further assistance.

ADVANCE SHIP NOTICE

After shipment is made, each order will receive an Advance Ship Notice (ASN) via email or fax. You will receive a PDF of the signed bill of lading containing ship date, pro number, and carrier. Invoices are also sent along with the ASN. Hard copy invoices can be mailed upon request.

IN-GRADED FABRIC PROGRAM

Click for:

[TEXTILES](#)
[GRADED-IN TEXTILE DATA BASE](#)

EKO CUSTOMER CARE HOURS

Please note customer care hours are:
8:30 AM to 5:00 PM EST Monday-Thursday
8:30 AM to 2:00 PM EST Friday
1.866.814.8EKO phone
1.615.676.4861 fax
cindy@ekocontract.com

CANCELLATION

A cancellation can be made only by expressed agreement with EKO. A cancellation fee will be incurred on all orders not cancelled within 48 hours after receipt. Fees are based on percentage of order completed, i.e. fabric ordered, shipping charges, etc.

DIMENSIONS

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

terms and conditions

BLANKET WRAPPING

EKO will blanket wrap seating orders at a customer's request. Please indicate on your purchase order and contact Customer Service. This option is available to onsite deliveries in full truckloads only and is an extra charge. Please contact customer service for quote.

STORAGE POLICY

We will store product at our warehouse for up to 3 days at no charge. Any order requiring storage beyond 3 days are subject to the storage charges below.

STORAGE CHARGES

Due to limited storage space, orders will be shipped when completed. On orders for which payment has not been received, the merchandise will be moved to a local storage facility at the customer's expense. 1-10 items \$100 per week, 11-20 items \$150 per week and 21 items or more \$250 per week.

CUSTOM CAPABILITIES

A portion of our business involve some type of custom work, and we invite our customers to make use of our capabilities. These include:

- 1) Customization of standard size products
- 2) Custom finishes

Custom orders require additional production lead times.
Contact Customer Service for more information.

DAMAGED SHIPMENTS

All EKO product is carefully inspected, protected with well-engineered packaging. All shipments leave the factory in good condition. Do not refuse merchandise damaged in transit, as EKO is not responsible for damage to goods which occur in transit or storage. **It is the purchaser's responsibility to examine the goods upon receipt and to file any claims with the carrier.** Any damage or shortage should be noted on the bill of lading. The delivering carrier may not accept responsibility for shortages or damages if signed for "clear". Notification of concealed damage claims must be made to the delivering carrier within 5 days after delivery. All cartons must be available for inspection. Carrier liability ceases after 5 days and neither EKO, nor the carrier, will be responsible for concealed damages if shipments are left unopened.

RETURNS

No merchandise may be returned without EKO's prior written consent. In the event of an authorized return, a Return Merchandise Authorization (RMA) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted.

RETURN MERCHANDISE AUTHORIZATION

EKO's written authorization, in the form of a RMA number, must be obtained prior to incurring charges of any kind if EKO is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. EKO reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to EKO, without prior written authorization in the form of an RMA, will not be accepted. Digital photography may be required to complete the RMA process.

CARE AND MAINTENANCE

Wood Finishes

There are several steps that can be taken to protect and prolong the life and beauty of the finish. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.


Fabric Upholstery

Professional upholstery cleaning is recommended.

FREIGHT PROGRAM

All shipments are F.O.B. factory and freight prepaid to one continental United States destination (excluding fuel surcharges.) EKO reserves the right to select the most appropriate F.O.B. point carrier, and routings on all shipments. Normal deliveries are "dock to dock" basis. No customer pick ups allowed without written authorization. All pricing shown includes freight prepaid for orders over \$8,000 list. You must add a \$225 net freight charge per order if list price is less than \$8,000.

The following states include freight prepaid for orders over \$12,000 list and a \$350 net charge for all orders below \$12,000 list: WA, OR, CA, NV, AZ, NM, CO, UT, ID, MT, WY, ME, VT, NH.



Note: If purchasing from any state located in the light area and shipping to any state located in the dark area, you must use the freight policy defined for the dark area described above.
Example: Orders purchased in North Carolina and shipping to Nevada that are over \$12,000 list price qualify for free freight.
Orders below the \$12,000 threshold must add a net freight charge of \$350 per order.

Additional charges: Residential delivery charge, inside delivery and installation services are not included in the pricing shown. These charges will be prepaid and added to the net invoice. *EKO reserves the right to apply freight surcharges at any time due to market conditions or other factors beyond EKO's control.*

COM MATERIAL

(See back section of price list for Required COM Form)

All upholstered items may be ordered using customer's own fabric or vinyl materials (COM). Prices listed under COL refer to customer's own leather.

Yardage requirements shown in the price list are based on non-directional 54" material. Please note, 54" wide rolls need to be 54" of usable material. The following conversion chart should be used to determine requirements when COM is 54" wide and has a repeat.

Repeat	Across Roll	Up the Roll	2 Way Repeat
1 - 5"	Add 10%	Add 15%	Add 15%
6 - 9"	Add 15%	Add 20%	Add 25%
10 - 13"	Add 20%	Add 25%	Add 30%
14 - 20"	Add 25%	Add 30%	Add 35%
21 - 27"	Add 30%	Add 35%	Add 40%
28 - 34"	Add 35%	Add 40%	Add 45%

These percentages are for estimating purposes only. Eko will not be held responsible for shortages on COM products. If you would like assistance, please see our website for fabric diagrams and email completed diagrams to Eko Customer Care (brandi@ekocontract.com). Eko will, at no charge, calculate the required yardage for your project and return within 24 hours.

There may be an upcharge above COM price for combination upholstery (two or more COM's) applied to the same chair. Please call factory and attach diagram of how to apply multiple fabrics and welt if applicable.

COM orders cannot be scheduled into production until the fabric has arrived and inspection is complete.

Send all COM materials freight paid to:

EKO
Attn: COM Department
145 Rymer Road, NE
Cleveland, TN 37323

To help us expedite your order, please email all COM tracking information to: fabric@ekocontract.com

Clearly mark all materials with the following: dealer's name, EKO acknowledgement number, purchase order number, model number and quantity of item to be covered. Failure to provide your customer purchase order number along with COM will cause a delay in processing your order.

In today's market, some fabric's are "reversible", it is extremely important to send us a swatch of COM with the exposed side marked as such. On orders specifying COM/COL, please supply following: application instructions for striped/patterned or reversible fabrics. In the absence of special instruction, EKO reserves the right to use their own judgment and will apply the fabric in what is determined to be the best manner.

We reserve the right to reject any covering that, in our professional opinion, is unsuitable for upholstery purposes. EKO's approval signifies only that the material in question can be applied to the products for which intended. This approval does not constitute any responsibility nor any warranty on the part of EKO as to appearance, behavior or durability of COM.


EKO will not be responsible for, how an upholstery material wears in an installation setting. We will not be held responsible for wear, fading, stretching or performance of any covering materials whether supplied by the buyer or by our sources. Vinyl upholstery materials must be the expanded type reinforced with elastic backing. We shall not be held responsible for blemishes or platemarks, or differences in color or tone between covering material supplied and samples from which the choice was made. EKO cannot be held responsible for defects, color inaccuracies, dye lot variations and other such flaws. We inspect fabrics for mill imperfections, some are difficult to recognize.

COL LEATHER


Published square footage for COL is based on hides measuring A minimum of 50 to 55 square feet. Half hides are not acceptable. On smaller hides, add 15 percent to the COL requirement. All square footage requirements are based on usable footage. The shape of the hide, excessive holes, cuts or other unusable imperfections may make it necessary for us to request more leather after COL is received. Due to variation in thickness of leather, it is important to send a 4" x 4" swatch for approval. EKO approval signifies only that such leather can be applied to the products intended. Such approval does not constitute any responsibility nor any warranty on the part of EKO as to appearance, behavior or durability of COL.

Note: Excess COM/COL will not be stored or returned unless very clearly indicated on purchase order.

CR
Cross the Roll
Railroaded



UR
Up the Roll



fabric upgrades

FIRE RETARDANCY REQUIREMENTS CALIFORNIA TECHNICAL BULLETIN 117 AND CALIFORNIA TECHNICAL BULLETIN 133

All standard upholstered seating and the resilient filling materials used in the manufacturing of all upholstered seating by EKO meet or exceed the flame requirements of State of California, Department of Consumer Affairs, Bureau of Home Furnishings and Thermal Insulation, Technical Bulletin 117 and National Fire Prevention Association Standard Method 261. Compliance with these requirements is indicated by the label attached to the seat bottom.

CAL 133 FOAM UPCHARGE

CAL 133 California Technical Bulletin 133 is a flammability test. EKO products, in combination with non-flammable fabrics can be manufactured to meet the requirements for certification to this test. A double upholstery method is used, incorporating a fire-retardant barrier that, in combination with fire retardant foam, fire retardants in wood finishes, and fabrics with some natural fiber content, may pass the CAL 133 fire test. An upcharge of \$60 list per yard of upholstery is applicable to incorporate the elements listed above. The application of this upcharge and the materials noted does not certify that the specific configuration of product and upholstery is tested and officially certified. If actual certification is required, a charge of \$500, plus the cost of the product to be tested, is applicable. The testing process requires at least several weeks of additional lead time. EKO assumes no responsibility for composite testing or the certification of specific configurations of product and upholstery to the CAL 133 flammability test. Some specific configurations of product and upholstery have been tested. Please contact Customer Service for more information.

MOISTURE BARRIER UPCHARGE

Moisture Barriers that are designed to prevent moisture from penetrating the foam and other filling materials are available on most items at an additional up-charge. Moisture barriers are applied between the upholstery cover and filling materials. The following up-charges apply to each surface on which the protective barrier may be applied.

Seat	\$45.00 List
Back	\$45.00 List
Arms	\$45.00 List (Per Arm)

MULTIPLE UPHOLSTERY COVER UPCHARGE

Most items can be manufactured with a combination of covers including: vinyl and fabric, leather and fabric, or contrasting fabrics. Multiple Cover Upholstery option should be clearly indicated on the customer's purchase order. Fabric diagrams are available online at www.ekocontract.com

There is an extra charge for Multiple Upholstery Cover Applications:

COM GRADE

Two Covers	\$100.00 List Per Line Item*
Three Covers	\$125.00 List Per Line Item*

1-8 GRADES

Use the higher of the 2 grades specified. If textiles are the same grade add the COM Grade upcharges above.

*Per Line Item

When ordering several units that are exactly the same model, color and application, add only \$100 list per line item. Example: 32041/53 2-Tone, Maharam Chime, Momentum Bravo, Diagram Attached – Qty. 6. (There would be a one-time charge of \$100 list for all 6 chairs.)

SAMPLE FABRIC DIAGRAM

Fabric diagrams are available online at www.ekocontract.com

Hypate Lounge Multi-Fabric Diagram

To: _____ From: _____



(A) Inside Chair Back, Top OSB:

(B) Front Pullover:

(C) Chair Seat:

(D) Lower Outside Chair Back:

(E) Inside Arm Panels:

(F) Outside Arm Panels:

Total List Price Upcharge for Contrasting Fabrics: \$ _____

\$100.00 List Per Contrasting Fabric Specified.

List price based on highest fabric grade usage.

For use on the following Hypate models:
(select one)

_____ 32041,32051 Lounge

_____ 32052,32052 Loveseats

_____ 32053,32053 Sofas

eko

www.ekocontract.com

Eko will not be held responsible for shortages on COM products. If you would like assistance, please see our website for fabric diagrams and email completed diagrams to Eko Customer Care (brandi@ekocontract.com). Eko will, at no charge, calculate the required yardage for your project and return within 24 hours.

surface materials

CLICK FOR [SURFACES](#).

eko

eko textile collection

CLICK FOR [TEXTILES](#), [GRADED-IN TEXTILE DATA BASE](#)

surface material upgrades

CUSTOM WOOD FINISHES

(See back of price list for Required Custom Wood Finish Form)

Add 6% list to your order for special finishes, minimum charge is \$300 list per finish per order. (For example, on all orders up to \$5000 list an upcharge of \$300 list will apply, on orders \$5000 list and up add 6% list to order.) No upcharge for special finishes on orders exceeding \$50,000 list. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated. See back of price list for Required Custom Wood Finish Form.

OTHER LAMINATE SUPPLIERS

Most laminate suppliers stock a multitude of colors and patterns. The following laminates are acceptable for application on EKO products as they feature a matte finish. There is a 5 table minimum when using non-standard laminates not listed in our price list.

Nevamar: All laminates with "T" in the suffix (i.e., MR2002T)

Wilsonart: All laminates with "60" in the suffix (i.e., 4779-60)

Arborite: All laminates with "CA" in the suffix (i.e., 1531-CA)

Pionite: All laminates with "Suede" in the name (i.e., WW561 Suede)

Formica: All laminates with "58" in the suffix (i.e., 756-58)

Additional laminate codes may be acceptable for use on EKO furniture, however, they may be subject to an additional upcharge or extended lead time due to material complexity. High sheen laminates are not acceptable for application on EKO furniture due to their inherent nature of scratching and marring during the production process. Please contact EKO Customer Service for additional information.

866 814

8356

www.ekcontract.com/healthcare

+ekocare feature definitions

BELOW IS A LIST OF +EKOCARE PRODUCT FEATURES AND BENEFITS. PLEASE CONSULT INDIVIDUAL PRICE LIST PAGES FOR THE +EKOCARE LIST OF FEATURES THAT ARE AVAILABLE, STANDARD OR OPTIONAL ON EACH PRODUCT LINE. UPCHARGES MAY APPLY FOR THESE FEATURES ON SOME PRODUCT LINES.

CLEAN OUT SEAT

+EKOCARE models feature a clean out space at the back of the seat that allows dirt and debris to fall through to the floor for easy cleanup and maintenance.

VELCRO DUST COVER

Allows easy access to inner components of seating products. Arms and seats are easily replaced and the dust cover is reusable.

URETHANE OR WOOD ARM CAPS

Optional arm caps provide enhanced durability and protection for upholstered arms. Caps are field replaceable if damaged over time by use.

EKO GUARD® FINISH DURABILITY

+EKOCARE models come standard with EKO GUARD®, a proprietary anti-microbial catalyzed varnish formulation powered by Agion® technology, that inhibits the growth of mold and mildew. Surfaces coated with this finish will have reduced fungal, spore and bacteria growth.

MULTIPLE UPHOLSTERY COVERS

Most items can be manufactured with a combination of covers including: vinyl and fabric, leather and fabric, or contrasting fabrics. Some products feature this at no upcharge. See individual price list product pages for availability and upcharge classification. Upcharge pricing information and directions on this feature are located on page 7.

MOISTURE BARRIER

Moisture Barriers are designed to prevent moisture from penetrating the foam and other filling materials are available on most items at an additional up-charge. Moisture barriers are applied between the upholstery cover and filling materials. See individual price list product pages for availability and upcharge classification. Upcharge pricing information and directions on this feature are located on page 7.

CAL 133

CAL 133 California Technical Bulletin 133 is a flammability test. EKO products, in combination with non-flammable fabrics can be manufactured to meet the requirements for certification to this test. A double upholstery method is used, incorporating a fire-retardant barrier that, in combination with fire retardant foam, fire retardants in wood finishes, and fabrics with some natural fiber content, may pass the CAL 133 fire test. Upcharge pricing information and directions on this feature are located on page 7.

ENVIRONMENTALLY FRIENDLY SOY BASED FOAMS

Many +EKOCARE products use ergonomically designed, soy based, cold molded Bio Foam® or Preserve Foam® in seats and backs to provide long lasting comfort and support.

LOAD RATING

Refers to the amount of weight seating products can support. Most +EKOCARE products have a load rating of at least 350 lbs. See individual price list product pages for actual weight rating.

ROUNDED ARM DESIGN

+EKOCARE models are designed with rounded arms for safe and easy ingress and egress of seating.

CNC CONSTRUCTION

Many +EKOCARE products use CNC cut engineered hardwood plywood in the construction of their products for lasting durability.

STEEL SEAT AND BACK FRAME CONSTRUCTION

The structural seat and back frame is made from welded steel with a powder-coated finish that wekk exceeds ANSI/BIFMA standards.

MORTISE AND TENON FRAME CONSTRUCTION

Mortise and tenon frame construction provides optimal strength in wood joinery.

METAL-TO-METAL CONNECTIONS

Steel seat frames are joined to other components with hardened steel bolts and inserts, ensuring exceptional durability and strength, easy reconfigurability, and on-site replacement of damaged or degraded components.

FLEX BACK

An ergonomically designed back with a slight flexing action to enhance the level of long-term sitting comfort and provide greater ease of egress.

WALL SAVER LEGS

The angle of the back and rear legs are designed to keep the back away from the wall to prevent wear and damage to both chairs and walls of a facility.

REMOVABLE COVERS AND REPLACEMENT COMPONENTS

Many +EKOCARE products are designed with removable covers and replacement components allowing for on-site replacement of damaged or degraded components and ease of cleaning.

MATTRESSES

The patented Cozy Mattress® brings 8.5-inches of pillow-top, bed-quality comfort, while providing unmatched seating comfort. The historical discomfort of the sleeper sofa, due to the physical limitations of the inner cavity, has been overcome by the creation of an ingenious spring system in the Cozy Mattress®. The Z-Spring technology forever removes "bars in the back" and eliminates the need for air mattresses, creating renewed demand for sleeper products.

IV POLE / OXYGEN TANK HOLDER

These items are accessories and location must be specified when ordering. Items are either left or right handed, while seated. Oxygen tank holder is for use with a size "D" tank only.

LIFETIME WARRANTY

All +EKOCARE products feature a limited lifetime warranty from defects in materials and workmanship for the lifetime of product use.

hypate lounge



PRODUCT SPECIFICATIONS


HYPATE LOUNGE FLAUNTS GRACEFUL CURVES, REFINED SHAPES, AND FLARED LINES, FROM EVERY ANGLE, IN A COLLECTION THAT SHOWCASES ATTENTION TO DETAILS.

HYPATE LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)


MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-33041	CLUB CHAIR	1,473	1,686	1,638	1,744	1,860	1,982	2,099	2,214	2,332



EC-33042	LOVESEAT	2,125	2,443	2,300	2,539	2,671	2,798	2,947	3,101	3,249
----------	----------	-------	-------	-------	-------	-------	-------	-------	-------	-------



EC-33043	SOFA	2,624	3,048	2,809	3,085	3,254	3,461	3,599	3,774	3,943
----------	------	-------	-------	-------	-------	-------	-------	-------	-------	-------



+EKO CARE FEATURES

BARIATRIC MODEL AVAILABLE
 CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 OPTIONAL PROTECTIVE ARM CAPS
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

ADDITIONAL PRODUCT ORDERING OPTIONS

WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS

ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)



ML METAL LEG

SOLID MILLED ALUMINUM LEG
 (ADD \$75 LIST)

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. LEG FINISH
3. FABRIC

EXAMPLE

32041/53/MAHARAM DART 017 SCRIBE

8	9	10	11
2,592	2,809	3,010	3,148

3,551	4,055	4,357	4,558
-------	-------	-------	-------

4,288	4,950	5,311	5,554
-------	-------	-------	-------

DIMENSIONS**FIGURES**

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W	35	COM (YDS.)	5.5
D	31	COL (SQ. FT.)	105
H	35.5	WEIGHT (LBS.)	66
SW	23	CUBIC FEET	24
SD	19.25		
SH	17.5		
BH	17		
AH	7		

W	57	COM (YDS.)	7
D	31	COL (SQ. FT.)	135
H	35.5	WEIGHT (LBS.)	94
SW	45	CUBIC FEET	37
SD	19.25		
SH	17.5		
BH	17		
AH	7		

W	72	COM (YDS.)	9
D	31	COL (SQ. FT.)	175
H	35.5	WEIGHT (LBS.)	122
SW	68	CUBIC FEET	52
SD	19.25		
SH	17.5		
BH	17		
AH	7		

hypate lounge



PRODUCT SPECIFICATIONS

HYPATE LOUNGE FLAUNTS GRACEFUL CURVES, REFINED SHAPES, AND FLARED LINES, FROM EVERY ANGLE, IN A COLLECTION THAT SHOWCASES ATTENTION TO DETAILS.

HYPATE LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE									
		COM	COL	1	2	3	4	5	6	7	
EC-32041	CLUB CHAIR	1,473	1,686	1,638	1,744	1,860	1,982	2,099	2,214	2,332	




- SUPPORTS 350 LBS.

EC-32042	LOVESEAT	2,125	2,443	2,300	2,539	2,671	2,798	2,947	3,101	3,249
----------	----------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- SUPPORTS 550 LBS.

EC-32043	SOFA	2,624	3,048	2,809	3,085	3,254	3,461	3,599	3,774	3,943
----------	------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- SUPPORTS 750 LBS.

+EKO CARE FEATURES

BARIATRIC MODEL AVAILABLE
 CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 OPTIONAL PROTECTIVE ARM CAPS
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

ADDITIONAL PRODUCT ORDERING OPTIONS

WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)



ML METAL LEG
 SOLID MILLED ALUMINUM LEG
 (ADD \$75 LIST)

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. LEG FINISH
3. FABRIC

EXAMPLE

32041/53/MAHARAM DART 017 SCRIBE

TIPS:
PLEASE BE AWARE THE
INSIDE BACK DETAIL
WILL DISTORT PATTERN
MATCHED TEXTILES.

8	9	10	11
2,592	2,809	3,010	3,148

3,551	4,055	4,357	4,558
-------	-------	-------	-------

4,288	4,950	5,311	5,554
-------	-------	-------	-------

DIMENSIONS

W	35
D	31
H	35.5
SW	23
SD	19.25
SH	17.5
BH	17
AH	7

W	57
D	31
H	35.5
SW	45
SD	19.25
SH	17.5
BH	17
AH	7

W	72
D	31
H	35.5
SW	68
SD	19.25
SH	17.5
BH	17
AH	7

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

COM (YDS.)	5.5
COL (SQ. FT.)	105
WEIGHT (LBS.)	66
CUBIC FEET	24

COM (YDS.)	7
COL (SQ. FT.)	135
WEIGHT (LBS.)	94
CUBIC FEET	37

COM (YDS.)	9
COL (SQ. FT.)	175
WEIGHT (LBS.)	122
CUBIC FEET	52

hypate lounge






PRODUCT SPECIFICATIONS

HYPATE LOUNGE FLAUNTS GRACEFUL CURVES, REFINED SHAPES, AND FLARED LINES, FROM EVERY ANGLE, IN A COLLECTION THAT SHOWCASES ATTENTION TO DETAILS.

HYPATE LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-32061	CLUB CHAIR	1,516	1,728	1,680	1,786	1,903	2,025	2,141	2,258	2,374
	• SUPPORTS 350 LBS.									
EC-32062	LOVESEAT	2,210	2,528	2,332	2,624	2,756	2,8835	3,037	3,185	3,334
	• SUPPORTS 550 LBS.									
EC-32063	SOFA	2,666	3,090	2,851	3,127	3,297	3,578	3,631	3,816	3,986
	• SUPPORTS 750 LBS.									

+EKO CARE FEATURES

BARIATRIC MODEL AVAILABLE
 CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 OPTIONAL PROTECTIVE ARM CAPS
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

ADDITIONAL PRODUCT ORDERING OPTIONS

WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)



ML METAL LEG
 SOLID MILLED ALUMINUM LEG
 (ADD \$75 LIST)

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. LEG FINISH
3. FABRIC

EXAMPLE

32041/53/MAHARAM DART 017 SCRIBE

TIPS:
PLEASE BE AWARE THE
INSIDE BACK DETAIL
WILL DISTORT PATTERN
MATCHED TEXTILES.

8	9	10	11
2,634	2,851	3,053	3,191

3,636	4,139	4,441	4,643
-------	-------	-------	-------

4,330	4,993	5,395	5,597
-------	-------	-------	-------

DIMENSIONS

W	35
D	31
H	35.5
SW	23
SD	19.25
SH	17.5
BH	17
AH	7

W	57
D	31
H	35.5
SW	45
SD	19.25
SH	17.5
BH	17
AH	7

W	72
D	31
H	35.5
SW	68
SD	19.25
SH	17.5
BH	17
AH	7

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

COM (YDS.)	5.5
COL (SQ. FT.)	105
WEIGHT (LBS.)	66
CUBIC FEET	24

COM (YDS.)	7
COL (SQ. FT.)	135
WEIGHT (LBS.)	94
CUBIC FEET	37

COM (YDS.)	9
COL (SQ. FT.)	175
WEIGHT (LBS.)	122
CUBIC FEET	52



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, REMOVABLE COVERS, NO UP-CHARGE ON COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. PUBLIC AND PATIENT SEATING MODELS FEATURE A SEMI-FLEX BACK, FOR COMFORT AND EASE OF EGRESS, AND STEEL SEAT/BACK FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY COLD MOLDED SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.


[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-42011	SINGLE SEAT	1,238	1,348	1,287	1,342	1,375	1,408	1,441	1,474	1,507




- SUPPORTS 350 LBS.

EC-42012	TWO SEAT TANDEM	2,206	2,316	2,255	2,310	2,343	2,376	2,409	2,442	2,475
-----------------	------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------




- SUPPORTS 350 LBS. PER SEAT
- ASSEMBLY REQUIRED

EC-42013	THREE SEAT TANDEM	3,174	3,284	3,223	3,278	3,311	3,344	3,377	3,410	3,443
-----------------	--------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- SUPPORTS 350 LBS. PER SEAT
- ASSEMBLY REQUIRED

EC-42014	BARIATRIC	1,469	1,513	1,491	1,513	1,568	1,628	1,683	1,744	1,859
-----------------	------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- SUPPORTS 750 LBS.

ADDITIONAL PRODUCT ORDERING OPTIONS



**PC
BLACK POLY ARM CAPS**
ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$40 LIST PER SET)

+EKO CARE FEATURES

WALL SAVER LEGS
CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
REMOVABLE COVERS (STANDARD)
FIELD REPLACEABLE COMPONENTS
STEEL SEAT AND BACK FRAME SUPPORTS 350 LBS.
DURABLE METAL-TO-METAL CONNECTIONS
MORTISE AND TENON WOOD JOINERY
MOLDED SOY BASED BIO® FOAM
SEMI-FLEX COMFORT BACK
DURABLE LAMINATE TOPS
OPTIONAL PROTECTIVE ARM CAPS
COMBINATION UPHOLSTERY (STANDARD)
MOISTURE BARRIER (STANDARD)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
1,573	1,584	1,639	1,672

2,316	2,552	2,607	2,640
-------	-------	-------	-------

3,509	3,520	3,575	3,608
-------	-------	-------	-------

1,975	2,123	2,228	2,338
-------	-------	-------	-------

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

W	24	COM (YDS.)	1.5
D	27	COL (SQ. FT.)	32
H	33.25	WEIGHT (LBS.)	50
SW	21	CUBIC FEET	14
SD	20		
SH	18.5		
BH	15.5		
AH	7.25		

W	46.5	COM (YDS.)	2.5
D	27	COL (SQ. FT.)	45
H	33.25	WEIGHT (LBS.)	90
SW	21	CUBIC FEET	26
SD	20		
SH	18.5		
BH	15.5		
AH	7.25		

W	69	COM (YDS.)	3.5
D	27	COL (SQ. FT.)	72
H	33.25	WEIGHT (LBS.)	130
SW	21	CUBIC FEET	38
SD	20		
SH	18.5		
BH	15.5		
AH	7.25		

W	45	COM (YDS.)	2.5
D	27	COL (SQ. FT.)	158
H	33.25	WEIGHT (LBS.)	60
SW	42	CUBIC FEET	16
SD	20		
SH	18.5		
BH	15.5		
AH	7.25		



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, REMOVABLE COVERS, NO UP-CHARGE ON COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. PUBLIC AND PATIENT SEATING MODELS FEATURE A SEMI-FLEX BACK, FOR COMFORT AND EASE OF EGRESS, AND STEEL SEAT/BACK FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY COLD MOLDED SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-42010-S	SINGLE RIGHT STARTER	1,238	1,348	1,287	1,342	1,375	1,408	1,441	1,474	1,507



- HOLES IN LEFT SIDE FOR CONNECTING
- SUPPORTS 350 LBS.

EC-42010-C	SINGLE MIDDLE	1,045	1,117	1,078	1,117	1,150	1,183	1,216	1,249	1,282
-------------------	----------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- HOLES IN LEFT SIDE FOR CONNECTING
- SUPPORTS 350 LBS.
- ASSEMBLY REQUIRED

EC-42010-E	SINGLE LEFT END	1,045	1,117	1,078	1,117	1,150	1,183	1,216	1,249	1,282
-------------------	------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- FINISHED SIDE, NO CONNECTING HOLES
- SUPPORTS 350 LBS.
- ASSEMBLY REQUIRED

ADDITIONAL PRODUCT ORDERING OPTIONS



PC
BLACK POLY ARM CAPS
ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$40 LIST PER SET)

+EKO CARE FEATURES

WALL SAVER LEGS
CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
REMOVABLE COVERS (STANDARD)
FIELD REPLACEABLE COMPONENTS
STEEL SEAT AND BACK FRAME SUPPORTS 350 LBS.
DURABLE METAL-TO-METAL CONNECTIONS
MORTISE AND TENON WOOD JOINERY
MOLDED SOY BASED BIO® FOAM
SEMI-FLEX COMFORT BACK
DURABLE LAMINATE TOPS
OPTIONAL PROTECTIVE ARM CAPS
COMBINATION UPHOLSTERY (STANDARD)
MOISTURE BARRIER (STANDARD)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

W	24	COM (YDS.)	1.5
D	27	COL (SQ. FT.)	27
H	33.25	WEIGHT (LBS.)	50
SW	21	CUBIC FEET	14
SD	20		
SH	18.5		
BH	15.5		
AH	7.25		

W	22.5	COM (YDS.)	1.5
D	27	COL (SQ. FT.)	27
H	33.25	WEIGHT (LBS.)	40
SW	21	CUBIC FEET	12
SD	20		
SH	18.5		
BH	15.5		
AH	7.25		

W	22.5	COM (YDS.)	1.5
D	27	COL (SQ. FT.)	27
H	33.25	WEIGHT (LBS.)	40
SW	21	CUBIC FEET	12
SD	20		
SH	18.5		
BH	15.5		
AH	7.25		

8	9	10	11
1,573	1,584	1,639	1,672

1,348	1,535	1,568	1,634
-------	-------	-------	-------

1,348	1,535	1,568	1,634
-------	-------	-------	-------

kardia II public







PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, NO UP-CHARGE ON COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. PUBLIC SEATING MODELS FEATURE SOLID HARDWOOD CONSTRUCTION. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-43011	SINGLE SEAT	875	935	935	985	1,018	1,040	1,062	1,095	1,128
	<ul style="list-style-type: none">SUPPORTS 350 LBS.ASSEMBLY REQUIRED									
EC-43012	TWO SEAT TANDEM	1,474	1,558	1,551	1,639	1,694	1,756	1,810	1,865	1,925
	<ul style="list-style-type: none">SUPPORTS 350 LBS. PER SEATASSEMBLY REQUIRED									
EC-43013	THREE SEAT TANDEM	2,052	2,167	2,167	2,305	2,387	2,475	2,558	2,646	2,728
	<ul style="list-style-type: none">SUPPORTS 350 LBS. PER SEATASSEMBLY REQUIRED									
EC-43014	LOVESEAT	1,595	1,705	1,705	1,848	1,936	2,024	2,112	2,200	2,288
	<ul style="list-style-type: none">SUPPORTS 750 LBS.ASSEMBLY REQUIRED									

ADDITIONAL PRODUCT ORDERING OPTIONS



PC
BLACK POLY ARM CAPS
ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$40 LIST PER SET)

+EKO CARE FEATURES

WALL SAVER LEGS
CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
FIELD REPLACEABLE COMPONENTS
STEEL SEAT AND BACK FRAME SUPPORTS 350 LBS.
MORTISE AND TENON WOOD JOINERY
SOY BASED BIO® FOAM
DURABLE LAMINATE TOPS
OPTIONAL PROTECTIVE ARM CAPS
OPTIONAL MOISTURE BARRIER (ADD \$45 LIST)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
1,183	1,238	1,293	1,348

2,035	2,145	2,255	2,365
-------	-------	-------	-------

2,904	3,080	3,256	3,420
-------	-------	-------	-------

2,464	2,640	2,816	2,992
-------	-------	-------	-------

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

W	24	COM (YDS.)	1.5
D	27	COL (SQ. FT.)	27
H	33.25	WEIGHT (LBS.)	50
SW	21	CUBIC FEET	14
SD	20		
SH	19.75		
BH	15.5		
AH	7.25		

W	46.5	COM (YDS.)	2.75
D	27	COL (SQ. FT.)	50
H	33.25	WEIGHT (LBS.)	90
SW	21	CUBIC FEET	26
SD	20		
SH	19.75		
BH	15.5		
AH	7.25		

W	69	COM (YDS.)	3.5
D	27	COL (SQ. FT.)	63
H	33.25	WEIGHT (LBS.)	130
SW	21	CUBIC FEET	38
SD	20		
SH	19.75		
BH	15.5		
AH	7.25		

W	45	COM (YDS.)	4.5
D	27	COL (SQ. FT.)	81
H	33.25	WEIGHT (LBS.)	60
SW	42	CUBIC FEET	16
SD	20		
SH	19.75		
BH	15.5		
AH	7.25		

kardia II public



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, NO UP-CHARGE ON COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. PUBLIC SEATING MODELS FEATURE SOLID HARDWOOD CONSTRUCTION. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-43010-S	SINGLE RIGHT STARTER	875	935	935	985	1,018	1,040	1,062	1,095	1,128



- HOLES IN LEFT SIDE FOR CONNECTING
- SUPPORTS 350 LBS.
- ASSEMBLY REQUIRED

EC-43010-C	SINGLE MIDDLE	704	743	743	787	814	847	875	902	935
-------------------	----------------------	-----	-----	-----	-----	-----	-----	-----	-----	-----



- HOLES IN LEFT SIDE FOR CONNECTING
- SUPPORTS 350 LBS.
- ASSEMBLY REQUIRED

EC-43010-E	SINGLE LEFT END	704	743	743	787	814	847	875	902	935
-------------------	------------------------	-----	-----	-----	-----	-----	-----	-----	-----	-----



- FINISHED SIDE, NO CONNECTING HOLES
- SUPPORTS 350 LBS.
- ASSEMBLY REQUIRED

ADDITIONAL PRODUCT ORDERING OPTIONS



**PC
BLACK POLY ARM CAPS**
ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$40 LIST PER SET)

+EKO CARE FEATURES

WALL SAVER LEGS
CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
FIELD REPLACEABLE COMPONENTS
STEEL SEAT AND BACK FRAME SUPPORTS 350 LBS.
MORTISE AND TENON WOOD JOINERY
SOY BASED BIO® FOAM
DURABLE LAMINATE TOPS
OPTIONAL PROTECTIVE ARM CAPS
OPTIONAL MOISTURE BARRIER (ADD \$45 LIST)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
1,183	1,238	1,293	1,348

990	1,051	1,111	1,172
-----	-------	-------	-------

990	1,051	1,111	1,172
-----	-------	-------	-------

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

W	24	COM (YDS.)	1.5
D	27	COL (SQ. FT.)	27
H	33.25	WEIGHT (LBS.)	50
SW	21	CUBIC FEET	14
SD	20		
SH	19.75		
BH	15.5		
AH	7.25		

W	22.5	COM (YDS.)	1.5
D	27	COL (SQ. FT.)	27
H	33.25	WEIGHT (LBS.)	40
SW	21	CUBIC FEET	12
SD	20		
SH	19.75		
BH	15.5		
AH	7.25		

W	22.5	COM (YDS.)	1.5
D	27	COL (SQ. FT.)	27
H	33.25	WEIGHT (LBS.)	40
SW	21	CUBIC FEET	12
SD	20		
SH	19.75		
BH	15.5		
AH	7.25		



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, REMOVABLE COVERS, NO UP-CHARGE ON COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. PUBLIC AND PATIENT SEATING MODELS FEATURE A SEMI-FLEX BACK, FOR COMFORT AND EASE OF EGRESS, AND STEEL SEAT/BACK FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY COLD MOLDED SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.


[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	LIST PRICE
-------	-------------	------------

EC-42015-C

INLINE TABLE

495



- MAPLE EDGE WITH LAMINATE TOP (SEE SURFACE MATERIALS PAGE FOR STANDARD LAMINATE OPTIONS)
- SHOWN IN APPLICATION

EC-42015-ERR

RIGHT END TABLE

770



- MAPLE EDGE WITH LAMINATE TOP (SEE SURFACE MATERIALS PAGE FOR STANDARD LAMINATE OPTIONS)
- SHOWN IN APPLICATION

EC-42015-ERL

LEFT END TABLE

770



- MAPLE EDGE WITH LAMINATE TOP (SEE SURFACE MATERIALS PAGE FOR STANDARD LAMINATE OPTIONS)
- SHOWN IN APPLICATION

EC-42018

RECTILINEAR CORNER CONNECTOR TABLE (MAPLE VENEER)

809

RECTILINEAR CORNER CONNECTOR TABLE (LAMINATE)

656



EC-42019

CURVILINEAR CORNER CONNECTOR TABLE (MAPLE VENEER)

605

CURVILINEAR CORNER CONNECTOR TABLE (LAMINATE)

479



+EKO CARE FEATURES

WALL SAVER LEGS
 CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 REMOVABLE COVERS (STANDARD)
 FIELD REPLACEABLE COMPONENTS
 STEEL SEAT AND BACK FRAME SUPPORTS 350 LBS.
 DURABLE METAL-TO-METAL CONNECTIONS
 MORTISE AND TENON WOOD JOINERY
 MOLDED SOY BASED BIO® FOAM
 SEMI-FLEX COMFORT BACK
 DURABLE LAMINATE TOPS
 OPTIONAL PROTECTIVE ARM CAPS
 COMBINATION UPHOLSTERY (STANDARD)
 MOISTURE BARRIER (STANDARD)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

DIMENSIONS**FIGURES**

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W 21
 D 21
 H 16

WEIGHT (LBS.) 8
 CUBIC FEET 2

W 21
 D 21
 H 16

WEIGHT (LBS.) 12
 CUBIC FEET 4

W 21
 D 21
 H 16

WEIGHT (LBS.) 12
 CUBIC FEET 4

W 30
 D 30
 H 16

WEIGHT (LBS.) 28
 CUBIC FEET 2.1

W 30
 D 30
 H 16

WEIGHT (LBS.) 26
 CUBIC FEET 2.1

kardia multiple

THIN ARM MODELS



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. MULTIPLE SEATING MODELS FEATURE PUZZLE FIT FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY IDI.


[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-43040	SINGLE CHAIR 20" SEAT WIDTH/THIN ARM	985	1,166	1,045	1,166	1,243	1,320	1,397	1,474	1,551




- SUPPORTS 350 LBS.

NOTE: WHEN ORDERING MULTIPLE SEATING CONFIGURATIONS, PLEASE PLACE "M" AFTER THE MODEL NUMBER WHICH DESIGNATES THIS ITEM AS A "MULTIPLE STARTER UNIT." ALL OTHER CHAIRS WILL CONNECT TO LEFT SIDE AS SEATED.



UV UPHOLSTERED VALANCE
(ADD \$20 LIST)



WV WOOD VALANCE
(ADD \$40 LIST)

EC-43140	ADD ON CHAIR 20" SEAT WIDTH/THIN ARM	875	1,034	935	1,034	1,095	1,155	1,221	1,282	1,342
-----------------	--------------------------------------	-----	-------	-----	-------	-------	-------	-------	-------	-------



- SUPPORTS 350 LBS. PER SEAT
- ADD A CHAIR TO LEFT SIDE AS SEATED
- ASSEMBLY REQUIRED




UV UPHOLSTERED VALANCE
(ADD \$20 LIST)



WV WOOD VALANCE
(ADD \$40 LIST)

EC-43041	SINGLE CHAIR 22" SEAT WIDTH/THIN ARM	1,007	1,188	1,067	1,188	1,276	1,359	1,441	1,524	1,606
-----------------	--------------------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------




- SUPPORTS 350 LBS.

NOTE: WHEN ORDERING MULTIPLE SEATING CONFIGURATIONS, PLEASE PLACE "M" AFTER THE MODEL NUMBER WHICH DESIGNATES THIS ITEM AS A "MULTIPLE STARTER UNIT." ALL OTHER CHAIRS WILL CONNECT TO LEFT SIDE AS SEATED.



UV UPHOLSTERED VALANCE
(ADD \$20 LIST)



WV WOOD VALANCE
(ADD \$40 LIST)

EC-43141	ADD ON CHAIR 22" SEAT WIDTH/THIN ARM	891	1,062	952	1,062	1,128	1,194	1,260	1,326	1,392
-----------------	--------------------------------------	-----	-------	-----	-------	-------	-------	-------	-------	-------



- SUPPORTS 350 LBS. PER SEAT
- ADD A CHAIR TO LEFT SIDE AS SEATED
- ASSEMBLY REQUIRED



UV UPHOLSTERED VALANCE
(ADD \$20 LIST)



WV WOOD VALANCE
(ADD \$40 LIST)

ADDITIONAL PRODUCT ORDERING OPTIONS



PC THIN ARM BLACK POLY ARM CAPS

ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$60 LIST PER SET)

WC THIN ARM WOOD ARM CAPS

ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$120 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
FIELD REPLACEABLE COMPONENTS
DURABLE METAL-TO-METAL CONNECTIONS
PUZZLE FIT FRAME JOINERY
SOY BASED BIO® FOAM
DURABLE LAMINATE TOPS
OPTIONAL PROTECTIVE ARM CAPS
COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
1,711	1,865	2,085	2,195

1,463	1,584	1,705	1,832
-------	-------	-------	-------

1,777	1,972	2,107	2,277
-------	-------	-------	-------

1,529	1,661	1,793	1,931
-------	-------	-------	-------

DIMENSIONS

W	23.5
D	26
H	33.5
SW	20
SD	18.5
SH	19
BH	17
AH	6.5

W	21.75
D	26
H	33.5
SW	20
SD	18.5
SH	19
BH	17
AH	6.5

W	25.5
D	26
H	33.5
SW	22
SD	18.5
SH	19
BH	17
AH	6.5

W	23.75
D	26
H	33.5
SW	22
SD	18.5
SH	19
BH	17
AH	6.5

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

COM (YDS.)	3.5
COL (SQ. FT.)	65
WEIGHT (LBS.)	60
CUBIC FEET	19

COM (YDS.)	2.75
COL (SQ. FT.)	50
WEIGHT (LBS.)	55
CUBIC FEET	18

COM (YDS.)	3.75
COL (SQ. FT.)	68
WEIGHT (LBS.)	65
CUBIC FEET	20

COM (YDS.)	3
COL (SQ. FT.)	54
WEIGHT (LBS.)	60
CUBIC FEET	19

kardia multiple

THIN ARM MODELS




PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. MULTIPLE SEATING MODELS FEATURE PUZZLE FIT FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY IDI.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-43042	SINGLE CHAIR 24" SEAT WIDTH/THIN ARM	1,012	1,216	1,073	1,216	1,304	1,392	1,485	1,573	1,661




- SUPPORTS 500 LBS.

NOTE: WHEN ORDERING MULTIPLE SEATING CONFIGURATIONS, PLEASE PLACE "M" AFTER THE MODEL NUMBER WHICH DESIGNATES THIS ITEM AS A "MULTIPLE STARTER UNIT." ALL OTHER CHAIRS WILL CONNECT TO LEFT SIDE AS SEATED.



UV UPHOLSTERED VALANCE
(ADD \$20 LIST)




WV WOOD VALANCE
(ADD \$40 LIST)

EC-43142	ADD ON CHAIR 24" SEAT WIDTH/THIN ARM	908	1,084	968	1,084	1,161	1,232	1,304	1,375	1,447
-----------------	--------------------------------------	-----	-------	-----	-------	-------	-------	-------	-------	-------



- SUPPORTS 500 LBS. PER SEAT
- ADD A CHAIR TO LEFT SIDE AS SEATED
- ASSEMBLY REQUIRED



UV UPHOLSTERED VALANCE
(ADD \$20 LIST)



WV WOOD VALANCE
(ADD \$40 LIST)

ADDITIONAL PRODUCT ORDERING OPTIONS



PC THIN ARM BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$60 LIST PER SET)

WC THIN ARM WOOD ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$120 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 FIELD REPLACEABLE COMPONENTS
 DURABLE METAL-TO-METAL CONNECTIONS
 PUZZLE FIT FRAME JOINERY
 SOY BASED BIO® FOAM
 DURABLE LAMINATE TOPS
 OPTIONAL PROTECTIVE ARM CAPS
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
1,837	1,835	1,995	2,160

1,590	1,738	1,881	2,030
-------	-------	-------	-------

DIMENSIONS

W	27.5
D	26
H	33.5
SW	24
SD	18.5
SH	19
BH	17
AH	6.5

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

COM (YDS.)	4
COL (SQ. FT.)	72
WEIGHT (LBS.)	70
CUBIC FEET	21

W	25.75
D	26
H	33.5
SW	24
SD	18.5
SH	19
BH	17
AH	6.5

COM (YDS.)	3.25
COL (SQ. FT.)	59
WEIGHT (LBS.)	65
CUBIC FEET	20

kardia multiple

THICK ARM MODELS



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. MULTIPLE SEATING MODELS FEATURE PUZZLE FIT FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY IDI.


[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-44040	SINGLE CHAIR 20" SEAT WIDTH/THICK ARM	1,012	1,210	1,073	1,210	1,293	1,375	1,458	1,540	1,628




- SUPPORTS 350 LBS.

NOTE: WHEN ORDERING MULTIPLE SEATING CONFIGURATIONS, PLEASE PLACE "M" AFTER THE MODEL NUMBER WHICH DESIGNATES THIS ITEM AS A "MULTIPLE STARTER UNIT." ALL OTHER CHAIRS WILL CONNECT TO LEFT SIDE AS SEATED.




UV UPHOLSTERED VALANCE
(ADD \$20 LIST)



WV WOOD VALANCE
(ADD \$40 LIST)


EC-44140	ADD ON CHAIR 20" SEAT WIDTH/THICK ARM	913	1,078	974	1,078	1,144	1,210	1,276	1,348	1,414
-----------------	---------------------------------------	-----	-------	-----	-------	-------	-------	-------	-------	-------



- SUPPORTS 350 LBS. PER SEAT
- ADD A CHAIR TO LEFT SIDE AS SEATED
- ASSEMBLY REQUIRED




UV UPHOLSTERED VALANCE
(ADD \$20 LIST)



WV WOOD VALANCE
(ADD \$40 LIST)

EC-44041	SINGLE CHAIR 22" SEAT WIDTH/THICK ARM	1,040	1,238	1,100	1,238	1,320	1,403	1,485	1,568	1,656
-----------------	---------------------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- SUPPORTS 350 LBS.

NOTE: WHEN ORDERING MULTIPLE SEATING CONFIGURATIONS, PLEASE PLACE "M" AFTER THE MODEL NUMBER WHICH DESIGNATES THIS ITEM AS A "MULTIPLE STARTER UNIT." ALL OTHER CHAIRS WILL CONNECT TO LEFT SIDE AS SEATED.



UV UPHOLSTERED VALANCE
(ADD \$20 LIST)



WV WOOD VALANCE
(ADD \$40 LIST)

EC-44141	ADD ON CHAIR 22" SEAT WIDTH/THICK ARM	941	1,106	1,011	1,106	1,172	1,238	1,304	1,375	1,441
-----------------	---------------------------------------	-----	-------	-------	-------	-------	-------	-------	-------	-------



- SUPPORTS 350 LBS. PER SEAT
- ADD A CHAIR TO LEFT SIDE AS SEATED
- ASSEMBLY REQUIRED



UV UPHOLSTERED VALANCE
(ADD \$20 LIST)



WV WOOD VALANCE
(ADD \$40 LIST)

ADDITIONAL PRODUCT ORDERING OPTIONS



PC THICK ARM BLACK POLY ARM CAPS

ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$80 LIST PER SET)

WC THICK ARM WOOD ARM CAPS

ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$140 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
FIELD REPLACEABLE COMPONENTS
DURABLE METAL-TO-METAL CONNECTIONS
PUZZLE FIT FRAME JOINERY
SOY BASED BIO® FOAM
DURABLE LAMINATE TOPS
OPTIONAL PROTECTIVE ARM CAPS
COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
1,793	1,958	2,129	2,294

1,546	1,678	1,810	1,947
-------	-------	-------	-------

1,821	1,986	2,156	2,321
-------	-------	-------	-------

1,573	1,705	1,837	1,975
-------	-------	-------	-------

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

W	25.5	COM (YDS.)	3.75
D	26	COL (SQ. FT.)	68
H	33.5	WEIGHT (LBS.)	65
SW	20	CUBIC FEET	20
SD	18.5		
SH	19		
BH	17		
AH	6.5		

W	22.75	COM (YDS.)	3
D	26	COL (SQ. FT.)	54
H	33.5	WEIGHT (LBS.)	60
SW	20	CUBIC FEET	19
SD	18.5		
SH	19		
BH	17		
AH	6.5		

W	27.5	COM (YDS.)	3.75
D	26	COL (SQ. FT.)	68
H	33.5	WEIGHT (LBS.)	70
SW	22	CUBIC FEET	21
SD	18.5		
SH	19		
BH	17		
AH	6.5		

W	24.75	COM (YDS.)	3
D	26	COL (SQ. FT.)	54
H	33.5	WEIGHT (LBS.)	65
SW	22	CUBIC FEET	18
SD	18.5		
SH	19		
BH	17		
AH	6.5		

kardia multiple

THICK ARM MODELS



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. MULTIPLE SEATING MODELS FEATURE PUZZLE FIT FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY IDI.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-44042	SINGLE CHAIR 24" SEAT WIDTH/THICK ARM	1,040	1,243	1,100	1,243	1,331	1,419	1,526	1,601	1,689
	<ul style="list-style-type: none">SUPPORTS 500 LBS. <p>NOTE: WHEN ORDERING MULTIPLE SEATING CONFIGURATIONS, PLEASE PLACE "M" AFTER THE MODEL NUMBER WHICH DESIGNATES THIS ITEM AS A "MULTIPLE STARTER UNIT." ALL OTHER CHAIRS WILL CONNECT TO LEFT SIDE AS SEATED.</p>									
		UV UPHOLSTERED VALANCE (ADD \$20 LIST)		VV WOOD VALANCE (ADD \$40 LIST)						
EC-44142	ADD ON CHAIR 24" SEAT WIDTH/THICK ARM	935	1,111	996	1,111	1,188	1,260	1,331	1,403	1,474
	<ul style="list-style-type: none">SUPPORTS 500 LBS. PER SEATADD A CHAIR TO LEFT SIDE AS SEATEDASSEMBLY REQUIRED									
		UV UPHOLSTERED VALANCE (ADD \$20 LIST)		VV WOOD VALANCE (ADD \$40 LIST)						

ADDITIONAL PRODUCT ORDERING OPTIONS



PC THICK ARM BLACK POLY ARM CAPS

ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$80 LIST PER SET)

WC THICK ARM WOOD ARM CAPS

ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$140 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
FIELD REPLACEABLE COMPONENTS
DURABLE METAL-TO-METAL CONNECTIONS
PUZZLE FIT FRAME JOINERY
SOY BASED BIO® FOAM
DURABLE LAMINATE TOPS
OPTIONAL PROTECTIVE ARM CAPS
COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
1,865	2,046	2,222	2,404

1,617	1,766	1,909	2,057
-------	-------	-------	-------

DIMENSIONS

W	29.5
D	26
H	33.5
SW	24
SD	18.5
SH	19
BH	17
AH	6.5

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

COM (YDS.)	4
COL (SQ. FT.)	72
WEIGHT (LBS.)	75
CUBIC FEET	20

W	26.75
D	26
H	33.5
SW	24
SD	18.5
SH	19
BH	17
AH	6.5

COM (YDS.)	3.25
COL (SQ. FT.)	60
WEIGHT (LBS.)	70
CUBIC FEET	19

kardia multiple



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. MULTIPLE SEATING MODELS FEATURE PUZZLE FIT FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY IDI.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	LIST PRICE
-------	-------------	------------

EC-43018	RECTILINEAR CORNER CONNECTOR TABLE [MAPLE VENEER]	809
	RECTILINEAR CORNER CONNECTOR TABLE [LAMINATE]	655



EC-43019	CURVILINEAR CORNER CONNECTOR TABLE [MAPLE VENEER]	605
	CURVILINEAR CORNER CONNECTOR TABLE [LAMINATE]	479



EC-43020	INLINE CONNECTOR TABLE [MAPLE VENEER]	523
	INLINE CONNECTOR TABLE [LAMINATE]	385



EC-43017R	RIGHT END CONNECTOR TABLE [MAPLE VENEER]	677
	RIGHT END CONNECTOR TABLE [LAMINATE]	523



EC-43017L	LEFT END CONNECTOR TABLE [MAPLE VENEER]	677
	LEFT END CONNECTOR TABLE [LAMINATE]	523



+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 FIELD REPLACEABLE COMPONENTS
 DURABLE METAL-TO-METAL CONNECTIONS
 PUZZLE FIT FRAME JOINERY
 SOY BASED BIO® FOAM
 DURABLE LAMINATE TOPS
 OPTIONAL PROTECTIVE ARM CAPS
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH

EXAMPLE

EC-42011/53

DIMENSIONS**FIGURES**

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W 34.125
 D 34.125
 H 16

WEIGHT (LBS.) 32
 CUBIC FEET 2.2

W 34.125
 D 34.125
 H 16

WEIGHT (LBS.) 28
 CUBIC FEET 2.2

W 22
 D 25.5
 H 16

WEIGHT (LBS.) 18
 CUBIC FEET 1.5

W 22
 D 25.5
 H 16

WEIGHT (LBS.) 20
 CUBIC FEET 1.5

W 22
 D 25.5
 H 16

WEIGHT (LBS.) 20
 CUBIC FEET 1.5

kardia lounge



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-42041	ARMLESS CLUB	963	1,089	1,034	1,150	1,221	1,293	1,364	1,441	1,513




- SUPPORTS 350 LBS.

EC-42042	ARMLESS LOVESEAT	1,705	1,925	1,848	2,063	2,195	2,327	2,464	2,602	2,745
-----------------	-------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- SUPPORTS 550 LBS.

EC-42043	ARMLESS SOFA	2,101	2,431	2,343	2,618	2,789	2,965	3,124	3,306	3,482
-----------------	---------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- SUPPORTS 750 LBS.

+EKO CARE FEATURES

WALL SAVER LEGS
 CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 FIELD REPLACEABLE COMPONENTS
 PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 750 LBS.
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 OPTIONAL PROTECTIVE ARM CAPS
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

DIMENSIONS**FIGURES**

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W	23.5	COM (YDS.)	3.5
D	31.5	COL (SQ. FT.)	63
H	33.5	WEIGHT (LBS.)	50
SW	23.5	CUBIC FEET	24
SD	20		
SH	18		
BH	17		

W	47	COM (YDS.)	6
D	31.5	COL (SQ. FT.)	108
H	33.5	WEIGHT (LBS.)	85
SW	47	CUBIC FEET	41
SD	20		
SH	18		
BH	17		

W	70.5	COM (YDS.)	7.75
D	31.5	COL (SQ. FT.)	140
H	33.5	WEIGHT (LBS.)	150
SW	70.5	CUBIC FEET	57
SD	20		
SH	18		
BH	17		

8	9	10	11
1,656	1,969	2,129	2,283

2,998	3,053	2,262	3,548
-------	-------	-------	-------

3,823	4,180	4,505	4,703
-------	-------	-------	-------

kardia lounge



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.


[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-42051	CLUB CHAIR (UPHOLSTERED ARM)	1,436	1,656	1,546	1,722	1,837	1,947	2,057	2,167	2,277




- SUPPORTS 350 LBS.

EC-42052	LOVESEAT (UPHOLSTERED ARM)	2,316	2,646	2,574	2,866	3,047	3,229	3,410	3,597	3,779
-----------------	-----------------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- SUPPORTS 550 LBS.

EC-42053	SOFA (UPHOLSTERED ARM)	2,602	3,042	2,855	3,218	3,449	3,674	3,905	4,131	4,362
-----------------	-------------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- SUPPORTS 750 LBS.

ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKOCARE FEATURES

WALL SAVER LEGS
 CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 FIELD REPLACEABLE COMPONENTS
 PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 750 LBS.
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 OPTIONAL PROTECTIVE ARM CAPS
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
2,503	2,776	2,987	3,124

4,142	4,527	4,857	5,077
-------	-------	-------	-------

4,813	5,313	5,737	6,017
-------	-------	-------	-------

DIMENSIONS

W	31
D	31.5
H	33.5
SW	23.5
SD	20
SH	18
BH	17
AH	7.5

W	54.5
D	31.5
H	33.5
SW	47
SD	20
SH	18
BH	17
AH	7.5

W	78
D	31.5
H	33.5
SW	70.5
SD	20
SH	18
BH	17
AH	7.5

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

COM (YDS.)	5
COL (SQ. FT.)	90
WEIGHT (LBS.)	65
CUBIC FEET	24

COM (YDS.)	7.75
COL (SQ. FT.)	140
WEIGHT (LBS.)	100
CUBIC FEET	41

COM (YDS.)	10.25
COL (SQ. FT.)	185
WEIGHT (LBS.)	135
CUBIC FEET	57

kardia lounge



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.


KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)


MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-42054	2-SEAT TANDEM (UPHOLSTERED ARM)	2,316	2,646	2,574	2,866	3,047	3,229	3,410	3,707	3,779

• SUPPORTS 350 LBS. PER SEAT



EC-42055	3-SEAT TANDEM (UPHOLSTERED ARM)	2,602	3,042	2,855	3,218	3,449	3,674	3,905	4,131	4,362
----------	---------------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

• SUPPORTS 350 LBS. PER SEAT



ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKOCARE FEATURES

WALL SAVER LEGS
 CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 FIELD REPLACEABLE COMPONENTS
 PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 750 LBS.
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 OPTIONAL PROTECTIVE ARM CAPS
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
4,142	4,527	4,857	5,077

4,813	5,313	5,737	6,017
-------	-------	-------	-------

DIMENSIONS

W	54.5
D	31.5
H	33.5
SW	23.5
SD	20
SH	18
BH	17
AH	7.5

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

COM (YDS.)	7.75
COL (SQ. FT.)	140
WEIGHT (LBS.)	110
CUBIC FEET	44

W	85.5	COM (YDS.)	11
D	31.5	COL (SQ. FT.)	198
H	33.5	WEIGHT (LBS.)	145
SW	23.5	CUBIC FEET	62
SD	20		
SH	18		
BH	17		
AH	7.5		

kardia lounge



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.


KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-42061	CLUB CHAIR (WOOD ARM)	1,694	1,914	1,804	1,980	2,090	2,206	2,316	2,426	2,536
	• SUPPORTS 350 LBS.									
EC-42062	LOVESEAT (WOOD ARM)	2,574	2,904	2,833	3,124	3,306	3,487	3,669	3,856	4,037
	• SUPPORTS 550 LBS.									
EC-42063	SOFA (WOOD ARM)	2,860	3,300	3,113	3,476	3,707	3,933	4,164	4,389	4,620
	• SUPPORTS 750 LBS.									

ADDITIONAL PRODUCT ORDERING OPTIONS



PC BLACK POLY ARM CAPS
ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$100 LIST PER SET)

+EKOCARE FEATURES

WALL SAVER LEGS
CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
VELCRO DUST COVER
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
FIELD REPLACEABLE COMPONENTS
PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 750 LBS.
ERGONOMIC, SOY BASED PRESERVE FOAM®
CNC CUT ENGINEERED HARDWOOD PLYWOOD
OPTIONAL PROTECTIVE ARM CAPS
COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

W 31
D 31.5
H 33.5
SW 23.5
SD 20
SH 18
BH 17
AH 7.5

COM (YDS.) 5
COL (SQ. FT.) 90
WEIGHT (LBS.) 65
CUBIC FEET 24

W 54.5
D 31.5
H 33.5
SW 47
SD 20
SH 18
BH 17
AH 7.5

COM (YDS.) 7.75
COL (SQ. FT.) 140
WEIGHT (LBS.) 100
CUBIC FEET 41

W 78
D 31.5
H 33.5
SW 70.5
SD 20
SH 18
BH 17
AH 7.5

COM (YDS.) 9.75
COL (SQ. FT.) 176
WEIGHT (LBS.) 135
CUBIC FEET 57

8	9	10	11
2,761	3,036	3,245	3,383

4,400	4,785	5,115	5,335
-------	-------	-------	-------

5,071	5,572	5,995	6,276
-------	-------	-------	-------

kardia lounge



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.


DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7


EC-42064	2-SEAT TANDEM (WOOD ARM)	2,701	3,031	2,959	3,251	3,306	3,614	3,795	3,982	4,164
----------	--------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

• SUPPORTS 350 LBS. PER SEAT




EC-42065	3-SEAT TANDEM (WOOD ARM)	3,157	3,553	3,366	3,729	3,960	4,186	4,417	4,642	4,873
----------	--------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

• SUPPORTS 350 LBS. PER SEAT



ADDITIONAL PRODUCT ORDERING OPTIONS



PC BLACK POLY ARM CAPS
ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$100 LIST PER SET)

+EKOCARE FEATURES

WALL SAVER LEGS
CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
VELCRO DUST COVER
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
FIELD REPLACEABLE COMPONENTS
PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 750 LBS.
ERGONOMIC, SOY BASED PRESERVE FOAM®
CNC CUT ENGINEERED HARDWOOD PLYWOOD
OPTIONAL PROTECTIVE ARM CAPS
COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
4,527	4,916	5,242	5,462

5,324	5,825	6,248	6,529
-------	-------	-------	-------

DIMENSIONS

W	54.5
D	31.5
H	33.5
SW	23.5
SD	20
SH	18
BH	17
AH	7.5

W	85.5
D	31.5
H	33.5
SW	23.5
SD	20
SH	18
BH	17
AH	7.5

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

COM (YDS.)	7.5
COL (SQ. FT.)	136
WEIGHT (LBS.)	110
CUBIC FEET	44

COM (YDS.)	10.5
COL (SQ. FT.)	189
WEIGHT (LBS.)	145
CUBIC FEET	62

kardia lounge



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-42067-T	FREESTANDING TABLE	677	765	721	765	809	853	897	941	985




- LAMINATE TOP (SEE SURFACE MATERIALS PAGE FOR STANDARD LAMINATE OPTIONS)
- NO HARDWARE INCLUDED

EC-42067-C	INLINE TABLE	589	677	633	677	721	765	809	853	897
-------------------	---------------------	-----	-----	-----	-----	-----	-----	-----	-----	-----

SHOWN IN APPLICATION


- LAMINATE TOP (SEE SURFACE MATERIALS PAGE FOR STANDARD LAMINATE OPTIONS)
- HARDWARE INCLUDED, FIELD ASSEMBLED



EC-42067-ERR	RIGHT END TABLE	633	721	677	721	765	809	853	886	941
---------------------	------------------------	-----	-----	-----	-----	-----	-----	-----	-----	-----

SHOWN IN APPLICATION

- LAMINATE TOP (SEE SURFACE MATERIALS PAGE FOR STANDARD LAMINATE OPTIONS)
- HARDWARE INCLUDED, FIELD ASSEMBLED



EC-42067-ERL	LEFT END TABLE	633	721	677	721	765	809	853	886	941
---------------------	-----------------------	-----	-----	-----	-----	-----	-----	-----	-----	-----

SHOWN IN APPLICATION

- LAMINATE TOP (SEE SURFACE MATERIALS PAGE FOR STANDARD LAMINATE OPTIONS)
- HARDWARE INCLUDED, FIELD ASSEMBLED



+EKO CARE FEATURES

WALL SAVER LEGS
 CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 FIELD REPLACEABLE COMPONENTS
 PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS.
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 DURABLE LAMINATE TOPS
 OPTIONAL PROTECTIVE ARM CAPS
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

DIMENSIONS**FIGURES**

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W	24	COM (YDS.)	1.75
D	30.5	COL (SQ. FT.)	32
H	16	WEIGHT (LBS.)	18
		CUBIC FEET	5

W	24	COM (YDS.)	1.75
D	30.5	COL (SQ. FT.)	32
H	16	WEIGHT (LBS.)	14
		CUBIC FEET	5

W	24	COM (YDS.)	1.75
D	30.5	COL (SQ. FT.)	32
H	16	WEIGHT (LBS.)	16
		CUBIC FEET	5

W	24	COM (YDS.)	1.75
D	30.5	COL (SQ. FT.)	32
H	16	WEIGHT (LBS.)	16
		CUBIC FEET	5

8	9	10	11
1,073	1,183	1,265	1,337

985	1,095	1,177	1,249
-----	-------	-------	-------

1,029	1,139	1,221	1,293
-------	-------	-------	-------

1,029	1,139	1,221	1,293
-------	-------	-------	-------

kardia patient



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, REMOVABLE COVERS, NO UP-CHARGE ON COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. PUBLIC AND PATIENT SEATING MODELS FEATURE A SEMI-FLEX BACK, FOR COMFORT AND EASE OF EGRESS, AND STEEL SEAT/BACK FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY COLD MOLDED SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-42016	PATIENT CHAIR	1,320	1,397	1,359	1,397	1,436	1,474	1,518	1,562	1,606

• SUPPORTS 350 LBS.



ADDITIONAL PRODUCT ORDERING OPTIONS



PC BLACK POLY ARM CAPS
ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$40 LIST PER SET)

+EKO CARE FEATURES

WALL SAVER LEGS
CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
REMOVABLE COVERS (STANDARD)
FIELD REPLACEABLE COMPONENTS
STEEL SEAT AND BACK FRAME SUPPORTS 350 LBS.
DURABLE METAL-TO-METAL CONNECTIONS
MORTISE AND TENON WOOD JOINERY
MOLDED SOY BASED BIO® FOAM
SEMI-FLEX COMFORT BACK
OPTIONAL PROTECTIVE ARM CAPS
COMBINATION UPHOLSTERY (STANDARD)
MOISTURE BARRIER (STANDARD)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
1,694	1,975	2,063	2,118

DIMENSIONS

W	24
D	27
H	44
SW	21
SD	20
SH	18.5
BH	26.5
AH	7.25

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

COM (YDS.)	2
COL (SQ. FT.)	36
WEIGHT (LBS.)	55
CUBIC FEET	20

kardia II patient



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, NO UP-CHARGE ON COMBINATION UPHOLSTERY, EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY AND STEEL SEAT/BACK FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-43016	PATIENT CHAIR	985	1,045	1,045	1,095	1,128	1,150	1,172	1,205	1,238



- SUPPORTS 350 LBS.
- ASSEMBLY REQUIRED

ADDITIONAL PRODUCT ORDERING OPTIONS



PC BLACK POLY ARM CAPS
ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$40 LIST PER SET)

+EKO CARE FEATURES

WALL SAVER LEGS
CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
FIELD REPLACEABLE COMPONENTS
STEEL SEAT AND BACK FRAME SUPPORTS 350 LBS.
MORTISE AND TENON WOOD JOINERY
OPTIONAL PROTECTIVE ARM CAPS
COMBINATION UPHOLSTERY (STANDARD)
MOISTURE BARRIER (STANDARD)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

DIMENSIONS

W	24
D	27
H	44
SW	21
SD	20
SH	19.75
BH	26.5
AH	7.25

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

COM (YDS.)	2
COL (SQ. FT.)	36
WEIGHT (LBS.)	55
CUBIC FEET	20

8	9	10	11
1,293	1,348	1,403	1,458

kardia adjustable patient





PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. PATIENT SEATING MODELS FEATURE EUROPEAN BEECH WOOD ARMS, EIGHT GAUGE STEEL SEAT FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY SOY BASED FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY IDI.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-43026	ADJUSTABLE PATIENT	1,755	1,975	1,865	1,942	1,997	2,063	2,118	2,184	2,239
	• SUPPORTS 350 LBS.									
EC-43026-0	OTTOMAN	545	655	561	583	600	616	633	649	666
	• WHEN ORDERED WITH MATCHING PATIENT CHAIR, OTTOMAN SHIPS IN SAME CARTON AS CHAIR									

ADDITIONAL PRODUCT ORDERING OPTIONS



PC BLACK POLY ARM CAPS

ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$40 LIST PER SET)

+EKO CARE FEATURES

WALL SAVER LEGS
CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
FIELD REPLACEABLE COMPONENTS
STEEL SEAT FRAME SUPPORTS 350 LBS.
DURABLE METAL-TO-METAL CONNECTIONS
MORTISE AND TENON WOOD JOINERY
SOY BASED FOAM
OPTIONAL REMOVABLE COVERS
OPTIONAL PROTECTIVE ARM CAPS
OPTIONAL MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
2,349	2,180	2,275	2,350

699	715	748	765
-----	-----	-----	-----

DIMENSIONS

W	24
D	25
H	45
SW	21
SD	20
SH	20.25
BH	24.75
AH	5

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

COM (YDS.)	3
COL (SQ. FT.)	54
WEIGHT (LBS.)	55
CUBIC FEET	17

W	18.5	COM (YDS.)	.75
D	12.5	COL (SQ. FT.)	18
H	12	WEIGHT (LBS.)	9
		CUBIC FEET	2

kardia gliders



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-42075	GLIDER (UPHOLSTERED ARM)	1,529	1,749	1,700	1,892	2,013	2,140	2,261	2,382	2,503




- RECESSED FRONT PANEL ALLOWS FEET TO BE POSITIONED SLIGHTLY BACK UNDER SEAT FOR GREATER BODY BALANCE AND PROMOTION OF SAFER PATIENT INGRESS AND EGRESS TO AND FROM CHAIR
- SMOOTH GLIDING MOTION EASES PATIENT STRESS AND TENSION
- LOCKING MECHANISM ALLOWS GLIDER TO BE LOCKED IN FIXED POSITION (LOCKING MECHANISM IS FIELD REPLACEABLE)
- SUPPORTS 350 LBS.
- OPTIONAL HEADREST AVAILABLE

EC-42085	GLIDER (WOOD ARM)	1,788	2,008	1,958	2,151	2,272	2,398	2,519	2,640	2,761
-----------------	--------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- RECESSED FRONT PANEL ALLOWS FEET TO BE POSITIONED SLIGHTLY BACK UNDER SEAT FOR GREATER BODY BALANCE AND PROMOTION OF SAFER PATIENT INGRESS AND EGRESS TO AND FROM CHAIR
- SMOOTH GLIDING MOTION EASES PATIENT STRESS AND TENSION
- LOCKING MECHANISM ALLOWS GLIDER TO BE LOCKED IN FIXED POSITION (LOCKING MECHANISM IS FIELD REPLACEABLE)
- SUPPORTS 350 LBS.
- OPTIONAL HEADREST AVAILABLE

EC-HR	OPTIONAL HEADREST	110	127	121	127	143	160	176	193	226
--------------	--------------------------	-----	-----	-----	-----	-----	-----	-----	-----	-----



ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS PC BLACK POLY ARM CAPS

ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$100 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
FIELD REPLACEABLE COMPONENTS
PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS.
ERGONOMIC, SOY BASED PRESERVE FOAM®
CNC CUT ENGINEERED HARDWOOD PLYWOOD
COIL SEAT CONSTRUCTION FOR EXTREME COMFORT
HEAVY DUTY COMMERCIAL GRADE GLIDER MECHANISM
OPTIONAL PROTECTIVE ARM CAPS
COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

W	30	COM (YDS.)	5.5
D	35	COL (SQ. FT.)	99
H	41.25	WEIGHT (LBS.)	60
SW	22.75	CUBIC FEET	32
SD	20		
SH	19.5		
BH	22.25		
AH	8		

W	30	COM (YDS.)	5.5
D	35	COL (SQ. FT.)	99
H	41.25	WEIGHT (LBS.)	60
SW	22.75	CUBIC FEET	32
SD	20		
SH	19.5		
BH	22.25		
AH	8		

W	14	COM (YDS.)	.5
D	2.75	COL (SQ. FT.)	9
H	6.5		

8	9	10	11
2,750	2,915	3,135	3,410

3,009	3,174	3,394	3,669
-------	-------	-------	-------

259	289	319	391
-----	-----	-----	-----

kardia transport chairs









PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-42001	TRANSPORT CHAIR (UPHOLSTERED ARM)	3,735	3,955	3,933	4,169	4,307	4,450	4,598	4,747	4,884
	<ul style="list-style-type: none">• ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER, TRANSPORT BASE STANDARD• SOLID ALUMINUM PUSH BAR STANDARD• CENTRAL LOCKING CASTERS WITH BRAKE STANDARD (LOCATED ON BOTH SIDES OF UNIT)• FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)• HEADREST STANDARD• BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST• SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS• RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED• 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:<ul style="list-style-type: none">POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWNPOSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITIONPOSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITIONPOSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.• SUPPORTS 500 LBS.		<p>PATIENT FOLD-DOWN TRANSFER ARM</p> <p>OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED. LEFT HANDED TRANSFER ARM LPTA (ADD \$550 LIST)</p> <p><i>NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM OR ON SAME SIDE AS OTTOMAN LEVER.</i></p>							
EC-42002	TRANSPORT CHAIR (WOOD ARM)	3,993	4,213	4,191	4,428	4,565	4,708	4,847	5,005	5,143
	<ul style="list-style-type: none">• ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER, TRANSPORT BASE STANDARD• SOLID ALUMINUM PUSH BAR STANDARD• CENTRAL LOCKING CASTERS WITH BRAKE STANDARD (LOCATED ON BOTH SIDES OF UNIT)• FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)• HEADREST STANDARD• BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST• SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS• RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED• 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:<ul style="list-style-type: none">POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWNPOSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITIONPOSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITIONPOSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.• SUPPORTS 500 LBS.									
EC-42003	TRANSPORT CHAIR (UPHOLSTERED ARM)	3,020	3,240	3,218	3,454	3,592	3,735	3,883	4,032	4,169
	<ul style="list-style-type: none">• ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER, TRANSPORT BASE STANDARD• SOLID ALUMINUM PUSH BAR STANDARD• MANUAL LOCK CASTERS STANDARD• FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)• HEADREST STANDARD• BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST• SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS• RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED• 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:<ul style="list-style-type: none">POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWNPOSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITIONPOSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITIONPOSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.• SUPPORTS 500 LBS.		<p>PATIENT FOLD-DOWN TRANSFER ARM</p> <p>OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED. LEFT HANDED TRANSFER ARM LPTA (ADD \$550 LIST)</p> <p><i>NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM OR ON SAME SIDE AS OTTOMAN LEVER.</i></p>							
EC-42004	TRANSPORT CHAIR (WOOD ARM)	3,278	3,498	3,746	3,713	3,850	3,993	4,142	4,290	4,428
	<ul style="list-style-type: none">• ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER, TRANSPORT BASE STANDARD• SOLID ALUMINUM PUSH BAR STANDARD• MANUAL LOCK CASTERS STANDARD• FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)• HEADREST STANDARD• BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST• SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS• RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED• 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:<ul style="list-style-type: none">POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWNPOSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITIONPOSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITIONPOSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.• SUPPORTS 500 LBS.									

ADDITIONAL PRODUCT ORDERING OPTIONS**WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS**

ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$100 LIST PER SET)

+EKO CARE FEATURES

WALL SAVER DESIGN
CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
FIELD REPLACEABLE COMPONENTS
PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS.
ERGONOMIC, SOY BASED PRESERVE FOAM®
CNC CUT ENGINEERED HARDWOOD PLYWOOD
COIL SEAT CONSTRUCTION FOR EXTREME COMFORT
HEAVY DUTY COMMERCIAL GRADE RECLINE MECHANISM
HEAVY DUTY BLACK CASTERS
OPTIONAL PROTECTIVE ARM CAPS
OPTIONAL IV POLE (ADD \$250 LIST)
OPTIONAL OXYGEN TANK HOLDER, SIZE D (ADD \$300 LIST)
OPTIONAL FOLEY BAG HOLDER, SELF CLOSING (ADD \$145 LIST)
SPECIFY LEFT FRONT OR REAR, OR RIGHT REAR
OPTIONAL HEAT/MASSAGE, SEAT/BACK TWO ZONE MASSAGE
WITH HEATED LUMBAR AREA (ADD \$1000 LIST)
COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8 9 10 11

5,176 5,830 6,160 6,336

**DROP SIDE TABLE**

THERMOFOIL WHITE 11 X 19.5 LEFT HANDED **TOT** (ADD \$175 LIST)
NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.
OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

5,434 6,089 6,419 6,595

4,461 5,115 5,445 5,621

**DROP SIDE TABLE**

THERMOFOIL WHITE 11 X 19.5 LEFT HANDED **TOT** (ADD \$175 LIST)
NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.
OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

4,719 5,385 5,704 5,880

DIMENSIONS**FIGURES**

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

W	35	COM (YDS.)	6.5
D	39	COL (SQ. FT.)	117
H	46	WEIGHT (LBS.)	120
SW	23.5	CUBIC FEET	32
SD	20.5		
SH	22.5		
BH	29		
AH	6.5		
SLEEP DEPTH	72.5		

W	35	COM (YDS.)	6
D	39	COL (SQ. FT.)	108
H	46	WEIGHT (LBS.)	120
SW	23.5	CUBIC FEET	32
SD	20.5		
SH	22.5		
BH	29		
AH	6.5		
SLEEP DEPTH	72.5		

W	33	COM (YDS.)	6.5
D	39	COL (SQ. FT.)	117
H	46	WEIGHT (LBS.)	120
SW	23.5	CUBIC FEET	32
SD	20.5		
SH	22.5		
BH	29		
AH	6.5		
SLEEP DEPTH	72.5		

W	33	COM (YDS.)	6
D	39	COL (SQ. FT.)	108
H	46	WEIGHT (LBS.)	120
SW	23.5	CUBIC FEET	32
SD	20.5		
SH	22.5		
BH	29		
AH	6.5		
SLEEP DEPTH	72.5		

kardia transport chairs



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-42101	TRANSPORT CHAIR (UPHOLSTERED ARM)	3,625	3,845	3,823	4,159	4,197	4,340	4,488	4,637	4,774



- PATIENT/SLEEP POSITION/MOBILE RECLINER
- SOLID ALUMINUM PUSH BAR STANDARD
- CENTRAL LOCKING CASTERS WITH BRAKE STANDARD (LOCATED ON BOTH SIDES OF UNIT)
- FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)
- HEADREST STANDARD
- BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST
- SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS
- RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED
- 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:
 - POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWN
 - POSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITION
 - POSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITION
 - POSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.
- SUPPORTS 500 LBS.



PATIENT FOLD-DOWN TRANSFER ARM
OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED. LEFT HANDED TRANSFER ARM **LPTA** (ADD \$550 LIST)
NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM OR ON SAME SIDE AS OTTOMAN LEVER.

EC-42102	TRANSPORT CHAIR (WOOD ARM)	3,883	4,103	4,081	4,318	4,455	4,598	4,747	4,895	5,033
-----------------	-----------------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- PATIENT/SLEEP POSITION/MOBILE RECLINER
- SOLID ALUMINUM PUSH BAR STANDARD
- CENTRAL LOCKING CASTERS WITH BRAKE STANDARD (LOCATED ON BOTH SIDES OF UNIT)
- FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)
- HEADREST STANDARD
- BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST
- SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS
- RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED
- 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:
 - POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWN
 - POSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITION
 - POSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITION
 - POSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.
- SUPPORTS 500 LBS.

EC-42103	TRANSPORT CHAIR (UPHOLSTERED ARM)	2910	3,130	3,108	3,344	3,482	3,625	3,773	3,922	4,059
-----------------	--	------	-------	-------	-------	-------	-------	-------	-------	-------



- PATIENT/SLEEP POSITION/MOBILE RECLINER
- SOLID ALUMINUM PUSH BAR STANDARD
- MANUAL LOCK CASTERS STANDARD
- FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)
- HEADREST STANDARD
- BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST
- SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS
- RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED
- 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:
 - POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWN
 - POSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITION
 - POSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITION
 - POSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.
- SUPPORTS 500 LBS.



PATIENT FOLD-DOWN TRANSFER ARM
OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED. LEFT HANDED TRANSFER ARM **LPTA** (ADD \$550 LIST)
NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM OR ON SAME SIDE AS OTTOMAN LEVER.

EC-42104	TRANSPORT CHAIR (WOOD ARM)	3,168	3,388	3,366	3,603	3,740	3,883	4,032	4,180	4,318
-----------------	-----------------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- PATIENT/SLEEP POSITION/MOBILE RECLINER
- SOLID ALUMINUM PUSH BAR STANDARD
- MANUAL LOCK CASTERS STANDARD
- FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)
- HEADREST STANDARD
- BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST
- SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS
- RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED
- 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:
 - POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWN
 - POSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITION
 - POSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITION
 - POSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.
- SUPPORTS 500 LBS.

ADDITIONAL PRODUCT ORDERING OPTIONS**WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS**

ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$100 LIST PER SET)

+EKO CARE FEATURES

WALL SAVER DESIGN
CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
FIELD REPLACEABLE COMPONENTS
PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS.
ERGONOMIC, SOY BASED PRESERVE FOAM®
CNC CUT ENGINEERED HARDWOOD PLYWOOD
COIL SEAT CONSTRUCTION FOR EXTREME COMFORT
HEAVY DUTY COMMERCIAL GRADE RECLINE MECHANISM
HEAVY DUTY BLACK CASTERS
OPTIONAL PROTECTIVE ARM CAPS
OPTIONAL IV POLE (ADD \$250 LIST)
OPTIONAL OXYGEN TANK HOLDER, SIZE D (ADD \$300 LIST)
OPTIONAL FOLEY BAG HOLDER, SELF CLOSING (ADD \$145 LIST)
SPECIFY LEFT FRONT OR REAR, OR RIGHT REAR
OPTIONAL HEAT/MASSAGE, SEAT/BACK TWO ZONE MASSAGE
WITH HEATED LUMBAR AREA (ADD \$1000 LIST)
COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE


8 9 10 11

5,066 5,720 6,050 6,226

**DROP SIDE TABLE**

THERMOFOIL WHITE 11 X 19.5 LEFT HANDED **TOT** (ADD \$175 LIST)
NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.
OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

5,324 5,979 6,309 6,485

**DROP SIDE TABLE**

THERMOFOIL WHITE 11 X 19.5 LEFT HANDED **TOT** (ADD \$175 LIST)
NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.
OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

4,609 5,264 5,594 5,770

DIMENSIONS**FIGURES**

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

W 35
D 39
H 46
SW 23.5
SD 20.5
SH 19.5
BH 29
AH 6.5
SLEEP DEPTH 72.5

COM (YDS.) 6.5
COL (SQ. FT.) 117
WEIGHT (LBS.) 120
CUBIC FEET 32

W 35
D 39
H 46
SW 23.5
SD 20.5
SH 19.5
BH 29
AH 6.5
SLEEP DEPTH 72.5

COM (YDS.) 6
COL (SQ. FT.) 108
WEIGHT (LBS.) 120
CUBIC FEET 32

W 33
D 39
H 46
SW 23.5
SD 20.5
SH 19.5
BH 29
AH 6.5
SLEEP DEPTH 72.5

COM (YDS.) 6.5
COL (SQ. FT.) 117
WEIGHT (LBS.) 120
CUBIC FEET 32

W 33
D 39
H 46
SW 23.5
SD 20.5
SH 19.5
BH 29
AH 6.5
SLEEP DEPTH 72.5

COM (YDS.) 6
COL (SQ. FT.) 108
WEIGHT (LBS.) 120
CUBIC FEET 32

kardia 3-position recliners









PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE									
		COM	COL	1	2	3	4	5	6	7	
EC-42076	3-POSITION RECLINER (UPHOLSTERED ARM)	1,821	2,041	2,024	2,255	2,398	2,547	2,690	2,833	2,981	
	<ul style="list-style-type: none">• WOOD FEET• WEIGHT ACTIVATED BACK ADJUSTMENT (PUSH BACK TO RECLINE, LEAN FORWARD AND BACK RETURNS TO UPRIGHT POSITION, PRESS DOWN ON OTTOMAN TO CLOSE)• HEADREST STANDARD• SUPPORTS 500 LBS.										
	 <p>PATIENT FOLD-DOWN TRANSFER ARM OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED. RIGHT HANDED TRANSFER ARM RPTA (ADD \$550 LIST) LEFT HANDED TRANSFER ARM LPTA (ADD \$550 LIST) NON-HANDED TRANSFER ARMS, BOTH RIGHT AND LEFT ARMS BPTA (ADD \$1,100 LIST) <i>NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM.</i></p>										
EC-42086	3-POSITION RECLINER (WOOD ARM)	2,096	2,316	2,299	2,530	2,673	2,822	2,965	3,108	3,256	
	<ul style="list-style-type: none">• WOOD FEET• WEIGHT ACTIVATED BACK ADJUSTMENT (PUSH BACK TO RECLINE, LEAN FORWARD AND BACK RETURNS TO UPRIGHT POSITION, PRESS DOWN ON OTTOMAN TO CLOSE)• HEADREST STANDARD• SUPPORTS 500 LBS.										
EC-42176	3-POSITION RECLINER (UPHOLSTERED ARM)	2,096	2,316	2,299	2,530	2,673	2,822	2,965	3,108	3,256	
	<ul style="list-style-type: none">• 3-INCH SWIVEL CASTERS WITH WHEEL BREAK (HOUSING AND WHEELS MADE OF HIGH GRADE SYNTHETIC MATERIALS. WHEEL CENTERS MADE OF GREY POLYPROPYLENE WITH NON-MARKING PRECISION BALL BEARINGS)• WEIGHT ACTIVATED BACK ADJUSTMENT (PUSH BACK TO RECLINE, LEAN FORWARD AND BACK RETURNS TO UPRIGHT POSITION, PRESS DOWN ON OTTOMAN TO CLOSE)• HEADREST STANDARD• SUPPORTS 500 LBS.										
	 <p>PATIENT FOLD-DOWN TRANSFER ARM OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED. RIGHT HANDED TRANSFER ARM RPTA (ADD \$550 LIST) LEFT HANDED TRANSFER ARM LPTA (ADD \$550 LIST) NON-HANDED TRANSFER ARMS, BOTH RIGHT AND LEFT ARMS BPTA (ADD \$1,100 LIST) <i>NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM.</i></p>										
EC-42186	3-POSITION RECLINER (WOOD ARM)	2,371	2,591	2,574	2,475	2,948	3,097	3,295	3,383	3,531	
	<ul style="list-style-type: none">• 3-INCH SWIVEL CASTERS WITH WHEEL BREAK (HOUSING AND WHEELS MADE OF HIGH GRADE SYNTHETIC MATERIALS. WHEEL CENTERS MADE OF GREY POLYPROPYLENE WITH NON-MARKING PRECISION BALL BEARINGS)• WEIGHT ACTIVATED BACK ADJUSTMENT (PUSH BACK TO RECLINE, LEAN FORWARD AND BACK RETURNS TO UPRIGHT POSITION, PRESS DOWN ON OTTOMAN TO CLOSE)• HEADREST STANDARD• SUPPORTS 500 LBS.										

ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 FIELD REPLACEABLE COMPONENTS
 PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS.
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 COIL SEAT CONSTRUCTION FOR EXTREME COMFORT
 HEAVY DUTY COMMERCIAL GRADE RECLINER MECHANISM
 OPTIONAL PROTECTIVE ARM CAPS
 OPTIONAL IV POLE (ADD \$250 LIST)
 OPTIONAL OXYGEN TANK HOLDER, SIZE D (ADD \$300 LIST)
 OPTIONAL DRAINAGE BAG HOOK (ADD \$75 LIST)
 OPTIONAL HEAT/MASSAGE, SEAT/BACK TWO ZONE
 MASSAGE WITH HEATED LUMBAR AREA (ADD \$1000 LIST)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY


TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
3,267	3,305	4,235	4,433



DROP SIDE TABLE
 THERMOFOIL WHITE 11 X 19.5 LEFT HANDED **TOT** (ADD \$175 LIST)
 NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.
 OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

3,572	4,180	4,510	4,708
-------	-------	-------	-------



DROP SIDE TABLE
 THERMOFOIL WHITE 11 X 19.5 LEFT HANDED **TOT** (ADD \$175 LIST)
 NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.
 OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

3,817	4,455	4,785	4,983
-------	-------	-------	-------

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W	31	COM (YDS.)	6.5
D	34	COL (SQ. FT.)	117
H	43	WEIGHT (LBS.)	90
SW	23.75	CUBIC FEET	32
SD	20.5		
SH	20		
BH	24.5		
AH	6.75		
FULLY RECLINED DEPTH 66			

W	31	COM (YDS.)	6.5
D	34	COL (SQ. FT.)	117
H	43	WEIGHT (LBS.)	90
SW	23.75	CUBIC FEET	32
SD	20.5		
SH	20		
BH	24.5		
AH	6.75		
FULLY RECLINED DEPTH 66			

W	31	COM (YDS.)	6.5
D	34	COL (SQ. FT.)	117
H	43	WEIGHT (LBS.)	90
SW	23.75	CUBIC FEET	32
SD	20.5		
SH	20		
BH	24.5		
AH	6.75		
FULLY RECLINED DEPTH 66			

W	31	COM (YDS.)	6.5
D	34	COL (SQ. FT.)	117
H	43	WEIGHT (LBS.)	90
SW	23.75	CUBIC FEET	32
SD	20.5		
SH	20		
BH	24.5		
AH	6.75		
FULLY RECLINED DEPTH 66			

kardia 4-position trendelenburg recliners



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE									
		COM	COL	1	2	3	4	5	6	7	
EC-42077	4-POSITION TRENDELENBURG RECLINER (UPHOLSTERED ARM)	1,986	2,206	2,189	2,420	2,563	2,712	2,855	2,998	3,146	



- WOOD FEET
- WEIGHT ACTIVATED BACK ADJUSTMENT (PUSH BACK TO RECLINE, LEAN FORWARD AND BACK RETURNS TO UPRIGHT POSITION, PRESS DOWN ON OTTOMAN TO CLOSE)
- HEADREST STANDARD
- SUPPORTS 500 LBS.



PATIENT FOLD-DOWN TRANSFER ARM

OPTION AVAILABLE ON UPHOLSTERED ARM MODELS.
REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED.
RIGHT HANDED TRANSFER ARM **RPTA** (ADD \$550 LIST)
LEFT HANDED TRANSFER ARM **LPTA** (ADD \$550 LIST)
NON-HANDED TRANSFER ARMS, BOTH RIGHT AND LEFT ARMS **BPTA** (ADD \$1,100 LIST)
NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM.

EC-42177	4-POSITION TRENDELENBURG RECLINER (UPHOLSTERED ARM)	2,261	2,426	2,464	2,695	2,838	2,987	3,130	3,240	3,421
-----------------	--	-------	-------	-------	-------	-------	-------	-------	-------	-------



- 3-INCH SWIVEL CASTERS WITH WHEEL BREAK (HOUSING AND WHEELS MADE OF HIGH GRADE SYNTHETIC MATERIALS. WHEEL CENTERS MADE OF GREY POLYPROPYLENE WITH NON-MARKING PRECISION BALL BEARINGS)
- WEIGHT ACTIVATED BACK ADJUSTMENT (PUSH BACK TO RECLINE, LEAN FORWARD AND BACK RETURNS TO UPRIGHT POSITION, PRESS DOWN ON OTTOMAN TO CLOSE)
- HEADREST STANDARD
- SUPPORTS 500 LBS.



PATIENT FOLD-DOWN TRANSFER ARM

OPTION AVAILABLE ON UPHOLSTERED ARM MODELS.
REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED.
RIGHT HANDED TRANSFER ARM **RPTA** (ADD \$550 LIST)
LEFT HANDED TRANSFER ARM **LPTA** (ADD \$550 LIST)
NON-HANDED TRANSFER ARMS, BOTH RIGHT AND LEFT ARMS **BPTA** (ADD \$1,100 LIST)
NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM.

ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 FIELD REPLACEABLE COMPONENTS
 PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS.
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 COIL SEAT CONSTRUCTION FOR EXTREME COMFORT
 HEAVY DUTY COMMERCIAL GRADE RECLINER MECHANISM
 OPTIONAL PROTECTIVE ARM CAPS
 OPTIONAL IV POLE (ADD \$250 LIST)
 OPTIONAL OXYGEN TANK HOLDER, SIZE D (ADD \$300 LIST)
 OPTIONAL DRAINAGE BAG HOOK (ADD \$75 LIST)
 OPTIONAL HEAT/MASSAGE, SEAT/BACK TWO ZONE
 MASSAGE WITH HEATED LUMBAR AREA (ADD \$1000 LIST)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
3,432	4,070	4,400	4,598



DROP SIDE TABLE
 THERMOFOIL WHITE 11 X 19.5 LEFT HANDED **TDT** (ADD \$175 LIST)
 NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.
 OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

3,707	4,345	4,675	4,873
-------	-------	-------	-------



DROP SIDE TABLE
 THERMOFOIL WHITE 11 X 19.5 LEFT HANDED **TDT** (ADD \$175 LIST)
 NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.
 OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W	32.5	COM (YDS.)	6.5
D	34	COL (SQ. FT.)	117
H	43	WEIGHT (LBS.)	90
SW	23.75	CUBIC FEET	32
SD	20.5		
SH	20		
BH	24.5		
AH	6.75		
FULLY RECLINED DEPTH 74			

W	32.5	COM (YDS.)	6.5
D	34	COL (SQ. FT.)	117
H	43	WEIGHT (LBS.)	90
SW	23.75	CUBIC FEET	32
SD	20.5		
SH	20		
BH	24.5		
AH	6.75		
FULLY RECLINED DEPTH 74			

kardia ultra treatment recliners











PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH ON ALL EXPOSED WOOD SURFACES POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY IDI.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL		FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-43001	ULTRA TREATMENT RECLINER	4,565	4,785	4,851	5,055	5,225	5,390	5,555	5,720	5,885
	<ul style="list-style-type: none">• ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER, TRANSPORT BASE STANDARD• SOLID SILVER (PC4) ALUMINUM PUSH BAR STANDARD• CENTRAL LOCKING CASTERS WITH BRAKE STANDARD (LOCATED ON FRONT LEFT SIDE)• FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)• SILVER (PC4) POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST• SEAT FEATURES HEAVY DUTY VELCRO TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS• RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED• 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:<ul style="list-style-type: none">POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWNPOSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITIONPOSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITIONPOSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.• SUPPORTS 500 LBS.		<p>PATIENT FOLD-DOWN TRANSFER ARM</p> <p>OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED. LEFT HANDED TRANSFER ARM LPTA (ADD \$550 LIST)</p> <p><i>NOTE: TRANSFER ARMS CANNOT BE USED ON SAME SIDE AS OTTOMAN LEVER.</i></p>							
EC-43003	ULTRA TREATMENT RECLINER	3,740	3,960	4,026	4,230	4,400	4,565	4,730	4,895	5,060
	<ul style="list-style-type: none">• ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER, TRANSPORT BASE STANDARD• SOLID SILVER (PC4) ALUMINUM PUSH BAR STANDARD• MANUAL LOCK CASTERS STANDARD• FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)• SILVER (PC4) POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST• SEAT FEATURES HEAVY DUTY VELCRO TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS• RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED• 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:<ul style="list-style-type: none">POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWNPOSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITIONPOSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITIONPOSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.• SUPPORTS 500 LBS.		<p>PATIENT FOLD-DOWN TRANSFER ARM</p> <p>OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED. LEFT HANDED TRANSFER ARM LPTA (ADD \$550 LIST)</p> <p><i>NOTE: TRANSFER ARMS CANNOT BE USED ON SAME SIDE AS OTTOMAN LEVER.</i></p>							
EC-43101	ULTRA TREATMENT RECLINER	4,345	4,565	4,631	4,835	5,005	5,170	5,335	5,500	5,665
	<ul style="list-style-type: none">• PATIENT/SLEEP POSITION/MOBILE RECLINER• SOLID SILVER (PC4) ALUMINUM PUSH BAR STANDARD• CENTRAL LOCKING CASTERS WITH BRAKE STANDARD (LOCATED ON FRONT LEFT SIDE)• FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)• SILVER (PC4) POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST• SEAT FEATURES HEAVY DUTY VELCRO TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS• RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED• 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:<ul style="list-style-type: none">POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWNPOSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITIONPOSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITIONPOSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.• SUPPORTS 500 LBS.		<p>PATIENT FOLD-DOWN TRANSFER ARM</p> <p>OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED. LEFT HANDED TRANSFER ARM LPTA (ADD \$550 LIST)</p> <p><i>NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM OR ON SAME SIDE AS OTTOMAN LEVER.</i></p>							
EC-43103	ULTRA TREATMENT RECLINER	3,520	3,740	3,806	4,010	4,180	4,345	4,510	4,675	4,840
	<ul style="list-style-type: none">• PATIENT/SLEEP POSITION/MOBILE RECLINER• SOLID SILVER (PC4) ALUMINUM PUSH BAR STANDARD• MANUAL LOCK CASTERS STANDARD• FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)• SILVER (PC4) POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST• SEAT FEATURES HEAVY DUTY VELCRO TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS• RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED• 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:<ul style="list-style-type: none">POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWNPOSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITIONPOSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITIONPOSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.• SUPPORTS 500 LBS.		<p>PATIENT FOLD-DOWN TRANSFER ARM</p> <p>OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED. LEFT HANDED TRANSFER ARM LPTA (ADD \$550 LIST)</p> <p><i>NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM OR ON SAME SIDE AS OTTOMAN LEVER.</i></p>							

ADDITIONAL PRODUCT ORDERING OPTIONS**WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS**

ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$100 LIST PER SET)

+EKO CARE FEATURES

WALL SAVER DESIGN
CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
FIELD REPLACEABLE COMPONENTS
PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS.
ERGONOMIC, SOY BASED PRESERVE FOAM®
CNC CUT ENGINEERED HARDWOOD PLYWOOD
COIL SEAT CONSTRUCTION FOR EXTREME COMFORT
HEAVY DUTY COMMERCIAL GRADE RECLINE MECHANISM
HEAVY DUTY BLACK CASTERS
OPTIONAL PROTECTIVE ARM CAPS
OPTIONAL IV POLE (ADD \$250 LIST)
OPTIONAL OXYGEN TANK HOLDER, SIZE D (ADD \$300 LIST)
OPTIONAL FOLEY BAG HOLDER, SELF CLOSING (ADD \$145 LIST)
SPECIFY LEFT FRONT OR REAR, OR RIGHT REAR
OPTIONAL HEAT/MASSAGE, SEAT/BACK TWO ZONE MASSAGE
WITH HEATED LUMBAR AREA (ADD \$1000 LIST)
COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8 9 10 11

6,215 6,353 6,600 6,793

**DROP SIDE TABLE**

THERMOFOIL WHITE 11 X 19.5 LEFT HANDED **TOT** (ADD \$175 LIST)
NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.
OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

5,390 5,529 5,775 5,968

**DROP SIDE TABLE**

THERMOFOIL WHITE 11 X 19.5 LEFT HANDED **TOT** (ADD \$175 LIST)
NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.
OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

5,995 6,133 6,380 6,573

**DROP SIDE TABLE**

THERMOFOIL WHITE 11 X 19.5 LEFT HANDED **TOT** (ADD \$175 LIST)
NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.
OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

5,170 5,308 5,555 5,748

**DROP SIDE TABLE**

THERMOFOIL WHITE 11 X 19.5 LEFT HANDED **TOT** (ADD \$175 LIST)
NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.
OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

DIMENSIONS

W	34.25
D	39
H	46
SW	24
SD	20.5
SH	22.5
BH	29
AH	6.5
SLEEP DEPTH	72.5

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

COM (YDS.)	7.5
COL (SQ. FT.)	131
WEIGHT (LBS.)	125
CUBIC FEET	36

W	34.25
D	39
H	46
SW	24
SD	20.5
SH	22.5
BH	29
AH	6.5
SLEEP DEPTH	72.5

COM (YDS.)	7.5
COL (SQ. FT.)	131
WEIGHT (LBS.)	125
CUBIC FEET	36

W	34.25
D	39
H	46
SW	24
SD	20.5
SH	22.5
BH	29
AH	6.5
SLEEP DEPTH	72.5

COM (YDS.)	7.5
COL (SQ. FT.)	131
WEIGHT (LBS.)	125
CUBIC FEET	36

W	34.25
D	39
H	46
SW	24
SD	20.5
SH	22.5
BH	29
AH	6.5
SLEEP DEPTH	72.5

COM (YDS.)	7.5
COL (SQ. FT.)	131
WEIGHT (LBS.)	125
CUBIC FEET	36

kardia ultra treatment bariatric recliners











PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH ON ALL EXPOSED WOOD SURFACES POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY IDI.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-43002	ULTRA TREATMENT BARIATRIC RECLINER	4,730	4,950	5,027	5,220	5,390	5,555	5,830	5,885	6,050
	<ul style="list-style-type: none">• ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER, TRANSPORT BASE STANDARD• SOLID SILVER (PC4) ALUMINUM PUSH BAR STANDARD• CENTRAL LOCKING CASTERS WITH BRAKE STANDARD (LOCATED ON FRONT LEFT SIDE)• FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)• SILVER (PC4) POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST• SEAT FEATURES HEAVY DUTY VELCRO TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS• RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED• 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:<ul style="list-style-type: none">POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWNPOSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITIONPOSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITIONPOSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.• SUPPORTS 750 LBS.		<p>PATIENT FOLD-DOWN TRANSFER ARM OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED. LEFT HANDED TRANSFER ARM LPTA (ADD \$550 LIST) <i>NOTE: TRANSFER ARMS CANNOT BE USED ON SAME SIDE AS OTTOMAN LEVER.</i></p>							
EC-43004	ULTRA TREATMENT BARIATRIC RECLINER	3,905	4,125	4,191	4,395	4,565	4,730	4,895	5,060	5,225
	<ul style="list-style-type: none">• ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER, TRANSPORT BASE STANDARD• SOLID SILVER (PC4) ALUMINUM PUSH BAR STANDARD• MANUAL LOCK CASTERS STANDARD• FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)• SILVER (PC4) POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST• SEAT FEATURES HEAVY DUTY VELCRO TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS• RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED• 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:<ul style="list-style-type: none">POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWNPOSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITIONPOSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITIONPOSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.• SUPPORTS 750 LBS.		<p>PATIENT FOLD-DOWN TRANSFER ARM OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED. LEFT HANDED TRANSFER ARM LPTA (ADD \$550 LIST) <i>NOTE: TRANSFER ARMS CANNOT BE USED ON SAME SIDE AS OTTOMAN LEVER.</i></p>							
EC-43102	ULTRA TREATMENT BARIATRIC RECLINER	4,510	4,730	4,796	5,000	5,170	5,335	5,500	5,665	5,830
	<ul style="list-style-type: none">• PATIENT/SLEEP POSITION/MOBILE RECLINER• SOLID SILVER (PC4) ALUMINUM PUSH BAR STANDARD• CENTRAL LOCKING CASTERS WITH BRAKE STANDARD (LOCATED ON FRONT LEFT SIDE)• FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)• SILVER (PC4) POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST• SEAT FEATURES HEAVY DUTY VELCRO TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS• RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED• 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:<ul style="list-style-type: none">POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWNPOSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITIONPOSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITIONPOSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.• SUPPORTS 750 LBS.		<p>PATIENT FOLD-DOWN TRANSFER ARM OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED. LEFT HANDED TRANSFER ARM LPTA (ADD \$550 LIST) <i>NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM OR ON SAME SIDE AS OTTOMAN LEVER.</i></p>							
EC-43104	ULTRA TREATMENT BARIATRIC RECLINER	3,685	3,905	3,971	4,175	4,345	4,510	4,675	4,840	5,005
	<ul style="list-style-type: none">• PATIENT/SLEEP POSITION/MOBILE RECLINER• SOLID SILVER (PC4) ALUMINUM PUSH BAR STANDARD• MANUAL LOCK CASTERS STANDARD• FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)• SILVER (PC4) POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST• SEAT FEATURES HEAVY DUTY VELCRO TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS• RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED• 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:<ul style="list-style-type: none">POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWNPOSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITIONPOSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITIONPOSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.• SUPPORTS 750 LBS.		<p>PATIENT FOLD-DOWN TRANSFER ARM OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED. LEFT HANDED TRANSFER ARM LPTA (ADD \$550 LIST) <i>NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM OR ON SAME SIDE AS OTTOMAN LEVER.</i></p>							

ADDITIONAL PRODUCT ORDERING OPTIONS**WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS**

ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$100 LIST PER SET)

+EKO CARE FEATURES

WALL SAVER DESIGN
CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
FIELD REPLACEABLE COMPONENTS
PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS.
ERGONOMIC, SOY BASED PRESERVE FOAM®
CNC CUT ENGINEERED HARDWOOD PLYWOOD
COIL SEAT CONSTRUCTION FOR EXTREME COMFORT
HEAVY DUTY COMMERCIAL GRADE RECLINE MECHANISM
HEAVY DUTY BLACK CASTERS
OPTIONAL PROTECTIVE ARM CAPS
OPTIONAL IV POLE (ADD \$250 LIST)
OPTIONAL OXYGEN TANK HOLDER, SIZE D (ADD \$300 LIST)
OPTIONAL FOLEY BAG HOLDER, SELF CLOSING (ADD \$145 LIST)
SPECIFY LEFT FRONT OR REAR, OR RIGHT REAR
OPTIONAL HEAT/MASSAGE, SEAT/BACK TWO ZONE MASSAGE
WITH HEATED LUMBAR AREA (ADD \$1000 LIST)
COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE


8 9 10 11

6,380 6,518 6,765 6,958

**DROP SIDE TABLE**

THERMOFOIL WHITE 11 X 19.5 LEFT HANDED **TOT** (ADD \$175 LIST)
NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.
OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

5,555 5,693 5,940 6,133

**DROP SIDE TABLE**

THERMOFOIL WHITE 11 X 19.5 LEFT HANDED **TOT** (ADD \$175 LIST)
NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.
OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

6,160 6,298 6,545 6,738

**DROP SIDE TABLE**

THERMOFOIL WHITE 11 X 19.5 LEFT HANDED **TOT** (ADD \$175 LIST)
NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.
OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

5,335 5,473 5,720 5,913

**DROP SIDE TABLE**

THERMOFOIL WHITE 11 X 19.5 LEFT HANDED **TOT** (ADD \$175 LIST)
NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.
OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

DIMENSIONS**FIGURES**

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

W	39.25	COM (YDS.)	8.25
D	39	COL (SQ. FT.)	149
H	46	WEIGHT (LBS.)	150
SW	29	CUBIC FEET	41
SD	20.5		
SH	20.5		
BH	29		
AH	6.5		
SLEEP DEPTH	72.5		

W	39.25	COM (YDS.)	8.25
D	39	COL (SQ. FT.)	149
H	46	WEIGHT (LBS.)	150
SW	29	CUBIC FEET	41
SD	20.5		
SH	20.5		
BH	29		
AH	6.5		
SLEEP DEPTH	72.5		

W	39.25	COM (YDS.)	8.25
D	39	COL (SQ. FT.)	149
H	46	WEIGHT (LBS.)	150
SW	29	CUBIC FEET	41
SD	20.5		
SH	20.5		
BH	29		
AH	6.5		
SLEEP DEPTH	72.5		

W	39.25	COM (YDS.)	8.25
D	39	COL (SQ. FT.)	149
H	46	WEIGHT (LBS.)	150
SW	29	CUBIC FEET	41
SD	20.5		
SH	20.5		
BH	29		
AH	6.5		
SLEEP DEPTH	72.5		

kardia sleepers



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.


KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)


MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-42071	SLEEPER CHAIR (UPHOLSTERED ARM)	2,530	2,970	2,695	2,970	3,163	3,328	3,465	3,603	3,768

• SUPPORTS 500 LBS.



EC-42081	SLEEPER CHAIR (WOOD ARM)	2,970	3,410	3,245	3,410	3,603	3,768	3,905	4,043	4,208
-----------------	---------------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

• SUPPORTS 500 LBS.




EC-42171	SLEEPER CHAIR (UPHOLSTERED ARM)	2,805	3,245	2,970	3,245	3,438	3,603	3,740	3,878	4,043
-----------------	--	-------	-------	-------	-------	-------	-------	-------	-------	-------

• WITH 3-INCH CASTERS (TWO SWIVEL, TWO LOCK)
• SUPPORTS 500 LBS.



EC-42181	SLEEPER CHAIR (WOOD ARM)	3,245	3,685	3,410	3,685	3,878	4,043	4,180	4,318	4,483
-----------------	---------------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

• WITH 3-INCH CASTERS (TWO SWIVEL, TWO LOCK)
• SUPPORTS 500 LBS.



ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKO CARE FEATURES

WALL SAVER DESIGN
 CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 FIELD REPLACEABLE COMPONENTS
 PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS.
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 HEAVY DUTY COMMERCIAL GRADE MECHANISM
 OPTIONAL PROTECTIVE ARM CAPS
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
4,125	4,455	4,950	5,170

4,565	4,895	5,170	5,390
-------	-------	-------	-------

4,400	4,730	5,005	5,225
-------	-------	-------	-------

4,884	5,170	5,445	5,665
-------	-------	-------	-------

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W	35.25	COM (YDS.)	7.25
D	36	COL (SQ. FT.)	144
H	36	WEIGHT (LBS.)	90
SW	26.75	CUBIC FEET	28
SD	19		
SH	19.5		
BH	20		
AH	9.5		
SLEEP DEPTH	78		

W	35.25	COM (YDS.)	7.25
D	36	COL (SQ. FT.)	144
H	36	WEIGHT (LBS.)	90
SW	26.75	CUBIC FEET	28
SD	19		
SH	19.5		
BH	20		
AH	9.5		
SLEEP DEPTH	78		

W	35.25	COM (YDS.)	7.25
D	36	COL (SQ. FT.)	144
H	36	WEIGHT (LBS.)	90
SW	26.75	CUBIC FEET	28
SD	19		
SH	19.5		
BH	20		
AH	9.5		
SLEEP DEPTH	78		

W	35.25	COM (YDS.)	7.25
D	36	COL (SQ. FT.)	144
H	36	WEIGHT (LBS.)	90
SW	26.75	CUBIC FEET	28
SD	19		
SH	19.5		
BH	20		
AH	9.5		
SLEEP DEPTH	78		

kardia wide sleepers



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.


KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)


MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-42072	WIDE SLEEPER CHAIR (UPHOLSTERED ARM)	3,355	3,795	3,520	3,795	3,988	4,153	4,290	4,428	4,593

- SEATS TWO
- SUPPORTS 500 LBS.




EC-42082	WIDE SLEEPER CHAIR (WOOD ARM)	3,795	4,235	3,960	4,235	4,428	4,593	4,730	4,868	5,033
-----------------	--------------------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

- SEATS TWO
- SUPPORTS 500 LBS.



EC-42172	WIDE SLEEPER CHAIR (UPHOLSTERED ARM)	3,630	4,070	3,795	4,070	4,263	4,428	4,565	4,703	4,868
-----------------	---	-------	-------	-------	-------	-------	-------	-------	-------	-------

- SEATS TWO
- WITH 3-INCH CASTERS (TWO SWIVEL, TWO LOCK)
- SUPPORTS 500 LBS.



EC-42182	WIDE SLEEPER CHAIR (WOOD ARM)	4,070	4,510	4,235	4,510	4,703	4,868	5,005	5,143	5,308
-----------------	--------------------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

- SEATS TWO
- WITH 3-INCH CASTERS (TWO SWIVEL, TWO LOCK)
- SUPPORTS 500 LBS.



ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKO CARE FEATURES

WALL SAVER DESIGN
 CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 FIELD REPLACEABLE COMPONENTS
 PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS.
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 HEAVY DUTY COMMERCIAL GRADE MECHANISM
 OPTIONAL PROTECTIVE ARM CAPS
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
4,950	5,280	5,775	5,995

5,390	5,720	5,995	6,215
-------	-------	-------	-------

5,225	5,555	5,830	6,050
-------	-------	-------	-------

5,709	5,995	6,270	6,490
-------	-------	-------	-------

DIMENSIONS

W	51.75
D	36
H	36
SW	43.25
SD	19
SH	17.5
BH	20
AH	9.5
SLEEP DEPTH	78

W	51.75
D	36
H	36
SW	43.25
SD	19
SH	17.5
BH	20
AH	9.5
SLEEP DEPTH	78

W	51.75
D	36
H	36
SW	43.25
SD	19
SH	17.5
BH	20
AH	9.5
SLEEP DEPTH	78

W	51.75
D	36
H	36
SW	43.25
SD	19
SH	17.5
BH	20
AH	9.5
SLEEP DEPTH	78

FIGURES

YARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OR SEND AN EMAIL TO: COM_HELP@EKOCONTRACT.COM

COM (YDS.)	8.75
COL (SQ. FT.)	160
WEIGHT (LBS.)	110
CUBIC FEET	36

NOTE:
 ALL COM OR VINYL FOR THIS PRODUCT MUST BE 54" WIDE, NO EXCEPTIONS.

COM (YDS.)	8.75
COL (SQ. FT.)	160
WEIGHT (LBS.)	110
CUBIC FEET	36

NOTE:
 ALL COM OR VINYL FOR THIS PRODUCT MUST BE 54" WIDE, NO EXCEPTIONS.

COM (YDS.)	8.75
COL (SQ. FT.)	160
WEIGHT (LBS.)	110
CUBIC FEET	36

NOTE:
 ALL COM OR VINYL FOR THIS PRODUCT MUST BE 54" WIDE, NO EXCEPTIONS.

COM (YDS.)	8.75
COL (SQ. FT.)	160
WEIGHT (LBS.)	110
CUBIC FEET	36

NOTE:
 ALL COM OR VINYL FOR THIS PRODUCT MUST BE 54" WIDE, NO EXCEPTIONS.

kardia side-sleeper



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.


KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-42078	SIDE SLEEPER SOFA (UPHOLSTERED ARM)	2,750	3,245	2,915	3,245	3,465	3,669	3,850	4,070	4,290

- WITH WOOD LEGS
- COIL SEAT CONSTRUCTION FOR THE FEEL AND COMFORT OF A MATTRESS
- CONTAINS UNDERNEATH STORAGE COMPARTMENT LOCATED WITHIN ARM EXTENSION
- COMPARTMENT IS LINED WITH BLEACH CLEANABLE VACUUM FORMED TRAY
- SUPPORTS 500 LBS.



EC-42079	SIDE SLEEPER SOFA (UPHOLSTERED ARM)	2,970	3,465	3,135	3,465	3,685	3,889	4,070	4,290	4,510
----------	-------------------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

- WITH CASTERS
- COIL SEAT CONSTRUCTION FOR THE FEEL AND COMFORT OF A MATTRESS
- CONTAINS UNDERNEATH STORAGE COMPARTMENT LOCATED WITHIN ARM EXTENSION
- COMPARTMENT IS LINED WITH BLEACH CLEANABLE VACUUM FORMED TRAY
- SUPPORTS 500 LBS.



ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 FIELD REPLACEABLE COMPONENTS
 PUZZLE FIT FRAME CONSTRUCTION
 SUPPORTS 500 LBS.
 OPTIONAL PROTECTIVE ARM CAPS
 MOISTURE BARRIER (ADD \$150 LIST)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
4,675	4,840	5,225	5,390

4,895	5,060	5,445	5,610
-------	-------	-------	-------

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W (CLOSED)	62.25	COM (YDS.)	10.25
W (EXTENDED)	85.75	COL (SQ. FT.)	185
D	36.5	WEIGHT (LBS.)	110
H	33	CUBIC FEET	44
SW (CLOSED)	54.5		
SW (EXTENDED)	78		
SD	20.25		
SH	19		
BH	13.5		
AH	7		
SLEEP WIDTH	78		
W (CLOSED)	62.25	COM (YDS.)	10.25
W (EXTENDED)	85.75	COL (SQ. FT.)	185
D	36.5	WEIGHT (LBS.)	110
H	33	CUBIC FEET	44
SW (CLOSED)	54.5		
SW (EXTENDED)	78		
SD	20.25		
SH	21		
BH	13.5		
AH	7		
SLEEP WIDTH	78		

machi lounge



PRODUCT SPECIFICATIONS

MACHI LOUNGE OFFERS CLEAN SHAPES AND UNCOMPLICATED LINES IN THIS SIMPLE, EXQUISITELY TAILORED COLLECTION. THE STRAIGHT-FORWARD DESIGN MIXES TASTEFULLY IN A VARIETY OF ENVIRONMENTS AND IS PROPORTIONED FOR COMFORTABLE SITTING OR SOOTHING LOUNGING APPLICATIONS. A CHOICE OF TWO LEG STYLES, BRUSHED ALUMINUM OR WOOD ADD TO MACHI'S VERSATILITY.

MACHI LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.


[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-32081	CLUB CHAIR (WOOD LEGS)	1,426	1,642	1,539	1,723	1,841	1,955	2,068	2,182	2,300




- SUPPORTS 350 LBS.

EC-32082	LOVESEAT (WOOD LEGS)	2,198	2,522	2,403	2,619	2,754	2,894	3,035	3,110	3,310
-----------------	-----------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- SUPPORTS 550 LBS.

EC-32083	SOFA (WOOD LEGS)	2,770	3,202	3,013	3,299	3,478	3,656	3,839	4,018	4,223
-----------------	-------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- SUPPORTS 750 LBS.

ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 OPTIONAL PROTECTIVE ARM CAPS
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. ARM CAP OPTION
4. FABRIC

EXAMPLE

EC-32081/53/MAHARAM DART 017 SCRIBE

8	9	10	11
2,527	2,749	2,948	3,105

3,591	4,066	4,363	4,531
-------	-------	-------	-------

4,617	5,378	5,783	6,102
-------	-------	-------	-------

DIMENSIONS

W	33
D	32
H	32.5
SW	22
SD	21
SH	17.25
BH	16
AH	8

W	56.5
D	32
H	32.5
SW	44.5
SD	21
SH	17.25
BH	16
AH	8

W	78.5
D	32
H	32.5
SW	66.25
SD	21
SH	17.25
BH	16
AH	8

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

COM (YDS.)	5.25
COL (SQ. FT.)	100
WEIGHT (LBS.)	66
CUBIC FEET	24

COM (YDS.)	7
COL (SQ. FT.)	135
WEIGHT (LBS.)	94
CUBIC FEET	37

COM (YDS.)	9
COL (SQ. FT.)	175
WEIGHT (LBS.)	122
CUBIC FEET	52

machi lounge



PRODUCT SPECIFICATIONS

MACHI LOUNGE OFFERS CLEAN SHAPES AND UNCOMPLICATED LINES IN THIS SIMPLE, EXQUISITELY TAILORED COLLECTION. THE STRAIGHT-FORWARD DESIGN MIXES TASTEFULLY IN A VARIETY OF ENVIRONMENTS AND IS PROPORTIONED FOR COMFORTABLE SITTING OR SOOTHING LOUNGING APPLICATIONS. A CHOICE OF TWO LEG STYLES, BRUSHED ALUMINUM OR WOOD ADD TO MACHI'S VERSATILITY.

MACHI LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.


[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-32181	CLUB CHAIR (METAL LEGS)	1,480	1,696	1,593	1,777	1,895	2,009	2,122	2,236	2,354




- SUPPORTS 350 LBS.

EC-32182	LOVESEAT (METAL LEGS)	2,252	2,576	2,457	2,673	2,808	2,948	3,089	3,229	3,364
-----------------	------------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- SUPPORTS 550 LBS.

EC-32183	SOFA (METAL LEGS)	2,824	3,256	3,067	3,353	3,532	3,710	3,893	4,072	4,277
-----------------	--------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- SUPPORTS 750 LBS.

ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 OPTIONAL PROTECTIVE ARM CAPS
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. ARM CAP OPTION
3. FABRIC

EXAMPLE

EC-32181/MAHARAM DART 017 SCRIBE

8	9	10	11
2,581	2,803	3,002	3,159

3,645	4,120	4,417	4,585
-------	-------	-------	-------

4,666	5,432	5,837	6,156
-------	-------	-------	-------

DIMENSIONS

W	33
D	32
H	32.5
SW	22
SD	21
SH	17.25
BH	16
AH	8

W	56.5
D	32
H	32.5
SW	44.5
SD	21
SH	17.25
BH	16
AH	8

W	78.5
D	32
H	32.5
SW	66.25
SD	21
SH	17.25
BH	16
AH	8

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

COM (YDS.)	5.25
COL (SQ. FT.)	100
WEIGHT (LBS.)	66
CUBIC FEET	24

COM (YDS.)	7
COL (SQ. FT.)	135
WEIGHT (LBS.)	94
CUBIC FEET	37

COM (YDS.)	9
COL (SQ. FT.)	175
WEIGHT (LBS.)	122
CUBIC FEET	52

machi² lounge

WITHOUT UPHOLSTERED WELT CORDS



PRODUCT SPECIFICATIONS

MACHI LOUNGE OFFERS CLEAN SHAPES AND UNCOMPLICATED LINES IN THIS SIMPLE, EXQUISITELY TAILORED COLLECTION. THE STRAIGHT-FORWARD DESIGN MIXES TASTEFULLY IN A VARIETY OF ENVIRONMENTS AND IS PROPORTIONED FOR COMFORTABLE SITTING OR SOOTHING LOUNGING APPLICATIONS. A CHOICE OF TWO LEG STYLES, BRUSHED ALUMINUM OR WOOD ADD TO MACHI'S VERSATILITY.

MACHI LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.


[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-32281	CLUB CHAIR (WOOD LEGS)	1.372	1.588	1.485	1.669	1.787	1.901	2.014	2.128	2.246




- SUPPORTS 350 LBS.

EC-32282	LOVESEAT (WOOD LEGS)	2,144	2,468	2,349	2,565	2,700	2,840	2,981	3,121	3,278
-----------------	-----------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- SUPPORTS 550 LBS.

EC-32283	SOFA (WOOD LEGS)	2,716	3,148	2,959	3,245	3,424	3,602	3,785	3,964	4,169
-----------------	-------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



- SUPPORTS 750 LBS.

ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 OPTIONAL PROTECTIVE ARM CAPS
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. ARM CAP OPTION
4. FABRIC

EXAMPLE

EC-32281/53/MAHARAM DART 017 SCRIBE

8 9 10 11

2,473 2,695 2,894 3,051

3,537 4,012 4,309 4,477

4,563 5,324 5,729 6,048

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W	33	COM (YDS.)	5.25
D	32	COL (SQ. FT.)	100
H	32.5	WEIGHT (LBS.)	66
SW	22	CUBIC FEET	24
SD	21		
SH	17.25		
BH	16		
AH	8		

W	56.5	COM (YDS.)	7
D	32	COL (SQ. FT.)	135
H	32.5	WEIGHT (LBS.)	94
SW	44.5	CUBIC FEET	37
SD	21		
SH	17.25		
BH	16		
AH	8		

W	78.5	COM (YDS.)	9
D	32	COL (SQ. FT.)	175
H	32.5	WEIGHT (LBS.)	122
SW	66.25	CUBIC FEET	52
SD	21		
SH	17.25		
BH	16		
AH	8		

machi² lounge

WITHOUT UPHOLSTERED WELT CORDS



PRODUCT SPECIFICATIONS


MACHI LOUNGE OFFERS CLEAN SHAPES AND UNCOMPLICATED LINES IN THIS SIMPLE, EXQUISITELY TAILORED COLLECTION. THE STRAIGHT-FORWARD DESIGN MIXES TASTEFULLY IN A VARIETY OF ENVIRONMENTS AND IS PROPORTIONED FOR COMFORTABLE SITTING OR SOOTHING LOUNGING APPLICATIONS. A CHOICE OF TWO LEG STYLES, BRUSHED ALUMINUM OR WOOD ADD TO MACHI'S VERSATILITY.

MACHI LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.


[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-32381	CLUB CHAIR (METAL LEGS)	1,426	1,642	1,539	1,723	1,841	1,955	2,068	2,182	2,300




• SUPPORTS 350 LBS.

EC-32382	LOVESEAT (METAL LEGS)	2,198	2,522	2,403	2,619	2,754	2,894	3,035	3,110	3,310
-----------------	------------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



• SUPPORTS 550 LBS.

EC-32383	SOFA (METAL LEGS)	2,770	3,202	3,013	3,299	3,478	3,656	3,839	4,018	4,223
-----------------	--------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



• SUPPORTS 750 LBS.

ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 OPTIONAL PROTECTIVE ARM CAPS
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. ARM CAP OPTION
4. FABRIC

EXAMPLE

EC-32381/53/MAHARAM DART 017 SCRIBE

8	9	10	11
2,527	2,749	2,948	3,105

3,591	4,066	4,363	4,531
-------	-------	-------	-------

4,617	5,378	5,783	6,102
-------	-------	-------	-------

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W	33	COM (YDS.)	5.25
D	32	COL (SQ. FT.)	100
H	32.5	WEIGHT (LBS.)	66
SW	22	CUBIC FEET	24
SD	21		
SH	17.25		
BH	16		
AH	8		

W	56.5	COM (YDS.)	7
D	32	COL (SQ. FT.)	135
H	32.5	WEIGHT (LBS.)	94
SW	44.5	CUBIC FEET	37
SD	21		
SH	17.25		
BH	16		
AH	8		

W	78.5	COM (YDS.)	9
D	32	COL (SQ. FT.)	175
H	32.5	WEIGHT (LBS.)	122
SW	66.25	CUBIC FEET	52
SD	21		
SH	17.25		
BH	16		
AH	8		



PRODUCT SPECIFICATIONS

MOD IS AN EXPANSIVE FREESTANDING AND MODULAR LOUNGE COLLECTION CHARACTERIZED BY STRONG ARCHITECTURAL SIMPLICITY, TAILORED FORM-FITTING UPHOLSTERY, AND A MULTITUDE OF CLEANLY CONSTRUCTED COMPONENTS. A GENEROUS SCALE AND STYLISH INTERACTION CELEBRATE CONTEMPORARY AESTHETICS AND FUNCTION. CRISP BISCUIT-TUFTED OR PLAIN DOWN-FILLED SEAT AND BACK CUSHIONS EASILY ADAPT TO A VARIETY OF ENVIRONMENTS. A THOUGHTFULLY DESIGNED WOOD PANEL OUTER ARM, FOR FREESTANDING LOUNGE MODELS, ADDS POLISHED SOPHISTICATION AND FINESSE. AVAILABLE WITH WOOD OR SATIN NICKEL METAL LEGS.

MOD'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS.

DESIGNED BY IDI.


CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7

EC-MOD71SM	CLUB CHAIR (METAL LEGS)	1,667	2,052	1,832	2,019	2,140	2,255	2,371	2,492	2,607
EC-MOD71SW	CLUB CHAIR (WOOD LEGS)	1,557	1,975	1,722	1,909	2,030	2,145	2,261	2,382	2,497

PLAIN SEAT/BACK
STANDARD WITH DOWN CUSHIONS


- SUPPORTS 350 LBS.



EC-MOD72SM	LOVESEAT (METAL LEGS)	2,591	2,921	2,844	3,135	3,317	3,498	3,680	3,861	4,043
EC-MOD72SW	LOVESEAT (WOOD LEGS)	2,481	2,811	2,734	3,025	3,207	3,388	3,570	3,751	3,933

PLAIN SEAT/BACK
STANDARD WITH DOWN CUSHIONS


- SUPPORTS 550 LBS.



EC-MOD73SM	SOFA (METAL LEGS)	3,179	3,619	3,427	3,790	4,015	4,241	4,466	4,686	4,912
EC-MOD73SW	SOFA (WOOD LEGS)	3,069	3,509	3,317	3,680	3,905	4,131	4,356	4,576	4,802


PLAIN SEAT/BACK
STANDARD WITH DOWN CUSHIONS

- SUPPORTS 750 LBS.



+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 OPTIONAL PROTECTIVE ARM CAPS
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

ADDITIONAL PRODUCT ORDERING OPTIONS

**WOOD OR
METAL LEGS**
(STANDARD)



**WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS**
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-MOD71SM/53/MAHARAM DART 017 SCRIBE

8	9	10	11
2,844	3,003	3,218	3,350
2,734	2,893	3,108	3,240

4,406	4,587	4,890	5,088
4,296	4,477	4,780	4,978

5,363	5,726	6,116	6,380
5,253	5,616	6,006	6,270

DIMENSIONS

W	34.5
D	31.5
H	32
SW	27
SD	19
SH	17.75
BH	16.75
AH	25.25

W	61.5
D	31.5
H	32
SW	54
SD	19
SH	17.75
BH	16.75
AH	25.25

W	88.5
D	31.5
H	32
SW	81
SD	19
SH	17.75
BH	16.75
AH	25.25

FIGURES

YARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OR SEND AN EMAIL TO: COM_HELP@EKOCONTRACT.COM

DUE TO DESIGN AND SIZE OF PRODUCT, UP ROLL TEXTILES REQUIRE A LARGER THAN NORMAL PERCENTAGE TO PRODUCE. COM REQUIREMENTS HAVE BEEN BROKEN DOWN BY CROSS ROLL (CR) AND UP ROLL (UR) BELOW.

COM CR (YDS.)	5.5
COM UR (YDS.)	7.25
COL (SQ. FT.)	99
WEIGHT (LBS.)	50
CUBIC FEET	20

COM CR (YDS.)	8.5
COM UR (YDS.)	11.5
COL (SQ. FT.)	153
WEIGHT (LBS.)	70
CUBIC FEET	36

COM CR (YDS.)	10.75
COM UR (YDS.)	15.75
COL (SQ. FT.)	194
WEIGHT (LBS.)	90
CUBIC FEET	52

mod lounge



PRODUCT SPECIFICATIONS

MOD IS AN EXPANSIVE FREESTANDING AND MODULAR LOUNGE COLLECTION CHARACTERIZED BY STRONG ARCHITECTURAL SIMPLICITY, TAILORED FORM-FITTING UPHOLSTERY, AND A MULTITUDE OF CLEANLY CONSTRUCTED COMPONENTS. A GENEROUS SCALE AND STYLISH INTERACTION CELEBRATE CONTEMPORARY AESTHETICS AND FUNCTION. CRISP BISCUIT-TUFTED OR PLAIN DOWN-FILLED SEAT AND BACK CUSHIONS EASILY ADAPT TO A VARIETY OF ENVIRONMENTS. A THOUGHTFULLY DESIGNED WOOD PANEL OUTER ARM, FOR FREESTANDING LOUNGE MODELS, ADDS POLISHED SOPHISTICATION AND FINESSE. AVAILABLE WITH WOOD OR SATIN NICKEL METAL LEGS.

MOD'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS.

DESIGNED BY IDI.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL

DESCRIPTION

FABRIC LIST PRICE

COM COL 1 2 3 4 5 6 7

EC-MOD81TM	CLUB CHAIR (METAL LEGS)	1,667	2,052	1,832	2,019	2,140	2,255	2,371	2,492	2,607
EC-MOD81TW	CLUB CHAIR (WOOD LEGS)	1,557	1,975	1,722	1,909	2,030	2,145	2,261	2,382	2,497

TUFTED SEAT/BACK


• SUPPORTS 350 LBS.



EC-MOD82TM	LOVESEAT (METAL LEGS)	2,591	2,921	2,844	3,135	3,317	3,498	3,680	3,861	4,043
EC-MOD82TW	LOVESEAT (WOOD LEGS)	2,481	2,811	2,734	3,025	3,207	3,388	3,570	3,751	3,933

TUFTED SEAT/BACK


• SUPPORTS 550 LBS.



EC-MOD83TM	SOFA (METAL LEGS)	3,179	3,619	3,427	3,790	4,015	4,241	4,466	4,686	4,912
EC-MOD83TW	SOFA (WOOD LEGS)	3,069	3,509	3,317	3,680	3,905	4,131	4,356	4,576	4,802


TUFTED SEAT/BACK

• SUPPORTS 750 LBS.



+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 OPTIONAL PROTECTIVE ARM CAPS
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

ADDITIONAL PRODUCT ORDERING OPTIONS

**WOOD OR
METAL LEGS**
(STANDARD)



**WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS**
ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$100 LIST PER SET)

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-MOD81TM/53/MAHARAM DART 017 SCRIBE

8	9	10	11
2,844	3,003	3,218	3,350
2,734	2,893	3,108	3,240

4,406	4,587	4,890	5,088
4,296	4,477	4,780	4,978

5,363	5,726	6,116	6,380
5,253	5,616	6,006	6,270

DIMENSIONS

W	34.5
D	31.5
H	32
SW	27
SD	19
SH	17.75
BH	16.75
AH	25.25

W	61.5
D	31.5
H	32
SW	54
SD	19
SH	17.75
BH	16.75
AH	25.25

W	88.5
D	31.5
H	32
SW	81
SD	19
SH	17.75
BH	16.75
AH	25.25

FIGURES

YARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OR SEND AN EMAIL TO: COM_HELP@EKOCONTRACT.COM

DUE TO DESIGN AND SIZE OF PRODUCT, UP ROLL TEXTILES REQUIRE A LARGER THAN NORMAL PERCENTAGE TO PRODUCE. COM REQUIREMENTS HAVE BEEN BROKEN DOWN BY CROSS ROLL (CR) AND UP ROLL (UR) BELOW.

COM CR (YDS.)	5.5
COM UR (YDS.)	7.25
COL (SQ. FT.)	99
WEIGHT (LBS.)	50
CUBIC FEET	20

COM CR (YDS.)	8.5
COM UR (YDS.)	11.5
COL (SQ. FT.)	153
WEIGHT (LBS.)	70
CUBIC FEET	36

COM CR (YDS.)	10.75
COM UR (YDS.)	15.75
COL (SQ. FT.)	194
WEIGHT (LBS.)	90
CUBIC FEET	52

nv simplex lounge



PRODUCT SPECIFICATIONS

NV SIMPLEX LOUNGE COLLECTION TOUTS TIMELESS SIMPLICITY WITH MINIMALIST APPEAL. FEATURING HANDSOME SATIN NICKEL CYLINDER LEGS AND A PLAIN UPHOLSTERED BACK, NV SIMPLEX IS EXPERTLY CONSTRUCTED WITH EXACTING DETAILS AND MAKES A TASTEFUL COMPANION FOR CORPORATE, HEALTHCARE, AND EDUCATION SEATING ENVIRONMENTS.


NV SIMPLEX LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)


MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-34081	CLUB CHAIR (PLAIN BACK)	1,338	1,562	1,495	1,680	1,792	1,904	2,016	2,128	2,246

- SUPPORTS 350 LBS.




EC-34082	LOVESEAT (PLAIN BACK)	2,324	2,660	2,509	2,716	2,850	2,968	3,097	3,226	3,388
----------	-----------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

- SUPPORTS 550 LBS.



EC-34083	SOFA (PLAIN BACK)	2,901	3,584	3,136	3,410	3,578	3,752	3,920	4,094	4,278
----------	-------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

- SUPPORTS 750 LBS.



ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 OPTIONAL PROTECTIVE ARM CAPS
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-32081/53/MAHARAM DART 017 SCRIBE

8	9	10	11
2,470	2,750	2,962	3,108

3,668	4,385	4,732	4,911
-------	-------	-------	-------

4,654	4,883	5,225	5,432
-------	-------	-------	-------

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W	34	COM (YDS.)	5
D	32	COL (SQ. FT.)	100
H	32.5	WEIGHT (LBS.)	66
SW	22	CUBIC FEET	24
SD	21		
SH	17.25		
BH	16		
AH	8		

W	57.5	COM (YDS.)	6.75
D	32	COL (SQ. FT.)	135
H	32.5	WEIGHT (LBS.)	94
SW	44.5	CUBIC FEET	37
SD	21		
SH	17.25		
BH	16		
AH	8		

W	79.5	COM (YDS.)	8.75
D	32	COL (SQ. FT.)	175
H	32.5	WEIGHT (LBS.)	122
SW	66.25	CUBIC FEET	52
SD	21		
SH	17.25		
BH	16		
AH	8		



PRODUCT SPECIFICATIONS

NV LOUNGE COLLECTION TOUTS TIMELESS SIMPLICITY WITH MINIMALIST APPEAL. FEATURING A MODERNIST SATIN NICKEL METAL PLATFORM BASE WITH METAL LEGS AND CHOICE OF RECTANGULAR INSET SATIN NICKEL BACK DETAIL OR PLAIN BACK. NV IS EXPERTLY CONSTRUCTED WITH EXACTING DETAILS AND MAKES A TASTEFUL COMPANION FOR CORPORATE, HEALTHCARE, AND EDUCATION SEATING ENVIRONMENTS.


NV LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)


MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-34181	CLUB CHAIR (PLAIN BACK)	1,988	2,139	2,072	2,257	2,369	2,475	2,593	2,705	2,822

- SUPPORTS 350 LBS.




EC-34182	LOVESEAT (PLAIN BACK)	2,951	3,287	3,136	3,343	3,478	3,595	3,724	3,853	4,015
----------	-----------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

- SUPPORTS 550 LBS.



EC-34183	SOFA (PLAIN BACK)	3,690	4,374	3,926	4,200	4,368	4,542	4,710	4,883	5,068
----------	-------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

- SUPPORTS 750 LBS.



ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 OPTIONAL PROTECTIVE ARM CAPS
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-32081/53/MAHARAM DART 017 SCRIBE

8	9	10	11
3,046	3,326	3,556	3,685

4,295	5,012	5,359	5,538
-------	-------	-------	-------

5,443	5,695	6,014	6,222
-------	-------	-------	-------

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W	34	COM (YDS.)	5
D	32	COL (SQ. FT.)	100
H	32.5	WEIGHT (LBS.)	66
SW	22	CUBIC FEET	24
SD	21		
SH	17.25		
BH	16		
AH	8		

W	57.5	COM (YDS.)	6.75
D	32	COL (SQ. FT.)	135
H	32.5	WEIGHT (LBS.)	94
SW	44.5	CUBIC FEET	37
SD	21		
SH	17.25		
BH	16		
AH	8		

W	79.5	COM (YDS.)	8.75
D	32	COL (SQ. FT.)	175
H	32.5	WEIGHT (LBS.)	122
SW	66.25	CUBIC FEET	52
SD	21		
SH	17.25		
BH	16		
AH	8		



PRODUCT SPECIFICATIONS

NV LOUNGE COLLECTION TOUTS TIMELESS SIMPLICITY WITH MINIMALIST APPEAL. FEATURING A MODERNIST SATIN NICKEL METAL PLATFORM BASE WITH METAL LEGS AND CHOICE OF RECTANGULAR INSET SATIN NICKEL BACK DETAIL OR PLAIN BACK. NV IS EXPERTLY CONSTRUCTED WITH EXACTING DETAILS AND MAKES A TASTEFUL COMPANION FOR CORPORATE, HEALTHCARE, AND EDUCATION SEATING ENVIRONMENTS.


NV LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-34281	CLUB CHAIR (BACK ACCENT)	2,100	2,251	2,184	2,369	2,481	2,593	2,705	2,817	2,934

- SUPPORTS 350 LBS.




EC-34282	LOVESEAT (BACK ACCENT)	3,063	3,399	3,248	3,455	3,590	3,707	3,836	3,965	4,127
-----------------	-------------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

- SUPPORTS 550 LBS.



EC-34283	SOFA (BACK ACCENT)	3,802	4,486	4,038	4,312	4,480	4,654	4,822	4,995	5,180
-----------------	---------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

- SUPPORTS 750 LBS.



ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 OPTIONAL PROTECTIVE ARM CAPS
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-32081/53/MAHARAM DART 017 SCRIBE

8	9	10	11
3,158	3,438	3,668	3,797

4,407	5,124	5,471	5,650
-------	-------	-------	-------

5,555	5,807	6,126	6,334
-------	-------	-------	-------

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W	34	COM (YDS.)	5
D	32	COL (SQ. FT.)	100
H	32.5	WEIGHT (LBS.)	66
SW	22	CUBIC FEET	24
SD	21		
SH	17.25		
BH	16		
AH	8		

W	57.5	COM (YDS.)	6.75
D	32	COL (SQ. FT.)	135
H	32.5	WEIGHT (LBS.)	94
SW	44.5	CUBIC FEET	37
SD	21		
SH	17.25		
BH	16		
AH	8		

W	79.5	COM (YDS.)	8.75
D	32	COL (SQ. FT.)	175
H	32.5	WEIGHT (LBS.)	122
SW	66.25	CUBIC FEET	52
SD	21		
SH	17.25		
BH	16		
AH	8		

reed lounge



PRODUCT SPECIFICATIONS

REED LOUNGE EXUDES MODERN SOPHISTICATION AND BRINGS LOBBY ENVIRONMENTS TO FLIRTATIOUS LIFE. A CAREFULLY PLANNED COMPOSITION OF PROPORTIONS AND GENTLE ARCS PROVIDE THE FOUNDATION FOR THIS CONTEMPORARY, RELAXED, AND COMFORTABLE LOUNGE COLLECTION. THE PRECISELY UPHOLSTERED PUZZLE-FIT OUTSIDE BACK AND LAYERED PILLOW-TOP INSIDE BACK ADD THE LIVELY DETAILS THAT UNIFY THIS SLEEK DESIGN. FOR ADDED PIZAZZ SELECT A CONTRASTING TEXTILE FOR THE SEAT AND INSIDE/OUTSIDE BACKS.


REED LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)


MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-32021	CLUB CHAIR	1,474	1,694	1,606	1,760	1,854	1,953	2,046	2,145	2,228

- SUPPORTS 350 LBS.




EC-32022	LOVESEAT	2,118	2,448	2,305	2,519	2,651	2,783	2,915	3,053	3,185
-----------------	-----------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

- SUPPORTS 550 LBS.




EC-32023	SOFA	2,783	3,223	2,926	3,157	3,306	3,449	3,592	3,735	3,878
-----------------	-------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

- SUPPORTS 750 LBS.



ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 OPTIONAL PROTECTIVE ARM CAPS
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-32021/53/MAHARAM DART 017 SCRIBE

8	9	10	11
2,431	2,822	3,091	3,240

3,449	3,559	3,773	3,922
-------	-------	-------	-------

4,164	4,582	4,862	5,049
-------	-------	-------	-------

DIMENSIONS

FIGURES

W	26.75	COM (YDS.)	4.25
D	30.5	COL (SQ. FT.)	80
H	32	WEIGHT (LBS.)	66
SW	22	CUBIC FEET	24
SD	19.75		
SH	18.5		
BH	15.5		
AH	7.75		

W	49.5	COM (YDS.)	6
D	30.5	COL (SQ. FT.)	110
H	32	WEIGHT (LBS.)	94
SW	44	CUBIC FEET	37
SD	19.75		
SH	18.5		
BH	15.5		
AH	7.75		

W	71.5	COM (YDS.)	7.25
D	30.5	COL (SQ. FT.)	135
H	32	WEIGHT (LBS.)	122
SW	66.25	CUBIC FEET	52
SD	19.75		
SH	18.5		
BH	15.5		
AH	7.75		

reed lounge



PRODUCT SPECIFICATIONS

REED LOUNGE EXUDES MODERN SOPHISTICATION AND BRINGS LOBBY ENVIRONMENTS TO FLIRTATIOUS LIFE. A CAREFULLY PLANNED COMPOSITION OF PROPORTIONS AND GENTLE ARCS PROVIDE THE FOUNDATION FOR THIS CONTEMPORARY, RELAXED, AND COMFORTABLE LOUNGE COLLECTION. THE PRECISELY UPHOLSTERED PUZZLE-FIT OUTSIDE BACK AND LAYERED PILLOW-TOP INSIDE BACK ADD THE LIVELY DETAILS THAT UNIFY THIS SLEEK DESIGN. FOR ADDED PIZAZZ SELECT A CONTRASTING TEXTILE FOR THE SEAT AND INSIDE/OUTSIDE BACKS.


REED LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)


MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-32221	CLUB CHAIR	1,474	1,694	1,606	1,760	1,854	1,953	2,046	2,145	2,228

• SUPPORTS 350 LBS.




EC-32222	LOVESEAT	2,118	2,448	2,305	2,519	2,651	2,783	2,915	3,053	3,185
----------	----------	-------	-------	-------	-------	-------	-------	-------	-------	-------

• SUPPORTS 550 LBS.




EC-32223	SOFA	2,783	3,223	2,926	3,157	3,306	3,449	3,592	3,735	3,878
----------	------	-------	-------	-------	-------	-------	-------	-------	-------	-------

• SUPPORTS 750 LBS.



ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 OPTIONAL PROTECTIVE ARM CAPS
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. OVERALL FABRIC
4. CONTRAST FABRIC

EXAMPLE

EC-32221/53/MAHARAM DART 017 SCRIBE/
 MOMENTUM BRAVO BLACK

8	9	10	11
2,431	2,822	3,091	3,240

3,449	3,559	3,773	3,922
-------	-------	-------	-------

4,164	4,582	4,862	5,049
-------	-------	-------	-------

DIMENSIONS

FIGURES

CONTRAST FABRIC SHADED
 GREY ON LINE ART

W	26.75	OVERALL COM (YDS.)	3
D	30.5	CONTRAST COM (YDS.)	2.5
H	32	OVERALL COL (SQ. FT.)	50
SW	22	CONTRAST COL (SQ. FT.)	50
SD	19.75	WEIGHT (LBS.)	66
SH	18.5	CUBIC FEET	24
BH	15.5		
AH	7.75		

W	49.5	OVERALL COM (YDS.)	2.75
D	30.5	CONTRAST COM (YDS.)	3.5
H	32	OVERALL COL (SQ. FT.)	50
SW	44	CONTRAST COL (SQ. FT.)	70
SD	19.75	WEIGHT (LBS.)	94
SH	18.5	CUBIC FEET	37
BH	15.5		
AH	7.75		

W	71.5	OVERALL COM (YDS.)	3
D	30.5	CONTRAST COM (YDS.)	5
H	32	OVERALL COL (SQ. FT.)	60
SW	66.25	CONTRAST COL (SQ. FT.)	105
SD	19.75	WEIGHT (LBS.)	122
SH	18.5	CUBIC FEET	52
BH	15.5		
AH	7.75		

stratos lounge



PRODUCT SPECIFICATIONS

EXTREME DESIGN VERSATILITY AND MAXIMUM COMFORT IS THE CONCEPT BEHIND THIS SLEEK, UNIFIED MODULAR SEATING SOLUTION FOR INTERIORS LARGE AND SMALL. ONE, TWO, AND THREE SEAT COMPONENTS ARE AVAILABLE WITH OR WITHOUT ARMS, OR IN LEFT OR RIGHT ARM OR TABLE COMBINATIONS. THREE SIZES OF OTTOMAN TABLES COMPLETE THE COLLECTION AND OFFER WOOD OR LAMINATE TOP CHOICES. ALL PIECES CAN BE USED INDIVIDUALLY OR UNIQUELY GROUPED IN A MULTITUDE OF CONFIGURATIONS. ALUMINUM LEGS ADD SUPPORT AND ACCENT THE SIMPLE UPHOLSTERY SHAPES TO FINISH THE DESIGN.


STRATOS LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)


MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-32091	CLUB CHAIR	1,574	1,786	1,733	1,913	2,025	2,136	2,247	2,364	2,475

- SUPPORTS 350 LBS.




EC-32092	LOVESEAT	2,332	2,650	2,401	2,698	2,836	2,979	3,116	3,291	3,440
-----------------	-----------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

- SUPPORTS 550 LBS.



EC-32093	SOFA	2,698	3,122	2,910	3,191	3,376	3,567	3,758	3,970	4,134
-----------------	-------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

- SUPPORTS 750 LBS.



ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS

ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$100 LIST PER SET)

+EKOCARE FEATURES

CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
VELCRO DUST COVER
OPTIONAL PROTECTIVE ARM CAPS
CNC CUT ENGINEERED HARDWOOD PLYWOOD
ERGONOMIC, SOY BASED PRESERVE FOAM®
MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
CAL 133 (UPCHARGE, SEE PAGE 4)
COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FABRIC

EXAMPLE

EC-32091/MAHARAM DART 017 SCRIBE

8	9	10	11
2,698	2,910	3,122	3,244

3,758	4,256	4,558	4,770
-------	-------	-------	-------

4,510	5,242	5,645	5,936
-------	-------	-------	-------

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

W	29.5	COM (YDS.)	5.25
D	33	COL (SQ. FT.)	100
H	34	WEIGHT (LBS.)	80
SW	22.25	CUBIC FEET	24
SD	21.25		
SH	17.5		
BH	18		
AH	12		

W	52	COM (YDS.)	7
D	33	COL (SQ. FT.)	140
H	34	WEIGHT (LBS.)	115
SW	45	CUBIC FEET	41
SD	21.25		
SH	17.5		
BH	18		
AH	12		

W	74	COM (YDS.)	9
D	33	COL (SQ. FT.)	180
H	34	WEIGHT (LBS.)	150
SW	67	CUBIC FEET	57
SD	21.25		
SH	17.5		
BH	18		
AH	12		

stratos lounge



PRODUCT SPECIFICATIONS

EXTREME DESIGN VERSATILITY AND MAXIMUM COMFORT IS THE CONCEPT BEHIND THIS SLEEK, UNIFIED MODULAR SEATING SOLUTION FOR INTERIORS LARGE AND SMALL. ONE, TWO, AND THREE SEAT COMPONENTS ARE AVAILABLE WITH OR WITHOUT ARMS, OR IN LEFT OR RIGHT ARM OR TABLE COMBINATIONS. THREE SIZES OF OTTOMAN TABLES COMPLETE THE COLLECTION AND OFFER WOOD OR LAMINATE TOP CHOICES. ALL PIECES CAN BE USED INDIVIDUALLY OR UNIQUELY GROUPED IN A MULTITUDE OF CONFIGURATIONS. ALUMINUM LEGS ADD SUPPORT AND ACCENT THE SIMPLE UPHOLSTERY SHAPES TO FINISH THE DESIGN.

STRATOS LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-32111	ARMLESS CLUB CHAIR	1,293	1,399	1,405	1,526	1,606	1,680	1,760	1,834	1,913

- SUPPORTS 350 LBS.




EC-32112	ARMLESS LOVESEAT	1,786	1,998	1,950	2,109	2,215	2,321	2,438	2,544	2,650
----------	------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

- SUPPORTS 550 LBS.





EC-32113	ARMLESS SOFA	2,454	2,772	2,523	2,857	2,989	3,127	3,260	3,392	3,593
----------	--------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

- SUPPORTS 750 LBS.



LC	GANGING CONNECTOR	75
----	-------------------	----



PLEASE ORDER FURNITURE FROM LEFT TO RIGHT ACCORDING TO YOUR LAYOUT AND TAG COMPONENTS A-Z WITH A BEING FIRST ITEM. ADD LC TO ITEMS THAT GANG. [ONLY ADD LC WHEN ITEMS CONNECT. DO NOT ADD TO END RUN.]

IF YOU WOULD LIKE TO REARRANGE FURNITURE, AT A LATER DATE, PLEASE ORDER ONE CONNECTOR PER CHAIR.

EXAMPLE:
A. 32111/LC
B. 32112

+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FABRIC

EXAMPLE

EC-32111/MAHARAM DART 017 SCRIBE

8	9	10	11
2,067	2,120	2,247	2,332

2,862	3,154	3,339	3,472
-------	-------	-------	-------

3,795	4,288	4,579	4,781
-------	-------	-------	-------

DIMENSIONS

W	22.5
D	33
H	34
SW	22.25
SD	21.25
SH	17.5
BH	18

W	45
D	33
H	34
SW	45
SD	21.25
SH	17.5
BH	18

W	67
D	33
H	34
SW	67
SD	21.25
SH	17.5
BH	18

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

COM (YDS.)	3.5
COL (SQ. FT.)	60
WEIGHT (LBS.)	50
CUBIC FEET	24

COM (YDS.)	5.5
COL (SQ. FT.)	110
WEIGHT (LBS.)	85
CUBIC FEET	41

COM (YDS.)	7.25
COL (SQ. FT.)	140
WEIGHT (LBS.)	150
CUBIC FEET	57

stratos lounge



PRODUCT SPECIFICATIONS

EXTREME DESIGN VERSATILITY AND MAXIMUM COMFORT IS THE CONCEPT BEHIND THIS SLEEK, UNIFIED MODULAR SEATING SOLUTION FOR INTERIORS LARGE AND SMALL. ONE, TWO, AND THREE SEAT COMPONENTS ARE AVAILABLE WITH OR WITHOUT ARMS, OR IN LEFT OR RIGHT ARM OR TABLE COMBINATIONS. THREE SIZES OF OTTOMAN TABLES COMPLETE THE COLLECTION AND OFFER WOOD OR LAMINATE TOP CHOICES. ALL PIECES CAN BE USED INDIVIDUALLY OR UNIQUELY GROUPED IN A MULTITUDE OF CONFIGURATIONS. ALUMINUM LEGS ADD SUPPORT AND ACCENT THE SIMPLE UPHOLSTERY SHAPES TO FINISH THE DESIGN.

STRATOS LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)


MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-32121R	RIGHT ARM CLUB CHAIR	1,468	1,627	1,542	1,670	1,754	1,834	1,913	1,993	2,072

• SUPPORTS 350 LBS.




EC-32122R	RIGHT ARM LOVESEAT	2,046	2,311	2,152	2,380	2,491	2,602	2,719	2,830	2,942
------------------	---------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

• SUPPORTS 550 LBS.





EC-32123R	RIGHT ARM SOFA	2,650	3,021	2,761	3,095	3,244	3,392	3,540	3,689	3,843
------------------	-----------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

• SUPPORTS 750 LBS.



LC	GANGING CONNECTOR	75
-----------	--------------------------	-----------



PLEASE ORDER FURNITURE FROM LEFT TO RIGHT ACCORDING TO YOUR LAYOUT AND TAG COMPONENTS A-Z WITH A BEING FIRST ITEM. ADD LC TO ITEMS THAT GANG. [ONLY ADD LC WHEN ITEMS CONNECT. DO NOT ADD TO END RUN.]

IF YOU WOULD LIKE TO REARRANGE FURNITURE, AT A LATER DATE, PLEASE ORDER ONE CONNECTOR PER CHAIR.

EXAMPLE:
A. 32111/LC
B. 32112

ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 OPTIONAL PROTECTIVE ARM CAPS
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FABRIC

EXAMPLE

EC-32121R/MAHARAM DART 017 SCRIBE

8	9	10	11
2,231	2,767	2,968	3,122

3,196	3,297	3,498	3,631
-------	-------	-------	-------

4,161	4,500	4,797	4,993
-------	-------	-------	-------

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W	26	COM (YDS.)	4.5
D	33	COL (SQ. FT.)	80
H	34	WEIGHT (LBS.)	65
SW	22.25	CUBIC FEET	24
SD	21.25		
SH	17.5		
BH	18		
AH	12		

W	48.5	COM (YDS.)	6.25
D	33	COL (SQ. FT.)	120
H	34	WEIGHT (LBS.)	100
SW	45	CUBIC FEET	41
SD	21.25		
SH	17.5		
BH	18		
AH	12		

W	70.5	COM (YDS.)	8.25
D	33	COL (SQ. FT.)	160
H	34	WEIGHT (LBS.)	135
SW	67	CUBIC FEET	57
SD	21.25		
SH	17.5		
BH	18		
AH	12		

stratos lounge



PRODUCT SPECIFICATIONS

EXTREME DESIGN VERSATILITY AND MAXIMUM COMFORT IS THE CONCEPT BEHIND THIS SLEEK, UNIFIED MODULAR SEATING SOLUTION FOR INTERIORS LARGE AND SMALL. ONE, TWO, AND THREE SEAT COMPONENTS ARE AVAILABLE WITH OR WITHOUT ARMS, OR IN LEFT OR RIGHT ARM OR TABLE COMBINATIONS. THREE SIZES OF OTTOMAN TABLES COMPLETE THE COLLECTION AND OFFER WOOD OR LAMINATE TOP CHOICES. ALL PIECES CAN BE USED INDIVIDUALLY OR UNIQUELY GROUPED IN A MULTITUDE OF CONFIGURATIONS. ALUMINUM LEGS ADD SUPPORT AND ACCENT THE SIMPLE UPHOLSTERY SHAPES TO FINISH THE DESIGN.

STRATOS LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-32121L	LEFT ARM CLUB CHAIR	1,468	1,627	1,542	1,670	1,754	1,834	1,913	1,993	2,072

• SUPPORTS 350 LBS.




EC-32122L	LEFT ARM LOVESEAT	2,046	2,311	2,152	2,380	2,491	2,602	2,719	2,830	2,942
------------------	--------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

• SUPPORTS 550 LBS.





EC-32123L	LEFT ARM SOFA	2,650	3,021	2,761	3,095	3,244	3,392	3,540	3,689	3,843
------------------	----------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

• SUPPORTS 750 LBS.



LC	GANGING CONNECTOR	75
-----------	--------------------------	-----------



PLEASE ORDER FURNITURE FROM LEFT TO RIGHT ACCORDING TO YOUR LAYOUT AND TAG COMPONENTS A-Z WITH A BEING FIRST ITEM. ADD LC TO ITEMS THAT GANG. (ONLY ADD LC WHEN ITEMS CONNECT. DO NOT ADD TO END RUN.)

IF YOU WOULD LIKE TO REARRANGE FURNITURE, AT A LATER DATE, PLEASE ORDER ONE CONNECTOR PER CHAIR.

EXAMPLE:
A. 32111/LC
B. 32112

ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

+EKO CARE FEATURES

CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 VELCRO DUST COVER
 OPTIONAL PROTECTIVE ARM CAPS
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FABRIC

EXAMPLE

EC-32121L/MAHARAM DART 017 SCRIBE

8	9	10	11
2,231	2,767	2,968	3,122

3,196	3,297	3,498	3,631
-------	-------	-------	-------

4,161	4,500	4,797	4,993
-------	-------	-------	-------

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W	26	COM (YDS.)	4.5
D	33	COL (SQ. FT.)	80
H	34	WEIGHT (LBS.)	65
SW	22.25	CUBIC FEET	24
SD	21.25		
SH	17.5		
BH	18		
AH	12		

W	48.5	COM (YDS.)	6.25
D	33	COL (SQ. FT.)	120
H	34	WEIGHT (LBS.)	100
SW	45	CUBIC FEET	41
SD	21.25		
SH	17.5		
BH	18		
AH	12		

W	70.5	COM (YDS.)	8.25
D	33	COL (SQ. FT.)	160
H	34	WEIGHT (LBS.)	135
SW	67	CUBIC FEET	57
SD	21.25		
SH	17.5		
BH	18		
AH	12		

stratos lounge



PRODUCT SPECIFICATIONS


EXTREME DESIGN VERSATILITY AND MAXIMUM COMFORT IS THE CONCEPT BEHIND THIS SLEEK, UNIFIED MODULAR SEATING SOLUTION FOR INTERIORS LARGE AND SMALL. ONE, TWO, AND THREE SEAT COMPONENTS ARE AVAILABLE WITH OR WITHOUT ARMS, OR IN LEFT OR RIGHT ARM OR TABLE COMBINATIONS. THREE SIZES OF OTTOMAN TABLES COMPLETE THE COLLECTION AND OFFER WOOD OR LAMINATE TOP CHOICES. ALL PIECES CAN BE USED INDIVIDUALLY OR UNIQUELY GROUPED IN A MULTITUDE OF CONFIGURATIONS. ALUMINUM LEGS ADD SUPPORT AND ACCENT THE SIMPLE UPHOLSTERY SHAPES TO FINISH THE DESIGN.

STRATOS LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.


[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
32190	ARMLESS CORNER UNIT	1,627	1,786	1,760	1,919	2,014	2,109	2,205	2,300	2,401



NOTE: UPHOLSTERY DIRECTION MUST BE SPECIFIED ON CORNER AND 120-DEGREE UNITS WHEN PATTERNED FABRICS ARE SELECTED. IN THE ABSENCE OF SPECIFIC DIRECTIONS, EKO RESERVES THE RIGHT TO UPHOLSTER UNITS AT OUR DISCRETION.

EC-2131WT	WOOD TOP OTTOMAN TABLE	1,028	1,134	1,081	1,134	1,171	1,208	1,246	1,277	1,314
EC-2131LT	LAMINATE TOP OTTOMAN TABLE	965	1,071	1,018	1,071	1,108	1,140	1,177	1,214	1,251




- RECTANGULAR
- SEE SURFACE MATERIALS PAGE FOR STANDARD LAMINATE TOP OPTIONS



POWER MINI PORT®

AVAILABLE IN SILVER MICA OR MATTE BLACK.
MOUNTS ON FRONT SIDE OF OTTOMAN .
PPS SILVER OR PPS BLACK POWER (ADD \$230 LIST)

EC-3131WT	WOOD TOP OTTOMAN TABLE	1,171	1,314	1,235	1,314	1,362	1,410	1,458	1,505	1,553
EC-3131LT	LAMINATE TOP OTTOMAN TABLE	1,129	1,272	1,299	1,309	1,320	1,367	1,415	1,463	1,511




- SQUARE
- SEE SURFACE MATERIALS PAGE FOR STANDARD LAMINATE TOP OPTIONS



POWER MINI PORT®

AVAILABLE IN SILVER MICA OR MATTE BLACK.
MOUNTS ON FRONT SIDE OF OTTOMAN .
PPS SILVER OR PPS BLACK POWER (ADD \$230 LIST)

EC-4141WT	WOOD TOP OTTOMAN TABLE	1,431	1,542	1,495	1,542	1,606	1,675	1,728	1,781	1,834
EC-4141LT	LAMINATE TOP OTTOMAN TABLE	1,389	1,511	1,452	1,511	1,574	1,643	1,696	1,749	1,802




- INSIDE/OUTSIDE CORNER
- SEE SURFACE MATERIALS PAGE FOR STANDARD LAMINATE TOP OPTIONS



POWER MINI PORT®

AVAILABLE IN SILVER MICA OR MATTE BLACK.
MOUNTS ON FRONT SIDE OF OTTOMAN .
PPS SILVER OR PPS BLACK POWER (ADD \$230 LIST)

ADDITIONAL PRODUCT ORDERING OPTIONS



LC GANGING CONNECTOR

PLEASE ORDER FURNITURE FROM LEFT TO RIGHT ACCORDING TO YOUR LAYOUT AND TAG COMPONENTS A-Z. ADD LC TO ITEMS THAT GANG. ONLY ADD LC WHEN ITEMS CONNECT. DO NOT ADD TO END RUN. (ADD \$75 LIST)



+EKO CARE FEATURES

EKO GUARD® ANTI-MICROBIAL FINISH
VELCRO DUST COVER
CNC CUT ENGINEERED HARDWOOD PLYWOOD
ERGONOMIC, SOY BASED PRESERVE FOAM®
MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
CAL 133 (UPCHARGE, SEE PAGE 4)
COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH OR LAMINATE
3. FABRIC

EXAMPLE

EC-3122WT/53/MAHARAM DART 017 SCRIBE

8	9	10	11
2,592	2,963	3,164	3,297

1,389	1,420	1,479	1,516
1,320	1,352	1,405	1,447

1,648	1,924	2,025	2,099
1,606	1,871	1,982	2,056

1,940	2,136	2,258	2,417
1,908	2,104	2,226	2,385

DIMENSIONS

W	33
D	33
H	34
SW	20.5
SD	20.5
SH	17.5
BH	18

W	22
D	31
H	17

W	31
D	31
H	17

W	41
D	41
H	17

FIGURES

YARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OR SEND AN EMAIL TO: COM_HELP@EKOCONTRACT.COM

COM (YDS.)	4.5
COL (SQ. FT.)	80
WEIGHT (LBS.)	65
CUBIC FEET	24

COM (YDS.)	2
COL (SQ. FT.)	30
WEIGHT (LBS.)	30
CUBIC FEET	9

COM (YDS.)	2.25
COL (SQ. FT.)	40
WEIGHT (LBS.)	46
CUBIC FEET	20

COM (YDS.)	2.5
COL (SQ. FT.)	50
WEIGHT (LBS.)	61
CUBIC FEET	12



PRODUCT SPECIFICATIONS

SUTTON COLLABORATIVE OFFERS MODERN APPEAL WITH CLEAN LINES, PERFECT PROPORTIONS, AND UNMATCHED COMFORT. THIS SLEEK COLLECTION FEATURES CURVED ARMS AND BACK TO ACCEPT LARGER USERS WHILE STILL MAINTAINING A SMALL FOOTPRINT. SWIVEL CLUB CHAIRS FEATURE 360° ROTATION ON GLIDES ALLOWING USERS TO COLLABORATE WITH COLLEAGUES FROM ANY ANGLE. ADD CASTERS FOR EASY MOBILITY IN LEARNING ALCOVES OR CORPORATE BREAK-OUT SESSIONS. SUTTON'S OPTIONS INCLUDE A STATIONARY WOOD FEET CLUB CHAIR, CUP HOLDERS, AND PATENTED FLIP-DOWN FIXED TABLET ARM THAT FOLDS AWAY WHEN NOT IN USE AND ALLOWS EASY CHAIR EXIT. SUTTON'S OUTSTANDING VERSATILITY MAKES IT A MUST FOR CORPORATE, LOUNGE, RECEPTION, AND EDUCATIONAL ENVIRONMENTS.

SUTTON LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CALL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL

DESCRIPTION

FABRIC LIST PRICE

COM COL 1 2 3 4 5 6 7

EC-32030	SWIVEL CLUB CHAIR	1,649	1,859	1,738	1,922	2,011	2,105	2,195	2,289	2,378
----------	-------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



STANDARD WITH PEDS. PRODUCT ROTATES ON SWIVEL PLATFORM.

- SUPPORTS 350 LBS.

EC-32031	CLUB CHAIR	1,538	1,748	1,628	1,811	1,901	1,995	2,084	2,179	2,268
----------	------------	-------	-------	-------	-------	-------	-------	-------	-------	-------



STANDARD WITH FRONT WOOD FEET.

- SUPPORTS 350 LBS.

ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS
PC BLACK POLY ARM CAPS
 ADDS 1/2 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

BC CASTERS

RECOMMENDED FOR CARPET SURFACES.
 50MM HARD CASTERS. CHAIR MOVES FREELY
 WHILE OCCUPIED OR UNOCCUPIED.
 (ADD \$50 LIST)
 ONLY AVAILABLE ON 32030

+EKO CARE FEATURES

EKO GUARD® ANTI-MICROBIAL FINISH
 OPTIONAL PROTECTIVE ARM CAPS
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

NOTE: CLEAN OUT SEAT **NOT** AVAILABLE

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. TABLET OPTION
4. CUP HOLDER OPTION
5. FABRIC

EXAMPLE

EC-32030/53/TWR/CRW/MAHARAM DART
 017 SCRIBE

8 9 10 11

2,562 3,166 3,392 3,544

2,452 3,056 3,281 3,434

DIMENSIONS

W 30.25
 D 32
 H 35.5
 SW 20.5
 SD 19.25
 SH 19
 BH 21
 AH 8.5

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

COM (YDS.) 4
 COL (SQ. FT.) 72
 WEIGHT (LBS.) 80
 CUBIC FEET 25

W 30.25
 D 32
 H 35.5
 SW 20.5
 SD 19.25
 SH 19.5
 BH 21
 AH 8.5

COM (YDS.) 4
 COL (SQ. FT.) 72
 WEIGHT (LBS.) 65
 CUBIC FEET 25

fuse lounge tables



PRODUCT SPECIFICATIONS

LAMINATE GEOMETRIC FORMS COMBINE WITH A MULTITUDE OF SIZE OPTIONS TO FORM A SIMPLISTIC TABLES COLLECTION FUSED WITH FUNCTIONALITY. FOR ADDED DIMENSION SPECIFY 1/2" RECESSED PLINTH BASES SHOWN BELOW. STANDARD WITH BOTTOM GLIDES.

+EKOCARE FEATURES


DURABLE LAMINATE TOPS
LIFETIME WARRANTY

[CLICK FOR SURFACES](#)


TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. BASE UPCHARGE OPTION

BASE UPCHARGE OPTIONS



3/4" PLINTH BASE
P3/4B BLACK LAMINATE
P3/4C CHROME LAMINATE
(PRICING BELOW)



3" PLINTH BASE
P3B BLACK LAMINATE
P3C CHROME LAMINATE
(PRICING BELOW)

MODEL	DESCRIPTION	LIST PRICE			BASE UPCHARGE		DIMENSIONS		FIGURES	
					3/4" PLINTH P3/4B (BLACK) P3/4C (CHROME)	3" PLINTH P3B (BLACK) P3C (CHROME)				
18" DIA. ROUND LAMINATE		SOLID	WOODGRAIN	PREMIUM						
EC-CY-L1815	LAMINATE CYLINDER TABLE	908	962	1,010	130	180	DIA. 18	H 15	WEIGHT (LBS.) 35 CUBIC FEET 13	
EC-CY-L1820	LAMINATE CYLINDER TABLE	930	986	1,035	130	180	DIA. 18	H 20		
EC-CY-L1824	LAMINATE CYLINDER TABLE	963	1,021	1,072	130	180	DIA. 18	H 24		
24" DIA. ROUND LAMINATE										
EC-CY-L2415	LAMINATE CYLINDER TABLE	1,095	1,161	1,219	135	230	DIA. 24	H 15	WEIGHT (LBS.) 45 CUBIC FEET 15	
EC-CY-L2420	LAMINATE CYLINDER TABLE	1,139	1,207	1,267	135	230	DIA. 24	H 20		
EC-CY-L2424	LAMINATE CYLINDER TABLE	1,205	1,277	1,341	135	230	DIA. 24	H 24		
36" DIA. ROUND LAMINATE										
EC-CY-L3615	LAMINATE CYLINDER TABLE	1,518	1,609	1,689	175	320	DIA. 36	H 15	WEIGHT (LBS.) 70 CUBIC FEET 14	
EC-CY-L3620	LAMINATE CYLINDER TABLE	1,628	1,726	1,812	175	320	DIA. 36	H 20		
EC-CY-L3624	LAMINATE CYLINDER TABLE	1,705	1,807	1,897	175	320	DIA. 36	H 24		

fuse lounge tables



PRODUCT SPECIFICATIONS


LAMINATE GEOMETRIC FORMS COMBINE WITH A MULTITUDE OF SIZE OPTIONS TO FORM A SIMPLISTIC TABLES COLLECTION FUSED WITH FUNCTIONALITY. FOR ADDED DIMENSION SPECIFY 1/2" RECESSED PLINTH BASES SHOWN BELOW. STANDARD WITH BOTTOM GLIDES.

+EKO CARE FEATURES


DURABLE LAMINATE TOPS
LIFETIME WARRANTY

[CLICK FOR SURFACES](#)

BASE UPCHARGE OPTIONS



3/4" PLINTH BASE
P3/4B BLACK LAMINATE
P3/4C CHROME LAMINATE
(PRICING BELOW)



3" PLINTH BASE
P3B BLACK LAMINATE
P3C CHROME LAMINATE
(PRICING BELOW)

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. BASE UPCHARGE OPTION

MODEL	DESCRIPTION	LIST PRICE			BASE UPCHARGE		DIMENSIONS	FIGURES
		SOLID	WOODGRAIN	PREMIUM	3/4" PLINTH P3/4B (BLACK) P3/4C (CHROME)	3" PLINTH P3B (BLACK) P3C (CHROME)		
18" X 18" SQUARE LAMINATE		SOLID	WOODGRAIN	PREMIUM				
EC-CSQ-L181815	LAMINATE CUBE TABLE	935	991	1,041	140	240	W 18 D 18 H 15	WEIGHT (LBS.) 35 CUBIC FEET 13
EC-CSQ-L181820	LAMINATE CUBE TABLE	957	1,014	1,065	140	240	W 18 D 18 H 20	
EC-CSQ-L181824	LAMINATE CUBE TABLE	979	1,038	1,090	140	240	W 18 D 18 H 24	
24" X 24" SQUARE LAMINATE								
EC-CSQ-L242415	LAMINATE CUBE TABLE	1,155	1,224	1,285	150	260	W 24 D 24 H 15	WEIGHT (LBS.) 45 CUBIC FEET 15
EC-CSQ-L242420	LAMINATE CUBE TABLE	1,210	1,283	1,347	150	260	W 24 D 24 H 20	
EC-CSQ-L242424	LAMINATE CUBE TABLE	1,265	1,341	1,408	150	260	W 24 D 24 H 24	
36" X 36" SQUARE LAMINATE								
EC-CSQ-L363615	LAMINATE CUBE TABLE	1,535	1,627	1,708	190	320	W 36 D 36 H 15	WEIGHT (LBS.) 70 CUBIC FEET 14
EC-CSQ-L363620	LAMINATE CUBE TABLE	1,628	1,726	1,812	190	320	W 36 D 36 H 20	
EC-CSQ-L363624	LAMINATE CUBE TABLE	1,749	1,854	1,947	190	320	W 36 D 36 H 24	

fuse lounge tables



PRODUCT SPECIFICATIONS


VEENER AND LAMINATE GEOMETRIC FORMS COMBINE WITH A MULTITUDE OF SIZE OPTIONS TO FORM A SIMPLISTIC TABLES COLLECTION FUSED WITH FUNCTIONALITY. FOR ADDED DIMENSION SPECIFY 1/2" RECESSED PLINTH BASES SHOWN BELOW. STANDARD WITH BOTTOM GLIDES.

+EKO CARE FEATURES


DURABLE LAMINATE TOPS
LIFETIME WARRANTY

[CLICK FOR
SURFACES](#)

BASE UPCHARGE OPTIONS



3/4" PLINTH BASE
P3/4B BLACK LAMINATE
P3/4C CHROME LAMINATE
(PRICING BELOW)



3" PLINTH BASE
P3B BLACK LAMINATE
P3C CHROME LAMINATE
(PRICING BELOW)

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. BASE UPCHARGE OPTION

MODEL	DESCRIPTION	LIST PRICE			BASE UPCHARGE		DIMENSIONS			FIGURES	
					3/4" PLINTH P3/4B (BLACK) P3/4C (CHROME)	3" PLINTH P3B (BLACK) P3C (CHROME)					
18" X 18" SOFT RADIUS SQUARE LAMINATE		SOLID	WOODGRAIN	PREMIUM							
EC-CR-L181815	LAMINATE 3" RADIUS CUBE TABLE	979	1,038	1,090	140	240	W 18	D 18	H 15	WEIGHT (LBS.) 35 CUBIC FEET 13	
EC-CR-L181820	LAMINATE 3" RADIUS CUBE TABLE	1,007	1,067	1,120	140	240	W 18	D 18	H 20		
EC-CR-L181824	LAMINATE 3" RADIUS CUBE TABLE	1,073	1,137	1,194	140	240	W 18	D 18	H 24		
24" X 24" SOFT RADIUS SQUARE LAMINATE											
EC-CR-L242415	LAMINATE 3" RADIUS CUBE TABLE	1,205	1,277	1,341	150	260	W 24	D 24	H 15	WEIGHT (LBS.) 45 CUBIC FEET 15	
EC-CR-L242420	LAMINATE 3" RADIUS CUBE TABLE	1,282	1,359	1,427	150	260	W 24	D 24	H 20		
EC-CR-L242424	LAMINATE 3" RADIUS CUBE TABLE	1,375	1,458	1,531	150	260	W 24	D 24	H 24		
36" X 36" SOFT RADIUS SQUARE LAMINATE											
EC-CR-L363615	LAMINATE 3" RADIUS CUBE TABLE	1,639	1,737	1,824	185	320	W 36	D 36	H 15	WEIGHT (LBS.) 70 CUBIC FEET 14	
EC-CR-L363620	LAMINATE 3" RADIUS CUBE TABLE	1,771	1,877	1,971	185	320	W 36	D 36	H 20		
EC-CR-L363624	LAMINATE 3" RADIUS CUBE TABLE	1,980	2,099	2,204	185	320	W 36	D 36	H 24		

klass lounge tables



TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH

PRODUCT SPECIFICATIONS

KLASS EMPLOYS THE WARMTH OF WOOD TO COMPOSE A BEAUTIFULLY TAILORED TABLE COLLECTION WITH STRIKING SOPHISTICATION. VENEER TOPS WITH SHAPELY TAPERED LEGS ADD SIMPLE ELEGANCE. THIS REFINED COLLECTION IS THE PERFECT COMPANION WITH EKO GUEST AND LOUNGE SEATING FOR OFFICE, LOBBY, AND RECEPTION AREAS.



KLASS TABLES ARE CONSTRUCTED OF EUROPEAN BEECH SOLIDS AND VENEERS. SIDE RAILS AND POSTS ARE DOUBLE DOWELED AND GLUED, AND SECURELY FASTENED BY CORNER BLOCKS THAT HAVE BEEN SCREWED AND GLUED TO THE FRAME.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

+EKO CARE FEATURES

DURABLE LAMINATE TOPS
EKO GUARD® ANTI-MICROBIAL
FINISH
LIFETIME WARRANTY

[CLICK FOR
SURFACES](#)

MODEL	DESCRIPTION	LIST PRICE	DIMENSIONS		FIGURES
EC-S2200	END TABLE	1,149	DIA.	20	WEIGHT (LBS.) 25
			H	24	CUBIC FEET 12
	<ul style="list-style-type: none"> • ROUND SHAPE • NEW LUMBERBANDED EDGE • LAMINATE TOP 				
EC-S3800	MAGAZINE TABLE	1,456	DIA.	38	WEIGHT (LBS.) 50
			H	16	CUBIC FEET 19
	<ul style="list-style-type: none"> • ROUND SHAPE • LAMINATE TOP 				

meta lounge tables



TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. METAL ACCENT FINISH

PRODUCT SPECIFICATIONS

META CREATES A SLEEK ARCHITECTURAL PRESENCE BY COMBINING SOLID WOOD FRAMES AND A PUNCTUATION OF SATIN NICKEL METAL THAT SUPPORTS ITS SIGNATURE FLOATING TOPS. THIS AIRY TABLE COLLECTION IS THE PERFECT COMPANION WITH EKO GUEST AND LOUNGE SEATING FOR TRANSITIONAL AND CONTEMPORARY OFFICE, LOBBY, AND RECEPTION AREAS.




META TABLES ARE CONSTRUCTED OF EUROPEAN BEECH SOLIDS AND VENEERS. SIDE RAILS AND POSTS ARE DOUBLE DOWELED AND GLUED, AND SECURELY FASTENED BY CORNER BLOCKS THAT HAVE BEEN SCREWED AND GLUED TO THE FRAME. POLISHED CHROME PLATED ACCENTS ARE ASSEMBLED TO THE FRAME.

DESIGNED BY EKO.

+EKO CARE FEATURES

DURABLE LAMINATE TOPS
EKO GUARD® ANTI-MICROBIAL FINISH
LIFETIME WARRANTY

[CLICK FOR SURFACES](#)

MODEL	DESCRIPTION	LIST PRICE	DIMENSIONS		FIGURES
EC-54200	END TABLE	1,082	W	20	WEIGHT (LBS.) 27
	<ul style="list-style-type: none"> • SQUARE SHAPE • LAMINATE TOP 		D	20	CUBIC FEET 9
			H	24	
EC-54240	MAGAZINE TABLE	1,368	W	50	WEIGHT (LBS.) 72
	<ul style="list-style-type: none"> • RECTANGULAR SHAPE • LAMINATE TOP 		D	24	CUBIC FEET 18
			H	16	
EC-54360	MAGAZINE TABLE	1,534	W	36	WEIGHT (LBS.) 72
	<ul style="list-style-type: none"> • SQUARE SHAPE • LAMINATE TOP 		D	36	CUBIC FEET 19
			H	16	



com form

(THIS FORM MUST ACCOMPANY YOUR ORDER)

SEND FORM TO

EMAIL: BRANDI@EKOCONTRACT.COM
FAX: 615-676-4861

LEADTIME

THE LEADTIME FOR YOUR ORDER IS DIRECTLY RELATED TO WHEN THE COM FABRIC IS RECEIVED.

COMPANY NAME
ADDRESS
CITY / STATE / ZIP
TELEPHONE
EMAIL ADDRESS
PO NUMBER
FABRIC SUPPLIER
FABRIC PATTERN / COLOR
SHIPPING TRACKING NUMBER
YARDAGE PER ITEM SENT
APPLY TO EKO MODEL
<input type="checkbox"/> BEST WAY
<input type="checkbox"/> CROSS ROLL (RAILROADED)
<input type="checkbox"/> UP ROLL
<input type="checkbox"/> LINE MATCH
<input type="checkbox"/> MULTIPLE FABRICS* UPHOLSTERY DIAGRAM MUST BE COMPLETED WHEN SELECTING THIS OPTION. GO TO: WWW.EKOCONTRACT.COM CLICK PRODUCT AND THEN CLICK FABRIC DIAGRAM.



custom finish match form

(THIS FORM MUST ACCOMPANY YOUR ORDER)

SEND SAMPLE AND FORM TO

EKO CONTRACT
ATTN: BRANDI
145 RYMER ROAD, NE
CLEVELAND, TN 37323

LEADTIME

THE LEADTIME FOR YOUR ORDER IS DIRECTLY RELATED TO WHEN THE FINISH MATCH SAMPLE IS APPROVED. ALL FINISH SAMPLES WILL BE SHIPPED BACK TO YOU FOR FINAL APPROVAL BEFORE THE ITEMS ARE FINISHED. PLEASE ALLOW 10 BUSINESS DAYS FOR FINISH MATCH SAMPLES.

COMPANY NAME
ADDRESS
CITY / STATE / ZIP
TELEPHONE
EMAIL ADDRESS
PO NUMBER
SUPPLIER / FINISH COLOR
SHIPPING TRACKING NUMBER
APPLY TO EKO MODEL(S)



THE CRAFT OF SEATING

145 Rymar Road, NE
Cleveland TN 37323

P 866-814-8356

F 615-675-4861

E discover@ekocontract.com

ekocontract.com