Safety Data Sheet

		_							
		S	ection 1 - Pro	oduct Inforr	nation	ı			
Product Name:	hero					Supplier:	Intercon Chemical Company		
Product use: Heavy Duty Alkaline Degreaser Emergency Con			hone:1-314-771-6	600		Address:	1100 Central Industrial Drive		
			ontact:CHEMTREC				St. Louis MO 63110		
		S	ection 2 - Ha	zard Identif	ication				
HS Classification	on: Skin Corrosion Category 1B, Ey	e corrosive Categ	-						
			Section 2.1	- Label Elem					
	Hazard Pictograms					itionary Stateme			
		Wear protective gloves and eye protection. Wash thoroughly after handling. Do not breathe mist or dus							
₹			· ·	IF ON SKIN(or hair): Remove immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse.					
			IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts if present and easy to do.						
	Signal Word: Danger	Continue rinsing		a NOT induse	vomiting				
Causas sa::-	Hazard Statements:	uha Harmful if	IF SWALLOWED IF INHALED: Ren			_	fortable for breathing.		
causes seve	ere skin burns and eye damage.Ma swallowed.	yve narmi'ul if	Immediately cal		•	=	<u>-</u>		
			Section 3	- Compositi	on				
	Chemical Name			CAS	; #		Percent w/w		
odium Hydroxi	ide		1310-73-2				6		
otassium Hydr	roxide			1310-58-3			2.25		
odium Laureth	n Sulfate			9004-82-4			< 2		
SWALLOWED	e cautiously with water for several b: Rinse mouth, Do NOT induce vor move to fresh air and keep at rest	minutes. Remov	e contacts if prese	nt and easy to d					
mmediately cal	II a POISON CENTER or physician.	· · · ·							
		Sectio	n 5 - Fire and	Explosion I	lazard Dat	a			
					Special Eiro Eig	hting Drocodur	se. Avoid expesure to fumes or vapers		
	Limits	_	xtinguishing Med	ıa.		_	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus		
	Limits LEL: NA	Water spray o	xtinguishing Med or fog, foam,dry ch ohol foam, if prod	emical, carbon uct involved.	Wear self-cont	ained positive p Approved or equ	ressurized breathing apparatus ivalent to maintain TLV. UNUSUAL FIRE		
lone		Water spray o	r fog, foam,dry ch	emical, carbon uct involved.	Wear self-cont	ained positive p	ressurized breathing apparatus ivalent to maintain TLV. UNUSUAL FIRE		
lone	LEL: NA	Water spray o dioxide or alco	r fog, foam,dry ch	emical, carbon uct involved.	Wear self-cont WSHA/NIOSH	ained positive p Approved or equal AZARD: Product	ressurized breathing apparatus ivalent to maintain TLV. UNUSUAL FIRE		
lone	LEL: NA	Water spray o dioxide or alco	r fog, foam,dry ch bhol foam, if prod	emical, carbon uct involved.	Wear self-cont WSHA/NIOSH	ained positive p Approved or equal AZARD: Product	ressurized breathing apparatus ivalent to maintain TLV. UNUSUAL FIRE		
	LEL: NA UEL: NA	Water spray of dioxide or alco	or fog, foam,dry ch chol foam, if prod con 6 - Accider sh to sewer with p	emical, carbon uct involved. ntal Release elenty of water.	Wear self-cont MSHA/NIOSH / EXPLOSION HA Measures	ained positive p Approved or equal AZARD: Product	ressurized breathing apparatus ivalent to maintain TLV. UNUSUAL FIRE		
Jeutralize with	LEL: NA UEL: NA dilute acid, or sodium bicarbonate	Water spray of dioxide or alco	r fog, foam,dry ch bhol foam, if prod	emical, carbon uct involved. ntal Release elenty of water.	Wear self-cont MSHA/NIOSH / EXPLOSION HA Measures	ained positive p Approved or equal AZARD: Product	ressurized breathing apparatus ivalent to maintain TLV. UNUSUAL FIRE		
Jeutralize with	LEL: NA UEL: NA	Water spray of dioxide or alco	or fog, foam,dry ch chol foam, if prod con 6 - Accider sh to sewer with p	emical, carbon uct involved. ntal Release elenty of water.	Wear self-cont MSHA/NIOSH / EXPLOSION HA Measures	ained positive p Approved or equal AZARD: Product	ressurized breathing apparatus ivalent to maintain TLV. UNUSUAL FIRE		
Jeutralize with	LEL: NA UEL: NA dilute acid, or sodium bicarbonate	Water spray of dioxide or alco	or fog, foam,dry ch chol foam, if prod con 6 - Accider sh to sewer with p	emical, carbon uct involved. ntal Release elenty of water.	Wear self-cont MSHA/NIOSH / EXPLOSION HA Measures	ained positive p Approved or equal AZARD: Product	ressurized breathing apparatus ivalent to maintain TLV. UNUSUAL FIRE		
lone leutralize with	LEL: NA UEL: NA dilute acid, or sodium bicarbonate	Water spray of dioxide or alcommends. Sections: Mop up and fluther specifies and specifies are specified by the	or fog, foam,dry ch chol foam, if prod con 6 - Accider sh to sewer with p	emical, carbon uct involved. ntal Release elenty of water.	Wear self-cont WISHA/NIOSH A EXPLOSION HA Measures The Measures	ained positive p Approved or equal AZARD: Product	ressurized breathing apparatus ivalent to maintain TLV. UNUSUAL FIRE		
Jeutralize with	LEL: NA UEL: NA dilute acid, or sodium bicarbonate Store upright in original closed contains a c	Water spray of dioxide or alcommends. Sections: Section	or fog, foam, dry chool foam, if proden foam, if proden for foam, if proden for foat foat foat foat foat foat foat foat	emical, carbon uct involved. ntal Release elenty of water.	Wear self-cont WISHA/NIOSH A EXPLOSION HA Measures The Measures	ained positive p Approved or equ IZARD: Product	ressurized breathing apparatus ivalent to maintain TLV. UNUSUAL FIRE will not burn.		
Jeutralize with tore locked up	LEL: NA UEL: NA dilute acid, or sodium bicarbonate o. Store upright in original closed co	Water spray of dioxide or alcommends. Sections. Mop up and flux. Securitariner.	or fog, foam, dry chool foam, if produced foam, if produced for the following of the following for the	emical, carbon uct involved. ntal Release olenty of water. ndling and Source Contr	Wear self-cont MSHA/NIOSH A EXPLOSION HA MEASURES TOTAL TOTAL	ained positive p Approved or equ IZARD: Product G Handle in acco	ressurized breathing apparatus ivalent to maintain TLV. UNUSUAL FIRE will not burn. eneral Hygiene Considerations: rdance with good industrial hygiene and		
Jeutralize with tore locked up	LEL: NA UEL: NA dilute acid, or sodium bicarbonate Store upright in original closed conditions are soldient OSHA PEL: roxide 2mg/m ³	Water spray of dioxide or alcommends. Sections: Section	or fog, foam, dry chohol foam, if produced foam, if produced for the following of the following for th	emical, carbon uct involved. ntal Release elenty of water. ndling and Source Controppe	Wear self-cont MSHA/NIOSH A EXPLOSION HA Measures ttorage ols/PPE	Ge Handle in acccs safety practice	ressurized breathing apparatus ivalent to maintain TLV. UNUSUAL FIRE will not burn. eneral Hygiene Considerations: rdance with good industrial hygiene and s. Provide suitable facilities for quick		
Neutralize with	LEL: NA UEL: NA dilute acid, or sodium bicarbonate o. Store upright in original closed co	Sections: Sections: Sections: Mop up and flux Sections: ACGIHTLV 2mg/m³	r fog, foam,dry chohol foam, if prodon 6 - Accidents to sewer with production 7 - Hair rection 8 - Expension 8 - E	emical, carbon uct involved. ntal Release elenty of water. ndling and Second contract contr	Wear self-cont MSHA/NIOSH / EXPLOSION HA Measures torage ols/PPE quired ace shield	Ge Handle in acccs safety practice	ressurized breathing apparatus ivalent to maintain TLV. UNUSUAL FIRE will not burn. eneral Hygiene Considerations: rrdance with good industrial hygiene and so. Provide suitable facilities for quick ushing of the eyes and body in case of		

						Evaporation		Upper/lower	Vapor
Appearance	odor	odor threshold	рН	Melting Point	Boiling point	rate	Flammability	flammability limits	pressure
red liquid	pleasant	NE	14	NE	212ºF	>1(water =1)	NA	NA	17mm Hg
Vapor Density	Density	Specific Gravity	pH(use dil)	Solubility	Partition coefficient	Auto Ignition temp	Viscosity	Decomposition Temp	
0.62(air =1)	9.00 lbs/gal	1.08	13	100% in water	NE	NA	thin	NE	
			Sec	tion 10 - Sta	bility and R	eactivity			
Product is stable	e. hazardous po	vmerization will not	occur. Incompa	tible with strong	acids. If burned	. normal combu	stion products: 0	Carbon Dioxide, Carbon Mo	noxide. Nitrou

Section 11- Toxicological Information									
ingredient	Acute toxicity(oral LD50) rat	Acute toxicity(derm. LD50)rabbit	Skin and Eye	Carcinogen	Mutagen	Reproduct. Toxicity	STOST -single Exposure	STOST Repeated exposure	
Potassium Hydroxide	214mg/kg	not listed	corrosive	Not listed	No info	No info	No info	No info	
Sodium Hydroxide	200mg/kg	1350mg/kg	corrosive	Not listed	No Info	No info	No info	No info	

Other:

Section 12	- Ecological	Information
------------	--------------	-------------

Section 13 - Disposal Considerations

No information available

Products covered by this SDS, in their original form, are considered corrosive hazardous waste according to RCRA(40 CFR 261). Dispose of in accordance with applicable Federal, State and Local regulations.

Section 14 - Transport Information								
UN number	Basic Description(DOT)	Class	Packing Group	LTD QTY				
UN1719	Caustic Alkali Liquids, n.o.s(Contains potassium hydroxide, sodium hydroxide)	8	II	< 1Liter				

Section 15 - Regulatory Information

SARA Title 3: Does not contain reportable chemicals under sections 302, 304, or 313 of Title III of the Superfund amendments and Reauthorization Act of 1986.

CERCLA: Sodium Hydroxide, Potassium Hydroxide. For more information consult 40 CFR parts 302, 355, 370, 372, and 40 CFR part 68

Section 16 - Other Information

WHMIS: E

Date Prepared: 04-09-2015

HMIS: Health - 3 Flam. - 0 R - 1 PPE- C

Prepared by: Environmental, Health and Safety Administrator.

The information provided in this Safety Data Sheet is correct to the best of our knowledge and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with materials or in any process, unless specified in the text.

Legend for Abbreviations: NA - not applicable NE - Not Established