



State of Mississippi

Department of Transportation

Statewide Agency Contract Number:

8200040844

8/1/2018 Approval Through 06/30/2019

WARREN PAVING, INC.
P.O. BOX 2545
GULFPORT, MS 39505
228/896-8003

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
COMMISSION APPROVAL THROUGH JUNE 30, 2019

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 11211 REICHOLD ROAD, GULFPORT, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 68.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 73.75 per ton
(3) 9.5mm Mixture @ 66.25 per ton
(4) 12.5 mm Mixture @ 60.75 per ton
(5) 19 mm Mixture @ 57.00 per ton
(6) 25 mm Mixture @ 57.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 74.25 per ton
(8) 9.5 mm Mixture @ 66.75 per ton
(9) 12.5 mm Mixture @ 61.25 per ton
(10) 19 mm Mixture @ 57.50 per ton
(11) 25 mm Mixture @ 57.50 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 74.75 per ton

(13) 9.5 mm Mixture @ 67.25 per ton

(14) 12.5 mm Mixture @ 61.75 per ton

(15) 19 mm Mixture @ 58.00 per ton

(16) 25 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture @ 83.00 per ton

(18) 9.5 mm Mixture @ 76.50 per ton

(19) 12.5 mm Mixture @ 75.75 per ton

(20) 19 mm Mixture @ 63.25 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 65.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt @ 58.75 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(29) Cold Mix Asphalt @ 95.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .20 PER TON PER MILE, WITH 4.50 PER TON MINIMUM HAUL.

WARREN PAVING, INC.
P.O. BOX 2545
GULFPORT, MS 39505
228/896-8003

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
COMMISSION APPROVAL THROUGH JUNE 30, 2019

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 562 ELKS LAKE ROAD, HATTIESBURG, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

- (1) Type 8, Crushed Gravel, or @ 63.50 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

- (2) 4.75 mm Mixture @ 73.00 per ton
(3) 9.5mm Mixture @ 65.00 per ton
(4) 12.5 mm Mixture @ 63.50 per ton
(5) 19 mm Mixture @ 61.00 per ton
(6) 25 mm Mixture @ 61.00 per ton

907-403-A HOT MIX ASPHALT, MT:

- (7) 4.75 mm Mixture @ 73.50 per ton
(8) 9.5 mm Mixture @ 65.50 per ton

(9) 12.5 mm Mixture	@ <u>64.50</u> per ton
(10) 19 mm Mixture	@ <u>61.50</u> per ton
(11) 25 mm Mixture	@ <u>61.50</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture	@ <u>74.00</u> per ton
(13) 9.5 mm Mixture	@ <u>66.00</u> per ton

(14) 12.5 mm Mixture	@ <u>64.50</u> per ton
(15) 19 mm Mixture	@ <u>62.00</u> per ton
(16) 25 mm Mixture	@ <u>62.00</u> per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture	@ <u>83.50</u> per ton
(18) 9.5 mm Mixture	@ <u>75.00</u> per ton
(19) 12.5 mm Mixture	@ <u>73.50</u> per ton
(20) 19 mm Mixture	@ <u>71.00</u> per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt	@ <u>62.25</u> per ton
----------------------	------------------------

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt	@ <u>62.75</u> per ton
----------------------	------------------------

CONTRACTORS COLD BITUMINOUS MIXTURE SPECIFICATIONS

(29) Cold Mix Asphalt	@ <u>105.00</u> per ton
-----------------------	-------------------------

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .20 PER TON PER MILE, WITH 4.50 PER TON MINIMUM HAUL.