

IMPRESS® ULTRA SEATING

PRICE LIST

January 3, 2011 Updated October 3, 2022

800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering C.O.M., C.O.L., and C.O.	<u>. </u>	
Bonduel, Green Bay, On	tario, Tupelo and Shipping Locations	3
Impress® Ultra		
General Information		4
Task Chairs and Stools		5

How to Specify C.O.M. Upholstery Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors. By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous

	Selvage	Direction of pattern →				
		Back				
THE STATE OF THE S		Seat				

C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

> Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges ship material to: cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing For products shipped from Green Bay, WI facility, ship upholstery material to:

> Attn: C.O.M. Storage 1687 Westminster Drive, Gate 3 Green Bay, WI 54302

For products shipped from Bonduel, WI facility,

Attn: C.O.M. Storage 204 West South Street Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

> Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot Attn: C.O.M. Storage 1110 S. Mildred Ave. Ontario, CA 91761

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a

sketch noting requirements, as in Diagram B, along with materials for testing, and with the order. Diagram B

Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

C.O.M. SHIPPING LOCATION



Architectural Walls		System 3000	MN	Lá
Evoke	MN	Universal Overheads	MN	Li
Genius Walls	MN	Wireworks	MN	Ly
		Unite	MN	Μ
Casegoods				Μ
Aristotle Tackboards	MN	Residence Hall Furniture		Μ
Likha Tackboards	MN	RoomScape Furniture	MN	M
Classroom Furniture		Screens		0
Intellect Wave Chairs	GB	All Terrain	KP	0
Learn2	GB	Connection Zone	BW	Pi
Ruckus	GB	True/Volition	KP	Р
		Genesis	KP	R
Desking		Tattoo	MN	S
700 Series Desking	KP	Universal	BW	Si
Balance Overheads	MN			Si
Genesis Desking	MN	Seating		S
True Desking	KP	400 Series Folding Chairs	BW	S
Universal Overheads	MN	600 Series Folding Chairs	BW	S
WorkZone Desking	MN	600 Series Stools	BW	St
		Affina Collection	HN	S
Files & Storage		Altus Task Chairs	GB	Τá
700 Series Pedestal Cushion	GB	Apply Stack Chairs	GB	To
Connection Zone Pads	BW	Auditorium Folding Chairs	BW	To
U-Series Pedestal Cushion	GB	Calida Lounge Seating	HN	Ζ
Tattoo	BW	Diem Task Chairs	OM	
		Doni Collection	GB	
Fixed Seating		FourC Seating	GB	
Concerto Auditorium Seating	BW	Gladly Lounge Seating	VQ	
Single Pedestal Seating	GB	Grazie Seating	GB	
Jury Base Seating	GB	Hiatus Sleeper Bench	HN	
Lancaster Auditorium Seating	BW	Hub Modular Lounge Seating	HN	
Sequence Seating	GB	Impress Task Chairs	OM	
University Seating	GB	Impress Ultra Task Chairs	OM	
		Jessa Lounge Seating	HN	
Panel Systems		Jubilee Lounge Seating	VQ	
All Terrain	KP	Katera Guest Chair	GB	
Balance Overheads	MN	Kurv Benches	HN	

aResta Day Beds	HN
meLite	GB
yra Lounge Seating	HN
laestro Stack Chairs	GB
latrix Stack Chairs	GB
ledical & Laboratory Stools	OM
lyPlace Lounge Seating	HN
lyWay Seating	HN
ath Task Chairs and Stools	GB
pt4	GB
ilot Task Chairs	OM
romenade Seating System	BW
uckus	GB
ela Lounge Seating	HN
ift Task Chairs	GB
ignia Task Chairs and Stools	OM
oltice Metal Collection	HN
oltice Multiple, Healthcare & Gues	t.HN
oltice II Healthcare Seating	HN
trive Multiple, Stack & Task	GB
way	BW
attoo	HN
orsion-on-the-Go! Nesting Chairs	GB
orsion Air Stack and Task Seating .	GB
netry	HN

C.O.M., C.O.L and C.O.V. Information Form

A copy of this form should accompany test

requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement Purchasing Agent (Dealer or buying organization)

Type of seating and number of units of each type

Address

Project Name

Please see information below and check the appropriate box.

☐ Submitted for testing.

Purchase Order Number

Test approved. Submitted for production.

In all instances, send this form to the C.O.M. Specialist.



B^{Selvage Side} and Side

KI Acknowledgement Number



KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

KI High Point KI Bonduel Attn: COM Storage Attn: COM Storage 204 West South St 217 Feld Avenue Bonduel, WI 54107 High Point, NC 27263

KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

<u>OM</u> Attn: COM Storage 1110 S. Mildred Ave Ontario, CA 91761

© 2022 Krueger International Inc. All Rights reserved. Code KI-FF-000059/KI/PDF/0822

Attn: COM Fabrics

6892 Marlin Circle

La Palma, CA 90623











4D T-Arm Task Chair (KI78/JR69)

Midback Adj Loop Arm Task Chair (KI74/KR72)

Guest Chair (KI71S)

Stool (KI75)

Features				
Free-floating back	•	•		•
Seat slide	•	•		•
Back height adjustable		•		•
3 position back lock	•	•		•
2-1/2" thick foam cushioned seat	•	•	•	•
General Dimensions				
Seat width	20-1/2"	20-1/2"	20-1/2"	20-1/2"
Seat depth	18" - 19-1/2"	18" - 20-1/2"	19"	18" - 20-1/2
Seat height	17-3/4" - 23"	17-3/4" - 23"	18"	23-1/4" - 31"
Back width	20"	20"	20"	20"
Back height (above seat)	19"	17-1/2" - 20-1/2"	22" - 24"	17-1/2" - 20-1/2"
Overall Dimensions				
Width	26"	26"	24"	26"
Height	35" - 43"	36-1/2" - 41-1/2""	42"	43" - 57"



(JR69)



Adjustable T-Arm (JR39)



Fixed Loop Arm (KR48)



Adjustable Loop Arm (KR72)

SPECIFICATIONS

Mechanism (KI74, KI75 and KI78)

Stamped steel dual housing forms a sturdy cradle for the seat. There are two control levers. One lever actuates the pneumatic cylinder. One lever locks the chair at several positions or actuates the free-floating mode. The synchronized 2:1 free-floating mode has adjustments of 8° on seat and 16° on back.

Backrest (KI74, KI75, KI78 and KI71S)

Nylon with fiberglass reinforced frame. Back mesh material is polyethylene elastomeric with polyester.

Back Height (KI74 and KI75)

An easy-to-operate mechanism is installed on the back board for adjusting back height 3".

Headrest (High Back)

Headrest is black leather with adjustable height and angle.

Seat Slide (KI74, KI75 and KI78)

Double spring-loaded: side-mounted, easy-to-use Black only. control. Adjustment range of 3.1" (18" - 21.1").

Seat (KI74, KI75 KI78 and KI71S)

Constructed of a 1/2" thick, saddle-shaped plywood with 2-1/2" thick, molded, high-resilient foam and upholstered. The entire seat assembly is mounted to the mechanism by 4 screws.

Seat Height (KI74 and KI78)

In addition to the standard height cylinder whose dimensions are shown above, there are two optional cylinders: Low Height: 16-3/4" - 19-1/2" Tall Height: 20-1/2" - 26-3/4"

Memory Foam Double layer of foam. Molded memory foam is layered over molded, high-resiliency foam. Seat only.

To select these optional cylinders, please see

the "Options" section on the following page.

Base (KI74, KI75, and KI78)

26" diameter, five-blade reinforced nylon base.

Sled Base (KI71S)

Sled shape, 1-1/8" diameter steel tube of 13gauge steel. Black only.

Carpet Casters (KI74, KI75 and KI78)

The double 55mm diameter black wheels are molded of high-impact thermoplastic and are housed in a high-impact frame. Hard floor casters are available.

Adjustable T-Arm (JR39)

Black molded urethane armcap. 4-1/4" of height adjustment and 3" of total width adjustment. Arm ships KD (same box as the chair) and must be installed on the chair (no tools required). With arm fully extended out, it's 22" from inside of arm frame to inside of arm frame. (20" from inside of arm pad to inside of arm pad)

Adjustable Loop Arm (KR72)

Black molded urethane armcap. Height adjustment of 2-1/2".

4D T-Arm (JR69)

Two-way adjustable width/height. Forward-slanting T-arms with ergonomic, maximum-mobility arm top (button-activated arm pad; 1" lateral, 2" forward and back, and diagonal adjustability.) Adjustable height range of 4.25". Adjustable width range of 1.75" each side. With arms extended all the way out from inside of arm pad to inside of arm pad, it's 20.75".

Fixed Loop Arm (KR48)

Arm is black plastic.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be Test sample must be sent to:

Impress@Ultra Attn: C.O.M. Department 1110 S. Mildred Ave Ontario, CA 91761

Fabric Disclaimer


Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Impress® Ultra Task Chairs and Stools



Approx. Packaged Weight	Delivered Pricing Fabric Grade Soft Knit™	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
46.0#	\$ 1047	\$ 1047	\$ 1111	\$ 1122	\$ 1122	\$ 1099	\$ 1165	\$ 1196	\$ 1229	\$ 1266	\$ 1337
54.0#	1352	1352	1413	1425	1425	1401	1465	1496	1531	1568	1640
54.0#	1261	1261	1324	1331	1331	1305	1370	1407	1437	1475	1546
54.0#	1245	1245	1310	1320	1320	1295	1361	1393	1427	1464	1537
54.0#	1261	1261	1324	1331	1331	1305	1370	1407	1437	1475	1546
54.0#	\$ 1047	\$ 1047	\$ 1111	\$ 1122	\$ 1122	\$ 1099	\$ 1165	\$ 1196	\$ 1229	\$ 1266	\$ 1337
62.0#	1352	1352	1413	1425	1425	1401	1465	1496	1531	1568	1640
62.0#	1261	1261	1324	1331	1331	1305	1370	1407	1437	1475	1546
62.0#	1245	1245	1310	1320	1320	1295	1361	1393	1427	1464	1537
62.0#	1261	1261	1324	1331	1331	1305	1370	1407	1437	1475	1546
37.0#	\$ 614	\$ 614	\$ 676	\$ 687	\$ 687	\$ 663	\$ 727	\$ 762	\$ 796	\$ 833	\$ 900
45.0#	812	812	877	886	886	859	924	960	992	1032	1101
58.0#	\$ 1222	\$ 1222	\$ 1285	\$ 1290	\$ 1290	\$ 1270	\$ 1334	\$ 1336	\$ 1402	\$ 1435	\$ 1509
66.0#	1521	1521	1585	1596	1596	1570	1639	1668	1701	1738	1809
66.0#	1428	1428	1494	1504	1504	1477	1544	1577	1611	1646	1718
66.0#	1417	1417	1481	1490	1490	1465	1531	1565	1599	1637	1706
66.0#	1428	1428	1494	1504	1504	1477	1544	1577	1611	1646	1718

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- The absence of the

 indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect memory foam.

- No memory foam

MF - Memory foam (for seat only); add

Memory foam for seat only.

Select seat option.

SLD - Sliding seat

Select headrest.

NH - No headrest (standard)
HR - Headrest; add \$215

Select back panel.

BL - Black

Select upholstery grade/color.
Refer to ki.com/fabrics

GSelect base option.

A

- Carpet casters

(3)

- Hard floor casters

Θ

0

(3

(3) (6)

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than five chairs is 1 yard (1-1/2 yds with memory foam) of 54" wide nondirectional fabric. For five or more chairs, it is 3/4 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

Optional Seat Height

The Task chair has 2 additional seat height options.

To select Low Height (16-3/4" - 19-1/2"), add CYL4 to the end of the model number.

To select Tall Height (20-1/2" - 26-3/4"), add IPCYL6SHD to the end of the model number.

Note: No additional leadtime or upcharge required.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/O

Shipping

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000455/KI/PDF

