Kick Solutions Specification Guide

Availability

Electronic price list updated with release 200.G (U.S.) and 156.G (Canada), dated June 19, 2023.

All specifications subject to change without notice. Reference the electronic catalog/Hedberg for current pricing.

Transitional products in this specification guide are maintained for existing customers only and are likely to be phased out over time. These products are indicated with a . Products that are scheduled to be culled are indicated with an . ollowed by the last order entry date.

Surface Materials

The surface materials team has announced the launch of the Finish Library, found at *https://finishlibrary.steelcase.com/*.

► For a list of all trademarks, refer to the last page of this specification guide. © 2023 Steelcase Inc.

Kick Solutions	
Specifying	173
Lighting	
Specifying	351
Surface Materials	359
Resources	373

Specifying Kick Solutions


Panels	175
Wiring and Cabling	195
TS Series Worksurfaces	201
Universal Systems Worksurfaces	219
TS Series	271
Universal Products	287

Specifying Panels

176
178
180
182
184
186
191
193

Monolithic Panels

Tackable Acoustical and Glass



Tip: To price a panel with two fabric surface materials in different price groups, add the two fabric price group option prices together and divide by 2; then add the result to the panel base price.

Standard Includes

Required to Specify

- ► Need help? Product details, page 10
- Tackable acoustical panel with two fabric surfaces, if selected: Kick standard fabric price group A
- · Glass insert, if glass panel selected: 6500 Clear
- · Border, if glass panel selected: paint price group 1
- Base covers with receptacle knockouts: paint price group 1
- · Top cap (low height): paint price group 1
- Top cap aligner: black plasticUniversal connector package
- · Frame: 0835 Black only

- 1 Style number
- 2 Fabric color number for surface 1 of tackable acoustical panel, if selected
- 3 Fabric color number for surface 2 of tackable acoustical panel, if selected
- 4 Paint color number for top cap, base covers, and border
- 5 Options, if selected (see below)
- See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify			
Surface	Top cap, base covers, a	-	-			
Materials	Paint price group 1	No cost	Specify paint color number.			
	Paint price group 2	+\$ 16	Specify paint color number.			
	Paint price group 3	+\$ 34	Specify paint color number.			
	Fabric surface on tacka					
	 Kick standard fabric No cost price group A 		Specify fabric color number.			
	Fabric price group 1	+\$ 10	Specify fabric color number.			
	 Fabric price group 2 	+\$ 64	Specify fabric color number.			
	 Fabric price group 3 	+\$ 96	Specify fabric color number.			
	 Fabric price group 4 	+\$240	Specify fabric color number.			
	 Fabric price group 5 	+\$348	Specify fabric color number.			
	Fabric price group COM	+\$122	► See Understanding Customer's Own Material (COM), page 364.			
Тор Сар	High top cap with knockouts accommodate cable routing (increases panel height by 15)		Specify with high top cap.			
Electrical	Factory-installed powerway at base					
	3-circuit powerway with	+\$208	Specify with 3-circuit power;			
	shared neutral		shared neutrals.			
	 3-circuit powerway with 	+\$258	Specify with 3-circuit power;			
	separate neutrals		separate neutrals.			
	 4-circuit (3+D) powerway 	+\$244	Specify with 4-circuit power; 3+D wiring.			
	 4-circuit (3I+1) powerway 	+\$306	Specify with 4-circuit power; 3I+1 wiring			
	 4-circuit (2+2) powerway 	+\$306	Specify with 4-circuit power; 2+2 wiring.			
	Factory-included powerway for field installation for use in New York City					
	 3-circuit powerway with 	+\$208	Specify with 3-circuit power;			
	shared neutral		shared neutrals; not installed.			
	 3-circuit powerway with 	+\$258	Specify with 3-circuit power;			
	separate neutrals		separate neutrals; not installed.			
	 4-circuit (3+D) powerway 	+\$244	Specify with 4-circuit power; 3+D wiring; not installed.			
	• 4-circuit (3I+1) powerway	+\$306	Specify with 4-circuit power; 3I+1 wiring not installed.			
	• 4-circuit (2+2) powerway	+\$306	Specify with 4-circuit power; 2+2 wiring; not installed.			
Related	Panel trim		▶Page 186			
Products	Panel connectors		▶ Page 191			
	 Panel wiring and cabling 		▶ Page 196			
	• Markourfood height nower of	ad	Page 200			

Tip: Factory-included powerway for field installation option replaces need to order separate powerways.

Tip: Field-installed powerways can be ordered through Kick Service Parts.

Tip: Remember to order end-of-run trim and vertical corner trim packages.

Tip: Panel-mounted slatwall will not hang on a 42"H panel with worksurface. There is not enough space above the worksurface and top of panel for the bracket to engage into panel slots.

▶ Page 200

· Worksurface-height power and

communication access


Speci	fication Info	rmation		
		ustical Panels	Glass Panels	
Width	• Style Number	·U.S. Base Price	•Style Number	· U.S. Base Price
42"H	•	•	•	•
24"	TSAPF4224	\$ 585	TSAPG4224	\$ 990
30"	TSAPF4230	\$ 608	TSAPG4230	\$1028
36"	TSAPF4236	\$ 668	TSAPG4236	\$1126
42"	TSAPF4242	\$ 740	TSAPG4242	\$1259
48"	TSAPF4248	\$ 789	TSAPG4248	\$1330
60"	TSAPF4260	\$ 906	:	
48"H	<u> </u>	·		
24"	TSAPF4824	\$ 608	TSAPG4824	\$1029
30"	TSAPF4830	\$ 667	TSAPG4830	\$1124
36"	TSAPF4836	\$ 714	TSAPG4836	\$1206
42"	TSAPF4842	\$ 812	TSAPG4842	\$1379
48"	TSAPF4848	\$ 871	TSAPG4848	\$1468
60" :	TSAPF4860	\$ 961	:	:
54"H				
24"	TSAPF5424	\$ 613	TSAPG5424	\$1038
30"	TSAPF5430	\$ 682	TSAPG5430	\$1152
36"	TSAPF5436	\$ 726	TSAPG5436	\$1223
12"	TSAPF5442	\$ 831	TSAPG5442	\$1408
48"	TSAPF5448	\$ 887	TSAPG5448	\$1503
60"	TSAPF5460	\$ 968	:	:
66"H				
24"	TSAPF6624	\$ 625	TSAPG6624	\$1065
30"	TSAPF6630	\$ 714	TSAPG6630	\$1206
36"	TSAPF6636	\$ 760	TSAPG6636	\$1283
42"	TSAPF6642	\$ 858	TSAPG6642	\$1456
48"	TSAPF6648	\$ 946	TSAPG6648	\$1603
60"	TSAPF6660	\$1074		

42"H and 48"H Segmented Panels

► Need help?

page 12

Product details,



Tip: To price a panel with two base skin surfaces in different fabric price groups, add the two fabric price group option prices together and divide by two; then add the result to the panel base price.

Standard Includes

· Panel with segmented, fabric surfaces: Kick standard fabric price group A

- · Base covers with receptacle knockouts: paint price group 1
- Top cap (low height): paint price group 1
 Top cap aligner: black plastic
- · Universal connector package
- · Frame: 0835 Black only

Required to Specify

- 1 Style number
- 2 Fabric color number for base skin, surface 1
- 3 Fabric color number for accent skin, surface 1
- 4 Fabric color number for base skin, surface 2
- 5 Fabric color number for accent skin, surface 2
- 6 Paint color number for top cap and base covers
- 7 Options, if selected (see below)
- ▶ See Surface Materials, page 360.

Surface Materials Paint price group 1 No cost Specify paint color number. Paint price group 2 +\$ 16 Specify paint color number. Paint price group 3 +\$ 34 Specify paint color number. Base skin surface Kick standard fabric No cost Specify fabric color number. Pabric price group 4 Specify fabric color number. Pabric price group 5 +\$ 64 Specify fabric color number. Pabric price group 4 Specify fabric color number. Pabric price group 5 Specify fabric color number. Pabric price group 5 Specify fabric color number. Pabric price group 6 Specify fabric color number. Pabric price group 7 Specify fabric color number. Pabric price group 8 Specify fabric color number. Pabric price group COM Specify fabric color number. Pabric price group COM Specify fabric color number. Pabric price group A Specify fabric color number. Pabric price group 1 Specify fabric color number. Pabric price group 3 Specify fabric color number. Pabric price group 4 Specify fabric color number. Pabric price group 5 Specify with 3-circuit power; 3-D wiring. Pabric price group 5 Specify with 4-circuit power; 3-D wiring. Pabric price group 5 Specify with 4-circuit power; 3-D wiring. Pabric price group 5 Specify with 4-circuit power; 3-D wiring. Pabric price group 5 Specify with 4-circuit power; 3-D wiring. Pabric pric		Options	U.S. Price	Required to Specify		
Paint price group 2 +\$ 16 Specify paint color number. Paint price group 3 +\$ 34 Specify paint color number. Base skin surface Kick standard fabric No cost Specify fabric color number. Fabric price group 1 +\$ 10 Specify fabric color number. Fabric price group 2 +\$ 64 Specify fabric color number. Fabric price group 3 +\$ 96 Specify fabric color number. Fabric price group 4 +\$240 Specify fabric color number. Fabric price group 5 +\$ 348 Specify fabric color number. Fabric price group COM +\$122 Specify fabric color number. Specify fabric	Surface	Top cap and base covers	}			
Paint price group 3 +\$ 34 Specify paint color number. Base skin surface Kick standard fabric price group A Fabric price group 2 +\$ 64 Specify fabric color number. Fabric price group 3 +\$ 96 Specify fabric color number. Fabric price group 4 +\$ 240 Specify fabric color number. Fabric price group 5 +\$ 348 Specify fabric color number. Fabric price group 5 +\$ 348 Specify fabric color number. Fabric price group COM +\$ 122 Specify fabric color number. Fabric price group COM +\$ 122 Specify fabric color number. See Understanding Customer's Own Material (COM), page 364. Accent skin surface Kick standard fabric No cost Specify fabric color number. Fabric price group 1 +\$ 3 Specify fabric color number. Fabric price group 2 +\$ 11 Specify fabric color number. Fabric price group 3 +\$ 21 Specify fabric color number. Fabric price group 4 +\$ 61 Specify fabric color number. Fabric price group COM +\$ 33 Specify fabric color number. Fabric price group COM +\$ 33 Specify fabric color number. Fabric price group 3 +\$ 21 Specify fabric color number. Fabric price group 4 +\$ 61 Specify fabric color number. See Understanding Customer's Own Material (COM), page 364. Top Cap High top cap with knockouts to accommodate cable routing (increases panel height by 13/4") Factory-installed powerway at base 3-circuit powerway with +\$ 208 Specify with 3-circuit power; shared neutrals 3-circuit powerway with +\$ 258 Specify with 3-circuit power; shared neutrals 3-circuit gowerway with +\$ 258 Specify with 3-circuit power; separate neutrals 4-circuit (3+D) powerway +\$ 244 Specify with 4-circuit power; 3+D wiring. 4-circuit (3+D) powerway +\$ 244 Specify with 4-circuit power; 3+D wiring.	Materials	 Paint price group 1 	No cost	Specify paint color number.		
Base skin surface Kick standard fabric price group A Fabric price group 1 Fabric price group 2 Fabric price group 3 Fabric price group 3 Fabric price group 4 Fabric price group 4 Fabric price group 4 Fabric price group 5 Fabric price group 5 Fabric price group 5 Fabric price group 6 Fabric price group 6 Fabric price group 6 Fabric price group 7 Fabric price group 8 Fabric price group 6 Kick standard fabric No cost Specify fabric color number. See Understanding Customer's Own Material (COM), page 364. Accent skin surface Kick standard fabric No cost Specify fabric color number. Fabric price group 1 Fabric price group 2 Fabric price group 2 Fabric price group 3 Fabric price group 3 Fabric price group 4 Fabric price group 4 Fabric price group 4 Fabric price group 7 Fabric price group 8 Fabric price group 8 Fabric price group 9 Fabric price group 9 Fabric price group 4 Fabric price group 4 Fabric price group 5 Fabric price group 6 Fabric price group 6 Fabric price group 8 Fabric price group 9 Fabric price group 9 Fabric price group 6 Fabric price group 6 Fabric price group 7 Fabric price group 8 Fabric price group 9 Fabric pr		Paint price group 2	+\$ 16	Specify paint color number.		
**Kick standard fabric price group A - Fabric price group 1 - Fabric price group 2 - Fabric price group 3 - Fabric price group 4 - Fabric price group 5 - Fabric price group 5 - Fabric price group 5 - Fabric price group 6 - Fabric price group 6 - Fabric price group 7 - Fabric price group 8 - Fabric price group 8 - Fabric price group 8 - Fabric price group 9 - Fabric price group 9 - Fabric price group 8 - Fabric price group 9 - Fabric price group 1 - Fabric price group 1 - Fabric price group 1 - Fabric price group 2 - Fabric price group 3 - Fabric price group 3 - Fabric price group 4 - Fabric price group 4 - Fabric price group 4 - Fabric price group 5 - Fabric price group 5 - Fabric price group 6 - Fabric price group 8 - Fabric price group 9 - Fabric price group 6 - Fabric price group 9 - Fabri		 Paint price group 3 	+\$ 34	Specify paint color number.		
price group A Fabric price group 1 Fabric price group 2 Fabric price group 3 Fabric price group 3 Fabric price group 4 Fabric price group 4 Fabric price group 4 Fabric price group 5 Fabric price group 5 Fabric price group 4 Fabric price group 5 Fabric price group 6 Fabric price group COM Fabric price group COM Fabric price group COM Fabric price group 7 Fabric price group 1 Fabric price group 1 Fabric price group 2 Fabric price group 2 Fabric price group 3 Fabric price group 4 Fabric price group 5 Fabric price group 6 Fabric price group 6 Fabric price group 8 Fabric price group 9 Fabric price group 9 Fabric price group 9 Fabric price group 4 Fabric price group 6 Fabric price group 6 Fabric price group 8 Fabric price group 9 Fabric price group 9 Fabric price group 4 Fabric price group 6 Fabric price group 6 Fabric price group 6 Fabric price group 7 Fabric price group 8 Fabric price group 9 F		Base skin surface				
Fabric price group 2 +\$ 64 Specify fabric color number. Fabric price group 3 +\$ 96 Specify fabric color number. Fabric price group 4 +\$240 Specify fabric color number. Fabric price group 5 +\$348 Specify fabric color number. Fabric price group COM +\$122 Specify fabric color number. Fabric price group COM +\$122 Specify fabric color number. See Understanding Customer's Own Material (COM), page 364. Accent skin surface Kick standard fabric No cost Specify fabric color number. Fabric price group 1 +\$ 3 Specify fabric color number. Fabric price group 2 +\$ 11 Specify fabric color number. Fabric price group 3 +\$ 21 Specify fabric color number. Fabric price group 4 +\$ 61 Specify fabric color number. Fabric price group COM +\$ 33 Specify fabric color number. Fabric price group COM +\$ 35 Specify fabric color number. Fabric price group COM +\$ 37 Specify fabric color number. Fabric price group COM +\$ 30 Specify fabric color number. Fabric price group COM +\$ 30 Specify fabric color number. Fabric price group COM +\$ 30 Specify fabric color number. Fabric price group COM +\$ 30 Specify fabric color number. Fabric price group COM +\$ 30 Specify fabric color number. Fabric price group COM +\$ 30 Specify fabric color number. Fabric price group COM +\$ 30 Specify fabric color number. Fabric price group COM +\$ 30 Specify fabric color number. Fabric price group COM +\$ 30 Specify with 3-circuit power; shared neutrals. Factory-installed powerway at base Factory-installed powerway with +\$ 208 Specify with 3-circuit power; shared neutrals. Factory-installed powerway with specify with 3-circuit power; shared neutrals. Factory-installed powerway +\$ 244 Specify with 3-circuit power; 3+D wiring. Factory-installed powerway +\$ 244 Specify with 4-circuit power; 3+D wiring. Fabric price group COM +\$ 30 Specify with 4-circuit power; 3+D wiring. Fabric price group COM +\$ 30 Specify with 4-circuit power; 3+D wiring. Fabric price group COM +\$ 30 Specify with 4-circuit power; 3+D wiring.			No cost	Specify fabric color number.		
Fabric price group 3 +\$ 96 Fabric price group 4 +\$240 Fabric price group 5 +\$348 Fabric price group 5 +\$348 Fabric price group 6 +\$122 Fabric price group COM Fabric price group A Fabric price group 1 +\$ 3 Fabric price group 2 +\$ 11 Fabric price group 3 +\$ 21 Fabric price group 3 +\$ 21 Fabric price group 4 +\$ 61 Fabric price group 4 +\$ 61 Fabric price group COM Fabric price group A Fabric price group 4 +\$ 61 Fabric price group A Fabric price group 4 +\$ 61 Fabric price group B Fabric price group A Fabric price group A Fabric price group B Fabric price group A Fabric price group A Fabric price group B F		 Fabric price group 1 	+\$ 10	Specify fabric color number.		
Fabric price group 3 +\$ 96 Fabric price group 4 +\$240 Fabric price group 5 +\$348 Fabric price group 5 +\$348 Fabric price group 6 +\$122 Fabric price group COM Fabric price group A Fabric price group 1 +\$ 3 Fabric price group 2 +\$ 11 Fabric price group 3 +\$ 21 Fabric price group 3 +\$ 21 Fabric price group 4 +\$ 61 Fabric price group 4 +\$ 61 Fabric price group COM Fabric price group A Fabric price group 4 +\$ 61 Fabric price group A Fabric price group 4 +\$ 61 Fabric price group B Fabric price group A Fabric price group A Fabric price group B Fabric price group A Fabric price group A Fabric price group B F		Fabric price group 2	+\$ 64	Specify fabric color number.		
Fabric price group 5 Fabric price group COM Fabric price group A Fabric price group 1 Fabric price group 2 Fabric price group 3 Fabric price group 3 Fabric price group 4 Fabric price group 4 Fabric price group 4 Fabric price group COM Fabric price group COM Fabric price group 5 Fabric price group 6 Fabric price group 8 Fabric price group 8 Fabric price group 9 Fabric price group 6 Fabric price group 6 Fabric price group 6 Fabric price group 7 Fabric price group 8 Fabric price group 9 Fabric pri			+\$ 96	Specify fabric color number.		
Fabric price group 5 Fabric price group COM Fabric price group A Fabric price group 1 Fabric price group 2 Fabric price group 3 Fabric price group 3 Fabric price group 4 Fabric price group 4 Fabric price group 4 Fabric price group COM Fabric price group COM Fabric price group 5 Fabric price group 6 Fabric price group 8 Fabric price group 8 Fabric price group 9 Fabric price group 6 Fabric price group 6 Fabric price group 6 Fabric price group 7 Fabric price group 8 Fabric price group 9 Fabric pri						
Fabric price group COM +\$122 Specify fabric color number. See Understanding Customer's Own Material (COM), page 364. Accent skin surface Kick standard fabric Pabric price group A Fabric price group 1 Fabric price group 2 Fabric price group 3 Fabric price group 4 Fabric price group 4 Fabric price group 4 Fabric price group 5 Fabric price group 6 Fabric price group 6 Fabric price group 7 Fabric price group 8 Fabric price group 8 Fabric price group 8 Fabric price group 6 Fabric price group 7 Fabric price group 6 Fabric price group 7 Fabric price group 8 Fabric price group 8 Fabric price group 8 Fabric price group 9 Fabric price gro						
Accent skin surface Kick standard fabric Price group A Fabric price group 1 Fabric price group 2 Fabric price group 3 Fabric price group 4 Fabric price group 5 Fabric price group 4 Fabric price group 5 Fabric price group 6 Fabric price group 6 Fabric price group 7 Fabric price group 8 Fabric price group 8 Fabric price group 9 Fabric price group 9 Fabric price group 6 Fabric price group 7 Fabric price group 6 Fabric price group 7 Fabric price group 8 Fabric price group 8 Fabric price group 9 Fabric price gro						
Accent skin surface Kick standard fabric Price group A Fabric price group 1 Fabric price group 2 Fabric price group 3 Fabric price group 4 Fabric price group 4 Fabric price group 4 Fabric price group 4 Fabric price group 5 Fabric price group 5 Fabric price group 6 Fabric price group 6 Fabric price group 7 Fabric price group 6 Fabric price group 7 Fabric price group 6 Fabric price group 7 Fabric price group 7 Fabric price group 7 Fabric price group 8 Fabric price group 8 Fabric price group 8 Fabric price group 7 Fabric price group 8 Fabric price group 8 Fabric price group 9 Fabric price group 7 Fabric price group 9 Fabric price group 7 Fabric price group 8 Fabric price group 9 Fabric price gr		r alama kinaa girak a a iii				
 Kick standard fabric price group A Fabric price group 1 +\$ 3 Specify fabric color number. Fabric price group 2 +\$ 11 Specify fabric color number. Fabric price group 3 +\$ 21 Specify fabric color number. Fabric price group 4 +\$ 61 Specify fabric color number. Fabric price group COM +\$ 33 Specify fabric color number. Fabric price group COM +\$ 33 Specify fabric color number. See Understanding Customer's Own Material (COM), page 364. Top Cap High top cap with knockouts to +\$ 47 Specify with high top cap. accommodate cable routing (increases panel height by 1⁹/₄") Electrical Factory-installed powerway at base 3-circuit powerway with +\$208 Specify with 3-circuit power; shared neutrals 3-circuit powerway with +\$258 Specify with 3-circuit power; separate neutrals 4-circuit (3+D) powerway +\$244 Specify with 4-circuit power; 3+D wiring. 4-circuit (3I+1) powerway +\$306 Specify with 4-circuit power; 3I+1 wiring 						
price group A Fabric price group 1 +\$ 3 Fabric price group 2 +\$ 11 Fabric price group 3 +\$ 21 Fabric price group 4 +\$ 61 Fabric price group COM Fabric price gro		Accent skin surface				
• Fabric price group 2 +\$ 11 Specify fabric color number. • Fabric price group 3 +\$ 21 Specify fabric color number. • Fabric price group 4 +\$ 61 Specify fabric color number. • Fabric price group COM +\$ 33 Specify fabric color number. • Fabric price group COM +\$ 33 Specify fabric color number. • See Understanding Customer's Own Material (COM), page 364. Top Cap • High top cap with knockouts to +\$ 47 Specify with high top cap. accommodate cable routing (increases panel height by 1 ³ / ₄ ") Electrical Factory-installed powerway at base • 3-circuit powerway with +\$208 Specify with 3-circuit power; shared neutral • 3-circuit powerway with +\$258 Specify with 3-circuit power; separate neutrals • 3-circuit (3+D) powerway +\$244 Specify with 4-circuit power; 3+D wiring. • 4-circuit (3I+1) powerway +\$306 Specify with 4-circuit power; 3I+1 wiring			No cost	Specify fabric color number.		
• Fabric price group 2 +\$ 11 Specify fabric color number. • Fabric price group 3 +\$ 21 Specify fabric color number. • Fabric price group 4 +\$ 61 Specify fabric color number. • Fabric price group COM +\$ 33 Specify fabric color number. • Fabric price group COM +\$ 33 Specify fabric color number. • See Understanding Customer's Own Material (COM), page 364. Top Cap • High top cap with knockouts to +\$ 47 Specify with high top cap. accommodate cable routing (increases panel height by 1 ³ / ₄ ") Electrical Factory-installed powerway at base • 3-circuit powerway with +\$208 Specify with 3-circuit power; shared neutral • 3-circuit powerway with +\$258 Specify with 3-circuit power; separate neutrals • 3-circuit (3+D) powerway +\$244 Specify with 4-circuit power; 3+D wiring. • 4-circuit (3I+1) powerway +\$306 Specify with 4-circuit power; 3I+1 wiring		 Fabric price group 1 	+\$ 3	Specify fabric color number.		
• Fabric price group 3 +\$ 21 Specify fabric color number. • Fabric price group 4 +\$ 61 Specify fabric color number. • Fabric price group COM +\$ 33 Specify fabric color number. • See Understanding Customer's Own Material (COM), page 364. Top Cap • High top cap with knockouts to accommodate cable routing (increases panel height by 19/4") Electrical Factory-installed powerway at base • 3-circuit powerway with shared neutral • 3-circuit powerway with shared neutrals • 3-circuit powerway with separate neutrals • 4-circuit (3+D) powerway +\$244 Specify with 4-circuit power; 3+D wiring. • 4-circuit (3I+1) powerway +\$306 Specify with 4-circuit power; 3I+1 wiring			+\$ 11	Specify fabric color number.		
• Fabric price group COM +\$ 33 Specify fabric color number. ► See Understanding Customer's Own Material (COM), page 364. Top Cap • High top cap with knockouts to +\$ 47 accommodate cable routing (increases panel height by 19/4") Electrical Factory-installed powerway at base • 3-circuit powerway with +\$208 shared neutral • 3-circuit powerway with +\$258 separate neutrals • 4-circuit (3+D) powerway +\$244 • 4-circuit (3+D) powerway +\$306 Specify fabric color number. Specify with high top cap. Specify with high top cap. Specify with 3-circuit power; shared neutrals. Specify with 3-circuit power; separate neutrals. Specify with 4-circuit power; 3+D wiring. Specify with 4-circuit power; 3+D wiring. Specify with 4-circuit power; 3I+1 wiring			+\$ 21	Specify fabric color number.		
PSee Understanding Customer's Own Material (COM), page 364. Top Cap • High top cap with knockouts to +\$ 47 accommodate cable routing (increases panel height by 1¾") Electrical Factory-installed powerway at base • 3-circuit powerway with +\$208 shared neutral • 3-circuit powerway with +\$258 separate neutrals • 4-circuit (3+D) powerway +\$244 • 4-circuit (3H-1) powerway +\$306 Specify with 4-circuit power; 3H-1 wiring • 4-circuit power; 3I+1 wiring		Fabric price group 4	+\$ 61	Specify fabric color number.		
PSee Understanding Customer's Own Material (COM), page 364. Top Cap • High top cap with knockouts to +\$ 47 accommodate cable routing (increases panel height by 1¾") Electrical Factory-installed powerway at base • 3-circuit powerway with +\$208 shared neutral • 3-circuit powerway with +\$258 separate neutrals • 4-circuit (3+D) powerway +\$244 • 4-circuit (3H-1) powerway +\$306 Specify with 4-circuit power; 3H-1 wiring • 4-circuit power; 3I+1 wiring				. ,		
Top Cap • High top cap with knockouts to +\$ 47 accommodate cable routing (increases panel height by 1 ⁹ / ₄ ") Electrical Factory-installed powerway at base • 3-circuit powerway with +\$208 shared neutral • 3-circuit powerway with +\$258 separate neutrals • 4-circuit (3+D) powerway +\$244 • 4-circuit (3I+1) powerway +\$306 Specify with 4-circuit power; 3I+1 wiring		r amine bines greek a sim				
accommodate cable routing (increases panel height by 1³/4") Electrical Factory-installed powerway at base • 3-circuit powerway with +\$208 Specify with 3-circuit power; shared neutrals • 3-circuit powerway with +\$258 Specify with 3-circuit power; shared neutrals. • 3-circuit powerway with +\$258 Specify with 3-circuit power; shared neutrals. • 4-circuit (3+D) powerway +\$244 Specify with 4-circuit power; 3+D wiring. • 4-circuit (3I+1) powerway +\$306 Specify with 4-circuit power; 3I+1 wiring						
 3-circuit powerway with +\$208 Specify with 3-circuit power; shared neutrals 3-circuit powerway with +\$258 Specify with 3-circuit power; separate neutrals 4-circuit (3+D) powerway +\$244 Specify with 4-circuit power; 3+D wiring 4-circuit (3I+1) powerway +\$306 Specify with 4-circuit power; 3I+1 wiring 	Тор Сар	accommodate cable routing		Specify with high top cap.		
shared neutral 3-circuit powerway with +\$258 Specify with 3-circuit power; separate neutrals 4-circuit (3+D) powerway +\$244 Specify with 4-circuit power; 3+D wiring 4-circuit (3I+1) powerway +\$306 Specify with 4-circuit power; 3I+1 wiring	Electrical	Factory-installed powerw	ay at base			
 3-circuit powerway with +\$258 Specify with 3-circuit power; separate neutrals. 4-circuit (3+D) powerway +\$244 Specify with 4-circuit power; 3+D wiring. 4-circuit (3I+1) powerway +\$306 Specify with 4-circuit power; 3I+1 wiring. 				Specify with 3-circuit power;		
separate neutrals • 4-circuit (3+D) powerway +\$244 Specify with 4-circuit power; 3+D wiring. • 4-circuit (3I+1) powerway +\$306 Specify with 4-circuit power; 3I+1 wiring		shared neutral		shared neutrals.		
 4-circuit (3+D) powerway 4-circuit (3I+1) powerway +\$306 Specify with 4-circuit power; 3I+1 wiring 		 3-circuit powerway with 	+\$258	Specify with 3-circuit power;		
• 4-circuit (3I+1) powerway +\$306 Specify with 4-circuit power; 3I+1 wiring		separate neutrals				
• 4-circuit (3I+1) powerway +\$306 Specify with 4-circuit power; 3I+1 wiring		 4-circuit (3+D) powerway 	+\$244	Specify with 4-circuit power; 3+D wiring.		
		 4-circuit (3I+1) powerway 	+\$306	Specify with 4-circuit power; 3I+1 wiring.		
		 4-circuit (2+2) powerway 	+\$306	Specify with 4-circuit power; 2+2 wiring.		

▶ Options, continued on next page

▶ Options, continued from previous page


Tip: Factory-included powerway for field installation option replaces need to order separate powerways.

Tip: Field-installed powerways can be ordered through Kick Service Parts.

Tip: Remember to order
end-of-run trim and vertical
corner trim packages.

Tip: Panel-mounted slatwall will not hang on a 42"H panel with worksurface. There is not enough space above the worksurface and top of panel for the bracket to engage into panel slots.






•					
	Options	U.S. Price	Required to Specify		
Electrical,	trical, Factory-included powerway for field installation for use in New York City				
continued	 3-circuit powerway with shared neutral 	+\$208	Specify with 3-circuit power; shared neutrals; not installed.		
	 3-circuit powerway with separate neutrals 	+\$258	Specify with 3-circuit power; separate neutrals; not installed.		
	 4-circuit (3+D) powerway 	+\$244	Specify with 4-circuit power; 3+D wiring; not installed.		
	4-circuit (3I+1) powerway	+\$306	Specify with 4-circuit power; 3I+1 wiring; not installed.		
	4-circuit (2+2) powerway	+\$306	Specify with 4-circuit power; 2+2 wiring; not installed.		
Segmentation See below.	• Option 1	+\$126	Specify with option 1.		
Related	Panel trim		▶Page 186		
Products	 Panel connectors 		▶ Page 191		
	 Panel wiring and cabling 		▶ Page 196		
	Worksurface-height power and communication access		▶Page 200		

Specif	ication Info	rmation
·Width	· Style	·U.S.
:	Number	Base
:		Price
:	:	:

42"H		
24"	TSAPL4224	\$ 766
30"	TSAPL4230	\$ 792
36"	TSAPL4236	\$ 847
42"	TSAPL4242	\$ 924
48"	TSAPL4248	\$ 968
60"	TSAPL4260	\$1083 :
48"H		
24"	TSAPL4824	\$ 795
30"	TSAPL4830	\$ 847
36"	TSAPL4836	\$ 892
42"	TSAPL4842	\$ 997
48"	TSAPL4848	\$1051
60"	TSAPL4860	\$1142

Segmentation




Tip: Shaded area represents accent skin. This skin can be specified in different fabric from base skin.

54"H Segmented Panels

► Need help? Product details,

page 12



Tip: To price a panel with two base skin surfaces in different fabric price groups, add the two fabric price group option prices together and divide by two; then add the result to the panel base price.

Standard Includes

· Panel with segmented, fabric surfaces:

- Kick standard fabric price group A · Base covers with receptacle knockouts: paint price group 1
- Top cap (low height): paint price group 1
 Top cap aligner: black plastic
- · Universal connector package
- · Frame: 0835 Black only

Required to Specify

- 1 Style number
- 2 Fabric color number for base skin, surface 1
- 3 Fabric color number for accent skin, surface 1
- 4 Fabric color number for base skin, surface 2
- 5 Fabric color number for accent skin, surface 2
- 6 Paint color number for top cap and base covers
- 7 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify			
Surface	Top cap and base covers					
Materials	 Paint price group 1 	No cost	Specify paint color number.			
	 Paint price group 2 	+\$ 16	Specify paint color number.			
	Paint price group 3	+\$ 34	Specify paint color number.			
	Base skin surface					
	 Kick standard fabric price group A 	No cost	Specify fabric color number.			
	 Fabric price group 1 	+\$ 10	Specify fabric color number.			
	 Fabric price group 2 	+\$ 64	Specify fabric color number.			
	 Fabric price group 3 	+\$ 96	Specify fabric color number.			
	Fabric price group 4	+\$240	Specify fabric color number.			
	Fabric price group 5	+\$348	Specify fabric color number.			
	Fabric price group COM	+\$122	Specify fabric color number.			
	. aana piiaa giraap a anii		See Understanding Customer's Own			
			Material (COM), page 364.			
	Accent skin surface					
	 Kick standard fabric price group A 	No cost	Specify fabric color number.			
	 Fabric price group 1 	+\$ 3	Specify fabric color number.			
	 Fabric price group 2 	+\$ 11	Specify fabric color number.			
	 Fabric price group 3 	+\$ 21	Specify fabric color number.			
	Fabric price group 4	+\$ 61	Specify fabric color number.			
	Fabric price group COM	+\$ 33	Specify fabric color number.			
	r and the group of the		See Understanding Customer's Own			
			Material (COM), page 364.			
Тор Сар	High top cap with knockouts to accommodate cable routing (increases panel height by 13/4")		Specify with high top cap.			
Electrical	Factory-installed powerw	-	0			
	3-circuit powerway with	+\$208	Specify with 3-circuit power;			
	shared neutral	4050	shared neutrals.			
	 3-circuit powerway with 	+\$258	Specify with 3-circuit power;			
	separate neutrals		separate neutrals.			
	 4-circuit (3+D) powerway 	+\$244	Specify with 4-circuit power; 3+D wiring			
	 4-circuit (3I+1) powerway 	+\$306	Specify with 4-circuit power; 3I+1 wiring			
	• 4-circuit (2+2) powerway +\$306 Specify with 4-circuit power; 2+2 wiring.					
			ation for use in New York City			
	 3-circuit powerway with 	+\$208	Specify with 3-circuit power;			
	shared neutral		shared neutrals; not installed.			
	 3-circuit powerway with 	+\$258	Specify with 3-circuit power;			
	separate neutrals		separate neutrals; not installed.			
	 4-circuit (3+D) powerway 	+\$244	Specify with 4-circuit power;			
	, ,,		3+D wiring; not installed.			
	4 -init (OT - 4)	4000	0			

Tip: Factory-included powerway for field installation option replaces need to order separate powerways.

Tip: Field-installed powerways can be ordered through Kick Service Parts.

▶ Options, continued on next page

Specify with 4-circuit power; 3I+1 wiring; not installed.

2+2 wiring; not installed.

Specify with 4-circuit power; 2+2 wiring;

+\$306

+\$306

· 4-circuit (3I+1) powerway

· 4-circuit (2+2) powerway

▶ Options, continued from previous page

	Options	U.S. Price	Required to Specify	
Segmentation	Option 1	+\$126	Specify with option 1.	
► See below.	Option 2	+\$126	Specify with option 2.	
	Option 3	+\$382	Specify with option 3.	
	Option 4	+\$ 28	Specify with option 4.	
	Option 5	+\$173	Specify with option 5.	
Related	Panel trim		▶ Page 186	
Products	 Panel connectors 		▶Page 191	
	 Panel wiring and cabli 	ng	▶Page 196	
	 Worksurface-height po 	ower and communication access	▶ Page 200	

Tip: Remember to order end-of-run trim and vertical corner trim packages.

Speci	fication Inform	mation	
Width	• Style Number	·U.S. Base Price	
54"H			
24"	TSAPL5424	\$ 796	
30"	TSAPL5430	\$ 861	
36"	TSAPL5436	\$ 908	
42"	TSAPL5442	\$1020	
48"	TSAPL5448	\$1074	




Segmentation

TSAPL5460


\$1152

60"



Tip: Shaded area represents accent skin. This skin can be specified in different fabric from base skin.

66"H Segmented Panels



Product details,

► Need help?

page 12

Standard Includes

- · Panel with segmented, fabric surfaces: Kick standard fabric price group A
- · Base covers with receptacle knockouts: paint price group 1
- Top cap (low height): paint price group 1
- · Top cap aligner: black plastic
- · Universal connector package
- · Frame: 0835 Black only

Required to Specify

- 1 Style number
- 2 Fabric color number for base skin; surface 1
- 3 Fabric color number for accent skin; surface 1
- 4 Fabric color number for base skin; surface 2
- 5 Fabric color number for accent skin; surface 2
- 6 Paint color number for top cap and base covers
- 7 Options, if selected (see below)
- ► See Surface Materials, page 360.

Tip: To price a panel with two
base skin surfaces in different
fabric price groups, add the
two fabric price group option
prices together and divide by
two; then add the result to the
panel base price.

	Options	U.S. Price	Required to Specify
Surface	Top cap and base covers	s	
Materials	Paint price group 1	No cost	Specify paint color number.
	Paint price group 2	+\$ 16	Specify paint color number.
	Paint price group 3	+\$ 34	Specify paint color number.
	Panel surface		
	 Kick standard fabric price group A 	No cost	Specify fabric color number.
	 Fabric price group 1 	+\$ 10	Specify fabric color number.
	 Fabric price group 2 	+\$ 64	Specify fabric color number.
	 Fabric price group 3 	+\$ 96	Specify fabric color number.
	Fabric price group 4	+\$240	Specify fabric color number.
	Fabric price group 5	+\$348	Specify fabric color number.
	 Fabric price group COM 	+\$122	Specify fabric color number.
			► See Understanding Customer's Own
			Material (COM), page 364.
	Accent skin surface		
	 Kick standard fabric price group A 	No cost	Specify fabric color number.
	 Fabric price group 1 	+\$ 3	Specify fabric color number.
	 Fabric price group 2 	+\$ 11	Specify fabric color number.
	 Fabric price group 3 	+\$ 21	Specify fabric color number.
	Fabric price group 4	+\$ 61	Specify fabric color number.
	 Fabric price group COM 	+\$ 33	Specify fabric color number.
			See Understanding Customer's Own
			Material (COM), page 364.
Тор Сар	 High top cap with knockouts to accommodate cable routing (increases panel height by 13/2 	•	Specify with high top cap.
Electrical	Factory-installed powers	way at base	
	3-circuit powerway with	+\$208	Specify with 3-circuit power;
	shared neutral	#050	shared neutrals.
	3-circuit powerway with	+\$258	Specify with 3-circuit power;
	separate neutrals	40.44	separate neutrals.
	 4-circuit (3+D) powerway 	+\$244	Specify with 4-circuit power; 3+D wiring

Tip: Factory-included powerway for field installation option replaces need to order separate powerways.

Tip: Field-installed powerways can be ordered through Kick Service Parts. Factory-included powerway for field installation for use in New York City

+\$306

+\$306

· 3-circuit powerway with +\$208 Specify with 3-circuit power; shared neutral shared neutrals; not installed. · 3-circuit powerway with +\$258 Specify with 3-circuit power; separate neutrals separate neutrals; not installed. 4-circuit (3+D) powerway +\$244 Specify with 4-circuit power; 3+D wiring; not installed. · 4-circuit (3I+1) powerway +\$306 Specify with 4-circuit power; 3I+1 wiring; not installed. · 4-circuit (2+2) powerway +\$306 Specify with 4-circuit power; 2+2 wiring; 2+2 wiring; not installed.

▶ Options, continued on next page

· 4-circuit (3I+1) powerway

4-circuit (2+2) powerway

Specify with 4-circuit power; 3I+1 wiring.

Specify with 4-circuit power; 2+2 wiring.

▶ Options, continued from previous page

	Options	U.S. Price	Required to Specify
Segmentation	Option 1	+\$126	Specify with option 1.
See below.	Option 2	+\$126	Specify with option 2.
	Option 3	+\$382	Specify with option 3.
	Option 4	+\$ 28	Specify with option 4.
	Option 5	+\$173	Specify with option 5.
	Option 6	+\$148	Specify with option 6.
	Option 7	+\$472	Specify with option 7.
	Option 8	+\$148	Specify with option 8.
	Option 9	+\$472	Specify with option 9.
	Option 10	+\$ 26	Specify with option 10.
	Option 11	+\$157	Specify with option 11.
Related	Panel trim		▶ Page 186
Products	Panel connectors		Page 191

Tip: Remember to order end-of-run trim and vertical corner trim packages.

Related
Products

- · Panel wiring and cabling
- · Worksurface-height power and communication access

- ► Page 191 ► Page 196
- Page 200


	W 400				
S 100 c		ation	1 1 7 7	O KIMO O	tion
	-611110			9111111	

Width	· Style	∙U.S.
	Number	Base
		Price


66"H

24"	TSAPL6624	\$ 806
30"	TSAPL6630	\$ 889
36"	TSAPL6636	\$ 943
42"	TSAPL6642	\$1042
48"	TSAPL6648	\$1131
60"	TSAPL6660	\$1256

Segmentation



Tip: Shaded area represents accent skin. This skin can be specified in different fabric from base skin.



Surf Surf

Option 6

Panel Stackers

Tackable Acoustical and Glass



Tip: To price a panel with two fabric surface materials in different price groups, add the two fabric price group option prices together and divide by 2; then add the result to the panel base price.

Standard Includes

► Need help? · Tackable acoustical stacker with two fabric surfaces. Product details, if tackable acoustical stacker selected: Kick standard fabric price group A

- Glass insert, if glass stacker selected: 6500 Clear
- Border, if glass stacker selected: paint price group 1
- Universal connector package
- · Frame: 0835 Black only
- · Two stacking fork connectors

Required to Specify

- 1 Style number
- 2 Fabric color number for surface 1 of tackable acoustical stacker, if selected
- 3 Fabric color number for surface 2 of tackable acoustical stacker, if selected
- 4 Paint color number for border, if selected
- 5 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface	Border on glass stacke	ers	
Materials	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$ 16	Specify paint color number.
	 Paint price group 3 	+\$ 34	Specify paint color number.
	Fabric surface on tack	able acoustical stac	kers
	 Kick standard fabric price group A 	No cost	Specify fabric color number.
	Fabric price group 1	+\$ 10	Specify fabric color number.
	Fabric price group 2	+\$ 64	Specify fabric color number.
	Fabric price group 3	+\$ 96	Specify fabric color number.
	Fabric price group 4	+\$240	Specify fabric color number.
	Fabric price group 5	+\$348	Specify fabric color number.
	 Fabric price group COM 	+\$122	Specify fabric color number.
	, , ,		See Understanding Customer's Own
			Material (COM), page 364.
Related	Panel trim		Page 186

Tip: Remember to order end-of-run trim and vertical corner trim packages.

Tip: Remember to order change-of-height connectors.

Tip: When adding a stacker to existing panels with a power or cable pole connected at L-, T-, or X- corner, the universal panel connector can not be used. Order service part TS100574SR and use the special panel connector for poles to make the connection.

Related **Products**

page 14

- Panel trim
- · Panel connectors

- ▶ Page 186
- ▶ Page 191

184

	Tackable Acoustical Panel Stackers		Glass Panel Stackers		
Width	•Style Number	·U.S. Base Price	• Style Number	· U.S. Base Price	
12"H		•	·	·	
24"	TSAPS1224T	\$447	TSAPS1224G	\$ 753	
30"	TSAPS1230T	\$464	TSAPS1230G	\$ 786	
36"	TSAPS1236T	\$504	TSAPS1236G	\$ 856	
42"	TSAPS1242T	\$566	TSAPS1242G	\$ 961	
48"	TSAPS1248T	\$601	TSAPS1248G	\$1019	
60"	TSAPS1260T	\$688	TSAPS1260G	\$1162	
72"	TSAPS1272T	\$700	TSAPS1272G	\$1174	
18"H	•	·	·		
24"	TSAPS1824T	\$517	TSAPS1824G	\$ 897	
30"	TSAPS1830T	\$550	TSAPS1830G	\$ 936	
36"	TSAPS1836T	\$607	TSAPS1836G	\$1026	
42"	TSAPS1842T	\$677	TSAPS1842G	\$1145	
48"	TSAPS1848T	\$715	TSAPS1848G	\$1210	
60"	TSAPS1860T	\$822	TSAPS1860G	\$1390	
72" :	TSAPS1872T	\$831	TSAPS1872G	\$1406 :	
24"H			•		
24"	TSAPS2424T	\$540	TSAPS2424G	\$ 943	
30"	TSAPS2430T	\$580	TSAPS2430G	\$ 980	
36"	TSAPS2436T	\$640	TSAPS2436G	\$1074	
42"	TSAPS2442T	\$710	TSAPS2442G	\$1198	
48"	TSAPS2448T	\$748	TSAPS2448G	\$1267	
60"	TSAPS2460T	\$858	TSAPS2460G	\$1456	
72"	TSAPS2472T	\$871	TSAPS2472G	\$1472	

	Standard Includes	Required to Specify
► Need help? Product details, page 22	 End-of-run trim: paint price group 1 One low trim end cap: plastic to match paint 	1 Style number2 Paint color number for trim3 Options, if selected (see below)▶ See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	 Paint price group 2 	+\$16	Specify paint color number.
	 Paint price group 3 	+\$34	Specify paint color number.
End Cap	High end cap	No cost	Specify with high end cap.

Specification	Specification Information			
Corresponding Panel Height	• Style Number	· U.S. Base Price		
42"	TSAPTE42	\$83		
48"	TSAPTE48	\$83		
54"	TSAPTE54	\$83		
60"	TSAPTE60	\$83		
66"	TSAPTE66	\$83		
72"	TSAPTE72	\$83		
78"	TSAPTE78	\$83		
	:			


Vertical In-Line Change-of-Height Trim

► Need help?

page 22

Height

Product details,



Tip: Remember to order change-of-height connector package.

▶ Page 191



·U.S.

Base Price

• Change-of-height trim: paint price group 1

- Slim profile: one plastic low trim end cap to match paint · Cable routing capacity: one plastic high trim end cap to match paint
- 1 Style number
- 2 Paint color number for trim
- 3 Options, if selected (see below)

Required to Specify

ООР	iono, ii oolootoa (ooo bolow)	,
▶ See	Surface Materials, page 36	30.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$16 +\$34	Specify paint color number. Specify paint color number. Specify paint color number.
End Cap	Slim profile: high end cap	No cost	Specify with high end cap.


		/	
	\geq		
//			

Slim Profile

Style Number

6"	TSAPTXS6	\$83
12"	TSAPTXS12	\$83
18"	TSAPTXS18	\$83
24"	TSAPTXS24	\$83
36"	TSAPTXS36	\$83

Specification Information



With Cable-Routing Capacity

6"	TSAPTXT6	\$83		
12"	TSAPTXT12	\$83		
18"	TSAPTXT18	\$83		
24"	TSAPTXT24	\$83		
36"	TSAPTXT36	\$83		

Vertical Corner Trim Packages

	Standard Includes	Required to Specify
Need help? Product details, page 22	Vertical corner trim: paint price group 1 One low trim end cap: plastic to match paint Carrier: 0835 Black	 1 Style number 2 Paint color number for vertical corner trim 3 Options, if selected (see below) See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	 Paint price group 2 	+\$16	Specify paint color number.
	 Paint price group 3 	+\$34	Specify paint color number.
End Cap	High end cap for end-of-run configuration	No cost	Specify with high end cap, end-of-run configuration.
	 High end cap for L-configuration 	No cost	Specify with high end cap, L-configuration.
	 High end cap for T-configuration 	No cost	Specify with high end cap, T-configuration.
	 High end cap for in-line configuration 	No cost	Specify with high end cap, in-line configuration.
	 High end cap for X-configuration 	No cost	Specify with high end cap, X-configuration.


Tip: High end cap for X-configuration is not required on corner trim with back filler.

Specification Information

·Trim	·Carrier	Style	·U.S.	
Height	Height	Number	Base	
			Price	
		· ·	•	
			•	

Vertical Corner Trim

42"	42"	TSAPTC42	\$120
48"	48"	TSAPTC48	\$120
54"	54"	TSAPTC54	\$120
66"	66"	TSAPTC66	\$120
:	:	:	:



\oint_	

Tip: Back filler is required for some T-configurations to make assembly nonsequential and for some T- and X-configurations for cable routing capability only.

Vertical Corner Trim with Back Filler

54"	42"	TSAPTCB5442	\$140			
66"	42"	TSAPTCB6642	\$140			
66"	54"	TSAPTCB6654	\$140			

120° Vertical Corner Trims




Tip: High end cap is not available for 120° vertical

	Standard Includes	Required to Specify
Need help? Product details, page 22	 Corner trim: paint price group 1 Low trim end caps for two- or three-way connections (one each): plastic to match paint 	1 Style number 2 Paint color number for trim 3 Options, if selected (see below) See Surface Materials, page 360.

	Opti	10115	U.S. Price	nequired to specify
Surface	• Paint	price group 1	No cost	Specify paint color number.
Materials	 Paint 	price group 2	+\$16	Specify paint color number.
	 Paint 	price group 3	+\$34	Specify paint color number.
Specific	ation Inforr	mation		
	Style	·U.S.		
	Number	Base		

Height Style Number Base Price	Specification Information				
12" TSAPTCY12 \$ 83 18" TSAPTCY18 \$ 83 24" TSAPTCY24 \$ 83 42" TSAPTCY42 \$157 48" TSAPTCY48 \$157	Height		Base		
18" TSAPTCY18 \$ 83 24" TSAPTCY24 \$ 83 42" TSAPTCY42 \$157 48" TSAPTCY48 \$157	6"	TSAPTCY6	\$ 83		
24" TSAPTCY24 \$ 83 42" TSAPTCY42 \$157 48" TSAPTCY48 \$157	12"	TSAPTCY12	\$ 83		
42" TSAPTCY42 \$157 48" TSAPTCY48 \$157	18"	TSAPTCY18	\$ 83		
48" TSAPTCY48 \$157	24"	TSAPTCY24	\$ 83		
·	42"	TSAPTCY42	\$157		
54" TSAPTCY54 \$157	48"	TSAPTCY48	\$157		
	54"	TSAPTCY54	\$157		
66" TSAPTCY66 \$157	66"	TSAPTCY66	\$157		

Vertical Corner Change-of-Height Trims



Tip: Vertical corner changeof-height trims can be used with panel stackers.

Need help? Product details, page 22

Standard Includes

- Vertical corner trim: paint price group 1
- One low trim end cap: plastic to match paint
- · Carrier: 0835 Black

Required to Specify


- 1 Style number
- 2 Paint color number for vertical corner trim
- 3 Options, if selected (see below)
- See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$16 +\$34	Specify paint color number. Specify paint color number. Specify paint color number.
End Cap	High end cap for end-of-run configuration High end cap for L-configuration	No cost	Specify with high end cap, end-of-run configuration. Specify with high end cap, L-configuration.
	High end cap for T-configuration	No cost	Specify with high end cap, T-configuration.
	 High end cap for in-line configuration 	No cost	Specify with high end cap, in-line configuration.
	 High end cap for X-configuration 	No cost	Specify with high end cap, X-configuration.

Specification Information			
• Trim Height	Style Number	U.S. Base Price	
6"	TSAPTXC6	\$83	
12"	TSAPTXC12	\$83	
18"	TSAPTXC18	\$83	
24"	TSAPTXC24	\$83	

Panel Connectors

Change-of-Height In-Line and Corner Panel Connector Package



Tip: Change-of-height connections must be used at top of base panel and each stacker whenever possible to increase stability.

	Standard Includes	Required to Specify
► Need help?	Two corner and two in-line connectors: paint	1 Style number
Product details,		2 Paint color number for connectors
page 16		► See Surface Materials, page 360.

Specification Information		
Style Number	· U.S. Price	
ТЅАРВСОН	\$50	

Wall Start Connector Package



	Standard Includes	Required to Specify
Need help? Product details, page 16	Wall start connector package: black paint	Style number

Specification Information	
• Style Number	· U.S. Price
TSAPBWS66	\$50 :

120° Connectors



Tip: Two-way, 120° connection requires one package. Three-way, 120° connection requires three packages.

Tip:120° connector does not allow change-of-height connections.

	Standard Includes	Required
Need help?	120° connectors: 0835 Black	Style number
Product details,	 Package includes two 120° connectors and eight screws 	

page 16

Opcomea	
·Style	·U.S.
Number	Price

One	Package

TSAPB120	\$ 50

Twe	lve	Packages

TSAPB120P	\$504

to Specify

Off-Module Connector—Universal







Specifica	tion Information
• Style Number	· U.S. Price
TSAPBOM	\$50 :


Off-Module Connectors—Panel Width-Specific

TSAPBOM48

TSAPBOM60

\$255

\$271




Need help? Product details, page 16	Panel off-module connector: black only	Style number
Specification	on Information	
•Style Number	· U.S. Price	
TSAPBOM24	\$196	
ТЅАРВОМ30	\$214	
ТЅАРВОМ36	\$228	
TSAPBOM42	\$242	

Standard Includes

Required to Specify

Sliding Panel Doors

For Use with Kick



Tip: The sliding door is located outside of the panel system when installed in the standard position.

Tip: The standard door is handed and non-locking. When a lock option is specified the lock will be on the trail end of the door. The illustration above shows a left-handed sliding door. If a lock option is specified, the lock will be on the right (trail) side of the door.

Tip: Width of host panel should always be equal to the width of sliding door.

Tip: Height of host and receiving panels must match height of door.

Tip: Remember to specify lock cylinder and key separately.

► Lock Cylinders, page 374

Tip: When attaching the sliding door to an Answer panel, a junction stabilizer bracket is available for added rigidity to the host panel. If a host and/or receiving panel run exceeds 4', a junction stabilizer bracket must be applied to the door end of the host and/or receiving panel run. On long runs, apply a junction stabilizer bracket or perpendicular panel every 8'.

Standard Includes

Required to Specify

► Need help? Product details, page 24

- Panel door frame: paint price group 1
- · Panel door infill: 6625 Translucent plastic
- · Floor track: paint price group 1
- Attachment bracket: paint price group 1
- 1 Style number
- 2 Paint color number for panel door frame, floor track, and attachment bracket
- 3 Options, if selected (see below)
- See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2	No cost +\$ 16	Specify paint color number. Specify paint color number.
	Panel door infill		
	 6500 Clear Tempered glass 	+\$379	Specify with 6500 Clear glass.
	6541 White laminated glass	+\$594	Specify with 6541 White laminated glass.
Door Hand	Left-hand sliding door	No cost	Specify with left-hand door.
	 Right-hand sliding door 	No cost	Specify with right-hand door.
Door Lock	• Lock	+\$492	Specify with lock.
			See Lock and Keying, page 374

Spe	ecific	ation	Information	
Dim	ensio	15	· Style	·U.S.
D	W	н	Number	Base
:			:	Price
:				:

Kick Options Doors

11/4"	36"	66"	TSAPDSO6636	\$3647
11/4"	42"	66"	TSAPDSO6642	\$3863
11/4"	36"	78"	TSAPDSO7836	\$3974
11/4"	42"	78"	TSAPDS07842	\$4185

Viring and Cablin

Specifying Wiring and Cabling

Panel Wiring and Cabling	196
Worksurface-Height Power and Communication Access	200

Panel Wiring and Cabling

Duplex Receptacles



Tip: You must specify receptacle to match wiring schematic used in other power components.

Tip: For additional color choices, see the Avenir Systems Furniture Specification Guide.

	Standard Includes	Required to Specify
Nood holp?	- Package of air nowerway recontactor: 6000 Plack plactic	1 Ctulo number

Product details, page 42

Specification Information

ackage of six powerway receptacies: 6000 Black plastic 1 Style number 2 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Contolled Stamp	No stampControlled stamp	No cost +\$5	Specify with no stamp. Specify with controlled stamp

Description	• Size	• Style Number	·U.S. Base Price	• Style Number	·U.S. Base Price
		15-Amp Rece	ptacles	20-Amp Rece	ptacles
3-Circuit with	Shared Neutr	al			
Line 1	Standard size	TSAE31DA15SB	\$346	TSAE31DA20SB	\$ 517
Line 2	Standard size	TSAE32DA15SB	\$346	TSAE32DA20SB	\$ 517
Line 3	Standard size	TSAE33DA15SB	\$346	TSAE33DA20SB	\$ 517
3-Circuit with	า Separate Neเ	ıtral			
Line A	Standard size	TSAE3ADD15SB	\$517	TSAE3ADD20SB	\$ 791
Line B	Standard size	TSAE3BDD15SB	\$517	TSAE3BDD20SB	\$ 791
Line C	Larger size	TSAE3CDD15SB	\$673	TSAE3CDD20SB	\$1020
4-Circuit 3+D					
Line 1	Standard size	TSAE31DA15SB	\$346	TSAE31DA20SB	\$ 517
Line 2	Standard size	TSAE32DA15SB	\$346	TSAE32DA20SB	\$ 517
Line 3	Standard size	TSAE33DA15SB	\$346	TSAE33DA20SB	\$ 517
Line 4	Larger size	TSAE34DA15SB	\$449	TSAE34DA20SB	\$ 673
4-Circuit with	3I+1 Wiring				
Line 1	Standard size	TSAE31DC15SB	\$517	TSAE31DC20SB	\$ 791
Line 2	Standard size	TSAE32DC15SB	\$517	TSAE32DC20SB	\$ 791
Line 3	Standard size	TSAE33DC15SB	\$517	TSAE33DC20SB	\$ 791
Line 4	Larger size	TSAE34DC15SB	\$673	TSAE34DC20SB	\$1020
4-Circuit with	2+2 Wiring				
Line 1	Standard size	TSAE31DB15SB	\$384	TSAE31DB20SB	\$ 580
Line 2	Standard size	TSAE32DB15SB	\$384	TSAE32DB20SB	\$ 580
Line 3	Larger size	TSAE33DB15SB	\$517	TSAE33DB20SB	\$ 791
Line 4	Larger size	TSAE34DB15SB	\$517	TSAE34DB20SB	\$ 791
	•	:		:	:

2" x 2" Power Poles



Standard Includes

Required to Specify

► Need help? Product details, page 44

- Power pole: paint price group 1
- Ceiling trim plate: 4790 Sodium paint only
 Harness with 3-circuit, with shared neutral, or with 4-circuit 3+D
- Junction box
- · Mounting brackets
- Pair of corner change-of-height connectors
- 1 Style number
- 2 Paint color number for power pole
- 3 Options, if selected (see below)
 ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	 Paint price group 2 	+\$16	Specify paint color number.
	 Paint price group 3 	+\$34	Specify paint color number.
Wiring	Three-circuit		
Schematics	 Separate neutrals 	+\$19	Specify with separate neutrals.
	Four-circuit		
	 3I+1 wiring schematic 	+\$19	Specify with 3I+1 wiring.
	 2+2 wiring schematic 	+\$19	Specify with 2+2 wiring.

Panel Height	• Style Number	· U.S. Base Price	• Style Number	· U.S. Base Price	
•	3-Circuit	<u> </u>	4-Circuit	-	
42"	TSAEP342B	\$730	TSAEP442B	\$827	
48"	TSAEP348B	\$730	TSAEP448B	\$827	
54"	TSAEP354B	\$730	TSAEP454B	\$827	
66"	TSAEP366B	\$730	TSAEP466B	\$827	

2" x 2" Cable Poles



	Standard Includes	Required to Specify
Need help? Product details, page 44	 Cable pole: paint price group 1 Ceiling trim plate: 4790 Sodium paint only Junction box Mounting brackets Pair of corner change-of-height connectors 	1 Style number 2 Paint color number for cable pole 3 Options, if selected (see below) ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface	 Paint price group 1 	No cost	Specify paint color number.
Materials	 Paint price group 2 	+\$16	Specify paint color number.
	 Paint price group 3 	+\$34	Specify paint color number.

Specifi	Specification Information		
Panel Height	• Style Number	·U.S. Base Price	
42"	TSAEPC42	\$664	
48"	TSAEPC48	\$664	
54"	TSAEPC54	\$664	
66"	TSAEPC66	\$664	

Base Power-Ins



Standard Includes

Required to Specify

- ► Need help? Product details, page 46
- Power infeed cover: black plastic only
- 6' long, 1/2" diameter conduit: black plastic only
- 3-circuit with shared neutral or 4-circuit 3+D
- 1 Style number
- 2 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Wiring	Three-circuit		
Schematics	 Separate neutrals 	+\$60	Specify with separate neutrals.
	Four-circuit		
	 3I+1 wiring schematic 	+\$74	Specify with 3I+1 wiring.
	 2+2 wiring schematic 	+\$74	Specify with 2+2 wiring.

Specification Information

· Style	∙U.S.
Number	Base
:	Price
•	•

3-Circuit Shared Neutral Wiring Schematic

TSAE98669B	\$420		
For Use in San Francisco)		_
TSAE98669SFB	\$420		
:	:		

4-Circuit 3+D Wiring Schematic

TSAE986694B	\$460
For Use in San Francisco	
TSAE98669SFB	\$460

Worksurface-Height Power and Communication Access

Receptacle Packages

Standard Includes Required to Specify

► Need help?

· Package of three

Style number

Product details, page 52

· Duplex receptacles: black plastic only

· 9' cord with three-prong plug: black plastic only

Specification Information

Panel-Mounted Receptacle Package



Worksurface-Mounted Receptacle Package



Style	· U.S.	• Style	·U.S.
Number	Price	Number	Price
TSAERPP	\$277	TSAERPW	\$277

Communication Module Packages

Tip: Many of the AMP, AT&T, Krone, Leviton, and other commercially available data terminals can be used—terminals must be of a design that will snap into 0.695 x 0.650, 0.590 x 0.790, or 0.590 x 0.750 openings, in 0.064 maximum thick face plates.

Tip: Order jacks by calling any of the manufacturers listed below:

- AMP Corporation 1.800.522.6752
- Leviton1.800.722.2082
- Lucent 1.800.344.0223
- Krone 1.800.775.5766
- Punduit 1.800.777.3300

Standard Includes

Required to Specify

► Need help? Product details, page 52

- Package of threeCommunication housing includes face plates to
- Communication nousing includes race plates to accommodate customer-supplied voice/data jacks: black plastic only

Style number

Specification Information

Panel-Mounted Communication Module Package Worksurface-Mounted Communication Module Package





• Style	·U.S.	• Style	·U.S.
Number	Price	Number	Price
TSAERDP	\$177	TSAERDW	\$177

Specifying TS Series Worksurfaces


TS Series Straight Worksurfaces	202
TS Series Transition Worksurfaces	203
TS Series Straight Corner Worksurfaces	204
TS Series Curved Corner Worksurfaces	205
TS Series Left-Hand Extended Curved Corner Worksurfaces	206
TS Series Right-Hand Extended Curved Corner Worksurfaces	207
TS Series 120° Corner Worksurfaces	208
TS Series Peninsula Worksurfaces	209
TS Series Angled Peninsula Worksurfaces	210
TS Series Spanner Worksurfaces	211
TS Series Visitor and Linking Worksurfaces	212
TS Series Transaction Worksurfaces	213
TS Series Worksurface Legs and Supports	214
Worksurface-Height Power and Communication Access	216
Worksurface Accessories	261

TS Series Straight Worksurfaces

►Need help?

page 62

Product details,



Tip: Long worksurface spans require additional support.

▶ Page 215

Standard Includes

- 13/16"-thick worksurface: Low-Pressure Laminate price group 1
- 3 mm radius profile edge on user's side: plastic
- Side and back edges: plastic default to match user's side

Required to Specify

- 1 Style number
- 2 Low-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- See Surface Materials, page 360.

Related Products

- · Worksurface-height power and communication access
- TS Series Worksurface legs and supports
- Reinforcing channel
- Grommet package

- ▶Page 200
- ▶Page 214
- ▶Page 215
- ▶Page 216

Spe	Specification Information							
Dim D	ensions W	Style Number LPL	· U.S. Price					
18"	24"	TSAWLR1824	\$191					
18"	30"	TSAWLR1830	\$198					
18"	36"	TSAWLR1836	\$225					
18"	42"	TSAWLR1842	\$242					
18"	48"	TSAWLR1848	\$279					
18"	54"	TSAWLR1854	\$325					
18"	60"	TSAWLR1860	\$350					
18"	66"	TSAWLR1866	\$378					
18"	72"	TSAWLR1872	\$393					
24"	24"	TSAWLR2424	\$215					
24"	30"	TSAWLR2430	\$226					
24"	36"	TSAWLR2436	\$245					
24"	42"	TSAWLR2442	\$279					
24"	48"	TSAWLR2448	\$320					
24"	54"	TSAWLR2454	\$365					
24"	60"	TSAWLR2460	\$401					
24"	66"	TSAWLR2466	\$438					
24"	72"	TSAWLR2472	\$449					
30"	24"	TSAWLR3024	\$238					
30"	30"	TSAWLR3030	\$264					
30"	36"	TSAWLR3036	\$290					
30"	42"	TSAWLR3042	\$325					
30"	48"	TSAWLR3048	\$358					
30"	54"	TSAWLR3054	\$410					
30"	60"	TSAWLR3060	\$460					
30"	66"	TSAWLR3066	\$497					
30"	72"	TSAWLR3072	\$540					
		:						

TS Series Worksurfaces

TS Series Transition Worksurfaces



Standard Includes

Required to Specify

► Need help? Product details, page 62

- 1%16"-thick worksurface: Low-Pressure Laminate price group 1
- 3 mm radius profile edge on user's side: plastic
- · Side and back edges: plastic default to match user's side
- 1 Style number
- 2 Low-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- See Surface Materials, page 360.

Related Products

- · Worksurface-height power and communication access
- TS Series Worksurface legs and supports
- · Grommet package

- ▶Page 200
- ▶Page 214
- ▶Page 216

Spec	Specification Information							
Dept	h B	·Width	·Style Number LPL	· U.S. Price				
18"	24"	36"	TSAWLX1236	\$425				
18"	24"	42"	TSAWLX1242	\$462				
18"	24"	48"	TSAWLX1248	\$554				
24"	18"	36"	TSAWLX2136	\$425				
24"	18"	42"	TSAWLX2142	\$462				
24"	18"	48"	TSAWLX2148	\$554				
24"	30"	36"	TSAWLX2336	\$473				
24"	30"	42"	TSAWLX2342	\$520				
24"	30"	48"	TSAWLX2348	\$618				
30"	24"	36"	TSAWLX3236	\$473				
30"	24"	42"	TSAWLX3242	\$520				
30"	24"	48"	TSAWLX3248	\$618				
:		:	:					

TS Series Straight Corner Worksurfaces



Standard Includes

Required to Specify

►Need help? Product details, page 62

- 13/16"-thick worksurface: Low-Pressure Laminate price group 1
- 3 mm radius profile edge on user's side: plastic
- Side and back edges: plastic default to match user's side
 Grommet: black plastic only
- · Corner bracket: black paint only

- 1 Style number
- 2 Low-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- ► See Surface Materials, page 360.

Related Products


- Worksurface-height power and communication access
- TS Series Worksurface legs and supports

▶Page 200

▶Page 214

5pe	Specification information								
Dimensions D W		· Style Number LPL	· U.S. Price						
24"	36"	TSAWLCF2436	\$456						
24"	42"	TSAWLCF2442	\$525						
24"	48"	TSAWLCF2448	\$567						
30"	48"	TSAWLCF3048	\$611						

TS Series Curved Corner Worksurfaces



Standard Includes

Required to Specify

►Need help? Product details, page 62

- 13/16"-thick worksurface: Low-Pressure Laminate price group 1
- 3 mm radius profile edge on user's side: plastic
- · Side and back edges: plastic default to match user's side
- Grommet: black plastic only
 Corner bracket: black paint only


- 1 Style number
- 2 Low-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- ► See Surface Materials, page 360.

Related Products

- · Worksurface-height power and communication access
- TS Series Worksurface legs and supports
- ▶Page 200
- ▶Page 214

Spe	Specification Information							
• Dim D	ensions W	Style Number LPL	· U.S. Price					
18"	36"	TSAWLCC1836	\$520					
18"	42"	TSAWLCC1842	\$577					
18"	48"	TSAWLCC1848	\$635					
24"	36"	TSAWLCC2436	\$501					
24"	42"	TSAWLCC2442	\$554					
24"	48"	TSAWLCC2448	\$611					
30"	48"	TSAWLCC3048	\$707					
		:						

TS Series Left-Hand Extended Curved Corner Worksurfaces



Tip: Long worksurface spans require additional support.

▶ Page 215

Standard Includes

Required to Specify

►Need help? Product details, page 62


- 13/16"-thick worksurface: Low-Pressure Laminate price group 1
- 3 mm radius profile edge on user's side: plastic
- Side and back edges: plastic default to match user's side
 Grommet: black plastic only
- · Corner bracket: black paint only

- 1 Style number
- 2 Low-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- ► See Surface Materials, page 360.

Related Products

- · Worksurface-height power and communication access
- TS Series Worksurface legs and supports
- · Reinforcing channel

- ▶Page 200
- ▶Page 214
- ▶ Page 215



Sp	Specification Information								
· Dim	ension B	is C	D	Style Number LPL	· U.S. Price				
24"	24"	60"	48"	TSAWLE2264	\$ 826				
24"	24"	72"	48"	TSAWLE2274	\$ 985				
24"	30"	60"	48"	TSAWLE2364	\$ 850				
24"	30"	72"	48"	TSAWLE2374	\$1012				
30"	24"	60"	48"	TSAWLE3264	\$ 850				
30"	24"	72"	48"	TSAWLE3274	\$1012				
30"	30"	60"	48"	TSAWLE3364	\$ 875				
30"	30"	72"	48"	TSAWLE3374	\$1041				

TS Series Right-Hand Extended Curved Corner Worksurfaces

TS Series Right-Hand Extended Curved Corner Worksurfaces

►Need help?

page 62

Product details,



Tip: Long worksurface spans require additional support. ▶ Page 215

Standard Includes

- 13/16"-thick worksurface: Low-Pressure Laminate price group 1
- 3 mm radius profile edge on user's side: plastic
- · Side and back edges: plastic default to match user's side
- Grommet: black plastic only
- · Corner bracket: black paint only

Required to Specify


- 1 Style number 2 Low-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- ► See Surface Materials, page 360.

Related Products

- · Worksurface-height power and communication access
- TS Series Worksurface legs and supports
- · Reinforcing channel

- ▶Page 200
- ▶Page 214 ▶ Page 215





Sp	Specification Information							
· Dim	ension B	s C	D	• Style Number LPL	· U.S. Price			
24"	24"	48"	60"	TSAWLE2246	\$ 826			
24"	24"	48"	72"	TSAWLE2247	\$ 985			
24"	30"	48"	60"	TSAWLE2346	\$ 850			
24"	30"	48"	72"	TSAWLE2347	\$1012			
30"	24"	48"	60"	TSAWLE3246	\$ 850			
30"	24"	48"	72"	TSAWLE3247	\$1012			
30"	30"	48"	60"	TSAWLE3346	\$ 875			
30"	30"	48"	72"	TSAWLE3347	\$1041			

TS Series 120° Corner Worksurfaces



Standard Includes

Required to Specify


►Need help? Product details, page 62

- 13/16"-thick worksurface: Low-Pressure Laminate price group 1
- 3 mm radius profile edge on user's side: plastic
- Side and back edges: plastic default to match user's side
 Grommet: black plastic only
 Corner bracket: black paint only

- 1 Style number
- 2 Low-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- See Surface Materials, page 360.

Related Products

- · Worksurface-height power and communication access
- TS Series Worksurface legs and supports
- ▶Page 200
- ▶Page 214



·Dim	ensior	ıs		·U.S.		
A	В	С	D	Number LPL	Price	
24"	36"	30½"	6311/32"	TSAWLY2436	\$ 850	
24"	42"	30½"	723/4"	TSAWLY2442	\$ 911	
24"	48"	301/2"	855/32"	TSAWLY2448	\$1005	

TS Series Worksurfaces

TS Series Peninsula Worksurfaces



Standard Includes

Required to Specify

► Need help? Product details, page 62

- 13/16"-thick worksurface: Low-Pressure Laminate price group 1
- 3 mm radius profile edge on user's side: plastic
- Side edge: plastic default to match user's side
- 1 Style number
- 2 Low-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- See Surface Materials, page 360.

Tip: Long worksurface spans require additional support.
▶ Page 215


Related Products

- TS Series Worksurface legs and supports
- Reinforcing channel

- ▶Page 214
- ▶Page 215

Spe	Specification Information						
· Dim	ensions W	Style Number LPL	· U.S. Price				
30"	48"	TSAWLP3048	\$798				
30"	60"	TSAWLP3060	\$816				
30"	72"	TSAWLP3072	\$832				

TS Series Angled Peninsula Worksurfaces



Standard Includes

Required to Specify

- ► Need help? Product details, page 62
- $1\%_1$ e"-thick worksurface: Low-Pressure Laminate price group 1
- 3 mm radius profile edge on user's side: plastic
- Side edge: plastic default to match user's side
- 1 Style number
- 2 Low-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- See Surface Materials, page 360.

Related Products

· TS Series Worksurface legs and supports

▶Page 214

Spe	ecificati	on Information	
· Dim	ensions W	Style Number LPL	· U.S. Price
24"	48"	TSAWLPA2448	\$782
30"	48"	TSAWLPA3048	\$809

TS Series Spanner Worksurfaces

Tip: Remember to specify two ▶ Need help? cantilevers and a post leg to attach spanner worksurface to adjacent worksurfaces on 50" and 62" spanner tops.

Tip: Edge profile is applied to front (user's) edge only.

Standard Includes

Required to Specify

Product details, page 62

- 13/16"-thick worksurface: Low-Pressure Laminate price
- 3 mm radius profile edge on user's front edge: plastic • Side edge: plastic default to match user's side
- Cutout

- 1 Style number
- 2 Low-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- ► See Surface Materials, page 360.

Related Products

· TS Series Worksurface legs and supports

▶Page 214

Specification Information

·Dime	ensions	·Style	·U.S.
D	W	Number	Price
:		LPL	:





Spanner Worksurfaces for Use with 2" Kick Panels

25"	50"	TSAWLN50	\$429
31"	62"	TSAWLN62	\$511
		•	·

Spanner Worksurfaces for Use with 3" Panels

25"	51"	TSAWLN51A	\$545	
31"	63"	TSAWLN63A	\$700	
		•		

TS Series Visitor and Linking Worksurfaces

Standard Includes

Required to Specify

Need help?
Product details,
page 62

- $1\%_16$ "-thick worksurface: Low-Pressure Laminate price group 1
- group 13 mm radius profile edge on user's side: plastic
- · Side edge: plastic default to match user's side
- Cutout on linking worksurface

- 1 Style number
- 2 Low-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- ► See Surface Materials, page 360.

Related Products

- Worksurface-height power and communication access
- TS Series Worksurface legs and supports

►Page 200

▶Page 214

Specification Information

· Depth Left	· Depth Right	• Style Number	·U.S. Price
:	:	LPL	:
		-	

Visitor Worksurfaces For Use With 2" Kick Panels

24"	24"	TSAWLV2424	\$440
24"	30"	TSAWLV2430	\$491
30"	24"	TSAWLV3024	\$491
30"	30"	TSAWLV3030	\$554
:	:	:	

Linking Worksurfaces For Use With 2" Kick Panels

26"	26"	TSAWLL2626	\$469
32"	32"	TSAWLL3232	\$525





Tip: Remember to order cantilevers to connect linking worksurfaces to adjacent worksurfaces.

▶ Page 215

TS Series Vorksurfaces

TS Series Transaction Worksurfaces

For Kick Panels



Tip: Transaction worksurfaces are for use on panels with a low top cap only.

Standard Includes

Required to Specify

- ► Need help? Product details, page 62
- 1%16"-thick worksurface: Low-Pressure Laminate price group 1
- Slight radius profile edge: plastic
- · Support brackets: black paint only

- 1 Style number
- Low-Pressure Laminate color number for worksurface
- 3 Plastic edge band color number for worksurface
- ► See Surface Materials, page 360.

	T 41			
Sne	citica	tion	ntor	mation

Depth	Width	· Style Number LPL	·U.S. Price
		:	:
16"	35"	TSAWLT1636	\$323
16"	41"	TSAWLT1642	\$368
16"	47"	TSAWLT1648	\$387
16"	59"	TSAWLT1660	\$425

TS Series Worksurface Legs and Supports

	Standard Includes	Required to Specify
► Need help? Product details, page 66	 Worksurface support: black paint Exception: You can specify paint color choice for cantilever, legs, and on-module end panel. 2³/₄" adjustable glides on legs Attachment hardware 	 1 Style number 2 Paint color number for cantilever, legs, and end panel 3 Options, if selected (see below) ▶ See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface	Post legs and H-legs		
Materials	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$19	Specify paint color number.
	On-module end pane		
	 Paint price group 1 	No cost	Specify paint color number.
	Paint price group 2	+\$45	Specify paint color number.

Dimensions	·Style	·U.S.
:	Number	Base
	:	Price
:	:	:

27"H **TSATP27** \$193 : :

H-Legs			
11"W	27"H	TSATH2711	\$263
20"W	27"H	TSATH2720	\$323
:		:	:

On-Module End Panel						
24"D	27"H	TSATEP24	\$588			
30"D	27"H	TSATEP30	\$671			
Stand	ing Heigh	t				
24"D	40"H	TSATEP24S	\$698			
30"D	40"H	TSATEP30S	\$786			

[▶] Specification Information, continued on next page





▶ Specification Information, continued from previous page

Dimensions Style U.S.
Number Base



16"D 13"H **TSATCANT** \$141



Tip: Cantilever with tie plate is for use with lefthand, right-hand, or shared application.



\$ 58

Price

In-Line Support Plates



TSATSIDE

Package of Six Tie Plates for Side-by-Side Worksurfaces

Reinforcing Channels 39"W TSATRC39 \$ 74 48"W TSATRC48 \$ 77 57"W TSATRC57 \$ 81 72"W TSATRC72 \$174





Worksurface-Height Power and Communication Access

Worksurface-Mounted Power and Communication Sphere

► Need help?

page 52

Product details,



Tip: Sphere is field installed. Use 3"-diameter drill to cut mounting hole at desired location.

Tip: Order jacks by calling any of the manufacturers listed below:

- AMP Corporation 1.800.522.6752
- · Leviton
- 1.800.722.2082
- Lucent 1.800.344.0223
- Krone
- 1.800.775.5766
- Punduit 1.800.777.3300

Standard Includes

Required to Specify

Style number

- Sphere with two simplex electrical outlets: black plastic
- Face plates to accommodate two customer-supplied voice/ data jacks: black plastic
- 6' power cord with three-prong plug: black plastic

Specification Information

Specifica	uon mormation
· Style Number	· U.S. Price
:	
PTDMGB3	\$365

Grommet Package



Tip: Grommet requires a 3" diameter hole in the worksurface.

Standard Includes

Required to Specify

► Need help? Product details, page 52 Package of 10 grommets: black plastic

Style number

Specification Information

·Style Number	·U.S. Price	
:	:	
TSAEGROM	\$85	

Worksurface-Mounted Receptacle Packages



Standard Includes Required to Specify Style number

► Need help? · Package of three

· Duplex receptacles: black plastic only Product details, page 52

· 9' cord with three-prong plug: black plastic only

Specificat	tion Information		
Style Number	·U.S. Price		
TSAERPW	\$277		

Worksurface-Mounted Communication Module Packages



Tip: Many of the AMP, AT&T, Krone, Leviton, and other commercially available data terminals can be used-terminals must be of a design that will snap into 0.695 x 0.650, 0.590 x 0.790, or 0.590 x 0.750 openings, in 0.064 maximum thick face plates.

Tip: Order jacks by calling any of the manufacturers listed below:

- · AMP Corporation 1.800.522.6752
- Leviton
- 1.800.722.2082
- Lucent 1.800.344.0223
- Krone 1.800.775.5766
- Punduit 1.800.777.3300

Standard Includes	Required to Specify

► Need help? Product details, page 52

· Package of three • Communication housing includes face plates to

accommodate customer-supplied voice/data jacks: black plastic only

Style number

Specification Information							
• Style Number	· U.S. Price						
TSAERDW	\$177						


Jniversal Systen Vorksurfaces

Specifying Universal Systems Worksurfaces

Worksurfaces	
Straight Worksurfaces	220
Parametric Straight Worksurfaces	224
Straight Worksurfaces with Soft Edge Profile	228
Parametric Straight Worksurfaces with Soft Edge Profile	230
120° Straight Worksurface	234
Transition Worksurfaces	236
Tapered Worksurfaces	238
Tapered Worksurfaces with Soft Edge Profile	239
Taper-Flat Worksurfaces	240
Single-Tapered Worksurfaces	241
Corner, Flat-Front Worksurfaces	242
Dual Corner, Flat-Front Worksurfaces	243
Corner, Straight-Front Worksurfaces	244
Corner, Curved-Front Worksurfaces	245
Extended Corner, Straight-Front Worksurfaces	246
Extended Corner, Curved-Front Worksurfaces	248
Corner, 120° Worksurfaces	250
Spanner Worksurfaces	251
Bullet Peninsula Worksurfaces	252
Angled Peninsula Worksurfaces	253
Jetty Worksurfaces	254
Bubble Jetty Worksurfaces	256
Visitor Worksurfaces	258
Power and Data Access Door & Tray	260
Worksurface Accessories	261
Panel-Mounted Universal Systems Worksurface Supports	262
Legs and Columns for Universal Systems Worksurfaces	266
Divisio Side Screen	269

Straight Worksurfaces

High-Pressure Laminate or Wood Veneer



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long worksurface spans require additional support.

See understanding section for details, page 88

For wood and laminate group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, US1830 becomes US1830SW for wood with square edge profile.)

Tip: Power and data access door and tray is ordered separately to be used with cutout.

- ► See page 260
- See page 94 for worksurface size availability matrix.

Tip: Scallop will be omitted if you select power access door.

Tip: Power access door option includes the power access door and a cutout for the door in the worksurface.

Tip: Power access door option is only available on straight worksurfaces with 1/2" cord drop.

Standard Includes

Need help?
Product details,
page 86

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- Laminate worksurface:
- -Plastic 3 mm edge or knife edge on front edge
- -Plastic default flat profile on side and back edges
- · Wood worksurface:
 - -Wood 3 mm edge profile on front edge
- -Matching veneer flat profile on side and back edges
- · Cable scallop on back edge

Required to Specify

- 1 Style number with appropriate edge profile suffix
- K Laminate with knife edge
- **SW** Wood with square edge
- See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate	worksurfaces	
Materials	Laminate price group 2	See information at left	Specify laminate color number.
	Laminate price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102	See Surface Materials Reference Manual
		plus cost of laminate	
	Wood veneer worksurfac	es	
	Wood group 2	See information at left	Specify wood color number.
	Wood group 3	See information at left	Specify wood color number.
	Customiz stain	No cost	Specify with Customiz stain.
			See Surface Materials Reference Manual
	• Full-fill finish on wood group 1	Prices at right	Specify full-fill finish number.
	Doors		
	Paint	No cost	Specify paint color.
	 Anodized aluminum 	+\$ 12 per door	Specify with 8043 Clear Anodized
			Aluminum.
Scallop	Omit scallop	No cost	Specify omit scallop.
Cutout for Power	Cutout	No cost	Specify with cutout for power and data
and Data Access Door and Tray			access door.
Power	Applies to 30"W		
Access	No power access	No cost	Specify with no power access.
Door	 Power access door center 	+\$136	Specify with power access door center.
	Applies to 36"W to 48"W		
	 No power access 	No cost	Specify with no power access.
	 Power access door center 	+\$136	Specify with power access door center.
	 Power access door left 	+\$136	Specify with power access door left.
	 Power access door right 	+\$136	Specify with power access door right.
	Applies to 54"W to 66"W		
	 No power access 	No cost	Specify with no power access.
	 Power access door center 	+\$136	Specify with power access door center.
	 Power access door left 	+\$136	Specify with power access door left.
	 Power access door right 	+\$136	Specify with power access door right.
	 Power access door left and right 	+\$272	Specify with power access door left and right.
	Applies to 72"W to 96"W		
	 No power access 	No cost	Specify with no power access.
	Power access door center	+\$136	Specify with power access door center.
	Power access door left	+\$136	Specify with power access door left.
	Power access door right	+\$136	Specify with power access door right.
	Power access door left	+\$272	Specify with power access door left and
	and right	· Ψ= / =	right.
	Power access door left	+\$272	Specify with power access door left and
	and center	· Ψ=- =	center.
	Power access door right and	+\$272	Specify with power access door right and
	contor	. =	contor

220

Specify with power access door left, right,

and center.

+\$408

center

· Power access door left,

right, and center

Related Products

- Panel-mounted Universal Systems worksurface supports

- Page 262Page 263Page 266
- Reinforcing channel
 Legs and supports for Universal Systems Worksurfaces

Specificat	tion Infor	mation							
		U.S. Base High-Press	Prices sure Laminate	Wood		U.S. Base Pr High-Pressu		;	
Dimensions A B	•Style Number	· Plastic 3 mm Edge	Plastic Knife Edge	• Wood • Square • Edge	• Option (Add \$ to Base Price)	• Dimensions A B	• Style Number	· Plastic 3 mm Edge	• Plastic Knife Edge
		No Suffix	Suffix K	Suffix SW	Full-Fill Finish on Wood Group 1			No Suffix	Suffix K
With ½" C	ord Drop					With Full D	epth		
183/8" 24"	US1824	\$254	\$ 373	N.A.	N.A.	187/8" 24"	WS1824	\$254	\$ 375
183/8" 30"	US1830	\$275	\$ 393	\$1000	+\$55	187/8" 30"	WS1830	\$275	\$ 396
83/8" 36"	US1836	\$295	\$ 414	\$1020	+\$56	187/8" 36"	WS1836	\$295	\$ 416
183/8" 42"	US1842	\$319	\$ 465	\$1164	+\$62	187/8" 42"	WS1842	\$319	\$ 467
183/8" 48"	US1848	\$385	\$ 531	\$1230	+\$63	187/8" 48"	WS1848	\$385	\$ 533
83/8" 54"	US1854	\$412	\$ 557	\$1257	+\$66	187/8" 54"	WS1854	\$412	\$ 560
183/8" 60"	US1860	\$444	\$ 621	\$1439	+\$73	187/8" 60"	WS1860	\$444	\$ 624
183/8" 66"	US1866	\$516	\$ 690	N.A.	N.A.	187/8" 66"	WS1866	\$516	\$ 696
183/8" 72"	US1872	\$576	\$ 750	N.A.	N.A.	187/8" 72"	WS1872	\$576	\$ 756
183/8" 78"	US1878	\$736	\$ 923	N.A.	N.A.	187/8" 78"	WS1878	\$736	\$ 932
183/8" 84"	US1884	\$776	\$ 962	N.A.	N.A.	187/8" 84"	WS1884	\$776	\$ 972
183/8" 90"	US1890	\$822	\$1008	N.A.	N.A.	187/8" 90"	WS1890	\$822	\$1018
183/8" 96"	US1896	\$860	\$1047	N.A.	N.A.	187/8" 96"	WS1896	\$860	\$1056
231/2" 24"	US2424	\$282	\$ 402	\$1007	+\$55	24" 24"	WS2424	\$282	\$ 403
231/2" 30"	US2430	\$305	\$ 423	\$1030	+\$55	24" 30"	WS2430	\$305	\$ 426
231/2" 36"	US2436	\$319	\$ 440	\$1044	+\$56	24" 36"	WS2436	\$319	\$ 440
231/2" 42"	US2442	\$346	\$ 491	\$1191	+\$62	24" 42"	WS2442	\$346	\$ 494
231/2" 48"	US2448	\$410	\$ 556	\$1255	+\$63	24" 48"	WS2448	\$410	\$ 558
231/2" 54"	US2454	\$440	\$ 582	\$1285	+\$66	24" 54"	WS2454	\$440	\$ 588
231/2" 60"	US2460	\$464	\$ 643	\$1459	+\$73	24" 60"	WS2460	\$464	\$ 644
231/2" 66"	US2466	\$521	\$ 701	\$1516	+\$75	24" 66"	WS2466	\$521	\$ 701
231/2" 72"	US2472	\$582	\$ 760	\$1577	+\$77	24" 72"	W\$2472	\$582	\$ 762
231/2" 78"	US2478	\$780	\$ 967	N.A.	N.A.	24" 78"	WS2478	\$780	\$ 976
231/2" 84"	US2484	\$868	\$1051	N.A.	N.A.	24" 84"	WS2484	\$868	\$1064
231/2" 90"	US2490	\$895	\$1081	N.A.	N.A.	24" 90"	WS2490	\$895	\$1091
231/2" 96"	US2496	\$959	\$1142	N.A.	N.A.	24" 96"	WS2496	\$959	\$1155

▶ Specification Information, continued on next page

▶ Specification Information, continued from previous page

		U.S. Base High-Press	Prices sure Laminate	Wood			Base Pri Pressure	ces e Laminate		
Dimensions A B	•Style Number	Plastic 3 mm Edge	Plastic Knife Edge	• Wood Square Edge	• Option (Add \$ to Base Price)	• Dime	ensions B	•Style Number	Plastic 3 mm Edge	Plastic Knife Edge
		No Suffix	Suffix K	Suffix SW	Full-Fill Finish on Wood Group 1				No Suffix	Suffix K
Nith ¹ /2" C	ord Drop					With	Full D	epth		
291/2" 24"	US3024	\$399	\$517	\$1124	+\$55	30"	24"	W\$3024	\$399	\$520
291/2" 30"	US3030	\$414	\$532	\$1139	+\$56	30"	30"	WS3030	\$414	\$535
291/2" 36"	US3036	\$444	\$560	\$1169	+\$59	30"	36"	WS3036	\$444	\$565
291/2" 42"	US3042	\$464	\$608	\$1309	+\$63	30"	42"	WS3042	\$464	\$612
291/2" 48"	US3048	\$528	\$675	\$1373	+\$66	30"	48"	WS3048	\$528	\$676
.9 ¹ / ₂ " 54"	US3054	\$568	\$710	\$1413	+\$69	30"	54"	WS3054	\$568	\$716
291/2" 60"	US3060	\$603	\$778	\$1598	+\$75	30"	60"	W\$3060	\$603	\$783
.9 ¹ / ₂ " 66"	US3066	\$655	\$831	\$1650	+\$77	30"	66"	WS3066	\$655	\$835
.9 ¹ / ₂ " 72"	US3072	\$717	\$891	\$1712	+\$78	30"	72"	WS3072	\$717	\$897
35 ¹ / ₂ " 60"	US3660	\$655	N.A.	N.A.	N.A.					
35 ¹ / ₂ " 66"	US3666	\$710	N.A.	N.A.	N.A.					
35 ¹ / ₂ " 72"	US3672	\$770	N.A.	N.A.	N.A.					

Tip: $35^{1}/_{2}$ "D worksurfaces can only be used in freestanding applications.


Parametric Straight Worksurfaces

► Need help?

page 86

Product details,

High-Pressure Laminate or Wood Veneer



Standard Includes

· Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer

- · Laminate worksurface:
- Plastic 3 mm edge profile or knife edge profile on front
- Plastic default flat profile on side and back edges
- · Wood worksurface:
- Wood square edge profile on front edge
- Matching veneer flat profile on side and back edges
- Depth: 18"D 36"D
- Width: 18"W 120"W

Required to Specify

- 1 Style number
- 2 Worksurface size type (see below under Required Selections)
- 3 Depth (see below under Required Selections)
- 4 Width (see below under Required Selections)
- 5 User edge profile
- 6 High-Pressure Laminate or wood color number for worksurface
- 7 Plastic color number for front edge on laminate worksurface, if selected
- 8 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Required Select	ions U.S. Price	Required to Specify	
Worksurface Size Type	 Modular Parametric	No cost No cost	Specify with modular. Specify with parametric.	
Depth	Modular Parametri • 18%"D 18"D−23 ⁷ /₁6 • 24"D 23½"D−29 ⁷ /₂"D−35 ⁷ /₂ • 30"D 29½"D−35 ⁷ /₂"D−36"	"D Prices at right /16"D Prices at right /16"D Prices at right	Specify depth. Specify depth. Specify depth. Specify depth.	
Width	Modular 18"W 24"W 24"W 2915/ 30"W 30"W-3515/ 42"W 42"W-4715/ 48"W 48"W-5315/ 54"W 54"W-5915/ 60"W 60"W-6515/ 66"W 66"W-7115/ 72"W 72"W-7715/ 78"W 78"W-8315/ 90"W 90"W-9515/ 90"W 90"W-9515/ 96"W 90"W-9515/ 102"W 102"W-1011/ 102"W 108"W-113/ 114"W 114"W-119/ 120"W 120"W	He"W Prices at right Prices at right He"W Prices at right	Specify width.	

Tip: Long worksurface spans require additional support. ► See understanding section for details, page 90.

Surface **Materials**

High-Pressure Laminate worksurfaces

- · Laminate price group 2
- Laminate price group 3
- See information at left · Open Line laminate +\$102
- Specify laminate color number.
- Specify laminate color number. See Surface Materials Reference Manual.

Required to Specify

plus cost of laminate

U.S. Price

Prices at right

No cost

See information at left

Wood veneer worksurfaces

· Wood group 2 · Wood group 3 · Customiz stain

Options

- See information at left No cost
- See information at left Specify wood color number. Specify wood color number. Specify with Customiz stain.

Specify with no direction.

See Surface Materials Reference Manual. Specify full-fill finish number.

· Full-fill finish on wood group 1

Wood grain direction No direction No cost · Long grain No cost

Door

· Short grain

 Paint No cost · Anodized aluminum +\$ 12

Specify paint color number. Specify with 8043 Clear Anodized

Specify with long grain direction. Specify with short grain direction.

Aluminum.

Tip: Short grain laminate is only available on surfaces 60"W or less.

For wood and laminate

please refer to the electronic

group 2 and 3 pricing,

catalog or SmartTools.

▶Options, continued on next page

▶Options, continued from previous page

Tip: When selecting with cord drop, subract $\frac{1}{2}$ " from depth.

Tip: Scallop is available in the center location only. If cutout for power and data access door and tray or power access door is selected, scallop will default to omit scallop.

Tip: Power and data access door and tray is ordered separately to be used with cutout.

- ▶ Page 260
- See page 94 for worksurface size availability matrix.

Tip: Cutout for power and data access door and tray is available in the center location only. Worksurface depth must be greater than 24".

Tip: Power access door option is only available on straight worksurfaces with 1/2" cord drop.

Tip: Power access door option includes the power access door and a cutout for the door in the worksurface.

Tip: If cutout for power and data access door and tray or power access door is selected, grommet will default to no grommet.

	Options	U.S. Price	Required to Specify					
Cord Drop	No cord drop	No cost	Specify without cord drop.					
•	• ½" cord drop	No cost	Specify with $1/2$ " cord drop.					
Scallop	Scallop	No cost	Specify with scallop.					
	Omit scallop	No cost	Specify with no scallop.					
Cutout for Power	Applies to 48"W to 120"W							
and Data Access Door and Tray	• Cutout	No cost	Specify with cutout for power and data access door.					
Power Access	Applies to 30"W to 3515/16	"W						
Door	No power access	No cost	Specify with no power access.					
	Power access door center	+\$136	Specify with power access door center.					
	Applies to 36"W to 51 ¹⁵ / ₁₆	"W						
	 No power access 	No cost	Specify with no power access.					
	 Power access door center 	+\$136	Specify with power access door center.					
	Power access door left	+\$136	Specify with power access door left.					
	Power access door right	+\$136	Specify with power access door right.					
	Applies to 52"W to 71 ¹⁵ / ₁₆							
	 No power access 	No cost	Specify with no power access.					
	 Power access door center 	+\$136	Specify with power access door center.					
	 Power access door left 	+\$136	Specify with power access door left.					
	 Power access door right 	+\$136	Specify with power access door right.					
	Power access door left and right	+\$272	Specify with power access door left and right.					
	Applies to 72"W to 120"W							
	 No power access 	No cost	Specify with no power access.					
	 Power access door center 	+\$136	Specify with power access door center.					
	 Power access door left 	+\$136	Specify with power access door left.					
	 Power access door right 	+\$136	Specify with power access door right.					
	 Power access door left and right 	+\$272	Specify with power access door left.					
	Power access door left and	+\$272	Specify with power access door left and					
	enterPower access door right	+\$272	center. Specify with power access door right and					
	and center	·	center.					
	· Power access door left, right,	+\$408	Specify with power access door left, righ					
	and center		and center.					
Grommet	No grommet cutout	No cost	Specify with no grommet cutout.					
Cutout	 2 inch grommet cutout 	No cost	Specify with 2 inch grommet cutout.					
	3 inch grommet cutout	No cost	Specify with 3 inch grommet cutout.					
Grommet	Applies to 18"W to 24 ¹⁵ / ₁₆ "W							
Location	Center	No cost	Specify with center grommet.					
	Applies to 25"W to 33 ¹⁵ / ₁₆	"W						
	Center	No cost	Specify with center grommet.					
	• Left	No cost	Specify with left grommet.					
	• Right	No cost	Specify with right grommet.					
	Right and left	No cost	Specify with right and left grommet.					
	Applies to 34"W to 120"W							
	Center	No cost	Specify with center grommet.					
	• Left	No cost	Specify with left grommet.					
	Right	No cost	Specify with right grommet.					
	Right and left	No cost	Specify with right and left grommet.					
	Left and center	No cost	Specify with left and center grommet.					
	Right and center	No coet	Specify with right and center grommet					

No cost

No cost

Specify with right and center grommet.

Specify with right, left, and center grommet.


· Right and center

· Right, left, and center

• 3" grommet package

Related Products Worksurface power and communication components Panel-mounted Universal Systems worksurface supports Reinforcing channel Legs and supports for Universal Systems Worksurfaces Divisio side screen Divisio side screen Page 269 Page 269 Page 261

Page 261



Tip: Dimension A = depth and dimension B = width.

Tip: Side and back edges of worksurface default to a flat profile.

Tip: Worksurfaces greater than 30"D can only be used in freestanding applications.

• Style Number	Dimension	ons	· U.S. Pri	ces				
	:		Modular 18"W	24"W	: 30"W	:36"W	: 42"W	48"W
	Modular Depth	Parametric Pa Depth	rametric : 18"W– Width : 23 ¹⁵ / ₁₆ "W	24"W- 29 ¹⁵ / ₁₆ "W	30"W- 35 ¹⁵ / ₁₆ "W	36"W- 41 ¹⁵ / ₁₆ "W	42"W- 47 ¹⁵ / ₁₆ "W	48"W- 53 ¹⁵ ⁄ ₁₆ "W
3 mm Ed	ge Profile	e – Laminate						
USWS	187⁄8"D	18"D - 23 ⁷ / ₁₆ "D	\$ 234	\$ 254	\$ 275	\$ 295	\$ 319	\$ 385
	24"D	23½"D – 29½16"E	\$ 265	\$ 282	\$ 305	\$ 319	\$ 346	\$ 410
	30"D	29½"D – 35½"E	\$ 380	\$ 399	\$ 414	\$ 444	\$ 464	\$ 528
	36"D	35½"D – 36"D	\$ 455	\$ 473	\$ 494	\$ 514	\$ 538	\$ 603
•	:		:	:	:	:	:	:
Knife Ed	ge Profile	e – Laminate						
USWSK	187⁄8"D	18"D - 23 ⁷ / ₁₆ "D	\$ 355	\$ 374	\$ 395	\$ 416	\$ 469	\$ 533
	24"D	23½"D – 29½16"E	\$ 385	\$ 402	\$ 427	\$ 441	\$ 494	\$ 560
	30"D	29½"D – 35½"E	\$ 501	\$ 519	\$ 534	\$ 566	\$ 613	\$ 678
	36"D	35½"D – 36"D	\$ 576	\$ 596	\$ 613	\$ 633	\$ 686	\$ 750
:	:		:	:	:	:	:	:
Square E	dge Prof	ile – Wood						
USWSSW	18 ⁷ / ₈ "D	18"D – 23 ⁷ / ₁₆ "D	\$ 930	\$ 980	\$ 998	\$1021	\$1164	\$1230
	24"D	23½"D – 29½16"D	\$ 959	\$1010	\$1028	\$1045	\$1189	\$1255
	30"D	29½"D – 35½16"D	\$1073	\$1124	\$1137	\$1167	\$1311	\$1376
	36"D	35½"D – 36"D	\$1297	\$1348	\$1365	\$1401	\$1571	\$1650

[▶] Specification Information, continued on next page

▶ Specification Information, continued from previous page


54"W	: 60"W	:66"W	72"W	: 78"W	84"W	90"W	96"W	: 102"W	: 108"W	: 114"W	: 120"W
54"W- 59 ¹⁵ / ₁₆ "W	60"W- 65 ¹⁵ / ₁₆ "W	66"W- 71 ¹⁵ / ₁₆ "W	72"W- 77 ¹⁵ / ₁₆ "W	: 78"W- : 83 ¹⁵ / ₁₆ "W	84"W- 89 ¹⁵ ⁄ ₁₆ "W	90"W- 95 ¹⁵ / ₁₆ "W	96"W- 101 ¹⁵ / ₁₆ "W	102"W- 107 ¹⁵ / ₁₆ "W	: 108"W- : 113 ¹⁵ ⁄ ₁₆ "W	: 114"W– : 119 ¹⁵ ⁄ ₁₆ "W	120"W
\$ 412	\$ 444	\$ 516	\$ 576	\$ 736	\$ 776	\$ 822	\$ 860	\$ 901	\$ 943	\$ 982	\$1021
\$ 440	\$ 464	\$ 521	\$ 582	\$ 780	\$ 868	\$ 895	\$ 959	\$1000	\$1045	\$1088	\$1129
\$ 568	\$ 603	\$ 655	\$ 717	\$ 925	\$ 966	\$1007	\$1046	\$1085	\$1126	\$1165	\$1208
\$ 632	\$ 655	\$ 710	\$ 770	\$ 966	\$1160	\$1208	\$1255	\$1303	\$1352	\$1398	\$1448
:	:	:	:	:	:	:	:	:	:	:	:
\$ 561	\$ 623	\$ 698	\$ 755	\$ 932	\$ 970	\$1016	\$1055	\$1109	\$1151	\$1189	\$1230
\$ 586	\$ 647	\$ 705	\$ 764	\$ 973	\$1058	\$1092	\$1154	\$1210	\$1252	\$1295	\$1340
\$ 715	\$ 786	\$ 837	\$ 899	\$1121	\$1161	\$1199	\$1240	\$1293	\$1334	\$1376	\$1414
\$ 782	\$ 837	\$ 888	\$ 953	\$1161	\$1353	\$1401	\$1451	\$1512	\$1561	\$1607	\$1655
:	:	:	:	:	:	:	:	:	:	:	:
\$1257	\$1439	\$1513	\$1571	\$1695	\$1908	\$1949	\$1995	\$2066	\$2105	\$2145	\$2217
\$1284	\$1463	\$1519	\$1578	\$1711	\$1940	\$2024	\$2057	\$2148	\$2193	\$2236	\$2309
\$1412	\$1600	\$1652	\$1713	\$1857	\$2096	\$2137	\$2176	\$2248	\$2289	\$2328	\$2400
\$1695	\$1919	\$1984	\$2060	\$2229	\$2515	\$2566	\$2613	\$2697	\$2746	\$2797	\$2881

Straight Worksurfaces with Soft Edge Profile

High-Pressure Laminate or Wood Veneer

► Need help? Product details,

page 86



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Standard Includes

- Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
- Plastic antimicrobial soft edge profile centered on worksurface
- Plastic 3 mm edge profile on balance of front edge
- Plastic flat profile on side an back edges
- · Wood group 1 worksurface:
- Wood 3 mm edge profile on front edge
- Plastic soft edge centered on worksurface
- Matching veneer flat profile on side and back edges
- · Cable scallop on back edge

Required to Specify

- Style number with appropriate edge profile suffix
- **WS** Wood with square edge ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 360.

For wood and laminate group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

Tip: Long worksurface spans require additional support.

See understanding section for details, page 88

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, US2448S becomes US2448SWS for wood with square edge profile.)

Tip: Power and data access door and tray is ordered separately to be used with cutout.

See page 94 for worksurface size availability matrix.

Exception: 48"W worksurface with soft edge cannot have a post leg at the front edge.

	Out! and	HA Div	Description Library and the Company of the Company						
	Options	U.S. Price	Required to Specify						
Surface	High-Pressure Laminate worksurfaces								
Materials	Laminate price group 2	See information at left	Specify laminate color number.						
	 Laminate price group 3 	See information at left	Specify laminate color number.						
	Open Line laminate	+\$102 plus cost of laminate	See Surface Materials Reference Manual.						
	Wood veneer worksurfac	es							
	Wood group 2	See information at left	Specify wood color number.						
	 Wood group 3 	See information at left	Specify wood color number.						
	 Customiz stain 	No cost	Specify with Customiz stain.						
			See Surface Materials Reference Manual.						
	• Full-fill finish on wood group 1	Prices at right	Specify full-fill finish number.						
Soft Edge	Antimicrobial edge	No cost	Specify with antimicrobial soft edge.						
	 No antimicrobial edge 	No cost	Specify without antimicrobial soft edge.						
Scallop	Omit scallop	No cost	Specify omit scallop.						
Cutout for Power and Data Access Door and Tray	• Cutout	No cost	Specify with cutout for power and data access door.						
Related	Panel-mounted Universal System	ems worksurface supports	▶Page 262						
Products	Reinforcing channel		▶ Page 263						
	Legs and supports for Universal	al Systems Worksurfaces	Page 266						

Spe	cificati	ion Infori	mation						
			U.S. Base Price High-Pressure Laminate						U.S. Base Price High-Pressure Laminate
Dime A	ensions B	Style Number	Soft Edge Profile with Plastic 3 mm Edge	Soft Edge Profile with Wood Square Edge	• Option (Add \$ to Base Price)	• Dime	ensions B	•Style Number	Soft Edge Profile with Plastic 3 mm Edge
		:	No Suffix	Suffix WS	Full-Fill Finish on Wood Group 1	:			No Suffix
With	½" Co	ord Drop				With	r Full Do	epth	
231/2"	48"	US2448S	\$ 896	\$1741	+\$63	24"	48"	WS2448S	\$ 896
231/2"	54"	US2454S	\$ 926	\$1771	+\$66	24"	54"	WS2454S	\$ 926
231/2"	60"	US2460S	\$ 950	\$1945	+\$73	24"	60"	WS2460S	\$ 950
231/2"	66"	US2466S	\$1007	\$2002	+\$75	24"	66"	WS2466S	\$1007
231/2"	72"	US2472S	\$1068	\$2063	+\$77	24"	72"	WS2472S	\$1068
231/2"	78"	US2478S	\$1266	N.A.	N.A.	24"	78"	WS2478S	\$1266
231/2"	84"	US2484S	\$1354	N.A.	N.A.	24"	84"	WS2484S	\$1354
231/2"	90"	US2490S	\$1381	N.A.	N.A.	24"	90"	WS2490S	\$1381
231/2"	96"	US2496S	\$1445	N.A.	N.A.	24"	96"	WS2496S	\$1445
291/2"	48"	US3048S	\$1014	\$1859	+\$66	30"	48"	WS3048S	\$1014
291/2"	54"	US3054S	\$1054	\$1899	+\$69	30"	54"	WS3054S	\$1054
291/2"	60"	US3060S	\$1089	\$2084	+\$75	30"	60"	WS3060S	\$1089
291/2"	66"	US3066S	\$1141	\$2136	+\$77	30"	66"	WS3066S	\$1141
29 ¹ / ₂ "	72"	US3072S	\$1203	\$2198	+\$78	30"	72"	WS3072S	\$1203


Parametric Straight Worksurfaces with Soft Edge Profile

High-Pressure Laminate or Wood Veneer

► Need help?

page 94

Product details,



Standard Includes

· Worksurface: High-Pressure Laminate price group 1 or

- wood group 1 veneer
- · Laminate worksurface: - Plastic antimicrobial soft edge profile centered on worksurface
 - Plastic 3 mm edge profile or knife edge profile on front
- Plastic default flat profile on side and back edges
- · Wood worksurface:
- Plastic antimicrobial soft edge centered on worksurface
- Wood square edge profile on front edge
- Matching veneer flat profile on side and back edges
- Depth: 18"D 36"D
- Width: 18"W 120"W

Required Selections

- Required to Specify
- 1 Style number 2 Worksurface size type (see below under Required Selections)
- 3 Depth (see below under Required Selections)
- 4 Width (see below under Required Sections)
- 5 User edge profile (see below)
- 6 High-Pressure Laminate or wood color number for worksurface
- 7 Plastic color number for front edge on laminate worksurface, if selected
- 8 Options, if selected (see below)

Required to Specify

► See Surface Materials, page 360.

Tip: Long worksurface spans
require additional support.
► See understanding section
for details, page 90

Worksurface Size Type	ModularParametric		No cost No cost	Specify with modular. Specify with parametric.
Depth	Modular	Parametric		
	• 18 ⁷ / ₈ "D	18"D-23 ⁷ / ₁₆ "D	Prices at right	Specify depth.
	• 24"D	23 ¹ / ₂ "D-29 ⁷ / ₁₆ "D	Prices at right	Specify depth.
	• 30"D	29 ¹ / ₂ "D-35 ⁷ / ₁₆ "D	Prices at right	Specify depth.
	• 36"D	35½"D-36"D	Prices at right	Specify depth.
Width	Modular	Parametric		
	• 48"W	48"W-53 ¹⁵ / ₁₆ "W	Prices at right	Specify width.
	• 54"W	54"W-59 ¹⁵ / ₁₆ "W	Prices at right	Specify width.
	• 60"W	60"W-65 ¹⁵ / ₁₆ "W	Prices at right	Specify width.
	• 66"W	66"W-71 ¹⁵ / ₁₆ "W	Prices at right	Specify width.
	• 72"W	72"W-77 ¹⁵ / ₁₆ "W	Prices at right	Specify width.
	• 78"W	78"W-83 ¹⁵ / ₁₆ "W	Prices at right	Specify width.
	• 84"W	84"W-89 ¹⁵ / ₁₆ "W	Prices at right	Specify width.
	• 90"W	90"W-95 ¹⁵ / ₁₆ "W	Prices at right	Specify width.
	• 96"W	96"W-101 ¹⁵ / ₁₆ "W	Prices at right	Specify width.
	• 102"W	102"W-107 ¹⁵ / ₁₆ "W	Prices at right	Specify width.
	• 108"W	108"W-113 ¹⁵ / ₁₆ "W	Prices at right	Specify width.
	• 114"W	114"W-119 ¹⁵ / ₁₆ "W	Prices at right	Specify width.
	• 120"W	120"W	Prices at right	Specify width.

U.S. Price

	Surface
For wood and laminate	Materials
group 2 and 3 pricing,	

High-Pressure Laminate worksurfaces

See information at left Laminate price group 2 · Laminate price group 3

Open Line laminate

See information at left +\$102 plus

U.S. Price

Specify laminate color number. Specify laminate color number.

Required to Specify

See Surface Materials Reference Manual.

cost of laminate

Wood veneer worksurfaces

· Wood group 2 · Wood group 3 Customiz stain

Options

See information at left See information at left No cost

Specify wood color number. Specify wood color number. Specify with Customiz stain.

· Full-fill finish on wood group 1 Prices at right See Surface Materials Reference Manual. Specify full-fill finish number.

Wood grain direction

· No direction No cost · Long grain No cost Short grain No cost

Specify with no direction.

Tip: Short grain laminate is only available on surfaces 60"W or less.

please refer to the electronic

catalog or SmartTools.

Door

No cost · Anodized aluminum +\$ 12

Specify paint color number. Specify with 8043 Clear Anodized

Aluminum.

Specify with long grain direction.

Specify with short grain direction.

Tip: Soft edge is available with or without 1/2" cord drop.

Soft Edge

· Antimicrobial edge · No antimicrobial edge No cost No cost

Specify with antimicrobial edge. Specify without antimicrobial edge.

▶Options, continued on next page

▶Options, continued from previous page

Tip: When selecting with cord drop, subract $\frac{1}{2}$ " from depth.

Tip: Scallop is available in the center location only. If cutout for power and data access door and tray or power access door is selected, scallop will default to omit scallop.

Tip: Power and data access door and tray is ordered separately to be used with cutout.

- ▶ Page 260
- See page 94 for worksurface size availability matrix.

Tip: Cutout for power and data access door and tray is available in the center location only. Worksurface depth must be greater than 24".

Tip: Power access door option is only available on straight worksurfaces with ½" cord drop.

Tip: Power access door option includes the power access door and a cutout for the door in the worksurface.


Tip: If cutout for power and data access door and tray or power access door is selected, grommet will default to no grommet.

Options, continue	ed from previous page					
	Options	U.S. Price	Required to Specify			
Cord Drop	No cord drop	No cost	Specify without cord drop.			
2014 210 p	• ½" cord drop	No cost	Specify with ½" cord drop.			
Scallop	Scallop	No cost	Specify with scallop.			
	Omit scallop	No cost	Specify with no scallop.			
Cutout for Power	Applies to 48"W to 120"W	1				
and Data Access Door and Tray	Cutout	No cost	Specify with cutout for power and data access door.			
Power Access	Applies to 48"W to 51 ¹⁵ / ₁₆	"W				
Door	No power access	No cost	Specify with no power access.			
	 Power access door center 	+\$136	Specify with power access door center.			
	 Power access door left 	+\$136	Specify with power access door left.			
	 Power access door right 	+\$136	Specify with power access door right.			
	Applies to 52"W to 71 ¹⁵ / ₁₆	"W				
	 No power access 	No cost	Specify with no power access.			
	 Power access door center 	+\$136	Specify with power access door center.			
	 Power access door left 	+\$136	Specify with power access door left.			
	 Power access door right 	+\$136	Specify with power access door right.			
	· Power access door left and right	+\$272	Specify with power access door left and			
	· ·		right.			
	Applies to 72"W to 120"W	1				
	 No power access 	No cost	Specify with no power access.			
	 Power access door center 	+\$136	Specify with power access door center.			
	 Power access door left 	+\$136	Specify with power access door left.			
	 Power access door right 	+\$136	Specify with power access door right.			
	Power access door left and right	+\$272	Specify with power access door left and right.			
	Power access door left and center	+\$272	Specify with power access door left and center.			
	Power access door right and center	+\$272	Specify with power access door right and center.			
	Power access door left, right,	+\$408	Specify with power access door left, right,			
	and center	1φ400	and center.			
Grommet	No grommet cutout	No cost	Specify with no grommet cutout.			
Cutout	2" grommet cutout	No cost	Specify with 2" grommet cutout.			
	3" grommet cutout	No cost	Specify with 3" grommet cutout.			
Grommet	Applies to 48"W to 120"W	1				
Location	Center	No cost	Specify with center grommet.			
	• Left	No cost	Specify with left grommet.			
	Right	No cost	Specify with right grommet.			
	Right and left	No cost	Specify with right and left grommet.			
	Left and center	No cost	Specify with left and center grommet.			
	Right and center	No cost	Specify with right and center grommet.			
	Right, left, and center	No cost	Specify with right, left, and center grommet			
Related	Worksurface power and commu	inication components	▶ Page 216			
Products	 Panel-mounted Universal Syste 		▶ Page 262			
	Reinforcing channel	• •	▶ Page 263			
	 Legs and supports for Universa 	l Systems Worksurfaces	▶ Page 266			
	Divisio side screen		▶ Page 269			
	 2½" round grommet 		▶ Page 261			
	3" grommet package		▶ Page 261			
	3 1 3		•			

▶ Specification Information, on next page

Parametric Straight Worksurfaces with Soft Edge Profile, High-Pressure Laminate or Wood Veneer, continued

▶Options, on previous page



Tip: Dimension A = depth and dimension B = width.

Tip: Side and back edges of worksurface default to a flat profile.

Tip: Worksurfaces greater than 30"D can only be used in freestanding applications.

Specifica	tion Info	rmation							
· Style · Number	Dimension	ons	· U.S. Pric	· U.S. Prices					
Number	:		Modular Width		: 54"W	: 60"W	: 66"W	: 72"W :	
:	Modular Depth	Parametric Depth	Parametric Width	: 48"W- : 53 ¹⁵ / ₁₆ "W	54"W- 59 ¹⁵ / ₁₆ "W	60"W- 65 ¹⁵ / ₁₆ "W	: 66"W- : 71 ¹⁵ / ₁₆ "W	72"W- 77 ¹⁵ / ₁₆ "W	
3 mm Edg	e Profile	– Laminate							
USWSS	18 ⁷ / ₈ "D	18"D – 23 ⁷ / ₁₆ "D		\$ 871	\$ 895	\$ 928	\$ 998	\$1058	
	24"D	23½"D – 29½16"D	,	\$ 892	\$ 923	\$ 950	\$1008	\$1067	
	30"D	29½"D – 35½"B)	\$1014	\$1051	\$1088	\$1137	\$1202	
	36"D	35½"D – 36"D		\$1159	\$1187	\$1218	\$1273	\$1334	
Square Ed	ge Profil	e – Wood							
USWSSWS	18 ⁷ / ₈ "D	18"D - 23 ⁷ / ₁₆ "D		\$1713	\$1739	\$1924	\$1999	\$2057	
	24"D	23½"D – 29½16"D		\$1737	\$1768	\$1946	\$2005	\$2064	
	30"D	29½"D – 35½"B)	\$1858	\$1897	\$2085	\$2137	\$2200	
	36"D	35½"D – 36"D		\$2133	\$2177	\$2403	\$2466	\$2542	
	:	:		:	:	:	:	•	

[▶] Specification Information, continued on next page

▶ Specification Information, continued from previous page

: 78"W	84"W	90"W	96"W	102"W	108"W	114"W	: 120"W
: 78"W– : 83 ¹⁵ /16"W	: 84"W- : 89 ¹⁵ / ₁₆ "W	: 90"W- : 95 ¹⁵ /16"W	: 96"W- : 101 ¹⁵ / ₁₆ "W	: 102"W- : 107 ¹⁵ / ₁₆ "W	: 108"W– : 113 ¹⁵ / ₁₆ "W	: 114"W- : 119 ¹⁵ / ₁₆ "W	: 120"W
, 00 710 11	, 00 /10 11	,00 /10 11	. 101 710 11	. 107 710 17		, 1.0 /10 11	-
\$1220	\$1260	\$1307	\$1345	\$1388	\$1426	\$1466	\$1504
\$1264	\$1348	\$1381	\$1442	\$1486	\$1529	\$1571	\$1616
\$1410	\$1451	\$1490	\$1530	\$1570	\$1611	\$1651	\$1693
\$1451	\$1644	\$1693	\$1737	\$1788	\$1837	\$1886	\$1931
\$2177	\$2391	\$2435	\$2478	\$2550	\$2588	\$2630	\$2699
\$2197	\$2425	\$2510	\$2540	\$2633	\$2676	\$2722	\$2797
\$2341	\$2580	\$2619	\$2663	\$2733	\$2773	\$2811	\$2884
\$2715	\$3000	\$3049	\$3096	\$3182	\$3229	\$3279	\$3363
:	:	:	1	1	:		

120° Straight Worksurfaces

High-Pressure Laminate or Wood Veneer



Tip: Supports for freestanding panel-mounted applications must be specified separately.

Standard Includes

· Worksurface: High-Pressure Laminate price group 1 or Need help? Product details, wood group 1 veneer page 86

- · Laminate worksurface:
- -Plastic 3 mm edge profile, or plastic knife profile on front edge
- -Plastic default flat profile on side and back edges
- · Wood worksurface:
- -Wood 3 mm edge profile on front edge
- -Matching veneer flat profile on side and back edges
- · Cable scallop on back edge

Required to Specify

- 1 Style number with appropriate edge profile suffix
- K Laminate with knife edge
- **SW** Wood with square edge
- See edge profiles at right.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on
- laminate worksurface, if selected 4 Options, if selected (see below)
- ► See Surface Materials, page 360.

For wood and laminate group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

Tip: Long worksurface spans require additional support.

► See understanding section for details, page 88

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, USE2448LH becomes USE2448LHSW for wood with square edge profile.)

Tip: Power and data access door and tray is ordered separately to be used with cutout.

Related

Products

- ► See page 260
- See page 94 for worksurface size availability matrix.

Tip: When facing the user edge, the side the diagonal is on is the handed side.

Tip: Power access door option includes the power access door and a cutout for the door in the worksurface.

	Options	U.S. Price	Required to Specify							
Surface	High-Pressure Laminate									
Materials	 Laminate price group 2 	See information at left	Specify laminate color number.							
	 Laminate price group 3 	See information at left	Specify laminate color number.							
	 Open Line laminate 	+\$102	See Surface Materials Reference Manual.							
		plus cost of laminate								
	Wood veneer worksurfaces									
	 Wood group 2 	See information at left	Specify wood color number.							
	 Wood group 3 	See information at left	Specify wood color number.							
	 Customiz stain 	No cost	Specify with Customiz stain.							
			See Surface Materials Reference Manual.							
	 Full-fill finish on wood group 1 	Prices at right	Specify full-fill finish number.							
	Doors									
	 Paint 	No cost	Specify paint color.							
	 Anodized aluminum 	+\$ 12 per door	Specify with 8043 Clear Anodized							
			Aluminum.							
Scallop	Omit scallop	No cost	Specify omit scallop.							
Power	Applies to 48"W									
Access	 No power access 	No cost	Specify with no power access.							
Door	 Power access door center 	+\$136	Specify with power access door center.							
	 Power access door left 	+\$136	Specify with power access door left.							
	 Power access door right 	+\$136	Specify with power access door left.							
	Applies to 60"W									
	 No power access 	No cost	Specify with no power access.							
	 Power access door center 	+\$136	Specify with power access door center.							
	 Power access door left 	+\$136	Specify with power access door left.							
	 Power access door right 	+\$136	Specify with power access door right.							
	 Power access door left 	+\$272	Specify with power access door left and							
	and right		right.							
	Applies to 72"W									
	 No power access 	No cost	Specify with no power access.							
	 Power access door center 	+\$136	Specify with power access door center.							
	 Power access door left 	+\$136	Specify with power door left.							
	Power access door right	+\$136	Specify with power door right.							
	Power access door left	+\$272	Specify with power access door left and							
	and right	. 4070	and right.							
	Power access door left and center	+\$272	Specify with power access door left and							
	and center	, ¢070	center.							
	 Power access door right and center 	+\$272	Specify with power access door right and center.							
	 Power access door left, 	+\$408	Specify with power access door left,							
	right, and center		right, and center.							
	MC-to-cond-colePos		h D 400							

▶ Page 196

▶ Page 263


▶ Page 266

· Legs and supports for Universal Systems Worksurfaces


· Wiring and cabling

· Reinforcing channel

Specification Information U.S. Base Prices High-Pressure Laminate Wood ·Option Dimensions Style ·Plastic ·Plastic ·Wood (Add \$ to В C D Number 3 mm Knife Square Base Price) Edge Edge Edge Full-Fill Finish on No Suffix Suffix K **Suffix SW** Wood Group 1




Left-Hand With 1/2" Cord Drop $23^{1}\!/_{2}"\ 27^{1}\!/_{8}"\ 48"\ 61^{1}\!/_{16}"$ USE2448LH \$403 \$556 \$1267 +\$63 231/2" 271/8" 60" 739/16" USE2460LH \$458 \$643 \$1474 +\$73 $23^{1}\!/_{2}"\ 27^{1}\!/_{8}"\ 72''\ 85^{9}\!/_{16}"$ USE2472LH \$760 +\$77 \$574 \$1590 $29^{1}\!/_{2}"\ 34^{1}\!/_{16}"\ 48''\ 65^{1}\!/_{16}"$ USE3048LH \$520 \$675 \$1383 +\$66 $29^{1}\!/_{2}"\ 34^{1}\!/_{16"}\ 60"\ 77^{1}\!/_{16}"$ USE3060LH \$596 \$778 \$1611 +\$75 291/2" 341/16" 72" 891/16" USE3072LH \$709 \$891 \$1725 +\$78



Right-Hand With ½" Cord Drop					
23½" 27½" 48" 61½" USE2448RH	\$403	\$556	\$1267	+\$63	
23½" 27½" 60" 73½" USE2460RH	\$458	\$643	\$1474	+\$73	
23½" 27½" 72" 85¾6" USE2472RH	\$574	\$760	\$1590	+\$77	
29½" 34½" 48" 65½" USE3048RH	\$520	\$675	\$1383	+\$66	
29½" 34½" 60" 77½" USE3060RH	\$596	\$778	\$1611	+\$75	
29 ¹ / ₂ " 34 ¹ / _{16"} 72" 89 ¹ / ₁₆ " USE3072RH	\$709	\$891	\$1725	+\$78	

Transition Worksurfaces

High-Pressure Laminate or Wood Veneer



Tip: Illustration above shows a left-hand worksurface.

Tip: Supports for freestanding and panel-mounted applications must be specified separately.

For wood and laminate group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

Tip: Long worksurface spans require additional support. See understanding section for details, page 88


Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UT2136L becomes UT2136LSW for wood with square edge profile.)


Standard Includes


- ► Need help? Product details, page 86
- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- -Plastic 3 mm edge profile or plastic knife profile on front
- -Plastic default flat profile on side and back edges
- · Wood worksurface:
- -Wood 3 mm edge profile on front edge
- -Matching veneer flat profile on side and back edges
- · Cable scallop on back edge
- · Wire manager for wood veneer worksurfaces, if selected: black

- Required to Specify
- 1 Style number with appropriate edge profile suffix
- K Laminate with knife edge
- **SW** Wood with square edge See edge profiles at right.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate		
Materials	Laminate price group 2Laminate price group 3	See information at left See information at left	Specify laminate color number. Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Materials Reference Manual.
	Wood veneer worksurfac		
	 Wood group 2 	See information at left	Specify wood color number.
	Wood group 3	See information at left	Specify wood color number.
	Customiz stain	No cost	Specify with Customiz stain.
			See Surface Materials Reference Manual.
	 Full-fill finish on wood group 1 	Prices at right	Specify full-fill finish number.
Scallop	Omit scallop	No cost	Specify omit scallop.
Related	Panel-mounted Universal System	ems worksurface supports	▶ Page 262
Products	 Legs and supports for Universal 	▶Page 266	









Left	-Hand	d Wi	th $\frac{1}{2}$	e" Cord Dro	p		
231/2"	183/8"	36"	14"	UT2136L	\$528	\$1523	+\$56
231/2"	183/8"	42"	20"	UT2142L	\$562	\$1557	+\$62
231/2"	183/8"	48"	26"	UT2148L	\$653	\$1648	+\$63
231/2"	183/8"	54"	32"	UT2154L	\$700	\$1695	+\$66
231/2"	183/8"	60"	38"	UT2160L	\$743	\$1738	+\$73
291/2"	231/2"	36"	14"	UT3236L	\$626	\$1621	+\$62
291/2"	231/2"	42"	20"	UT3242L	\$656	\$1651	+\$63
291/2"	231/2"	48"	26"	UT3248L	\$766	\$1761	+\$66
291/2"	231/2"	54"	32"	UT3254L	\$823	\$1818	+\$73
291/2"	231/2"	60"	38"	UT3260L	\$874	\$1869	+\$78

Left	:-Ha	nd W	/ith	Full Dept	h	
30"	24"	36"	18"	WT3236	\$626	
30"	24"	42"	24"	WT3242	\$656	
30"	24"	48"	30"	WT3248	\$766	
30"	24"	54"	36"	WT3254	\$823	
30"	24"	60"	42"	WT3260	\$874	





Righ	ıt-Haı	nd V	Vith ¹	1/2" Cord Dr	ор		
183/8"	231/2"	36"	14"	UT1236R	\$528	\$1523	+\$56
183/8"	231/2"	42"	20"	UT1242R	\$562	\$1557	+\$62
183/8"	231/2"	48"	26"	UT1248R	\$653	\$1648	+\$63
183/8"	231/2"	54"	32"	UT1254R	\$700	\$1695	+\$66
183/8"	231/2"	60"	38"	UT1260R	\$743	\$1738	+\$73
231/2"	291/2"	36"	14"	UT2336R	\$626	\$1621	+\$62
231/2"	291/2"	42"	20"	UT2342R	\$656	\$1651	+\$63
231/2"	291/2"	48"	26"	UT2348R	\$766	\$1761	+\$66
231/2"	291/2"	54"	32"	UT2354R	\$823	\$1818	+\$73
231/2"	291/2"	60"	38"	UT2360R	\$874	\$1869	+\$78

Rig	ht-H	and	Witl	n Full De _l	pth
24"	30"	36"	18"	WT2336	\$626
24"	30"	42"	24"	WT2342	\$656
24"	30"	48"	30"	WT2348	\$766
24"	30"	54"	36"	WT2354	\$823
24"	30"	60"	42"	WT2360	\$874

Tapered Worksurfaces

High-Pressure Laminate

Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long worksurface spans require additional support. ► See understanding section for details, page 88

► Need help? Product details, page 86

Standard Includes

- Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
- -Plastic 3 mm edge profile on front edge
- -Plastic default flat profile on side and back edges
- · Cable scallop on back edge

Required to Specify

- 1 Style number with appropriate edge profile suffix
- K Laminate with knife edge ► See edge profiles below.
- 2 High-Pressure Laminate color
- number for worksurface 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- ► See Surface Materials, page 360.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Power and data access door and tray is ordered separately to be used with cutout.

Tip: To specify 3 mm edge

profile, no suffix is required.

► See page 260

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminar Laminate price group 2 Laminate price group 3 Open Line laminate	te worksurfaces See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. ▶ See Surface Materials Reference Manual.
Scallop	Omit scallop	No cost	Specify omit scallop.
Cutout for Power and Data Access Door and Tray		No cost	Specify with cutout for power and data access door.

Related

Products

- · Panel-mounted Universal Systems worksurface supports
- · Legs and supports for Universal Systems Worksurfaces

Specificati	on Informa	ation		
		U.S.	Base	Price



U.S. Base	Prices
High-Pres	sure
Laminate	


• Din	nensi	ons	
· A	В	C	

231/2" 291/2" 72"

· Plastic 3 mm Edge

Dimensions	Style
A B C I	Number

·Plastic	· Plasti



Left.	-Hand	d With	1 ½" Cord	Drop
231/2"	183/8"	48"	UTT2148	\$653
231/2"	183/8"	60"	UTT2160	\$743
231/2"	183/8"	72"	UTT2172	\$832
291/2"	231/2"	48"	UTT3248	\$766
291/2"	231/2"	60"	UTT3260	\$874
291/2"	231/2"	72"	UTT3272	\$979
:				:


Style

Number

A	В	C	Number	3 mm Edge	Knife Edge
			· :	No Suffix	Suffix K
Lef	t-Ha	nd Wi	th Full Dep	th	

▶ Page 262

▶ Page 266



:			:			
Right-Hand With ½" Cord Drop						
183/8"	231/2"	48"	UTT1248	\$653		
183/8"	231/2"	60"	UTT1260	\$743		
183/8"	231/2"	72"	UTT1272	\$832		
231/2"	291/2"	48"	UTT2348	\$766		
231/2"	291/2"	60"	UTT2360	\$874		

UTT2372

\$979

Lei	Lett-nand with rull bepth					
24"	187/8"	48"	WTT2148	\$653	\$ 731	
24"	18 ⁷ / ₈ "	60"	WTT2160	\$743	\$ 836	
24"	18 ⁷ / ₈ "	72"	WTT2172	\$832	\$ 925	
30"	24"	48"	WTT3248	\$766	\$ 844	
30"	24"	60"	WTT3260	\$874	\$ 967	
30"	24"	72"	WTT3272	\$979	\$1072	
:				:	:	

Right-Hand With Full Depth					
187/8"	24"	48"	WTT1248	\$653	\$ 731
187/8"	24"	60"	WTT1260	\$743	\$ 836
187/8"	24"	72"	WTT1272	\$832	\$ 925
24"	30"	48"	WTT2348	\$766	\$ 844
24"	30"	60"	WTT2360	\$874	\$ 967
24"	30"	72"	WTT2372	\$979	\$1072

Tapered Worksurfaces with Soft Edge Profile

► Need help? Product details,

page 86

Tip: Supports for freestanding and panel-mounted applications must be specified separately.


Tip: Long worksurface spans require additional support. See understanding section for details, page 88


For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Power and data access door and tray is ordered separately to be used with cutout.

See page 260

Exception: 48"W worksurface with soft edge cannot have a post leg at the front edge.





Standard Includes

- Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
- Plastic antimicrobial soft edge profile centered on worksurface
- Plastic 3 mm edge profile on balance of front edge
- Plastic flat profile on side and back edges
- · Cable scallop on back edge

Required to Specify

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Lamina	te worksurfaces	
Materials	Laminate price group 2Laminate price group 3Open Line laminate	See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual.
Soft Edge	Antimicrobial edgeNo antimicrobial edge	No cost No cost	Specify with antimicrobial soft edge. Specify without antimicrobial soft edge.
Scallop	Omit scallop	No cost	Specify omit scallop.
Cutout for Power · Cutout No co and Data Access Door and Tray		No cost	Specify with cutout for power and data access door.
Related Products	Panel-mounted Universal S Legs and supports for Universal S	Systems worksurface supports	▶ Page 262 ▶ Page 266

Specification Information										
· Dim	ensid B	ons C	• Style • Number	·U.S. Base Price	• Din	nensio B	ons C	•Style Number	·U.S. Base Price	
Left-Hand With ½" Cord Drop			Left-Hand With Full Depth							

291/2"	231/2"	48"	UTT3248S	\$1252
291/2"	231/2"	60"	UTT3260S	\$1360
291/2"	231/2"	72"	UTT3272S	\$1465
:			•	:

reit-uana mini Lan Debin					
30"	24"	48"	WTT3248S	\$1252	
30"	24"	60"	WTT3260S	\$1360	
30"	24"	72"	WTT3272S	\$1465	
			•	•	

Right-Hand With 1/2" Cord Drop 291/2" **UTT2348S** \$1252 291/2" 60" UTT2360S \$1360 231/2" 291/2" 72" UTT2372S \$1465

Right-Hand With Full Depth				
24"	30"	48"	WTT2348S	\$1252
24"	30"	60"	WTT2360S	\$1360
24"	30"	72"	WTT2372S	\$1465
				:

Taper-Flat Worksurfaces

► Need help?

page 86

Product details,

High-Pressure Laminate

Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long worksurface spans require additional support. ► See understanding section for details, page 88

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Standard Includes

Required to Specify

- · Worksurface: High-Pressure Laminate price group 1 · Laminate worksurface:

 - -Plastic 3 mm edge profile on front edge
- -Plastic default flat profile on side and back edges
- · Cable scallop on back edge

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Lamina Laminate price group 2 Laminate price group 3 Open Line laminate	te worksurfaces See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual.
Scallop	Omit scallop	No cost	Specify omit scallop.
Related Products	Panel-mounted Universal SLegs and supports for Universal S	ystems worksurface supports ersal Systems Worksurfaces	▶ Page 262 ▶ Page 266

Specification Information

U.S. Base Price High-Pressure Laminate




High-Pressure Laminate



U.S. Base Price

· Dimensions		ons	·Style	· Plastic	· Dimensions	• • Style	· Plastic	
Α	В	C	Number	3 mm	A B	C Number	3 mm	
				Edge			Edge	
			:	:	:	:		
•			•	•		•	•	




Left-Hand With 1/2" Cord Drop

231/2"	183/8"	60"	UTTF2160	\$743
231/2"	183/8"	72"	UTTF2172	\$832
291/2"	183/8"	60"	UTTF3160	\$874
291/2"	183/8"	72"	UTTF3172	\$979
291/2"	231/2"	60"	UTTF3260	\$874
291/2"	231/2"	72"	UTTF3272	\$979

Left-	Hand	With	Full	Depth

24"	187/8"	60"	WTTF2160	\$743
24"	18 ⁷ / ₈ "	72"	WTTF2172	\$832
30"	18 ⁷ / ₈ "	60"	WTTF3160	\$874
30"	18 ⁷ / ₈ "	72"	WTTF3172	\$979
30"	24"	60"	WTTF3260	\$874
30"	24"	72"	WTTF3272	\$979



Right-Hand With 1/2" Cord Drop

_				=
183/8"	231/2"	60"	UTTF1260	\$743
183/8"	231/2"	72"	UTTF1272	\$832
183/8"	291/2"	60"	UTTF1360	\$874
183/8"	291/2"	72"	UTTF1372	\$979
231/2"	291/2"	60"	UTTF2360	\$874
231/2"	291/2"	72"	UTTF2372	\$979

Right-Hand With Full Depth

187/8"	24"	60"	WTTF1260	\$743
187/8"	24"	72"	WTTF1272	\$832
187/8"	30"	60"	WTTF1360	\$874
187/8"	30"	72"	WTTF1372	\$979
24"	30"	60"	WTTF2360	\$874
24"	30"	72"	WTTF2372	\$979

Single-Tapered Worksurfaces

High-Pressure Laminate

Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page 88

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Standard Includes

Required to Specify


► Need help? Product details, page 86


- Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
- -Plastic 3 mm edge profile on front edge
- -Plastic default flat profile on side and back edges
- Cable scallop on back edge

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Lamina Laminate price group 2 Laminate price group 3 Open Line laminate	te worksurfaces See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual.
Scallop	Omit scallop	No cost	Specify omit scallop.
Related Products	Panel-mounted Universal Systems worksurface supports Legs and supports for Universal Systems Worksurfaces		▶ Page 262 ▶ Page 266

Specification Information U.S. Base Price U.S. Base Price High-Pressure High-Pressure Laminate Laminate ·Plastic ·Plastic Dimensions ·Style • Style Dimensions В Number 3 mm В Number 3 mm Edge Edge





Left-Hand	With	1/2"	Cord	Drop
------------------	------	------	------	-------------

231/2" 183/8" 60"	UST2160	\$743	
231/2" 183/8" 72"	UST2172	\$832	
291/2" 231/2" 60"	UST3260	\$874	
291/2" 231/2" 72"	UST3272	\$979	

Right-Hand	With	1/2"	Cord	Drop
-------------------	------	------	------	------

ingini nana miti /2 oora brop					
183/8" 231/2" 60"	UST1260	\$743			
183/8" 231/2" 72"	UST1272	\$832			
231/2" 291/2" 60"	UST2360	\$874			
23½" 29½" 72"	UST2372	\$979			

Left-Hand With Full Depth


24"	18 ⁷ /8"	60"	WST2160	\$743
24"	187/8"	72"	WST2172	\$832
30"	24"	60"	WST3260	\$874
30"	24"	72"	WST3272	\$979

Right-Hand With Full Depth

_			-		
187/8"	24"	60"	WST1260	\$743	
187/8"	24"	72"	WST1272	\$832	
24"	30"	60"	WST2360	\$874	
24"	30"	72"	WST2372	\$979	
:			:	:	

Corner, Flat-Front Worksurfaces

High-Pressure Laminate



Tip: Supports must be specified separately, including side support brackets for rear corner support in panelmounted applications.

Tip: To specify 3 mm edge profile, no suffix is required.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Standard Includes

Required to Specify

Need help?
Product details,
page 86

- Worksurface: High-Pressure Laminate price group 1
 –Plastic 3 mm edge profile on front edge
- -Plastic default flat profile on side and back edges
- Cable scallops on back edges

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Lamina Laminate price group 2 Laminate price group 3 Open Line laminate	te worksurfaces See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual.
Scallops	Omit scallops	No cost	Specify omit scallops.
, , , , , , , , , , , , , , , , , , , ,		► Page 262 ► Page 266	

Specification Infor	mation				
		U.S. Base Price High-Pressure Laminate			U.S. Base Price High-Pressure Laminate
Dimensions A B C D	• Style Number	Plastic 3 mm Edge	Dimensions A B C D	• Style Number	· Plastic 3 mm Edge
With ½" Cord Drop		·	With Full Depth	·	·
231/2" 231/2" 351/2" 351/2"	UCF223636	\$560	24" 24" 36" 36"	WCF223636	\$560
23½" 23½" 41½" 41½"	UCF224242	\$610	24" 24" 42" 42"	WCF224242	\$610
231/2" 231/2" 471/2" 471/2"	UCF224848	\$691	24" 24" 48" 48"	WCF224848	\$691
29½" 29½" 41½" 41½"	UCF334242	\$671	30" 30" 42" 42"	WCF334242	\$671
291/2" 291/2" 471/2" 471/2"	UCF334848	\$760	30" 30" 48" 48"	WCF334848	\$760

niversal System orksurfaces


Dual Corner, Flat-Front Worksurfaces

► Need help?

page 86

Product details,

High-Pressure Laminate



Tip: Supports must be specified separately, including side support brackets for rear corner support in panelmounted applications.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Keyboard surface adjusts 6" higher or 5" lower than worksurface height.

Tip: Dual corner, flat-front worksurfaces must be panel hung.

Tip: 23¹/₂"D dual corner, flat-front worksurfaces must be supported with a center support on each side.

Tip: 29¹/₂"D dual corner, flat-front worksurfaces can be supported with a cantilever or center support.

Tip: To specify 3 mm edge profile, no suffix is required.

Standard Includes

- Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
- Plastic 3 mm edge profile on front edge of keyboard surface
- -Plastic default flat profile on all other edges
- Cable scallops on back edges
- Keyboard mechanism

Required to Specify

- 1 Style number
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for edges on laminate worksurface
- 4 Options, if selected (see below)
- See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminat Laminate price group 2 Laminate price group 3 Open Line laminate	te worksurfaces See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual.
Scallops	Omit scallops	No cost	Specify omit scallops.
Related Products	Panel-mounted Universal Systems worksurface supports Legs and supports for Universal Systems Worksurfaces		► Page 262 ► Page 266

		U.S. Base Price High-Pressure Laminate			U.S. Base Price High-Pressure Laminate
Dimensions A B C D	•Style Number	· Plastic 3 mm Edge	Dimensions A B C D	• Style Number	· Plastic 3 mm Edge
With ½" Cord Drop	•	·	With Full Depth	·	•
23½" 23½" 41½" 41½"	UDC224242	\$1493	24" 24" 42" 42"	WDC224242	\$1493
231/2" 231/2" 471/2" 471/2"	UDC224848	\$1575	24" 24" 48" 48"	WDC224848	\$1575
291/2" 291/2" 471/2" 471/2"	UDC334848	\$1637	30" 30" 48" 48"	WDC334848	\$1637


Corner, Straight-Front Worksurfaces

► Need help?

page 86

Product details,

High-Pressure Laminate



Tip: Supports must be specified separately, including side support brackets for rear corner support in panelmounted applications.

Standard Includes

- Worksurface: High-Pressure Laminate price group 1
 -Plastic 3 mm edge profile on front edge
 -Plastic default flat profile on side and back edges
- Cable scallops on back edges
- 1 Style number
- 2 High-Pressure Laminate color number for worksurface

Required to Specify

- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- ► See Surface Materials, page 360.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Lamina Laminate price group 2 Laminate price group 3 Open Line laminate	te worksurfaces See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual.
Scallops	Omit scallops	No cost	Specify omit scallops.
Related Products	Panel-mounted Universal SLegs and supports for Univ	Systems worksurface supports ersal Systems Worksurfaces	▶ Page 262 ▶ Page 266

Specification Information U.S. Base Prices **High-Pressure Laminate** · Dimensions Style Plastic Number 3 mm Edge With 1/2" Cord Drop 18" 18" 42" 42" UC114242 \$ 583 183/8" 231/2" 411/2" 411/2" UC124242 \$ 644 231/2" 183/8" 411/2" 411/2" UC214242 \$ 644 UC223636 231/2" 231/2" 351/2" 351/2" \$ 560 231/2" 231/2" 411/2" 411/2" UC224242 \$ 610 231/2" 231/2" 471/2" 471/2" UC224848 \$ 691 591/2" 591/2" UC226060 \$1282 291/2" 291/2" 411/2" 411/2" UC334242 \$ 671 291/2" 291/2" 471/2" 471/2" UC334848 \$ 760

Iniversal Syster Vorksurfaces


Corner, Curved-Front Worksurfaces

▶ Need help?

page 86

Product details,

High-Pressure Laminate or Wood Veneer



Tip: Supports must be specified separately, including side support brackets for rear corner support in panelmounted applications.

For wood and laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UCC114242 becomes UCC114242SW for wood with square edge profile.)

Standard Includes

 Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer

- · Laminate worksurface:
- -Plastic 3 mm edge profile on front edge
- -Plastic default flat profile on side and back edges
- · Wood worksurface:
- -Wood 3 mm edge profile on front edge
- -Matching veneer flat profile on side and back edges
- Cable scallops on back edges

Required to Specify

- 1 Style number with appropriate edge profile suffix
- **SW** Wood with square edge
- ► See edge profiles below. 2 High-Pressure Laminate or wood
- color number for worksurface
 3 Plastic color number for front edge
- on laminate worksurface, if selected
- 4 Options, if selected (see below)
- See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate	_	
Materials	 Laminate price group 2 	See information at left	Specify laminate color number.
	 Laminate price group 3 	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Materials Reference Manual.
	Wood veneer worksurfac	es	
	 Wood group 2 	See information at left	Specify wood color number.
	 Wood group 3 	See information at left	Specify wood color number.
	 Customiz stain 	No cost	Specify with Customiz stain.
			See Surface Materials Reference Manual.
	 Full-fill finish on wood group 1 	Prices below	Specify full-fill finish number.
Scallops	Omit scallops	No cost	Specify omit scallops.
Related	Panel-mounted Universal System	ems worksurface supports	► Page 262
Products	 Legs and supports for Universa 	al Systems Worksurfaces	▶ Page 266

Specification Information U.S. Base Prices U.S. Base Price **High-Pressure Laminate Wood High-Pressure Laminate** Dimensions Style · Plastic ·Wood Option Dimensions Style Plastic Number (Add \$ to D Number 3 mm В 3 mm **Square** В Edge Edge Base Price) Edge Full-Fill **No Suffix** Suffix SW Finish on Wood Group 1 With 1/2" Cord Drop With Full Depth 183/8" 183/8" 351/2" 351/2" UCC113636 \$ 650 N.A. N.A. 187/8" 187/8" 36" 36" WCC113636 \$650 \$1645 183/8" 183/8" 411/2" 411/2" UCC114242 \$ 691 +\$80 18⁷/₈" 18⁷/₈" 42" 42" **WCC114242** \$691 183/8" 183/8" 471/2" 471/2" UCC114848 \$ 772 N.A. N.A. 187/8" 187/8" 48" 48" WCC114848 UCC124242 \$ 743 18⁷/₈" 24" 183/8" 231/2" 411/2" 411/2" \$1697 +\$80 42" 42" WCC124242 \$743 231/2" 183/8" 411/2" 411/2" UCC214242 \$ 743 \$1697 +\$80 18⁷/₈" 42" 42" **WCC214242** 231/2" 231/2" 351/2" 351/2" UCC223636 \$ 657 \$1611 24" 24" 36" 36" WCC223636 +\$80 231/2" 231/2" 411/2" 411/2" UCC224242 \$ 717 \$1671 +\$80 24" 24" 42" 42" **WCC224242** \$717 231/2" 231/2" 471/2" 471/2" UCC224848 \$ 797 \$1751 24" 48" 48" WCC224848 +\$85 231/2" 231/2" 591/2" 591/2" UCC226060 \$1282 N.A. N.A. 291/2" 291/2" 411/2" 411/2" UCC334242 \$ 776 \$1730 +\$81 30" 42" 42" **WCC334242** 30" 291/2" 291/2" 471/2" 471/2" UCC334848 \$ 868 \$1822 +\$87 30" 30" 48" 48" WCC334848

Extended Corner, Straight-Front Worksurfaces

► Need help? Product details,

page 86

High-Pressure Laminate



Tip: Illustration above shows a left-hand worksurface.

Tip: Supports must be specified separately, including side support brackets for rear corner support in panelmounted applications.

Tip: Long worksurface spans require additional support.
▶ See understanding section for details, page 88

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Standard Includes

- Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
- -Plastic 3 mm edge profile on front edge
- -Plastic default flat profile on side and back edges
- Cable scallops on back edges

Required to Specify

- 1 Style number 2 High-Pressure Laminate number for worksurface
- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Lamina Laminate price group 2 Laminate price group 3 Open Line laminate	te worksurfaces See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual.
Scallops	Omit scallops	No cost	Specify omit scallops.
Related Products	Panel-mounted Universal S Reinforcing channel Legs and supports for University	systems worksurface supports ersal Systems Worksurfaces	▶ Page 262▶ Page 263▶ Page 266

246


Specification Information

U.S. Base Prices High-Pressure Laminate




Style Number Dimensions В

·Plastic 3 mm Edge



Left-Hand With 1/2" Cord Drop

231/2"	231/2"	591/2"	411/2"	UE2202L	\$1058
231/2"	231/2"	651/2"	411/2"	UE2262L	\$1158
231/2"	231/2"	71½"	411/2"	UE2222L	\$1254
231/2"	231/2"	59 ¹ / ₂ "	471/2"	UE2208L	\$1088
231/2"	231/2"	651/2"	471/2"	UE2268L	\$1180
231/2"	231/2"	71½"	471/2"	UE2228L	\$1274
231/2"	291/2"	59 ¹ / ₂ "	471/2"	UE2308L	\$1187
231/2"	291/2"	651/2"	471/2"	UE2368L	\$1282
231/2"	291/2"	71½"	471/2"	UE2328L	\$1384
291/2"	231/2"	59 ¹ / ₂ "	471/2"	UE3208L	\$1187
291/2"	231/2"	651/2"	471/2"	UE3268L	\$1282
291/2"	231/2"	71½"	471/2"	UE3228L	\$1384
291/2"	291/2"	59 ¹ / ₂ "	471/2"	UE3308L	\$1242
291/2"	291/2"	651/2"	471/2"	UE3368L	\$1343
291/2"	291/2"	71½"	471/2"	UE3328L	\$1437




Right-Hand With 1/2" Cord Drop


nıyıı	t-IIaII	u wit	11 /2	ooiu biop		
231/2"	231/2"	411/2"	591/2"	UE2220R	\$1058	
231/2"	231/2"	411/2"	651/2"	UE2226R	\$1158	
231/2"	231/2"	411/2"	71½"	UE2222R	\$1254	
231/2"	231/2"	471/2"	591/2"	UE2280R	\$1088	
231/2"	231/2"	471/2"	651/2"	UE2286R	\$1180	
231/2"	231/2"	471/2"	71½"	UE2282R	\$1274	
231/2"	291/2"	471/2"	591/2"	UE2380R	\$1187	
231/2"	291/2"	471/2"	651/2"	UE2386R	\$1282	
231/2"	291/2"	471/2"	71½"	UE2382R	\$1384	
291/2"	231/2"	471/2"	591/2"	UE3280R	\$1187	
291/2"	231/2"	471/2"	651/2"	UE3286R	\$1282	
291/2"	231/2"	471/2"	71½"	UE3282R	\$1384	
291/2"	291/2"	471/2"	591/2"	UE3380R	\$1242	
291/2"	291/2"	471/2"	651/2"	UE3386R	\$1343	
291/2"	291/2"	471/2"	71½"	UE3382R	\$1437	
				•	•	

Extended Corner, Curved-Front Worksurfaces

High-Pressure Laminate or Wood Veneer



Left-Hand



Right-Hand

Tip: Supports must be specified separately, including side support brackets for rear corner support in panelmounted applications.

For wood and laminate group 2 and 3 pricing, please refer to the electronic

catalog or SmartTools.

Tip: Long worksurface spans require additional support.

require additional support.

See understanding section for details, page 88

Standard Includes

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- -Plastic 3 mm edge profile on front edge
- -Plastic default flat profile on side and back edges
- Wood worksurface:
 - -Wood 3 mm edge profile on front edge
- -Matching veneer flat profile on side and back edges
- Cable scallops on back edges

Required to Specify

- 1 Style number with appropriate edge profile suffix
- **SW** Wood with square edge ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify				
Surface	High-Pressure Laminate	worksurfaces					
Materials	 Laminate price group 2 	See information at left	Specify laminate color number.				
	Laminate price group 3	See information at left	Specify laminate color number.				
	Open Line laminate	+\$102 plus cost of laminate	See Surface Materials Reference Manual.				
	Wood veneer worksurfaces						
	 Wood group 2 	See information at left	Specify wood color number.				
	 Wood group 3 	See information at left	Specify wood color number.				
	 Customiz stain 	No cost	Specify with Customiz stain.				
			See Surface Materials Reference Manual.				
	 Full-fill finish on wood group 1 	Prices at right	Specify full-fill finish number.				
Scallops	Omit scallops	No cost	Specify omit scallops.				
Related	Panel-mounted Universal System	ems worksurface supports	▶ Page 262				
Products	 Legs and supports for Universal 	al Systems Worksurfaces	▶ Page 266				

248

	rmation	U.S. Base Prices			U.S	s. Ba	se F	rice	<u> </u>	
		High-Pressure Laminate	Wood						Laminate	
Dimensions A B C D	Style Number	• Plastic 3 mm Edge	• Wood Square Edge	Option (Add \$ to Base Price)	· Din	nens B	ions C	D	•Style Number	Plastic 3 mm Edge
:		No Suffix	Suffix SW	Full-Fill Finish on Wood Group 1	:					· · · · · · ·
eft-Hand With 1/2'	Cord Dro	p			Wit	h F	ull	Dep	th	
231/2" 231/2" 591/2" 411/2"	UEC2202L	\$1058	\$2241	+\$ 93	24"	24"	60"	42"	WEC226042	\$1058
31/2" 231/2" 651/2" 411/2"	UEC2262L	\$1158	\$2341	+\$113	24"	24"	72"	42"	WEC227242	\$1254
31/2" 231/2" 711/2" 411/2"	UEC2222L	\$1254	\$2437	+\$114	24"	24"	60"	48"	WEC226048	\$1088
31/2" 231/2" 591/2" 471/2"	UEC2208L	\$1088	\$2271	+\$113	24"	24"	72"	48"	WEC227248	\$1274
31/2" 231/2" 651/2" 471/2"	UEC2268L	\$1180	\$2363	+\$114	24"	30"	60"	42"	WEC236042	\$1109
31/2" 231/2" 711/2" 471/2"	UEC2228L	\$1274	\$2457	+\$120	24"	30"	72"	42"	WEC237242	\$1315
31/2" 291/2" 591/2" 471/2"	UEC2308L	\$1187	\$2370	+\$114	24"	30"	60"	48"	WEC236048	\$1187
31/2" 291/2" 651/2" 471/2"	UEC2368L	\$1282	\$2465	+\$120	24"	30"	72"	48"	WEC237248	\$1384
31/2" 291/2" 711/2" 471/2"	UEC2328L	\$1384	\$2567	+\$122	30"	24"	60"	42"	WEC326042	\$1109
91/2" 231/2" 591/2" 471/2"	UEC3208L	\$1187	\$2370	+\$114	30"	24"	72"	42"	WEC327242	\$1315
91/2" 231/2" 651/2" 471/2"	UEC3268L	\$1282	\$2465	+\$120	30"	24"	60"	48"	WEC326048	\$1187
91/2" 231/2" 711/2" 471/2"	UEC3228L	\$1384	\$2567	+\$122	30"	24"	72"	48"	WEC327248	\$1384
91/2" 291/2" 591/2" 471/2"	UEC3308L	\$1242	\$2425	+\$120	30"	30"	60"	42"	WEC336042	\$1174
91/2" 291/2" 651/2" 471/2"	UEC3368L	\$1343	\$2526	+\$122	30"	30"	72"	42"	WEC337242	\$1366
91/2" 291/2" 711/2" 471/2"	UEC3328L	\$1437	\$2620	+\$125	30"	30"	60"	48"	WEC336048	\$1242
					30"	30"	72"	48"	WEC337248	\$1437
Right-Hand With ¹ /	2" Cord Dr	ор			Wit	h F	ull I	Dep	th	
31/2" 231/2" 411/2" 591/2"	UEC2220R	\$1058	\$2241	+\$ 93	24"	24"	42"	60"	WEC224260	\$1058
31/2" 231/2" 411/2" 651/2"	UEC2226R	\$1158	\$2341	+\$113	24"	24"	42"	72"	WEC224272	\$1254
31/2" 231/2" 411/2" 711/2"	UEC2222R	\$1254	\$2437	+\$114	24"	24"	48"	60"	WEC224860	\$1088
31/2" 231/2" 471/2" 591/2"	UEC2280R	\$1088	\$2271	+\$113	24"	24"	48"	72"	WEC224872	\$1274
31/2" 231/2" 471/2" 651/2"	UEC2286R	\$1180	\$2363	+\$114	24"	30"	42"	60"	WEC234260	\$1109
31/2" 231/2" 471/2" 711/2"	UEC2282R	\$1274	\$2457	+\$120	24"	30"	42"	72"	WEC234272	\$1315
31/2" 291/2" 471/2" 591/2"	UEC2380R	\$1187	\$2370	+\$114	24"	30"	48"	60"	WEC234860	\$1187
31/2" 291/2" 471/2" 651/2"	UEC2386R	\$1282	\$2465	+\$120	24"	30"	48"	72"	WEC234872	\$1384
31/2" 291/2" 471/2" 711/2"	UEC2382R	\$1384	\$2567	+\$122	30"	24"	42"	60"	WEC324260	\$1109
91/2" 231/2" 471/2" 591/2"	UEC3280R	\$1187	\$2370	+\$114	30"	24"	42"	72"	WEC324272	\$1315
91/2" 231/2" 471/2" 651/2"	UEC3286R	\$1282	\$2465	+\$120	30"	24"	48"	60"	WEC324860	\$1187
91/2" 231/2" 471/2" 711/2"	UEC3282R	\$1384	\$2567	+\$122	30"	24"	48"	72"	WEC324872	\$1384
91/2" 291/2" 471/2" 591/2"	UEC3380R	\$1242	\$2425	+\$120	30"	30"	42"	60"	WEC334260	\$1174
91/2" 291/2" 471/2" 651/2"	UEC3386R	\$1343	\$2526	+\$122	30"	30"	42"	72"	WEC334272	\$1366
91/2" 291/2" 471/2" 711/2"	UEC3382R	\$1437	\$2620	+\$125	30"	30"	48"	60"	WEC334860	\$1242
								72"	WEC334872	

Corner, 120° Worksurfaces

High-Pressure Laminate or Wood Veneer



Tip: Supports must be specified separately, including side support brackets for rear corner support in panelmounted applications.

Standard Includes

► Need help? Product details, page 86

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- -Plastic 3 mm edge profile on front edge
- -Plastic default flat profile on side and back edges
- · Wood worksurface:

Specification Information

- -Wood 3 mm edge profile on front edge
- -Matching veneer flat profile on side and back edges
- Cable scallops on back edges

Required to Specify

- Style number with appropriate edge profile suffix
 Wood with square edge
- See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 360.

For wood and laminate group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UB223636 becomes UB223636SW for wood with square edge profile.)

	Options	U.S. Price	Required to Specify							
Surface	High-Pressure Laminate worksurfaces									
Materials	 Laminate price group 2 	See information at left	Specify laminate color number.							
	 Laminate price group 3 	See information at left	Specify laminate color number.							
	 Open Line laminate 	+\$102	See Surface Materials Reference Manual.							
	•	plus cost of laminate								
	Wood veneer worksurfaces									
	 Wood group 2 	See information at left	Specify wood color number.							
	Wood group 3	See information at left	Specify wood color number.							
	Customiz stain	No cost	Specify with Customiz stain.							
			See Surface Materials Reference Manual.							
	 Full-fill finish on wood group 1 	Prices below	Specify full-fill finish number.							
Scallops	Omit scallops	No cost	Specify omit scallops.							
Related	Panel-mounted Universal System	ems worksurface supports	▶ Page 262							
	 Leas and supports for Universa 	al Systems Worksurfaces	▶ Page 266							

					U.S. Base Prices		
					High-Pressure Laminate	Wood	
• Dime	ensior B	ıs C	D	Style Number	• Plastic 3 mm Edge	• Wood Square Edge	• Option (Add \$ to Base Price)
					No Suffix	Suffix SW	Finish on Wood Group 1
Free	stan	ding	or Pa	nel-Mounte	ed With ¹ / ₂ " Cord Drop		
23 ¹ / ₂ "	231/2"	351/2"	351/2"	UB223636	\$1129	\$2209	+\$114
231/2"	231/2"	411/2"	411/2"	UB224242	\$1175	\$2255	+\$120
231/2"	231/2"	471/2"	471/2"	UB224848	\$1218	\$2298	+\$122
29 ¹ / ₂ "	291/2"	351/2"	351/2"	UB333636	\$1175	\$2255	+\$120
29 ¹ / ₂ "	291/2"	411/2"	411/2"	UB334242	\$1218	\$2298	+\$122
29 ¹ / ₂ "	291/2"	471/2"	471/2"	UB334848	\$1260	\$2340	+\$125

Spanner Worksurfaces

High-Pressure Laminate or Wood Veneer

► Need help?

page 86

Product details,



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

For wood and laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools. Tip: To specify 3 mm

Standard Includes

- · Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- -Plastic 3 mm edge profile on front edge
- -Plastic default flat profile on side and back edges
- · Wood worksurface:
- -Wood 3 mm edge profile on front edge
- -Matching veneer flat profile on side and back edges

Required to Specify

- 1 Style number with appropriate edge profile suffix
- SW Wood with square edge
- ► See edge profiles below. 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify		
Surface	High-Pressure Laminate	worksurfaces			
Materials	 Laminate price group 2 	See information at left	Specify laminate color number.		
	 Laminate price group 3 	See information at left	Specify laminate color number.		
	Open Line laminate	+\$102	See Surface Materials Reference Manual.		
	•	plus cost of laminate			
	Wood veneer worksurfac				
	 Wood group 2 	See information at left	Specify wood color number.		
	Wood group 3	See information at left	Specify wood color number.		
	Customiz stain	No cost	Specify with Customiz stain.		
			See Surface Materials Reference Manual.		
	 Full-fill finish on wood group 1 	Specify full-fill finish number.			
Related	Panel-mounted Universal Syst	ems worksurface supports	▶ Page 262		
Products	 Legs and supports for Universal 	al Systems Worksurfaces	▶ Page 266		
		•	. = -		

edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, USPC47 becomes USPC47SW for wood with square edge profile.) Columns ▶ Page 268

		U.S. Base Prices High-Pressure Lar	minate Wood		U.S. Base Pri High-Pressur		
Dimensions	Style	Plastic	·Wood	Option	· Dimensions	Style	Plastic
А В	Number	3 mm		(Add \$ to	;A B	Number	3 mm
	•	Edge	Edge	Base Price)	:		Edge
		· ·		· · Full-Fill		:	
		No Suffix	Suffix SW	Finish on		:	:
		:		Wood Group 1	·		

For Freetanding Applications without Panels With 1/a" Cord Drop

1 01 1	11663	tanunng Ap	piicatioi	is without I alicis with /2 out brop	WILL	ıı ı uıı	Dehm	
291/2"	47"	USPC47	\$629	\$1624 +\$88	24"	48"	WSPC4824	\$629
351/2"	59"	USPC59	\$802	\$1797 +\$98	30"	60"	WSPC6030	\$802

Bullet Peninsula Worksurfaces

High-Pressure Laminate or Wood Veneer



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long worksurface spans require additional support.

See understanding section for details, page 88

For wood and laminate group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

Tip: Bullet peninsula worksurfaces are recommended for use with other curved-front shapes such as corner, curved-front worksurfaces.

Page 245

Tip: The same bullet peninsula worksurfaces can be used with either worksurfaces with ½" cord drop or with full depth worksurfaces.

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UPBC3060 becomes UPBC3060SW for wood with square edge profile.)

Standard Includes

► Need help? Product details, page 86

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- -Plastic 3 mm edge profile on front edge
- -Plastic default flat profile on side and back edges
- · Wood worksurface:

Specification Information

- -Wood 3 mm edge profile on front edge
- -Matching veneer flat profile on side and back edges
- · Cable scallop on back edge

Required to Specify

- 1 Style number with appropriate edge profile suffix
- **SW** Wood with square edge See edge profiles below.
- High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate	worksurfaces	
Materials	 Laminate price group 2 	See information at left	Specify laminate color number.
	 Laminate price group 3 	See information at left	Specify laminate color number.
	 Open Line laminate 	+\$102	See Surface Materials Reference Manual.
		plus cost of laminate	
	Wood veneer worksurfac	es	
	 Wood group 2 	See information at left	Specify wood color number.
	 Wood group 3 	See information at left No cost	Specify wood color number.
	 Customiz stain 		Specify with Customiz stain.
			See Surface Materials Reference Manual.
	 Full-fill finish on wood group 1 	Prices below	Specify full-fill finish number.
Scallop	Omit scallop	No cost	Specify omit scallop.
Related	Panel-mounted Universal System	ems worksurface supports	▶ Page 262
Products	 Legs and supports for Universa 	al Systems Worksurfaces	▶ Page 266
	Columns	•	▶ Page 268

			U.S. Base Prices		
			High-Pressure Laminate	Wood	
					· Option
Din	nensions	Style	Plastic	·Wood	(Add \$ to
Α	В	Number	3 mm Edge	Square Edge	Base Price)
		•	- Euge	Euge	: · Full-Fill
		:	No Suffix	Suffix SW	Finish on
		:	:	:	: Wood Group 1
24"	471/2"	UPBC2448	\$736	N.A.	N.A.
24"	591/2"	UPBC2460	\$748	N.A.	N.A.
24"	651/2"	UPBC2466	\$771	N.A.	N.A.
24"	711/2"	UPBC2472	\$787	N.A.	N.A.
30"	471/2"	UPBC3048	\$855	N.A.	N.A.
30"	591/2"	UPBC3060	\$872	\$1867	+\$85
30"	651/2"	UPBC3066	\$889	\$1884	+\$87
30"	711/2"	UPBC3072	\$908	\$1903	+\$93
		:	•		:


Angled Peninsula Worksurfaces

► Need help?

page 86

Product details,

High-Pressure Laminate



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Standard Includes

- Worksurface: High-Pressure Laminate price group 1
- · Laminate worksurface:
- -Plastic 3 mm edge profile on front edge
- -Plastic default flat profile on side and back edges

1 Style number

2 High-Pressure Laminate color number for worksurface

Required to Specify

- 3 Plastic color number for front edge on laminate worksurface
- 4 Options, if selected (see below)
- See Surface Materials, page 360.

		Options	U.S. Price	Required to Specify
	Surface	High-Pressure Laminat	te worksurfaces	
For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.	Materials	Laminate price group 2Laminate price group 3Open Line laminate	See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual.
Tip: To specify 3 mm edge profile, no suffix is required.	Related Products	Panel-mounted Universal SLegs and supports for Universal SColumns	ystems worksurface supports ersal Systems Worksurfaces	▶ Page 262▶ Page 266▶ Page 268

		U.S. Base Price High-Pressure Laminate			U.S. Base Price High-Pressure Laminate
Dimensions A B C	• Style Number	Plastic 3 mm Edge	Dimensions A B C	• Style Number	• Plastic 3 mm Edge
With ½" Cord D	rop		With Full Dep	th	•
231/2" 231/2" 48"	UPA2448	\$935	24" 24" 48"	WPA2448	\$935
231/2" 231/2" 60"	UPA2460	\$979	24" 24" 60"	WPA2460	\$979
29½" 29½" 48"	UPA3048	\$935	30" 30" 48"	WPA3048	\$935
291/2" 291/2" 60"	UPA3060	\$979	30" 30" 60"	WPA3060	\$979

Jetty Worksurfaces

High-Pressure Laminate or Wood Veneer



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long worksurface spans require additional support.

▶ See understanding section for details, page 88

For wood and laminate group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

Tip: Jetty worksurfaces are recommended for use with other curved-front shapes such as corner, curved-front worksurfaces.

▶Page 245

Tip: To specify 3 mm edge profile, no suffixisrequired. For all other edge profiles, add a suffixtothestyle number. (For example, UJC3268L becomes UJC3268LSW for wood

Standard Includes

► Need help? Product details, page 86

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- -Plastic 3 mm edge profile on front edge
- -Plastic default flat profile on side and back edges
- · Wood worksurface:
 - -Wood 3 mm edge profile on front edge
- -Matching veneer flat profile on side and back edges
- · Cable scallop on back edge

Required to Specify

- Style number with appropriate edge profile suffix
 Wood with square edge
- See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate	worksurfaces	
Materials	 Laminate price group 2 	See information at left	Specify laminate color number.
	 Laminate price group 3 	See information at left	Specify laminate color number.
	 Open Line laminate 	+\$102	See Surface Materials Reference Manual.
	·	plus cost of laminate	
	Wood veneer worksurfac	es	
	 Wood group 2 	See information at left	Specify wood color number.
	 Wood group 3 	See information at left	Specify wood color number.
	 Customiz stain 	No cost	Specify with Customiz stain.
			See Surface Materials Reference Manual.
	 Full-fill finish on wood group 1 	Prices at right	Specify full-fill finish number.
Scallop	Omit scallop	No cost	Specify omit scallop.
Related	Panel-mounted Universal System	ems worksurface supports	▶ Page 262
Products	 Legs and supports for Universa 		▶ Page 266
	Columns	,	▶ Page 268


254

Opeon.	Carre	JII III	formation	U.S. Base Prices			U.S. Base P		
				High-Pressure Laminate	Wood		High-Pressu	re Laminate	
Dimensi	ons		· Style	· Plastic	·Wood	·Option	· Dimensions	·Style	· Plastic
A B	C	D	Number	3 mm	Square	· (Add \$ to	A B C	D Number	3 mm
:			:	Edge	Edge	Base Price)		:	Edge
			:	:		: · Full-Fill	:	:	:
				No Suffix	Suffix SW	Finish on Wood Group 1	•		:



Lef	t-Hand With ¹ /	/2" Cord Dro	p			
30"	231/2" 651/2" 48"	UJC3268L	\$1239	\$2234	+\$113	
30"	231/2" 711/2" 48"	UJC3228L	\$1282	\$2525	+\$119	
30"	231/2" 771/2" 48"	UJC3288L	\$1325	\$2613	+\$125	
30"	291/2" 651/2" 48"	UJC3368L	\$1281	\$2276	+\$113	
30"	291/2" 711/2" 48"	UJC3328L	\$1325	\$2568	+\$119	
30"	291/2" 771/2" 48"	UJC3388L	\$1370	\$2658	+\$125	

t-Ha	and	Wit	h Full Deptl	h
24	66"	48"	WJ326648L	\$1239
24"	72"	48"	WJ327248L	\$1282
24"	78"	48"	WJ327848L	\$1325
30"	66"	48"	WJ336648L	\$1281
30"	72"	48"	WJ337248L	\$1325
30"	78"	48"	WJ337848L	\$1370
	24" 24" 30" 30"	24 66" 24" 72" 24" 78" 30" 66" 30" 72"	24 66" 48" 24" 72" 48" 24" 78" 48" 30" 66" 48" 30" 72" 48"	24" 72" 48" WJ327248L 24" 78" 48" WJ327848L 30" 66" 48" WJ336648L



	AAICII	/2" Cord Dr	op			
48"	651/2"	UJC2386R	\$1239	\$	2234	+\$113
48"	71½"	UJC2382R	\$1282	\$	2525	+\$119
48"	771/2"	UJC2388R	\$1325	\$	2613	+\$125
48"	651/2"	UJC3386R	\$1281	\$	2276	+\$113
48"	71½"	UJC3382R	\$1325	\$	2568	+\$119
48"	771/2"	UJC3388R	\$1370	\$	2658	+\$125
	48" 48" 48" 48"	48" 65½" 48" 71½" 48" 77½" 48" 65½" 48" 71½"	48" 65½" UJC2386R 48" 71½" UJC2382R 48" 77½" UJC2388R 48" 65½" UJC3386R 48" 71½" UJC3382R	48" 65½" UJC2386R \$1239 48" 71½" UJC2382R \$1282 48" 77½" UJC2388R \$1325 48" 65½" UJC3386R \$1281 48" 71½" UJC3382R \$1325	48" 65½" UJC2386R \$1239 \$ 48" 71½" UJC2382R \$1282 \$ 48" 77½" UJC2388R \$1325 \$ 48" 65½" UJC3386R \$1281 \$ 48" 71½" UJC3382R \$1325 \$	48" 65½" UJC2386R \$1239 \$2234 48" 71½" UJC2382R \$1282 \$2525 48" 77½" UJC2388R \$1325 \$2613 48" 65½" UJC3386R \$1281 \$2276 48" 71½" UJC3382R \$1325 \$2568

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UJC3268L becomes UJC3268LSW for wood with square edge profile.)

Rig	ht-I	lan	d W	ith Full Dep	th
24"	30"	48"	66"	WJ234866R	\$1239
24"	30"	48"	72"	WJ234872R	\$1282
24"	30"	48"	78"	WJ234878R	\$1325
30"	30"	48"	66"	WJ334866R	\$1281
30"	30"	48"	72"	WJ334872R	\$1325
30"	30"	48"	78"	WJ334878R	\$1370

Bubble Jetty Worksurfaces

High-Pressure Laminate or Wood Veneer

Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Need help? Product details, page 86

Standard Includes

Required to Specify

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- -Plastic 3 mm edge profile on front edge
- -Plastic default flat profile on side and back edges
- · Wood worksurface:

Options

- -Wood 3 mm edge profile on front edge
- -Matching veneer flat profile on side and back edges
- 1 Style number with appropriate edge profile suffix
- **SW** Wood with square edge See edge profiles below.
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge
- 4 Options, if selected (see below)
- See Surface Materials, page 360.

For wood and laminate group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UJBC2430L becomes UJBC2430LSW for wood with square edge profile.)

Surface Materials High-Pressure Laminate worksurfaces Laminate price group 2 Laminate price group 3 See information at left Laminate price group 3

Laminate price group 3Open Line laminate

See information at left +\$102 plus cost of laminate

U.S. Price

Specify laminate color number. Specify laminate color number.

Required to Specify

See Surface Materials Reference Manual.

Wood veneer worksurfaces

Wood group 2
 Wood group 3
 Customiz stain

See information at left No cost

Specify wood 2 color number. Specify wood 3 color number. Specify with Customiz stain.

See Surface Materials Reference Manual.
Specify full-fill finish number.

Related Products

Panel-mounted Universal Systems worksurface supports
 Logo and supports for Universal Systems Worksurfaces

· Full-fill finish on wood group 1 Prices below

Legs and supports for Universal Systems Worksurfaces

U.S. Base Prices High-Pressure Laminate

· Columns


- ▶ Page 262
- Page 266


Wood

Page 268

Specification Information

				·Option
 Dimensions 	·Style	· Plastic	·Wood	· (Add \$ to
A B	Number	3 mm	Square	Base Price)
	:	Edge	Edge	
		: -	: -	· Full-Fill
•	:	No Suffix	Suffix SW	Finish on
:	:	:	:	Wood Group 1





Left-Hand With ½" Cord Drop

231/2" 30"	UJBC2430L	\$1164	\$2159	+\$59	
231/2" 36"	UJBC2436L	\$1235	\$2230	+\$62	
231/2" 42"	UJBC2442L	\$1309	\$2304	+\$78	
231/2" 48"	UJBC2448L	\$1380	\$2375	+\$78	
:		:	:	•	

Right-Hand With 1/2" Cord Drop

	/2 00.0	op		
231/2" 30"	UJBC2430R	\$1164	\$2159	+\$59
231/2" 36"	UJBC2436R	\$1235	\$2230	+\$62
231/2" 42"	UJBC2442R	\$1309	\$2304	+\$78
231/2" 48"	UJBC2448R	\$1380	\$2375	+\$78

Visitor Worksurfaces

High-Pressure Laminate or Wood Veneer

Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Visitor and linking worksurfaces are recommended for use with other curved-front shapes such as corner, curved-front worksurfaces.

▶Page 245

► Need help? Product details, page 86

Standard Includes

- Worksurface: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate worksurface:
- -Plastic 3 mm edge profile on front edge
- -Plastic default flat profile on side and back edges
- · Wood worksurface:
 - -Wood 3 mm edge profile on front edge
- -Matching veneer flat profile on side and back edges
- Cable scallop on back edge of visitor worksurfaces 36"W and wider

Required to Specify

- 1 Style number with appropriate edge profile suffix
- **SW** Wood with square edge See edge profiles at right.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 360.

For wood and laminate group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

Tip: Scallops are available only on visitor worksurfaces 36"W and wider.

· Dimensions · Style

В

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate	worksurfaces	
Materials	 Laminate price group 2 	See information at left	Specify laminate color number.
	 Laminate price group 3 	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Materials Reference Manual.
	Wood veneer worksurfac	es	
	 Wood group 2 	See information at left	Specify wood color number.
	 Wood group 3 	See information at left	Specify wood color number.
	 Customiz stain 	No cost	Specify with Customiz stain.
			▶ See Surface Materials Reference Manual.
	 Full-fill finish on wood group 1 	Prices below and at right	Specify full-fill finish number.
Scallop	Omit scallop	No cost	Specify omit scallop.
Related	Panel-mounted Universal Syst	ems worksurface supports	▶Page 262
Products	 Legs and supports for Universal 	al Systems Worksurfaces	▶ Page 266

Specification Information

Number

U.S. Base Prices

High-Pressure Laminate Wood



3 mm Square Edge Edge

No Suffix

U.S. Base Price

High-Pressure Laminate



Wood Group 1

• Dimensions • Style A B Number





Visitor Worksurfaces With 1/2" Cord Drop

Left-F	land \	Worksurfaces			
231/2"	24"	UVC2424L	\$605	\$1600	+\$55
23 ¹ / ₂ "	30"	UVC2430L	\$650	N.A.	N.A.
23 ¹ / ₂ "	36"	UVC2436L	\$695	N.A.	N.A.
231/2"	42"	UVC2442L	\$739	N.A.	N.A.
23 ¹ / ₂ "	48"	UVC2448L	\$777	N.A.	N.A.
29 ¹ / ₂ "	30"	UVC3030L	\$668	\$1687	+\$55
		-			•

With Full Denth

AAIC	II I UII	nehm		
Left	-Hand \	Worksurfaces		
24"	24"	WVC2424L	\$605	
24"	30"	WVC2430L	\$650	
30"	30"	WVC3030L	\$668	
		•	•	

▶ Specification Information, continued on next page

▶ Specification Information, continued from previous page

A B Number 3 mm Square (Add \$ to A B Number 3 mm		U.S. Base Prices High-Pressure La	minate Wood		U.S. Base Pricessure		
Eage Eage Base Price) Eage	Dimensions · Style A B Numbe		Square				
	:	No Suffix	Suffix SW	Full-Fill Finish on Wood Group 1	•	:	



Visitor W	orksurfaces With 1/2" Co	With Full Depth		
Left-Hand	Worksurfaces			
291/2" 36"	UVC3036L \$717	N.A.	N.A.	
291/2" 42"	UVC3042L \$760	N.A.	N.A.	
291/2" 48"	UVC3048L \$806	N.A.	N.A.	



Right-Hand Worksurfaces						
231/2"		UVC2424R			\$1600	+\$55
23 ¹ / ₂ "	30"	UVC2430R	\$650		N.A.	N.A.
23 ¹ / ₂ "	36"	UVC2436R	\$695		N.A.	N.A.
23 ¹ / ₂ "	42"	UVC2442R	\$739		N.A.	N.A.
23 ¹ / ₂ "	48"	UVC2448R	\$777		N.A.	N.A.
29 ¹ / ₂ "	30"	UVC3030R	\$668		\$1687	+\$55
29 ¹ / ₂ "	36"	UVC3036R	\$717		N.A.	N.A.
29 ¹ / ₂ "	42"	UVC3042R	\$760		N.A.	N.A.
29 ¹ / ₂ "	48"	UVC3048R	\$806		N.A.	N.A.
:					:	



Right-Hand Worksurfaces				
24"	24"	WVC2424R	\$605	
24"	30"	WVC2430R	\$650	
30"	30"	WVC3030R	\$668	
		;	:	

Power and Data Access Door & Tray



Tip: Remember to specify cutout for power and data tray on the worksurface style number.

Standard Includes

- ► Need help? Product details, page 94
- Door: paint Door bezel: 6694 slate
- Inner tray with six simplex receptacles: 7237 slate Outer tray with end caps: 7237 slate and 6694 slate
 Two cord clips or harness clips

- **Required to Specify**
- 1 Style number 2 Paint color for door
- 3 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface	Door		
Materials	Paint Anodized aluminum	No cost +\$34	Specify paint color. Specify with 8043 clear anodized aluminum.
			u.100.200 a.u

Style Number	·U.S. Base Price	Style Number Non-PVC	· U.S. Base Price	
Cord an	d Plug			
UTTRC	\$1574	UTTRCN	\$1589	

Worksurface Accessories

21/2" Round Grommet



Tip: Grommet AWAG2 is for use on worksurfaces only.

Tip: When using AWAG2 in the Universal parametric straight worksurface, specify the 2" grommet cutout option. Actual diameter of cutout is 2½".

Standard Includes	Required to Specify
Grommet: paint or metalInstallation instructions	1 Style number2 Paint or metal color number▶ See Surface Materials, page 360.

Speci	ificati	on Informa	ation
		Style	
; D	w	Number	Price
21/2"	21/2"	AWAG2	\$100

3" Grommet Package



Tip: When using TSAEGROM in the Universal parametric straight worksurface, specify the 3" grommet cutout.

	Standard Includes	Required to Specify
► Need help? Product details, page 52	Package of 10 grommets: black plastic	Style number

Specification Information

·Style	·U.S.
Number	Price
:	:
TSAFGROM	\$85

SAEGROM \$

Iniversal System: Vorksurfaces

Panel-Mounted Universal Systems Worksurface Supports

For Use with Kick Panels

Cantilevers



Tip: Kick panels can accommodate only one cantilever at a seam.

Tip: 30"D straight and transition cantilevered worksurfaces require additional floor support along the front edge, such as a pedestal, end panel, post leg, side support bracket, or an adjacent return worksurface.

	Standard Includes	Required to Specify
Need help? Product details, page 100	Cantilever: paintTie plateAttachment hardware	1 Style number2 Paint color number for cantilever▶ See Surface Materials, page 360.

Style Number	· U.S. Price	
On-Modu	le Cantilever	
UCANT	\$162	

Side Support Brackets



Tip: Side support bracket includes a pair of handed brackets, only one of which is required for rear corner support of panel-mounted corner worksurfaces. Specify one for every two corner worksurfaces in on-module applications. Order an additional supply for off-module fin wall applications.

	Standard Includes	Required to Specify
Need help? Product details, page 100	Pair of handed side support brackets: black paint only Attachment hardware	Style number

Specifica	Specification Information				
Style Number	· U.S. Price				
USSBR	\$58 :				

Support Plate



Tip: Support plate can also be used in freestanding applications.

page 102

	Standard Includes	Required to Specify
► Need help?	Support plate: black paint only	Style number
Product details	Attachment hardware	

Specification Information			
Dimensions	· Style · Number	·U.S. Price	
14"D	TS714WSP	\$109	
20"D	TS720WSP	\$109	

Tie Plates



Standard Includes	Required to Specify
Package of six tie plates: black paint onlyAttachment hardware	Style number

Specification Information				
Dimensions	• Style • Number	· U.S. Price		
3 ³ / ₄ "L	TS7TIEPLATE	\$158		

Reinforcing Channels



Tip: Reinforcing channel can also be used in free-standing applications.

Stand	lard Includes	Required to Specify

► Need help?
Product details,
• Reinforcing channel: black paint only
• Attachment hardware

page 90

Style number

_	on Information	
Dimensions	· Style Number	·U.S. Price
39"W	TS7WKSPT39	\$76
48"W	TS7WKSPT48	\$76
51"W	TS7WKSPT51	\$76
54"W	TS7WKSPT54	\$76
57"W	TS7WKSPT	\$76
60"W	TS7WKSPT60	\$76
63"W	TS7WKSPT63	\$76
66"W	TS7WKSPT66	\$76
72"W	TS7WKSPT72	\$76
	:	:

Center Support Panels



Standard Includes Required to Specify

Need help? Product details, page 100

- Center support panel: paint price group 1
- Tie plate
- Attachment hardware

Options

- 1 Style number
- 2 Paint color number for center support panel
- 3 Options, if selected (see below)

Required to Specify

See Surface Materials, page 360.

Surfa Mate		Paint pridPaint pridPaint prid	ce group 2	No cost +\$19 +\$33	Specify paint color number. Specify paint color number. Specify paint color number.
Spe	cificati	on Informa	tion		
· Dime	ensions H	• Style Number	·U.S. Base Price		
On-M	odule Ce	nter Support	Panel		
11"	281/2"	UCSP	\$210		
Stand	ding Heig	jht			

U.S. Price

End Panels



Standard Includes Required to Specify

► Need help? Product details, page 100

407/8"

UCSPS

11"

· End panel: paint price group 1

\$245

Attachment hardware

- 1 Style number
- 2 Paint color number for end panel
- 3 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify	
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$45 +\$74	Specify paint color number. Specify paint color number. Specify paint color number.	
Specificati	on Information			
. Dimonoiono	. Ctulo . II C			

Spe	Specification Information				
Dim D	ensions H	• Style Number	·U.S. Base Price		
On-M	odule En	d Panel			
24"	281/2"	UEP24	\$574		
30"	281/2"	UEP30	\$653		
Stan	ding Heig	jht			
24"	407/8"	UEP24S	\$679		
30"	407/8"	UEP30S	\$762		

Legs and Columns for Universal Systems Worksurfaces

Without Alignment Tab

Post Legs and Double Post Legs

Tip: Height dimensions listed
are nominal and include the
thickness of a worksurface.

Tip: Standing height legs can be used as column support in panel-mounted applications only.

Tip: Corner worksurfaces require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.



Standard Includes

- Legs: paint
- Attachment hardware
- Non-locking caster, if selected: black plastic only

Required to Specify

- 1 Style number
- 2 Paint color number for leg
- 3 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	 Paint price group 2 	+\$29 per leg	Specify paint color number.
	 Paint price group 3 	+\$51 per leg	Specify paint color number.

Specification Information

·Planning	• Style	·U.S.	Planning	· Style	·U.S.
Height	Number	Base	Height	Number	Base
		Price			Price

Post Leg with Glide

26"	UNPL	\$190	
281/2"	UPL	\$190	
407/8"	UHPL	\$239	

Package of Four Post Legs with Glides

26"	UNPL4	\$760
281/2"	UPL4	\$760

Post Leg with Caster

26"	UNPLC	\$216
281/2"	UPLC	\$216

Package of Four Post Legs with Casters

26"	UNPL4C	\$864
281/2"	UPL4C	\$864

Package of Four Post Legs with Two Glides and Two Casters

26"	UNPL4M	\$812
281/2"	UPL4M	\$812

[▶] Specification Information, continued on next page





▶Specification Information, continued from previous page

Specification Information

•Planning Height	•Style Number	·U.S. Base Price
•		

Double Post Leg with Glides

	•			
281/2"	UDPL	\$533		
407/8"	UHDPL	\$626		



Tip: Double post legs can be used as a shared or column support in applications with other post legs.

Double Post C-Leg with Glides

281/2"	UCL	\$606



Adjustable-Height Legs

Tip: Corner worksurfaces require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.

Tip: Height dimensions listed include the thickness of a worksurface.

Need help?
Product details,
page 102

Standard Includes

- · Worksurface legs: paint
- Glides, if selected: paint to match legs
- · Locking casters, if selected: paint to match legs
- · Attachment hardware

Required to Specify


- 1 Style number 2 Paint color number for leg
- 3 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface	 Paint price group 1 	No cost	Specify paint color number.
Materials	 Paint price group 2 	+\$29 per leg	Specify paint color number.

Planning Height	•Style Number	·U.S. Base Price	· Planning Height	•Style Number	· U.S. Base Price
Adjustab with Glid	le-Height e	Leg	Package Legs wit		djustable-Height
25½"–31½"	UADJ	\$312	25½"–31½"	UADJ4	\$1248
Adjustab with Cas	le-Height ter	Leg	•	of Four A h Casters	djustable-Height
25½"–31½"	UADJC	\$349	25½"–31½"	UADJ4C	\$1396
	-	•	•		djustable-Height Legs with
			IWO GIIO	es and Tw	o casters







Columns



Tip: Columns have a different aesthetic than post legs (round vs. elliptical). Columns can be used as column supports in applications without post legs.

Tip: Height dimensions listed include the thickness of a worksurface.

Standard Includes

· Column: paint

►Need help?

page 102

Product details,

Attachment hardware

Required to Specify

- 1 Style number 2 Paint color number for column
- 3 Options, if selected (see below)
- See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$29 per leg +\$51 per leg	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information			
	• Style Number	·U.S. Base Price	
28 ¹ /2"	UCOL	\$420	
28 ¹ / ₂ "-31 ⁵ / ₈ "	UADJCOL	\$517	

Divisio Side Screen



Tip: The Divisio side screen can be used on any 3/4"- to 11/2"-thick worksurface.

Tip: The Divisio side screen has an overhang of 8". This is important when planning for returns or storage.

Tip: The Divisio side screen weighs approximately 14¹/₂ pounds. Take this into consideration when planning for use on height-adjustable worksurfaces.

Tip: The Divisio side screen is intended for use on the front of a worksurface.

Tip: The Divisio side screen does not work on knife edge profiles.

Standard Includes

Required to Specify

Need help? Product details, page 108

- Screen: fabric price group A
- Top cap and clamp: 4799 Platinum paint
- 1 Style number
- 2 Fabric color number
- ► See Surface Materials Reference Manual.

	Options	U.S. Price	Required to Specify
Surface	Fabric		
Materials	 Fabric price group A Fabric price group 1 Fabric price group 2 Customer's Own Material (COM) 	No cost No cost +\$21 +\$23	Specify fabric color number. Specify fabric color number. Specify fabric color number. See Surface Materials Reference Manual.

Speci	Specification Information					
Dimen D	sions H	• Style Number	· U.S. Base Price			
291/2"	115/8"	DV\$\$2912	\$509			

TS Series Storage

TS Series Fixed Pedestals	272
TS Series Fixed Pedestal Accessories	273
TS Series Bins	277
TS Series Laminate Common Shelves	279
TS Series Under-Worksurface Lateral Files	280

TS Series Fixed Pedestals

Tip: TS Series fixed pedestals are only intended for use under a panel mounted worksurface and can not be used as freestanding.

See Counterweight
Requirements for Storage
Products, page 111.

Tip: TS Series fixed pedestals are only intended for use under a panel-mounted worksurface or with a freestanding desk; they cannot be used as freestanding.



- Pedestal: paint price group 1
- Product details, Pulls: metal
 - Lock face ring with plastic plug to accommodate lock cylinder: 9201 Polished Chrome
 - Attachment hardware
 - · Steel ball-bearing suspensions on box and file drawers
 - Adjustable glides: black plastic

Required to Specify

- 1 Style number
- 2 Paint color number for pedestal
- 3 Pull (see below under required selections)
- 4 Options, if selected (see below)
- See Surface Materials, page 360. Tip:Remember to specify lock cylinder and key.
- Lock Cylinders, page 374

Required Selections



► Need help?

page 122






Contemporary Handle

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	Paint price group 2	+\$12	Specify paint color number.
	Paint price group 3	+\$28	Specify paint color number.
Pulls	Contemporary pulls	No cost	Specify with contemporary pulls.
	 Handle pulls 	No cost	Specify with handle pulls.
	 Ledge pulls: 7207 Black 	No cost	Specify with 7207 Black ledge pulls.
	Ledge pulls: 4799 Platinum	+\$ 7	Specify with 4799 Platinum ledge pulls.
Drawer	Filing rail (package of 2)	+\$26	Specify with filing rail.
Accessories	Box drawer dividers (package of 2)	+\$37	Specify with box drawer dividers.
	File drawer dividers (package of 2)	+\$37	Specify with file drawer dividers.
	Pencil tray	+\$26	Specify with pencil tray.

Tip: File drawer rails are required to file legal-sized files or side-to-side letter-sized files in pedestal file drawers.



· Dimo	ensions W	н	· File Drawers	• Counterweight • Package	• Style Number	·U.S. Base Price
22"	15"	27"	File, File	Available	TS2PFF22U	\$647
22"	15"	27"	Box, Box, File	Available	T\$2PBBF22U	\$682
28"	15"	27"	File, File	Available	TS2PFF28U	\$703
28"	15"	27"	Box, Box, File	Available	TS2PBBF28U	\$742

Pedestal Filler

For Use with Under-Worksurface Pedestal to Attach to Kick Panel System



Tip: When using a pedestal to anchor the end of a panel run, you must use a pedestal filler.

Standard Includes	
Standard Includes	

Need help? Product details, page 123 Filler: paintAttachment hardware

1 Style number

2 Paint color number

Required to Specify

► See Surface Materials, page 360.

Specification Information							
· Dime	nsions W	s H	· Style Number	·U.S. Price			
:			:	:			
2 ³ / ₁₆ "	1"	27"	TS2FILLER	\$83			

TS Series Fixed Pedestal Accessories

Rails

For Use in Fixed Pedestals



Tip: Two rails per drawer accommodate side-to-side filing of letter-, A4-, and legal-size hanging folders. Exception: Legal-size file folders cannot be filed in 18"D pedestals.

	Standard Includes	Required to Specify
► Need help? Product details, page 123	Package of two rails: black only	Style number

Specifi	pecification Information		
	· Style Number	·U.S. Price	
	i	:	
12"	RXADRL15	\$37	


Dividers

For Use in Fixed Pedestals

	St	andard Includ	Required to Specify		
Need hel Product o page 123	details,	ckage of dividers: bl	ack only	Style number	
	fication Info				
Width	· Quantity	· Style · Number	· U.S. Price		
For Us	e in 6"H Dra	wers	•		
12"	2	RDV1506	\$ 59		
For Us	e in 12"H Dr	awers			
12"	2	RDV1512	\$ 63		
12					

Pencil Tray

For Use in Fixed Pedestals



Tip: Pencil trays for use with fixed pedestals are available as optional accessories.

aio		
	Standard Includes	Required to Specify
Need help? Product details, page 123	Pencil tray: black only	Style number

_	cation Information ·U.S.	
Number	Price	
RPXDPT	\$51	

TS Series Bins



Tip: TS Series bins cannot be upmounted.

Standard Includes

Required to Specify

Need help? Product details, page 124

- Overhead bin with lift-up door: paint price group 1
 Recess beneath unit to accommodate shelf light
- Shelf backstop
- · On-module attachment hooks with safety catch
- · Lock, keyed random: 9201 Polished Chrome only
- 1 Style number 2 Paint color number for overhead bin 3 Options, if selected (see below)
- See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface	Overhead bin		
Materials	 Paint price group 1 	No cost	Specify paint color number.
	Paint price group 2	+\$12	Specify paint color number.
	 Paint price group 3 	+\$28	Specify paint color number.
Shelf Accessories	Four dividers: white plastic	+\$76	Specify with dividers.
Keying	Field-installed keying		▶ Page 376
Related Products	Shelf lights		▶ Page 340

			mation			
Dime D	nsions W	н	• Number of Doors	• Style • Number	· U.S. Base Price	
Bins	with F	lat Fron	ts	<u> </u>	·	
15¾"	24"	161/4"	1	TSASUB24L	\$ 692	
15¾"	30"	161/4"	1	TSASUB30L	\$ 723	
15¾"	36"	161/4"	1	TSASUB36L	\$ 753	
15¾"	42"	161/4"	1	TSASUB42L	\$ 784	
15¾"	48"	161/4"	1	TSASUB48L	\$ 824	
15 ³ ⁄ ₄ "	60"	161/4"	2	TSASUB60L	\$1274	
15¾"	72"	161/4"	2	TSASUB72L	\$1402	

TS Series Laminate Common Shelves



Tip: For anticipated heavy loads on 42" and 48"W laminate common shelves, a field-installed reinforcing channel (TSATRC39) can be used.

Tip: Standard worksurfaces are 11/8" thick. However, the actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications. Please use caution when mixing and matching different worksurface types.

For laminate price group 2 and 3 pricing,

please refer to the electronic catalog or SmartTools.

Standard Includes

Required to Specify

- ► Need help? Product details, page 126
- 13/16"-thick shelf: Low-Pressure Laminate or High-Pressure Laminate price group 1
- · 3 mm radius profile edge: plastic
- · Support brackets: paint price group 1
- 1 Style number
- 2 Low-Pressure Laminate or High-Pressure Laminate color number for shelf
- 3 Plastic edge band color number for worksurface
- 4 Paint color number for support bracket
- 5 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 2Paint price group 3	+\$ 12 +\$ 28	Specify paint color number. Specify paint color number.
	High-Pressure Laminat Laminate price group 2 Laminate price group 3 Open Line laminate	te worksurfaces See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. ▶ See Surface Materials Reference Manual.

· Dimensions		ıs	· Style	·U.S.	· Style	·U.S.
D	W	н	Number LPL	Base Price	Number HPL	Base Price
15"	24"	73/4"	TSASLCL24	\$187	TSASHCL24	\$234
15"	30"	73/4"	TSASLCL30	\$193	TSASHCL30	\$241
15"	36"	73/4"	TSASLCL36	\$205	TSASHCL36	\$255
15"	42"	73/4"	TSASLCL42	\$220	TSASHCL42	\$272
15"	48"	73/4"	TSASLCL48	\$240	TSASHCL48	\$299

TS Series Under-Worksurface Lateral Files



worksurface lateral files are only intended for use under a panel-mounted worksurface and can not be used as freestanding.

See Counterweight Requirements for Storage

Products, page 111.

Tip: TS Series under-

Standard Includes

- · Lateral file: paint price group 1
- Pulls: metal
- Lock face ring with plastic plug to accommodate lock cylinder: 9201 Polished Chrome
- Adjustable glides: black plastic
- Hanging file frames for letter, legal, and A-4 filing: black
- · Attachment hardware

Required to Specify

- 1 Style number
- 2 Paint color number for lateral file
- 3 Pull (see below under required selections)
- 4 Options, if selected (see below)
- See Surface Materials, page 360. Tip: Remember to specify lock cylinder and key.
- ► Lock Cylinders, page 374

Required Selections

Pulls

► Need help?

page 128

Product details,







Contemporary Handle

Ledge

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	 Paint price group 2 	+\$12	Specify paint color number.
	 Paint price group 3 	+\$28	Specify paint color number.
Pulls	Contemporary pulls	No cost	Specify with contemporary pulls.
	 Handle pulls 	No cost	Specify with handle pulls.
	 Ledge pulls: 7207 Black 	No cost	Specify with 7207 Black ledge pulls.
	Ledge pulls: 4799 Platinum	+\$ 7	Specify with 4799 Platinum ledge pulls.
Related	Lateral file side-to-side hangir file frames	ng	▶ Page 282
Products	 Lateral file drawer dividers 		▶ Page 282
	 Lateral file front-to-back rails 		▶ Page 283

Tip: When filing with tabs, hanging file frames should be ordered, as folder's tabs may interfere with the opening and closing of each drawer.

· Dimensions			· Counterweight	· Style	·U.S.
D	W	н	Package	Number	Base Price
18½"	301/2"	27"	Not required	TS2F230UL	\$1101
18½"	36"	27"	Not required	TS2F236UL	\$1221

Specifying Universal Steel Storage Products

Universal Pedestals	
Universal Fixed Pedestals	288
Universal Bins and Shelves	
Universal Sliding Door Bins	296
Universal Over the Case Bins	298
Universal In the Case Bins	300
Universal Shelves	303
Accessories for Universal Bins and Shelves	304
Slim Shelves	308

Universal Fixed Pedestals

With Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts





For wood and laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Standard Includes

- Pedestal: paint price group 1
- Removable drawer fronts: paint to match pedestal, laminate price group 1 if proud laminate front selected, or wood group 1 veneer if proud wood front selected
- · Integral pulls on units with flush steel fronts
- · Pulls: metal
- · Full drawer interiors: black only
- One pencil tray and two box drawer dividers per box/ box/file
- · Lock, keyed random: 9201 Polished Chrome
- · Mounting hardware
- · Four adjustable leveling glides

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- F Flush steel front
- P Proud steel front
- L Proud laminate front
- W Proud wood front
- 2 Paint color number for pedestal
- 3 Laminate color number for drawer fronts, if proud laminate front selected
- 4 Wood color number for drawer fronts, if proud wood front selected
- 5 Pull (see below under Required Selections)
- 6 Metal color number for pulls, if proud steel or proud wood front selected
- 7 Options, if selected (see below)
- See Surface Materials, page 360.

Required Selections

Pulls

► Need help? Product details,

page 140









Bar



Contemporary Handle

Jazz

c:scape

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	 Paint price group 2 	+\$ 65	Specify paint color number.
	 Paint price group 3 	+\$111	Specify paint color number.
	Laminate price group 1 on proud laminate drawer fronts	Prices at right	Specify laminate color number.
	 Laminate price group 2 on proud laminate drawer fronts 	See information at left	Specify laminate color number.
	 Laminate price group 3 on proud laminate drawer fronts 	See information at left	Specify laminate color number.
	 Open Line laminate on proud 	+\$102	See Surface Materials Reference Manual.
	laminate drawer fronts	plus cost of laminate	
	Wood group 2 on proud wood drawer fronts	See information at left	Specify wood color number.
	 Wood group 3 on proud wood drawer fronts 	See information at left	Specify wood color number.
	 Customiz stain on proud 	No cost	Specify with Customiz stain.
	wood drawer fronts		► See Surface Materials Reference Manual.
Pulls	Flush steel fronts		
	Full-width wood veneer pull	+\$390	Specify with wood pull and indicate wood color number.
	 Customiz stain on wood 	No cost	Specify with Customiz stain.
	veneer pull		See Surface Materials Reference Manual.
	Proud steel, laminate, or	wood fronts	
	 Contemporary 	No cost	Specify with contemporary pull.
	Handle	No cost	Specify with handle pull.
	 Jazz 	+\$ 28 per pull	Specify with jazz pull.
	• Bar	+\$ 43 per pull	Specify with bar pull.

+\$ 48 per pull

▶Options, continued on next page

c:scape

288

Specify with c:scape pull.

Proud steel fronts only

▶ Options, continued from previous page

	Options	U.S. Price	Required to Specify
Drawer Accessories	Rails • Two side-to-side hanging rails per file drawer	No cost	Specify with rails.
Basic Drawer	18"D, 24"D, and 30"D b	ox/box/file pedestals	
Interiors	 No rails, pencil trays, or box drawer dividers 	- \$ 80	Specify with basic drawers.
Look and	Look		

Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

See Counterweight

Requirements for Storage Products, page 111.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RPF1827A__ becomes RPF1827AP for proud steel front).





Tip: Use 27"H pedestals to align with Universal Storage with 3" base. 27"H pedestals support worksurfaces at 28½"H.

Tip: Only 225/8"D, 231/2"D, 285/8"D, and 291/2"D pedestals can accommodate legal-size filing.

Accessories	Two side-to-side hanging rails per file drawer	No cost	Specify with rails.
Basic Drawer	18"D, 24"D, and 30"D b	ox/box/file pedestals	
Interiors	 No rails, pencil trays, or box drawer dividers 	- \$ 80	Specify with basic drawers.
Lock and	Lock		
Keying	 Ember Chrome 	No cost	Specify with 9250 Ember Chrome lock
	 No lock 	- \$101	Specify with no lock.
	Individual locking drawers		
	 File/file pedestals only 	+\$191	Specify with individual lock.
	Keying		
	Factory- and field-installed keying		▶ Page 375
Related	Universal fixed to freestanding	ng pedestal conversion kits	▶Page 291
Products	 Steel storage accessories 		▶ Page 332

Dimensions				·Counter- ·Style		· U.S. Base Prices			
D		W	н	weight	Number	:			
Flush	Proud			Package	•	Flush	Proud	Proud	Proud
Steel	Steel/			:	:	Steel	Steel	Lam	Wood
Front	Lam/			:	•	Front	Front	Front	Front
	Wood			:	:		:	:	
	Front					Suffix	Suffix	Suffix	Suffix
						F	P	L	w

27"H Fixed Pedestals with 3" Base

Two B	ox Drawe	ers and	l One F	ile Drawer					
171/2"	183/8"	15"	27"	RPCW	RPF1827A	\$ 908	\$1007	\$1277	\$1385
225/8"	231/2"	15"	27"	RPCW	RPF2427A_	\$ 991	\$1090	\$1360	\$1468
285/8"	291/2"	15"	27"	RPCW	RPF3027A_	\$1191	\$1290	\$1560	\$1668
Two F	ile Drawe	ers							
171/2"	183/8"	15"	27"	RPCW	RPF1827B	\$ 879	\$ 978	\$1248	\$1356
225/8"	231/2"	15"	27"	RPCW	RPF2427B	\$ 962	\$1061	\$1331	\$1439
285/8"	291/2"	15"	27"	RPCW	RPF3027B_	\$1162	\$1261	\$1531	\$1639

Universal Pedestal Fillers and Counterweights

Universal Pedestal Fillers for 27"H Fixed Pedestals with Flush and Proud Fronts



		St	andard Incl	udes	Required	to Specify		
Need he Product page 14	details,	Filler: all paint price groupsInstallation hardware			1 Style number 2 Paint color number for filler ▶ See <i>Surface Materials</i> , page 360.			
Spec	ificatior	Info	rmation					
Dimen D	sions	н	On- or Off- Module	• Application	• Style • Number	·U.S. Price		
Flush Steel Front	Proud Steel/ Wood Front							
Pedes	tal Fille	ers fo	or 27"H Fixe	d Pedestals with Flusl	n Steel Fronts	•		
13/8" :	N.A.	27"	On-Module	Answer and Kick Panels	RPXFTAKFP	\$107 :		
Pedes	tal Fille	ers fo	or 27"H Fixe	d Pedestals with Prou	d Fronts			
N.A.	1/2"	27"	On-Module	Answer and Kick Panels	RPXFTAKPP	\$107		

Universal Pedestal Counterweight



Tip: Counterweights fit 27"H fixed pedestals only.

	Standard Includes	Required to Specify		
► Need help? Product details, page 141	Pedestal counterweight: black	Style number		

Specification I	Information
Style Number	· U.S. Price
RPCW	\$221

Universal Sliding Door Bins with Steel, Laminate, or Wood Fronts



SmartTools.

the electronic catalog or

Product details, page 144

► Need help?

Standard Includes

- Overhead bin: paint price group 1
- Sliding door: paint price group 1, laminate price group 1, or wood group 1
- · Recess beneath unit to accommodate shelf light
- Shelf backstop
- On-module attachment brackets with safety catch: black paint only
- · Vertical off-module attachment brackets, if selected: black paint only
- · Lock, keyed random: 9201 Polished Chrome

Required to Specify

- 1 Style number
- 2 Paint color number for overhead bin
- 3 Paint, laminate, or wood color number for door
- 4 Options, if selected (see below)
- See Surface Materials, page 360.

Required to Specify

For wood and lami-
nate group 2 and 3
pricing, please refer to

Overhead bin with one st Paint price group 1 Paint price group 2	No cost	Specify paint color number.					
	±¢ 65						
	+\$ 65	Specify paint color number.					
Paint price group 3	+\$111	Specify paint color number.					
	0 "						
		Specify paint color number.					
		Specify paint color number.					
		Specify paint color number.					
 Laminate price group 1 on laminate door 	Prices at right	Specify laminate color number.					
 Laminate price group 2 on laminate door 	See information at left	Specify laminate color number.					
 Laminate price group 3 on laminate door 	See information at left	Specify laminate color number.					
 Open Line laminate on laminate door 	+\$102 plus cost of laminate	See Surface Materials Reference Manual					
 Wood group 2 on wood door 	See information at left	Specify wood color number.					
Wood group 3 on wood door	See information at left	Specify wood color number.					
Customiz stain on wood door	No cost	Specify with Customiz stain.					
		See Surface Materials Reference Manual.					
Off-module attachment b	prackets						
 One vertical off-module bracket 	+\$ 98	Specify with one vertical off-module bracket.					
 Two vertical off-module brackets 	+\$196	Specify with two vertical off-module brackets.					
Upmount brackets		Specify with upmount kit.					
Upmount kit	+\$288						
No brackets	Φ. 0.4	Operation with made to					
Omit brackets	- \$ 31	Specify omit brackets.					
Four dividers: white plastic	+\$ 76	Specify with dividers.					
Lock							
 No lock 	- \$104	Specify with no lock.					
Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.					
Keying • Factory- and field-installed key	ving	▶ Page 375					
Accessories		▶Page 304					
	Overhead bin with one late. Paint price group 1 Paint price group 2 Paint price group 3 Laminate price group 1 on laminate door Laminate price group 2 on laminate door Laminate price group 3 on laminate door Copen Line laminate on laminate door Wood group 2 on wood door Wood group 3 on wood door Customiz stain on wood door Off-module attachment to One vertical off-module bracket Two vertical off-module brackets Upmount brackets Upmount kit No brackets Omit brackets Four dividers: white plastic Lock No lock Ember Chrome Keying	Overhead bin with one laminate or wood door Paint price group 1					

U.S. Price

· Dim	ensions		· Style	·U.S.	·Style	·U.S.	· Style	·U.S.
D	W	н	Number	Base	Number	Base	Number	Base
:			:	Price		Price	:	Price
				:	:			

		Steel Fronts		S	Laminate Fronts		Wood Fronts	
153⁄4"	36"	16 ¹ / ₄ "	RSB36TAK	\$1050	RSB36LTAK	\$1602	RSB36WTAK	\$1646
15¾"	42"	16 ¹ /4"	RSB42TAK	\$1088	RSB42LTAK	\$1640	RSB42WTAK	\$1684
153⁄4"	48"	16 ¹ /4"	RSB48TAK	\$1119	RSB48LTAK	\$1671	RSB48WTAK	\$1715
153⁄4"	60"	16 ¹ /4"	RSB60TAK	\$1693	RSB60LTAK	\$2692	RSB60WTAK	\$2736
153⁄4"	66"	16 ¹ / ₄ "	RSB66TAK	\$1784	RSB66LTAK	\$2783	RSB66WTAK	\$2827
15¾"	72"	16 ¹ /4"	RSB72TAK	\$1852	RSB72LTAK	\$2851	RSB72WTAK	\$2895



Tip: Overhead storage bins with a "TAK" suffix can be used with Privacy Wall as well.

See Architectural Solutions Specification Guide for attachment information.

Universal Over the Case Bins with Flat Fronts



Standard Includes

Required to Specify

- ► Need help? Product details, page 148
- Overhead bin with lift-up door: paint price group 1
- · Recess beneath unit to accommodate shelf light
- · Shelf backstop
- · On-module attachment brackets with safety catch: black paint only
- · Off-module attachment brackets, if selected: black paint only
- · Picture frame door acrylic insert, if selected:
- 6538 Satin only

 Picture frame door glass insert, if selected: 6580 Ice White only
- · Lock, keyed random: 9201 Polished Chrome

- 1 Style number
- 2 Paint color number for overhead bin
- 3 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify		
Surface	Overhead bin with one d	oor			
Materials	 Paint price group 1 	No cost	Specify paint color number.		
	 Paint price group 2 	+\$ 65	Specify paint color number.		
	 Paint price group 3 	+\$111	Specify paint color number.		
	Overhead bin with two d	oors			
	 Paint price group 1 	No cost	Specify paint color number.		
	 Paint price group 2 	+\$ 88	Specify paint color number.		
	 Paint price group 3 	+\$155	Specify paint color number.		
Brackets	Off-module attachment I	orackets			
	One vertical off-module brackets	et +\$ 98	Specify with one vertical off-module bracket.		
	 Two vertical off-module 	+\$196	Specify with two vertical off-module		
	brackets		brackets.		
	Upmount brackets				
	Upmount kit	+\$288	Specify with upmount kit.		
	No brackets				
	 Omit brackets 	- \$ 31	Specify omit brackets.		

Tip: Upmount brackets include steel back to enclose storage bin.

Tip: When ordering the omit insert option, remember that custom material cannot be factory installed. Custom material must be ordered from a material vendor.

Tip: A door assist mechanism cannot be used with an acrylic door insert.

Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well.

► See Architectural Solutions Specification Guide for attachment information.

Door Mechanism	 Assist mechanism for standard door, glass insert, or omit insert 	+\$288 per door	Specify with assist mechanism.
Shelf Accessories	Four dividers: white plastic	+\$ 76	Specify with dividers.
Lock and Keying	Lock • No lock • Ember Chrome	–\$104 per door No cost	Specify with no lock. Specify with 9250 Ember Chrome lock.
	Keying • Factory- and field-installed ke	eying	▶ Page 375
Related Products	Accessories Shelf lights		▶ Page 304 ▶ Page 352

Specification Information									
·Dim	ensions		·Number	Style	·U.S.	·Options			
D	W	н	of Doors	Number	Base	· (Add \$ to			
:			:	:	Price	Base Price)			
:			:	:	:				
:			:		:	Picture Frame Door Inserts			
				·		Omit Acrylic Glass			
:			•	•	:	Insert Insert Insert			

+\$ 574

+\$ 607

+\$ 688

+\$ 735



Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well.

See Architectural Solutions Specification Guide for attachment information.

Bins	Bins with Flat Fronts								
15¾"	24"	161/4"	1	RBB24QTAK	\$ 941	+\$403			
15¾"	30"	161/4"	1	RBB30QTAK	\$ 979	+\$425			

153⁄4"	36"	161/4"	1	RBB36QTAK	\$1026	+\$447	+\$ 635	+\$ 780	
15¾"	42"	161/4"	1	RBB42QTAK	\$1063	+\$464	+\$ 667	+\$ 860	
153⁄4"	48"	161/4"	1	RBB48QTAK	\$1098	+\$484	+\$ 701	+\$ 938	
153⁄4"	60"	161/4"	2	RBB60QTAK	\$1761	+\$795	+\$1107	+\$1398	
153⁄4"	66"	161/4"	2	RBB66QTAK	\$1848	+\$813	+\$1142	+\$1482	
153⁄4"	72"	161/4"	2	RBB72QTAK	\$1915	+\$831	+\$1174	+\$1562	
:			:	•	:	:	:	:	

Universal In the Case Bins with Steel, Laminate, or Wood Flat Fronts



Standard Includes

Required to Specify

- ► Need help? Product details, page 148
- · Overhead bin with lift-up door: paint price group 1
- · Door on units with laminate door fronts: laminate price
- · Door on units with wood door fronts: wood group 1
- · Recess beneath unit to accommodate shelf light
- · Shelf backstop
- · On-module attachment brackets with safety catch: black paint only
- · Off-module attachment brackets, if selected: black paint only
- · Picture frame door acrylic insert, if selected: 6538 Satin only
- · Picture frame door glass insert, if selected: 6580 Ice White only
- · Lock, keyed random: 9201 Polished Chrome

- 1 Style number
- 2 Paint color number for overhead bin
- 3 Laminate color number for door, if laminate door selected
- 4 Wood color number for door, if wood door selected
- 5 Options, if selected (see below)
- See Surface Materials, page 360.

Surface
Materials

Options	U.S. Price	Required to Specify
Overhead bin with one st	eel door	
Paint price group 1	No cost	Specify paint color number.
 Paint price group 2 	+\$ 65	Specify paint color number.
Paint price group 3	+\$111	Specify paint color number.
Overhead bin with two st	eel doors	
Paint price group 1	No cost	Specify paint color number.
 Paint price group 2 	+\$ 88	Specify paint color number.
Paint price group 3	+\$155	Specify paint color number.
Overhead bin with one la	minate or wood door	
 Paint price group 1 	No cost	Specify paint color number.
 Paint price group 2 	+\$ 65	Specify paint color number.
 Paint price group 3 	+\$101	Specify paint color number.
Laminate price group 1 on laminate door	Prices at right	Specify laminate color number.
Laminate price group 2 on laminate door	See information at left	Specify laminate color number.
Laminate price group 3 on laminate door	See information at left	Specify laminate color number.
Open Line laminate on laminate door	+\$102 plus cost of laminate	See Surface Materials Reference Manual.
 Wood group 2 on wood door 	See information at left	Specify wood color number.
Wood group 3 on wood door	See information at left	Specify wood color number.
Customiz stain on wood door	No cost	Specify with Customiz stain.

For wood and laminate group 2 and 3 pricing, please refer to the electronic

catalog or SmartTools.

Overhead bin with two laminate or wood doors

	Overnicus bill with two lai	minute or wood doo
•	Paint price group 1	No cost
•	Paint price group 2	+\$ 88
•	Paint price group 3	+\$135
•	Laminate price group 1 on	Prices at right
	laminate doors	
•	Laminate price group 2 on	See information at left
	laminate doors	
•	Laminate price group 3 on	See information at left

laminate doors · Open Line laminate on

laminate doors · Wood group 2 on wood doors Wood group 3 on wood doors · Customiz stain on wood doors

plus cost of laminate

See information at left See information at left Specify paint color number. Specify paint color number.

Specify paint color number. Specify laminate color number.

See Surface Materials Reference Manual.

Specify laminate color number. Specify laminate color number.

See Surface Materials Reference Manual.

Specify wood color number. Specify wood color number. Specify with Customiz stain.

See Surface Materials Reference Manual.

▶Options, continued on next page

▶Options, continued from previous page

Tip: Upmount brackets include steel back to enclose storage bin.

	Options	U.S. Price	Required to Specify					
Brackets	Off-module attachment brackets							
	 One vertical off-module bracket 	+\$ 98	Specify with one vertical off-module bracket.					
	 Two vertical off-module brackets 	+\$196	Specify with two vertical off-module brackets.					
	Upmount brackets Upmount kit	+\$288	Specify with upmount kit.					
	No brackets	0.04	0					
	 Omit brackets 	- \$ 31	Specify omit brackets.					

Tip: When ordering the omit insert option, remember that custom material cannot be factory installed. Custom material must be ordered from a material vendor.

Tip: A door assist mechanism cannot be used with an acrylic door insert.

Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well. ▶ See Architectural Solutions Specification Guide for attachment information.

Door Mechanism	 Assist mechanism for standard door, glass insert, or omit insert 	+\$288 per door	Specify with assist mechanism.
Shelf Accessories	Four dividers: white plastic	+\$ 76	Specify with dividers.
Lock and	Lock		
Keying	 No lock 	-\$104 per door	Specify with no lock.
	Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.
	Keying		
	 Factory- and field-installed ke 	eying	▶ Page 375
Related	Accessories		▶ Page 304
Products	 Shelf lights 		▶ Page 352

)im	ensions		·Number	•Style	·U.S.	Option		
)	W	н	of Doors	Number	Base	· · ·		
			:	:	Price			
			:	:	:	Picture	e Frame D	oor Inserts
						Omit	· Acrylic	Glass
						Insert	Insert	Insert



Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well.

See Architectural Solutions Specification Guide for attachment information.

					:				
Bins with Steel Flat Fronts									
153/4"	24"	161/4"	1	RBB24TAK	\$ 941	+\$403	+\$ 574	+\$ 688	
153⁄4"	30"	161/4"	1	RBB30TAK	\$ 979	+\$425	+\$ 607	+\$ 735	
153⁄4"	36"	161/4"	1	RBB36TAK	\$1026	+\$447	+\$ 635	+\$ 780	
153⁄4"	42"	161/4"	1	RBB42TAK	\$1063	+\$464	+\$ 667	+\$ 860	
153⁄4"	48"	161/4"	1	RBB48TAK	\$1098	+\$484	+\$ 701	+\$ 938	
153⁄4"	60"	161/4"	2	RBB60TAK	\$1761	+\$795	+\$1107	+\$1398	
153/4"	66"	161/4"	2	RBB66TAK	\$1848	+\$813	+\$1142	+\$1482	
153/4"	72"	161/4"	2	RBB72TAK	\$1915	+\$831	+\$1174	+\$1562	
			:	:	:	:	:	:	

[▶] Specification Information, continued on next page

▶ Specification Information, continued from previous page

2

 Dimensions 			 Number 	·Style	·U.S.
D	W	н	of Doors	Number	Base
					Price
					:

Bins	with L	aminate	Flat	Fronts	
15¾"	24"	161/4"	1	RBB24LTAK	\$1493
153/4"	30"	161/4"	1	RBB30LTAK	\$1531
153/4"	36"	161/4"	1	RBB36LTAK	\$1578
153/4"	42"	161/4"	1	RBB42LTAK	\$1615
153/4"	48"	161/4"	1	RBB48LTAK	\$1650
153/4"	60"	161/4"	2	RBB60LTAK	\$2760
15¾"	66"	161/4"	2	RBB66LTAK	\$2847

RBB72LTAK

Bins	with V	Vood Fla	t Front	s	
153/4"	24"	161/4"	1	RBB24WTAK	\$1537
153/4"	30"	161/4"	1	RBB30WTAK	\$1575
153/4"	36"	161/4"	1	RBB36WTAK	\$1622
153/4"	42"	161/4"	1	RBB42WTAK	\$1659
153/4"	48"	161/4"	1	RBB48WTAK	\$1694
153/4"	60"	161/4"	2	RBB60WTAK	\$2804
153/4"	66"	161/4"	2	RBB66WTAK	\$2891
153/4"	72"	16 ¹ /4"	2	RBB72WTAK	\$2958





Universal Shelves



Standard Includes

Required to Specify

Need help? Product details, page 152

- Shelf: paint price group 1
 Recess beneath unit to accommodate shelf light
- · Shelf backstop
- · On-module attachment hooks with safety catch
- 1 Style number 2 Paint color number for shelf
- 3 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$22 +\$36	Specify paint color number. Specify paint color number. Specify paint color number.
Related Products	Accessories Shelf lights		▶ Page 304 ▶ Pages 352–356

Spec	cification Information				
• Dime	nsions W	н	• Style Number	· U.S. Base Price	
143/4"	24"	71/2"	RSH24TAK	\$307	
143⁄4"	30"	71/2"	RSH30TAK	\$322	
143⁄4"	36"	71/2"	RSH36TAK	\$340	
143⁄4"	42"	71/2"	RSH42TAK	\$362	
143⁄4"	48"	71/2"	RSH48TAK	\$391	
143⁄4"	60"	71/2"	RSH60TAK	\$435	
143/4"	72"	71/2"	RSH72TAK	\$484	

Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well.
▶See Architectural Solutions Specification Guide for attachment information.

Accessories For Universal Bins and Shelves

Horizontal Wall Attachment Brackets

For Use with Universal Sliding Door, Universal Over the Case, and Universal In the Case Bins



Standard Includes Required to Specify

► Need help? Product details, page 155

Surface

70"

72"

Materials

· Brackets: paint price group 1

Options

· Paint price group 1

• Paint price group 2

Steel back to enclose storage bin: paint price group 1

\$335

\$335

- 1 Style number
- 2 Paint color number for brackets and back 3 Options, if selected (see below)

Required to Specify

Specify paint color number.

Specify paint color number.

► See Surface Materials, page 360.

	 Paint price group 	3 +\$36	Specify paint color number.
Specifica	ation Information		
·Width	• Style Number	· U.S. Base Price	
24"	RBKHWM24	\$335	
30"	RBKHWM30	\$335	
36"	RBKHWM36	\$335	
42"	RBKHWM42	\$335	
48"	RBKHWM48	\$335	
60"	RBKHWM60	\$335	

U.S. Price

No cost

+\$22

For Use with Universal Sliding Door, Universal Over the Case, Universal In the Case, and Universal Shelves

RBKHWM70

RBKHWM72



	Standard Includes	Required to Specify
Need help? Product details, page 154	Package of four dividers: white plastic only	Style number

Specificat	tion Information
•Style Number	· U.S. Price
RDIV	\$76 :

Universal Vertical Off-Module Bracket

For Use with Universal Sliding Door, Universal Over the Case, and Universal In the Case Bins



Tip: For two-sided, off-module application, order two vertical off-module brackets.

Tip: Vertical off-module brackets are used with panels which have vertical slot patterns including Answer, Kick, Avenir, and Montage.

Tip: For Montage, vertical off-module brackets can be used with 30"W to 60"W bins only.

	Standard Includes	Required to Specify
Need help? Product details, page 148	 Vertical off-module bracket with safety catch: black paint only 	Style number

Specificati	ion Information	
Style Number	· U.S. Price	
RBKVOFM	\$95	

Standard Overhead Upmount Packages

·Width

For Use on Kick Panels

For Use with Universal Sliding Door, Universal Over the Case, and Universal In the Case Bins

• Style




	Standard Includes	Required to Specify
► Need help? Product details, page 149	 Pair of steel upmount brackets: paint price group 1 Steel back to enclose storage bin 	 1 Style number 2 Paint color number for brackets and back 3 Options, if selected (see below) See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$22 +\$36	Specify paint color number. Specify paint color number. Specify paint color number.
Chasificati	ion Information		

:	Number	Price			
For Use	For Use with Answer and Kick				
24"	RUK24TAK	\$286			
30"	RUK30TAK	\$286			
36"	RUK36TAK	\$286			
42"	RUK42TAK	\$286			
48"	RUK48TAK	\$286			
60"	RUK60TAK	\$286			
72"	RUK72TAK	\$286			
:	•	· ·			

·U.S.

Wall Channels for TS Series Bins, Universal Bins, and Universal Shelves



Wall Channel Horizontal Braces



	Standard Includes	Required to Specify
Need help? Product details, page 156	Brace: paint	 1 Style number 2 Paint color number for horizontal brace ▶ See Surface Materials, page 360.

Specif	ication Info	Specification Information		
Width	• Style Number	U.S. Price		
42"	TS742HB	\$133		
48"	TS748HB	\$133		
60"	TS760HB	\$133		
 72"	TS772HB	\$133		

Tackboards for Use with Wall Channels



Standard Includes	Required to Specify

- Tackboard, fabric direction with horizontal application: fabric price group 1
- 1 Style number 2 Fabric color number
- 3 Options, if selected (see below)
- See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface	Fabric price group 1	No cost	Specify fabric color number.
Materials	Fabric price group 2	+\$21	Specify fabric color number.
	Fabric price group 3	+\$39	Specify fabric color number.
	Fabric price group 4	+\$57	Specify fabric color number.
	 Fabric price group 5 	+\$87	Specify fabric color number.
	Fabric price group COM	+\$55	Specify fabric color number.
	Fabric direction on 24"	W to 60"W tackboard	ls
	 Vertical application 	No cost	Specify with vertical application
Related Products	Wall channels for Universal bins and shelves		▶Page 306

Tip: 72"W tackboards accommodate fabric in the horizontal direction only.

Tip: For further information about fabric direction,
▶ Page 365.

Dime	ensions	· Style	·U.S.
W	Н	Number	Base Price
24"	18"	TS71824TB	\$207
30"	18"	TS71830TB	\$229
36"	18"	TS71836TB	\$251
42"	18"	TS71842TB	\$275
48"	18"	TS71848TB	\$307
60"	18"	TS71860TB	\$389
72"	18"	TS71872TB	\$477

Slim Shelves



Standard Includes Required to Specify

- Need help? Product details, page 157
- Shelf: paint price group 1Attachment brackets: paint to match shelf
- 1 Style number 2 Paint color number for shelf
- 3 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$22 +\$36	Specify paint color number. Specify paint color number. Specify paint color number.

Spe	Specification Information					
· Dim · D	ensions W	• Style Number	· U.S. Base Price			
6"	24"	RSS24TAK	\$319			
6"	30"	RSS30TAK	\$340			
6"	36"	RSS36TAK	\$364			
6"	42"	RSS42TAK	\$391			
6"	48"	RSS48TAK	\$416			
6"	60"	RSS60TAK	\$521			
6"	72"	RSS72TAK	\$570			
6"	96"	RSS96TAK	\$671			
		-	·			

Tip: Slim shelves with a "TAK" suffix can attach to Privacy Wall. See Architectural Solutions Specification Guide for

attachment information.

Underworksurface Lateral File Fillers



Tip: Order filler which matches nominal worksurface depth.

Tip: 24"D filler is used with 18"D storage. 30"D filler is used with 18"D or 24"D storage.

Tip: Fillers are for use with a Universal 3" base only.

	Standard Includes	Required to Specify
► Need help?	Filler: paint	1 Style number
See Storage		2 Paint color number
Specification Gu	ide.	3 Options, if selected (see below)
•		► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$45 +\$74	Specify paint color number. Specify paint color number. Specify paint color number.

Specif	Specification Information					
• Depth	•Style Number	· U.S. Base Price				
For Lat	eral Files v	with Flush Steel Fronts				
For Lat	eral Files \ ULFF24F	with Flush Steel Fronts \$81				

For La	For Lateral Files with Proud Fronts				
24"	ULFF24P	\$81			
30"	ULFF30P	\$81			

Attachment Cable



Tip: For use with Kick underworksurface lateral files.

Standard Includes	Required to Specify
Attachment cablePackage of 1 or 25	Style number

Specification Info	rmation
Style Number	·U.S. Price
PAB12 (package of 1)	\$ 31
PAB12M (package of 25)	\$480

ightine

Specifying Lighting

ighting	
Standard Shelf Lights	352
Bottomline Shelf Lights	354
LED Shelf Lights	355
LED Linear Shelf Lights	356
Related Products	
Vertical Wire Managers	358

Standard Shelf Lights

Tip: Daisy chaining shelf lights together extends power from one fixture to another within workstations to help keep receptacles clear for other uses.

► See page 349 for more information.

Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

Tip: Because shelf lights are usually recessed, black is the standard paint color. Paint colors other than black have an upcharge.

Tip: If an optional paint color is selected for the housing, the electrical switches and end caps will remain black plastic.



Tip: When ordering with standard power cord or Chicago cord, daisy chaining is not possible.



Tip: Remember to order a daisy chain starter cord.

See Related Products next page.

Standard Includes

► Need help? Product details, page 340

- Light housing with centered on-off switch: black paint
- End cap cord managers: black plastic only
- · Cords:
- Standard and Chicago (including circuit breaker),
 9' cord with three-prong plug at 45° angle:
 black plastic only
- Daisy chain, one 78" cord with modular connectors for daisy chaining: black plastic only
- · Contrast sleeve around lamp
- · Faceted reflector: white only
- T8 3500K lamp
- Ballast
- · Universal mounting hardware package
- Daisy chain starter cord, if selected: black plastic only (order separately)

Required to Specify

- 1 Style number
- 2 Paint color number, if other than black (see options below)
- 3 Options, if selected (see below)
- ► See Surface Materials, page 360.

	Options	U.S. Price	Required to Specify
Surface Materials	 Painted light housing other than black 	+\$36	Specify paint color number for housing.
Bracket Option	Competitive mounting package	No cost	Specify with competitive mounting package.
-	Flush mounting package	No cost	Specify with flush mounting package and paint color number for end cap covers.

Spe	ecific	ation	Information	n	
·Dim	ensio	ns	·Lamp	Style	·U.S.
D	W	н	Wattage	Number	Base
				:	Price

Electronic High-Power-Factor Ballast

With	Stand	ard Pow	er Cord		
91/4"	25"	13/4"	17 watts	LSM24K	\$625
91/4"	37"	13/4"	25 watts	LSM36K	\$662
91/4"	49"	13/4"	32 watts	LSM48K	\$716
With	Chica	go Cord	Including (Circuit Breaker	•
91/4"	25"	13/4"	17 watts	LSM24KC	\$722
91/4"	37"	13/4"	25 watts	LSM36KC	\$759
91/4"	49"	13/4"	32 watts	LSM48KC	\$813
With	Daisy	Chain C	ords		
91/4"	25"	13/4"	17 watts	LSM24KD	\$680
91/4"	37"	13/4"	25 watts	LSM36KD	\$717
91/4"	49"	13/4"	32 watts	LSM48KD	\$771
			•		•

▶ Specification Information, continued on next page

▶ Specification Information, continued from previous page

LS1FSC

LS6FSC

\$ 86

\$516


78"

78"

Related Pr	oducts						
· Quantity in Package	Length	•Style Number	·U.S. Price				
:	:	:	:				

Daisy Chain Starter Cord

6



Bottomline Shelf Lights

► Need help?

page 342

Product details,



Tip: Daisy chaining shelf lights together extends power power from one fixture to another within workstations to help keep receptacles clear for other uses.

See page 349 for more

information.

Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

Tip: When ordering with standard power cord or Chicago cord, daisy chaining is not possible.

Tip: When ordering the Bottomline shelf lights with daisy chain starter cord you do NOT need to order a starter cord or jumper cord.

Standard Includes

- · Steel light housing: paint
- · Mylar reflector
- · Batwing lens
- Polycarbonate end caps: molded to match housing
- Cords:
- Standard and Chicago (including circuit breaker),
 9' cord with three-prong plug at 45° angle:
 black plastic only
- Daisy chain, one 56" cord with modular connections for daisy chaining: black plastic only
- Energy efficient electronic ballast
- Energy efficient 3500K T5 fluorescent light
- Universal spring brackets for recessed mount and screw-in for flush mount
- · Tool free clips for New York application

Required to Specify

- 1 Style number
- 2 Paint color number for housing and end caps: 0835 Black
- 7018 Pewter
- 7021 Dark Champagne

	T (2)			
SMA	CITICS	TION	I In to PR	nation
	GIIIG			

· Dim · D	ensions W	H	·Lamp ·Wattage	Style Number	· U.S. · Price
				:	
With	Standa	rd Pov	ver Cord		
4 ¹ /2"	231/4"	11/4"	14 watts	L52FT	\$373
41/2"	35"	1 ¹ /4"	21 watts	L53FT	\$400
4 ¹ /2"	463/4"	1 ¹ /4"	28 watts	L54FT	\$431
With	Chicag	o Cord	I Including C	ircuit Breaker	•
4 ¹ /2"	231/4"	11/4"	14 watts	L52FTCHI	\$437
4 ¹ /2"	35"	11/4"	21 watts	L53FTCHI	\$476
41/2"	463/4"	11/4"	28 watts	L54FTCHI	\$508

41/2"	231/4"	11/4"	14 watts	L52FTY	\$413	
41/2"	35"	11/4"	21 watts	L53FTY	\$437	
41/2"	46¾"	11/4"	28 watts	L54FTY	\$467	
With	Daisy (Chain S	Starter Cord			
41/2"	231/4"	11/4"	14 watts	L52FTS	\$413	
41/2"	35"	11/4"	21 watts	L53FTS	\$437	
41/2"	46¾"	11/4"	28 watts	L54FTS	\$467	
:			:		•	

Specification Guidelines

Application	Requirement
2 lights	1 starter fixture and 1 daisy chain fixture
3 lights	1 starter fixture and 2 daisy chain fixtures
4 lights	1 starter fixture and 3 daisy chain fixtures
5 lights	1 starter fixture and 4 daisy chain fixtures
6 lights	1 starter fixture and 5 daisy chain fixtures

Note: Daisy chaining minimum of two fixtures; maximum of six fixtures.

Lighti

LED Shelf Lights

	Standard Includes	Required to Specify
Need help? Product details, page 344	Aluminum extrusion with plastic cover Power supply with cord Soft touch switch Thin profile accommodates recessed and low profile flush mounting Ultra energy efficient LED light source Universal magnetic mounting Polycarbonate matte film diffuser Continuous dimming	1 Style number 2 Plastic color number for cover: 6000 Black 6009 Arctic White 3 Options, if selected (see below)

Tip: Maximum number of lights that can be daisy chained is three lights.

	Options	U.S. Price	Required to Specify
Mounting	 Fastener kit for use with wood shelf 	+\$9	Specify with fastener kit.

Specification Information Dimensions D W H Wattage Number Base Price LED Standard Light 21/2" 18" 1/2" 9.6 watts LSL18 \$506



Tip: LED standard light comes with a 9' 18 watt power supply.



Tip: Daisy chain starter light comes with a 60 watt power supply that will support up to three lights in series (11' cord; 6' from power supply to power outlet, 5' from power supply to fixture). Does not include daisy chain jumper cords.



Tip: Daisy chain secondary light does not come with a power supply. Daisy chain cord package (8" and 30") comes standard with each secondary light.

LED Daisy Chain Starter Light									
21/2"	18"	1/2"	9.6 watts	LSL18YA	\$545				
:				:	:				

LED Daisy Chain Secondary Light									
21/2"	18"	1/2"	9.6 watts	LSL18YB	\$498				
:			:	•					

LED Linear Shelf Lights

Tip: The power supply for the 17" stand alone only uses a straight plug with a 9' 18 watt 24 volt wall transformer. The power supply for the 31", 44", 58", or 17" starter light uses a 11' 60 watt compact in-line brick with straight plug.

Standard Includes Required to Specify

Need help? Product details, page 346

- · Task light and mounting bracket: 4231 Arctic White
- Power supply with cord: black
- · Soft touch switch
- · Magnetic and wood mounting brackets
- Continuous range dimmer
- Automatic turn off program
- Color temperature 3500K

- 1 Style number
- 2 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Surface Materials	Painted light housing in 0835 Black	+\$ 19	Specify with 0835 Black.
Occupancy Sensor	 17"W, 31"W, 44"W, and 58"W with stand alone or daisy chain starter 	+\$187	Specify with occupancy sensor.
High Output	17"W with stand alone, starter, or secondary	+\$118	Specify with high output.
·	 31"W, 44"W, and 58"W with stand alone or daisy chain starter, or secondary 	+\$201	Specify with high output.

Dime D	ension W	s H	· Style Number	· U.S. Base Price	
17" \$	Stand	Alone	e Light	•	
2"	17"	7/10"	LLL17	\$384	
			:	:	



17" Daisy Chain Secondary Light

2"	17"	⁷ /10"	LLL17YB	\$334

31" Stand Alone or Daisy Chain Starter Light

2"	31"	⁷ /10"	LLL31	\$621

31" Daisy Chain Secondary Light

2"	31"	⁷ /10"	LLL31YB	\$514


▶ Specification Information, continued on next page

▶ Specification Information, continued from previous page

Spe	Specification Information									
Dimensions			· Style	∙u.s.						
· D	W	н	Number	Base						
:				Price						
:			:	:						



44"	Stand	Alone	or	Daisy	Chain	Starter	Light
2"	44"	7/10"	LI	L44		\$	824



44"	44" Daisy Chain Secondary Light									
2"	44"	⁷ /10"	LLL44YB	\$ 690						
			•	•						
			•	•						



58	Stand	Alone	or vaisy	Chain Starter Light
2"	58"	7/10"	LLL58	\$1055

58"	Daisy	Chair	n Secondary Lig	ıht	
2"	58"	7/10"	LLL58YB	\$ 744	

Vertical Wire Managers

Vertical Wire Manager

Tip: Wire manager can be

Tip: Wire manager can be cut in the field to the specific length needed.

	Sta	ndard Includes	Required to Specify
Need help? Product del page 350		ical wire manager: plastic	1 Style number 2 Plastic color number: 6000 Black 6009 Arctic White 6249 Platinum Solid 6652 Titanium 6654 Sand 6697 Fog
Specifi	cation Infor	mation	
Height	Style Number	·U.S. Price	
	•	•	

Vertical Wire Managers

With Wing Edges



Tip: Wire manager can be cut in the field to the specific length needed.

Tip: Wings along length of wire manager are captured by edge of skin or vertical trim to hold wire manager in place.

TSAEVWMZ20

20"

	Standard Includ	es Required to Specify
► Need help? Product details, page 350	Vertical wire manager:	lastic 1 Style number 2 Plastic color number: 6000 Black 6659 Light Grey
Specification	on Information	
·Height ·Styl		

\$26

Surface Materials

Surface Materials	360
Specification Guidelines for Directional Fabrics	365
Paint Color Availability Matrix	366
Recommended Worksurface Edge Finishes	368
Directional Laminate Grain Directions	371
Wood Veneer Grain Directions	372

Surface Materials

This listing includes all the surface material choices that are available for the products in this specification guide.

Resources

For more information about surface materials, refer to the following resources:

Additional surface materials specification

tools are available to assist you in the specification process—the Surface Materials Binders.

The global surface materials palette is a

core collection of finishes that is available across multiple geographies (Americas/ EMEA - Europe, Middle East, and Africa/APAC - Asia Pacific) and on global product lines, where applicable. For a list of finishes included in the offering, see the Surface Materials Reference Manual. Additional details, like product approvals by geography and finish number conversions, can also be found in the Surface Materials Reference Manual or see steelcase com/ surface-materials.

Surface Materials Binders include:

Surface Materials

- Reference Manual
- A complete set of swatch cards for hard surfaces. vertical surface fabrics, and seating upholstery

Paint

Tip: All products may not be available in all colors listed below.

See page 366 for an overview of the paint colors available on each

Steelcase Surfaces

Price Group 1

Smooth Paint

4238 Mocha 4239 Clay

4240 Chalk

4242 Milk

= Established

Textured Paint

7207 Black 7225 Sand

7237

Slate 3 7238

Fieldstone 7239 Midniaht

Arctic White 7241

7243 Seagull

Sterling Dark Solid Dark Bronze

7278 7360 Merle

Smooth Metallic Paint

Price Group 2

4743 Mineral Metallic 4750 Champagne Metallic

Sterling Metallic

Platinum Metallic 4803 Near Black Metallic

Textured Metallic Paint

7245 Carbon Metallic 7246 Midnight Metallic

Price Group 3

Accent Paint

1ATG Rose Quartz

4AV3 Blue Jay

4AV4 Baltic

4AX1 Citrine/Citron 4AY2 Chili

4AZ5 Marlin

4CL1 Dark Olivine

4CL2 Ice Blue

4CL3 Aura

4CL4 Sea Glass

4CL5 Light Matcha

4CL6 Terra

4CL7 Sandstone

4CL8 Smokey Plum

4CZ5 Honey

4CZ6 Lagoon

4CZ8 Light Peacock

Coatings

1ATT Cast Shadow

Lux Coatings

4B20 Obsidian

Matte Brass 4R22

Burnished Bronze 4B23 4B24 Night Bronze

4B25 Matte Copper 4R26

Smoked Mica 4B29 Cast Iron

Applies to: · 21/2" round grommet

Price Group 1

Smooth Paint

7241 Arctic White 7278 Dark Bronze

Textured Paint

7360 Merle

Price Group 2

Smooth Paint

0835 Black 4700 Warm White

Smooth Metallic Paint

4799 Platinum Metallic

Custom Surfaces

Price Group 3

PerfectMatch

PerfectMatch is a service that allows you to create your own paint color. Refer to the Surface Materials Reference Manual for more information about this program.

Tip: Not all Price Group 3 paints are available on adjustable-height worksur-

Laminate

Steelcase Surfaces

Applies to:

· Duo Storage boxes

Solid Laminate

2722 Cream **G**

2730 Arctic White

2746 Black

Warm White 2759

Mist **3** 2811

2883 Seagull

2884 Milk

2885 Dune

2HMG Merle

High-Pressure Laminate

Applies to:

Universal worksurfaces—

High-Pressure Laminate

TS Series common shelves

Price Group 1

Fiber Laminate

2850 Vanadium Fiber Tungsten Fiber 2852

Vellum Fiber 6 2854

2860 Granite Fiber 2862 Stucco Fiber 6

Micro Laminate

2920 Marl Micro

2921 Gypsum Micro 2922 Clay Micro

Patina Laminate

2870 Blonde Bronze Patina 2873 Instant Iron Patina

Solid Laminate

2722 Cream **G** Arctic White 2730

2746 Black

2759 Warm White

2811 Mist **G**

2883 Seagull Milk 2884

2885 Dune

2HMG Merle

Speckle Laminate

2820 Coffee Speckle 3 2823 Driftwood Speckle

2824 Smoke Speckle Vanadium Speckle

Woodgrain Laminate

Clear Cherry G 2406

Clear Maple 2409

Graphite Walnut 2410

Natural Cherry 2412

2422 Medium Cherry

Winter on Maple 2511

2535 Virginia Walnut

Blackwood **6**

2538 Clear Walnut Blonde on Maple **G** 2592

2612 Marbled Maple 9*

2614 Chocolate Walnut 6* 2615 Marbled Cherry 6*

Natural Walnut 6 2714

2HAK Clear Oak

2HAN Ash Noce

2HAT Acacia

2HAW Ash Wenge

2HBN Bisque Noce

2HBW Bisque Wenge

2HCN Clay Noce

2HCW Clay Wenge 2HCN Storm Noce

2HSW Storm Wenge

Grey Kingswood

Planked Walnut 2HWB 2HWD Resolute Walnut

2HWE Natural Recon

Smoked Walnut

2HWU Clay 2HWV Chalk

Tip: Woodgrain Laminates are not available as matched sets. The grain patterns will not align. These are not recommended for fully segmented skin applications.

Tip: 2535 Virginia Walnut, 2536 Blackwood, 2616 Marbled Maple, 2614 Chocolate Walnut, and 2615 Marbled Cherry are not available on doors or bullnose laminate storage

*2612 Marbled Maple, 2614 Chocolate Walnut, and 2615 Marbled Cherry have limited availability, determined by product sizing and/or options

Price Group 2

Textured Laminate

2TH2 Fawn Cypress

2TH4 Saddle Oak

2TH5 Veranda Teak 2TH7 Walnut Heights

2UH1 Reclaimed Aggregate 2UH2 Reclaimed Gravel

2UH4 Cement**

2UH6 Sheetrock

options.

**2UH4 Cement has limited availability, determined by product sizing and/or

360

Applies to:

· Universal worksurfaces and storage tops

Price Group 3

Solid Laminate

24H1 Satin White

24H2 Satin Black

24H3 Satin Stone

24H4 Satin Mocha

Steelcase Surfaces

Applies to:

- · Universal worksurfaces-Low-Pressure Laminate
- TS Series worksurfaces

Low-Pressure Laminate

247L Black V2 LPL

25L1 Winter on Maple LPL

25L5 Virginia Walnut LPL

25L6 Blackwood LPL 6

25L8 Clear Walnut LPL

267L Marbled Cherry V2 LPL 6

26L1 Natural Cherry V2 LPL

2L09 Clear Maple LPL

2L30 Arctic White LPL

2L50 Vanadium Fiber LPL

2L52 Tungsten Fiber LPL

2L83 Seagull LPL

2L84 Milk LPL

2L85 Dune LPL

2LAK Clear Oak

2LAN Ash Noce LPL

2LAT Acacia LPL

2LAW Ash Wenge LPL

2LBN Bisque Noce LPL

2LBW Bisque Wenge LPL

2LCN Clay Noce LPL

2LCW Clay Wenge LPL

2LMG Merle LPL

2LSN Storm Noce LPL

2LSW Storm Wenge LPL

2LWA Grey Kingswood 2LWB Planked Walnut

2LWD Resolute Walnut

2LWF Smoked Walnut

2LWG Natural Recon

2TL2 Fawn Cypress

Tip: Some wood veneer finishes and woodgrain laminates share the same name. Because of the difference in materials, veneers and laminates of the same name are not an exact match but do coordinate with each other.

Custom Surfaces

Open Line Laminate (OLL)

This service allows you to order non-standard laminate at an additional processing fee of \$102 U.S. per unit, plus the cost of the laminate.

High-Pressure Laminate pricing does not include premium or digitally printed patterns from any suppliers. Laminate cost may also vary for basic or standard laminates from other suppliers. Please contact the OLL consultant at 616.475.2426 for pricing. The cost of the laminate will be added to your invoice as a separate line on the acknowledgement.

When processing orders for Open Line laminate on Universal worksurfaces and Universal Storage tops, specify 2900 in the laminate finish field and enter the OLL manufacturer information. Enter the required edge finish as you would a standard laminate.

Laminate Approval and Material Requirements

To confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements:

· Visit www.steelcase.com

For additional information, refer to the Steelcase Surface Materials Reference Manual.

Applies to:

- · Universal worksurfaces
- · Universal Storage tops and fronts
- Overhead storage
- · TS 200 Series tops

Steelcase carefully selects veneer and solid wood for consistent color and grain structure. Wood is a natural material and variations will occur in color, grain and texture. These variations are part of the inherent natural beauty of wood and are not considered defects.

All wood products will darken with age and exposure to ultraviolet light. This is especially apparent with cherry and maple veneer. We recommend that desk accessories be rearranged periodically to ensure even aging of wood

When storing your wood furniture, please follow the following guidelines:

- Do not store products in trailers
- Store products in areas that simulate office temperatures (60°F to 90°F)
- Store products in areas that maintain constant, office-like humidity levels
- Keep product away from light. Cover products to make sure they are not exposed to light.

Steelcase Surfaces

Veneers are matched for proper balance and consistency. Veneers are available flat cut or quarter cut, except for Oak, which is rift cut. Refer to the Surface Materials Reference Manual for descriptions of each cut.

Open-pore finish is a medium gloss finish that leaves the wood grain texture visible to the eve and distinguishable to the touch.

See Surface Materials Reference Manual for a listing of available veneers for Victor2.

Veneer

Wood Group 1

Flat-Cut Open-Pore

3062 FC/OP Graphite Walnut

FC/OP Clear Cherry (Aged)

FC/OP Natural Cherry 3412

FC/OP Medium Cherry 3422

3522 FC/OP Clear Maple

FC/OP Blonde on Maple 6

3702 FC/OP Clear Walnut FC/OP Natural Walnut 3712

3752 FC/OP Medium Walnut 6

FC/OP Dark Walnut 3762

FC/OP Medium Mahogany on Walnut

Flat-Cut Open-Pore, Natural Veneer

3342 FC/OP Black Walnut

FC/OP Blanch Maple

37A2 FC/OP Thunder Walnut

Quarter-Cut Open-Pore

3042 QC/OP Ash **3**

QC/OP Clear Maple 3222

QC/OP Blonde on Maple 6 3292

QC/OP Clear Walnut 3302

QC/OP Natural Walnut 3312 QC/OP Medium Walnut 3 3352

QC/OP Dark Walnut 3362

3372 QC/OP Medium Mahogany on Walnut

QC/OP Graphite Walnut

Quarter-Cut Open-Pore, Natural Veneer

32A2 QC/OP Blanch Maple 33A2 QC/OP Thunder Walnut

3392 QC/OP Black Walnut

Rift-Cut Open-Pore

3602 RC/OP Desert Oak

Rift-Cut Full-Fill. Natural Veneer

36A2 RC/OP Volcanic Oak

Wood Group 3

Flat-Cut Open-Pore, Natural Veneer

3082 FC/OP Washed Walnut

Wood Group 1

Open-Pore Planked Veneer

3P41 OP Planked Cherry 3P51 OP Planked Maple 3P61 OP Planked Oak

3P71 OP Planked Walnut 3VFX OP Unmarked Oak

Tip: Known for its uniqueness, planked veneer has intentional and natural variations that include, but are not limited to: character marks, grain pattern, color, and natural color aging.

Full-Fill

Full-fill finish is a medium-gloss finish that completely fills the grain texture, yet allows the grain pattern to be seen. The wood has a lustrous, satiny look, and it is smooth to the touch. This finish is available on the wood worksurface or field-installed top only.

Wood Group 2

Flat-Cut Full-Fill

3064 FC/FF Graphite Walnut

FC/FF Clear Cherry (Aged) 3404 3414 FC/FF Natural Cherry 3

FC/FF Medium Cherry 3424

3524 FC/FF Clear Maple

3544 FC/FF Blonde on Maple 6

3704 FC/FF Clear Walnut

FC/FF Natural Walnut 3714

FC/FF Medium Walnut 6 3754 FC/FF Dark Walnut

FC/FF Medium Mahogany on Walnut

Flat-Cut Full-Fill, Natural Veneer

3734 FC/FF Black Walnut

Quarter-Cut Full-Fill

3224 QC/FF Clear Maple

3294 QC/FF Blonde on Maple 6

QC/FF Clear Walnut 3304

3314 QC/FF Natural Walnut QC/FF Medium Walnut 6

3354

3364 QC/FF Dark Walnut

QC/FF Medium Mahogany on Walnut

QC/FF Graphite Walnut

Quarter-Cut Full-Fill, Natural Veneer

3394 QC/FF Black Walnut

Rift-Cut Full-Fill

3604 RC/FF Desert Oak

Wood Group 3

Flat-Cut Full-Fill, Natural Veneer

3084 FC/FF Washed Walnut

Premium Veneers

A selection of Premium veneers in this collection are available on most Steelcase brand products. The collection will be available as close to standard leadtimes as possible. However, because adequate supplies of veneer and solids must be secured, all orders will be scheduled individually. Leadtimes will vary based on Premium veneer and Premium solids availability at the time the order is placed. The collection is available as Wood Group 3 as part of our Select Surfaces program, and supported like standard veneers to make ordering easy. Please see the Steelcase surface materials section on village.steelcase.com for sample information and product line availability. All premium veneers are in clear-coat.

Wood Group 3

Quarter-Cut Open-Pore

3832 QC/OP Figured Anegre

Select Surfaces

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit steelcase.com/surface-materials under the Select Surfaces section.

Composite Veneer

Composite veneers are an engineered wood intended to create specific grain patterns and characteristics. They are pre-stained and finished with Steelcase's Clarity water-borne UV topcoat. which protects the environment while providing durability and clarity. Only open-pore finishes are available on composite wood. Composite veneer and matching edge bands are available on most Steelcase brand products. Composites, for use as a solid nosing substitute, are not available. Steelcase does not recommend mixing composite veneers with natural solid nosings because composite and natural wood grain and color matching are rarely compatible. Composite veneers are Select Surfaces and available as Wood Group 1

Wood Group 1

Flat-Cut Open-Pore

3JDX FC/OP Oak Composite 3JJX FC/OP Walnut Composite

Quarter-Cut Open-Pore

3F8X QC/OP European Walnut Composite

3GGX QC/OP Zebrano Composite

3HGX QC/OP Oak Composite 3HVX QC/OP Walnut Composite

3ZNX QC/OP Night Cerused Oak Composite

Custom Surfaces

Customiz stain is a service that allows you to create your own stain colors and finishes on standard veneer. Customiz stain color is available on all product lines that offer wood veneer.

A \$500 stain-matching fee applies on CUSTOMIZ requests (Exception: The \$500 fee does not apply on matches to Coalesse standard finishes or for a low-gloss finish request on a standard color). The \$500 fee covers the cost of formulating the Customiz color finish and applies regardless of whether or not an order for product is placed.

In addition, an approval form must be signed to indicate customer acceptance of Customiz match. A \$1,500 initiation fee will be charged prior to first order entry. This initiation fee activates the finish for unlimited use on any Steelcase product for an 18 month time period. After the 18 month time period has lapsed, the Customiz finish may be reactivated for another 18 months for a \$1,000 fee at any point within five years after the \$1,500 initiation fee was paid. If the finish is not reactivated within five years after the \$1,500 initiation fee was paid, the finish will be culled and the customer will need to pay the \$1,500 initiation fee again. All style number related Customiz charges products are no cost as of April 2014. The matching and initiation fees are not discountable.

Customiz stain takes 10 days to formulate. Consult the Surface Materials Reference Manual for more information. Custom veneers are also available and must be quoted by Steelcase specials group. Customiz stain on custom veneers takes 2 to 4 weeks to formulate.

Requirements and information on ordering a Customiz stain color are found in the Surface Materials Reference Manual.

Plastic

Steelcase Surfaces

Tip: The following two plastics are available for existing customers only. The matching paints have moved to the Surface Materials Reference Manual.

6651 Tungsten 6 6652 Titanium 3

Established

Applies to:

- · 3 mm and 1 mm edge profile on Universal Systems Worksurfaces with High-Pressure Laminate
- 1 mm square edge profile on Universal Storage laminate tops
- Square edge laminate top on 200 Series

Oqui	are eage farminate top on a	200 00	1100
6000	Black	6631	Cream G
6009	Arctic White	6635	Dawn 3
6034	Natural Cherry	6636	Mist
6036	Medium Cherry	6654	Sand
6037	Winter on Maple	6655	Warm White
6038	Blonde on Maple G	6695	Midnight
6041	Natural Walnut G	6697	Fog
6052	Milk	6698	Fieldstone
6053	Seagull	66WA	Grey Kingswood
	Stone	66WB	Planked Walnut
6170	Mocha	66WD	Resolute Walnu
	Persian Salt	66WE	Natural Recon
61AB			Smoked Walnut
	Indigo	66WU	
61AD	Green Citrine	66WV	Chalk
61AE	Dark Olivine	6703	Ash Wenge
	Cloudy	6704	Storm Wenge
	Acacia		Bisque Wenge
	Clear Oak		Clay Wenge
	Graphite Walnut		Ash Noce
	Clear Maple	6708	
	Virginia Walnut	6709	,
6243	Blackwood G		Storm Noce
	Clear Walnut		Fawn Cypress
	Platinum Solid		Saddle Oak
	Plywood		Veranda Teak
6527	Merle		Walnut Heights
6619	Ice G		Aggregate
		6T09	
			Cement
		6T12	Sheetrock

Applies to:

· 1 mm profile on Universal Systems Worksurfaces with High-Pressure Laminate

6000 Black 6009 Arctic White 6052 Milk

6053 Seagull 6249 Platinum Solid

6527 Merle 6612 Grey V2 3

6654 Sand 6655 Warm White

6695 Midnight 6697 Fog 6698 Fieldstone

Tip: Light color plastic edges are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light colors and are not considered defects.

Accessory Paint

Steelcase Surfaces

Applies to:

- Cabby legs with glides
- · Adjustable-height legs with glides
- Universal lateral files with c:scape pulls
- 4140 Arctic White Gloss 4144 Black Gloss

Metal

Steelcase Surfaces

Applies to:

· Elliptical leg 9201 Polished Chrome

Applies to:

• 21/2" round grommet 9201 Polished Chrome Nickel

Steelcase Surfaces

Applies to:

· Universal Storage pulls 0835 Black 9201 Polished Chrome 9211 Nickel

9212 Silver

Glass

Steelcase Surfaces

Applies to:

· Universal over the case or Universal in the case bin picture frame door glass insert 6580 Ice White

Acrylic

Steelcase Surfaces

Applies to:

Universal over the case or Universal in the case bin picture frame door acrylic insert 6538 Satin

Vertical Surface **Fabric**

Applies to:

· Knit screens B902 Soft White B903 Fog B904 Sand

Applies to:

- Fabric skins and trims
- · Hutch kit tackboards

Steelcase Surfaces

Price Group A

Sprite

5540 Khaki 5541 Snow 5543 Linen 5544 Sherbet

5545 Powder 5547 Skv

Price Group 1

Abacus (3

P123 Portico P124 Opus P125 Cusp

P126 Artifact

Alloy P525 Polar

P526 Skim P527 Bubbly P528 Tern P529 Shore P530 Asti P531 Silver P532 Oxide P533 Element P534 Construct

P535 Currency

P536 Iron **Boccie**

P200 New Rice P201 New Almond P203 New Camel P204 New Opal P205 New Mist P206 New Plum

P208 New Spearmint P209 New Sky

Buzz2

5F03 Tomato

5F04 Red **G** 5F05 Burgundy 5F06 Sky 19 5F07 Blue 5F08 Navy 5F15 Stone 5F16 Grey 5F17 Black 5G50 Dunegrass 5G51 Sable 5G55 Pumpkin 5G56 Timber

5G57 Rouge 5G59 Meadow 5G61 Cyan 5G62 Atlantic 5G63 Crocus

5G64 Alpine 5G65 Tornado

Charm

P505 Shell P506 Mimosa P507 Birch P508 Sparkle P510 Debut P511 Clover P513 Twilight

Lapel

P409 Cement P410 Pebble P411 Beech P412 Dune P414 Sprout P416 Maple P417 Slate

Optic

P540 Hazel P541 Twinkle P542 Orion P543 Seaglass P546 Whiskey P547 Bath P548 Whisper P549 Breezy P551 Glimmer

Pianista

P420 Sand P421 Mist P422 Rain P423 Natural P424 Café P425 Denim P426 Carbon P427 Stone P428 Flax P429 Oat P430 Wheat

Rhythm

P431 Maize

P555 Allegro P556 Tempo P557 Refrain P558 Pitch P559 Harmony (3) P560 Melody P561 Stanza P562 Opus

Tinsel

P515 Sugar P516 Lit P517 Ego P518 Fizz P519 Muse P520 Depth P521 Bliss P522 Grow P523 Dolce P524 Boost

Established

Price Group 2

Bariolage

G200 New Etude G201 New Andante **G** G202 New Cantata **3**

G203 New Adagio G205 New Ballata

Code

5FA1 Fossil 5FA2 Gabbro 5FA3 Reed 5FA4 Bluff

5FA5 Sea Salt 5FA6 Cannon

5FA7 Tussah 5FA8 Mica

5FA9 Ecru 5FB1 Bamboo

Flip: Orbit

5F85 Mud Pie 1 5F86 Hummus 1 5F87 Petoskey 5F88 Pluto 1

5F89 Papyrus 5F91 Blizzard 5F92 Briguette

Flip: TexHex

5F75 Mud Pie **3** 5F76 Hummus **3** 5F77 Petoskey 5F78 Pluto **3** 5F79 Papyrus

5F97 Blizzard 5F98 Briquette

Fresco

G001 Sandrift
G002 Mistiblu
G003 Faon
G006 Chamoline
G007 Grapenut
G017 Flint

Intersection

P211 Summit P212 Chalk P213 Lace

Latch

P601 Clam
P602 Eggshell
P603 Zen
P604 Cool Gray
P605 Armor
P606 Sentinel
P607 Rye
P608 Billow
P609 Nimbus

P600 Seashell

Established

Stencil

P455 Midnight
P456 Mulberry
P457 Cracked Pepper
P458 Denim
P459 Chartreuse

P460 Bittersweet P461 Mauvelous P462 Bermuda

P463 Concrete P464 Orchid P465 Parchment

P466 Silk P467 Sea Salt P468 Honeydew P469 Sepia

Price Group 3

Billiard Multi-Use by Designtex

5H11 Poppy

5H12 Tangelo 5H13 Citrine/Citron 5H14 Avocado 5H16 Indigo 5H17 Mallard 5H18 Teak

5H19 Cumulus 5H20 Pewter 5H21 Gunmetal

5H22 Ink 5H23 Rose Quartz 5H24 Sea Salt 5H25 Storm Cloud

5H26 Olivine

Select Surfaces

For information on products within Select

Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit steelcase.com/surface-materials under the Select Surfaces section.

Custom Surfaces

Price Group COM (Customer's Own Material)

Fabric Approval and Yardage

To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:

· Visit www.steelcase.com

For additional information regarding Customer's Own Material, call

1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

See Surface Materials Reference Manual for a listing of available seating upholstery colors.

Seating Upholstery

Applies to:

Steelcase Surfaces

Price Group 1

Buzz2 Era Jacks **©** Link

New Black Tip: New Black upholstery has color numbers in both price group 1 and price group 2.

Price Group 2

Chainmail Cogent: Connect Foundation* New Black Nitelights

Tip: New Black upholstery has color numbers in both price group 1 and price group 2.

Price Group 3

Billiard Multi-Use by Designtex Gaja Redeem Retrieve

Price Group 5

Bo Peep Remix Silk

Price Group 6

Brisa'

Price Group 7

Steelcut Trio*

Leather

Steelcase Leather*

Elmosoft Leather

Elmosoft Leather*

Applies to:

Kick tackboards

Price Group 1

New Black: Bruce New Black: Henry

Price Group 2

New Black: Jack New Black: Harley Tip: New Black: James is not available on Kick tackboards.

Select Surfaces

For information on products within Select

Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit steelcase.com/surface-materials under the Select Surfaces section.

Custom Surfaces

Price Group COM (Customer's Own Material)

Fabric Approval and Yardage


To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:

· Visit www.steelcase.com


364

Irface Materials

Specification Guidelines for Directional Fabrics



The standard application direction of fabric on Kick panels, skins, and Hutch kit tackboard is warp horizontal. Standard Steelcase fabrics were designed for this application direction.



The optional application direction of fabrics on Kick panels, skins, and Hutch kit tackboard is warp vertical. This is most commonly used on COMs designed for warp vertical application.

For more information about the warp direction of fabrics, see the Surface Materials Reference Manual.

Paint Color Availability Matrix

	_	_		_			_	_	_	_	_	_	_		_	_	_	_	_	_	_		_	_	_	_		
Legend ■ = Not available ■ = Available □ = Available with exceptions ■ See specification pages for details. ■ = Established	Paint Price Group 1 (Smooth)	4238 Mocha	4239 Clay	4240 Chalk	4242 Milk	Paint Price Group 1 (Textured)	7207 Black	7225 Sand	7237 Slate (7238 Fieldstone	7239 Midnight	7241 Arctic White	7243 Seagull	7250 Sterling Dark Solid	7278 Dark Bronze	7360 Merle	Paint Price Group 2 (Metallic)	4743 Mineral Metallic	4750 Champagne Metallic	4798 Sterling Metallic	4799 Platinum Metallic	4803 Near Black Metallic	7245 Carbon Metallic	7246 Midnight Metallic	Paint Price Group 2 (Smooth Paint)	0835 Black	4700 Warm White	
Panels	-	H	_															_				_				-		
Panel trim components		П					П		П	П	П	П	П	П	П			П	П	П	П			П			П	
Stackers and Related Products		_			_		_			_								_					_	_		_		
- Upholstered							П		П		П		П		П				П		П	П		П		•		
Glass																T			П									
: Sliding panel doors											П															•		
Storage		П																										
: Universal storage									П		П																	
Universal overhead bins and shelves, upmount bin brackets, and hutch kits		•	•	•	•		•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•	•	
TS Series Storage																												
Worksurfaces																												
Cantilevers, center support panels, and end panels					П																П						П	
TS Series post and H-legs														•		•						•				•		
Universal post legs, double post C-legs, and columns		П		П																								
Cabby legs		•	•	•	•				•	•		•	•			•		•					•	•		•	•	
: Adjustable-height legs		•	•	•	•				•	•		•	•		•	•		•					•	•		•	•	
Lighting																												
Shelf lights		•	•	•	•													•				•	•				•	

Paint Price Group 3 (Coatings)	1ATT Cast Shadow	Paint Price Group 3 (Lux Coatings)	4B20 Obsidian	4B22 Matte Brass	4B23 Burnished Bronze	4B24 Night Bronze	4B25 Matte Copper	4B26 Smoked Mica	4B29 Cast Iron
	•		•	•	•	•	•	•	•
	•		•	•	•	•	•	•	•
	٠		٠	٠	٠	٠	٠	٠	٠
	•		•	•	•	•	•	•	•
	_		_		_	_		_	
			ш	Ш	ш	Ш	ш	Ш	
	-		-						
	•		•	•	•	•	•	•	•
	•		•		•	•	•	•	
	•		•	•	•	•	•	•	•
	•		•	•	•	•	•	•	•

Recommended Worksurface Edge Finishes

Rec	ommended Edge Colo	rs—H	igh-Pressure Laminate
Edge			
	ecommended edge color will coment the laminate color you specify		
	color is specified separately.		
	nate Color	Reco	mmended
		3 mm	or 1 mm
		Edge	Color
Fiber	Laminate		
2850	Vanadium Fiber	6654	Sand
2852	Tungsten Fiber	6636	Mist
2854	Vellum Fiber G	6655	Warm White
2860	Granite Fiber	6000	Black
2862	Stucco Fiber 6	6053	Seagull
Micro	Laminate		
2920	Marl Micro	6053	Seagull
2921	Gypsum Micro	6654	Sand
2922	Clay Micro	6654	Sand
Datin	na Laminate		
2870	Blonde Bronze Patina	6654	Sand
2873	Instant Iron Patina	6527	Merle
0.17.1			
	Laminate Catin White	6000	Avatia White
	Satin White Satin Black	6009 6000	Arctic White Black
	Satin Stone	6169	Stone
	Satin Mocha	6170	Mocha
	Cream G	6631	Cream 19
	Arctic White	6009	Arctic White
2746	Black	6000	Black
2759	Warm White	6655	Warm White
2811	Mist 3	6636	Mist
2883	Seagull	6053	Seagull
2884	Milk	6052	Milk
2885	Dune	6654	Sand
	Persian Salt	61AA	Persian Salt
	Rose	61AB	Rose
	Indigo	61AC	Indigo
	Green Citrine	61AD	Green Citrine
	Dark Olivine Cloudy	61AE 61AF	Dark Olivine
	Gloudy 3 Merle	6527	Cloudy Merle
		0021	mono
	kle Laminate		
	Coffee Speckle 6	6631	Cream G
2823	Driftwood Speckle	6631	Cream G
2824	Smoke Speckle Vanadium Speckle	6636 6619	Mist Ice G
2020	vanadium opetikle	0019	

Established

Recommended Edge Colors—High-Pressure Laminate, continued

Edges
The recommended edge color will complement the laminate color you specify. Edge color is specified separately.

Laminate Color	Recommended
	3 mm or 1 mm
	Edge Color

Text	ured Laminate			
2TH2	Fawn Cypress	6T02	Fawn Cypress	
2TH4	Saddle Oak	6T04	Saddle Oak	
2TH5	Veranda Teak	6T05	Veranda Teak	
2TH7	Walnut Heights	6T07	Walnut Heights	
2UH1	Reclaimed Aggregate	6T08	Aggregate	
2UH2	Reclaimed Gravel	6T09	Gravel	
2UH4	Cement	6T10	Cement	
2UH6	Sheetrock	6T12	Sheetrock	

Wood	grain Laminate		
2406	Clear Cherry G	6237	Clear Maple
2409	Clear Maple	6231	Graphite Walnut
2410	Graphite Walnut	6034	Natural Cherry
2412	Natural Cherry	6036	Medium Cherry
2422	Medium Cherry	6037	Winter on Maple
2511	Winter on Maple	6242	Virginia Walnut
2535	Virginia Walnut	6243	Blackwood 3
2536	Blackwood 6	6245	Clear Walnut
2538	Clear Walnut	6038	Blonde on Maple 6
2592	Blonde on Maple 😉	6041	Natural Walnut
2612	Marbled Maple 6	6219	Clear Oak
2614	Chocolate Walnut 3	6707	Ash Noce
2615	Marbled Cherry G	6213	Acacia
2714	Natural Walnut 6	6703	Ash Wenge
2HAK	Clear Oak	6708	Bisque Noce
2HAN	Ash Noce	6705	Bisque Wenge
2HAT	Acacia	6709	Clay Noce
2HAW	Ash Wenge	6706	Clay Wenge
2HBN	Bisque Noce	6710	Storm Noce
2HBW	Bisque Wenge	6704	Storm Wenge
2HCN	Clay Noce	66WA	Grey Kingswood
2HCW	Clay Wenge	66WB	Planked Walnut
2HSN	Storm Noce	66WD	Resolute Walnut
2HSW	Storm Wenge	66WE	Natural Recon
2HWA	Grey Kingswood	66WF	Smoked Walnut
2HWB	Planked Walnut	66WU	Clay
2HWD	Resolute Walnut	66WV	Chalk
2HWE	Natural Recon		
2HWF	Smoked Walnut		
2HWU	Clay		

Established


2HWV Chalk

Recommended Edge Colors—Low-Pressure Laminate Low-Pressure Recommended **Laminate Color Edge Band** Black V2 LPL 247L 6000 Black 25L1 Winter on Maple LPL 6037 Winter On Maple Virginia Walnut LPL 25L5 6242 Virginia Walnut Blackwood LPL 3 25L6 6243 Blackwood Clear Walnut LPL Clear Walnut 25L8 6245 6034 Natural Cherry 267L Marbled Cherry V2 LPL 6 6237 Clear Maple Natural Cherry V2 LPL 26L1 6009 Arctic White 2L09 Clear Maple LPL 6654 Sand Arctic White LPL 2L30 6697 2L50 Vanadium Fiber LPL Fog 6053 Seagull 2L52 Tungsten Fiber LPL Seagull LPL 6052 Milk 2L83 6654 2L84 Milk LPL 6219 Clear Oak Dune LPL 2L85 6707 Ash Noce Clear Oak 2LAK 6213 Acacia 2LAN Ash Noce LPL 6527 Merle 2LAT Acacia LPL 6703 Ash Wenge 2LMG Merle LPL 2LAW Ash Wenge LPL 6708 Bisque Noce 2LBN Bisque Noce LPL 6705 Bisque Wenge 2LBW Bisque Wenge LPL 6709 Clay Noce Clay Wenge 2LCN Clay Noce LPL 6706 6710 Storm Noce 2LCW Clay Wenge LPL Storm Wenge 6704 2LSN Storm Noce LPL Grey Kingswood 2LSW Storm Wenge LPL 66WA Grey Kingswood 66WB Planked Walnut 2LWA 2LWB Planked Walnut 66WD Resolute Walnut 66WE Natural Recon 2LWD Resolute Walnut 66WF Smoked Walnut 2LWE Natural Recon 6T02 Fawn Cypress Smoked Walnut 2LWF 2TL2 Fawn Cypress

Established

Directional Laminate Grain Directions


Directional laminates are standard with the grain directions shown.



Wood Veneer Grain Directions

The appearance of wood veneer may change slightly depending on the angle from which it is viewed. This natural phenomenon is called polarization, and it can be seen on natural veneer, and to a lesser extent on composite veneer. Polarization is often noticed on worksurfaces installed at a 90-degree angle with each other. Please refer to the following illustrations for an understanding of grain direction on your

installation.



esources


Resources

Lock and Keying

374

Lock and Keying

For TS Series Storage



Front-removable lock cylinders can be installed or removed in the field with a special tool. This feature allows you to field install lock cylinders after the furniture is installed.

All locks are designated with key numbers. You can specify a key number; however, if you don't specify a key number, the locks in your order will be keyed

Two types of locks are available — the standard keying system (FR series) and the master keying system (XF series). All the locks in the XF series can be opened with a single master key.

Standard Keying

All products are standard keyed random.

Step 1

Furniture will be shipped with a plastic shipping plug. Specify lock cylinder and keying options separately. Only products with factory-installed lock mechanisms can accept lock cylinders in the field.

Tip: Be sure to specify a lock color number (9201 Polished Chrome or 9250 Ember Chrome) for the lock face ring.

Step 2

Order enough lock cylinders to fill each lock location. You must also order a lock tool. Tip: Lock tools are reusable. You don't need to order additional lock tools with every furniture order. Lock cylinders and the installation tool will be shipped separately so that vou can install the locks when you are ready.

To specify lock cylinders, list the total number of lock cylinders that you want with the appropriate style number. If you are specifying key numbers, list the breakdown of the quantity of each key number.

An example of how your order should look is shown below:

Example:

- 10 LOCK9201FR FR320 5 LOCK9201FR FR350
- 15 LOCK9201XF XF1100


30 Total

- 877102003SR standard lock tool
- 877102002SR master lock tool


Keying Options

Kev random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454.


Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify key numbers for all locks.



Key specific means that you can specify any key number from FR305 to FR454. This option can be used to key all the furniture units in a workstation or department the same. Tip: Designate the quantity per key number in your specification when ordering more than one product with the same style number.




Kev consecutive means that you can specify lock numbers in a consecutive order to ensure that no two locks have the same key number until the key sequence repeats. You must select a beginning key number from FR305 to FR454.




Master key consecu-

tive means that you can specify lock numbers in a consecutive order to ensure that no two locks have the same key number until the key sequence repeats. You must select a beginning key number from XF1001 to XF1150. All the locks in the XF series can be opened with a master key.




Master key random

means that the locks will be assigned arbitrarily at the factory with key numbers ranging from XF1001 to XF1150. All XF locks can be opened with a master key. Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify key numbers for all locks.



Master key specific

means that you can specify any key number from XF1001 to XF1150. All the locks in the XF series can be opened with a master key. Tip: Designate the quantity per key number in your specification when ordering more than one product with the same style number.




For Universal Steel Storage Products

All locking products

are standard with factoryinstalled, keved-random locks. Consecutive, specific, and random keying are available as field-installed options.

Exception: Individual locking drawers are only available with field-installed locks.



Locks consist of a factoryor field-installed lock cylinder and a factory-installed lock face ring.

Two types of locks are available - the standard keving system (FR series) and the master keving system (XF series). All the locks in the XF series can be opened with a single master kev.

Factory-Installed Keying

Factory-installed locks are always key random (standard) or master key random (option). Key random means that the locks will be assigned arbitrarily at the factory with key num-

bers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). All locks within a unit will be keyed alike.

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify field-installed, key specific or key consecutive lock cylinders.

See below

Key Random

FR305 FR421

or

∞ XF1011 √ XF1042 Master Kev <→ XF1011

Required to Specify

Master kev random

+\$36

Specify with master key random.

Field-Installed Keying

Field-installed locks are only available on products that include factory-installed lock mechanisms.

Specify "plug" when specifying furniture, and the product will ship with a plastic plug in place of the lock cylinder.

Front-removable lock cylinders must be specified separately. You must also order a special lock tool to install or remove lock cylinders in the field.

Tip: Lock tools are reusable. You do not need to order additional lock tools with every furniture order.

Lock cylinders will be shipped separately so that you can install the locks when you are ready.

Three keying choices are available for field instal-

lation-random (standard), specific and consecutive All three are also available with master keying, which means that all locks can be opened with a single master kev.

Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify key specific or key consecutive lock cylinders.

Key Random

Key specific means that you can specify any key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). This option can be used to key all the furniture units in a workstation or department the same.

Tip: Designate the quantity per key number in your specification.


See example at right.

Key Specific

≂√∍ FR350 <-> FR350 ₩ FR350 or XF → XF1020 Master Key ₩ XF1020

Key consecutive means that you can specify lock numbers in a consecutive order to ensure that no two locks have the same key number until the key sequence repeats. You must select a beginning key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).


Key Consecutive



Example of a typical lock cylinder specification is shown below:

- 10 LOCK9201FR FR320 LOCK9201FR FR350
- 15 LOCK9201XF XF1100
- 30 Total
- 877102003SR standard lock tool
- 877102002SR master lock tool

Field-Installed Lock Cylinders



Tip: Lock price is included in price of furniture with locks.

Tip: For replacement lock cylinders, refer to Service Parts.

Standard Includes	Required to Specify

- Lock cylinder: 9201 Polished Chrome
 1 Style number
- or 9250 Ember Chrome 2 Options, if selected (see below)
 Two keys

Options	U.S. Price	Required to Specify
Key specific	No cost	Select key number from FR305–FR454.
Key consecutive	No cost	Specify <i>key consecutive</i> and select beginning key number from FR305–FR454.
Master key random	+\$36 Specify <i>master key random.</i> each	
Master key specific	+\$36 Specify key number from XF1001–XF1150. each	
Master key consecutive	+\$36 each	Specify master key consecutive and select beginning key number from XF1001–XF1150.

Specification Information Color Style U.S. Number Base Price

FR Series (Standard Keying System) – Lock Cylinder Polished Chrome LOCK9201FR No cost Ember Chrome LOCK9250FR No cost

Standard Lock Tool

877102003SR \$36

XF Series (Master Keying System) – Lock Cylinder

Polished Chrome	LOCK9201XF	No additional cost. Price included in price of furniture with master-keyed locks.
Ember Chrome	LOCK9250XF	No additional cost. Price included in price of furniture with master-keyed locks.

Master Lock Tool

877102002SR \$36

Tip: You can change lock cylinders in the field by using the appropriate lock tool.