



KLEER BRITE

Non-Ammoniated Window & Glass Cleaner

DESCRIPTION

A quick acting, film free window and glass cleaner which can be used as is or diluted with up to two parts soft water. This non-ammoniated window and glass cleaner is made with deionized water, special solvent blends, exotic wetting agents, corrosion inhibitors and free rinsing detergents.

PRODUCT FEATURES / BENEFITS

- Can be diluted with soft water / Cost effective
- Non-ammoniated / No irritating fumes
- Quick acting / Dissolves grease, dirt and smoke films
- Film free formula / Will not streak

DIRECTIONS FOR USE

The ideal non-ammoniated cleaner for glass, windows, doors, mirrors, display cases, counter tops, windshields, and all other glass surfaces indoors and outdoors. Also excellent for cleaning plastic, porcelain, ceramic tile, and chrome surfaces.

Spray or wipe onto surface to be cleaned with a clean cloth or sponge. Wipe dry with another clean cloth or paper towel. Quickly dissolves smears, film and fingerprints from all glass surfaces leaving a brilliant shine. Can be diluted with up to 2 parts soft water.

SPECIFICATIONS

Color Light blue
Odor Mild, pleasant
pH 10.5 ± 0.4
Freeze Stable Yes
Flammable No
Phosphates No
Corrosive to steel No

Corrosive to aluminum No
Effect on paints None
Effect on caulking None
Viscosity (cps) < 10
Specific Gravity (g/cc) 0.99 ± 0.01
Density (lbs/gal) 8.2 ± 0.1
Cleaning Excellent

SAFETY INFORMATION

WARNING: CAUSES EYE IRRITATION. KEEP OUT OF REACH OF CHILDREN

Precautionary statement

Prevention

Wash thoroughly after handling.

Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage

Store in a well-ventilated place. Keep cool.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Additional safety measures:

Read the entire label and SDS before using this product, and for additional first-aid measures. SDS for this product is available on the web at www.nclonline.com

Meets requirements for USDA Authorization Class C1.

For Commercial and Industrial Use Only



GLASS CLEANER



World Class Cleaning Solutions®

401 N. 10th Street • Philadelphia, PA 19123
1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517
www.nclonline.com • e-mail: info@nclonline.com

SAFETY DATA SHEET

Section 1 - Identification

Product Identifier KLEER BRITE Non-Ammoniated Window & Glass Cleaner
Other means of identification 1304
Recommended use Glass cleaner.
Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company Name National Chemical Laboratories of PA, Inc.
Address 401 N. 10th Street - Philadelphia, PA 19123
Telephone 1 (215) 922-1200
Supplier Email info@nclonline.com
Contact CHEM-TEL
Emergency Phone 1 (800) 255-3924

Section 2 - Hazard(s) Identification

	Classification	Category
Physical Hazards	Not Classified	
Health Hazards	Serious eye damage/eye irritation	2B
OSHA defined hazards	Not Classified.	
Label Elements		
Hazard Symbol	None.	
Signal Word	Warning	
Hazard Statement	Causes eye irritation.	
Precautionary statement		
Prevention	Wash thoroughly after handling.	
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Storage	Store in a well-ventilated place. Keep cool.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	Not classified.	

Section 3 - Composition/Information on ingredients

Mixture			
Hazardous Components	Ingredient Name	CAS #	%
	2-Butoxyethanol	111-76-2	1 - 5
	2-Propanol	67-63-0	1 - 5

Section 4 - First-aid Measures

Inhalation Move to fresh air. Get medical attention if irritation persists.
Skin contact Wash skin with water. Get medical attention if irritation persists.
Eye contact Flush eyes thoroughly with water for at least 15 minutes. Get medical attention if irritation persists.
Ingestion Immediately rinse mouth and drink plenty of water. Keep person under observation. Do not induce vomiting. If vomiting occurs, keep head low. If person becomes uncomfortable seek medical advice.

Most Important symptoms / effects, acute and delayed May cause eye irritation. Exposed individuals may experience eye tearing, redness, and discomfort. Prolonged or repeated skin contact may cause drying, cracking, or irritation.

Indication of immediate medical attention and special treatment Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General Information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5 - Fire-fighting measures

Suitable extinguishing media In case of fire, use water spray, dry chemical, or CO2. Avoid using a direct stream of water.
Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

SAFETY DATA SHEET

Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment /instructions	Move containers from fire area if you can do it without risk. Cool material exposed to heat with water spray and remove it if no risk is involved.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.	Isolate area. Keep unnecessary personnel away. Ventilate the area. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Use personal protection as recommended in Section 8 of the SDS.
Methods and materials for containment and cleaning up	SMALL SPILLAGE: Absorb spillage with suitable absorbent material. LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with water.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling	Avoid breathing mist or vapor. Avoid contact eyes. Wash hands thoroughly after handling. Provide adequate ventilation. Keep container closed. Use Personal Protective Equipment recommended in section 8 of the SDS.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Keep containers closed when not in use. Store at ambient temperature and atmospheric pressure. Store away from incompatible materials (see Section 10 of the SDS).

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
2-Butoxyethanol (CAS 111-76-2)	TWA	240 mg/m ³ , 50 ppm
2-Propanol (CAS 67-63-0)	TWA	980 mg/m ³ , 400ppm

US. ACGIH Threshold Limit Values

Component	Type	Value
2-Propanol (CAS 67-63-0)	STEL	400 ppm
2-Propanol (CAS 67-63-0)	TWA	200 ppm
2-Butoxyethanol (CAS 111-76-2)	TWA	20 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
2-Butoxyethanol (CAS 111-76-2)	TWA	24 mg/m ³ , 5 ppm
2-Propanol (CAS 67-63-0)	IDLH	2000 ppm
2-Propanol (CAS 67-63-0)	STEL	1225 mg/m ³ , 500 ppm
2-Propanol (CAS 67-63-0)	TWA	980 mg/m ³ , 400 ppm

US. ACGIH. BEIs. Biological Exposure Indices

Components	Value	Determinate	Specimen	Sampling Time
2-Propanol (CAS 67-63-0)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*
2-Propanol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*
2-Butoxyethanol (CAS 111-76-2)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*

* - For sampling details, please see the source document.

Exposure guidelines Use personal protective equipment as required. Keep working clothes separately.

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed through the skin.

US. Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Skin designation applies.

US. NIOSH: Pocket Guide to Chemical Hazards

Component	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed through the skin.

US. OSHA Table Z-1-A (29 CFR 1910.100)

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed through the skin.

SAFETY DATA SHEET

US.Rhode Island Hazardous Substances Right-to-Know Act (R.I. Gen. Laws Section 28-21-1 et. seq.)

Components

2-Butoxyethanol (CAS 111-76-2)

Exposure

Can be absorbed through the skin.

US.Tennessee. OELs Occupational Exposure Limkits, Table Z1A

Components

2-Butoxyethanol (CAS 111-76-2)

Exposure

Can be absorbed through the skin.

Appropriate engineering controls Provide adequate ventilation and minimize the risk of inhalation of vapors and mists. Provide easy access to water supply and eye wash facilities.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Not required for casual contact. For prolonged contact, latex, nitrile or neoprene gloves are recommended.

Other Wear suitable protective clothing if conditions risk exposure.

Respiratory protection In case of inadequate ventilation, use respiratory protection.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance	Clear.
Physical state	Liquid.
Form	Clear, thin liquid.
Color	Light Blue.
Odor	Mild Alcohol.
Odor threshold	Not available.
pH	10.4
Melting point/freezing point	Not available.
Initial boiling point and boiling range	212 °F (100 °C)
Flash point	> 201.0 °F (> 94.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	0.99 ± 0.01
Relative density temperature	75 °F (23.89 °C)
Solubilities	Soluble
Partition Coefficient n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	< 10 cP
Viscosity Temperature	75 °F (23.89 °C)

Section 10 - Stability and reactivity

Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to Avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Strong acids. Strong bases.
Hazardous Decomposition Products	No hazardous decomposition products are known.

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion May be harmful if swallowed.

Inhalation Vapors and mist may irritate throat and respiratory system and cause coughing.

SAFETY DATA SHEET

Skin contact	Prolonged or repeated skin contact may cause drying, cracking, or irritation.
Eye contact	May cause eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics	May cause eye irritation. Prolonged or repeated skin contact may cause drying, cracking, or irritation.
Information on toxicological effects.	
Acute toxicity	May be harmful if swallowed.
Components	LevelTypeCodeSpeciesResults
2-Butoxyethanol (CAS 111-76-2)	AcuteDermalLD50Rabbit400 mg/kg
	AcuteInhalationLC50Rat450 mg/l, 4 hrs
	AcuteOralLD50Rat560 mg/kg
Skin corrosion/irritation	Prolonged or repeated contact may dry skin and cause irritation.
Serious eye damage/ eye irritation	May cause eye irritation.
Respiratory sensitization	Not classified.
Skin sensitization	Not available.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
IARC Monographs. Overall Evaluation of Carcinogenicity	
Component	ResultComment
2-Butoxyethanol (CAS 111-76-2)	3Not classifiable as to carcinogenicity to humans.
Reproductive toxicity	Not classified.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.

Section 12 - Ecological Information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	The product is expected to be biodegradable.
Bioaccumulative potential	Not known.
Partition coefficient n-octanol / water log (Kow)	
Components	Results
2-Butoxyethanol (CAS 111-76-2)	0.83
2-Propanol (CAS 67-63-0)	0.05
Mobility in soil	Not available.
Mobility in general	The product is water soluble and may spread in water systems.
Other adverse effects	None known.

Section 13 - Disposal considerations

Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.
Local disposal regulations	Dispose of in accordance with local regulations.
Hazardous waste code	D001: Waste Flammable material with a flash point <140 °F.
Waste from residues / unused products	Dispose in accordance with all applicable regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

DOT	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/mixture is not intended to be transported in bulk.

Section 15 - Regulatory Information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.
TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)	Not regulated.

SAFETY DATA SHEET

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not on regulatory list.

CERCLA Hazardous Substance List (40 CFR 302.4)

Components

Result

2-Butoxyethanol (CAS 111-76-2)

LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories	Immediate Hazard	No
	Delayed Hazard	No
	Fire Hazard	No
	Pressure Hazard	No
	Reactivity Hazard	No

SARA 302 Extremely hazardous substance

No

SARA 311/312 Hazardous chemical

Yes

SARA 313 (TRI reporting)

Chemical name

CAS #

% by wt.

2-Butoxyethanol

111-76-2

1 - 5

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Drug Enforcement Administration (DEA), List 1 2

Not regulated.

Exempt Chemical Mixtures (21 CFR 1310.12(c))

DEA Exempt Chemical Mixtures Code Number

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

Food and Drug Administration (FDA)

Not regulated.

US state regulations

US.Massachusetts RTK - Substance List

Components

2-Propanol (CAS 67-63-0)

2-Butoxyethanol (CAS 111-76-2)

US.New Jersey Worker and Community Right-to-Know Act

Components

2-Propanol (CAS 67-63-0)

2-Butoxyethanol (CAS 111-76-2)

US.Pennsylvania RTK - Hazardous Substances

Components

2-Propanol (CAS 67-63-0)

2-Butoxyethanol (CAS 111-76-2)

US.Rhode Island RTK

Components

2-Butoxyethanol (CAS 111-76-2)

US - California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Issue date 2/13/2015

Version # 01

Further information Not available.

References
 HSDB® - Hazardous Substances Data Bank
 HPVIS - High Production Volume Information System

SAFETY DATA SHEET

Disclaimer

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.

Directions for Use:

A non-ammoniated window and glass cleaner which quickly dissolves grease, dirt and smoke film from windows, doors, mirrors, display cases, plexiglass and many other glass surfaces. Its film free formula will not streak.

1. Apply to glass surface by spraying directly onto the surface and spreading with a clean cloth or paper towel.
2. Wipe dry with another clean cloth or paper towel.

Instrucciones para Uso:

Un limpiador no-non-ammoniated de la ventana y del cristal que disuelve rápidamente la grasa, suciedad y película del humo de ventanas, las puertas, los espejos, los casos de exhibición, los plexiglass y muchas otras superficies del cristal. Su fórmula libre de la película no se rayará.

1. Aplíquese a la superficie de cristal rociando directamente sobre la superficie y separándose con un paño limpio o una toalla de papel.
2. Limpie seco con otro paño limpio o toalla de papel.

Kleer Brite™

Non-Ammoniated Window & Glass Cleaner

Quickly dissolves dirt and other soils from glass, windows, mirrors and polished surfaces. Kleer Brite dries streak free and leaves a brilliant shine!

WARNING: CAUSES EYE IRRITATION.

See side panel for additional precautionary statements.

ATENCIÓN: PROVOCA IRRITACIÓN OCULAR.

Ver panel lateral para las medidas preventivas adicionales.

NET CONTENTS: 1 Quart / .946 Liters

Product No.: 1303



World Class Cleaning Solutions®

401 N. 10th Street • Philadelphia, PA 19123
(800) NAT-CHEM • (215) 922-1200 • Fax (215) 922-5517 • www.nclonline.com

**WARNING: CAUSES EYE IRRITATION.
KEEP OUT OF THE REACH OF CHILDREN.**

Precautionary statement

Prevention: Wash thoroughly after handling.

Response: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

Additional safety measures:

Read the entire label and SDS before using this product, and for additional first aid measures. SDS for this product is available on the web at www.nclonline.com

**ATENCIÓN: PROVOCA IRRITACIÓN OCULAR.
MANTENER FUERA DEL ALCANCE DE LOS NIÑOS.**

Consejos de prudencia

Prevención: Lávese completamente después del manejo.

Respuesta: Si en los ojos: Aclarar cuidadosamente con agua durante varios minutos. Quitar las lentes de contacto, si lleva y resulta fácil de hacer. Proseguir con el lavado. Si persiste la irritación ocular: Consultar a un médico / atención.

Almacenamiento: Almacenar en lugar bien ventilado. Mantener fresco.

Eliminación: Eliminación de contenidos / contenedor en consonancia con los reglamentos locales / regionales / nacionales / internacionales pertinentes.

Este producto es calificado como "químicamente peligroso" según el Estándar de Comunicación de Riesgos de la OSHA Hazard Communication Standard, 29 CFR 1910.1200. Todos los componentes están en la Lista de inventario de la EPA TSCA.

Medidas adicional de primeros auxilios: Lea toda la etiqueta y SDS antes de usar este producto, así como medidas adicionales de primeros auxilios. SDS para el artículo está disponible en la web en www.nclonline.com

CONTAINS: 2-Butoxyethanol CAS# 111-76-2, 2-Propanol CAS# 67-63-0

To learn more about this product, scan this QR code to visit our website.



FOR COMMERCIAL AND INDUSTRIAL USE ONLY
QUESTIONS?
Call (800) 628-2436



★★ **MADE IN USA** ★★
LQ-0001-1303-03 ©



7 52610 91303 3