

Anchor

Price List
February 2017



Knoll

Introduction	Knoll and Sustainable Design	2
	Finish Options	3
	KnollTextiles and Spinneybeck for Cushions	4
	Grain Direction Planning Guide	5
	Mixed Laminate Finishes	6
	Digital Keypad Lock Specifications	8
Credenzas	Credenza Specifications	11
	Credenza Planning & Stability Guidelines	12
	Credenzas	13
	Counterweight Kits	23
	Credenza Cushions	24
Pedestals	Pedestal Specifications	25
	Pedestal Planning & Stability Guidelines	27
	Pedestals	28
	Pedestal Shelves and Accessories	45
	Pedestal Tops	47
	Counterweight Kits	48
Stackers	Work Surface Stacker Specifications	49
	Credenza Stackers	50
	Work Surface Stackers	52
Overhead Storage	Overhead Storage Specification	61
	Overhead Storage	62
	Overhead Shelves	63
Slide Out Towers	Slide Out Tower Specifications	64
	Slide Out Towers	65
	Slide Out Tower Shelves and Accessories	69
	Slide Out Tower Tops	71
Towers	Tower Specifications	72
	Towers	74
	Tower Shelves	98
	Tower Accessories	99
	Tower Front Panel	100
Lockers	Locker Specifications	101
	Locker Interior Planning	102
	Lockers	104
	Locker Tops	109
	Locker Shelves	110
	Locker Accessories	111
Wall Mounting of Knoll Products		112
Alpha-Numeric Index		114
Selling Policy		119
KnollKey Lock Program		121
General Ordering Information		122

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level® certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.

Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level® sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

KNOLL CORE LAMINATES

Matching edge band unless noted otherwise

L1 - Solid Colors

114*	Folkstone Grey
117*	Soft Grey
118*	Bright White
119*	Pumice

*denotes melamine finish

L2 - Solid Colors

111	Jet Black
115	Medium Grey
128	Fog

L2 - Patterned

121	Micro Grey <i>with 114 Folkstone grey edge band</i>
122	Brushed Sand <i>with 119 Pumice edge band</i>
123	Brushed Grey <i>with 128 Fog edge band</i>
129	Micro Sand <i>with 119 Pumice edge band</i>

L2 - Wood Grain

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut
139	Light Ash
140	Warm Ash
141	Whitened Ash
142	Grey Ash
143	Classic Oak
144	Graphite Pear
145	Zebra

PULL FINISHES

Paint

111	Jet Black
114	Folkstone Grey
117	Soft Grey
118	Bright White
613	Silver

Anodized

AA	Anodized Aluminum
AN	Anodized Nickel

Anodized pulls have grooved underside.

LOCK FINISHES

Standard Lock

B	Black
C	Chrome

Digital Keypad Lock for Lockers

NO	Brushed Nickel
----	----------------

for Credenzas, Doublewide

Pedestals

NO	Brushed Nickel
B	Black

Knoll Textiles Options for Cushions**Grade A**

- C P** Alignment (K349) ♣
- C P** Beacon (W1597)
- C P** Bocce (K1255) ♣
- C P** Cats Cradle (K1290) ♣
- C P** Chance (K1552)
- C P** Common Ground (K448) ♣
- P** Commuter Cloth (K1778) ♣
- C P** Delite (K2026) ♣
- C P** Dristi (K872)
- P** Heavy Metal (W539)
- C P** Hourglass (K1523)
- C P** Mariner (K642)
- C P** Monarch (K1149) ♣
- C P** Prep (K1076) ♣
- C P** Presto (K1000) ♣
- C P** Soliloquy (K1458)
- C P** Sonnet (K1460) ♣
- C P** Stacks (K528)
- C P** Trophy (K1709) ♣

Grade B

- C P** Abacus (K715) ♣
- C P** Argyle (K1938) ♣
- P** Backdrop
- C P** Bank Shot (K134) ♣
- C P** Belize (K1165)
- P** Bistro (K1775) ♣
- C P** Boundary (K1828) ♣
- C P** Cameo (K1443)
- C P** Chroma (K345) ♣
- C P** Chronicle (K1525) ♣
- C P** Close Knit (K201)
- C P** Diva (K2051) ♣
- C P** Dovetail (K1150) ♣
- C P** Ferry (K1697)
- C P** Forza (K584)
- C P** Framework (K1447) ♣
- C P** Gala II (K1520) ♣
- C P** Grande (K180)
- C P** Grandview (K1463)
- C P** Helios (K2089) ♣
- C P** Holbrook (K1928) ♣
- C P** Journey (K1806) ♣
- C P** Keaton (K1596)
- C P** Knoll Felt (K1207) ♣
- C P** Knoll Hopsack (K1206) ♣
- C P** Ludlow (K1998) ♣
- C P** Lyric (K698)
- C P** Melody (K2067) ♣
- C P** Mini Stitch (K1130) ♣
- C P** Night Life (K181)
- C P** Paradigm (K1101)
- P** Petal Pusher (K1968)
- C P** Pogo (K1100) ♣
- C P** Prairie (K1925)

- C P** Prim (K1884) ♣
- C P** Radoamce ♣
- C P** Ransom (K1298) ♣
- C P** Ricochet (K498) ♣
- C P** Roam (K1657)
- C P** Rush Hour (K1824)
- C P** Soiree (K1616) ♣
- C P** Spark (K1075) ♣
- C P** Spree (K1600) ♣
- C P** Summit (K2020) ♣
- C P** Sutton (K1750) ♣
- C P** Synth (K1693) ♣
- C P** Tabloid (K2022) ♣
- C P** Utmost (K1325)
- C P** Venue (K1558)
- P** Versa (K1698) ♣
- P** Vinyl (K242)
- C P** Westwood (K1949) ♣
- C P** Wide Angle (K244) ♣
- C P** Yeni (K2082) ♣
- C P** Zipline (K1448) ♣

Grade C

- C P** Atlas (K1236)
- C P** Axiom (K1650)
- C P** Baxter (K1557)
- C P** Biota (K1297) ♣
- C P** Cairo (K2034) ♣
- C P** Charm (K1049)
- C P** Circa (K1054)
- C P** Classic Boucle (K162) ♣
- C P** Dahlia CR (HC1660)
- C P** Dune (K2047) ♣
- C P** Durand (K1885)
- C P** Earthwork (K1238) ♣
- C P** Empire Stripe (K1025)
- C P** Entourage (K1389) ♣
- C P** Essence (K2059) ♣
- C P** Fable CR (HC1122)
- C P** Fibra (K1105)
- P** Fox Trot CR (HC777)
- C P** Greenwich (K1753)
- C P** Hudson (K1765)
- C** Hula Hoop (K753)
- C P** Kora CR (HC1010)
- C P** Lagos (K2028) ♣
- C P** Legend CR (HC1124)
- C P** Lore CR (HC1123)
- C P** Magnolia (K1999) ♣
- C P** Metro (K1018)
- C P** Milestone (K1886)
- C P** Moto CR (HC1002)
- C P** Noble (K1556)
- C P** Palisade (K2030)
- C P** Panache CR (HC1047)
- C P** Quark (K781)
- C P** Regard CR (HC1063)
- C P** Roundtrip (K1430) ♣

- C P** Sahara (HC1269)
- C P** Sandpiper CR (HC1258)
- C P** Sequin CR (HC1009)
- C P** Sinclair (K1555)
- C P** Smart (K1268)
- C P** Spectator (K1391) ♣
- C P** Spot On (K1324)
- C P** Star Struck (K1048)
- C P** Stepping Stones (K346)
- C P** Swing (K479)
- C P** Tight Rope (K1798)
- C P** Tilden (K1779)
- C P** Tower Grid (K1887)
- C P** Treble CR (HC1062)
- C P** Vibe (K1029)
- C P** Wit (K2050) ♣
- C P** Zari CR (HC1008)

Grade D

- C P** Compass CR (HC1183)
- P** Coterie (K1564)
- C P** Eclat Weave (K1104)
- C P** Hologram (K500)
- P** Ikat Stripe (K1701)
- C P** Masquerade (K806)
- C P** Menagerie (K1322)
- C P** Obi (K1175) ♣
- P** Theory (K1656)
- C P** Woodland (K2049) ♣
- C P** Zoom (K113)

Grade E

- C P** Aegean (K2074) ♣
- P** Ikat Square (K1703)
- C P** Kampala (K2032) ♣
- C P** Katazome (K1459)
- C P** Kimono (K1174)
- C P** Mamba (K549)
- C P** Marquee (K1608)
- C P** Meroe (K2043) ♣
- P** Midpoint (K2123) ♣
- P** Nature Walk (K2081) ♣
- P** Sherman (K1789) ♣
- C P** Tryst (K1522)
- C P** Vatera (K2071) ♣
- C P** Whip (K1386)

Grade F

- C P** Atelier (K1607)
- C P** Biscayne (K1771)
- C P** Century (K1051)
- C P** Coco (K1024)
- C P** Cornaro (K1320)
- C P** Glider (K1717)
- C P** Icon (K1028)
- C P** Intrigue (K1551)
- C P** Liberty (K1888) ♣
- C P** Mod Plaid (K1630)
- C P** Rivington (K1080)

- C P** Soon (K1787)
- C P** Topography (K1052)
- C P** Totem (K1561)
- C P** Tweed Frieze (K754)

Grade G

- P** Cuddle Stripe (K526) ♣
- C P** Djenne (K2029) ♣
- C P** Gibson (K1086)
- C P** Haze (K109)
- C P** Kinabalu (K1800)
- C P** Kingston (K1826) ♣
- C P** Melange (K1882) ♣
- C P** Rattan (K138)
- C P** Serendipity (K1528)
- P** Spencer (K1106)
- C P** Ultrasuede (K1021) ♣
- C P** Utrillo (K1807)

Grade H

- C P** Arno (K128) ♣

Grade I

- C P** Aswan (K2046) ♣
- P** Cato (K800)
- C P** Dynamic (K1617)

Spinneybeck Leather Options for Cushions**Grade U**

- P** Volo

Grade V

- P** Andes
- P** Espana
- P** Maremma
- P** Velluto Pelle

Grade W

- P** Alaska
- P** Amazon
- P** Arizona
- P** Derby
- P** Sabrina

Grade X

- P** Ducale
- P** Ducale Velours


Grade Y

- P** Cervo
- P** Copenhagen
- P** Cordovan
- P** Distressed
- P** Marissa
- P** Prima
- P** Riva
- P** Saddle
- P** Salon


C = approved for use on credenza cushion**P** = approved for use on mobile pedestal cushion

♣ = CAL 133 Pre-approved


Credenza




Doublewide Pedestal




Mobile Pedestal




Floorstanding Pedestal




Side Access Stacker




Front Access Stacker




Side Access Tower



Front Access Tower




Locker




Anchor storage components may be specified with a maximum of two laminates per unit.
Laminate mixing options are shown below and are all available at L2 prices.

- Laminate A (L1) + Laminate B (L1) = L2 price
- Laminate A (L1) + Laminate B (L2) or vice-versa = L2 price
- Laminate A (L2) + Laminate B (L2) = L2 price




Credenzas


Preconfigured including the top




Case: A
Top: B
Price: L2



Case: A
Front: A
Top: B
Price: L2




Case: A
Front: B
Top: A
Price: L2




Case: A
Front: B
Top: B
Price: L2

Mobile Pedestals


Preconfigured including the top




Case: A
Top: B
Price: L2



Case: A
Front: A
Top: B
Price: L2




Case: A
Front: B
Top: A
Price: L2




Case: A
Front: B
Top: B
Price: L2

Doublewide and Floorstanding Pedestals


Preconfigured excluding a top or work surface



Case: A
Front: B
Price: L2



Case: A
Front: B
Price: L2




Case: A
Front: B
Price: L2

Anchor storage components may be specified with a maximum of two laminates per unit.


Laminate mixing options are shown below and are all available at L2 prices.

- Laminate A (L1) + Laminate B (L1) = L2 price
- Laminate A (L1) + Laminate B (L2) or *vice-versa* = L2 price
- Laminate A (L2) + Laminate B (L2) = L2 price




Work Surface Stackers


Preconfigured including the top




Case: A
Top: B
Price: L2



Case: A
Front: A
Top: B
Price: L2




Case: A
Front: B
Top: A
Price: L2




Case: A
Front: B
Top: B
Price: L2

Towers


Preconfigured including the top




Case: A
Top: B
Price: L2



Case: A
Front: A
Top: B
Price: L2




Case: A
Front: B
Top: A
Price: L2



Case: A
Front: B
Top: B
Price: L2

Lockers

Preconfigured excluding the top



Case: A
Front: B
Price: L2

Digital Keypad Lock Specifications for Credenzas and Doublewide Pedestals

Anchor Storage



Application

Anchor credenzas and doublewide pedestals with digital keypad lock option support applications where work stations are shared by multiple users.

The digital keypad lock option provides secure storage alternative to a standard key lock with a user-selected 4-digit code to lock and unlock the unit. This eliminates the use of a standard key which can easily be misplaced or taken off site. If a code is forgotten, a manager key (specified separately) can be used to bypass the code and unlock the unit.

Each installation site with digital keypad locks requires one programming key and at least one manager key, specified separately.

Specifications and Features

Digital Keypad Lock

- Brushed Nickel finish
- Black keypad with white numbers
- Horizontal body orientation
- Recessed-mount, factory installed
- All metal lock housing
- Manual dead bolt (turn knob)
- Powered by 3 premium AA batteries
- Operated with a user-selected 4-digit code
- Shared use application
- Tamper guard
- Audible and visible usage indicators
- Programmable automatic unlock
- Programmable LED usage indicator

To specify a credenza or doublewide pedestal with a digital keypad lock, select “D” in the pattern number for the lock option.

Example: WC2236BL(D) - Credenza, box/file, 22H x 36W, laminate, **digital keypad lock**
When specified, digital keypad lock is factory installed. Instructions for programming are included.

- Digital keypad locks and unlocks a unit with a user-selected 4 digit code.
- Lock can be bypassed with a manager key if code is forgotten or in case of battery failure.
- LED usage indicator prompts the lock’s LED to flash when the unit is locked, indicating the locker is in use. The default setting for this feature is ON, however the LED usage indicator can be turned off with the program key at any time.
- Typical battery life is 3-5 years (based on length of usage). Turning the LED usage indicator feature off extends battery life.
- Three (3) AA batteries are included with the locks.


- Batteries can be changed without removing the lock mounting hardware.
- Locks can be programmed to auto unlock after a set amount of hours. The default setting for this feature is OFF (does not auto-unlock), but if desired this feature can be activated with the programming key at any time.

Manager Key


- Manager key is used to bypass a locked unit.
- Manager keys are registered to locks using the program key.
- One or more manager keys may be registered to each lock. This allows the client to design a lock system that suits their management access requirements.
- Additional manager key(s) may be registered to a lock without erasing previously registered manager keys.
- Provides external power in case of battery failure.
- Each lock accepts up to (6) manager keys.

Programming Key

- The programming key is a communication device used to initialize locks out of factory default mode and to register manager keys to the locks. It is used to transfer, but not store information.
- Only one programming key should be specified per installation site. Multiple programming keys cannot be used in conjunction with each other.
- If a programming key is lost, a new one may be ordered but the original programming key will become obsolete.
- Add-on or phased orders for digital keypad locks should be initialized and programmed using the original programming key.
- Used to turn on/off features such as LED usage indicator and auto unlock.
- Provides external power in case of battery failure.



digital keypad lock, manual knob
for credenza and doublewide pedestal



programming key (yellow)



manager key (black)

Digital Keypad Lock Specifications for Lockers, Floorstanding and Mobile Pedestals

Anchor Storage



Application

Anchor lockers with digital keypad lock option support applications where lockers are shared by multiple users. Also available on select floorstanding and mobile pedestal configurations.

The digital keypad lock option provides secure storage alternative to a standard key lock with a user-selected 4-digit code to lock and unlock the unit. This eliminates the use of a standard key which can easily be misplaced or taken off site. If a code is forgotten, a manager key (specified separately) can be used to bypass the code and unlock the unit.

Each installation site with digital keypad locks requires one programming key and at least one manager key, specified separately.

Specifications and Features

Digital Keypad Lock

- Brushed Nickel finish
- Black keypad with white numbers
- Vertical body orientation
- Recessed-mount, factory installed
- All metal lock housing
- Automatic (motorized) 1/2" dead bolt
- Powered by 4 premium AA batteries
- Operated with a user-selected 4-digit code
- Shared use application
- Tamper guard
- Audible and visible usage indicators
- Programmable automatic unlock
- Programmable LED usage indicator

To specify a locker with a digital keypad lock, select "D" in the pattern number for the lock option.

Example: WL5724FDRHL(D) - Locker with full height door, 57H x 24D, laminate, **digital keypad lock**

When specified, digital keypad lock is factory installed. Instructions for programming are included.

- Digital keypad automatically locks and unlocks a unit with a user-selected 4 digit code.
- Lock can be bypassed with a manager key if code is forgotten or in case of battery failure.
- LED usage indicator prompts the lock's LED to flash when the unit is locked, indicating the locker is in use. The default setting for this feature is ON, however the LED usage indicator can be turned off with the program key at any time.
- Typical battery life is 3-5 years (based on length of usage). Turning the LED usage indicator feature off extends battery life.
- Four (4) AA batteries are included with the locks.

- Batteries can be changed without removing the lock mounting hardware.
- Locks can be programmed to auto unlock after a set amount of hours. The default setting for this feature is OFF (does not auto-unlock), but if desired this feature can be activated with the programming key at any time.

Manager Key


- Manager key is used to bypass a locked unit.
- Manager keys are registered to locks using the program key.
- One or more manager keys may be registered to each lock. This allows the client to design a lock system that suits their management access requirements.
- Additional manager key(s) may be registered to a lock without erasing previously registered manager keys.
- Provides external power in case of battery failure.
- Each lock accepts up to (25) manager keys.

Programming Key

- The programming key is a communication device used to initialize locks out of factory default mode and to register manager keys to the locks. It is used to transfer, but not store information.
- Only one programming key should be specified per installation site. Multiple programming keys cannot be used in conjunction with each other.
- If a programming key is lost, a new one may be ordered but the original programming key will become obsolete.
- Add-on or phased orders for digital keypad locks should be initialized and programmed using the original programming key.
- Used to turn on/off features such as LED usage indicator and auto unlock.
- Provides external power in case of battery failure.



digital keypad lock



programming key (yellow)



manager key (black)

Digital Keypad Lock Specifications

Manager Key Counts

Calculating the total number of manager keys

The digital keypad lock system is flexible, allowing the client to choose the number of manager keys required. Solutions may range from simple to complex, depending on client needs. It may be helpful to create a chart to organize and calculate the number of manager keys required, similar to the examples shown below.

Considerations:

- If units will be located on different floors, consider ordering keys that can be registered to bypass all locks as a floor-specific “master key”.
- If units will be located within different zones or areas, consider ordering keys that can be registered to locks within specific zones on each floor.
- If the client would like to create a “master key”, one or more manager keys can be registered to all locks to act as a “master key”.


Manager key count examples

Sample project is a three story space, each floor is divided into three zones containing a varied number of lockers. Example 1 is a simple lock system showing two manager keys registered to all locks, regardless of floor or zone. Example 2 is a more complex solution showing manager keys registered to locks in a layered approach. At the lowest management level, keys are registered specific to zone, followed by keys that are floor-specific and at the top level, keys are registered to all locks to be used as overall master keys.

The manager key counts shown in the examples are sample numbers; the ratio of manager keys to the number of locks is decided by the client.


Example 1:

Two (2) manager keys registered to all locks throughout the space. No manager keys registered specific to floor or zone.



Example 2:

- Manager keys registered to all locks within each specific zone on each floor. Number of manager keys is decided by client. Once registered, these manager keys may be used to bypass any lock within that zone on that floor, but will not be able to bypass any of the other units.
- One (1) manager key for each floor registered to all locks in all zones on that floor, used as first, second and third floor “master keys”.
- Two (2) manager keys registered to all locks, in all zones on all floors used as “overall master keys”.



Anchor Credenzas

Credenzas are 22" high wood construction cabinets sized to fit below and support one end of a desk top or be used as freestanding units. Credenzas feature one or two midpanels providing a unique combination of closed and open storage.

Credenzas are available in 4 widths with a variety of configurations. Reference the Statement of Line for full product scope.

Available Sizes (nominal)

Height: 22"


Widths: 18", 24", 30", 36", 42", 48", 60", 72", 84"

Depth: 20"


Credenzas ship assembled including the top. All drawer and door pulls are field installed.

Credenzas may be used as freestanding units or provide support for a perpendicular worksurface when specified with a spacer bracket or support adapter.


Counterweight must be specified for certain credenzas when used in freestanding applications. Further information is detailed on pricing pages.



Freestanding unit



Credenza used as support for a perpendicular work surface



Credenzas used as supports in a benching application

Construction

- Credenzas are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: 1 3/16" (nominal) on credenza bottom and midpanels, 3/4" on credenza back, sides, interior shelves and drawer fronts.
- Material thickness: 1 3/16" (nominal) on credenza tops
- Box and File drawer suspension: Full extension, ball bearing slides
- Units include interlock to prevent more than one drawer (aligned vertically) opening at a time.
- Leveling glides: 3/16" diameter steel stem with 1 1/16" of height adjustment. Units up to 42" wide include 4 glides; units 48" and wider include 6 glides.
- Longer glides are included to provide an additional 1 1/16" of height adjustment; 2 per credenza.

Internal Drawer Dimensions ***Box drawer**


- Internal height: 3 3/4" (5 1/8" clearance)
- Internal width: 26 3/4", 32 3/4", 38 3/4"
- Internal depth: 16 1/4"

File drawer

- Internal height: 9 3/4" (11 3/4" clearance)
- Internal width: 26 3/4", 32 3/4", 38 3/4"
- Internal depth: 16 1/4"

Internal Clearances – Open sections *

- Internal height A: 6 1/2"
- Internal height B: 11 15/16"
- Internal width by nominal configuration size:
18" w configuration = 16 1/2" w
24" w configuration = 22 1/2" w
30" w configuration = 28 1/2" w
36" w configuration = 34 1/2" w
42" w configuration = 40 1/2" w
- Internal depth: 18 1/4"



*Actual dimensions to the nearest 1/16th of an inch.


Filing

The credenza file drawer design allows for side-to-side letter or legal filing and front-to-back letter filing. Credenzas with a file drawer include a hanging file bar to accommodate front-to-back filing.

Locks

Anchor Credenzas may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.

Standard lock placement is the upper right hand corner of the bottom file drawer. Center of lock is 1 1/16" from top edge, 1 1/2" from side. Dual-tab lock design allows one shared lock core per box/file configuration.




Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.


Pulls

All drawer and door pulls are field installed. Finger Pull, 10" long; centered horizontally on drawers.

Top drawer: mounted 3/4" from bottom of drawer
Bottom drawer: mounted 3/4" from top of drawer




A variety of planning scenarios with the required connection or support brackets are shown below. Single freestanding credenzas may require counterweight kits; refer to pricing pages for specific requirements.




Credenza supporting a Dividends Horizon desk. Specify a **Template BW1CSB Credenza Spacer** to support one end of the work surface. No counterweight kit required.


*In this application, a credenza with a centered midpanel will require the spacer to be mounted off-center.



Credenzas supporting work surfaces in a Dividends Horizon panel surround. Specify a **Template BW1CSB Credenza Spacer** per credenza. No counterweight kit required.




Credenzas mounted to Dividends Horizon panels. For each credenza, specify both the left and right hand **Dividends Horizon Panel brackets BC1EPDPB** to secure the unit to the panel. No counterweight kit required.




Credenzas supporting work surfaces in a Dividends Horizon panel surround. Specify a **Template BW1CSB Credenza Spacer** for each credenza. No counterweight kit required.

When used as freestanding units (not supporting the work surfaces), units may be ganged back-to-back for stability.



Credenzas supporting Antenna Big Table. Specify **Template/Antenna YBATBT22 Floorstanding Cabinet Desk Support Adapters for Big Table** in place of an end leg. Two YBATBT22 adapters would be required for the configuration shown. Units may be ganged back-to-back and/or side-by-side for additional stability. No counterweight kit required.



Credenzas supporting an Antenna desk. Specify **Template/Antenna YBATE22 (pair) Floorstanding Cabinet Desk Support Adapters** to support one end of the work surface. No counterweight kit required.

Credenzas

Credenzas 18" and 24" wide

Anchor Storage

description	w	h	d	pattern no.	L1	L2
-------------	---	---	---	-------------	----	----

All Open - 18" Wide Credenza

18"


22³/₁₆"

19¹/₁₆"

WC2218OL

\$621.

\$886.



All Open - 24" Wide Credenza

24"


22³/₁₆"

19¹/₁₆"

WC2224OL

727.

1,051.



Order Information

1. *Base Pattern Number*
2. *Case Finish*
See Finish Options page
3. *Top Finish*
See Finish Options page

Order Code

Credenza , 48" wide, Open 18" -
Open 30"

Example: **WC2248O18O30L**

W Woodcore Storage

C Credenza

22 22" High

48 48" Wide

O18 Left: Open 18"

O30 Right: Open 30"

L Laminate case and front

(118) Case Finish, Bright
White

(118) Top Finish, Bright White

Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. When applicable, corresponding counterweights kits are noted within the pricing section above.

Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes

Credenzas 20" deep (nominal) have a 19¹/₁₆" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas are preassembled including top.

Rails included with file drawer for side-to-side and front-to-back filing.

Credenzas

Credenzas 30" wide

Anchor Storage

description	w	h	d	pattern no.	L1	L2
-------------	---	---	---	-------------	----	----

All Open - 30" Wide Credenza

30"


22³/₁₆"

19¹/₁₆"

WC2230OL

\$834.

\$1,215.



Open with File - 30" Wide Credenza

30"


22³/₁₆"

19¹/₁₆"

WC2230FL(N)

1,387.

1,632.



30" wide credenza with drawer(s) requires counterweight kit WCWKIT06 when used in a freestanding application

Open with Box/File - 30" Wide Credenza

30"


22³/₁₆"

19¹/₁₆"

WC2230BL(N)

1,961.

2,176.



30" wide credenza with drawer(s) requires counterweight kit WCWKIT06 when used in a freestanding application

Order Information

1. *Base Pattern Number*
2. *Case Finish*
See Finish Options page
3. *Top Finish*
See Finish Options page

Order Code

Credenza , 48" wide, Open 18" -
Open 30"

Example: **WC2248O18O30L**

W Woodcore Storage

C Credenza

22 22" High

48 48" Wide

O18 Left: Open 18"

O30 Right: Open 30"

L Laminate case and front

(118) Case Finish, Bright
White

(118) Top Finish, Bright White

Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. When applicable, corresponding counterweights kits are noted within the pricing section above.

Add \$40 to the list price per standard key lock. Add \$474 to the list price for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest ¹/₁₆".

Application Notes

Credenzas 20" deep (nominal) have a 19¹/₁₆" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas are preassembled including top.

Rails included with file drawer for side-to-side and front-to-back filing.


Credenzas

Credenzas 36" wide

Anchor Storage


description	w	h	d	pattern no.	L1	L2
-------------	---	---	---	-------------	----	----

All Open - 36" Wide Credenza



36"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2236OL	\$941.	\$1,379.
-----	-----------------------------------	-----------------------------------	-----------------	--------	----------


Open with File - 36" Wide Credenza



36"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2236FL(N)	1,505.	1,761.
-----	-----------------------------------	-----------------------------------	--------------------	--------	--------

36" wide credenza with drawer(s) requires counterweight kit WCWKIT07 when used in a freestanding application

Open with Box/File - 36" Wide Credenza



36"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2236BL(N)	2,025.	2,257.
-----	-----------------------------------	-----------------------------------	--------------------	--------	--------

36" wide credenza with drawer(s) requires counterweight kit WCWKIT07 when used in a freestanding application

Order Information

1. *Base Pattern Number*
2. *Case Finish*
See Finish Options page
3. *Top Finish*
See Finish Options page

Order Code

Credenza , 48" wide, Open 18" -
Open 30"

Example: **WC2248O18O30L**

W	Woodcore Storage
C	Credenza
22	22" High
48	48" Wide
O18	Left: Open 18"
O30	Right: Open 30"
L	Laminate case and front
(118)	Case Finish, Bright White
(118)	Top Finish, Bright White

Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. When applicable, corresponding counterweights kits are noted within the pricing section above.

Add \$40 to the list price per standard key lock. Add \$474 to the list price for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes

Credenzas 20" deep (nominal) have a 19¹/₁₆" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas are preassembled including top.

Rails included with file drawer for side-to-side and front-to-back filing.


Credenzas

Credenzas 42" wide


Anchor Storage

description	w	h	d	pattern no.	L1	L2
-------------	---	---	---	-------------	----	----


All Open - 42" Wide Credenza



Open with File - 42" Wide Credenza



Open with Box/File - 42" Wide Credenza



42" 22³/₁₆" 19¹/₁₆" **WC2242FL(N)** 1,623. 1,914.

42" wide credenza with drawer(s) requires counterweight kit WCWKIT08 when used in a freestanding application

42" 22³/₁₆" 19¹/₁₆" **WC2242BL(N)** 2,132. 2,394.

42" wide credenza with drawer(s) requires counterweight kit WCWKIT08 when used in a freestanding application

Order Information

1. *Base Pattern Number*
2. *Case Finish*
See Finish Options page
3. *Top Finish*
See Finish Options page

Order Code

Credenza , 48" wide, Open 18" -
Open 30"

Example: **WC2248O18O30L**

W	Woodcore Storage
C	Credenza
22	22" High
48	48" Wide
O18	Left: Open 18"
O30	Right: Open 30"
L	Laminate case and front
(118)	Case Finish, Bright White
(118)	Top Finish, Bright White

Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. When applicable, corresponding counterweights kits are noted within the pricing section above.

Add \$40 to the list price per standard key lock. Add \$474 to the list price for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes

Credenzas 20" deep (nominal) have a 19¹/₁₆" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas are preassembled including top.

Rails included with file drawer for side-to-side and front-to-back filing.


Credenzas

Credenzas 48" wide

Anchor Storage


description	configuration left-to-right	w	h	d	pattern no.	L1	L2
-------------	-----------------------------	---	---	---	-------------	----	----

All Open - 48" Wide Credenza



Open 18" - Open 30" (shown)	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248O18O30L	\$1,315.	\$1,538.
Open 30" - Open 18"	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248O30O18L	1,315.	1,538.


Open with File - 48" Wide Credenza



File 30" - Open 18" *	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248F30O18L(N)	1,734.	1,938.
Open 18" - File 30" *	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248O18F30L(N)	1,734.	1,938.

** 48" wide credenza with 30" wide file drawer requires counterweight kit WCWKIT01 when used in a freestanding application*

Open with Box/File - 48" Wide Credenza



Box/File 30" - Open 18"	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248B30O18L(N)	2,055.	2,284.
Open 18" - Box/File 30"	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248O18B30L(N)	2,055.	2,284.

Order Information

1. *Base Pattern Number*
2. *Case Finish*
See Finish Options page
3. *Top Finish*
See Finish Options page

Order Code

Credenza , 48" wide, Open 18" -
Open 30"

Example: **WC2248O18O30L**

W	Woodcore Storage
C	Credenza
22	22" High
48	48" Wide
O18	Left: Open 18"
O30	Right: Open 30"
L	Laminate case and front
(118)	Case Finish, Bright White
(118)	Top Finish, Bright White

Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. When applicable, corresponding counterweights kits are noted within the pricing section above.

Add \$40 to the list price per standard key lock. Add \$474 to the list price for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes

Credenzas 20" deep (nominal) have a 19¹/₁₆" deep case. Credenzas with drawer fronts are 20" deep overall.


Credenzas are preassembled including top.


Rails included with file drawer for side-to-side and front-to-back filing.

Credenzas


Credenzas 60" wide

Anchor Storage

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
	Open 18" - Open 42"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O18O42L	\$1,512.	\$1,791.
	Open 24" - Open 36"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O24O36L	1,512.	1,791.
	Open 30" - Open 30"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O30O30L	1,512.	1,791.
	Open 36" - Open 24"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O36O24L	1,512.	1,791.
	Open 42" - Open 18"(shown)	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O42O18L	1,512.	1,791.

	File 36" - Open 24"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260F36O24L(N)	1,965.	2,257.
	File 42" - Open 18" *	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260F42O18L(N)	1,982.	2,288.
	Open 18" - File 42" *	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O18F42L(N)	1,982.	2,288.
	Open 24" - File 36"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O24F36L(N)	1,965.	2,257.

* 60" wide credenza with 42" wide file drawer requires counterweight kit WCWKIT02 when used in a freestanding application

	Box/File 30" - Open 30"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260B30O30L(N)	2,261.	2,528.
	Box/File 36" - Open 24"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260B36O24L(N)	2,286.	2,560.
	Box/File 42" - Open 18"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260B42O18L(N)	2,303.	2,578.
	Open 18" - Box/File 42"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O18B42L(N)	2,303.	2,578.
	Open 24" - Box/File 36"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O24B36L(N)	2,286.	2,560.
	Open 30" - Box/File 30"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O30B30L(N)	2,261.	2,528.

File, File Credenza	File 30" - File 30"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260F30F30L(N)	2,318.	2,627.
---------------------	---------------------	-----	-----------------------------------	-----------------------------------	-------------------------	--------	--------

Box/File, Box/File Credenza	Box/File 30" - Box/File 30"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260B30B30L(N)	3,002.	3,273.
-----------------------------	-----------------------------	-----	-----------------------------------	-----------------------------------	-------------------------	--------	--------


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Credenzas with file drawers may require counterweights when used in freestanding applications. When applicable, corresponding counterweights kits are noted within the pricing section above.	Credenzas 20" deep (nominal) have a 19 ¹ / ₁₆ " deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page			
3. <i>Top Finish</i> See Finish Options page	Example: WC2248O18O30L	Add \$40 to the list price per standard key lock. Add \$474 to the list price for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.	Credenzas are preassembled including top.
	W Woodcore Storage		
	C Credenza	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Rails included with file drawer for side-to-side and front-to-back filing.
	22 22" High		
	48 48" Wide	Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	O18 Left: Open 18"		
	O30 Right: Open 30"	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate case and front		
	(118) Case Finish, Bright White		
	(118) Top Finish, Bright White		

Credenzas


Credenzas 72" wide

Anchor Storage

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
All Open - 72" Wide Credenza	Open 30" - Open 42"(shown)	72"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2272O30O42L	\$1,723.	\$2,030.
	Open 36" - Open 36"	72"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2272O36O36L	1,715.	2,030.
	Open 42" - Open 30"	72"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2272O42O30L	1,723.	2,030.




Open with File - 72" Wide Credenza	File 42" - Open 30" *	72"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2272F42O30L(N)	2,185.	2,528.
	Open 30" - File 42" *	72"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2272O30F42L(N)	2,185.	2,528.




** 72" wide credenza with 42" wide file drawer requires counterweight kit WCWKIT01 when used in a freestanding application*

Open with Box/File - 72" Wide Credenza	Box/File 36" - Open 36"	72"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2272B36O36L(N)	2,480.	2,800.
	Box/File 42" - Open 30"	72"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2272B42O30L(N)	2,506.	2,827.
	Open 30" - Box/File 42"	72"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2272O30B42L(N)	2,506.	2,827.
	Open 36" - Box/File 36"	72"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2272O36B36L(N)	2,480.	2,800.



File, File Credenza	File 36" - File 36"	72"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2272F36F36L(N)	2,559.	2,922.
---------------------	---------------------	-----	-----------------------------------	-----------------------------------	-------------------------	--------	--------




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Credenzas with file drawers may require counterweights when used in freestanding applications. When applicable, corresponding counterweights kits are noted within the pricing section above.	Credenzas 20" deep (nominal) have a 19 ¹ / ₁₆ " deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i>			
3. <i>Top Finish</i>			
See Finish Options page			
See Finish Options page			
	Example: WC2248O18O30L	Add \$40 to the list price per standard key lock. Add \$474 to the list price for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.	Credenzas are preassembled including top.
	W Woodcore Storage		
	C Credenza		
	22 22" High		
	48 48" Wide		
	O18 Left: Open 18"		
	O30 Right: Open 30"		
	L Laminate case and front		
	(118) Case Finish, Bright White		
	(118) Top Finish, Bright White		
		Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Rails included with file drawer for side-to-side and front-to-back filing.
		Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
		Dimensions listed under w h d are actual to the nearest 1/16".	

Credenzas

Credenzas 72" wide

Anchor Storage

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
Box/File, Box/File Credenza	Box/File 36" - Box/File 36"	72"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2272B36B36L(N)	\$3,253.	\$3,578.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Credenzas with file drawers may require counterweights when used in freestanding applications. When applicable, corresponding counterweights kits are noted within the pricing section above.	Credenzas 20" deep (nominal) have a 19 ¹ / ₁₆ " deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page	Example: WC2248O18O30L		Credenzas are preassembled including top.
3. <i>Top Finish</i> See Finish Options page	W Woodcore Storage	Add \$40 to the list price per standard key lock. Add \$474 to the list price for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.	Rails included with file drawer for side-to-side and front-to-back filing.
	C Credenza		
	22 22" High		
	48 48" Wide		
	O18 Left: Open 18"		
	O30 Right: Open 30"		
	L Laminate case and front		
	(118) Case Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
	(118) Top Finish, Bright White	Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
		Dimensions listed under w h d are actual to the nearest 1/16".	

Credenzas


Credenzas 84" wide

Anchor Storage


description	configuration left-to-right	w	h	d	pattern no.	L1	L2
All Open - 84" Wide Credenza	Open 24" - Open 30" - Open 30"	84"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2284O24O30O30L	\$2,016.	\$2,478.
	Open 30" - Open 24" - Open 30"(shown)	84"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2284O30O24O30L	2,016.	2,478.
	Open 30" - Open 30" - Open 24"	84"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2284O30O30O24L	2,016.	2,478.




Open with File - 84" Wide Credenza	File 30" - Open 24" - File 30"	84"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2284F30O24F30L(N)	2,821.	3,320.
------------------------------------	--------------------------------	-----	-----------------------------------	-----------------------------------	----------------------------	--------	--------



Open with 2 Box/File - 84" Wide Credenza	Box/File 30" - Box/File 30" - Open 24"	84"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2284B30B30O24L(N)	3,530.	3,995.
	Box/File 30" - Open 24" - Box/File 30"	84"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2284B30O24B30L(N)	3,506.	3,977.
	Open 24" - Box/File 30" - Box/File 30"	84"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2284O24B30B30L(N)	3,530.	3,995.



File, File Credenza	File 42" - File 42"	84"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2284F42F42L(N)	2,817.	3,311.
---------------------	---------------------	-----	-----------------------------------	-----------------------------------	-------------------------	--------	--------



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Credenzas with file drawers may require counterweights when used in freestanding applications. When applicable, corresponding counterweights kits are noted within the pricing section above.	Credenzas 20" deep (nominal) have a 19 ¹ / ₁₆ " deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page			
3. <i>Top Finish</i> See Finish Options page	Example: WC2248O18O30L	Add \$40 to the list price per standard key lock. Add \$474 to the list price for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.	Credenzas are preassembled including top.
	W Woodcore Storage		
	C Credenza	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Rails included with file drawer for side-to-side and front-to-back filing.
	22 22" High		
	48 48" Wide	Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	O18 Left: Open 18"		
	O30 Right: Open 30"	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate case and front		
	(118) Case Finish, Bright White		
	(118) Top Finish, Bright White		

Credenzas

Credenzas 84" wide

Anchor Storage

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
-------------	-----------------------------	---	---	---	-------------	----	----

Box/File, Box/File Credenza

Box/File 42" - Box/File 42"

84"


22³/₁₆"

19¹/₁₆"

WC2284B42B42L(N)

\$3,495.

\$3,943.



Open with Box/File - 84" Wide Credenza

Box/File 30" - Open 30" - Open 24"

84"

22³/₁₆"

19¹/₁₆"

WC2284B30O30O24L(N)

2,765.

3,230.

Open 24" - Open 30" - Box/File 30"

84"


22³/₁₆"

19¹/₁₆"

WC2284O24O30B30L(N)

2,765.

3,230.



Order Information

1. *Base Pattern Number*
2. *Case Finish*
See Finish Options page
3. *Top Finish*
See Finish Options page

Order Code

Credenza , 48" wide, Open 18" -
Open 30"

Example: **WC2248O18O30L**

W Woodcore Storage

C Credenza

22 22" High

48 48" Wide

O18 Left: Open 18"

O30 Right: Open 30"

L Laminate case and front

(118) Case Finish, Bright
White

(118) Top Finish, Bright White

Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. When applicable, corresponding counterweights kits are noted within the pricing section above.

Add \$40 to the list price per standard key lock. Add \$474 to the list price for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes

Credenzas 20" deep (nominal) have a 19¹/₁₆" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas are preassembled including top.

Rails included with file drawer for side-to-side and front-to-back filing.

Counterweight Kits for Credenzas

Anchor Storage

description	type	pattern no.	list
Counterweight Kits	Counterweight Kit 01	WCWKIT01	\$100.
	Counterweight Kit 02	WCWKIT02	121.
	Counterweight Kit 06	WCWKIT06	238.
	Counterweight Kit 07	WCWKIT07	258.
	Counterweight Kit 08	WCWKIT08	284.

Order Information	Order Code	Specification Information	Application Notes
		Credenzas with file drawers may require counterweights when used in freestanding applications.	Counterweight kits include hardware to mount the counterweight plates.
		When applicable, reference the credenza pricing pages to identify the appropriate kit.	Counterweight plates are to be mounted to the back panel behind the file drawer(s) inside the credenza.

description	w	d	h	pattern no.	A	B	C	D	E	F	G	H	I
Credenza Cushion Top	30"	18"	1 1/4"	WCCT3018	\$402.	\$436.	\$461.	\$501.	\$511.	\$559.	\$590.	\$640.	\$722.
	36"	18"	1 1/4"	WCCT3618	421.	456.	480.	519.	530.	579.	610.	660.	742.

Order Information

- 1. Base Pattern Number
 - 2. Fabric
- See Finish Options page

Order Code

Example:	RLCCT3018 ()
RL	Base Pattern Number
CCT	Credenza Cushion Top
30	30" Wide
18	18" Deep
()	Fabric

Application Notes

Cushions are for use on credenzas only.

Cushions are preassembled with hook and loop tape for mounting to credenza.

For CAL133 backing on the cushion, add \$79 to the list price.

Pedestal Specifications

Floorstanding Pedestal Technical Specifications


Anchor Storage

Anchor Floorstanding Pedestals

Anchor Floorstanding Pedestals are desk height wood construction cabinets designed to support work surfaces in both panel wrapped and freestanding applications. No cantilevers or other supports are required at the end of the work surface supported by a pedestal. Opposite end of the extended work surface must be supported by support leg or a panel. **Floorstanding pedestals are not intended for freestanding use.** Floorstanding Pedestals ship assembled, excluding a finished top. All drawer and door pulls are field installed.

Available Sizes (nominal)

Height: 28" overall height including work surface (specified separately)
Widths: 12", 16", 24", 30"
Depth: 24"




12" and 16" wide floorstanding pedestals open and with full door (left or right hand)



12" and 16" wide floorstanding pedestals with drawers:

- Open/File
- Open/Box/File
- Box(file front)/File
- Box/Box(file front)/File
- File/File



24" and 30" wide floorstanding combination pedestals (left or right hand, as determined by the pedestal locker position; right hand pedestals shown)

Pedestal configurations:

- Open
- Full door
- Open/File
- Open/Box/File
- Box(file front)/File
- Box/Box(file front)/File
- File/File

Pedestal locker configurations:

- Open
- Full Door

Construction

- Floorstanding Pedestals are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: 1 3/16" (nominal) on pedestal bottom and midpanels (where applicable), 3/4" on pedestal back, sides, interior shelves and drawer fronts.
- 16" wide pedestal drawer bodies are metal; 12" wide pedestal drawer bodies are wood construction
- Box and File drawer suspension: Full extension, ball bearing slides
- Leveling glides: 3/16" diameter steel stem with 1 1/16" of height adjustment, 4 per pedestal.
- Longer glides are included to provide an additional 1 1/16" of height adjustment; 2 per pedestal.

Internal Drawer Dimensions 16" wide

Box drawer

- Internal height: 4 5/16" (4 13/16" clearance)
- Internal width: 12 7/16"
- Internal depth: 14 7/16"


File drawer

- Internal height: 9 1/4" (11 5/16" clearance)
- Internal width: 12 7/16"
- Internal depth: 14 7/16"

Internal Clearances *


Pedestal with top shelf

- Internal height A: 4 7/8"
- Internal height B: 6 1/2"
- Internal height C: 11 15/16"



Pedestal with top shelf removed (where applicable)

- Internal height A: 12 1/8"
- Internal height B: 11 15/16"



Filing

16" wide pedestal file drawer allows for front-to-back letter filing. File Support Channel for legal filing must be specified separately.

12" wide pedestal file drawer allows for side-to-side letter or legal filing.

Locks

Anchor Floorstanding Pedestals may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.

Dual-tab lock design allows one shared lock core on units with 2 drawers in vertical alignment.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.




Pulls

All drawer and door pulls are field installed. Finger Pull, centered horizontally on drawers, positioned vertically on doors.

Top drawer: 3/4" from bottom of drawer

Bottom drawer: 3/4" from top of drawer

Doors: 1 1/8" below top edge of door



Combination pedestal doors open from midpanel; hinges are located on the end panels.

*Actual dimensions to the nearest 1/16th of an inch.

Pedestal Specifications

Doublewide Pedestals

Anchor Doublewide Pedestals

Anchor Doublewide Pedestals are 28" high wood construction cabinets sized to align with desk height (when specified with top) and are designed to be used in a variety of applications.

Doublewide pedestals are available in 3 widths and 5 interior configurations. Reference the Statement of Line page for full product scope. All drawer and door pulls are field installed.

Available Sizes (nominal)

Height: 28" (including top)


Widths: 30", 36", 42"

Depth: 20"


Doublewide Pedestals ship assembled excluding the top. **Doublewide pedestal tops must be specified separately.**

Doublewide pedestals may be specified with a full-width individual top, common top spanning two side-by-side units (facing the same or opposite direction) or with an extended top. Opposite end of the extended worksurface must be supported by a perpendicular work surface, support leg or a panel.


Counterweight kit must be specified for certain doublewide pedestals in applications that are not connected to a desk or another unit. Further information is detailed on pricing pages.




Individual top



Common top, units facing same direction



Common top, units facing opposite direction



Extended top connected to a perpendicular surface.

Construction

- Doublewide Pedestals are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: 1³/₁₆" (nominal) on pedestal bottom, 3/4" on pedestal back, sides, interior shelves and drawer fronts.
- Material thickness: 1³/₁₆" (nominal) on pedestal tops (specified separately)
- Box and File drawer suspension: Full extension, ball bearing slides
- Units include interlock to prevent more than one drawer opening at a time.
- Leveling glides: 3/16" diameter steel stem with 1¹/₁₆" of height adjustment, 4 per doublewide pedestal.
- Longer glides are included to provide an additional 1¹/₁₆" of height adjustment; 2 per doublewide pedestal.

Internal Drawer Dimensions *

Box drawer

- Internal height: 3³/₄" (5¹/₈" clearance)
- Internal width: 26³/₄", 32³/₄", 38³/₄"
- Internal depth: 16¹/₄"


File drawer

- Internal height: 9³/₄" (11³/₄" clearance)
- Internal width: 26³/₄", 32³/₄", 38³/₄"
- Internal depth: 16¹/₄"

Internal Clearances *


Pedestal with top shelf

- Internal height A: 4⁷/₈"
- Internal height B: 6¹/₂"
- Internal height C: 11¹⁵/₁₆"
- Internal width: 28¹/₂", 34¹/₂", 40¹/₂"
- Internal depth: 18¹/₄"



Pedestal with top shelf removed (where applicable)

- Internal height A: 12¹/₈"
- Internal height B: 11¹⁵/₁₆"



*Actual dimensions to the nearest 1/16th of an inch.


Filing

The pedestal file drawer design allows for side-to-side letter or legal filing and front-to-back letter filing. Pedestals with a file drawer include a hanging file bar to accommodate front-to-back filing.

Locks

Anchor Doublewide Pedestals may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.

Standard lock placement is the upper right hand corner of the bottom file drawer. Center of lock is 1¹/₁₆" from top edge, 1¹/₂" from side. Dual-tab lock design allows one shared lock core per box/file and file/file configuration.




Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.


Pulls

All drawer and door pulls are field installed. Finger Pull, 10" long, centered horizontally on drawers


Top drawer: 3/4" from bottom of drawer

Bottom drawer: 3/4" from top of drawer







Doublewide pedestal with extended top. Specify **Dividends Horizon DB1F24SP flat bracket** for connection to perpendicular work surface.
No counterweight kit required.




Doublewide pedestal with individual top. Specify both the left and right hand **Dividends Horizon Panel brackets BC1EPDPB** to secure the unit to the panel.
No counterweight kit required.




Doublewide pedestals with extended tops. Specify a **Dividends Horizon DB1F24SP flat bracket** where each extended top connects to a perpendicular work surface.
No counterweight kits required.



Common top spanning two doublewide pedestals facing opposite directions.
No counterweight kits required.



Doublewide pedestals each with extended top. Specify a **Dividends Horizon DB1F24SP flat bracket** where each extended top connects to a perpendicular work surface.
No Counterweight kits required.




Doublewide Pedestals facing opposite directions with common top.
No counterweight kits required.

Pedestals


Mobile Pedestals 12" wide

Anchor Storage


description	description	w	h	d	pattern no.	L1	L2
All Open Mobile Pedestal	Open	12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412OPL	\$510.	\$612.
	Open, 1 Shelf (shown)	12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412O1L	554.	669.




Full Door Mobile Pedestal	Left Hand	12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412FDLHL(N)	650.	767.
	Left Hand, 1 Shelf	12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412F1LHL(N)	695.	824.
	Right Hand (shown)	12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412FDRHL(N)	650.	767.
	Right Hand, 1 Shelf	12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412F1RHL(N)	695.	824.




Open/File Mobile Pedestal		12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412OFL(N)	823.	946.
---------------------------	--	-----	----------------------------------	----------------------------------	----------------------	------	------



Shelf/File Mobile Pedestal	Single Front	12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412CSL(N)	839.	964.
----------------------------	--------------	-----	----------------------------------	----------------------------------	----------------------	------	------



Box/File Mobile Pedestal		12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412BFL(N)	923.	1,037.
--------------------------	--	-----	----------------------------------	----------------------------------	----------------------	------	--------



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Mobile Pedestal, 12" Wide,	Add \$40 to the list price per standard key lock. Digital Keypad lock available on FD, F1, CS and SO mobile pedestal configurations. Add \$560 to the list price for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.	Mobile pedestals 22" deep (nominal) have a 20 ³ / ₄ " deep case Pedestals with drawer fronts or doors are 21 ⁷ / ₈ " deep overall.
2. <i>Lock option</i>	Open/File		
L = Locking	Example: WPM2412OFL(L)		
N = Non-locking	WPM Anchor Mobile Pedestal		
3. <i>Case Finish</i>	24 24" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Mobile pedestals must be specified with a drilled top to accept pedestal cushion (specified separately.)
See Finish Options page	12 12" Wide		
4. <i>Front Finish</i>	OF Open/File		
See Finish Options page	L Laminate		
5. <i>Pull style</i>	(L) Lock option, Locking	Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Dimensions listed under w h d are actual to the nearest 1/16".
T = 10" finger pull	(118) Case Finish		
6. <i>Pull finish</i>	(118) Front Finish		
B = Black	(T) Pull Style		
7. <i>Lock Finish</i>	(118) Pull Finish		
C = Chrome	(C) Lock finish, Chrome		
8. <i>Predrilled top for cushion</i>	(D) Drilled top for cushion		
D = Drilled			
N = Non-drilled			


Pedestals

Mobile Pedestals 12" wide


Anchor Storage

description	description	w	h	d	pattern no.	L1	L2
-------------	-------------	---	---	---	-------------	----	----

Recessed Box/File Mobile Pedestal		12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412CML(N)	\$939.	\$1,068.
-----------------------------------	--	-----	----------------------------------	----------------------------------	----------------------	--------	----------



Slide Out Mobile Pedestal	Slat wall with bin, left hand	12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412SOLHL(N)	1,092.	1,253.
	Slat wall with bin, right hand (shown)	12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412SORHL(N)	1,092.	1,253.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Mobile Pedestal, 12" Wide,	Add \$40 to the list price per standard key lock.	Mobile pedestals 22" deep (nominal) have a 20 ³ / ₄ " deep case
2. <i>Lock option</i>	Open/File		
L = Locking	Example: WPM2412OFL(L)	Digital Keypad lock available on FD, F1, CS and SO mobile pedestal configurations. Add \$560 to the list price for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.	Pedestals with drawer fronts or doors are 21 ⁷ / ₈ " deep overall.
N = Non-locking	WPM Anchor Mobile Pedestal		
3. <i>Case Finish</i>	24 24" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Mobile pedestals must be specified with a drilled top to accept pedestal cushion (specified separately.)
See Finish Options page	12 12" Wide		
4. <i>Front Finish</i>	OF Open/File	Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Dimensions listed under w h d are actual to the nearest 1/16".
See Finish Options page	L Laminate		
5. <i>Pull style</i>	(L) Lock option, Locking		
T = 10" finger pull	(118) Case Finish		
6. <i>Pull finish</i>	(118) Front Finish		
B = Black	(T) Pull Style		
7. <i>Lock Finish</i>	(118) Pull Finish		
C = Chrome	(C) Lock finish, Chrome		
8. <i>Predrilled top for cushion</i>	(D) Drilled top for cushion		
D = Drilled			
N = Non-drilled			

Pedestals


Mobile Pedestals 16" wide

Anchor Storage


description	description	w	h	d	pattern no.	L1	L2
All Open Mobile Pedestal	Open	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416OPL	\$512.	\$718.
	Open, 1 Shelf (shown)	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416O1L	560.	794.




Full Door Mobile Pedestal	Left Hand	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416FDLHL(N)	657.	889.
	Left Hand, 1 Shelf	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416F1LHL(N)	704.	966.
	Right Hand (shown)	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416FDRHL(N)	657.	889.
	Right Hand, 1 Shelf	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416F1RHL(N)	704.	966.




Open/File Mobile Pedestal		15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416OFL(N)	936.	1,221.
---------------------------	--	-----------------------------------	----------------------------------	----------------------------------	----------------------	------	--------



Shelf/File Mobile Pedestal	Single Front	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416CSL(N)	956.	1,245.
----------------------------	--------------	-----------------------------------	----------------------------------	----------------------------------	----------------------	------	--------



Box/File Mobile Pedestal		15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416BFL(N)	1,073.	1,328.
--------------------------	--	-----------------------------------	----------------------------------	----------------------------------	----------------------	--------	--------



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Mobile Pedestal, 16" Wide,	Add \$40 to the list price per standard key lock.	Mobile pedestals 22" deep (nominal) have a 20 ³ / ₄ " deep case
2. <i>Lock option</i>	Open/File		
L = Locking	Example: WPM2416OFL(L)	Digital Keypad lock available on FD, F1, CS and SO mobile pedestal configurations. Add \$560 to the list price for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.	Pedestals with drawer fronts or doors are 21 ⁷ / ₈ " deep overall.
N = Non-locking	WPM Anchor Mobile Pedestal		
3. <i>Case Finish</i>	24 24" High		
See Finish Options page	16 16" Wide		
4. <i>Front Finish</i>	OF Open/File	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Mobile pedestals must be specified with a drilled top to accept pedestal cushion (specified separately.)
See Finish Options page	L Laminate		
5. <i>Pull style</i>	(L) Lock option, Locking	Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Dimensions listed under w h d are actual to the nearest 1/16".
T = 10" finger pull	(118) Case Finish		
6. <i>Pull finish</i>	(118) Front Finish		
B = Black	(T) Pull Style		
7. <i>Lock Finish</i>	(118) Pull Finish		
C = Chrome	(C) Lock finish, Chrome		
8. <i>Pre-drilled top for cushion</i>	(D) Drilled top for cushion		
D = Drilled			
N = Non-drilled			


Pedestals

Mobile Pedestals 16" wide


Anchor Storage

description	description	w	h	d	pattern no.	L1	L2
-------------	-------------	---	---	---	-------------	----	----

Recessed Box/File Mobile Pedestal		15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416CML(N)	\$1,087.	\$1,229.
-----------------------------------	--	-----------------------------------	----------------------------------	----------------------------------	----------------------	----------	----------



Slide Out Mobile Pedestal	Slat wall with bin, left hand	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416SOLHL(N)	1,179.	1,378.
	Slat wall with bin, right hand (shown)	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416SORHL(N)	1,179.	1,378.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Mobile Pedestal, 16" Wide,	Add \$40 to the list price per	Mobile pedestals 22" deep
2. <i>Lock option</i>	Open/File	standard key lock.	(nominal) have a 20 ³ / ₄ " deep case
L = Locking		Digital Keypad lock available on	Pedestals with drawer fronts or
N = Non-locking		FD, F1, CS and SO mobile pedestal	doors are 21 ⁷ / ₈ " deep overall.
3. <i>Case Finish</i>	Example: WPM2416OFL(L)	configurations. Add \$560 to the list	
See Finish Options page	WPM Anchor Mobile Pedestal	price for manual digital keypad	
4. <i>Front Finish</i>	24 24" High	lock. Digital keypad locks require	
See Finish Options page	16 16" Wide	program and manager key(s),	
5. <i>Pull style</i>	OF Open/File	specified separately.	
T = 10" finger pull	L Laminate	Add \$15 to the list price per pull for	
6. <i>Pull finish</i>	(L) Lock option, Locking	Anodized Nickel (AN) or Aluminum	
B = Black	(118) Case Finish	(AA) finish.	
7. <i>Lock Finish</i>	(118) Front Finish	Mobile pedestals must be specified	
C = Chrome	(T) Pull Style	with a drilled top to accept pedestal	
8. <i>Predrilled top for cushion</i>	(118) Pull Finish	cushion (specified separately.)	
D = Drilled	(C) Lock finish, Chrome	Pedestals specified with mixed	
N = Non-drilled	(D) Drilled top for cushion	laminate finishes are L2 pricing.	
		Refer to Mixed Laminate Finishes	
		for further details.	

Dimensions listed under w h d are actual to the nearest 1/16".


Pedestals

Mobile Pedestal Cushion

Fabric

Anchor Storage

description	type	w	d	h	pattern no.	A	B	C	D	E	F	G	H	I
Pedestal Cushion	For 12" wide Mobile Pedestal	12"	20 ³ / ₄ "	1"	WPMC12	\$244.	\$273.	\$320.	\$335.	\$366.	\$398.	\$442.	\$488.	\$504.
	For 16" wide Mobile Pedestal	15 ⁹ / ₁₆ "	20 ³ / ₄ "	1"	WPMC16	262.	295.	345.	361.	394.	428.	475.	526.	544.



Ordering Information

Seat Cushions

1. Base Pattern Number
2. Fabric Finish

Order Code

Mobile Pedestal Cushions

Example: **WPMC16,Y351**

WPM	Anchor Mobile Pedestal
C	Cushion
16	16" Wide
Y351	Foundation

Specification Information

For use on Anchor Mobile Pedestals.

Mobile Pedestals must be specified with "D" drilled top option to attach pedestal cushion.

Application Notes

Pedestal cushion includes hardware to attach to a mobile pedestal (which must be specified with predrilled top option.)

For CAL133 backing on the cushion, add \$80 to the list price.

Use Grade B pricing for COM.


Pedestals

Mobile Pedestal Cushion

Leather

Anchor Storage

description	type	w	d	h	pattern no.	U	V	W	X	Y
Pedestal Cushion	For 12" wide Mobile Pedestal	12"	20 3/4"	1"	WPMC12	\$488.	\$580.	\$714.	\$747.	\$791.
	For 16" wide Mobile Pedestal	15 7/16"	20 3/4"	1"	WPMC16	526.	626.	770.	806.	853.



Ordering Information

Seat Cushions

1. Base Pattern Number
2. Fabric Finish

Order Code

Mobile Pedestal Cushions

Example: **WPMC16,VO**

WPM	Anchor Mobile Pedestal
C	Cushion
16	16" Wide
VO	Volo

Specification Information

For use on Anchor Mobile Pedestals.

Mobile Pedestals must be specified with "D" drilled top option to attach pedestal cushion.

Application Notes

Pedestal cushion includes hardware to attach to a mobile pedestal (which must be specified with predrilled top option.)






For perforated leather, add \$105 to the list price.

Use Grade U pricing for customer's own leather.

Pedestals

Floorstanding Pedestals 24" deep 12" wide

Anchor Storage

description	pedestal configuration	w	h	d	pattern no.	L1	L2	
	All Open Pedestal, 12" wide	Open	12"	27 1/16"	23 1/2"	WP2812OPL	\$521.	\$744.
		Open, 1 Shelf (shown)	12"	27 1/16"	23 1/2"	WP2812O1L	569.	817.
		Open, 2 Shelves	12"	27 1/16"	23 1/2"	WP2812O2L	627.	905.
	Full Door Pedestal 12" wide	Full Door, Left Hand	12"	27 1/16"	23 1/2"	WP2812FDLHL(N)	712.	963.
		Full Door, Right Hand (shown)	12"	27 1/16"	23 1/2"	WP2812FDRHL(N)	712.	963.
		Full Door, 1 Shelf Left Hand	12"	27 1/16"	23 1/2"	WP2812F1LHL(N)	759.	1,039.
		Full Door, 1 Shelf Right Hand	12"	27 1/16"	23 1/2"	WP2812F1RHL(N)	759.	1,039.
		Full Door, 2 Shelves Left Hand	12"	27 1/16"	23 1/2"	WP2812F2LHL(N)	807.	1,116.
		Full Door, 2 Shelves Right Hand	12"	27 1/16"	23 1/2"	WP2812F2RHL(N)	807.	1,116.
	Open/File Pedestal	Open/File	12"	27 1/16"	23 1/2"	WP2812OFL(N)	799.	947.
	Open/Box/File Pedestal	Open/Box/File	12"	27 1/16"	23 1/2"	WP2812OBL(N)	908.	1,047.
	Box (File Front)/File Pedestal	Concealed shelf/Box/File	12"	27 1/16"	23 1/2"	WP2812CFL(N)	922.	1,067.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Pedestal, 16" Wide, Open/File	Add \$40 to the list price per standard key lock.	Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WP2816OFL(L)	Digital Keypad lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$560 to the list price for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.	
3. <i>Case Finish</i> See Finish Options page	WP Anchor Pedestal		
4. <i>Front Finish</i> See Finish Options page	28 27 1/16" High		
5. <i>Pull style</i> T = 10" finger pull	16 16" Wide		
6. <i>Pull finish</i> See Finish Options page	OF Open/File		
7. <i>Lock finish</i> B = Black C = Chrome	L Laminate		
	(L) Lock option, Locking	Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.	Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.
	(118) Case Finish		
	(118) Front Finish		
	(T) Pull Style	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestals complete with top (specified separately) align with desk height.
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Pedestals

Floorstanding Pedestals 24" deep 12" wide

Anchor Storage

description	pedestal configuration	w	h	d	pattern no.	L1	L2
-------------	------------------------	---	---	---	-------------	----	----

Shelf/Box/File Pedestal

Concealed Shelf/Box/File, single front

12"


27 1/16"

23 1/2"

WP2812CSL(N)

\$950.

\$1,099.



Box/Box (File Front)/File Pedestal

Recessed Box/Box/File

12"


27 1/16"

23 1/2"

WP2812CBL(N)

990.

1,124.



File/File Pedestal

File/File

12"


27 1/16"

23 1/2"

WP2812FFL(N)

924.

1,056.



Slide Out Pedestal

Slat wall with bin, left hand

12"

27 1/16"

23 1/2"

WP2812SOLHL(N)

1,087.

1,358.

Slat wall with bin, right hand (shown)

12"


27 1/16"

23 1/2"

WP2812SORHL(N)

1,087.

1,358.



Order Information

1. *Base Pattern Number*
2. *Lock option*
L = Locking
N = Non-locking
3. *Case Finish*
See Finish Options page
4. *Front Finish*
See Finish Options page
5. *Pull style*
T = 10" finger pull
6. *Pull finish*
See Finish Options page
7. *Lock finish*
B = Black
C = Chrome

Order Code

Pedestal, 16" Wide, Open/File

Example: **WP2816OFL(L)**

WP Anchor Pedestal

28 27 1/16" High

16 16" Wide

OF Open/File

L Laminate

(L) Lock option, Locking

(118) Case Finish

(118) Front Finish

(T) Pull Style

(118) Pull Finish

(C) Lock finish, Chrome

Specification Information

Add \$40 to the list price per standard key lock.
Digital Keypad lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$560 to the list price for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.

Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes

Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.

Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.






Pedestals complete with top (specified separately) align with desk height.

Slide out Pedestal features bottom bin with slat wall above. Compatible slat wall accessories are listed in Pedestal Accessories, specified separately.

Pedestals

Floorstanding Pedestals 24" deep 16" wide

Anchor Storage





description	pedestal configuration	w	h	d	pattern no.	L1	L2
	Open	15 9/16"	27 1/16"	23 1/2"	WP2816OPL	\$533.	\$744.
	Open, 1 Shelf (shown)	15 9/16"	27 1/16"	23 1/2"	WP2816O1L	593.	839.
	Open, 2 Shelves	15 9/16"	27 1/16"	23 1/2"	WP2816O2L	652.	936.
	Full Door, 1 Shelf Left Hand	15 9/16"	27 1/16"	23 1/2"	WP2816F1LHL(N)	757.	1,046.
	Full Door, 1 Shelf Right Hand	15 9/16"	27 1/16"	23 1/2"	WP2816F1RHL(N)	757.	1,046.
	Full Door, 2 Shelves Left Hand	15 9/16"	27 1/16"	23 1/2"	WP2816F2LHL(N)	817.	1,141.
	Full Door, 2 Shelves Right Hand	15 9/16"	27 1/16"	23 1/2"	WP2816F2RHL(N)	817.	1,141.
	Full Door, Left Hand	15 9/16"	27 1/16"	23 1/2"	WP2816FDLHL(N)	699.	950.
	Full Door, Right Hand (shown)	15 9/16"	27 1/16"	23 1/2"	WP2816FDRHL(N)	699.	950.
Open/File Pedestal	Open/File	15 9/16"	27 1/16"	23 1/2"	WP2816OFL(N)	832.	1,136.
							
Open/Box/File Pedestal	Open/Box/File	15 9/16"	27 1/16"	23 1/2"	WP2816OBL(N)	971.	1,248.
							
Box (File Front)/File Pedestal	Concealed shelf/Box/File	15 9/16"	27 1/16"	23 1/2"	WP2816CFL(N)	989.	1,277.
							

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Pedestal, 16" Wide, Open/File	Add \$40 to the list price per standard key lock.	Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WP2816OFL(L)	Digital Keypad lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$560 to the list price for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.	
3. <i>Case Finish</i> See Finish Options page	WP Anchor Pedestal		
4. <i>Front Finish</i> See Finish Options page	28 27 1/16" High		
5. <i>Pull style</i> T = 10" finger pull	16 16" Wide		
6. <i>Pull finish</i> See Finish Options page	OF Open/File		
7. <i>Lock finish</i> B = Black C = Chrome	L Laminate		
	(L) Lock option, Locking	Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.	Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.
	(118) Case Finish		
	(118) Front Finish		
	(T) Pull Style	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestals complete with top (specified separately) align with desk height.
	(118) Pull Finish		
	(C) Lock finish, Chrome		
		Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Slide out Pedestal features bottom bin with slat wall above. Compatible slat wall accessories are listed in Pedestal Accessories, specified separately.
		Dimensions listed under w h d are actual to the nearest 1/16".	

Pedestals

Floorstanding Pedestals 24" deep 16" wide


Anchor Storage

description	pedestal configuration	w	h	d	pattern no.	L1	L2
Shelf/Box/File Pedestal	Concealed Shelf/Box/File, single front	15 9/16"	27 1/16"	23 1/2"	WP2816CSL(N)	\$1,018.	\$1,315.
							
Box/Box (File Front)/File Pedestal	Recessed Box/Box/File	15 9/16"	27 1/16"	23 1/2"	WP2816CBL(N)	1,093.	1,353.
							
File/File Pedestal	File/File	15 9/16"	27 1/16"	23 1/2"	WP2816FFL(N)	956.	1,207.
							
Slide Out Pedestal	Slat wall with bin, left hand	15 9/16"	27 1/16"	23 1/2"	WP2816SOLHL(N)	1,136.	1,421.
	Slat wall with bin, right hand (shown)	15 9/16"	27 1/16"	23 1/2"	WP2816SORHL(N)	1,136.	1,421.
							


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Pedestal, 16" Wide, Open/File	Add \$40 to the list price per standard key lock.	Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WP2816OFL(L)		
3. <i>Case Finish</i> See Finish Options page	WP Anchor Pedestal	Digital Keypad lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$560 to the list price for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.	Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.
4. <i>Front Finish</i> See Finish Options page	28 27 1/16" High		
5. <i>Pull style</i> T = 10" finger pull	16 16" Wide	Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.	Pedestals complete with top (specified separately) align with desk height.
6. <i>Pull finish</i> See Finish Options page	OF Open/File		
7. <i>Lock finish</i> B = Black C = Chrome	L Laminate	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Slide out Pedestal features bottom bin with slat wall above. Compatible slat wall accessories are listed in Pedestal Accessories, specified separately.
	(L) Lock option, Locking		
	(118) Case Finish	Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	(118) Front Finish		
	(T) Pull Style	Dimensions listed under w h d are actual to the nearest 1/16".	
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Floorstanding Combination Pedestals 24" deep 24" and 30" wide

description	pedestal configuration	w	h	d	pattern no.	L1	L2
Combination Pedestal with Open Pedestal Locker, Left Hand, 24" wide	Open Pedestal	24"	27 1/16"	23 1/2"	WPC2824OSO1LHL	\$1,080.	\$1,441.
	Full Door Pedestal	24"	27 1/16"	23 1/2"	WPC2824OSFDLHL(N)	1,267.	1,675.
	Open/File Pedestal	24"	27 1/16"	23 1/2"	WPC2824OSOFLLHL(N)	1,399.	1,812.
	File/File Pedestal (shown)	24"	27 1/16"	23 1/2"	WPC2824OSFFLHL(N)	1,505.	1,874.
	Open/Box/File Pedestal	24"	27 1/16"	23 1/2"	WPC2824OSOBLHL(N)	1,529.	1,920.
	Box (File Front)/File Pedestal	24"	27 1/16"	23 1/2"	WPC2824OSCFLLHL(N)	1,575.	1,985.
	Box/Box(File Front) File Pedestal	24"	27 1/16"	23 1/2"	WPC2824OSCBLHL(N)	1,661.	2,049.




Combination Pedestal with Open Pedestal Locker, Right Hand, 24" wide	Open Pedestal	24"	27 1/16"	23 1/2"	WPC2824OSO1RHL	1,080.	1,441.
	Full Door Pedestal	24"	27 1/16"	23 1/2"	WPC2824OSFDRHL(N)	1,267.	1,675.
	Open/File Pedestal	24"	27 1/16"	23 1/2"	WPC2824OSOFRRHL(N)	1,399.	1,812.
	File/File Pedestal (shown)	24"	27 1/16"	23 1/2"	WPC2824OSFFRHL(N)	1,505.	1,874.
	Open/Box/File Pedestal	24"	27 1/16"	23 1/2"	WPC2824OSOBRHL(N)	1,529.	1,920.
	Box (File Front)/File Pedestal	24"	27 1/16"	23 1/2"	WPC2824OSCFRRHL(N)	1,575.	1,985.
	Box/Box(File Front) File Pedestal	24"	27 1/16"	23 1/2"	WPC2824OSCBRHL(N)	1,661.	2,049.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Combination Pedestal with Open Pedestal Locker, 24" wide, F/F pedestal, Left hand	Floorstanding Combination Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.	Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.
2. <i>Lock option</i> L = Locking N = Non-locking		Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.	Pedestals complete with top (specified separately) align with desk height.
3. <i>Case Finish</i> See Finish Options page	Example: WPC2824OSFFLHL		
4. <i>Front Finish</i> See Finish Options page	WPC Anchor Combination Pedestal		
5. <i>Pull style</i> T = 10" finger pull	28 27 1/16" High		
6. <i>Pull finish</i> See Finish Options page	24 24" Wide		
7. <i>Lock finish</i> B = Black C = Chrome	OS Open Pedestal Locker	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
	FF File/File Pedestal		
	LH Left hand (Pedestal Locker)		
	L Laminate	Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Floorstanding Combination Pedestals 24" deep 24" and 30" wide

description	pedestal configuration	w	h	d	pattern no.	L1	L2
Combination Pedestal with Open Pedestal Locker, Left Hand, 30" wide	Open Pedestal	30"	27 1/16"	23 1/2"	WPC2830OSO1LHL	\$1,194.	\$1,609.
	Full Door Pedestal	30"	27 1/16"	23 1/2"	WPC2830OSFDLHL(N)	1,381.	1,842.
	Open/File Pedestal	30"	27 1/16"	23 1/2"	WPC2830OSOFLLHL(N)	1,514.	1,979.
	File/File Pedestal (shown)	30"	27 1/16"	23 1/2"	WPC2830OSFFLHL(N)	1,619.	2,041.
	Open/Box/File Pedestal	30"	27 1/16"	23 1/2"	WPC2830OSOBLHL(N)	1,642.	2,086.
	Box (File Front)/File Pedestal	30"	27 1/16"	23 1/2"	WPC2830OSCFLLHL(N)	1,689.	2,151.
	Box/Box(File Front) File Pedestal	30"	27 1/16"	23 1/2"	WPC2830OSCBLLHL(N)	1,774.	2,215.





Combination Pedestal with Open Pedestal Locker, Right Hand, 30" wide	Open Pedestal	30"	27 1/16"	23 1/2"	WPC2830OSO1RHL	1,194.	1,609.
	Full Door Pedestal	30"	27 1/16"	23 1/2"	WPC2830OSFDRHL(N)	1,381.	1,842.
	Open/File Pedestal	30"	27 1/16"	23 1/2"	WPC2830OSOFRRHL(N)	1,514.	1,979.
	File/File Pedestal (shown)	30"	27 1/16"	23 1/2"	WPC2830OSFFRHL(N)	1,619.	2,041.
	Open/Box/File Pedestal	30"	27 1/16"	23 1/2"	WPC2830OSOBRHL(N)	1,642.	2,086.
	Box (File Front)/File Pedestal	30"	27 1/16"	23 1/2"	WPC2830OSCFRRHL(N)	1,689.	2,151.
	Box/Box(File Front) File Pedestal	30"	27 1/16"	23 1/2"	WPC2830OSCBRRHL(N)	1,774.	2,215.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Combination Pedestal with Open Pedestal Locker, 24" wide, F/F pedestal, Left hand	Floorstanding Combination Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.	Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.
2. <i>Lock option</i> L = Locking N = Non-locking		Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.	Pedestals complete with top (specified separately) align with desk height.
3. <i>Case Finish</i> See Finish Options page	Example: WPC2824OSFFLHL	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
4. <i>Front Finish</i> See Finish Options page	WPC Anchor Combination Pedestal		
5. <i>Pull style</i> T = 10" finger pull	28 27 1/16" High		
6. <i>Pull finish</i> See Finish Options page	24 24" Wide		
7. <i>Lock finish</i> B = Black C = Chrome	OS Open Pedestal Locker		
	FF File/File Pedestal		
	LH Left hand (Pedestal Locker)		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		


Floorstanding Combination Pedestals 24" deep 24" and 30" wide


description	pedestal configuration	w	h	d	pattern no.	L1	L2
 Combination Pedestal with Full Door Pedestal Locker, Left Hand, 24" wide	Open Pedestal	24"	27 1/16"	23 1/2"	WPC2824FDO1LHL(N)	\$1,212.	\$1,591.
	Full Door Pedestal	24"	27 1/16"	23 1/2"	WPC2824FDFDLHL(N)	1,398.	1,825.
	Open/File Pedestal	24"	27 1/16"	23 1/2"	WPC2824FDOFLHL(N)	1,532.	1,961.
	File/File Pedestal (shown)	24"	27 1/16"	23 1/2"	WPC2824FDFFLHL(N)	1,636.	2,023.
	Open/Box/File Pedestal	24"	27 1/16"	23 1/2"	WPC2824FDOBLHL(N)	1,660.	2,069.
	Box (File Front)/File Pedestal	24"	27 1/16"	23 1/2"	WPC2824FDCFLHL(N)	1,706.	2,135.
	Box/Box(File Front) File Pedestal	24"	27 1/16"	23 1/2"	WPC2824FDCBLHL(N)	1,792.	2,199.

 Combination Pedestal with Full Door Pedestal Locker, Right Hand, 24" wide	Open Pedestal	24"	27 1/16"	23 1/2"	WPC2824FDO1RHL(N)	1,212.	1,591.
	Full Door Pedestal	24"	27 1/16"	23 1/2"	WPC2824FDFDRHL(N)	1,398.	1,825.
	Open/File Pedestal	24"	27 1/16"	23 1/2"	WPC2824FDOFRHL(N)	1,532.	1,961.
	File/File Pedestal (shown)	24"	27 1/16"	23 1/2"	WPC2824FDFFRHL(N)	1,636.	2,023.
	Open/Box/File Pedestal	24"	27 1/16"	23 1/2"	WPC2824FDOBRHL(N)	1,660.	2,069.
	Box (File Front)/File Pedestal	24"	27 1/16"	23 1/2"	WPC2824FDCFRHL(N)	1,706.	2,135.
	Box/Box(File Front) File Pedestal	24"	27 1/16"	23 1/2"	WPC2824FDCBRHL(N)	1,792.	2,199.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Combination Pedestal with Open Pedestal Locker, 24" wide, F/F pedestal, Left hand	Floorstanding Combination Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.	Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.
2. <i>Lock option</i> L = Locking N = Non-locking		Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.	Pedestals complete with top (specified separately) align with desk height.
3. <i>Case Finish</i> See Finish Options page	Example: WPC2824OSFFLHL	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
4. <i>Front Finish</i> See Finish Options page	WPC Anchor Combination Pedestal		
5. <i>Pull style</i> T = 10" finger pull	28 27 1/16" High		
6. <i>Pull finish</i> See Finish Options page	24 24" Wide		
7. <i>Lock finish</i> B = Black C = Chrome	OS Open Pedestal Locker		
	FF File/File Pedestal		
	LH Left hand (Pedestal Locker)		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Floorstanding Combination Pedestals 24" deep 24" and 30" wide


description	pedestal configuration	w	h	d	pattern no.	L1	L2
	Open Pedestal	30"	27 1/16"	23 1/2"	WPC2830FDO1LHL(N)	\$1,355.	\$1,801.
	Full Door Pedestal	30"	27 1/16"	23 1/2"	WPC2830FDFDLHL(N)	1,542.	2,035.
	Open/File Pedestal	30"	27 1/16"	23 1/2"	WPC2830FDOFLHL(N)	1,675.	2,172.
	File/File Pedestal (shown)	30"	27 1/16"	23 1/2"	WPC2830FDFFLHL(N)	1,779.	2,233.
	Open/Box/File Pedestal	30"	27 1/16"	23 1/2"	WPC2830FDOBLHL(N)	1,802.	2,280.
	Box (File Front)/File Pedestal	30"	27 1/16"	23 1/2"	WPC2830FDCFLHL(N)	1,849.	2,344.
	Box/Box(File Front) File Pedestal	30"	27 1/16"	23 1/2"	WPC2830FDCBLHL(N)	1,935.	2,409.

	Open Pedestal	30"	27 1/16"	23 1/2"	WPC2830FDO1RHL(N)	1,355.	1,801.
	Full Door Pedestal	30"	27 1/16"	23 1/2"	WPC2830FDFDRHL(N)	1,542.	2,035.
	Open/File Pedestal	30"	27 1/16"	23 1/2"	WPC2830FDOFRHL(N)	1,675.	2,172.
	File/File Pedestal (shown)	30"	27 1/16"	23 1/2"	WPC2830FDFFRHL(N)	1,779.	2,233.
	Open/Box/File Pedestal	30"	27 1/16"	23 1/2"	WPC2830FDOBRHL(N)	1,802.	2,280.
	Box (File Front)/File Pedestal	30"	27 1/16"	23 1/2"	WPC2830FDCFRHL(N)	1,849.	2,344.
	Box/Box(File Front) File Pedestal	30"	27 1/16"	23 1/2"	WPC2830FDCBRHL(N)	1,935.	2,409.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Combination Pedestal with Open Pedestal Locker, 24" wide, F/F pedestal, Left hand	Floorstanding Combination Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.	Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.
2. <i>Lock option</i> L = Locking N = Non-locking		Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.	Pedestals complete with top (specified separately) align with desk height.
3. <i>Case Finish</i> See Finish Options page	Example: WPC2824OSFFLHL	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
4. <i>Front Finish</i> See Finish Options page	WPC Anchor Combination Pedestal		
5. <i>Pull style</i> T = 10" finger pull	28 27 1/16" High		
6. <i>Pull finish</i> See Finish Options page	24 24" Wide		
7. <i>Lock finish</i> B = Black C = Chrome	OS Open Pedestal Locker		
	FF File/File Pedestal		
	LH Left hand (Pedestal Locker)		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

*Freestanding Doublewide Pedestals 20 deep
18" and 24" wide units*

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
All Open - Doublewide Pedestal	Open, 1 shelf	18"	27 1/16"	19 1/16"	WP2818OSL	\$704.	\$859.
	Open, 1 shelf	24"	27 1/16"	19 1/16"	WP2824OSL	805.	992.

**Order Information**

1. *Base Pattern Number*
2. *Lock option*
L = Locking
N = Non-locking
3. *Case Finish*
See Finish Options page
4. *Front Finish*
See Finish Options page
5. *Pull style*
T = 10" Finger pull
6. *Pull finish*
See Finish Options page
7. *Lock finish*
See Finish Options page

Order Code

Doublewide Pedestal, 30" wide,
Open / File

Example: **WP2830OFL(L)**

WP	Anchor Pedestal
28	28" High
30	30" Wide
OF	Open / File
L	Laminate case and front
(L)	Lock option, Locking
(118)	Case Finish, Bright White
(118)	Front Finish, Bright White
(T)	Pull Style, 10" Finger pull
(118)	Pull Finish, Bright White
(C)	Lock finish, Chrome

Specification Information

Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications. When applicable, corresponding counterweights kits are noted within the pricing section above.

Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes


Pedestal top must be specified separately, see "Pedestal Tops" section.

Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case to align with doublewide pedestal tops (specified separately). Pedestals with drawer fronts are 20" deep overall.


Pedestals complete with top (specified separately) align with desk height.

Rails included with file drawer for side-to-side and front-to-back filing.

Freestanding Doublewide Pedestals 20 deep 30", 36" and 42" wide units

description	w	h	d	pattern no.	L1	L2
All Open - Doublewide Pedestal 	30"	27 1/16"	19 1/16"	WP2830OSL	\$992.	\$1,171.
	36"	27 1/16"	19 1/16"	WP2836OSL	1,104.	1,303.
	42"	27 1/16"	19 1/16"	WP2842OSL	1,174.	1,491.

Top shelf is removable


Open / File - Doublewide Pedestal 	30"*	27 1/16"	19 1/16"	WP2830OFL(N)	1,414.	1,613.
	36"*	27 1/16"	19 1/16"	WP2836OFL(N)	1,540.	1,763.
	42"*	27 1/16"	19 1/16"	WP2842OFL(N)	1,731.	1,988.

*30" wide Open/File unit requires counterweight kit WCWKIT03 when used in a freestanding application

*36" wide Open/File unit requires counterweight kit WCWKIT04 when used in a freestanding application

*42" wide Open/File unit requires counterweight kit WCWKIT05 when used in a freestanding application

Top shelf is removable

Open / Box / File - Doublewide Pedestal 	30"*	27 1/16"	19 1/16"	WP2830OBL(N)	1,716.	1,891.
	36"*	27 1/16"	19 1/16"	WP2836OBL(N)	1,851.	2,056.
	42"*	27 1/16"	19 1/16"	WP2842OBL(N)	2,026.	2,260.

*30" wide Open/Box/File unit requires counterweight kit WCWKIT03 when used in a freestanding application


*36" wide Open/Box/File unit requires counterweight kit WCWKIT04 when used in a freestanding application

*42" wide Open/Box/File unit requires counterweight kit WCWKIT05 when used in a freestanding application

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Doublewide Pedestal, 30" wide, Open / File	Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications. When applicable, corresponding counterweights kits are noted within the pricing section above.	Pedestal top must be specified separately, see "Pedestal Tops" section.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WP2830OFL(L)		
3. <i>Case Finish</i> See Finish Options page	WP Anchor Pedestal		Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case to align with doublewide pedestal tops (specified separately). Pedestals with drawer fronts are 20" deep overall.
4. <i>Front Finish</i> See Finish Options page	28 28" High		
5. <i>Pull style</i> T = 10" Finger pull	30 30" Wide	Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.	
6. <i>Pull finish</i> See Finish Options page	OF Open / File		
7. <i>Lock finish</i> See Finish Options page	L Laminate case and front	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestals complete with top (specified separately) align with desk height.
	(L) Lock option, Locking		
	(118) Case Finish, Bright White	Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Rails included with file drawer for side-to-side and front-to-back filing.
	(118) Front Finish, Bright White		
	(T) Pull Style, 10" Finger pull		
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome	Dimensions listed under w h d are actual to the nearest 1/16".	

Freestanding Doublewide Pedestals 20 deep 30", 36" and 42" wide units


description	w	h	d	pattern no.	L1	L2
Box (File Front) / File - Doublewide Pedestal	30"*	27 1/16"	19 1/16"	WP2830CFL(N)	\$1,751.	\$1,940.
	36"*	27 1/16"	19 1/16"	WP2836CFL(N)	1,894.	2,112.
	42"*	27 1/16"	19 1/16"	WP2842CFL(N)	2,088.	2,324.



Top shelf is removable






*30" wide Box (File Front) / File unit requires counterweight kit WCWKIT03 when used in a freestanding application
 *36" wide Box (File Front) / File unit requires counterweight kit WCWKIT04 when used in a freestanding application
 *42" wide Box (File Front) / File unit requires counterweight kit WCWKIT05 when used in a freestanding application

File / File - Doublewide Pedestal	30"*	27 1/16"	19 1/16"	WP2830FFL(N)	1,634.	1,790.
	36"*	27 1/16"	19 1/16"	WP2836FFL(N)	1,741.	1,922.
	42"*	27 1/16"	19 1/16"	WP2842FFL(N)	1,917.	2,123.



*30" wide File / File unit requires counterweight kit WCWKIT02 when used in a freestanding application
 *36" wide File / File unit requires counterweight kit WCWKIT03 when used in a freestanding application
 *42" wide File / File unit requires counterweight kit WCWKIT04 when used in a freestanding application


Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Doublewide Pedestal, 30" wide, File / File	Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications. When applicable, corresponding counterweights kits are noted within the pricing section above.	Pedestal top must be specified separately, see "Pedestal Tops" section.
2. Lock option L = Locking N = Non-locking	Example: WP2830FFL(L)		
3. Case Finish See Finish Options page	WP Anchor Pedestal		Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case to align with doublewide pedestal tops (specified separately). Pedestals with drawer fronts are 20" deep overall.
4. Front Finish See Finish Options page	28 28" High		
5. Pull style T = 10" Finger pull	30 30" Wide	Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.	
6. Pull finish See Finish Options page	FF File / File		
7. Lock finish See Finish Options page	L Laminate case and front	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestals complete with top (specified separately) align with desk height.
	(L) Lock option, Locking		
	(118) Case Finish, Bright White	Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Rails included with file drawer for side-to-side and front-to-back filing.
	(118) Front Finish, Bright White		
	(T) Pull Style, 10" Finger pull		
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome	Dimensions listed under w h d are actual to the nearest 1/16".	

description	description	w	d	h	pattern no.	L1	L2	list
	single shelf, for 12" w pedestal	10 1/2"	22 3/4"	3/4"	WPSF1201L	\$100.	\$113.	
	single shelf, for 16" w pedestal	14"	22 3/4"	3/4"	WPSF1601L	118.	136.	
	pack of 4 shelves, for 12" w pedestal	10 1/2"	22 3/4"	3/4"	WPSF1204L	281.	371.	
	pack of 4 shelves, for 16" w pedestal	14"	22 3/4"	3/4"	WPSF1604L	348.	475.	
	single shelf, for 12" w mobile pedestal	12"			WPMSF1201L	84.	96.	
	single shelf, for 16" w mobile pedestal	16"			WPMSF1601L	101.	119.	
	pack of 4 pack shelves, for 12" w mobile pedestal	12"			WPMSF1204L	312.	363.	
	pack of 4 shelves, for 16" w mobile pedestal	16"			WPMSF1604L	383.	453.	
	Large Tray, black	20 3/4"	5 1/2"		WPSOTRL01			61.
	Small Tray, black	14"	5 1/2"		WPSOTRS01			51.
	Hoop for letter-sized hanging files or pencil trays	12 1/4"	5 1/2"		WPSOHP01			61.
	Basket, black	12 1/4"	5 1/2"		WPSOB01			81.
	Basket, black, pack of 5	12 1/4"	5 1/2"		WPSOB05			390.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i> 2. <i>Finish</i> See Finish Options page	Full-depth pedestal shelf	Each shelf includes 4 mounding pins.	12" wide pedestal shelves are for use in 12" wide floorstanding pedestals.
	Example: WPSF1201L	Edgebanding preselected to match or coordinate with laminate; see "Finish Options" for further details.	16" wide pedestal shelves are for use in 16" wide floorstanding pedestals and within the "pedestal" portion of combination pedestals; not for use within the "pedestal locker" portion of combination pedestals.
	WP Anchor Pedestal		
	SF Shelf, full-depth		
	12 for 12" wide pedestal	Basket and Hook are compatible with 12" and 16" wide slide out pedestal.	
	01 single shelf		
	L Laminate		
	(118) Finish, Bright White		

description	description	w	d	h	pattern no.	L1	L2	list
Accessory Hook for use with Anchor Slatwall 	Accessory Hook, black, pack of 40				WPSOH40			\$345.
	Accessory Hook, black, pack of 5				WPSOH05			59.

Large Tray with cut-out, for use with Anchor Slatwall	Large Tray with cut-out for letter-sized hanging	20 3/4"	5 1/2"		WPSOTRC01			61.
---	--	---------	--------	--	------------------	--	--	-----





Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i> 2. <i>Finish</i> See Finish Options page	Full-depth pedestal shelf Example: WPSF1201L WP Anchor Pedestal SF Shelf, full-depth 12 for 12" wide pedestal 01 single shelf L Laminate (118) Finish, Bright White	Each shelf includes 4 mounding pins. Edgebanding preselected to match or coordinate with laminate; see "Finish Options" for further details. Basket and Hook are compatible with 12" and 16" wide slide out pedestal.	12" wide pedestal shelves are for use in 12" wide floorstanding pedestals. 16" wide pedestal shelves are for use in 16" wide floorstanding pedestals and within the "pedestal" portion of combination pedestals; not for use within the "pedestal locker" portion of combination pedestals.

Pedestal Tops

For Freestanding Doublewide Pedestals

Anchor Storage

description	w	d	h	pattern no.	L1	L2
Doublewide Pedestal Tops 	30"	19 1/16"	1 1/8"	WPT3020L	\$189.	\$224.
	36"	19 1/16"	1 1/8"	WPT3620L	212.	252.
	42"	19 1/16"	1 1/8"	WPT4220L	243.	291.
	48"	19 1/16"	1 1/8"	WPT4820L	268.	325.
	54"	19 1/16"	1 1/8"	WPT5420L	290.	346.
	60"	19 1/16"	1 1/8"	WPT6020L	314.	377.
	66"	19 1/16"	1 1/8"	WPT6620L	337.	406.
	72"	19 1/16"	1 1/8"	WPT7220L	357.	427.
	78"	19 1/16"	1 1/8"	WPT7820L	380.	458.
	84"	19 1/16"	1 1/8"	WPT8420L	404.	483.
Doublewide Pedestal Tops for Antenna 	30"	19 1/16"	1 1/4"	WPTY3020L	189.	224.
	36"	19 1/16"	1 1/4"	WPTY3620L	212.	252.
	42"	19 1/16"	1 1/4"	WPTY4220L	243.	291.
	48"	19 1/16"	1 1/4"	WPTY4820L	268.	325.
	54"	19 1/16"	1 1/4"	WPTY5420L	290.	346.
	60"	19 1/16"	1 1/4"	WPTY6020L	314.	377.
	66"	19 1/16"	1 1/4"	WPTY6620L	337.	406.
	72"	19 1/16"	1 1/4"	WPTY7220L	357.	427.
	78"	19 1/16"	1 1/4"	WPTY7820L	380.	458.
	84"	19 1/16"	1 1/4"	WPTY8420L	404.	483.

Order Information

1. Base Pattern Number
2. Finish
See Finish Options page

Order Code

Doublewide Pedestal Top,
30" wide x 19"

Example: **WPT3019 ()**

WPT	Anchor Pedestal Top
30	30" Wide
19	20" deep
(118)	Finish, Bright White

Specification Information

For use with Anchor Doublewide Pedestals only.

Mounting hardware included with Pedestals.

Edgebanding preselected to match or coordinate with laminate, see "Finish Options" page for further details.

See Pedestal Specifications for Pedestal Top planning.

Application Notes

Doublewide Pedestal tops for Antenna are designed to match Antenna laminate top thickness and edge band details.

Counterweight Kits

For Doublewide Pedestals

Anchor Storage

description	type	w	h	pattern no.	list
Counterweight Kits	Counterweight Kit 02			WCWKIT02	\$121.
	Counterweight Kit 03			WCWKIT03	170.
	Counterweight Kit 04			WCWKIT04	191.
	Counterweight Kit 05			WCWKIT05	211.

Order Information	Order Code	Specification Information	Application Notes
		Pedestals with file drawers may require counterweights when used in freestanding applications.	Counterweight kits include hardware to mount the counterweight plates.
		When applicable, reference the pedestal pricing pages to identify the appropriate kit.	Counterweight plates are to be mounted to the back panel behind the file drawer(s) inside the pedestal.

Work Surface Stacker Specifications

Technical Specifications

Anchor Work Surface Stackers


Anchor Work Surface Stackers are wood construction cabinets designed to provide privacy and offer above-desk storage. Elevation heights correspond with Dividends Horizon panel heights when installed on a standard height work surface. Work Surface Stackers are designed to be installed directly onto a work surface and do not include a base.

Stackers ship preassembled including a finished top. Tape for mounting to work surface is included. All drawer and door pulls are field installed.


Available Sizes (nominal)

Elevation Heights: 42", 50", 57", 64" (when installed on standard height work surface)
Widths: 12", 16"
Depth: 24"


Configurations include:



Side Access (open)




Front Access Open



Front Access with Door

Construction

- Work Surface Stackers are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: 1 3/16" (nominal) on stacker top; 3/4" on back, sides, interior shelves and door fronts.



Internal Clearances *

Internal height:

- A: 11 15/16"
- B: 6 5/16"
- C: 13 15/16"
- 8 3/16"

Internal width: 10 1/2", 14 1/16"

Internal depth: 22 3/4"

**Actual dimensions to the nearest 1/16th of an inch*

Inset Back

Parallel and Side Access Stackers may be specified with an inset back for use with tackboard insert (specified separately.) When specified, the back panel of the stacker is inset 1/2" into the unit to accommodate mounting a tackboard on the outside of the stacker.

Tackboards are not intended for use inside stackers with shelves.



Locks

Anchor Work Surface Stackers with full door may be ordered with or without locks. No lock hole is drilled on units specified as nonlocking.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.

Pulls

All drawer and door pulls are field installed. Finger Pull, 10" long, positioned vertically on doors. Pulls on 42" high (elevation) stackers are 8" long.




Credenza Stackers

Parallel Credenza Stackers


12" deep

Anchor Storage


description	height elevation	w	d	h	pattern no.	L1	L2
Parallel Credenza Stacker, 30" Wide, Front Access Open	42" high elevation	30"	12"	19 ³ / ₈ "	WSPCFO4230L	\$470.	\$573.
	50" high elevation	30"	12"	26 ¹ / ₁₆ "	WSPCFO5030L	612.	760.
	57" high elevation	30"	12"	34"	WSPCFO5730L	682.	854.
	64" high elevation	30"	12"	41 ¹ / ₄ "	WSPCFO6430L	813.	1,028.



Parallel Credenza Stacker, 36" Wide, Front Access Open	42" high elevation	36"	12"	19 ³ / ₈ "	WSPCFO4236L	524.	641.
	50" high elevation	36"	12"	26 ¹ / ₁₆ "	WSPCFO5036L	684.	856.
	57" high elevation	36"	12"	34"	WSPCFO5736L	763.	960.
	64" high elevation	36"	12"	41 ¹ / ₄ "	WSPCFO6436L	914.	1,161.




Parallel Credenza Stacker, 42" Wide, Front Access Open	42" high elevation	42"	12"	19 ³ / ₈ "	WSPCFO4242L	577.	710.
	50" high elevation	42"	12"	26 ¹ / ₁₆ "	WSPCFO5042L	759.	953.
	57" high elevation	42"	12"	34"	WSPCFO5742L	844.	1,065.
	64" high elevation	42"	12"	41 ¹ / ₄ "	WSPCFO6442L	1,014.	1,292.




Order Information	Order Code	Specification Information	Application Notes
		Parallel credenza stackers are designed to mount parallel onto a credenza.	Credenza stackers mount directly to a credenza; mounting kit included.
		Parallel stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "FO" with "FOB".	Elevation height represents the overall nominal height of a stacker when mounted to an Anchor credenza.
		Credenza stacker shelf count: 42" high, 1 shelf, 50" and 57" high include 2 shelves, 64" high includes 3 shelves.	
		Stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	

Tackboards for Parallel Credenza Stackers with inset back


description	height elevation	thick	pattern no.	10	20	30	40	50	55
Tackboard insert for Parallel Credenza Stacker 30" wide with inset back	42" high elevation	1/2"	WSPCT4230	\$171.	\$185.	\$194.	\$201.	\$219.	\$222.
	50" high elevation	1/2"	WSPCT5030	183.	198.	207.	214.	235.	239.
	57" high elevation	1/2"	WSPCT5730	194.	209.	218.	225.	248.	252.
	64" high elevation	1/2"	WSPCT6430	203.	219.	228.	238.	259.	263.



Tackboard insert for Parallel Credenza Stacker 36" wide with inset back	42" high elevation	1/2"	WSPCT4236	189.	203.	212.	220.	241.	245.
	50" high elevation	1/2"	WSPCT5036	204.	220.	231.	239.	261.	265.
	57" high elevation	1/2"	WSPCT5736	224.	243.	254.	263.	288.	293.
	64" high elevation	1/2"	WSPCT6436	239.	257.	269.	279.	305.	309.



Tackboard insert for Parallel Credenza Stacker 42" wide with inset back	42" high elevation	1/2"	WSPCT4242	192.	207.	216.	223.	245.	249.
	50" high elevation	1/2"	WSPCT5042	208.	224.	236.	244.	266.	270.
	57" high elevation	1/2"	WSPCT5742	231.	249.	260.	268.	295.	299.
	64" high elevation	1/2"	WSPCT6442	246.	265.	278.	288.	315.	320.

**Order Information**

1. Base Pattern Number
2. Fabric Finish

Order Code

Specification Information

Tackboards are designed to fit within the inset back of a parallel credenza stacker specified with inset back option.
Tackboards are not compatible for use on stackers with standard back.

Application Notes


Elevation height represents the overall nominal height of a stacker when mounted to an Anchor credenza.

Work Surface Stackers


Side Access 20", 24" and 30" deep 12" and 16" wide

Anchor Storage


description	height elevation	w	d	h	pattern no.	L1	L2
Work Surface Stacker, Side Access, 20" deep, 12" wide	42" high elevation	12"	19 1/2"	13 3/8"	WSWSA421220L	\$365.	\$448.
	50" high elevation	12"	19 1/2"	20 11/16"	WSWSA501220L	440.	525.
	57" high elevation	12"	19 1/2"	28"	WSWSA571220L	504.	607.
	64" high elevation	12"	19 1/2"	35 1/4"	WSWSA641220L	570.	672.




Work Surface Stacker, Side Access Open 24" deep, 12" wide	42" high elevation	12"	23 1/2"	13 3/8"	WSWSA4212L	371.	479.
	50" high elevation	12"	23 1/2"	20 11/16"	WSWSA5012L	446.	589.
	57" high elevation (shown)	12"	23 1/2"	28"	WSWSA5712L	511.	684.
	64" high elevation	12"	23 1/2"	35 1/4"	WSWSA6412L	576.	780.



Work Surface Stacker, Side Access Open 24" deep, 16" wide	42" high elevation	15 9/16"	23 1/2"	13 3/8"	WSWSA4216L	434.	570.
	50" high elevation	15 9/16"	23 1/2"	20 11/16"	WSWSA5016L	519.	696.
	57" high elevation (shown)	15 9/16"	23 1/2"	28"	WSWSA5716L	594.	806.
	64" high elevation	15 9/16"	23 1/2"	35 1/4"	WSWSA6416L	669.	916.



Work Surface Stacker, Side Access, 30" deep, 12" wide	42" high elevation	12"	29 1/2"	13 3/8"	WSWSA421230L	430.	526.
	50" high elevation	12"	29 1/2"	20 11/16"	WSWSA501230L	518.	617.
	57" high elevation	12"	29 1/2"	28"	WSWSA571230L	595.	711.
	64" high elevation	12"	29 1/2"	35 1/4"	WSWSA641230L	672.	788.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Work Surface Stacker 42H	Side Access stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "SA" with "SAB".	Work surface stackers 20", 24" and 30" deep (nominal) have 19 1/16", 23 1/2" and 29 1/2" deep cases respectively and mount directly to a work surface of matching depth. Not for use with Antenna tops. Mounting tape included.
2. <i>Case Finish</i> See Finish Options page	elevation, 12W x 23.5D, Full Door, Left Hand		
3. <i>Top Finish</i> See Finish Options page	Example: WSW4212FDLHL	Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.	Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.
	WSW Anchor Work Surface Stacker		
	FD Full Door	Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	42 42" High Elevation		
	12 12" Wide		
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Work Surface Stackers

Side Access 20", 24" and 30" deep 12" and 16" wide

Anchor Storage

description	height elevation	w	d	h	pattern no.	L1	L2
Work Surface Stacker, Side Access, 30" deep, 16" wide	42" high elevation	15 ⁹ / ₁₆ "	29 ¹ / ₂ "	13 ³ / ₈ "	WSWSA421630L	\$504.	\$632.
	50" high elevation	15 ⁹ / ₁₆ "	29 ¹ / ₂ "	20 ¹¹ / ₁₆ "	WSWSA501630L	605.	736.
	57" high elevation	15 ⁹ / ₁₆ "	29 ¹ / ₂ "	28"	WSWSA571630L	694.	848.
	64" high elevation	15 ⁹ / ₁₆ "	29 ¹ / ₂ "	35 ¹ / ₄ "	WSWSA641630L	781.	935.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Work Surface Stacker 42H	Side Access stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "SA" with "SAB".	Work surface stackers 20", 24" and 30" deep (nominal) have 19 ¹ / ₁₆ ", 23 ¹ / ₂ " and 29 ¹ / ₂ " deep cases respectively and mount directly to a work surface of matching depth. Not for use with Antenna tops. Mounting tape included.
2. <i>Case Finish</i> See Finish Options page	elevation, 12W x 23.5D, Full Door, Left Hand		
3. <i>Top Finish</i> See Finish Options page	Example: WSW4212FDLHL	Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.	Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.
	WSW Anchor Work Surface Stacker		
	FD Full Door	Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	42 42" High Elevation		
	12 12" Wide		
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Tackboards for Side Access Stackers with inset back


description	height elevation	thick	pattern no.	grades					
				10	20	30	40	50	55
Tackboard insert for Side Access Stacker 20" deep with inset back	42" high elevation	1/2"	WSWT4220	\$158.	\$170.	\$179.	\$185.	\$203.	\$205.
	50" high elevation	1/2"	WSWT5020	158.	171.	180.	185.	202.	204.
	57" high elevation	1/2"	WSWT5720	173.	189.	196.	203.	222.	224.
	64" high elevation	1/2"	WSWT6420	182.	196.	205.	213.	233.	237.



Tackboard insert for Side Access Stacker 24" deep with inset back	42" high elevation	1/2"	WSWT4224	160.	172.	181.	187.	205.	208.
	50" high elevation	1/2"	WSWT5024	165.	179.	187.	194.	211.	214.
	57" high elevation	1/2"	WSWT5724	179.	194.	202.	209.	228.	233.
	64" high elevation	1/2"	WSWT6424	189.	203.	212.	220.	241.	245.



Tackboard insert for Side Access Stacker 30" deep with inset back	42" high elevation	1/2"	WSWT4230	162.	174.	183.	190.	207.	211.
	50" high elevation	1/2"	WSWT5030	172.	186.	195.	202.	220.	224.
	57" high elevation	1/2"	WSWT5730	184.	199.	208.	215.	236.	240.
	64" high elevation	1/2"	WSWT6430	195.	210.	219.	227.	249.	253.

**Order Information**

1. *Base Pattern Number*
2. *Fabric Finish*

Order Code

Specification Information

Tackboards are designed to fit within the inset back of a side access stacker specified with back option.

Tackboards are not compatible for use on stackers with a standard back.

Tackboard mounting tape included.

Application Notes


Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.

Work Surface Stackers


Anchor Storage

*Side Access for Antenna tops 24", 27" and 30" deep
12" wide*


description	height elevation	w	d	h	pattern no.	L1	L2
Work Surface Stacker, Side Access 12" wide for 24" deep Antenna top	42" high elevation	12"	24"		WSWSAY421224L	\$371.	\$479.
	50" high elevation	12"	24"		WSWSAY501224L	446.	589.
	57" high elevation	12"	24"		WSWSAY571224L	511.	684.
	64" high elevation	12"	24"		WSWSAY641224L	576.	780.



Work Surface Stacker, Side Access 12" wide for 27" deep Antenna top	42" high elevation	12"	27"		WSWSAY421227L	420.	513.
	50" high elevation	12"	27"		WSWSAY501227L	505.	601.
	57" high elevation	12"	27"		WSWSAY571227L	580.	694.
	64" high elevation	12"	27"		WSWSAY641227L	656.	784.



Work Surface Stacker, Side Access 12" wide for 30" deep Antenna top	42" high elevation	12"	30"		WSWSAY421230L	430.	526.
	50" high elevation	12"	30"		WSWSAY501230L	518.	617.
	57" high elevation	12"	30"		WSWSAY571230L	595.	711.
	64" high elevation	12"	30"		WSWSAY641230L	672.	788.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Work Surface Stacker 42H	Side Access stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "SA" with "SAB".	Antenna work surface stackers 24", 27" and 30" deep mount directly to an Antenna work surface of matching depth. Not for use with Antenna hinge door tops. Mounting tape included.
2. <i>Case Finish</i> See Finish Options page	elevation, 12W x 23.5D, Full Door, Left Hand		
3. <i>Top Finish</i> See Finish Options page	Example: WSW4212FDLHL	Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high include 2 shelves.	Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.
	WSW Anchor Work Surface Stacker		
	FD Full Door	Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	42 42" High Elevation		
	12 12" Wide		
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Tackboards for Side Access Antenna Stackers with inset back


description	height elevation	thick	pattern no.	grades 10	20	30	40	50	55
Tackboard insert for Side Access Antenna Stacker 24" deep with inset back	42" high elevation	1/2"	WSWTY4224	\$160.	\$172.	\$181.	\$187.	\$205.	\$208.
	50" high elevation	1/2"	WSWTY5024	165.	179.	187.	194.	211.	214.
	57" high elevation	1/2"	WSWTY5724	179.	194.	202.	209.	228.	233.
	64" high elevation	1/2"	WSWTY6424	189.	203.	212.	220.	241.	245.



Tackboard insert for Side Access Antenna Stacker 27" deep with inset back	42" high elevation	1/2"	WSWTY4227	161.	173.	182.	189.	206.	210.
	50" high elevation	1/2"	WSWTY5027	169.	183.	192.	198.	216.	219.
	57" high elevation	1/2"	WSWTY5727	182.	197.	205.	212.	233.	237.
	64" high elevation	1/2"	WSWTY6427	192.	207.	216.	224.	245.	249.



Tackboard insert for Side Access Antenna Stacker 30" deep with inset back	42" high elevation	1/2"	WSWTY4230	162.	174.	183.	190.	207.	211.
	50" high elevation	1/2"	WSWTY5030	172.	186.	195.	202.	220.	224.
	57" high elevation	1/2"	WSWTY5730	184.	199.	208.	215.	236.	240.
	64" high elevation	1/2"	WSWTY6430	195.	210.	219.	227.	249.	253.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>		Tackboards are designed to fit within the inset back of a side access stacker specified with inset back option. Tackboards are not compatible for use on stackers with a standard back. Antenna stacker tackboards are only compatible with Antenna stackers.	Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface. Tackboard mounting tape included.
2. <i>Fabric Finish</i>			
		Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.	


Work Surface Stackers

Front Access Open


12" and 16" wide

Anchor Storage

description	height elevation	w	d	h	pattern no.	L1	L2
Work Surface Stacker, Front Access Open 12" wide	42" high elevation	12"	23 1/2"	13 3/8"	WSWFO4212L	\$406.	\$529.
	50" high elevation	12"	23 1/2"	20 11/16"	WSWFO5012L	497.	664.
	57" high elevation (shown)	12"	23 1/2"	28"	WSWFO5712L	575.	781.
	64" high elevation	12"	23 1/2"	35 1/4"	WSWFO6712L	646.	889.



Work Surface Stacker, Front Access Open 16" wide	42" high elevation	15 9/16"	23 1/2"	13 3/8"	WSWFO4216L	457.	602.
	50" high elevation	15 9/16"	23 1/2"	20 11/16"	WSWFO5016L	553.	746.
	57" high elevation (shown)	15 9/16"	23 1/2"	28"	WSWFO5716L	636.	871.
	64" high elevation	15 9/16"	23 1/2"	35 1/4"	WSWFO6716L	719.	993.



Order Information

1. *Base Pattern Number*
2. *Case Finish*
See Finish Options page
3. *Top Finish*
See Finish Options page

Order Code

Work Surface Stacker 42H
elevation, 12W x 23.5D, Full Door,
Left Hand

Example: **WSW4212FDLHL**

WSW Anchor Work Surface
Stacker

FD Full Door

42 42" High Elevation

12 12" Wide

LH Left hand

L Laminate

(L) Lock option, Locking

(118) Case Finish

(118) Front Finish

(118) Top Finish

(T) Pull Style

(118) Pull Finish

(C) Lock finish, Chrome

Specification Information

Work surface stacker shelf count:
42" high, no shelf, 50" and 57" high
include 1 shelf, 64" high includes 2
shelves.

Add \$40 to the list price per
standard key lock.

Add \$15 to the list price per pull for
Anodized Nickel (AN) or Anodized
Aluminum (AA) finish.

Work surface stackers specified
with mixed laminate finishes are L2
pricing. Refer to Mixed Laminate
Finishes for further details.

Application Notes

Work surface stackers 24" deep
(nominal) have a 23 1/2" deep case;
24 3/8" overall depth including door.

Work surface stackers mount
directly to a 23 1/2" deep work
surface; mounting tape included.

Elevation height represents the
overall nominal height of a stacker
when mounted to a standard height
work surface.


Work Surface Stackers

Front Access with Door


12" and 16" wide

Anchor Storage


description	height elevation	w	d	h	pattern no.	L1	L2
Work Surface Stacker, Front Access with Door 12" wide, Left Hand	42" high elevation	12"	23 1/2"	13 3/8"	WSWFD4212LHL(N)	\$531.	\$669.
	50" high elevation	12"	23 1/2"	20 11/16"	WSWFD5012LHL(N)	641.	831.
	57" high elevation (shown)	12"	23 1/2"	28"	WSWFD5712LHL(N)	742.	976.
	64" high elevation	12"	23 1/2"	35 1/4"	WSWFD6412LHL(N)	863.	1,143.




Work Surface Stacker, Front Access with Door 12" wide, Right Hand	42" high elevation	12"	23 1/2"	13 3/8"	WSWFD4212RHL(N)	531.	669.
	50" high elevation	12"	23 1/2"	20 11/16"	WSWFD5012RHL(N)	641.	831.
	57" high elevation (shown)	12"	23 1/2"	28"	WSWFD5712RHL(N)	742.	976.
	64" high elevation	12"	23 1/2"	35 1/4"	WSWFD6412RHL(N)	863.	1,143.



Work Surface Stacker, Front Access with Door 16" wide, Left Hand	42" high elevation	15 9/16"	23 1/2"	13 3/8"	WSWFD4216LHL(N)	594.	759.
	50" high elevation	15 9/16"	23 1/2"	20 11/16"	WSWFD5016LHL(N)	714.	937.
	57" high elevation (shown)	15 9/16"	23 1/2"	28"	WSWFD5716LHL(N)	824.	1,098.
	64" high elevation	15 9/16"	23 1/2"	35 1/4"	WSWFD6416LHL(N)	956.	1,280.



Work Surface Stacker, Front Access with Door 16" wide, Right Hand	42" high elevation	15 9/16"	23 1/2"	13 3/8"	WSWFD4216RHL(N)	594.	759.
	50" high elevation	15 9/16"	23 1/2"	20 11/16"	WSWFD5016RHL(N)	714.	937.
	57" high elevation (shown)	15 9/16"	23 1/2"	28"	WSWFD5716RHL(N)	824.	1,098.
	64" high elevation	15 9/16"	23 1/2"	35 1/4"	WSWFD6416RHL(N)	956.	1,280.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Work Surface Stacker 42H	Work surface stacker shelf count:	Work surface stackers 24" deep
2. <i>Lock option</i>	elevation, 12W x 23.5D, Full Door,	42" high, no shelf, 50" and 57" high	(nominal) have a 23 1/2" deep case;
L = Locking	Left Hand	include 1 shelf, 64" high includes 2	24 3/8" overall depth including door.
N = Non-locking		shelves.	
3. <i>Case Finish</i>	Example: WSW4212FDLHL	Add \$40 to the list price per	Work surface stackers mount
See Finish Options page	WSW Anchor Work Surface	standard key lock.	directly to a 23 1/2" deep work
4. <i>Front Finish</i>	Stacker	Add \$15 to the list price per pull for	surface; mounting tape included.
See Finish Options page	FD Full Door	Anodized Nickel (AN) or Anodized	Elevation height represents the
5. <i>Top Finish</i>	42 42" High Elevation	Aluminum (AA) finish.	overall nominal height of a stacker
See Finish Options page	12 12" Wide	Work surface stackers specified	when mounted to a standard height
6. <i>Pull style</i>	LH Left hand	with mixed laminate finishes are L2	work surface.
T = 10" finger pull	L Laminate	pricing. Refer to Mixed Laminate	
7. <i>Pull finish</i>	(L) Lock option, Locking	Finishes for further details.	
See Finish Options page	(118) Case Finish		
8. <i>Lock finish</i>	(118) Front Finish		
B = Black	(118) Top Finish		
C = Chrome	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		


Work Surface Stackers

Parallel work surface stackers


12" deep

Anchor Storage


description	height elevation	w	d	h	pattern no.	L1	L2
Parallel Work Surface Stacker, 30" Wide, Front Access Open	42" high elevation	30"	12"	13 3/8"	WSPWFO4230L	\$392.	\$493.
	50" high elevation	30"	12"	20 11/16"	WSPWFO5030L	510.	622.
	57" high elevation	30"	12"	28"	WSPWFO5730L	580.	716.
	64" high elevation	30"	12"	35 1/4"	WSPWFO6430L	720.	898.



Parallel Work Surface Stacker, 36" Wide, Front Access Open	42" high elevation	36"	12"	13 3/8"	WSPWFO4236L	395.	470.
	50" high elevation	36"	12"	20 11/16"	WSPWFO5036L	566.	695.
	57" high elevation	36"	12"	28"	WSPWFO5736L	644.	798.
	64" high elevation	36"	12"	35 1/4"	WSPWFO6436L	803.	1,007.



Parallel Work Surface Stacker, 42" Wide, Front Access Open	42" high elevation	42"	12"	13 3/8"	WSPWFO4242L	430.	515.
	50" high elevation	42"	12"	20 11/16"	WSPWFO5042L	622.	766.
	57" high elevation	42"	12"	28"	WSPWFO5742L	707.	880.
	64" high elevation	42"	12"	35 1/4"	WSPWFO6442L	885.	1,116.




Order Information	Order Code	Specification Information	Application Notes
	_____	Parallel work surface stackers are designed to mount parallel onto a work surface.	Work surface stackers mount directly to a work surface; mounting tape include.

	_____	Parallel stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "FO" with "FOB".	Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.


	_____	Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.	
	_____	Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	

Tackboards for Parallel Work Surface Stackers with inset back


description	height elevation	thick	pattern no.	grades					
				10	20	30	40	50	55
Tackboard insert for Parallel Work Surface Stacker 30" wide with inset back	42" high elevation	1/2"	WSPWT4230	\$162.	\$174.	\$183.	\$190.	\$207.	\$211.
	50" high elevation	1/2"	WSPWT5030	172.	186.	195.	202.	220.	224.
	57" high elevation	1/2"	WSPWT5730	184.	199.	208.	215.	236.	240.
	64" high elevation	1/2"	WSPWT6430	195.	210.	219.	227.	249.	253.



Tackboard insert for Parallel Work Surface Stacker 36" wide with inset back	42" high elevation	1/2"	WSPWT4236	174.	189.	198.	204.	223.	226.
	50" high elevation	1/2"	WSPWT5036	192.	207.	216.	223.	245.	249.
	57" high elevation	1/2"	WSPWT5736	209.	225.	237.	245.	267.	272.
	64" high elevation	1/2"	WSPWT6436	225.	244.	255.	264.	289.	294.



Tackboard insert for Parallel Work Surface Stacker 42" wide with inset back	42" high elevation	1/2"	WSPWT4242	176.	192.	200.	207.	225.	231.
	50" high elevation	1/2"	WSPWT5042	195.	210.	219.	227.	249.	253.
	57" high elevation	1/2"	WSPWT5742	213.	231.	242.	250.	273.	277.
	57" high elevation	1/2"	WSPWT6442	233.	251.	262.	272.	297.	302.

**Order Information**

1. Base Pattern Number
2. Fabric Finish

Order Code

Specification Information

Tackboards are designed to fit within the inset back of a parallel work surface stacker specified with inset back option.
Tackboards are not compatible for use on stackers with standard back.

Application Notes

Elevation height represents the overall nominal height of a stacker when mounted on a standard height work surface.

Overhead Storage Specification

Technical Specifications

Anchor Storage

Anchor Overhead Storage

Anchor Overhead Storage units are wood construction cabinets designed to be wall mounted for above desk storage.

Overhead Storage units have a preassembled case. Sliding doors and door pulls are to be field-installed.

Available Sizes (nominal)


Height: 16"

Widths: 24", 30", 36", 42", 48", 60", 72", 84"


Depth: 15"

Configurations include:


Open



Sliding Door (Left Hand)



Sliding Door (Right Hand)



Construction

- Overhead Storage units are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: 1³/₁₆" (nominal) on overhead top and bottom; 3/4" on back, sides, interior shelves and door fronts.

Internal Clearances*

- Internal height 13³/₄"
- Internal width by nominal configuration size:
 - 24" w overall = 22¹/₂" w
 - 30" w overall = 28¹/₂" w
 - 36" w overall = 34¹/₂" w
 - 42" w overall = 40¹/₂" w
 - 48" w overall = (2) 22¹/₁₆" w sections
 - 60" w overall = (2) 28¹/₁₆" w sections
 - 72" w overall = (2) 34¹/₁₆" w sections
- Internal depth clearance:
 - Open units: 13³/₈"
 - Sliding Door units: 12¹/₄"

**Actual dimensions to the nearest 1/16th of an inch*

Locks

Anchor Overhead Storage units with sliding door may be ordered with or without locks. No lock hole is drilled on units specified as nonlocking.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.




Pulls

All drawer and door pulls are field installed. Finger Pull, 10" long, positioned vertically on doors.



Overhead Storage

Overhead Storage, Wall Mount

Anchor Storage

description	w	h	d	pattern no.	L1	L2
 Wall Mount Overhead Storage Unit, Open	24"	16"	14 ³ / ₈ "	WOWOP24L	\$622.	\$782.
	30"	16"	14 ³ / ₈ "	WOWOP30L	705.	893.
	36"	16"	14 ³ / ₈ "	WOWOP36L	784.	1,003.
	42"	16"	14 ³ / ₈ "	WOWOP42L	866.	1,114.
	48"	16"	14 ³ / ₈ "	WOWOP48L	1,002.	1,301.
	60"	16"	14 ³ / ₈ "	WOWOP60L	1,195.	1,551.
	72"	16"	14 ³ / ₈ "	WOWOP72L	1,384.	1,799.
 Wall Mount Overhead Storage Unit with Sliding Door, Left Hand	48"	16"	14 ³ / ₈ "	WOWSD48LHL(N)	1,266.	1,580.
	60"	16"	14 ³ / ₈ "	WOWSD60LHL(N)	1,512.	1,886.
	72"	16"	14 ³ / ₈ "	WOWSD72LHL(N)	1,763.	2,197.
 Wall Mount Overhead Storage Unit with Sliding Door, Right Hand	48"	16"	14 ³ / ₈ "	WOWSD48RHL(N)	1,266.	1,580.
	60"	16"	14 ³ / ₈ "	WOWSD60RHL(N)	1,512.	1,886.
	72"	16"	14 ³ / ₈ "	WOWSD72RHL(N)	1,763.	2,197.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Overhead Storage Unit, 48" wide with LH Sliding Door, locking	Add \$40 to the list price per standard key lock.	Overheads have a preassembled case. Sliding door to be field installed.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WOWOP48L	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Overheads have a 14 ³ / ₈ " deep case. Overheads with a door are 15 ⁵ / ₁₆ " deep overall.
3. <i>Case Finish</i> See Finish Options page	W Woodcore Storage	Overhead specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Wall-mount Overheads ship with 2-piece wall mounting cleat set.
4. <i>Front Finish</i> See Finish Options page	SD Sliding Door	Overhead specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
5. <i>Top Finish</i> See Finish Options page	48 48" Wide	Dimensions listed under w h d are actual to the nearest 1/16".	A certified building contractor should be consulted.
6. <i>Pull style</i> T = 10" finger pull	LH Left Hand	Overhead units 48" and wider feature a centered midpanel.	Please refer to wall mounting information section.
7. <i>Pull finish</i> See Finish Options page	L Laminate case and front	Overhead units do not include shelves. Shelves must be specified separately.	Tasklights are not included.
8. <i>Lock Finish</i> B = Black C = Chrome	(L) Lock option, Locking		Overheads are not designed to be installed at desk-height or below.
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

description	description	w	pattern no.	L1	L2
	single shelf for 24" w overhead	22 1/2"	WOWSF2401L	\$80.	\$87.
	single shelf for 30" w overhead	28 1/2"	WOWSF3001L	90.	100.
	single shelf for 36" w overhead	34 1/2"	WOWSF3601L	101.	114.
	single shelf for 42" w overhead	40 1/2"	WOWSF4201L	112.	126.
	pack of 4 shelves for 24" w overhead	22 1/2"	WOWSF2404L	267.	299.
	pack of 4 shelves for 30" w overhead	28 1/2"	WOWSF3004L	301.	342.
	pack of 4 shelves for 36" w overhead	34 1/2"	WOWSF3604L	336.	385.
	pack of 4 shelves for 42" w overhead	40 1/2"	WOWSF4204L	369.	427.
	single shelf for half of 48" w overhead	22 3/4"	WOWSF4801L	80.	87.
	single shelf for half of 60" w overhead	28 3/4"	WOWSF6001L	90.	100.
	single shelf for half of 72" w overhead	34 3/4"	WOWSF7201L	101.	114.
	pack of 4 shelves for half of 48" w overhead	22 3/4"	WOWSF4804L	267.	299.
	pack of 4 shelves for half of 60" w overhead	28 3/4"	WOWSF6004L	301.	342.
	pack of 4 shelves for half of 72" w overhead	34 3/4"	WOWSF7204L	336.	385.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Single Shelf for Overhead Storage Unit, 48" w	Overhead units 48" and wider feature a centered midpanel. Shelves specified for units with a midpanel are sized to fit in one half of the unit. If a shelf is desired in both halves of the unit, two shelves must be specified.	
2. <i>Finish</i>	Example: WOWSF4801L		
	W Woodcore Storage	Dimension listed under w h d are actual to the nearest 1/16".	
	OW Overhead, Wall Mount		
	SF Shelf		
	48 for half of 48" w unit		
	01 Single Shelf		
	L Laminate		
	(118) Finish		

Anchor Slide Out Towers

Anchor Towers are 15" and 18" wide wood construction cabinets offered in 2 heights designed to correspond with Dividends Horizon panel heights. Slide Out Towers are available left or right handed and feature a side access interior offered in two customizable configurations, detailed below. Door pulls are field installed.

Available Sizes (nominal)

Height: 42", 50"

Widths: 15", 18"

Depth: 24", 30"

Slide Out Tower Interior Details

All Slide Out Towers include a 7" fixed upper shelf and shallow bin at the bottom. 30" deep towers include a 5 1/4" coat cubby at the back with a dual-prong coat hook. 24" deep towers do not include a coat cubby or coat hook.

- 1) **Adjustable Shelves Interior** additionally includes 2 adjustable shelves; not compatible with slatwall tools.
- 2) **Slatwall Interior** additionally includes slatwall below the fixed shelf, for use with slatwall tools, specified separately. Adjustable shelves may be specified separately.

Construction

- Towers are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: 1 3/16" (nominal) on tower top, bottom, and vertical and horizontal midpanels, 3/4" on tower back, sides, all other interior shelves, doors and drawer fronts
- Leveling glides: 5/16" diameter steel stem with 1/16" of height adjustment, 4 per tower.


Locks

Anchor Towers may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.


Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.

Pulls


All drawer and door pulls are field installed.
Finger Pull, 10" long, horizontal position.




WTSO421524STLHL(N)




WTSO421524WTLHL(N)




WTSO421530STLHL(N)




WTSO421530WTLHL(N)




WTSO501524STLHL(N)



WTSO501524WTLHL(N)



WTSO501530STLHL(N)






WTSO501530WTLHL(N)

Slide Out Towers

42" High Slide Out Tower

24" and 30" deep

Anchor Storage

description	configuration	w	d	h	pattern no.	L1	L2
 Slide Out Tower, 42" high, 24" deep, includes finished top	15" wide, adjustable shelves, left hand	15"	23 1/2"	41 7/16"	WTSO421524STLHL(N)	\$2,156.	\$2,419.
	15" wide, adjustable shelves, right hand	15"	23 1/2"	41 7/16"	WTSO421524STRHL(N)	2,156.	2,419.
	15" wide, slatwall interior, left hand	15"	23 1/2"	41 7/16"	WTSO421524WTLHL(N)	2,266.	2,528.
	15" wide, slatwall interior, right hand	15"	23 1/2"	41 7/16"	WTSO421524WTRHL(N)	2,266.	2,528.
	18" wide, adjustable shelves, left hand	18"	23 1/2"	41 7/16"	WTSO421824STLHL(N)	2,278.	2,641.
	18" wide, adjustable shelves, right hand	18"	23 1/2"	41 7/16"	WTSO421824STRHL(N)	2,278.	2,641.
	18" wide, slatwall interior, left hand	18"	23 1/2"	41 7/16"	WTSO421824WTLHL(N)	2,383.	2,745.
	18" wide, slatwall interior, right hand	18"	23 1/2"	41 7/16"	WTSO421824WTRHL(N)	2,383.	2,745.
 Slide Out Tower, 42" high, 24" deep, no top	15" wide, adjustable shelves, left hand	15"	23 1/2"	41 7/16"	WTSO421524SNLHL(N)	2,026.	2,273.
	15" wide, adjustable shelves, right hand	15"	23 1/2"	41 7/16"	WTSO421524SNRHL(N)	2,026.	2,273.
	15" wide, slatwall interior, left hand	15"	23 1/2"	41 7/16"	WTSO421524WNLHL(N)	2,136.	2,382.
	15" wide, slatwall interior, right hand	15"	23 1/2"	41 7/16"	WTSO421524WNRHL(N)	2,136.	2,382.
	18" wide, adjustable shelves, left hand	18"	23 1/2"	41 7/16"	WTSO421824SNLHL(N)	2,136.	2,454.
	18" wide, adjustable shelves, right hand	18"	23 1/2"	41 7/16"	WTSO421824SNRHL(N)	2,136.	2,454.
	18" wide, slatwall interior, left hand	18"	23 1/2"	41 7/16"	WTSO421824WNLHL(N)	2,241.	2,558.
	18" wide, slatwall interior, right hand	18"	23 1/2"	41 7/16"	WTSO421824WNRHL(N)	2,241.	2,558.
 Slide Out Tower, 42" high, 30" deep, includes finished top	15" wide, adjustable shelves, left hand	15"	29 1/2"	41 7/16"	WTSO421530STLHL(N)	2,395.	3,014.
	15" wide, adjustable shelves, right hand	15"	29 1/2"	41 7/16"	WTSO421530STRHL(N)	2,395.	3,014.
	15" wide, slatwall interior, left hand	15"	29 1/2"	41 7/16"	WTSO421530WTLHL(N)	2,504.	3,123.
	15" wide, slatwall interior, right hand	15"	29 1/2"	41 7/16"	WTSO421530WTRHL(N)	2,504.	3,123.
	18" wide, adjustable shelves, left hand	18"	29 1/2"	41 7/16"	WTSO421830STLHL(N)	2,515.	3,097.
	18" wide, adjustable shelves, right hand	18"	29 1/2"	41 7/16"	WTSO421830STRHL(N)	2,515.	3,097.
	18" wide, slatwall interior, left hand	18"	29 1/2"	41 7/16"	WTSO421830WTLHL(N)	2,619.	3,202.
	18" wide, slatwall interior, right hand	18"	29 1/2"	41 7/16"	WTSO421830WTRHL(N)	2,619.	3,202.


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Slide Out Tower, 42" high, 15" wide, 24" deep, Slatwall interior, with finished top, Left hand	Towers can be specified with a finished top (factory installed) or no top, for use with a common top (specified separately) when ganged side-by-side to another unit.	Refer to Slide Out Tower Specification page for interior option details.
2. <i>Lock option</i> L = Locking N = Non-locking D = Digital Locking	Example: WTSO421524WTLHL(L)		
3. <i>Case Finish</i> See Finish Options page	WTSO Anchor Tower, Slide Out	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock. Digital keypad and manager key(s), specified separately, see specification page for details.	<i>Adjustable shelves</i> interior option does not include slatwall and is not compatible with slatwall tools.
4. <i>Front Finish</i> See Finish Options page	42 42" High		<i>Slatwall Interior</i> option is compatible with Anchor Slatwall tools, specified separately; not compatible with KnollExtra slatwall tools.
5. <i>Top Finish</i> See Finish Options page	15 15" Wide		
6. <i>Pull style</i> T = 10" finger pull	24 24" Deep	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door; Towers 29" deep (nominal) have a 29 1/2" deep case; 30 3/8" overall depth include door.
7. <i>Pull finish</i> See Finish Options page	W Slatwall interior		
8. <i>Lock finish</i> B = Black C = Chrome	T Finished top		
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish	Dimensions listed under w h d are actual to the nearest 1/16".	
	(C) Lock finish, Chrome		Heights shown indicate the overall height of a tower complete with a top. Anchor Tower heights do not align dimensionally with Locker heights.

Slide Out Towers

42" High Slide Out Tower

24" and 30" deep

Anchor Storage

description	configuration	w	d	h	pattern no.	L1	L2
 Slide Out Tower, 42" high, 30" deep, no top	15" wide, adjustable shelves, left hand	15"	29 1/2"	41 1/16"	WTSO421530SNLHL(N)	\$2,260.	\$2,838.
	15" wide, adjustable shelves, right hand	15"	29 1/2"	41 1/16"	WTSO421530SNRHL(N)	2,260.	2,838.
	15" wide, slatwall interior, left hand	15"	29 1/2"	41 1/16"	WTSO421530WNLHL(N)	2,369.	2,947.
	15" wide, slatwall interior, right hand	15"	29 1/2"	41 1/16"	WTSO421530WNRHL(N)	2,369.	2,947.
	18" wide, adjustable shelves, left hand	18"	29 1/2"	41 1/16"	WTSO421830SNLHL(N)	2,352.	2,868.
	18" wide, adjustable shelves, right hand	18"	29 1/2"	41 1/16"	WTSO421830SNRHL(N)	2,352.	2,868.
	18" wide, slatwall interior, left hand	18"	29 1/2"	41 1/16"	WTSO421830WNLHL(N)	2,456.	2,972.
	18" wide, slatwall interior, right hand	18"	29 1/2"	41 1/16"	WTSO421830WNRHL(N)	2,456.	2,972.


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Slide Out Tower, 42" high, 15" wide, 24" deep, Slatwall interior, with finished top, Left hand	Towers can be specified with a finished top (factory installed) or no top, for use with a common top (specified separately) when ganged side-by-side to another unit.	Refer to Slide Out Tower Specification page for interior option details.
2. <i>Lock option</i> L = Locking N = Non-locking D = Digital Locking	Example: WTSO421524WTLHL(L)		
3. <i>Case Finish</i> See Finish Options page	WTSO Anchor Tower, Slide Out	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock. Digital keypad and manager key(s), specified separately, see specification page for details.	<i>Adjustable shelves</i> interior option does not include slatwall and is not compatible with slatwall tools.
4. <i>Front Finish</i> See Finish Options page	42 42" High		<i>Slatwall Interior</i> option is compatible with Anchor Slatwall tools, specified separately; not compatible with KnollExtra slatwall tools.
5. <i>Top Finish</i> See Finish Options page	15 15" Wide		
6. <i>Pull style</i> T = 10" finger pull	24 24" Deep	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door; Towers 29" deep (nominal) have a 29 1/2" deep case; 30 3/8" overall depth include door.
7. <i>Pull finish</i> See Finish Options page	W Slatwall interior		
8. <i>Lock finish</i> B = Black C = Chrome	T Finished top	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Heights shown indicate the overall height of a tower complete with a top. Anchor Tower heights do not align dimensionally with Locker heights.
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		


Slide Out Towers


50" High Slide Out Tower

24" and 30" deep

Anchor Storage

description	configuration	w	d	h	pattern no.	L1	L2
 Slide Out Tower, 50" high, 24" deep, includes finished top	15" wide, adjustable shelves, left hand	15"	23 1/2"	48 7/8"	WTSO501524STLHL(N)	\$2,175.	\$2,440.
	15" wide, adjustable shelves, right hand	15"	23 1/2"	48 7/8"	WTSO501524STRHL(N)	2,175.	2,440.
	15" wide, slatwall interior, left hand	15"	23 1/2"	48 7/8"	WTSO501524WTLHL(N)	2,387.	2,618.
	15" wide, slatwall interior, right hand	15"	23 1/2"	48 7/8"	WTSO501524WTRHL(N)	2,387.	2,618.
	18" wide, adjustable shelves, left hand	18"	23 1/2"	48 7/8"	WTSO501824STLHL(N)	2,296.	2,662.
	18" wide, adjustable shelves, right hand	18"	23 1/2"	48 7/8"	WTSO501824STRHL(N)	2,296.	2,662.
	18" wide, slatwall interior, left hand	18"	23 1/2"	48 7/8"	WTSO501824WTLHL(N)	2,504.	2,832.
	18" wide, slatwall interior, right hand	18"	23 1/2"	48 7/8"	WTSO501824WTRHL(N)	2,504.	2,832.

 Slide Out Tower, 50" high, 24" deep, no top	15" wide, adjustable shelves, left hand	15"	23 1/2"	48 7/8"	WTSO501524SNLHL(N)	2,045.	2,294.
	15" wide, adjustable shelves, right hand	15"	23 1/2"	48 7/8"	WTSO501524SNRHL(N)	2,045.	2,294.
	15" wide, slatwall interior, left hand	15"	23 1/2"	48 7/8"	WTSO501524WNLHL(N)	2,258.	2,472.
	15" wide, slatwall interior, right hand	15"	23 1/2"	48 7/8"	WTSO501524WNRHL(N)	2,258.	2,472.
	18" wide, adjustable shelves, left hand	18"	23 1/2"	48 7/8"	WTSO501824SNLHL(N)	2,155.	2,476.
	18" wide, adjustable shelves, right hand	18"	23 1/2"	48 7/8"	WTSO501824SNRHL(N)	2,155.	2,476.
	18" wide, slatwall interior, left hand	18"	23 1/2"	48 7/8"	WTSO501824WNLHL(N)	2,362.	2,645.
	18" wide, slatwall interior, right hand	18"	23 1/2"	48 7/8"	WTSO501824WNRHL(N)	2,362.	2,645.

 Slide Out Tower, 50" high, 30" deep, includes finished top	15" wide, adjustable shelves, left hand	15"	29 1/2"	48 7/8"	WTSO501530STLHL(N)	2,416.	3,040.
	15" wide, adjustable shelves, right hand	15"	29 1/2"	48 7/8"	WTSO501530STRHL(N)	2,416.	3,040.
	15" wide, Slatwall interior, left hand	15"	29 1/2"	48 7/8"	WTSO501530WTLHL(N)	2,629.	3,211.
	15" wide, Slatwall interior, right hand	15"	29 1/2"	48 7/8"	WTSO501530WTRHL(N)	2,629.	3,211.
	18" wide, adjustable shelves, left hand	18"	29 1/2"	48 7/8"	WTSO501830STLHL(N)	2,536.	3,123.
	18" wide, adjustable shelves, right hand	18"	29 1/2"	48 7/8"	WTSO501830STRHL(N)	2,536.	3,123.
	18" wide, slatwall interior, left hand	18"	29 1/2"	48 7/8"	WTSO501830WTLHL(N)	2,744.	3,287.
	18" wide, slatwall interior, right hand	18"	29 1/2"	48 7/8"	WTSO501830WTRHL(N)	2,744.	3,287.


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Slide Out Tower, 42" high, 15" wide, 24" deep, Slatwall interior, with finished top, Left hand	Towers can be specified with a finished top (factory installed) or no top, for use with a common top (specified separately) when ganged side-by-side to another unit.	Refer to Slide Out Tower Specification page for interior option details.
2. <i>Lock option</i> L = Locking N = Non-locking D = Digital Locking	Example: WTSO421524WTLHL(L)		
3. <i>Case Finish</i> See Finish Options page	WTSO Anchor Tower, Slide Out	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock. Digital keypad and manager key(s), specified separately, see specification page for details.	<i>Adjustable shelves</i> interior option does not include slatwall and is not compatible with slatwall tools.
4. <i>Front Finish</i> See Finish Options page	42 42" High		<i>Slatwall Interior</i> option is compatible with Anchor Slatwall tools, specified separately; not compatible with KnollExtra slatwall tools.
5. <i>Top Finish</i> See Finish Options page	15 15" Wide		
6. <i>Pull style</i> T = 10" finger pull	24 24" Deep	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door; Towers 29" deep (nominal) have a 29 1/2" deep case; 30 3/8" overall depth include door.
7. <i>Pull finish</i> See Finish Options page	W Slatwall interior		
8. <i>Lock finish</i> B = Black C = Chrome	T Finished top		
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish	Dimensions listed under w h d are actual to the nearest 1/16".	
	(C) Lock finish, Chrome		Heights shown indicate the overall height of a tower complete with a top. Anchor Tower heights do not align dimensionally with Locker heights.

Slide Out Towers




50" High Slide Out Tower

24" and 30" deep

Anchor Storage


description	configuration	w	d	h	pattern no.	L1	L2
 Slide Out Tower, 50" high, 30" deep, no top	15" wide, adjustable shelves, left hand	15"	29 1/2"	48 7/8"	WTSO501530SNLHL(N)	\$2,281.	\$2,864.
	15" wide, adjustable shelves, right hand	15"	29 1/2"	48 7/8"	WTSO501530SNRHL(N)	2,281.	2,864.
	15" wide, slatwall interior, left hand	15"	29 1/2"	48 7/8"	WTSO501530WNLHL(N)	2,494.	3,035.
	15" wide, slatwall interior, right hand	15"	29 1/2"	48 7/8"	WTSO501530WNRHL(N)	2,494.	3,035.
	18" wide, adjustable shelves, left hand	18"	29 1/2"	48 7/8"	WTSO501830SNLHL(N)	2,373.	2,894.
	18" wide, adjustable shelves, right hand	18"	29 1/2"	48 7/8"	WTSO501830SNRHL(N)	2,373.	2,894.
	18" wide, slatwall interior, left hand	18"	29 1/2"	48 7/8"	WTSO501830WNLHL(N)	2,581.	3,057.
	18" wide, slatwall interior, right hand	18"	29 1/2"	48 7/8"	WTSO501830WNRHL(N)	2,581.	3,057.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Slide Out Tower, 42" high, 15" wide, 24" deep, Slatwall interior, with finished top, Left hand	Towers can be specified with a finished top (factory installed) or no top, for use with a common top (specified separately) when ganged side-by-side to another unit.	Refer to Slide Out Tower Specification page for interior option details.
2. <i>Lock option</i> L = Locking N = Non-locking D = Digital Locking	Example: WTSO421524WTLHL(L)		
3. <i>Case Finish</i> See Finish Options page	WTSO Anchor Tower, Slide Out	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock. Digital keypad and manager key(s), specified separately, see specification page for details.	<i>Adjustable shelves</i> interior option does not include slatwall and is not compatible with slatwall tools. <i>Slatwall Interior</i> option is compatible with Anchor Slatwall tools, specified separately; not compatible with KnollExtra slatwall tools.
4. <i>Front Finish</i> See Finish Options page	42 42" High		
5. <i>Top Finish</i> See Finish Options page	15 15" Wide		
6. <i>Pull style</i> T = 10" finger pull	24 24" Deep	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door; Towers 29" deep (nominal) have a 29 1/2" deep case; 30 3/8" overall depth include door.
7. <i>Pull finish</i> See Finish Options page	W Slatwall interior		
8. <i>Lock finish</i> B = Black C = Chrome	T Finished top	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Heights shown indicate the overall height of a tower complete with a top. Anchor Tower heights do not align dimensionally with Locker heights.
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		


description	configuration	w	d	pattern no.	list
Adjustable shelves for Slide Out Tower 24" and 30" deep 	single shelf for 15w tower	21 3/4"	11"	WTSOSB1501L	\$133.
	pack of 4 shelves, for 15w tower	21 3/4"	11"	WTSOSB1504L	249.
	single shelf for 18w tower	21 3/4"	14"	WTSOSB1801L	136.
	pack of 4 shelves, for 18w tower	21 3/4"	14"	WTSOSB1804L	259.
Basket for use with Anchor Slatwall 	Basket, black	12 1/4"	5 1/2"	WPSOB01	81.
	Basket, black, pack of 5	12 1/4"	5 1/2"	WPSOB05	390.
Accessory Hook for use with Anchor Slatwall 	Accessory Hook, black, pack of 5			WPSOH05	59.
	Accessory Hook, black, pack of 40			WPSOH40	345.
Large Tray, for use with Anchor Slatwall 	Large Tray, black	20 3/4"	5 1/2"	WPSOTRL01	61.
Small Tray, for use with Anchor Slatwall 	Small Tray, black	14"	5 1/2"	WPSOTRS01	51.
Large Tray with cut-out, for use with Anchor Slatwall 	Large Tray with cut-out for letter-sized hanging	20 3/4"	5 1/2"	WPSOTRC01	61.


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Slide Out Tower Shelf Bracket, for 15" wide tower, single shelf, laminate Example: WTSOB1501L WTSO Anchor Tower, Slide Out SB Shelf with bracket 15 for 15" Wide tower 01 single shelf L Laminate	Adjustable shelves are for use in 24" and 30" deep towers. Hoop and Large Tray with cut-out can accommodate hanging letter-sized files or Knoll pencil tray with bottom tabs removed.	

description	configuration	w	d	pattern no.	list
Hoop for use with Anchor Slatwall	Hoop for letter-sized hanging files or pencil trays	12 1/4"	5 1/2"	WPSOHP01	\$61.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Slide Out Tower Shelf Bracket, for 15" wide tower, single shelf, laminate	Adjustable shelves are for use in 24" and 30" deep towers.	
	Example: WTSOB1501L	Hoop and Large Tray with cut-out can accommodate hanging letter-sized files or Knoll pencil tray with bottom tabs removed.	
	WTSO Anchor Tower, Slide Out		
	SB Shelf with bracket		
	15 for 15" Wide tower		
	01 single shelf		
	L Laminate		

description	configuration	w	d	pattern no.	L1	L2
	30w for (2) 15w towers, single top	30"	24"	WTSOT302401L	\$260.	\$292.
	30w for (2) 15w towers, pack of 4	30"	24"	WTSOT302404L	884.	993.
	36w for (2) 18w towers, single top	36"	24"	WTSOT362401L	284.	343.
	36w for (2) 18w towers, pack of 4	36"	24"	WTSOT362404L	966.	1,166.

	30w for (2) 15w towers, single top	30"	30"	WTSOT303001L	270.	352.
	30w for (2) 15w towers, pack of 4	30"	30"	WTSOT303004L	918.	1,197.
	36w for (2) 15w towers, single top	30"	36"	WTSOT363001L	326.	417.
	36w for (2) 15w towers, pack of 4	30"	36"	WTSOT363004L	1,108.	1,418.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i> 2. <i>Top Finish</i> See Finish Options page	Slide Out Tower Common Top 30" wide, 24" deep, single top, laminate Example: WTSOT302401L WTSO Anchor Tower, Slide Out T Common Top 30 30" wide 24 24" deep 01 single top L Laminate (118) Top Finish	Common tops are designed to be used for two same-sized Anchor Slide Out Towers specified without an individual finished top.	Common tops are field installed.

Anchor Towers

Anchor Towers are 24" and 30" wide wood construction cabinets offered in 4 heights designed to correspond with Dividends Horizon panel heights. Towers ship assembled including a finished top. All drawer and door pulls are field installed.


Available Sizes (nominal)

Height: 42", 50", 57", 64"

Widths: 24", 30"

Depth: 24"

Towers are categorized by the upper configuration (A) and include 7 pedestal options (B) and 2 locker options (C). Towers are available in left or right hand, defined by the location of the locker. (Right hand tower shown below.)



Configuration Options:

A: Upper Configuration


Side Access (open)
Front Access Open
Front Access with Door

B: Pedestal Configuration

Open
Full Door
Open/File
Open/Box/File
Box(file front)/File
Box/Box(file front)/File
File/File


C: Locker Configuration

Open with Shelves
Full Door



Side Access tower, Front Access Open tower, Front Access with Door tower

Front Panel for Side Access Tower



A laminate or markerboard front panel may be specified (separately) for Side Access towers. To accept front panel mounting, Side Access tower must be specified with a drilled front.

Construction

- Towers are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: 1 3/16" (nominal) on tower top, bottom, and vertical and horizontal midpanels, 3/4" on tower back, sides, all other interior shelves, doors and drawer fronts
- Leveling glides: 5/16" diameter steel stem with 1 1/16" of height adjustment, 4 per locker.
- Longer glides are included to provide an additional 1 1/16" of height adjustment; 2 per pedestal.

Locks

Anchor Towers may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.



Pulls

All drawer and door pulls are field installed. Finger Pull, 10" long, vertical pulls on 42" towers are 8" long.

Pull Position:

Doors: vertical, 1 1/8" below top edge of door.

Drawers: centered horizontally
Top drawer: 3/4" from bottom of drawer
Bottom drawer: 3/4" from top of drawer



Tower doors open from midpanel; hinges are located on the end panels.

Tower Specifications

Tower Shelf Count

Anchor Storage

Tower shelf count					
Tower Interior Component	Configuration	42" high	50" high	57" high	64" high
Locker segment	Open	2	2	3	3
	Full Door	1	1	1	1
Upper segment	Side Access	0	1	1	2
	Front Access	0	1	1	2
	Front Access with Door	0	1	1	2
Pedestal segment	Open	1	1	1	1
	Full Door	0	0	0	0
	Open/File	1 (+1 fixed)	1 (+1 fixed)	1 (+1 fixed)	1 (+1 fixed)
	Open/Box/File	1 fixed	1 fixed	1 fixed	1 fixed
	Box (File Front)/File	1 fixed	1 fixed	1 fixed	1 fixed
	Box/Box(File Front) File	0	0	0	0
	File/File	0	0	0	0

**all shelves are removable unless noted as fixed*

42" High Side Access Open, Open Locker 24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Side Access Open, Open Locker Left Hand, 42" high, 24" wide 	Open Pedestal	24"	23 1/2"	41 1/16"	WTS4224OSO1LHL	\$1,544.	\$2,117.
	Full Door Pedestal	24"	23 1/2"	41 1/16"	WTS4224OSFDLHL(N)	1,699.	2,302.
	Open/File Pedestal	24"	23 1/2"	41 1/16"	WTS4224OSOFHL(N)	1,864.	2,484.
	File/File Pedestal (shown)	24"	23 1/2"	41 1/16"	WTS4224OSFFLHL(N)	1,971.	2,551.
	Open/Box/File Pedestal	24"	23 1/2"	41 1/16"	WTS4224OSOBHL(N)	1,993.	2,594.
	Box (File Front)/File Pedestal	24"	23 1/2"	41 1/16"	WTS4224OSCFHL(N)	2,040.	2,659.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 1/16"	WTS4224OSCBHL(N)	2,127.	2,726.
Tower, Side Access Open, Open Locker Right Hand, 42" high, 24" wide 	Open Pedestal	24"	23 1/2"	41 1/16"	WTS4224OSO1RHL	1,544.	2,117.
	Full Door Pedestal	24"	23 1/2"	41 1/16"	WTS4224OSFDRHL(N)	1,699.	2,302.
	Open/File Pedestal	24"	23 1/2"	41 1/16"	WTS4224OSOFRHL(N)	1,863.	2,483.
	File/File Pedestal (shown)	24"	23 1/2"	41 1/16"	WTS4224OSFFRHL(N)	1,971.	2,551.
	Open/Box/File Pedestal	24"	23 1/2"	41 1/16"	WTS4224OSOBRLHL(N)	1,993.	2,594.
	Box (File Front)/File Pedestal	24"	23 1/2"	41 1/16"	WTS4224OSCFRHL(N)	2,040.	2,659.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 1/16"	WTS4224OSCBRLHL(N)	2,127.	2,726.
Tower, Side Access Open, Open Locker Left Hand, 42" high, 30" wide 	Open Pedestal	30"	23 1/2"	41 1/16"	WTS4230OSO1LHL	1,707.	2,351.
	Full Door Pedestal	30"	23 1/2"	41 1/16"	WTS4230OSFDLHL(N)	1,863.	2,537.
	Open/File Pedestal	30"	23 1/2"	41 1/16"	WTS4230OSOFHL(N)	2,025.	2,718.
	File/File Pedestal	30"	23 1/2"	41 1/16"	WTS4230OSFFLHL(N)	2,134.	2,787.
	Open/Box/File Pedestal	30"	23 1/2"	41 1/16"	WTS4230OSOBHL(N)	2,156.	2,828.
	Box (File Front)/File Pedestal	30"	23 1/2"	41 1/16"	WTS4230OSCFHL(N)	2,202.	2,894.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	41 1/16"	WTS4230OSCBHL(N)	2,290.	2,962.
Tower, Side Access Open, Open Locker Right Hand, 42" high, 30" wide 	Open Pedestal	30"	23 1/2"	41 1/16"	WTS4230OSO1RHL	1,707.	2,351.
	Full Door Pedestal	30"	23 1/2"	41 1/16"	WTS4230OSFDRHL(N)	1,863.	2,537.
	Open/File Pedestal	30"	23 1/2"	41 1/16"	WTS4230OSOFRHL(N)	2,025.	2,718.
	File/File Pedestal	30"	23 1/2"	41 1/16"	WTS4230OSFFRHL(N)	2,134.	2,787.
	Open/Box/File Pedestal	30"	23 1/2"	41 1/16"	WTS4230OSOBRLHL(N)	2,156.	2,828.
	Box (File Front)/File Pedestal	30"	23 1/2"	41 1/16"	WTS4230OSCFRHL(N)	2,202.	2,894.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	41 1/16"	WTS4230OSCBRLHL(N)	2,290.	2,962.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Side Access Open, Open Locker, 42" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTS4224OSFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTS4 Anchor Tower, Side Access		
5. <i>Top Finish</i> See Finish Options page	42 42" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	OS Locker configuration, Open with Shelves	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. Lock finish B = Black C = Chrome	FF Pedestal configuration, File/File		
9. <i>Predrill for (optional) Front Panel</i> D = Drilled N = Non-drill	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish	A laminate or markerboard front panel may be specified (separately) for side access towers. To accept front panel mounting hardware, side access towers must be specified with "D" for a predrilled front.	
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		
	(D) Drilled for front panel		

42" High Side Access Open, Full Door Locker 24" and 30" wide




description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Side Access Open, Full Door Locker Left Hand, 42" high, 24" wide 	Open Pedestal	24"	23 1/2"	41 9/16"	WTSA4224FDO1LHL(N)	\$1,715.	\$2,301.
	Full Door Pedestal	24"	23 1/2"	41 9/16"	WTSA4224FDFDLHL(N)	1,871.	2,486.
	Open/File Pedestal	24"	23 1/2"	41 9/16"	WTSA4224FDOFLHL(N)	2,033.	2,667.
	File/File Pedestal (shown)	24"	23 1/2"	41 9/16"	WTSA4224FDFFLHL(N)	2,141.	2,736.
	Open/Box/File Pedestal	24"	23 1/2"	41 9/16"	WTSA4224FDOBLHL(N)	2,163.	2,777.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 9/16"	WTSA4224FDCBLHL(N)	2,166.	2,780.
	Box (File Front)/File Pedestal	24"	23 1/2"	41 9/16"	WTSA4224FDCFLHL(N)	2,209.	2,844.
Tower, Side Access Open, Full Door Locker Right Hand, 42" high, 24" wide 	Open Pedestal	24"	23 1/2"	41 9/16"	WTSA4224FDO1RHL(N)	1,715.	2,301.
	Full Door Pedestal	24"	23 1/2"	41 9/16"	WTSA4224FDFDRHL(N)	1,871.	2,486.
	Open/File Pedestal	24"	23 1/2"	41 9/16"	WTSA4224FDOFRHL(N)	2,033.	2,667.
	File/File Pedestal (shown)	24"	23 1/2"	41 9/16"	WTSA4224FDFRHL(N)	2,141.	2,736.
	Open/Box/File Pedestal	24"	23 1/2"	41 9/16"	WTSA4224FDOBRHL(N)	2,163.	2,777.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 9/16"	WTSA4224FDCBRHL(N)	2,166.	2,780.
	Box (File Front)/File Pedestal	24"	23 1/2"	41 9/16"	WTSA4224FDCFRHL(N)	2,209.	2,844.
Tower, Side Access Open, Full Door Locker Left Hand, 42" high, 30" wide 	Open Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDO1LHL(N)	1,894.	2,562.
	Full Door Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDFDLHL(N)	2,050.	2,749.
	Open/File Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDOFLHL(N)	2,212.	2,929.
	File/File Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDFFLHL(N)	2,322.	2,998.
	Open/Box/File Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDOBLHL(N)	2,343.	3,041.
	Box (File Front)/File Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDCBLHL(N)	2,347.	3,043.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDCFLHL(N)	2,390.	3,105.
Tower, Side Access Open, Full Door Locker Right Hand, 42" high, 30" wide 	Open Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDO1RHL(N)	1,894.	2,562.
	Full Door Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDFDRHL(N)	2,050.	2,749.
	Open/File Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDOFRHL(N)	2,212.	2,929.
	File/File Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDFRHL(N)	2,322.	2,998.
	Open/Box/File Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDOBRHL(N)	2,343.	3,041.
	Box (File Front)/File Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDCBRHL(N)	2,347.	3,043.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDCFRHL(N)	2,390.	3,105.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Side Access Open, Full Door Locker, 42" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTSA4224FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTSA Anchor Tower, Side Access		
5. <i>Top Finish</i> See Finish Options page	42 42" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
9. <i>Pre-drill for (optional) Front Panel</i> D = Drilled N = Non-drill	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish	A laminate or markerboard front panel may be specified (separately) for side access towers. To accept front panel mounting hardware, side access towers must be specified with "D" for a predrilled front.	
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		
	(D) Drilled for front panel		

Towers

Anchor Storage

50" High Side Access Open, Open Locker 24" and 30" wide




description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Side Access Open, Open Locker Left Hand, 50" high, 24" wide 	Open Pedestal	24"	23 1/2"	48 7/8"	WTSA5024OSO1LHL	\$1,737.	\$2,405.
	Full Door Pedestal	24"	23 1/2"	48 7/8"	WTSA5024OSFDLHL(N)	1,917.	2,627.
	Open/File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024OSOFLLHL(N)	2,054.	2,771.
	File/File Pedestal (shown)	24"	23 1/2"	48 7/8"	WTSA5024OSFFLHL(N)	2,163.	2,840.
	Open/Box/File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024OSOBLHL(N)	2,185.	2,883.
	Box (File Front)/File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024OSCFLLHL(N)	2,231.	2,947.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024OSCBLLHL(N)	2,318.	3,015.
Tower, Side Access Open, Open Locker Right Hand, 50" high, 24" wide 	Open Pedestal	24"	23 1/2"	48 7/8"	WTSA5024OSO1RHL	1,737.	2,405.
	Full Door Pedestal	24"	23 1/2"	48 7/8"	WTSA5024OSFDRHL(N)	1,917.	2,627.
	Open/File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024OSOFRRHL(N)	2,054.	2,771.
	File/File Pedestal (shown)	24"	23 1/2"	48 7/8"	WTSA5024OSFFRHL(N)	2,163.	2,840.
	Open/Box/File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024OSOBRHL(N)	2,185.	2,883.
	Box (File Front)/File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024OSCFRRHL(N)	2,231.	2,947.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024OSCBRRHL(N)	2,318.	3,015.
Tower, Side Access Open, Open Locker Left Hand, 50" high, 30" wide 	Open Pedestal	30"	23 1/2"	48 7/8"	WTSA5030OSO1LHL	1,907.	2,652.
	Full Door Pedestal	30"	23 1/2"	48 7/8"	WTSA5030OSFDLHL(N)	2,087.	2,874.
	Open/File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030OSOFLLHL(N)	2,226.	3,019.
	File/File Pedestal (shown)	30"	23 1/2"	48 7/8"	WTSA5030OSFFLHL(N)	2,334.	3,088.
	Open/Box/File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030OSOBLHL(N)	2,355.	3,130.
	Box (File Front)/File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030OSCFLLHL(N)	2,402.	3,195.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030OSCBLLHL(N)	2,490.	3,263.
Tower, Side Access Open, Open Locker Right Hand, 50" high, 30" wide 	Open Pedestal	30"	23 1/2"	48 7/8"	WTSA5030OSO1RHL	1,907.	2,652.
	Full Door Pedestal	30"	23 1/2"	48 7/8"	WTSA5030OSFDRHL(N)	2,087.	2,874.
	Open/File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030OSOFRRHL(N)	2,226.	3,019.
	File/File Pedestal (shown)	30"	23 1/2"	48 7/8"	WTSA5030OSFFRHL(N)	2,334.	3,088.
	Open/Box/File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030OSOBRHL(N)	2,355.	3,130.
	Box (File Front)/File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030OSCFRRHL(N)	2,402.	3,195.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030OSCBRRHL(N)	2,490.	3,263.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Side Access Open, Open Locker, 50" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTSA5024OSFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTSA Anchor Tower, Side Access		
5. <i>Top Finish</i> See Finish Options page	50 50" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	OS Locker configuration, Open with Shelves	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
9. <i>Pre-drill for (optional) Front Panel</i> D = Drilled N = Non-drill	LH Left hand L Laminate (L) Lock option, Locking (118) Case Finish (118) Front Finish (118) Top Finish (T) Pull Style (118) Pull Finish (C) Lock finish, Chrome (D) Drilled for front panel	Dimensions listed under w h d are actual to the nearest 1/16". A laminate or markerboard front panel may be specified (separately) for side access towers. To accept front panel mounting hardware, side access towers must be specified with "D" for a predrilled front.	

Towers

Anchor Storage

50" High Side Access Open, Full Door Locker 24" and 30" wide





description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Side Access Open, Full Door Locker Left Hand, 50" high, 24" wide 	Open Pedestal	24"	23 1/2"	48 7/8"	WTSA5024FDO1LHL(N)	\$1,921.	\$2,608.
	Full Door Pedestal	24"	23 1/2"	48 7/8"	WTSA5024FDFDLHL(N)	2,100.	2,831.
	Open/File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024FDOFLHL(N)	2,239.	2,975.
	File/File Pedestal (shown)	24"	23 1/2"	48 7/8"	WTSA5024FDFFLHL(N)	2,347.	3,044.
	Open/Box/File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024FDOBLHL(N)	2,369.	3,086.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024FDCBLHL(N)	2,373.	3,089.
	Box (File Front)/File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024FDCFLHL(N)	2,415.	3,151.
Tower, Side Access Open, Full Door Locker Right Hand, 50" high, 24" wide 	Open Pedestal	24"	23 1/2"	48 7/8"	WTSA5024FDO1RHL(N)	1,921.	2,608.
	Full Door Pedestal	24"	23 1/2"	48 7/8"	WTSA5024FDFDRHL(N)	2,100.	2,831.
	Open/File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024FDOFRHL(N)	2,239.	2,975.
	File/File Pedestal (shown)	24"	23 1/2"	48 7/8"	WTSA5024FDFRHL(N)	2,347.	3,044.
	Open/Box/File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024FDOBRHL(N)	2,369.	3,086.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024FDCBRHL(N)	2,373.	3,089.
	Box (File Front)/File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024FDCFRHL(N)	2,415.	3,151.
Tower, Side Access Open, Full Door Locker Left Hand, 50" high, 30" wide 	Open Pedestal	30"	23 1/2"	48 7/8"	WTSA5030FDO1LHL(N)	2,118.	2,889.
	Full Door Pedestal	30"	23 1/2"	48 7/8"	WTSA5030FDFDLHL(N)	2,297.	3,118.
	Open/File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030FDOFLHL(N)	2,435.	3,263.
	File/File Pedestal (shown)	30"	23 1/2"	48 7/8"	WTSA5030FDFFLHL(N)	2,544.	3,331.
	Open/Box/File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030FDOBLHL(N)	2,564.	3,373.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030FDCBLHL(N)	2,568.	3,375.
	Box (File Front)/File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030FDCFLHL(N)	2,611.	3,438.
Tower, Side Access Open, Full Door Locker Right Hand, 50" high, 30" wide 	Open Pedestal	30"	23 1/2"	48 7/8"	WTSA5030FDO1RHL(N)	2,118.	2,889.
	Full Door Pedestal	30"	23 1/2"	48 7/8"	WTSA5030FDFDRHL(N)	2,297.	3,118.
	Open/File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030FDOFRHL(N)	2,435.	3,263.
	File/File Pedestal (shown)	30"	23 1/2"	48 7/8"	WTSA5030FDFRHL(N)	2,544.	3,331.
	Open/Box/File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030FDOBRHL(N)	2,564.	3,373.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030FDCBRHL(N)	2,568.	3,375.
	Box (File Front)/File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030FDCFRHL(N)	2,611.	3,438.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Side Access Open, Full Door Locker, 50" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTSA5024FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTSA Anchor Tower, Side Access		
5. <i>Top Finish</i> See Finish Options page	50 42" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
9. <i>Pre-drill for (optional) Front Panel</i> D = Drilled N = Non-drill	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking	A laminate or markerboard front panel may be specified (separately) for side access towers. To accept front panel mounting hardware, side access towers must be specified with "D" for a predrilled front.	
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		
	(D) Drilled for front panel		

Towers

Anchor Storage

57" High Side Access Open, Open Locker 24" and 30" wide





description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Side Access Open, Open Locker Left Hand, 57" high, 24" wide 	Open Pedestal	24"	23 1/2"	56 3/16"	WTSA5724OSO1LHL	\$1,887.	\$2,625.
	Full Door Pedestal	24"	23 1/2"	56 3/16"	WTSA5724OSFDLHL(N)	2,088.	2,878.
	Open/File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724OSOFLLHL(N)	2,205.	2,993.
	File/File Pedestal (shown)	24"	23 1/2"	56 3/16"	WTSA5724OSFFLHL(N)	2,313.	3,060.
	Open/Box/File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724OSOBLLHL(N)	2,336.	3,102.
	Box (File Front)/File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724OSCFLLHL(N)	2,382.	3,168.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724OSCBLLHL(N)	2,469.	3,235.
Tower, Side Access Open, Open Locker Right Hand, 57" high, 24" wide 	Open Pedestal	24"	23 1/2"	56 3/16"	WTSA5724OSO1RHL	1,887.	2,625.
	Full Door Pedestal	24"	23 1/2"	56 3/16"	WTSA5724OSFDRHL(N)	2,088.	2,878.
	Open/File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724OSOFRRHL(N)	2,205.	2,993.
	File/File Pedestal (shown)	24"	23 1/2"	56 3/16"	WTSA5724OSFFRHL(N)	2,313.	3,060.
	Open/Box/File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724OSOBRRHL(N)	2,336.	3,102.
	Box (File Front)/File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724OSCFRRHL(N)	2,382.	3,168.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724OSCBRRHL(N)	2,469.	3,235.
Tower, Side Access Open, Open Locker Left Hand, 57" high, 30" wide 	Open Pedestal	30"	23 1/2"	56 3/16"	WTSA5730OSO1LHL	2,091.	2,922.
	Full Door Pedestal	30"	23 1/2"	56 3/16"	WTSA5730OSFDLHL(N)	2,292.	3,175.
	Open/File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730OSOFLLHL(N)	2,408.	3,288.
	File/File Pedestal (shown)	30"	23 1/2"	56 3/16"	WTSA5730OSFFLHL(N)	2,517.	3,357.
	Open/Box/File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730OSOBLLHL(N)	2,540.	3,400.
	Box (File Front)/File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730OSCFLLHL(N)	2,586.	3,465.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730OSCBLLHL(N)	2,673.	3,532.
Tower, Side Access Open, Open Locker Right Hand, 57" high, 30" wide 	Open Pedestal	30"	23 1/2"	56 3/16"	WTSA5730OSO1RHL	2,091.	2,922.
	Full Door Pedestal	30"	23 1/2"	56 3/16"	WTSA5730OSFDRHL(N)	2,292.	3,175.
	Open/File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730OSOFRRHL(N)	2,408.	3,288.
	File/File Pedestal (shown)	30"	23 1/2"	56 3/16"	WTSA5730OSFFRHL(N)	2,517.	3,357.
	Open/Box/File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730OSOBRRHL(N)	2,540.	3,400.
	Box (File Front)/File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730OSCFRRHL(N)	2,586.	3,465.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730OSCBRRHL(N)	2,673.	3,532.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Side Access Open, Open Locker, 57" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTSA5724OSFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTSA Anchor Tower, Side Access		
5. <i>Top Finish</i> See Finish Options page	57 50" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	OS Locker configuration, Open with Shelves	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
9. <i>Pre-drill for (optional) Front Panel</i> D = Drilled N = Non-drill	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish	A laminate or markerboard front panel may be specified (separately) for side access towers. To accept front panel mounting hardware, side access towers must be specified with "D" for a pre-drilled front.	
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		
	(D) Drilled for front panel		

Towers

Anchor Storage

57" High Side Access Open, Full Door Locker 24" and 30" wide





description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Side Access Open, Full Door Locker Left Hand, 57" high, 24" wide 	Open Pedestal	24"	23 1/2"	56 3/16"	WTSA5724FDO1LHL(N)	\$2,045.	\$2,795.
	Full Door Pedestal	24"	23 1/2"	56 3/16"	WTSA5724FDFDLHL(N)	2,247.	3,048.
	Open/File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724FDOFLHL(N)	2,363.	3,162.
	File/File Pedestal (shown)	24"	23 1/2"	56 3/16"	WTSA5724FDFFLHL(N)	2,471.	3,229.
	Open/Box/File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724FDOBLHL(N)	2,494.	3,271.
	Box (File Front)/File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724FDCFLHL(N)	2,541.	3,337.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724FDCBLHL(N)	2,628.	3,404.
Tower, Side Access Open, Full Door Locker Right Hand, 57" high, 24" wide 	Open Pedestal	24"	23 1/2"	56 3/16"	WTSA5724FDO1RHL(N)	2,045.	2,795.
	Full Door Pedestal	24"	23 1/2"	56 3/16"	WTSA5724FDFDRHL(N)	2,247.	3,048.
	Open/File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724FDOFRHL(N)	2,363.	3,162.
	File/File Pedestal (shown)	24"	23 1/2"	56 3/16"	WTSA5724FDFRHL(N)	2,471.	3,229.
	Open/Box/File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724FDOBRHL(N)	2,494.	3,271.
	Box (File Front)/File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724FDCFRHL(N)	2,541.	3,337.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724FDCBRHL(N)	2,628.	3,404.
Tower, Side Access Open, Full Door Locker Left Hand, 57" high, 30" wide 	Open Pedestal	30"	23 1/2"	56 3/16"	WTSA5730FDO1LHL(N)	2,256.	3,104.
	Full Door Pedestal	30"	23 1/2"	56 3/16"	WTSA5730FDFDLHL(N)	2,457.	3,356.
	Open/File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730FDOFLHL(N)	2,574.	3,470.
	File/File Pedestal (shown)	30"	23 1/2"	56 3/16"	WTSA5730FDFFLHL(N)	2,683.	3,539.
	Open/Box/File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730FDOBLHL(N)	2,705.	3,581.
	Box (File Front)/File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730FDCFLHL(N)	2,750.	3,645.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730FDCBLHL(N)	2,839.	3,714.
Tower, Side Access Open, Full Door Locker Right Hand, 57" high, 30" wide 	Open Pedestal	30"	23 1/2"	56 3/16"	WTSA5730FDO1RHL(N)	2,256.	3,104.
	Full Door Pedestal	30"	23 1/2"	56 3/16"	WTSA5730FDFDRHL(N)	2,457.	3,356.
	Open/File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730FDOFRHL(N)	2,574.	3,470.
	File/File Pedestal (shown)	30"	23 1/2"	56 3/16"	WTSA5730FDFRHL(N)	2,683.	3,539.
	Open/Box/File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730FDOBRHL(N)	2,705.	3,581.
	Box (File Front)/File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730FDCFRHL(N)	2,750.	3,645.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730FDCBRHL(N)	2,839.	3,714.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Side Access Open, Full Door Locker, 57" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTSA5724FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTSA Anchor Tower, Side Access		
5. <i>Top Finish</i> See Finish Options page	57 42" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
9. <i>Pre-drill for (optional) Front Panel</i> D = Drilled N = Non-drill	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish	A laminate or markerboard front panel may be specified (separately) for side access towers. To accept front panel mounting hardware, side access towers must be specified with "D" for a predrilled front.	
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		
	(D) Drilled for front panel		

Towers

Anchor Storage

64" High Side Access Open, Open Locker 24" and 30" wide





description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Side Access Open, Open Locker Left Hand, 64" high, 24" wide 	Open Pedestal	24"	23 1/2"	63 7/16"	WTSA6424OSO1LHL	\$2,062.	\$2,890.
	Full Door Pedestal	24"	23 1/2"	63 7/16"	WTSA6424OSFDLHL(N)	2,286.	3,174.
	Open/File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424OSOFLHL(N)	2,381.	3,257.
	File/File Pedestal (shown)	24"	23 1/2"	63 7/16"	WTSA6424OSFFLHL(N)	2,490.	3,325.
	Open/Box/File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424OSOBLHL(N)	2,511.	3,368.
	Box (File Front)/File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424OSCFHL(N)	2,558.	3,432.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424OSCBHL(N)	2,646.	3,501.
Tower, Side Access Open, Open Locker Right Hand, 64" high, 24" wide 	Open Pedestal	24"	23 1/2"	63 7/16"	WTSA6424OSO1RHL	2,062.	2,890.
	Full Door Pedestal	24"	23 1/2"	63 7/16"	WTSA6424OSFDRHL(N)	2,286.	3,174.
	Open/File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424OSOFRHL(N)	2,381.	3,257.
	File/File Pedestal (shown)	24"	23 1/2"	63 7/16"	WTSA6424OSFFRHL(N)	2,490.	3,325.
	Open/Box/File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424OSOBRHL(N)	2,511.	3,368.
	Box (File Front)/File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424OSCFRHL(N)	2,558.	3,432.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424OSCBRHL(N)	2,646.	3,501.
Tower, Side Access Open, Open Locker Left Hand, 64" high, 30" wide 	Open Pedestal	30"	23 1/2"	63 7/16"	WTSA6430OSO1LHL	2,274.	3,198.
	Full Door Pedestal	30"	23 1/2"	63 7/16"	WTSA6430OSFDLHL(N)	2,497.	3,482.
	Box (File Front)/File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430OSCFHL(N)	2,592.	3,564.
	Open/File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430OSOFLHL(N)	2,592.	3,564.
	File/File Pedestal (shown)	30"	23 1/2"	63 7/16"	WTSA6430OSFFLHL(N)	2,701.	3,633.
	Open/Box/File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430OSOBLHL(N)	2,722.	3,675.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430OSCBHL(N)	2,856.	3,808.
Tower, Side Access Open, Open Locker Right Hand, 64" high, 30" wide 	Open Pedestal	30"	23 1/2"	63 7/16"	WTSA6430OSO1RHL	2,274.	3,198.
	Full Door Pedestal	30"	23 1/2"	63 7/16"	WTSA6430OSFDRHL(N)	2,497.	3,482.
	Box (File Front)/File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430OSCFRHL(N)	2,592.	3,564.
	Open/File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430OSOFRHL(N)	2,592.	3,564.
	File/File Pedestal (shown)	30"	23 1/2"	63 7/16"	WTSA6430OSFFRHL(N)	2,701.	3,633.
	Open/Box/File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430OSOBRHL(N)	2,722.	3,675.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430OSCBRHL(N)	2,856.	3,808.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Side Access Open, Open Locker, 64" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTSA6424OSFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTSA Anchor Tower, Side Access		
5. <i>Top Finish</i> See Finish Options page	64 50" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	OS Locker configuration, Open with Shelves	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
9. <i>Pre-drill for (optional) Front Panel</i> D = Drilled N = Non-drill	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking	A laminate or markerboard front panel may be specified (separately) for side access towers. To accept front panel mounting hardware, side access towers must be specified with "D" for a predrilled front.	
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		
	(D) Drilled for front panel		

Towers

Anchor Storage

64" High Side Access Open, Full Door Locker 24" and 30" wide



description	pedestal configuration	w	d	h	pattern no.	L1	L2
 Tower, Side Access Open, Full Door Locker Left Hand, 64" high, 24" wide	Open Pedestal	24"	23 1/2"	63 7/16"	WTSA6424FDO1LHL(N)	\$2,233.	\$3,076.
	Full Door Pedestal	24"	23 1/2"	63 7/16"	WTSA6424FDFDLHL(N)	2,456.	3,360.
	Open/File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424FDOFLHL(N)	2,551.	3,441.
	File/File Pedestal (shown)	24"	23 1/2"	63 7/16"	WTSA6424FDFFLHL(N)	2,660.	3,511.
	Open/Box/File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424FDOBLHL(N)	2,682.	3,553.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424FDCBLHL(N)	2,685.	3,556.
	Box (File Front)/File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424FDCFLHL(N)	2,729.	3,619.
 Tower, Side Access Open, Full Door Locker Right Hand, 64" high, 24" wide	Open Pedestal	24"	23 1/2"	63 7/16"	WTSA6424FDO1RHL(N)	2,233.	3,076.
	Full Door Pedestal	24"	23 1/2"	63 7/16"	WTSA6424FDFDRHL(N)	2,456.	3,360.
	Open/File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424FDOFRHL(N)	2,551.	3,441.
	File/File Pedestal (shown)	24"	23 1/2"	63 7/16"	WTSA6424FDFFRHL(N)	2,660.	3,511.
	Open/Box/File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424FDOBRHL(N)	2,682.	3,553.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424FDCBRHL(N)	2,685.	3,556.
	Box (File Front)/File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424FDCFRHL(N)	2,729.	3,619.
 Tower, Side Access Open, Full Door Locker Left Hand, 64" high, 30" wide	Open Pedestal	30"	23 1/2"	63 7/16"	WTSA6430FDO1LHL(N)	2,458.	3,407.
	Full Door Pedestal	30"	23 1/2"	63 7/16"	WTSA6430FDFDLHL(N)	2,681.	3,691.
	Open/File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430FDOFLHL(N)	2,775.	3,773.
	File/File Pedestal (shown)	30"	23 1/2"	63 7/16"	WTSA6430FDFFLHL(N)	2,885.	3,842.
	Open/Box/File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430FDOBLHL(N)	2,907.	3,884.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430FDCBLHL(N)	2,910.	3,886.
	Box (File Front)/File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430FDCFLHL(N)	2,953.	3,949.
 Tower, Side Access Open, Full Door Locker Right Hand, 64" high, 30" wide	Open Pedestal	30"	23 1/2"	63 7/16"	WTSA6430FDO1RHL(N)	2,458.	3,407.
	Full Door Pedestal	30"	23 1/2"	63 7/16"	WTSA6430FDFDRHL(N)	2,681.	3,691.
	Open/File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430FDOFRHL(N)	2,775.	3,773.
	File/File Pedestal (shown)	30"	23 1/2"	63 7/16"	WTSA6430FDFFRHL(N)	2,885.	3,842.
	Open/Box/File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430FDOBRHL(N)	2,907.	3,884.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430FDCBRHL(N)	2,910.	3,886.
	Box (File Front)/File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430FDCFRHL(N)	2,953.	3,949.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Side Access Open, Full Door Locker, 64" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTSA6424FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTSA Anchor Tower, Side Access		
5. <i>Top Finish</i> See Finish Options page	64 42" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
9. <i>Pre-drill for (optional) Front Panel</i> D = Drilled N = Non-drill	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish	A laminate or markerboard front panel may be specified (separately) for side access towers. To accept front panel mounting hardware, side access towers must be specified with "D" for a predrilled front.	
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		
	(D) Drilled for front panel		

Towers

Anchor Storage

42 High Front Access Open, Open Locker 24" and 30" wide




description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access Open, Open Locker Left Hand, 42" high, 24" wide 	Open Pedestal	24"	23 1/2"	41 9/16"	WTF04224OSO1LHL	\$1,498.	\$2,025.
	Full Door Pedestal	24"	23 1/2"	41 9/16"	WTF04224OSFDLHL(N)	1,601.	2,136.
	Open/File Pedestal	24"	23 1/2"	41 9/16"	WTF04224OSOFLLHL(N)	1,816.	2,392.
	File/File Pedestal (shown)	24"	23 1/2"	41 9/16"	WTF04224OSFFLHL(N)	1,923.	2,457.
	Open/Box/File Pedestal	24"	23 1/2"	41 9/16"	WTF04224OSOBLHL(N)	1,947.	2,502.
	Box (File Front)/File Pedestal	24"	23 1/2"	41 9/16"	WTF04224OSCFHL(N)	2,037.	2,610.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 9/16"	WTF04224OSCBLLHL(N)	2,080.	2,632.
Tower, Front Access Open, Open Locker Right Hand, 42" high, 24" wide 	Open Pedestal	24"	23 1/2"	41 9/16"	WTF04224OSO1RHL	1,498.	2,025.
	Full Door Pedestal	24"	23 1/2"	41 9/16"	WTF04224OSFDRHL(N)	1,601.	2,136.
	Open/File Pedestal	24"	23 1/2"	41 9/16"	WTF04224OSOFRHL(N)	1,816.	2,392.
	File/File Pedestal (shown)	24"	23 1/2"	41 9/16"	WTF04224OSFRHL(N)	1,923.	2,457.
	Open/Box/File Pedestal	24"	23 1/2"	41 9/16"	WTF04224OSOBRHL(N)	1,947.	2,502.
	Box (File Front)/File Pedestal	24"	23 1/2"	41 9/16"	WTF04224OSCFRHL(N)	2,037.	2,610.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 9/16"	WTF04224OSCBRHL(N)	2,080.	2,632.
Tower, Front Access Open, Open Locker Left Hand, 42" high, 30" wide 	Open Pedestal	30"	23 1/2"	41 9/16"	WTF04230OSO1LHL	1,662.	2,260.
	Full Door Pedestal	30"	23 1/2"	41 9/16"	WTF04230OSFDLHL(N)	1,764.	2,372.
	Open/File Pedestal	30"	23 1/2"	41 9/16"	WTF04230OSOFLLHL(N)	1,979.	2,628.
	File/File Pedestal (shown)	30"	23 1/2"	41 9/16"	WTF04230OSFFLHL(N)	2,086.	2,692.
	Open/Box/File Pedestal	30"	23 1/2"	41 9/16"	WTF04230OSOBLHL(N)	2,109.	2,737.
	Box (File Front)/File Pedestal	30"	23 1/2"	41 9/16"	WTF04230OSCFHL(N)	2,200.	2,846.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	41 9/16"	WTF04230OSCBLLHL(N)	2,242.	2,867.
Tower, Front Access Open, Open Locker Right Hand, 42" high, 30" wide 	Open Pedestal	30"	23 1/2"	41 9/16"	WTF04230OSO1RHL	1,662.	2,260.
	Full Door Pedestal	30"	23 1/2"	41 9/16"	WTF04230OSFDRHL(N)	1,764.	2,372.
	Open/File Pedestal	30"	23 1/2"	41 9/16"	WTF04230OSOFRHL(N)	1,979.	2,628.
	File/File Pedestal (shown)	30"	23 1/2"	41 9/16"	WTF04230OSFRHL(N)	2,086.	2,692.
	Open/Box/File Pedestal	30"	23 1/2"	41 9/16"	WTF04230OSOBRHL(N)	2,109.	2,737.
	Box (File Front)/File Pedestal	30"	23 1/2"	41 9/16"	WTF04230OSCFRHL(N)	2,200.	2,846.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	41 9/16"	WTF04230OSCBRHL(N)	2,242.	2,867.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access Open, Open Locker, 42" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTF04224OSFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFO Anchor Tower, Front Access Open		
5. <i>Top Finish</i> See Finish Options page	42 42" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	OS Locker configuration, open with shelves	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Towers

Anchor Storage

42 High Front Access Open, Full Door Locker 24" and 30" wide





description	pedestal configuration	w	d	h	pattern no.	L1	L2
 Tower, Front Access Open, Full Door Locker Left Hand, 42" high, 24" wide	Open Pedestal	24"	23 1/2"	41 1/16"	WTFO4224FDO1LHL(N)	\$1,666.	\$2,204.
	Full Door Pedestal	24"	23 1/2"	41 1/16"	WTFO4224FDFDLHL(N)	1,768.	2,315.
	Open/File Pedestal	24"	23 1/2"	41 1/16"	WTFO4224FDOFLHL(N)	1,983.	2,572.
	File/File Pedestal	24"	23 1/2"	41 1/16"	WTFO4224FDFFLHL(N)	2,090.	2,636.
	Open/Box/File Pedestal	24"	23 1/2"	41 1/16"	WTFO4224FDOBLHL(N)	2,114.	2,682.
	Box (File Front)/File Pedestal	24"	23 1/2"	41 1/16"	WTFO4224FDCFLHL(N)	2,161.	2,748.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 1/16"	WTFO4224FDCBLHL(N)	2,290.	2,854.
 Tower, Front Access Open, Full Door Locker Right Hand, 42" high, 24" wide	Open Pedestal	24"	23 1/2"	41 1/16"	WTFO4224FDO1RHL(N)	1,666.	2,204.
	Full Door Pedestal	24"	23 1/2"	41 1/16"	WTFO4224FDFDRHL(N)	1,768.	2,315.
	Open/File Pedestal	24"	23 1/2"	41 1/16"	WTFO4224FDOFRHL(N)	1,983.	2,572.
	File/File Pedestal	24"	23 1/2"	41 1/16"	WTFO4224FDFFRHL(N)	2,090.	2,636.
	Open/Box/File Pedestal	24"	23 1/2"	41 1/16"	WTFO4224FDOBRHL(N)	2,114.	2,682.
	Box (File Front)/File Pedestal	24"	23 1/2"	41 1/16"	WTFO4224FDCFRHL(N)	2,161.	2,748.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 1/16"	WTFO4224FDCBRHL(N)	2,290.	2,854.
 Tower, Front Access Open, Full Door Locker Left Hand, 42" high, 30" wide	Open Pedestal	30"	23 1/2"	41 1/16"	WTFO4230FDO1LHL(N)	1,846.	2,466.
	Full Door Pedestal	30"	23 1/2"	41 1/16"	WTFO4230FDFDLHL(N)	1,949.	2,578.
	Open/File Pedestal	30"	23 1/2"	41 1/16"	WTFO4230FDOFLHL(N)	2,164.	2,835.
	File/File Pedestal	30"	23 1/2"	41 1/16"	WTFO4230FDFFLHL(N)	2,271.	2,898.
	Open/Box/File Pedestal	30"	23 1/2"	41 1/16"	WTFO4230FDOBLHL(N)	2,295.	2,943.
	Box (File Front)/File Pedestal	30"	23 1/2"	41 1/16"	WTFO4230FDCFLHL(N)	2,341.	3,009.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	41 1/16"	WTFO4230FDCBLHL(N)	2,469.	3,117.
 Tower, Front Access Open, Full Door Locker Right Hand, 42" high, 30" wide	Open Pedestal	30"	23 1/2"	41 1/16"	WTFO4230FDO1RHL(N)	1,846.	2,466.
	Full Door Pedestal	30"	23 1/2"	41 1/16"	WTFO4230FDFDRHL(N)	1,949.	2,578.
	Open/File Pedestal	30"	23 1/2"	41 1/16"	WTFO4230FDOFRHL(N)	2,164.	2,835.
	File/File Pedestal	30"	23 1/2"	41 1/16"	WTFO4230FDFFRHL(N)	2,271.	2,898.
	Open/Box/File Pedestal	30"	23 1/2"	41 1/16"	WTFO4230FDOBRHL(N)	2,295.	2,943.
	Box (File Front)/File Pedestal	30"	23 1/2"	41 1/16"	WTFO4230FDCFRHL(N)	2,341.	3,009.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	41 1/16"	WTFO4230FDCBRHL(N)	2,469.	3,117.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access Open, Full Door Locker, 42" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTFO4224FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFO Anchor Tower, Front Access Open		
5. <i>Top Finish</i> See Finish Options page	42 42" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Towers

Anchor Storage

50" High Front Access Open, Open Locker 24" and 30" wide





description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access Open, Open Locker Left Hand, 50" high, 24" wide 	Open Pedestal	24"	23 1/2"	48 7/8"	WTF05024OSO1LHL	\$1,707.	\$2,333.
	Full Door Pedestal	24"	23 1/2"	48 7/8"	WTF05024OSFDLHL(N)	1,809.	2,443.
	Open/File Pedestal	24"	23 1/2"	48 7/8"	WTF05024OSOFHL(N)	2,024.	2,700.
	File/File Pedestal	24"	23 1/2"	48 7/8"	WTF05024OSFFLHL(N)	2,132.	2,764.
	Open/Box/File Pedestal	24"	23 1/2"	48 7/8"	WTF05024OSOBHL(N)	2,156.	2,809.
	Box (File Front)/File Pedestal	24"	23 1/2"	48 7/8"	WTF05024OSCFHL(N)	2,246.	2,918.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTF05024OSCBHL(N)	2,288.	2,939.
Tower, Front Access Open, Open Locker Right Hand, 50" high, 24" wide 	Open Pedestal	24"	23 1/2"	48 7/8"	WTF05024OSO1RHL	1,707.	2,333.
	Full Door Pedestal	24"	23 1/2"	48 7/8"	WTF05024OSFDRHL(N)	1,809.	2,443.
	Open/File Pedestal	24"	23 1/2"	48 7/8"	WTF05024OSOFRHL(N)	2,024.	2,700.
	File/File Pedestal	24"	23 1/2"	48 7/8"	WTF05024OSFFRHL(N)	2,132.	2,764.
	Open/Box/File Pedestal	24"	23 1/2"	48 7/8"	WTF05024OSOBRLHL(N)	2,156.	2,809.
	Box (File Front)/File Pedestal	24"	23 1/2"	48 7/8"	WTF05024OSCFRHL(N)	2,246.	2,918.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTF05024OSCBRLHL(N)	2,288.	2,939.
Tower, Front Access Open, Open Locker Left Hand, 50" high, 30" wide 	Open Pedestal	30"	23 1/2"	48 7/8"	WTF05030OSO1LHL	1,878.	2,581.
	Full Door Pedestal	30"	23 1/2"	48 7/8"	WTF05030OSFDLHL(N)	1,981.	2,691.
	Open/File Pedestal	30"	23 1/2"	48 7/8"	WTF05030OSOFHL(N)	2,196.	2,947.
	File/File Pedestal	30"	23 1/2"	48 7/8"	WTF05030OSFFLHL(N)	2,302.	3,012.
	Open/Box/File Pedestal	30"	23 1/2"	48 7/8"	WTF05030OSOBHL(N)	2,327.	3,057.
	Box (File Front)/File Pedestal	30"	23 1/2"	48 7/8"	WTF05030OSCFHL(N)	2,416.	3,166.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTF05030OSCBHL(N)	2,458.	3,186.
Tower, Front Access Open, Open Locker Right Hand, 50" high, 30" wide 	Open Pedestal	30"	23 1/2"	48 7/8"	WTF05030OSO1RHL	1,878.	2,581.
	Full Door Pedestal	30"	23 1/2"	48 7/8"	WTF05030OSFDRHL(N)	1,981.	2,691.
	Open/File Pedestal	30"	23 1/2"	48 7/8"	WTF05030OSOFRHL(N)	2,196.	2,947.
	File/File Pedestal	30"	23 1/2"	48 7/8"	WTF05030OSFFRHL(N)	2,302.	3,012.
	Open/Box/File Pedestal	30"	23 1/2"	48 7/8"	WTF05030OSOBRLHL(N)	2,327.	3,057.
	Box (File Front)/File Pedestal	30"	23 1/2"	48 7/8"	WTF05030OSCFRHL(N)	2,416.	3,166.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTF05030OSCBRLHL(N)	2,458.	3,186.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access Open, Open Locker, 50" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTF05024FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFO Anchor Tower, Front Access Open		
5. <i>Top Finish</i> See Finish Options page	50 50" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Towers

Anchor Storage

50" High Front Access Open, Full Door Locker 24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access Open, Full Door Locker Left Hand, 50" high, 24" wide 	Open Pedestal	24"	23 1/2"	48 7/8"	WTF05024FDO1LHL	\$1,888.	\$2,532.
	Full Door Pedestal	24"	23 1/2"	48 7/8"	WTF05024FDLHL(N)	1,991.	2,642.
	Open/File Pedestal	24"	23 1/2"	48 7/8"	WTF05024FDOFLHL(N)	2,205.	2,898.
	File/File Pedestal	24"	23 1/2"	48 7/8"	WTF05024FDFFLHL(N)	2,312.	2,963.
	Open/Box/File Pedestal	24"	23 1/2"	48 7/8"	WTF05024FDOBLHL(N)	2,337.	3,008.
	Box (File Front)/File Pedestal	24"	23 1/2"	48 7/8"	WTF05024FDCFLHL(N)	2,383.	3,073.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTF05024FDCBLHL(N)	2,511.	3,181.
Tower, Front Access Open, Full Door Locker Right Hand, 50" high, 24" wide 	Open Pedestal	24"	23 1/2"	48 7/8"	WTF05024FDO1RHL	1,888.	2,532.
	Full Door Pedestal	24"	23 1/2"	48 7/8"	WTF05024FDLHL(N)	1,991.	2,642.
	Open/File Pedestal	24"	23 1/2"	48 7/8"	WTF05024FDOFRHL(N)	2,205.	2,898.
	File/File Pedestal	24"	23 1/2"	48 7/8"	WTF05024FDFFRHL(N)	2,312.	2,963.
	Open/Box/File Pedestal	24"	23 1/2"	48 7/8"	WTF05024FDOBRHL(N)	2,337.	3,008.
	Box (File Front)/File Pedestal	24"	23 1/2"	48 7/8"	WTF05024FDCFRHL(N)	2,383.	3,074.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTF05024FDCBRHL(N)	2,511.	3,181.
Tower, Front Access Open, Full Door Locker Left Hand, 50" high, 30" wide 	Open Pedestal	30"	23 1/2"	48 7/8"	WTF05030FDO1LHL	2,084.	2,817.
	Full Door Pedestal	30"	23 1/2"	48 7/8"	WTF05030FDLHL(N)	2,187.	2,929.
	Open/File Pedestal	30"	23 1/2"	48 7/8"	WTF05030FDOFLHL(N)	2,401.	3,185.
	File/File Pedestal	30"	23 1/2"	48 7/8"	WTF05030FDFFLHL(N)	2,509.	3,250.
	Open/Box/File Pedestal	30"	23 1/2"	48 7/8"	WTF05030FDOBLHL(N)	2,533.	3,296.
	Box (File Front)/File Pedestal	30"	23 1/2"	48 7/8"	WTF05030FDCFLHL(N)	2,580.	3,361.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTF05030FDCBLHL(N)	2,708.	3,468.
Tower, Front Access Open, Full Door Locker Right Hand, 50" high, 30" wide 	Open Pedestal	30"	23 1/2"	48 7/8"	WTF05030FDO1RHL	2,084.	2,817.
	Full Door Pedestal	30"	23 1/2"	48 7/8"	WTF05030FDLHL(N)	2,187.	2,929.
	Open/File Pedestal	30"	23 1/2"	48 7/8"	WTF05030FDOFRHL(N)	2,401.	3,185.
	File/File Pedestal	30"	23 1/2"	48 7/8"	WTF05030FDFFRHL(N)	2,509.	3,250.
	Open/Box/File Pedestal	30"	23 1/2"	48 7/8"	WTF05030FDOBRHL(N)	2,533.	3,296.
	Box (File Front)/File Pedestal	30"	23 1/2"	48 7/8"	WTF05030FDCFRHL(N)	2,580.	3,361.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTF05030FDCBRHL(N)	2,708.	3,468.

Order Information

1. *Base Pattern Number*
2. *Lock option*
L = Locking
N = Non-locking
3. *Case Finish*
See Finish Options page
4. *Front Finish*
See Finish Options page
5. *Top Finish*
See Finish Options page
6. *Pull style*
T = 10" finger pull
7. *Pull finish*
See Finish Options page
8. *Lock finish*
B = Black
C = Chrome

Order Code

Tower, Front Access Open, Full Door Locker, 50" high, 24" wide, F/F pedestal, Left hand	
Example:	WTF05024FDFFLHL
WTF0	Anchor Tower, Front Access Open
50	50" High
24	24" Wide
FD	Locker configuration, Full Door
FF	Pedestal configuration, File/File
LH	Left hand
L	Laminate
(L)	Lock option, Locking
(118)	Case Finish
(118)	Front Finish
(118)	Top Finish
(T)	Pull Style
(118)	Pull Finish
(C)	Lock finish, Chrome

Specification Information

Refer to Tower Shelf count for number of included shelves with each interior configuration.

Add \$40 to the list price per standard key lock.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes


Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.


Towers with full door include a coat hook to be field installed.


Towers


Anchor Storage

57" High Front Access Open, Open Locker 24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access Open, Open Locker Left Hand, 57" high, 24" wide 	Open Pedestal	24"	23 1/2"	56 3/16"	WTF05724OSO1LHL	\$1,879.	\$2,580.
	Full Door Pedestal	24"	23 1/2"	56 3/16"	WTF05724OSFDLHL(N)	1,981.	2,690.
	Open/File Pedestal	24"	23 1/2"	56 3/16"	WTF05724OSOFLLHL(N)	2,197.	2,946.
	File/File Pedestal	24"	23 1/2"	56 3/16"	WTF05724OSFFLHL(N)	2,303.	3,011.
	Open/Box/File Pedestal	24"	23 1/2"	56 3/16"	WTF05724OSOBLHL(N)	2,328.	3,056.
	Box (File Front)/File Pedestal	24"	23 1/2"	56 3/16"	WTF05724OSCFHL(N)	2,417.	3,165.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	56 3/16"	WTF05724OSCBLLHL(N)	2,459.	3,185.


Tower, Front Access Open, Open Locker Right Hand, 57" high, 24" wide 	Open Pedestal	24"	23 1/2"	56 3/16"	WTF05724OSO1RHL	1,879.	2,580.
	Full Door Pedestal	24"	23 1/2"	56 3/16"	WTF05724OSFDRHL(N)	1,981.	2,690.
	Open/File Pedestal	24"	23 1/2"	56 3/16"	WTF05724OSOFRRHL(N)	2,197.	2,946.
	File/File Pedestal	24"	23 1/2"	56 3/16"	WTF05724OSFRRHL(N)	2,303.	3,011.
	Open/Box/File Pedestal	24"	23 1/2"	56 3/16"	WTF05724OSOBRHL(N)	2,328.	3,056.
	Box (File Front)/File Pedestal	24"	23 1/2"	56 3/16"	WTF05724OSCFRHL(N)	2,417.	3,165.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	56 3/16"	WTF05724OSCBRRHL(N)	2,459.	3,185.


Tower, Front Access Open, Open Locker Left Hand, 57" high, 30" wide 	Open Pedestal	30"	23 1/2"	56 3/16"	WTF05730OSO1LHL	2,083.	2,876.
	Full Door Pedestal	30"	23 1/2"	56 3/16"	WTF05730OSFDLHL(N)	2,185.	2,987.
	Open/File Pedestal	30"	23 1/2"	56 3/16"	WTF05730OSOFLLHL(N)	2,400.	3,244.
	File/File Pedestal	30"	23 1/2"	56 3/16"	WTF05730OSFFLHL(N)	2,507.	3,308.
	Open/Box/File Pedestal	30"	23 1/2"	56 3/16"	WTF05730OSOBLHL(N)	2,532.	3,353.
	Box (File Front)/File Pedestal	30"	23 1/2"	56 3/16"	WTF05730OSCFHL(N)	2,621.	3,462.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	56 3/16"	WTF05730OSCBLLHL(N)	2,663.	3,482.


Tower, Front Access Open, Open Locker Right Hand, 57" high, 30" wide 	Open Pedestal	30"	23 1/2"	56 3/16"	WTF05730OSO1RHL	2,083.	2,876.
	Full Door Pedestal	30"	23 1/2"	56 3/16"	WTF05730OSFDRHL(N)	2,185.	2,987.
	Open/File Pedestal	30"	23 1/2"	56 3/16"	WTF05730OSOFRRHL(N)	2,400.	3,244.
	File/File Pedestal	30"	23 1/2"	56 3/16"	WTF05730OSFRRHL(N)	2,507.	3,308.
	Open/Box/File Pedestal	30"	23 1/2"	56 3/16"	WTF05730OSOBRHL(N)	2,532.	3,353.
	Box (File Front)/File Pedestal	30"	23 1/2"	56 3/16"	WTF05730OSCFRHL(N)	2,621.	3,462.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	56 3/16"	WTF05730OSCBRRHL(N)	2,663.	3,482.


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access Open,	Refer to Tower Shelf count for	Towers 24" deep (nominal) have a
2. <i>Lock option</i>	Open Locker, 57" high, 24" wide,	number of included shelves with	23 1/2" deep case; 24 3/8" overall
L = Locking	F/F pedestal, Left hand	each interior configuration.	depth including door.
N = Non-locking			
3. <i>Case Finish</i>	Example: WTF05724FDFFLHL	Add \$40 to the list price per	Towers with full door include a coat
See Finish Options page	WTF0 Anchor Tower, Front	standard key lock.	hook to be field installed.
4. <i>Front Finish</i>	Access Open		
See Finish Options page	57 57" High	Add \$15 to the list price per pull for	
5. <i>Top Finish</i>	24 24" Wide	Anodized Nickel (AN) or Aluminum	
See Finish Options page	FD Locker configuration,	(AA) finish.	
6. <i>Pull style</i>	Full Door	Towers specified with mixed	
T = 10" finger pull	FF Pedestal configuration,	laminate finishes are L2 pricing.	
7. <i>Pull finish</i>	File/File	Refer to Mixed Laminate Finishes	
See Finish Options page	LH Left hand	for further details.	
8. <i>Lock finish</i>	L Laminate	Dimensions listed under w h d are	
B = Black	(L) Lock option, Locking	actual to the nearest 1/16".	
C = Chrome	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

57" High Front Access Open, Full Door Locker 24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access Open, Full Door Locker Left Hand, 57" high, 24" wide 	Open Pedestal	24"	23 1/2"	56 3/16"	WTF05724FDO1LHL(N)	\$2,031.	\$2,738.
	Full Door Pedestal	24"	23 1/2"	56 3/16"	WTF05724FDFDLHL(N)	2,133.	2,849.
	Open/File Pedestal	24"	23 1/2"	56 3/16"	WTF05724FDOFLHL(N)	2,348.	3,105.
	File/File Pedestal (shown)	24"	23 1/2"	56 3/16"	WTF05724FDFFLHL(N)	2,455.	3,170.
	Box (File Front)/File Pedestal	24"	23 1/2"	56 3/16"	WTF05724FDOBLHL(N)	2,479.	3,215.
	Open/Box/File Pedestal	24"	23 1/2"	56 3/16"	WTF05724FDCFLHL(N)	2,526.	3,280.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	56 3/16"	WTF05724FDCBLHL(N)	2,654.	3,388.

Tower, Front Access Open, Full Door Locker Right Hand, 57" high, 24" wide 	Open Pedestal	24"	23 1/2"	56 3/16"	WTF05724FDO1RHL(N)	2,031.	2,738.
	Full Door Pedestal	24"	23 1/2"	56 3/16"	WTF05724FDFDRHL(N)	2,133.	2,849.
	Open/File Pedestal	24"	23 1/2"	56 3/16"	WTF05724FDOFRHL(N)	2,348.	3,105.
	File/File Pedestal (shown)	24"	23 1/2"	56 3/16"	WTF05724FDFFRHL(N)	2,455.	3,170.
	Box (File Front)/File Pedestal	24"	23 1/2"	56 3/16"	WTF05724FDOBRHL(N)	2,479.	3,215.
	Open/Box/File Pedestal	24"	23 1/2"	56 3/16"	WTF05724FDCFRHL(N)	2,526.	3,280.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	56 3/16"	WTF05724FDCBRHL(N)	2,654.	3,388.

Tower, Front Access Open, Full Door Locker Left Hand, 57" high, 30" wide 	Open Pedestal	30"	23 1/2"	56 3/16"	WTF05730FDO1LHL(N)	2,242.	3,048.
	Full Door Pedestal	30"	23 1/2"	56 3/16"	WTF05730FDFDLHL(N)	2,344.	3,159.
	Open/File Pedestal	30"	23 1/2"	56 3/16"	WTF05730FDOFLHL(N)	2,559.	3,415.
	File/File Pedestal (shown)	30"	23 1/2"	56 3/16"	WTF05730FDFFLHL(N)	2,666.	3,479.
	Box (File Front)/File Pedestal	30"	23 1/2"	56 3/16"	WTF05730FDOBLHL(N)	2,690.	3,524.
	Open/Box/File Pedestal	30"	23 1/2"	56 3/16"	WTF05730FDCFLHL(N)	2,736.	3,590.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	56 3/16"	WTF05730FDCBLHL(N)	2,865.	3,698.





Tower, Front Access Open, Full Door Locker Right Hand, 57" high, 30" wide 	Open Pedestal	30"	23 1/2"	56 3/16"	WTF05730FDO1RHL(N)	2,242.	3,048.
	Full Door Pedestal	30"	23 1/2"	56 3/16"	WTF05730FDFDRHL(N)	2,344.	3,159.
	Open/File Pedestal	30"	23 1/2"	56 3/16"	WTF05730FDOFRHL(N)	2,559.	3,415.
	File/File Pedestal (shown)	30"	23 1/2"	56 3/16"	WTF05730FDFFRHL(N)	2,666.	3,479.
	Box (File Front)/File Pedestal	30"	23 1/2"	56 3/16"	WTF05730FDOBRHL(N)	2,690.	3,524.
	Open/Box/File Pedestal	30"	23 1/2"	56 3/16"	WTF05730FDCFRHL(N)	2,736.	3,590.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	56 3/16"	WTF05730FDCBRHL(N)	2,865.	3,698.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access Open, Full Door Locker, 57" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTF05724FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFO Anchor Tower, Front Access Open		
5. <i>Top Finish</i> See Finish Options page	57 57" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Towers

Anchor Storage

64" High Front Access Open, Open Locker 24" and 30" wide


description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access Open, Open Locker Left Hand, 64" high, 24" wide 	Open Pedestal	24"	23 1/2"	63 7/16"	WTF06424OSO1LHL	\$2,069.	\$2,859.
	Full Door Pedestal	24"	23 1/2"	63 7/16"	WTF06424OSFDLHL(N)	2,172.	2,970.
	Open/File Pedestal	24"	23 1/2"	63 7/16"	WTF06424OSOFLLHL(N)	2,386.	3,226.
	File/File Pedestal	24"	23 1/2"	63 7/16"	WTF06424OSFFLHL(N)	2,494.	3,292.
	Open/Box/File Pedestal	24"	23 1/2"	63 7/16"	WTF06424OSOBLLHL(N)	2,517.	3,336.
	Box (File Front)/File Pedestal	24"	23 1/2"	63 7/16"	WTF06424OSCFLLHL(N)	2,606.	3,445.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTF06424OSCBLLHL(N)	2,649.	3,466.
Tower, Front Access Open, Open Locker Right Hand, 64" high, 24" wide 	Open Pedestal	24"	23 1/2"	63 7/16"	WTF06424OSO1RHL	2,069.	2,859.
	Full Door Pedestal	24"	23 1/2"	63 7/16"	WTF06424OSFDRHL(N)	2,172.	2,970.
	Open/File Pedestal	24"	23 1/2"	63 7/16"	WTF06424OSOFRRHL(N)	2,386.	3,226.
	File/File Pedestal	24"	23 1/2"	63 7/16"	WTF06424OSFRRHL(N)	2,494.	3,292.
	Open/Box/File Pedestal	24"	23 1/2"	63 7/16"	WTF06424OSOBRRHL(N)	2,517.	3,336.
	Box (File Front)/File Pedestal	24"	23 1/2"	63 7/16"	WTF06424OSCFRRHL(N)	2,606.	3,445.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTF064300SCBRHL(N)	2,859.	3,773.
Tower, Front Access Open, Open Locker Left Hand, 64" high, 30" wide 	Open Pedestal	30"	23 1/2"	63 7/16"	WTF064300SO1LHL	2,280.	3,167.
	Full Door Pedestal	30"	23 1/2"	63 7/16"	WTF064300SFDLHL(N)	2,382.	3,277.
	Open/File Pedestal	30"	23 1/2"	63 7/16"	WTF064300SOFLLHL(N)	2,597.	3,535.
	File/File Pedestal	30"	23 1/2"	63 7/16"	WTF064300SFFLHL(N)	2,704.	3,599.
	Open/Box/File Pedestal	30"	23 1/2"	63 7/16"	WTF064300SOBLHL(N)	2,727.	3,643.
	Box (File Front)/File Pedestal	30"	23 1/2"	63 7/16"	WTF064300SCFLHL(N)	2,817.	3,754.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTF064300SCBLHL(N)	2,859.	3,773.
Tower, Front Access Open, Open Locker Right Hand, 64" high, 30" wide 	Open Pedestal	30"	23 1/2"	63 7/16"	WTF064300SO1RHL	2,280.	3,167.
	Full Door Pedestal	30"	23 1/2"	63 7/16"	WTF064300SFDRHL(N)	2,382.	3,277.
	Open/File Pedestal	30"	23 1/2"	63 7/16"	WTF064300SOFRRHL(N)	2,597.	3,535.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTF064240SCBRHL(N)	2,649.	3,466.
	File/File Pedestal	30"	23 1/2"	63 7/16"	WTF064300SFRHL(N)	2,704.	3,599.
	Open/Box/File Pedestal	30"	23 1/2"	63 7/16"	WTF064300SOBRHL(N)	2,727.	3,643.
	Box (File Front)/File Pedestal	30"	23 1/2"	63 7/16"	WTF064300SCFRHL(N)	2,817.	3,754.


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access Open,	Refer to Tower Shelf count for	Towers 24" deep (nominal) have a
2. <i>Lock option</i>	Open Locker, 64" high, 24" wide,	number of included shelves with	23 1/2" deep case; 24 3/8" overall
L = Locking	F/F pedestal, Left hand	each interior configuration.	depth including door.
N = Non-locking			
3. <i>Case Finish</i>	Example: WTF06424FDFFLHL	Add \$40 to the list price per	Towers with full door include a coat
See Finish Options page	WTFO Anchor Tower, Front	standard key lock.	hook to be field installed.
4. <i>Front Finish</i>	Access Open		
See Finish Options page	64 64" High	Add \$15 to the list price per pull for	
5. <i>Top Finish</i>	24 24" Wide	Anodized Nickel (AN) or Aluminum	
See Finish Options page	FD Locker configuration,	(AA) finish.	
6. <i>Pull style</i>	Full Door	Towers specified with mixed	
T = 10" finger pull	FF Pedestal configuration,	laminate finishes are L2 pricing.	
7. <i>Pull finish</i>	File/File	Refer to Mixed Laminate Finishes	
See Finish Options page	LH Left hand	for further details.	
8. <i>Lock finish</i>	L Laminate	Dimensions listed under w h d are	
B = Black	(L) Lock option, Locking	actual to the nearest 1/16".	
C = Chrome	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		


Towers


Anchor Storage

64" High Front Access Open, Full Door Locker 24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access Open, Full Door Locker Left Hand, 64" high, 24" wide 	Open Pedestal	24"	23 1/2"	63 7/16"	WTF06424FDO1LHL(N)	\$2,232.	\$3,036.
	Full Door Pedestal	24"	23 1/2"	63 7/16"	WTF06424FDFDLHL(N)	2,336.	3,146.
	Open/File Pedestal	24"	23 1/2"	63 7/16"	WTF06424FDOFLHL(N)	2,550.	3,403.
	File/File Pedestal (shown)	24"	23 1/2"	63 7/16"	WTF06424FDFFLHL(N)	2,657.	3,467.
	Open/Box/File Pedestal	24"	23 1/2"	63 7/16"	WTF06424FDOBLHL(N)	2,681.	3,512.
	Box (File Front)/File Pedestal	24"	23 1/2"	63 7/16"	WTF06424FDCFLHL(N)	2,727.	3,578.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTF06424FDCBLHL(N)	2,856.	3,685.

Tower, Front Access Open, Full Door Locker Right Hand, 64" high, 24" wide 	Open Pedestal	24"	23 1/2"	63 7/16"	WTF06424FDO1RHL(N)	2,232.	3,036.
	Full Door Pedestal	24"	23 1/2"	63 7/16"	WTF06424FDFDRHL(N)	2,336.	3,146.
	Open/File Pedestal	24"	23 1/2"	63 7/16"	WTF06424FDOFRHL(N)	2,550.	3,403.
	File/File Pedestal (shown)	24"	23 1/2"	63 7/16"	WTF06424FDFFRHL(N)	2,657.	3,467.
	Open/Box/File Pedestal	24"	23 1/2"	63 7/16"	WTF06424FDOBRHL(N)	2,681.	3,512.
	Box (File Front)/File Pedestal	24"	23 1/2"	63 7/16"	WTF06424FDCFRHL(N)	2,727.	3,578.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTF06424FDCBRHL(N)	2,856.	3,685.

Tower, Front Access Open, Full Door Locker Left Hand, 64" high, 30" wide 	Open Pedestal	30"	23 1/2"	63 7/16"	WTF06430FDO1LHL(N)	2,456.	3,365.
	Full Door Pedestal	30"	23 1/2"	63 7/16"	WTF06430FDFDLHL(N)	2,559.	3,477.
	Open/File Pedestal	30"	23 1/2"	63 7/16"	WTF06430FDOFLHL(N)	2,774.	3,733.
	File/File Pedestal (shown)	30"	23 1/2"	63 7/16"	WTF06430FDFFLHL(N)	2,882.	3,798.
	Open/Box/File Pedestal	30"	23 1/2"	63 7/16"	WTF06430FDOBLHL(N)	2,905.	3,843.
	Box (File Front)/File Pedestal	30"	23 1/2"	63 7/16"	WTF06430FDCFLHL(N)	2,953.	3,909.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTF06430FDCBLHL(N)	3,080.	4,016.


Tower, Front Access Open, Full Door Locker Right Hand, 64" high, 30" wide 	Open Pedestal	30"	23 1/2"	63 7/16"	WTF06430FDO1RHL(N)	2,456.	3,365.
	Full Door Pedestal	30"	23 1/2"	63 7/16"	WTF06430FDFDRHL(N)	2,559.	3,477.
	Open/File Pedestal	30"	23 1/2"	63 7/16"	WTF06430FDOFRHL(N)	2,774.	3,733.
	File/File Pedestal (shown)	30"	23 1/2"	63 7/16"	WTF06430FDFFRHL(N)	2,882.	3,798.
	Open/Box/File Pedestal	30"	23 1/2"	63 7/16"	WTF06430FDOBRHL(N)	2,905.	3,843.
	Box (File Front)/File Pedestal	30"	23 1/2"	63 7/16"	WTF06430FDCFRHL(N)	2,953.	3,909.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTF06430FDCBRHL(N)	3,080.	4,016.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access Open, Full Open Door, 64" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTF06424FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFO Anchor Tower, Front Access Open		
5. <i>Top Finish</i> See Finish Options page	64 64" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		


Towers


Anchor Storage

42" High Front Access with Door, Open Locker 24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access with Door, Open Locker Left Hand, 42" high, 24" wide 	Full Door Pedestal	24"	23 1/2"	41 1/16"	WTFD4224OSFDLHL(N)	\$1,733.	\$2,288.
	Open/File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224OSOFLHL(N)	1,951.	2,546.
	File/File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224OSFFLHL(N)	2,055.	2,608.
	Open/Box/File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224OSOBLHL(N)	2,080.	2,653.
	Box (File Front)/File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224OSCFHL(N)	2,127.	2,718.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224OSCBHL(N)	2,211.	2,784.

Tower, Front Access with Door, Open Locker Right Hand, 42" high, 24" wide 	Full Door Pedestal	24"	23 1/2"	41 1/16"	WTFD4224OSFDRHL(N)	1,733.	2,288.
	Open/File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224OSOFRHL(N)	1,951.	2,546.
	File/File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224OSFFRHL(N)	2,055.	2,608.
	Open/Box/File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224OSOBRHL(N)	2,080.	2,653.
	Box (File Front)/File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224OSCFRHL(N)	2,127.	2,718.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224OSCBRHL(N)	2,211.	2,784.

Tower, Front Access with Door, Open Locker Left Hand, 42" high, 30" wide 	Full Door Pedestal	30"	23 1/2"	41 1/16"	WTFD4230OSFDLHL(N)	1,896.	2,522.
	Open/File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230OSOFLHL(N)	2,114.	2,782.
	File/File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230OSFFLHL(N)	2,219.	2,844.
	Open/Box/File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230OSOBLHL(N)	2,243.	2,889.
	Box (File Front)/File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230OSCFHL(N)	2,289.	2,955.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230OSCBHL(N)	2,375.	3,018.





Tower, Front Access with Door, Open Locker Right Hand, 42" high, 30" wide 	Full Door Pedestal	30"	23 1/2"	41 1/16"	WTFD4230OSFDRHL(N)	1,896.	2,522.
	Open/File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230OSOFRHL(N)	2,114.	2,782.
	File/File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230OSFFRHL(N)	2,219.	2,844.
	Open/Box/File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230OSOBRHL(N)	2,243.	2,889.
	Box (File Front)/File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230OSCFRHL(N)	2,289.	2,955.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230OSCBRHL(N)	2,375.	3,018.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access with Door, Open Locker, 42" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTFD4224OSFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFD Anchor Tower, Front Access with Door		
5. <i>Top Finish</i> See Finish Options page	42 42" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	OS Locker configuration, Open with Shelves	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File	Dimensions listed under w h d are actual to the nearest 1/16".	
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Towers

Anchor Storage

42" High Front Access with Door, Full Door Locker 24" and 30" wide


description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access with Door, Full Door Locker Left Hand, 42" high, 24" wide 	Open Pedestal	24"	23 1/2"	41 1/16"	WTFD4224FDO1LHL(N)	\$1,798.	\$2,356.
	Full Door Pedestal	24"	23 1/2"	41 1/16"	WTFD4224FDFDLHL(N)	1,900.	2,467.
	Open/File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224FDOFLHL(N)	2,119.	2,725.
	File/File Pedestal (shown)	24"	23 1/2"	41 1/16"	WTFD4224FDFFLHL(N)	2,223.	2,789.
	Open/Box/File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224FDOBLHL(N)	2,247.	2,834.
	Box (File Front)/File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224FDCFLHL(N)	2,294.	2,899.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224FDCBLHL(N)	2,379.	2,963.
Tower, Front Access with Door, Full Door Locker Right Hand, 42" high, 24" wide 	Open Pedestal	24"	23 1/2"	41 1/16"	WTFD4224FDO1RHL(N)	1,798.	2,356.
	Full Door Pedestal	24"	23 1/2"	41 1/16"	WTFD4224FDFDRHL(N)	1,900.	2,467.
	Open/File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224FDOFRHL(N)	2,119.	2,725.
	File/File Pedestal (shown)	24"	23 1/2"	41 1/16"	WTFD4224FDFRHL(N)	2,223.	2,789.
	Open/Box/File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224FDOBRHL(N)	2,247.	2,834.
	Box (File Front)/File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224FDCFRHL(N)	2,294.	2,899.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 1/16"	WTFD4224FDCBRHL(N)	2,379.	2,963.
Tower, Front Access with Door, Full Door Locker Left Hand, 42" high, 30" wide 	Open Pedestal	30"	23 1/2"	41 1/16"	WTFD4230FDO1LHL(N)	1,978.	2,618.
	Full Door Pedestal	30"	23 1/2"	41 1/16"	WTFD4230FDFDLHL(N)	2,082.	2,729.
	Open/File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230FDOFLHL(N)	2,298.	2,988.
	File/File Pedestal (shown)	30"	23 1/2"	41 1/16"	WTFD4230FDFFLHL(N)	2,402.	3,050.
	Open/Box/File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230FDOBLHL(N)	2,427.	3,096.
	Box (File Front)/File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230FDCFLHL(N)	2,474.	3,161.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230FDCBLHL(N)	2,558.	3,225.
Tower, Front Access with Door, Full Door Locker Right Hand, 42" high, 30" wide 	Open Pedestal	30"	23 1/2"	41 1/16"	WTFD4230FDO1RHL(N)	1,978.	2,618.
	Full Door Pedestal	30"	23 1/2"	41 1/16"	WTFD4230FDFDRHL(N)	2,082.	2,729.
	Open/File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230FDOFRHL(N)	2,298.	2,988.
	File/File Pedestal (shown)	30"	23 1/2"	41 1/16"	WTFD4230FDFRHL(N)	2,402.	3,050.
	Open/Box/File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230FDOBRHL(N)	2,427.	3,096.
	Box (File Front)/File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230FDCFRHL(N)	2,474.	3,161.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	41 1/16"	WTFD4230FDCBRHL(N)	2,558.	3,225.


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access with Door, Full Door Locker, 42" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTFD4224FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFD Anchor Tower, Front Access with Door		
5. <i>Top Finish</i> See Finish Options page	42 42" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		


Towers


Anchor Storage

50" High Front Access with Door, Open Locker 24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access with Door, Open Locker Left Hand, 50" high, 24" wide 	Full Door Pedestal	24"	23 1/2"	48 7/8"	WTFD5024OSFDLHL(N)	\$1,967.	\$2,631.
	Open/File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024OSOFHLHL(N)	2,184.	2,890.
	File/File Pedestal (shown)	24"	23 1/2"	48 7/8"	WTFD5024OSFFLHL(N)	2,289.	2,952.
	Open/Box/File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024OSOBLHL(N)	2,312.	2,997.
	Box (File Front)/File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024OSCFHLHL(N)	2,358.	3,062.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024OSCBHLHL(N)	2,444.	3,127.





Tower, Front Access with Door, Open Locker Right Hand, 50" high, 24" wide 	Full Door Pedestal	24"	23 1/2"	48 7/8"	WTFD5024OSFDRHL(N)	1,967.	2,631.
	Open/File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024OSOFRHL(N)	2,184.	2,890.
	File/File Pedestal (shown)	24"	23 1/2"	48 7/8"	WTFD5024OSFFRHL(N)	2,289.	2,952.
	Open/Box/File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024OSOBRHL(N)	2,312.	2,997.
	Box (File Front)/File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024OSCFRHL(N)	2,358.	3,062.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024OSCBRHL(N)	2,444.	3,127.

Tower, Front Access with Door, Open Locker Left Hand, 50" high, 30" wide 	Full Door Pedestal	30"	23 1/2"	48 7/8"	WTFD5030OSFDLHL(N)	2,137.	2,878.
	Open/File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030OSOFHLHL(N)	2,354.	3,138.
	File/File Pedestal (shown)	30"	23 1/2"	48 7/8"	WTFD5030OSFFLHL(N)	2,459.	3,200.
	Open/Box/File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030OSOBLHL(N)	2,483.	3,245.
	Box (File Front)/File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030OSCFHLHL(N)	2,531.	3,310.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030OSCBHLHL(N)	2,616.	3,374.

Tower, Front Access with Door, Open Locker Right Hand, 50" high, 30" wide 	Full Door Pedestal	30"	23 1/2"	48 7/8"	WTFD5030OSFDRHL(N)	2,137.	2,878.
	Open/File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030OSOFRHL(N)	2,354.	3,138.
	File/File Pedestal (shown)	30"	23 1/2"	48 7/8"	WTFD5030OSFFRHL(N)	2,459.	3,200.
	Open/Box/File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030OSOBRHL(N)	2,483.	3,245.
	Box (File Front)/File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030OSCFRHL(N)	2,531.	3,310.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030OSCBRHL(N)	2,616.	3,374.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access with Door, Open Locker, 50" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTFD5024OSFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFD Anchor Tower, Front Access with Door		
5. <i>Top Finish</i> See Finish Options page	50 50" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	OS Locker configuration, Open with Shelves	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

50" High Front Access with Door, Full Door Locker 24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access with Door, Full Door Locker Left Hand, 50" high, 24" wide 	Open Pedestal	24"	23 1/2"	48 7/8"	WTFD5024FDO1LHL(N)	\$2,045.	\$2,718.
	Full Door Pedestal	24"	23 1/2"	48 7/8"	WTFD5024FDFDLHL(N)	2,147.	2,829.
	Open/File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024FDOFLHL(N)	2,365.	3,089.
	File/File Pedestal (shown)	24"	23 1/2"	48 7/8"	WTFD5024FDFFLHL(N)	2,469.	3,150.
	Open/Box/File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024FDOBLHL(N)	2,494.	3,196.
	Box (File Front)/File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024FDCFLHL(N)	2,540.	3,261.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024FDCBLHL(N)	2,625.	3,326.
Tower, Front Access with Door, Full Door Locker Right Hand, 50" high, 24" wide 	Open Pedestal	24"	23 1/2"	48 7/8"	WTFD5024FDO1RHL(N)	2,045.	2,718.
	Full Door Pedestal	24"	23 1/2"	48 7/8"	WTFD5024FDFDRHL(N)	2,147.	2,829.
	Open/File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024FDOFRHL(N)	2,365.	3,089.
	File/File Pedestal (shown)	24"	23 1/2"	48 7/8"	WTFD5024FDFFRHL(N)	2,469.	3,150.
	Open/Box/File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024FDOBRHL(N)	2,494.	3,196.
	Box (File Front)/File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024FDCFRHL(N)	2,540.	3,261.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024FDCBRHL(N)	2,625.	3,326.
Tower, Front Access with Door, Full Door Locker Left Hand, 50" high, 30" wide 	Open Pedestal	30"	23 1/2"	48 7/8"	WTFD5030FDO1LHL(N)	2,242.	3,006.
	Full Door Pedestal	30"	23 1/2"	48 7/8"	WTFD5030FDFDLHL(N)	2,344.	3,117.
	Open/File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030FDOFLHL(N)	2,561.	3,376.
	File/File Pedestal (shown)	30"	23 1/2"	48 7/8"	WTFD5030FDFFLHL(N)	2,665.	3,437.
	Open/Box/File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030FDOBLHL(N)	2,690.	3,482.
	Box (File Front)/File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030FDCFLHL(N)	2,736.	3,549.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030FDCBLHL(N)	2,821.	3,612.
Tower, Front Access with Door, Full Door Locker Right Hand, 50" high, 30" wide 	Open Pedestal	30"	23 1/2"	48 7/8"	WTFD5030FDO1RHL(N)	2,242.	3,006.
	Full Door Pedestal	30"	23 1/2"	48 7/8"	WTFD5030FDFDRHL(N)	2,344.	3,117.
	Open/File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030FDOFRHL(N)	2,561.	3,376.
	File/File Pedestal (shown)	30"	23 1/2"	48 7/8"	WTFD5030FDFFRHL(N)	2,665.	3,437.
	Open/Box/File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030FDOBRHL(N)	2,690.	3,482.
	Box (File Front)/File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030FDCFRHL(N)	2,736.	3,549.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030FDCBRHL(N)	2,821.	3,612.


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access with Door, Full Door Locker, 50" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTFD5024FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFD Anchor Tower, Front Access with Door	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
5. <i>Top Finish</i> See Finish Options page	50 50" High		
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File	Dimensions listed under w h d are actual to the nearest 1/16".	
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Towers


Anchor Storage

57" High Front Access with Door, Open Locker 24" and 30" wide


description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access with Door, Open Locker Left Hand, 57" high, 24" wide	Full Door Pedestal	24"	23 1/2"	56 3/16"	WTFD5724OSFDLHL(N)	\$2,160.	\$2,909.
	Open/File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724OSOFLLHL(N)	2,378.	3,168.
	File/File Pedestal (shown)	24"	23 1/2"	56 3/16"	WTFD5724OSFFLHL(N)	2,482.	3,229.
	Open/Box/File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724OSOBLHL(N)	2,505.	3,274.
	Box (File Front)/File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724OSCFLLHL(N)	2,552.	3,341.
	Box (File Front)/File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724OSCBLLHL(N)	2,638.	3,405.




Tower, Front Access with Door, Open Locker Right Hand, 57" high, 24" wide	Full Door Pedestal	24"	23 1/2"	56 3/16"	WTFD5724OSFDRHL(N)	2,160.	2,909.
	Open/File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724OSOFRRHL(N)	2,378.	3,168.
	File/File Pedestal (shown)	24"	23 1/2"	56 3/16"	WTFD5724OSFFRRHL(N)	2,482.	3,229.
	Open/Box/File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724OSOBRHL(N)	2,505.	3,274.
	Box (File Front)/File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724OSCFRRHL(N)	2,552.	3,341.
	Box (File Front)/File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724OSCBRRHL(N)	2,638.	3,405.



Tower, Front Access with Door, Open Locker Left Hand, 57" high, 30" wide	Full Door Pedestal	30"	23 1/2"	56 3/16"	WTFD5730OSFDLHL(N)	2,364.	3,206.
	Open/File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730OSOFLLHL(N)	2,582.	3,465.
	File/File Pedestal (shown)	30"	23 1/2"	56 3/16"	WTFD5730OSFFLHL(N)	2,685.	3,526.
	Open/Box/File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730OSOBLHL(N)	2,709.	3,572.
	Box (File Front)/File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730OSCFLLHL(N)	2,756.	3,637.
	Box (File Front)/File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730OSCBLLHL(N)	2,842.	3,703.



Tower, Front Access with Door, Open Locker Right Hand, 57" high, 30" wide	Full Door Pedestal	30"	23 1/2"	56 3/16"	WTFD5730OSFDRHL(N)	2,364.	3,206.
	Open/File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730OSOFRRHL(N)	2,582.	3,465.
	File/File Pedestal (shown)	30"	23 1/2"	56 3/16"	WTFD5730OSFFRRHL(N)	2,685.	3,526.
	Open/Box/File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730OSOBRHL(N)	2,709.	3,572.
	Box (File Front)/File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730OSCFRRHL(N)	2,756.	3,637.
	Box (File Front)/File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730OSCBRRHL(N)	2,842.	3,703.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access with Door, Open Locker, 57" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTFD5724OSFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFD Anchor Tower, Front Access with Door		
5. <i>Top Finish</i> See Finish Options page	57 57" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	OS Locker configuration, Open with Shelves	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Towers


Anchor Storage

57" High Front Access with Door, Full Door Locker 24" and 30" wide


description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access with Door, Full Door Locker Left Hand, 57" high, 24" wide	Open Pedestal	24"	23 1/2"	56 3/16"	WTFD5724FDO1LHL(N)	\$2,209.	\$2,958.
	Full Door Pedestal	24"	23 1/2"	56 3/16"	WTFD5724FDFDLHL(N)	2,311.	3,068.
	Open/File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724FDOFLHL(N)	2,529.	3,327.
	File/File Pedestal (shown)	24"	23 1/2"	56 3/16"	WTFD5724FDFFLHL(N)	2,634.	3,389.
	Open/Box/File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724FDOBLHL(N)	2,658.	3,434.
	Box (File Front)/File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724FDCFLHL(N)	2,704.	3,501.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724FDCBLHL(N)	2,790.	3,564.




Tower, Front Access with Door, Full Door Locker Right Hand, 57" high, 24" wide	Open Pedestal	24"	23 1/2"	56 3/16"	WTFD5724FDO1RHL(N)	2,209.	2,958.
	Full Door Pedestal	24"	23 1/2"	56 3/16"	WTFD5724FDFDRHL(N)	2,311.	3,068.
	Open/File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724FDOFRHL(N)	2,529.	3,327.
	File/File Pedestal (shown)	24"	23 1/2"	56 3/16"	WTFD5724FDFFRHL(N)	2,634.	3,389.
	Open/Box/File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724FDOBRHL(N)	2,658.	3,434.
	Box (File Front)/File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724FDCFRHL(N)	2,704.	3,501.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724FDCBRHL(N)	2,790.	3,564.



Tower, Front Access with Door, Full Door Locker Left Hand, 57" high, 30" wide	Open Pedestal	30"	23 1/2"	56 3/16"	WTFD5730FDO1LHL(N)	2,419.	3,266.
	Full Door Pedestal	30"	23 1/2"	56 3/16"	WTFD5730FDFDLHL(N)	2,521.	3,378.
	Open/File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730FDOFLHL(N)	2,740.	3,636.
	File/File Pedestal (shown)	30"	23 1/2"	56 3/16"	WTFD5730FDFFLHL(N)	2,844.	3,698.
	Open/Box/File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730FDOBLHL(N)	2,868.	3,744.
	Box (File Front)/File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730FDCFLHL(N)	2,915.	3,809.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730FDCBLHL(N)	3,000.	3,874.



Tower, Front Access with Door, Full Door Locker Right Hand, 57" high, 30" wide	Open Pedestal	30"	23 1/2"	56 3/16"	WTFD5730FDO1RHL(N)	2,419.	3,266.
	Full Door Pedestal	30"	23 1/2"	56 3/16"	WTFD5730FDFDRHL(N)	2,521.	3,378.
	Open/File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730FDOFRHL(N)	2,740.	3,636.
	File/File Pedestal (shown)	30"	23 1/2"	56 3/16"	WTFD5730FDFFRHL(N)	2,844.	3,698.
	Open/Box/File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730FDOBRHL(N)	2,868.	3,744.
	Box (File Front)/File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730FDCFRHL(N)	2,915.	3,809.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730FDCBRHL(N)	3,000.	3,874.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access with Door, Full Door Locker, 57" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTFD5724FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFD Anchor Tower, Front Access with Door		
5. <i>Top Finish</i> See Finish Options page	57 57" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Towers


Anchor Storage

64" High Front Access with Door, Open Locker 24" and 30" wide


description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access with Door, Open Locker Left Hand, 64" high, 24" wide	Full Door Pedestal	24"	23 1/2"	63 7/16"	WTFD6424OSFDLHL(N)	\$2,372.	\$3,220.
	Open/File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424OSOFLHL(N)	2,589.	3,479.
	File/File Pedestal (shown)	24"	23 1/2"	63 7/16"	WTFD6424OSFFLHL(N)	2,692.	3,541.
	Open/Box/File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424OSOBLHL(N)	2,716.	3,586.
	Box (File Front)/File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424OSCFHL(N)	2,763.	3,652.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424OSCBHL(N)	2,849.	3,716.




Tower, Front Access with Door, Open Locker Right Hand, 64" high, 24" wide	Full Door Pedestal	24"	23 1/2"	63 7/16"	WTFD6424OSFDRHL(N)	2,372.	3,220.
	Open/File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424OSOFRHL(N)	2,589.	3,479.
	File/File Pedestal (shown)	24"	23 1/2"	63 7/16"	WTFD6424OSFFRHL(N)	2,692.	3,541.
	Open/Box/File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424OSOBRHL(N)	2,716.	3,586.
	Box (File Front)/File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424OSCFRHL(N)	2,763.	3,652.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424OSCBRHL(N)	2,849.	3,716.



Tower, Front Access with Door, Open Locker Left Hand, 64" high, 30" wide	Full Door Pedestal	30"	23 1/2"	63 7/16"	WTFD6430OSFDLHL(N)	2,582.	3,528.
	Open/File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430OSOFLHL(N)	2,799.	3,787.
	File/File Pedestal (shown)	30"	23 1/2"	63 7/16"	WTFD6430OSFFLHL(N)	2,903.	3,849.
	Open/Box/File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430OSOBLHL(N)	2,927.	3,894.
	Box (File Front)/File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430OSCFHL(N)	2,974.	3,961.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430OSCBHL(N)	3,059.	4,024.



Tower, Front Access with Door, Open Locker Right Hand, 64" high, 30" wide	Full Door Pedestal	30"	23 1/2"	63 7/16"	WTFD6430OSFDRHL(N)	2,582.	3,528.
	Open/File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430OSOFRHL(N)	2,799.	3,787.
	File/File Pedestal (shown)	30"	23 1/2"	63 7/16"	WTFD6430OSFFRHL(N)	2,903.	3,849.
	Open/Box/File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430OSOBRHL(N)	2,927.	3,894.
	Box (File Front)/File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430OSCFRHL(N)	2,974.	3,961.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430OSCBRHL(N)	3,059.	4,024.







Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access with Door, Open Locker, 64" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTFD6424OSFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFD Anchor Tower, Front Access with Door		
5. <i>Top Finish</i> See Finish Options page	64 64" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	OS Locker configuration, Open with Shelves	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File	Dimensions listed under w h d are actual to the nearest 1/16".	
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Towers

Anchor Storage

64" High Front Access with Door, Full Door Locker 24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access with Door, Full Door Locker Left Hand, 64" high, 24" wide 	Open Pedestal	24"	23 1/2"	63 7/16"	WTFD6424FDO1LHL(N)	\$2,432.	\$3,286.
	Full Door Pedestal	24"	23 1/2"	63 7/16"	WTFD6424FDFDLHL(N)	2,535.	3,397.
	Open/File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424FDOFLHL(N)	2,752.	3,655.
	File/File Pedestal (shown)	24"	23 1/2"	63 7/16"	WTFD6424FDFFLHL(N)	2,856.	3,718.
	Open/Box/File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424FDOBLHL(N)	2,880.	3,763.
	Box (File Front)/File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424FDCFLHL(N)	2,926.	3,829.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424FDCBLHL(N)	3,012.	3,892.
Tower, Front Access with Door, Full Door Locker Right Hand, 64" high, 24" wide 	Open Pedestal	24"	23 1/2"	63 7/16"	WTFD6424FDO1RHL(N)	2,432.	3,286.
	Full Door Pedestal	24"	23 1/2"	63 7/16"	WTFD6424FDFDRHL(N)	2,535.	3,397.
	Open/File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424FDOFRHL(N)	2,752.	3,655.
	File/File Pedestal (shown)	24"	23 1/2"	63 7/16"	WTFD6424FDFFRHL(N)	2,856.	3,718.
	Open/Box/File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424FDOBRHL(N)	2,880.	3,763.
	Box (File Front)/File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424FDCFRHL(N)	2,926.	3,829.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424FDCBRHL(N)	3,012.	3,892.
Tower, Front Access with Door, Full Door Locker Left Hand, 64" high, 30" wide 	Open Pedestal	30"	23 1/2"	63 7/16"	WTFD6430FDO1LHL(N)	2,657.	3,618.
	Full Door Pedestal	30"	23 1/2"	63 7/16"	WTFD6430FDFDLHL(N)	2,759.	3,727.
	Open/File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430FDOFLHL(N)	2,976.	3,986.
	File/File Pedestal (shown)	30"	23 1/2"	63 7/16"	WTFD6430FDFFLHL(N)	3,081.	4,048.
	Open/Box/File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430FDOBLHL(N)	3,105.	4,094.
	Box (File Front)/File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430FDCFLHL(N)	3,152.	4,159.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430FDCBLHL(N)	3,236.	4,224.
Tower, Front Access with Door, Full Door Locker Right Hand, 64" high, 30" wide 	Open Pedestal	30"	23 1/2"	63 7/16"	WTFD6430FDO1RHL(N)	2,657.	3,618.
	Full Door Pedestal	30"	23 1/2"	63 7/16"	WTFD6430FDFDLHR(N)	2,759.	3,727.
	Open/File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430FDOFRHL(N)	2,976.	3,986.
	File/File Pedestal (shown)	30"	23 1/2"	63 7/16"	WTFD6430FDFFRHL(N)	3,081.	4,048.
	Open/Box/File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430FDOBRHL(N)	3,105.	4,094.
	Box (File Front)/File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430FDCFRHL(N)	3,152.	4,159.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430FDCBRHL(N)	3,236.	4,224.

Order Information

1. *Base Pattern Number*
2. *Lock option*
L = Locking
N = Non-locking
3. *Case Finish*
See Finish Options page
4. *Front Finish*
See Finish Options page
5. *Top Finish*
See Finish Options page
6. *Pull style*
T = 10" finger pull
7. *Pull finish*
See Finish Options page
8. *Lock finish*
B = Black
C = Chrome

Order Code

Tower, Front Access with Door, Full Door Locker, 64" high, 24" wide, F/F pedestal, Left hand	
Example:	WTFD6424FDFFLHL
WTFD	Anchor Tower, Front Access with Door
64	64" High
24	24" Wide
FD	Locker configuration, Full Door
FF	Pedestal configuration, File/File
LH	Left hand
L	Laminate
(L)	Lock option, Locking
(118)	Case Finish
(118)	Front Finish
(118)	Top Finish
(T)	Pull Style
(118)	Pull Finish
(C)	Lock finish, Chrome

Specification Information

Refer to Tower Shelf count for number of included shelves with each interior configuration.

Add \$40 to the list price per standard key lock.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.





Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes

Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.

Towers with full door include a coat hook to be field installed.

description	description	w	d	h	pattern no.	L1	L2
 Full-depth tower locker shelf	single shelf, for 24" w tower	7 1/4"	22 3/4"	3/4"	WTLSF2401L	\$81.	\$91.
	single shelf, for 30" w tower	13 1/4"	22 3/4"	3/4"	WTLSF3001L	109.	124.
	pack of 4 shelves, for 24" w tower	7 1/4"	22 3/4"	3/4"	WTLSF2404L	235.	307.
	pack of 4 shelves, for 30" w tower	13 1/4"	22 3/4"	3/4"	WTLSF3004L	319.	437.
 Full-depth tower locker shelf, work surface thickness	single shelf, for 24" w tower	7 1/4"	22 3/4"	1 1/8"	WTLST2401L	91.	99.
	single shelf, for 30" w tower	13 1/4"	22 3/4"	1 1/8"	WTLST3001L	118.	132.
	pack of 4 shelves, for 24" w tower	7 1/4"	22 3/4"	1 1/8"	WTLST2404L	277.	343.
	pack of 4 shelves, for 30" w tower	13 1/4"	22 3/4"	1 1/8"	WTLST3004L	389.	492.
 Partial-depth tower locker shelf	single shelf, for 24" w tower	7 1/4"	11 3/8"	3/4"	WTLSP2401L	58.	64.
	single shelf, for 30" w tower	13 1/4"	11 3/8"	3/4"	WTLSP3001L	70.	79.
	pack of 4 shelves, for 24" w tower	7 1/4"	11 3/8"	3/4"	WTLSP2404L	150.	186.
	pack of 4 shelves, for 30" w tower	13 1/4"	11 3/8"	3/4"	WTLSP3004L	196.	254.
 Full-depth tower locker shelf with coat rod	single shelf, for 24" w tower	7 1/4"	22 3/4"	3/4"	WTLCKRKIT2401L	133.	143.
	single shelf, for 30" w tower	13 1/4"	22 3/4"	3/4"	WTLCKRKIT3001L	165.	181.
	pack of 4 shelves, for 24" w tower	7 1/4"	22 3/4"	3/4"	WTLCKRKIT2404L	352.	426.
	pack of 4 shelves, for 30" w tower	13 1/4"	22 3/4"	3/4"	WTLCKRKIT3004L	451.	568.
 Full-depth Tower Pedestal/Upper Shelf, for 24" or 30" wide tower	single shelf	14"	22 3/4"	3/4"	WPSF1601L	118.	136.
	pack of 4 shelves	14"	22 3/4"	3/4"	WPSF1604L	348.	475.

Order Information

1. *Base Pattern Number*
2. *Finish*
See Finish Options page

Order Code

Full-depth shelf for 24" w tower
locker

Example:	WTLSF2401L
WT	Anchor Tower
LSF	Locker Shelf (full depth)
24	for 24" wide tower
01	single shelf
L	Laminate
(118)	Finish, Bright White

Specification Information

Each shelf includes 4 mounding
pins.

Edgebanding preselected to match
or coordinate with laminate; see
"Finish Options" for further details.

Application Notes

Tower Locker shelves are for use
with open or full door lockers within
Anchor Towers only; not for use with
Anchor Lockers

Tower Pedestal/Upper shelves are
for use within the pedestal segment
of towers and upper segment of
Front Access towers. **Not for use in
upper segment of Side Access
towers.**

description	description	finish	pattern no.	list
Coat Hook, side mount 	Anodized Silver		WACH	\$37.
Coat Rod, top mount 	For locker in 24" wide tower	Chrome	WTLCRTM24	48.
	For locker in 30" wide tower	Chrome	WTLCRTM30	56.

Order Information

Order Code


Specification Information

Application Notes

Coat rods are for use with open or full door lockers within Anchor Towers only; not for use with Anchor Lockers.

Tower Front Panel for Side Access Tower

Anchor Storage

description	description	pattern no.	L1	L2	List
 Laminate Front Panel	for 42" high side access tower	WTFP42L	\$138.	\$152.	
	for 50" high side access tower	WTFP50L	163.	182.	
	for 57" high side access tower	WTFP57L	190.	215.	
	for 64" high side access tower	WTFP64L	211.	244.	
 Markerboard Front Panel	for 42" high side access tower	WTFP42M			216.
	for 50" high side access tower	WTFP50M			263.
	for 57" high side access tower	WTFP57M			311.
	for 64" high side access tower	WTFP64M			354.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i> 2. <i>Finish</i> See Finish Options page	Markerboard front panel for SA Tower Example: WTFP57M WT Anchor Tower FP Front panel 57 for 57" high side access tower M Markerboard laminate	Front panels include mounting bracket to install on side access tower. Side access towers must be specified with a drilled front to accept front panel mounting hardware.	Markerboard front panel is finished with 118 Bright White edgebanding.

Anchor Lockers

Anchor Lockers are 12" wide wood construction cabinets offered in 2 depths and 5 heights designed to correspond with Dividends Horizon panel heights. All drawer and door pulls are field installed.

Locker configurations include all open with shelves or enclosed with a door. Multiple door option is available in limited heights. Reference the Statement of Line for full product scope.

Available Sizes (nominal)

Height: 42", 50", 57", 64" 71"

Widths: 12"


Depth: 20", 24"

Lockers ship assembled excluding the top.


Locker tops must be specified separately.

Lockers may be specified with a full-width individual top or specified in banks with a common top spanning up to eight units. They may be installed facing the same or opposite direction. Lockers may also be used to support one end of a work surface utilizing the accessory L-bracket.


Lockers must be ganged to a locker, another Anchor storage unit or connected to a work surface for stability.



Lockers with common top (specified separately) spanning up to eight lockers




Locker connected to a workstation, ganged to another Anchor storage unit



Locker supporting one end of a work surface utilizing L-bracket accessory

Construction

- Lockers are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: 1 3/16" (nominal) on locker bottom, 3/4" on locker back, sides, subtop, interior shelves and doors.
- Material thickness: 1 3/16" (nominal) on locker tops (specified separately)
- Leveling glides: 5/16" diameter steel stem with 1/16" of height adjustment, 4 per locker.



Internal Clearances*

All Open with Shelves

Internal height:

- 42" high: A: 11 15/16", B: 12 1/4"
- 50" high: A: 11 15/16", C: 19 5/16"
- 57" high: A: 11 15/16", D: 13 1/8"
- 64" high: A: 11 15/16", E: 16 5/8"
- 71" high: A: 11 15/16", F: 20 1/8"

Internal width: 10 1/2"

Internal depth: 18 5/16", 22 3/4"

**Actual dimensions to the nearest 1/16th of an inch*


Locks

Anchor Lockers may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.


Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.

Pulls

All drawer and door pulls are field installed. Finger Pull, 10" long; vertically positioned 1 1/8" below top edge of door; exceptions shown below.




Standard Pull Position



Pull positions on 71" high lockers standard except the following:

- Full Door: 11 5/8" below top edge of door
- Double Door locker, top door: 1 1/8" above bottom edge of door
- Triple Door locker, top door: 11 1/8" below top edge of door

Locker Shelf Positions



Height	42"	42"	50"	50"	57"	57"	64"	64"	64"	71"	71"	71"	71"
Configuration	Open	Full Door	Open	Full Door	Open	Full Door	Open	Full Door	Double Door	Open	Full Door	Double Door	Triple Door
Number of shelves included standard	2	1	2	1*	3	1*	3	1	0	3	1	0	0
Total shelf positions predrilled	2	2	3	3*	3	3*	3	3	2**	5	5	4***	3**

* Middle shelf position can only accept a partial-depth shelf

** One shelf position per interior section

*** Two shelf positions per interior section

Locker Coat Hook and Coat Rod specifications

Locker with coat hook factory-installed

Sample pattern number: WL5724FHRHL(N)

Locker, Full Door, including coat hook

Includes:

- One full-depth shelf
- Coat hook, factory-installed, see hook location details below

Also shown:

- Two partial-depth shelves **(must be specified separately)**
- Locker top **(must be specified separately)**


This configuration allows for storage shelves at the back of the locker and coat storage at the front of the locker to maximize internal space.

To specify a locker with custom coat hook location:

- Locker (not including a hook) - sample pattern number WL5724FDRHL(N)
- Coat hook (pattern number WACH); field-installed
- Locker top specified separately

To specify a locker with a coat rod:

- Locker (not including a hook) - sample pattern number WL5724FDRHL(N)
- Coat rod (pattern number WLCR); field-installed
- Locker top specified separately



Locker cross-section

Coat hook standard location:

Coat hook is located on the same side panel as the door hinges.

3 1/2" (on center) from front edge of 20" deep locker case

5 5/8" (on center) from front edge of 24" deep locker case

1/2" below inner top (42", 50", 57", 64" high lockers)


1/2" below top shelf location (71" high locker)

Lockers

Open with Shelves

20" and 24" deep

Anchor Storage

description	nominal height	h	w	d	pattern no.	L1	L2
 Open with Shelves, 20" deep	42"	41 1/4"	12"	19 1/16"	WL4220OSL	\$844.	\$1,068.
	50"	48 5/16"	12"	19 1/16"	WL5020OSL	925.	1,174.
	57"	55 15/16"	12"	19 1/16"	WL5720OSL	1,059.	1,356.
	64"	63"	12"	19 1/16"	WL6420OSL	1,127.	1,449.
	71"	70 1/16"	12"	19 1/16"	WL7120OSL	1,193.	1,543.
 Open with Shelves, 24" deep	42"	41 1/4"	12"	23 1/2"	WL4224OSL	944.	1,224.
	50"	48 5/16"	12"	23 1/2"	WL5024OSL	1,028.	1,347.
	57"	55 15/16"	12"	23 1/2"	WL5724OSL	1,186.	1,559.
	64"	63"	12"	23 1/2"	WL6424OSL	1,265.	1,670.
	71"	70 1/16"	12"	23 1/2"	WL7124OSL	1,341.	1,781.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i> 2. <i>Finish</i> See Finish Options page	Locker , 12W, 42H, 20D Open with Shelves Example: WL4220OSL WL Anchor Locker 42 42" High 20 20" Deep OS Open with Shelves L Laminate (118) Case Finish, Bright White	Locker top must be specified separately, see "Locker Tops" section. Open lockers 42" and 50" high include 2 shelves; 57", 64" and 71" high include 3 shelves. Lockers with full-height door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately. Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock. Lockers with double doors require two locks; lockers with triple doors require three locks. Digital keypad locks require program and manager key(s), specified separately. See specification page for details. Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish. Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details. Dimensions listed under w h d are actual to the nearest 1/16".	Lockers must be connected to another unit, a work surface or a panel for stability. Refer to the Locker Planning and Stability Guidelines for further information. Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door. Heights shown indicate the overall height of a locker complete with a top (specified separately). Lockers including coat hook have a factory-installed coat hook on the end panel. Hook is located on the same side as the door hinges. See Locker Planning for details. Additional coat hooks may be specified separately (field installed). On units without a hook, coat hook or coat rod may be specified separately (field installed).

Lockers

Full Door including coat hook 20" and 24" deep

Anchor Storage

description	configuration	nominal height	h	w	d	pattern no.	L1	L2
Locker with Full Height Door, including coat hook, 20" deep 	left hand	42"	41 1/4"	12"	19 1/16"	WL4220FHLHL(N)	\$1,048.	\$1,292.
	left hand	50"	48 5/16"	12"	19 1/16"	WL5020FHLHL(N)	1,145.	1,428.
	left hand	57"	55 15/16"	12"	19 1/16"	WL5720FHLHL(N)	1,231.	1,544.
	left hand	64"	63"	12"	19 1/16"	WL6420FHLHL(N)	1,346.	1,690.
	left hand	71"	70 1/16"	12"	19 1/16"	WL7120FHLHL(N)	1,432.	1,807.
	right hand	42"	41 1/4"	12"	19 1/16"	WL4220FHRHL(N)	1,048.	1,292.
	right hand	50"	48 5/16"	12"	19 1/16"	WL5020FHRHL(N)	1,145.	1,428.
	right hand	57"	55 15/16"	12"	19 1/16"	WL5720FHRHL(N)	1,231.	1,544.
	right hand	64"	63"	12"	19 1/16"	WL6420FHRHL(N)	1,346.	1,690.
	right hand	71"	70 1/16"	12"	19 1/16"	WL7120FHRHL(N)	1,432.	1,807.
(right hand shown)								
Locker with Full Height Door, including coat hook, 24" deep 	left hand	42"	41 1/4"	12"	23 1/2"	WL4224FHLHL(N)	1,137.	1,414.
	left hand	50"	48 5/16"	12"	23 1/2"	WL5024FHLHL(N)	1,245.	1,566.
	left hand	57"	55 15/16"	12"	23 1/2"	WL5724FHLHL(N)	1,339.	1,694.
	left hand	64"	63"	12"	23 1/2"	WL6424FHLHL(N)	1,465.	1,852.
	left hand	71"	70 1/16"	12"	23 1/2"	WL7124FHLHL(N)	1,559.	1,982.
	right hand	42"	41 1/4"	12"	23 1/2"	WL4224FHRHL(N)	1,137.	1,414.
	right hand	50"	48 5/16"	12"	23 1/2"	WL5024FHRHL(N)	1,245.	1,566.
	right hand	57"	55 15/16"	12"	23 1/2"	WL5724FHRHL(N)	1,339.	1,694.
	right hand	64"	63"	12"	23 1/2"	WL6424FHRHL(N)	1,465.	1,852.
	right hand	71"	70 1/16"	12"	23 1/2"	WL7124FHRHL(N)	1,559.	1,982.
(right hand shown)								

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Locker , 42H, 20D, full door, incl. coat hook, left hand, laminate, locking Example: WL4220FHLHL WL Anchor Locker 42 42" High 20 20" Deep FH Full Door, with Coat Hook LH Left Hand L Laminate (L) Locking (118) Case Finish, Bright White (118) Door Finish, Bright White (T) Pull Style, 10" Finger pull (118) Pull Finish, Bright White (C) Lock finish, Chrome	Locker top must be specified separately, see "Locker Tops" section. Open lockers 42" and 50" high include 2 shelves; 57", 64" and 71" high include 3 shelves. Lockers with full-height door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately. Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock. Lockers with double doors require two locks; lockers with triple doors require three locks. Digital keypad locks require program and manager key(s), specified separately. See specification page for details. Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish. Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details. Dimensions listed under w h d are actual to the nearest 1/16".	Lockers must be connected to another unit, a work surface or a panel for stability. Refer to the Locker Planning and Stability Guidelines for further information. Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door. Heights shown indicate the overall height of a locker complete with a top (specified separately). Lockers including coat hook have a factory-installed coat hook on the end panel. Hook is located on the same side as the door hinges. See Locker Planning for details. Additional coat hooks may be specified separately (field installed). On units without a hook, coat hook or coat rod may be specified separately (field installed).
2. <i>Lock option</i> L = Locking N = Non-locking D = Digital keypad lock			
3. <i>Case Finish</i> See Finish Options page			
4. <i>Door Finish</i> See Finish Options page			
5. <i>Pull style</i> T = 10" Finger pull			
6. <i>Pull finish</i> See Finish Options page			
7. <i>Lock finish</i> See Finish Options page			

Lockers

Full Door

20" and 24" deep

Anchor Storage

description	configuration	nominal height	h	w	d	pattern no.	L1	L2
 Locker with Full Height Door, 20" deep (right hand shown)	left hand	42"	41 1/4"	12"	19 1/16"	WL4220FDLHL(N)	\$1,012.	\$1,256.
	left hand	50"	48 3/16"	12"	19 1/16"	WL5020FDLHL(N)	1,110.	1,391.
	left hand	57"	55 13/16"	12"	19 1/16"	WL5720FDLHL(N)	1,194.	1,508.
	left hand	64"	63"	12"	19 1/16"	WL6420FDLHL(N)	1,311.	1,655.
	left hand	71"	70 1/16"	12"	19 1/16"	WL7120FDLHL(N)	1,396.	1,771.
	right hand	42"	41 1/4"	12"	19 1/16"	WL4220FDRHL(N)	1,012.	1,256.
	right hand	50"	48 3/16"	12"	19 1/16"	WL5020FDRHL(N)	1,110.	1,391.
	right hand	57"		12"	19 1/2"	WL5720FDRHL(N)	1,194.	1,508.
	right hand	64"	63"	12"	19 1/16"	WL6420FDRHL(N)	1,311.	1,655.
	right hand	71"	70 1/16"	12"	19 1/16"	WL7120FDRHL(N)	1,396.	1,771.

 Locker with Full Height Door, 24" deep (right hand shown)	left hand	42"	41 1/4"	12"	23 1/2"	WL4224FDLHL(N)	1,101.	1,377.
	left hand	50"	48 3/16"	12"	23 1/2"	WL5024FDLHL(N)	1,209.	1,529.
	left hand	57"	55 13/16"	12"	23 1/2"	WL5724FDLHL(N)	1,303.	1,656.
	left hand	64"	63"	12"	23 1/2"	WL6424FDLHL(N)	1,428.	1,816.
	left hand	71"	70 1/16"	12"	23 1/2"	WL7124FDLHL(N)	1,523.	1,946.
	right hand	42"	41 1/4"	12"	23 1/2"	WL4224FDRHL(N)	1,101.	1,377.
	right hand	50"	48 3/16"	12"	23 1/2"	WL5024FDRHL(N)	1,209.	1,529.
	right hand	57"	55 13/16"	12"	23 1/2"	WL5724FDRHL(N)	1,303.	1,656.
	right hand	64"	63"	12"	23 1/2"	WL6424FDRHL(N)	1,428.	1,816.
	right hand	71"	70 1/16"	12"	23 1/2"	WL7124FDRHL(N)	1,523.	1,946.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i> 2. <i>Lock option</i> L = Locking N = Non-locking D = Digital keypad lock 3. <i>Case Finish</i> See Finish Options page 4. <i>Door Finish</i> See Finish Options page 5. <i>Pull style</i> T = 10" Finger pull 6. <i>Pull finish</i> See Finish Options page 7. <i>Lock finish</i> See Finish Options page	Locker , 42H, 20D, full door, left hand, laminate, locking Example: WL4220FDLHLL WL Anchor Locker 42 42" High 20 20" Deep FD Full Door LH Left Hand L Laminate (L) Locking (118) Case Finish, Bright White (118) Door Finish, Bright White (T) Pull Style, 10" Finger pull (118) Pull Finish, Bright White (C) Lock finish, Chrome	Locker top must be specified separately, see "Locker Tops" section. Open lockers 42" and 50" high include 2 shelves; 57", 64" and 71" high include 3 shelves. Lockers with full-height door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately. Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock. Lockers with double doors require two locks; lockers with triple doors require three locks. Digital keypad locks require program and manager key(s), specified separately. See specification page for details. Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish. Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details. Dimensions listed under w h d are actual to the nearest 1/16".	Lockers must be connected to another unit, a work surface or a panel for stability. Refer to the Locker Planning and Stability Guidelines for further information. Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door. Heights shown indicate the overall height of a locker complete with a top (specified separately). Lockers including coat hook have a factory-installed coat hook on the end panel. Hook is located on the same side as the door hinges. See Locker Planning for details. Additional coat hooks may be specified separately (field installed). On units without a hook, coat hook or coat rod may be specified separately (field installed).


Lockers

Double Door and Triple Door

20" and 24" deep

Anchor Storage

description	configuration	nominal height	h	w	d	pattern no.	L1	L2
Locker with Double Door, 20" deep	left hand	64"	63"	12"	19 1/16"	WL6420DDLHL(N)	\$1,357.	\$1,701.
	left hand	71"	70 1/16"	12"	19 1/16"	WL7120DDLHL(N)	1,443.	1,817.
	right hand	64"	63"	12"	19 1/16"	WL6420DDRHL(N)	1,357.	1,701.
	right hand	71"	70 1/16"	12"	19 1/16"	WL7120DDRHL(N)	1,443.	1,817.




(right hand shown)

Locker with Double Door, 24" deep	left hand	64"	63"	12"	23 1/2"	WL6424DDLHL(N)	1,474.	1,839.
	left hand	71"	70 1/16"	12"	23 1/2"	WL7124DDLHL(N)	1,570.	1,992.
	right hand	64"	63"	12"	23 1/2"	WL6424DDRHL(N)	1,474.	1,839.
	right hand	71"	70 1/16"	12"	23 1/2"	WL7124DDRHL(N)	1,570.	1,992.



(right hand shown)

Locker with Triple Door, 20" deep	left hand	71"	70 1/16"	12"	19 1/16"	WL7120TDLHL(N)	1,614.	2,006.
	right hand	71"	70 1/16"	12"	19 1/16"	WL7120TDRHL(N)	1,614.	2,006.



(right hand shown)

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Locker , 64H, 12W, 20D, double door, left hand, laminate, locking Example: WL6420DDLHLL WL Anchor Locker 64 64" High 20 20" Deep DD Double Door LH Left Hand L Laminate (L) Locking (118) Case Finish, Bright White (118) Door Finish, Bright White (T) Pull Style, 10" Finger pull (118) Pull Finish, Bright White (C) Lock finish, Chrome	Locker top must be specified separately, see "Locker Tops" section.	Lockers must be connected to another unit, a work surface or a panel for stability. Refer to the Locker Planning and Stability Guidelines for further information.
2. <i>Lock option</i> L = Locking N = Non-locking D = Digital keypad lock		Open lockers 42" and 50" high include 2 shelves; 57", 64" and 71" high include 3 shelves. Lockers with full-height door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately.	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
3. <i>Case Finish</i> See Finish Options page		Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock. Lockers with double doors require two locks; lockers with triple doors require three locks.	Heights shown indicate the overall height of a locker complete with a top (specified separately).
4. <i>Door Finish</i> See Finish Options page		Digital keypad locks require program and manager key(s), specified separately. See specification page for details.	Lockers including coat hook have a factory-installed coat hook on the end panel. Hook is located on the same side as the door hinges. See Locker Planning for details. Additional coat hooks may be specified separately (field installed).
5. <i>Pull style</i> T = 10" Finger pull		Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.	On units without a hook, coat hook or coat rod may be specified separately (field installed).
6. <i>Pull finish</i> See Finish Options page		Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
7. <i>Lock finish</i> See Finish Options page		Dimensions listed under w h d are actual to the nearest 1/16".	


Lockers

Double Door and Triple Door

20" and 24" deep

Anchor Storage

description	configuration	nominal height	h	w	d	pattern no.	L1	L2
Locker with Triple Door, 24" deep	left hand	71"	70 1/16"	12"	23 1/2"	WL7124TDLHL(N)	\$1,749.	\$2,192.
	right hand	71"	70 1/16"	12"	23 1/2"	WL7124TDRHL(N)	1,749.	2,192.



(right hand shown)

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Locker , 64H, 12W, 20D, double door, left hand, laminate, locking	Locker top must be specified separately, see "Locker Tops" section.	Lockers must be connected to another unit, a work surface or a panel for stability. Refer to the Locker Planning and Stability Guidelines for further information.
2. <i>Lock option</i> L = Locking N = Non-locking D = Digital keypad lock	Example: WL6420DDLHLL	Open lockers 42" and 50" high include 2 shelves; 57", 64" and 71" high include 3 shelves. Lockers with full-height door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately.	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
3. <i>Case Finish</i> See Finish Options page	WL Anchor Locker	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock. Lockers with double doors require two locks; lockers with triple doors require three locks.	Lockers including coat hook have a factory-installed coat hook on the end panel. Hook is located on the same side as the door hinges. See Locker Planning for details. Additional coat hooks may be specified separately (field installed). On units without a hook, coat hook or coat rod may be specified separately (field installed).
4. <i>Door Finish</i> See Finish Options page	64 64" High	Digital keypad locks require program and manager key(s), specified separately. See specification page for details.	
5. <i>Pull style</i> T = 10" Finger pull	20 20" Deep		
6. <i>Pull finish</i> See Finish Options page	DD Double Door		
7. <i>Lock finish</i> See Finish Options page	LH Left Hand		
	L Laminate		
	(L) Locking		
	(118) Case Finish, Bright White		
	(118) Door Finish, Bright White		
	(T) Pull Style, 10" Finger pull		
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome		

Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Locker Tops

For 20" and 24" deep lockers

Anchor Storage

description	application	w	d	h	pattern no.	L1	L2
 Tops for 20" deep lockers	top for 1 locker	12"	19 1/16"	1 1/8"	WLT1220L	\$92.	\$119.
	common top for 2 lockers	24"	19 1/16"	1 1/8"	WLT2420L	147.	200.
	common top for 3 lockers	36"	19 1/16"	1 1/8"	WLT3620L	211.	291.
	common top for 4 lockers	48"	19 1/16"	1 1/4"	WLT4820L	264.	371.
	common top for 5 lockers	60"	19 1/16"	1 1/8"	WLT6020L	325.	457.
	common top for 6 lockers	72"	19 1/16"	1 1/8"	WLT7220L	388.	548.
	common top for 7 lockers	84"	19 1/16"	1 1/8"	WLT8420L	453.	638.
	common top for 8 lockers	96"	19 1/16"	1 1/8"	WLT9620L	511.	723.
 Tops for 24" deep lockers	top for 1 locker	12"	23 1/2"	1 1/8"	WLT1224L	102.	137.
	common top for 2 lockers	24"	23 1/2"	1 1/8"	WLT2424L	169.	238.
	common top for 3 lockers	36"	23 1/2"	1 1/8"	WLT3624L	244.	345.
	common top for 4 lockers	48"	23 1/2"	1 1/8"	WLT4824L	309.	445.
	common top for 5 lockers	60"	23 1/2"	1 1/8"	WLT6024L	379.	549.
	common top for 6 lockers	72"	23 1/2"	1 1/8"	WLT7224L	455.	658.
	common top for 7 lockers	84"	23 1/2"	1 1/8"	WLT8424L	529.	766.
	common top for 8 lockers	96"	23 1/2"	1 1/8"	WLT9624L	600.	870.
Back-to-Back Tops for 20" deep lockers	top for 1 locker width	12"	38 1/8"	1 1/8"	WLT1240L	225.	256.
	common top for 2 lockers wide	24"	38 1/8"	1 1/8"	WLT2440L	346.	406.
	common top for 3 lockers wide	36"	38 1/8"	1 1/8"	WLT3640L	514.	604.
	common top for 4 lockers wide	48"	38 1/8"	1 1/8"	WLT4840L	640.	760.
	common top for 5 lockers wide	60"	38 1/8"	1 1/8"	WLT6040L	775.	925.
	common top for 6 lockers wide	72"	38 1/8"	1 1/8"	WLT7240L	912.	1,093.
	common top for 7 lockers wide	84"	38 1/8"	1 1/8"	WLT8440L	1,110.	1,289.
	common top for 8 lockers wide	96"	38 1/8"	1 1/8"	WLT9640L	1,256.	1,466.
Back-to-Back Tops for 24" deep lockers	top for 1 locker width	12"	47"	1 1/8"	WLT1248L	251.	288.
	common top for 2 lockers wide	24"	47"	1 1/8"	WLT2448L	393.	465.
	common top for 3 lockers wide	36"	47"	1 1/8"	WLT3648L	583.	693.
	common top for 4 lockers wide	48"	47"	1 1/8"	WLT4848L	730.	876.
	common top for 5 lockers wide	60"	47"	1 1/8"	WLT6048L	887.	1,070.
	common top for 6 lockers wide	72"	47"	1 1/8"	WLT7248L	1,048.	1,265.
	common top for 7 lockers wide	84"	47"	1 1/8"	WLT8448L	1,266.	1,518.
	common top for 8 lockers wide	96"	47"	1 1/8"	WLT9648L	1,434.	1,725.

Order Information

1. Base Pattern Number
2. Finish
See Finish Options page

Order Code

Locker Top, 12W x 20D	
Example:	WLT1220L
WLT	Anchor Locker Top
12	12" Wide
20	20" Deep
L	Laminate
(118)	Finish, Bright White

Specification Information

For use with Anchor Lockers only.

Edgebanding preselected to match or coordinate with laminate, see "Finish Options" page for further details.

Back-to-back tops are designed to be used over lockers of the same depth, positioned back-to-back flush with no gap.

Application Notes

Locker tops are 19" and 23" deep nominal.

Locker tops include hardware kit to secure to locker.
Common locker tops include hardware to gang lockers together. Individual tops do not include ganging hardware.

description	w	d	h	pattern no.	L1	L2
-------------	---	---	---	-------------	----	----

Full-depth shelf for 20" deep locker

10 1/2"


18 3/8"

3/4"

WLSF1220L

\$99.

\$117.



Full-depth shelf for 24" deep locker

10 1/2"


22 3/4"

3/4"

WLSF1224L

110.

129.



Partial-depth shelf for 20" and 24" deep locker

10 1/2"

11 3/8"

3/4"

WLSH1224L

81.

90.

Shelf kit with coat rod
for 24" deep locker


12"

24"

WLCRKIT1224L

174.

196.

Shelf kit with coat rod
for 20" deep locker


12"

19 1/16"

WLCRKIT1220L

165.

182.

**Order Information**

1. *Base Pattern Number*
2. *Finish*
See Finish Options page


Order Code

Locker Shelf, 12W x 20D

Example: **WLSF1220L****WLS** Anchor Locker Shelf**12** 12" Wide locker**20** 20" Deep locker**L** Laminate**(118)** Finish, Bright White**Specification Information****For use with Anchor Lockers only.**

Edgebanding preselected to match or coordinate with laminate, see "Finish Options" page for further details.

Application Notes

description	finish	pattern no.	list
Coat Hook, side mount 	Anodized Silver	WACH	\$37.
Coat Rod, side mount	Chrome	WLCR12	28.
Coat Rod, top mount 	Chrome	WLCRTM12	51.
L-bracket for side-mounted work surface 20" and 24" deep (nominal) 	Black	WLLB	43.
Programming key for digital keypad lock	n/a	WDKEYP	252.
Manager key for digital keypad lock	n/a	WDKEYM	183.

Order Information	Order Code	Specification Information	Application Notes
		Programming and manager key(s) must be specified for lockers with digital keypad locks. See specification page for further details.	WLLB L-bracket allows for a work surface to be mounted to the side of a locker (of matching depth).

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

		EXISTING CONSTRUCTION				
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16"	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
WACH	99, 111	WCWKIT03	48	WL7124DDLHL(N)	107	WOWSD72RHL(N)	62
WC22180L	13	WCWKIT04	48	WL7124DDRHL(N)	107	WOWSF2401L	63
WC22240L	13	WCWKIT05	48	WL7124FDLHL(N)	106	WOWSF2404L	63
WC2230BL(N)	14	WCWKIT06	23	WL7124FDRHL(N)	106	WOWSF3001L	63
WC2230FL(N)	14	WCWKIT07	23	WL7124FHLHL(N)	105	WOWSF3004L	63
WC22300L	14	WCWKIT08	23	WL7124FHRHL(N)	105	WOWSF3601L	63
WC2236BL(N)	15	WDKEYM	111	WL7124OSL	104	WOWSF3604L	63
WC2236FL(N)	15	WDKEYP	111	WL7124TDLHL(N)	108	WOWSF4201L	63
WC22360L	15	WL4220FDLHL(N)	106	WL7124TDRHL(N)	108	WOWSF4204L	63
WC2242BL(N)	16	WL4220FDRHL(N)	106	WLCR12	111	WOWSF4801L	63
WC2242FL(N)	16	WL4220FHLHL(N)	105	WLCRKIT1220L	110	WOWSF4804L	63
WC22420L	16	WL4220FHRHL(N)	105	WLCRKIT1224L	110	WOWSF6001L	63
WC2248B30018L(N)	17	WL4220OSL	104	WLCRTM12	111	WOWSF6004L	63
WC2248F30018L(N)	17	WL4224FDLHL(N)	106	WLLB	111	WOWSF7201L	63
WC2248018B30L(N)	17	WL4224FDRHL(N)	106	WLSF1220L	110	WOWSF7204L	63
WC2248018F30L(N)	17	WL4224FHLHL(N)	105	WLSF1224L	110	WP2812CBL(N)	35
WC2248018O30L	17	WL4224FHRHL(N)	105	WLSH1224L	110	WP2812CFL(N)	34
WC2248030018L	17	WL4224OSL	104	WLT1220L	109	WP2812CSL(N)	35
WC2260B30B30L(N)	18	WL5020FDLHL(N)	106	WLT1224L	109	WP2812F1LHL(N)	34
WC2260B30O30L(N)	18	WL5020FDRHL(N)	106	WLT1240L	109	WP2812F1RHL(N)	34
WC2260B36O24L(N)	18	WL5020FHLHL(N)	105	WLT1248L	109	WP2812F2LHL(N)	34
WC2260B42018L(N)	18	WL5020FHRHL(N)	105	WLT2420L	109	WP2812F2RHL(N)	34
WC2260F30F30L(N)	18	WL5020OSL	104	WLT2424L	109	WP2812FDLHL(N)	34
WC2260F36O24L(N)	18	WL5024FDLHL(N)	106	WLT2440L	109	WP2812FDRHL(N)	34
WC2260F42018L(N)	18	WL5024FDRHL(N)	106	WLT2448L	109	WP2812FFL(N)	35
WC2260018B42L(N)	18	WL5024FHLHL(N)	105	WLT3620L	109	WP2812O1L	34
WC2260018F42L(N)	18	WL5024FHRHL(N)	105	WLT3624L	109	WP2812O2L	34
WC2260018O42L	18	WL5024OSL	104	WLT3640L	109	WP2812OBL(N)	34
WC2260024B36L(N)	18	WL5720FDLHL(N)	106	WLT3648L	109	WP2812OFL(N)	34
WC2260024F36L(N)	18	WL5720FDRHL(N)	106	WLT4820L	109	WP2812OPL	34
WC2260024O36L	18	WL5720FHLHL(N)	105	WLT4824L	109	WP2812SOLHL(N)	35
WC2260030B30L(N)	18	WL5720FHRHL(N)	105	WLT4840L	109	WP2812SORHL(N)	35
WC2260030O30L	18	WL5720OSL	104	WLT4848L	109	WP2816CBL(N)	37
WC2260036O24L	18	WL5724FDLHL(N)	106	WLT6020L	109	WP2816CFL(N)	36
WC2260042018L	18	WL5724FDRHL(N)	106	WLT6024L	109	WP2816CSL(N)	37
WC2272B36B36L(N)	20	WL5724FHLHL(N)	105	WLT6040L	109	WP2816F1LHL(N)	36
WC2272B36O36L(N)	19	WL5724FHRHL(N)	105	WLT6048L	109	WP2816F1RHL(N)	36
WC2272B42030L(N)	19	WL5724OSL	104	WLT7220L	109	WP2816F2LHL(N)	36
WC2272F36F36L(N)	19	WL6420DDLHL(N)	107	WLT7224L	109	WP2816F2RHL(N)	36
WC2272F42030L(N)	19	WL6420DDRHL(N)	107	WLT7240L	109	WP2816FDLHL(N)	36
WC2272030B42L(N)	19	WL6420FDLHL(N)	106	WLT7248L	109	WP2816FDRHL(N)	36
WC2272030F42L(N)	19	WL6420FDRHL(N)	106	WLT8420L	109	WP2816GFL(N)	37
WC2272030O42L	19	WL6420FHLHL(N)	105	WLT8424L	109	WP2816O1L	36
WC2272036B36L(N)	19	WL6420FHRHL(N)	105	WLT8440L	109	WP2816O2L	36
WC2272036O36L	19	WL6420OSL	104	WLT8448L	109	WP2816OBL(N)	36
WC2272042030L	19	WL6424DDLHL(N)	107	WLT9620L	109	WP2816OFL(N)	36
WC2284B30B30O24L(N)	21	WL6424DDRHL(N)	107	WLT9624L	109	WP2816OPL	36
WC2284B30O24B30L(N)	21	WL6424FDLHL(N)	106	WLT9640L	109	WP2816SOLHL(N)	37
WC2284B30O30O24L(N)	22	WL6424FDRHL(N)	106	WLT9648L	109	WP2816SORHL(N)	37
WC2284B42B42L(N)	22	WL6424FHLHL(N)	105	WOWOP24L	62	WP2818OSL	42
WC2284F30O24F30L(N)	21	WL6424FHRHL(N)	105	WOWOP30L	62	WP2824OSL	42
WC2284F42F42L(N)	21	WL6424OSL	104	WOWOP36L	62	WP2830CFL(N)	44
WC2284O24B30B30L(N)	21	WL7120DDLHL(N)	107	WOWOP42L	62	WP2830FFL(N)	44
WC2284O24O30B30L(N)	22	WL7120DDRHL(N)	107	WOWOP48L	62	WP2830OBL(N)	43
WC2284O24O30O30L	21	WL7120FDLHL(N)	106	WOWOP60L	62	WP2830OFL(N)	43
WC2284O30O24O30L	21	WL7120FDRHL(N)	106	WOWOP72L	62	WP2830OSL	43
WC2284O30O30O24L	21	WL7120FHLHL(N)	105	WOWSD48LHL(N)	62	WP2836CFL(N)	44
WCCT3018	24	WL7120FHRHL(N)	105	WOWSD48RHL(N)	62	WP2836GFL(N)	44
WCCT3618	24	WL7120OSL	104	WOWSD60LHL(N)	62	WP2836OBL(N)	43
WCWKIT01	23	WL7120TDLHL(N)	107	WOWSD60RHL(N)	62	WP2836OFL(N)	43
WCWKIT02	23, 48	WL7120TDRHL(N)	107	WOWSD72LHL(N)	62	WP2836OSL	43

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
WP2842CFL(N)	44	WPM2412F1RHL(N)	28	WSPCF05736L	50	WSWSA421220L	52
WP2842FFL(N)	44	WPM2412FDLHL(N)	28	WSPCF05742L	50	WSWSA421230L	52
WP2842OBL(N)	43	WPM2412FDRHL(N)	28	WSPCF06430L	50	WSWSA4212L	52
WP2842OFL(N)	43	WPM2412O1L	28	WSPCF06436L	50	WSWSA421630L	53
WP2842OSL	43	WPM2412OFL(N)	28	WSPCF06442L	50	WSWSA4216L	52
WPC2824FDCBLHL(N)	40	WPM2412OPL	28	WSPCT4230	51	WSWSA501220L	52
WPC2824FDCBRHL(N)	40	WPM2412SOLHL(N)	29	WSPCT4236	51	WSWSA501230L	52
WPC2824FDCFLHL(N)	40	WPM2412SORHL(N)	29	WSPCT4242	51	WSWSA5012L	52
WPC2824FDCFRHL(N)	40	WPM2416BFL(N)	30	WSPCT5030	51	WSWSA501630L	53
WPC2824FDFDLHL(N)	40	WPM2416CML(N)	31	WSPCT5036	51	WSWSA5016L	52
WPC2824FDFDRHL(N)	40	WPM2416CSL(N)	30	WSPCT5042	51	WSWSA571220L	52
WPC2824FDFFLHL(N)	40	WPM2416F1LHL(N)	30	WSPCT5730	51	WSWSA571230L	52
WPC2824FDFFRHL(N)	40	WPM2416F1RHL(N)	30	WSPCT5736	51	WSWSA5712L	52
WPC2824FDO1LHL(N)	40	WPM2416FDLHL(N)	30	WSPCT5742	51	WSWSA571630L	53
WPC2824FDO1RHL(N)	40	WPM2416FDRHL(N)	30	WSPCT6430	51	WSWSA5716L	52
WPC2824FDOBLHL(N)	40	WPM2416O1L	30	WSPCT6436	51	WSWSA641220L	52
WPC2824FDOBRHL(N)	40	WPM2416OFL(N)	30	WSPCT6442	51	WSWSA641230L	52
WPC2824FDOFLHL(N)	40	WPM2416OPL	30	WSPWFO4230L	59	WSWSA6412L	52
WPC2824FDOFRHL(N)	40	WPM2416SOLHL(N)	31	WSPWFO4236L	59	WSWSA641630L	53
WPC2824OSCBHLHL(N)	38	WPM2416SORHL(N)	31	WSPWFO4242L	59	WSWSA6416L	52
WPC2824OSCBRHL(N)	38	WPMC12	32, 33	WSPWFO5030L	59	WSWSAY421224L	55
WPC2824OSCFHLHL(N)	38	WPMC16	32, 33	WSPWFO5036L	59	WSWSAY421227L	55
WPC2824OSCFRHL(N)	38	WPMF1201L	45	WSPWFO5042L	59	WSWSAY421230L	55
WPC2824OSFDLHL(N)	38	WPMF1204L	45	WSPWFO5730L	59	WSWSAY501224L	55
WPC2824OSFDRHL(N)	38	WPMF1601L	45	WSPWFO5736L	59	WSWSAY501227L	55
WPC2824OSFFLHL(N)	38	WPMF1604L	45	WSPWFO5742L	59	WSWSAY501230L	55
WPC2824OSFFRHL(N)	38	WPSF1201L	45	WSPWFO6430L	59	WSWSAY571224L	55
WPC2824OSO1LHL	38	WPSF1204L	45	WSPWFO6436L	59	WSWSAY571227L	55
WPC2824OSO1RHL	38	WPSF1601L	45, 98	WSPWFO6442L	59	WSWSAY571230L	55
WPC2824OSOBHLHL(N)	38	WPSF1604L	45, 98	WSPWT4230	60	WSWSAY641224L	55
WPC2824OSOBRHL(N)	38	WPSOB01	45, 69	WSPWT4236	60	WSWSAY641227L	55
WPC2824OSOFHLHL(N)	38	WPSOB05	45, 69	WSPWT4242	60	WSWSAY641230L	55
WPC2824OSOFRHL(N)	38	WPSOH05	46, 69	WSPWT5030	60	WSWT4220	54
WPC2830FDCBLHL(N)	41	WPSOH40	46, 69	WSPWT5036	60	WSWT4224	54
WPC2830FDCBRHL(N)	41	WPSOHP01	45, 70	WSPWT5042	60	WSWT4230	54
WPC2830FDCFLHL(N)	41	WPSOTRC01	46, 69	WSPWT5730	60	WSWT5020	54
WPC2830FDCFRHL(N)	41	WPSOTRL01	45, 69	WSPWT5736	60	WSWT5024	54
WPC2830FDFDLHL(N)	41	WPSOTRS01	45, 69	WSPWT5742	60	WSWT5030	54
WPC2830FDFDRHL(N)	41	WPT3020L	47	WSPWT6430	60	WSWT5720	54
WPC2830FDFFLHL(N)	41	WPT3620L	47	WSPWT6436	60	WSWT5724	54
WPC2830FDFFRHL(N)	41	WPT4220L	47	WSPWT6442	60	WSWT5730	54
WPC2830FDO1LHL(N)	41	WPT4820L	47	WSWFD4212LHL(N)	58	WSWT6420	54
WPC2830FDO1RHL(N)	41	WPT5420L	47	WSWFD4212RHL(N)	58	WSWT6424	54
WPC2830FDOBLHL(N)	41	WPT6020L	47	WSWFD4216LHL(N)	58	WSWT6430	54
WPC2830FDOBRHL(N)	41	WPT6620L	47	WSWFD4216RHL(N)	58	WSWTY4224	56
WPC2830FDOFLHL(N)	41	WPT7220L	47	WSWFD5012LHL(N)	58	WSWTY4227	56
WPC2830FDOFRHL(N)	41	WPT7820L	47	WSWFD5012RHL(N)	58	WSWTY4230	56
WPC2830OSCBHLHL(N)	39	WPT8420L	47	WSWFD5016LHL(N)	58	WSWTY5024	56
WPC2830OSCBRHL(N)	39	WPTY3020L	47	WSWFD5016RHL(N)	58	WSWTY5027	56
WPC2830OSCFHLHL(N)	39	WPTY3620L	47	WSWFD5712LHL(N)	58	WSWTY5030	56
WPC2830OSCFRHL(N)	39	WPTY4220L	47	WSWFD5712RHL(N)	58	WSWTY5724	56
WPC2830OSFDLHL(N)	39	WPTY4820L	47	WSWFD5716LHL(N)	58	WSWTY5727	56
WPC2830OSFDRHL(N)	39	WPTY5420L	47	WSWFD5716RHL(N)	58	WSWTY5730	56
WPC2830OSFFLHL(N)	39	WPTY6020L	47	WSWFD6412LHL(N)	58	WSWTY6424	56
WPC2830OSFFRHL(N)	39	WPTY6620L	47	WSWFD6412RHL(N)	58	WSWTY6427	56
WPC2830OSO1LHL	39	WPTY7220L	47	WSWFD6416LHL(N)	58	WSWTY6430	56
WPC2830OSO1RHL	39	WPTY7820L	47	WSWFD6416RHL(N)	58	WTFD4224FDCBLHL(N)	91
WPC2830OSOBHLHL(N)	39	WPTY8420L	47	WSWFO4212L	57	WTFD4224FDCBRHL(N)	91
WPC2830OSOBRHL(N)	39	WSPCF04230L	50	WSWFO4216L	57	WTFD4224FDCFLHL(N)	91
WPC2830OSOFHLHL(N)	39	WSPCF04236L	50	WSWFO5012L	57	WTFD4224FDCFRHL(N)	91
WPC2830OSOFRHL(N)	39	WSPCF04242L	50	WSWFO5016L	57	WTFD4224FDFDLHL(N)	91
WPM2412BFL(N)	28	WSPCF05030L	50	WSWFO5712L	57	WTFD4224FDFDRHL(N)	91
WPM2412CML(N)	29	WSPCF05036L	50	WSWFO5716L	57	WTFD4224FDFFLHL(N)	91
WPM2412CSL(N)	28	WSPCF05042L	50	WSWFO6712L	57	WTFD4224FDFFRHL(N)	91
WPM2412F1LHL(N)	28	WSPCF05730L	50	WSWFO6716L	57	WTFD4224FDO1LHL(N)	91

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
WTFD4224FDO1RHL(N)	91	WTFD5024OSOBLHL(N)	92	WTFD5730FDO1RHL(N)	95	WTFD6430SOBLHL(N)	96
WTFD4224FDOBLHL(N)	91	WTFD5024OSOBRHL(N)	92	WTFD5730FDOBLHL(N)	95	WTFD6430SOBRHL(N)	96
WTFD4224FDOBRHL(N)	91	WTFD5024OSOFLLHL(N)	92	WTFD5730FDOBRHL(N)	95	WTFD6430SOFLLHL(N)	96
WTFD4224FDOFLHL(N)	91	WTFD5024OSOFRHL(N)	92	WTFD5730FDOFLHL(N)	95	WTFD6430SOFRHL(N)	96
WTFD4224FDOFRHL(N)	91	WTFD5030FDCBLHL(N)	93	WTFD5730FDOFRHL(N)	95	WTF04224FDCBLHL(N)	83
WTFD4224OSCBHL(N)	90	WTFD5030FDCBRHL(N)	93	WTFD5730OSCBHL(N)	94	WTF04224FDCBRHL(N)	83
WTFD4224OSCBRHL(N)	90	WTFD5030FDCFLHL(N)	93	WTFD5730OSCBRHL(N)	94	WTF04224FDCFLHL(N)	83
WTFD4224OSCFLHL(N)	90	WTFD5030FDCFRHL(N)	93	WTFD5730OSCFLHL(N)	94	WTF04224FDCFRHL(N)	83
WTFD4224OSCFRHL(N)	90	WTFD5030FDFDLHL(N)	93	WTFD5730OSCFRHL(N)	94	WTF04224FDFDLHL(N)	83
WTFD4224OSFDLHL(N)	90	WTFD5030FDFDRHL(N)	93	WTFD5730OSFDLHL(N)	94	WTF04224FDFDRHL(N)	83
WTFD4224OSFDRHL(N)	90	WTFD5030FDFFLHL(N)	93	WTFD5730OSFDRHL(N)	94	WTF04224FDFFLHL(N)	83
WTFD4224OSFFLHL(N)	90	WTFD5030FDFFRHL(N)	93	WTFD5730OSFFLHL(N)	94	WTF04224FDFFRHL(N)	83
WTFD4224OSFFRHL(N)	90	WTFD5030FDO1LHL(N)	93	WTFD5730OSFFRHL(N)	94	WTF04224FDO1LHL(N)	83
WTFD4224OSOBLHL(N)	90	WTFD5030FDO1RHL(N)	93	WTFD5730SOBLHL(N)	94	WTF04224FDO1RHL(N)	83
WTFD4224OSOBRHL(N)	90	WTFD5030FDOBLHL(N)	93	WTFD5730SOBRHL(N)	94	WTF04224FDOBLHL(N)	83
WTFD4224OSOFLLHL(N)	90	WTFD5030FDOBRHL(N)	93	WTFD5730SOFLLHL(N)	94	WTF04224FDOBRHL(N)	83
WTFD4224OSOFRHL(N)	90	WTFD5030FDOFLHL(N)	93	WTFD5730SOFRHL(N)	94	WTF04224FDOFLHL(N)	83
WTFD4230FDCBLHL(N)	91	WTFD5030FDOFRHL(N)	93	WTFD6424FDCBLHL(N)	97	WTF04224FDOFRHL(N)	83
WTFD4230FDCBRHL(N)	91	WTFD5030OSCBHL(N)	92	WTFD6424FDCBRHL(N)	97	WTF04224OSCBHL(N)	82
WTFD4230FDCFLHL(N)	91	WTFD5030OSCBRHL(N)	92	WTFD6424FDCFLHL(N)	97	WTF04224OSCBRHL(N)	82
WTFD4230FDCFRHL(N)	91	WTFD5030OSCFLHL(N)	92	WTFD6424FDCFRHL(N)	97	WTF04224OSCFLHL(N)	82
WTFD4230FDFDLHL(N)	91	WTFD5030OSCFRHL(N)	92	WTFD6424FDFDLHL(N)	97	WTF04224OSCFRHL(N)	82
WTFD4230FDFDRHL(N)	91	WTFD5030OSFDLHL(N)	92	WTFD6424FDFDRHL(N)	97	WTF04224OSFDLHL(N)	82
WTFD4230FDFFLHL(N)	91	WTFD5030OSFDRHL(N)	92	WTFD6424FDFFLHL(N)	97	WTF04224OSFDRHL(N)	82
WTFD4230FDFFRHL(N)	91	WTFD5030OSFFLHL(N)	92	WTFD6424FDFFRHL(N)	97	WTF04224OSFFLHL(N)	82
WTFD4230FDO1LHL(N)	91	WTFD5030OSFFRHL(N)	92	WTFD6424FDO1LHL(N)	97	WTF04224OSFFRHL(N)	82
WTFD4230FDO1RHL(N)	91	WTFD5030SOBLHL(N)	92	WTFD6424FDO1RHL(N)	97	WTF04224OSO1LHL	82
WTFD4230FDOBLHL(N)	91	WTFD5030SOBRHL(N)	92	WTFD6424FDOBLHL(N)	97	WTF04224OSO1RHL	82
WTFD4230FDOBRHL(N)	91	WTFD5030SOFLLHL(N)	92	WTFD6424FDOBRHL(N)	97	WTF04224OSOBLHL(N)	82
WTFD4230FDOFLHL(N)	91	WTFD5030SOFRHL(N)	92	WTFD6424FDOFLHL(N)	97	WTF04224OSOBRHL(N)	82
WTFD4230FDOFRHL(N)	91	WTFD5724FDCBLHL(N)	95	WTFD6424FDOFRHL(N)	97	WTF04224OSOFLLHL(N)	82
WTFD4230OSCBHL(N)	90	WTFD5724FDCBRHL(N)	95	WTFD6424OSCBHL(N)	96	WTF04224OSOFRHL(N)	82
WTFD4230OSCBRHL(N)	90	WTFD5724FDCFLHL(N)	95	WTFD6424OSCBRHL(N)	96	WTF04230FDCBLHL(N)	83
WTFD4230OSCFLHL(N)	90	WTFD5724FDCFRHL(N)	95	WTFD6424OSCFLHL(N)	96	WTF04230FDCBRHL(N)	83
WTFD4230OSCFRHL(N)	90	WTFD5724FDFDLHL(N)	95	WTFD6424OSCFRHL(N)	96	WTF04230FDCFLHL(N)	83
WTFD4230OSFDLHL(N)	90	WTFD5724FDFDRHL(N)	95	WTFD6424OSFDLHL(N)	96	WTF04230FDCFRHL(N)	83
WTFD4230OSFDRHL(N)	90	WTFD5724FDFFLHL(N)	95	WTFD6424OSFDRHL(N)	96	WTF04230FDFDLHL(N)	83
WTFD4230OSFFLHL(N)	90	WTFD5724FDFFRHL(N)	95	WTFD6424OSFFLHL(N)	96	WTF04230FDFDRHL(N)	83
WTFD4230OSFFRHL(N)	90	WTFD5724FDO1LHL(N)	95	WTFD6424OSFFRHL(N)	96	WTF04230FDFFLHL(N)	83
WTFD4230SOBLHL(N)	90	WTFD5724FDO1RHL(N)	95	WTFD6424SOBLHL(N)	96	WTF04230FDFFRHL(N)	83
WTFD4230SOBRHL(N)	90	WTFD5724FDOBLHL(N)	95	WTFD6424SOBRHL(N)	96	WTF04230FDO1LHL(N)	83
WTFD4230SOFLLHL(N)	90	WTFD5724FDOBRHL(N)	95	WTFD6424SOFLLHL(N)	96	WTF04230FDO1RHL(N)	83
WTFD4230SOFRHL(N)	90	WTFD5724FDOFLHL(N)	95	WTFD6424SOFRHL(N)	96	WTF04230FDOBLHL(N)	83
WTFD5024FDCBLHL(N)	93	WTFD5724FDOFRHL(N)	95	WTFD6430FDCBLHL(N)	97	WTF04230FDOBRHL(N)	83
WTFD5024FDCBRHL(N)	93	WTFD5724OSCBHL(N)	94	WTFD6430FDCBRHL(N)	97	WTF04230FDOFLHL(N)	83
WTFD5024FDCFLHL(N)	93	WTFD5724OSCBRHL(N)	94	WTFD6430FDCFLHL(N)	97	WTF04230FDOFRHL(N)	83
WTFD5024FDCFRHL(N)	93	WTFD5724OSCFLHL(N)	94	WTFD6430FDCFRHL(N)	97	WTF04230FDCFLHL(N)	82
WTFD5024FDFDLHL(N)	93	WTFD5724OSCFRHL(N)	94	WTFD6430FDFDLHL(N)	97	WTF04230OSCBHL(N)	82
WTFD5024FDFDRHL(N)	93	WTFD5724OSFDLHL(N)	94	WTFD6430FDFDLHL(N)	97	WTF04230OSCBRHL(N)	82
WTFD5024FDFFLHL(N)	93	WTFD5724OSFDRHL(N)	94	WTFD6430FDFFLHL(N)	97	WTF04230OSCFLHL(N)	82
WTFD5024FDFFRHL(N)	93	WTFD5724OSFFLHL(N)	94	WTFD6430FDFFRHL(N)	97	WTF04230OSCFRHL(N)	82
WTFD5024FDO1LHL(N)	93	WTFD5724OSFFRHL(N)	94	WTFD6430FDO1LHL(N)	97	WTF04230OSFDLHL(N)	82
WTFD5024FDO1RHL(N)	93	WTFD5724OSOBLHL(N)	94	WTFD6430FDO1RHL(N)	97	WTF04230OSFDRHL(N)	82
WTFD5024FDOBLHL(N)	93	WTFD5724OSOBRHL(N)	94	WTFD6430FDOBLHL(N)	97	WTF04230OSFFLHL(N)	82
WTFD5024FDOBRHL(N)	93	WTFD5724OSOFLLHL(N)	94	WTFD6430FDOBRHL(N)	97	WTF04230OSFFRHL(N)	82
WTFD5024FDOFLHL(N)	93	WTFD5724OSOFRHL(N)	94	WTFD6430FDOFLHL(N)	97	WTF04230SO1LHL	82
WTFD5024FDOFRHL(N)	93	WTFD5730FDCBLHL(N)	95	WTFD6430FDOFRHL(N)	97	WTF04230SO1RHL	82
WTFD5024OSCBHL(N)	92	WTFD5730FDCBRHL(N)	95	WTFD6430OSCBHL(N)	96	WTF04230SOBLHL(N)	82
WTFD5024OSCBRHL(N)	92	WTFD5730FDCFLHL(N)	95	WTFD6430OSCBRHL(N)	96	WTF04230SOBRHL(N)	82
WTFD5024OSCFLHL(N)	92	WTFD5730FDCFRHL(N)	95	WTFD6430OSCFLHL(N)	96	WTF04230SOFLLHL(N)	82
WTFD5024OSCFRHL(N)	92	WTFD5730FDFDLHL(N)	95	WTFD6430OSCFRHL(N)	96	WTF05024FDCBLHL(N)	85
WTFD5024OSFDRHL(N)	92	WTFD5730FDFDRHL(N)	95	WTFD6430OSFDRHL(N)	96	WTF05024FDCBRHL(N)	85
WTFD5024OSFDLHL(N)	92	WTFD5730FDFFLHL(N)	95	WTFD6430OSFDRHL(N)	96	WTF05024FDCFLHL(N)	85
WTFD5024OSFFLHL(N)	92	WTFD5730FDFFRHL(N)	95	WTFD6430OSFFLHL(N)	96	WTF05024FDCFRHL(N)	85
WTFD5024OSFFRHL(N)	92	WTFD5730FDO1LHL(N)	95	WTFD6430OSFFRHL(N)	96	WTF05024FDFDLHL(N)	85

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
WTF05024FDFDRHL(N)	85	WTF05724OSCBHL(N)	86	WTF06424OSO1RHL	88	WTS44224FDFFLHL(N)	75
WTF05024FDFFLHL(N)	85	WTF05724OSCBRHL(N)	86	WTF06424OSOBLHL(N)	88	WTS44224FDFFRHL(N)	75
WTF05024FDFFRHL(N)	85	WTF05724OSCFHL(N)	86	WTF06424OSOBRHL(N)	88	WTS44224FDO1LHL(N)	75
WTF05024FDO1LHL	85	WTF05724OSCFRHL(N)	86	WTF06424OSOFHL(N)	88	WTS44224FDO1RHL(N)	75
WTF05024FDO1RHL	85	WTF05724OSFDLHL(N)	86	WTF06424OSOFRHL(N)	88	WTS44224FDOBLHL(N)	75
WTF05024FDOBLHL(N)	85	WTF05724OSFDRHL(N)	86	WTF06430FDCBLHL(N)	89	WTS44224FDOBRHL(N)	75
WTF05024FDOBRHL(N)	85	WTF05724OSFHL(N)	86	WTF06430FDCBRHL(N)	89	WTS44224FDOFLHL(N)	75
WTF05024FDOFLHL(N)	85	WTF05724OSFFRHL(N)	86	WTF06430FDCFLHL(N)	89	WTS44224FDOFRHL(N)	75
WTF05024FDOFRHL(N)	85	WTF05724OSO1LHL	86	WTF06430FDCFRHL(N)	89	WTS44224OSCBHL(N)	74
WTF05024OSCBHL(N)	84	WTF05724OSO1RHL	86	WTF06430FDFDLHL(N)	89	WTS44224OSCBRHL(N)	74
WTF05024OSCBRHL(N)	84	WTF05724OSOBLHL(N)	86	WTF06430FDFDRHL(N)	89	WTS44224OSCFHL(N)	74
WTF05024OSCFHL(N)	84	WTF05724OSOBRHL(N)	86	WTF06430FDFFLHL(N)	89	WTS44224OSCFRHL(N)	74
WTF05024OSCFRHL(N)	84	WTF05724OSOFHL(N)	86	WTF06430FDFFRHL(N)	89	WTS44224OSFDLHL(N)	74
WTF05024OSFDLHL(N)	84	WTF05724OSOFRHL(N)	86	WTF06430FDO1LHL(N)	89	WTS44224OSFDRHL(N)	74
WTF05024OSFDRHL(N)	84	WTF05730FDCBLHL(N)	87	WTF06430FDO1RHL(N)	89	WTS44224OSFHL(N)	74
WTF05024OSFHL(N)	84	WTF05730FDCBRHL(N)	87	WTF06430FDOBLHL(N)	89	WTS44224OSFFRHL(N)	74
WTF05024OSFFRHL(N)	84	WTF05730FDCFLHL(N)	87	WTF06430FDOBRHL(N)	89	WTS44224OSO1LHL	74
WTF05024OSO1LHL	84	WTF05730FDCFRHL(N)	87	WTF06430FDOFLHL(N)	89	WTS44224OSO1RHL	74
WTF05024OSO1RHL	84	WTF05730FDFDLHL(N)	87	WTF06430FDOFRHL(N)	89	WTS44224OSOBLHL(N)	74
WTF05024OSOBLHL(N)	84	WTF05730FDFDRHL(N)	87	WTF06430OSCBHL(N)	88	WTS44224OSOBRHL(N)	74
WTF05024OSOBRHL(N)	84	WTF05730FDFFLHL(N)	87	WTF06430OSCBRHL(N)	88	WTS44224OSOFHL(N)	74
WTF05024OSOFHL(N)	84	WTF05730FDFFRHL(N)	87	WTF06430OSCFHL(N)	88	WTS44224OSOFRHL(N)	74
WTF05024OSOFRHL(N)	84	WTF05730FDO1LHL(N)	87	WTF06430OSCFRHL(N)	88	WTS44230FDCBLHL(N)	75
WTF05030FDCBLHL(N)	85	WTF05730FDO1RHL(N)	87	WTF06430OSFDLHL(N)	88	WTS44230FDCBRHL(N)	75
WTF05030FDCBRHL(N)	85	WTF05730FDOBLHL(N)	87	WTF06430OSFDRHL(N)	88	WTS44230FDCFLHL(N)	75
WTF05030FDCFLHL(N)	85	WTF05730FDOBRHL(N)	87	WTF06430OSFHL(N)	88	WTS44230FDCFRHL(N)	75
WTF05030FDCFRHL(N)	85	WTF05730FDOFLHL(N)	87	WTF06430OSFFRHL(N)	88	WTS44230FDFDLHL(N)	75
WTF05030FDFDLHL(N)	85	WTF05730FDOFRHL(N)	87	WTF06430OSO1LHL	88	WTS44230FDFDRHL(N)	75
WTF05030FDFDRHL(N)	85	WTF05730OSCBHL(N)	86	WTF06430OSO1RHL	88	WTS44230FDFFLHL(N)	75
WTF05030FDFFLHL(N)	85	WTF05730OSCBRHL(N)	86	WTF06430OSOBLHL(N)	88	WTS44230FDFFRHL(N)	75
WTF05030FDFFRHL(N)	85	WTF05730OSCFHL(N)	86	WTF06430OSOBRHL(N)	88	WTS44230FDO1LHL(N)	75
WTF05030FDO1LHL	85	WTF05730OSCFRHL(N)	86	WTF06430OSOFHL(N)	88	WTS44230FDO1RHL(N)	75
WTF05030FDO1RHL	85	WTF05730OSFDLHL(N)	86	WTF06430OSOFRHL(N)	88	WTS44230FDOBLHL(N)	75
WTF05030FDOBLHL(N)	85	WTF05730OSFDRHL(N)	86	WTFP42L	100	WTS44230FDOBRHL(N)	75
WTF05030FDOBRHL(N)	85	WTF05730OSFHL(N)	86	WTFP42M	100	WTS44230FDOFLHL(N)	75
WTF05030FDOFLHL(N)	85	WTF05730OSFFRHL(N)	86	WTFP50L	100	WTS44230FDOFRHL(N)	75
WTF05030FDOFRHL(N)	85	WTF05730OSO1LHL	86	WTFP50M	100	WTS44230OSCBHL(N)	74
WTF05030OSCBHL(N)	84	WTF05730OSO1RHL	86	WTFP57L	100	WTS44230OSCBRHL(N)	74
WTF05030OSCBRHL(N)	84	WTF05730OSOBLHL(N)	86	WTFP57M	100	WTS44230OSCFHL(N)	74
WTF05030OSCFHL(N)	84	WTF05730OSOBRHL(N)	86	WTFP64L	100	WTS44230OSCFRHL(N)	74
WTF05030OSCFRHL(N)	84	WTF05730OSOFHL(N)	86	WTFP64M	100	WTS44230OSFDLHL(N)	74
WTF05030OSFDLHL(N)	84	WTF05730OSOFRHL(N)	86	WTLCKRKIT2401L	98	WTS44230OSFDRHL(N)	74
WTF05030OSFDRHL(N)	84	WTF06424FDCBLHL(N)	89	WTLCKRKIT2404L	98	WTS44230OSFHL(N)	74
WTF05030OSFHL(N)	84	WTF06424FDCBRHL(N)	89	WTLCKRKIT3001L	98	WTS44230OSFFRHL(N)	74
WTF05030OSFFRHL(N)	84	WTF06424FDCFLHL(N)	89	WTLCKRKIT3004L	98	WTS44230OSO1LHL	74
WTF05030OSO1LHL	84	WTF06424FDCFRHL(N)	89	WTLCRTM24	99	WTS44230OSO1RHL	74
WTF05030OSO1RHL	84	WTF06424FDFDLHL(N)	89	WTLCRTM30	99	WTS44230OSOBLHL(N)	74
WTF05030OSOBLHL(N)	84	WTF06424FDFDRHL(N)	89	WTLRF2401L	98	WTS44230OSOBRHL(N)	74
WTF05030OSOBRHL(N)	84	WTF06424FDFFLHL(N)	89	WTLRF2404L	98	WTS44230OSOFHL(N)	74
WTF05030OSOFHL(N)	84	WTF06424FDFFRHL(N)	89	WTLRF3001L	98	WTS44230OSOFRHL(N)	74
WTF05030OSOFRHL(N)	84	WTF06424FDO1LHL(N)	89	WTLRF3004L	98	WTS45024FDCBLHL(N)	77
WTF05724FDCBLHL(N)	87	WTF06424FDO1RHL(N)	89	WTLSP2401L	98	WTS45024FDCBRHL(N)	77
WTF05724FDCBRHL(N)	87	WTF06424FDOBLHL(N)	89	WTLSP2404L	98	WTS45024FDCFLHL(N)	77
WTF05724FDCFLHL(N)	87	WTF06424FDOBRHL(N)	89	WTLSP3001L	98	WTS45024FDCFRHL(N)	77
WTF05724FDCFRHL(N)	87	WTF06424FDOFLHL(N)	89	WTLSP3004L	98	WTS45024FDFDLHL(N)	77
WTF05724FDFDLHL(N)	87	WTF06424FDOFRHL(N)	89	WTLST2401L	98	WTS45024FDFDRHL(N)	77
WTF05724FDFDRHL(N)	87	WTF06424OSCBHL(N)	88	WTLST2404L	98	WTS45024FDFFLHL(N)	77
WTF05724FDFFLHL(N)	87	WTF06424OSCBRHL(N)	88	WTLST3001L	98	WTS45024FDFFRHL(N)	77
WTF05724FDFFRHL(N)	87	WTF06424OSCFHL(N)	88	WTLST3004L	98	WTS45024FDO1LHL(N)	77
WTF05724FDO1LHL(N)	87	WTF06424OSCFRHL(N)	88	WTS44224FDCBLHL(N)	75	WTS45024FDO1RHL(N)	77
WTF05724FDO1RHL(N)	87	WTF06424OSFDLHL(N)	88	WTS44224FDCBRHL(N)	75	WTS45024FDOBLHL(N)	77
WTF05724FDOBLHL(N)	87	WTF06424OSFDRHL(N)	88	WTS44224FDCFLHL(N)	75	WTS45024FDOBRHL(N)	77
WTF05724FDOBRHL(N)	87	WTF06424OSFHL(N)	88	WTS44224FDCFRHL(N)	75	WTS45024FDOFLHL(N)	77
WTF05724FDOFLHL(N)	87	WTF06424OSFFRHL(N)	88	WTS44224FDFDLHL(N)	75	WTS45024FDOFRHL(N)	77
WTF05724FDOFRHL(N)	87	WTF06424OSO1LHL	88	WTS44224FDFDRHL(N)	75	WTS45024OSCBHL(N)	76

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
WTSa5024OSCBRLH(N)	76	WTSa5724OSOBLHL(N)	78	WTSa6430FDFDRHL(N)	81	WTS0501530STLHL(N)	67
WTSa5024OSCFLHL(N)	76	WTSa5724OSOBRLH(N)	78	WTSa6430FDFFLHL(N)	81	WTS0501530STRHL(N)	67
WTSa5024OSCFRHL(N)	76	WTSa5724OSOFLLHL(N)	78	WTSa6430FDFRHL(N)	81	WTS0501530WNLHL(N)	68
WTSa5024OSFDLHL(N)	76	WTSa5724OSOFRHL(N)	78	WTSa6430FDO1LHL(N)	81	WTS0501530WNRHL(N)	68
WTSa5024OSFDRHL(N)	76	WTSa5730FDCBLHL(N)	79	WTSa6430FDO1RHL(N)	81	WTS0501530WTLHL(N)	67
WTSa5024OSFFLHL(N)	76	WTSa5730FDCBRHL(N)	79	WTSa6430FDOBLHL(N)	81	WTS0501530WTRHL(N)	67
WTSa5024OSFFRHL(N)	76	WTSa5730FDCFLHL(N)	79	WTSa6430FDOBRHL(N)	81	WTS0501824SNLHL(N)	67
WTSa5024OSO1LHL	76	WTSa5730FDCFRHL(N)	79	WTSa6430FDOFLHL(N)	81	WTS0501824SNRHL(N)	67
WTSa5024OSO1RHL	76	WTSa5730FDFDLHL(N)	79	WTSa6430FDOFRHL(N)	81	WTS0501824STLHL(N)	67
WTSa5024OSOBLHL(N)	76	WTSa5730FDFDRHL(N)	79	WTSa6430OSCBLHL(N)	80	WTS0501824STRHL(N)	67
WTSa5024OSOBRLH(N)	76	WTSa5730FDFFLHL(N)	79	WTSa6430OSCBRHL(N)	80	WTS0501824WNLHL(N)	67
WTSa5024OSOFLLHL(N)	76	WTSa5730FDFRHL(N)	79	WTSa6430OSCFLHL(N)	80	WTS0501824WNRHL(N)	67
WTSa5024OSOFRLH(N)	76	WTSa5730FDO1LHL(N)	79	WTSa6430OSCFRHL(N)	80	WTS0501824WTLHL(N)	67
WTSa5030FDCBLHL(N)	77	WTSa5730FDO1RHL(N)	79	WTSa6430OSFDLHL(N)	80	WTS0501824WTRHL(N)	67
WTSa5030FDCBRHL(N)	77	WTSa5730FDOBLHL(N)	79	WTSa6430OSFDRHL(N)	80	WTS0501830SNLHL(N)	68
WTSa5030FDCFLHL(N)	77	WTSa5730FDOBRHL(N)	79	WTSa6430OSSFLHL(N)	80	WTS0501830SNRHL(N)	68
WTSa5030FDCFRHL(N)	77	WTSa5730FDOFLHL(N)	79	WTSa6430OSFRHL(N)	80	WTS0501830STLHL(N)	67
WTSa5030FDFDLHL(N)	77	WTSa5730FDOFRHL(N)	79	WTSa6430OSO1LHL	80	WTS0501830STRHL(N)	67
WTSa5030FDFDRHL(N)	77	WTSa5730OSCBLHL(N)	78	WTSa6430OSO1RHL	80	WTS0501830WNLHL(N)	68
WTSa5030FDFFLHL(N)	77	WTSa5730OSCBRHL(N)	78	WTSa6430OSOBLHL(N)	80	WTS0501830WNRHL(N)	68
WTSa5030FDFRHL(N)	77	WTSa5730OSCFLHL(N)	78	WTSa6430OSOBRLH(N)	80	WTS0501830WTLHL(N)	67
WTSa5030FDO1LHL(N)	77	WTSa5730OSCFRHL(N)	78	WTSa6430OSOFLLHL(N)	80	WTS0501830WTRHL(N)	67
WTSa5030FDO1RHL(N)	77	WTSa5730OSFDLHL(N)	78	WTSa6430OSOFRHL(N)	80	WTS0501830WTLHL(N)	67
WTSa5030FDOBLHL(N)	77	WTSa5730OSFDRHL(N)	78	WTS0421524SNLHL(N)	65	WTS0501830WTRHL(N)	67
WTSa5030FDOBRHL(N)	77	WTSa5730OSSFLHL(N)	78	WTS0421524SNRHL(N)	65	WTSOSB1504L	69
WTSa5030FDOFLHL(N)	77	WTSa5730OSFRHL(N)	78	WTS0421524STLHL(N)	65	WTSOSB1801L	69
WTSa5030FDOFRHL(N)	77	WTSa5730OSO1LHL	78	WTS0421524STRHL(N)	65	WTSOSB1804L	69
WTSa5030OSCBLHL(N)	76	WTSa5730OSO1RHL	78	WTS0421524WNLHL(N)	65	WTSOT302401L	71
WTSa5030OSCBRLH(N)	76	WTSa5730OSOBLHL(N)	78	WTS0421524WNRHL(N)	65	WTSOT302404L	71
WTSa5030OSCFLHL(N)	76	WTSa5730OSOBRLH(N)	78	WTS0421524WTLHL(N)	65	WTSOT303001L	71
WTSa5030OSCFRHL(N)	76	WTSa5730OSOFLLHL(N)	78	WTS0421524WTRHL(N)	65	WTSOT303004L	71
WTSa5030OSFDLHL(N)	76	WTSa5730OSOFRHL(N)	78	WTS0421530SNLHL(N)	66	WTSOT362401L	71
WTSa5030OSFDRHL(N)	76	WTSa6424FDCBLHL(N)	81	WTS0421530SNRHL(N)	66	WTSOT362404L	71
WTSa5030OSFFLHL(N)	76	WTSa6424FDCBRHL(N)	81	WTS0421530STLHL(N)	65	WTSOT363001L	71
WTSa5030OSFFRHL(N)	76	WTSa6424FDCFLHL(N)	81	WTS0421530STRHL(N)	65	WTSOT363004L	71
WTSa5030OSO1LHL	76	WTSa6424FDCFRHL(N)	81	WTS0421530WNLHL(N)	66		
WTSa5030OSO1RHL	76	WTSa6424FDFDLHL(N)	81	WTS0421530WNRHL(N)	66		
WTSa5030OSOBLHL(N)	76	WTSa6424FDFDRHL(N)	81	WTS0421530WTLHL(N)	65		
WTSa5030OSOBRLH(N)	76	WTSa6424FDFFLHL(N)	81	WTS0421530WTRHL(N)	65		
WTSa5030OSOFLLHL(N)	76	WTSa6424FDFRHL(N)	81	WTS0421824SNLHL(N)	65		
WTSa5030OSOFRLH(N)	76	WTSa6424FDO1LHL(N)	81	WTS0421824SNRHL(N)	65		
WTSa5724FDCBLHL(N)	79	WTSa6424FDO1RHL(N)	81	WTS0421824STLHL(N)	65		
WTSa5724FDCBRHL(N)	79	WTSa6424FDOBLHL(N)	81	WTS0421824STRHL(N)	65		
WTSa5724FDCFLHL(N)	79	WTSa6424FDOBRHL(N)	81	WTS0421824WNLHL(N)	65		
WTSa5724FDCFRHL(N)	79	WTSa6424FDOFLHL(N)	81	WTS0421824WNRHL(N)	65		
WTSa5724FDFDLHL(N)	79	WTSa6424FDOFRHL(N)	81	WTS0421824WTLHL(N)	65		
WTSa5724FDFDRHL(N)	79	WTSa6424OSCBLHL(N)	80	WTS0421824WTRHL(N)	65		
WTSa5724FDFFLHL(N)	79	WTSa6424OSCBRHL(N)	80	WTS0421830SNLHL(N)	66		
WTSa5724FDFRHL(N)	79	WTSa6424OSCFLHL(N)	80	WTS0421830SNRHL(N)	66		
WTSa5724FDO1LHL(N)	79	WTSa6424OSCFRHL(N)	80	WTS0421830STLHL(N)	65		
WTSa5724FDO1RHL(N)	79	WTSa6424OSFDLHL(N)	80	WTS0421830STRHL(N)	65		
WTSa5724FDOBLHL(N)	79	WTSa6424OSFDRHL(N)	80	WTS0421830WNLHL(N)	66		
WTSa5724FDOBRHL(N)	79	WTSa6424OSSFLHL(N)	80	WTS0421830WNRHL(N)	66		
WTSa5724FDOFLHL(N)	79	WTSa6424OSFFRHL(N)	80	WTS0421830WTLHL(N)	65		
WTSa5724FDOFRHL(N)	79	WTSa6424OSO1LHL	80	WTS0421830WTRHL(N)	65		
WTSa5724OSCBLHL(N)	78	WTSa6424OSO1RHL	80	WTS0501524SNLHL(N)	67		
WTSa5724OSCBRLH(N)	78	WTSa6424OSOBLHL(N)	80	WTS0501524SNRHL(N)	67		
WTSa5724OSCFLHL(N)	78	WTSa6424OSOBRLH(N)	80	WTS0501524STLHL(N)	67		
WTSa5724OSCFRHL(N)	78	WTSa6424OSOFLLHL(N)	80	WTS0501524STRHL(N)	67		
WTSa5724OSFDLHL(N)	78	WTSa6424OSOFRHL(N)	80	WTS0501524WNLHL(N)	67		
WTSa5724OSFDRHL(N)	78	WTSa6430FDCBLHL(N)	81	WTS0501524WNRHL(N)	67		
WTSa5724OSFFLHL(N)	78	WTSa6430FDCBRHL(N)	81	WTS0501524WTLHL(N)	67		
WTSa5724OSFFRHL(N)	78	WTSa6430FDCFLHL(N)	81	WTS0501524WTRHL(N)	67		
WTSa5724OSO1LHL	78	WTSa6430FDCFRHL(N)	81	WTS0501530SNLHL(N)	68		
WTSa5724OSO1RHL	78	WTSa6430FDFDLHL(N)	81	WTS0501530SNRHL(N)	68		

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$10
KBLANK	Shrouded Key Blank	\$10
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$10
HLKRKMASTER*	Master Key	\$10

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."