




























Introduction	Designer Index	3
	Visual Index	3
	Using the KnollStudio Price List	10
	Knoll and Sustainable Design	11
	GREENGUARD™ Certified KnollStudio Products	12
	Materials and Finishes	13
	Product Maintenance	14
	Placing Your KnollStudio Order	15
Propeller Collection	Emanuela Frattini : Propeller® Training Table Series	16
	Emanuela Frattini : Propeller® Column Base Tables	38
	Emanuela Frattini : Propeller® Conference Table Series	40
	Emanuela Frattini : Propeller® Accessories	90
	Emanuela Frattini : Propeller® Electrical	110
Pixel Collection	Marc Krusin : Pixel™ Table Series	158
	Marc Krusin : Pixel™ Storage Units	176
	Marc Krusin : Pixel™ Electrical	186
LSM Conference Tables	Debra Lehman-Smith and Ron Fiegenschuh : LSM Conference Table Series with V-Base	198
	Debra Lehman-Smith and Ron Fiegenschuh : LSM Conference Table Series with L-Legs	212
	Debra Lehman-Smith and Ron Fiegenschuh : LSM Electrical	226
Alpha-Numeric Index		235
Selling Policy		241
General Ordering Information		243




Emanuela Frattini	18-39, 42-65, 68-109, 112-119, 124-131
Marc Krusin	160-197
Debra Lehman-Smith & Ron Fiegenschuh	200-211, 214-235








Page	PROPELLER COLLECTION
18	FRATTINI Propeller training rectangular and square 
20	Propeller training rectangular and returns and end tables 
22	Propeller training semi-circular tables, bridge tops and segments 
24	Propeller training rectangular tables with C-legs/T-legs 
26	Propeller training returns with C-legs and T-legs 
30	Propeller training flip-top tables with C-legs and T-legs 
32	Propeller training adjustable height tables 
34	Propeller training rectangular folding tables and dolly 
36	Propeller standing height tables and shelves 










Page	PROPELLER COLLECTION, continued
38	FRATTINI Propeller training column base tables 
42	Propeller conference round and rounded tables with standard legs 
44	Propeller conference rounded table with T-legs 
46	Propeller conference bullet table with standard legs 
48	Propeller conference bullet table with T-legs 
50	Propeller conference square and rectangular conference tables with standard legs 
52	Propeller conference rectangular table with T-legs 
54	Propeller conference segmented rounded and rectangular tables 
68	Propeller conference tables with drum base 

Page	PROPELLER COLLECTION, continued
70	FRATTINI Propeller segmented conference tables with drum base 
78	Propeller conference tables with peanut base 
80	Propeller segmented conference tables with peanut base 
90	Propeller accessories - fabric and tackable modesty and privacy screens 
94	Propeller accessories - attachment clamps for modesty and privacy screens 
96	Propeller accessories - tackable modesty screens for flip-top tables 
98	Propeller accessories - shelves 
100	Propeller accessories - rolling cart 

Page	PROPELLER COLLECTION, continued
102	FRATTINI Propeller accessories - credenzas and sideboards 
104	Propeller accessories - replacement parts 
106	Propeller accessories - Peanut and Drum base conference tables 
112	Propeller electrical - Plexus boxes with cordset 
114	Propeller electrical - Empty Plexus boxes 
116	Propeller electrical - Pre-wired Plexus boxes 
118	Propeller electrical - Quadruplex, and wire management 
120	Propeller electrical - Sequence, duplex receptacle 
122	Propeller electrical - 2+2 Raceway components 

Page	PROPELLER COLLECTION, continued	
126	FRATTINI	Propeller electrical - Jumper and infeed cables
		
128		Propeller electrical - Leg options for Prewired Plexus boxes
		
130		Propeller electrical - Leg options for Empty Plexus boxes
		
132		Propeller electrical - Plexus Communication and Data Faceplates
		

Page	PIXEL COLLECTION	
160	KRUSIN	Pixel™ C-Leg tables
		
164		Pixel™ T-Leg tables
		
170	Pixel™ Four Leg tables	Pixel™ Y-Leg tables
		
174		Pixel™ Column Leg tables
		
176		Pixel™ Storage Units
		
186		Pixel™ Electrical
		
188		Pixel™ Electrical (continued)
		
194		Pixel™ Trac
		
196		Pixel™ Wire Management
		

Page	TABLES / EXECUTIVE OFFICE				
198	SMITH & FIEGENSCHUH	Rectangular Conference table with V Base	Rectangular 2 Segment Conference table with V Base	Rectangular 3 Segment Conference table with V Base	Rectangular 4 Segment Conference table with V Base
					
		Rectangular 5 Segment Conference table with V Base	Rectangular 6 Segment Conference table with V Base	Rectangular Conference table with L-Legs	Rectangular 2 Segment Conference table with L-Legs
					
		Rectangular 3 Segment Conference table with L-Legs	Rectangular 4 Segment Conference table with L-Legs	Rectangular 5 Segment Conference table with L-Legs	
					

A Price List Overview

Where do I send my order? How should I maintain my marble table? From textile options to wood polishes, the KnollStudio price list is designed to provide you with everything you need to know in order to understand, specify, and care for furniture in the KnollStudio Collection.

This book is divided into three easy-to-use sections.

- Propeller Table Series
- Pixel™ Tables Series
- LSM Conference Tables

For a quick overview of the collection's scope, review the Visual Index on pages 3-9. If you're looking for pieces by a specific designer, try the Designer Index on page 2.

Finishes

For detailed explanations of the many materials used in constructing KnollStudio furniture, consult page 13. A cross-reference of KnollStudio veneer or lumber finishes with standard Knoll Office veneers is provided on page 13. Easy-care maintenance information is also provided on pages 14-15.

Placing Your KnollStudio Order

For information about where to send your order and key terms and conditions, see page 15. The complete Knoll Selling Policy is available on pages 241-242.

General Ordering Information and Knoll's Sustainability Statement is available on page 243

Product Information On Each Page

On each page, the following features will assist you:

Description provides both the pattern number and a basic description of the product.

Dimensions provide the overall space the product will require. Statistics are based on the maximum width, depth, and height of the product.

Weight is based on the product itself. It does not include packaging. Weights are rounded to the nearest pound.

Weights of upholstered items do not include weight of textile/leather. To calculate total weight, multiply covering requirements by textile/leather weight, and add to product weight.

Pattern Number provides both the product identification number and all additional selections required for ordering. Finish options are enclosed in parentheses. Finish suffix descriptions are found under Finishes on the bottom portion of the page.

Order Code/Ordering Information outlines exactly how to specify KnollStudio product and the full scope of finishes and other options. The Order Code provides an example of how one pattern number on the page is specified.

Construction provides specific materials and finishes employed, as well as specific construction details.

Greenguard

Many KnollStudio products meet Greenguard environmental standards. Please see page 12 for a complete listing of products.

Note to Knoll Dealer Sellers:

The products contained in this price list are also available through the Knoll Essentials program, with limited exceptions. For additional information, please contact your customer service representative or visit Knoll Exchange.

For More Information

For more information, contact your KnollStudio representative, a Knoll Space reailer or e-tailer, or telephone Customer Services at 800 343-KNOLL. To find the retailer or showroom nearest you, visit www.knoll.com.

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level® certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.

Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level® sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

GREENGUARD™

- The most respected independent testing program for low-emitting products.
- GREENGUARD™ – certified products help reduce indoor air pollution and create healthier interior environments.
- Knoll GREENGUARD™ – certified products help achieve points for the U.S. Green Building Council's LEED – CI (Commercial Interiors) Program.
- GREENGUARD™ – tested and certified office furniture is required for Credit 4.5 in the LEED – CI Indoor Environmental Quality section.

GREENGUARD™ provides the only guide to certified low-emitting interior products and building materials. Its goal is to help building owners and managers, architects, interior designers and product specifiers build and furnish healthier offices, hospitals, schools and homes by providing a register of tested and certified low-emitting products and materials. GREENGUARD™ certification is recognized by LEED. Air Quality Science, an Independent indoor air quality laboratory, tests products submitted for GREENGUARD™ certification using stringent environmental chamber testing protocols and current indoor air quality standards. Certification is administered by the GREENGUARD™ Environmental Institute.


Designer	Product
Tables	
Emanuela Frattini	Propeller Training and Conference Tables
Marc Krusin	Pixel Training Table Series
Debra Lehman-Smith and Ron Fiegenschuh	LSM Conference Table Series

KnollStudio Natural Materials


Wood and marble are natural materials that vary. Use material samples and printed sample materials as reference only. KnollStudio printed and finish samples offer an example of what an “average” natural material may look like, within a range of acceptance carefully delineated by Knoll. Because of the breadth of variations possible with any natural material, Knoll specialists select these materials with stringent criteria, accepting only the top 3 - 5% of what is available.

Wood*Knoll Natural Veneers*

All natural finishes are selected from the finest hardwoods available around the world. Veneers are flat cut and carefully matched so that cathedral or heart patterns are perfectly balanced. Natural veneers also are cut to allow a generous margin of quarter-grain figuring ensuring invisible splicing.



*Quarter
Pattern*



*Cathedral
Pattern*

Knoll Techgrain®

Knoll Techgrain is a veneer product that eliminates the inherent disparities in pattern, color and texture that characterize natural wood veneers. The consistency of Techgrain is important for uniformity. All KnollStudio Techgrains are non-figured and feature a regular, homogenous pattern.

The Techgrain process begins with wood veneers vat-dyed in natural vegetable mineral soillines to create a perfectly clear, integrated color throughout. The veneer is finish coated with a clear water-white catalyzed varnish, a polymer finish which helps resist staining and marring. The result is a handsome surface with the appearance of a hand-rubbed oil finish.

Finishes

Most finishes are designed to coordinate with standard Morrison, Reff and Equity.

Marble

Knoll selects the highest quality, structurally sound marble through a host of quarries in Africa, South America, Greece, Turkey, Spain and Italy. Because each mountain range and quarry have their own signature, every marble piece - even within a single quarry - is unique. Hues, veins, crystals, fossils, clouds, and distinctive marks will vary from piece to piece. This is the extraordinary character of stone as a material. Below are the marbles that KnollStudio offers:

Coated Marbles*Coated Marbles*

Coated marbles have transparent, high-polish, polyester coating to prevent use-associated stains. Even with this protection, coated marbles should not be used outdoors. Stains should be wiped immediately. Coating will yellow over time.

Satin Coated Marble

Satin coated marbles have transparent satin polyester coating to prevent use-associated stains. This satin finish gives the stone a natural, honed appearance while providing the same protective qualities as the Coated Marbles. Even with this protection, satin coated marbles should not be used outdoors. Stains should be wiped immediately. Coating will yellow over time.

Arabescato

Ivory white with dark grey veining. May contain random green veins.

Calacatta

Ivory white. Gold and beige random veins with additional veins varying from cream to green and grey.

Emperador Dark

Dark Brown with light brown and white veining. Natural finished stones will contain open fissures and pin-holes, which is considered a natural desirable trait.

Grey Marble

Grey with black and white veins. Hues vary in tone and intensity.

Nero Marquina

Rich black with random veins that can vary from white to gold.

Man-Made Materials & Finishes*Stainless Steel*

Completely rust-proof, highly durable, and resistant to bending stress. Light scratching blends with time.

Polished Chrome

Several-step plating process that includes a heavy layer of nickel for added rust protection and a bright mirror finish.

Satin Chrome

Chrome plating applied for a soft satinized chrome finish with a higher nickel content.

Polished Aluminum

A shiny, polished finish.

Clear Anodized Aluminum

A light grey satin finish.

Laminate

An exceptionally durable plastic surface. Highly resistant to most chemicals and extensive wear.

Vetro Bianco:

Vetro Bianco is an engineered resin free quartz surface. The brilliant white surface is nonporous, stain proof, and extremely durable making it suitable for indoor and outdoor use.

With proper care, your KnollStudio furniture should last for years to come. To help ensure the longevity of your purchase, below are helpful hints on routine cleaning for your KnollStudio piece. Most basic maintenance can be performed with common household cleaning products.

Wood

Clean with a commercial brand of liquid furniture polish twice a month. For stubborn dirt or light scratches, rub lightly with very fine steel wool before using furniture polish. To rejuvenate luster, apply a furniture cream as a last step. Do not use water or household solvents: they will destroy the protective finish.

Marble with Polyester Coating

Wash with lukewarm water. Wash more thoroughly with Windex, Fantastik, Ivory Flakes in warm water, or other non-abrasive solutions. Rinse with warm water and dry with a soft cloth.

Vetro Bianco

Wash surface with lukewarm water. Clean more thoroughly with a non-abrasive solution such as Windex or Fantastik. Rinse with warm water and dry with a soft cloth. Wipe off stains immediately with water and a soft cloth. Never use steel wool or other abrasives on surface.

Glass/Acrylic Polycarbonate

Clean with Windex, Fantastik or other non-abrasive cleaning solutions. Wipe dry with a clean cloth.

Laminate/Melamine

Scrub with Windex, Fantastik, Mr. Clean, or other household soaps or detergents well dissolved in water, or with a very soft cloth dampened with alcohol or a synthetic thinner. For a dull finish, rub with jeweler's rouge as a polishing agent and finish with paste wax. Never use abrasives. Remove stubborn stains with Soft Scrub.

Stainless Steel

Use Windex, Fantastik, or other non-abrasive household cleaners. For small scratches, rub with Comet, Ajax, or other mild abrasives in the direction of the grain. Apply a coat of auto wax to maintain beauty.

Chrome/Satin Chrome

Clean with Windex or an automotive chrome cleaner such as Semi-Chrome twice a month. Apply a coat of hard paste wax to protect against moisture.

Polished Aluminum

Clean with Windex, Fantastik, or other non-abrasive cleaning solutions. Coat with a hard paste wax semi-annually to maintain luster and prevent discoloration.

Anodized Aluminum

Clean with mild soaps, detergents, or other non-abrasive cleaning agents. Apply paste wax or DuPont non-abrasive car polish #7 twice a year to prevent oxidation.

For stubborn stains or discolorations, apply navel jelly aluminum cleaner.

Urethane Edge

Clean with household soaps and detergents well dissolved in water. Do not use abrasive cleaning solutions.

Powder Coat Paint

Clean with Windex or Endust using a soft cloth. Remove stubborn stains with Soft Scrub.

Use the Following Address:

If you would like to send an order directly to our order entry departments, please use the following address:

Knoll, Inc.
P.O. Box 157
East Greenville, PA 18041
Attn: Order Entry

Fax: 215 679-1570
Tel: 800 343-KNOLL

When Placing Your Order, Include:

- All information requested on the order form.
- Local taxes for the “delivered to” address.
- For orders \$2,000 or under (including applicable taxes and delivery/installation fees, if any), full payment must be made when order is placed.
- For orders over \$2,000, a deposit equal to one-half of the complete order value is required at order placement. Balance must be settled before shipment.

Key Points to Remember:

All accepted orders will be confirmed in writing on the Knoll standard acknowledgement form. A copy of the acknowledgement will be mailed to the customer prior to production.

Freight within the 48 contiguous United States and Canada, excluding the Yukon, Northwest Territories and Newfoundland, is prepaid and included in the price of all orders.

For residential orders, Knoll strongly recommends White Glove delivery service to most locations in the Continental United States and Canada. White Glove service includes inside delivery, unpacking, furniture installation and removing cartons and crates. The fee for this service will be quoted at the point of purchase.

KnollStudio’s limited warranty covers all furniture against manufacturing defects in this price list for a period of five years after delivery to the customer.

All pricing is in U.S. dollars.

For More Information:

For complete Knoll Selling Policy and warranty information, please refer to pages 241-242 in the back of this price list.



For additional information on KnollStudio, contact your KnollStudio representative, a Knoll Space retailer or e-tailer, or telephone Customer Services at 800 343-KNOLL. To find the retailer or showroom nearest you, visit www.knoll.com.






Emanuela Frattini
Propeller® Training Table Series
Configurations and Product Information

Below are only a few examples of suggested configurations using Propeller Training tables, bridge tops, segments and screens.



All connections are tool-free and can be made by the user. To gang tables, connectors can be simply removed from the integral storage port in the leg. When tables are hard wired a screwdriver is needed.

The inherent flexibility of Propeller tables allows for diverse applications, ranging from setups for conference rooms to private offices and workstations.



Ordering Information	Scope	Construction					
<i>Specify:</i> 1. Pattern number 2. Top finish selection 3. Caster or glide selection (table only) 4. Edgeband selection 5. Grommet option (table and bridge only) 6. Leg/grommet finish <i>Shipping:</i> Tops and legs are shipped separately. Legs ship knocked-down; foot plate and vertical component. Simple field assembly required.	<i>Product scope:</i> P2-F Folding table P2-M Semi-round table P2-R Rectangular table P2-S Segment P2-V Rectangular bridge P6-C Flip Top table P8-C Adjustable Height table <i>Electrical options:</i> Please see Propeller Electrical section for product and specification details.	<i>Top:</i> 1 3/16" thick; 3-ply, solid-core construction. Plastic laminate top and backer sheet on bottom. Threaded inserts are die-cast zinc. <i>Edges:</i> All table edges are finished, allowing ganged tables to be separated and used individually. Flat ABS edgeband, molded urethane edge and solid wood edge are available.	<i>Molded edge detail:</i> Molded, seamless urethane edge with integral color.  <i>Flat edgeband:</i> ABS flat edgeband, with integral color.  1/4" edge detail: Solid wood 	<i>Grommet option:</i> Individual table segments may be specified with zero, one, or two grommets, located at mid-depth or front edge locations. All grommets are 3 1/4" diameter. Optional grommet-mounted power receptacles available. Grommet liners are black injection molded ABS plastic. Yin-yang grommet cap is textured, die-cast aluminum with powder-coat finish. 	<i>Legs:</i> Propeller's S-shaped training leg incorporates two separate channels for power and communications wiring. Cables are laid behind flipper strips. Vertical leg is extruded aluminum construction with clear satin anodized or powder coat finish. There are three types of Propeller training legs: Standard Training leg section: 	Standard Training leg: vertical extrusion is 3 3/4"w x 1 3/8"d. Leg end caps are injection-molded, glass-filled nylon. Leg mounting plates are aluminum die-castings with integral storage port in a textured paint finish. <i>C-leg and T-legs:</i> C-leg and T-leg offer additional kneespace. Vertical extrusion is 5"w x 2 1/4"d, same profile as conference leg. Cast aluminum end plates with textured paint finish. Cast aluminum foot in textured metallic powder coat. 	<i>Glides/casters:</i> Glides and locking casters-black nylon. C-Leg has low glide at front and high glide in the back. T-Leg has two low glides. <i>Connector plates:</i> Aluminum die-casting with textured paint finish. Integral storage port for connecting tables. <i>Connector bars:</i> Bar and latch are made of cast alloy with tumble-bead finish. Button is injection-molded red ABS plastic. Spring and back plate are steel stampings.

Emanuela Frattini
Propeller® Training Table Series
Rectangular and Square Tables

	description	w	d	h	clearance between legs w	clearance between legs d	table weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 1994	P2-R Rectangular table 	48"	18"	28½"	40"	7¾"	44
		60"	18"	28½"	52"	7¼"	55
		72"	18"	28½"	64"	7¼"	62
		36"	24"	28½"	28"	13¾"	50
		48"	24"	28½"	40"	13¾"	54
		60"	24"	28½"	52"	13¾"	63
		72"	24"	28½"	64"	13¾"	73
		42"	30"	28½"	34"	19¾"	57
		48"	30"	28½"	40"	19¾"	63
		60"	30"	28½"	52"	19¾"	75
		66"	30"	28½"	58"	19¾"	81
		72"	30"	28½"	64"	19¾"	87
		48"	36"	28½"	52"	25¾"	73
		60"	36"	28½"	52"	25¾"	87
		72"	36"	28½"	64"	25¾"	101
	P2-N Square table 	36"	36"	28½"			59
		42"	42"	28½"			75
		48"	48"	28½"			94

Order Code	Finishes			
<i>Example:</i>	P2-R24-G-PA-6-Y-111	<i>Colored laminate finishes:</i>	<i>Veneer top/edge finishes:</i>	<i>Molded edgeband finishes:</i>
P2-R24	30" x 60" rectangle	Bright White (suffix 118)	American Cherry (suffix X)	Spring Green (suffix 1)
G	Glides	Brushed Aluminum (suffix LJ)	Bronzed Cherry (suffix V312)	Light Grey (suffix 4)
PA	Pearwood laminate	Brushed Sand (suffix 122)	Brown Oak (suffix V427)	Medium Grey (suffix 5)
6	Black molded edgeband	Fog (suffix 128)	Burnt Walnut (suffix V313)	Black (suffix 6)
Y	No grommet	Folkstone Grey (suffix 114)	Chalk Oak (suffix V421)	<i>Flat edgeband finish:</i>
111	Jet Black legs	Jet Black (suffix 111)	Ebonized Walnut (suffix D)	Black (suffix R5)
		Light Grey (suffix L)	Graphite Oak (suffix V513)	Bright White (suffix 118)
		Micro Grey (suffix 121)	Light Cherry (suffix V315)	Medium Grey (suffix R6)
		Micro Sand (suffix 129)	Light Oak (suffix V423)	<i>Leg/grommet finishes:</i>
		Pumice (suffix 119)	Maple (suffix K)	Anodized Aluminum (suffix A)
		Slate (suffix SL)	Medium Red Mahogany (suffix Z)	Jet Black (suffix 111)
		Soft Grey (suffix 117)	Natural Beech (suffix B)	Medium Metallic Grey (suffix 612)
			Old English Walnut (V417)	<i>Glides/Casters:</i>
			Warm Brown Walnut (suffix J)	Glides (suffix G)
				Locking casters (suffix C)
		<i>Woodgrain laminate finishes:</i>		
		Deep Cherry (suffix DC)		
		Medium Cherry (suffix 124)		
		Natural Cherry (suffix 126)		
		Natural Maple (suffix 125)		
		Pearwood (suffix PA)		
		Walnut (suffix 127)		

- Specify:
1. Pattern number
 2. Locking caster or glide selection
 3. Top finish selection
 4. Edgeband selection
 5. Grommet, Plexus or Transact option
 6. Leg/grommet finish

pattern no.	laminate/ flat edge	laminate / molded edge	veneer/ flat edge	veneer/wood edge
P2-R02 *	\$1,067.	\$1,313.	\$3,121.	\$3,720.
P2-R04 *	1,187.	1,457.	3,192.	3,789.
P2-R06 *	1,284.	1,579.	3,240.	3,848.
P2-R10 *	1,128.	1,559.	3,118.	3,720.
P2-R12 *	1,325.	1,629.	3,183.	3,797.
P2-R14	1,461.	1,798.	3,245.	3,865.
P2-R16	1,604.	1,972.	3,316.	3,940.
P2-R21 *	1,395.	1,713.	3,214.	3,824.
P2-R22 *	1,461.	1,798.	3,240.	3,865.
P2-R24	1,604.	1,972.	3,337.	3,976.
P2-R25	1,673.	2,056.	3,372.	4,009.
P2-R26	1,742.	2,142.	3,400.	4,044.
P2-R32 *	1,604.	1,972.	3,309.	3,940.
P2-R34	1,742.	2,142.	3,398.	4,044.
P2-R36	1,881.	2,313.	3,494.	4,151.
P2-N30 *	1,461.	1,798.	2,646.	3,543.
P2-N41 *	1,604.	1,972.	2,872.	3,789.
P2-N52	1,742.	2,142.	2,893.	3,848.



Electrical

<i>Grommet Options: (\$31 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3¼" diameter. Optional grommet-mounted power receptacles available, see page 118.	<i>Sequence Options: (\$31 per cutout)</i> Tables may be specified with zero, one or two cutouts. All sequence cutouts are 2½" x 6". Sequence is available on 24" and 30" deep Rectangular tables only. 36", 42" and 48" wide tables, ES location only; 72" wide tables, DS location only.	<i>Plexus options: (\$31 per cutout)</i> * Plexus box not available For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For medium Plexus, center, front (EM), (DR), (DL) For medium Plexus, left & right, front (DM), (ER), (EL) For medium Plexus, center (P2-N) (GM)	<i>Connecting tables:</i> Each rectangular table includes two connector bars to connect rectangular tops to each other on any side. When not needed, connectors store in ports at top of table leg.
No grommet (suffix Y) Single grommet, left, mid-depth (BG) Two grommets, left & right, front (DR), (DL), (DG) Two grommets, left & right, mid-depth (AG) Single grommet, center, front (ER), (EL), (EG) Single grommet, center, right (HG) Single grommet, center (P2-N) (GG) * AG, BG not available on 18" deep tables	 Y  DS  ES	 Y  GM  AM  EM  DM  GM	<i>Maintenance:</i> See pages 14.
	<i>Small Plexus Options: (\$31 per cutout)</i> Tables may be specified with zero, one or two cutouts. All small Plexus cutouts are 6⅞"-6¼". Small Plexus is available on 24" and 30" tables only. 36", 42", 48" and 60" wide tables, ES location only.	No Small Plexus (Y) Single Small Plexus, center, front (ESP) Two Small Plexus, right & left, front (DSP)	
	 Y  ESP  DSP	+ For more detailed information, consult the Electrical section of the Propeller Manual.	

Emanuela Frattini
Propeller® Training Table Series
Rectangular Returns and End Tables



Designer(s):
Emanuela Frattini, 1994

description	w	d	h	clearance between legs w	clearance between legs d	table weight (lbs.)
P2-D Rectangular desk for return attachment - 4 legs 	60"	24"	28½"	52"	13¾"	63
	72"	24"	28½"	64"	13¾"	73
	60"	30"	28½"	52"	19¼"	75
	66"	30"	28½"	58"	19¼"	81
	72"	30"	28½"	64"	19¼"	87
	60"	36"	28½"	52"	25¼"	87
	72"	36"	28½"	64"	25¼"	101
P2-L Rectangular table return - 2 legs 	48"	18"	28½"	44"	7¼"	37
	60"	18"	28½"	56"	7¼"	49
	36"	24"	28½"	32"	13¼"	44
	48"	24"	28½"	44"	13¼"	46
	60"	24"	28½"	56"	13¼"	55
	72"	24"	28½"	68"	13¼"	65
	42"	30"	28½"	38"	19¼"	49
	48"	30"	28½"	44"	19¼"	55
	60"	30"	28½"	56"	19¼"	67
	66"	30"	28½"	62"	19¼"	73
	72"	30"	28½"	68"	19¼"	79
	48"	36"	28½"	44"	25¼"	65
	60"	36"	28½"	56"	25¼"	79
	72"	36"	28½"	68"	25¼"	93

Order Code	Finishes		
<i>Example:</i> P2-D36-G-SL-1-Y-A			
P2-D36	72" x 36" rectangular desk	<i>Colored laminate finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	<i>Veneer top/edge finishes:</i> American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)
G	Glides		<i>Molded edgeband finishes:</i> Spring Green (suffix 1) Light Grey (suffix 4) Medium Grey (suffix 5) Black (suffix 6)
SL	Slate laminate		
1	Spring Green edgeband		<i>Flat edgeband finish:</i> Black (suffix R5) Bright White (suffix 118) Medium Grey (suffix R6)
Y	No grommets		
A	Anodized Aluminum leg		<i>Leg/grommet finishes:</i> Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)
<i>Specify:</i> 1. Pattern number 2. Locking caster or glide selection 3. Top finish selection 4. Edgeband selection 5. Grommet or Plexus option 6. Leg/grommet finish			
		<i>Woodgrain laminate finishes:</i> Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Cherry (suffix 126) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127)	

+ For more detailed information, consult the Electrical section of the Propeller Manual.

pattern no.	laminate/ flat edge	laminate/ molded edge	veneer/ flat edge	veneer/wood edge
P2-D14	\$1,515.	\$1,860.	\$3,245.	\$3,865.
P2-D16	1,650.	2,034.	3,316.	3,940.
P2-D24	1,650.	2,034.	3,337.	3,976.
P2-D25	1,722.	2,118.	3,372.	4,009.
P2-D26	1,793.	2,202.	3,400.	4,044.
P2-D34	1,793.	2,202.	3,398.	4,044.
P2-D36	1,929.	2,271.	3,494.	3,975.
P2-L02 *	812.	996.	2,908.	3,501.
P2-L04 *	927.	1,141.	2,979.	3,567.
P2-L10 *	890.	1,218.	2,904.	3,501.
P2-L12 *	1,151.	1,413.	2,972.	3,575.
P2-L14	1,290.	1,587.	3,032.	3,644.
P2-L16 *	1,427.	1,757.	3,103.	3,719.
P2-L21 *	1,217.	1,500.	3,001.	3,601.
P2-L22	1,290.	1,587.	3,030.	3,644.
P2-L24	1,427.	1,757.	3,125.	3,753.
P2-L25	1,497.	1,843.	3,161.	3,787.
P2-L26	1,570.	1,929.	3,189.	3,822.
P2-L32 *	1,427.	1,679.	3,097.	3,561.
P2-L34	1,570.	1,929.	3,185.	3,822.
P2-L36	1,708.	2,099.	3,281.	3,930.

Electrical	Features
<i>Grommet Options: (\$31 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3¼" in diameter. Optional grommet-mounted power receptacles available, see page 118. No grommet (suffix Y) Single grommet, left, mid-depth (BG) Two grommets, left & right, front (DR), (DL), (DG) Two grommets, left & right, mid-depth (AG) Single grommet, center, front (ER), (EL), (EG) Single grommet, center, right (HG) * AG, BG not available on 18" deep tables	<i>Small Plexus Options: (\$31 per cutout)</i> Tables may be specified with zero, one or two cutouts. All small Plexus cutouts are 6⅞"-6¼". Small Plexus is available on 24" and 30" tables only. 36", 42", 48" and 60" wide tables, ES location only. No Small Plexus (Y) Single Small Plexus, center, front (ESP) Two Small Plexus, right & left, front (DSP)
 Y	 Y
 AG	 GM
 BG	 AM
 DG	 EM
 EG	 DM
 GG	 GM

Connecting tables:
Each rectangular desk includes two connector bars which may be used to connect rectangular tops to each other on any side. When not needed, connectors store in ports at top of table leg.

Desk for return attachment:
To create an L-desk configuration, specify a desk for return attachment plus a 24" or 30" deep end table. Desks come with threaded inserts and a connector kit to be field-installed. End table returns attach perpendicularly with included two connector bars.

Rectangular end tables:
By attaching to the short side of other rectangular tables or to the front of rectangular desks, end tables allow additional worksurfaces while minimizing the number of legs. If desired, legs can be retrofitted so table can be used freestanding. Purchase leg kit separately (see page 104).



Maintenance:
See pages 14.

Note:
Propeller tables are Greenguard certified.

Emanuela Frattini



Propeller® Training Table Series

Semi-Circular Tables, Bridge Tops and Segments


	description	w	d	h	clearance between legs	table weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 1996 	P2-M Semi-circular table - three legs	48"	24"	28 1/2"	35 1/2"	51
	 	60"	30"	28 1/2"	51 1/2"	62
		72"	36"	28 1/2"	63 1/2"	81
	P2-V Rectangular bridge top - no legs	48"	18"	2 7/8"		30
		60"	18"	2 3/8"		41
		36"	24"	2 3/8"		30
		48"	24"	2 3/8"		38
		60"	24"	2 3/8"		47
		42"	30"	2 3/8"		41
		48"	30"	2 3/8"		47
		60"	30"	2 3/8"		59
		48"	36"	2 3/8"		57
		60"	36"	2 3/8"		71
	P2-S Bridging segment 90° - no legs	90°	24"	2 7/8"		
		90°	30"	2 3/8"		
		90°	36"	2 3/8"		

pattern no.	lamine/flat edge	lamine/molded edge	veneer/flat edge	veneer/wood edge
P2-M10	\$1,255.	\$1,543.	\$2,747.	\$4,307.
P2-M20	1,395.	1,713.	3,071.	4,849.
P2-M30	1,534.	1,886.	3,403.	5,398.
P2-V02 *	524.	649.	2,674.	3,254.
P2-V04 *	646.	791.	2,745.	3,324.
P2-V10 *	735.	904.	2,668.	3,254.
P2-V12 *	974.	1,199.	2,733.	3,329.
P2-V14	1,117.	1,370.	2,800.	3,398.
P2-V21 *	974.	1,199.	2,767.	3,356.
P2-V22 *	1,117.	1,370.	2,795.	3,398.
P2-V24	1,255.	1,543.	2,890.	3,506.
P2-V32 *	1,255.	1,543.	2,861.	3,473.
P2-V34	1,395.	1,713.	2,950.	3,575.
P2-S92	691.	849.	1,358.	2,196.
P2-S94	762.	934.	1,467.	2,380.
P2-S96	829.	1,019.	1,581.	2,562.

Order Code	Finishes	Electrical
<i>Example:</i> P2-M20-C-SL-4-A	<i>Woodgrain laminate finishes:</i>	+ For more detailed information, consult the Electrical section of the Propeller Manual.
P2-M20 60" wide semi-circular table	Deep Cherry (suffix DC)	
C Locking casters	Medium Cherry (suffix 124)	<i>Grommet Option: (rectangular bridge top only): (\$31 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter. Optional grommet-mounted power receptacles available, see page 118.
SL Slate laminate	Natural Cherry (suffix 126)	
4 Light Grey edgeband	Natural Maple (suffix 125)	<i>Grommet options:</i> No grommet (Y) Two grommets, left and right, mid-depth (AG) Single grommet, left, mid-depth (BG) Two grommets, left and right, front (DG) Single grommet, center, front (EG) * AG, BG not available on 18" deep tables
A Anodized Aluminum legs	Pearwood (suffix PA)	
	Walnut (suffix 127)	
<i>Specify:</i>	<i>Veneer top/edge finishes:</i>	
1. Pattern number	American Cherry (suffix X)	
2. Locking caster or glide selection	Bronzed Cherry (suffix V312)	
3. Top finish selection	Brown Oak (suffix V427)	
4. Edgeband selection	Burnt Walnut (suffix V313)	
5. Grommet or Plexus option	Chalk Oak (suffix V421)	
6. Grommet/leg finish	Ebonized Walnut (suffix D)	
	Graphite Oak (suffix V513)	
	Light Cherry (suffix V315)	
	Light Oak (suffix V423)	
	Maple (suffix K)	
	Medium Red Mahogany (suffix Z)	
Finishes:	Natural Beech (suffix B)	
<i>Colored laminate finishes:</i>	Old English Walnut (V417)	
Bright White (suffix 118)	Warm Brown Walnut (suffix J)	
Brushed Aluminum (suffix LJ)		
Brushed Sand (suffix 122)		
Fog (suffix 128)		
Folkstone Grey (suffix 114)		
Jet Black (suffix 111)		
Light Grey (suffix L)		
Micro Grey (suffix 121)		
Micro Sand (suffix 129)		
Pumice (suffix 119)		
Slate (suffix SL)		
Soft Grey (suffix 117)		
	<i>Molded edgeband finishes:</i>	
	Spring Green (suffix 1)	
	Light Grey (suffix 4)	
	Medium Grey (suffix 5)	
	Black (suffix 6)	
	<i>Flat edgeband finish:</i>	
	Black (suffix R5)	
	Bright White (suffix 118)	
	Medium Grey (suffix R6)	
	<i>Leg/grommet finishes:</i>	
	Anodized Aluminum (suffix A)	
	<i>Glides/Casters:</i>	
	Glides (suffix G)	
	Locking Casters (suffix C)	

Plexus Options: (\$31 per coutout)	Features
* Plexus box not available For no Plexus box (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For medium Plexus, center, front (EM) For medium Plexus, left & right, front (DM)  Note: Cutouts not available on Semi-Circular Tables.	Semi-Circular Tables: Semi-circular tables have three legs for maximum leg space. Use 180° tables free-standing or connected to other tables. 180° tables connect to rectangular tables of same width or to rectangular tables in a back-to-back configuration. Connect two semi-circular tables to create a large round table. Bridge tops have a weight capacity of 300 pounds. Configurations:  with rectangular table/bridge top with rectangular tables back-to-back two 180° tables Stacking: Semi-circular tables and square tables do not stack. Bridge tops can be stacked ten high on table dolly (see page 34). Shipping: Propeller tables shipped knocked-down. Simple field assembly required. Maintenance: See pages 14. Note: Propeller tables are Greenguard certified.

Emanuela Frattini
Propeller® Training Table Series
Rectangular Tables with C-Legs and T-Legs



	description	w	d	h	leg type	clearance between legs	table weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 1994 	P2-C Rectangular table with C-Legs/T-Legs 	48"	18"	28½"	C-Legs	34½"	50
		60"	18"	28½"	C-Legs	46½"	53
		72"	18"	28½"	C-Legs	58½"	55
		36"	24"	28½"	C-Legs	22½"	60
		48"	24"	28½"	C-Legs	34"	67
		60"	24"	28½"	C-Legs	46½"	76
		72"	24"	28½"	C-Legs	58½"	86
		48"	24"	28½"	T-Legs	34"	67
		60"	24"	28½"	T-Legs	46½"	76
		72"	24"	28½"	T-Legs	58½"	86
		42"	30"	28½"	C-Legs	29½"	70
		48"	30"	28½"	C-Legs	34½"	76
		60"	30"	28½"	C-Legs	46½"	82
		66"	30"	28½"	C-Legs	52½"	88
		72"	30"	28½"	C-Legs	58½"	100
		48"	30"	28½"	T-Legs	34½"	76
		60"	30"	28½"	T-Legs	46½"	82
		66"	30"	28½"	T-Legs	52½"	88
		72"	30"	28½"	T-Legs	58½"	100
		48"	36"	28½"	T-Legs	34¾"	95
		60"	36"	28½"	T-Legs	43¾"	109
		72"	36"	28½"	T-Legs	52¾"	123

Order Code	Finishes	Features
<i>Example:</i> P2-C26-PA-R5-EG-612		
P2-C26	72" x 30" rectangular training table with C-Legs	
PA	Pearwood laminate	
R5	Black edgeband	
EG	Single grommet, center, front	
612	Medium Metallic Grey legs	
<i>Specify:</i>		
1. Pattern number		
2. Top finish selection		
3. Edgeband selection		
4. Grommet or Plexus option		
5. Leg/grommet finish		
	<i>Colored laminate finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	<i>Molded edgeband finishes:</i> Spring Green (suffix 1) Light Grey (suffix 4) Medium Grey (suffix 5) Black (suffix 6) <i>Flat edgeband finish:</i> Black (suffix R5) Bright White (suffix 118) Medium Grey (suffix R6) <i>Leg/grommet finishes:</i> Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) <i>Glides:</i> Glides (suffix G)
	<i>Woodgrain laminate finishes:</i> Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Cherry (suffix 126) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127) <i>Veneer top/edge finishes:</i> American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)	<i>C-Leg tables/T-Leg tables:</i> C-Leg and T-Leg tables combine Propeller table features with more leg space. Tables have either two C-Legs or two T-Legs. 24"d and 30"d training tables C-Legs are mounted to the rear. T-Legs are centered. All legs are positioned at 3½" from table edge on the depth side. Tables have identical wire management and ganging capabilities as standard training tables. <i>Note:</i> C-Leg and T-Leg tables are available with glides only. <i>Maintenance:</i> See pages 14. <i>Note:</i> Propeller tables are Greenguard certified. <i>Connecting tables:</i> Each rectangular table includes four connector plates and two connector bars to connect rectangular tables to each other on any side. When not needed, connectors may be stored in additional black plastic storage port attached underneath table tops.

pattern no.	laminate/ flat edge	laminate/ molded edge	veneer/ flat edge	veneer/wood edge
P2-C02 *	\$1,553.	\$1,954.	\$3,599.	\$4,232.
P2-C04 *	1,565.	2,007.	3,680.	4,297.
P2-C06 *	1,607.	2,062.	3,723.	4,357.
P2-C10 *	1,804.	2,223.	3,603.	4,232.
P2-C12 *	1,812.	2,227.	3,858.	4,505.
P2-C14	1,954.	2,403.	3,924.	4,572.
P2-C16	2,093.	2,575.	3,993.	4,649.
P2-C13	1,938.	2,382.	4,012.	4,551.
P2-C15	2,091.	2,571.	4,081.	4,619.
P2-C17	2,238.	2,755.	4,151.	4,696.
P2-C21 *	1,881.	2,313.	3,891.	4,529.
P2-C22 *	1,954.	2,403.	3,918.	4,572.
P2-C24	2,093.	2,575.	4,015.	4,682.
P2-C25	2,162.	2,658.	4,050.	4,717.
P2-C26	2,229.	2,744.	4,076.	4,749.
P2-C23 *	2,102.	2,557.	4,076.	4,741.
P2-C27	2,244.	2,730.	4,176.	4,850.
P2-C28	2,311.	2,816.	4,211.	4,885.
P2-C29	2,381.	2,775.	4,238.	4,708.
P2-C32 *	2,268.	2,575.	4,140.	4,816.
P2-C34	2,341.	2,744.	4,235.	4,918.
P2-C36	2,417.	2,915.	4,329.	5,028.

Electrical			
<i>Grommet Options: (\$31 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter. Optional grommet-mounted power receptacles available, see page 118.	<i>Sequence Options: (\$31 per cutout)</i> Tables may be specified with zero, one or two cutouts. All sequence cutouts are 2 1/2" x 6". Sequence is available on 24" and 30" deep Rectangular C-leg tables only. 36", 42" and 48" wide tables, ES location only; 72" wide tables, DS location only.	<i>Small Plexus Options: (\$31 per cutout)</i> Tables may be specified with zero, one or two cutouts. All small Plexus cutouts are 6 7/8"-6 1/4". Small Plexus is available on 24" and 30" tables only. 36", 42", 48" and 60" wide tables, ES location only.	<i>Plexus options: (\$31 per cutout)</i> *Plexus Box not available For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For medium Plexus, center, front (EM), (DR), (DL) For medium Plexus, left & right, front (DM), (ER), (EL)
No grommet (suffix Y) Single grommet, left, mid-depth (BG) Two grommets, left & right, front (DR), (DL), (DG) Two grommets, left & right, mid-depth (AG) Single grommet, center, front (ER), (EL), (EG) Single grommet, center, right (HG) * AG, BG not available on 18" deep tables	No Sequence (Y) Single Sequence, center, front (ES) Two Sequence, left & right, front (DS)	No Small Plexus (Y) Single Small Plexus, center, front (ESP) Two Small Plexus, right & left, front (DSP)	
			
			
			
			
			
			
			

Emanuela Frattini
Propeller® Training Table Series
Returns with C-Legs and T-Legs

	description	w	d	h	leg type	clearance between legs	table weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 1994 	P2-I Rectangular desk for return attachment with C-Legs/T-Legs - 2 legs 	48"	18"	28 1/2"	C-Legs	34 1/2"	36
		60"	18"	28 1/2"	C-Legs	46 1/2"	38
		72"	18"	28 1/2"	C-Legs	58 1/2"	40
		36"	24"	28 1/2"	C-Legs	22 1/2"	45
		60"	24"	28 1/2"	C-Legs	46 1/2"	76
		72"	24"	28 1/2"	C-Legs	58 1/2"	86
		36"	24"	28 1/2"	T-Legs	22 1/2"	45"
		60"	24"	28 1/2"	T-Legs	46 1/2"	76
		72"	24"	28 1/2"	T-Legs	58 1/2"	86
		60"	30"	28 1/2"	C-Legs	46 1/2"	82
		66"	30"	28 1/2"	C-Legs	52 1/2"	88
		72"	30"	28 1/2"	C-Legs	58 1/2"	100
		48"	30"	28 1/2"	T-Legs	41 1/4"	62
		60"	30"	28 1/2"	T-Legs	46 1/2"	82
		66"	30"	28 1/2"	T-Legs	52 1/2"	88
		72"	30"	28 1/2"	T-Legs	58 1/2"	100
		72"	36"	28 1/2"	T-Legs	52 3/4"	123
		60"	36"	28 1/2"	T-Legs	63 1/4"	109
	P2-J Rectangular return/end table with C-Legs/T-Legs - 1 leg	48"	18"	28 1/2"	C-Legs	41 1/4"	95
		60"	18"	28 1/2"	C-Legs	53 1/4"	107
		48"	24"	28 1/2"	C-Legs	41 1/4"	53
		60"	24"	28 1/2"	C-Legs	53 1/4"	62
		48"	24"	28 1/2"	T-Legs	41 1/4"	53
		60"	24"	28 1/2"	T-Legs	53 1/4"	62
		42"	30"	28 1/2"	C-Legs	35 1/4"	56
		48"	30"	28 1/2"	C-Legs	41 1/4"	62

*

✻

Order Code		Finishes		Features
<i>Example:</i>	P2-I36-SL-4-Y-612	<i>Colored laminate finishes:</i>	<i>Veneer top/edge finishes, continued:</i>	<i>C-Leg tables/T-Leg desks and returns:</i>
P2-I36	72" x 36" rectangular desk, t-legs	Bright White (suffix I18)	Maple (suffix K)	C-Leg and T-Leg desks and returns
SL	Slate laminate	Brushed Aluminum (suffix LJ)	Medium Red Mahogany (suffix Z)	combine Propeller table features with
4	Light Grey edgeband	Brushed Sand (suffix I22)	Natural Beech (suffix B)	more leg space. 24"d and 30"d tables
Y	No grommet	Fog (suffix I28)	Old English Walnut (V4I7)	have C-Legs mounted to the rear, 36"d
612	Medium Metallic Grey legs	Folkstone Grey (suffix I14)	Warm Brown Walnut (suffix J)	tables have centered T-Legs. Legs are
<i>Example:</i>	P2-J12-SL-5-Y-J	Jet Black (suffix I11)		positioned at 3 7/8" from table edge on the
P2-J12	24" x 48" return, C-Legs	Light Grey (suffix L)	<i>Molded edgeband finishes:</i>	depth side.
SL	Slate laminate	Micro Grey (suffix I21)	Spring Green (suffix I1)	
R5	Black edgeband	Micro Sand (suffix I29)	Light Grey (suffix 4)	<i>Connecting tables:</i>
Y	No grommets	Pumice (suffix I19)	Medium Grey (suffix 5)	Connector plates have to be
612	Medium Metallic Grey legs	Slate (suffix SL)	Black (suffix 6)	field-installed.
		Soft Grey (suffix I17)	<i>Flat edgeband finish:</i>	<i>Note:</i>
		<i>Woodgrain laminate finishes:</i>	Black (suffix R5)	Propeller tables are Greenguard
		Deep Cherry (suffix DC)	Bright White (suffix I18)	certified.
			Maple (suffix K)	
			Medium Red Mahogany (suffix Z)	
			Natural Beech (suffix B)	
			Old English Walnut (V4I7)	
			Warm Brown Walnut (suffix J)	

Specify:

1. Pattern number
2. Top finish selection
3. Edgeband selection
4. Grommet option
5. Leg/grommet finish

pattern no.	lamine/flat edge	lamine/molded edge	veneer/flat edge	veneer/wood edge
P2-I02 *	\$1,553.	\$1,954.	\$3,599.	\$4,232.
P2-I04 *	1,565.	2,007.	3,680.	4,297.
P2-I06 *	1,607.	2,062.	3,723.	4,351.
P2-I10 *	1,804.	2,223.	3,603.	4,232.
P2-I14	1,954.	2,403.	3,924.	4,572.
P2-I16	2,093.	2,575.	3,993.	4,649.
P2-I11 *	1,841.	2,267.	3,675.	4,318.
P2-I15	2,091.	2,571.	4,081.	4,619.
P2-I17	2,238.	2,755.	4,151.	4,696.
P2-I24	2,093.	2,575.	4,015.	4,682.
P2-I25	2,162.	2,658.	4,050.	4,717.
P2-I26	2,229.	2,744.	4,076.	4,749.
P2-I23 *	2,102.	2,557.	4,076.	4,741.
P2-I27	2,244.	2,730.	4,176.	4,850.
P2-I28	2,311.	2,816.	4,211.	4,885.
P2-I29	2,381.	2,775.	4,238.	4,708.
P2-I36	2,417.	2,915.	4,329.	5,028.
P2-I34	2,341.	2,744.	4,235.	4,918.
P2-J02 *	1,046.	1,283.	3,599.	4,232.
P2-J04 *	1,160.	1,426.	3,680.	4,297.
P2-J12 *	1,395.	1,713.	3,858.	4,505.
P2-J14	1,534.	1,886.	3,924.	4,572.
P2-J13*	1,410.	1,731.	3,896.	4,551.
P2-J15	1,551.	1,906.	3,964.	4,619.
P2-J21 *	1,461.	1,798.	3,891.	4,529.
P2-J22 *	1,534.	1,886.	3,918.	4,572.

Electrical

Grommet Options: (\$31 per cutout

Tables may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter. Optional grommet-mounted power receptacles available, see page 118.

No grommet (suffix Y)
Single grommet, left, mid-depth (BG)
Two grommets, left & right, front
(DR), (DL), (DG)
Two grommets, left & right, mid-depth
(AG)
Single grommet, center, front (ER), (EL),
(EG)
Single grommet, center, right (HG)
* AG, BG not available on 18" deep
tables

A diagram of a rectangular prism. A dashed line is drawn vertically through the center of the prism, labeled with the letter 'Y' below it.



AG

BG

DG

GG

Sequence Options: (\$31 per cutout)

Tables may be specified with zero, one or two cutouts. All sequence cutouts are 2 1/2" x 6". Sequence is available on 24" and 30" deep Rectangular tables only. 36", 42" and 48" wide tables, ES location only; 72" wide tables, DS location only.

No Sequence (Y)
Single Sequence, center, front (ES)
Two Sequence, left & right, front (DS)

Y

DS

ES

Small Plexus Options: (\$31 per cutout)

Tables may be specified with zero, one or two cutouts. All small Plexus cutouts are 6⁷/₈"-6¹/₄". Small Plexus is available on 24" and 30" tables only. 36", 42", 48" and 60" wide tables, ES location only.

No Small Plexus (Y)
Single Small Plexus, center, front (ESP)
Two Small Plexus, right & left, front
(DSP)

Y

DSP

Plexus options: (\$31 per cutout

* Plexus Box not available
 For no Plexus (Y)
 For medium Plexus, center, mid-depth (GM)
 For medium Plexus, left & right, mid-depth (AM)
 For medium Plexus, center, front (EM) (DR), (DL)
 For medium Plexus, left & right, front (DM), (ER), (EL)

Y



GM

AM

EM

DM

GM

Emanuela Frattini
Propeller® Training Table Series
Returns with C-Legs and T-Legs

	description	w	d	h	leg type	clearance between legs	table weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 1994	P2-J Rectangular return/end table with C-Legs/T-Legs - 1 leg	60"	30"	28½"	C-Legs	53¼"	68
		48"	30"	28½"	T-Legs	41¼"	62
		60"	30"	28½"	T-Legs	53¼"	68
		48"	36"	28½"	T-Legs	41¾"	76
		60"	36"	28½"	T-Legs	51⅞"	90

pattern no.	laminate/ flat edge	laminate/ molded edge	veneer/ flat edge	veneer/wood edge
P2-J24	\$1,673.	\$2,056.	\$4,015.	\$4,682.
P2-J23 *	1,613.	1,966.	3,998.	4,658.
P2-J27	1,752.	2,137.	4,095.	4,769.
P2-J32 *	1,673.	2,056.	4,147.	4,816.
P2-J34	1,812.	2,227.	4,235.	4,918.

*

Order Code	Finishes	Features
<i>Example:</i> P2-I36-SL-4-Y-612	<i>Colored laminate finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	<i>Veneer top/edge finishes, continued:</i> Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J) <i>Molded edgeband finishes:</i> Spring Green (suffix 1) Light Grey (suffix 4) Medium Grey (suffix 5) Black (suffix 6)
P2-I36	72" x 36" rectangular desk, t-legs	<i>C-Leg tables/T-Leg desks and returns:</i> C-Leg and T-Leg desks and returns combine Propeller table features with more leg space. 24"d and 30"d tables have C-Legs mounted to the rear, 36"d tables have centered T-Legs. Legs are positioned at 3⅞" from table edge on the depth side.
SL	Slate laminate	<i>Connecting tables:</i> Connector plates have to be field-installed.
4	Light Grey edgeband	<i>Note:</i> Propeller tables are Greenguard certified.
Y	No grommet	<i>Desk for return attachment:</i> To create an L-shaped desk configuration, specify a desk for return attachment plus a 24" or 30" deep end table/return. The fifth connector on rectangular desks can be positioned non-handedly to connect a return perpendicularly off the desk. Connector has to be field-installed. Returns simply attach with standard connector bars.
612	Medium Metallic Grey legs	
<i>Example:</i> P2-J12-SL-5-Y-J	<i>Woodgrain laminate finishes:</i> Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Cherry (suffix 126) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127)	
P2-J12	24" x 48" return, C-Legs	
SL	Slate laminate	
R5	Black edgeband	
Y	No grommets	
612	Medium Metallic Grey legs	

- Specify:
1. Pattern number
 2. Top finish selection
 3. Edgeband selection
 4. Grommet option
 5. Leg/grommet finish




Electrical			
<i>Grommet Options: (\$31 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter. Optional grommet-mounted power receptacles available, see page 118.	<i>Sequence Options: (\$31 per cutout)</i> Tables may be specified with zero, one or two cutouts. All sequence cutouts are 2 1/2" x 6". Sequence is available on 24" and 30" deep Rectangular tables only. 36", 42" and 48" wide tables, ES location only; 72" wide tables, DS location only.	<i>Small Plexus Options: (\$31 per cutout)</i> Tables may be specified with zero, one or two cutouts. All small Plexus cutouts are 6 7/8"-6 1/4". Small Plexus is available on 24" and 30" tables only. 36", 42", 48" and 60" wide tables, ES location only.	<i>Plexus options: (\$31 per cutout)</i> * Plexus Box not available For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For medium Plexus, center, front (EM), (DR), (DL) For medium Plexus, left & right, front (DM), (ER), (EL)
No grommet (suffix Y) Single grommet, left, mid-depth (BG) Two grommets, left & right, front (DR), (DL), (DG) Two grommets, left & right, mid-depth (AG) Single grommet, center, front (ER), (EL), (EG) Single grommet, center, right (HG) * AG, BG not available on 18" deep tables	No Sequence (Y) Single Sequence, center, front (ES) Two Sequence, left & right, front (DS)	No Small Plexus (Y) Single Small Plexus, center, front (ESP) Two Small Plexus, right & left, front (DSP)	
			
			
			
			
			
			

Emanuela Frattini

Propeller® Training Table Series

Flip-Top Tables with C-Legs and T-Legs

	description	w	d	h	leg type	table weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 2002	P6-C Rectangular flip-top table with C-Legs/T-Legs	48"	18"	29"	C-Legs	71
		60"	18"	29"	C-Legs	82
		72"	18"	29"	C-Legs	91
		48"	24"	29"	C-Legs	73
		60"	24"	29"	C-Legs	84
		72"	24"	29"	C-Legs	96
		48"	30"	29"	C-Legs	83
		60"	30"	29"	C-Legs	97
		72"	30"	29"	C-Legs	111
		48"	36"	29"	T-Legs	95
		60"	36"	29"	T-Legs	112
		72"	36"	29"	T-Legs	126





pattern no.	laminate/ flat edge	laminate/ molded edge	veneer/ flat edge	veneer/wood edge
P6-C02	\$1,748.	\$2,148.	\$4,122.	\$4,776.
P6-C04	1,870.	2,301.	4,282.	4,925.
P6-C06	1,978.	2,429.	4,356.	5,013.
P6-C12	2,596.	3,048.	4,570.	5,246.
P6-C14	2,737.	3,178.	4,676.	5,362.
P6-C16	2,871.	3,293.	4,741.	5,430.
P6-C22	2,722.	3,134.	4,588.	5,274.
P6-C24	2,883.	3,273.	4,782.	5,487.
P6-C26	2,989.	3,403.	4,882.	5,590.
P6-C32	2,856.	3,283.	4,769.	5,466.
P6-C34	3,036.	3,426.	4,895.	5,610.
P6-C36	3,281.	3,558.	4,940.	5,662.




Order Code	Finishes	Electrical
<i>Example:</i> P6-C26-PA-R6-EG-A	<i>Veneer top/edge finishes:</i>	+ For more detailed information, consult the Electrical section of the Propeller Manual.
P6-C26	72" x 30" flip-top with C-legs	
PA	Pearwood laminate	
R6	Medium Grey edgeband	
EG	Single grommet, center back	
A	Anodized Aluminum grommet and legs	
<i>Specify:</i>		
1. Pattern number		
2. Top finish selection		
3. Edgeband selection		
4. Grommet or Plexus option		
5. Leg/grommet finish		
<i>Colored laminate finishes:</i>		
Bright White (suffix 118)		
Brushed Aluminum (suffix LJ)		
Brushed Sand (suffix 122)		
Fog (suffix 128)		
Folkstone Grey (suffix 114)		
Jet Black (suffix 111)		
Light Grey (suffix L)		
Micro Grey (suffix 121)		
Micro Sand (suffix 129)		
Pumice (suffix 119)		
Slate (suffix SL)		
Soft Grey (suffix 117)		
<i>Woodgrain laminate finishes:</i>		
Deep Cherry (suffix DC)		
Medium Cherry (suffix 124)		
Natural Cherry (suffix 126)		
Natural Maple (suffix 125)		
Pearwood (suffix PA)		
Walnut (suffix 127)		
<i>Flat edgeband finish:</i>		
Black (suffix R5)		
Bright White (suffix 118)		
Medium Grey (suffix R6)		
<i>Leg/grommet finishes:</i>		
Anodized Aluminum (suffix A)		
Jet Black (suffix 111)		
Medium Metallic Grey (suffix 612)		
<i>Note:</i>		
Propeller tables are Greenguard certified.		
<i>Maintenance:</i>		
See pages14.		

Y ESP DSP	<i>C-Leg/T-Leg Flip-Top Rectangular Tables:</i> 24"d and 30"d tables have C-Legs mounted to the rear, 36"d flip-top tables have centered T-Legs. Legs are positioned at 2⁷/₈" from table edge on the depth side. Flip-Top tables can be ganged side to side or front to back to other flip-top or standard tables.	Wire management: Vertical extrusion of C-Legs and T-Legs is 5"w x 2¹/₄" – same profile as conference leg profile. In horizontal position, Quadruplex monument or shallow plug in Plexus boxes can be used.	<i>72" x 36" T-Leg</i> <i>Footprint area guideline T-Leg</i> - Two 72" x 36" T-Leg tables flipped and nested measure 75" x 42" - Three 72" x 36" T-Leg tables flipped and nested measure 78" x 49¹/₂" - Six 72" x 36" T-Leg tables flipped and nested measure 87" x 72"
<i>Plexus options: (\$31 per cutout)</i> * Plexus Box not available No Plexus (Y) Single medium Plexus, center (GM) Two medium Plexus, left and right, mid-depth (AM)	<i>Sequence Options: (\$31 per cutout)</i> Tables may be specified with zero, one or two cutouts. All sequence cutouts are 2¹/₂" x 6". Sequence is available on 24" and 30" deep Rectangular flip-top tables with C-leg. 48" wide tables, ES location only; 72" wide tables, DS location only.	<i>Flip Mechanism:</i> The Flip mechanism consists of black nylon glass-filled housing on both the C-Leg/T-Leg and the column base tables. The cross-member on rectangular tables is an aluminum extrusion that is anodized or painted to match the Propeller C-Leg/T-Leg. To operate, simply depress the mechanism to lower the table; to raise the table, lift the mechanism towards the table top. Flip-Top mechanism is pneumatic and easy to operate with one hand.	<i>Nesting:</i> Flip-Top tables nest easily for compact storage. C-Leg and T-Leg Flip Tops allow the top to flip and nest as well as providing more leg space than a standard folding table. When nested, the tables are staggered. There is no limit to the number of tables that can be nested together.
Y GM AM	<i>Grommet Options: (\$31 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3¹/₄" diameter. Optional grommet-mounted power receptacles available, see page 118.	<i>Example:</i> Footprint area guideline C-Leg 48" x 24" C-Leg - Two 48" x 24" C-Leg tables flipped and nested measure 51" x 30¹/₂" - Three 48" x 24" C-Leg tables flipped and nested measure 54" x 38¹/₂" - Six 48" x 24" C-Leg tables flipped and nested measure 63" x 63"	<i>Nesting Diagrams Guideline:</i> 2 Tables 3 Tables 6 Tables 48x24C 51" 30 1/2" 54" 38 1/2" 63" 60x30C 63" 30 1/2" 66" 38 1/2" 63" 72x36T 75" 42" 78" 49 1/2" 72"

Features:

- Note:*
- Rectangular Fliptop tables can be specified with medium cordset Plexus or Transact
 - Plexus options not available for 48" wide tables
 - Plexus options for 60" and 72" wide tables: (GM, AM)

Emanuela Frattini
Propeller® Training Table Series
Adjustable Height Tables


	description	w	d	h	table weight (lbs)
<i>Designer(s):</i> Emanuela Frattini	P8-CS Height Adjustable Table, Pin-Set  	48"	24"	28"-42"	77
		60"	24"	28"-42"	93
		72"	24"	28"-42"	104
		48"	30"	28"-42"	88
		60"	30"	28"-42"	106
		72"	30"	28"-42"	120
		48"	36"	28"-42"	104
		60"	36"	28"-42"	120
	72"	36"	28"-42"	136	
	P8-CE Height Adjustable Table, Electrical 	48"	24"	28-43 1/2"	103
		60"	24"	28-43 1/2"	114
		72"	24"	28-43 1/2"	125
		48"	30"	28-43 1/2"	111
		60"	30"	28-43 1/2"	124
		72"	30"	28-43 1/2"	139
	P8-CM Height Adjustable Table, Manual 	48"	24"	28"-41"	98
		60"	24"	28"-41"	103
		72"	24"	28"-41"	114
		48"	30"	28"-41"	100
		60"	30"	28"-41"	113
		72"	30"	28"-41"	128

pattern no.	laminated/flat edge	laminated/molded edge	veneer/flat edge	veneer/wood edge
P8-CS12	\$2,494.	\$2,694.	\$4,785.	\$5,276.
P8-CS14	2,598.	2,797.	4,905.	5,389.
P8-CS16	2,723.	2,921.	5,052.	5,539.
P8-CS22	2,598.	2,801.	4,910.	5,397.
P8-CS24	2,715.	2,914.	5,061.	5,562.
P8-CS26	2,848.	3,047.	5,200.	5,704.
P8-CS32	2,702.	2,903.	5,012.	5,502.
P8-CS34	2,817.	3,017.	5,165.	5,663.
P8-CS36	2,951.	3,152.	5,306.	5,806.
P8-CE12	4,637.	4,787.	6,837.	7,301.
P8-CE14	4,695.	4,837.	6,898.	7,369.
P8-CE16	4,747.	4,885.	6,971.	7,446.
P8-CE22	4,688.	4,832.	6,896.	7,369.
P8-CE24	4,750.	4,890.	6,994.	7,478.
P8-CE26	4,813.	4,948.	7,059.	7,545.
P8-CM12 *	3,437.	3,586.	5,633.	6,101.
P8-CM14 *	3,494.	3,636.	5,698.	6,168.
P8-CM16 *	3,546.	3,682.	5,769.	6,243.
P8-CM22 *	3,484.	3,629.	5,693.	6,168.
P8-CM24 *	3,551.	3,690.	5,792.	6,276.
P8-CM26 *	3,613.	3,748.	5,857.	6,343.

Order Code	Finishes	Electrical
<i>Example:</i> P8CE12-122-118Y-A	<i>Veneer top/edge finishes:</i>	<i>Grommet Options: (\$31 per cutout)</i>
P8CE12 Propeller Electrical Adjustable Table, 48 x 24	American Cherry (suffix X)	Tables may be specified with zero, one or two grommets. All grommets are 3 1/4" diameter. Optional grommet-mounted power receptacles available, see page 118.
122 Brushed Sand laminate	Bronzed Cherry (suffix V312)	
118 Bright White edgeband	Brown Oak (suffix V427)	
Y No grommet	Burnt Walnut (suffix V313)	
A Anodized legs	Chalk Oak (suffix V421)	
	Ebonized Walnut (suffix D)	No grommet (suffix Y)
	Graphite Oak (suffix V513)	Center grommet (GG)
	Light Cherry (suffix V315)	Mid-depth grommet, left & right (AG)
	Light Oak (suffix V423)	Two grommets, left & right, front (DG)
	Maple (suffix K)	Single grommet, center, front (EG)
	Medium Red Mahogany (suffix Z)	Back grommet, left (BGL)
	Natural Beech (suffix B)	Back grommet, right (BGR)
	Old English Walnut (V417)	
	Warm Brown Walnut (suffix J)	
<i>Specify:</i>	<i>Molded edgeband finishes:</i>	
1. Pattern number	Spring Green (suffix 1)	
2. Top finish selection	Light Grey (suffix 4)	
3. Edgeband selection	Medium Grey (suffix 5)	
4. Grommet, Plexus or Transact option	Black (suffix 6)	
5. Leg/grommet finish		
	<i>Flat edgeband finish:</i>	
	Black (suffix R5)	
	Bright White (suffix 118)	
	Medium Grey (suffix R6)	
	<i>Leg/grommet finish:</i>	
	Anodized Aluminum (suffix A)	
	Jet Black (suffix 111)	
	Medium Metallic Grey (suffic 612)	
	<i>Note:</i>	
	Propeller tables are Greenguard certified.	
<i>Woodgrain laminate finishes:</i>		<i>Sequence Options: (\$31 per cutout)</i>
Deep Cherry (suffix DC)		Tables may be specified with zero, one or two cutouts. All sequence cutouts are 2 1/2" x 6". Sequence is available on 24" and 30" deep tables only. 48" wide tables, ES location only; 72" wide tables, DS location only.
Medium Cherry (suffix 124)		
Natural Cherry (suffix 126)		
Natural Maple (suffix 125)		
Pearwood (suffix PA)		
Walnut (suffix 127)		

Features		
<i>Plexus options: (\$31 per cutout)</i> * Plexus Box not available For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM)  Y  GM  AM <i>Note:</i> - Plexus box not available on manual mechanism tables. - Plexus box available on electrical mechanism tables. 48" wide tables take GM and EM configurations only.	Perfect for classrooms and office applications, adjustable height tables are ADA compliant and adjustable for sitting or standing while discreetly managing power and data cables. Table is available with either an electrical, hand crank mechanism or pin-set option. Electrical or hand crank height adjustable legs feature the Propeller C Leg design allowing for enhanced leg space and incorporating a vertical channel for wire management. Pin-set tables feature the T-Leg design. <i>Note:</i> Adjustable Height Tables are available with glides only.	<i>Manual Crank Mechanism:</i> Propeller hand crank adjustable height tables include an intuitive manual mechanism that allows one person to raise and lower the table top from a height of 28" to 41". A discreet hand crank is located under the worksurface for easy access and operation. To operate simply pull the hand crank from under the table and rotate clockwise or counter clockwise to raise or lower. The crank can be readily interchanged between right and left hands. <i>Pin-Set Mechanism:</i> Propeller pin-set height adjustable tables include a manual height adjustment that requires a minimum of two people to raise and lower the table top from a height of 28" to 42" in one inch increments. <i>Electrical Mechanism:</i> Propeller electrical height adjustable table include an intuitive electric mechanism that allows one person to raise and lower the table top from a height of 28" to 43 1/2". A discreet push button control panel is located at the front edge of the worksurface. To operate simply plug the power cord in to a receptacle and utilize the up and down arrows to raise and lower the worksurface. Three custom height presets are available when quickly interchanging between multiple users.

Emanuela Frattini
Propeller® Training Table Series
Rectangular Folding Tables and Dolly

	description	w	d	h	clearance between legs w	clearance between legs d	table weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 1994 	P2-F Folding table	60"	24"	28 1/2"	52"	13 3/4"	72
		72"	24"	28 1/2"	64"	13 3/4"	81
		60"	30"	28 1/2"	52"	19 1/4"	83
		66"	30"	28 1/2"	58"	19 3/4"	89
		72"	30"	28 1/2"	64"	19 3/4"	95
		60"	36"	28 1/2"	52"	25 1/4"	95
		72"	36"	28 1/2"	64"	25 1/4"	109
	P2-DOLLY Table dolly with one handle	60"	30"	32 1/4"			
		72"	30"	32 1/4"			
		60"	36"	32 1/4"			
		72"	36"	32 1/4"			
	P2-DOLLY-H Additional handle for table dolly						

pattern no.	table dolly	lamine/flat edge	lamine/flat edge	veneer/flat edge	veneer/wood edge
P2-F14		\$1,881.	\$2,313.	\$4,081.	\$4,754.
P2-F16		2,023.	2,484.	4,146.	4,835.
P2-F24		2,023.	2,484.	4,188.	4,888.
P2-F25		2,093.	2,575.	4,223.	4,922.
P2-F26		2,162.	2,658.	4,251.	4,958.
P2-F34		2,162.	2,658.	4,269.	4,983.
P2-F36		2,301.	2,828.	4,365.	5,090.



P2-DOLLY24	1,487.
P2-DOLLY26	1,661.
P2-DOLLY34	1,661.
P2-DOLLY36	1,834.

P2-DOLLY-H	663.
------------	------

Order Code		Finishes	
<i>Example:</i>	P2-F16-G-129-R6-Y-612		
P2-F16	24" x 72" rectangle folding table	<i>Colored laminate finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	<i>Veneer top/edge finishes:</i> American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonzed Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)
G	Glides		<i>Flat edgeband finish:</i> Black (suffix R5) Bright White (suffix 118) Medium Grey (suffix R6)
129	Micro Sand laminate		
R6	Medium Grey edgeband		<i>Leg/grommet finishes:</i> Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)
Y	No grommet		
612	Medium Metallic Grey legs		<i>Glides/casters:</i> Glides (suffix G) Locking casters (suffix C)
<i>Specify:</i>		<i>Woodgrain laminate finishes:</i> Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Cherry (suffix 126) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127)	<i>Molded edgeband finishes:</i> Spring Green (suffix 1) Light Grey (suffix 4) Medium Grey (suffix 5) Black (suffix 6)
1. Pattern number			
2. Locking caster or glide selection			
3. Top finish selection			
4. Edgeband selection			
5. Grommet option			
6. Leg/grommet finish			

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual. <i>Grommet options: (\$31 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3 1/4" diameter. Optional grommet mounted power receptacles available, see page 118. No grommet (suffix Y) Single grommet, left, mid-depth (BG) Two grommets, left and right, front (DG) Two grommets, left and right, mid-depth (AG) Single grommet, center, front (EG) Single grommet, center, right (HG)  Y  DG  AG  EG  BG	<i>Connecting tables:</i> Each folding table, includes two connector bars to connect rectangular tops to each other on any side. When not needed, connectors store in ports at top of table leg. <i>Table dollies:</i> Table dollies can stack 5 folding tables. Red urethane edge is scuff resistant, bottom is medium grey laminate, handle is stainless steel. Wheels are self-lubricating steel bearings with puncture-proof and impact-resistant solid cushion tires, mounted on a polypropylene hub. <i>Note:</i> Height of Propeller table folded is 4 1/4". <i>Maintenance:</i> See pages 14. <i>Note:</i> Propeller tables are Greenguard certified.

Emanuela Frattini
Propeller® Training Table Series
Standing Height Tables

	description	w	d	h	clearance	clearance	table weight (lbs.)
					between legs w	between legs d	
<i>Designer(s):</i> Emanuela Frattini, 1994 	P2-H Standing height table 	48"	24"	38"	40"	13 3/4"	66
		60"	24"	38"	52"	13 3/4"	75
		72"	24"	38"	64"	13 3/4"	85
		48"	30"	38"	40"	19 3/4"	75
		60"	30"	38"	52"	19 3/4"	87
		72"	30"	38"	64"	19 3/4"	99
		48"	36"	38"	40"	25 3/4"	85
		60"	36"	38"	52"	25 3/4"	99
		72"	36"	38"	64"	25 3/4"	113
	P2-K Shelf for standing height table 	for P2-H12					
		for P2-H14					
		for P2-H16					
		for P2-H22					
		for P2-H24					
		for P2-H26					
		for P2-H32					
		for P2-H34					
		for P2-H36					

pattern no.	shelf	laminate/ flat edge	laminate/ molded edge	veneer/ flat edge	veneer/wood edge
P2-H12 *		\$1,461.	\$1,798.	\$3,552.	\$4,187.
P2-H14		1,604.	1,972.	3,617.	4,254.
P2-H16		1,742.	2,142.	3,689.	4,329.
P2-H22 *		1,604.	1,972.	3,629.	4,269.
P2-H24		1,742.	2,142.	3,723.	4,382.
P2-H26		1,881.	2,313.	3,789.	4,451.
P2-H32 *		1,742.	2,142.	3,865.	4,523.
P2-H34		1,881.	2,313.	3,953.	4,625.
P2-H36		2,023.	2,376.	4,046.	4,529.
P2-K12	602.				
P2-K14	729.				
P2-K16	857.				
P2-K22	729.				
P2-K24	857.				
P2-K26	987.				
P2-K32	857.				
P2-K34	987.				
P2-K36	1,112.				

Order Code	Finishes		
<i>Example:</i>	P2-H26-G-111-5-AG-612	<i>Colored laminate finishes:</i>	<i>Veneer top/edge finishes:</i>
P2-H26	72" x 30" standing height table	Bright White (suffix 118)	American Cherry (suffix X)
G	Glides	Brushed Aluminum (suffix LJ)	Bronzed Cherry (suffix V312)
111	Jet Black laminate	Brushed Sand (suffix 122)	Brown Oak (suffix V427)
5	Medium Grey edgeband	Fog (suffix 128)	Burnt Walnut (suffix V313)
AG	2 grommets, mid-depth	Folkstone Grey (suffix 114)	Chalk Oak (suffix V421)
612	Medium Metallic Grey grommets and legs	Jet Black (suffix 111)	Ebonized Walnut (suffix D)
		Light Grey (suffix L)	Graphite Oak (suffix V513)
		Micro Grey (suffix 121)	Light Cherry (suffix V315)
		Micro Sand (suffix 129)	Light Oak (suffix V423)
		Pumice (suffix 119)	Maple (suffix K)
		Slate (suffix SL)	Medium Red Mahogany (suffix Z)
		Soft Grey (suffix 117)	Natural Beech (suffix B)
			Old English Walnut (V417)
			Warm Brown Walnut (suffix J)
<i>Example:</i>	P2-K26-A	<i>Woodgrain laminate finishes:</i>	<i>Molded edgeband finishes:</i>
P2-K26	Shelf for 72" x 30" standing height table	Deep Cherry (suffix DC)	Spring Green (suffix 1)
A	Aluminum shelf finish	Medium Cherry (suffix 124)	Light Grey (suffix 4)
		Natural Cherry (suffix 126)	Medium Grey (suffix 5)
		Natural Maple (suffix 125)	Black (suffix 6)
		Pearwood (suffix PA)	
		Walnut (suffix 127)	
<i>Specify:</i>			
1.	Pattern number		
2.	Locking caster or glide selection		
3.	Top finish selection		

Specify:

1. Pattern number
2. Locking caster or glide selection
3. Top finish selection
4. Edgeband selection
5. Grommet/Plexus option
6. Grommet and leg finish

Specify shelf:

7. Pattern number _____
8. Shelf finish _____

Electrical


+ For more detailed information, consult the Electrical section of the Propeller Manual.

Grommet options: (\$31 per cutout)

Tables may be specified with zero, one, or two grommets. All grommets are 3 1/4" diameter. Optional grommet mounted power receptacles available, see page 118.

No grommet (Y)

Single grommet, left, mid-depth (BG)
Two grommets, left and right, front (DG)
Two grommets, left and right, mid-depth (AG)
Single grommet, center, front (EG)
* AG, BG not available on 48" wide tables



Features

Standing height tables:

Use Standing Height Tables
free-standing or connected to other
Standing Height Tables. Two connectors
provided with tables.

Standing height table shelf:

Optional shelf has to be specified separately. Shelf is retro-fittable.

Shelf:

Perforated metal shelf has rolled edges on all 4 sides. Powdercoat finish. Shelves are installed at 12" below table top.

Legs:

Extruded aluminum construction with clear satin anodized finish or powder-coat finish. Wire management flipper strips are flexible PVC. Leg end caps are injection-molded, glass-filled nylon. Leg mounting plates are aluminum die-castings with a textured paint finish. Black ribbed nylon glide or black nylon caster.

Maintenance:

See pages 14.





Note:

Propeller tables are Greenguard certified.

Emanuela Frattini
Propeller® Column Base Tables
Round and Square Tables

Designer(s):
Emanuela Frattini, 1999



description	w	d	h	weight	base
P2-Y Propeller round column base table 	42"		28 1/2"	71	4-star
	48"		28 1/2"	85	4-star
P3-J Propeller round column base table 	42"		28 1/2"	71	4-star
	48"		28 1/2"	85	4-star
P2-X Propeller square column base table 	30"	30"	28 1/2"	53	4-star
	36"	36"	28 1/2"	67	4-star
	42"	42"	28 1/2"	83	4-star
	48"	48"	28 1/2"	102	4-star
P3-L Propeller square column base table 	30"	30"	28 1/2"	53	4-star
	36"	36"	28 1/2"	67	4-star
	42"	42"	28 1/2"	83	4-star
	48"	48"	28 1/2"	102	4-star

pattern no.	laminate/ flat edge	laminate/ molded edge	laminate/ 1/2" wood edge	veneer/ flat edge	veneer/ 1/4" wood edge
P2-Y42	\$1,741.	\$2,002.		\$3,692.	\$5,266.
P2-Y48	1,758.	2,011.		3,785.	5,350.

P3-J42	4,576.
P3-J48	4,744.

P2-X30	1,341.	1,648.	3,081.	4,007.
P2-X36	1,461.	1,796.	3,193.	4,117.
P2-X42	1,585.	1,947.	3,420.	4,360.
P2-X48	1,707.	2,099.	3,442.	4,229.

P3-L30	3,481.
P3-L36	3,506.
P3-L42	3,328.
P3-L48	3,497.

Order Code	Ordering Information			
<i>Example:</i> P2-X30-117-1-Y-A				
P2-X30	Propeller 30" square table, 4-star base	Colored laminate finishes: Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	Veneer top/edge finishes: American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)	Flat edgeband finish: Black (suffix R5) Bright White (suffix 118) Medium Grey (suffix R6) Grommet and leg finishes: Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)
117	Soft Grey laminate			
1	Spring Green edgeband	Wood grain laminate finishes: Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Cherry (suffix 126) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127)	Molded edgeband finishes: Black (suffix 6) Light Grey (suffix 4) Medium Grey (suffix 5) Spring Green (suffix 1)	
Y	No grommet			
A	Anodized Aluminum base			
<i>Specify:</i> 1. Pattern number 2. Top finish 3. Edge band selection (except for wood top with wood edge) 4. Grommet option 5. Leg/grommet finish				

Electrical	Specification Information		
+ For more detailed information, consult the Electrical section of the Propeller Manual. <i>Grommet options: (\$31 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3 1/4" diameter. Optional grommet mounted power receptacles available, see page 118 for details. No grommet (suffix Y) Single grommet, center (suffix GG)  	The column base of the tables has one integrated channel for wire management. Cables are laid behind a translucent PVC flipper strip and can be easily pulled out. Wires can be brought to the table top through an optional center grommet. <i>Column profile:</i> 	<i>Urethane table edge detail:</i>  <i>Flat edgeband:</i>  <i>Wood Edge:</i> Tables can be specified with either 1/4" wood edge with veneer top or 1/2" wood edge with laminate top.	<i>Base:</i> Extruded aluminum column with integrated wire management channel in anodized or powder-coat finish. Silver steel top attachment plate. Cast aluminum star-base with protective textured metallic surface coat matching the column color. Leveling low black nylon glides. <i>Maintenance:</i> See pages 14. <i>Note:</i> Propeller tables are Greenguard certified.
<i>Note:</i> - Plexus box not available on column base tables.			

Emanuela Frattini


Propeller® Conference Table Series

Configurations and Product Information

Below are only a few examples of suggested configurations using Propeller Conference tables and accessories.

The inherent flexibility of Propeller tables allows for diverse applications, ranging from setups for conference rooms to private offices and workstations.

Conference table types




Ordering	Construction	Connecting Segments
<i>Specify:</i> 1. Pattern number 2. Caster or glide selection (table only). 3. Top finish selection 4. Edgeband selection 5. Grommet option (table and bridge only) 6. Leg/grommet finish P3-RL Rectangular table, Std. legs P2-IL Rectangular desk return, C-Legs P3-AL Bullet conference table, T-legs Bullet conference table, Std. legs P3-HL Rectangular table, T-Legs P3-IL Rounded rectangular table, T-Legs P3-J Round conference table, column base	<i>Top:</i> 1 3/16" thick, 3-ply, solid medium density fiberboard core with balanced backer sheet on bottom. Solid veneer or plastic laminate. Wood tops are cross veneered. Threaded inserts are die-cast zinc. <i>Edges:</i> All table edges are finished, allowing ganged tables to be separated and used individually. ABS flat edgeband and solid wood edge are available. On rectangular tables with wood edges, short sides have rectilinear edges for ganging, long side edges are chamfered. <i>Long side edge detail:</i> Solid wood <i>Short side edge detail:</i> Solid wood <i>Flat edgeband:</i> ABS flat edgeband, with integral color.	<i>Legs:</i> Propeller's S-shaped conference leg incorporates two separate channels for power and communications wiring. Cables are laid behind flipper strips to meet UL code. Vertical leg is extruded aluminum construction with clear satin anodized or powder coat finish. Legs are 5"w x 2 1/4"d with 25% greater capacity than the training table leg. There are two types of Propeller Conference legs: Standard Conference legs and T-Legs. <i>Standard Conference legs:</i> Leg mounting plates are steel stampings with powder-coat finish. Leg end caps are injection-molded, glass-filled nylon. Black plastic glide with 3/4" levelling range or 2" lockable black nylon caster. <i>T-Legs:</i> T-legs offer additional kneespace. Cast aluminum end plates with textured paint finish. Cast aluminum foot in textured metallic powder coat. Conference Leg T-Leg <i>Conference Leg section</i> <i>Underside of worksurface is pre-drilled with zinc inserts for freestanding or bridging leg position. Rectangular tops that are 78" and wider cannot be shared between legs. Standard conference leg includes screws for attachment of mounting plate under worksurface. Tool free option allows reconfiguration using soft touch hand screws. Kit includes: 8 soft touch hand screws for 2 legs.</i> <i>Glides/casters:</i> Glides and locking casters-black nylon. <i>Electrical options:</i> Electrical options include Grommet, Quadruplex and Plexus box. Please see Propeller Electrical section beginning on page 110. <i>Shipping:</i> Tops and legs are shipped separately. Legs ship knocked-down into foot plate and vertical assembly. Simple field assembly required.



Below are a few examples of private office and workstation configurations using Propeller Conference tables and accessories. The possibilities of connecting tables and accessories are virtually unlimited.

All configurations utilize standard Propeller products which are grouped according to desired application. Coordination of finishes allows for cohesive aesthetic solutions.

Conference area configurations




Emanuela Frattini
Propeller® Conference Table Series
Round/Rounded Tables with Standard Legs

	description	type	w	d	h	clearance between legs d	clearance between legs w	no. of legs included	top weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 1994 	P3-DL Round table, with legs 		48"		28 1/2"	28 1/2"		4	59
			54"		28 1/2"	33 1/2"		4	75
			60"		28 1/2"	39"		4	92
	P3-ML Rounded square table, with legs 		42"	42"	28 1/2"	20 1/2"		4	47
			48"	48"	28 1/2"	25 1/2"		4	62
			54"	54"	28 1/2"	30 1/2"		4	80
			60"	60"	28 1/2"	35 1/2"		4	99
	P3-NL Rounded rectangular table, with legs 		60"	42"	28 1/2"	27 1/4"	25"	4	74
			66"	42"	28 1/2"	33 1/4"	25"	4	82
			72"	42"	28 1/2"	39 1/4"	25"	4	90
			78"	42"	28 1/2"	45 1/4"	25"	4	98
			84"	42"	28 1/2"	51 1/4"	25"	4	106
			90"	42"	28 1/2"	57 1/4"	25"	4	115
			96"	42"	28 1/2"	63 1/4"	25"	4	123
			60"	48"	28 1/2"	28 1/4"	25"	4	83
			66"	48"	28 1/2"	34 1/4"	25"	4	92
			72"	48"	28 1/2"	40 1/4"	25"	4	102
			78"	48"	28 1/2"	46 1/4"	25"	4	111
			84"	48"	28 1/2"	52 1/4"	25"	4	120
			90"	48"	28 1/2"	58 1/4"	25"	4	130
			96"	48"	28 1/2"	64 1/4"	25"	4	139
			72"	60"	28 1/2"	41 1/4"	27"	4	126
			78"	60"	28 1/2"	47 1/4"	27"	4	138
			84"	60"	28 1/2"	53 1/4"	27"	4	149
			90"	60"	28 1/2"	59 1/4"	27"	4	161
			96"	60"	28 1/2"	65 1/4"	27"	4	173

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-DL48	\$2,140.	\$5,279.	\$3,998.	\$6,659.	\$6,992.
P3-DL54	2,607.	5,733.	4,584.	7,222.	7,584.
P3-DL60	2,611.	5,862.	4,747.	7,463.	7,836.
P3-ML42	2,584.	5,665.	5,289.	7,773.	8,163.
P3-ML48	2,596.	5,793.	5,320.	8,003.	8,403.
P3-ML54	2,722.	5,921.	5,533.	8,236.	8,647.
P3-ML60	2,781.	6,051.	5,709.	8,467.	8,891.
P3-NL44	2,717.	6,599.	5,976.	9,203.	9,661.
P3-NL46	2,795.	6,779.	6,080.	9,324.	9,791.
P3-NL48	2,797.	6,960.	6,092.	9,443.	9,916.
P3-NL50	2,802.	7,138.	6,237.	9,564.	10,041.
P3-NL52	2,805.	7,319.	6,252.	9,685.	10,170.
P3-NL54	2,808.	7,499.	6,441.	9,801.	10,293.
P3-NL56	2,814.	7,680.	6,452.	9,924.	10,423.
P3-NL64	2,791.	6,960.	5,998.	9,436.	9,908.
P3-NL66	2,797.	7,138.	6,097.	9,555.	10,034.
P3-NL68	2,802.	7,319.	6,115.	9,677.	10,159.
P3-NL70	2,805.	7,499.	6,259.	9,796.	10,287.
P3-NL72	2,809.	7,680.	6,278.	9,915.	10,409.
P3-NL74	2,814.	7,859.	6,467.	10,036.	10,537.
P3-NL76	2,818.	8,038.	6,483.	10,156.	10,664.
P3-NL88	3,001.	7,859.	6,556.	10,017.	10,518.
P3-NL90	3,006.	8,038.	6,577.	10,138.	10,646.
P3-NL92	3,010.	8,208.	6,727.	10,252.	10,764.
P3-NL94	3,015.	8,380.	6,749.	10,365.	10,882.
P3-NL96	3,018.	8,554.	6,852.	10,473.	10,997.

Order Code	Finishes
<i>Example:</i> P3-NL44-C-K-SE-AG-A	<i>Colored laminate top finishes:</i>
P3-NL44 60" x 42" rounded rectangle table	Bright White (suffix 118)
C Locking casters	Brushed Aluminum (suffix LJ)
K Maple veneer top	Brushed Sand (suffix 122)
SE Saarinen edge profile	Fog (suffix 128)
AG Left and right grommets, mid-depth	Folkstone Grey (suffix 114)
A Anodized grommets	Jet Black (suffix 111)
	Light Grey (suffix L)
	Micro Grey (suffix 121)
	Micro Sand (suffix 129)
	Pumice (suffix 119)
	Slate (suffix SL)
	Soft Grey (suffix 117)
<i>Specify:</i>	<i>Wood grain laminate finishes:</i>
1. Pattern number	Deep Cherry (suffix DC)
2. Locking caster or glide selection	Medium Cherry (suffix 124)
3. Top finish selection	Natural Cherry (suffix 126)
4. Edgeband selection	Natural Maple (suffix 125)
5. Edge profile option (veneer/wood edge only)	Pearwood (suffix PA)
6. Grommet/Plexus cutout option	Walnut (suffix 127)
7. Grommet/leg finish	<i>Veneer top/edge finishes:</i>
	American Cherry (suffix X)
	Bronzed Cherry (suffix V312)
	Brown Oak (suffix V427)
	Burnt Walnut (suffix V313)
	Chalk Oak (suffix V421)
	Ebonized Walnut (suffix D)
	Graphite Oak (suffix V513)
	Light Cherry (suffix V315)
	Light Oak (suffix V423)
	Maple (suffix K)
	Medium Red Mahogany (suffix Z)
	Natural Beech (suffix B)
	Old English Walnut (V417)
	Warm Brown Walnut (suffix J)
	<i>Wood edge profiles:</i>
	Autostrada edge (suffix AE)
	Propeller edge (suffix PE)
	Saarinen edge (suffix SE)
	<i>Flat edgeband finish:</i>
	Black (suffix R5)
	Bright White (suffix 118)
	Medium Grey (suffix R6)
	<i>Leg and Grommet finishes:</i>
	Anodized Aluminum (suffix A)
	Jet Black (suffix 111)
	Medium metallic Grey (suffix 612)

Electrical		Features
+ For more detailed information, consult the Electrical section of the Propeller Manual. <i>Grommet options: (\$43 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3/4" in diameter. See page 40 for details. Optional grommet-mounted power receptacles available, see page 118. No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth (AG) Single grommet, left, mid-depth (BG)	<i>Plexus Cutout Options: (\$43 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Tables may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 110. For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) * For medium double Plexus, center, mid-depth (GMD) For medium double Plexus, left and right, mid-depth (AMD) * <i>*for rounded rectangular tables only</i>	<i>Maintenance:</i> See pages 14. <i>Note:</i> Propeller tables are Greenguard certified.  <i>Note:</i> - Double Plexus AMD and GMD configurations not available on 42" deep tables. - Plexus box not available on 42" square tables. - Configurations AM, AMD and GJ not available on 48", 54" and 60" square tables. - AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini
Propeller® Conference Table Series
Rounded Table with T-Legs

	description	top w	d	h	leg type	top weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 1994 	P3-IL Rounded rectangular table, T-Legs 	60"	42"	28 ½"	T-Legs	74
		66"	42"	28 ½"	T-Legs	82
		72"	42"	28 ½"	T-Legs	90
		78"	42"	28 ½"	T-Legs	98
		84"	42"	28 ½"	T-Legs	106
		90"	42"	28 ½"	T-Legs	115
		96"	42"	28 ½"	T-Legs	123
		60"	48"	28 ½"	T-Legs	83
		66"	48"	28 ½"	T-Legs	92
		72"	48"	28 ½"	T-Legs	102
		78"	48"	28 ½"	T-Legs	111
		84"	48"	28 ½"	T-Legs	120
		90"	48"	28 ½"	T-Legs	130
		96"	48"	28 ½"	T-Legs	139
		72"	60"	28 ½"	T-Legs	126
		78"	60"	28 ½"	T-Legs	138
		84"	60"	28 ½"	T-Legs	147
		90"	60"	28 ½"	T-Legs	161
		96"	60"	28 ½"	T-Legs	173

pattern no.	laminatē/ flat edge	laminatē/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-IL44	\$3,099.	\$6,599.	\$6,360.	\$9,203.	\$9,661.
P3-IL46	3,177.	6,779.	6,461.	9,324.	9,791.
P3-IL48	3,183.	6,960.	6,476.	9,443.	9,916.
P3-IL50	3,186.	7,138.	6,618.	9,564.	10,041.
P3-IL52	3,191.	7,319.	6,635.	9,685.	10,170.
P3-IL54	3,193.	7,499.	6,821.	9,801.	10,293.
P3-IL56	3,199.	7,680.	6,837.	9,924.	10,423.
P3-IL64	3,177.	6,960.	6,380.	9,436.	9,908.
P3-IL66	3,182.	7,138.	6,481.	9,555.	10,034.
P3-IL68	3,185.	7,319.	6,499.	9,677.	10,159.
P3-IL70	3,189.	7,499.	6,642.	9,796.	10,287.
P3-IL72	3,193.	7,680.	6,661.	9,915.	10,409.
P3-IL74	3,197.	7,859.	6,850.	10,036.	10,537.
P3-IL76	3,204.	8,038.	6,868.	10,156.	10,664.
P3-IL88	3,385.	7,859.	6,939.	10,017.	10,518.
P3-IL90	3,388.	8,038.	6,960.	10,138.	10,646.
P3-IL92	3,396.	8,208.	7,108.	10,252.	10,764.
P3-IL94	3,399.	8,380.	7,129.	10,365.	10,882.
P3-IL96	3,402.	8,554.	7,235.	10,473.	10,997.


Order Code		Finishes	
<i>Example:</i>	P3-IL44-K-BG-612	<i>Colored laminate top finishes:</i>	<i>Veneer top/edge finishes:</i>
P3-IL44	60" x 42" rounded rectangular table, T-Legs	Bright White (suffix 118)	American Cherry (suffix X)
K	Maple top	Brushed Aluminum (suffix LJ)	Bronzed Cherry (suffix V312)
BG	Single grommet, left	Brushed Sand (suffix 122)	Brown Oak (suffix V427)
612	Medium Metallic grommet and leg finish	Fog (suffix 128)	Burnt Walnut (suffix V313)
		Folkstone Grey (suffix 114)	Chalk Oak (suffix V421)
		Jet Black (suffix 111)	Ebonized Walnut (suffix D)
		Light Grey (suffix L)	Graphite Oak (suffix V513)
		Micro Grey (suffix 121)	Light Cherry (suffix V315)
		Micro Sand (suffix 129)	Light Oak (suffix V423)
		Pumice (suffix 119)	Maple (suffix K)
		Slate (suffix SL)	Medium Red Mahogany (suffix Z)
		Soft Grey (suffix 117)	Natural Beech (suffix B)
			Old English Walnut (V417)
			Warm Brown Walnut (suffix J)
		<i>Wood grain laminate finishes:</i>	<i>Wood edge profiles:</i>
		Deep Cherry (suffix DC)	Autostrada edge (suffix AE)
		Medium Cherry (suffix 124)	Propeller edge (suffix PE)
		Natural Cherry (suffix 126)	Saارينen edge (suffix SE)
		Natural Maple (suffix 125)	
		Pearwood (suffix PA)	
		Walnut (suffix 127)	
<i>Specify:</i>			<i>Flat edgeband finish:</i>
1. Pattern number			Black (suffix R5)
2. Top finish selection			Bright White (suffix 118)
3. Edgeband selection			Medium Grey (suffix R6)
4. Edge profile option (veneer/wood edge only)			
5. Grommet/Plexus cutout option			<i>Leg and Grommet finishes:</i>
6. Grommet/leg finish			Anodized Aluminum (suffix A)
			Jet Black (suffix 111)
			Medium Metallic Grey (suffix 612)
			<i>Glides/Casters:</i>
			Glides (suffix G)

Electrical

+ For more detailed information, consult the Electrical section of the Propeller Manual.


Grommet options: (\$43 per cutout)
Tables may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter. See page 40 for details. Optional grommet-mounted power receptacles available, see page 118.

No grommet (Y)
Single grommet, center, mid-depth (GG)
Two grommets, left & right, mid-depth (AG)
Single grommet, left, mid-depth (BG)



Plexus Cutout Options: (\$43 per cutout)
Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Tables may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 110.

For no Plexus (Y)
For medium Plexus, center, mid-depth (GM)
For medium Plexus, left & right, mid-depth (AM)
For medium double Plexus, center, mid-depth (GMD)
For medium double Plexus, left & right, mid-depth (AMD)



Note:

- Double Plexus AMD and GMD configurations not available on 42" deep tables.
- **AM and AMD are not appropriate for stand alone tables or end segments.**

Specification Information

T-Leg conference tables:
T-Leg conference tables provide more leg room for free-standing conference tables while still offering wire management capabilities. Each table has two T-Legs positioned at 10" from rounded table edges.

Connecting tables:
Conference tables with T-Legs are free-standing and cannot be connected with legs. However, they may be joined with standard connecting hardware.

Maintenance:

Note:
Propeller tables are Greenguard
certified.



Emanuela Frattini
Propeller® Conference Table Series
Bullet Table with Standard Legs

	description	type	w	d	h	clearance	clearance	no. of legs incl.	top wgt (lbs.)
						btwn. legs w	btwn. legs d		
<i>Designer(s):</i> Emanuela Frattini, 1994	P3-BL Bullet table, with legs 		54"	42"	28 ½"	25 ½"	25"	4	70
			60"	42"	28 ½"	31 ½"	25"	4	78
			66"	42"	28 ½"	37 ½"	25"	4	86
			72"	42"	28 ½"	43 ½"	25"	4	94
			78"	42"	28 ½"	49 ½"	25"	4	102
			84"	42"	28 ½"	55 ½"	25"	4	111
			90"	42"	28 ½"	61 ½"	25"	4	119
			96"	42"	28 ½"	71 ¼"	25"	4	127
			54"	48"	28 ½"	25 ½"	25"	4	79
			60"	48"	28 ½"	31 ½"	25"	4	88
			66"	48"	28 ½"	37 ½"	25"	4	98
			72"	48"	28 ½"	43 ½"	25"	4	107
			78"	48"	28 ½"	49 ½"	25"	4	116
			84"	48"	28 ½"	55 ½"	25"	4	126
			90"	48"	28 ½"	61 ½"	25"	4	135
			96"	48"	28 ½"	71 ½"	25"	4	145
			54"	60"	28 ½"	25 ½"	27"	4	98
			60"	60"	28 ½"	31 ½"	27"	4	110
			66"	60"	28 ½"	37 ½"	27"	4	122
			72"	60"	28 ½"	43 ½"	27"	4	133
			78"	60"	28 ½"	49 ½"	27"	4	145
			84"	60"	28 ½"	55 ½"	27"	4	157
			90"	60"	28 ½"	61 ½"	27"	4	168
			96"	60"	28 ½"	72 ¼"	27"	4	180

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-BL42	\$2,716.	\$6,960.	\$5,515.	\$7,997.	\$8,397.
P3-BL44	2,719.	7,044.	5,531.	8,143.	8,550.
P3-BL46	2,842.	7,131.	5,685.	8,288.	8,702.
P3-BL48	2,846.	7,214.	5,701.	8,431.	8,854.
P3-BL50	2,850.	7,301.	5,796.	8,579.	9,007.
P3-BL52	2,856.	7,388.	5,813.	8,726.	9,160.
P3-BL54	2,860.	7,474.	5,908.	8,870.	9,314.
P3-BL56	2,864.	7,557.	5,927.	9,017.	9,469.
P3-BL62	2,718.	7,138.	5,735.	8,288.	8,702.
P3-BL64	2,723.	7,222.	5,755.	8,431.	8,854.
P3-BL66	2,846.	7,310.	5,909.	8,579.	9,007.
P3-BL68	2,850.	7,395.	5,929.	8,726.	9,160.
P3-BL70	2,856.	7,481.	6,023.	8,870.	9,314.
P3-BL72	2,858.	7,568.	6,044.	9,017.	9,469.
P3-BL74	2,862.	7,654.	6,182.	9,160.	9,619.
P3-BL76	2,869.	7,736.	6,199.	9,308.	9,772.
P3-BL82	2,905.	7,680.	6,199.	9,154.	9,610.
P3-BL84	2,913.	7,764.	6,217.	9,298.	9,763.
P3-BL86	3,066.	7,849.	6,414.	9,443.	9,916.
P3-BL88	3,070.	7,935.	6,559.	9,590.	10,069.
P3-BL90	3,075.	8,025.	6,582.	9,736.	10,224.
P3-BL92	3,080.	8,108.	6,682.	9,879.	10,374.
P3-BL94	3,084.	8,194.	6,703.	10,029.	10,530.
P3-BL96	3,090.	8,277.	6,725.	10,173.	10,682.

Order Code	Finishes		
<i>Example:</i> P3-BL42-C-DC-R5-GG-A	<i>Colored laminate top finishes:</i>	<i>Veneer top/edge finishes:</i>	<i>Flat edgeband finish:</i>
P3-BL42 54" x 42" bullet table	Bright White (suffix 118)	American Cherry (suffix X)	Black (suffix R5)
C Locking casters	Brushed Aluminum (suffix LJ)	Bronzed Cherry (suffix V312)	Bright White (suffix 118)
DC Deep Cherry laminate top	Brushed Sand (suffix 122)	Brown Oak (suffix V427)	Medium Grey (suffix R6)
R5 Black edgeband	Fog (suffix 128)	Burnt Walnut (suffix V313)	
GG Single grommet, center	Folkstone Grey (suffix 114)	Chalk Oak (suffix V421)	<i>Leg and Grommet finishes:</i>
A Aluminum grommet and leg finish	Jet Black (suffix 111)	Ebonized Walnut (suffix D)	Anodized Aluminum (suffix A)
	Light Grey (suffix L)	Graphite Oak (suffix V513)	Jet Black (suffix 111)
	Micro Grey (suffix 121)	Light Cherry (suffix V315)	Medium Metallic Grey (suffix 612)
	Micro Sand (suffix 129)	Light Oak (suffix V423)	
	Pumice (suffix 119)	Maple (suffix K)	<i>Glides/Casters:</i>
	Slate (suffix SL)	Medium Red Mahogany (suffix Z)	Glides (suffix G)
	Soft Grey (suffix 117)	Natural Beech (suffix B)	Locking Casters (suffix C)
		Old English Walnut (V417)	
		Warm Brown Walnut (suffix J)	
<i>Specify:</i>	<i>Wood grain laminate finishes:</i>	<i>Wood edge profiles:</i>	
1. Pattern number	Deep Cherry (suffix DC)	Autostrada edge (suffix AE)	
2. Locking caster or glide selection	Medium Cherry (suffix 124)	Propeller edge (suffix PE)	
3. Top finish selection	Natural Cherry (suffix 126)	Saarinen edge (suffix SE)	
4. Edgeband selection	Natural Maple (suffix 125)		
5. Edge profile option (veneer/wood edge only)	Pearwood (suffix PA)		
6. Grommet/Plexus cutout option	Walnut (suffix 127)		
7. Grommet/leg finish			

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual.	<i>Maintenance:</i> See pages 14.
<i>Grommet options: (\$43 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3 ¼" in diameter, see page 40 for details. Optional grommet-mounted power receptacles available, see page 118.	<i>Note:</i> Propeller tables are Greenguard certified.
No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth (AG) Single grommet, right, mid-depth (HG) Single grommet, left, mid-depth (BG)	<i>Plexus Cutout Options: (\$43 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Tables may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 110. For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left & right, mid-depth (AMD)



Note:
- Double Plexus AMD and GMD configurations not available on 42" deep tables.
- **AM and AMD are not appropriate for stand alone tables or end segments.**

Emanuela Frattini
Propeller® Conference Table Series
Bullet Table with T-Legs

	description	top w	d	h	leg type	top weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 1994 	P3-AL Bullet conference table, T-Legs 	54"	42"	28 ½"	T-Legs	70
		60"	42"	28 ½"	T-Legs	78
		66"	42"	28 ½"	T-Legs	86
		72"	42"	28 ½"	T-Legs	94
		78"	42"	28 ½"	T-Legs	102
		84"	42"	28 ½"	T-Legs	111
		90"	42"	28 ½"	T-Legs	119
		96"	42"	28 ½"	T-Legs	127
		54"	48"	28 ½"	T-Legs	79
		60"	48"	28 ½"	T-Legs	88
		66"	48"	28 ½"	T-Legs	98
		72"	48"	28 ½"	T-Legs	107
		78"	48"	28 ½"	T-Legs	116
		84"	48"	28 ½"	T-Legs	126
		90"	48"	28 ½"	T-Legs	135
		96"	48"	28 ½"	T-Legs	145
		54"	60"	28 ½"	T-Legs	98
		60"	60"	28 ½"	T-Legs	110
		66"	60"	28 ½"	T-Legs	122
		72"	60"	28 ½"	T-Legs	135
		78"	60"	28 ½"	T-Legs	145
		84"	60"	28 ½"	T-Legs	157
		90"	60"	28 ½"	T-Legs	168
		96"	60"	28 ½"	T-Legs	180

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-AL42	\$3,099.	\$6,960.	\$5,899.	\$7,997.	\$8,397.
P3-AL44	3,105.	7,044.	5,912.	8,143.	8,550.
P3-AL46	3,227.	7,131.	6,068.	8,288.	8,702.
P3-AL48	3,230.	7,214.	6,082.	8,431.	8,854.
P3-AL50	3,236.	7,301.	6,179.	8,579.	9,007.
P3-AL52	3,239.	7,388.	6,192.	8,726.	9,160.
P3-AL54	3,243.	7,474.	6,289.	8,870.	9,314.
P3-AL56	3,249.	7,557.	6,306.	9,017.	9,469.
P3-AL62	3,103.	7,138.	6,118.	8,288.	8,702.
P3-AL64	3,108.	6,912.	6,135.	8,069.	8,473.
P3-AL66	3,229.	7,310.	6,292.	8,579.	9,007.
P3-AL68	3,234.	7,395.	6,308.	8,726.	9,160.
P3-AL70	3,239.	7,481.	6,408.	8,870.	9,314.
P3-AL72	3,243.	7,568.	6,424.	9,017.	9,469.
P3-AL74	3,249.	7,654.	6,564.	9,160.	9,619.
P3-AL76	3,252.	7,736.	6,582.	9,308.	9,772.
P3-AL82	3,290.	7,680.	6,582.	9,154.	9,610.
P3-AL84	3,298.	7,764.	6,599.	9,298.	9,763.
P3-AL86	3,449.	7,849.	6,796.	9,443.	9,916.
P3-AL88	3,457.	7,935.	6,941.	9,590.	10,069.
P3-AL90	3,460.	8,025.	6,961.	9,736.	10,224.
P3-AL92	3,465.	8,108.	7,067.	9,879.	10,374.
P3-AL94	3,470.	8,194.	7,086.	10,029.	10,530.
P3-AL96	3,473.	8,277.	7,104.	10,173.	10,682.


Order Code	Finishes		
<i>Example:</i> P3-AL68-118-R6-GG-A			
P3-AL68	72" x 48" bullet conference table, T-Legs	<i>Colored laminate top finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	<i>Veneer top/edge finishes:</i> American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonyized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)
118	Bright White laminate top		<i>Flat edgeband finish:</i> Black (suffix R5) Bright White (suffix 118) Medium Grey (suffix R6)
R6	Medium Grey edgeband		
GG	Center grommet		<i>Leg and Grommet finishes:</i> Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)
A	Anodized Aluminum grommet and leg		<i>Glides/Casters:</i> Glides (suffix G)
<i>Specify:</i>			
1. Pattern number		<i>Wood grain laminate finishes:</i> Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Cherry (suffix 126) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)
2. Top finish selection			
3. Edgeband selection			
4. Edge profile option (veneer/wood edge only)			
5. Grommet/Plexus cutout option			
6. Grommet/leg finish			

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual.	<i>T-Leg conference tables:</i> T-Leg conference tables provide more leg room for free-standing conference tables while still offering wire management capabilities. Each table has two T-Legs positioned at 10 7/8" from flat table edges and 10" from rounded table edges.
<i>Grommet options: (\$43 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3 ¼" in diameter, see page 40 for details. Optional grommet-mounted power receptacles available, see page 118.	<i>Connecting tables:</i> Conference tables with T-Legs are free-standing and cannot be connected with legs. However, they may be joined with standard connecting hardware.
No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth (AG) Single grommet, right, mid-depth (HG) Single grommet, left, mid-depth (BG)	<i>Maintenance:</i> See pages 14.
 Y	<i>Note:</i> - Double Plexus AMD and GMD configurations not available on 42" deep tables. - AM and AMD are not appropriate for stand alone tables or end segments.
 GG	
 AG	
 HG	
 BG	
 AMD	
 Y	
 GM	
 AM	
 GMD	

Emanuela Frattini

Propeller® Conference Table Series

Square/Rectangular Tables with Standard Legs

	description	w	d	h	clearance	clearance	no. of legs	top wgt.
					btwn. legs w	btwn. legs d		
<i>Designer(s):</i> Emanuela Frattini, 1994	P3-SL Square table, with legs	42"	42"	28 ½"	25 ¼"	25"	4	57
		48"	48"	28 ½"	31 ¼"	25"	4	75
		54"	54"	28 ½"	37 ¼"	25"	4	95
		60"	60"	28 ½"	43 ¼"	27"	4	117
								
	P3-RL Rectangular table, with legs	48"	42"	28 ½"	31 ¼"	25"	4	66
		54"	42"	28 ½"	37 ¼"	25"	4	74
		60"	42"	28 ½"	43 ¼"	25"	4	82
		66"	42"	28 ½"	49 ¼"	25"	4	90
		72"	42"	28 ½"	55 ¼"	25"	4	98
		78"	42"	28 ½"	61 ¼"	25"	4	107
		84"	42"	28 ½"	67 ¼"	25"	4	115
		90"	42"	28 ½"	73 ¼"	25"	4	123
		96"	42"	28 ½"	79 ¼"	25"	4	131
		54"	48"	28 ½"	37 ¼"	25"	4	84
		60"	48"	28 ½"	43 ¼"	25"	4	94
		66"	48"	28 ½"	49 ¼"	25"	4	103
		72"	48"	28 ½"	55 ¼"	25"	4	113
		78"	48"	28 ½"	55 ¼"	25"	4	122
		84"	48"	28 ½"	55 ¼"	25"	4	131
		90"	48"	28 ½"	55 ¼"	25"	4	141
		96"	48"	28 ½"	55 ¼"	25"	4	150
		48"	60"	28 ½"	31 ¼"	27"	4	94
		54"	60"	28 ½"	37 ¼"	27"	4	105
		66"	60"	28 ½"	49 ¼"	27"	4	129
		72"	60"	28 ½"	55 ¼"	27"	4	141
		78"	60"	28 ½"	61 ¼"	27"	4	152
		84"	60"	28 ½"	67 ¼"	27"	4	164
		90"	60"	28 ½"	73 ¼"	27"	4	176
		96"	60"	28 ½"	79 ¼"	27"	4	288

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-SL42	\$2,376.	\$4,405.	\$4,295.	\$5,974.	\$6,274.
P3-SL48	2,388.	4,835.	4,327.	6,685.	7,020.
P3-SL54	2,522.	5,260.	4,726.	7,635.	8,015.
P3-SL60	2,535.	5,689.	4,850.	7,618.	8,001.
P3-RL40	2,431.	4,642.	4,802.	6,452.	6,777.
P3-RL42	2,467.	4,756.	4,859.	6,576.	6,903.
P3-RL44	2,472.	4,869.	4,874.	6,694.	7,028.
P3-RL46	2,590.	4,980.	5,024.	6,814.	7,153.
P3-RL48	2,593.	5,092.	5,037.	6,934.	7,282.
P3-RL50	2,597.	5,203.	5,054.	7,051.	7,405.
P3-RL52	2,606.	5,315.	5,265.	7,173.	7,530.
P3-RL54	2,609.	5,423.	5,278.	7,293.	7,658.
P3-RL56	2,612.	5,537.	5,293.	7,415.	7,785.
P3-RL62	2,472.	4,962.	5,077.	6,805.	7,146.
P3-RL64	2,476.	5,073.	5,089.	6,928.	7,273.
P3-RL66	2,595.	5,183.	5,240.	7,044.	7,397.
P3-RL68	2,598.	5,296.	5,258.	7,165.	7,523.
P3-RL70	2,607.	5,410.	5,275.	7,285.	7,649.
P3-RL72	2,609.	5,519.	5,410.	7,406.	7,778.
P3-RL74	2,612.	5,630.	5,424.	7,526.	7,904.
P3-RL76	2,616.	5,742.	5,439.	7,644.	8,028.
P3-RL80	2,476.	5,503.	5,095.	7,388.	7,758.
P3-RL82	2,630.	5,615.	5,364.	7,508.	7,885.
P3-RL86	2,781.	5,835.	5,570.	7,749.	8,135.
P3-RL88	2,787.	5,945.	5,589.	7,869.	8,262.
P3-RL90	2,791.	6,057.	5,609.	7,988.	8,387.
P3-RL92	2,797.	6,168.	5,825.	8,108.	8,500.
P3-RL94	2,802.	6,281.	5,846.	8,229.	8,640.
P3-RL96	2,805.	6,394.	5,865.	8,346.	8,766.

Order Code	Finishes		
<i>Example:</i>	P3-RL56-C-Z-SE-Y-A	<i>Colored laminate top finishes:</i>	<i>Veneer top/edge finishes:</i>
P3-RL56	96" x 42" rectangular table	Bright White (suffix 118)	American Cherry (suffix X)
C	Locking casters	Brushed Aluminum (suffix LJ)	Bronzed Cherry (suffix V312)
Z	Medium Red Mahogany top	Brushed Sand (suffix 122)	Brown Oak (suffix V427)
SE	Saarinен edge profile	Fog (suffix 128)	Burnt Walnut (suffix V313)
Y	No grommets	Folkstone Grey (suffix 114)	Chalk Oak (suffix V421)
A	Anodized Aluminum legs	Jet Black (suffix 111)	Ebonized Walnut (suffix D)
		Light Grey (suffix L)	Graphite Oak (suffix V513)
		Micro Grey (suffix 121)	Light Cherry (suffix V315)
		Micro Sand (suffix 129)	Light Oak (suffix V423)
		Pumice (suffix 119)	Maple (suffix K)
		Slate (suffix SL)	Medium Red Mahogany (suffix Z)
		Soft Grey (suffix 117)	Natural Beech (suffix B)
			Old English Walnut (V417)
			Warm Brown Walnut (suffix J)
		<i>Wood grain laminate finishes:</i>	<i>Wood edge profiles:</i>
		Deep Cherry (suffix DC)	Autostrada edge (suffix AE)
		Medium Cherry (suffix 124)	Propeller edge (suffix PE)
		Natural Cherry (suffix 126)	Saarinен edge (suffix SE)
		Natural Maple (suffix 125)	
		Pearwood (suffix PA)	
		Walnut (suffix 127)	

Specify:

1. Pattern number
2. Locking castor or glide selection
3. Top finish selection
4. Edgeband selection
5. Edge profile option (veneer/wood edge only)
6. Grommet/Plexus cutout option
7. Grommet/leg finish

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual.	<i>Maintenance:</i> See pages 14.
<i>Grommet options: (\$43 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3¼" in diameter, see page 40 for details. Optional grommet-mounted power receptacles available, see page 118.	<i>Note:</i> Propeller tables are Greenguard certified.
No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth (AG) Single grommet, left, mid-depth (BG)	<i>Note:</i> - Double Plexus AMD and GMD configurations not available on 42" deep tables. - Plexus box not available on 42" square tables and 48"x 42" tables. - Configurations AM and AMD not available on 48", 54" and 60" square tables. - AM and AMD are not appropriate for stand alone tables or end segments.
 Y	 Y
 GG	 GG
 AG	 AG
 BG	 BG
	 BG

Emanuela Frattini
Propeller® Conference Table Series
Rectangular Table with T-Legs

	description	top w	d	h	leg type	top weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 1994	P3-HL Rectangular table, T-Legs 	48"	42"	28 ½"	T-Legs	66
		54"	42"	28 ½"	T-Legs	74
		60"	42"	28 ½"	T-Legs	82
		66"	42"	28 ½"	T-Legs	90
		72"	42"	28 ½"	T-Legs	98
		78"	42"	28 ½"	T-Legs	107
		84"	42"	28 ½"	T-Legs	115
		90"	42"	28 ½"	T-Legs	123
		96"	42"	28 ½"	T-Legs	131
		54"	48"	28 ½"	T-Legs	84
		60"	48"	28 ½"	T-Legs	94
		66"	48"	28 ½"	T-Legs	103
		72"	48"	28 ½"	T-Legs	113
		78"	48"	28 ½"	T-Legs	122
		84"	48"	28 ½"	T-Legs	131
		90"	48"	28 ½"	T-Legs	141
		96"	48"	28 ½"	T-Legs	150
		48"	60"	28 ½"	T-Legs	94
		54"	60"	28 ½"	T-Legs	105
		66"	60"	28 ½"	T-Legs	129
		72"	60"	28 ½"	T-Legs	141
		78"	60"	28 ½"	T-Legs	152
		84"	60"	28 ½"	T-Legs	164
		90"	60"	28 ½"	T-Legs	176
		96"	60"	28 ½"	T-Legs	188

Order Code	Finishes
<i>Example:</i> P3-HL94-B-PE-Y-A	<i>Colored laminate top finishes:</i>
P3-HL94	90" x 60" rectangular table, T-Legs
B	Natural Beech veneer top
PE	Propeller edge
Y	No grommet
A	Anodized Aluminum legs
<i>Specify:</i>	
1. Pattern number	
2. Top finish selection	
3. Edgeband selection	
4. Edge profile option (veneer/wood edge only)	
5. Grommet/Plexus cutout option	
6. Grommet/leg finish	
	<i>Wood grain laminate finishes:</i>
	Deep Cherry (suffix DC)
	Medium Cherry (suffix 124)
	Natural Cherry (suffix 126)
	Natural Maple (suffix 125)
	Pearwood (suffix PA)
	Walnut (suffix 127)
	<i>Veneer top/edge finishes:</i>
	American Cherry (suffix X)
	Bronzed Cherry (suffix V312)
	Brown Oak (suffix V427)
	Burnt Walnut (suffix V313)
	Chalk Oak (suffix V421)
	Ebonized Walnut (suffix D)
	Anodized Aluminum (suffix A)
	Jet Black (suffix 111)
	Medium Metallic Grey (suffix 612)
	<i>Flat edgeband finish:</i>
	Black (suffix R5)
	Bright White (suffix 118)
	Medium Grey (suffix R6)
	<i>Leg and Grommet finishes:</i>
	Glides (suffix G)
	<i>Glides/Casters:</i>
	Glides (suffix G)
	<i>Wood edge profiles:</i>
	Autostrada edge (suffix AE)
	Propeller edge (suffix PE)
	Saارينen edge (suffix SE)



pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-HL40	\$2,814.	\$4,642.	\$5,182.	\$6,452.	\$6,777.
P3-HL42	2,853.	4,756.	5,240.	6,576.	6,903.
P3-HL44	2,857.	4,869.	5,256.	6,694.	7,028.
P3-HL46	2,975.	4,980.	5,406.	6,814.	7,153.
P3-HL48	2,978.	5,092.	5,420.	6,934.	7,282.
P3-HL50	2,981.	5,203.	5,435.	7,051.	7,405.
P3-HL52	2,989.	5,315.	5,649.	7,173.	7,530.
P3-HL54	2,992.	5,423.	5,660.	7,293.	7,658.
P3-HL56	2,995.	5,537.	5,678.	7,415.	7,785.
P3-HL62	2,857.	4,962.	5,457.	6,805.	7,183.
P3-HL64	2,861.	5,073.	5,473.	6,928.	7,273.
P3-HL66	2,978.	5,183.	5,624.	7,044.	7,397.
P3-HL68	2,981.	5,296.	5,642.	7,165.	7,523.
P3-HL70	2,989.	5,410.	5,656.	7,285.	7,649.
P3-HL72	2,992.	5,519.	5,792.	7,406.	7,778.
P3-HL74	2,995.	5,630.	5,806.	7,526.	7,904.
P3-HL76	3,002.	5,742.	5,823.	7,644.	8,028.
P3-HL80	2,861.	5,503.	5,479.	7,388.	7,758.
P3-HL82	3,016.	5,615.	5,745.	7,508.	7,885.
P3-HL86	3,166.	5,835.	5,952.	7,749.	8,135.
P3-HL88	3,170.	5,945.	5,971.	7,869.	8,262.
P3-HL90	3,177.	6,057.	5,993.	7,988.	8,387.
P3-HL92	3,183.	6,168.	6,209.	8,108.	8,514.
P3-HL94	3,186.	6,281.	6,228.	8,229.	8,640.
P3-HL96	3,191.	6,394.	6,248.	8,346.	8,766.

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual.	<i>Plexus Cutout Options: (\$43 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 110.
<i>Grommet options: (\$43 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3¼" in diameter, see page 40 for location details. Optional grommet-mounted power receptacles available, see page 118.	<i>T-Leg conference tables:</i> T-Leg conference tables provide more leg room for free-standing conference tables while still offering wire management capabilities. Each table has two T-Legs positioned at 10 7⁄8" from flat table edges.
No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid depth (AG) Single grommet, left (BG)	<i>Connecting tables:</i> Conference tables with T-Legs are free-standing and cannot be connected with legs. However, they may be joined with standard connecting hardware.
	<i>Maintenance:</i> See pages 14.
	<i>Note:</i> - Plexus not available on 48"x 42"table. - Double Plexus AMD and GMD configurations not available on 42" deep tables. - AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini

Propeller® Conference Table Series

Rounded Two Segment Conference Table with Standard Legs

	description	overall w	d	h	section width A, B	no. of legs included	top wgt (lbs.)
Designer(s): Emanuela Frattini, 1994 	P3-CL Rounded rectangular table, 2 segments, with legs 	108"	42"	28½"	54"	6	140
		120"	42"	28½"	60"	6	156
		132"	42"	28½"	66"	6	172
		144"	42"	28½"	72"	6	188
		156"	42"	28½"	78"	6	204
		168"	42"	28½"	84"	6	222
		180"	42"	28½"	90"	6	238
		108"	48"	28½"	54"	6	158
		120"	48"	28½"	60"	6	176
		132"	48"	28½"	66"	6	196
		144"	48"	28½"	72"	6	214
		156"	48"	28½"	78"	6	232
		168"	48"	28½"	84"	6	252
		180"	48"	28½"	90"	6	270
		108"	60"	28½"	54"	6	196
		120"	60"	28½"	60"	6	220
		132"	60"	28½"	66"	6	244
		144"	60"	28½"	72"	6	266
		156"	60"	28½"	78"	6	290
		168"	60"	28½"	84"	6	314
		180"	60"	28½"	90"	6	336


Note: Order 2 additional legs if tables will be seperated

Order Code	Finishes			
Example: P3-CL10-G-K-AE-HG-HG-A				
P3-CL10	108" x 42" rounded rectangular table, 2 segments	Colored laminate top finishes: Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	Veneer top/edge finishes: American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)	Flat edgeband finish: Black (suffix R5) Bright White (suffix 118) Medium Grey (suffix R6)
G	Glides			
K	Maple veneer top			
AE	Autostrada edge profile			
HG	Single grommet, outside, segment A			
HG	Single grommet, outside, segment B			
A	Anodized Aluminum grommet and leg finish	Wood grain laminate finishes: Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Cherry (suffix 126) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127)	Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)	Leg and Grommet finishes: Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)
Specify: 1. Pattern number 2. Locking caster or glide option 3. Top finish selection 4. Edgeband selection 5. Edge profile option (veneer/wood edge only) 6. Grommet/Plexus cutout option, segment A 7. Grommet/Plexus cutout option, segment B 8. Grommet/leg finish Specify additional legs: 9. Pattern number 10. Leg finish				

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-CL10	\$4,681.	\$13,266.	\$10,519.	\$15,342.	\$16,109.
P3-CL12	4,690.	13,438.	10,550.	15,630.	16,412.
P3-CL14	4,847.	13,610.	10,759.	15,922.	16,718.
P3-CL16	4,855.	13,780.	10,791.	16,215.	17,023.
P3-CL18	4,866.	13,949.	10,822.	16,506.	17,331.
P3-CL20	4,874.	14,123.	10,854.	16,799.	17,640.
P3-CL22	4,883.	14,294.	10,885.	17,087.	17,945.
P3-CL30	4,690.	13,625.	10,559.	15,922.	16,718.
P3-CL32	4,697.	13,796.	10,590.	16,215.	17,023.
P3-CL34	4,855.	13,972.	10,803.	16,506.	17,331.
P3-CL36	4,866.	14,141.	10,838.	16,799.	17,640.
P3-CL38	4,874.	14,313.	10,876.	17,087.	17,945.
P3-CL40	4,883.	14,483.	10,908.	17,380.	18,251.
P3-CL42	4,891.	14,656.	10,944.	17,672.	18,554.
P3-CL50	4,887.	14,706.	10,631.	17,656.	18,539.
P3-CL52	4,895.	14,878.	10,675.	17,946.	18,712.
P3-CL54	5,226.	15,049.	11,090.	18,238.	19,150.
P3-CL56	5,234.	15,219.	11,135.	18,528.	19,454.
P3-CL58	5,245.	15,390.	11,174.	18,819.	19,758.
P3-CL60	5,255.	15,563.	11,220.	19,115.	20,066.
P3-CL62	5,264.	15,734.	11,260.	19,401.	20,370.

Electrical

+ For more detailed information, consult the Electrical section of the Propeller Manual. <i>Grommet options: (\$43 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3¼" in diameter, see page 40 for details. Optional grommet-mounted power receptacles available, see page 118.	<i>Plexus Cutout Options: (\$43 per cutout)</i> Table can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 110. For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left & right, mid-depth (AMD)	Y GM GMD AM AMD Note: - Double Plexus AMD and GMD configurations not available on 42" deep tables. - AM and AMD are not appropriate for stand alone tables or end segments.
--	---	--





Emanuela Frattini

Propeller® Conference Table Series

Rounded Three Segment Conference Tables with Standard Legs

Designer(s):
Emanuela Frattini, 1994





description	overall w	d	h	section width A,C	section width B	no. of legs incl.	top wgt (lbs.)
P3-FL Rounded rectangular table, 3 segments, with legs 	192"	42"	28 1/2"	60"	72"	8	248
	204"	42"	28 1/2"	72"	60"	8	262
	216"	42"	28 1/2"	72"	72"	8	286
	228"	42"	28 1/2"	78"	72"	8	302
	240"	42"	28 1/2"	84"	72"	8	320
	252"	42"	28 1/2"	90"	72"	8	336
	192"	48"	28 1/2"	60"	72"	8	289
	204"	48"	28 1/2"	72"	60"	8	308
	216"	48"	28 1/2"	72"	72"	8	327
	228"	48"	28 1/2"	78"	72"	8	345
	240"	48"	28 1/2"	84"	72"	8	365
	252"	48"	28 1/2"	90"	72"	8	383
	192"	60"	28 1/2"	60"	72"	8	359
	204"	60"	28 1/2"	72"	60"	8	383
	216"	60"	28 1/2"	72"	72"	8	407
	228"	60"	28 1/2"	78"	72"	8	431
	240"	60"	28 1/2"	84"	72"	8	455
	252"	60"	28 1/2"	90"	72"	8	477

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-FL06	\$7,102.	\$17,553.	\$15,805.	\$21,776.	\$22,866.
P3-FL10	7,329.	17,996.	15,875.	22,254.	23,370.
P3-FL12	7,447.	18,218.	16,052.	22,498.	23,623.
P3-FL14	7,475.	18,392.	16,141.	22,788.	23,927.
P3-FL16	7,500.	18,564.	16,231.	23,078.	24,233.
P3-FL18	7,530.	18,735.	16,319.	23,373.	24,541.
P3-FL26	7,305.	18,272.	15,941.	22,435.	23,556.
P3-FL30	7,524.	18,614.	16,304.	23,017.	24,168.
P3-FL32	7,553.	18,783.	16,398.	23,309.	24,473.
P3-FL34	7,580.	18,957.	16,494.	23,603.	24,783.
P3-FL36	7,610.	19,128.	16,588.	23,893.	25,087.
P3-FL38	7,640.	19,300.	16,685.	24,186.	25,394.
P3-FL46	7,612.	20,003.	16,341.	24,999.	26,252.
P3-FL50	8,025.	20,346.	17,050.	25,496.	26,771.
P3-FL52	8,056.	20,517.	17,158.	25,746.	27,031.
P3-FL54	8,086.	20,690.	17,263.	26,034.	27,338.
P3-FL56	8,119.	20,861.	17,372.	26,329.	27,645.
P3-FL58	8,149.	21,031.	17,479.	26,618.	27,948.

Note: Order 4 additional legs if table will be separated.



Order Code	Finishes			
<i>Example:</i>	P3-FL10-G-SL-R6-Y-GMD-Y-GG-612	<i>Colored laminate top finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	<i>Veneer top/edge finishes:</i> American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)	<i>Flat edgeband finish:</i> Black (suffix R5) Bright White (suffix 118) Medium Grey (suffix R6) <i>Leg and Grommet finishes:</i> Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) <i>Glides/Casters:</i> Glides (suffix G) Locking Casters (suffixC)
P3-FL10	204" x 42" rounded rectangular table, 3 segments			
G	Glides			
SL	Slate laminate tops			
R6	Medium Grey edgeband			
Y	Single grommet, center, mid-depth, segment A			
GMD	Double medium plexus, center, segment B			
612	Medium Metallic Grey grommet and leg finish	<i>Wood grain laminate finishes:</i> Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Cherry (suffix 126) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)	
<i>Specify:</i> 1. Pattern number 2. Locking caster or glide option 3. Top finish selection 4. Edgeband selection 5. Edge profile option (veneer/wood edge only) 6. Grommet/Plexus cutout option, segment A 7. Grommet/Plexus option, segment B 8. Grommet/Plexus option, segment C <i>Specify additioanl legs:</i> 9. Pattern number 10. Leg finish				

Electrical	Features
+ For more detailed information. consult the Electrical section of the Propeller Manual. <i>Grommet options: (\$43 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter, see page 40 for details. Optional grommet-mounted power receptacles available, see page 118. No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth (AG) Single grommet, right, mid-depth (HG) Single grommet, left, mid-depth (BG)	<i>Plexus Cutout Options: (\$43 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 110. For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD) <i>Note:</i> - Double Plexus AMD and GMD configurations not available on 42" deep tables. - AM and AMD are not appropriate for stand alone tables or end segments.
	

Emanuela Frattini

Propeller® Conference Table Series

Rounded Four Segment Conference Tables with Standard Legs

	description	total w	d	h	section width A,D	section width B,C	no. of legs incl.	top wgt. (lbs.)
Designer(s): Emanuela Frattini, 1994 	P3-EL Rounded rectangular table, 4 segments, with legs 	264"	42"	28½"	72"	60"	10	352
		276"	42"	28½"	78"	60"	10	368
		288"	42"	28½"	78"	66"	10	384
		300"	42"	28½"	84"	66"	10	402
		312"	42"	28½"	84"	72"	10	418
		324"	42"	28½"	90"	72"	10	434
		264"	48"	28½"	72"	60"	10	402
		276"	48"	28½"	78"	60"	10	420
		288"	48"	28½"	78"	66"	10	438
		300"	48"	28½"	84"	66"	10	458
		312"	48"	28½"	84"	72"	10	478
		324"	48"	28½"	90"	72"	10	496
		264"	60"	28½"	72"	60"	10	500
		276"	60"	28½"	78"	60"	10	524
		288"	60"	28½"	78"	66"	10	548
		300"	60"	28½"	84"	66"	10	572
		312"	60"	28½"	84"	72"	10	596
		324"	60"	28½"	90"	72"	10	618

Note: Order 6 additional legs if tables will be separated.

Order Code	Finishes		
<i>Example:</i>	P3-EL32-G-125-PE-Y-GM-GM-Y-A	<i>Colored laminate top finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	<i>Veneer top/edge and leg finishes:</i> American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)
P3-EL32	276" x 48" rounded rectangular table, 4 segments		Flat edgeband finish: Black (suffix R5) Bright White (suffix 118) Medium Grey (suffix R6)
G	Glides		<i>Leg and Grommet finishes:</i> Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)
125	Natural Maple laminate top		
PE	Propeller edge		
Y	No plexus, segment A		
GM	Single grommet, center, mid-depth, segment B		
GM	Single grommet, center, mid-depth, segment C		
Y	No plexus, segment D		
A	Aluminum grommet and leg finish	<i>Wood grain laminate finishes:</i> Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Cherry (suffix 126) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)

Specify:

- Pattern number
- Locking caster or glide option
- Top finish selection
- Edgeband selection
- Edge profile option (veneer/wood edge only)
- Grommet/Plexus cutout option, segment A
- Grommet/Plexus cutout option, segment B
- Grommet/Plexus cutout option, segment C
- Grommet/Plexus sutout option, segment D
- Grommet.leg finish

Specify additional legs

- Pattern number
- Leg finish


pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-EL10	\$10,034.	\$17,295.	\$22,067.	\$24,578.	\$25,806.
P3-EL12	10,068.	17,518.	22,173.	24,818.	26,059.
P3-EL14	10,103.	17,741.	22,283.	25,059.	26,311.
P3-EL16	10,138.	17,962.	22,391.	25,295.	26,562.
P3-EL18	10,172.	18,183.	22,501.	25,540.	26,817.
P3-EL20	10,207.	18,408.	22,610.	25,780.	27,069.
P3-EL30	10,201.	18,117.	22,591.	25,505.	26,779.
P3-EL32	10,234.	18,343.	22,706.	25,746.	27,031.
P3-EL34	10,272.	18,564.	22,821.	25,985.	27,285.
P3-EL36	10,306.	18,783.	22,936.	26,226.	27,537.
P3-EL38	10,339.	19,010.	23,050.	26,464.	27,787.
P3-EL40	10,376.	19,231.	23,168.	26,704.	28,041.
P3-EL50	10,927.	20,655.	23,690.	28,297.	29,711.
P3-EL52	10,963.	20,806.	23,816.	28,523.	29,948.
P3-EL54	11,000.	21,100.	23,945.	28,780.	30,219.
P3-EL56	11,041.	21,392.	24,074.	29,034.	30,485.
P3-EL58	11,077.	21,612.	24,199.	29,276.	30,739.
P3-EL60	11,114.	21,839.	24,330.	29,515.	30,990.

Electrical

+ For more detailed information, consult the Electrical section of the Propeller Manual.


Grommet options: (\$43 per cutout)
Individual table segments may be specified with zero, one or two grommets. All grommets are 3¼" in diameter, see page 40 for details. Optional grommet-mounted power receptacles available, see page 118.

No grommet (Y)
Single grommet, center, mid-depth (GG)
Two grommets, left & right, mid-depth (AG)
Single grommet, right, mid-depth (HG)
Single grommet, left, mid-depth (BG)



Plexus Cutout Options: (\$43 per cutout)
Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 110.

For no Plexus (Y)
For medium Plexus, center, mid-depth (GM)
For medium Plexus, left & right, mid-depth (AM)
For double medium Plexus, center, mid-depth (GMD)
For double medium Plexus, left and right, mid-depth (AMD)



Note:
- Double Plexus AMD and GMD configurations not available on 42" deep tables.
- **AM and AMD are not appropriate for stand alone tables or end segments.**

Features



Maintenance:
See pages 14.

Note:
Propeller tables are Greenguard certified.

Emanuela Frattini

Propeller® Conference Table Series

Rectangular Two Segment Conference Table with Standard Legs

	description	overall w	d	h	section width, A,B	no. of legs incl.	top wgt. (lbs.)
Designer(s): Emanuela Frattini, 1994 	P3-SL Rectangular table, 2 segments with legs 	108"	42"	28½"	54"	6	148
		120"	42"	28½"	60"	6	164
		132"	42"	28½"	66"	6	180
		144"	42"	28½"	72"	6	196
		108"	48"	28½"	54"	6	168
		120"	48"	28½"	60"	6	188
		132"	48"	28½"	66"	6	206
		144"	48"	28½"	72"	6	226
		108"	60"	28½"	54"	6	210
		120"	60"	28½"	60"	6	234
		132"	60"	28½"	66"	6	258
		144"	60"	28½"	72"	6	282


pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-SL10	\$4,477.	\$8,861.	\$9,125.	\$12,495.	\$13,119.
P3-SL12	4,562.	9,086.	9,154.	12,734.	13,371.
P3-SL14	4,629.	9,308.	9,452.	12,976.	13,625.
P3-SL16	4,676.	9,528.	9,503.	13,214.	13,874.
P3-SL30	4,486.	9,271.	9,557.	12,957.	13,605.
P3-SL32	4,570.	9,496.	9,589.	13,199.	13,859.
P3-SL34	4,634.	9,719.	9,893.	13,438.	14,111.
P3-SL36	4,683.	9,942.	9,923.	13,678.	14,362.
P3-SL50	4,846.	10,574.	10,171.	14,362.	15,078.
P3-SL52	5,262.	10,732.	10,546.	14,585.	15,317.
P3-SL53	5,289.	11,022.	10,597.	14,841.	15,583.
P3-SL56	5,349.	11,243.	10,678.	15,084.	15,837.

Note: Order 2 additional legs if tables will be seperated


Order Code	Finishes			
<i>Example:</i>	P3-SL10-G-K-R5-BG-A	<i>Colored laminate top finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	<i>Veneer top/edge finishes:</i> American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)	<i>Flat edgeband finish:</i> Black (suffix R5) Bright White (suffix 118) Medium Grey (suffix R6)
P3-SL10	108" x 42" rectangular table, 2 segments			
G	Glides			
K	Maple veneer top			
R5	Black edgeband			
BG	Single grommet, side, segment A			
BG	Single grommet, side, segment B			
A	Anodized Aluminum grommet and leg finish			
		<i>Wood grain laminate finishes:</i> Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Cherry (suffix 126) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)	<i>Leg and Grommet finishes:</i> Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)
				<i>Glides/Casters:</i> Glides (suffix G) Locking Casters (C)

- Specify:
- Pattern number
 - Locking caster or glide option
 - Top finish selection
 - Edgeband selection
 - Edge profile option (veneer/wood edge only)
 - Grommet/Plexus cutout option, segment A
 - Grommet/Plexus cutout option, segment B
 - Grommet/leg finish

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual.	<i>Maintenance:</i> See pages 14.
<i>Grommet options: (\$43 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3¼" in diameter, see page 40 for details. Optional grommet-mounted power receptacles available, see page 118.	<i>Note:</i> Propeller tables are Greenguard certified.
No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, right (BG)	<i>Note:</i> - Double Plexus AMD and GMD configurations not available on 42" deep tables. - AM and AMD are not appropriate for stand alone tables or end segments.



Plexus Cutout Options: (\$43 per cutout)
Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 110.





For no Plexus (Y)
For medium Plexus, center, mid-depth (GM)
For medium Plexus, left & right, mid-depth (AM)
For double medium Plexus, center, mid-depth (GMD)
For double medium Plexus, left and right, mid-depth (AMD)

Emanuela Frattini

Propeller® Conference Table Series

Rectangular Three Segment Conference Table with Standard Legs

	description	total w	d	h	section width A,C	section width B	no. of legs incl.	top wgt. (lbs.)
Designer(s): Emanuela Frattini, 1994 	P3-TL Rectangular table, 3 segments, with legs 	156"	42"	28½"	54"	48"	8	214
		168"	42"	28½"	60"	48"	8	230
		180"	42"	28½"	60"	60"	8	246
		192"	42"	28½"	66"	60"	8	262
		204"	42"	28½"	72"	60"	8	278
		216"	42"	28½"	72"	72"	8	294
		156"	48"	28½"	54"	48"	8	243
		168"	48"	28½"	60"	48"	8	263
		180"	48"	28½"	60"	60"	8	282
		192"	48"	28½"	66"	60"	8	300
		204"	48"	28½"	72"	60"	8	320
		216"	48"	28½"	72"	72"	8	339
		156"	60"	28½"	54"	48"	8	304
		168"	60"	28½"	60"	48"	8	328
		180"	60"	28½"	60"	60"	8	351
		192"	60"	28½"	66"	60"	8	375
		204"	60"	28½"	72"	60"	8	399
		216"	60"	28½"	72"	72"	8	423


pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-TL10	\$6,326.	\$12,855.	\$13,401.	\$18,296.	\$19,211.
P3-TL12	6,412.	13,077.	13,431.	18,537.	19,465.
P3-TL14	6,542.	13,299.	13,450.	18,776.	19,714.
P3-TL16	6,607.	13,522.	13,752.	19,017.	19,969.
P3-TL18	6,656.	13,746.	13,801.	19,259.	20,220.
P3-TL20	6,711.	13,972.	13,975.	19,497.	20,473.
P3-TL30	6,424.	13,454.	14,067.	18,990.	19,940.
P3-TL32	6,513.	13,678.	14,110.	19,231.	20,192.
P3-TL34	6,563.	13,917.	14,140.	19,472.	20,444.
P3-TL36	6,633.	14,141.	14,457.	19,710.	20,695.
P3-TL38	6,687.	14,362.	14,502.	19,952.	20,948.
P3-TL40	6,749.	14,585.	14,681.	20,189.	21,198.
P3-TL50	7,025.	15,424.	15,145.	21,100.	22,154.
P3-TL52	7,459.	15,580.	15,553.	21,324.	22,391.
P3-TL54	7,686.	15,769.	15,788.	21,552.	22,631.
P3-TL56	7,719.	16,063.	15,864.	21,813.	22,903.
P3-TL58	7,791.	16,283.	15,973.	22,050.	23,152.
P3-TL60	7,830.	16,540.	16,025.	22,300.	23,412.

Note: Order 4 additional legs if tables will be seperated


Order Code	Finishes			Features
<i>Example:</i>	P3-TL10-G-SL-5-GG-AG-GG-612	<i>Colored laminate top finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	<i>Veneer top/edge finishes:</i> American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)	<i>Flat edgeband finish:</i> Black (suffix R5) Bright White (suffix 118) Medium Grey (suffix R6)
P3-TL10	156" x 42" rounded rectangular table, 3 segments			
G	Glides			
SL	Slate laminate top			
5	Medium Grey edgeband			
GG	Single grommet, center, segment A			
AG	Two grommets, left and right, mid-depth, segment B			
GG	Single grommet, center, segment C			
612	Medium Metallic Grey grommet and leg finish	<i>Wood grain laminate finishes:</i> Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)	

- Specify:
- Pattern number
 - Locking caster or glide option
 - Top finish selection
 - Edgeband selection
 - Edge profile option (veneer/wood edge only)
 - Grommet/Plexus cutout option, segment A
 - Grommet/Plexus cutout option, segment B
 - Grommet/Plexus cutout option, segment C
 - Grommet/leg finish

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual. <i>Grommet options: (\$43 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3¼" in diameter, see page 40 for details. Optional grommet-mounted power receptacles available, see page 118. No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth (AG) Single grommet, side (BG)	<i>Plexus Cutout Options: (\$43 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 110. For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)





Note:
- Double Plexus AMD and GMD configurations not available on 42" deep tables.
- **AM and AMD are not appropriate for stand alone tables or end segments.**



Emanuela Frattini

Propeller® Conference Table Series

Rectangular Four Segment Conference Table with Standard Legs

	description	total w	d	h	section width A,D	section width B,C	no. of legs incl.	top wgt. (lbs.)
Designer(s): Emanuela Frattini, 1994 	P3-VL Rectangular table, 4 segments, with legs	228"	42"	28 1/2"	60"	54"	10	312
		240"	42"	28 1/2"	60"	60"	10	328
		252"	42"	28 1/2"	66"	60"	10	344
		264"	42"	28 1/2"	66"	66"	10	360
		276"	42"	28 1/2"	72"	66"	10	376
		288"	42"	28 1/2"	72"	72"	10	392
		228"	48"	28 1/2"	60"	54"	10	356
		240"	48"	28 1/2"	60"	60"	10	376
		252"	48"	28 1/2"	66"	60"	10	394
		264"	48"	28 1/2"	66"	66"	10	412
		276"	48"	28 1/2"	72"	66"	10	432
		288"	48"	28 1/2"	72"	72"	10	452
		228"	60"	28 1/2"	60"	54"	10	444
		240"	60"	28 1/2"	60"	60"	10	468
		252"	60"	28 1/2"	66"	60"	10	492
		264"	60"	28 1/2"	66"	66"	10	516
		276"	60"	28 1/2"	72"	66"	10	540
		288"	60"	28 1/2"	72"	72"	10	564



pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-VL10	\$8,418.	\$17,295.	\$17,675.	\$24,578.	\$25,806.
P3-VL12	8,514.	17,518.	17,734.	24,818.	26,059.
P3-VL14	8,598.	17,741.	18,095.	25,059.	26,230.
P3-VL16	8,675.	17,962.	18,423.	25,295.	26,562.
P3-VL18	8,734.	18,183.	18,504.	25,540.	26,817.
P3-VL20	8,795.	18,408.	18,581.	25,780.	27,069.
P3-VL30	8,521.	18,117.	18,817.	25,505.	26,779.
P3-VL32	8,620.	18,343.	18,883.	25,746.	27,031.
P3-VL34	8,697.	18,564.	19,224.	25,985.	27,285.
P3-VL36	8,773.	18,783.	19,563.	26,226.	27,537.
P3-VL38	8,832.	19,010.	19,628.	26,464.	27,787.
P3-VL40	8,895.	19,231.	19,694.	26,704.	28,041.
P3-VL50	9,716.	20,655.	20,750.	28,297.	29,711.
P3-VL52	10,160.	20,806.	21,176.	28,523.	29,948.
P3-VL54	10,199.	21,100.	21,261.	28,780.	30,219.
P3-VL56	10,234.	21,392.	21,347.	29,034.	30,485.
P3-VL58	10,313.	21,612.	21,466.	29,276.	30,739.
P3-VL60	10,394.	21,839.	21,586.	29,515.	30,990.

Note: Order 6 additional legs if tables will be seperated

Order Code	Finishes
Example: P3-VL32-G-125-R5-Y-BG-BG-Y-A	
P3-VL32	276" x 48" rounded rectangular table, 4 segments
G	Glides
125	Natural Maple laminate top
R5	Black edgeband
Y	No grommet, segment A
BG	Single grommet, right, segment B
BG	Single grommet, right, segment C
Y	No grommet, segment D
A	Aluminum grommet and leg finish

<i>Colored laminate top finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	<i>Veneer top/edge and leg finishes:</i> American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)
<i>Wood grain laminate finishes:</i> Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Cherry (suffix 126) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)

- Specify:
- Pattern number
 - Locking caster or glide option
 - Top finish selection
 - Edgeband selection
 - Edge profile option (veneer/wood edge only)
 - Grommet/Plexus cutout option, segment A
 - Grommet/Plexus cutout option, segment B
 - Grommet/Plexus cutout option, segment C
 - Grommet/Plexus cutout option, segment D
 - Grommet/leg finish

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual. <i>Grommet options: (\$43 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter, see page 40 for details. Optional grommet-mounted power receptacles available, see page 118. No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, right (BG) 	<i>Plexus Cutout Options: (\$43 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 110. For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)  <i>Maintenance:</i> See pages 14. <i>Note:</i> - Double Plexus AMD and GMD configurations not available on 42" deep tables. - AM and AMD are not appropriate for stand alone tables or end segments.


Emanuela Frattini

Propeller® Conference Table Series

Conference Tables with Drum and Peanut Base Product Information

Below are only a few examples of suggested configurations using Propeller Conference tables with Drum and Peanut base.

Table types and configurations



The inherent flexibility of Propeller tables allows for applications Ideal for conference rooms and break-out areas.

Conference tables with Drum and Peanut bases offer enhanced wire management capability and unobstructed kneespace. On most tables drum and peanut bases will be located at the center of the table or segment, some exceptions arise on tables with three and four segments, where a base is shared between two segments.

Three different Drum bases are offered, to suit varying top shapes and size of tables. Certain larger tables may require support frames under the table top. A Peanut base suits all table sizes.




Table with drum base
Three sizes available.

Small: an 18" round drum with a 25" round footplate
Medium: an 18" round drum with a 30" round footplate
Large: a 23" round drum with a 30" round footplate

Please refer to base size when ordering a drum base table.




Table with square drum base
Three sizes available.

Small: a 13" square drum with a 25" square footplate
Medium: a 13" square drum with a 30" square footplate
Large: a 16 1/2" square drum with a 30" square footplate

Please refer to base size when ordering a square drum base table.

Square drum base side panels are available in a perforated solid metal with silver powder coat finish or matching veneer side panels.





Table with rectangular drum base
Four sizes available.

Small: a 24" x 13" rectangular base with a 36" x 30" rectangular footplate
Medium: a 24" x 13" rectangular base with a 48" x 30" rectangular footplate
Large: a 31" x 16" rectangular base with a 36" x 36" rectangular footplate
X-Large: a 16" x 31" rectangular base with a 48" x 36" rectangular footplate



Please refer to base size when ordering a rectangular drum base table

Rectangular drum base side panels are available as solid metal with silver powder coat finish or matching veneer side panels.



Peanut base
All 42", 48", and 60" tables feature the 27" x 8" Peanut base.

Ordering Information	Contruction																								
<i>Specify:</i> 1. Pattern number 2. 2. Top finish selection 3. 3. Edgeband selection 4. 4. Grommet option 5. 5. Base finish *D/P, D= Drum base, P= Peanut base <table><tr><td>P3-RD/P</td><td>Rectangular table</td></tr><tr><td>P3-BD/P</td><td>Bullet conference table</td></tr><tr><td>P3-ND/P</td><td>Rounded rectangular table</td></tr><tr><td>P3-DD/P</td><td>Round conference table</td></tr><tr><td>P3-SD/P</td><td>Square conference table</td></tr><tr><td>P3-BD/P</td><td>Rounded square table</td></tr><tr><td>P3-SD/P</td><td>Rectangular table, 2 segments</td></tr><tr><td>P3-TD/P</td><td>Rectangular table, 3 segments</td></tr><tr><td>P3-VD/P</td><td>Rectangular table, 4 segments</td></tr><tr><td>P3-CD/P</td><td>Rounded rectangular table, 2 segments</td></tr><tr><td>P3-FD/P</td><td>Rounded rectangular table, 3 segments</td></tr><tr><td>P3-ED/P</td><td>Rounded rectangular table, 4 segments</td></tr></table>	P3-RD/P	Rectangular table	P3-BD/P	Bullet conference table	P3-ND/P	Rounded rectangular table	P3-DD/P	Round conference table	P3-SD/P	Square conference table	P3-BD/P	Rounded square table	P3-SD/P	Rectangular table, 2 segments	P3-TD/P	Rectangular table, 3 segments	P3-VD/P	Rectangular table, 4 segments	P3-CD/P	Rounded rectangular table, 2 segments	P3-FD/P	Rounded rectangular table, 3 segments	P3-ED/P	Rounded rectangular table, 4 segments	<i>Top:</i> 1 3/16" thick, 3-ply, solid medium density fiberboard core with balanced backer sheet on bottom. Wood veneer or plastic laminate. Threaded inserts are die-cast zinc. <i>Edges:</i> All table edges are finished, allowing ganged tables to be separated and used individually; ABS flat edgeband and solid wood edge are available. On rectangular tables with wood edges, short sides have rectilinear edges for ganging, long side edges are chamfered. <i>Long side edge detail:</i> Solid wood <i>Short side edge detail:</i> Solid wood <i>Flat edgeband:</i> ABS flat edgeband, with integral color. <i>Wood Edge Profiles:</i> AutoStrada and Saarinen edge profiles are available as long side edge details. On rectangular tables with wood edges, short sides have rectilinear edges for ganging, long side edges are chamfered. Please contact your Knoll representative for pricing. <i>Long side edge detail:</i> AutoStrada profile = AE <i>Long side edge detail:</i> Saarinen profile = SE <i>Long side edge detail:</i> Propeller profile = PE
P3-RD/P	Rectangular table																								
P3-BD/P	Bullet conference table																								
P3-ND/P	Rounded rectangular table																								
P3-DD/P	Round conference table																								
P3-SD/P	Square conference table																								
P3-BD/P	Rounded square table																								
P3-SD/P	Rectangular table, 2 segments																								
P3-TD/P	Rectangular table, 3 segments																								
P3-VD/P	Rectangular table, 4 segments																								
P3-CD/P	Rounded rectangular table, 2 segments																								
P3-FD/P	Rounded rectangular table, 3 segments																								
P3-ED/P	Rounded rectangular table, 4 segments																								

Installation			
<i>Side panels:</i> The side panels of the Drum are available in 18-gauge perforated metal with a silver powder coat finish or solid veneer (same finishes as veneer tops). Veneer panels interior finish, black powder coat sheet metal. Panels feature black nylon fastners and are easily removable without tools, providing immediate access to wiring, in compliance with UL guidelines.	Field attachment of Drum and Peanut base to table top is necessary. Some larger configurations require attachment of support frame. Tops ship with pre-drilled holes for frame attachment. <i>Connecting plate:</i> For configurations using more than one segment, tops must connected using connector plates (included in box), inserted in pre-drilled holes.	<i>Leveling: Drum base</i> All Drums have leveling nuts to allow for irregularities in the floor.  <i>Leveling: Peanut base</i> All peanut bases have leveling glides to allow for irregularities in the floor. 	<i>Electrical options:</i> Compatible with shallow Plexus Boxes. All Drum/Peanut bases feature internal wire management hooks. All tables with frames ship with wire management C-clips. 
<i>Shipping:</i> Tops, Drum/Peanut bases and frames are shipped separately. Drum and Peanut bases ship fully-assembled. Support frames, required for some larger tables are shipped in a box. Tops are predrilled for frame or base.			

Emanuela Frattini

Propeller® Conference Table Series

Round/Rounded, Square/Rectangular and Bullet Tables with Drum Base



	description	w	d	h	base size	no. of drums	frame	table weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 2004	P3-DD Round table with drum base		48"	28½"	S	1	N	142
			54"	28½"	M	1	N	173
			60"	28½"	L	1	N	202
	P3-MD Rounded square table with drum base		48"	28½"	M	1	N	160
			54"	28½"	M	1	N	178
			60"	28½"	L	1	N	209
	P3-ND Rounded rectangular table, with drum base	60"	48"	28½"	M	1	N	181
	P3-BD Bullet table, with drum base	54"	48"	28½"	M	1	N	177
		60"	48"	28½"	M	1	N	186
		54"	60"	28½"	L	1	N	208
		60"	60"	28½"	L	1	N	220
		66"	60"	28½"	L	1	N	232

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge	veneer/wood edge (AE, SE)
P3-DD48	\$3,946.	\$6,146.	\$5,636.	\$7,730.	\$8,119.
P3-DD54	4,295.	6,657.	6,096.	8,278.	8,693.
P3-DD60	4,408.	6,761.	6,359.	8,541.	8,969.
P3-MD48	4,290.	6,526.	6,816.	8,828.	9,271.
P3-MD54	4,413.	6,792.	7,022.	9,096.	9,551.
P3-MD60	4,527.	6,928.	7,371.	9,481.	9,953.
P3-ND64	4,484.	7,164.	7,474.	10,016.	10,517.
P3-BD62	4,411.	7,613.	7,218.	9,151.	9,607.
P3-BD64	4,414.	7,645.	7,238.	9,234.	9,693.
P3-BD82	4,704.	8,116.	7,767.	9,615.	10,097.
P3-BD84	4,708.	8,147.	7,788.	9,857.	10,348.
P3-BD86	4,864.	8,454.	7,978.	10,083.	10,586.

Order Code	Finishes
<i>Example:</i> P3-ND64-K-PE-GM-WK	<i>Colored laminate top finishes:</i>
P3-ND64	Bright White (suffix 118)
	Brushed Aluminum (suffix LJ)
K	Brushed Sand (suffix 122)
PE	Fog (suffix 128)
GM	Folkstone Grey (suffix 114)
WK	Jet Black (suffix 111)
	Light Grey (suffix L)
	Micro Grey (suffix 121)
	Micro Sand (suffix 129)
	Pumice (suffix 119)
	Slate (suffix SL)
	Soft Grey (suffix 117)
	<i>Wood grain laminate finishes:</i>
	Deep Cherry (suffix DC)
	Medium Cherry (suffix 124)
	Natural Cherry (suffix 126)
	Natural Maple (suffix 125)
	Pearwood (suffix PA)
	Walnut (suffix 127)
	<i>Veneer top/edge:</i>
	American Cherry (suffix X)
	Bronzed Cherry (suffix V312)
	Brown Oak (suffix V427)
	Burnt Walnut (suffix V313)
	Chalk Oak (suffix V421)
	Ebonized Walnut (suffix D)
	Graphite Oak (suffix V513)
	Light Cherry (suffix V315)
	Light Oak (suffix V423)
	Maple (suffix K)
	Medium Red Mahogany (suffix Z)
	Natural Beech (suffix B)
	Old English Walnut (V417)
	Warm Brown Walnut (suffix J)
	<i>Flat edgeband finish:</i>
	Black (suffix R5)
	Bright White (suffix 118)
	Medium Grey (suffix R6)
	<i>Wood edge profiles:</i>
	Autostrada edge (suffix AE)
	Propeller edge (suffix PE)
	Saارينen edge (suffix SE)

Specify:

1. Pattern number
2. Top finish selection
3. Edgeband selection
4. Edge profile option (veneer/wood edge only)
5. Grommet/Plexus cutout option
6. Drum base finish (upcharge for veneer drum)




Electrical	Features
<i>Grommet finishes:</i> Anodized Aluminum (suffix A)	<i>Maintenance:</i> See pages 14 .
<i>Drum Base Finishes:</i> Perforated Aluminum (suffix A)	<i>Frame:</i> Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion shipped with c-clips for wire management. For tables without a frame, please see page 106 to specify C-clips separately.
<i>Veneer Drum Base Finishes (upcharge applies)</i> For veneer drum base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple drum finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish.	<i>Base Location:</i> In most cases Drum bases will be located at the center of the table or segment - some exceptions arise on the multi-segment tables, where some drums are shared between two segments.
1 base (small and medium) \$724 1 base (large) \$870	<i>Note:</i> Propeller tables are Greenguard certified.
	<i>Plexus Option: (\$43 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Tables may be specified with zero, one or two cutouts. All drum base can accommodate shallow medium plexus boxes, 60" tables can also accommodate double wide shallow medium plexus boxes. To specify plexus box and for more information, see pages 110.
	<i>For no plexus: (suffix Y)</i> <i>For center plexus: (GM)</i> <i>For center double plexus: (GMD)</i>
	
	AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini



Propeller® Conference Table Series

Rounded Two, Three and Four Segment Conference Tables with Drum Base

Designer(s):
Emanuela Frattini, 2004



description	total w	d	h	section width, outside	section width, inside	base size	no. of drums	frame	table wgt. (lbs.)
P3-CD Rounded rectangular table, 2 segments, with drum base	108"	48"	28½"	54"		S	2	N	324
	120"	48"	28½"	60"		S	2	N	342
	132"	48"	28½"	66"		S	2	N	362
	144"	48"	28½"	72"		S	2	Y	380
	156"	48"	28½"	78"		S	2	Y	398
	168"	48"	28½"	84"		S	2	Y	501
	108"	60"	28½"	54"		L	2	N	416
	120"	60"	28½"	60"		L	2	N	440
	132"	60"	28½"	66"		L	2	N	464
	144"	60"	28½"	72"		L	2	Y	486
	156"	60"	28½"	78"		L	2	Y	510
	168"	60"	28½"	84"		L	2	Y	534
	192"	48"	28½"	60"	72"	S	3	Y	538
P3-FD Rounded rectangular table, 3 segments, with drum base	204"	48"	28½"	72"	60"	S	3	Y	557
	216"	48"	28½"	72"	72"	S	3	Y	576
	228"	48"	28½"	78"	72"	S	3	Y	594
	240"	48"	28½"	84"	72"	S	3	Y	614
	252"	48"	28½"	90"	72"	S	3	Y	632
	192"	60"	28½"	60"	72"	L	3	Y	689
	204"	60"	28½"	72"	60"	L	3	Y	632
	216"	60"	28½"	72"	72"	L	3	Y	737
	228"	60"	28½"	78"	72"	L	3	Y	761
	240"	60"	28½"	84"	72"	L	3	Y	785
	252"	60"	28½"	90"	72"	L	3	Y	807





Order Code	Finishes
<i>Example:</i> P3-ED34-117-R5-AM-AM-A	<i>Colored laminate top finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)
P3-ED34	<i>Wood grain laminate finishes:</i> Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Cherry (suffix 126) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127)
117	
R5	
AM	
AM	
A	

- Specify:
1. Pattern number
 2. Top finish selection
 3. Edgeband selection
 4. Edge profile option (veneer/wood edge only)
 5. Grommet/Plexus cutout option, segment A
 6. Grommet/Plexus cutout option, segment B
 7. Grommet/Plexus cutout option, segment C
 8. Grommet/Plexus cutout option, segment D
 9. Drum base finish (upcharge for veneer drum)

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-CD30	\$8,334.	\$15,154.	\$13,798.	\$17,018.	\$17,869.
P3-CD32	8,342.	15,221.	13,830.	17,112.	17,967.
P3-CD34	8,500.	15,561.	14,038.	17,380.	18,252.
P3-CD36	9,835.	16,883.	15,358.	18,807.	19,747.
P3-CD38	10,098.	17,186.	15,636.	19,152.	20,109.
P3-CD40	12,967.	19,946.	18,440.	22,107.	23,212.
P3-CD50	9,147.	15,992.	14,466.	17,737.	18,622.
P3-CD52	9,155.	16,064.	14,505.	17,835.	18,726.
P3-CD54	9,483.	16,716.	14,914.	18,315.	19,230.
P3-CD56	10,822.	18,035.	16,243.	19,745.	20,732.
P3-CD58	10,468.	17,764.	15,934.	19,483.	20,457.
P3-CD60	10,586.	17,934.	16,076.	19,693.	20,676.
P3-FD26	15,177.	23,240.	23,130.	26,836.	28,178.
P3-FD30	15,396.	24,629.	23,484.	27,717.	29,104.
P3-FD32	15,664.	24,954.	23,806.	28,126.	29,534.
P3-FD34	16,030.	25,388.	24,228.	28,635.	30,066.
P3-FD36	16,060.	25,467.	24,320.	28,808.	30,247.
P3-FD38	16,592.	26,036.	24,900.	29,484.	30,956.
P3-FD46	16,405.	24,166.	24,409.	28,034.	29,432.
P3-FD50	16,820.	27,064.	25,100.	29,525.	31,002.
P3-FD52	17,086.	27,390.	25,436.	29,947.	31,445.
P3-FD54	17,457.	27,830.	25,869.	30,470.	31,994.
P3-FD56	17,490.	27,909.	25,972.	30,656.	32,189.
P3-FD58	18,023.	28,489.	26,566.	31,346.	32,914.

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual. <i>Grommet options: (\$43 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3¼" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 66 for details. Optional grommet-mounted power receptacles available, see page 118. No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth (AG) Single grommet, right, mid-depth (HG) Single grommet, left, mid-depth (BG)	<i>Plexus cutout options: (\$43 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base can accomodate shallow medium plexus boxes, 60" tables can also accomodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 110. For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)



Maintenance:
See pages 14 .

Frame:
Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion and is shipped with C-clips for wire management. For tables without a frame, please see page 106 to specify clips seperately.

Base Location:
In most cases Drum bases will be located at the center of the table or segment - some exceptions arise on the multi-segment tables, where some drums are shared between two segments.

Note:
Propeller tables are Greenguard certified.




AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini


Propeller® Conference Table Series

Rounded Two, Three and Four Segment Conference Tables with Drum Base

Designer(s):
Emanuela Frattini, 2004



description	total w	d	h	section width, outside	section width, inside	base size	no. of drums	frame	table wgt. (lbs.)
P3-ED Rounded rectangular table, 4 segments, with drum base	264"	48"	28½"	72"	60"	S	3	Y	651
	276"	48"	28½"	78"	60"	S	3	Y	669
	288"	48"	28½"	78"	66"	S	3	Y	687
	300"	48"	28½"	84"	66"	S	4	Y	790
	312"	48"	28½"	84"	72"	S	4	Y	810
	324"	48"	28½"	90"	72"	S	4	Y	828
	264"	60"	28½"	72"	60"	L	3	Y	830
	276"	60"	28½"	78"	60"	L	3	Y	854
	288"	60"	28½"	78"	66"	L	3	Y	878
	300"	60"	28½"	84"	66"	L	4	Y	1012
	312"	60"	28½"	84"	72"	L	4	Y	1036
	324"	60"	28½"	90"	72"	L	4	Y	1058



pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-ED30	\$18,555.	\$27,355.	\$30,070.	\$34,669.	\$36,402.
P3-ED32	18,806.	27,657.	30,387.	35,079.	36,832.
P3-ED34	18,839.	27,727.	30,499.	35,234.	36,998.
P3-ED36	21,805.	33,807.	33,447.	38,767.	40,707.
P3-ED38	21,904.	33,807.	33,621.	39,028.	40,980.
P3-ED40	22,444.	34,555.	34,225.	39,727.	41,716.
P3-ED50	19,282.	29,251.	31,136.	36,290.	38,107.
P3-ED52	19,533.	29,557.	31,467.	36,714.	38,551.
P3-ED54	19,570.	29,629.	31,592.	36,926.	38,772.
P3-ED56	22,541.	35,752.	34,552.	40,070.	42,072.
P3-ED58	22,640.	35,924.	34,742.	40,347.	42,364.
P3-ED60	23,181.	36,514.	35,354.	41,061.	43,116.

Order Code	Finishes		
<i>Example:</i>	P3-ED34-117-R5-AM-AM-A		
P3-ED34	48" x 288" Rounded rectangular table	<i>Colored laminate top finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	<i>Veneer top/edge:</i> American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)
117	Soft Grey laminate top		<i>Grommet finishes:</i> Anodized Aluminum (suffix A)
R5	Black edgeband		
AM	Medium plexus, left and right, segment A		<i>Drum Base finishes:</i> Perforated Aluminum (suffix A)
AM	Medium plexus, left and right, segment B		
A	Perforated drum anodized finish		<i>Veneer Drum Base finishes: (upcharge applies)</i> For veneer drum base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple drum finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish.

- Specify:
1. Pattern number
 2. Top finish selection
 3. Edgeband selection
 4. Edge profile option (veneer/wood edge only)
 5. Grommet/Plexus cutout option, segment A
 6. Grommet/Plexus cutout option, segment B
 7. Grommet/Plexus cutout option, segment C
 8. Grommet/Plexus cutout option, segment D
 9. Drum base finish (upcharge for veneer drum)

Wood grain laminate finishes:
Deep Cherry (suffix DC)
Medium Cherry (suffix 124)
Natural Cherry (suffix 126)
Natural Maple (suffix 125)
Pearwood (suffix PA)
Walnut (suffix 127)


Wood edge profiles:
Autostrada edge (suffix AE)
Propeller edge (suffix PE)
Saarinen edge (suffix SE)

Flat edgeband finish:
Black (suffix R5)
Bright White (suffix 118)
Medium Grey (suffix R6)


2 bases (small) \$1,450
2 bases (large) \$1,738
3 bases (small) \$2,175
3 bases (large) \$2,609
4 bases (small) \$2,900
4 bases (large) \$3,478

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual.	<i>Maintenance:</i> See pages 14 .
<i>Grommet options: (\$43 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3¼" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 66 for details. Optional grommet-mounted power receptacles available, see page 118.	<i>Frame:</i> Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion and is shipped with C-clips for wire management. For tables without a frame, please see page 106 to specify clips seperately.
No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth (AG) Single grommet, right, mid-depth (HG) Single grommet, left, mid-depth (BG)	<i>Base Location:</i> In most cases Drum bases will be located at the center of the table or segment - some exceptions arise on the multi-segment tables, where some drums are shared between two segments.
	<i>Note:</i> Propeller tables are Greenguard certified.
	AM and AMD are not appropriate for stand alone tables or end segments.

Plexus cutout options: (\$43 per cutout)
Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base can accomodate shallow medium plexus boxes, 60" tables can also accomodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 110.





For no Plexus (Y)
For medium Plexus, center, mid-depth (GM)
For medium Plexus, left & right, mid-depth (AM)
For double medium Plexus, center, mid-depth (GMD)
For double medium Plexus, left and right, mid-depth (AMD)



Emanuela Frattini

Propeller® Conference Table Series

Square/Rectangular Conference Tables with Square/Rectangular Drum Base




	description	overall width	d	h	base size	no. of drums	frame	table weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini	P3-SS Square table, with square drum base 	54"	54"	28½"	M	1	N	193
		60"	60"	28½"	L	1	N	227
		48"	48"	28½"	M	1	N	173
	P3-RS Rectangular table, with square drum base 	54"	48"	28½"	M	1	N	182
		60"	48"	28½"	M	1	N	192
		48"	60"	28½"	L	1	N	204
		54"	60"	28½"	L	1	N	215
	P3-RR Rectangular table, with rectangular drum base 	84"	48"	28½"	M	1	Y	267
		72"	48"	28½"	S	1	Y	226
		72"	60"	28½"	L	1	Y	270
		84"	60"	28½"	XL	1	Y	319

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge	veneer/wood edge (AE/SE)
P3-SS54	\$3,852.	\$5,643.	\$5,900.	\$7,070.	\$7,292.
P3-SS60	3,997.	5,841.	6,162.	7,375.	7,603.
P3-SS48	1,178.	1,178.	1,178.	1,178.	1,178.
P3-RS62	3,798.	5,735.	6,221.	7,263.	7,492.
P3-RS64	3,805.	5,760.	6,245.	7,305.	7,532.
P3-RS80	3,939.	5,900.	6,391.	7,445.	7,674.
P3-RS82	4,080.	6,203.	6,631.	7,715.	7,960.
P3-RR72	5,766.	7,960.	8,386.	9,578.	9,831.
P3-RR68	4,083.	6,220.	6,569.	7,692.	7,933.
P3-RR88	4,588.	6,935.	7,202.	8,379.	8,638.
P3-RR92	6,343.	8,740.	9,168.	10,415.	10,688.

Order Code	Finishes			
<i>Example:</i>	P3-SS54-V417-SE-Y-WV417	<i>Colored laminate top finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	<i>Veneer top/edge:</i> American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)	<i>Grommet finishes:</i> Anodized Aluminum (suffix A)
P3-SS54	54" x 54" Square table with square drum base			
V417	Old English Walnut veneer top			
SE	Saarinen edge detail			
Y	No grommet/plexus cutout			
WV417	Old English Walnut veneer drum finish			
<i>Example:</i>		<i>Wood grain laminate finishes:</i> Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Cherry (suffix 126) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)	<i>Square Drum Base:</i> 1 base (medium) \$886 1 base (large) \$1,023
1. Pattern number			<i>Rectangular Drum Base:</i> 1 base (small) \$1,082 1 base (medium) \$1,158 1 base (large) \$1,215 1 base (x-large) \$1,293	
2. Top finish selection				
3. Edgeband profile				
4. Edge profile option (veneer/wood edge only)				
5. Grommet/Plexus cutout option, segment A				
6. Drum base finish (upcharge for veneer drum)				
		<i>Flat edgeband finish:</i> Black (suffix R5) Bright White (suffix 118) Medium Grey (suffix R6)		

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual.	<i>Maintenance:</i> See pages 14 .
<i>Grommet options: (\$43 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3¼" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 66 for details. Optional grommet-mounted power receptacles available, see page 118.	<i>Frame:</i> Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion and is shipped with C-clips for wire management. For tables without a frame, please see page 106 to specify clips separately.
No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth (AG) Single grommet, right, mid-depth (HG) Single grommet, left, mid-depth (BG)	<i>Base Location:</i> In most cases Drum bases will be located at the center of the table or segment - some exceptions arise on the multi-segment tables, where some drums are shared between two segments.
 Y	<i>Note:</i> Propeller tables are Greenguard certified.
 GG	AM and AMD are not appropriate for stand alone tables or end segments.
 AG	
 BG	
 HG	
 AMD	
 Y	
 GM	
 GMD	
 AM	
 AMD	
<i>Plexus cutout options: (\$43 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base can accomodate shallow medium plexus boxes, 60" tables can also accomodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 110.	
For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)	

Emanuela Frattini
Propeller® Conference Table Series
Bullet, Rounded and Rectangular Conference Tables with Peanut Base

	description	w	d	h	frame	no. of bases
<i>Designer(s):</i> Emanuela Frattini, 2004 	P3-BP Bullet table, with peanut base 	78"	42"	28 1/2"	N	2
		84"	42"	28 1/2"	N	2
		90"	42"	28 1/2"	N	2
		96"	42"	28 1/2"	N	2
		78"	48"	28 1/2"	N	2
		84"	48"	28 1/2"	N	2
		90"	48"	28 1/2"	N	2
		96"	48"	28 1/2"	N	2
		96"	60"	28 1/2"	N	2
	P3-NP Rounded rectangular table, with peanut base 	78"	42"	28 1/2"	N	2
		84"	42"	28 1/2"	N	2
		90"	42"	28 1/2"	N	2
		96"	42"	28 1/2"	N	2
		78"	48"	28 1/2"	N	2
		84"	48"	28 1/2"	N	2
		90"	48"	28 1/2"	N	2
		96"	48"	28 1/2"	N	2
		96"	60"	28 1/2"	N	2
	P3-RP Rectangular table, with peanut base 	78"	42"	28 1/2"	N	2
		84"	42"	28 1/2"	N	2
		90"	42"	28 1/2"	N	2
		96"	42"	28 1/2"	N	2
		78"	48"	28 1/2"	N	2
		84"	48"	28 1/2"	N	2
		90"	48"	28 1/2"	N	2
		96"	48"	28 1/2"	N	2
		96"	60"	28 1/2"	N	2

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-BP50	\$5,069.	\$8,431.	\$7,788.	\$9,868.	\$10,365.
P3-BP52	5,073.	8,462.	7,802.	9,913.	10,408.
P3-BP54	5,079.	8,493.	7,895.	10,036.	10,538.
P3-BP56	5,084.	8,524.	7,910.	10,080.	10,584.
P3-BP70	5,073.	8,450.	8,008.	10,113.	10,618.
P3-BP72	5,079.	8,482.	8,027.	10,155.	10,663.
P3-BP74	5,084.	8,514.	8,162.	10,323.	10,841.
P3-BP76	5,087.	8,546.	8,180.	10,367.	10,884.
P3-BP96	5,310.	9,014.	8,691.	10,951.	11,499.
P3-NP50	5,021.	7,887.	8,217.	10,873.	11,417.
P3-NP52	5,026.	7,917.	8,232.	10,915.	11,461.
P3-NP54	5,027.	7,950.	8,413.	11,132.	11,688.
P3-NP56	5,032.	7,981.	8,427.	11,172.	11,732.
P3-NP70	5,025.	7,889.	8,239.	10,892.	11,438.
P3-NP72	5,028.	7,920.	8,256.	10,937.	11,483.
P3-NP74	5,032.	7,953.	8,441.	11,155.	11,711.
P3-NP76	5,037.	7,985.	8,457.	11,199.	11,760.
P3-NP96	5,237.	8,346.	8,815.	11,562.	12,139.
P3-RP50	4,817.	6,707.	7,063.	8,503.	8,928.
P3-RP52	4,822.	6,738.	7,270.	8,763.	9,200.
P3-RP54	4,829.	6,768.	7,284.	8,803.	9,243.
P3-RP56	4,832.	6,803.	7,299.	8,847.	9,291.
P3-RP70	4,822.	6,731.	7,279.	8,757.	9,195.
P3-RP72	4,829.	6,762.	7,410.	8,933.	9,380.
P3-RP74	4,834.	6,795.	7,425.	8,980.	9,429.
P3-RP76	4,837.	6,827.	7,442.	9,026.	9,476.
P3-RP96	5,025.	7,229.	7,853.	9,517.	9,994.

Order Code	Finishes		
<i>Example:</i> P3-BP52-118-118-Y-A			
P3-BP52	84" x 42" Rectangular table		
118	Bright White laminate top		
118	Bright White edgeband		
Y	No grommet		
A	Anodized aluminum base		
<i>Specify:</i>			
1. Pattern number			
2. Top finish selection			
3. Edgeband selection			
4. Edge profile option (veneer/wood edge only)			
5. Grommet/Plexus cutout option			
6. Peanut base selection			
	<i>Colored laminate top finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	<i>Veneer top/edge:</i> American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)	<i>Grommet finishes:</i> Anodized Aluminum (suffix A) <i>Peanut Base finishes:</i> Perforated Aluminum (suffix A) <i>Veneer Peanut Base finishes: (upcharge applies)</i> For veneer peanut base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple peanut base finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish. 2 bases \$3,582
	<i>Wood grain laminate finishes:</i> Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Cherry (suffix 126) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)	<i>Flat edgeband finish:</i> Black (suffix R5) Bright White (suffix 118) Medium Grey (suffix R6)


Electrical		Features
+ For more detailed information, consult the Electrical section of the Propeller Manual.	<i>Plexus cutout options: (\$43 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base and peanut tables can accommodate shallow medium plexus boxes, 60" tables can also accommodate double wide shallow medium plexus boxes. Tables may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 110.	<i>Maintenance:</i> See pages 14
<i>Grommet options: (\$43 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 66 for details. Optional grommet-mounted power receptacles available, see page 118.		<i>Frame:</i> Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes C-clips for wire management. For tables without a frame, please see page 106 to specify C-clips separately.
No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, side (BG) Single grommet, right, mid-depth (HG)	For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)	<i>Base Location:</i> For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments.
 Y		Please note that on 42" deep tables with peanut base, the knee space dimension immediately in front of the base is 7 1/2" from the edge.
 GG		<i>Note:</i> Propeller tables are Greenguard certified.
 AG		AM and AMD are not appropriate for stand alone tables or end segments.
 BG		
 HG		
	 Y	 GM
	 AM	 GMD
		 AMD

Emanuela Frattini

Propeller® Conference Table Series

Rounded Two, Three and Four Segment Conference Tables with Peanut Base

Designer(s):
Emanuela Frattini, 2004



description	overall			section	section	frame	no. of bases
	w	d	h	width, outside	width, inside		
P3-CP Rounded rectangular table, 2 segments, with peanut base   A B	108"	42"	28 ½"	54"		Y	2
	120"	42"	28 ½"	60"		Y	2
	132"	42"	28 ½"	66"		Y	2
	144"	42"	28 ½"	72"		Y	2
	156"	42"	28 ½"	78"		Y	2
	168"	42"	28 ½"	84"		Y	3
	180"	42"	28 ½"	90"		Y	3
	108"	48"	28 ½"	54"		Y	2
	120"	48"	28 ½"	60"		Y	2
	132"	48"	28 ½"	66"		Y	2
	144"	48"	28 ½"	72"		Y	2
	156"	48"	28 ½"	78"		Y	2
	168"	48"	28 ½"	84"		Y	3
	180"	48"	28 ½"	90"		Y	3
	108"	60"	28 ½"	54"		Y	2
	120"	60"	28 ½"	60"		Y	2
	132"	60"	28 ½"	66"		Y	2
	144"	60"	28 ½"	72"		Y	2
	156"	60"	28 ½"	78"		Y	2
168"	60"	28 ½"	84"		Y	3	
180"	60"	28 ½"	90"		Y	3	
P3-FP Rounded rectangular table, 3 segments, with peanut base    A B C	192"	42"	28 ½"	60"	72"	Y	3
	204"	42"	28 ½"	72"	60"	Y	3
	216"	42"	28 ½"	72"	72"	Y	3
	228"	42"	28 ½"	78"	72"	Y	3
	240"	42"	28 ½"	84"	72"	Y	3




Order Code	Ordering Information		
<i>Example:</i>	P3-CP10-K-SE-GM-GM-WK	<i>Colored laminate top finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	<i>Veneer top/edge:</i> American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)
P3-CP10	108" x 42" rounded rect. table		<i>Flat edgeband finish:</i> Black (suffix R5)
K	Maple veneer top		<i>Grommet finishes:</i> Anodized Aluminum (suffix A)
SE	Saarinen edge detail		<i>Peanut Base finishes:</i> Perforated Aluminum (suffix A)
GM	Medium plexus, center, mid-depth, segment A		<i>Veneer Peanut Base finishes: (upcharge applies)</i> For veneer peanut base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple peanut base finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish.
GM	Medium plexus, center, mid-depth, segment B		2 bases \$3,582 3 bases \$5,375 4 bases \$7,165
WK	Maple veneer base (upcharge applies)		
<i>Specify:</i>	<i>Wood grain laminate finishes:</i> Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Cherry (suffix 126) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)	



pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-CP10	\$7,342.	\$14,204.	\$12,809.	\$15,984.	\$16,784.
P3-CP12	7,349.	14,273.	12,842.	16,075.	16,879.
P3-CP14	7,796.	14,882.	13,322.	16,629.	17,464.
P3-CP16	7,805.	14,948.	13,354.	16,721.	17,556.
P3-CP18	8,066.	15,254.	13,627.	17,064.	17,917.
P3-CP20	10,313.	17,427.	15,826.	19,391.	20,362.
P3-CP22	10,448.	17,612.	15,978.	19,607.	20,588.
P3-CP30	7,349.	14,230.	12,846.	16,035.	16,838.
P3-CP32	7,359.	14,297.	12,880.	16,130.	16,935.
P3-CP34	7,804.	14,909.	13,365.	16,688.	17,524.
P3-CP36	7,814.	14,977.	13,399.	16,784.	17,621.
P3-CP38	8,075.	15,283.	13,679.	17,129.	17,987.
P3-CP40	10,322.	17,455.	15,880.	19,459.	20,434.
P3-CP42	10,457.	17,642.	16,032.	19,680.	20,663.
P3-CP50	7,548.	14,492.	12,920.	16,139.	16,945.
P3-CP52	7,556.	14,560.	12,963.	16,240.	17,051.
P3-CP54	8,173.	15,486.	13,646.	17,008.	17,858.
P3-CP56	8,185.	15,553.	13,689.	17,108.	17,962.
P3-CP58	8,446.	15,861.	13,973.	17,463.	18,333.
P3-CP60	10,692.	18,035.	16,182.	19,799.	20,790.
P3-CP62	10,829.	18,222.	16,342.	20,025.	21,027.
P3-FP06	12,217.	20,590.	20,330.	23,859.	25,051.
P3-FP10	12,444.	21,845.	20,396.	24,513.	25,740.
P3-FP12	12,802.	22,167.	20,802.	24,917.	26,162.
P3-FP14	13,165.	22,598.	21,214.	25,417.	26,688.
P3-FP16	13,195.	22,674.	21,302.	25,582.	26,860.

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual.	<i>Maintenance:</i> See pages 14 .
<i>Grommet options: (\$43 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 66 for details. Optional grommet-mounted power receptacles available, see page 118.	<i>Frame:</i> Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes c-clips for wire management. For tables without a frame, please see page 106 to specify C-clips separately.
No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, side (BG)	<i>Base Location:</i> For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments.
 Y	Please note on 42" deep tables with peanut base, the knee space dimension immediately in front of the base is 7 1/2" from the edge.
 BG	<i>Note:</i> Propeller tables are Greenguard certified.
 GG	AM and AMD are not appropriate for stand alone tables or end segments.
 AG	
 AM	
 GM	
 AMD	
 GMD	

Emanuela Frattini
Propeller® Conference Table Series
Rounded Two, Three and Four Segment Conference Tables with
Peanut Base

Designer(s):
Emanuela Frattini, 2004



description	overall w	d	h	section width, outside	section width, inside	frame	no. of bases
P3-FP Rounded rectangular table, 3 segments, with peanut base 	252"	42"	28 1/2"	90"	72"	Y	3
	192"	48"	28 1/2"	60"	72"	Y	3
	204"	48"	28 1/2"	72"	60"	Y	3
	216"	48"	28 1/2"	72"	72"	Y	3
	228"	48"	28 1/2"	78"	72"	Y	3
	240"	48"	28 1/2"	84"	72"	Y	3
	252"	48"	28 1/2"	90"	72"	Y	3
	192"	60"	28 1/2"	60"	72"	Y	3
	204"	60"	28 1/2"	72"	60"	Y	3
	216"	60"	28 1/2"	72"	72"	Y	3
	228"	60"	28 1/2"	78"	72"	Y	3
	240"	60"	28 1/2"	84"	72"	Y	3
	252"	60"	28 1/2"	90"	72"	Y	3
	264"	42"	28 1/2"	72"	60"	Y	3
P3-EP Rounded rectangular table, 4 segments, with peanut base 	276"	42"	28 1/2"	78"	60"	Y	3
	288"	42"	28 1/2"	78"	66"	Y	3
	300"	42"	28 1/2"	84"	66"	Y	3
	312"	42"	28 1/2"	84"	72"	Y	4
	324"	42"	28 1/2"	90"	72"	Y	4
	264"	48"	28 1/2"	72"	60"	Y	3
	276"	48"	28 1/2"	78"	60"	Y	3
	288"	48"	28 1/2"	78"	66"	Y	3
	300"	48"	28 1/2"	84"	66"	Y	4
	312"	48"	28 1/2"	84"	72"	Y	4
	324"	48"	28 1/2"	90"	72"	Y	4
	264"	60"	28 1/2"	72"	60"	Y	3





Order Code	Ordering Information		
<i>Example:</i>	P3-CP10-K-SE-GM-GM-WK	<i>Colored laminate top finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	<i>Veneer top/edge:</i> American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)
P3-CP10	108" x 42" rounded rect. table		<i>Flat edgeband finish:</i> Black (suffix R5)
K	Maple veneer top		<i>Grommet finishes:</i> Anodized Aluminum (suffix A)
SE	Saarinen edge detail		<i>Peanut Base finishes:</i> Perforated Aluminum (suffix A)
GM	Medium plexus, center, mid-depth, segment A		<i>Veneer Peanut Base finishes: (upcharge applies)</i> For veneer peanut base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple peanut base finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish.
GM	Medium plexus, center, mid-depth, segment B		
WK	Maple veneer base (upcharge applies)	<i>Wood grain laminate finishes:</i> Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Cherry (suffix 126) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127)	
<i>Specify:</i>			
1. Pattern number			
2. Top finish selection			
3. Edgeband selection			
4. Edge profile option (veneer/wood edge only)			
5. Grommet/Plexus cutout option, segment A			
6. Grommet/Plexus cutout option, segment B			
7. Grommet/Plexus cutout option, segment C			
8. Grommet/Plexus cutout option, segment D			
9. Peanut base selection			
2 bases \$3,582 3 bases \$5,375 4 bases \$7,165			

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-FP18	\$13,728.	\$23,245.	\$21,881.	\$26,252.	\$27,563.
P3-FP26	12,419.	20,645.	20,461.	24,077.	25,281.
P3-FP30	12,638.	22,039.	20,813.	24,958.	26,205.
P3-FP32	12,907.	22,360.	21,139.	25,368.	26,638.
P3-FP34	13,273.	22,794.	21,559.	25,877.	27,170.
P3-FP36	13,302.	22,873.	21,651.	26,052.	27,353.
P3-FP38	13,836.	23,444.	22,230.	26,726.	28,062.
P3-FP46	12,727.	20,710.	20,850.	24,355.	25,572.
P3-FP50	13,142.	23,603.	21,541.	25,848.	27,141.
P3-FP52	13,411.	23,931.	21,878.	26,269.	27,582.
P3-FP54	13,779.	24,372.	22,309.	26,793.	28,132.
P3-FP56	13,811.	24,452.	22,411.	26,978.	28,327.
P3-FP58	14,345.	25,028.	23,008.	27,669.	29,054.
P3-EP10	15,632.	24,520.	26,886.	31,269.	32,831.
P3-EP12	15,882.	24,822.	27,199.	31,673.	33,254.
P3-EP14	15,915.	24,892.	27,305.	31,823.	33,412.
P3-EP16	17,590.	29,720.	29,001.	33,650.	35,334.
P3-EP18	17,689.	29,886.	29,170.	33,867.	35,560.
P3-EP20	17,724.	29,996.	29,276.	34,055.	35,757.
P3-EP30	15,799.	24,762.	27,399.	31,912.	33,509.
P3-EP32	16,048.	25,065.	27,719.	32,320.	33,936.
P3-EP34	16,082.	25,132.	27,830.	32,477.	34,101.
P3-EP36	17,759.	30,000.	29,531.	34,720.	36,456.
P3-EP38	17,858.	30,166.	29,705.	34,980.	36,730.
P3-EP40	17,893.	30,275.	29,816.	35,179.	36,939.
P3-EP50	16,526.	26,655.	28,468.	33,533.	35,211.

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual.	<i>Maintenance:</i> See pages 14 .
<i>Grommet options: (\$43 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 66 for details. Optional grommet-mounted power receptacles available, see page 118.	<i>Frame:</i> Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes c-clips for wire management. For tables without a frame, please see page 106 to specify C-clips separately.
No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, side (BG)	<i>Base Location:</i> For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments.
 Y	Please note on 42" deep tables with peanut base, the knee space dimension immediately in front of the base is 7 1/2" from the edge.
 GG	<i>Note:</i> Propeller tables are Greenguard certified.
 AG	AM and AMD are not appropriate for stand alone tables or end segments.
 BG	
 HG	
 Y	
 AM	
 GM	
 GMD	
<i>Note:</i> - Double Plexus AMD and GMD configurations not available on 42" and 48" deep tables.	



Emanuela Frattini
Propeller® Conference Table Series
Rounded Two, Three and Four Segment Conference Tables with
Peanut Base

	description	overall			section	section	no. of	
		w	d	h	width, outside	width, inside		frame
<i>Designer(s):</i> Emanuela Frattini, 2004	P3-EP Rounded rectangular table, 4 segments, with peanut base	276"	60"	28½"	78"	60"	Y	3
		288"	60"	28½"	78"	66"	Y	3
		300"	60"	28½"	84"	66"	Y	4
		312"	60"	28½"	84"	72"	Y	4
		324"	60"	28½"	90"	72"	Y	4



pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-EP52	\$16,774.	\$26,962.	\$28,798.	\$33,957.	\$35,657.
P3-EP54	16,814.	27,036.	28,921.	34,170.	35,880.
P3-EP56	18,494.	31,944.	30,636.	36,023.	37,824.
P3-EP58	18,594.	32,115.	30,822.	36,301.	38,114.
P3-EP60	18,630.	32,230.	30,948.	36,514.	38,340.

Order Code	Ordering Information			
<i>Example:</i> P3-CP10-K-SE-GM-GM-WK				
P3-CP10	108" x 42" rounded rect. table	<i>Colored laminate top finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	<i>Veneer top/edge:</i> American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)	<i>Flat edgeband finish:</i> Black (suffix R5) <i>Grommet finishes:</i> Anodized Aluminum (suffix A) <i>Peanut Base finishes:</i> Perforated Aluminum (suffix A) <i>Veneer Peanut Base finishes: (upcharge applies)</i> For veneer peanut base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple peanut base finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish. 2 bases \$3,582 3 bases \$5,375 4 bases \$7,165
K	Maple veneer top			
SE	Saارين edge detail			
GM	Medium plexus, center, mid-depth, segment A			
GM	Medium plexus, center, mid-depth, segment B			
WK	Maple veneer base (upcharge applies)			
<i>Specify:</i>		<i>Wood grain laminate finishes:</i> Deep Cherry (suffix DC) Medium Cherry (suffix 124) Natural Cherry (suffix 126) Natural Maple (suffix 125) Pearwood (suffix PA) Walnut (suffix 127)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)	
1. Pattern number				
2. Top finish selection				
3. Edgeband selection				
4. Edge profile option (veneer/wood edge only)				
5. Grommet/Plexus cutout option, segment A				
6. Grommet/Plexus cutout option, segment B				
7. Grommet/Plexus cutout option, segment C				
8. Grommet/Plexus cutout option, segment D				
9. Peanut base selection				

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual. <i>Grommet options: (\$43 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3¼" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 66 for details. Optional grommet-mounted power receptacles available, see page 118. No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, side (BG) 	<i>Plexus cutout options: (\$43 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base and peanut base tables can accommodate shallow medium plexus boxes, 60" tables can also accommodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 110. For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)  <i>Note:</i> - Double Plexus AMD and GMD configurations not available on 42" and 48" deep tables. <i>Maintenance:</i> See pages 14 . <i>Frame:</i> Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes c-clips for wire management. For tables without a frame, please see page 106 to specify C-clips separately. <i>Base Location:</i> For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments. Please note on 42" deep tables with peanut base, the knee space dimension immediately in front of the base is 7½" from the edge. <i>Note:</i> Propeller tables are Greenguard certified. AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini

Propeller® Conference Table Series

Rectangular Two, Three and Four Segment Conference Tables

with Peanut Base

	description	w	d	h	section width, outside	section width, inside	frame	no. of bases
<i>Designer(s):</i> Emanuela Frattini	P3-SP Rectangular table, 2 segments, with peanut base	108"	42"	28 ½"	54"		Y	2
		120"	42"	28 ½"	60"		Y	2
		132"	42"	28 ½"	66"		Y	2
		144"	42"	28 ½"	72"		Y	2
		108"	48"	28 ½"	54"		Y	2
		120"	48"	28 ½"	60"		Y	2
		132"	48"	28 ½"	66"		Y	2
		144"	48"	28 ½"	72"		Y	2
		108"	60"	28 ½"	54"		Y	2
		120"	60"	28 ½"	60"		Y	2
		132"	60"	28 ½"	66"		Y	2
		144"	60"	28 ½"	72"		Y	2
	P3-TP Rectangular table, 3 segments, with peanut base	156"	42"	28 ½"	54"	48"	Y	2
		168"	42"	28 ½"	60"	48"	Y	2
		180"	42"	28 ½"	60"	60"	Y	3
		192"	42"	28 ½"	66"	60"	Y	3
		204"	42"	28 ½"	72"	60"	Y	3
		216"	42"	28 ½"	72"	72"	Y	3
		156"	48"	28 ½"	54"	48"	Y	2
		168"	48"	28 ½"	60"	48"	Y	2
		180"	48"	28 ½"	60"	60"	Y	3
		192"	48"	28 ½"	66"	60"	Y	3
		204"	48"	28 ½"	72"	60"	Y	3
		216"	48"	28 ½"	72"	72"	Y	3
		156"	60"	28 ½"	54"	48"	Y	2
		168"	60"	28 ½"	60"	48"	Y	2
		180"	60"	28 ½"	60"	60"	Y	3
		192"	60"	28 ½"	66"	60"	Y	3
		204"	60"	28 ½"	72"	60"	Y	3
		216"	60"	28 ½"	72"	72"	Y	3

Order Code	Finishes
<i>Example:</i>	
P3-TP10	P3-TP10-K-AE-GM-GM-WK
K	156 x 42" rounded rect. table
AE	Maple veneer top
GM	Autostrada edge detail
AM	Medium plexus, center, mid-depth, segment A
GM	Medium plexus, left and right, mid-depth, segment B
GM	Medium plexus, center, mid-depth, segment C
WK	Medium plexus, left and right, mid-depth, segment B
	Maple veneer base (upcharge applies)

<i>Colored laminate top finishes:</i>	<i>Veneer top/edge:</i>
Bright White (suffix 118)	American Cherry (suffix X)
Brushed Aluminum (suffix LJ)	Bronzed Cherry (suffix V312)
Brushed Sand (suffix 122)	Brown Oak (suffix V427)
Fog (suffix 128)	Burnt Walnut (suffix V313)
Folkstone Grey (suffix 114)	Chalk Oak (suffix V421)
Jet Black (suffix 111)	Ebonized Walnut (suffix D)
Light Grey (suffix L)	Graphite Oak (suffix V513)
Micro Grey (suffix 121)	Light Cherry (suffix V315)
Micro Sand (suffix 129)	Light Oak (suffix V423)
Pumice (suffix 119)	Maple (suffix K)
Slate (suffix SL)	Medium Red Mahogany (suffix Z)
Soft Grey (suffix 117)	Natural Beech (suffix B)
	Old English Walnut (V417)
	Warm Brown Walnut (suffix J)

<i>Wood grain laminate finishes:</i>	<i>Wood edge profiles:</i>
Deep Cherry (suffix DC)	Autostrada edge (suffix AE)
Medium Cherry (suffix 124)	Propeller edge (suffix PE)
Natural Cherry (suffix 126)	Saarinen edge (suffix SE)
Natural Maple (suffix 125)	
Pearwood (suffix PA)	
Walnut (suffix 127)	

- Specify:
- Pattern number
 - Top finish selection
 - Edgeband selection
 - Edge profile option (veneer/wood edge only)
 - Grommet/Plexus cutout option, segment A
 - Grommet/Plexus cutout option, segment B
 - Grommet/Plexus cutout option, segment C
 - Grommet/Plexus cutout option, segment D
 - Peanut base selection

pattern no	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-SP10	\$7,138.	\$10,791.	\$11,453.	\$14,001.	\$14,702.
P3-SP12	7,222.	10,856.	11,480.	14,090.	14,795.
P3-SP14	7,577.	11,836.	12,051.	14,760.	15,496.
P3-SP16	7,733.	12,190.	12,398.	15,274.	16,036.
P3-SP30	7,146.	10,834.	11,874.	14,507.	15,233.
P3-SP32	7,233.	10,900.	11,906.	14,598.	15,326.
P3-SP34	7,582.	11,879.	12,479.	15,268.	16,031.
P3-SP36	7,636.	11,948.	12,512.	15,359.	16,127.
P3-SP50	7,507.	11,665.	12,471.	15,298.	16,062.
P3-SP52	7,923.	12,534.	12,835.	15,763.	16,550.
P3-SP54	8,237.	12,846.	13,163.	16,105.	16,910.
P3-SP56	8,300.	12,956.	13,242.	16,259.	17,073.
P3-TP10	8,933.	14,453.	15,558.	19,346.	20,314.
P3-TP12	9,122.	14,619.	15,691.	19,543.	20,518.
P3-TP14	11,229.	16,675.	17,623.	21,566.	22,642.
P3-TP16	11,442.	17,525.	18,064.	22,097.	23,201.
P3-TP18	11,496.	17,580.	18,110.	22,200.	23,312.
P3-TP20	11,788.	18,183.	18,513.	22,682.	23,816.
P3-TP30	9,027.	14,690.	16,204.	20,120.	21,125.
P3-TP32	9,222.	14,864.	16,349.	20,331.	21,347.
P3-TP34	11,251.	16,768.	18,296.	22,370.	23,489.
P3-TP36	11,471.	17,638.	18,749.	22,924.	24,071.
P3-TP38	11,525.	17,715.	18,794.	23,030.	24,181.
P3-TP40	11,822.	18,342.	19,199.	23,523.	24,698.
P3-TP50	9,628.	16,061.	17,253.	21,490.	22,562.
P3-TP52	10,168.	17,073.	17,752.	22,099.	23,203.
P3-TP54	12,374.	19,437.	19,899.	24,398.	25,617.
P3-TP56	12,556.	19,642.	20,118.	24,635.	25,866.
P3-TP58	12,631.	19,781.	20,224.	24,829.	26,071.
P3-TP60	12,906.	20,063.	20,503.	25,153.	26,411.


Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual.	<i>Maintenance:</i> See pages 14 .
<i>Grommet options: (\$43 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3 ¼" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 66 for details. Optional grommet-mounted power receptacles available, see page 118.	<i>Frame:</i> Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes C-clips for wire management. For tables without a frame, please see page 106 to specify clips seperately.
No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, side (BG)	<i>Base Location:</i> For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments.
	Please note on 42" deep tables with peanut base, the knee space dimension immediately in front of the base is 7 ½" from the edge.
	<i>Note:</i> Propeller tables are Greenguard certified.
	AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini

Propeller® Conference Table Series

Rectangular Two, Three and Four Segment Conference Tables

with Peanut Base

	description	w	d	h	section width, outside	section width, inside	frame	no. of bases
<i>Designer(s):</i> Emanuela Frattini	P3-VP Rectangular table, 4 segments, with peanut base 	228"	42"	28 ½"	60"	54"	Y	3
		240"	42"	28 ½"	60"	60"	Y	3
		252"	42"	28 ½"	66"	60"	Y	3
		264"	42"	28 ½"	66"	66"	Y	3
		276"	42"	28 ½"	72"	66"	Y	3
		288"	42"	28 ½"	72"	72"	Y	3
		228"	48"	28 ½"	60"	54"	Y	3
		240"	48"	28 ½"	60"	60"	Y	3
		252"	48"	28 ½"	66"	60"	Y	3
		264"	48"	28 ½"	66"	66"	Y	3
		276"	48"	28 ½"	72"	66"	Y	3
		288"	48"	28 ½"	72"	72"	Y	3
		228"	60"	28 ½"	60"	54"	Y	3
		240"	60"	28 ½"	60"	60"	Y	3
		252"	60"	28 ½"	66"	60"	Y	3
		264"	60"	28 ½"	66"	66"	Y	3
		276"	60"	28 ½"	72"	66"	Y	3
		288"	60"	28 ½"	72"	72"	Y	3

pattern no	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-VP10	\$13,231.	\$20,602.	\$21,858.	\$26,994.	\$28,345.
P3-VP12	13,328.	20,691.	21,916.	27,121.	28,475.
P3-VP14	13,918.	21,932.	22,754.	28,083.	29,489.
P3-VP16	13,995.	22,674.	23,073.	28,507.	29,933.
P3-VP18	14,268.	22,985.	23,359.	28,868.	30,310.
P3-VP20	14,327.	23,037.	23,438.	29,013.	30,463.
P3-VP30	13,340.	20,923.	22,973.	28,364.	29,783.
P3-VP32	13,434.	21,018.	23,033.	28,495.	29,920.
P3-VP34	14,016.	22,247.	23,852.	29,431.	30,903.
P3-VP36	14,093.	23,003.	24,182.	29,867.	31,360.
P3-VP38	14,365.	23,300.	24,452.	30,217.	31,728.
P3-VP40	14,427.	23,399.	24,516.	30,352.	31,871.
P3-VP50	14,530.	23,753.	24,852.	30,798.	32,341.
P3-VP52	14,977.	24,690.	25,263.	31,324.	32,890.
P3-VP54	15,519.	25,241.	25,835.	31,932.	33,528.
P3-VP56	15,556.	25,318.	25,919.	32,037.	33,637.
P3-VP58	15,848.	25,668.	26,242.	32,453.	34,077.
P3-VP60	15,925.	25,814.	26,358.	32,663.	34,296.

Order Code	Finishes
<i>Example:</i>	
P3-TP10	P3-TP10-K-AE-GM-GM-WK 156 x 42" rounded rect. table
K	Maple veneer top
AE	Autostrada edge detail
GM	Medium plexus, center, mid-depth, segment A
AM	Medium plexus, left and right, mid-depth, segment B
GM	Medium plexus, center, mid-depth, segment C
WK	Maple veneer base (upcharge applies)

<i>Colored laminate top finishes:</i> Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)	<i>Veneer top/edge:</i> American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)
---	---

- Specify:
1. Pattern number
 2. Top finish selection
 3. Edgeband selection
 4. Edge profile option (veneer/wood edge only)
 5. Grommet/Plexus cutout option, segment A
 6. Grommet/Plexus cutout option, segment B
 7. Grommet/Plexus cutout option, segment C
 8. Grommet/Plexus cutout option, segment D
 9. Peanut base selection

Wood grain laminate finishes:
Deep Cherry (suffix DC)
Medium Cherry (suffix 124)
Natural Cherry (suffix 126)
Natural Maple (suffix 125)
Pearwood (suffix PA)
Walnut (suffix 127)

Wood edge profiles:
Autostrada edge (suffix AE)
Propeller edge (suffix PE)
Saarinen edge (suffix SE)

Flat edgeband finish:

Black (suffix R5)
Bright White (suffix 118)
Medium Grey (suffix R6)

Grommet finishes:

Anodized Aluminum (suffix A)

Peanut Base finishes:

Perforated Aluminum (suffix A)

Veneer Peanut Base finishes: (upcharge applies)

For veneer peanut base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple peanut base finish) and add appropriate upcharge as listed below. Interior-fabricated sheet metal with black powder coat finish.

2 bases \$3,582
3 bases \$5,375

Electrical

+ For more detailed information, consult the Electrical section of the Propeller Manual.

Grommet options: (\$43 per cutout)


Individual table segments may be specified with zero, one or two grommets. All grommets are 3 ¼" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 66 for details. Optional grommet-mounted power receptacles available, see page 118.

No grommet (Y)

Single grommet, center (GG)

Two grommets, left & right (AG)

Single grommet, side (BG)



Plexus cutout options: (\$43 per cutout)


Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base and peanut tables can accomodate shallow medium plexus boxes, 60" tables can also accomodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 110.

For no Plexus (Y)
For medium Plexus, center, mid-depth (GM)

For medium Plexus, left & right, mid-depth (AM)

For double medium Plexus, center, mid-depth (GMD)

For double medium Plexus, left and right, mid-depth (AMD)



Note:

- Double Plexus AMD and GMD configurations not available on 42" deep tables.

Features

Maintenance:

See pages 14 .

Frame:

Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes C-clips for wire management. For tables without a frame, please see page 106 to specify clips seperately.

Base Location:

For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments.


Please note on 42" deep tables with peanut base, the knee space dimension immediately in front of the base is 7 ½" from the edge.

Note:

Propeller tables are Greenguard certified.

AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini
Propeller® Accessories
Privacy and Modesty Screens with Fabric or Perforated Metal
Interior

	description	w	d	h
Designer(s): Emanuela Frattini, 1994  	P2-SC 11" high screen	22 ½"	1"	11"
		28 ½"	1"	11"
		34 ½"	1"	11"
		40 ½"	1"	11"
		46 ½"	1"	11"
		58 ½"	1"	11"
		64 ½"	1"	11"
		70 ½"	1"	11"
	P2-SC 13" high screen	22 ½"	1"	13"
		28 ½"	1"	13"
		34 ½"	1"	13"
		40 ½"	1"	13"
		46 ½"	1"	13"
		58 ½"	1"	13"
		64 ½"	1"	13"
		70 ½"	1"	13"
	P2-SC 18" high screen	22 ½"	1"	18"
		28 ½"	1"	18"
		34 ½"	1"	18"
		40 ½"	1"	18"
		46 ½"	1"	18"
		58 ½"	1"	18"
		64 ½"	1"	18"
		70 ½"	1"	18"

pattern no.	screen fabric	metal (add suffix -M)
P2-SC2411-()	\$366.	\$585.
P2-SC3011-()	399.	650.
P2-SC3611-()	432.	716.
P2-SC4211-()	482.	784.
P2-SC4811-()	523.	882.
P2-SC6011-()	616.	1,006.
P2-SC6611-()	665.	1,071.
P2-SC7211-()	706.	1,131.
P2-SC2413-()	399.	650.
P2-SC3013-()	432.	716.
P2-SC3613-()	465.	784.
P2-SC4213-()	516.	882.
P2-SC4813-()	557.	950.
P2-SC6013-()	650.	1,071.
P2-SC6613-()	700.	1,139.
P2-SC7213-()	741.	1,197.
P2-SC2418-()	432.	716.
P2-SC3018-()	465.	784.
P2-SC3618-()	502.	850.
P2-SC4218-()	550.	950.
P2-SC4818-()	591.	1,015.
P2-SC6018-()	681.	1,139.
P2-SC6618-()	731.	1,208.
P2-SC7218-()	771.	1,266.

58" and 64" fabrics will usually be railroaded, 70" fabric will always be railroaded.

Order Code	Finishes	Features
<i>Example:</i>		
P2-SC-6018-A-A2	Frame, screen and privacy clamp paint	<i>Screens:</i>
P2-SC-BKT-PS-A	finish options:	Fabric screens are universal for either
P2-SC	Aluminum (suffix A)	modesty or privacy use. Screen heights
6018	Jet Black (suffix 111)	are measured from table top to screen
A	Medium Metallic Grey (suffix 612)	top. 11" high screens are recommended
A2		for modesty application. Note: smaller
P2-SC-BKT-PS	<i>Screen fabric selection:</i>	screens have to be railroaded as a
A	<i>Grade A:</i>	special to match wide screens.
	Black (suffix A4)	
	Cane (suffix A5)	<i>Screen Attachment:</i>
	Granite (suffix A1)	Privacy screens attach anywhere along
	Thorn (suffix A2)	table edge. They can be full table
		width/depth or less. Corresponding
		attachment clamps must be ordered
		separately.
	<i>Approved KnollTextiles:</i>	
	Allegory WC865	
	Back Drop W302	
	Bollywood WC1015	
	Matinee WC272	
	Odeon K317	
	Sequel WC866	
		Modesty screens attach to leg plates,
		have to be sized to match full table width
		(less ½") or depth for rectangular
		training tables.

- Specify:
1. Pattern number
 2. Frame finish
 3. Screen fabric selection/suffix -M for metal screen
 4. Attachment bracket (see page 94)
 5. Privacy clamp finish (see page 94)

Frame:
Frame consists of extruded aluminum horizontals and die-cast vertical members. Powdercoat finish.

Metal screens are sheet metal with perforation pattern and fused powder-coat finish. Metal screens should be used for privacy only.



Maintenance:
See pages 14.

Emanuela Frattini

Propeller® Accessories

Attachment Clamps for Modesty and Privacy Screens

	description	pattern no.	brackets
Designer(s): Emanuela Frattini, 1994	P2-SC-BKT-MP Set of two modesty screen attachment clips 	P2-SC-BKT-MP	\$37.
	P2-SC-BKT-PS Set of two privacy screen attachment clamps, single 	P2-SC-BKT-PS-()	105.
	P2-SC-BKT-PSD Set of two privacy screen attachment clamps, shared 	P2-SC-BKT-PSD-()	139.
	P2-SC-BKT-PSE One privacy screen attachment clamp, end 	P2-SC-BKT-PSE-()	88.
	P2-SC-BKT-PST One privacy screen attachment clamp, T-end 	P2-SC-BKT-PST-()	121.

Order Code	Finishes	Features
<i>Example:</i> P2-SC-BKT-PSD-111	<i>Frame, screen and privacy clamp paint finish options:</i> Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)	<i>Privacy screen attachment clamps:</i> Clamps are die-cast aluminum with a fused powder-coat finish. One set (two clamps) required for attachment of each screen. Specify single attachment clamps. Clamps can be attached at any location on table edge by simple screw fit. Screens install without the use of any tools and are held in place with a simple friction fit.
P2-SC-BKT-PSD 111	Set of two privacy screen attachment clamps, shared Jet Black finish	<i>Privacy screen attachment clamps for shared configuration:</i> One set (2 clamps) required for each screen. Specify shared attachment clamps. Brackets attach on two tables, in a back-to-back or side-to-side configuration at any location on width or depth side of table. There will be a 3/4" gap between connected tables below the shared screen. <i>Modesty screen attachment clips:</i> Clips are injection molded medium grey nylon. Two clips required for each screen. Clips are inserted in top of leg endplate.

Specify:

1. Pattern number
2. Finish




Mid-depth privacy screen attachment:
Use two end clamps to attach mid-depth screens anywhere along the table top. When using a mid-depth screen with a standard privacy screen, use one T-end clamp where the two screens meet and one end clamp at the free end.

Maintenance:
See pages 14.

Emanuela Frattini

Propeller® Accessories

Tackable Modesty Screens for Flip-Top Tables

	description	w	d	h
<i>Designer(s):</i> Emanuela Frattini	P2-FT Propeller tackable fabric modesty screen for Flip-Top tables, 11"	31"	7/8"	11"
		43"	7/8"	11"
		55"	7/8"	11"
	P2-FT Propeller tackable fabric modesty screen for Flip-Top tables, 11"	31"	7/8"	11"
		43"	7/8"	11"
		55"	7/8"	11"
	P2-FT Propeller tackable fabric modesty screen for Flip-Top tables, 13"	31"	7/8"	13"
		43"	7/8"	13"
		55"	7/8"	13"
	P2-FT Propeller tackable fabric modesty screen for Flip-Top tables, 18"	31"	7/8"	18"
		43"	7/8"	18"
		55"	7/8"	18"
	P2-FT-BKT-MP Set of two modesty panel attachment clips for Flip-Top table			

pattern no.	brackets	screen fabric
P2FT4811-()		\$523.
P2FT6011-()		616.
P2FT7211-()		706.

P2FT4813-()	557.
P2FT6013-()	650.
P2FT7213-()	741.

P2FT4818-()	591.
P2FT6018-()	681.
P2FT7218-()	771.

P2-FT-BKT-MP()	118.
-----------------------	------




Order Code	Finishes	Features
<i>Example:</i> P2FT4811-A-W534/4 P2-FT-BKT-MP-A	<i>Frame/Clamp finish:</i> Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)	<i>Screens:</i> Modesty screens for Flip-top tables are available in mesh screen fabric and select KnollTextiles. Available in three standard heights and widths. Screens are non-sided and non-directional.
P2FT	Propeller Flip-Top modesty screen	<i>Modesty screen attachment clips:</i> Two P2-FT-BKT-MP clips required for each screen. Clips are screw fixed to the Flip-top leg. Please reference the Propeller Manual for drawings. Modesty screens for the Flip-top tables differ in size to standard modesty/privacy screens.
4811	31" w x 11" h	
A	Aluminum frame	
W534/4	Foil Wrap, Silver	
P2-FT-BKT-MP	Modesty screen attachment bracket	
A	Aluminum finish	

Specify:

- 1. Pattern number
- 2. Frame finish
- 3. Panel fabric selection
- 4. Attachment clamp
- 5. Attachment clamp finish

Construction	Fabrics Approved for Upholstery on Flip-Top Modesty Screens
<i>Frame:</i> Extruded aluminum horizontal and die-cast vertical members. Powder coat finish.	<i>Mesh screen fabric:</i> Black (suffix A4) Cane (suffix A5) Granite (suffix A1) Thorn (suffix A2) <i>Approved KnollTextiles:</i> Allegory WC865 Back Drop W302 Bollywood WC1015 Matinee WC272 Odeon K317 Sequel WC866 Transition W816

Emanuela Frattini
Propeller® Accessories
Shelves and Stanchions with Load Bars

	description	w	d	h	no. of stanchions required	
<i>Designer(s):</i> Emanuela Frattini, 2000	 	P2-SH Shelf for Propeller training table	24"	10 3/4"	18"	2
			30"	10 3/4"	18"	2
			36"	10 3/4"	18"	2
			42"	10 3/4"	18"	2
			48"	10 3/4"	18"	3
			60"	10 3/4"	18"	3
			66"	10 3/4"	18"	3
			72"	10 3/4"	18"	4
	P2-SHS Stanchion for single table with optional load bar bracket, per piece					
	P2-SHSD Stanchion for back-to-back tables with optional load bar bracket, per piece					
	P2-SHLB Orchestra load bar for stanchion, width to fit shelf width 		24"	1/2"	3"	
		30"	1/2"	3"		
		36"	1/2"	3"		
		42"	1/2"	3"		
		48"	1/2"	3"		
		60"	1/2"	3"		
		66"	1/2"	3"		
		72"	1/2"	3"		
	P2-SHPS Shelf for Propeller pin-set height adjustable table 		33 3/8"	16"	1"	
		52 3/8"	16"	1"		
		64 3/8"	16"	1"		

Order Code	Finishes	Features
<i>Example:</i> (2) P2-SH60-A (3) P2-SHSD-A	<i>Shelf/stanchion/load bar finish:</i> Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)	<i>Shelves:</i> Propeller shelves can be attached to any Propeller table in the same width as table or less. Shelf can be single or double in back-to-back configurations. Shelves are 18" high when attached to stanchion and align with 18" screens. Clearance below shelf is 9 1/4". Height of shelf alone is 8 3/4".
P2-SH60	Propeller 60"-wide shelf, two for back-to-back configuration	<i>Stanchions:</i> Number of stanchions required depends on shelf width (see right column on left page). Stanchion attaches by simply screw-clamping onto table top from bottom. Stanchion can be single or for back-to-back configurations so shelves can be hung from both sides. 3/4" gap between tables. Pre-drilled holes allow for attachment of optional load bars.
A	Aluminum finish	
PS-SHSD	Stanchion for back-to-back configuration, three for 60"-wide shelf	
A	Aluminum finish	

- Specify:
- Shelf Pattern number (double quantity for back-to-back shelves)
 - Shelf finish
 - Stanchion type and required quantity per shelf
 - Stanchion finish
 - Load bar
 - Load bar finish

pattern no.	list price
P2-SH24-()	\$542.
P2-SH30-()	590.
P2-SH36-()	636.
P2-SH42-()	717.
P2-SH48-()	765.
P2-SH60-()	957.
P2-SH66-()	1,052.
P2-SH72-()	1,099.
P2-SHS-()	239.

P2-SHSD-()	299.
--------------------	------


P2-SHLB24-()	106.
P2-SHLB30-()	106.
P2-SHLB36-()	112.
P2-SHLB42-()	127.
P2-SHLB48-()	141.
P2-SHLB60-()	162.
P2-SHLB66-()	180.
P2-SHLB72-()	209.
P2-SHPS48	451.
P2-SHPS60	499.
P2-SHPS72	544.

Construction		
<i>Load bar:</i> Standard KnollExtra load bar for Orchestra accessories in three finishes. Specify same width as shelf.	<i>Shelves:</i> Perforated sheet metal with rolled front edges in powder-coat finish. Steel wire supports in chrome finish.	<i>Load bar:</i> Extruded aluminum in satin anodized or powder-coat finish. Textured polystyrene end caps. Load bar is filled with 1/2" Delvin plastic pellets to support papers on info rail.
<i>Shelves for pin-set tables:</i> Shelves for the pin-set height adjustable tables simply span between legs and rest on top of the leg castings; they do not require brackets or clamps.	<i>Stanchion:</i> Die-cast aluminum bracket with powder-coat finish. Steel vertical bar for attachment of shelf.	<i>Maintenance:</i> See pages 14.

Emanuela Frattini
Propeller® Accessories
Rolling Cart



Designer(s):
Emanuela Frattini, 1996

description	w	d	h
P4-TR Rolling cart 	36"	20"	27"
	44"	24"	28 1/2"
Two load bars for P4-TR-2	17"		

pattern no.	accessories	laminate/ 3mm edge	laminate/ molded edgeband	veneer/ 3mm edge
P4-TR1		\$1,555.	\$1,746.	\$3,232.
P4-TR2		1,705.	1,915.	3,596.
P4-TR2-LB2	202.			

Order Code	Finishes
<i>Example:</i> P4-TR1-SL-R6-G-A	<i>Colored laminate top finishes:</i>
P4-TR1 Small rolling cart	Bright White (suffix 118)
SL Slate laminate	Brushed Aluminum (suffix LJ)
R6 Black edgeband	Brushed Sand (suffix 122)
BG Grommet option	Fog (suffix 128)
A Anodized Aluminum grommet, shelf and leg finish	Folkstone Grey (suffix 114)
	Jet Black (suffix 111)
	Light Grey (suffix L)
	Micro Grey (suffix 121)
	Micro Sand (suffix 129)
	Pumice (suffix 119)
	Slate (suffix SL)
	Soft Grey (suffix 117)
	<i>Wood grain laminate finishes:</i>
	Deep Cherry (suffix DC)
	Medium Cherry (suffix 124)
	Natural Cherry (suffix 126)
	Natural Maple (suffix 125)
	Pearwood (suffix PA)
	Walnut (suffix 127)
	<i>Veneer top/edge and leg finishes:</i>
	American Cherry (suffix X)
	Bronzed Cherry (suffix V312)
	Burnt Walnut (suffix V313)
	Chalk Oak (suffix V421)
	Ebonized Walnut (suffix D)
	Light Cherry (suffix V315)
	Maple (suffix K)
	Medium Red Mahogany (suffix Z)
	Natural Beech (suffix B)
	Warm Brown Walnut (suffix J)
	<i>Molded edgeband finishes:</i>
	Black (suffix 6)
	Light Grey (suffix 4)
	Medium Grey (suffix 5)
	Spring Green (suffix 1)
	<i>Flat edgeband finish:</i>
	Black (suffix R5)
	Bright White (suffix 118)
	Medium Grey (suffix R6)
	<i>Leg, shelf and grommet finishes:</i>
	Anodized Aluminum (suffix A)
	Jet Black (suffix 111)
	Medium Metallic Grey (suffix 612)






- Specify rolling cart:
1. Pattern number
 2. Top finish selection
 3. Edgeband selection
 4. Grommet option
 5. Leg/grommet/shelf finish

Electrical	Features
<i>Grommet options:</i> No grommet (suffix Y) Mid-depth grommet, right side (suffix BG)	<i>Rolling cart:</i> Versatile Propeller rolling cart can be used to serve food, support presentation equipment or as an individual computer workstation. Small cart fits underneath standard height training tables for temporary storage.
 BG	Attach a KnollExtra keyboard drawer to underside of top to create a small, independent computer workstation. Narrow keyboard drawer fits underneath P4-TR1 and P4-TR2, wide keyboard drawer underneath P4-TR2 only. See KnollExtra price list for more information.
 Y	Available in all Propeller laminate finishes with molded urethane edge and in all wood veneer finishes with Flat Edgeband.
	Optional grommet is located 2 1/8" from rolling cart edge and has 3 1/4" diameter. Same finish as legs.
	Rolling Cart Construction: 1 1/4" thick; solid, 3-ply, medium density fiberboard core with laminate top and molded urethane edge or wood top with ABS flat edgeband. Legs are extruded aluminum with clear satin anodized or powder-coat finish. 18 gauge perforated steel metal shelf with rolled edges is attached to legs with round steel rod at 7 1/2" height off floor. Leg end mounting plate is medium grey powder-coated metal. Leg end caps are black injection molded nylon. Rolling cart has two 2 7/8" locking casters and two non-locking casters. Load bars are black painted steel.
	<i>Maintenance:</i> See pages 14.

Emanuela Frattini
Propeller® Accessories
Credenzas and Sideboards

Designer(s):
Emanuela Frattini, 1994



description	w	d*	h
P5-0 Two position credenza 	36 1/4"	20"	28 1/2"
	36 1/4"	20"	28 1/2"
P5-1 Four position credenza 	67 3/8"	20"	28 1/2"
	67 3/8"	20"	28 1/2"
	67 3/8"	20"	28 1/2"
	67 3/8"	20"	28 1/2"
	67 3/8"	20"	28 1/2"
P5-2 Six position credenza 	98 1/2"	20"	28 1/2"
	98 1/2"	20"	28 1/2"
	98 1/2"	20"	28 1/2"
	98 1/2"	20"	28 1/2"
	98 1/2"	20"	28 1/2"
	98 1/2"	20"	28 1/2"
	98 1/2"	20"	28 1/2"
	98 1/2"	20"	28 1/2"
	98 1/2"	20"	28 1/2"
P5-C Small sideboard 	67 3/8"	20"	28 1/2"
P5-D Large sideboard 	98 1/2"	20"	28 1/2"

Order Code	Finishes	Features
<i>Example:</i> P5-2-9-V-A		
P5	Propeller credenza	
2	Six positions	
9	Double box/file, double door, Double box/file	
B	Natural Beech veneer	
A	Aluminum legs and pulls	
<i>Example:</i> P5-1-2-LJ-4-A		
P5	Propeller credenza	
1	Four positions	
2	Four box/file	
LJ	Brushed Aluminum laminate top	
4	Light Grey edgeband	
A	Aluminum pedestal, pulls and legs	

- Specify:
1. Pattern number
 2. Top finish (pedestal finish for veneer tops)
 3. Edge band selection (sideboard and laminate credenzas)
 4. Leg/pull/shelf finish (pedestal for laminate top credenzas)

* Please note, AE/SE optional edge option adds 3" to the overall depth of each piece; AE1/SE1 optional edge option adds 1 1/2" to the overall depth of each piece.

Colored laminate top finishes:
Bright White (suffix 118)
Brushed Aluminum (suffix LJ)
Brushed Sand (suffix 122)
Fog (suffix 128)
Folkstone Grey (suffix 114)
Jet Black (suffix 111)
Light Grey (suffix L)
Micro Grey (suffix 121)
Micro Sand (suffix 129)
Pumice (suffix 119)
Slate (suffix SL)
Soft Grey (suffix 117)

Wood grain laminate finishes:
Deep Cherry (suffix DC)
Medium Cherry (suffix 124)
Natural Cherry (suffix 126)
Natural Maple (suffix 125)
Pearwood (suffix PA)
Walnut (suffix 127)

Molded edgeband finishes:
Black (suffix 6)
Light Grey (suffix 4)
Medium Grey (suffix 5)

Flat edgeband finish:
Black (suffix R5)
Bright White (suffix 118)
Medium Grey (suffix R6)

Wood edge profiles:
Autostrada edge, both sides (suffix AE)
Autostrada edge, front (suffix AE1)
Propeller edge (suffix PE)
Saarinen edge, both sides (suffix SE)
Saarinen edge, front (suffix SE1)

Leg, shelf and grommet finishes:
Anodized Aluminum (suffix A)
Jet Black (suffix 111)
Medium Metallic Grey (suffix 612)

Leg, pull, shelf and pedestal finishes on painted credenzas:
Aluminum (suffix A)
Jet Black (suffix 111)
Medium Metallic Grey (suffix 6112)

Credenza:
Peanut-shaped leg of Propeller credenza does not include wire channels.

Wood credenzas:
Pedestals on wood credenzas are pre-configured with matching veneer run along credenza front.

Credenzas with laminate top:
Pedestals on laminate top credenzas are painted to match leg and pull finish. All credenzas are fully lockable. One key for all locks. Pull finish matches leg finish.

Credenzas have six legs, four side legs and two short center legs.

pattern no.	top/edge/pedestal laminate/flat edge/ painted case	top/edge/pedestal laminate/wood/ painted case	top/edge/pedestal veneer/flat edge/ veneer case	top/edge/pedestal veneer/PE wood/ veneer case	top/edge/pedestal veneer/ AE/SE wood/ veneer case	top/edge/pedestal veneer/ AE1/SE1 wood/ veneer case
P5-01	\$5,507.	\$6,856.	\$7,424.	\$8,546.	\$8,586.	\$8,586.
P5-02	5,176.	6,522.	7,125.	8,196.	8,236.	8,236.

P5-11	9,307.	11,445.	12,207.	13,120.	13,184.	13,184.
P5-12	9,639.	11,445.	12,510.	13,120.	13,184.	13,184.
P5-13	9,307.	10,920.	12,207.	12,756.	12,815.	12,815.
P5-14	9,307.	10,920.	12,207.	12,756.	12,815.	12,815.
P5-15	8,974.	10,397.	11,907.	12,391.	12,451.	12,451.
P5-21	12,551.	15,376.	16,826.	17,860.	17,946.	17,946.
P5-22	13,215.	15,900.	17,432.	18,222.	18,309.	18,309.
P5-23	12,551.	14,852.	16,826.	17,494.	17,579.	17,579.
P5-24	12,551.	14,852.	16,826.	17,494.	17,579.	17,579.
P5-25	12,217.	15,204.	16,526.	17,128.	17,209.	17,209.
P5-26	12,551.	14,852.	16,826.	17,494.	17,579.	17,579.
P5-27	12,938.	15,376.	17,185.	17,860.	17,946.	17,946.
P5-28	12,938.	15,376.	17,185.	17,860.	17,946.	17,946.
P5-29	12,938.	15,376.	17,185.	17,860.	17,946.	17,946.
P5-C	3,703.	4,981.	4,210.	6,015.	6,044.	6,044.

P5-D	4,924.	6,728.	5,592.	8,170.	8,209.	8,209.
-------------	--------	--------	--------	--------	--------	--------

Credenza Construction:
Pedestals of wood credenzas are 3-ply solid medium density fiberboard core with veneer surface on front, back and sides. Pedestals of laminate top credenzas have textured powder-coat paint surface on front, back and sides. Pedestals have double module construction (double door, single door left or right with single box/file drawer, double box/file drawer). Layout is preconfigured as shown to right. Credenzas have beam frame construction. Pedestal modules glide onto frame and are numbered in sequence for veneer run.

Double door pedestal has one adjustable shelf. Inside dimensions are 29"w, 17 1/4"d, 19"h. A door hinges open from left. B door hinges open from right. P5-11 and P5-21 have single box/file drawer units. Box/file drawer unit: file drawer suitable for letter and legal filing; full extension drawers. Insides of drawers are lined with black vinyl.

Credenza Construction con't.
Extruded aluminum legs with anodized aluminum or powder-coat finish (medium metallic grey, dark metallic grey). Black plastic leveling glides. Pulls are die-cast aluminum with powder-coat finish. Beam supports are powder-coated metal, positioned to be invisible in frontal view.

Sideboard:
Peanut-shaped leg of Propeller side boards does not include wire channels. Sideboards ship with perforated metal shelf that attaches to legs at 7 3/4" under side board top. Shelf finish matches leg finish. Small side-board has four legs, large sideboard has six legs (four side legs and two center legs).

Sideboard Construction:
1 1/8" thick 3-ply solid medium density fiberboard core with urethane edge on laminate tops, ABS flat edgeband or solid wood edge on wood tops. Black plastic glides.


Extruded aluminum legs with anodized or powder-coated finish.

18-gauge perforated metal shelf with 4 rolled edges, attached to leg with steel rod. Fused powder-coat finish.

Credenza/sideboard leg profile:




Credenza pull detail:




Shipping:
Credenzas and sideboards shipped knocked down. Field assembly required. Sideboards ship tops, shelf and legs separately. Credenzas ship top, pedestal modules (two for four position credenza, three for six position credenza), legs and beam support separately. Pedestals are marked for veneer run.

Maintenance:
See pages 14.

Credenza configurations:



Emanuela Frattini
Propeller® Accessories
Replacement Parts, Training and Conference Tables

	description	type	w	d	h
<i>Designer(s):</i> Emanuela Frattini, 1994 	P2-TLEG Replacement leg kit, trapezoid tables 	Set of 2	3 3⁄4"	1 7⁄8"	27 1⁄4"
		Set of 4	3 3⁄4"	1 7⁄8"	27 1⁄4"
	P2-RLEG Replacement leg kit for rectangular table, aluminum leg 	Set of 2	3 3⁄4"	1 7⁄8"	27 1⁄4"
		Set of 4			
	P2-TCLEG2 Replacement C-Leg kit 	Set of 2, 18" table			
		Set of 2, 24" and 30" tables			
	P2-TTLEG Replacement T-Leg kit 	Set of 2, 30" tables			
		Set of 2, 36" tables			
	P3-CLEG Single conference table leg 	caster		2 1⁄4"	27 1⁄2"
		glide		2 1⁄4"	27 1⁄2"
	P2-CASTER4 Replacement casters, aluminum training leg	Set of 4	2"	1 1⁄2"	1 3⁄4"
	P2-GLIDE4 Aluminum leg replacement glides	Set of 4	1 1⁄2"	1 1⁄2"	1 1⁄2"
	P3-KNOB8 Tool-free hand screws for conference table leg				8 for 2 legs
	P2-C-2 Replacement connector bars	Set of 2, temporary connection	4 3⁄8"	3⁄4"	3⁄4"
	P4-RW-C2 Replacement connectors	Set of 2, permanent connection			

Order Code	Finishes	Features
<i>Example:</i> P2-RLEG2KIT-G-A	<i>Specify:</i>	<i>Grommet and Leg finishes:</i>
P2-	2 replacement legs, training table, aluminum leg	Anodized aluminum (suffix A)
RLEGKIT	1. Caster or glide option (Training table legs only)	Jet Black (suffix 111)
G	Glides	Medium Metallic Grey (suffix 612)
A	Anodized Aluminum finish	
<i>Example:</i> P3-CLEG-C-111		<i>Glides/Casters:</i>
P3-CLEG-C	Replacement leg, conference table, aluminum leg	Glides (suffix G)
111	Jet Black finish	Locking Casters (suffix C)



pattern no.	list
P2-TLEG2-(-)()	\$796.
P2-TLEG4-(-)()	1,393.
P2-RLEG2KIT-(-)()	796.
P2-RLEG4KIT-(-)()	1,393.
P2-TCLEG218-(-)	1,904.
P2-TCLEG2-(-)	1,904.
P2-TTLEG30-(-)	1,904.
P2-TTLEG2-(-)	1,904.
P3-CLEG-C-(-)	417.
P3-CLEG-F-(-)	417.
P2-CASTER4	40.
P2-GLIDE4	40.
P3-KNOB8	207.
P2-C-2	47.
P4-RW-C2	48.

Maintenance:
See pages 14.

Emanuela Frattini

Propeller® Accessories

Replacement Parts, Drum and Square Drum Base Conference Tables

	description	base finish	panel dimensions (w x d)	footplate dimensions (w x d)	h	weight
Designer(s): Emanuela Frattini, 2004  	P3-DBASES Small Drum Base Only 	Perforated Aluminum	18" x 18"	25" x 25"	27 1/4"	83
		Veneer	18" x 18"	25" x 25"	27 1/4"	83
	P3-DBASEM Medium Drum Base Only 	Perforated Aluminum	18" x 18"	30" x 30"	27 1/4"	98
		Veneer	18" x 18"	30" x 30"	27 1/4"	98
	P3-DBASEL Large Drum Base Only 	Perforated Aluminum	23" x 23"	30" x 30"	27 1/4"	110
		Veneer	23" x 23"	30" x 30"	27 1/4"	110
	P3-SBASES Small Square Drum Base with Square Plate 	Aluminum	13" x 13"	25" x 25"	27 1/4"	
		Veneer	13" x 13"	25" x 25"	27 1/4"	
	P3-SBASEM Medium Square Drum Base Only 	Aluminum	13" x 13"	30" x 30"	27 1/4"	
		Veneer	13" x 13"	30" x 30"	27 1/4"	
	P3-SBASEL Large Square Drum Base with Square Plate 	Aluminum	16 1/2" x 16 1/2"	30" x 30"	27 1/4"	
		Veneer	16 1/2" x 16 1/2"	30" x 30"	27 1/4"	
	P4-WM4 Wire management C-clips 					

pattern no.	list
P3-DBASES-(A)	\$5,058.
P3-DBASES-W()	5,804.
P3-DBASEM-(A)	5,162.
P3-DBASEM-W()	5,908.
P3-DBASEL-(A)	5,467.
P3-DBASEL-W()	6,213.
P3-SBASES-(A)	2,540.
P3-SBASES-W()	3,453.
P3-SBASEM-(A)	2,687.
P3-SBASEM-W()	3,600.
P3-SBASEL-(A)	2,826.
P3-SBASEL-W()	3,880.
P4-WM4	37.


Order Code	Finishes	Features
Example: P3-DBASES-W(X) P3-Small drum base only DBASES WVeneer Option XAmerican Cherry finish	Peanut and Drum Base Finishes: Aluminum (suffix A) Veneer top/edge: American Cherry (suffix X) Bronzed Cherry (suffix V312) Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Cherry (suffix V315) Light Oak (suffix V423) Maple (suffix K) Medium Red Mahogany (suffix Z) Natural Beech (suffix B) Old English Walnut (V417) Warm Brown Walnut (suffix J)	Maintenance: See pages 14. Jumper cables available for hardwired applications, see page 126.
Specify: 1. Drum or Peanut base size 2. Veneer or Aluminum option 3. Veneer finish		

Plexus Boxes for Training and Conference Tables are covered power and communications units mounted flush into the table top, offering a clean aesthetic. Plexus Boxes are installed in the field and fit in pre-configured cutout locations in Propeller table tops. Various cutout locations are available, see specific products pages for more information.


Plexus Box types and sizes:

Plexus Boxes are available in two lengths, small and medium.
Medium boxes are also available in a double width format.

Small Box (Training tables only)




Offers one duplex power outlet with surge protector, one communication outlet and one additional data plate.



P4S-BOXS-()

Double Medium Box (Conference tables only)




Offers room for four duplex power outlets with surge protector, two quadruple communications outlets and four additional data plates.




P4SD-BOXM-()

Medium Box (Conference and training tables)



Offers room for two duplex power outlets with surge protector, one quadruple communication outlet and two additional data plates.



P4S-BOXM-()

Ordering Information

To specify Plexus Boxes:

1. Determine power and data requirements and suitable box size
2. Specify table type with required cutout option. (see chart on table product page)
3. Specify box(es).
4. Specify data outlets.
5. Specify infeed legs and finish (empty and pre-wired versions only).
6. Specify jumper cables (pre-wired version only).

Performance

Power options:
The Plexus Box is available in three electric power options: a cordset unit, comprised of a 15 amp single circuit with 3-prong plug; a pre-wired unit, comprised of an eight wire power distribution system for two 20 amp convenience circuits (A,B) and two 20 amp protected circuits (X,Y) with separate neutral and ground; an empty unit, comprised of an empty box to be field installed by a licensed electrician. All power and communication wiring is completely separated by a metal septum to avoid interference.

Data/Communication Options:
The Plexus Box is available with standardized cutouts for communication and data faceplates, which are available as blank or preconfigured with data and communication jacks. The small Plexus Box can accommodate two faceplates, the medium Plexus Box can accommodate three faceplates and the double medium Plexus box can accommodate six face plates. Cordset boxes are sold with one preconfigured data faceplate, please see product details for specifics.


Power outlets and data/communication faceplates are positioned under a hinged lid to allow access. The extruded aluminum lid features a brush seal allowing wires to pass when lid is closed. Inside the box, power receptacles and one data/communication cutout are positioned on a 60° angle wall, while additional data/communication cutouts are located on the floor of the box.

Standard data/communications cutouts will accommodate common faceplates by AMP, CommScope, Nordex and Panduit

Plexus Box Connectivity options:

Plexus Boxes are available with three connectivity options for either temporary or permanent installation.


Plexus Box with Cordset



For temporary power and communications access.

P4()-BOX()-PP
Use existing leg.

Empty Plexus Box



For hard-wired power and communications access. Compatible with legs shown below.

P4()-BOX()-E



Training leg
P4-RWIN4-RE (right)
P4-RWIN4-LE (left)



Conference leg
P3-CLEG-PE



Trapezoid leg
P4-RWIN4-TE




C-Leg
P4-RWIN4-CRE (right)
P4-RWIN4-CLE (left)



T-Leg
P3-TLEGU-PE

Pre-wired Plexus Box




For permanent power and communications access. Compatible with legs shown below.


P4()-BOX()-PR



Training leg
P4-RWIN4-R (right)
P4-RWIN4-L (left)



Conference leg
P3-CLEG-PR



Trapezoid leg
P4-RWIN4-T



C-Leg
P4-RWIN4-CR (right)
P4-RWIN4-CL (left)



T-Leg
P3-TLEGU-PR

Connectivity

Plexus Box with cordset:
The Plexus Box with cordset offers temporary power and communications access, comprising a single 15 amp electrical circuit with a 3-prong plug. The 15’ cable can simply be channeled through the Propeller leg to connect to a standard floor or wall outlet. The standard Propeller leg is used with this option. Plexus Boxes with cordset simply rest in the table cutout. Do not attach permanently to the table to comply with UL requirements. Option not available for Chicago or New York.

Pre-wired Plexus Box:
The pre-wired Plexus Box offers four permanent 20 amp electrical circuits for power distribution and data access. An additional special pre-wired infeed leg (R) must specified to bring wires from building power to supply power the table. Jumper cables connect power infeed legs to first box and are used to link multiple boxes. Suitable for most regions if connected to building power by a licensed electrician.

The pre-wired Plexus box uses an eight wire, four circuit power distribution system.

Empty Plexus Box for hardwiring:
The empty Plexus Box for hardwiring offers permanent power and data/communication access and has room for wiring up to four circuits. An additional special empty infeed leg (E) must be specified to bring wires from building power supply to the first empty Plexus Box. Suitable for all regions.

Construction



The Plexus box is constructed of an extruded aluminum lid and bezel in anodized finish. Sides and body are fabricated of stamped steel with aluminum powder-coat finish. Plexus boxes attach via clamps from underneath the table top. Accommodates table thickness from 1” to 1 1/2”.

Cutout options

Plexus Box cutout locations:
For cutout locations see chart on specific product pages. Boxes ship with actual cutout template for field cutting tables, when necessary.

Cutout dimensions (w x d):
Small Plexus Box: 6.875” x 6.25”
Medium Plexus Box: 6.5” x 10.25”
Double Medium 10.25” x 11.875”

Emanuela Frattini
Propeller® Electrical
One-Circuit Plexus Boxes with Cordset

	description	type	w	d	h	
<i>Designer(s):</i> Emanuela Frattini		P4S-BOXS-PP small plexus box	one electrical duplex, room for two data faceplates	7.5"	6.75"	2.8"
			one electrical duplex, two RJ45 jacks with category 6 transition cables	7.5"	6.75"	2.8"
		P4S-BOXM-PP medium shallow box with cordset and surge protector	two duplex, four RJ11 jacks, room for 2 additional data plates	10.5"	7"	2.8"
			two duplex, four RJ45 jacks, room for 2 additional data plates	10.5"	7"	2.8"
			two duplex, two RJ11 jacks, two RJ45 jacks, room for 2 additional data plates	10.5"	7"	2.8"
		P4SD-BOXM-PP medium shallow double wide box with cordset and surge protector	four duplex, eight RJ11 jacks, room for 4 additional data plates	10.5"	12.5"	2.8"
			four duplex, eight RJ45 jacks, room for 4 additional data plates	10.5"	12.5"	2.8"
			four duplex, four RJ11 jacks, four RJ45 jacks, room for 4 additional data plates	10.5"	12.5"	2.8"


Order Code	Finishes	Features
<i>Example:</i> P4SD-BOXM-PP-5-B-A	<i>Plexus Box lid finishes:</i> Aluminum (suffix A)	<i>Plexus Box with Cordset:</i> The Plexus Box with cordset offers temporary power and data access at the table top. The height of each box is only 2.8" and accommodates table thickness up to 1 1/2" allowing for complete knee clearance. Inside the box, power receptacles and one data/communication cutout are positioned on a angled wall, while additional data/communication cutouts are located on the floor of the box. All power and communication wiring is completely separated by a metal septum to avoid interference. The extruded aluminum lid features a brush seal, allowing for wires to pass through when the lid is closed. The box feature a black circuit reset button.
P4SD-BOXM-PP	Medium shallow Plexus Box	UL listed product. Cordset Plexus Boxes simply rest in the table cutout. Do not attach permanently to the table to comply with UL requirements. This option is not available for Chicago or New York.
5	Four category 5 transition cables	Three box sizes are available:
B	ATT/Lucent transition cables (non-EIA)	
A	Aluminum finish	

- Specify:
- Plexus Box for cutout size
 - Desired data configuration
 - Select B for (ATT/Lucent) or A for (EIA) wiring in building
 - Plexus Box lid finish

pattern no.	list price
P4S-BOXS-PP-X	\$863.
P4S-BOXS-PP-2	1,289.
P4S-BOXM-PP-11(A)	1,675.
P4S-BOXM-PP-5-(A,B)-(A)	1,694.
P4S-BOXM-PP-4511-(A,B)-(A)	1,685.
P4SD-BOXM-PP-11(A)	2,597.
P4SD-BOXM-PP-5-(A,B)-(A)	2,604.
P4SD-BOXM-PP-4511-(A,B)-(A)	2,725.

Construction		
<i>Medium Plexus Box with cordset:</i> The medium Plexus Box offers two electrical duplexes and a data/communication cutout positioned on the interior angled wall, with two additional data/communication cutouts in the floor of the box. Available in three configurations: with one preconfigured data faceplate with four RJ11 jacks and four 20' Category 3 transition cables (11), with one preconfigured data faceplate with four RJ45 jacks and four 20' Category 6 transition cables (5), or with one preconfigured data faceplate with two RJ11 jacks and two RJ45 jacks with two 20' Category 3 transition cables and two 20' Category 6 transition cables.	<i>Double Medium Plexus Box with cordset:</i> The double medium Plexus Box with cordset offers the same features as the medium box, but two sided; a total of four electrical duplexes (two per side) and two data/communication cutouts position on the angled wall (one per side), with four additional data/communication cutouts in the floor of the box (two per side). Available in three configurations: with two preconfigured data faceplates, each with four RJ11 jacks and four 20' Category 3 transition cables (11), with two preconfigured data faceplates, each with four RJ45 jacks and four 20' Category 6 transition cables (5), or with two preconfigured data faceplates, each with two RJ11 jacks and two RJ45 jacks with two 20' Category 3 transition cables and two 20' Category 6 transition cables.	The Plexus Box is constructed of an extruded aluminum lid and bezel in anodized finish. Sides and body are fabricated of stamped steel with aluminum powder-coat finish. Plexus boxes attach via clamps from underneath the table top. Accommodates table thickness from 1" to 1½".
		<i>Cut-out Dimensions (w x d):</i> Small Plexus Box 6.875" x 6.25" Medium Plexus Box 10.25" x 6.5" Double Medium Plexus Box 10.25" x 11.875"
	For preconfigured data options and transition cables, select (A) for EIA wiring, or (B) for ATT/Lucent wiring.	
	To specify individual data/communication plates, please see page 132.	

Emanuela Frattini
Propeller® Electrical
Empty Plexus Boxes for Hardwiring

	description	accommodates	w	d	h
Designer(s): Emanuela Frattini	P4S-BOXM-E medium shallow box, empty	two duplex, room for three additional data plates	10.5"	7"	2.8"
					
	P4SD-BOXM-E double shallow medium box, empty	four duplex, room for six additional data plates	10.875"	12.5"	2.8"
					

pattern no.	list price
P4S-BOXM-E-(A)	\$893.
P4SD-BOXM-E-(A)	1,604.

Order Code	Finishes	Empty Shallow Plexus for hardwiring	
<i>Example:</i> P4S-BOXM-E-A	<i>Plexus Box lid/infeed leg finishes:</i> Aluminum (suffix A)	The empty Plexus Box for hardwiring offers permanent power and data/communication access and has room for wiring up to four circuits. An additional special empty infeed leg (E) must be specified to bring wires from building power supply to the first empty Plexus Box. Suitable for all regions. <i>Empty Medium Plexus Box:</i> The medium Plexus Box offers room for two electrical duplexes and a data/communication cutout positioned on the interior angled wall, with two additional data/communication cutouts in the floor of the box. <i>Empty Double Medium Plexus Box:</i> the empty double medium Plexus Box offers the same features as the medium box, but two sided; room for four electrical duplexes (two each side) and two data/communication cutouts position on the interior angled wall (one per side), with four additional data/communication cutouts in the floor of the box (two per side).	<i>Outlets:</i> Electrical duplexes are included with each empty box; to be field installed by a licensed electrician. Eagle Cooper, Black: 4270-5BK Orange: IG5262-RN To specify individual data/communication plates, please see page 132.
P4S-BOXM-E	Medium shallow plexus box, empty		
A	Aluminum finish		
<i>Specify:</i> Propeller table with desired cutout size and location - Plexus box size - Anodized finish <i>Can also specify:</i> - Empty leg, refer to page 122. - Electrical outlets, refer to page 122. - Communication outlets, refer to page 122. - Jumper cable to connect empty leg to 1st plexus (female-male), refer to page 122. - Jumper cable to connect plexus boxes (male-male), refer to page 122. Power outlets to be installed by electrical contractor; communication outlets to be installed by licensed communications contractor.			

Construction
The Plexus Box is constructed of an extruded aluminum lid and bezel in andonized finish. Sides and body are fabricated of stamped steel with aluminum powder-coat finish. Plexus boxes attach via clamps from underneath the table top. Accomodates table thickness from 1" to 1 1/2". <i>Infed leg:</i> For Training or Conference tables with standard legs an additional special empty infeed leg (E) must be specified to bring wires from building power supply to the first empty Plexus Box. Suitable for all regions. <i>Cut-out Dimensions (w x d):</i> Small Plexus Box: 6.875" x 6.25" Medium Plexus Box: 10.25" x 6.5" Double Medium Plexus Box: 10.25" x 11.875"

Emanuela Frattini
Propeller® Electrical
Quadruplex and Wire Management

Designer(s):
Emanuela Frattini, 1994



description	type	w	d	h
P4-PP 360° quadruplex desktop monument for use in grommet	4 power outlets			
P4-WMT Double wire management trough		18"	5"	1"
		32"	5"	1"
		44"	5"	1"
		56"	5"	1"
		96"	5"	1"
P4-AWB Equity worksurface cable basket		20"	4"	2"
		26"	4"	2"
		32"	4"	2"
		36"	4	2"
		42"	4"	2"
P4-MRI Wire management clips (10)				
P4-GR Grommet replacement sleeve and cover		3 1/4"		1 1/4"

pattern no.	list price
P4-PP-()	\$337.

P4-WMT-18	31.
P4-WMT-32	39.
P4-WMT-44	52.
P4-WMT-56	67.
P4-WMT-96	103.
P4-AWB20	52.
P4-AWB26	58.
P4-AWB32	68.
P4-AWB36	69.
P4-AWB42	74.

P4-MRI	37.
---------------	-----

P4-GR-()	40.
------------------	-----

Order Code	Finishes	Features
<i>Example:</i> P4-PP-A	<i>Quadruplex finishes:</i> Black (suffix BK) Aluminum (suffix A)	<i>Quadruplex monument:</i> Four power outlets in one single desktop monument. The power hemisphere has two 15 amp, single circuit, 10' power cords; one cord per two outlets. Fits in standard size Propeller grommet with adapter shipped with unit. Composed of two 180° black or aluminum powder-coat ABS plastic dome segments. UL listed.
P4-PP	Quadruplex monument, 4 power outlets	<i>Morrison wire management clips:</i> Plastic clips with fastener can be drilled on the underside of the table in desired location to hold up wires and cables. Simply drill a pilot hole in the desired location .7" deep (use 13/32" drill).
A	Aluminum	
<i>Specify:</i> 1. Pattern number 2. Finish		
	Note: Aluminum finish is powder coat, not anodized. <i>Grommet Finishes:</i> Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)	



Wire management troughs:
Rigid black PVC plastic.

Maintenance:
See pages 14.

Emanuela Frattini

Propeller® Electrical

Sequence, duplex receptacle

description	type
P4SEDA-S1 Sequence Starter, Data adapter included (no jacks, no cables) 	2 power outlets, data adapters, starter
P4SEDA-(L2-L8) Sequence Link, Data adapter included (no jacks, no cables) 	2 power outlets, data adapters, linking unit
P4SE45-S1 Sequence Starter, with Cat. 5e data couplers and transition cables 	2 power outlets, 2 RJ45 couplers, 2 Cat 5e patch cords, starter unit
P4SE45-(L2-L8) Sequence Link, with Cat. 5e data couplers and transition cables 	2 power outlets, 2 RJ45 couplers, 2 Cat. 5e patch cords, linking unit
P4SECD A Sequence desktop monument, with cordset, data adapter included 	2 power outlets, data adapters, cordset unit
P4SEC45 Sequence desktop monument, with cordset, Cat. 5e data couplers and transition cables 	2 power outlets, 2 RJ45 couplers, 2 Cat. 5e patch cords, cordset

Order Code	Finishes	Features
<i>Example:</i> P4SEDA-L2-BLK P4SEDA Sequence, duplex receptacle with data adapter L2 Link #2 BLK Black	<i>Sequence finishes:</i> Black (suffix BLK) Silver paint (suffix SLV)	Convenient single circuit, 15 amp power and data distribution; each unit houses two electrical receptacles and room for data jacks per unit. Available configured with two RJ45 couplers and Cat. 5e patch cords. Adapter kit provides adapters for a variety of manufacturers jacks and couplers. See Propeller Manual for compatibility chart.

- Specify:
1. Pattern number
 2. Starter or numbered link
 3. Finish

pattern no.	list
P4SEDA-S1-BLK	\$398.
P4SEDA-S1-SLV	420.

P4SEDA-(L2-L8)-BLK	303.
P4SEDA-(L2-L8)-SLV	322.

P4SE45-S1-BLK	540.
P4SE45-S1-SLV	560.

P4SE45-(L2-L8)-BLK	444.
P4SE45-(L2-L8)-SLV	465.

P4SECD A-BLK	290.
P4SECD A-SLV	312.

P4SEC45-BLK	433.
P4SEC45-SLV	454.

Emanuela Frattini


Propeller® Electrical

2+2 Raceway Kit Electrical options for Training and Conference tables


The Propeller raceway kit is used when a permanent configuration with rectangular and trapezoid training tables is specified. Typical examples for such situations are desk configurations, cluster desk configurations, computer training room setups. The raceway kit offers permanent power and communication outlets accessible from underneath the top. Access to these outlets is provided through grommets in the table. Quadruplex or transact outlets may also bring the wiring up to the table top.

Raceway kit components


The Propeller Raceway kit is comprised of three components: Infeed leg, Raceway, Jumper cable and the power and communications outlets.




Power infeed legs:
Provides permanent power and communications access. Alternatively empty infeed legs can also be specified. Raceway compatible with legs shown below.




Training leg
P4-RWIN4-R (right)
P4-RWIN4-L (left)



Trapezoid leg
P4-RWIN4-T



C-Leg
P4-RWIN4-CR (right)
P4-RWIN4-CL (left)



T-Leg
P3-TLEGU-PR

Raceway:

Raceways are available in various different lengths. All raceways offer room for two duplex power outlets with surge protection. The 20", 26", 38" long raceway also has pre-cut holes for installation of two double communication outlets. Raceways are compatible with training and trapezoid tables and can be located in the front of mid-depth positions of all tables, and also at the back of the trapezoid table.



Jumper cables:


There are two types of jumper cables. Male-Female jumper cables are used to connect power infeed legs to the first plexus box or first raceway. Male-male jumper cables are used to connect between plexus boxes or between raceways.

Typical Raceway configurations:

Virtually any electrical layout can be realized by utilizing the power infeed leg, proper lengths of raceway and jumper cables. Raceways provide combinations of duplex power outlets and duplex communications outlets. The length of the table top defines the length of the raceway.


90° Desking configuration:

Consists of a power infeed leg, a long and short raceway and 2 jumper cables




Linear computer training configuration:

Consists of a power infeed leg, 2 raceways of equal length mounted at front of desk, and 2 jumper cables. This configuration may be extended to incorporate any number of desks.




Cluster configuration:

Consists of a power infeed leg of 4 short and long raceways connected by 8 jumper cables.



Curved training configuration:

Consists of a power infeed leg, 3 raceways of equal length mounted at mid-depth of desk, and 3 jumper cables.



Component Glossary

- Raceway
- Duplex power outlets
- Double communication outlets
- Jumper cable
- Power infeed leg

Specifications

Raceway:

All raceways include a pre-installed power rail that fits 2 duplex outlets. The 20", 26", 38" long raceway also has pre-cut holes for installation of two double communication outlets. Raceways ship with special locking connectors for permanently ganging tables.

Communication wiring has to be field installed by communication contractor.

Raceway kits do not include wire management trough for surplus wires. Specify P4-WMT or P4-AWB for storage of surplus wires.

Note: all tables must be ganged permanently with electrical connectors when Raceway Kit is used.

Duplex outlets:

Duplex outlet circuits are designated by white letters on black background. Two duplex outlets marked for a specific circuit can be specified. Choose none, one or two duplex outlets per raceway. Each raceway kit can receive two duplex outlets of the same or of different circuits.

Communications modules:

AMP outlet faceplates have black textured finish. A maximum of two double communications outlets can be specified for different wiring and standards. AMP RJ45 outlets are available with EIA-T568B (ATT wiring) or EIA-T568A (all other EIA wiring) configurations. All RJ45 communications outlets are specially configured and rated for

Category 5 high speed data cabling, except those with couplers (Cat 3). For more communications module options, consult the Currents pricelist.

Jumper cables:

Jumper cables connect power from raceway to raceway, bridging between tables. They consist of electrical conduit encased in a flexible metal tube with electrical connectors on both ends. Different length jumper cables are required depending on the configuration.

Pre-wired, power infeed leg:

Pre-wired, power infeed leg supplies raceway with power from building power source. Extruded aluminum with anodized or powder coat finish. One section of the leg is fully enclosed for electrical wiring, the other has a clear, flexible PVC strip to lay in data cables.




A 9 1/4" long cable emanating from top of leg is used to connect power infeed leg to raceway. 6' conduit emanating from bottom of leg is used for hard-wiring leg to building power. This can be cut to length during installation.

Specify left leg if infeed is located left of raceway, right leg if infeed is located right of raceway. Installation by licensed electrician only.

Emanuela Frattini

Propeller® Electrical

Jumper Cables for Raceway Kit and Pre-Wired Plexus Boxes

	description	type	w
<i>Designer(s):</i> Emanuela Frattini, 1994	P4-RWJ Male-male jumper cable- to connect between plexus boxes or between raceways		10"
			17"
			27"
			37"
			47"
			57"
			67"
	P4-RWMF Female-male jumper cable- to connect power infeed leg to first plexus box or first raceway		10"
			17"
			27"
			37"
	P4-RWM Infeed cable		Prewired power connection for drum/peanut 30"
			Prewired power connection for drum/peanut 96"

pattern no.	list price
P4-RWJ10	\$108.
P4-RWJ17	113.
P4-RWJ27	130.
P4-RWJ37	139.
P4-RWJ47	150.
P4-RWJ57	162.
P4-RWJ67	174.
P4-RWMFJ10	108.
P4-RWMFJ17	113.
P4-RWMFJ27	130.
P4-RWMFJ37	139.
P4-RWM30	193.
P4-RWM96	339.

Order Code	Specification Information	
<i>Example:</i> P4-RWMFJ17	Note: All tables must be ganged permanently with electrical connectors when used with raceway. Building power must be turned off before reconfiguration.	<i>Jumper cables: Training</i> Jumper cables ensure power connection between legs and raceway kits under each table.
P4RWMF		
	<i>Jumper cables:</i> Jumper cables ensure power connection in a straight line configuration, or for tables joined perpendicularly, or for configurations with bridges or segments between tables.	<i>Raceway jumper connections:</i> Male-male jumper cables for connection between raceway kits.
J17		
	Jumper cables ship with clamps for attachment underneath table top.	Female-male jumper cables for connection between power infeed leg and raceway kit.
<i>Specify:</i>		
1. Male-male or male-female jumper cable connection		<i>Plexus jumper connections:</i> Male-male jumper cables for connection between Plexus boxes.
2. Length of jumper cable needed		
		Female-male jumper cables for connection between power infeed leg and Plexus box.

Emanuela Frattini
Propeller® Electrical
Leg Options for Training and Conference Tables
Leg Options for Prewired Plexus Boxes

	description	type
Designer(s): Emanuela Frattini, 1994 	P3-CLEG-PR	Conference Std. leg, Prewired (Universal)
		
	P3-TLEGU-PR	T-Leg, Prewired (Universal) T-Leg, Prewired (Universal) for 30" Tables
		
	P4-RWIN4-CL	C-Leg, Prewired (Left)
		
	P4-RWIN4-CR	C-Leg, Prewired (Right)
		
	P4-RWIN4-T	Trapezoid Std. leg, Prewired (Universal)
		
	P4-RWIN4-RR	Training Std. leg, Prewired (Right)
		
	P4-RWIN4-RL	Training Std. leg, Prewired (Left)
		

Order Code	Finishes	Specification Information
Example: P4-RWIN4-L(A) P4-RWIN4-L Infeed leg for rectangular table, left	<i>Infeed leg finishes:</i> Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)	Note: All tables must be ganged permanently with electrical connectors when used with raceway. Building power must be turned off before reconfiguration.
A Anodized finish		

Specify:

1. Power infeed leg
2. Power infeed leg finish

pattern no.	list price
P3-CLEG-PR-()	\$855.

P3-TLEGU-PR-()	1,292.
P3-TLEGU-PR30-()	1,239.

P4-RWIN4-CL-()	1,292.
------------------------	--------

P4-RWIN4-CR-()	1,292.
------------------------	--------


P4-RWIN4-T-()	561.
-----------------------	------

P4-RWIN4-RR-()	561.
------------------------	------

P4-RWIN4-RL-()	561.
------------------------	------

Standard conference, trapezoid and T-Legs are universal and can be used on either side of the table. For C-Legs and training specify right or left.	C-Leg & T-Leg: Extruded aluminum with anodized or powder-coat finish. One section of leg is completely enclosed for electrical wiring, other section has clear flexible PVC strips to lay in communication wiring. Cast aluminum foot plate with textured surface with powder-coat finish matching the leg finish. Steel mounting plates with powder-coat finish.	Cast aluminum foot plate with textured surface with powder-coat finish matching the leg finish. Steel mounting plates with powder-coat finish. Black nylon glides.
---	---	--

Emanuela Frattini
Propeller® Electrical
Leg Options for Training and Conference Tables
Leg Options for Empty Plexus Boxes






	description	type
Designer(s): Emanuela Frattini, 1994 	P3-CLEG-PE	Conference Std. leg, Empty (Universal)
		
	P3-TLEGU-PE	T-Leg, Empty (Universal) T-Leg, Empty (Universal) for 30" tables
		
	P4-RWIN4-RER	Training Std. leg, Empty (Right)
		
	P4-RWIN4-REL	Training Std. leg, Empty (Left)
		
	P4-RWIN4-CRE	C-Leg, Empty (Right)
		
	P4-RWIN4-CLE	C-Leg, Empty (Left)
		
	P4-RWIN4-TE	Trapezoid Std. Leg, Empty
		

Order Code	Finishes	Specification Information
Example: P4-RWIN4-RE(A) P4-RWIN4-RE	<i>Infeed leg finishes:</i> Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)	Note: All tables must be ganged permanently with electrical connectors when used with raceway. Building power must be turned off before reconfiguration.
A	Anodized finish	

- Specify:
1. Power infeed leg
 2. Power infeed leg finish

pattern no.	list price
P3-CLEG-PE-()	\$596.
P3-TLEGU-PE-() P3-TLEGU-PE30-()	796. 764.
P4-RWIN4-RER-()	424.
P4-RWIN4-REL-()	424.
P4-RWIN4-CRE-()	1,076.
P4-RWIN4-CLE-()	1,076.
P4-RWIN4-TE-()	424.

C-Leg & T-Leg: Extruded aluminum with anodized or powder-coat finish. One section of leg is completely enclosed for electrical wiring, other section has clear flexible PVC strips to lay in communication wiring. Cast aluminum foot plate with textured surface with powder-coat finish matching the leg finish. Steel mounting plates with powder-coat finish.	Cast aluminum foot plate with textured surface with powder-coat finish matching the leg finish. Steel mounting plates with powder-coat finish. Black nylon glides.
---	--

description	accomodates	w	d	h
P7-C3 black data faceplate, one RJ-11 communication jack	one RJ-11 Cat. 3 jack*	3.2"	1.9"	.4"
				
P7-C6 black data faceplate, one RJ-45 data jack	one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"
				
P7-C3-C6 black data faceplate, one RJ-11 communication jack, one RJ-45 data jack	one RJ-11 Cat. 3 jack, one RJ-45 Cat.6 jack*	3.2"	1.9"	.4"
				
P7-C3-C6-C6 black data faceplate, one RJ-11 communication jack, two RJ-45 data jacks	one RJ-11 Cat. 3 jack, two RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"
				
P7-C6-C6 black data faceplate, two RJ-45 data jacks	two RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"
				

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7 Black data faceplate	Black (suffix P7)	15 pin VGA (suffix VGA)
C3 RJ11 Cat. 3 jack	Grey (suffix P7GR) \$12, per plate upcharge applies	RJ-11 Telephone Connection:
C6 RJ45 Cat. 6 jack		RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3)
C6 RJ45 Cat. 6 jack		RJ-45 Data Connection:
	<i>Communication data options:</i>	RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E)
	RJ-11 Category 3 jack (suffix C3) *	RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)
	RJ-45 Category 5e inline coupler (suffix C5E)	
	RJ-45 Category 6 jack (suffix C6) *	
	Fiber optic (suffix LC)	
	Data cables are not supplied.	
	* requires on-site wiring	
	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	


Specify: Faceplate with desired communication or data jacks.

1. Faceplate
2. Communication/data jack
3. Communication/data jack
4. Communication/data jack

On-site wiring to be installed by communications/data contractor.

pattern no.	list price
P7-C3	\$61.
P7-C6	97.
P7-C3-C6	141.
P7-C3-C6-C6	235.
P7-C6-C6	185.

Construction	
<i>A/V and data jacks:</i> DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA) DVI Connection: DVI in-line female/female coupler. (suffix DVI) RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA) Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).	USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring. A/V Cables are not included.

description	accomodates	w	d	h
P7-C6-C6-C6 black data faceplate, three RJ-45 data jacks	three RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"
				
P7-C6-C6-C6-C6 black data faceplate, four RJ-45 data jacks	four RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"
				
P7-C3-C3-C6-C6 black data faceplate, two RJ-11 communication jacks, two RJ-45 data jacks	two RJ-11 Cat. 3 jack, two RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"
				
P7-C5-C5 black data faceplate, two RJ-45 data jacks	two RJ-45 Cat. 5e couplers, female/female	3.2"	1.9"	.4"
				
P7-C5-C5-C5 black data faceplate, three RJ-45 data jacks	three RJ-45 Cat. 5e couplers, female/female	3.2"	1.9"	.4"
				

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7 Black data faceplate	Black (suffix P7)	15 pin VGA (suffix VGA)
C3 RJ11 Cat. 3 jack	Grey (suffix P7GR) \$12, per plate upcharge applies	RJ-11 Telephone Connection:
C6 RJ45 Cat. 6 jack		RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3)
C6 RJ45 Cat. 6 jack		RJ-45 Data Connection:
	<i>Communication data options:</i>	RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E)
	RJ-11 Category 3 jack (suffix C3) *	RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)
	RJ-45 Category 5e inline coupler (suffix C5E)	
	RJ-45 Category 6 jack (suffix C6) *	
	Fiber optic (suffix LC)	
	Data cables are not supplied.	
	* requires on-site wiring	
	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	



Specify: Faceplate with desired communication or data jacks.

- Faceplate
- Communication/data jack
- Communication/data jack
- Communication/data jack

On-site wiring to be installed by communications/data contractor.

pattern no.	list price
P7-C6-C6-C6	\$274.
P7-C6-C6-C6-C6	361.
P7-C3-C3-C6-C6	285.
P7-C5-C5	185.
P7-C5-C5-C5	274.

Construction	
<i>A/V and data jacks:</i> DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA) DVI Connection: DVI in-line female/female coupler. (suffix DVI) RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA) Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).	USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring. A/V Cables are not included.

description	accomodates	w	d	h
P7-C3I-C3I black data faceplate, two RJ-11 communication jacks 	two RJ-11 Cat. 3 couplers, female/female	3.2"	1.9"	.4"
P7-LC-LC black data faceplate, two fiber optic connectors 	two LC fiber optic duplex connectors female/female	3.2"	1.9"	.4"
P7-LC-LC-C6-C6 black data faceplate, two fiber optic connectors, two RJ45 Cat. 6 jacks 	two fiber optic duplex connectors, two RJ45 Cat. 6 jacks	3.2"	1.9"	.4"
P7-VGA-C6 black data faceplate, one 15 pin VGA 60" patch cord, one RJ-45 data jack 	one 15 pin VGA 60" patch cord, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"

pattern no.	list price
P7-C3I-C3I	\$84.
P7-LC-LC	403.
P7-LC-LC-C6-C6	579.
P7-VGA-C6	243.

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7	Black data faceplate	15 pin VGA (suffix VGA)
C3	RJ11 Cat. 3 jack	Mini Stereo jack (suffix MS) *
C6	RJ45 Cat. 6 jack	Mini Stereo coupler (suffix MSI)
C6	RJ45 Cat. 6 jack	HDMI coupler (suffix HDMI)
		3 pin XLR female (suffix 3X) *
		3 pin mini XLR female (suffix 3M) *
		Cord minders (suffix CM)
		Blank plate (suffix X)
	<i>Communication data options:</i>	
	RJ-11 Category 3 jack (suffix C3) *	
	RJ-45 Category 5e inline coupler (suffix C5E)	
	RJ-45 Category 6 jack (suffix C6) *	
	Fiber optic (suffix LC)	
	Data cables are not supplied.	
	* requires on-site wiring	
	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	




Specify: Faceplate with desired communication or data jacks.

1. Faceplate
2. Communication/data jack
3. Communication/data jack
4. Communication/data jack

On-site wiring to be installed by communications/data contractor.

Construction
ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.
USB Connection: USB A/A inline in XLR body. (suffix USB)
Video Connection: S-Video (SVHS) female/female coupler. (suffix SV)
XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).
HDMI Connection: HDMI in-line female/female coupler (suffix HDMI).
* requires on-site wiring.
A/V Cables are not included.

A/V and data jacks:
DB Connection:
15 pin High density VGA female/female coupler. (suffix VGA)
DVI Connection:
DVI in-line female/female coupler. (suffix DVI)
RCA Connection:
White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)
Stereo Connection:
Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

description	accomodates	w	d	h
P7-VGA-C6-C6 black data faceplate, one 15 pin VGA 60" patch cord, two RJ-45 data jacks 	one 15 pin VGA coupler, two RJ-45 Cat. 6 jacks*	3.2"	1.9"	.4"
P7-VGA-C3-C6 black data faceplate, one 15 pin VGA , one RJ-11 communication jack, one RJ-45 data jack 	one 15 pin VGA coupler, one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"
P7-VGA-MS-C3-C6 black data faceplate, one 15 pin VGA 60" patch cord, one Mini-Stereo jack, one RJ-11 communication jack, one RJ-45 data jack 	one 15pin VGA , one Mini-Stereo jack, one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"

pattern no.	list price
P7-VGA-C6-C6	\$337.
P7-VGA-C3-C6	299.
P7-VGA-MS-C3-C6	315.




Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i> Black (suffix P7) Grey (suffix P7GR) \$12, per plate upcharge applies	<i>Communication, data jacks:</i> RJ-11 Telephone Connection: RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) RJ-45 Data Connection: RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)
P7	Black data faceplate	15 pin VGA (suffix VGA)
C3	RJ11 Cat. 3 jack	Mini Stereo jack (suffix MS) *
C6	RJ45 Cat. 6 jack	Mini Stereo coupler (suffix MSI)
C6	RJ45 Cat. 6 jack	HDMI coupler (suffix HDMI)
		3 pin XLR female (suffix 3X) *
		3 pin mini XLR female (suffix 3M) *
		Cord minders (suffix CM)
		Blank plate (suffix X)
	<i>Communication data options:</i> RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) * Fiber optic (suffix LC)	
	Data cables are not supplied.	
	* requires on-site wiring RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	

Specify: Faceplate with desired communication or data jacks.

1. Faceplate
2. Communication/data jack
3. Communication/data jack
4. Communication/data jack

On-site wiring to be installed by communications/data contractor.




Construction
ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.
<i>A/V and data jacks:</i> DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA) DVI Connection: DVI in-line female/female coupler. (suffix DVI) RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA) Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).
USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring.
A/V Cables are not included.

description	acomodates	w	d	h
P7-VGA-MSI-C3-C6 black data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo coupler, one RJ-11 communication jack, one RJ-45 data jack 	one 15 pin VGA, one Mini-Stereo in-line coupler, one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"
P7-VGA-MS-C6 black data faceplate, one 15 pin VGA w/ 60" patch cord, one Mini-Stereo jack, one RJ-45 data jack 	one 15 pin VGA, one Mini-Stereo jack, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"
P7-VGA-MSI-C6 black data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo coupler, one RJ-45 data jack 	one 15 pin VGA, one Mini-Stereo in-line coupler, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"

pattern no.	list price
P7-VGA-MSI-C3-C6	\$357.
P7-VGA-MS-C6	264.
P7-VGA-MSI-C6	307.

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7 Black data faceplate	Black (suffix P7)	15 pin VGA (suffix VGA)
C3 RJ11 Cat. 3 jack	Grey (suffix P7GR) \$12, per plate upcharge applies	Mini Stereo jack (suffix MS) *
C6 RJ45 Cat. 6 jack		Mini Stereo coupler (suffix MSI)
C6 RJ45 Cat. 6 jack		HDMI coupler (suffix HDMI)
	<i>Communication data options:</i>	3 pin XLR female (suffix 3X) *
	RJ-11 Category 3 jack (suffix C3) *	3 pin mini XLR female (suffix 3M) *
	RJ-45 Category 5e inline coupler (suffix C5E)	Cord minders (suffix CM)
	RJ-45 Category 6 jack (suffix C6) *	Blank plate (suffix X)
	Fiber optic (suffix LC)	
<i>Specify:</i> Faceplate with desired communication or data jacks.	Data cables are not supplied.	<i>Communication, data jacks:</i>
1. Faceplate	* requires on-site wiring	RJ-11 Telephone Connection:
2. Communication/data jack	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3)
3. Communication/data jack		Configured for Amp cables.(suffix C3I)
4. Communication/data jack		RJ-45 Data Connection:
On-site wiring to be installed by communications/data contractor.		RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E)
		RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)





Construction	
<i>A/V and data jacks:</i> DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA) DVI Connection: DVI in-line female/female coupler. (suffix DVI) RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA) Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).	USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring. A/V Cables are not included.

description	accomodates	w	d	h
P7-VGA-MS-C6-C6 black data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo jack, two RJ-45 data jacks 	one 15 pin VGA coupler, one Mini-Stereo jack, two RJ-45 Cat. 6 jacks*	3.2"	1.9"	.4"
P7-VGA-MSI-C6-C6 black data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo coupler, two RJ-45 data jack 	one 15 pin VGA coupler, one Mini-Stereo in-line coupler, two RJ-45 Cat. 6 jacks*	3.2"	1.9"	.4"
P7-C3-C6-USB black data faceplate, one RJ-11 communication jack, one RJ-45 data jack, one USB A/A w/72" patch cord 	one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack,* one USB A/A w/72" patch cord	3.2"	1.9"	.4"

pattern no.	list price
P7-VGA-MS-C6-C6	\$352.
P7-VGA-MSI-C6-C6	394.
P7-C3-C6-USB	285.

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i> Black (suffix P7) Grey (suffix P7GR) \$12, per plate upcharge applies	<i>Communication, data jacks:</i> RJ-11 Telephone Connection: RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) RJ-45 Data Connection: RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)
P7	Black data faceplate	15 pin VGA (suffix VGA) Mini Stereo jack (suffix MS) * Mini Stereo coupler (suffix MSI) HDMI coupler (suffix HDMI) 3 pin XLR female (suffix 3X) * 3 pin mini XLR female (suffix 3M) * Cord minders (suffix CM) Blank plate (suffix X)
C3	RJ11 Cat. 3 jack	
C6	RJ45 Cat. 6 jack	
C6	RJ45 Cat. 6 jack	
<i>Specify:</i> Faceplate with desired communication or data jacks. 1. Faceplate 2. Communication/data jack 3. Communication/data jack 4. Communication/data jack On-site wiring to be installed by communications/data contractor.		
	<i>Communication data options:</i> RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) * Fiber optic (suffix LC) Data cables are not supplied. * requires on-site wiring RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	

Construction
<i>A/V and data jacks:</i> DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA) DVI Connection: DVI in-line female/female coupler. (suffix DVI) RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA) Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI). USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring. A/V Cables are not included.

description	accomodates	w	d	h
P7-VGA-MS black data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo jack 	one 15 pin VGA coupler, one Mini-Stereo jack*	3.2"	1.9"	.4"
P7-VGA-MSI black data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo coupler 	one 15 pin VGA coupler, one Mini-Stereo in-line coupler	3.2"	1.9"	.4"
P7-3X-3X black data faceplate, two 3 pin XLR jacks 	two 3 pin XLR jacks*	3.2"	1.9"	.4"
P7-3M-3M black data faceplate, two 3 pin mini-XLR jacks 	two 3 pin mini-XLR jacks*	3.2"	1.9"	.4"

pattern no.	list price
P7-VGA-MS	\$177.
P7-VGA-MSI	219.
P7-3X-3X	367.
P7-3M-3M	289.





Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7	Black data faceplate	15 pin VGA (suffix VGA)
C3	RJ11 Cat. 3 jack	Mini Stereo jack (suffix MS) *
C6	RJ45 Cat. 6 jack	Mini Stereo coupler (suffix MSI)
C6	RJ45 Cat. 6 jack	HDMI coupler (suffix HDMI)
		3 pin XLR female (suffix 3X) *
		3 pin mini XLR female (suffix 3M) *
		Cord minders (suffix CM)
		Blank plate (suffix X)
	<i>Communication data options:</i>	
	RJ-11 Category 3 jack (suffix C3) *	
	RJ-45 Category 5e inline coupler (suffix C5E)	
	RJ-45 Category 6 jack (suffix C6) *	
	Fiber optic (suffix LC)	
	Data cables are not supplied.	
	* requires on-site wiring	
	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks	
	require wires to be crimped to backs.	

Specify: Faceplate with desired communication or data jacks.

1. Faceplate
2. Communication/data jack
3. Communication/data jack
4. Communication/data jack

On-site wiring to be installed by communications/data contractor.

Construction
ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.
<i>A/V and data jacks:</i>
DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA)
DVI Connection: DVI in-line female/female coupler. (suffix DVI)
RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)
Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).
USB Connection: USB A/A inline in XLR body. (suffix USB)
Video Connection: S-Video (SVHS) female/female coupler. (suffix SV)
XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).
HDMI Connection: HDMI in-line female/female coupler (suffix HDMI).
* requires on-site wiring.
A/V Cables are not included.

description	accomodates	w	d	h
P7-3M-3M-3M black data faceplate, three 3 pin mini-XLR jacks 	three 3 pin mini-XLR jacks*	3.2"	1.9"	.4"
P7-VGA-USB black data faceplate, one 15 pin HD VGA coupler, one USB A/A w/72" patch cord 	one 15 pin HD VGA coupler, one USB A/A w/72" patch cord	3.2"	1.9"	.4"
P7-USB-USB black data faceplate, two USB A/A w/72" patch cord 	two USB A/A w/72" Patch cords	3.2"	1.9"	.4"
P7-VGA-MS-RCA black data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo jack, one RCA (white, red and yellow) coupler 	one 15 pin VGA, one Mini-Stereo jack,* one set RCA couplers- one left audio (white), one right audio (red), composite video (yellow)	3.2"	1.9"	.4"

pattern no.	list price
P7-3M-3M-3M	\$431.
P7-VGA-USB	229.
P7-USB-USB	147.
P7-VGA-MS-RCA	287.




Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7	Black (suffix P7)	15 pin VGA (suffix VGA)
C3	Grey (suffix P7GR) \$12, per plate upcharge applies	Mini Stereo jack (suffix MS) *
C6		Mini Stereo coupler (suffix MSI)
C6		HDMI coupler (suffix HDMI)
C6		3 pin XLR female (suffix 3X) *
		3 pin mini XLR female (suffix 3M) *
		Cord minders (suffix CM)
		Blank plate (suffix X)
	<i>Communication data options:</i>	<i>Communication, data jacks:</i>
	RJ-11 Category 3 jack (suffix C3) *	RJ-11 Telephone Connection:
	RJ-45 Category 5e inline coupler (suffix C5E)	RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3)
	RJ-45 Category 6 jack (suffix C6) *	Configured for Amp cables.(suffix C3I)
	Fiber optic (suffix LC)	RJ-45 Data Connection:
		RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E)
		RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)
	Data cables are not supplied.	
	* requires on-site wiring	
	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	

Specify: Faceplate with desired communication or data jacks.

1. Faceplate
2. Communication/data jack
3. Communication/data jack
4. Communication/data jack

On-site wiring to be installed by communications/data contractor.





Construction
ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.
<i>A/V and data jacks:</i>
DB Connection:
15 pin High density VGA female/female coupler. (suffix VGA)
DVI Connection:
DVI in-line female/female coupler. (suffix DVI)
RCA Connection:
White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)
Stereo Connection:
Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).
USB Connection:
USB A/A inline in XLR body. (suffix USB)
Video Connection:
S-Video (SVHS) female/female coupler. (suffix SV)
XLR Connection:
3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).
HDMI Connection:
HDMI in-line female/female coupler (suffix HDMI).
* requires on-site wiring.
A/V Cables are not included.

description	acommodates	w	d	h
P7-VGA-MSI-RCA black data faceplate, one 15 pin HD VGA coupler, one Mini-Stereo coupler, one set RCA (white, red and yellow) couplers 	one 15 pin HD VGA coupler, one Mini-Stereo coupler, one set RCA couplers- one left audio (white), one right audio (red), composit video (yellow)	3.2"	1.9"	.4"
P7-VGA-RCA black data faceplate, one 15 pin HD VGA coupler, one set RCA (white, red and yellow) couplers 	one 15 pin HD VGA coupler, one set RCA couplers- one left audio (white), one right audio (red), composit video (yellow)	3.2"	1.9"	.4"
P7-DVI-VGA black data faceplate, one DVI coupler, one 15 pin HD VGA coupler 	one DVI in-line coupler, one 15 pin HD VGA coupler	3.2"	1.9"	.4"
P7-DVI black data faceplate, one DVI coupler 	one CVI in-line coupler	3.2"	1.9"	.4"

pattern no.	list price
P7-VGA-MSI-RCA	\$331.
P7-VGA-RCA	272.
P7-DVI-VGA	448.
P7-DVI	297.

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7 Black data faceplate	Black (suffix P7)	15 pin VGA (suffix VGA)
C3 RJ11 Cat. 3 jack	Grey (suffix P7GR) \$12, per plate upcharge applies	Mini Stereo jack (suffix MS) *
C6 RJ45 Cat. 6 jack		Mini Stereo coupler (suffix MSI)
C6 RJ45 Cat. 6 jack		HDMI coupler (suffix HDMI)
	<i>Communication data options:</i>	3 pin XLR female (suffix 3X) *
	RJ-11 Category 3 jack (suffix C3) *	3 pin mini XLR female (suffix 3M) *
	RJ-45 Category 5e inline coupler (suffix C5E)	Cord minders (suffix CM)
	RJ-45 Category 6 jack (suffix C6) *	Blank plate (suffix X)
	Fiber optic (suffix LC)	
<i>Specify:</i> Faceplate with desired communication or data jacks.	Data cables are not supplied.	<i>Communication, data jacks:</i>
1. Faceplate	* requires on-site wiring	RJ-11 Telephone Connection:
2. Communication/data jack	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3)
3. Communication/data jack		Configured for Amp cables.(suffix C3I)
4. Communication/data jack		RJ-45 Data Connection:
On-site wiring to be installed by communications/data contractor.		RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E)
		RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)

Construction	
<i>A/V and data jacks:</i> DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA) DVI Connection: DVI in-line female/female coupler. (suffix DVI) RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA) Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).	USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring. A/V Cables are not included.

description	accomodates	w	d	h
P7-DVI-MS-MS black data faceplate, one DVI in-line coupler, two mini stereo jacks	one DVI coupler, two Mini-Stereo jacks	3.2"	1.9"	.4"
				
P7-DVI-MSI-MSI black data faceplate, one DVI coupler, two mini stereo in-line couplers	one DVI coupler, two Mini-Stereo couplers	3.2"	1.9"	.4"
				
P7-HDMI black data faceplate, one HDMI w/36" patch cord	one HDMI coupler, female/female w/36" patch cord	3.2"	1.9"	.4"
				
P7-HDMI-VGA-MS black data faceplate, one HDMI w/36" patch cord, one VGA w/60" patch cord, one mini stereo jack	one HDMI coupler, one VGA, one Mini-Stereo jack	3.2"	1.9"	.4"
				

pattern no.	list price
P7-DVI-MS-MS	\$330.
P7-DVI-MSI-MSI	416.
P7-HDMI	200.
P7-HDMI-VGA-MS	367.




Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7	Black (suffix P7)	15 pin VGA (suffix VGA)
C3	Grey (suffix P7GR) \$12, per plate upcharge applies	Mini Stereo jack (suffix MS) *
C6		Mini Stereo coupler (suffix MSI)
C6		HDMI coupler (suffix HDMI)
C6		3 pin XLR female (suffix 3X) *
	<i>Communication data options:</i>	3 pin mini XLR female (suffix 3M) *
	RJ-11 Category 3 jack (suffix C3) *	Cord minders (suffix CM)
	RJ-45 Category 5e inline coupler (suffix C5E)	Blank plate (suffix X)
	RJ-45 Category 6 jack (suffix C6) *	
	Fiber optic (suffix LC)	
	Data cables are not supplied.	
	* requires on-site wiring	
	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	

Specify: Faceplate with desired communication or data jacks.

1. Faceplate
2. Communication/data jack
3. Communication/data jack
4. Communication/data jack

On-site wiring to be installed by communications/data contractor.

Construction
ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.
A/V and data jacks: DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA) DVI Connection: DVI in-line female/female coupler. (suffix DVI) RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA) Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).
USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring.
A/V Cables are not included.

description	accomodates	w	d	h
P7-HDMI-VGA-MSI black data faceplate, one HDMI w/36" patch cord, one VGA w/60" patch cord, one mini stereo in-line coupler 	one HDMI coupler, one VGA, one Mini-Stereo in-line coupler, female/female	3.2"	1.9"	.4"
P7-VGA-MS-USB black data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo jack, one USB A/A w/72" patch cord 	one 15 pin VGA, one Mini-Stereo jack*, one USB A/B in-line coupler	3.2"	1.9"	.4"
P7-VGA-MSI-USB black data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo coupler, one USB A/A w72" patch cord 	one 15 pin VGA , one Mini-Stereo coupler, one USB A/B in-line coupler	3.2"	1.9"	.4"

pattern no.	list price
P7-HDMI-VGA-MSI	\$410.
P7-VGA-MS-USB	255.
P7-VGA-MSI-USB	297.





Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7	Black (suffix P7)	15 pin VGA (suffix VGA)
C3	Grey (suffix P7GR) \$12, per plate upcharge applies	Mini Stereo jack (suffix MS) *
C6		Mini Stereo coupler (suffix MSI)
C6		HDMI coupler (suffix HDMI)
	<i>Communication data options:</i>	3 pin XLR female (suffix 3X) *
	RJ-11 Category 3 jack (suffix C3) *	3 pin mini XLR female (suffix 3M) *
	RJ-45 Category 5e inline coupler (suffix C5E)	Cord minders (suffix CM)
	RJ-45 Category 6 jack (suffix C6) *	Blank plate (suffix X)
	Fiber optic (suffix LC)	
	Data cables are not supplied.	
	* requires on-site wiring	
	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	

Specify: Faceplate with desired communication or data jacks.

1. Faceplate
2. Communication/data jack
3. Communication/data jack
4. Communication/data jack

On-site wiring to be installed by communications/data contractor.

Construction
ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.
<i>A/V and data jacks:</i>
DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA)
DVI Connection: DVI in-line female/female coupler. (suffix DVI)
RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)
Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).
USB Connection: USB A/A inline in XLR body. (suffix USB)
Video Connection: S-Video (SVHS) female/female coupler. (suffix SV)
XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).
HDMI Connection: HDMI in-line female/female coupler (suffix HDMI).
* requires on-site wiring.
A/V Cables are not included.

description	accomodates	w	d	h
P7-RCA black data faceplate, one set RCA (white, red and yellow) couplers 	one set RCA couplers- one left audio (white), one right audio (red), composite video (yellow)	3.2"	1.9"	.4"
P7-SV black data faceplate, one S-Video coupler 	one S-Video (SVHS), in-line coupler	3.2"	1.9"	.4"
P7-DVI-SV black data faceplate, one DVI coupler, one S-Video coupler 	one DVI in-line coupler, one S-Video (SVHS) in-line coupler	3.2"	1.9"	.4"
P7-X black data faceplate, blank, no cut-outs 	blank, no cut-outs	3.2"	1.9"	.4"
P7GR-X grey data faceplate, blank, no cut-outs 	blank, no cut-outs	3.2"	1.9"	.4"

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7 Black data faceplate	Black (suffix P7)	15 pin VGA (suffix VGA)
C3 RJ11 Cat. 3 jack	Grey (suffix P7GR) \$12, per plate upcharge applies	Mini Stereo jack (suffix MS) *
C6 RJ45 Cat. 6 jack		Mini Stereo coupler (suffix MSI)
C6 RJ45 Cat. 6 jack		HDMI coupler (suffix HDMI)
	<i>Communication data options:</i>	3 pin XLR female (suffix 3X) *
	RJ-11 Category 3 jack (suffix C3) *	3 pin mini XLR female (suffix 3M) *
	RJ-45 Category 5e inline coupler (suffix C5E)	Cord minders (suffix CM)
	RJ-45 Category 6 jack (suffix C6) *	Blank plate (suffix X)
	Fiber optic (suffix LC)	
	Data cables are not supplied.	
	* requires on-site wiring	
	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	

Specify: Faceplate with desired communication or data jacks.

1. Faceplate
2. Communication/data jack
3. Communication/data jack
4. Communication/data jack

On-site wiring to be installed by communications/data contractor.

pattern no.	list price
P7-RCA	\$119.
P7-SV	199.
P7-DVI-SV	486.
P7-X	8.
P7GR-X	21.

Construction	
<i>A/V and data jacks:</i> DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA) DVI Connection: DVI in-line female/female coupler. (suffix DVI) RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA) Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).	USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring.
ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.	
A/V Cables are not included.	

description	accomodates	w	d	h
P7-CM black data faceplate, three cord minders	three cord minders	3.2"	1.9"	.4"

pattern no.	list price
P7-CM	\$45.

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7 Black data faceplate	Black (suffix P7)	15 pin VGA (suffix VGA)
C3 RJ11 Cat. 3 jack	Grey (suffix P7GR) \$12, per plate upcharge applies	Mini Stereo jack (suffix MS) *
C6 RJ45 Cat. 6 jack		Mini Stereo coupler (suffix MSI)
C6 RJ45 Cat. 6 jack		HDMI coupler (suffix HDMI)
	<i>Communication data options:</i>	3 pin XLR female (suffix 3X) *
	RJ-11 Category 3 jack (suffix C3) *	3 pin mini XLR female (suffix 3M) *
	RJ-45 Category 5e inline coupler (suffix C5E)	Cord minders (suffix CM)
	RJ-45 Category 6 jack (suffix C6) *	Blank plate (suffix X)
	Fiber optic (suffix LC)	
	Data cables are not supplied.	
	* requires on-site wiring	
	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	

Specify: Faceplate with desired communication or data jacks.

1. Faceplate
2. Communication/data jack
3. Communication/data jack
4. Communication/data jack

On-site wiring to be installed by communications/data contractor.

Construction
ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.
<i>A/V and data jacks:</i>
DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA)
DVI Connection: DVI in-line female/female coupler. (suffix DVI)
RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)
Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).
USB Connection: USB A/A inline in XLR body. (suffix USB)
Video Connection: S-Video (SVHS) female/female coupler. (suffix SV)
XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).
HDMI Connection: HDMI in-line female/female coupler (suffix HDMI).
* requires on-site wiring.
A/V Cables are not included.

		TOP OPTIONS					TROUGH OPTIONS
TYPE	TABLE	FRONT CENTER	FRONT LEFT	FRONT RIGHT	FRONT LEFT AND RIGHT	CENTER CENTER	CENTER
NO CUTOUTS	ALL TABLES	Y	Y	Y	Y	Y	●
ROUND GROMMET	FIXED T-LEG	ERG	DRGL	DRGR	DRG	GRG	●
	FLIP T-LEG	ERG	DRGL	DRGR	DRG	GRG	●
	FIXED C-LEG	ERG	DRGL	DRGR	DRG	GRG	●
	FLIP C-LEG	ERG	DRGL	DRGR	DRG	●	●
	FIXED Y-LEG	ERG	DRGL	DRGR	DRG	GRG	●
	FLIP Y-LEG	ERG	DRGL	DRGR	DRG	GRG	●
	Y FOLD	●	●	●	●	GRG *	●
	4-LEG RECTANGLE	ERG	DRGL	DRGR	DRG	GRG	●
	4-LEG SQUARE	ERG	●	●	●	GRG	●
	ELEC. HGT. C-LEG	ERG	DRGL	DRGR	DRG	●	●
	ELEC. HGT. T-LEG	ERG	DRGL	DRGR	DRG	●	●
	COLUMN LEG	●	●	●	●	GRG	●
KE1, KE2, KE3	FIXED T-LEG	ENO	DNOL	DNOR	DNO	GNO	●
	FLIP T-LEG	ENO	DNOL	DNOR	DNO	GNO	●
	FIXED C-LEG	ENO	DNOL	DNOR	DNO	GNO	●
	FLIP C-LEG	●	●	●	●	●	●
	FIXED Y-LEG	ENO	DNOL	DNOR	DNO	GNO	●
	FLIP Y-LEG	ENO	DNOL	DNOR	DNO	GNO	●
	Y FOLD	●	●	●	●	GNO *	●
	4-LEG RECTANGLE	ENO	DNOL	DNOR	DNO	GNO	●
	4-LEG SQUARE	ENO	●	●	●	GNO	●
	ELEC. HGT. C-LEG	●	●	●	●	●	●
	ELEC. HGT. T-LEG	ENO	DNOL	DNOR	DNO	●	●
	COLUMN LEG	●	●	●	●	GNO	●
KE4	FIXED T-LEG	EN	DNL	DNR	DN	GN	●
	FLIP T-LEG	EN	DNL	DNR	DN	GN	●
	FIXED C-LEG	EN	DNL	DNR	DN	GN	●
	FLIP C-LEG	EN	DNL	DNR	DN	●	●
	FIXED Y-LEG	EN	DNL	DNR	DN	GN	●
	FLIP Y-LEG	EN	DNL	DNR	DN	GN	●
	Y FOLD	●	●	●	●	GN *	●
	4-LEG RECTANGLE	EN	DNL	DNR	DN	GN	●
	4-LEG SQUARE	EN	●	●	●	GN	●
	ELEC. HGT. C-LEG	EN	DNL	DNR	DN	●	●
	ELEC. HGT. T-LEG	EN	DNL	DNR	DN	●	●
	COLUMN LEG	●	●	●	●	GN	●
KE5	FIXED T-LEG	EA	DAL	DAR	DA	GA	●
	FLIP T-LEG	EA	DAL	DAR	DA	GA	●
	FIXED C-LEG	EA	DAL	DAR	DA	GA	●
	FLIP C-LEG	EA	DAL	DAR	DA	●	●
	FIXED Y-LEG	EA	DAL	DAR	DA	GA	●
	FLIP Y-LEG	EA	DAL	DAR	DA	GA	●
	Y FOLD	●	●	●	●	GA *	●
	4-LEG RECTANGLE	EA	DAL	DAR	DA	GA	●
	4-LEG SQUARE	EA	●	●	●	GA	●
	ELEC. HGT. C-LEG	EA	DAL	DAR	DA	●	●
	ELEC. HGT. T-LEG	EA	DAL	DAR	DA	●	●
	COLUMN LEG	●	●	●	●	GA	●




		TOP OPTIONS					TROUGH OPTIONS
TYPE	TABLE	FRONT CENTER	FRONT LEFT	FRONT RIGHT	FRONT LEFT AND RIGHT	CENTER CENTER	CENTER
KE6	FIXED T-LEG	●	●	●	●	●	●
	FLIP T-LEG	●	●	●	●	●	●
	FIXED C-LEG	●	●	●	●	●	TAS
	FLIP C-LEG	●	●	●	●	●	TAS
	FIXED Y-LEG	●	●	●	●	●	●
	FLIP Y-LEG	●	●	●	●	●	●
	Y FOLD	●	●	●	●	●	●
	4-LEG RECTANGLE	●	●	●	●	●	●
	4-LEG SQUARE	●	●	●	●	●	●
	ELEC. HGT. C-LEG	●	●	●	●	●	●
	ELEC. HGT. T-LEG	●	●	●	●	●	●
	COLUMN LEG	●	●	●	●	●	●
KE7	FIXED T-LEG	NO CUTOUT CODE REQUIRED - MODULE CLIPS ON TO EDGE OF TABLE. NOT AVAILABLE ON TABLES WITH KNIFE EDGES	NO CUTOUT CODE REQUIRED - MODULE CLIPS ON TO EDGE OF TABLE. NOT AVAILABLE ON TABLES WITH KNIFE EDGES	NO CUTOUT CODE REQUIRED - MODULE CLIPS ON TO EDGE OF TABLE. NOT AVAILABLE ON TABLES WITH KNIFE EDGES	NO CUTOUT CODE REQUIRED - MODULE CLIPS ON TO EDGE OF TABLE. NOT AVAILABLE ON TABLES WITH KNIFE EDGES	NO CUTOUT CODE REQUIRED - MODULE CLIPS ON TO EDGE OF TABLE. NOT AVAILABLE ON TABLES WITH KNIFE EDGES	NO CUTOUT CODE REQUIRED - MODULE CLIPS ON TO EDGE OF TABLE. NOT AVAILABLE ON TABLES WITH KNIFE EDGES
	FLIP T-LEG						
	FIXED C-LEG						
	FLIP C-LEG						
	FIXED Y-LEG						
	FLIP Y-LEG						
	Y FOLD						
	4-LEG RECTANGLE						
	4-LEG SQUARE						
	ELEC. HGT. C-LEG						
	ELEC. HGT. T-LEG						
	COLUMN LEG	●	●	●	●	●	●
KE8	FIXED T-LEG	ET	DTL	DTR	DT	GT	●
	FLIP T-LEG	ET	DTL	DTR	DT	GT	●
	FIXED C-LEG	ET	DTL	DTR	DT	GT	●
	FLIP C-LEG	ET	DTL	DTR	DT	●	●
	FIXED Y-LEG	ET	DTL	DTR	DT	GT	●
	FLIP Y-LEG	ET	DTL	DTR	DT	GT	●
	Y FOLD	●	●	●	●	GT *	●
	4-LEG RECTANGLE	ET	DTL	DTR	DT	GT	●
	4-LEG SQUARE	ET	●	●	●	GT	●
	ELEC. HGT. C-LEG	ET	DTL	DTR	DT	●	●
	ELEC. HGT. T-LEG	ET	DTL	DTR	DT	●	●
	COLUMN LEG	●	●	●	●	GT	●

PATTERN CODE EXAMPLES

Y - NO CUTOUTS
ERG - ONE CUTOUT FRONT CENTER FOR ROUND GROMMET
DN - TWO CUTOUTS FOR KE4 ELECTRICAL MODULES, (1) FRONT LEFT AND (1) FRONT RIGHT

- * A Y-FOLD TABLE CONSISTS OF TWO 48" X 48" SQUARE SEGMENTS. ONE CUTOUT WILL BE PLACED IN BOTH SECTIONS FOR A TOTAL OF TWO CUTOUTS PER TABLE.
- NOT AVAILABLE

Marc Krusin
Pixel™ Table Series
C-Leg Tables, Flip Top



	description	w	d	h	leg type	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015 <i>Award(s):</i> Best of Neocon Gold Award, 2015		KCPW Work Height, Flip Top, Casters				
		60"	18"	28 ¾"	C-Leg	66
		48"	18"	28 ¾"	C-Leg	74
		72"	18"	28 ¾"	C-Leg	75
		48"	24"	28 ¾"	C-Leg	74
		60"	24"	28 ¾"	C-Leg	78
		72"	24"	28 ¾"	C-Leg	91
		48"	30"	28 ¾"	C-Leg	74
		60"	30"	28 ¾"	C-Leg	93
		72"	30"	28 ¾"	C-Leg	106
		KCPA Pin Set Height Adjustable, Flip Top, Casters				
		48"	18"	28 3/4 - 33 ¾"	C-Leg	60
		60"	18"	28 3/4 - 33 ¾"	C-Leg	69
		72"	18"	28 3/4 - 33 ¾"	C-Leg	78
		48"	24"	28 3/4 - 33 ¾"	C-Leg	71
		60"	24"	28 3/4 - 33 ¾"	C-Leg	82
		72"	24"	28 3/4 - 33 ¾"	C-Leg	94
		48"	30"	28 3/4 - 33 ¾"	C-Leg	82
		60"	30"	28 3/4 - 33 ¾"	C-Leg	96
		72"	30"	28 3/4 - 33 ¾"	C-Leg	109
	KGANG Pixel ganging mechanism					

pattern no.	laminate/ABS edge	laminate/urethane edge	veneer/wood or ABS edge
KCPW6018-(C)-()-()-()	\$1,919.	\$2,052.	\$3,315.
KCPW4818-(C)-()-()-()	1,844.	1,960.	3,182.
KCPW7218-(C)-()-()-()	1,985.	2,134.	3,466.
KCPW4824-(C)-()-()-()	1,903.	2,030.	3,327.
KCPW6024-(C)-()-()-()	1,985.	2,129.	3,515.
KCPW7224-(C)-()-()-()	2,055.	2,217.	3,698.
KCPW4830-(C)-()-()-()	1,989.	2,127.	3,524.
KCPW6030-(C)-()-()-()	2,076.	2,234.	3,744.
KCPW7230-(C)-()-()-()	2,156.	2,332.	3,904.
KCPA4818-(C)-()-()-()	1,982.	2,099.	3,302.
KCPA6018-(C)-()-()-()	2,057.	2,191.	3,435.
KCPA7218-(C)-()-()-()	2,123.	2,272.	3,586.
KCPA4824-(C)-()-()-()	2,042.	2,169.	3,448.
KCPA6024-(C)-()-()-()	2,123.	2,267.	3,636.
KCPA7224-(C)-()-()-()	2,194.	2,356.	3,819.
KCPA4830-(C)-()-()-()	2,127.	2,266.	3,644.
KCPA6030-(C)-()-()-()	2,216.	2,373.	3,865.
KCPA7230-(C)-()-()-()	2,295.	2,471.	4,027.
KGANG	25.		

Order Code	Finishes		
<i>Example:</i> KCPW7224-C-114-004T-Y-115T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004)	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T) * Medium Grey (suffix 115T) Sterling (suffix 906T)
KCPW7224 72" x 24" Work Height, Flip Top			
C Locking casters	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T)	<i>Glides/Casters:</i> Casters (suffix C)
114 Folkstone laminate			
004T Folkstone flat edgeband			
Y No grommet			
115T Medium Grey legs			
<i>Specify:</i> 1. Pattern number 2. Locking casters or glide selection 3. Top finish selection 4. Edgeband selection 5. Cutout option 6. Leg finish	<i>Veneer top/edge finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)		<i>Note:</i> *For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.

Electrical	Construction	Features
<i>Cutout Options: (\$30 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 158 for the proper cutout code. <i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Laminate and Veneer tops:</i> Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Edges can be specified with a flat ABS or molded urethane edge, or solid wood for veneer tops only. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match. Laminate tops can be specified with a flat ABS or molded urethane edge. Wood veneer tops can be specified with a flat ABS or solid wood edge.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage. Trough cutout on C-Leg Only TAS - Center Cutout C-Leg tables may be specified with a center trough cutout but only if no box cutouts are specified on the top. <i>Maintenance:</i> See pages 14. <i>Note:</i> Pixel tables are Greenguard certified.

Marc Krusin
Pixel™ Table Series
T-Leg Tables, Flip Top


	description	w	d	h	leg type	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015	KTPW Work Height, Flip Top, Casters 	60"	30"	28 ¾"	T-Leg	93
		72"	30"	28 ¾"	T-Leg	107
		60"	36"	28 ¾"	T-Leg	106
		72"	36"	28 ¾"	T-Leg	122
<i>Award(s):</i> Best of Neocon Gold Award, 2015	KTPA Pin Set Height Adjustable, Flip top, Casters 	60"	30"	28 3/4 - 34"	T-Leg	96
		72"	30"	28 3/4 - 34"	T-Leg	110
		60"	36"	28 3/4 - 34"	T-Leg	109
		72"	36"	28 3/4 - 34"	T-Leg	125
 	KGANG Pixel ganging mechanism 					

pattern no.	laminate/ABS edge	laminate/urethane edge	veneer/wood or ABS edge
KTPW6030-(C)-()-()-()	\$2,400.	\$2,561.	\$4,026.
KTPW7230-(C)-()-()-()	2,496.	2,676.	4,216.
KTPW6036-(C)-()-()-()	2,495.	2,669.	4,219.
KTPW7236-(C)-()-()-()	2,641.	2,837.	4,679.
KTPA6030-(C)-()-()-()	2,594.	2,752.	4,202.
KTPA7230-(C)-()-()-()	2,687.	2,866.	4,391.
KTPA6036-(C)-()-()-()	2,683.	2,856.	4,408.
KTPA7236-(C)-()-()-()	2,831.	3,027.	4,856.
KGANG	25.		

Order Code	Finishes
<i>Example:</i> KTPW6036-C-114-004T-Y-115T	<i>Colored laminate finishes:</i>
KTPW6036 60" x 36" rectangle, T-Leg, Flip, Work Height, Casters	Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)
C Locking casters	<i>Woodgrain laminate finishes:</i>
114 Folkstone laminate	Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)
004T Folkstone flat edgeband	<i>Flat edgeband finishes:</i>
Y No grommet	Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T)
115T Medium Grey legs	<i>Leg finishes:</i>
	Jet Black (suffix 111T) Bright White (suffix 118T) * Medium Grey (suffix 115T) Sterling (suffix 906T)
	<i>Glides/Casters:</i>
	Casters (suffix C)
	<i>Note:</i>
	Glides are not available on flip top tables.
	*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.
<i>Specify:</i>	<i>Veneer top/edge finishes:</i>
1. Pattern number	American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)
2. Locking caster or glide selection	
3. Top finish selection	
4. Edgeband selection	
5. Cutout option	
6. Leg finish	

Electrical	Construction	Features
<i>Cutout Options: (\$30 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 158 for the proper cutout code.	<i>Laminate and Veneer tops:</i> Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Edges can be specified with a flat ABS or molded urethane edge, or solid wood for veneer tops only. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match. Laminate tops can be specified with a flat ABS or molded urethane edge. Wood veneer tops can be specified with a flat ABS or solid wood edge.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage. <i>Maintenance:</i> See pages 14. <i>Note:</i> Pixel tables are Greenguard certified.
<i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.		<i>Caution:</i> When moving flip top tables on casters, only push tables while the top is down. Moving tables while the top is up may cause it to tip.
	<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	

Marc Krusin
Pixel™ Table Series
Four Leg Tables, Fixed Top




	description	w	d	h	top	99sort	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015	KFXW Work Height, Fixed Top	36"	36"	28¾"	square		57
		42"	42"	28¾"	square		72
<i>Award(s):</i> Best of Neocon Gold Award, 2015		48"	48"	28¾"	square		89
		48"	18"	28¾"	rectangle		43
		60"	18"	28¾"	rectangle		56
		72"	18"	28¾"	rectangle		65
		48"	24"	28¾"	rectangle		53
		60"	24"	28¾"	rectangle		62
		72"	24"	28¾"	rectangle		79
		48"	30"	28¾"	rectangle		62
		60"	30"	28¾"	rectangle		73
		72"	30"	28¾"	rectangle		85
		48"	36"	28¾"	rectangle		71
		60"	36"	28¾"	rectangle		85
		72"	36"	28¾"	rectangle		99

pattern no.	laminate/ABS edge	laminate/urethane edge	veneer/wood or ABS edge
KFXW3636-()-()-()-()	\$1,249.	\$1,378.	\$2,608.
KFXW4242-()-()-()-()	1,373.	1,523.	2,811.
KFXW4848-()-()-()-()	1,381.	1,543.	3,303.
KFXW4818-()-()-()-()	1,207.	1,338.	2,388.
KFXW6018-()-()-()-()	1,303.	1,452.	2,536.
KFXW7218-()-()-()-()	1,357.	1,522.	2,655.
KFXW4824-()-()-()-()	1,233.	1,373.	2,499.
KFXW6024-()-()-()-()	1,275.	1,433.	2,652.
KFXW7224-()-()-()-()	1,393.	1,571.	2,880.
KFXW4830-()-()-()-()	1,270.	1,421.	2,652.
KFXW6030-()-()-()-()	1,318.	1,489.	2,838.
KFXW7230-()-()-()-()	1,363.	1,558.	2,986.
KFXW4836-()-()-()-()	1,306.	1,469.	2,811.
KFXW6036-()-()-()-()	1,364.	1,547.	2,975.
KFXW7236-()-()-()-()	1,465.	1,671.	3,406.

Order Code	Finishes
<i>Example:</i> KFXW6030-G-141-118T-Y-118T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)
KFXW6030	60" x 30" rectangle, 4-Leg, Fixed, Work Height
G	Glides
141	Whitened Ash laminate
118T	Bright White flat edgeband
Y	No grommet
118T	Bright White legs
<i>Specify:</i> 1. Pattern number 2. Locking casters or glide selection 3. Top finish selection 4. Edgeband selection 5. Cutout option 6. Leg finish	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) <i>Veneer top/edge finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)
	<i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) <i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T)
	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T) * Medium Grey (suffix 115T) Sterling (suffix 906T) <i>Glides/Casters:</i> Glides (suffix G) Casters (suffix C) *For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.

Electrical	Construction	Features
<i>Cutout Options: (\$30 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double * cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 158 for the proper cutout code. *Square tables may not have double cutout codes <i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Laminate and Veneer tops:</i> Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Edges can be specified with a flat ABS or molded urethane edge, or solid wood for veneer tops only. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match. Laminate tops can be specified with a flat ABS or molded urethane edge. Wood veneer tops can be specified with a flat ABS or solid wood edge. <i>Legs:</i> Legs are extruded aluminum and finished in a highly durable textured powder coat paint.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. Four leg tables have the ganging mechanism incorporated into the leg casting. To join the tables, align the mechanisms and slide the lever along the curved path to engage. <i>Maintenance:</i> See pages 14-0. <i>Note:</i> Pixel tables are Greenguard certified.

Marc Krusin
Pixel™ Table Series
Y-Leg Tables, Fixed, Flip, and Fold Tops


	description	w	d	h	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015 <i>Award(s):</i> Best of Neocon Gold Award, 2015 	KYXW Work Height, Fixed Top	72"	36"	28¾"	116
	 	84"	36"	28¾"	131
	KYPW Work Height, Flip Top, Casters	72"	36"	28¾"	118
	 	84"	36"	28¾"	133
KGANG Pixel ganging mechanism					
					

pattern no.	laminate/ABS edge	laminate/urethane edge	veneer/wood or ABS edge
KYXW7236- ()-()-()-()	\$2,074.	\$2,268.	\$4,086.
KYXW8436- ()-()-()-()	2,219.	2,388.	4,594.
KYPW7236-(C)- ()-()-()-()	2,307.	2,502.	4,379.
KYPW8436-(C)- ()-()-()-()	2,470.	2,650.	4,763.
KGANG	25.		

Order Code	Finishes		
<i>Example:</i> KYPW7236-C-142-367T-Y-906T			
KYPW7236	36" x 72" rectangle, Y-Leg, V-Fold, Casters		
C	Locking casters		
142	Grey Ash laminate		
367T	Platinum flat edgeband		
Y	No grommet		
906T	Aluminum legs		
<i>Specify:</i>			
1. Pattern number			
2. Locking caster or glide selection			
3. Top finish selection			
4. Edgeband selection			
5. Cutout option			
6. Leg finish			
		<i>Colored laminate finishes:</i>	
		Bright White, matte (suffix 118)	
		Folkstone, matte (suffix 114)	
		Black, matte (suffix 111)	
		<i>Woodgrain laminate finishes:</i>	
		Medium Cherry (suffix 124)	
		Natural Maple (suffix 125)	
		Natural Cherry (suffix 126)	
		Walnut (suffix 127)	
		Light Ash (suffix 139)	
		Warm Ash (suffix 140)	
		Whitened Ash (suffix 141)	
		Grey Ash (suffix 142)	
		Classic Oak (suffix 143)	
		Graphite Pear (suffix 144)	
		Zebra (suffix 145)	
		<i>Veneer top/edge finishes:</i>	
		American Walnut (suffix AW)	
		Natural Oak (suffix ON)	
		Fumed Oak (suffix OF)	
		Ebonized Oak (suffix OE)	
		<i>Molded edgeband finishes:</i>	
		Black (suffix 300)	
		Mink (suffix 324)	
		Innertone (suffix 386)	
		Platinum (suffix 367)	
		Folkstone (suffix 004)	
		<i>Flat edgeband finishes:</i>	
		Black (suffix 111T)	
		Mink (suffix 324T)	
		Innertone (suffix 386T)	
		Platinum (suffix 367T)	
		Folkstone (suffix 004T)	
		White (suffix 118T)	
		<i>Leg finishes:</i>	
		Black (suffix 111T)	
		Bright White (suffix 118T) *	
		Medium Grey (suffix 115T)	
		Sterling (suffix 906T)	
		<i>Glides/Casters:</i>	
		Glides (suffix G)	
		Casters (suffix C)	
		<i>Note:</i>	
		V-Fold tables can only be specified with a center-center cutout which will be located at the center of each table top panel.	
		<i>*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.</i>	

Electrical	Construction	Features	
<i>Cutout Options: (\$30 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 158 for the proper cutout code.	<i>Laminate and Veneer tops:</i> Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Edges can be specified with a flat ABS or molded urethane edge, or solid wood for veneer tops only. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match. Laminate tops can be specified with a flat ABS or molded urethane edge. Wood veneer tops can be specified with a flat ABS or solid wood edge.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.	<i>Caution:</i> When moving flip top tables on casters, only push tables while the top is down. Moving tables while the top is up may cause it to tip.
<i>Note:</i> V-Fold tables can only be specified with a center-center cutout which will be located at the center of each table top panel.		<i>Maintenance:</i> See pages 14.	
Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.		<i>Note:</i> Pixel tables are Greenguard certified.	
	<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.		

Marc Krusin
Pixel™ Table Series
Column Leg Tables


	description	width	depth	height	top	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015 <i>Award(s):</i> Best of Neocon Gold Award, 2015  	KBXW Work Height, Fixed Top, Knife Edge	36"		28¾"	round	48
	 					
	KBXL Lounge Height, Fixed Top, Knife Edge	36"		23½"	round	47
	KBXC Counter Height, Fixed Top, Knife Edge	36"		36"	round	49
	KBXB Bar Height, Fixed Top, Knife Edge	36"		42"	round	50
	KBXW Work Height, Fixed Top, Knife Edge	30"	30"	28¾"	square	45
	 					
	KBXL Lounge Height, Fixed Top, Knife Edge	30"	30"	23½"	square	44
	KBXC Counter Height, Fixed Top, Knife Edge	30"	30"	36"	square	46
	KBXB Bar Height, Fixed Top, Knife Edge	30"	30"	42"	square	46

pattern no.	laminate/urethane edge	veneer/wood edge
KBXW36D-(G)-()-()-()	\$1,275.	\$3,183.
KBXL36D-(G)-()-()-()	1,259.	3,173.
KBXC36D-(G)-()-()-()	1,288.	3,194.
KBXB36D-(G)-()-()-()	1,302.	3,207.
KBXW3030-(G)-()-()-()	1,227.	3,019.
KBXL3030-(G)-()-()-()	1,213.	3,008.
KBXC3030-(G)-()-()-()	1,239.	3,029.
KBXB3030-(G)-()-()-()	1,255.	3,046.

Order Code	Finishes				
<i>Example:</i> KBXB36D-G-111-300-Y-111T					
KBXB36D	36" diameter, round, counter height	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004)		
G	Glides	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Sterling (suffix 906T)		
111	Black laminate		<i>Glides:</i> Glides (suffix G)		
300	Black molded edgeband				
Y	No grommet				
111T	Jet Black legs				
<i>Specify:</i>					
1. Pattern number					
2. Glide selection					
3. Top finish selection					
4. Edgeband selection					
5. Cutout option					
6. Leg finish					
		<i>Veneer top/edge finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)			

Electrical	Construction
<i>Cutout Options: (\$30 list per cutout)</i> Tables may be specified with zero or one round grommet. Please refer to page 158 for the proper cutout code.	<i>Laminate and Veneer tops:</i> Constructed of an MDF core sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Reverse knife edge is only available in a molded urethane edge and a solid wood edge. ABS flat edge is not available.
<i>Note:</i> Column base tables can only accommodate the KE1, KE2, and KE3 electrical modules.	<i>Legs:</i> Legs are extruded aluminum and finished in a highly durable textured powder coat paint.
Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	

Marc Krusin
Pixel™ Storage Units
Pedestal

	description	w	d	h	top thickness	weight
Designer(s): Marc Krusin, 2015	KS-31 Pedestal with two drawers 	18"	18"	26"	1/2"	



pattern no.	laminate top / ABS edge / Painted case	Veneer top / Veneer edge / Veneer case
KS-31-(G,C)-()-()-()	\$2,852.	\$2,971.

Order Code	Finishes	Construction
<i>Example:</i> KS-31-C-118-118T-118T-118T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Case:</i> 3/4" MDF with mitered corners for seamless edges. Case is constructed using dowel joints for added durability. Wood veneer applied on surface of each side or finished in a wet coat paint.
KS-31	Pixel Pedestal	
C	locking casters	
118	Bright White laminate top	
118T	Bright White ABS edge	
118T	Bright White painted case	
118T	Bright White legs	
<i>Specify:</i> 1. Pattern number 2. Locking caster or glide selection 3. Top finish selection 4. ABS edge selection 5. Case finish selection 6. Leg finish	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) <i>Veneer top/Veneer edge/Veneer case finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE) <i>Painted case finishes:</i> Bright White (suffix 118T) Jet Black (suffix 111T)	<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T) <i>Leg finishes:</i> Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Aluminum (suffix 906T) <i>Glides/Casters:</i> Glides (suffix G) Casters (suffix C) * *Casters are always black


Laminate and Veneer tops:
Constructed of particle board wrapped in laminate or wood veneer. Edges can only be specified with a flat ABS edge for laminate tops, and solid wood for veneer tops.

Note:
There is a 1/8" reveal between the top of the case and the bottom of the pedestal top.

Legs:
Legs are constructed using a combination of extruded aluminum and a machined aluminum sheet metal plate. Upper mounting plates are aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.


Maintenance:
See pages 14.



Interior configuration:
KS-31



Marc Krusin
Pixel™ Storage Units
Consoles



Designer(s):
Marc Krusin, 2015



description	w	d	h	top thickness	weight
KS-21L Console with two drawer interior with interior divider (left). False front facade shows three drawers (right) and a split double pencil drawer (left) 	60"	14¾"	28¾"	1⅞"	
KS-21R Console with two drawer interior with interior divider (right). False front facade shows three drawers (left) and a split double pencil drawer (right) 	60"	14¾"	28¾"	1⅞"	

Order Code	Finishes	Construction
<i>Example:</i> KS-21R-G-AW-AW-AW-111T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Case:</i> ¾" MDF with mitered corners for seamless edges. Case is constructed using dowel joints for added durability. Wood veneer applied on surface of each side or finished in a wet coat paint.
KS-21R	Pixel Console, split double pencil drawer (right)	
G	Glides	
118	American Walnut veneer top	
118T	American Walnut edge	
118T	American Walnut case	
118T	Jet Black legs	
<i>Specify:</i> 1. Pattern number 2. Glide selection 3. Top finish selection 4. ABS edge selection 5. Case finish selection 6. Leg finish	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) <i>Veneer top/Veneer edge/Veneer case finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE) <i>Painted case finishes:</i> Bright White (suffix 118T) Jet Black (suffix 111T)	<i>Drawers:</i> Body of drawers are veneer wrapped, mitered, and glued 1/2" particle board. Drawer fronts are 3/4" particle board with laminate or wood veneer applied on surface of each side or finished in a textured wet paint. The consoles feature false front facades that show three drawers and a split double pencil drawer (left or right). These are delineated with 1/8" grooves, painted or stained to match the case finish. <i>Glides/Casters:</i> Glides (suffix G)


pattern no.	laminate top / ABS edge / Painted case	Veneer top / Veneer edge / Veneer case
KS-21L-(G)-()-()-()	\$6,428.	\$7,020.
KS-21R-(G)-()-()-()	6,428.	7,020.

Laminate and Veneer tops: Constructed of particle board wrapped in laminate or wood veneer. Edges can only be specified with a flat ABS edge for laminate tops, and solid wood for veneer tops. <i>Note:</i> There is a ⅛" reveal between the top of the case and the bottom of the console top. <i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Upper mounting plates are cast aluminum and bolted to extruded aluminum legs and horizontal crossbars. Finished in a highly durable textured powder coat paint. <i>Maintenance:</i> See pages 14.	<i>Interior configurations:</i> KS-21L  KS-21R 
---	--

Marc Krusin



Pixel™ Storage Units

Two Position Credenzas

	description	w	d	h	top thickness	weight
Designer(s): Marc Krusin, 2015 	KS-01 Two position credenza. Two doors, with center divide and two adjustable interior shelves	30"	18"	28¾"	1 ⅞"	
	 					
	KS-02L Two position credenza. Single door (right) with interior shelf. Drawer and box file (left)	30"	18"	28¾"	1 ⅞"	
	 					
	KS-02R Two position credenza. Single door (left) with interior shelf. Drawer and box file (right)	30"	18"	28¾"	1 ⅞"	
	 					

Order Code	Finishes	Construction
<i>Example:</i> KS-01-G-141-004T-118T-118T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Case:</i> ¾" MDF with mitered corners for seamless edges. Case is constructed using dowel joints for added durability. Wood veneer applied on surface of each side or finished in a wet coat paint.
KS-01	Pixel Two Position Credenza, two doors	
G	Glides	
141	Whitened Ash laminate top	
004T	Folkstone ABS edge	
118T	Bright White painted case	
118T	Bright White legs	
<i>Specify:</i> 1. Pattern number 2. Glide selection 3. Top finish selection 4. ABS edge selection 5. Case finish selection 6. Leg finish	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) <i>Veneer top/Veneer edge/Veneer case finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonyed Oak (suffix OE) <i>Painted case finishes:</i> Bright White (suffix 118T) Jet Black (suffix 111T)	<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T) <i>Leg finishes:</i> Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Aluminum (suffix 906T) <i>Glides/Casters:</i> Glides (suffix G)


pattern no.	laminate top / ABS edge / Painted case	Veneer top / Veneer edge / Veneer case
KS-01-(G)-()-()-()	\$4,599.	\$4,896.
KS-02L-(G)-()-()-()	5,241.	5,718.
KS-02R-(G)-()-()-()	5,241.	5,718.

Laminate and Veneer tops: Constructed of particle board wrapped in laminate or wood veneer. Edges can only be specified with a flat ABS edge for laminate tops, and solid wood for veneer tops. <i>Note:</i> There is a ⅛" reveal between the top of the case and the bottom of the pedestal top. <i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Upper mounting plates are cast aluminum and bolted to extruded aluminum legs and horizontal crossbars. Finished in a highly durable textured powder coat paint. <i>Maintenance:</i> See pages 14.	<i>Interior configurations:</i> KS-01  Two front doors removed to show interior with adjustable shelves.	KS-02L  Right door removed to show interior with adjustable shelf. Left side features a drawer above a box file.
		KS-02R  Left door removed to show interior with adjustable shelf. Right side features a drawer above a box file.



Marc Krusin

Pixel™ Storage Units

Four Position Credenzas





Designer(s):
Marc Krusin, 2015


description	w	d	h	top thickness	weight
KS-11L Four position credenza. Four doors, left door set divided, right door set open, interior adjustable shelves	60"	18"	28¾"	1 ⅞"	
					
KS-11R Four position credenza. Four doors, right door set divided, left door set open, interior adjustable shelves	60"	18"	28¾"	1 ⅞"	
					

Order Code	Finishes	Construction
<i>Example:</i> KS-12R-G-OF-386T-111T-115T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Case:</i> ¾" MDF with mitered corners for seamless edges. Case is constructed using dowel joints for added durability. Wood veneer applied on surface of each side or finished in a wet coat paint.
KS-12R Pixel Four Position Credenza, two doors, two drawers and box files	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	<i>Drawers and box files:</i> Body of drawers and box files are veneer wrapped, mitered, and glued 1/2" partical board. Drawer and box file fronts and cabinet doors are 3/4" particle board with wood veneer applied on surface of each side or finished in a textured wet paint.
G Glides		<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Upper mounting plates are cast aluminum and bolted to extruded aluminum legs and horizontal crossbars. Finished in a highly durable textured powder coat paint.
OF Fumed Oak veneer top		
386T Innertone ABS edge		
111T Jet Black painted case		
115T Medium Grey legs	<i>Veneer top/Veneer edge/Veneer case finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	
<i>Specify:</i> 1. Pattern number 2. Glide selection 3. Top finish selection 4. ABS edge selection 5. Case finish selection 6. Leg finish	<i>Painted case finishes:</i> Bright White (suffix 118T) Jet Black (suffix 111T)	





pattern no.	laminate top / ABS edge / Painted case	Veneer top / Veneer edge / Veneer case
KS-11L-(G)-()-()-()	\$7,014.	\$7,658.
KS-11R-(G)-()-()-()	7,014.	7,658.

Laminate and Veneer tops: Constructed of particle board wrapped in laminate or wood veneer. Edges can only be specified with a flat ABS edge for laminate tops, and solid wood for veneer tops.	<i>Interior configurations:</i> KS-11L  Four doors removed to show interior adjustable shelves.
<i>Note:</i> There is a ⅞" reveal between the top of the case and the bottom of the pedestal top.	KS-11R  Four doors removed to show interior adjustable shelves.
<i>Maintenance:</i> See pages 14.	

Marc Krusin
Pixel™ Storage Units
Four Position Credenzas







Designer(s):
Marc Krusin, 2015

description	w	d	h	top thickness	weight
KS-12L Four position credenza. Two doors with center divide and interior adjustable shelves (right), two box files (left) 	60"	18"	28¾"	1 ⅙"	
KS-12R Four position credenza. Two doors with center divide and interior adjustable shelves (left), two box files (right) 	60"	18"	28¾"	1 ⅙"	
KS-13L Residential - Four position credenza. Two doors with center divide and interior adjustable shelves (right), three drawers (left) 	60"	18"	28¾"	½"	
KS-13R Residential - Four position credenza. Two doors with center divide and interior adjustable shelves (left), three drawers (right) 	60"	18"	28¾"	½"	

Order Code	Finishes	Construction
<i>Example:</i> KS-12R-G-OF-386T-111T-115T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111) <i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) <i>Veneer top/Veneer edge/Veneer case finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T) <i>Leg finishes:</i> Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Aluminum (suffix 906T) <i>Glides/Casters:</i> Glides (suffix G) <i>Case:</i> ¾" MDF with mitered corners for seamless edges. Case is constructed using dowel joints for added durability. Wood veneer applied on surface of each side or finished in a wet coat paint. <i>Drawers and box files:</i> Body of drawers and box files are veneer wrapped, mitered, and glued ½" particle board. Drawer and box file fronts and cabinet doors are ¾" particle board with wood veneer applied on surface of each side or finished in a textured wet paint.
KS-12R Pixel Four Position Credenza, two doors, two drawers and box files		
G Glides		
OF Fumed Oak veneer top		
386T Innertone ABS edge		
111T Jet Black painted case		
115T Medium Grey legs		
<i>Specify:</i> 1. Pattern number 2. Glide selection 3. Top finish selection 4. ABS edge selection 5. Case finish selection 6. Leg finish		

pattern no.	laminate top / ABS edge / Painted case	Veneer top / Veneer edge / Veneer case
KS-12L-(G)-()-()-()	\$8,444.	\$9,216.
KS-12R-(G)-()-()-()	8,444.	9,216.
KS-13L-(G)-()-()-()	8,414.	9,180.
KS-13R-(G)-()-()-()	8,414.	9,180.

Laminate and Veneer tops: Constructed of particle board wrapped in laminate or wood veneer. Edges can only be specified with a flat ABS edge for laminate tops, and solid wood for veneer tops.	<i>Interior configurations:</i> KS-12L 	KS-13L 
<i>Note:</i> There is a ⅙" reveal between the top of the case and the bottom of the pedestal top.	Two right doors removed to show interior adjustable shelves. Left side feature two drawers above two box files.	Two right doors removed to show interior adjustable shelves. Left side features three drawers.
<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Upper mounting plates are cast aluminum and bolted to extruded aluminum legs and horizontal crossbars. Finished in a highly durable textured powder coat paint.	KS-12R 	KS-13R 
<i>Maintenance:</i> See pages 14.	Two left doors removed to show interior adjustable shelves. Right side feature two drawers above two box files.	Two left doors removed to show interior adjustable shelves. Right side features three drawers.





Marc Krusin
Pixel™ Electrical
Round Grommet, KE1, KE2, KE3

	description	type	power cord
Designer(s): Marc Krusin, 2015	KERG Round grommet	Round Grommet	n/a
			
	KE1 Two receptacle module	1 Power, 1 USB	48" Cordset
		1 Power, 1 USB	72" Cordset
		1 Power, 1 USB	120" Cordset
		2 Power	48" Cordset
		2 Power	72" Cordset
		2 Power	120" Cordset
	KE2 Three receptacle module	2 Power, 1 USB	48" Cordset
		2 Power, 1 USB	72" Cordset
		3 Power	48" Cordset
		3 Power	72" Cordset
	KE3 Four receptacle module	2 Power, 2 USB	48" Cordset
		2 Power, 2 USB	72" Cordset
		4 Power, 1 USB	48" Cordset
		4 Power, 1 USB	72" Cordset
			
			
			

pattern no.	.
KERG-()	\$26.
KE1101C48-()	347.
KE1101C72-()	347.
KE1101C120-()	347.
KE1200C48-()	243.
KE1200C72-()	243.
KE1200C120-()	243.
KE2201C48-()	353.
KE2201C72-()	353.
KE2300C48-()	253.
KE2300C72-()	253.
KE3202C48-()	559.
KE3202C72-()	559.
KE3400C48-()	391.
KE3400C72-()	391.

Order Code	Ordering Information	Construction
Example: KE1200C72-BK	Case and Receptacle Finishes:	Cutout Codes:
KE1	KE1 Electrical Module	Please refer to the Grommet and Electrical Module Cutout Matrix on page 158 for table compatibility and cutout codes.
200	2 Power	
C72	72" Cordset	
BK	Black finish	
Specify:	Round Grommet Finishes:	Description:
1. Pattern number	Jet Black (suffix 111T)	KERG: Die-cast aluminum with powder coat matte paint finish.
2. Case Finish	Bright White (suffix 118T)	KE1: Die-cast aluminum and plastic with powder coat matte paint finish.
	Medium Grey (suffix 115T)	KE2: Plastic construction with a soft-touch finish.
	Sterling (suffix 906T)	KE3: Plastic construction with integral gloss finish.

Electrical
USB:
The standard USB option that is included in the KE1, KE2, and KE3 modules will have (2) USB jacks per position. For example a KE1101C72 module includes (1) Power and (1) USB but would actually have (1) Power and (2) USB jacks.
Standard USB: 1Amp
Note: Additional data and power configurations can be requested through Custom Product Development.

	description	type	power cord
<i>Designer(s):</i> Marc Krusin, 2015	KE4 Four receptacle module 	4 Power	48" Cordset
		4 Power	72" Cordset
		3 Power, 1 USB	48" Cordset
		3 Power, 1 USB	72" Cordset
		2 Power, 2 USB	72" Hardwire
		3 Power, 1 USB	48" Pixel Link
		3 Power, 1 USB	60" Pixel Link
		3 Power, 1 USB	72" Hardwire
		2 Power, 2 USB	48" Cordset
		2 Power, 2 USB	72" Cordset
		2 Power, 2 USB	48" Pixel Link
		2 Power, 2 USB	60" Pixel Link
	KE5 Four receptacle module 	3 Power, 1 High Speed USB	48" Cordset
		3 Power, 1 High Speed USB	72" Cordset
		4 Power	48" Cordset
		4 Power	72" Cordset
		3 Power, 1 High Speed USB	48" Pixel Link
		3 Power, 1 High Speed USB	60" Pixel Link
		3 Power, 1 High Speed USB	72" Hardwire
		2 Power, 2 High Speed USB	48" Cordset
		2 Power, 2 High Speed USB	72" Cordset
		2 Power, 2 High Speed USB	48" Pixel Link
	KE7 Four receptacle module with clamp mount 	2 Power, 2 High Speed USB	60" Pixel Link
		2 Power, 2 High Speed USB	72" Hardwire
		3 Power, 1 High Speed USB	72" Cordset
		4 Power	72" Cordset
		2 Power, 2 High Speed USB	72" Cordset
	KE8 Three receptacle module 	3 Power	48" Cordset
		3 Power	72" Cordset
		3 Power	48" Pixel Link
		3 Power	60" Pixel Link
		3 Power	72" Hardwire
		2 Power, 1 High Speed USB	48" Cordset
		2 Power, 1 High Speed USB	72" Cordset
		2 Power, 1 High Speed USB	48" Pixel Link
		2 Power, 1 High Speed USB	60" Pixel Link
		2 Power, 1 High Speed USB	72" Hardwire

Order Code	Ordering Information		Pixel Link
<i>Example:</i> KE8300L60-BK	<i>Case and Receptacle Finishes:</i>		Pixel Link is a non-sequential power system that allows users to “daisy chain” multiple power centers together. Please specify a Starter Box (KLSC) if using the Pixel Link system. Pixel Link’s “brain” allows users to connect up to 8 power/data centers off of one infeed. The smart LED indicators built into the Starter Box will illuminate green when you’re connected and ready to plug in. A red light means that you’ve linked too many units.
KE8	KE8 Electrical Module		
300	3 Power		
L60	60” Pixel Link		
BK	Black finish		
<i>Specify:</i>			
1. Pattern number			
2. Case Finish			
		Cutout Codes: Please refer to the Grommet and Electrical Module Cutout Matrix on page 158for table compatibility and cutout codes.	
		<i>Note:</i> Power Modules with a Pixel Link require a Starter Box. 72” wide tables require a jumper cable. Please refer to page 192 of the price list for Pixel Link Starter Boxes and Cables.	

pattern no.	.
KE4400C48- ()	\$454.
KE4400C72- ()	454.
KE4301C48- ()	501.
KE4301C72- ()	501.
KE4202H(L,R)- ()	542.
KE4301L48- ()	565.
KE4301L60- ()	568.
KE4301H(L,R)- ()	570.
KE4202C48- ()	593.
KE4202C72- ()	593.
KE4202L48- ()	699.
KE4202L60- ()	701.
KE5301C48- ()	623.
KE5301C72- ()	623.
KE5400C48- ()	638.
KE5400C72- ()	638.
KE5301L48- ()	651.
KE5301L60- ()	653.
KE5301H(L,R)- ()	695.
KE5202C48- ()	723.
KE5202C72- ()	723.
KE5202L48- ()	752.
KE5202L60- ()	754.
KE5202H(L,R)- ()	794.
KE7301C72- ()	623.
KE7400C72- ()	639.
KE7202C72- ()	723.

KE8300C48- ()	483.
KE8300C72- ()	483.
KE8300L48- ()	512.
KE8300L60- ()	514.
KE8300H(L,R)- ()	555.
KE8201C48- ()	595.
KE8201C72- ()	595.
KE8201L48- ()	625.
KE8201L60- ()	627.
KE8201H(L,R)- ()	667.

Construction	Electrical	
<i>Description:</i> KE4: Die-cast aluminum with powder coat matte paint finish. KE5: Aluminum case with powder coat matte paint finish. KE7: Aluminum case with powder coat matte paint finish. * KE8: Aluminum case with powder coat matte paint finish.	<i>USB:</i> The standard USB option that is included in the KE4 module will have (2) USB jacks per position. For example a KE4202C72 module includes (2) Power and (2) USB but will actually have (2) Power and (4) USB jacks. The High Speed USB option that is included in the KE5, KE7, and KE8 modules will only have (1) USB jack per position. For example a KE5202C72 module includes (2) Power and (2) High Speed USB and will have (2) Power and (2) High Speed USB jacks.	Standard USB: 1 Amp High Speed USB: 2.1 Amps <i>Note:</i> Additional data and power configurations can be requested through Custom Product Development.
*KE7 Electrical Module is compatible with flat edge tops only. This mount will <u>not</u> work with knife edge tables.		



Marc Krusin
Pixel™ Electrical
KE6: C-Leg Trough Only

	description	type	power cord
Designer(s): Marc Krusin, 2015 	KE6 Four receptacle module	3 Power, 1 High Speed USB	48" Cordset
		3 Power, 1 High Speed USB	72" Cordset
		3 Power, 1 High Speed USB	48" Pixel Link
		3 Power, 1 High Speed USB	60" Pixel Link
		3 Power, 1 High Speed USB	72" Hardwire

pattern no.	
KE6301C48-()	\$736.
KE6301C72-()	736.
KE6301L48-()	759.
KE6301L60-()	761.
KE6301H-()	809.

Order Code	Ordering Information	Pixel Link	
<i>Example:</i> KE6301C72	<i>Case and Receptacle Finishes:</i>	Pixel Link is a non-sequential power system that allows users to “daisy chain” multiple power centers together. Please specify a Starter Box (KLSC) if using the Pixel Link system. Pixel Link’s “brain” allows users to connect up to 8 power/data centers off of one infeed. The smart LED indicators built into the Starter Box will illuminate green when you’re connected and ready to plug in. A red light means that you’ve linked too many units.	
KE6 KE6 Electrical Module	Black case with Black receptacles (suffix BK)		Cutout Codes: Please refer to the Grommet and Electrical Module Cutout Matrix on page 158for table compatibility and cutout codes.
301 3 Power, 1 High Speed USB	White case with White receptables (suffix WH)		<i>Note:</i> Power Modules with a Pixel Link require a Starter Box. 72” wide tables require a jumper cable. Please refer to page 192of the price list for Pixel Link Starter Boxes and Cables.
C72 72” Cordset			
BK Black finish			
<i>Specify:</i>			
1. Pattern number			
2. Case Finish			

Construction	Electrical
<i>Description:</i> KE6: Aluminum case with powder coat matte paint finish.	<i>USB:</i> The High Speed USB option that is included in the KE6 module will only have (1) USB jack per position. For example a KE6301C72 module includes (3) Power and (1) High Speed USB and will have (3) Power and (1) High Speed USB jacks. High Speed USB: 2.1 Amps Note: Additional data and power configurations can be requested through Custom Product Development.

	description	type	power cord
<i>Designer(s):</i> Marc Krusin, 2015	KLJ Jumper cable 	Jumper cable	12"
		Jumper cable	24"
		Jumper cable	36"
		Jumper cable	48"
		Jumper cable	60"
	KLSC Starter box 	Starter box	72" Cordset
		Starter box	120" Cordset

pattern no.	.
KLJ12	\$102.
KLJ24	107.
KLJ36	112.
KLJ48	117.
KLJ60	123.
KLSC72	513.
KLSC120	528.

Order Code	Pixel Link	Pixel Link Rules	
<i>Example:</i> KLSC120	Pixel Link is a non-sequential power system that allows users to “daisy chain” multiple power centers together. Pixel Link’s “brain” allows users to connect up to 8 power/data centers off of one starter box. The smart LED indicators will illuminate green when you’re connected and ready to plug in. A red light means that you’ve linked too many units.	Starter Boxes: Starter Boxes can accommodate a maximum of (8) electrical modules and/or jumper cables (do not count the Starter Box itself).	
KLSC			
120		<i>Example:</i> (8) Electrical Modules or (4) Electrical Modules with (4) Jumper Cables.	
<i>Specify:</i> 1. Pattern number 2. Cord length		Electrical Modules: <u>Cordset:</u> Choose an Electrical Module with the appropriate length cordset to reach the power source.	
		<u>Pixel Link:</u> Choose an electrical module with a Pixel Link length equivalent to the width of your table. The maximum Pixel Link cable length is 60”. Therefore, on 72” tables, you will need to order the electrical module with 60” Pixel Link cable and an additional 12” jumper cable.	
		Cutout Codes: Refer to the Pixel Grommet and Electrical Module Cutout Matrix on page 158 for table compatibility and cutout codes.	
		Corner Wedge: If utilizing a Corner Wedge in your configuration, specify a 24” Pixel Link to accommodate the added distance and curve for each corner wedge top.	

Ordering Information	
How to Specify Pixel Link Power System:	
Example 1: Need: (3) rows of (8) tables	Example 2: Need: (3) rows of (8) tables
<u>Table Specifications:</u> (24) 60" x 24" Pixel C-Leg Tables with consistent cutout positions on all tables.	<u>Table Specifications:</u> (24) 72" x 30" Pixel C-Leg Tables with consistent cutout positions on all tables.
Starter boxes can only accommodate a maximum of (8) electrical modules + jumper cables (do not count the starter box itself). For this application, we will need to specify (3) starter boxes (one for each row) since no jumpers are required. Choose the length cord that matches the distance to your power source.	Here we are going to show the same application with larger tables. Again, we have used (24) KE4 electrical modules with a 60" Pixel Link connector. Since our tables are 72" we will need to add 12" jumper cables to our specification to accommodate the added length.
<u>Electrical Specifications:</u> (24) KE4 Pixel Electrical Module - KE4301L60BK (3) Pixel Link Starter Box with 72" Cordset - KLSC72	Since we now have two components per table (electrical module + jumper cable) we will need a starter box for every (4) tables. In this case we will need (6) starter boxes. An additional power source will need to be provided for each row. Choose the length cord that matches the distance to each power source.
	<u>Electrical Specifications:</u> (24) KE4 Pixel Electrical Module - KE4301L60BK (18) 12" Pixel Jumper Cable - KLJ12 (6) Pixel Link Starter Box with 72" Cordset - KLSC72

	description
<i>Designer(s):</i> Marc Krusin, 2015	KE-VF Vertical wire management clips for Four Leg Pixel Tables 
	KE-VB Vertical wire management clips for Column Base Pixel Tables 
	KE-VCT Vertical wire management clips for C and T Leg Pixel Tables 
	KE-VCTE Vertical wire management clips for Electric Height Adjustable C and T Leg Pixel Tables 
	KE-VY Vertical wire management clips for Y Leg Pixel Tables 
	KE-H Horizontal wire management clips for Pixel Tables 
	KE-VC Vertical cord cover for C and T leg tables with casters 
	KE-VG Vertical cord cover for C and T leg tables with glides 

Order Code	Finishes	Features
<i>Example:</i> KE-CT KE-CT Vertical wire management clips for C and T Leg	<i>Cord cover finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Sterling (suffix 906T)	<i>Vertical Wire Management Clips:</i> Vertical wire management clips easily snap on to the leg of the Pixel Table in order to guide the wires and cords down to the floor. Clips slide up and down the leg for adjustment.
<i>Specify:</i> 1. Pattern number		<i>Horizontal Wire Management Clips:</i> Horizontal wire management clips screw onto the underside of the table top which secure the wires or cables in place.
<i>Example:</i> KE-VG-118T KE-VG Vertical cord cover for C and T Leg table on glides 118T Bright White		<i>Note:</i> Vertical wire management clips are clear and come in a pack of 2.

Specify:
1. Pattern number
2. Paint finish

pattern no.	.
KE-VF	\$5.
KE-VB	5.
KE-VCT	5.
KE-VCTE	5.
KE-VY	5.
KE-H	5.
KE-VC-()	50.
KE-VG-()	53.

Cord Covers:
Cord covers can be specified for both C and T leg Pixel tables on casters or glides. Covers are extruded aluminum and snap onto the leg to hide vertical wires and allow for a more seamless look. Specify paint finish to match table leg finish. Recommended for use when specifying Pixel Trac.








Note:
Cord covers cannot be used on electric and pinset height adjustable tables.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with V-Base

Rectangular Conference Table with V-Base


Below are a few configurations of the LSM V-Base rectangular conference tables




L3RV(P,S)04
One segment 96" wide by 48" deep table top with supporting 24" V-Base

L3SV(P,S)32
Two segment 120" wide by 60" deep table top with supporting 30" V-Base


L3TV(P,S)54
Four segment 216" wide by 72" deep table top with supporting 42" V-Base and two intermediate legs




24" V-Base
For 48" deep tables, allowing 5 3/8" dia. floor access concealed within base



30" V-Base
For 60" deep tables, allowing 8 3/8" dia. floor access concealed within base



42" V-Base
For 72" deep tables, allowing 11 3/8" dia. floor access concealed within base



Triangular Leg
Serves as an intermediate support leg for tables over 180" wide

The V-Base design with two supporting column bases and a center trough allows for maximum knee clearance, and thoughtful electrical and communication distribution

Ordering Information

- Specify:
1. Pattern Number, indicating either Plinth (suffix P) or Surround edge detail (suffix S)
 2. Top finish
 3. Base/edge detail finish
 4. Power Center cut-out option, per section


Construction

Top:
Plastic laminate and wood veneer, 1" thick; 3-ply solid particle fiberboard core with balanced backer sheet. Veneer tops come with matching 1/4" solid lumber exterior edges and veneer self-edge at joining section edges. Plastic laminate tops are edged with matching .8mm ABS flat edge band.

Engineered stone and marble, 20mm thick tops with 1" painted medium density fiberboard sub-tops.

Edges:
The LSM Conference Table Series features two distinctive applied edge details for all top finishes. The extruded aluminum edge details are available in two profiles and are finished to match base finish options. To specify the table, select either Plinth (P) or partial Surround (S)*; profiles are diagramed below:

* Partial Surround only available on glass top.




Plinth edge




Partial Surround


LSM Power center electrical hubs for table top access. Individual tables have cut-out options per section, per table. See chart below:




Y



GE2, GE3, GE6



BE2, BE3, BE6



AE2, AE3, AE6

Pattern no.	Outside segment	Inside segment
L3-RV(P,S)01	Y, GE2, GE3, GE6, AE2, BE2	
L3-RV(P,S)04	Y, GE2, GE3, GE6, AE2, AE3, BE2, BE3	
L3-SV(P,S)22	Y, BE2, BE3	
L3-SV(P,S)24	Y, BE2	Y, GE2, GE3, GE6, AE2, AE3
L3-SV(P,S)32	Y, BE2, BE3	
L3-SV(P,S)35	Y	Y, GE2, GE3, GE6, AE2
L3-TV(P,S)52	Y, BE2, BE3	Y, GE2, GE3, GE6, AE2, AE3
L3-VV(P,S)60	Y, BE2, BE3	Y, AE2, AE3, GE2, GE3, GE6
L3-VV(P,S)62	BE2, BE3, BE6	Y, AE2, AE3, GE2, GE3, GE6
L3-VV(P,S)70	Y, BE2, BE3	Y, AE2, AE3, GE2, GE3, GE6
L3-XV(P,S)90	Y, BE2, BE3	Y, AE2, AE3, GE2, GE3, GE6
L3-XV(P,S)92	Y, BE2, BE3	Y, AE2, AE3, GE2, GE3, GE6
L3SV(P,S)26	Y	Y, GE2, GE3, GE6, AE2, AE3
L3TV(P,S)54	Y	Y, GE2, GE3, GE6, AE2, AE3
L3VV(P,S)72	Y	Y, GE2, GE3, GE6, AE2, AE3
L3XV(P,S)94	Y, BE2, BE3	Y, GE2, GE3, GE6, AE2, AE3
L3TV(P,S)36	Y, BE2, BE3	Y, AE2, GE2, GE3, GE6
L3SV(P,S)26	Y	Y, AE2, AE3, GE2, GE3, GE6

Power Center Cutout Options:

- . Per cut out, per section
- Y - No Cut Outs
- AE2 - 2X1 Power Center, center depth, two side locations (R&L)
- AE3 - 3X1 Power Center, center depth, two side locations (R&L)
- AE6 - 6X2 Power Center, center depth, two side locations (R&L)
- BE2 - 2X1 Power Center, center on depth, one side location
- BE3 - 3X1 Power Center, center on depth, one side location
- BE6 - 6X2 Power Center, center on depth, one side location
- GE2 - 2X1 Power Center, center on depth, center on width
- GE3 - 3X1 Power Center, center on depth, center on width
- GE6 - 6X2 Power Center, center on depth, center on width

V-Base:

The v-base is constructed of polished stainless steel, horizontal brushed stainless steel, or powder coat painted cold rolled steel. End panels of the V-bases are easily removable using thumb screws and handles located at the top edge; simply remove thumb screws, lift with handles to remove from internal hook.

Leveling:

Three leveling glides are located within each v-base column and feature a glide-shroud that eliminates any light gap due to irregularities in the floor

Electrical Options:

Compatible with the LSM Power Center electrical hubs for table top access, or LSM Power Port electrical hubs for electrical access through the trough located on the underside of the table's top surface. Individual tables have unique cut-out options per base/table size



Shipping:

Tops, v-base column, trough, support rails and intermediate legs are shipped separately. V-base columns shipped fully assembled. Tops are predrilled for attachment to base and rails

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with V-Base

Rectangular Conference Table with V-Base

	description	w	d	h	no. of sections	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3RV01 V-Base conference table 	84"	42"	29"	1	Paint/Paint
		84"	42"	29"	1	Satin S.S./Anno. Aluminum
		84"	42"	29"	1	Pol. S.S./Chrome
	L3RV04 V-Base conference table 	96"	48"	29"	1	Paint/Paint
		96"	48"	29"	1	Satin S.S./Anno. Aluminum
		96"	48"	29"	1	Pol S.S./Chrome



pattern number	laminate	veneer	engineered stone (VB)	grey marble (GG, GGS)	emperador dark (GE, GES)	arabescato, grey marble (MA, MAS, GG, GGS)	calacatta (MC, MCS)	laminated glass (ALG)
L3RV(P,S)01-()-()	\$6,179.	\$9,803.	\$15,560.	\$16,057.	\$15,533.	\$18,028.	\$21,671.	\$29,091.
L3RV(P,S)01-()-SS	8,704.	12,328.	18,086.	18,581.	18,061.	20,553.	24,196.	31,616.
L3RV(P,S)01-()-C	11,349.	14,971.	20,726.	21,226.	20,703.	23,198.	26,840.	34,260.
L3RVP04-()-()	6,754.	11,555.	19,020.	19,669.	18,507.	21,619.	26,359.	n/a
L3RVP04-()-SS	9,514.	14,315.	21,780.	22,429.	21,267.	24,378.	29,118.	n/a
L3RVP04-()-C	12,574.	17,374.	24,839.	25,489.	24,328.	27,438.	32,178.	n/a

Order Code	Finishes	Electrical
<i>Example:</i> L3RVP01-MAS-SS-GE6	<i>Colored laminate top:</i> Bright White (suffix 118) Folkstone Grey (suffix 114) <i>Note: Flat .8mm ABS edgeband to match</i>	<i>Grommet options: (\$133 per cutout)</i> Available on L3RV01 table only. Table may be specified with zero, one or two grommets. All grommets are 2⅞" diameter. Grommet not available on laminated glass.
MAS	Satin Coated Arabescato top	
SS	Horizontal brushed stainless steel base and anodized aluminum edge detail to match	
GE6	Cutout for L46x2 Power Center, center, mid-depth	No grommets (Y) Single grommet, left, mid-depth (BGG2) Two grommets, left & right, mid-depth (AGG2)
	<i>Veneer top with ⅞" solid wood edge:</i> White Ash (suffix A101) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	<i>Engineered Stone top:</i> Vetro Bianco (suffix VB) <i>Note:</i> Limited availability based on material sheet size.
	<i>Laminated Glass top:</i> Woven aluminum wire (suffix ALG)	
	<i>Base/Edge finishes:</i> Polished Stainless Steel/Mirror Chrome (suffix C) Horizontal Brushed Stainless Steel/anodized aluminum (suffix SS) White (suffix 118) Folkstone Grey (suffix 114) Medium Grey (suffix 115) Black painted base, Black Anodized Aluminum (suffix R5)	
	<i>Grommet finish:</i> Satin Nickel (suffix NO) Polished Chrome (suffix C)	

- Specify:
1. Pattern number
 2. Top finish (including edgeband)
 3. Base and Edge profile finish
 4. Cut-out options
 5. Grommet finish (optional)

Features		
<i>Power Center Cutout Options: (\$133 per cutout)</i> Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below.	For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6) For Two Power Centers, left and right, mid-depth (AE2), (AE3), (AE6)	The LSM Conference Table features two distinctive applied edge details. The extruded aluminum edge details are available in two profiles and are finished to match base finish options. To specify the table, select either Plinth edge (P) or the partial Surround (S); profiles are diagramed below.
Power Centers are available in three sizes and multiple configurations. L42X1 Power Centers feature 2 simplex outlets and either one knockout or two active USB jacks, L43X1 Power Centers feature 3 simplex outlets and either one knockout or two active USB jacks, L46X2 Power Centers feature 6 simplex outlets and either two knockouts or four active USB jacks, or combination of both.	Available Electrical Cut-outs per individual table. L3RV01: Y, GE2, GE3, GE6, AE2, BE2 L3RV04: Y, GE2, GE3, GE6, AE2, AE3, BE2, BE3 Cutouts not available for laminated glass.  Y  B  A  G	*Please note that the partial Surround edge profile is only available on laminated glass (ALG). <i>Plinth edge detail:</i>  <i>Partial Surround edge detail:</i> 
		<i>Note:</i> LSM tables are Greenguard certified.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with V-Base

Rectangular Two Segment Conference Table with V-Base

	description	w	d	h	no. of sections	Section Width	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3SV32 V-Base conference table	120"	60"	29"	2	60"	Paint/Paint
		120"	60"	29"	2	60"	Satin S.S./Anno. Aluminum
		120"	60"	29"	2	60"	Pol. S.S./Chome
	L3SV22 V-Base conference table	120"	48"	29"	2	60"	Paint/Paint
		120"	48"	29"	2	60"	Satin S.S./Anno. Aluminum
		120"	48"	29"	2	60"	Pol S.S./Chrome

pattern number	laminate (_)	veneer	engineered stone (VB)	grey marble (GG, GGS)	emperador dark (GE, GES)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3SVP32-()-()	\$8,767.	\$16,292.	n/a	\$28,752.	\$27,592.	\$32,754.	\$40,197.
L3SVP32-()-SS	12,420.	19,944.	n/a	32,429.	31,262.	36,424.	43,865.
L3SVP32-()-C	16,776.	24,300.	n/a	36,763.	35,600.	40,763.	48,204.
L3SVP22-()-()	8,216.	14,364.	25,295.	26,201.	23,239.	27,364.	33,329.
L3SVP22-()-SS	11,306.	17,456.	28,386.	29,291.	26,330.	30,454.	36,420.
L3SVP22-()-C	15,095.	21,245.	32,174.	33,081.	30,118.	34,242.	40,208.









Order Code	Finishes	Electrical
<i>Example:</i> L3SPS32	L3SVP32-AW-C-BE3-BE3 120" x 60" rectangular table, plinth edge, two segments	<i>Coated marble top finishes (polished, satin):</i> Arabescato (suffix MA, MAS) Calacatta (suffix MC, MCS) Emperador Dark (suffix GE, GES) Grey Marble (suffix GG, GGS)
AW	American Walnut veneer top	<i>Power Center Cutout Options: (\$133 per cutout)</i> Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below.
C	Polished stainless steel base and chromed aluminum edge detail	<i>Engineered Stone top:</i> Vetro Bianco (suffix VB)
BE3	Cutout for L43x1 Power Center, left of joining section edge, mid-depth, Segment 1	<i>Note:</i> Limited availability based on material sheet size.
BE3	Cutout for L43x1 Power Center, right of joining section edge, mid-depth, Segment 2	<i>Base/Edge finishes:</i> Polished Stainless Steel/Mirror Chrome (suffix C) Horizontal Brushed Stainless Steel/anodized aluminum (suffix SS) White (suffix 118) Folkstone Grey (suffix 114) Medium Grey (suffix 115) Black painted base, Black Anodized Aluminum (suffix R5)

Specify:

1. Pattern number
2. Top finish (including edgeband)
3. Base and Edge profile finish
4. Cut-out options

Features
For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6) For Two Power Centers, left and right, mid-depth (AE2), (AE3), (AE6)
Available Electrical Cut-outs per individual table. L3SV22: Y, BE2, BE3 L3SV32: Y, BE2, BE3
Y B A G
The LSM Conference Table features a distinctive applied edge detail. The extruded aluminum edge detail is available in a plinth edge profile and is finished to match base finish options. To specify the table, select Plinth edge (P); profile is diagramed below.
<i>Plinth edge detail:</i>
<i>Note:</i> LSM tables are Greenguard certified.

Debra Lehman-Smith and Ron Fiegenschuh
LSM Conference Table Series with V-Base
Rectangular Three Segment Conference Table with V-Base

	description	w	d	h	no. of sections	section width	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012 	L3SV24 V-Base conference table 	144"	48"	29"	3	48"	Paint/Paint
		144"	48"	29"	3	48"	Satin S.S./Anno. Aluminum
		144"	48"	29"	3	48"	Pol. S.S./Chrome
	L3SV35 V-Base conference table 	150"	60"	29"	3	50"	Paint/Paint
		150"	60"	29"	3	50"	Satin S.S./Anno. Aluminum
		150"	60"	29"	3	50"	Pol. S.S./Chrome
	L3TV52 V-Base conference table 	180"	60"	29"	3	60"	Paint/Paint
		180"	60"	29"	3	60"	Satin S.S./Anno. Aluminum
		180"	60"	29"	3	60"	Pol. S.S./Chrome
	L3TV36 V-Base conference table with intermediate legs 	192"	48"	29"	3	64"	Paint/Paint
		192"	48"	29"	3	64"	Satin S.S. / Anno. Aluminum
		192"	48"	29"	3	64"	Pol. S.S./Chrome
	L3SV26 V-Base conference table with intermediate legs 	144"	72"	29"	3	48"	Paint/Paint
		144"	72"	29"	3	48"	Satin S.S./ Anno. Aluminum
		144"	72"	29"	3	48"	Pol. S.S./ Chrome

pattern number	laminatē (┐)	veneer (┐)	engineered stone (VB)	grey marble (GG, GGS)	emperador dark (GE, GES)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3SVP24-()-()	\$9,241.	\$16,094.	\$27,323.	\$28,299.	\$27,197.	\$32,086.	\$39,245.
L3SVP24-()-SS	12,406.	19,603.	30,486.	31,464.	30,361.	35,251.	42,409.
L3SVP24-()-C	16,704.	23,901.	34,788.	35,760.	34,660.	39,566.	46,707.
L3SVP35-()-()	10,171.	19,440.	37,294.	38,948.	33,351.	39,734.	49,050.
L3SVP35-()-SS	13,865.	23,134.	40,988.	42,644.	37,045.	43,427.	52,743.
L3SVP35-()-C	19,328.	28,596.	46,454.	48,109.	42,507.	48,889.	58,205.
L3TVP52-()-()	10,476.	21,765.	n/a	40,337.	38,603.	46,270.	57,442.
L3TVP52-()-SS	14,083.	25,372.	n/a	43,942.	42,211.	49,877.	61,049.
L3TVP52-()-C	19,734.	31,023.	n/a	49,592.	47,861.	55,527.	66,700.
L3TVP36-()-()	12,696.	21,959.	38,266.	41,079.	45,620.	51,297.	62,651.
L3TVP36-()-SS	15,920.	25,182.	41,489.	44,303.	48,845.	54,522.	65,876.
L3TVP36-()-C	21,811.	29,981.	47,381.	50,194.	54,736.	60,413.	71,765.
L3SVP26-()-()	12,969.	23,190.	43,599.	44,890.	50,004.	56,397.	69,181.
L3SVP26-()-SS	17,146.	27,662.	48,071.	49,364.	54,479.	60,870.	73,654.
L3SVP26-()-C	22,158.	32,380.	52,789.	54,081.	59,195.	65,587.	78,372.




Order Code		Finishes		Electrical
Example:	L3SVP35-118-118-Y-GE6-Y	Colored laminate top: Bright White (suffix 118) Folkstone Grey (suffix 114) Note: Flat .8mm ABS edgeband to match	Coated marble top finishes (polished, satin): Arabescato (suffix MA, MAS) Calacatta (suffix MC, MCS) Emperador Dark (suffix GE, GES) Grey Marble (suffix GG, GGS)	Power Center Cutout Options: (\$133 per cutout) Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below.
L3SVP35	150" x 60" rectangular table, plinth edge, three segments			
118	Bright White laminate with matching ABS edgeband	Veneer top with 1/4" solid wood edge: White Ash (suffix A101) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	Engineered Stone top: Vetro Bianco (suffix VB)	
118	Bright White painted base and Bright White painted aluminum edge to match		Note: Limited availability based on material sheet size.	
Y	No cutout, segment 1		Base/Edge finishes: Polished Stainless Steel/Mirror Chrome (suffix C) Horizontal Brushed Stainless Steel/anodized aluminum (suffix SS) White (suffix 118) Folkstone Grey (suffix 114) Medium Grey (suffix 115) Black painted base, Black Anodized Aluminum (suffix R5)	Power Centers are available in three sizes and multiple configurations. L42X1 Power Centers feature 2 simplex outlets and either one knockout or two active USB jacks, L43X1 Power Centers feature 3 simplex outlets and either one knockout or two active USB jacks, L46X2 Power Centers feature 6 simplex outlets and either two knockouts or four active USB jacks, or combination of both.
GE6	Cutout for L46x2 Power Center, center, mid-depth, segment 2			
Y	No cutout, segment 3			
Specify: 1. Pattern number 2. Top finish (including edgeband) 3. Base and Edge profile finish 4. Cut-out options				

Features		Features	
For no Power Center (Y)		The LSM Conference Table features a distinctive applied edge detail. The extruded aluminum edge detail is available in a plinth edge profile and is finished to match base finish options. To specify the table, select Plinth edge (P); profile is diagramed below.	
For Single Power Center, center, mid-depth (GE2), (GE3), (BE6)	L3TV36 outside: Y, BE2, BE3 inside: Y, AE2, GE2, GE3, GE6		
For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6)	L3SV26 outside: Y inside: Y, GE2, GE3, GE6, AE2, AE3		
For Two Power Centers, left and right, mid-depth (AE2), (AE3), (AE6)			
Available Electrical Cut-outs per individual table.			
L3SV24 outside sections: Y, BE2 inside sections: Y, GE2, GE3, GE6, AE2, AE3	 Y  B  A  G		
L3SV35 outside sections: Y inside sections: Y, GE2, GE3, GE6, AE2			
L3TV52 outside: Y, BE2, BE3 inside: Y, GE2, GE3, GE6, AE2, AE3			

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with V-Base

Rectangular Four Segment Conference Table with V-Base

	description	w	d	h	no. of sections	section width	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3TV54 V-Base conference table with intermediate legs 	216"	72"	29"	4	54"	Paint/Paint
		216"	72"	29"	4	54"	Satin. S.S./Anno. Aluminum
		216"	72"	29"	4	54"	Pol. S.S./Chrome
	L3VV60 V-Base conference table with intermediate legs 	240"	48"	29"	4	60"	Paint/Paint
		240"	48"	29"	4	60"	Satin S.S./Anno. Aluminum
		240"	48"	29"	4	60"	Pol. S.S./Chrome
	L3VV62 V-Base conference table with intermediate legs 	288"	48"	29"	4	72"	Paint/Paint
		288"	48"	29"	4	72"	Satin. S.S./Anno. Aluminum
		288"	48"	29"	4	72"	Pol. S.S./Chrome
	L3VV70 V-Base conference table with intermediate legs 	240"	60"	29"	4	60"	Paint/Paint
		240"	60"	29"	4	60"	Satin S.S./Anno. Aluminum
		240"	60"	29"	4	60"	Pol. S.S./Chrome

pattern number	laminate (L)	veneer (V)	engineered stone (VB)	grey marble (GG, GGS)	emperador dark (GE, GES)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3TVP54-()-()	\$16,933.	\$32,249.	\$63,095.	\$67,801.	\$74,508.	\$84,078.	\$103,216.
L3TVP54-()-SS	21,374.	36,689.	67,536.	72,241.	78,947.	88,517.	107,657.
L3TVP54-()-C	27,816.	43,131.	73,978.	78,683.	85,390.	94,959.	114,097.
L3VVP60-()-()	15,266.	27,564.	49,261.	52,801.	57,772.	64,869.	79,067.
L3VVP60-()-SS	17,545.	29,843.	51,540.	55,080.	60,051.	67,150.	81,345.
L3VVP60-()-C	25,160.	37,459.	59,156.	62,695.	67,666.	74,765.	88,961.
L3VVP62-()-()	16,782.	30,410.	57,602.	61,809.	67,772.	76,282.	93,303.
L3VVP62-()-SS	19,973.	33,603.	60,794.	65,001.	70,964.	79,474.	96,496.
L3VVP62-()-C	26,174.	39,803.	66,994.	71,202.	71,202.	85,675.	102,695.
L3VVP70-()-()	15,782.	30,842.	n/a	60,309.	65,642.	75,440.	91,459.
L3VVP70-()-SS	19,604.	34,666.	n/a	64,133.	69,465.	79,264.	95,282.
L3VVP70-()-C	27,221.	42,282.	n/a	71,748.	77,081.	86,879.	102,898.

Order Code	Finishes	Electrical
<i>Example:</i> L3TVP54-118-118-Y-GE6-GE6-Y	<i>Colored laminate top:</i> Bright White (suffix 118) Folkstone Grey (suffix 114) <i>Note: Flat .8mm ABS edgeband to match</i>	<i>Power Center Cutout Options: (\$133 per cutout)</i> Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below.
L3TVP54	216" x 72" rectangular table, plinth edge, four segments	
118	Bright White laminate with matching ABS edgeband	
118	Bright White painted base and Bright White painted aluminum edge to match	
Y	No cutout, segment 1	
GE6	Cutout for L46x2 Power Center, center, mid-depth, segment 2	
GE6	Cutout for L46x2 Power Center, center, mid-depth, segment 3	
Y	No cutout, segment 4	
	<i>Veneer top with 1/4" solid wood edge:</i> White Ash (suffix A101) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	<i>Engineered Stone top:</i> Vetro Bianco (suffix VB) <i>Note:</i> Limited availability based on material sheet size.
	<i>Base/Edge finishes:</i> Polished Stainless Steel/Mirror Chrome (suffix C) Horizontal Brushed Stainless Steel/anodized aluminum (suffix SS) White (suffix 118) Folkstone Grey (suffix 114) Medium Grey (suffix 115) Black painted base, Black Anodized Aluminum (suffix R5)	Power Centers are available in three sizes and multiple configurations. L42X1 Power Centers feature 2 simplex outlets and either one knockout or two active USB jacks, L43X1 Power Centers feature 3 simplex outlets and either one knockout or two active USB jacks, L46X2 Power Centers feature 6 simplex outlets and either two knockouts or four active USB jacks, or combination of both.


- Specify:*
1. Pattern number
 2. Top finish (including edgeband)
 3. Base and Edge profile finish
 4. Cut-out options

Features
For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6) For Two Power Centers, left and right, mid-depth (AE2), (AE3), (AE6)
L3VV70 outside: Y, BE2, BE3 inside: Y, AE2, AE3, GE2, GE3, GE6 Y A B G
Available Electrical Cut-outs per individual table. L3TV54 outside sections: Y inside sections: Y, GE2, GE3, GE6, AE2, AE3
L3VV60 outside sections: Y, BE2, BE3 inside sections: AE2, AE3, GE2, GE3, GE6
L3VV62 outside: Y, BE2, BE3, BE6 inside: Y, AE2, AE3, GE2, GE3, GE6
The LSM Conference Table features a distinctive applied edge detail. The extruded aluminum edge detail is available in a plinth edge profile and is finished to match base finish options. To specify the table, select Plinth edge (P); profile is diagramed below. <i>Plinth edge detail:</i> 
<i>Note:</i> LSM tables are Greenguard certified.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with V-Base

Rectangular Five Segment Conference Table with V-Base

	description	w	d	h	no. of sections	section width	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3XV90 V-Base conference table with intermediate legs	300"	60"	29"	5	60"	Paint/Paint
		300"	60"	29"	5	60"	Satin S.S./Anno. Aluminum
		300"	60"	29"	5	60"	Pol. S.S./Chrome

pattern number	laminate (┐)	veneer (┐)	grey marble (GG, GGS)	emperador dark (GE, GES)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3XVP90-()-()	\$18,494.	\$37,319.	\$79,353.	\$86,536.	\$99,245.	\$119,128.
L3XVP90-()-SS	22,284.	41,110.	83,144.	90,327.	103,036.	122,918.
L3XVP90-()-C	31,623.	50,450.	92,483.	99,667.	112,375.	132,258.

Order Code	Finishes	Electrical
<i>Example:</i> L3XVP90	L3XVP90-VB-C-BE3-AE3-AE3-AE3-BE3 360" x 60" rectangular table, plinth edge, five segments	<i>Coated marble top finishes (polished, satin):</i> Arabescato (suffix MA, MAS) Calacatta (suffix MC, MCS) Emperador Dark (suffix GE, GES) Grey Marble (suffix GG, GGS)
VB	Vetro Bianco top	<i>Power Center Cutout Options: (\$133 per cutout)</i> Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below.
C	Polished stainless steel base and chromed aluminum edge detail	<i>Base/Edge finishes:</i> Polished Stainless Steel/Mirror Chrome (suffix C) Horizontal Brushed Stainless Steel/anodized aluminum (suffix SS) White (suffix 118) Folkstone Grey (suffix 114) Medium Grey (suffix 115) Black painted base, Black Anodized Aluminum (suffix R5)
BE3	Cutout for L43x1 Power center, right, mid-depth, segment 1	Power Centers are available in three sizes and multiple configurations. L42X1 Power Centers feature 2 simplex outlets and either one knockout or two active USB jacks, L43X1 Power Centers feature 3 simplex outlets and either one knockout or two active USB jacks, L46X2 Power Centers feature 6 simplex outlets and either two knockouts or four active USB jacks, or combination of both.
AE3	Cutout for L43x1 Power Center, left and right, mid-depth, segment 2	
AE3	Cutout for L43x1 Power Center, left and right, mid-depth, segment 3	
AE3	Cutout forL43x1 Power Center, left and right, mid-depth, segment 4	
BE3	Cutout for L43x1 Power center, left, mid-depth, segment 5	

- Specify:
1. Pattern number
 2. Top finish (including edgeband)
 3. Base and Edge profile finish
 4. Cut-out options

Features
For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6) For Two Power Centers, left and right, mid-depth (AE2), (AE3), (AE6)
Available Electrical Cut-outs per individual table. L3XV90 outside sections: Y, BE2, BE3 inside sections: Y, AE2, AE3, GE2, GE3, GE6
Y B A G
The LSM Conference Table features a distinctive applied edge detail. The extruded aluminum edge detail is available in a plinth edge profile and is finished to match base finish options. To specify the table, select Plinth edge (P); profile is diagramed below.
<i>Plinth edge detail:</i> 
<i>Note:</i> LSM tables are Greenguard certified.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with V-Base

Rectangular Six Segment Conference Table with V-Base

	description	w	d	h	no. of sections	section width	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3VVP72 V-Base conference table with intermediate legs	288"	72"	29"	6	48"	Paint/Paint
		288"	72"	29"	6	48"	Satin S.S./Anno. Aluminum
		288"	72"	29"	6	48"	Pol. S.S./Chrome
	L3XVP92 V-Base conference table with intermediate legs	360"	60"	29"	6	60"	Paint/Paint
		360"	60"	29"	6	60"	Satin S.S./Anno Aluminum
		360"	60"	29"	6	60"	Pol. S.S./Chrome
	L3XVP94 V-Base conference table with intermediate legs	360"	72"	29"	6/8	60"/45"	Paint/Paint
		360"	72"	29"	6/8	60"/45"	Satin S.S./Anno. Aluminum
		360"	72"	29"	6/8	60"/45"	Pol. S.S./Chrome

Order Code	Finishes	Electrical
<i>Example:</i> L3VVP72-MA-SS-Y-AE2-AE2-AE2-Y	<i>Colored laminate top:</i> Bright White (suffix 118) Folkstone Grey (suffix 114) <i>Note: Flat .8mm ABS edgeband to match</i>	<i>Coated marble top finishes (polished, satin):</i> Arabescato (suffix MA, MAS) Calacatta (suffix MC, MCS) Emperador Dark (suffix GE, GES) Grey Marble (suffix GG, GGS)
L3VVP72	288" x 72" rectangular table, plinth edge, six segments	Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below.
MA	Polished Arabescato marble top	
SS	Horizontal brushed stainless steel base and anodized aluminum edge detail to match	<i>Engineered Stone top:</i> Vetro Bianco (suffix VB) <i>Note:</i> Limited availability based on material sheet size.
Y	Cutout for L46x2 Power Center, right, mid-depth, segment B	<i>Base/Edge finishes:</i> Polished Stainless Steel/Mirror Chrome (suffix C) Horizontal Brushed Stainless Steel/anodized aluminum (suffix SS) White (suffix 118) Folkstone Grey (suffix 114) Medium Grey (suffix 115) Black painted base, Black Anodized Aluminum (suffix R5)
AE2	Cutout for L46x2 Power Center, left and right, mid-depth, segment B	
AE2	Cutout for L46x2 Power Center, left and right, mid-depth, segment B	
AE2	Cutout for L46x2 Power Center, left and right, mid-depth, segment B	
AE2	Cutout for L46x2 Power Center, left and right, mid-depth, segment B	
Y	Cutout for L46x2 Power Center, left, mid-depth, segment B	

- Specify:
1. Pattern number
 2. Top finish (including edgeband)
 3. Base and Edge profile finish
 4. Cut-out options

pattern number	laminate (L)	veneer (V)	engineered stone (VB)	grey marble (GG, GGS)	emperador dark (GE, GES)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3VVP72-()-()	\$21,902.	\$42,345.	\$83,450.	\$89,765.	\$98,705.	\$111,470.	\$137,000.
L3VVP72-()-SS	26,277.	46,721.	87,824.	94,141.	103,080.	115,845.	141,376.
L3VVP72-()-C	36,168.	56,612.	97,716.	104,032.	112,972.	125,737.	151,268.
L3XVP92-()-()	20,271.	42,862.	n/a	94,562.	101,244.	118,824.	143,095.
L3XVP92-()-SS	24,031.	46,621.	n/a	98,320.	105,001.	122,581.	146,854.
L3XVP92-()-C	35,095.	57,685.	n/a	109,385.	116,067.	133,647.	157,920.
L3XVP94-()-()	22,506.	49,892.	107,132.	110,051.	121,233.	137,215.	169,175.
L3XVP94-()-SS	26,881.	54,268.	111,450.	114,369.	125,551.	141,531.	173,492.
L3XVP94-()-C	36,773.	64,168.	123,618.	136,438.	147,619.	163,600.	195,561.

Features
For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6) For Two Power Centers, left and right, mid-depth (AE2), (AE3), (AE6)
The LSM Conference Table features a distinctive applied edge detail. The extruded aluminum edge detail is available in a plinth edge profile and is finished to match base finish options. To specify the table, select Plinth edge (P); profile is diagramed below.
<i>Plinth edge detail:</i>


<i>Note:</i> LSM tables are Greenguard certified.
Available Electrical Cut-outs per individual table. L3VVP72 outside sections: Y inside sections: Y, GE2, GE3, GE6, AE2, AE3
L3XVP92 outside sections: Y, BE2, BE3 inside sections: Y, GE2, GE3, GE6, AE2, AE3
L3XVP94 outside: Y, BE2, BE3 inside: Y, GE2, GE3, GE6, AE2, AE3
Y B A G

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with L-Legs

Configuration and Product Information



Below are the three general configurations of the LSM L-Leg conference tables: square, rectangular with four legs, and rectangular with four corner legs and intermediate support legs



L3SL(P,S)48
One segment, 48" square with four corner L-Legs



L-Leg
Aluminum extruded L-shaped corner leg with adjustable glide, or fixed L-shaped glide





L3SL(P,S)32
Two segment, 120" wide and 60" deep with four corner L-Legs



T-Leg
Aluminum extruded T-shaped intermediate support leg with adjustable glide, or fixed T-shaped glide

The L-Leg design maximizes leg clearance using an under table support structure that allows for a 120" wide table with the use of just four legs. Tables wider than 120" are supported with an inset intermediate supporting leg



L3TL(P,S)52
Three segment, 180" wide and 60" deep with four corner L-Legs and four inset T-shaped intermediate supporting legs

Ordering Information


- Specify:
1. Pattern Number, indicating either Plinth (suffix P) or Surround edge detail (suffix S)
 2. Top finish
 3. Base/edge detail finish
 4. Power Center cut-out option, per section

Construction

Top:
Plastic laminate and wood veneer, 1 3/16" thick; 3-ply solid particle fiberboard core with balanced backer sheet. Veneer tops come with matching 1/4" solid lumber exterior edges and veneer self-edge at joining section edges. Plastic laminate tops are edged with matching .8mm ABS flat edge band.

The LSM Conference Table Series features two distinctive applied edge details for all top finishes. The extruded aluminum edge details are available in two profiles and are finished to match base finish options. To specify the table, select either Plinth (P) or partial Surround (S)*; profiles are diagramed below:

*Partial Surround only available on glass top.



Plinth edge




Partial Surround


LSM Power center electrical hubs for table top access. Individual tables have cut-out options per section, per table. See chart below:




Y



GE2, GE3, GE6



BE2, BE3, BE6



AE2, AE3, AE6

Pattern no.	Outside segment	Inside segment
L3-RL(P,S)48	Y, GE2, GE3	
L3-RL(P,S)52	Y, GE2, GE3, GE6	
L3-SL(P,S)48	Y, GE2, GE3	
L3-RL(P,S)00	Y, GE2, GE3, GE6	
L3-RL(P,S)02	Y, GE2, GE3, GE6	
L3-RL(P,S)04	Y, GE2, GE3, GE6	
L3-SL(P,S)20	Y, BE2	
L3-SL(P,S)22	Y, BE2, BE3	
L3-SL(P,S)24	Y, BE2, BE3, BE6	
L3-TL(P,S)40	Y, BE2	Y, GE2, GE3, GE6
L3-TL(P,S)42	Y, BE2, BE3	Y, GE2, GE3, GE6
L3-TL(P,S)44	Y, BE2, BE3, BE6	Y, GE2, GE3, GE6
L3-VL(P,S)60	Y, BE2, BE3	Y, GE2, GE3, GE6
L3-VL(P,S)62	Y, BE2, BE3, BE6	Y, GE2, GE3, GE6
L3-XL(P,S)80	Y, BE2, BE3	Y, GE2, GE3, GE6
L3-XL(P,S)82	Y, BE2, BE3, BE6	Y, GE2, GE3, GE6
L3-SL(P,S)60	Y, GE2, GE3, GE6	
L3-RL(P,S)10	Y, GE2, GE3, GE6	
L3-RL(P,S)12	Y, GE2, GE3	
L3-RL(P,S)14	Y, GE2, GE3, GE6	
L3-SL(P,S)30	Y, BE2	
L3-SL(P,S)32	Y, BE2, BE3	
L3-SL(P,S)34	Y, BE2, BE3, BE6	
L3-TL(P,S)50	Y, BE2	Y, GE2, GE3, GE6
L3-TL(P,S)52	Y, BE2, BE3	Y, GE2, GE3, GE6
L3-TL(P,S)54	Y, BE2, BE3, BE6	Y, GE2, GE3, GE6
L3-VL(P,S)70	Y, BE2, BE3	Y, GE2, GE3, GE6
L3-VL(P,S)72	Y, BE2, BE3, BE6	Y, GE2, GE3, GE6
L3-XL(P,S)90	Y, BE2, BE3	Y, GE2, GE3, GE6
L3-XL(P,S)92	Y, BE2, BE3	Y, GE2, GE3, GE6

Power Center Cutout Options:

- . Per cut out, per section
Y - No Cut Outs
AE2 - 2X1 Power Center, center depth, two side locations (R&L)
AE3 - 3X1 Power Center, center depth, two side locations (R&L)
AE6 - 6X2 Power Center, center depth, two side locations (R&L)

- BE2 - 2X1 Power Center, center on depth, one side location
BE3 - 3X1 Power Center, center on depth, one side location
BE6 - 6X2 Power Center, center on depth, one side location
GE2 - 2X1 Power Center, center on depth, center on width
GE3 - 3X1 Power Center, center on depth, center on width
GE6 - 6X2 Power Center, center on depth, center on width

Leg and frame

The L-Leg conference tables feature extruded aluminum legs that connect to the table surface with four adjustable aluminum corner castings that allows for precise alignment with the tables edge. A steel sub-structure spans the table's width and provides rigid support for all material options

Leveling:

Three leveling glides are located within each v-base column and feature a glide-shroud that eliminates any light gap due to irregularities in the floor

Electrical Options:

Compatible with either a 2 5/8" grommet, or the LSM Power Center electrical hubs for table top electrical access; individual tables have unique cut-out options per table size

Shipping:

Tops, legs, intermediate legs and supporting rails are shipped separately. Tops are predrilled for attachment to legs and support rails

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with L-Legs

Rectangular Conference Table with L-Legs

	description	w	d	h	no. of sections	no. of legs	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3RL48 L-Leg conference table 	72"	42"	29"	1	4	Paint/ Annodized
		72"	42"	29"	1	4	Chrome
	L3RL52 L-Leg conference table 	84"	42"	29"	1	4	Paint/ Annodized
		84"	42"	29"	1	4	Chrome
	L3SL48 L-Leg conference table 	48"	48"	29"	1	4	Paint/ Annodized
		48"	48"	29"	1	4	Chrome
	L3RL00 L-Leg conference table 	72"	48"	29"	1	4	Paint/ Anodized
		72"	48"	29"	1	4	Chrome
	L3RL02 L-Leg conference table 	84"	48"	29"	1	4	Paint/ Anodized
		84"	48"	29"	1	4	Chrome
	L3RL04 L-Leg conference table 	96"	48"	29"	1	4	Paint/ Anodized
		96"	48"	29"	1	4	Chrome
	L3SL60 L-Leg conference table 	60"	60"	29"	1	4	Paint/ Annodized
		60"	60"	29"	1	4	Chrome

Order Code	Finishes	Electrical
<i>Example:</i> L3RLP48	L3RLP48-MAS-SS-GE2 72" x 42" rectangular table, plinth edge, one segment	
MAS	Satin Coated Arabescato top	
SS	Brushed anodized aluminum legs, stainless finish edge	
GE2	Cutout for L42x1 Power Center, center, mid-depth	
<i>Specify:</i> 1. Pattern number 2. Top finish (including edgeband) 3. Base and Edge profile finish 4. Cut-out options 5. Grommet finish (optional)		
<i>Colored laminate top:</i> Bright White (suffix 118) Folkstone Grey (suffix 114) <i>Note: Flat .8mm ABS edgeband to match</i>		<i>Coated marble top finishes:</i> Arabescato (suffix MA, MAS) Calacatta (suffix MC, MCS) Emperador Dark (suffix GE, GES) Grey Marble (suffix GG, GGS)
<i>Veneer top with 1/4" solid wood edge:</i> White Ash (suffix A101) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)		<i>Engineered Stone top:</i> Vetro Bianco (suffix VB) <i>Note:</i> Limited availability based on material sheet size.
<i>Laminated Glass top:</i> Woven aluminum wire (suffix ALG)		No grommets (Y) Single grommet, left, mid-depth (BCG2) Two grommets, left & right, mid-depth (AGG2)
<i>Leg/Edge finishes:</i> Mirror Chrome (suffix C) Brushed anodized aluminum, stainless finish (suffix SS) White (suffix 118) Folkstone Grey (suffix 114) Medium Grey (suffix 115) Brushed Black Anodized Aluminum (suffix R5)		







pattern no.	laminate	veneer	engineered stone (VB)	grey marble (GG, GGS)	emperador dark (GE, GES)	arabescato (MA, MAS)	calacatta (MC, MCS)	Laminted glass (ALG)
L3RLP48-()-()	\$4,015.	\$6,680.	\$10,842.	\$11,248.	\$11,843.	\$13,658.	\$17,179.	
L3RLP48-()-C	8,279.	11,116.	15,689.	16,118.	16,748.	18,665.	22,386.	
L3RL(P,S)52-()-()	4,166.	7,354.	12,261.	12,731.	13,426.	15,548.	19,664.	29,089.
L3RL(P,S)52-()-C	8,817.	12,211.	17,585.	18,081.	18,817.	21,057.	25,410.	33,718.
L3SLP48-()-()	3,472.	5,337.	8,561.	9,176.	9,987.	10,710.	13,401.	
L3SLP48-()-C	7,155.	9,140.	12,702.	13,352.	14,210.	14,972.	17,816.	
L3RLP00-()-()	4,141.	7,243.	10,772.	11,167.	11,747.	15,248.	16,981.	
L3RLP00-()-C	8,409.	11,712.	15,611.	16,028.	16,642.	20,340.	22,173.	
L3RLP02-()-()	4,356.	7,901.	13,665.	14,208.	15,002.	17,421.	22,116.	
L3RLP02-()-C	9,014.	12,790.	19,065.	19,638.	20,477.	23,034.	27,996.	
L3RLP04-()-()	4,537.	8,663.	15,270.	15,884.	16,795.	19,559.	24,921.	
L3RLP04-()-C	8,686.	13,078.	20,211.	20,860.	21,822.	24,742.	30,409.	
L3SL(P,S)60-()-()	3,903.	7,226.	n/a	12,672.	13,387.	15,545.	19,733.	28,856.
L3SL(P,S)60-()-C	7,581.	11,119.	n/a	17,010.	17,764.	20,045.	24,472.	32,456.

		Features
<i>Power Center Cutout Options: (\$133 per cutout)</i> Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below.	For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6) For Two Power Centers, left and right, mid-depth (AE2), (AE3), (AE6)	 Y  B  A  G The LSM Conference Table features two distinctive applied edge details. The extruded aluminum edge details are available in two profiles and are finished to match base finish options. To specify the table, select either Plinth edge (P) or the partial Surround (S); profiles are diagramed below.
Power Centers are available in three sizes and multiple configurations. L42X1 Power Centers feature 2 simplex outlets and either one knockout or two active USB jacks, L43X1 Power Centers feature 3 simplex outlets and either one knockout or two active USB jacks, L46X2 Power Centers feature 6 simplex outlets and either two knockouts or four active USB jacks, or combination of both.	Available Electrical Cut-outs per individual table. L3RL48: Y, GE2, GE3 L3RL52: Y, GE2, GE3, GE6 L3SL48: Y, GE2, GE3 L3RL00: Y, GE2, GE3, GE6 L3RL02: Y, GE2, GE3, GE6 L3RL04: Y, GE2, GE3, GE6 L3SL60: Y, GE2, GE3, GE6 L3RL14: Y, GE2, GE3, GE6 L3RL10: Y, GE2, GE3, GE6 L3RL12: Y, GE2, GE3 L3RL14: Y, GE2, GE3, GE6	*Please note that the partial Surround edge profile is only available on laminated glass (ALG). <i>Plinth edge detail:</i>  <i>Partial Surround edge detail:</i>  <i>Note:</i> LSM tables are Greenguard certified.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with L-Legs

Rectangular Two Segment Conference Table with L-Legs

	description	w	d	h	no. of sections	section width	no. of legs	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012 	L3SL20 L-Leg conference table	108"	48"	29"	2	54"	4	Paint/ Anodized
		108"	48"	29"	2	54"	4	Chrome
	L3SL22 L-Leg conference table	120"	48"	29"	2	60"	4	Paint/ Anodized
		120"	48"	29"	2	60"	4	Chrome
	L3SL24 L-Leg conference table	144"	48"	29"	2	72"	6	Paint/ Anodized
		144"	48"	29"	2	72"	6	Chrome
	L3SL30 L-Leg conference table	108"	60"	29"	2	54"	4	Paint/ Anodized
		108"	60"	29"	2	54"	4	Chrome
	L3SL32 L-Leg conference table	120"	60"	29"	2	60"	4	Paint/ Anodized
		120"	60"	29"	2	60"	4	Chrome
	L3SL34 L-Leg conference table	144"	60"	29"	2	72"	6	Paint/ Anodized
		144"	60"	29"	2	72"	6	Chrome

Order Code	Finishes	Electrical
<i>Example:</i> L3SL20	<i>Colored laminate top:</i> Bright White (suffix 118) Folkstone Grey (suffix 114) <i>Note: Flat .8mm ABS edgeband to match</i>	<i>Grommet options: (\$133 per cutout)</i> Tables may be specified with zero, one or two grommets per section. All grommets are 2 3/8" diameter. For detailed information, consult page 212
MC	Coated Calacatta top	
SS	Brushed anodized aluminum legs, stainless finish edge	No grommets (Y) Single grommet, left, mid-depth (BGG2) Two grommets, left & right, mid-depth (AGG2)
BE2	Cutout for L42x1 Power Center, left of joining edge section, mid-depth, segment 1	
BE2	Cutout for L42x1 Power Center, right of joining edge section, mid-depth, segment 2	
	<i>Veneer top with 1/4" solid wood edge:</i> White Ash (suffix A101) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	<i>Engineered Stone top:</i> Vetro Bianco (suffix VB) <i>Note:</i> Limited availability based on material sheet size.
	<i>Leg/Edge finishes:</i> Mirror Chrome (suffix C) Brushed anodized aluminum, stainless finish (suffix SS) White (suffix 118) Folkstone Grey (suffix 114) Medium Grey (suffix 115) Brushed Black Anodized Aluminum (suffix R5)	

Specify:


1. Pattern number
2. Top finish (including edgeband)
3. Base and Edge profile finish
4. Cut-out options
5. Grommet finish (optional)

pattern no.	laminate	veneer	engineered stone (VB)	grey marble (GG, GGS)	emperador dark (GE, GES)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3SLP20-()-()	\$5,397.	\$9,852.	\$16,936.	\$17,622.	\$18,643.	\$21,757.	\$27,789.
L3SLP20-()-C	9,878.	16,217.	23,952.	24,676.	25,754.	29,045.	35,420.
L3SLP22-()-()	5,511.	10,868.	18,444.	19,211.	20,359.	23,816.	30,532.
L3SLP22-()-C	11,596.	17,300.	25,544.	26,356.	27,568.	31,221.	38,320.
L3SLP24-()-()	6,291.	12,495.	22,098.	23,018.	24,380.	28,534.	36,588.
L3SLP24-()-C	13,503.	20,109.	30,543.	31,515.	32,956.	37,344.	45,856.
L3SLP30-()-()	5,737.	11,930.	20,639.	21,496.	22,778.	26,670.	34,218.
L3SLP30-()-C	11,824.	18,418.	27,851.	28,758.	30,113.	34,225.	42,200.
L3SLP32-()-()	6,490.	13,911.	n/a	23,517.	24,944.	29,268.	37,664.
L3SLP32-()-C	12,627.	20,527.	n/a	30,892.	32,400.	36,969.	45,842.
L3SLP34-()-()	6,462.	14,645.	n/a	27,841.	29,548.	34,730.	44,789.
L3SLP34-()-C	13,673.	22,384.	n/a	36,599.	38,401.	43,879.	54,506.

Power Center Cutout Options: (\$133 per cutout)
Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below.

Power Centers are available in three sizes and multiple configurations. L42X1 Power Centers feature 2 simplex outlets and either one knockout or two active USB jacks, L43X1 Power Centers feature 3 simplex outlets and either one knockout or two active USB jacks, L46X2 Power Centers feature 6 simplex outlets and either two knockouts or four active USB jacks, or combination of both.

For no Power Center (Y)
For Single Power Center, center, mid-depth (GE2), (GE3), (BE6)
For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6)
For Two Power Centers, left and right, mid-depth (AE2), (AE3), (AE6)



Available Electrical Cut-outs per individual table.
L3SL20: Y, BE2
L3SL22: Y, BE2, BE3
L3SL24: Y, BE2, BE3, BE6
L3SL30: Y, BE2
L3SL32: Y, BE2, BE3
L3SL34: Y, BE2, BE3, BE6

Features

The LSM Conference Table features a distinctive applied edge detail. The extruded aluminum edge detail is available in a plinth edge profile and is finished to match base finish options. To specify the table, select Plinth edge (P); profile is diagramed below.

Plinth edge detail:







Note:
LSM tables are Greenguard certified.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with L-Legs

Rectangular Three Segment Conference Table with L-Legs


	description	w	d	h	no. of sections	section width	no. of legs	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3TL40 L-Leg conference table	162"	48"	29"	3	54"	8	Paint/ Anodized
		162"	48"	29"	3	54"	8	Chrome
	L3TL42 L-Leg conference table	180"	48"	29"	3	60"	8	Paint/ Anodized
		180"	48"	29"	3	60"	8	Chrome
	L3TL44 L-Leg conference table	216"	48"	29"	3	72"	8	Paint/ Anodized
		216"	48"	29"	3	72"	8	Chrome
	L3TL50 L-Leg conference table	162"	60"	29"	3	54"	8	Paint/ Anodized
		162"	60"	29"	3	54"	8	Chrome
	L3TL52 L-Leg conference table	180"	60"	29"	3	60"	8	Paint/ Anodized
		180"	60"	29"	3	60"	8	Chrome
	L3TL54 L-Leg conference table	216"	60"	29"	3	72"	8	Paint/ Anodized
		216"	60"	29"	3	72"	8	Chrome

pattern no.	laminate	veneer	engineered stone (VB)	grey marble (GG, GGS)	emperador dark (GE, GES)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3TLP40-()-()	\$7,746.	\$14,427.	\$25,271.	\$26,319.	\$27,871.	\$32,566.	\$41,684.
L3TLP40-()-C	17,828.	24,942.	36,830.	37,938.	39,579.	44,539.	54,175.
L3TLP42-()-()	8,057.	16,095.	27,489.	28,643.	30,350.	35,533.	45,591.
L3TLP42-()-C	18,425.	26,981.	39,453.	40,674.	42,476.	47,954.	58,581.
L3TLP44-()-()	8,414.	17,722.	32,138.	33,519.	35,578.	41,798.	53,879.
L3TLP44-()-C	18,510.	28,420.	44,057.	45,517.	47,691.	54,266.	67,029.
L3TLP50-()-()	8,162.	17,452.	30,761.	32,069.	34,011.	39,888.	51,300.
L3TLP50-()-C	18,259.	28,150.	42,618.	44,002.	46,052.	52,264.	64,324.
L3TLP52-()-()	9,026.	18,384.	n/a	34,872.	37,013.	43,495.	56,081.
L3TLP52-()-C	18,527.	29,143.	n/a	46,964.	49,225.	56,076.	69,376.
L3TLP54-()-()	8,766.	21,040.	n/a	52,538.	55,959.	66,334.	86,467.
L3TLP54-()-C	18,874.	31,940.	n/a	65,601.	69,216.	80,178.	101,454.


Order Code	Finishes	Electrical
<i>Example:</i> L3TLP40-35-114-114-Y-GE6-Y	<i>Colored laminate top:</i> Bright White (suffix 118) Folkstone Grey (suffix 114) <i>Note: Flat .8mm ABS edgeband to match</i>	<i>Coated marble top finishes:</i> Arabescato (suffix MA, MAS) Calacatta (suffix MC, MCS) Emperador Dark (suffix GE, GES) Grey Marble (suffix GG, GGS)
114	Folkstone Grey laminate with matching ABS edgeband	<i>Veneer top with 1/4" solid wood edge:</i> White Ash (suffix A101) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)
114	Folkstone Grey painted legs and Folkstone Grey painted aluminum edge to match	<i>Engineered Stone top:</i> Vetro Bianco (suffix VB)
Y	No cutout, segment 1	No grommets (Y) Single grommet, left, mid-depth (BGG2) Two grommets, left & right, mid-depth (AGG2)
GE6	Cutout for L46x2 Power Center, center, mid-depth, segment 2	
Y	No cutout, segment 3	

- Specify:
1. Pattern number
 2. Top finish (including edgeband)
 3. Base and Edge profile finish
 4. Cut-out options
 5. Grommet finish (optional)

	Features
<i>Power Center Cutout Options: (\$133 per cutout)</i> Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below.	For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6) For Two Power Centers, left and right, mid-depth (AE2), (AE3), (AE6)
Power Centers are available in three sizes and multiple configurations. L42X1 Power Centers feature 2 simplex outlets and either one knockout or two active USB jacks, L43X1 Power Centers feature 3 simplex outlets and either one knockout or two active USB jacks, L46X2 Power Centers feature 6 simplex outlets and either two knockouts or four active USB jacks, or combination of both.	Available Electrical Cut-outs per individual table. L3TL40 outside sections: Y, BE2 inside sections: Y, GE2, GE3, GE6
	L3TL42 outside sections: Y, BE2, BE3 inside sections: Y, GE2, GE3, GE6
	L3TL44 outside: Y, BE2, BE3 inside: Y, GE2, GE3, GE6
	L3TL50 outside sections: Y, BE2 inside sections: Y, GE2, GE3
	L3TL52 outside sections: Y, BE2, BE3 inside sections: Y, GE2, GE3, GE6
	L3TL54 outside: Y, BE2, BE3, BE6 inside: Y, GE2, GE3, GE6



The LSM Conference Table features a distinctive applied edge detail. The extruded aluminum edge detail is available in a plinth edge profile and is finished to match base finish options. To specify the table, select Plinth edge (P); profile is diagramed below.





Note:
LSM tables are Greenguard certified.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with L-Legs

Rectangular Four Segment Conference Table with L-Legs

	description	w	d	h	no. of sections	section width	no. of legs	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3VL60 L-Leg conference table	240"	48"	29"	4	60"	10	Paint/ Anodized
		240"	48"	29"	4	60"	10	Chrome
	L3VL62 L-Leg conference table	288"	48"	29"	4	72"	10	Paint/ Anodized
		288"	48"	29"	4	72"	10	Chrome
	L3VL70 L-Leg conference table	240"	60"	29"	4	60"	10	Paint/ Anodized
		240"	60"	29"	4	60"	10	Chrome
	L3VL72 L-Leg conference table	288"	60"	29"	4	72"	10	Paint/ Anodized
		288"	60"	29"	4	72"	10	Chrome

pattern no.	laminate	veneer top	engineered stone (VB)	grey marble (GG, GGS)	emperador dark (GE, GES)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3VLP60-(-)()	\$10,017.	\$20,733.	\$38,680.	\$39,347.	\$43,374.	\$50,759.	\$62,859.
L3VLP60-(-)-C	23,025.	34,434.	53,935.	54,640.	58,895.	66,700.	79,485.
L3VLP62-(-)()	10,380.	27,018.	45,271.	46,082.	50,922.	59,788.	74,297.
L3VLP62-(-)-C	23,411.	41,124.	60,900.	61,759.	66,872.	76,241.	91,572.
L3VLP70-(-)()	10,400.	23,696.	n/a	48,115.	536,162.	62,434.	77,593.
L3VLP70-(-)-C	23,419.	37,575.	n/a	63,893.	69,227.	79,031.	95,043.
L3VLP72-(-)()	10,861.	27,226.	n/a	56,637.	62,702.	73,826.	92,027.
L3VLP72-(-)-C	23,911.	41,334.	n/a	72,896.	79,308.	91,061.	110,295.

Order Code	Finishes	Electrical
<i>Example:</i>	L3VLP60-ON-C-BE3-GE3-GE3-BE3	
L3VLP60	240" x 48" rectangular table, plinth edge, four segments	
ON	Natural Oak veneer top	
C	Mirror chrome legs and mirror chrome edge detail	
BE3	Cutout for L43x1 Power Center, left of joining edge section, mid-depth, segment 1	
GE3	Cutout for L43x1 Power Center, center, mid-depth, segment 2	
GE3	Cutout for L43x1 Power Center, center, mid-depth, segment 3	
BE3	Cutout for L43x1 Power Center, right of joining edge section, mid-depth, segment 4	

Colored laminate top:
Bright White (suffix 118)
Folkstone Grey (suffix 114)
Note: Flat .8mm ABS edgeband to match

Veneer top with 1/4" solid wood edge:
White Ash (suffix A101)
American Walnut (suffix AW)
Natural Oak (suffix ON)
Fumed Oak (suffix OF)
Ebonized Oak (suffix OE)

Coated marble top finishes:
Arabescato (suffix MA, MAS)
Calacatta (suffix MC, MCS)
Emperador Dark (suffix GE, GES)
Grey Marble (suffix GG, GGS)

Engineered Stone top:
Vetro Bianco (suffix VB)

Note: Limited availability based on material sheet size.


Leg/Edge finishes:
Mirror Chrome (suffix C)
Brushed anodized aluminum, stainless finish (suffix SS)
White (suffix 118)
Folkstone Grey (suffix 114)
Medium Grey (suffix 115)
Brushed Black Anodized Aluminum (suffix R5)

Grommet options: (\$133 per cutout)
Tables may be specified with zero, one or two grommets per section. All grommets are 2 3/8" diameter. For detailed information, consult page 212

No grommets (Y)
Single grommet, left, mid-depth (BG2)
Two grommets, left & right, mid-depth (AGG2)

Power Center Cutout Options: (\$133 per cutout)
Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below.

For no Power Center (Y)
For Single Power Center, center, mid-depth (GE2), (GE3), (BE6)
For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6)
For Two Power Centers, left and right, mid-depth (AE2), (AE3), (AE6)



Power Centers are available in three sizes and multiple configurations. L42X1 Power Centers feature 2 simplex outlets and either one knockout or two active USB jacks, L43X1 Power Centers feature 3 simplex outlets and either one knockout or two active USB jacks, L46X2 Power Centers feature 6 simplex outlets and either two knockouts or four active USB jacks, or combination of both.

Available Electrical Cut-outs per individual table.
L3VL60
outside sections: Y, BE2, BE3
inside sections: Y, GE2, GE3, GE6


L3VL62
outside sections: Y, BE2, BE3, BE6
inside sections: Y, GE2, GE3, GE6

L3VL70
outside: Y, BE2, BE3
inside: Y, GE2, GE3, GE6

L3VL72
outside sections: Y, BE2, BE3, BE6
inside sections: Y, GE2, GE3, GE6

Features

The LSM Conference Table features a distinctive applied edge detail. The extruded aluminum edge detail is available in a plinth edge profile and is finished to match base finish options. To specify the table, select Plinth edge (P); profile is diagramed below.




Note:
LSM tables are Greenguard certified.

- Specify:*
1. Pattern number
 2. Top finish (including edgeband)
 3. Base and Edge profile finish
 4. Cut-out options
 5. Grommet finish (optional)

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with L-Legs


Rectangular Five Segment Conference Table with L-Legs

	description	w	d	h	no. of sections	section width	no. of legs	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3XL80 L-Leg conference table	300"	48"	29"	5	60"	12	Paint/Anodized
		300"	48"	29"	5	60"	12	Chrome
	L3XL82 L-Leg conference table	360"	48"	29"	5	72"	12	Paint/Anodized
		360"	48"	29"	5	72"	12	Chrome
	L3XL90 L-Leg conference table	300"	60"	29"	5	60"	12	Paint/Anodized
		300"	60"	29"	5	60"	12	Chrome
	L3XL92 L-Leg conference table	360"	60"	29"	5	72"	12	Paint/Anodized
		360"	60"	29"	5	72"	12	Chrome

pattern no.	laminate	veneer top	engineered stone (VB)	grey marble (GG, GGS)	emperador dark (GE, GES)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3XLP80-(-)()	\$11,977.	\$25,372.	\$50,323.	\$52,841.	\$58,293.	\$67,955.	\$83,068.
L3XLP80-(-)-C	27,814.	42,076.	69,094.	71,755.	77,518.	87,726.	103,697.
L3XLP82-(-)()	12,551.	28,062.	60,065.	63,144.	69,798.	81,588.	100,034.
L3XLP82-(-)-C	28,499.	45,014.	79,469.	82,721.	89,753.	102,213.	121,705.
L3XLP90-(-)()	12,394.	29,016.	n/a	64,400.	71,198.	83,224.	102,039.
L3XLP90-(-)-C	28,246.	45,940.	n/a	83,956.	91,141.	103,850.	123,732.
L3XLP92-(-)()	12,988.	33,444.	n/a	77,161.	67,401.	100,121.	123,089.
L3XLP92-(-)-C	28,953.	50,731.	n/a	97,521.	87,208.	121,783.	146,055.

Order Code	Finishes	Electrical
<i>Example:</i>	L3XLP80-CW-C-Y-GE3-GE3-GE3-Y	
L3XLP80	300" x 48" rectangular table, plinth edge, five segments	<i>Colored laminate top:</i> Bright White (suffix 118) Folkstone Grey (suffix 114) <i>Note: Flat .8mm ABS edgeband to match</i>
CW	Corian top	<i>Coated marble top finishes:</i> Arabescato (suffix MA, MAS) Calacatta (suffix MC, MCS) Emperador Dark (suffix GE, GES) Grey Marble (suffix GG, GGS)
C	Mirror chrome legs and mirror chrome edge detail	<i>Engineered Stone top:</i> Vetro Bianco (suffix VB)
Y	No cutout, segment 1	<i>Note:</i> Limited availability based on material sheet size.
GE3	Cutout for L43x1 Power Center, center, mid-depth, segment 2	<i>Leg/Edge finishes:</i> Mirror Chrome (suffix C) Brushed anodized aluminum, stainless finish (suffix SS) White (suffix 118) Folkstone Grey (suffix 114) Medium Grey (suffix 115) Brushed Black Anodized Aluminum (suffix R5)
GE3	Cutout for L43x1 Power Center, center, mid-depth, segment 3	
GE3	Cutout for L43x1 Power Center, center, mid-depth, segment 4	
Y	No cutout, segment 5	

- Specify:
1. Pattern number
 2. Top finish (including edgeband)
 3. Base and Edge profile finish
 4. Cut-out options
 5. Grommet finish (optional)

Features
<i>Power Center Cutout Options: (\$133 per cutout)</i> Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below.
For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6) For Two Power Centers, left and right, mid-depth (AE2), (AE3), (AE6)

Available Electrical Cut-outs per individual table. L3XL80 outside sections: Y, BE2, BE3 inside sections: Y, GE2, GE3, GE6
L3XL82 outside sections: Y, BE2, BE3, BE6 inside sections: Y, GE2, GE3, GE6
L3XL90 outside: Y, BE2, BE3 inside: Y, GE2, GE3, GE6
L3XL92 outside sections: Y, BE2, BE3 inside sections: Y, GE2, GE3, GE6

The LSM Conference Table features a distinctive applied edge detail. The extruded aluminum edge detail is available in a plinth edge profile and is finished to match base finish options. To specify the table, select Plinth edge (P); profile is diagramed below.

Plinth edge detail:






Note:
LSM tables are Greenguard certified.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Electrical

Power Centers with Cordset

	description	type	w	h	d
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L42X1-CS-X small power center	2 power, 1 telecom plate knockout	11"	4 1/2"	4 3/4"
	L42X1-CS-USB small power center	2 power, 2 active USB	11	4 1/2"	4 3/4"
	L43X1-CS-X medium power center	3 power, 1 telecom plate knockout	13"	4 1/2"	4 3/4"
	L43X1-CS-USB medium power center	3 power, 2 Active USB	13	4 1/2"	4 3/4"
	L46X2-CS-X-X large power center	6 power, 2 telecom plate knockouts	24"	4 1/2"	4 3/4"
	L46X2-CS-USB-X large power center	6 power, 2 Active USB, 1 telecom plate knockout	24"	4 1/2"	4 3/4"
	L46X2-CS-USB-USB large power center	6 power, 4 Active USB	24"	4 1/2"	4 3/4"



pattern no.	painted finish (118, 114)	satin stainless steel (SS)	mirror chrome (C)
L42X1-CS-X-()	\$542.	\$1,273.	\$1,298.
L42X1-CS-USB-()	745.	1,273.	1,298.
L43X1-CS-X-()	644.	1,358.	1,359.
L43X1-CS-USB-()	847.	1,539.	2,025.
L46X2-CS-X-X-()	779.	1,570.	1,826.
L46X2-CS-USB-X-()	983.	1,751.	1,996.
L46X2-CS-USB-USB-()	1,187.	1,931.	2,165.

Order Code	Finishes	Features
<i>Example:</i> L46X2-CS-X-X-C	<i>Power Center finishes:</i> Bright White (suffix 118) Folkstone Grey (Suffix 114) Mirror Chrome (suffix C) Satin Stainless Steel (suffix SS)	The Power Center is a flush mounted electrical hub for table-top distribution of power and access to data, or audiovisual connections. Available in three sizes, a multitude of interior configurations, and either as a 15 amp cord set, or a 20 amp prewired version. The L42X1 is available as a cord-set version only; with two simplex electrical outlets and either room for one data faceplate, or with two active USB charging outlets. The L43X1 is available as either a cord-set version or a prewired version, available as two alternating circuits; with three simplex electrical outlets and either room for one data faceplate, or two active USB charging outlets. The L46X2 is available as either a cord-set version or a prewired version, available as two alternation circuits; with six simplex electrical outlets and room for two data faceplates, or four active USB charging outlets, or a combination of two active USB charging outlets and one data faceplates.
L46X2-CS-X-X	Large power center with cordset, 6 power, 2 telecom plate knockouts	All cord-set boxes feature a convenience outlet located on the underside of the box. 108" flexible power cord.
C	Mirror chrome	<i>Note:</i> Power Centers use Propeller electrical Plexus communication and data faceplates. UL Listed.

Specify:LSM table with desired cutout size and location



1. Power Center size
2. Communication / USB charging option
3. Power Center finish

Debra Lehman-Smith and Ron Fiegenschuh

LSM Electrical

Prewired Power Centers

	description	type	w	h	d
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L43X1-HW-X medium power center	3 power, 1 telecom plate knockout	13"	4 1/2"	4 3/4"
	L43X1-HW-USB medium power center	3 power, 2 Active USB	13	4 1/2"	4 3/4"
	L46X2-HW-X-X large power center	6 power, 2 telecom plate knockouts	24"	4 1/2"	4 3/4"
	L46X2-HW-USB-X large power center	6 power, 2 Active USB, 1 telecom plate knockout	24"	4 1/2"	4 3/4"
	L46X2-HW-USB-USB large power center	6 power, 4 Active USB	24"	4 1/2"	4 3/4"



pattern no.	painted finish (118, 114)	satin stainless steel (SS)	mirror chrome (C)
L43X1-HW(C1, C2)-X-()	\$678.	\$1,389.	\$1,386.
L43X1-HW(C1, C2)-USB-()	881.	1,570.	1,557.
L46X2-HW(C1, C2)-X-X-()	813.	1,602.	1,854.
L46X2-HW(C1, C2)-USB-X-()	1,017.	1,777.	2,025.
L46X2-HW(C1, C2)-USB-USB-()	1,218.	1,957.	2,194.

Order Code	Finishes	Features
<i>Example:</i> L43X1-HWC2-X-C		
L43X1-HWC2-X	Medium power center, 3 power, 1 telecom plate knockout, circuit two	<i>Power Center finishes:</i> Bright White (suffix 118) Folkstone Grey (Suffix 114) Mirror Chrome (suffix C) Satin Stainless Steel (suffix SS)
C	Mirror Chrome	

*Specify:*LSM table with desired cutout size and location

1. Power Center size
2. Communication/USB charging option
3. Power Center finish

The Power Center is a flush mounted electrical hub for table-top distribution of power and access to data, or audiovisual connections. Available in three sizes, a multitude of interior configurations, and either as a 15 amp cord set, or a 20 amp prewired version. The L42X1 is available as a cord-set version only; with two simplex electrical outlets and either room for one data faceplate, or with two active USB charging outlets. The L43X1 is available as either a cord-set version or a prewired version, available as two alternating circuits; with three simplex electrical outlets and either room for one data faceplate, or two active USB charging outlets. The L46X2 is available as either a cord-set version or a prewired version, available as two alternation circuits; with six simplex electrical outlets and room for two data faceplates, or four active USB charging outlets, or a combination of two active USB charging outlets and one data faceplates.


Prewired boxes feature a simplified four-wire distribution system, with easy to connect jumper cables (sold separately). This option does require hard-wiring from building power to the first Power Center using a power in-feed cable, sold separately.

Alternate between circuits when ordering multiple boxes for a single run.

*Note:*Power Centers use Propeller electrical Plexus communication and data faceplates.

UL Listed.

	description	type	w	d	h
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L4PP2 Perimeter power electrical box	Two power, no plate knockout, black finish, top mount, 72" black cord, two 1/2" self tapping screws	6.5"	1.81"	2.26"
	L4PP2X Perimeter power electrical box	Two power, telecom plate knockout, black finish, top mount, 72" black cord, two 1/2" self tapping screws	6.5"	1.81"	2.26"
	L4PP3 Perimeter power electrical box	Three power, no plate knockout, black finish, top mount, 72" black cord, two 1/2" self tapping screws	6.5"	1.81"	2.26"
	L4PP3X Perimeter power electrical box	Three power, telecom plate knockout, black finish, top mount, 72" black cord, two 1/2" self tapping screws	9"	1.81"	2.26"



pattern no.	.
L4PP2	\$366.
L4PP2X	366.
L4PP3	377.
L4PP3X	377.

Order Code	Features
<i>Example:</i> L4PP2	<i>Note:</i> Perimeter Power Electrical Boxes use Propeller electrical plexus communication and data face plates.
L4PP2	Two power, no plate knockout, black finish, top mount 72" black cord, two 1/2" self tapping screws


Specify:
1. Perimeter power electrical box

	description	length	configuration
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L4JFF Interconnecting cable	12"	Female/Female
		20"	Female/Female
		30"	Female/Female
		35"	Female/Female
		40"	Female/Female
		45"	Female/Female
		50"	Female/Female
		60"	Female/Female
		75"	Female/Female
	L4SF Hardwire Starter Cable	45"	Female
		90"	Female

pattern no.	.
L4JFF-12	\$99.
L4JFF-20	109.
L4JFF-30	119.
L4JFF-35	132.
L4JFF-40	137.
L4JFF-45	142.
L4JFF-50	147.
L4JFF-60	152.
L4JFF-75	170.
L4SF-45	137.
L4SF-90	180.

Order Code	Features
<i>Example:</i> L4JFF-60	For use with the LSM electrical Power Centers.
L4JFF-60 Interconnecting cable, 60" in length	
	Interconnecting cables ensure power connection in a straight line configuration. Link multiple units together without the hassles of sequential placement. Interconnecting cables are a four wire, two circuit system.
	Hardwire starter cable is required to connect first Power Center unit to building power.

	description	w	h	type
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L4WMR Ribbon wire manager	4.25"	27" - 31"	
	L4AXSW Power Port Electrical			2 Power Outlets, 1 USB Power Hub, 120" soft cord
	L4AXHW Power Port Electrical			2 Power Outlets, 1 USB Power Hub, 120" hard wire whip



pattern no.	.
L4WMR	\$147.
L4AXSW	711.
L4AXHW	825.

Order Code	Features
<i>Example:</i> L4AXHW	<i>Ribbon Vertical Wire Manager:</i> The ribbon vertical manager, designed by LSM, is a mirror chrome spring that serves as a conduit for vertical cable management. Spring diameter is 2.5". Die-cast aluminum flanges terminate the top and bottom of the spring and are finished in a smooth medium grey powder coat paint. A medium grey ABS plastic spacer fits between the top flange and the underside of the table which provides horizontal wire distribution in four directions. Connection hardware is included and consists of wood screws and double sided table, for use depending on top and table type.
L4AXHW Power Port electrical, 2 power outlets, 1 USB Power Hub, 120" hard wire whip	<i>Power Port Electrical:</i> The Power Port trough offers under table access to electrical power within the center trough of the V-Base table series. Available in hard wire or cord set, the box offers two simplex electrical outlets and four active USB charging outlets. The easy to mount boxes simply fit into existing cut outs and are secured using thumb screws (included). UL Listed.

--

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
KBXB3030	174	KE4202C72	188	KFXW7218	170	L3RLP04	214
KBXB36D	174	KE4202H(L,R)	188	KFXW7224	170	L3RLP10	216
KBXC3030	174	KE4202L48	188	KFXW7230	170	L3RLP12	216
KBXC36D	174	KE4202L60	188	KFXW7236	170	L3RLP14	216
KBXL3030	174	KE4301C48	188	KGANG	160, 162, 164, 166, 168, 172	L3RLP48	214
KBXL36D	174	KE4301C72	188	KLJ12	192	L3RV(P,S)01	200
KBXW3030	174	KE4301H(L,R)	188	KLJ24	192	L3RVP04	200
KBXW36D	174	KE4301L48	188	KLJ36	192	L3SL(P,S)60	214
KCPA4818	162	KE4301L60	188	KLJ48	192	L3SLP20	218
KCPA4824	162	KE4400C48	188	KLJ60	192	L3SLP22	218
KCPA4830	162	KE4400C72	188	KLSC120	192	L3SLP24	218
KCPA6018	162	KE5202C48	188	KLSC72	192	L3SLP30	218
KCPA6024	162	KE5202C72	188	KP-18	168	L3SLP32	218
KCPA6030	162	KE5202H(L,R)	188	KP-24	168	L3SLP34	218
KCPA7218	162	KE5202L48	188	KP-30	168	L3SLP48	214
KCPA7224	162	KE5202L60	188	KP-36	168	L3SVP22	202
KCPA7230	162	KE5301C48	188	KS-01	180	L3SVP24	204
KCPW4818	162	KE5301C72	188	KS-02L	180	L3SVP26	204
KCPW4824	162	KE5301H(L,R)	188	KS-02R	180	L3SVP32	202
KCPW4830	162	KE5301L48	188	KS-11L	182	L3SVP35	204
KCPW6018	162	KE5301L60	188	KS-11R	182	L3TLP40	220
KCPW6024	162	KE5400C48	188	KS-12L	184	L3TLP42	220
KCPW6030	162	KE5400C72	188	KS-12R	184	L3TLP44	220
KCPW7218	162	KE6301C48	190	KS-13L	184	L3TLP50	220
KCPW7224	162	KE6301C72	190	KS-13R	184	L3TLP52	220
KCPW7230	162	KE6301H	190	KS-21L	178	L3TLP54	220
KCXA4818	160	KE6301L48	190	KS-21R	178	L3TVP36	204
KCXA4824	160	KE6301L60	190	KS-31	176	L3TVP52	204
KCXA4830	160	KE7202C72	188	KTD	194	L3TVP54	206
KCXA6018	160	KE7301C72	188	KTK48	194	L3VLP60	222
KCXA6024	160	KE7400C72	188	KTK60	194	L3VLP62	222
KCXA6030	160	KE8201C48	188	KTK72	194	L3VLP70	222
KCXA7218	160	KE8201C72	188	KTK84	194	L3VLP72	222
KCXA7224	160	KE8201H(L,R)	188	KTK96	194	L3VVP60	206
KCXA7230	160	KE8201L48	188	KTPA6030	166	L3VVP62	206
KCXE6030	160	KE8201L60	188	KTPA6036	166	L3VVP70	206
KCXE7230	160	KE8300C48	188	KTPA7230	166	L3VVP72	210
KCXW4818	160	KE8300C72	188	KTPA7236	166	L3XLP80	224
KCXW4824	160	KE8300H(L,R)	188	KTPW6030	166	L3XLP82	224
KCXW4830	160	KE8300L48	188	KTPW6036	166	L3XLP90	224
KCXW6018	160	KE8300L60	188	KTPW7230	166	L3XLP92	224
KCXW6024	160	KE-H	196	KTPW7236	166	L3XVP90	208
KCXW6030	160	KERG	186	KTSH120	194	L3XVP92	210
KCXW7218	160	KE-VB	196	KTSH72	194	L3XVP94	210
KCXW7224	160	KE-VC	196	KTXA6030	164	L42X1-CS-USB	226
KCXW7230	160	KE-VCT	196	KTXA6036	164	L42X1-CS-X	226
KE1101C120	186	KE-VCTE	196	KTXA7230	164	L43X1-CS-USB	226
KE1101C48	186	KE-VF	196	KTXA7236	164	L43X1-CS-X	226
KE1101C72	186	KE-VG	196	KTXE6036	164	L43X1-HW(C1, C2)-USB	228
KE1200C120	186	KE-VY	196	KTXE7236	164	L43X1-HW(C1, C2)-X	228
KE1200C48	186	KFXW3636	170	KTXW6030	164	L46X2-CS-USB-USB	226
KE1200C72	186	KFXW4242	170	KTXW6036	164	L46X2-CS-USB-X	226
KE2201C48	186	KFXW4818	170	KTXW7230	164	L46X2-CS-X-X	226
KE2201C72	186	KFXW4824	170	KTXW7236	164	L46X2-HW(C1, C2)-USB-USB	228
KE2300C48	186	KFXW4830	170	KYPW7236	172	L46X2-HW(C1, C2)-USB-X	228
KE2300C72	186	KFXW4836	170	KYPW8436	172	L46X2-HW(C1, C2)-X-X	228
KE3202C48	186	KFXW4848	170	KYXW7236	172	L4AXHW	234
KE3202C72	186	KFXW6018	170	KYXW8436	172	L4AXSW	234
KE3400C48	186	KFXW6024	170	L3RL(P,S)52	214	L4JFF-12	232
KE3400C72	186	KFXW6030	170	L3RLP00	214	L4JFF-20	232
KE4202C48	188	KFXW6036	170	L3RLP02	214	L4JFF-30	232

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
L4JFF-35	232	P2-FT-BKT-MP	96	P2-M10	22	P2SCT4213	92
L4JFF-40	232	P2-GLIDE4	104	P2-M20	22	P2SCT4218	92
L4JFF-45	232	P2-H12	36	P2-M30	22	P2SCT4811	92
L4JFF-50	232	P2-H14	36	P2-N30	18	P2SCT4813	92
L4JFF-60	232	P2-H16	36	P2-N41	18	P2SCT4818	92
L4JFF-75	232	P2-H22	36	P2-N52	18	P2SCT6011	92
LAPP2	230	P2-H24	36	P2-R02	18	P2SCT6013	92
LAPP2X	230	P2-H26	36	P2-R04	18	P2SCT6018	92
LAPP3	230	P2-H32	36	P2-R06	18	P2SCT6611	92
LAPP3X	230	P2-H34	36	P2-R10	18	P2SCT6613	92
LASF-45	232	P2-H36	36	P2-R12	18	P2SCT6618	92
LASF-90	232	P2-I02	26	P2-R14	18	P2SCT7211	92
L4WMR	234	P2-I04	26	P2-R16	18	P2SCT7213	92
P2-C02	24	P2-I06	26	P2-R21	18	P2SCT7218	92
P2-C04	24	P2-I10	26	P2-R22	18	P2-SH24	98
P2-C06	24	P2-I11	26	P2-R24	18	P2-SH30	98
P2-C10	24	P2-I14	26	P2-R25	18	P2-SH36	98
P2-C12	24	P2-I15	26	P2-R26	18	P2-SH42	98
P2-C13	24	P2-I16	26	P2-R32	18	P2-SH48	98
P2-C14	24	P2-I17	26	P2-R34	18	P2-SH60	98
P2-C15	24	P2-I23	26	P2-R36	18	P2-SH66	98
P2-C16	24	P2-I24	26	P2-RLEG2KIT	104	P2-SH72	98
P2-C17	24	P2-I25	26	P2-RLEG4KIT	104	P2-SHLB24	98
P2-C-2	104	P2-I26	26	P2-S92	22	P2-SHLB30	98
P2-C21	24	P2-I27	26	P2-S94	22	P2-SHLB36	98
P2-C22	24	P2-I28	26	P2-S96	22	P2-SHLB42	98
P2-C23	24	P2-I29	26	P2-SC2411	90	P2-SHLB48	98
P2-C24	24	P2-I34	26	P2-SC2413	90	P2-SHLB60	98
P2-C25	24	P2-I36	26	P2-SC2418	90	P2-SHLB66	98
P2-C26	24	P2-J02	26	P2-SC3011	90	P2-SHLB72	98
P2-C27	24	P2-J04	26	P2-SC3013	90	P2-SHPS48	98
P2-C28	24	P2-J12	26	P2-SC3018	90	P2-SHPS60	98
P2-C29	24	P2-J13*	26	P2-SC3611	90	P2-SHPS72	98
P2-C32	24	P2-J14	26	P2-SC3613	90	P2-SHS	98
P2-C34	24	P2-J15	26	P2-SC3618	90	P2-SHSD	98
P2-C36	24	P2-J21	26	P2-SC4211	90	P2-TCLEG2	104
P2-CASTER4	104	P2-J22	26	P2-SC4213	90	P2-TCLEG218	104
P2-D14	20	P2-J23	28	P2-SC4218	90	P2-TLEG2	104
P2-D16	20	P2-J24	28	P2-SC4811	90	P2-TLEG4	104
P2-D24	20	P2-J27	28	P2-SC4813	90	P2-TTLEG2	104
P2-D25	20	P2-J32	28	P2-SC4818	90	P2-TTLEG30	104
P2-D26	20	P2-J34	28	P2-SC6011	90	P2-V02	22
P2-D34	20	P2-K12	36	P2-SC6013	90	P2-V04	22
P2-D36	20	P2-K14	36	P2-SC6018	90	P2-V10	22
P2-DOLLY24	34	P2-K16	36	P2-SC6611	90	P2-V12	22
P2-DOLLY26	34	P2-K22	36	P2-SC6613	90	P2-V14	22
P2-DOLLY34	34	P2-K24	36	P2-SC6618	90	P2-V21	22
P2-DOLLY36	34	P2-K26	36	P2-SC7211	90	P2-V22	22
P2-DOLLY-H	34	P2-K32	36	P2-SC7213	90	P2-V24	22
P2-F14	34	P2-K34	36	P2-SC7218	90	P2-V32	22
P2-F16	34	P2-K36	36	P2-SC-BKT-MP	94	P2-V34	22
P2-F24	34	P2-L02	20	P2-SC-BKT-PS	94	P2-X30	38
P2-F25	34	P2-L04	20	P2-SC-BKT-PSD	94	P2-X36	38
P2-F26	34	P2-L10	20	P2-SC-BKT-PSE	94	P2-X42	38
P2-F34	34	P2-L12	20	P2-SC-BKT-PST	94	P2-X48	38
P2-F36	34	P2-L14	20	P2SCT2411	92	P2-Y42	38
P2FT4811	96	P2-L16	20	P2SCT2413	92	P2-Y48	38
P2FT4813	96	P2-L21	20	P2SCT2418	92	P3-AL42	48
P2FT4818	96	P2-L22	20	P2SCT3011	92	P3-AL44	48
P2FT6011	96	P2-L24	20	P2SCT3013	92	P3-AL46	48
P2FT6013	96	P2-L25	20	P2SCT3018	92	P3-AL48	48
P2FT6018	96	P2-L26	20	P2SCT3611	92	P3-AL50	48
P2FT7211	96	P2-L32	20	P2SCT3613	92	P3-AL52	48
P2FT7213	96	P2-L34	20	P2SCT3618	92	P3-AL54	48
P2FT7218	96	P2-L36	20	P2SCT4211	92	P3-AL56	48

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
P3-AL62	48	P3-CD60	70	P3-ED50	72	P3-FL38	56
P3-AL64	48	P3-CL10	54	P3-ED52	72	P3-FL46	56
P3-AL66	48	P3-CL12	54	P3-ED54	72	P3-FL50	56
P3-AL68	48	P3-CL14	54	P3-ED56	72	P3-FL52	56
P3-AL70	48	P3-CL16	54	P3-ED58	72	P3-FL54	56
P3-AL72	48	P3-CL18	54	P3-ED60	72	P3-FL56	56
P3-AL74	48	P3-CL20	54	P3-EL10	58	P3-FL58	56
P3-AL76	48	P3-CL22	54	P3-EL12	58	P3-FP06	80
P3-AL82	48	P3-CL30	54	P3-EL14	58	P3-FP10	80
P3-AL84	48	P3-CL32	54	P3-EL16	58	P3-FP12	80
P3-AL86	48	P3-CL34	54	P3-EL18	58	P3-FP14	80
P3-AL88	48	P3-CL36	54	P3-EL20	58	P3-FP16	80
P3-AL90	48	P3-CL38	54	P3-EL30	58	P3-FP18	82
P3-AL92	48	P3-CL40	54	P3-EL32	58	P3-FP26	82
P3-AL94	48	P3-CL42	54	P3-EL34	58	P3-FP30	82
P3-AL96	48	P3-CL50	54	P3-EL36	58	P3-FP32	82
P3-BD62	68	P3-CL52	54	P3-EL38	58	P3-FP34	82
P3-BD64	68	P3-CL54	54	P3-EL40	58	P3-FP36	82
P3-BD82	68	P3-CL56	54	P3-EL50	58	P3-FP38	82
P3-BD84	68	P3-CL58	54	P3-EL52	58	P3-FP46	82
P3-BD86	68	P3-CL60	54	P3-EL54	58	P3-FP50	82
P3-BL42	46	P3-CL62	54	P3-EL56	58	P3-FP52	82
P3-BL44	46	P3-CLEG-C	104	P3-EL58	58	P3-FP54	82
P3-BL46	46	P3-CLEG-F	104	P3-EL60	58	P3-FP56	82
P3-BL48	46	P3-CLEG-PE	130	P3-EP10	82	P3-FP58	82
P3-BL50	46	P3-CLEG-PR	128	P3-EP12	82	P3-HL40	52
P3-BL52	46	P3-CP10	80	P3-EP14	82	P3-HL42	52
P3-BL54	46	P3-CP12	80	P3-EP16	82	P3-HL44	52
P3-BL56	46	P3-CP14	80	P3-EP18	82	P3-HL46	52
P3-BL62	46	P3-CP16	80	P3-EP20	82	P3-HL48	52
P3-BL64	46	P3-CP18	80	P3-EP30	82	P3-HL50	52
P3-BL66	46	P3-CP20	80	P3-EP32	82	P3-HL52	52
P3-BL68	46	P3-CP22	80	P3-EP34	82	P3-HL54	52
P3-BL70	46	P3-CP30	80	P3-EP36	82	P3-HL56	52
P3-BL72	46	P3-CP32	80	P3-EP38	82	P3-HL62	52
P3-BL74	46	P3-CP34	80	P3-EP40	82	P3-HL64	52
P3-BL76	46	P3-CP36	80	P3-EP50	82	P3-HL66	52
P3-BL82	46	P3-CP38	80	P3-EP52	84	P3-HL68	52
P3-BL84	46	P3-CP40	80	P3-EP54	84	P3-HL70	52
P3-BL86	46	P3-CP42	80	P3-EP56	84	P3-HL72	52
P3-BL88	46	P3-CP50	80	P3-EP58	84	P3-HL74	52
P3-BL90	46	P3-CP52	80	P3-EP60	84	P3-HL76	52
P3-BL92	46	P3-CP54	80	P3-FD26	70	P3-HL80	52
P3-BL94	46	P3-CP56	80	P3-FD30	70	P3-HL82	52
P3-BL96	46	P3-CP58	80	P3-FD32	70	P3-HL86	52
P3-BP50	78	P3-CP60	80	P3-FD34	70	P3-HL88	52
P3-BP52	78	P3-CP62	80	P3-FD36	70	P3-HL90	52
P3-BP54	78	P3-DBASEL	106	P3-FD38	70	P3-HL92	52
P3-BP56	78	P3-DBASEL-W	106	P3-FD46	70	P3-HL94	52
P3-BP70	78	P3-DBASEM	106	P3-FD50	70	P3-HL96	52
P3-BP72	78	P3-DBASEM-W	106	P3-FD52	70	P3-IL44	44
P3-BP74	78	P3-DBASES	106	P3-FD54	70	P3-IL46	44
P3-BP76	78	P3-DBASES-W	106	P3-FD56	70	P3-IL48	44
P3-BP96	78	P3-DD48	68	P3-FD58	70	P3-IL50	44
P3-CD30	70	P3-DD54	68	P3-FL06	56	P3-IL52	44
P3-CD32	70	P3-DD60	68	P3-FL10	56	P3-IL54	44
P3-CD34	70	P3-DL48	42	P3-FL12	56	P3-IL56	44
P3-CD36	70	P3-DL54	42	P3-FL14	56	P3-IL64	44
P3-CD38	70	P3-DL60	42	P3-FL16	56	P3-IL66	44
P3-CD40	70	P3-ED30	72	P3-FL18	56	P3-IL68	44
P3-CD50	70	P3-ED32	72	P3-FL26	56	P3-IL70	44
P3-CD52	70	P3-ED34	72	P3-FL30	56	P3-IL72	44
P3-CD54	70	P3-ED36	72	P3-FL32	56	P3-IL74	44
P3-CD56	70	P3-ED38	72	P3-FL34	56	P3-IL76	44
P3-CD58	70	P3-ED40	72	P3-FL36	56	P3-IL88	44

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
P3-IL90	44	P3-RL56	50	P3-SP52	86	P3-TS60	76
P3-IL92	44	P3-RL62	50	P3-SP54	86	P3-VL10	64
P3-IL94	44	P3-RL64	50	P3-SP56	86	P3-VL12	64
P3-IL96	44	P3-RL66	50	P3-SS30	76	P3-VL14	64
P3-J42	38	P3-RL68	50	P3-SS32	76	P3-VL16	64
P3-J48	38	P3-RL70	50	P3-SS34	76	P3-VL18	64
P3-KNOB8	104	P3-RL72	50	P3-SS36	76	P3-VL20	64
P3-L30	38	P3-RL74	50	P3-SS48	74	P3-VL30	64
P3-L36	38	P3-RL76	50	P3-SS50	76	P3-VL32	64
P3-L42	38	P3-RL80	50	P3-SS52	76	P3-VL34	64
P3-L48	38	P3-RL82	50	P3-SS53	76	P3-VL36	64
P3-MD48	68	P3-RL86	50	P3-SS54	74	P3-VL38	64
P3-MD54	68	P3-RL88	50	P3-SS56	76	P3-VL40	64
P3-MD60	68	P3-RL90	50	P3-SS60	74	P3-VL50	64
P3-ML42	42	P3-RL92	50	P3-TL10	62	P3-VL52	64
P3-ML48	42	P3-RL94	50	P3-TL12	62	P3-VL54	64
P3-ML54	42	P3-RL96	50	P3-TL14	62	P3-VL56	64
P3-ML60	42	P3-RP50	78	P3-TL16	62	P3-VL58	64
P3-ND64	68	P3-RP52	78	P3-TL18	62	P3-VL60	64
P3-NL44	42	P3-RP54	78	P3-TL20	62	P3-VP10	88
P3-NL46	42	P3-RP56	78	P3-TL30	62	P3-VP12	88
P3-NL48	42	P3-RP70	78	P3-TL32	62	P3-VP14	88
P3-NL50	42	P3-RP72	78	P3-TL34	62	P3-VP16	88
P3-NL52	42	P3-RP74	78	P3-TL36	62	P3-VP18	88
P3-NL54	42	P3-RP76	78	P3-TL38	62	P3-VP20	88
P3-NL56	42	P3-RP96	78	P3-TL40	62	P3-VP30	88
P3-NL64	42	P3-RR68	74	P3-TL50	62	P3-VP32	88
P3-NL66	42	P3-RR72	74	P3-TL52	62	P3-VP34	88
P3-NL68	42	P3-RR88	74	P3-TL54	62	P3-VP36	88
P3-NL70	42	P3-RR92	74	P3-TL56	62	P3-VP38	88
P3-NL72	42	P3-RS62	74	P3-TL58	62	P3-VP40	88
P3-NL74	42	P3-RS64	74	P3-TL60	62	P3-VP50	88
P3-NL76	42	P3-RS80	74	P3-TLEGU-PE	130	P3-VP52	88
P3-NL88	42	P3-RS82	74	P3-TLEGU-PE30	130	P3-VP54	88
P3-NL90	42	P3-SBASEL	106	P3-TLEGU-PR	128	P3-VP56	88
P3-NL92	42	P3-SBASEL-W	106	P3-TLEGU-PR30	128	P3-VP58	88
P3-NL94	42	P3-SBASEM	106	P3-TP10	86	P3-VP60	88
P3-NL96	42	P3-SBASEM-W	106	P3-TP12	86	P3-VS30	76
P3-NP50	78	P3-SBASES	106	P3-TP14	86	P3-VS32	76
P3-NP52	78	P3-SBASES-W	106	P3-TP16	86	P3-VS34	76
P3-NP54	78	P3-SL10	60	P3-TP18	86	P3-VS36	76
P3-NP56	78	P3-SL12	60	P3-TP20	86	P3-VS38	76
P3-NP70	78	P3-SL14	60	P3-TP30	86	P3-VS40	76
P3-NP72	78	P3-SL16	60	P3-TP32	86	P3-VS50	76
P3-NP74	78	P3-SL30	60	P3-TP34	86	P3-VS52	76
P3-NP76	78	P3-SL32	60	P3-TP36	86	P3-VS54	76
P3-NP96	78	P3-SL34	60	P3-TP38	86	P3-VS56	76
P3-PBASE	108	P3-SL36	60	P3-TP40	86	P3-VS58	76
P3-PBASE-W	108	P3-SL42	50	P3-TP50	86	P3-VS60	76
P3-RBASEL	108	P3-SL48	50	P3-TP52	86	P4-AMP1145A	124
P3-RBASEL-W	108	P3-SL50	60	P3-TP54	86	P4-AMP1145B	124
P3-RBASEM	108	P3-SL52	60	P3-TP56	86	P4-AMP-2A	124
P3-RBASEM-W	108	P3-SL53	60	P3-TP58	86	P4-AMP-2B	124
P3-RBASES	108	P3-SL54	50	P3-TP60	86	P4-AWB20	118
P3-RBASES-W	108	P3-SL56	60	P3-TS30	76	P4-AWB26	118
P3-RBASEXL	108	P3-SL60	50	P3-TS32	76	P4-AWB32	118
P3-RBASEXL-W	108	P3-SP10	86	P3-TS34	76	P4-AWB36	118
P3-RL40	50	P3-SP12	86	P3-TS36	76	P4-AWB42	118
P3-RL42	50	P3-SP14	86	P3-TS38	76	P4-CR	118
P3-RL44	50	P3-SP16	86	P3-TS40	76	P4-MRI	118
P3-RL46	50	P3-SP30	86	P3-TS50	76	P4-PDC-12	124
P3-RL48	50	P3-SP32	86	P3-TS52	76	P4-PDC-21	124
P3-RL50	50	P3-SP34	86	P3-TS54	76	P4-PDC-22	124
P3-RL52	50	P3-SP36	86	P3-TS56	76	P4-PDC-24	124
P3-RL54	50	P3-SP50	86	P3-TS58	76	P4-PP	118

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
P4-RW-C2	104	P5-02	102	P7-VGA-MS-C6-C6	142
P4-RWDA	124	P5-11	102	P7-VGA-MSI	144
P4-RWDB	124	P5-12	102	P7-VGA-MSI-C3-C6	140
P4-RWDOX	124	P5-13	102	P7-VGA-MSI-C6	140
P4-RWDOY	124	P5-14	102	P7-VGA-MSI-C6-C6	142
P4-RWDX	124	P5-15	102	P7-VGA-MSI-RCA	148
P4-RWDY	124	P5-21	102	P7-VGA-MSI-USB	152
P4-RWIN4-CL	128	P5-22	102	P7-VGA-MS-RCA	146
P4-RWIN4-CLE	130	P5-23	102	P7-VGA-MS-USB	152
P4-RWIN4-CR	128	P5-24	102	P7-VGA-RCA	148
P4-RWIN4-CRE	130	P5-25	102	P7-VGA-USB	146
P4-RWIN4-REL	130	P5-26	102	P7-X	154
P4-RWIN4-RER	130	P5-27	102	P8-CE12	32
P4-RWIN4-RL	128	P5-28	102	P8-CE14	32
P4-RWIN4-RR	128	P5-29	102	P8-CE16	32
P4-RWIN4-T	128	P5-C	102	P8-CE22	32
P4-RWIN4-TE	130	P5-D	102	P8-CE24	32
P4-RWJ10	126	P6-C02	30	P8-CE26	32
P4-RWJ17	126	P6-C04	30	P8-CM12	32
P4-RWJ27	126	P6-C06	30	P8-CM14	32
P4-RWJ37	126	P6-C12	30	P8-CM16	32
P4-RWJ47	126	P6-C14	30	P8-CM22	32
P4-RWJ57	126	P6-C16	30	P8-CM24	32
P4-RWJ67	126	P6-C22	30	P8-CM26	32
P4-RWM30	126	P6-C24	30	P8-CS12	32
P4-RWM96	126	P6-C26	30	P8-CS14	32
P4-RWMFJ10	126	P6-C32	30	P8-CS16	32
P4-RWMFJ17	126	P6-C34	30	P8-CS22	32
P4-RWMFJ27	126	P6-C36	30	P8-CS24	32
P4-RWMFJ37	126	P7-3M-3M	144	P8-CS26	32
P4-RWR48	124	P7-3M-3M-3M	146	P8-CS32	32
P4-RWR60	124	P7-3X-3X	144	P8-CS34	32
P4-RWR66	124	P7-C3	132	P8-CS36	32
P4-RWR72	124	P7-C3-C3-C6-C6	134		
P4-RWT	124	P7-C3-C6	132		
P4S-BOXM-E	114	P7-C3-C6-C6	132		
P4S-BOXM-PP-11	112	P7-C3-C6-USB	142		
P4S-BOXM-PP-4511	112	P7-C3I-C3I	136		
P4S-BOXM-PP-5	112	P7-C5-C5	134		
P4S-BOXM-PRA	116	P7-C5-C5-C5	134		
P4S-BOXM-PRB	116	P7-C6	132		
P4S-BOXS-PP-2	112	P7-C6-C6	132		
P4S-BOXS-PP-X	112	P7-C6-C6-C6	134		
P4SD-BOXM-E	114	P7-C6-C6-C6-C6	134		
P4SD-BOXM-PP-11	112	P7-CM	156		
P4SD-BOXM-PP-4511	112	P7-DVI	148		
P4SD-BOXM-PP-5	112	P7-DVI-MSI-MSI	150		
P4SD-BOXM-PRA	116	P7-DVI-MS-MS	150		
P4SD-BOXM-PRB	116	P7-DVI-SV	154		
P4SE45	120	P7-DVI-VGA	148		
P4SE45-S1-BLK	120	P7GR-X	154		
P4SEC45-BLK	120	P7-HDMI	150		
P4SECDA-BLK	120	P7-HDMI-VGA-MS	150		
P4SEDA	120	P7-HDMI-VGA-MSI	152		
P4SEDA-S1-BLK	120	P7-LC-LC	136		
P4-TR1	100	P7-LC-LC-C6-C6	136		
P4-TR2	100	P7-RCA	154		
P4-TR2-LB2	100	P7-SV	154		
P4-WM4	106, 108	P7-USB-USB	146		
P4-WMT-18	118	P7-VGA-C3-C6	138		
P4-WMT-32	118	P7-VGA-C6	136		
P4-WMT-44	118	P7-VGA-C6-C6	138		
P4-WMT-56	118	P7-VGA-MS	144		
P4-WMT-96	118	P7-VGA-MS-C3-C6	138		
P5-01	102	P7-VGA-MS-C6	140		

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."