



KURV™ LOUNGE FURNITURE

PRICE LIST


January 3, 2011

Updated March 7, 2023

800.424.2432



Ordering Customer's Own Material (C.O.M.) Upholstery		
Information		3
Kurv™		
General Information		5
Product Color Options		6
Chair		7
Benches		8



Customer’s Own Material ■
Specifications Form
January 2023

How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor’s website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written spec ifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.

C.O.M. must be supplied in continuous yardage.

Yardage requirements listed in price list are based on plain goods 54” wide. Fabrics less than 54” wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. Consult matrix below for additional yardage needed.

C.O.M. INCREASE MATRIX (yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or K.O.M. upholsteries).

This table is a general guide.

FABRIC WIDTH	PLAIN FABRIC	UNDER 7” REPEAT	8”–13” REPEAT	14”-21” REPEAT	22”-27” REPEAT	28”-33” REPEAT	34”-40” REPEAT	41”-48” REPEAT
54”	0	20%	25%	30%	45%	55%	70%	80%
51”-53”	15%	25%	30%	35%	50%	60%	80%	90%
48”-50”	20%	30%	35%	40%	55%	65%	85%	95%
45”-47”	30%	45%	50%	55%	60%	80%	90%	100%
36”-44”	50%	65%	70%	75%	80%	100%	110%	120%

Fabric with double repeat: If using a fabric with a double repeat, please follow this formula: take the total amount of the larger and half of the smaller repeat; add together to find the correct overall repeat. Example: 10” vertical with 14” horizontal would be 14+5=19.

If fabric comes in on multiple rolls, one additional yard per roll needs to be added to the yardage requirement.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer’s upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. or K.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled as follows:

1. Name and address
2. Your purchase order number
3. Our style number to which fabric is to be applied
4. Supplier name and fabric name, number, and color

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.


Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer’s responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order





C.O.M. SHIPPING LOCATION



Architectural Walls		System 3000..... MN	LimeLite GB
Evoke..... MN		Universal Overheads..... MN	Lyra Lounge Seating..... HN
Genius Walls..... MN		Wireworks MN	Maestro Stack Chairs GB
		Unite..... MN	Medical & Laboratory Stools OM
Casegoods			MyPlace Lounge Seating HN
Aristotle Tackboards.....MN	Residence Hall Furniture		MyWay Seating.....HN
Likha Tackboards..... MN	RoomScape Furniture MN		Oath Task Chairs and Stools..... GB
Classroom Furniture			Opt4 GB
Intellect Wave Chairs..... GB	Screens		Pilot Task Chairs OM
Learn2 GB	All Terrain..... KP		Promenade Seating SystemBW
Ruckus..... GB	Connection Zone.....BW		Ruckus..... GB
	True/Volition KP		Sela Lounge Seating HN
	Genesis..... KP		Sift Task Chairs GB
Desking	Tattoo..... MN		Signia Task Chairs and StoolsOM
700 Series Desking KP	Universal.....BW		Soltice Metal Collection..... HN
Balance Overheads MN			Soltice Multiple, Healthcare & Guest .HN
Genesis Desking..... MN	Seating		Soltice II Healthcare Seating..... HN
True Desking..... KP	400 Series Folding Chairs.....BW		Strive Multiple, Stack & Task GB
Universal Overheads..... MN	600 Series Folding Chairs.....BW		SwayBW
WorkZone Desking MN	600 Series Stools.....BW		Tattoo..... HN
	Affina Collection..... HN		Torsion-on-the-Gol Nesting Chairs GB
Files & Storage	Altus Task Chairs..... GB		Torsion Air Stack and Task Seating GB
700 Series Pedestal Cushion..... GB	Apply Stack Chairs..... GB		Zoetry HN
Connection Zone Pads.....BW	Auditorium Folding ChairsBW		
U-Series Pedestal Cushion..... GB	Calida Lounge Seating HN		
Tattoo.....BW	Diem Task Chairs..... OM		
	Doni Collection..... GB		
Fixed Seating	Gladly Lounge SeatingVQ		
Concerto Auditorium SeatingBW	Grazie Seating GB		
Single Pedestal Seating GB	Hiatus Sleeper Bench HN		
Jury Base Seating..... GB	Hub Modular Lounge Seating HN		
Lancaster Auditorium SeatingBW	Impress Task Chairs OM		
Sequence Seating..... GB	Impress Ultra Task Chairs OM		
University Seating..... GB	Jessa Lounge Seating HN		
	Jubilee Lounge Seating.....VQ		
Panel Systems	Katera Guest Chair..... GB		
All Terrain..... KP	Kurv Benches..... HN		
Balance Overheads MN	LaResta Day Beds HN		

KI C.O.M. Manufacturing Site Addresses:

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107	<u>HN</u> KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263	<u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220	<u>VQ</u> KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623
<u>GB</u> KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	<u>KP</u> KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7	<u>OM</u> KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761	



Backless Bench
(24" and 29" Depth)



Wood Back Bench
(29" Depth)



Upholstered Back Bench (29" Depth)

Features			
Glides	•	•	•
Metal Elements	•	•	•
Upholstery	•	•	•
Dimensions			
Seat width	48", 60" or 78"		48", 60" or 78"
Seat depth	22"		20"
Seat height	17"		17"
Overall width	48", 60" or 78"	48", 60" or 78"	48", 60" or 78"
Overall depth	24" or 29"	29"	29"
Overall height	17"	33"	34"



Backless Tufted Seat
(24" and 29" Depth)



Wood Back Tufted Bench
(29" Depth)

Features		
Glides	•	•
Metal Elements	•	•
Upholstery	•	•
Dimensions		
Seat width	48", 60" or 78"	48", 60" or 78"
Seat depth	22"	
Seat height	17"	
Overall width	48", 60" or 78"	48", 60" or 78"
Overall depth	24" or 29"	29"
Overall height	17"	33"

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Wood Finish - Core (Benches)	
Cherry Storm on Maple	MCX
Cinnamon on Maple	MCN
Cocoa on Maple	MCA
Florence Walnut on Maple	MFC
Kensington Maple on Maple	MMA
Monticello Maple on Maple	MMT
Natural on Beech	BNA
River Cherry on Maple	MRY
Wood Finish - Core (Tables)	
Cherry Storm on Maple	MCX2
Cinnamon on Maple	MCN2
Cocoa on Maple	MCA2
Florence Walnut on Maple	MFC2
Kensington Maple on Maple	MMA2
Monticello Maple on Maple	MMT2
Natural on Beech	BNA2
River Cherry on Maple	MRY2
Leg/Back Support Finish	
Black leg (and back) support finish	BLLEG
Silver leg (and back) support finish	SLVLEG
Pewter leg (and back) support finish	PWLEG

Finish Cards

View color swatches for items listed within this document.

Paints

Wood/Veneer

Molded Edges

Hard Plastics

Plastics/Poly


Laminates

Edge Styles


Glass

Certain options referenced may not be available on GSA Schedule.



			MODEL NUMBER																				
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Leg/Back Support Finish	Ganging Option	Fire Code														
MODEL	Features									Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price
	29" Depth Chair	Non-contrast	540/NC	□□□□		□□□	□□□	□□□	□□□	45.0#	\$ 2015	\$ 2041	\$ 2085	\$ 2139	\$ 2175	\$ 2244	\$ 2318	\$ 2402	\$ 2580	\$ 2760	\$ 2937	\$ 3293	\$ 302
	• Non-contrast C.O.M. = 2 yd	Contrast	540/FC	□□□□	□□□□	□□□	□□□	□□□	□□□	45.0#	2102	2125	2169	2223	2259	2329	2400	2487	2669	2844	3023	3376	302
	• 1 = Back (Fabric Contrast 1) C.O.M. = 1 yd																						
	• 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd																						
	• Ganging includes three brackets per connection																						
			A	B	C	D	E	F	G														



			MODEL NUMBER																				
			Basic Model	Non-Contrast or Fabric Contrast 1	Wood Finish	Leg/ Back Support Finish	Ganging Option	Fire Code															
MODEL		Features							Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	
	24" Depth Bench (48", 60", 78" Width)		Non-contrast	448	□□□□	□□□	□□□	□□□	□□□	62.0#	\$ 2035	\$ 2111	\$ 2133	\$ 2154	\$ 2171	\$ 2204	\$ 2234	\$ 2274	\$ 2351	\$ 2431	\$ 2512	\$ 2671	\$ 245
	• Non-contrast C.O.M = 1.5 yd (48"), 2 yd (60"), 3 yd (78")		Non-contrast	460	□□□□	□□□	□□□	□□□	□□□	77.0#	2315	2428	2457	2493	2518	2566	2612	2672	2790	2908	3031	3267	276
	• Ganging includes three brackets per connection		Non-contrast	478	□□□□	□□□	□□□	□□□	□□□	100.0#	2671	2822	2861	2908	2941	3006	3067	3147	3305	3466	3623	3941	305
	• Back options not available																						
	• Corner element and table not available																						
																	</						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1.
Refer to [ki.com/fabrics](#)
- C**Select wood finish color.
Refer to the **Product Color Options** page in this price list.
- D**Select leg/back support finish.
Refer to the **Product Color Options** page in this price list.
- E**Select ganging option.

NGG

- Non-ganging

GDV

- Ganging; add \$37

Ganging upcharge is per connection.
- F**Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133

See pricing column for TB133 upcharge.

INFORMATION

C.O.M. Requirements
C.O.M. yardage requirements listed above are based on plain goods 54” wide. If less than 54” wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements
Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Minimum Fabric/Leather Quantity
Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft.).

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, a Product Modification Request is

required. Contact Customer Service for details.

Construction
Seat and back are 9 ply cross-laminated curved veneer. Cushioning of high density polyurethane foam. Legs and back supports are silver powder coat - standard. Glides are adjustable, brushed aluminum - standard. Attached cushions.

Gangers
Ganging device is 11-gauge steel powder coated black. 3-3/8” wide x 5/8” deep x 1/16” thick. Ganging device is connected to both units by screwing the device into the underside of the bench’s wood shell. The screws are included with the ganging device.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled unless replacement parts which ship knocked down, FOB High Point, NC 27263, freight prepaid.** Freight class 175

Specifications and prices are subject to change without prior notice.

KURV

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select non-contrast or fabric contrast 1.
Refer to ki.com/fabrics

C Select wood finish color.
Refer to the **Product Color Options** page in this price list.

D Select leg/back support finish.
Refer to the **Product Color Options** page in this price list.

E Select ganging option.

NGG	- Non-ganging
GDV	- Ganging; add \$37

Ganging upcharge is per connection.

F Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See pricing column for TB133 upcharge.

C.O.M. Requirements
C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq. ft.).

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

For California Technical Bulletin 133 compliant models, a Product Modification Request is

Construction
Seat and back are 9 ply cross-laminated curved veneer. Cushioning of high density polyurethane foam. Legs and back supports are silver powder coat - standard. Glides are adjustable, brushed aluminum - standard. Attached cushions.




Ganging device is 11-gauge steel powder coated black. 3-3/8" wide x 5/8" deep x 1/16" thick. Ganging device is connected to both units by screwing the device into the underside of the bench's wood shell. The screws are included with the ganging device.

With specially marked information N/C

**Ships assembled unless replacement parts
which ship knocked down, FOB High Point, NC
27263, freight prepaid. Freight class 175**

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																					
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Leg/Back Support Finish	Ganging Option	Fire Code															
MODEL		Features								Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	
 KURV	29" Depth Bench with Upholstered Back (48" Width) <ul style="list-style-type: none">• Non-contrast C.O.M = 2.75 yd• 1 = Back (Fabric Contrast 1) C.O.M. = 1.25 yd• 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd• Ganging includes three brackets per connection	Non-contrast	548U/NC	□□□□		□□□	□□□	□□□	□□□	75.0#	\$ 3355	\$ 3393	\$ 3455	\$ 3527	\$ 3574	\$ 3678	\$ 3771	\$ 3891	\$ 4138	\$ 4380	\$ 4625	\$ 5114	\$ 223	
		Contrast	548U/FC	□□□□	□□□□	□□□	□□□	□□□	□□□	□□□	75.0#	3439	3477	3537	3612	3655	3759	3857	3976	4222	4464	4712	5199	223
 KURV	29" Depth Bench with Upholstered Back (60" Width) <ul style="list-style-type: none">• Non-contrast C.O.M = 3.5 yd• 1 = Back (Fabric Contrast 1) C.O.M. = 1.5 yd• 2 = Seat (Fabric Contrast 2) C.O.M. = 2.25 yd• Ganging includes three brackets per connection	Non-contrast	560U/NC	□□□□		□□□	□□□	□□□	□□□	94.0#	\$ 3747	\$ 3797	\$ 3872	\$ 3961	\$ 4025	\$ 4152	\$ 4277	\$ 4431	\$ 4741	\$ 5052	\$ 5364	\$ 5985	\$ 264	
		Contrast	560U/FC	□□□□	□□□□	□□□	□□□	□□□	□□□	□□□	94.0#	3828	3880	3957	4046	4111	4239	4359	4516	4823	5138	5447	6071	264
 KURV	29" Depth Bench with Upholstered Back (78" Width) <ul style="list-style-type: none">• Non-contrast C.O.M = 4 yd• 1 = Back (Fabric Contrast 1) C.O.M. = 1.75 yd• 2 = Seat (Fabric Contrast 2) C.O.M. = 3.25 yd• Ganging includes three brackets per connection	Non-contrast	578U/NC	□□□□		□□□	□□□	□□□	□□□	94.0#	\$ 4226	\$ 4278	\$ 4362	\$ 4460	\$ 4526	\$ 4665	\$ 4796	\$ 4961	\$ 5294	\$ 5622	\$ 5957	\$ 6626	\$ 312	
		Contrast	578U/FC	□□□□	□□□□	□□□	□□□	□□□	□□□	□□□	94.0#	4309	4361	4447	4542	4609	4752	4881	5046	5379	5707	6041	6710	312
			A	B	C	D	E	F	G															

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- C**Select fabric contrast 2. Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- D**Select wood finish color. Refer to the **Product Color Options** page in this price list.
- E**Select leg/back support finish. Refer to the **Product Color Options** page in this price list.
- F**Select ganging option.

NGG

GDV

- Non-ganging

- Ganging; add \$37

Ganging upcharge is per connection.
- G**Select fire code.

NFR

- Compliance to TB 117-2013

FR - Compliance to TB 133
See pricing column for TB133 upcharge.

INFORMATION

C.O.M. Requirements
C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements
Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Minimum Fabric/Leather Quantity
Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft.).

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, a Product Modification Request is

required. Contact Customer Service for details.

Construction
Seat and back are 9 ply cross-laminated curved veneer. Cushioning of high density polyurethane foam. Legs and back supports are silver powder coat - standard. Glides are adjustable, brushed aluminum - standard. Attached cushions.

Gangers
Ganging device is 11-gauge steel powder coated black. 3-3/8" wide x 5/8" deep x 1/16" thick. Ganging device is connected to both units by screwing the device into the underside of the bench's wood shell. The screws are included with the ganging device.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled unless replacement parts which ship knocked down, FOB High Point, NC 27263, freight prepaid.** Freight class 175

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																		
			Basic Model	Non-Contrast or Fabric Contrast 1	Wood Finish	Leg/ Back Support Finish	Ganging Option														
MODEL		Features						Approx. Packaged Weight	Grade C.O.M.		Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather
 KRVT	24" Depth Tufted Bench (48", 60", 78" Width) <ul style="list-style-type: none">Non-contrast C.O.M = 2 yd (48"), 2.25 yd (60"), 3 yd (78")Ganging includes three brackets per connectionBack options not availableCorner element and table not available		Non-contrast	448T	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	62.0#	\$ 2565	\$ 2663	\$ 2692	\$ 2723	\$ 2744	\$ 2784	\$ 2826	\$ 2882	\$ 2986	\$ 3092	\$ 3198	\$ 3410
			Non-contrast	460T	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	77.0#	2995	3107	3138	3174	3198	3245	3293	3351	3473	3589	3709	3948
			Non-contrast	478T	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	100.0#	3498	3650	3689	3736	3767	3832	3894	3975	4131	4291	4451	4766

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](#)
- C**Select wood finish color. Refer to the **Product Color Options** page in this price list.
- D**Select leg finish. Refer to the **Product Color Options** page in this price list.
- E**Select ganging option.

NGG

- Non-ganging

GDV

- Ganging; add \$37

Ganging upcharge is per connection.

INFORMATION

C.O.M. Requirements
C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements
Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Minimum Fabric/Leather Quantity
Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft.).

California TB133 Fire Safety Code
Tufted models are not TB133 compliant.

Construction
Seat and back are 9 ply cross-laminated curved veneer. Cushioning of high density polyurethane foam. Legs and back supports are silver powder coat - standard. Glides are adjustable, brushed aluminum - standard. Attached cushions.

Gangers
Ganging device is 11-gauge steel powder coated black. 3-3/8" wide x 5/8" deep x 1/16" thick. Ganging device is connected to both units by screwing the device into the underside of the bench's wood shell. The screws are included with the ganging device.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled unless replacement parts which ship knocked down, FOB High Point, NC 27263, freight prepaid.** Freight class 175

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																	
			Basic Model	Non-Contrast or Fabric Contrast 1	Wood Finish	Leg/Back Support Finish	Ganging Option													
MODEL	Features						Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	
 KRVT	29" Depth Tufted Bench (48", 60", 78" Width) <ul style="list-style-type: none">Non-contrast C.O.M = 1.75 yd (48"), 3.25 yd (60"), 3.5 yd (78")Ganging includes three brackets per connection	Non-contrast	548T	□□□□	□□□	□□□	□□□	62.0#	\$ 3111	\$ 3228	\$ 3290	\$ 3359	\$ 3408	\$ 3502	\$ 3596	\$ 3714	\$ 3949	\$ 4187	\$ 4424	\$ 4893
		Non-contrast	560T	□□□□	□□□	□□□	□□□	77.0#	3452	3608	3682	3774	3837	3813	4084	4239	4550	4860	5169	5792
		Non-contrast	578T	□□□□	□□□	□□□	□□□	100.0#	4007	4191	4280	4389	4460	4605	4750	4932	5290	5654	6013	6735
 KRVT	29" Depth Tufted Bench with Wood Back (48", 60", 78" Width) <ul style="list-style-type: none">Non-contrast C.O.M = 1.75 yd (48"), 3.25 yd (60"), 3.5 yd (78")Ganging includes three brackets per connection	Non-contrast	548WT	□□□□	□□□	□□□	□□□	72.0#	\$ 3826	\$ 3947	\$ 4002	\$ 4075	\$ 4123	\$ 4220	\$ 4310	\$ 4430	\$ 4663	\$ 4899	\$ 5138	\$ 5441
		Non-contrast	560WT	□□□□	□□□	□□□	□□□	90.0#	4300	4454	4527	4619	4683	4809	4933	5086	5393	5709	6022	6634
		Non-contrast	578WT	□□□□	□□□	□□□	□□□	115.0#	4892	5073	5160	5270	5346	5488	5631	5814	6173	6532	6899	7614
			A	B	C	D	E													

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- C**Select wood finish color. Refer to the **Product Color Options** page in this price list.
- D**Select leg finish. Refer to the **Product Color Options** page in this price list.
- E**Select ganging option.

NGG

- Non-ganging

GDV

- Ganging; add \$37

Ganging upcharge is per connection.

INFORMATION

C.O.M. Requirements
C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements
Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Minimum Fabric/Leather Quantity
Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft.).

California TB133 Fire Safety Code
Tufted models are not TB133 compliant.

Construction
Seat and back are 9 ply cross-laminated curved veneer. Cushioning of high density polyurethane foam. Legs and back supports are silver powder coat - standard. Glides are adjustable, brushed aluminum - standard. Attached cushions.

Gangers
Ganging device is 11-gauge steel powder coated black. 3-3/8" wide x 5/8" deep x 1/16" thick. Ganging device is connected to both units by screwing the device into the underside of the bench's wood shell. The screws are included with the ganging device.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled unless replacement parts which ship knocked down, FOB High Point, NC 27263, freight prepaid.** Freight class 175

Specifications and prices are subject to change without prior notice.

1330 Bellevue Street
P.O. Box 8100
Green Bay, WI 54308-8100
800.424.2432
ki.com

KI and Furnishing Knowledge are registered
trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc.
All Rights Reserved.
Code KI-PLW-000446/KI/PDF



Furnishing Knowledge®