Auto-Chlor SYSTEM

Solution QA

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use this product in restaurants, bars, institutional kitchens, and hotels. This product is an effective sanitizer. This product can be used on hard, nonporous surfaces such as: countertops, dishes, cooking utensils, silverware, glassware, appliances, and sinks.

SANITIZING FOOD CONTACT SURFACES:

Use 1/2 ounce per 1 gallon of water-200 ppm active of this product for sanitizing and cleaning of equipment and utensils in restaurants, bars, and institutional kitchens. Prior to application remove gross food particles and soil by a preflush, or pre-scrap and, when necessary, pre-soak treatment. Follow with thorough washing in a good detergent or compatible cleaner, followed by a potable water rinse before applying sanitizer. Apply use-solution to dinnerware and food utensils by immersion. For items which are too large for treatment by immersion, solution may be applied with a cloth, mop, sponge or coarse sprayer. Treated surfaces must remain wet for 60 seconds (1 minute). Drain thoroughly and allow to air dry before reuse. No potable water rinse is required after application of sanitizer. Fresh solutions must be prepared at least daily or sooner if solution becomes diluted or soiled.

At 1/2 oz. per gallon of water this product fulfills the criteria of Appendix F of Grade "A" Pasteurized Milk Ordinance, 2003 Recommendations of the U.S. Public Health Service in water up to 550 ppm (32 grains per gallon) hardness calculated as $CaCO_3$ when tested by the AOAC Germicidal and Detergent/Sanitizing Official Method.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE AND DISPOSAL.

PESTICIDE STORAGE: Do not store on side. Avoid creasing of side walls. Keep this product in locked storage sufficient to make it inaccessible to children and persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of all excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

SOLUTION QA

Sanitizer

For Institutional and Industrial Use Only

ACTIVE INGREDIENT:

n-alkyl (50% C_{14}, 40% C_{12}, 10% C_{16}) dimethyl benzyl ammonium chloride	4.75%
Inert ingredients	95.25%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for precautionary and first aid statements.

Net Contents 2.5 L / 84.5 FL. OZ.

Auto-Chlor SYSTEM