DIRECTIONS:

INITIAL TREATMENT; Use 1 gallon of ALL BOILER Treat for every 1,000 gallons of water in boiler system to change the boiler water.

CONSTANT TREATMENT; Add 1 quart of ALL BOILER Treat for every 1,000 gallons of raw make up water, if the hardness level is less than 70 ppm.

Regulate total hardness in a range from 100 ppm to 250 ppm.

ALL BOILER

03-8761-5

Manufactured for
Liquid Solutions LLC
PO Box 677
Magee, MS 39111

ALL BOILER Preserves Boilers as it Protects Against Corrosion, Rust, Scale and Oxygen Pitting.

For Industrial, Commercial, and Institutional Use Only

KEEP OUT OF REACH OF CHILDREN

DANGER:
CAUSES EYE AND SKIN BURNS.
HARMFUL IF SWALLOWED

PRECAUTIONARY MEASURES:
Contains Sodium Hydroxide. Do Not get in eyes or on skin or clothing. Avoid breathing vapor or mist. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling.
FIRST AID: In case of contact, flush eyes or skin with water for 15 minutes. Remove contaminated clothing. Seek medical attention immediately. If ingested, DO NOT induce vomiting. Drink a glass of water. Do not give anything by mouth to an unconscious person. Seek medical attention
IN CASE OF SPILL: Absorb and properly dispose of waste.

See Material Safety Data Sheet (MSDS)

DIRECTIONS:

INITIAL TREATMENT; Use 1 gallon of ALL BOILER Treat for every 1,000 gallons of water in boiler system to change the boiler water.

CONSTANT TREATMENT; Add 1 quart of ALL BOILER Treat for every 1,000 gallons of raw make up water, if the hardness level is less than 70 ppm.

Regulate total hardness in a range from 100 ppm to 250 ppm.

ALL BOILER

03-8761-5

Manufactured for
Liquid Solutions LLC
PO Box 677
Magee, MS 39111

ALL BOILER Preserves Boilers as it Protects Against Corrosion, Rust, Scale and Oxygen Pitting.

For Industrial, Commercial, and Institutional Use Only

KEEP OUT OF REACH OF CHILDREN

DANGER:
CAUSES EYE AND SKIN BURNS.
HARMFUL IF SWALLOWED

PRECAUTIONARY MEASURES:
Contains Sodium Hydroxide. Do Not get in eyes or on skin or clothing. Avoid breathing vapor or mist. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling.
FIRST AID: In case of contact, flush eyes or skin with water for 15 minutes. Remove contaminated clothing. Seek medical attention immediately. If ingested, DO NOT induce vomiting. Drink a glass of water. Do not give anything by mouth to an unconscious person. Seek medical attention
IN CASE OF SPILL: Absorb and properly dispose of waste.

See Material Safety Data Sheet (MSDS)