Use this product in day care centers, nursing homes, institutional facilities, public restrooms, schools, health care facilities, colleges, locker rooms and prisons. This product is for use on the following washable hard, non porous surfaces of: countertops, tables (non-wooden picnic tables), outdoor furniture (except cushions and wood frames), chairs, desks, telephones, walls, cabinets, doorknobs, shower stalls (fiberglass), tubs (fiberglass), toilets, sinks (bathroom) (kitchen) (Fiberglass), Formica® laminated surfaces, and hard non porous surfaces made of metal, stainless steel, glazed porcelain, glazed ceramic, sealed stone and plastic. **Formica® is a registered trademark of The Diller Corporation.*

This product is a hospital disinfectant for precleaned surfaces at 5 ounces per gallon, is bactericidal according to the AOAC Use-Dilution Test method, Virucidal* according to the virucidal qualification, a Mildewstat according to Mildewstat guidelines, against: Bacteria: Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus, Enterobacter aerogenes, Escherichia coli, Shigella sonnei, Streptococcus pyogenes, Staphylococcus aureus - Methicillin-Resistant (MRSA). *Viruses: *Herpes Simplex Virus Type 2, *HIV-1 (AIDS Virus), *Influenza A/Brazil Virus. Fungi: Aspergillus niger, Candida albicans.This product is specially formulated to effectively eliminate offensive odors caused by mold and mildew. Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu).

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

DIRECTIONS FOR USE:
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Preparation of use-solution: Add 5 oz. per gallon of water, to disinfect hard precleaned nonporous surfaces.
To Clean and Deodorize or to Preclean Prior to Disinfection: Depending on the soil level of the area to be cleaned, use 12 - 16 oz. of this product per gallon of water. Rub with brush, sponge or cloth. Wipe dry with a clean cloth or sponge or let air dry. **Disinfection/*-Virucidal Directions:** Remove gross filth or heavy soil, then thoroughly clean surfaces. Apply **use-solution** to hard nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge or sprayer. For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from surface, rub with brush, sponge or cloth. Avoid breathing spray. Treated surfaces must remain wet for 10 minutes. Wipe dry with a clean cloth or sponge or let air dry. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware or dishes. Prepare a fresh solution daily or more often if the use-solution becomes visibly diluted or soiled. This product is not for use on medical device surfaces. ***KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS). **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. PERSONAL PROTECTION:** Clean-up should always be done wearing protective latex gloves, gowns, masks, eye protection. **CLEANING PROCEDURE:** Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this product. **CONTACT TIME:** Leave surfaces wet for 1 minute (60 seconds). Use a 10 minute contact time for disinfection against all other viruses, bacteria and fungi claimed.
DISPOSAL OF INFECTIOUS MATERIAL: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal. **For Mildew Control:** Follow directions for Disinfection. Repeat treatment every seven days or when new growth appears. **Deodorizing Directions: Nursing Homes, Hospitals, Hotels, Schools:** 2 - 4 oz. in chemical toilets, waste receptacles, bed pans, drainage bottles, diaper pails, hampers, disposals, commodes and air conditioner pans will eliminate odors.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

DANGER. Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Avoid contact with skin. Wear protective eyewear (goggles, face shield or safety glasses) and protective gloves (rubber, chemical resistant) when handling. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE:
Open dumping is prohibited. Store in original container in areas inaccessible to children.

PESTICIDE DISPOSAL:
Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:
Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying.

Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

Sold by: Jackson Newell PAPER COMPANIES

Made in USA

JACKSON, MS 800-844-5449
COLUMBUS, MS 800-844-1467
1212 GRAND AVENUE MERIDIAN, MS 39301 800-844-8894
HATTIESBURG, MS 800-530-7537
DEMOPOLIS, AL 800-652-2768

RLB9575

0131518

New-Jax

NEUTRAL DISINFECTANT CLEANER

Disinfectant • Deodorant • Cleaner

Kills Pseudomonas, Salmonella, and Staphylococcus
*Virucidal**

ACTIVE INGREDIENTS:
Alkyl (58% C_{14}, 28% C_{16}, 14% C_{12}) dimethyl benzyl ammonium chloride 2.00%
OTHER INGREDIENTS 98.00%
TOTAL 100.00%

EPA EST. NO. 4170-OH-2
EPA REG. NO. 6836-165-11876

KEEP OUT OF REACH OF CHILDREN
DANGER
PELIGRO
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND FIRST AID.

NET CONTENTS:
1 U.S. GALLON (3.78 L)

New-Jax

NEUTRAL DISINFECTANT CLEANER

Disinfectant • Deodorant • Cleaner

Kills Pseudomonas, Salmonella, and Staphylococcus
*Virucidal**

ACTIVE INGREDIENTS:
Alkyl (58% C_{14}, 28% C_{16}, 14% C_{12})
dimethyl benzyl ammonium chloride 2.00%
OTHER INGREDIENTS 98.00%
TOTAL 100.00%

EPA EST. NO. 4170-OH-2
EPA REG. NO. 6836-165-11876

KEEP OUT OF REACH OF CHILDREN
DANGER
PELIGRO
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND FIRST AID.

NET CONTENTS:
5 U.S. GALLONS (18.9 L)

RLB9576 0131518

NOTIFICATION
AVISO
AVIS

Children can fall into bucket and drown.

Keep children away from buckets with even a small amount of liquid.

Los niños pueden caerse en el balde y ahogarse.

Mantenga los niños alejados de baldes, incluso los que solo contienen una pequeña cantidad de liquido.

Les enfants peuvent tomber dans le seau et se noyer.

Garder le seau loin des enfants, même s'il contient peu de liquide.

RLB9577

New-Jax NEUTRAL DISINFECTANT CLEANER

Disinfectant • Deodorant • Cleaner

Use this product in day care centers, nursing homes, institutional facilities, public restrooms, schools, health care facilities, colleges, locker rooms and prisons. This product is for use on the following washable hard, non porous surfaces of: countertops, tables (non-wooden picnic tables), outdoor furniture (except cushions and wood frames), chairs, desks, telephones, walls, cabinets, doorknobs, shower stalls (fiberglass), tubs (fiberglass), toilets, sinks (bathroom) (kitchen) (Fiberglass), Formica® laminated surfaces, and hard non porous surfaces made of metal, stainless steel, glazed porcelain, glazed ceramic, sealed stone and plastic. **Formica® is a registered trademark of The Diller Corporation.*

This product is a hospital disinfectant for precleaned surfaces at 5 ounces per gallon, is bactericidal according to the AOAC Use-Dilution Test method, Virucidal* according to the virucidal qualification, a Mildewstat according to Mildewstat guidelines, against: Bacteria: Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus, Enterobacter aerogenes, Escherichia coli, Shigella sonnei, Streptococcus pyogenes, Staphylococcus aureus - Methicillin-Resistant (MRSA). *Viruses: *Herpes Simplex Virus Type 2, *HIV-1 (AIDS Virus), *Influenza A/Brazil Virus. Fungi: Aspergillus niger, Candida albicans.This product is specially formulated to effectively eliminate offensive odors caused by mold and mildew. Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu).

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

DIRECTIONS FOR USE:
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Preparation of use-solution: Add 5 oz. per gallon of water, to disinfect hard precleaned nonporous surfaces.
To Clean and Deodorize or to Preclean Prior to Disinfection: Depending on the soil level of the area to be cleaned, use 12 - 16 oz. of this product per gallon of water. Rub with brush, sponge or cloth. Wipe dry with a clean cloth or sponge or let air dry. **Disinfection/*Virucidal Directions:** Remove gross filth or heavy soil, then thoroughly clean surfaces. Apply **use-solution** to hard nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge or sprayer. For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from surface, rub with brush, sponge or cloth. Avoid breathing spray. Treated surfaces must remain wet for 10 minutes. Wipe dry with a clean cloth or sponge or let air dry. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware or dishes. Prepare a fresh solution daily or more often if the use-solution becomes visibly diluted or soiled. This product is not for use on medical device surfaces. ***KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS). **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. PERSONAL PROTECTION:** Clean-up should always be done wearing protective latex gloves, gowns, masks, eye protection. **CLEANING PROCEDURE:** Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this product. **CONTACT TIME:** Leave surfaces wet for 1 minute (60 seconds). Use a 10 minute contact time for disinfection against all other viruses, bacteria and fungi claimed.
DISPOSAL OF INFECTIOUS MATERIAL: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal. **For Mildew Control:** Follow directions for Disinfection. Repeat treatment every seven days or when new growth appears. **Deodorizing Directions: Nursing Homes, Hospitals, Hotels, Schools:** 2 - 4 oz. in chemical toilets, waste receptacles, bed pans, drainage bottles, diaper pails, hampers, disposals, commodes and air conditioner pans will eliminate odors.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

DANGER. Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Avoid contact with skin. Wear protective eyewear (goggles, face shield or safety glasses) and protective gloves (rubber, chemical resistant) when handling. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE:

Open dumping is prohibited. Store in original container in areas inaccessible to children.

PESTICIDE DISPOSAL:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying.
Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

Sold by: Jackson Newell PAPER COMPANIES

JACKSON, MS 800-844-5449
COLUMBUS, MS 800-844-1467
1212 GRAND AVENUE MERIDIAN, MS 39301 800-844-8894
HATTIESBURG, MS 800-530-7537
DEMOPOLIS, AL 800-652-2768

Made in USA

0131518