Buckeye®

SANICARE TBX™

DISINFECTANT CLEANER DEODORIZER

SANICARE TBX is designed specifically as a general non-acid cleaner and disinfectant for use in hospitals, nursing homes, schools, and lodging establishments.

EPA REG. NO 1839-83-559 EPA EST. NO 559-MO-1

U.S. Patent No. 5,444,094

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. See original container label for full instructions and caution statements.

DISINFECTION, DEODORIZING AND CLEANING

Remove gross filth or heavy soil prior to application of the product. Hold container six to eight inches from surface to be treated. Spray area until it is covered with the solution. Allow product to penetrate and the surface to remain wet for **3 minutes** (for Bloodborne Pathogens: allow surface to remain wet for HIV-1 **1 minute** and for HBV and HCV **5 mintues**). No scrubbing is necessary. Wipe off with a clean cloth, mop or sponge. The product will not leave grit or soap scum.

☐ Concentrated Product Sample ☐ Diluted Product

•NOT FOR SALE• _____ DILUTION

CONTAINS: Diethylene glycol n-butyl ether CAS# 112-34-5, Tetrasodium ethylenediaminetetraacetate CAS# 64-02-8, n-Alkyl (60% C_{14}, 30% C_{16}, 5% C_{12}, 5% C_{18}) dimethyl benzyl ammonium chlorides CAS# 68391-01-5 and n-Alkyl (68% C_{12}, 32% C_{14}) dimethyl ethylbenzyl ammonium chlorides CAS# 68956-79-6.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

KEEP OUT OF REACH OF CHILDREN. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. For medical emergencies only, call 800-303-0441. Outside North America call 651-632-8956.

SEE MATERIAL SAFETY DATA SHEET • KEEP OUT OF REACH OF CHILDREN • FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

Buckeye International, Inc.

2700 Wagner Place • Maryland Heights • MO 63043 • USA

314.291.1900 • www.buckeyeinternational.com

2036 (7/13)