

Harry Lee James, P.E.

412E Woodow Wilson Ase

Jackson, Mssissipi 39216

Fax (601) 359-7141

State Aid Engineer

P.O. Box 1850

November 8, 2021



Board of Supervisors

c/o Chancery Clerk Purvis, MS 39475 Gentlemen:

Lamar County

RE:

STATE AID PROJECT PROJECT NO. SAP-37(17)M

LAMAR COUNTY

The Plans and specifications for the above numbered project have been reviewed and are herewith approved. You are, therefore, authorized to advertise this project for bids. The work to be done under this project consists of Overlay.

The date for opening these bids has been set for Wednesday, December 15, 2021 at 11:00 a.m. in the Courthouse at Purvis.

In accordance with the Provisions of Section 31-7-13, Mississippi Code of 1972 as amended by House Bills numbered 901 and 1306 of the 1991 regular Legislative Session, the advertisement for receipt of bids on this project must be made once each week for two (2) consecutive weeks in a regular newspaper published in your county and, further, that the date as published for the bid opening shall not be less than fifteen (15) working days after the last published notice. The date, as set above, should be no sooner than the sixteenth working day after the last advertisement appears in the newspaper.

We are returning herewith an approved copy of the Plans and Proposal Documents to be filed by your Clerk when advertisement is begun.

Sincerely,

Harry Lee James, P. E. State Aid Engineer

Evelyn Hollins By:

Administrative Assistant

pc:

Donald E. Walker, P.E., Co. Eng./Project Eng. Supervisor District(s) 1,2,3,4,5
Jay Richardson, P.E.
F.H.W.A., 00-01 (if Federal)
System Consultants Associates McGraw Hill Construction Dodge

MS Procurement Technical Assistance Program Associated General Contractors of Mississippi, Inc.

M.R.B.A Project File

OFFICE OF STATE AID ROAD CONSTRUCTION MISSISSIPPI DEPARTMENT OF TRANSPORTATION AND

LAMAR COUNTY BOARD OF SUPERVISORS

SECTION 900

NOTICE TO CONTRACTORS:

Sealed bids will be received by the Board of Supervisors of Lamar County, Mississippi at the Lamar County Courthouse, Purvis, Mississippi, until day of , and shortly thereafter publicly opened for the construction of 23.872 miles of OVERLAY on ROADS "A" - "P" being known as Project No. SAP-37(17)M in Lamar County, Mississippi.

PRINCIPAL ITEMS OF WORK ARE APPROXIMATELY AS FOLLOWS:

MOBILIZATION LUMP SUM LS REMOVAL OF EXISTING TRAFFIC STRIPE 2,817.000 LF REMOVAL OF PAVEMENT (ALL DEPTHS) 781.000 SY REMOVAL OF PAVEMENT (ALL DEPTHS) 781.000 SY REMOVAL OF PAVEMENT (ALL SIZES) 106.000 LF REMOVAL OF PIPE (ALL SIZES) 106.000 CY REMOVAL OF PIPE (ALL SIZES) 107.000 CY REMOVAL OF PIPE (ALL SIZES) 107.000 CY BORROW EXCAVATION (FM) 812.000 CY BORROW EXCAVATION (FM) 7,060.000 CY STRUCTURE EXCAVATION 40.000 CY STRUCTURE EXCAVATION 40.000 CY STRUCTURE EXCAVATION 28.400 CY PORTLAND CEMENT CONCRETE 28.400 CY GRANULAR MATERIAL (LVM), 3,825.000 CY (CLASS '5", GROUP "B") CRUSHED STOME 2,062.000 TON HOT MIX ASPHALT, ST, 9.5 MM 11,803.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON BASE REPAIR HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON BASE REPAIR COLD MILLING OF BITUMINOUS 1,017.000 SY PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT 15,300.000 GAL ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON ULTRA THIN ASPHALT PAVEMENT 3,749.000 TON ULTRA THIN ASPHALT PAVEMENT 3,749.000 TON SAW CUT, (4" DEPTH) 250.000 LF CLASS "B" STRUCTURAL CONCRETE, 0.252 CY MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 120.000 LF ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000	ITEM	QUANTITY	UNIT
MOBILIZATION	DOADWAY ITEMS		
MOBILIZATION LEREMOVAL OF EXISTING TRAFFIC STRIPE 2,817.000 LF REMOVAL OF PAVEMENT (ALL DEPTHS) 781.000 SY REMOVAL OF PAVEMENT (ALL DEPTHS) 781.000 SY REMOVAL OF PAVEMENT (ALL DEPTHS) 106.000 LF UNCLASSIFIED EXCAVATION (FM) 175.000 CY UNCLASSIFIED EXCAVATION (FM) 812.000 CY UNCLASSIFIED EXCAVATION (FM) 812.000 CY BORROW EXCAVATION) (CONTRACTOR 185.000 CY FURNISHED, LVM, CLASS 9-8) CY STRUCTURE EXCAVATION (FM) 7,060.000 CY STRUCTURE EXCAVATION 40.000 CY PORTLAND CEMENT CONCRETE 28.400 CY PAVED DITCH (CLASS "5", GROUP "B") CRUSHED STONE 2,062.000 TON HOT MIX ASPHALT, ST, 9.5 MM 11,803.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON BASE REPAIR (COLD MILLING OF BITUMINOUS 1,017.000 SY PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT 15,300.000 GAL ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON SAW CUT, (4" DEPTH) 250.000 LF CLASS "B" STRUCTURES 22" X 13" REINFORCED CONCRETE 4.000 EA	KOADWAI IIEMO.		
REMOVAL OF EXISTING TRAFFIC STRIPE REMOVAL OF PAYEMENT (ALL DEPTHS) REMOVAL OF PAYEMENT (ALL DEPTHS) REMOVAL OF PIPE (ALL SIZES) UNCLASSIFIED EXCAVATION (FM) UNCLASSIFIED EXCAVATION (FM) REROVAL OF PAYEMENT (FM) UNCLASSIFIED EXCAVATION (FM) RORROW EXCAVATION) (CONTRACTOR RECESS EXCAVATION (FM) RECESS EXCAVA	MORTI.TZATTON	LUMP SUM	LS
REMOVAL OF PAVEMENT (ALL DEPTHS) 781.000 SY REMOVAL OF PIPE (ALL SIZES) 106.000 LF UNCLASSIFIED EXCAVATION (FM) 175.000 CY UNCLASSIFIED EXCAVATION (FM) 812.000 CY BORROW EXCAVATION) (CONTRACTOR 185.000 CY EVENTISHED, LVM, CLASS 9-8) EXCESS EXCAVATION (FM) 7,060.000 CY STRUCTURE EXCAVATION (FM) 40.000 CY STRUCTURE EXCAVATION 40.000 CY PORTLAND CEMENT CONCRETE 28.400 CY PAVED DITCH GRANULAR MATERIAL (LVM), 3,825.000 CY (CLASS "5", GROUP "B") CRUSHED STONE 2,062.000 TON HOT MIX ASPHALT, ST, 9.5 MM 11,803.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON BASE REPAIR HOT MIX ASPHALT, ST, 12.5 MM, 205.000 TON EDGE REPAIR COLD MILLING OF BITUMINOUS 1,017.000 SY PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT 15,300.000 GAL ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON SAW CUT, (4" DEPTH) 250.000 LF CLASS "B" STRUCTURAL CONCRETE, 0.252 CY MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 4.000 EA		2,817.000	$_{ m LF}$
REMOVAL OF PIPE (ALL SIZES) REMOVAL OF PIPE		781.000	SY
UNCLASSIFIED EXCAVATION (FM) 175.000 CY UNCLASSIFIED EXCAVATION (FM) 812.000 CY BORROW EXCAVATION) (CONTRACTOR 185.000 CY FURNISHED, LVM, CLASS 9-8) EXCESS EXCAVATION (FM) 7,060.000 CY STRUCTURE EXCAVATION 40.000 CY PORTLAND CEMENT CONCRETE 28.400 CY PORTLAND CEMENT CONCRETE 28.400 CY FORTULAR MATERIAL (LVM), 3,825.000 CY (CLASS "5", GROUP "B") CRUSHED STONE 2,062.000 TON HOT MIX ASPHALT, ST, 9.5 MM 11,803.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON BASE REPAIR HOT MIX ASPHALT, ST, 12.5 MM, 205.000 TON EDGE REPAIR COLD MILLING OF BITUMINOUS 1,017.000 SY PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT 15,300.000 GAL ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON SAW CUT, (4" DEPTH) 250.000 LF CLASS "B" STRUCTURAL CONCRETE, MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 4.000 EA		106.000	LF
UNCLASSIFIED EXCAVATION (FM) 812.000 CY BORROW EXCAVATION) (CONTRACTOR 185.000 CY FURNISHED, LVM, CLASS 9-8) EXCESS EXCAVATION (FM) 7,060.000 CY STRUCTURE EXCAVATION 40.000 CY PORTLAND CEMENT CONCRETE 28.400 CY PAVED DITCH GRANULAR MATERIAL (LVM), 3,825.000 CY (CLASS "5", GROUP "B") CRUSHED STONE 2,062.000 TON HOT MIX ASPHALT, ST, 9.5 MM 11,803.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON BASE REPAIR HOT MIX ASPHALT, ST, 12.5 MM, 205.000 TON EDGE REPAIR COLD MILLING OF BITUMINOUS 1,017.000 SY PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT 15,300.000 GAL ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON SAW CUT, (4" DEPTH) 250.000 LF CLASS "B" STRUCTURAL CONCRETE, 0.252 CY MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 4.000 EA		175.000	CY
BORROW EXCAVATION) (CONTRACTOR 185.000 CY FURNISHED, LVM, CLASS 9-8) EXCESS EXCAVATION (FM) 7,060.000 CY STRUCTURE EXCAVATION 40.000 CY PORTLAND CEMENT CONCRETE 28.400 CY PAVED DITCH GRANULAR MATERIAL (LVM), 3,825.000 CY (CLASS "5", GROUP "B") CRUSHED STONE 2,062.000 TON HOT MIX ASPHALT, ST, 9.5 MM 11,803.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 327.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON BASE REPAIR COLD MILLING OF BITUMINOUS 1,017.000 SY PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT 15,300.000 GAL ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON ULTRA THIN ASPHALT PAVEMENT 3,749.000 TON SAW CUT, (4" DEPTH) 250.000 LF CLASS "B" STRUCTURAL CONCRETE, 0.252 CY MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 4.000 EA		812.000	CY
FURNISHED, LVM, CLASS 9-8) EXCESS EXCAVATION (FM) 7,060.000 CY STRUCTURE EXCAVATION 40.000 CY PORTLAND CEMENT CONCRETE 28,400 CY PAVED DITCH GRANULAR MATERIAL (LVM), (CLASS "5", GROUP "B") CRUSHED STONE 2,062.000 TON HOT MIX ASPHALT, ST, 9.5 MM 11,803.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON BASE REPAIR HOT MIX ASPHALT, ST, 12.5 MM, 205.000 TON EDGE REPAIR COLD MILLING OF BITUMINOUS 1,017.000 SY PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT 15,300.000 GAL ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON ULTRA THIN ASPHALT PAVEMENT 3,749.000 TON SAW CUT, (4" DEPTH) 250.000 LF CLASS "B" STRUCTURAL CONCRETE, 0.252 CY MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 4.000 EA		185.000	CY
EXCESS EXCAVATION (FM) 7,060.000 CY STRUCTURE EXCAVATION 40.000 CY PORTLAND CEMENT CONCRETE 28.400 CY PAVED DITCH GRANULAR MATERIAL (LVM), 3,825.000 CY (CLASS "5", GROUP "B") CRUSHED STONE 2,062.000 TON HOT MIX ASPHALT, ST, 9.5 MM 11,803.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON BASE REPAIR HOT MIX ASPHALT, ST, 12.5 MM, 205.000 TON EDGE REPAIR COLD MILLING OF BITUMINOUS 1,017.000 SY PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT 15,300.000 GAL ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON ULTRA THIN ASPHALT PAVEMENT 3,749.000 TON SAW CUT, (4" DEPTH) 250.000 LF CLASS "B" STRUCTURAL CONCRETE, 0.252 CY MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 4.000 EA			
STRUCTURE EXCAVATION 40.000 CY PORTLAND CEMENT CONCRETE 28.400 CY PAVED DITCH GRANULAR MATERIAL (LVM), 3,825.000 CY (CLASS "5", GROUP "B") CRUSHED STONE 2,062.000 TON HOT MIX ASPHALT, ST, 9.5 MM 11,803.000 TON HOT MIX ASPHALT, ST, 12.5 MM 327.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON BASE REPAIR HOT MIX ASPHALT, ST, 12.5 MM, 205.000 TON EDGE REPAIR COLD MILLING OF BITUMINOUS 1,017.000 SY PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT 15,300.000 GAL ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON ULTRA THIN ASPHALT PAVEMENT 3,749.000 TON SAW CUT, (4" DEPTH) CLASS "B" STRUCTURAL CONCRETE, 0.252 CY MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 120.000 EA		7,060.000	CY
PORTLAND CEMENT CONCRETE PAVED DITCH GRANULAR MATERIAL (LVM), (CLASS "5", GROUP "B") (CRUSHED STONE HOT MIX ASPHALT, ST, 9.5 MM HOT MIX ASPHALT, ST, 12.5 MM, HOT MIX ASPHALT, ST, 12.5 MM, BASE REPAIR HOT MIX ASPHALT, ST, 12.5 MM, EDGE REPAIR COLD MILLING OF BITUMINOUS ASPHALT FOR TACK COAT ULTRA THIN ASPHALT PAVEMENT SASPHALT FOR TACK COAT ULTRA THIN ASPHALT PAVEMENT SAW CUT, (4" DEPTH) CLASS "B" STRUCTURAL CONCRETE, MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA		40.000	CY
PAVED DITCH GRANULAR MATERIAL (LVM), (CLASS "5", GROUP "B") CRUSHED STONE (NOT MIX ASPHALT, ST, 9.5 MM HOT MIX ASPHALT, ST, 12.5 MM, HOT MIX ASPHALT, ST, 12.5 MM, BASE REPAIR HOT MIX ASPHALT, ST, 12.5 MM, EDGE REPAIR COLD MILLING OF BITUMINOUS PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT ULTRA THIN ASPHALT PAVEMENT SAW CUT, (4" DEPTH) SAW CUT, (4" DEPTH) CLASS "B" STRUCTURAL CONCRETE, MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE ACCORD TON TON TON CY CY TON TON TON A3,825.000 TON TON TON A1,803.000 TON SY PAVEMENT, ALL DEPTHS A,662.000 TON TON TON TON LF CLASS "B" STRUCTURAL CONCRETE, MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA		28,400	CY
GRANULAR MATERIAL (LVM), (CLASS "5", GROUP "B") CRUSHED STONE HOT MIX ASPHALT, ST, 9.5 MM HOT MIX ASPHALT, ST, 12.5 MM, HOT MIX ASPHALT, ST, 12.5 MM, BASE REPAIR HOT MIX ASPHALT, ST, 12.5 MM, EDGE REPAIR COLD MILLING OF BITUMINOUS PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT ULTRA THIN ASPHALT PAVEMENT SAW CUT, (4" DEPTH) CLASS "B" STRUCTURAL CONCRETE, MINOR STRUCTURES 2.062.000 LF CY CY MINOR STRUCTURES 2.062.000 CY TON TON SY PAVEMENT, ALL DEPTHS 3,749.000 LF CLASS "B" STRUCTURAL CONCRETE, MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA			
(CLASS "5", GROUP "B") CRUSHED STONE HOT MIX ASPHALT, ST, 9.5 MM HOT MIX ASPHALT, ST, 12.5 MM HOT MIX ASPHALT, ST, 12.5 MM HOT MIX ASPHALT, ST, 12.5 MM, 804.000 BASE REPAIR HOT MIX ASPHALT, ST, 12.5 MM, 205.000 EDGE REPAIR COLD MILLING OF BITUMINOUS PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT ULTRA THIN ASPHALT PAVEMENT SAW CUT, (4" DEPTH) CLASS "B" STRUCTURAL CONCRETE, 0.252 MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 TON TON TON TON TON TON TON		3,825.000	CY
CRUSHED STONE 2,062.000 TON HOT MIX ASPHALT, ST, 9.5 MM 11,803.000 TON HOT MIX ASPHALT, ST, 12.5 MM 327.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON BASE REPAIR HOT MIX ASPHALT, ST, 12.5 MM, 205.000 TON EDGE REPAIR COLD MILLING OF BITUMINOUS 1,017.000 SY PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT 15,300.000 GAL ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON ULTRA THIN ASPHALT PAVEMENT 3,749.000 TON SAW CUT, (4" DEPTH) 250.000 LF CLASS "B" STRUCTURAL CONCRETE, 0.252 CY MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 120.000 LF ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA			
HOT MIX ASPHALT, ST, 9.5 MM HOT MIX ASPHALT, ST, 12.5 MM HOT MIX ASPHALT, ST, 12.5 MM HOT MIX ASPHALT, ST, 12.5 MM, BASE REPAIR HOT MIX ASPHALT, ST, 12.5 MM, BASE REPAIR HOT MIX ASPHALT, ST, 12.5 MM, EDGE REPAIR COLD MILLING OF BITUMINOUS RAPHALT FOR TACK COAT LITRA THIN ASPHALT PAVEMENT ULTRA THIN ASPHALT PAVEMENT SAW CUT, (4" DEPTH) CLASS "B" STRUCTURAL CONCRETE, MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 TON TON TON 327.000 TON 205.000 TON SY FAM 15,300.000 TON 250.000 TON 250.000 LF 250.000 LF 250.000 LF 260.000 LF 27.000 LF 280.000 LF 280.00	•	2,062.000	TON
HOT MIX ASPHALT, ST, 12.5 MM, 327.000 TON HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON BASE REPAIR HOT MIX ASPHALT, ST, 12.5 MM, 205.000 TON EDGE REPAIR COLD MILLING OF BITUMINOUS 1,017.000 SY PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT 15,300.000 GAL ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON ULTRA THIN ASPHALT PAVEMENT 3,749.000 TON SAW CUT, (4" DEPTH) 250.000 LF CLASS "B" STRUCTURAL CONCRETE, 0.252 CY MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 120.000 LF ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA		11,803.000	TON
HOT MIX ASPHALT, ST, 12.5 MM, 804.000 TON BASE REPAIR HOT MIX ASPHALT, ST, 12.5 MM, 205.000 TON EDGE REPAIR COLD MILLING OF BITUMINOUS 1,017.000 SY PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT 15,300.000 GAL ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON ULTRA THIN ASPHALT PAVEMENT 3,749.000 TON SAW CUT, (4" DEPTH) 250.000 LF CLASS "B" STRUCTURAL CONCRETE, 0.252 CY MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 120.000 LF ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA		327.000	TON
BASE REPAIR HOT MIX ASPHALT, ST, 12.5 MM, 205.000 TON EDGE REPAIR COLD MILLING OF BITUMINOUS 1,017.000 SY PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT 15,300.000 GAL ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON ULTRA THIN ASPHALT PAVEMENT 3,749.000 TON SAW CUT, (4" DEPTH) 250.000 LF CLASS "B" STRUCTURAL CONCRETE, 0.252 CY MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 120.000 LF ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA		804.000	TON
HOT MIX ASPHALT, ST, 12.5 MM, 205.000 TON EDGE REPAIR COLD MILLING OF BITUMINOUS 1,017.000 SY PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT 15,300.000 GAL ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON ULTRA THIN ASPHALT PAVEMENT 3,749.000 TON SAW CUT, (4" DEPTH) 250.000 LF CLASS "B" STRUCTURAL CONCRETE, 0.252 CY MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 120.000 LF ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA			
EDGE REPAIR COLD MILLING OF BITUMINOUS PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT ULTRA THIN ASPHALT PAVEMENT ULTRA THIN ASPHALT PAVEMENT SAW CUT, (4" DEPTH) CLASS "B" STRUCTURAL CONCRETE, MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 SY SY SY SY HO 17.000 SY SY HO 17.000 GAL 15,300.000 TON 3,749.000 LF 0.252 CY MINOR STRUCTURES 120.000 LF 4.000 EA		205.000	TON
COLD MILLING OF BITUMINOUS 1,017.000 SY PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT 15,300.000 GAL ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON ULTRA THIN ASPHALT PAVEMENT 3,749.000 TON SAW CUT, (4" DEPTH) 250.000 LF CLASS "B" STRUCTURAL CONCRETE, 0.252 CY MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 120.000 LF ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA			
PAVEMENT, ALL DEPTHS ASPHALT FOR TACK COAT 15,300.000 GAL ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON ULTRA THIN ASPHALT PAVEMENT 3,749.000 TON SAW CUT, (4" DEPTH) 250.000 LF CLASS "B" STRUCTURAL CONCRETE, 0.252 CY MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 120.000 LF ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA		1,017.000	SY
ASPHALT FOR TACK COAT 15,300.000 GAL ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON ULTRA THIN ASPHALT PAVEMENT 3,749.000 TON SAW CUT, (4" DEPTH) 250.000 LF CLASS "B" STRUCTURAL CONCRETE, 0.252 CY MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 120.000 LF ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA			
ULTRA THIN ASPHALT PAVEMENT 8,662.000 TON ULTRA THIN ASPHALT PAVEMENT 3,749.000 TON SAW CUT, (4" DEPTH) 250.000 LF CLASS "B" STRUCTURAL CONCRETE, 0.252 CY MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 120.000 LF ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA	· · · · · · · · · · · · · · · · · · ·	15,300.000	GAL
ULTRA THIN ASPHALT PAVEMENT SAW CUT, (4" DEPTH) CLASS "B" STRUCTURAL CONCRETE, MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 TON 250.000 LF ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA		8,662.000	TON
SAW CUT, (4" DEPTH) CLASS "B" STRUCTURAL CONCRETE, MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA		3,749.000	TON
CLASS "B" STRUCTURAL CONCRETE, 0.252 CY MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 120.000 LF ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA		250.000	LF
MINOR STRUCTURES 22" X 13" REINFORCED CONCRETE 120.000 LF ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA		0.252	CY
22" X 13" REINFORCED CONCRETE 120.000 LF ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA			
ARCH PIPE, CLASS III 22" X 13" REINFORCED CONCRETE 4.000 EA		120.000	LF
22" X 13" REINFORCED CONCRETE 4.000 EA			
		4.000	EA
	ARCH PIPE, END SECTION		

	LUMP SUM	LS
MAINTENANCE OF TRAFFIC	0.000	SF
ADDITIONAL CONSTRUCTION SIGNS	0.385	MI
4" WIDE COLD PLASTIC EDGE STRIPE	0.363	LIT
(CONTINUOUS WHITE)	2 020 000	LF
4" WIDE COLD PLASTIC TRAFFIC	2,028.000	DF
STRIPE (CONTINUOUS YELLOW)	45 507	MI
4" WIDE THERMOPLASTIC EDGE STRIPE	45.507	PIL
(CONTINUOUS WHITE) (60 MILS)	4 114	MI
4" WIDE THERMOPLASTIC TRAFFIC	4.114	IVII
STRIPE (SKIP YELLOW) (90 MILS)		LF
4" WIDE THERMOPLASTIC TRAFFIC	229,299.000	Lif
STRIPE (CONTINUOUS YELLOW)		
(90 MILS)		T 17
THERMOPLASTIC DETAIL STRIPE	14,604.000	LF
(4" EQUIVALENT LENGTH)		
(WHITE) (60 MILS)		* D
THERMOPLASTIC DETAIL STRIPE	7,867.000	LF
(4" EQUIVALENT LENGTH)		
(YELLOW) (90 MILS)		* D
THERMOPLASTIC LEGEND	4,070.000	LF
(WHITE) (120 MILS)		C.F.
THERMOPLASTIC LEGEND	1,991.000	SF
(WHITE) (120 MILS)		
TWO-WAY CLEAR REFLECTIVE HIGH	2,035.000	EA
PERFORMANCE RAISED MARKERS		T1 7
RED-CLEAR REFLECTIVE HIGH	171.000	EA
PERFORMANCE RAISED MARKERS		T 7
TWO-WAY YELLOW REFLECTIVE HIGH	3,692.000	EA
PERFORMANCE RAISED MARKERS		EA
REFLECTORIZED TRAFFIC WARNING SIGN	164.000	EA
(ENCAPSULATED LENS)	00.000	EA
REFLECTORIZED TRAFFIC REGULATORY	92.000	EA
SIGN (ENCAPSULATED LENS)	0.4000	EA
REFLECTORIZED TRAFFIC OBJECT MARKER	24.000	LA
(ENCAPSULATED LENS) (TYPE 3)	10.000	EA
REFLECTORIZED TRAFFIC WARNING SIGN	12.000	EA
WITH SUPP. PLATE		
(ENCAPSULATED LENS)	6 000	EA
REFLECTORIZED TRAFFIC REGULATORY	6.000	ĽА
SIGN WITH SUPP. PLATE		
(ENCAPSULATED LENS)		
EROSION CONTROL ITEMS:		
ACDICIT TUDAL LIMECTONE	2.100	TON
AGRICULTURAL LIMESTONE	1.050	TON
COMMERCIAL FERTILIZER (13-13-13)	0.110	TON
AMMONIUM NITRATE	1.050	AC
SEEDING VEGETATIVE MATERIALS FOR MULCH	2.100	TON
	305.000	LF
TEMPORARY SILT FENCE	333.000	

SECTION 900 PROJECT NO. SAP-37(17)M LAMAR COUNTY

(TYPE II) (AOS 0.15-0.84) WATTLES, 20"

132.000 LF

NOTICE TO CONTRACTORS:

PROJECT NO. SAP-37(17)M LAMAR COUNTY

CONTRACT TIME:

90 Working Days

BASIS OF AWARD

The award, if made, will be made to the lowest qualified bidder on the basis of published quantities.

The Board of Supervisors hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprise will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

PLANS AND SPECIFICATIONS are on file in the Office of the Chancery Clerk of Lamar County, the County Engineer's office and the Office of the State Aid Engineer, 412 E. Woodrow Wilson Avenue, Jackson, Mississippi. This project shall be constructed in accordance with the latest edition of the Mississippi Standard Specifications for State Aid Road and Bridge Construction.

Plans and specifications are being made available via paper or digital copy. Plan Holders are required to log-in or register for an account to view or order bid documents at www.twaplanroom.com. The Cost is fifty dollars (\$50.00) for plans and fifty dollars (\$50.00) for the proposal, non-refundable. For questions regarding website registration and online orders, please contact Plan House at 601-336-6378. For questions related to the contract documents, please contact The Walker Associates at 601-583-2127.

No partial sets of drawings or bid documents will be issued.

All Proposals shall be submitted on Bid Forms provided with the specifications. Bids may be submitted in person, or for those interested, bids can be electronically submitted at www.twaplanroom.com under the project page. No oral, telegraphic, telephonic, or e-mail proposals will be considered.

Certified check or bid bond for five percent (5%) of the total bid, made payable to Lamar County and the State of Mississippi must accompany each proposal.

Bids will be accepted only under the name of the Bidder to whom PLANS AND PROPOSALS have been issued by the County Engineer, and whose name appears on the official list of planholders maintained by the County Engineer.

Bidders are hereby notified that any proposal accompanied by letters qualifying in any manner the condition under which the proposal is tendered will be considered an irregular bid and such proposal will not be considered in making the award.

Warren Byrd, President Lamar County Board of Supervisors