Learn2<sup>™</sup> Seating Price List ■

January 11, 2012 Updated June 1, 2016 800-424-2432





Ordening O.O.M. O.O.L. and O.O.M.Danduck Owen Day Ordenic and Trade	0
Ordering C.O.M., C.O.L., and C.O.V.Bonduel, Green Bay, Ontario, and Tupelo	2
Shipping Location	4
Custom Color Matching Requirements	6
Learn2 <sup>™</sup> Classroom Furniture General Information	8
Learn2® Classroom FurnitureDoni <sup>™</sup> Seating	12
Intellect Wave® Seating	16
Strive <sup>®</sup> Seating	20
Doni <sup>™</sup> (No Worksurface) Seating	36
Intellect Wave® (No Worksurface) Seating	40
Strive <sup>®</sup> (No Worksurface) Seating	44

## Ordering C.O.M., C.O.L., and C.O.V.

Bonduel, Green Bay, Ontario, and Tupelo

#### How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure. KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When direc-tional or patterned fabrics are used, they often require more yardage than solid colors.

#### C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

#### Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

#### C.O.M., C.O.L and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous vardage

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.


For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing For products shipped from Green Bay, WI facility, ship upholstery material to:

KI Attn: C.O.M. Storage 1687 Westminster Drive, Gate 3 Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

> **KI** Tupelo Attn: C.O.M. Storage 2112 South Green Street Tupelo, MS 38801




#### Attn: C.O.M. Storage 204 West South Street Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

> Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot Attn: C.O.M. Storage 1110 S. Mildred Ave. Ontario, CA 91761

#### Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, Center



#### Treated Materials

Back

Direction of

patterr

Solvaa

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

#### **Split Orders**

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

#### Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

#### **Cancelled or Changed Orders**

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

Please see information below and check the appropriate box.

Submitted for testina.

Purchase Order Number

Test approved. Submitted for production. KI Acknowledgement Number


anization)	In all instances, send this form to the C.O.M. Specialist.	
	A Selvage Top and Bottom	$\square B^{Selvage Side and Side}$
State Zip		

Type of seating and number of units of each type

Purchasing Agent (Dealer or buying or

Attention

Address City Project Name



00	002	information	holow and	chack the	annronriato	h





### Ordering C.O.M., C.O.L., and C.O.V. Bonduel, Green Bay, Ontario, and Tupelo

### C.O.M. SHIPPING LOCATION

#### Architectural Walls

Genius WallsMN	1
Casegoods	
Dante BenchesAG	5
Darwin TackboardsMN	1
Aristotle TackboardsMN	1

#### Classroom Furniture

360° Classroom Furniture BW	V
Intellect Wave ChairsGE	3
Dorsal 1090 Chairs GE	3
Learn2 GE	3

#### Desking

8	
700 Series Desking	KP
Balance Overheads	MN
Genesis Desking	MN
True Desking	KP
Universal Overheads	MN
WorkZone Desking	MN

#### Files & Storage

700 Series Pedestal Cushion	βB
U-Series Pedestal Cushion	βB

#### Fixed Seating

Concerto Auditorium Seating	BW
Single Pedestal Seating	GB
Jury Base Seating	GB
Lancaster Auditorium Seating	BW
Sequence Seating	GB
University Seating	GB
and Constants	

#### Panel Systems

All Terrain	KP
Balance Overheads	MN
System 3000	MN
Universal Overheads	MN

<u>GB</u>

KI Green Bay

Attn: COM Storage

Green Bay, WI 54302

1687 Westminster Drive - Gate 3

WireworksMN	
UniteMN	

Residence Hall Furniture
RoomScape FurnitureMN

#### Screens

<u> </u>	cens	
	True/Volition	KP
	Genesis	KP

#### Seating

aun 6	
100 Series Folding Chairs	BW
300 Series Folding Chairs	BW
600 Series Stools	BW
700 Series Folding Chairs	BW
1000 Series	. GB
Aerdyn Guest Seating	ΗN
Affina Collection	ΗN
Arissa Lounge	ΗN
Altus Task Chairs	.TM
Apply Stack Chairs	. GB
Auditorium Folding Chairs	BW
Avail Task Chairs	ОМ
Bantam Guest Seating	ΗN
Boss Design Chairs	ΗN
Cinturon Lounge & Professional Seating	
Cody Lounge Seating	ΗN
Connection Zone Privacy Booths	ΗN
Doni Collection	. GB
Dorsal Stack & Tandem Seating	. GB
Engage Task Chairs & Stools	. GB
Front Row Seats (Silk Screening)	BW
GateOne Public Seating	BW
Grazie Seating	. GB
Hub Modular Lounge Seating	ΗN
Impress Task Chairs	ОМ
Impress Ultra Task Chairs	ОМ
Jessa Lounge Seating	
Jubi Guest Chair	. GB

Kismet Task/Guest Chairs & StoolsOM
Kurv BenchesHN
LaResta Day Beds HN
Maestro Stack ChairsGB
Matrix Stack ChairsGB
Medical & Laboratory StoolsOM
Mesa Lounge & Task Seating HN
MyWay Seating HN
Neena Benches HN
Opt4GB
Perry Stack Chairs GB
Perth Multiple & Healthcare Seating HN
Perth II Healthcare Seating HN
Pilot Task ChairsOM
Piretti Stack ChairsGB
Promenade Seating System BW
Rapture Stack Chairs & Stools GB
Relax Lounge SeatingHN
Rose Healthcare BW
Sela Lounge SeatingHN
Sift Task ChairsTM
Silhouette Stack Chairs & Stools BW
Soltice Metal Collection HN
Soltice Multiple, Healthcare & Guest HN
Soltice II Healthcare Seating HN
Strive Multiple, Stack & TaskGB
SwayBW
Tea Cup Lounge Seating HN
Torsion-on-the-Go! Nesting Chairs GB
Torsion Air Stack and Task SeatingGB
Torsion Stack and Task Seating
Versa Stack Chairs & StoolsGB

#### Site Furnishings

Logix..... BW

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

<u>AG</u> Contact KI at I -800-424-2432

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107 <u>HN</u> KI-HN Attn: COM Storage 217 Feld Avenue High Point, NC 27263

<u>KI Crossroads</u> Attn: Brianne Linn 280 North Road Clinton County Industrial Park McElhattan, PA 17748 KP KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7

OM KI-Impress Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761 <u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

<u>TM</u> KI Tupelo 2112 South Green St. Tupelo, MS 38804







### **KI Custom Poly Color Matching Program**

Whatever you imagine, whatever you require, KI's custom color-matching program lets you pick your color. Match an organization's brand colors. Match fabrics. Match surface materials. The choice is yours.

#### Custom Color Matching Requirements

- Pantone Number or Color Samples. To ensure we match your color exactly, we require either a Pantone color number or two color samples (chip, swatch, or paint sample). We do request that the size be substantial enough to allow for us to retain for our internal matching process (minimum 2.5" x 3.5").
- Extended Lead Time. Using the unique combinations of specialty bases and pigments, our Custom Color Matching and Manufacturing processes do add time to your production schedule.
  - The color match process (see steps below) on average will take 2-3 weeks to produce a match sample for your review and gain your written approval to proceed. *Starting this during the quoting process is encouraged to reduce overall lead time.*
  - Orders with custom colors will typically reflect standard lead time plus 15 additional days to source the appropriate raw materials and run the custom order.
- Minimum Quantity. No additional set-up fee is incurred if the quantity (per color, product line, and order) is 100 or more. A \$500 set-up fee (per color, product line, and order) is applied if the quantity is 99 or less. You'll see a "Custom Color Set-Up Charge" note appear on your Custom Options Quote until the order is placed and quantity is determined.

Note: The Doni Seating Collection, with its two-tone color capabilities, would require a single \$500 set-up fee if one or both colors are custom. In addition, please note that reversing the inner/outer colors of Doni's two-tone standard color combinations would also be considered custom.

#### **Custom Color Matching Process**

When your purchase order is submitted, it is simply placed on hold until the color match is finalized. As soon as we receive your Pantone number or custom color samples, the process for color matching begins.

**Note:** If the project requires a compressed manufacturing/shipping schedule, KI encourages you to process the color match during the quotation stage. This will accelerate the purchase order release into production.

<u>Step 1.</u> Provide the Pantone color number to KI Customer Service by calling Customer Service at 1-800-424-2432 or emailing us at <u>SalesOps@ki.com</u>. Custom color samples can be mailed to KI at:

KI Customer Service (Provide specific contact name if known) Attn: Custom Color Match Required (Please reference the PO# or Project Name) 1330 Bellevue Street Green Bay, WI 54302

\*In the event the color requested is a discontinued KI color or non-standard on the product requested, no color match is necessary (minimum quantities and extended lead time still apply). KI will use the custom options process to facilitate the quote/order.

<u>Step 2</u>. KI begins the matching process which takes 5-10 days depending upon how quickly the exact color is matched, taking into account lighting, visual and spectrographic readings as compared to the originals.

<u>Step 3.</u> We then ship the color sample chip and a letter asking for you to sign the letter and fax it back to us within 24 to 48 hours.

<u>Step 4</u>. Upon receipt of your approval signature, we remove the hold status of your order and begin production, using standard production lead times plus 15 days.



Custom Color Matching Requirements



				14
	Doni without Accessroy Rack (L2DT1/NAR)	Doni with Accessory Rack (L2DT1/SAR)	Doni w/Cup Holder Rack (L2DT1/CAR)	Doni w/Flat Accessory Rack (L2DT1/FBR)
Features				
Accessory rack		•	•	•
Cup holder			•	
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered add 1")	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Overall Dimensions				
With worksurface; no accessory rack	23-1/4"W x 28"-34"D			
With worksurface; with accessory rack		23-1/4"W x 28"-34"D	23-1/4"W x 28"-34"D	23-1/4"W x 28"-34"D
Height	34-1/2"	34-1/2"	34-1/2"	34-1/2"
Worsurface width x depth	21-1/2"W x 13"D	21-1/2"W x 13"D	21-1/2"W x 13"D	21-1/2"W x 13"D

NOTE: Overall dimensions above are with surface centered to chair back. Dimensions of surface movement and rotation are not included.



**Accessory Rack** 



Cup Holder Rack



Flat Accessory Rack

#### SPECIFICATIONS

#### Frame

Frame shall consist of 14-gauge, 1° 0.D. steel tubing bent and welded to a 13-gauge steel stamped seat plate and finished with baked-on powder coated paint. The chair frame shall be topped by two aluminum die castings with a baked-on black powder coated paint finish. Castings support the chair seat and provide a means of rotation of the tablet about the seat.

#### Shell

Shell swivels a total fo  $55^{\circ}$  (27.5° each way from center) for ease of entry and exist.

#### Doni Seat Shell and Backrest Articulation Mechanism

Backrest, seat, and shroud are injectionmolded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to move through 17 degrees of movement, about an axis through the hips of the occupant.

### Doni Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness and back foam is nominal 1/2" thickness. The fasteners that attach the back pad are color-matched to the polypropylene.

#### Intellect Wave Shell

One-piece contoured shell made of high-impact polypropylene. Colorfastness ensured through complete color impregnation throughout the molded part. Strength and durability shall be assured through an engineered internal structural cavity which eliminates the need for unsightly ribs on the back of the shell. Rolled edges for comfort and strength, textured front and back with a wide, ergonomic handle molded into chair back for ease of mobility. Fastens to frame by a 12-gauge formed steel plate with six torx head screws.

Optional upholstered chairs have partially exposed polypropylene surfaces. Fabric is upholstered over 9/16" foam on the seat and fastened to an inner shell with screws.

#### Strive Shell

Injection molded polypropylene back with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Injection molded polypropylene seat shall be secured to the chair by a 12-gauge formed steel plate.

Optional upholstered seats have molded urethane foam attached to an injection molded polypropylene seat board, then upholstered using a drawstring process. The assembled seat pad is attached to the seat by means of hidden fasteners.

With optional cantilever arms, the supporting structure is 7/8" O.D. x 13-gauge tubular steel welded directly to the seat support structure and matching the seat and back color. The armcaps are injection molded glass filled polypropylene matching the seat and back color. The armcaps are attached to the steel structure by means of screws.


#### **Strive Optional Upholstered Seat**

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

#### Surface Support

The worksurface shall be supported from the chair frame by a formed and welded support tube made from 1.125 O.D. 14-gauge steel. The worksurface shall be supported from the support tube by an aluminum gusset die

General Information



NOTE: Overall dimensions above are with surface centered to chair back. Dimensions of surface movement and rotation are not included.

casting with a black powder coated paint finish. The support tube rotates around the chair seat a total of 220° (110° each way from front center). A 1/2° thick steel plug shall be drilled, tapped, and welded into the end of the support tube. The worksurface shall be structurally secured to the support tube with Grade 5, 3/8-16 bolt, held in place with an epoxy patch.

#### Surface Mechanism

The gusset die casting shall rotate about the support tube by means of a plastic bushing connection, rotating a total of 154° around the support tube. The worksurface shall slide back and forth for a total of 6° of straight in and out movement. The sliding motion shall be accomplished with an aluminum extruded rail and plastic bushing mechanism.

#### Surface Plastic

The writing surface of the plastic worksurface shall be injection molded polycarbonate. The understructure of the plastic worksurface shall be black injection molded nylon with fiberglass reinforcement filling.

#### Laminate

The laminate worksurface shall be 18mm thick Baltic Birch plywood core with .040" laminate face and .020" paper backing sheet. The edge of the wood surface is shaped and sanded with a sealed and clear-coat lacquered finish.

Accessory Rack

Optional accessory rack is constructed of 14-gauge perforated steel wrapped with .25" O.D. steel wire and welded to the frame. Optional cup holder is made of a .25" O.D. steel wire welded with an 11-gauge flat metal round trim plate to the steel racks. Accessory racks (with or without cup holder) are not field-installable or retrofittable.

#### Casters

Double wheels (60mm) of high-impact thermoplastic with high-impact plastic


frame. Carpet or hard floor casters are black only. Optional Bell glides (2" high) made of high-impact plastic also available, black only.

#### INFORMATION

#### Warranty

Refer to KI Terms & Conditions document or visit ki.com

General Information



NOTE: Overall dimensions above are with surface centered to chair back. Dimensions of surface movement and rotation are not included.

#### INFORMATION

### C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

#### Design

Strive is designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

#### KI Custom Poly Color Matching Program

Whatever you imagine, whatever you require. KI's custom color-matching program lets you pick your color.

No upcharge with a minimum quantity of 100 or more (\$500 set-up charge if quantity is 99 or less). See "Custom Color Matching Requirements" page in the front of this book for ordering details.

10

# 14

### Learn2<sup>™</sup> Classroom Furniture General Information

	Wave No Worksurface	Strive No Worksurface	Strive Armchair No Worksurface	Doni No Worksurface
		(L2SNAP/NA/CAR)	(L2SNAP/CA/CAR)	(L2DN1)
Features				
Accessory rack	٠	•		
Cup holder	•	•		
General Dimensions				
Seat width	17-1/2"	18"	18"	19-1/4"
Seat depth	17"	18"	18"	18-3/4"
Seat height (upholstered add 1")	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Arms to floor			27"	
Overall Dimensions				
No worksurface; no accessory rack	21-1/5"W x 23-1/4"D	21-1/2"W x 23-1/4""D	22-1/2"W x 23-1/4"D	21-1/2"W x 23-1/4""D
No worksurface; with accessory rack	23-1/4"W x 23-1/4"D	23-1/4"W x 23-1/4"D	23-1/4"W x 23-1/4"D	23-1/4"W x 23-1/4"D
Height	33-1/3"	34-1/2"	34-1/2"	34-1/2"

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Doni<sup>™</sup> Seating

		MODEL NUMBI	ER									
	Features	Basic Model	Surface Type	Frame Color	Fire Code	Poly Solid Color	Poly Inside Color	Poly Outside Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	
	Solid Color, Polypropylene	L2DT1/NAR										
	Solid Color, Upholstered Seat	L2DT2/NAR										
	Two-Tone, Polypropylene	L2DTA/NAR										
	Two-Tone, Upholstered Seat	L2DTB/NAR										
2DWS1												
2DWS2												
2DWSA												
2DWSB												
Without Accessory Rack												
<ul> <li>Non-handed worksurface in choice of plactic or leminate</li> </ul>	f											
<ul><li>plastic or laminate</li><li>Solid or two-tone colored shell</li></ul>												
Unlimited custom color matching												
17 degrees of hip articulation												
	Solid Color, Polypropylene	L2DT1/SAR										
	Solid Color, Upholstered Seat	L2DT2/SAR										
	Two-Tone, Polypropylene	L2DTA/SAR										
	Two-Tone, Upholstered Seat	L2DTB/SAR										
2DWS1												
2DWS2												
2DWSA												
2DWSB												
Accessory Rack												
• Non-handed worksurface in choice of	F											
plastic or laminate												
<ul> <li>Accessory rack included on both sides of frame</li> </ul>												
Solid or two-tone colored shell												
Unlimited custom color matching												
17 degrees of hip articulation												
		A	6	0	D	9	6	G	0	0	0	

#### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of

     indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select worksurface type.
   LW Laminate worksurface; add \$50
  - PW Plastic worksurface
- Select frame color. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.
- NFR
   - Compliance to TB 117-2013

   FR
   - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select solid poly color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Gelect outside poly color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select caster/glide option.
  - C
     Carpet casters

     S
     Hard floor casters

     GL
     Glides

     SCG
     Front hard floor casters, rear

     glides
     Front carpet casters, rear

     glides
     Front carpet casters, rear
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select inside poly color.



Doni<sup>™</sup> Seating

Approx. Packaged Weight	Pric	ivered cing uphol- red	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
57.0#	\$	638										
57.0#		N/A	744	752	767	744	767	775	811	825	843	869
57.0#		688										
57.0#		N/A	794	802	817	794	817	825	861	875	893	919

57.0# \$ 659	
57.0# N/A 765 773 788 765 788 796 832 846 864	890
57.0# 709	
57.0# N/A 815 823 838 815 838 846 882 896 914	940

#### UPHOLSTERY INFORMATION

**C.O.M. Upholstery** C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$69 Model=Solid Color, Upholstered Seat/Back Added List Price=\$98

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Doni<sup>™</sup> Seating

		MODEL NUMB	ER									
	Features	Basic Model	Surface Type	Frame Color	Fire Code	Poly Solid Color	Poly Inside Color	Poly Outside Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	
	Solid Color, Polypropylene	L2DT1/CAR										
	Solid Color, Upholstered Seat	L2DT2/CAR										
	Two-Tone, Polypropylene	L2DTA/CAR										
	Two-Tone, Upholstered Seat	L2DTB/CAR										
2DWS1												
2DWS2												
2DWSA												
2DWSB												
Cup Holder/Accessory Rack												
Non-handed worksurface in choice of												
<ul><li>plastic or laminate</li><li>Cup holder/accessory rack included</li></ul>												
on both sides of frame												
Solid or two-tone colored shell												
<ul> <li>Unlimited custom color matching</li> <li>17 degrees of hip articulation</li> </ul>												
• 17 degrees of hip articulation	Oslid Oslan Dahmandana											
	Solid Color, Polypropylene	L2DT1/FBR										
	Solid Color, Upholstered Seat	L2DT2/FBR L2DTA/FBR										
	Two-Tone, Polypropylene	L2DTA/FBR										
	Two-Tone, Upholstered Seat	L2DID/FDR										
a a												
رمه 2DWS1												
2DWS1												
2DWSA												
2DWSB												
Flat Accessory Rack												
Non-handed worksurface in choice of												
plastic or laminate												
<ul> <li>Flat accessory rack included</li> <li>Solid or two-tone colored shell</li> </ul>												
<ul> <li>Solid or two-tone colored shell</li> <li>Unlimited custom color matching</li> </ul>												
<ul> <li>17 degrees of hip articulation</li> </ul>												
		•	6	G	D	Ð	G	G	O	0		
		*	<u> </u>					~	-			

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the  $\Box$  indicates that no choice is required.

• Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select worksurface type. - Laminate worksurface; add LW \$50 **PW** 

- Plastic worksurface

- C Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect fire code. NFR - Compliance to TB 117-2013 - Compliance to TB 133 FR

See Upholstery Information for TB133 upcharge.

• Select solid poly color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select inside poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- GSelect outside poly color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select caster/glide option.

- C - Carpet casters S - Hard floor casters GL - Glides SCG - Front hard floor casters, rear glides CCG - Front carpet casters, rear glides
- USelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

14



Doni<sup>™</sup> Seating

Approx. Packaged Weight	Pric	uphol-	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
57.0#	\$	693										
57.0#		N/A	799	807	822	799	822	830	866	880	898	924
57.0#		743										
57.0#		N/A	849	857	872	849	872	880	916	930	948	974

57.0#	\$ 733										
57.0#	N/A	839	847	862	839	862	870	906	920	938	964
57.0#	783										
57.0#	N/A	889	897	912	889	912	920	956	970	988	1014

#### UPHOLSTERY INFORMATION

**C.O.M. Upholstery** C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$69 Model=Solid Color, Upholstered Seat/Back Added List Price=\$98

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Intellect Wave® Seating

			MODEL NUM	BER							
	MODEL	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	
(F)	Without Accessory Rack	Polypropylene	L2WTP/NAR								
	<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> </ul>	Upholstered Seat	L2WTUS/NAR								
6											
Ca.											
2WWSP											
2WWSU											
	Accessory Rack <ul> <li>Non-handed worksurface in choice of</li> </ul>	Polypropylene	L2WTP/SAR								
	plastic or laminate	Upholstered Seat	L2WTUS/SAR								
	<ul> <li>Accessory rack included on both sides of frame</li> </ul>										
2WWSP											
2WWSU	Cup Holder/Accessory Rack	Polypropylene	L2WTP/CAR								
	<ul> <li>Non-handed worksurface in choice of</li> </ul>	Upholstered Seat	L2WTP/CAR								
	<ul><li>plastic or laminate</li><li>Cup holder/accessory rack included on</li></ul>										
	both sides of frame										
2WWSP											
2WWSU											
			A	6	C	D	0	6	©	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

 $\bullet$  The absence of the  $\Box$  indicates that no choice is required.

• Alpha-numeric characters in place of indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

- Select worksurface type.
   LW Laminate worksurface; add \$50
  - PW Plastic worksurface
- Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fire code.

   NFR
   - Compliance to TB 117-2013

   FR
   - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select shell color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- **G**Select caster/glide option.
  - C
     Carpet casters

     S
     Hard floor casters

     GL
     Glides

     SCG
     Front hard floor casters, rear

     glides
     CCG

     CCG
     Front carpet casters, rear

glides



# Learn2<sup>™</sup> Classroom Furniture Intellect Wave® Seating

Approx. Packaged Delivered Weight Pricing		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
	37.0#	\$ 567									
	40.0#	N/A	623	627	637	637	627	666	681	697	711
	46.0#	\$ 589									
	49.0#	N/A	646	650	659	659	650	689	702	720	733
	10.0."										
	46.0#	\$ 626							7.10		770
	49.0#	N/A	683	687	696	696	687	726	740	757	770

#### UPHOLSTERY INFORMATION

**C.O.M. Upholstery** C.O.M. requirement is 5/8 yard per chair for seat of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Polypropylene Added List Price=\$21 Model=Upholstered Seat Added List Price=\$64

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

			MODEL NUM	IBER							
	MODEL	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	
0	Flat Accessory Rack	Polypropylene	L2WTP/FBR								
	<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> </ul>	Upholstered Seat	L2WTUS/FBR								
	Flat accessory rack included										
de la											
2WWSP											
2WWSU											
			A	6	G	D	0	6	G	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\Box$  indicates that a choice is required.

> $\bullet$  The absence of the  $\Box$  indicates that no choice is required.

• Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

BSelect worksurface type. LW - Laminate worksurface; add \$50 **PW** 

- Plastic worksurface Celect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect fire code. - Compliance to TB 133 - Compliance to TB 117-2013 FR NFR

See Upholstery Information for TB133 upcharge.

 Select shell color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### GSelect caster/glide option.

C - Carpet casters - Hard floor casters S GL - Glides SCG - Front hard floor casters, rear glides CCG - Front carpet casters, rear glides



Approx. Package Weight		)elivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
46.0	¥\$	671									
49.0	¥	N/A	726	731	740	740	731	770	784	800	814

#### UPHOLSTERY INFORMATION

**C.O.M. Upholstery** C.O.M. requirement is 5/8 yard per chair for seat of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Polypropylene Added List Price=\$21 Model=Upholstered Seat Added List Price=\$64

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

			MODEL NUMBE	R							
	MODEL	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	
	Without Accessory Rack	Polypropylene	L2STP/NA/NAR								_
	Non-handed worksurface in choice of plastic or laminate	Upholstered Seat	L2STUS/NA/NAR								
2SWSP 2SWSU											
	Accessory Rack	Polypropylene	L2STP/NA/SAR								_
	<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> <li>Accessory rack included on both sides o frame</li> </ul>	Upholstered Seat	L2STUS/NA/SAR								
2SWSP											
2SWSU	Ave Haldes/Assessme Dask	Dahamanadana	L2STP/NA/CAR								
	<ul> <li>Cup Holder/Accessory Rack</li> <li>Non-handed worksurface in choice of plastic or laminate</li> <li>Cup holder/accessory rack included on both sides of frame</li> </ul>	Polypropylene Upholstered Seat	L2STP/NA/CAR								
2SWSP											
2SWSU											
			A	6	G	D	9	6	G	0	

#### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.

• Alpha-numeric characters in place of indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select worksurface type. <u>LW</u> - Laminate worksurface; add \$50 <u>PW</u> - Plastic worksurface
- Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fire code.

   FR
   - Compliance to TB 133

   NFR
   - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

- GSelect caster/glide option.
  - C
     Carpet casters

     S
     Hard floor casters

     GL
     Glides

     SCG
     Front hard floor casters, rear

     glides
     CCG

     CCG
     Front carpet casters, rear

     glides
     CCG



Strive<sup>®</sup> Seating

Approx. Packaged Weight	Р	elivered ricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
48.0#	\$										
51.0#		N/A	732	759	771	771	765	805	824	845	861
57.0#	\$	696									
60.0#		N/A	754	782	794	794	788	827	847	866	884
F7 0#	\$	733									
57.0# 60.0#	¢	733 N/A	791	819	831	831	825	864	884	903	921
00.0#		N/A	/91	019	001	031	020	004	004	903	921

#### UPHOLSTERY INFORMATION

**C.O.M. Upholstery** C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$66

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

			MODEL NUMBE	R							
	MODEL	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	
	Flat Accessory Rack	Polypropylene	L2STP/NA/FBR								
	<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> </ul>	Upholstered Seat	L2STUS/NA/FBR								
	<ul> <li>Flat accessory rack included</li> </ul>										
s de la companya de l	-										
J.											
2SWSP											
2SWSU											
			A	6	G	D	9	6	G	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\Box$  indicates that a choice is required.

 $\bullet$  The absence of the  $\Box$  indicates that no choice is required.

• Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

BSelect worksurface type. LW - Laminate worksurface; add \$50 **PW** - Plastic worksurface

C Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect fire code. FR - Compliance to TB 133 NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

ESelect poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### GSelect caster/glide option.

C - Carpet casters - Hard floor casters S GL - Glides SCG - Front hard floor casters, rear glides ČCG - Front carpet casters, rear glides



Strive<sup>®</sup> Seating

	Packaged Weight
57.0# \$ 777	57.0#
60.0# N/A 835 862 874 874 869 908 927 948 9	60.0#

#### UPHOLSTERY INFORMATION

**C.O.M. Upholstery** C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$66

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

		MODEL NUMBER									
	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Top Stitch Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	Approx. Packaged Weight
	Upholstered Seat	L2STTSUS/NA/NAR									51.0#
de    de											
da da											
2SWTS											
Without Accessory Rack with Top Stitch on Seat											
<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> </ul>											
$\square$	Upholstered Seat	L2STTSUS/NA/SAR									60.0#
09											
2SWTS											
Accessory Rack with Top Stitch on Seat											
• Non-handed worksurface in choice of											
<ul><li>plastic or laminate</li><li>Accessory rack included on both</li></ul>											
sides of frame											
		А	0	G	D	0	6	©	0	0	

#### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

 $\bullet$  The absence of the  $\Box$  indicates that no choice is required.

 Alpha-numeric characters in place of

 indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect worksurface type. <u>LW</u> - Laminate worksurface; add \$50

\$50 **PW** - Plastic worksurface

Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 FR
 - Compliance to TB 133

 NFR
 - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select top stitch color.

BLTS - Black WHTS - White

Gelect surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select caster/glide option.

 C
 - Carpet casters

 S
 - Hard floor casters

 GL
 - Glides

 SCG
 - Front hard floor casters, rear

 glides
 - Front carpet casters, rear

glides

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

24

### Learn2<sup>™</sup> Classroom Furniture Strive<sup>®</sup> Seating



\$ 866

#### UPHOLSTERY INFORMATION

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$66

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

		MODEL NUMBER									
	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Top Stitch Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	Approx. Packaged Weight
	Upholstered Seat	L2STTSUS/NA/CAR									60.0#
(B)											
2SWTS											
Cup Holder/Accessory Rack with Top Stitch on Seat											
Non-handed worksurface in choice of											
<ul><li>plastic or laminate</li><li>Cup holder/accessory rack included</li></ul>											
on both sides of frame											
	Upholstered Seat	L2STTSUS/NA/FBR									60.0#
2SWTS											
Flat Accessory Rack with Top Stitch on Seat											
Non-handed worksurface in choice of											
<ul><li>plastic or laminate</li><li>Flat accessory rack included</li></ul>											
······			-								
		A	•	C	D	0	6	©	0	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

 $\bullet$  The absence of the  $\Box$  indicates that no choice is required.

Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

- Select worksurface type. <u>LW</u> - Laminate worksurface; add \$50 <u>PW</u> - Plastic worksurface
- Select frame color. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

**D**Select fire code.

FR	- Compliance to TB 133
NFR	- No Fire Retardant
FR	- Compliance to TB 133
NFR	- Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect top	o stitch color.	
BLTS	- Black	
WHTS	- White	
-		

Gelect surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect caster/glide option.

C	<ul> <li>Carpet casters</li> </ul>
S	<ul> <li>Hard floor casters</li> </ul>
GL	- Glides
SCG	- Front hard floor casters, rear
glides	
CCG	- Front carpet casters, rear

glides

### Learn2<sup>™</sup> Classroom Furniture Strive<sup>®</sup> Seating

D	vered
F	ing
F	as Fabric
6	vered ing as Fabric up P1
\$	903

L.

#### UPHOLSTERY INFORMATION

**C.O.M. Upholstery** C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$66

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

			MODEL NUMBE	D							
	MODEL	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	
	Armchair without Accessory Rack	Polypropylene	L2STP/CA/NAR								
	Non-handed worksurface in choice of plastic or laminate	Upholstered Seat	L2STUS/CA/NAR								
2SWSP 2SWSU											
	Armchair with Accessory Rack	Polypropylene	L2STP/CA/SAR								
A A A	<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> <li>Accessory rack included on both sides of frame</li> </ul>	Upholstered Seat	L2STUS/CA/SAR								
2SWSP											
2SWSU											
$\bigcap$	Armchair with Cup Holder/Accessory Rack	Polypropylene	L2STP/CA/CAR								
	<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> <li>Cup holder/accessory rack included on both sides of frame</li> </ul>	Upholstered Seat	L2STUS/CA/CAR								
° V °											
<b>U</b>											
2SWSP 2SWSU											
			A	0	G	O	9	6	G	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - The absence of the □ indicates that no choice is required.
  - Alpha-numeric characters in place of indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select worksurface type. <u>LW</u> - Laminate worksurface; add \$50 <u>PW</u> - Plastic worksurface
- Select frame color. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.
- Select fire code.

   FR
   - Compliance to TB 133

   NFR
   - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select caster/glide option.
   C Carpet casters
   S Hard floor casters
   GL Glides
  - SCG
     - Front hard floor casters, rear

     glides

     CCG
     - Front carpet casters, rear

     glides



Strive<sup>®</sup> Seating

Pa	prox. Ickaged eight	Deli <sup>,</sup> Pric	vered ing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	51.0#	\$	730									
	54.0#		N/A	788	815	827	827	822	822 861		900	918
	60.0#	\$	752									
	63.0#		N/A	811	837	850	850	845	884	902	923	939
	60.0#	\$	789									
	63.0#		N/A	848	874	887	887	882	921	939	960	976

#### UPHOLSTERY INFORMATION

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$66

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

			MODEL NUMB	R							
	MODEL	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	
	Armchair with Flat Accessory Rack	Polypropylene	L2STP/CA/FBR								
	<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> </ul>	Upholstered Seat	L2STUS/CA/FBR								
	Flat accessory rack included										
$\leq$											
2SWSP											
2SWSU											
			A	₿	G	D	0	6	G	0	

#### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

- Select worksurface type.
   <u>LW</u> Laminate worksurface; add
   \$50
   PW Plastic worksurface
- Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fire code.

   FR
   - Compliance to TB 133

   NFR
   - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### GSelect caster/glide option.

 C
 - Carpet casters

 S
 - Hard floor casters

 GL
 - Glides

 SCG
 - Front hard floor casters, rear

 glides
 CCG

 CCG
 - Front carpet casters, rear

 glides
 CCG



Strive<sup>®</sup> Seating

	Approx. Packaged Weight	ed Delivered	Pricing Pr	Delivered Delive Pricing Pricing Fabric Grade Fabric 2 3	g Pricing	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
60.0# \$ 833	60.0#	# \$ 833								
63.0# N/A 891 919 931 931 925 964 984 1003 1021	63.0#	# N/A	891	919 9	31 931	925	964	984	1003	1021

#### UPHOLSTERY INFORMATION

**C.O.M. Upholstery** C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$66

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

		MODEL NUMBER	_		_			_	_		
	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Top Stitch Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	Approx. Packaged Weight
2SWTS Armchair without Accessory Rack with Top Stitch on Seat • Non-handed worksurface in choice of	Upholstered Seat	L2STTSUS/CA/NAR									54.0#
plastic or laminate											
	Upholstered Seat	L2STTSUS/CA/SAR									63.0#
2SWTS											
Armchair with Accessory Rack with Top Stitch on Seat											
<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> <li>Accessory rack included on both sides of frame</li> </ul>											
		A	6	œ	D	0	6	G	0	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

 $\bullet$  The absence of the  $\Box$  indicates that no choice is required.

• Alpha-numeric characters in place of indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

Belect worksurface type. LW - Laminate worksurface; add \$50

\$50 **PW** - Plastic worksurface

Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 FR
 - Compliance to TB 133

 NFR
 - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select top stitch color.

BLTS - Black

WHTS - White

Gelect surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select caster/glide option.

 C
 - Carpet casters

 S
 - Hard floor casters

 GL
 - Glides

 SCG
 - Front hard floor casters, rear

 glides
 - Front carpet casters, rear

glides

### Learn2<sup>™</sup> Classroom Furniture Strive<sup>®</sup> Seating

Delivered	
Pricing	
Pallas Fabric	
Delivered Pricing Pallas Fabric Group P1	
\$ 900	

#### UPHOLSTERY INFORMATION

**C.O.M. Upholstery** C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$66

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

		MODEL NUMBER									
	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Top Stitch Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	Approx. Packaged Weight
	Upholstered Seat	L2STTSUS/CA/CAR									63.0#
2SWTS											
Armchair with Cup Holder/Accessory Rack with Top Stitch on Seat											
<ul> <li>Non-handed worksurface in choice of</li> </ul>											
plastic or laminate											
Cup holder/accessory rack included											
on both sides of frame	Upholstered Seat	L2STTSUS/CA/FBR									63.0#
	Upiloistered Seat	L2311303/GA/FDR									03.0#
2SWTS											
Armchair with Flat Accessory Rack											
with Top Stitch on Seat											
• Non-handed worksurface in choice of											
plastic or laminate											
Flat accessory rack included											
		A	6	O	O	•	6	G	0	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

 $\bullet$  The absence of the  $\Box$  indicates that no choice is required.

• Alpha-numeric characters in place of indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

Select worksurface type. <u>LW</u> - Laminate worksurface; add \$50

PW - Plastic worksurface

Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fire code.
 FR - Compliance to TB 133
 NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select top stitch color.

BLTS - Black WHTS - White

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select caster/glide option.

 C
 - Carpet casters

 S
 - Hard floor casters

 GL
 - Glides

 SCG
 - Front hard floor casters, rear

 glides
 - Front carpet casters, rear

CCG - Front carpet casters, rear glides

### Learn2<sup>™</sup> Classroom Furniture Strive<sup>®</sup> Seating

Delivered			
Pricing			
Pallas Fabric			
Delivered Pricing Pallas Fabric Group P1			
\$ 960			

\$ 1003

### UPHOLSTERY INFORMATION

**C.O.M. Upholstery** C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$66

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Doni<sup>™</sup> Seating

			-0							
		MODEL NUMBE	EK 🛛				1			
					Poly	Poly	Poly			Approx.
	Factures	Basic	Frame	Fire	Solid	Inside	Outside	Glide	Uph.	Packaged
	Features	Model	Color	Code	Color	Color	Color	Option	Color	Weight
	Solid Color, Polypropylene	L2DN1/NAR								57.0#
	Solid Color, Upholstered Seat	L2DN2/NAR								57.0#
H-	Two-Tone, Polypropylene	L2DNA/NAR								57.0#
	Two-Tone, Upholstered Seat	L2DNB/NAR								57.0#
08										
da M										
2DNS1										
2DNS2										
2DNSA										
2DNSB										
Without Accessory Rack										
<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> </ul>										
<ul> <li>Solid or two-tone colored shell</li> </ul>										
<ul> <li>Unlimited custom color matching</li> </ul>										
17 degrees of hip articulation										
	Solid Color, Polypropylene	L2DN1/SAR								57.0#
	Solid Color, Upholstered Seat	L2DN2/SAR								57.0#
	Two-Tone, Polypropylene	L2DNA/SAR								57.0#
	Two-Tone, Upholstered Seat	L2DNB/SAR								57.0#
de la company										
de de										
2DNS1										
2DNS2										
2DNSA										
2DNSB										
Accessory Rack										
Non-handed worksurface in choice of										
plastic or laminate										
<ul> <li>Accessory rack included on both sides of frame</li> </ul>										
Solid or two-tone colored shell										
Unlimited custom color matching										
• 17 degrees of hip articulation										
		A	ß	C	D	Ø	G	G	0	
		-					-			

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of

     indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

### A Select basic model.

- Belect frame color.
   Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Celect fire code. NFR - Compliance to TB 117-2013 FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Oselect solid poly color. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.
- Select inside poly color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select outside poly color. Refer to color addendum at ki.com or KI

### Fabrics & Finishes binder.

 C
 - Carpet casters

 S
 - Hard floor casters

 GL
 - Glides

 SCG
 - Front hard floor casters, rear glides

 CCG
 - Front carpet casters, rear glides



Doni<sup>™</sup> Seating

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 511										
N/A	617	625	640	617	640	648	684	698	716	742
561										
N/A	667	675	690	667	690	698	734	748	766	792

\$ 532										
N/A	638	646	661	638	661	669	705	719	737	763
582										
N/A	688	696	711	688	711	719	755	769	787	813

### UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$69 Model=Solid Color, Upholstered Seat/Back Added List Price=\$98

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Doni<sup>™</sup> Seating

		MODEL NUMB	ER		_			_		
					Poly	Poly	Poly			Approx.
		Basic	Frame	Fire	Solid	Inside	Outside	Glide	Uph.	Packaged
	Features	Model	Color	Code	Color	Color	Color	Option	Color	Weight
	Solid Color, Polypropylene	L2DN1/CAR								57.0#
	Solid Color, Upholstered Seat	L2DN2/CAR								57.0#
	Two-Tone, Polypropylene	L2DNA/CAR								57.0#
	Two-Tone, Upholstered Seat	L2DNB/CAR								57.0#
6 Q 3										
a di										
2DNS1										
2DNS2										
2DNSA										
2DNSB										
Cup Holder/Accessory Rack										
Non-handed worksurface in choice of										
plastic or laminate										
<ul> <li>Cup holder/accessory rack included on both sides of frame</li> </ul>										
Solid or two-tone colored shell										
Unlimited custom color matching										
17 degrees of hip articulation										
	Solid Color, Polypropylene	L2DN1/FBR								57.0#
	Solid Color, Upholstered Seat	L2DN2/FBR								57.0#
	Two-Tone, Polypropylene	L2DNA/FBR								57.0#
	Two-Tone, Upholstered Seat	L2DNB/FBR								57.0#
and the second s										
€ €										
2DNS1										
2DNS2										
2DNSA										
2DNSB										
Flat Accessory Rack										
<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> </ul>										
Flat accessory rack included										
<ul> <li>Solid or two-tone colored shell</li> </ul>										
Unlimited custom color matching										
<ul> <li>17 degrees of hip articulation</li> </ul>										
		A	B	C	D	Ø	G	G	0	

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of

     indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

### A Select basic model.

- Select frame color.
   Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Celect fire code. NFR - Compliance to TB 117-2013 FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Oselect solid poly color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select inside poly color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select outside poly color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select caster/glide option.
 C - Carpet casters
 S - Hard floor casters
 GL - Glides
 SCG - Front hard floor casters, rear
 glides
 CCG - Front carpet casters, rear
 glides



Doni<sup>™</sup> Seating

Delivered Pricing Unupholstere	Delivered Pricing Fabric Grade ed 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 566										
N/A	672	680	695	672	695	703	739	753	771	797
616										
N/A	722	730	745	722	745	753	789	803	821	847

\$ 606										
N/A	712	720	735	712	735	743	779	793	811	837
656										
N/A	762	770	785	762	785	793	829	843	861	887

### UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$69 Model=Solid Color, Upholstered Seat/Back Added List Price=\$98

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Intellect Wave® Seating

			MODEL NUM	BER					
									-
									Approx.
			Basic	Frame	Fire	Shell	Glide	Upholstery	Packaged
	MODEL	Features	Model	Color	Code	Color	Option	Color	Weight
	No Worksurface - Without Accessory Rack	Polypropylene	L2WNP/NAR						33.0#
	· · · · · · · · · · · · · · · · · · ·	Upholstered Seat	L2WNUS/NAR						36.0#
©≊    d⊌									
C\$						_			
OWNOD									
2WNSP									
2WNSU	No Worksurface - Accessory Rack	Polypropylene	L2WNP/SAR						42.0#
	<ul> <li>Accessory rack included on both sides of frame</li> </ul>	Lipholetered Seat	L2WNF/SAR						42.0#
	frame	Opholstered Seat	LZWINUS/SAIT						40.0#
$\sim$									
J.									
2WNSP									
2WNSU									
	No Worksurface - Cup Holder/Accessory	Polypropylene	L2WNP/CAR						42.0#
	Rack	Upholstered Seat	L2WNUS/CAR						45.0#
	<ul> <li>Cup holder/accessory rack included on both sides of frame</li> </ul>								
	both sides of frame								
and a									
¢,									
2WNSP									
2WNSU									
			A	ß	O	D	Ø	6	

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

### A Select basic model.

- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect fire code. FR

- Compliance to TB 133 - Compliance to TB 117-2013 NFR

See Upholstery Information for TB133 upcharge.

**D**Select shell color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### Select caster/glide option. C - Carpet casters S - Hard floor casters GL - Glides SCG - Front hard floor casters, rear glides

CCG - Front carpet casters, rear glides



# Learn2<sup>™</sup> Classroom Furniture Intellect Wave® Seating

Prie	ivered cing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	422									
	N/A	478	483	491	491	483	522	536	552	565
\$	445									
	N/A	501	506	514	514	506	545	558	575	588
\$	482									
*	N/A	538	542	551	551	542	582	595	612	625

### UPHOLSTERY INFORMATION

**C.O.M. Upholstery** C.O.M. requirement is 5/8 yard per chair for seat of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Polypropylene Added List Price=\$21 Model=Upholstered Seat Added List Price=\$64

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

			MODEL NUM	BER					
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Glide Option	Upholstery Color	Approx. Packaged Weight
0	No Worksurface - Flat Accessory Rack	Polypropylene	L2WNP/FBR						42.0#
	Flat accessory rack included	Upholstered Seat	L2WNUS/FBR						45.0#
<i>B</i>									
2WNSP									
2WNSU									
			۵	6	C	D	0	6	-

### **HOW TO ORDER**

Indicate the following information on order form:

- Numity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

### A Select basic model.

- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect fire code. - Compliance to TB 133 - Compliance to TB 117-2013 FR NFR

See Upholstery Information for TB133 upcharge.

**D**Select shell color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Gelect cas	ter/glide option.
C	- Carpet casters
S	- Hard floor casters
GL	- Glides
SCG	- Front hard floor casters, rear
alides	

CCG - Front carpet casters, rear glides

Intellect Wave® Seating

14
----

)elivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 525									
N/A	582	586	595	595	586	625	639	656	670

### UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement is 5/8 yard per chair for seat of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$21 Model=Upholstered Seat Added List Price=\$64

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

			MODEL NUMBE	1					_
									Approx.
	MODEL	Factures	Basic	Frame	Fire	Shell	Glide	Upholstery	Packaged
	MODEL	Features	Model L2SNP/NA/NAR	Color	Code	Color	Option	Color	Weight 44.0#
5-1	No Worksurface - Without Accessory Rack	Polypropylene Upholstered Seat	L2SNUS/NA/NAR						44.0#
		Uphoistered Seat	L25NU5/NA/NAR						47.0#
China									
<u> </u>									
2SNSP									
2SNSU									
	No Worksurface - Accessory Rack	Polypropylene	L2SNP/NA/SAR						53.0#
	<ul> <li>Accessory rack included on both sides of</li> </ul>	Upholstered Seat	L2SNUS/NA/SAR						56.0#
	frame								
6 6									
6									
2SNSP									
2SNSU									
$\square$	No Worksurface - Cup Holder/Accessory	Polypropylene	L2SNP/NA/CAR						53.0#
	Rack <ul> <li>Cup holder/accessory rack included on</li> </ul>	Upholstered Seat	L2SNUS/NA/CAR						56.0#
	both sides of frame								
and a									
CB									
2SNSP									
2SNSP 2SNSU									
20100									1
			A	ß	C	D	Ø	6	

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

### A Select basic model.

**B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Celect fire code. - Compliance to TB 133 FR NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Oselect poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

### Select caster/glide option.

C	<ul> <li>Carpet casters</li> </ul>
S	<ul> <li>Hard floor casters</li> </ul>
GL	- Glides
SCG	- Front hard floor casters, rear
appilo	

CCG - Front carpet casters, rear glides



### Learn2<sup>™</sup> Classroom Furniture Strive<sup>®</sup> Seating

Deliver Pricing		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 5	36									
Ν	N/A	594	621	633	633	627	666	686	707	723
	58									
Ν	V/A	616	644	656	656	650	689	709	728	746
	95									
N	N/A	653	681	693	693	687	726	746	765	783

### UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$66

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

			MODEL NUMBE	R					
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	No Worksurface - Flat Accessory Rack	Polypropylene	L2SNP/NA/FBR						53.0#
	Flat accessory rack included	Upholstered Seat	L2SNUS/NA/FBR						56.0#
Ŭ									
2SNSP									
2SNSU									
			A	0	C	D	0	6	

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

### A Select basic model.

- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect fire code. Compliance to TB 133
   Compliance to TB 117-2013 FR NFR

See Upholstery Information for TB133 upcharge.

OSelect poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### Gelect caster/glide option. - Carpet casters C - Hard floor casters S GL - Glides SCG - Front hard floor casters, rear glides

CCG - Front carpet casters, rear glides



Strive<sup>®</sup> Seating

)elivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 639									
N/A	697	724	736	736	731	770	789	810	826

### UPHOLSTERY INFORMATION

**C.O.M. Upholstery** C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$66

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

			MODEL NUMBER	1						
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Top Stitch Color	Glide Option	Upholstery Color	
$\overline{\bigcirc}$	No Worksurface - Without Accessory Rack	Upholstered Seat	L2SNTSUS/NA/NAR							
	with Top Stitch on Seat									
2SNTS										
	No Worksurface - Accessory Rack with Top Stitch on Seat • Accessory rack included on both sides of frame	Upholstered Seat	L2SNTSUS/NA/SAR							
2SNTS										
	No Worksurface - Cup Holder/Accessory Rack with Top Stitch on Seat • Cup holder/accessory rack included on both sides of frame	Upholstered Seat	L2SNTSUS/NA/CAR							
2SNTS										
			A	6	G	D	0	G	G	

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select frame color.
   Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fire code. FR - Compliance to TB 133 NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Oselect poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ESelect top stitch color. BLTS - Black WHTS - White

Eselect caster/glide option.

 S
 - Hard floor casters

 GL
 - Glides

 SCG
 - Front hard floor casters, rear

 glides
 - Front carpet casters, rear

 GCG
 - Front carpet casters, rear

### Learn2<sup>™</sup> Classroom Furniture Strive<sup>®</sup> Seating

Approx.	Delivered Pricing	
Packaged Weight	Pallas Fabric Group P1	
47.0#	\$ 707	

56.0# \$ 728

56.0# \$ 765

### UPHOLSTERY INFORMATION

**C.O.M. Upholstery** C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$66

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

			MODEL NUMBER							
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Top Stitch Color	Glide Option	Upholstery Color	
	No Worksurface - Flat Accessory Rack with Top Stitch on Seat	Upholstered Seat	L2SNTSUS/NA/FBR							
	<ul> <li>Flat accessory rack included</li> </ul>									
(B)										
2SNTS										
			۵	0	C	D	9	6	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the 
    indicates that no choice is required.
  - Alpha-numeric characters in place of indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

### A Select basic model.

- Select frame color. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.
- Select fire code.
   FR Compliance to TB 133
   NFR Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Oselect poly seat and back color. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.
- ESelect top stitch color.

   BLTS
   - Black

   WHTS
   - White

Eselect caster/glide option.

 S
 - Hard floor casters

 GL
 - Glides

 SCG
 - Front hard floor casters, rear

 glides
 CCG

 CCG
 - Front carpet casters, rear

### Learn2<sup>®</sup> Classroom Furniture Strive<sup>®</sup> Seating

Approx. Packaged Weight	Delivered Pricing Pallas Fabric Group P1
56.0#	\$ 810

### UPHOLSTERY INFORMATION

**C.O.M. Upholstery** C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$66

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

			MODEL NUMBE	D					
				n 					-
			Basic	Frame	Fire	Shell	Glide	Upholstery	Approx. Packaged
	MODEL	Features	Model	Color	Code	Color	Option	Color	Weight
	No Worksurface - Armchair without Ac-	Polypropylene	L2SNP/CA/NAR						47.0#
	cessory Rack	Upholstered Seat	L2SNUS/CA/NAR						50.0#
08    05									
da M									
2SNSP									
2SNSU		Dehmannilana	L2SNP/CA/SAR						56.0#
	No Worksurface - Armchair with Acces- sory Rack	Polypropylene Upholstered Seat	L2SNP/GA/SAR L2SNUS/CA/SAR						59.0#
	<ul> <li>Accessory rack included on both sides or</li> </ul>		L23NU3/GA/SAN						59.0#
	frame								
17 K									
2SNSP									
2SNSU									
$\square$	No Worksurface - Armchair with Cup	Polypropylene	L2SNP/CA/CAR						56.0#
	Holder/Accessory Rack	Upholstered Seat	L2SNUS/CA/CAR						59.0#
	<ul> <li>Cup holder/accessory rack included on both sides of frame</li> </ul>								
and a									
0 <b>m</b>									
2SNSP									
2SNSF 2SNSU									
20.00				•	•	•	•	•	1
			A	₿	C	D	Ø	6	

### **HOW TO ORDER**

Indicate the following information on order form:

- Numity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

### A Select basic model.

- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Celect fire code. NFR - Compliance to TB 117-2013 FR - Compliance to TB 133
  - See Upholstery Information for TB133 upcharge.
- Oselect poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

### Select caster/glide option.

C	- Carpet casters
S	- Hard floor casters
GL	- Glides
SCG	- Front hard floor casters, rear

CCG - Front carpet casters, rear glides



Strive<sup>®</sup> Seating

Deliv Prici		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	591 N/A	650	677	689	689	695	734	742	762	779
	14/74	000	011	000	000	000	104	172	102	115
	614			= 10	=10					
	N/A	673	699	712	712	707	746	764	785	801
\$	651									
	N/A	710	736	749	749	744	783	801	822	838

### **UPHOLSTERY INFORMATION**

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$66

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

	MODEL NUMBER								
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	No Worksurface - Armchair with Flat	Polypropylene	L2SNP/CA/FBR						56.0#
	<ul> <li>Accessory Rack</li> <li>Flat accessory rack included</li> </ul>	Upholstered Seat	L2SNUS/CA/FBR						59.0#
(da)									
2SNSP									
2SNSU									
			Ø	0	œ	D	9	6	

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

### A Select basic model.

- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect fire code. Compliance to TB 133
   Compliance to TB 117-2013 FR NFR
  - See Upholstery Information for TB133 upcharge.
- OSelect poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### Gelect caster/glide option. - Carpet casters C - Hard floor casters S GL - Glides SCG - Front hard floor casters, rear glides

CCG - Front carpet casters, rear glides



Strive<sup>®</sup> Seating

Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 695									
N/A	753	781	793	793	787	826	846	865	883

### UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$66

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

			MODEL NUMBER							
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Top Stitch Color	Glide Option	Upholstery Color	_
	No Worksurface - Armchair without Ac- cessory Rack with Top Stitch on Seat	Upholstered Seat	L2SNTSUS/CA/NAR							
2SNTS										
	<ul> <li>No Worksurface - Armchair with Accessory Rack with Top Stitch on Seat</li> <li>Accessory rack included on both sides of frame</li> </ul>	Upholstered Seat	L2SNTSUS/CA/SAR							
2SNTS										
	No Worksurface - Armchair with Cup Holder/Accessory Rack with Top Stitch on Seat • Cup holder/accessory rack included on both sides of frame	Upholstered Seat	L2SNTSUS/CA/CAR							
2SNTS										
			A	0	G	D	9	6	G	

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select frame color.
   Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.
- Select fire code.

   FR
   - Compliance to TB 133

   NFR
   - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ESelect top stitch color.

  BLTS Black

  WHTS White

E Select caster/glide option.

 S
 - Hard floor casters

 GL
 - Glides

 SCG
 - Front hard floor casters, rear

 glides
 - Front carpet casters, rear

 GCG
 - Front carpet casters, rear

### Learn2<sup>™</sup> Classroom Furniture Strive<sup>®</sup> Seating

Approx. Packaged Weight	Delivered Pricing Pallas Fabric Group P1			

59.0# 785 \$

50.0# \$ 774

59.0# \$ 822

### UPHOLSTERY INFORMATION

**C.O.M. Upholstery** C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$66

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

		MODEL NUMBER								
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Top Stitch Color	Glide Option	Upholstery Color	
$\bigcirc$	No Worksurface - Armchair with Flat Ac- cessory Rack with Top Stitch on Seat • Flat accessory rack included	Upholstered Seat	L2SNTSUS/CA/FBR							
<i>S</i>										
2SNTS										
20110			A	0	G	D	9	6	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the 
    indicates that no choice is required.
  - Alpha-numeric characters in place of indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

### A Select basic model.

- Select frame color.
   Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fire code.

   FR
   - Compliance to TB 133

   NFR
   - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Oselect poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Belect top stitch color. BLTS - Black WHTS - White

Eselect caster/glide option.

 S
 - Hard floor casters

 GL
 - Glides

 SCG
 - Front hard floor casters, rear

 glides
 - Front carpet casters, rear

 GCG
 - Front carpet casters, rear



### UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$66

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

KI

| 330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 | -800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2012 KI All Rights Reserved. Code KI-11584/KI/PDF/111