

LIMELITE™ SEATING

PRICE LIST

June 15, 2022 Updated March 7, 2023

800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering Customer's Own Material (C.O. Information	M.) Upholstery	3
 LimeLite™ Seating		_
General Information		4
Technical Specifications		7
Product Color Options	1	5
Four-Leg Stack Chairs	1	16
Four-Leg Nesting Chairs	2	20
Sled Base Stack Chairs	2	21
Four-Leg Cafe Stools	2	22
HD Stack Chairs and Stools	2	23
Transport Dollies	2	24
Task Chairs	2	25
Task Stools	2	27




How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.

Diagram A



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer's upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. upholstery

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual vardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION



Architectural Walls	System 3000	MN
EvokeMN	Universal Overheads	MN
Genius WallsMN	Wireworks	MN
	Unite	MN
Casegoods		
Aristotle TackboardsMN	Residence Hall Furniture	
Likha TackboardsMN	RoomScape Furniture	MN
Classroom Furniture	Screens	
Intellect Wave ChairsGB	All Terrain	KP
Learn2GB	Connection Zone	BW
RuckusGB	True/Volition	KP
	Genesis	KP
Desking	Tattoo	MN
700 Series DeskingKP	Universal	BW
Balance OverheadsMN		
Genesis DeskingMN	Seating	
True DeskingKP	400 Series Folding Chairs	BW
Universal OverheadsMN	600 Series Folding Chairs	BW
WorkZone DeskingMN	600 Series Stools	BW
	Affina Collection	HN
Files & Storage	Altus Task Chairs	GB
700 Series Pedestal CushionGB	Apply Stack Chairs	
Connection Zone PadsBW	Auditorium Folding Chairs	BW
U-Series Pedestal CushionGB	Calida Lounge Seating	
TattooBW	Diem Task Chairs	OM
	Doni Collection	GB
Fixed Seating	Gladly Lounge Seating	VQ
Concerto Auditorium SeatingBW	Grazie Seating	GB
Single Pedestal SeatingGB	Hiatus Sleeper Bench	HN
Jury Base SeatingGB	Hub Modular Lounge Seating	HN
Lancaster Auditorium SeatingBW	Impress Task Chairs	OM
Sequence SeatingGB	Impress Ultra Task Chairs	OM
University SeatingGB	Jessa Lounge Seating	HN
	Jubilee Lounge Seating	VQ
Panel Systems	Katera Guest Chair	GB
All Terrain KP	Kury Benches	HN

GE
ΗN
GE
ON
ΗN
ΗN
GE
GE
NC
BW
GE
ΗN
GE
MC
ΗN
ΗN
ΗN
GE
BW
ΗN
GE
GE
ΗN

KI C.O.M. Manufacturing Site Addresses:

Attn: COM Storage 204 West South St. Bonduel, WI 54107

> KI Green Bay Attn: COM Storage

Green Bay, WI 54302

1687 Westminster Drive - Gate 3

Balance Overheads.

KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263

.. MN

LaResta Day Beds

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7

Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

Attn: COM Storage

1110 S. Mildred Ave.

Ontario, CA 91761

Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623



















Four-Leg Armless Chair with Glides (LL1100, LL1200)

Four-Leg Arm Chair with Glides (LL1111, LL1211)

Four-Leg Armless Chair with Casters (LL2100, LL2200)

Four-Leg Arm Chair with Casters (LL2111, LL2211)

Four-Leg Oversize Tablet Arm Chair with Glides Four-Leg Oversize Tablet Arm Chair with Casters
(LL114R, LL114L, LL124R, LL124L) (LL214R, LL214L, LL224R, LL224L)

size Tablet Arm Chair Four-Leg Tablet Arm Chair with the Casters Glides
4L, LL224R, LL224L) (LL113R, LL113L, LL123R, LL123L)

Chair with Four-Leg Tablet Arm Chair with Casters

BR, LL123L) (LL213R, LL213L, LL223R, LL223L)

Features				
Stackable	•	•	•	•
General Dimensions				
Seat width	18-1/4"	18-1/4"	18-1/4"	18-1/4"
Seat depth	17-1/2"	17-1/2"	17-1/2"	17-1/2"
Seat height (upholstered add 3/4")	17-1/2"	17-1/2"	17-1/2"	17-1/2"
Clearance inside arms		20"		20"
Overall Dimensions				
Width	21-3/4'	23-1/2"	22-1/2"	23-1/2"
Depth	22-1/4"	22-1/4"	20"	20"
Height	33-1/4"	33-1/4"	33-1/4"	33-1/4"
Arms to floor		25-1/2"		25-1/2"
Stacking on Dolly				
Overall width	25-1/4"	25-1/4"		
Overall depth	39"	39"		
Quantity/Height - poly	15/61"	15/63"		
Quantity/Height - upholstered seat	8/51"	8/51"		
Stacking on Floor				
Overall Width	21-3/4"	23-1/2"	22-1/2"	23-1/2"
Overall Depth	29-3/4"	29-3/4"	27-1/2"	27-1/2"
Quantity/ Height - poly	7/43"	7/43"	7/43"	7/43"
Quantity/Height - upholstered seat	7/48"	7/48"	7/48"	7/48"

Features				
Stackable	•	•	•	•
General Dimensions				
Seat width	18-1/4"	18-1/4"	18-1/4"	18-1/4"
Seat depth	17-1/2"	17-1/2"	17-1/2"	17-1/2"
Seat height (upholstered add 3/4")	17-1/2"	17-1/2"	17-1/2"	17-1/2"
Clearance inside arms				20"
Tablet to backrest clearance	15"	15"	15"	15"
Overall Dimensions				
Width	23-3/4"	23-3/4"	23-3/4"	24-3/4"
Depth	31"	31"	28"	28"
Height	33-1/4"	33-1/4"	33-1/4"	33-1/4"
Arms to floor				
Tablet surface to floor	28-1/4"	28-1/4"	28-1/4"	28-1/4"
Stacking on Floor				
Overall Width	23-3/4"	23-3/4"	23-3/4"	23-3/4"
Overall Depth	35-1/2"	35-1/2"	32-1/2"	32-1/2"
Quantity/Height - poly	4/38"	4/38"	4/38"	4/38"
Quantity/Height - upholstered seat	4/43"	4/43"	4/43"	4/43"

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

LimeLite™ Seating























High-Density Ar	mless Cha
(LL7100, L	.L7200)

Four-Leg Nesting Armless Chair Four-Leg Nesting Arm Chair with

Four-Leg Armless Cafe Stool, 24" High

Four-Leg Armless Cafe Stool, 30"

	High-Density Armless Chair (LL7100, LL7200)	Armless High-Density Stool, 24" High (LLS200H24, LLS100H24)	Armless Hgh-Density Stool, 30" High (LLS100H30, LLS20H30)	Sled Base Armless Chair (LL3100, LL3200)	Sled Base Arm Chair (LL3111, LL3211)
Features					
Stackable	•	•	•	•	•
General Dimensions					
Seat width	18-1/4"	18-1/4"	18-1/4"	18-1/4"	18-1/4"
Seat depth	17-1/2"	17-1/2"	17-1/2"	17-1/2"	17-1/2"
Seat height (upholstered add 3/4")	17-1/2"	23-1/2"	29-1/2"	17-1/2"	17-1/2"
Tablet to backrest clearance					20"
Overall Dimensions					
Width	21-1/2"	20"	21-3/4"	24-3/4"	24-3/4"
Depth	20-3/4"	21"	23-1/4"	20"	20"
Height	33-1/4"	39-1/4"	45-1/4"	33-1/4"	33-1/4"
Tablet surface to floor					25-1/2"
Stacking on Dolly					
Overall width	23"	23-1/2"	23-1/2"	25-1/4"	25-1/4"
Overall depth	36"	38"	43"	39"	39"
Quantity/height - poly	25/71-1/2"	15/57"	15/63"	15/61"	15/63"
Quantity/height- upholstered seat	10/56-1/2"	8/52"	8/58"	8/51"	8/51"
Stacking on Floor					
Overall Width	21-1/2"	20"	21-3/4"	24-3/4"	24-3/4"
Overall Depth	28-1/4"	28-1/2"	30-3/4"	27-1/2"	27-1/2"
Quantity/height - poly	7/42"	7/48"	7/54"	7/43"	7/43"
Quantity/height - upholstered seat	7/47"	7/53"	7/59"	7/48"	7/48"

	with Casters (LLA100, LLA200)	Casters (LLA111, LLA211)	(LL4100H24, LL4200H24)	High (LL4100H30, LL420H30)
Features				
Stackable				
General Dimensions				
Seat width	18-1/4"	18-1/4"	18-1/4"	18-1/4"
Seat depth	17-1/2"	17-1/2"	17-1/2"	17-1/2"
Seat height (upholstered add 3/4")	17-1/2"	17-1/2"	23-1/2"	29-1/2"
Clearance inside arms		20"		
Overall Dimensions				
Width	23"	23-1/2"	20"	20-1/2"
Depth	20"	20"	20"	21-3/4"
Height	33-1/4"	33-1/4"	39-1/4"	45-1/4"
Arms to floor		25-1/2"		

INFORMATION

C.O.M. Testing and Production Require-

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

Stacking Vinyl, Polyurethane, and Imitation **Leather Upholstered Chairs**

it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

LimeLiteTM Seating General Information



















Overall Dimensions

Width

Depth

Height

M.	7
0	
•	







Armless Task Chair

Arm Task Chair

Change-Up Tablet Arm Task Chair

Armless Task Stool

Arm Task Stool

Dolly for Four-Leg and Sled Base Chairs, All-Poly (LLDTF)

25-1/4"

30-3/4"

15-1/4"

(LLDHD)

23"

30"

15-1/4"

Dolly for High-Density Chairs, All-Poly Dolly for High-Density Stools, All-Poly or with Upholstery (LLDHDS)

23-1/2"

30"

18"

Dolly for High-Density, Four-Leg or Sled Base Chairs with Upholstery (LLDCU)

25-1/4"

30"

13"

	(LL5100, LL5200)	(LL5111, LL5211)	(LL519R, LL519L, LL529R, LL529L)	(LL6100, LL6200)	(LL6111, LL6211)
General Dimensions					
Seat width	18-1/4"	18-1/4"	18-1/4"	18-1/4"	18-1/4"
Seat depth	17-1/2"	17-1/2"	17-1/2"	17-1/2"	17-1/2"
Seat height (upholstered add 3/4")	16-1/2" - 21-1/2"	16-1/2" - 21-1/2"	16-1/2" - 21-1/2"	22" - 32"	22" - 32"
Clearance inside arms		20"			20"
Overall Dimensions					
Width	28"	28"	28"	28"	28"
Depth	28"	28"	28"	28	28
Height	32-1/4" - 37-1/4"	32-1/4" - 37-1/4"	32-1/4" - 37-1/4"	37-3/4" - 47-3/4"	37-3/4" - 47-3/4"
Arms/tablet surface to floor		24-1/2" - 29-1/2"	28" - 33"		30" - 40"
Footring to floor				12-1/2" - 17-1/2"	12-1/2" - 17-1/2"

INFORMATION	

C.O.M. Testing and Production Require-

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Technical Specifications

One-Piece Seat Shell

The seat and backrest are integrated into a single shell that is injection-molded in polypropylene, reinforced with glass fiber. The shell is ergonomically contoured and features a passive flex back movement for superior comfort.

Upholstered Seat (optional)

Molded urethane foam is attached to an injection-molded polypropylene seat board, then is upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners. Seat foam is nominal ³/₄" thickness.

Stack Chairs

Frames

Legs are made from $^{7}/_{8}$ " O.D. by 13-gauge tubular steel. A single ring of $^{1}/_{2}$ " diameter steel wire forms the crossmember. All joints are welded.

Frame Finishes

Frames are finished in either baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint, or bright nickel-chrome plating.

Armrests (optional)

When equiped with armrests, the support structure is a continuation of the rear leg, finished to match the frame color. The armrests are injection-molded glass-reinforced nylon with an internal structure of $^3/_8$ " diameter steel wire and are press-fit into the support tube. Armrest color matches the frame finish, (except chrome and metallic finishes; which match the shell poly color).

Glides

4-Leg Chairs

Three glide options are available; felt, plastic, and steel. A black nylon swivel glide body is press-fit into the end of the leg tube. Glide caps (felt, plastic, or steel) are snap-fit onto the glide body. These are field-replaceable and interchangeable.

Tubular Sled Base Chairs

In addition to "no glide", four glide options are available; non-skid, felt, plastic, and steel. A clear polycarbonate glide body is attached to the sled tube with a screw. Glide caps (non-skid, felt, plastic, or steel) have a black plastic structure and snap-fit onto the glide body. These are field-replaceable and interchangeable.

Casters

4-leg chairs may be ordered with dual surface casters, suitable for carpet or hard floors. Casters are 50 mm diameter, double-wheel, made of high-impact thermoplastic with softer elastomer over-molded on the wheel surfaces. Casters are available in Black, Warm Grey, or Cottonwood. (Cottonwood casters have Warm Grey elastomer on the surface that contacts the floor. All others are monochrome.)

Transport Dolly

Frame construction is welded tubular steel with black powder-coated finish and 5" wheels (two swivel and two fixed). The dolly fits 4-leg or sled base chairs and has a capacity of fifteen poly chairs or eight upholstered.



LimeLiteTM Seating

Flip-Up Tablet Arm

The tablet support loop is a continuation of the rear leg and is available in left- or right-handed models. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface has plywood core of $^{5}/_{8}$ " thick, I I-ply hardwood, surfaced with .030" high-pressure laminate top and plain backer undersurface. Edges are lacquered and sealed.

Café Stools (non-stacking)

Frames

Legs are made from $^{3}/_{4}$ " O.D. by 13-gauge tubular steel. A single ring of $^{1}/_{2}$ " diameter steel wire forms the crossmember. The footring is formed of $^{1}/_{2}$ " diameter steel wire. All joints are welded. 4-leg cafe stools are available in 24" or 30" seat heights.

Frame Finishes

Frames are finished in either baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint, or bright nickel-chrome plating. Powder-coat paint may be specified in 30-degree gloss or select colors in a textured (matte) finish.

Glides (optional)

Three glide options are available; felt, plastic, and steel. A black nylon swivel glide body is press-fit into the end of the leg tube. Glide caps (felt, plastic, or steel) are snap-fit onto the glide body. These are field-replaceable and interchangeable.

Nesting Chairs

Nesting Shell Assembly

To facilitate nesting, the entire shell flips forward approximately 45° to the storage position. A die-cast aluminum seat plate supports the seat shell and houses the flip-up mechanism. The seat plate is painted to match the shell poly color, using baked-on electrostatically-applied epoxy powder-coat paint in 30-degree gloss. The shell assembly rotates around a pivot tube that is integral to the frame. The shell assembly is held in the storage position by a dual ball-detent mechanism. Simply pushing the shell down returns the shell to the use position. There are no locking levers or other secondary actions required.

Frames

Legs are made from $^{7}/_{8}$ " O.D. by 13-gauge tubular steel. The seat pivot tube is made of $^{3}/_{4}$ " O.D. by 13-guage tubular steel and the crossmember is made of 1" O.D. by 13-guage tubular steel. All joints are welded.

Frame Finishes

Frames are finished in either baked-on electrostatically-applied epoxy powder-coat paint, or bright nickel-chrome plating.

Armrests (optional)

When equipped with armrests, a support structure is made from $^{7}/_{8}$ " O.D. by 13-gauge tubular steel, finished to match frame color. The armrests are injection-molded glass-reinforced nylon with an internal structure of $^{3}/_{8}$ " diameter steel wire and are press-fit into the support tube. Armrest color matches the frame finish, (except chrome and metallic finishes; which match the shell poly color).

Casters

Nesting chairs are equipped with dual surface casters, suitable for carpet or hard floors. Casters are 50 mm diameter, double-wheel, made of high-impact thermoplastic with softer elastomer over-molded on the wheel surfaces. Casters are available in Black, Warm Grey, or Cottonwood. (Cottonwood casters have Warm Grey elastomer on the surface that contacts the floor. All others are monochrome.)

Technical Specifications



LimeLiteTM Seating

High-Density Chairs & Stools

High-Density Frames

High-Density wire frames are sled-base style, made of $^{7}/_{16}$ " diameter solid steel rod with all joints welded. Stool frames also have a footrest made of $^{1}/_{2}$ " diameter solid steel rod. Stools are available in 24" or 30" seat heights.

Frame Finishes

Frames are finished in either bright nickel-chrome plating or baked-on electrostatically-applied gloss epoxy powder-coat paint. Powder-coat paint may be specified in 30-degree gloss or select colors in a textured (matte) finish.

Glides

In addition to "no glide", ganging glides and non-ganging glides are available. Four non-ganging glide options are available; non-skid, felt, plastic, and steel. A clear polycarbonate glide body snaps onto the wire frame and is held in location with ribs that nest into slots that are pressed into the wire frame. Glide caps (non-skid, felt, plastic, or steel) have a black plastic structure and snap-fit onto the glide body. These are field-replaceable and interchangeable.

Ganging glides snap onto the wire frame and are held in location with ribs that nest into slots that are pressed into the wire frame. Ganging glides (2-male and 2-female) slide together, allowing multiple chairs to be connected in a line. Ganging glides are either clear polycarbonate, or clear polycarbonate with a steel floor-contact insert.

Transport Dolly

Frame construction is welded tubular steel with black powder-coated finish and 5" wheels (two swivel and two fixed). The dolly has a capacity of twenty-five poly chairs, ten upholstered chairs, fifteen poly stools, or eight upholstered stools.

Task Chairs & Stools

Under-Seat Structure

Support structure is a die-drawn 12-gauge steel plate. Structure is finished with baked-on electrostatically-applied epoxy powder-coat paint.

Armrests (optional)

When equipped with armrests, a support structure of $^{7}/_{8}$ " O.D. by 13-gauge tubular steel is welded directly to the seat structure plate. The armrests are injection-molded glass-reinforced nylon with an internal structure of $^{3}/_{8}$ " diameter steel wire and are press-fit into the support tube. Armrest color matches the structure's finish, (except metallic finishes, which match the shell poly color).

Base

The base is a 27" injection-molded glass-reinforced nylon 5-blade base. A single paddle under the seat operates the height-adjusting pneumatic cylinder. An optional die-cast aluminum 5-blade base is also available on both chairs and stools. The aluminum base is available in polished aluminum or selected paint colors. Finish is baked-on elctrostatically-applied epoxy powder-coat paint and may be specified in 30-degree gloss or textured (matte) finish. Cylinders are available in Black, Warm Grey, or Cottonwood. Nominal seat height range is $16\frac{1}{2}$ " to $21\frac{1}{2}$ " for chairs, and 22" to 32" for stools.

Casters

Task chairs and stools are equipped with dual surface casters, suitable for carpet or hard floors. Casters are 60 mm diameter, double-wheel, made of high-impact thermoplastic with softer elastomer over-molded on the wheel surfaces. Casters are available in Black, Warm Grey, or Cottonwood. (Cottonwood casters have Warm Grey elastomer on the surface that contacts the floor. All others are monochrome.)

Foot Ring

Task stools are equipped with an adjustable-height foot ring. The foot ring has a die-cast aluminum hub and spokes (black with a polished top surface), and a 20" diameter chrome-plated tubular steel ring.

ChangeUp[™] Tablet Arm

ChangeUp tablet support is integral to the chair frame and consists of a $^{7}/_{8}$ " diameter solid steel rod welded to the front and rear support tubes. A three-piece molded plastic armrest is included and attached to the chair frame using a $\# 10 \times 2^{1}/_{2}$ " Phillips pan head tapping screw.

The tablet mechanism consists of a die-cast aluminum housing, upper and lower plastic bearings, and I I-gauge steel clamp and tablet board support plates. The tablet mechanism is clamped onto the chair frame over two plastic bushing halves and a $^5/_{16}$ " diameter by $1^3/_4$ " hardened steel pin with a die-cast aluminum cap secured with two $^1/_4$ -20 x $^3/_4$ " button socket head cap screws. The pin creates a solid 90° up/down pivot stop and the bushings provide a smooth, quiet operation. In the use position, the tablet mechanism rotates outward from the chair back an additional 20° and permits approximately $3^1/_2$ " of adjustment for ingress/egress without stowing the tablet.

The tablet worksurface is 21" wide by $13^{1}/2$ " deep (235 square inches) is secured to the tablet board support plate with twelve $\#12 \times 5/8$ " Phillips flat head tapping screws. The tablet board is made of 18 mm Baltic Birch plywood with .040" high-pressure laminate top surface and .02" thick phenolic backer surface for an overall board thickness of approximately 3/4". Edges are lacquered with a clear finish and sealed. The factory installed tablet assembly is not field installable and may not be removed.


Compliance

Support frame, mechanism, and worksurface passes KI's internal testing for 250-pound weight capacity.


1

DIMENSIONS


LimeLite 4-Leg Glide Stack Chair - Armchair - (model LLIIII shown)










LimeLite 4-Leg Glide Stack Chair - Flip-Up Tablet Armchair - (model LL113R shown)









LimeLite 4-Leg Glide Stack Chair - Oversize Flip-Up Tablet Armchair - (model LLI I4R shown)









DIMENSIONS


LimeLite 4-Leg Caster Stack Chair - Armchair - (model LL2111 shown)










LimeLite 4-Leg Caster Stack Chair - Flip-Up Tablet Armchair - (model LL213R shown)









LimeLite 4-Leg Caster Stack Chair - Oversize Flip-Up Tablet Armchair - (model LL214R shown)







LimeLite™ Seating


Technical Specifications


1


LimeLiteTM Seating Technical Specifications

DIMENSIONS


LimeLite Sled-Base Stack Chair - Armchair - (model LL3111 shown)










LimeLite 24" Café Stool (armless/non-stacking) - (model LL4100/24 shown)









LimeLite 30" Café Stools (armless/non-stacking) - (model LL4100/30 shown)










DIMENSIONS


LimeLite Task Chair - Armchair - (model LL5 | | Ishown)










LimeLite Task Chair - ChangeUp Tablet Armchair - (model LL519R shown)









LimeLite Task Stool - Armstool - (model LL6111 shown)









LimeLite™ Seating


Technical Specifications

DIMENSIONS


LimeLite Task Chair - Armchair - (model LL5 | | Ishown)










LimeLite Task Chair - ChangeUp Tablet Armchair - (model LL519R shown)









LimeLite Task Stool - Armstool - (model LL6111 shown)








Z


LimeLiteTM Seating Technical Specifications

DIMENSIONS


LimeLite High-Density Chair - Armless - (model LL7100 shown)



LimeLite 24" High-Density Stool - Armless - (model LLS100/24 shown)





LimeLite 30" High-Density Stool - Armless - (model LLS100/30 shown)




DIMENSIONS


LimeLite Nesting Chair - Armless Chair - (model LLA100 shown)









LimeLite Nesting Chair - Armchair - (model LLAIII shown)









LimeLite Nesting Footprint Calculations

Nesting Footprint Calculation: Overall Depth of a Row = 20" for the first chair plus 7.25" for each additional chair. Examples: 2 chairs: $20" + (7.25" \times 1) = 27.25"$ 4 chairs: $20" + (7.25" \times 3) = 41.75"$





Nesting Chairs Footprint Examples			
Number of Chairs	Overall Depth of Nested Row		
1	20"		
2	27.25"		
3	34.5"		
4	41.75"		
5+	Add 7.25" for each additional chair		
-	41.75" Add 7.25" for		

STATEMENT OF LINE

LimeLite 4-Leg Glide Stack Chairs







Armless Chair LL1200



Armchair LL1111



Upholstered Seat Armchair LL1211



Poly Seat Flip-Up Tablet Armchair RH



Poly Seat Flip-Up Tablet Armchair LH LL113L



Upholstered Seat Flip-Up Tablet Armchair RH LL123R



Upholstered Seat Flip-Up Tablet Armchair LH LL123L



Poly Seat Oversize Flip-Up Tablet Armchair RH LL114R



Poly Seat Oversize Flip-Up Tablet Armchair LH LL114L



Upholstered Seat Oversize Flip-Up Tablet Armchair RH LL124R



Upholstered Seat Oversize Flip-Up Tablet Armchair LH LL124L

STATEMENT OF LINE

LimeLite 4-Leg Caster Stack Chairs









Poly Seat Armchair LL2111 Armless Chair LL2200











Upholstered Seat Flip-Up Tablet Armchair RH



Poly Seat





Oversize Flip-Up Tablet Armchair RH

LL224R



LL224L

Oversize Flip-Up Oversize Flip-Up Tablet Armchair RH Tablet Armchair LH LL214R LL214L

Oversize Flip-Up Tablet Armchair LH

LimeLite Sled-Base Stack Chairs





Armless Chair LL3200





Upholstred Seat Armchair LL3211

STATEMENT OF LINE

LimeLite Café Stools (armless/non-stacking)










LimeLite Task Chair



Poly Seat Armless Chair LL5100







Poly Seat Armchair LL5111 Armless Chair



Upholstered Seat

LL529R



Upholstered Seat

Upholstered Seat

LimeLite Task Stool









Armstool LL6211

LimeLiteTM Seating Technical Specifications



LimeLiteTM Seating
Technical Specifications

STATEMENT OF LINE

LimeLite High-Density Chair





Poly Seat LL7100

LimeLite High-Density Stools









LimeLite Nesting Chairs



Poly Seat Armless Chair LLA100



Upholstered Seat Armless Chair LLA200



Poly Seat Armchair LLA111

Upholstered Seat Armchair LLA211

LimeLiteTM Product Color Options



Stack/Nesting Seating Frame/Armrest or Ta	sk Seating	Poly Color - Shell		Tablet Arm Color - Laminate		Five-Star Task Base Color	
Armrest/Height Adjust Lever Color		Black	PBL	Belair	LBQ	Black	BBL
Black	BL	Blue Grey	PGR	Biltmore Cherry	LBT	Cottonwood	BCO
Blue Grey	GR	Cayenne	PCY	Black	LBK	Warm Grey	BWG
Bronze Metallic	ZM	Cool Grey	PCG	Brighton Walnut	LBW	Polished Aluminum	BPA
Cayenne	CY	Cottonwood	PCO	Canyon Zephyr	LCA	Black Textured (Matte)	BBLT
Champagne Metallic	CM	Earthen Clay	PEY	Castle Oak	LCO	Cottonwood Textured (Matte)	BCOT
Chrome	СН	Everglade Shade	PEV	Casual Linen	LCU	Warm Grey Textured (Matte)	BWGT
Cool Grey	CG	Flannel	PFN	Cherry Storm	LCX		
Cottonwood	CO	Hazy Jade	PHJ	Classic Linen	LCI	When base is Black, Cottonwood, or match. When base is Polished Alumi	
Earthen Clay	EY	Honey Bee	PHY	Cloud Zephyr	LCL	must be selected.	iliulii, a castel/cylliluel coloi
Espresso Metallic	EX	Light Tone	PLG	Cocobala	LCC		
Everglade Shade	EV	Mardi Gras	PMG	Crisp Linen	LRI	Dual Surface Caster Color	
Flannel	FN	Misty Brown	PMY	Desert Zephyr	LDZ	Black	UCBL
Glitz Metallic	GZ	Nemo	PNE	Dove Grey	LDG	Cottonwood	UCCO
Hazy Jade	HJ	Nordic	PND	Fired Steel	LIL	Warm Grey	UCWG
Honey Bee	HY	Poppy Red	PPR	Flax Linen	LXF		
Light Tone	LG	Purple Haze	PPH	Florence Walnut	LFC		
Mardi Gras	MG	Rubber Ducky	PRK	Forged Steel	LOL		
Misty Brown	MY	Sand	PSA	Friston Ash	LFH		
Nemo	NE	Sky Blue	PSK	Frosty White	LFW		
Nordic	ND	Surf's Up	PSP	Graphite Nebula	LGN		
Poppy Red	PR	Twilight Shadow	PTI	Grey	LGE		
Purple Haze	PH	Ultra Blue	PUB	High Rise	LHE		
Rubber Ducky	RK	Warm Grey	PWG	Hollyberry	LHY		
Sand	SA	Zesty Lime	PZL	Irish Linen	LIH		
Sky Blue	SK	Chusud New tehlet awa cost shusud master	iahaa mahumiak Tahlat awa	Island	LID		
Starlight Silver Metallic	SX	Shroud: Non-tablet arm seat shroud mate seat shrouds are black only.	cnes poly pick. Tablet arm	Italian Silver Ash	LIT		
Surf's Up	SP	cour cinicado di o Sidon cinij.		Kensington Maple	LKM		
Twilight Shadow	TI			Lapis Blue	LLB		
Ultra Blue	UB			Markerboard White	LMK		
Warm Grey	WG			Misted Zephyr	LMR		
Zesty Lime	ZL			Monticello Maple	LMT		
Black Textured (Matte)	BLT			Nickel Evolv	LNV		
Cottonwood Textured (Matte)	COT			North Sea	LNA		
Warm Grey Textured (Matte)	WGT			Ocean	LON		
Cool Grey Textured (Matte)	CGT			Pearl Bisque	LPB		
Flannel Textured (Matte)	FNT			Pearl Silver	LPS		
On Stack/Nesting Seating, armrest matches frame t	finish except for			Pressed Linen	LPR		
chrome, metallic, or hammertone, then arm matche				River Cherry	LRY		
On Tools Continue Assessment/Height Adjust Laver and				Rugged Linen	LRG		
On Task Seating, Armrest/Height Adjust Lever color height adjust lever and seat shroud. If metallic or his				Satin Stainless	LSS		
colors are selected, then arm matches poly pick.	ummortono			Shadow Zephyr	LSR		
NOTE OF A POST OF A POST				Silicon evolv	LSV		
NOTE: Chrome is NOT available on Task Seating.				Sterling Ash	LAZ		
NOTE: Textured finishes are NOT available on Nesti	ng Seating.			Tailored Linen	LTL		
	-			Titanium evolv	LTV		
				White Nebula	LWL		
				White Sand	LWN		
				Windsor Mahogany	LWY		

Finish Cards	<u>Paints</u>	Wood/
View color swatches for items listed within this document.	Plastics/Poly	<u>Lamina</u>



LimeLiteTM Seating
Stack Chairs

			MODI	EL NUMB	EK													
	MODEL	Features	Basic Model	Fire Code	Shell Color	Frame/ Armrest Finish*	Caster Color	Glide Option	Upholstery Color		Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Four-Leg Armless Chair with Glides	Poly Seat/Back	LL1100	0 NFR						21.3#	260							
	One-piece shell	Uph Seat/Poly Back	LL1200	0 NFR						23.3#	N/A	463	470	484	472	521	541	563
	Passive FlexExpansive color options																	
	Large family																	
	 400 pound approved 																	
// \\ \!	 Stacking 																	
μ //																		
U																		
LL11																		
LL12																		
	Four-Leg Armless Chair with Casters	Poly Seat/Back		0 NFR						22.3#	309							
()	One-piece shellPassive Flex	Uph Seat/Poly Back	LL2200	0 NFR						24.3#	N/A	513	519	534	522	570	591	612
	Expansive color options																	
	Large family																	
	400 pound approvedDual surface casters																	
4 \ 3	Stacking on floor only																	
	chaining on moor orang																	
OP .																		
LL21																		
LL22																		
			A	3	Θ	O	Ð	•	G									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code. NFR - Compliance to TB 117-2013

Select shell color.

Refer to the **Product Color Options** page in this price list.

Select frame/armrest color.
Refer to the **Product Color Options** page in this price list.

Select caster color.

UCCO - Cottonwood; add \$27

UCWG - Warm Grey; add \$27

Select glide option.

GFT - Felt glides

GPL - Plastic glides GSL - Steel glides

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



LimeLiteTM Seating
Stack Chairs

										•								
			MODE	L NUMB	ER													
	MODEL	Features	Basic Model	Fire Code	Shell Color	Frame/ Armrest Finish*	Caster Color	Glide Option	Upholstery Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Four-Leg Arm Chair with Glides	Poly Seat/Back	LL1111	NFR						24.0#	\$ 338							
	One-piece shellPassive FlexExpansive color options	Uph Seat/Poly Back	LL1211	NFR						26.0#	N/A	542	549	563	551	599	620	642
	Large family400 pound approved																	
	Stacking Armrest matches frame finish except for																	
n	chrome, metallic or hammertone, then the arm matches poly pick.																	
LL11																		
LL12		D 1 0 1/D 1	110444	NED						05.0#	A 000							
	Four-Leg Arm Chair with Casters One-piece shell	Poly Seat/Back	LL2111								\$ 388							
	 Passive Flex Expansive color options	Uph Seat/Poly Back	LL2211	NFR						27.0#	N/A	591	597	611	599	648	669	690
	Large family400 pound approved																	
	 Dual surface casters Stacking on floor only Armrest matches frame finish except for																	
™ LL21	chrome, metallic or hammertone, then the arm matches poly pick.																	
LL22																		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

BSelect fire code.

Refer to the **Product Color Options** page in this price list.

price list.

Select caster color.

Select glide option.

GFT - Felt glides

GPL - Plastic glides

GSL - Steel glides

A Select basic model.

NFR - Compliance to TB 117-2013

Select shell color.

Select frame/armrest color.
Refer to the **Product Color Options** page in this *See NOTE.

UCBL - Black
UCCO - Cottonwood; add \$27
UCWG - Warm Grey; add \$27

NOTE

GSelect upholstery grade/color.

Refer to ki.com/fabrics

*Armrest matches frame finish except for chrome, metallic or hammertone, then arm matches poly pick.

UPHOLSTERY INFORMATION

C.O.M. Upholstery


C.O.M. requirement for 10 chairs or less with upholstered seat is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and for complete informa-tion on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.







			MODEL NU	JMBER															
	MODEL	Features	Basic Fir Model Co	re S	Frame/ hell Armrest olor Finish*	Caster Color	Glide	Tablet Arm Color	Upholstery Color	Approx. Package Weight		livered cing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Four-Leg Tablet Arm Chair with Glides	Poly Seat/Back, RH	LL113R NF	R□						29.0#	# \$	463							
	One-piece shell Descive Flow	Poly Seat/Back, LH	LL113L NF	R C						29.0#	¥	463							
	Passive FlexExpansive color options	Uph Seat/Poly Back, RH	LL123R NF	R [31.0#	¥	N/A	705	712	726	714	762	783	805
	Large family	Uph Seat/Poly Back, LH	LL123L NF	R C						31.0#	¥	N/A	705	712	726	714	762	783	805
	Flip-up tablet stacks 4 high																		
// \\ U \\	400 pound approvedStacking on floor only																		
<i>u</i> <i>u</i>	Clacking on noor only																		
u																			
LL11																			
LL12																			
	Four-Leg Tablet Arm Chair with Casters	Poly Seat/Back, RH	LL213R NF							29.2#	# \$	551							
	One-piece shellPassive Flex	Poly Seat/Back, LH	LL213L NF	-R						29.2#	¥	551							
	Expansive color options	Uph Seat/Poly Back, RH	LL223R NF	-R						31.2#	¥	N/A	754	760	774	762	811	832	853
	Large family	Uph Seat/Poly Back, LH	LL223L NF	-R						31.2#	¥	N/A	754	760	774	762	811	832	853
	Flip-up tablet stacks 4 high																		
// // # //	400 pound approvedDual surface caster																		
ø ∥ ø	Stacking on floor only																		
Ø≸																			

HOW TO ORDER

LL21 LL22

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR - Compliance to TB 117-2013

Select shell color.

Refer to the **Product Color Options** page in this price list.

Select frame/armrest color.
Refer to the **Product Color Options** page in this price list.

Select caster color.

UCCO - Cottonwood; add \$27 UCWG - Warm Grey; add \$27

Select glide option.

GFT - Felt glides

GPL - Plastic glides GSL - Steel glides

GSelect tablet arm color. Refer to the **Product Color Options** page in this price list.

0

(A)

Θ

0

(3)

Θ

(3)

0

Select upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



LimeLiteTM Seating
Four-Leg Stack Chairs

			MODEL	NUMBI	ER														
	MODEL	Features	Basic Model	Fire Code		Frame/ Armrest Finish*	Caster Color	Glide Option	Upholstery Color	Appro Packa Weigl	aged	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	
	Four-Leg Oversize Tablet Arm Chair with	Poly Seat/Back, RH	LL114R	NFR						33	.3#	\$ 545							
	Glides	Poly Seat/Back, LH	LL114L	NFR						33	.3#	545							
	One-piece shellPassive Flex	Uph Seat/Poly Back, RH	LL124R	NFR						33	.3#	N/A	787	794	808	796	844	865	
	Expansive color options	Uph Seat/Poly Back, LH	LL124L	NFR						33	.3#	N/A	787	794	808	796	844	865	
	Large familyFlip-up tablet stacks 4 high400 pound approvedStacking on floor only																		
L11 L12																			
_	Four-Leg Oversize Tablet Arm with Casters	Poly Seat/Back, RH	LL214R									\$ 633							
	One-piece shell	Poly Seat/Back, LH	LL214L	NFR							.5#	633	000	0.40	050	044	000	014	
	Passive Flex	Uph Seat/Poly Back, RH								33		N/A	836	842	856	844	893	914	
	 Expansive color options Large family Flip-up tablet stacks 4 high 400 pound approved Stacking on floor only 	Uph Seat/Poly Back, LH	LL224L	NFR						33	.5#	N/A	836	842	856	844	893	914	
_L21																			
22																			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR - Compliance to TB 117-2013

Select shell color.

Refer to the **Product Color Options** page in this price list.

②Select frame/armrest color.
Refer to the **Product Color Options** page in this

Select caster color.

UCBL - Black UCCO - Cottonwood; add \$27

UCWG - Warm Grey; add \$27

Select glide option.

GFT - Felt glides

GPL - Plastic glides GSL - Steel glides

GSelect tablet arm color.

Refer to the **Product Color Options** page in this price list.

Select upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

LimeLiteTM Seating Four-Leg Nesting Chairs



LimeLiteTM Seating Four-Leg Nesting Chairs

									•							
			MODEL NU	IMBER												
	MODEL	Features	Basic Fil		Frame/ I Armrest or Finish*	Caster Color	Upholstery Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Four-Leg Nesting Armless Chair with	Poly Seat/Back	LLA100 NI		I			19.5#	\$ 556							
	Casters One-piece shell Passive Flex Expansive color options Large family 300 pound approved	Uph Seat/Poly Back	LLA200 NI	R □□				22.0#	N/A	759	766	780	768	817	837	859
LLA1	Non-stacking															
LLA2																
	Four-Leg Nesting Arm Chair with Casters One-piece shell Passive Flex Expansive color options Large family 300 pound approved Non-stacking	Poly Seat/Back Uph Seat/Poly Back	LLA111 NI LLA211 NI				00000	21.5# 24.0#	\$ 631 N/A	834	841	855	843	892	912	934
LLA1																
LLA2																
			A	B G	0	ⅎ	•									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select fire code.

NFR - Compliance to TB 117-2013

NOTE

pick.

*Armrest matches frame finish except for chrome,

metallic or hammertone, then arm matches poly

Select shell color.

Refer to the **Product Color Options** page in this price list.

OSelect frame/armrest color.
Refer to the **Product Color Options** page in this price list. *See NOTE.

Select caster color.

UCBL - Black
UCCO - Cottonwood; add \$27
UCWG - Warm Grey; add \$27

Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



LimeLiteTM Seating
Stack Chairs

										•							
			MODE	L NUME	3ER												
	MODEL	Features	Basic Model	Fire Code	Shell Color	Frame/ Armrest Finish*	Glide Option	Upholstery Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Sled Base Armless Chair	Poly Seat/Back	LL3100						24.3#	\$ 295				·	·	•	·
	 One-piece shell 	Uph Seat/Poly Back	_						26.3#	N/A	499	505	519	508	556	577	598
	Passive FlexExpansive color options																
	Large family																
	 400 pound approved 																
	 Stacking 																
LL31																	
LL32																	
	Sled Base Arm Chair	Poly Seat/Back	LL3111						27.0#	\$ 374							
[One-piece shellPassive Flex	Uph Seat/Poly Back	LL3211	NFR					29.0#	N/A	578	584	598	586	635	656	677
	Expansive color options																
	 Large family 																
	400 pound approvedStacking				\perp												
	Armrest matches frame finish except for	r															
	chrome, metallic or hammertone, then				\perp												
-	the arm matches poly pick.																
LL31																	
LL32																	
			A	B	Θ	0	(3	(3									
			_	_	_	_	_	_									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code. NFR - Compliance to TB 117-2013

Select shell color.

Refer to the **Product Color Options** page in this price list.

②Select frame/armrest color.
Refer to the **Product Color Options** page in this price list.

*See NOTE.

Select glide option.

GFT - Felt glides

GNG - No glides

GNS - Non-skid glides
GPL - Plastic glides
GSL - Steel glides

Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

NOTE

*Armrest matches frame finish except for chrome, metallic or hammertone, then arm matches poly pick.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

LimeLite™ Seating Cafe Stools



LimeLite™ Seating

 Oddiii
Cafe Sto

			MODEL N	UMBER													
	MODEL	Features	Basic Model	Fire Code	Shell Color	Frame/ Armrest Finish*	Glide Option	Upholstery Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Four-Leg Armless Cafe Stool, 24" High	Poly Seat/Back	LL4100H24	NFR					30.0#	\$ 388							
	One-piece shellPassive Flex	Uph Seat/Poly Back	LL4200H24	NFR					32.0#	N/A	591	597	611	599	648	669	690
	Expansive color options																
	Large family																
/ \	400 pound approvedNon-stacking																
	Tion stacking																
•																	
LL41																	
LL42																	
	Four-Leg Armless Cafe Stool, 30" High	Poly Seat/Back							31.2#	\$ 388							
	One-piece shellPassive Flex	Uph Seat/Poly Back	LL4200H30	NFR					33.2#	N/A	591	597	611	599	648	669	690
	 Expansive color options 																
	Large family400 pound approved																
/ \ \ \	Non-stacking																
	•																
u U																	
U																	
LL41																	
LL42																	
			A	3	Θ	0	(3	•									
			-	-	-	-	-	_									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR - Compliance to TB 117-2013

Select shell color.

Refer to the Product Color Options page in this price list.

Select frame/armrest color.
Refer to the **Product Color Options** page in this

Select glide option.

GFT - Felt glides GPL - Plastic glides GSL - Steel glides

Select upholstery grade/color.

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

LimeLiteTM Seating Stack Chairs and Stools



LimeLiteTM Seating
Stack Chairs and Stools

										,	•							
			MODEL N	IUMBER			,											
	MODEL	Features	Basic Model	Fire Code	Shell Color	Frame/ Armrest Finish*		Upholstery Color	Approx. Packaged Weight	Deli Pric	ivered cing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
_	High Density Armless Chair	Poly Seat/Back	LL7100	NFR					20.0#	\$	255							
	 One-piece shell Passive Flex Expansive color options Large family 350 pound approved Stacking 	•	LL7200	NFR					22.0#		N/A	459	465	480	468	516	537	558
LL71 LL72																		
	High Density Armless Stool, 24" High	Poly Seat/Back	LLS100H24	1 NFR					23.1#	\$	381							
	 One-piece shell Passive Flex Expansive color options Large family 350 pound approved Stacking 	Uph Seat/Poly Back	LLS200H24	4 NFR					25.1#		N/A	585	592	606	594	643	663	685
LLS1																		
LLS2																		
	Hig Density Armless Stool, 30" High One-piece shell Passive Flex Expansive color options Large family 350 pound approved Stacking	Poly Seat/Back Uph Seat/Poly Back	LLS100H30						25.1# 27.1#	\$	381 N/A	585	592	606	594	643	663	685
LLS1 LLS2																		
			· O	•	Θ	0	9	•										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code. NFR - Compliance to TB 117-2013 Select upholstery grade/color. Refer to ki.com/fabrics

Select shell color.

Refer to the **Product Color Options** page in this price list.

Select frame/armrest color.
Refer to the **Product Color Options** page in this price list.

Select glide option.

GFT - Felt glides GNG - No glides GNS - Non-skid glides
GPL - Plastic glides GSL - Steel glides G - Ganging polycarbonate glides
GGS - Ganging steel glides

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

LimeLiteTM Seating Transport Dollies



LimeLiteTM Seating Transport Dollies

				•
		MODEL NUMBER		
		Danie.	Approx.	Delicand
	MODEL	Basic Model	Packaged Weight	Delivered Pricing
\nearrow		LLDTF.BL	29.0#	\$ 570
	and Sled Base Chairs, All-PolyAccommodates up to 15 all-poly chairs			
	 Easy maneuverability with 5" casters; 			
	two fixed, two swivel			
	 Black powder-coated finish 			
	Four-leg chairs with casters do not stack			
HRDPT	on dolly			
R	Transport Dolly - HD Chairs, All-Poly • Accommodates up to 25 all-poly chairs	LLDHD.BL	27.5#	\$ 570
	 Accommodates up to 25 all-poly chairs Easy maneuverability with 5" casters; 			
	two fixed, two swivel			
	 Welded tubular steel with black pow- 			
	der-coated finish			
HRDPT				
\sim	Transport Dolly - HD Stools	LLDHDS.BL	29.0#	\$ 570
	Accommodates up to 20 all-poly or 8			
	upholstered stoolsEasy maneuverability with 5" casters;			
	two fixed, two swivel			
	 Welded tubular steel with black pow- 			
	der-coated finish			
HRDPT				
<u> </u>	Transport Dolly - Chairs with Upholstery • Accommodates up to 10 High-Density	LLDCU.BL	27.5#	\$ 570
	Accommodates up to 10 High-Density Accommodates up to 10 High-Density Accommodates up to 10 High-Density			
	chairs or up to 8 Four-leg with Glides or Sled Base chairs			
	 Easy maneuverability with 5" casters; 			
	two fixed, two swivel			
	 Welded tubular steel with black pow- 			
HRDPT	der-coated finish			
	 Four-leg chairs with casters do not stack on dolly. 			
- A	Universal Dolly Handle	UDH.BL	8.0#	\$ 199
	Field installable			
	 Provides convenient handle for relocating dolly when empty or loaded 			
	 Overall dolly height with handle is 37" 			
HRDPT				
ואטאו				
		w		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



LimeLite™ Seating Task Chairs

										•									
	MODEL	Features	Basic Model	Fire Code	Shell Color	*Armrest/ Height Adj Lever Color	Base Color	Caster/ Cylinder Color	Upholstery Color	App Pac Wei	kaged I	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
_	Armless Task Chair	Poly Seat/Back	LL5100	NFR						3	1.7#	\$ 440							
	One-piece shellExpansive color optionsLarge family	Uph Seat/Poly Back	LL5200							3	3.7#	N/A	643	649	663	651	700	720	742
	 Dual surface caster 400 pound approved C = Poly Seat and/or Back Color 																		
	 D = Height Adj. Lever Color applies to height adjust lever and seat shroud color. 																		
	E = Base Color F = Casters/Cylinder Color When base is Black, Cottonwood or																		
LL51 LL52	Warm Grey, casters/cylinders match. When base is Polished Aluminum, a caster/cylinder color must be selected.																		
	Task Arm Chair	Poly Seat/Back	LL5111	NFR						3	5.0#	\$ 522							
	One-piece shellExpansive color optionsLarge family	Uph Seat/Poly Back	LL5211	NFR						3	7.0#	N/A	725	731	745	733	782	802	824
	Dual surface caster400 pound approved																		
	 C = Poly Seat and/or Back Color D = Armrest/Height Adj. Lever Color applies to height adjust lever and seat 																		
LL51	shroud color. • E = Base Color • F = Casters/Cylinder Color																		
LL52	When base is Black, Cottonwood or																		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Warm Grey, casters/cylinders match. When base is Polished Aluminum, a caster/cylinder color must be selected.

> BSelect fire code. NFR - Compliance to TB 117-2013

Select shell color.

Refer to the **Product Color Options** page in this price

Φ

(3)

Θ

selected.

 \mathbf{O}

(3

(3)

Θ

• Select armrest/height adjust lever color. Refer to the **Product Color Options** page in this price

Armrest/Height Adjust Lever color applies to height adjust lever and and seat shroud.

Select base color.

BBL - Black

BCO - Cottonwood ; add \$96 - Polished Aluminum; add \$96

BWG - Warm Grey; add \$96

BBLT - Black Textured (Matte); add \$96

BCOT - Cottonwood Textured (Matte); add \$96
BWGT - Warm Grey Textured (Matte); add \$96

When base is Black, Cottonwood, or Warm Grey, casters/cylinders match. When base is Polished Aluminum, a caster/cylinder color must be

Select caster/cylinder color for Polished Aluminum

UCBL - Black UCCO - Cottonwood UCWG - Warm Grey

GSelect upholstery grade/color. Refer to <u>ki.com/fabrics</u>

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.

LimeLite™ Seating



LimeLite™ Seating

											•								
		MODE	L NUMBE	ER															
	Features	Basic Model	Fire Code	Shell Color	*Armrest/ Height Adj Lever Color	Base Color	Caster/ Cylinder Color	Tablet Up	oholstery olor	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	
	Poly Seat/Back, RH	LL519R	NFR							42.2#	\$ 919								
	Poly Seat/Back, LH	LL519L								42.2#	919								
	Uph Seat/Poly Back, RH	LL529R	NFR							44.2#	N/A	1122	1129	1143	1131	1179	1200	1221	
7	Uph Seat/Poly Back, LH	LL529L								44.2#	N/A	1122	1129	1143	1131	1179	1200	1221	
	upii Seal/Poly Back, LH	LL529L	NFK							44. <i>Z</i> #	N/A	1122	1129	1143	1131	1179	1200	1221	
LL51																			
LL52																			
Change-Up Tablet Arm Task Chair																			
 One-piece shell Expansive color options Large family Dual surface caster 400 pound approved Change-Up Tablet arm option C = Poly Seat and/or Back Color D = Armrest/Height Adj. Lever Color applies to height adjust lever and sea shroud color E = Base Color F = Casters/Cylinder Color When base is Black, Cottonwood or 	t																		
Warm Grey, casters/cylinders match.																			
When base is Polished Aluminum,																			
a caster/cylinder color must be																			
selected.																			
		A	ß	•	O	(3	3	Θ	0										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR - Compliance to TB 117-2013

Select shell color.

Refer to the **Product Color Options** page in this price list.

• Select armrest/height adjust lever color. Refer to the **Product Color Options** page in this Armrest/Height Adjust Lever color applies to height

Select base color.

BBL - Black BCO - Cottonwood ; add \$96 - Polished Aluminum; add \$96 BWG - Warm Grey; add \$96

adjust lever and and seat shroud.

BBLT - Black Textured (Matte); add \$96 BCOT - Cottonwood Textured (Matte); add \$96
BWGT - Warm Grey Textured (Matte); add \$96

When base is Black, Cottonwood, or Warm Grey, casters/cylinders match. When base is Polished Aluminum, a caster/cylinder color must be selected.

Select caster/cylinder color for Polished Aluminum Base.

UCBL - Black UCCO - Cottonwood UCWG - Warm Grey

GSelect tablet arm color. Refer to the **Product Color Options** page in this price list.

Select upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.

LimeLite™ Seating



LimeLite™ Seating

MODEL NUMBER Delivered Delivered Delivered Delivered Delivered Delivered Delivered *Armrest/ Approx. Pricing Pricing Pricing Pricing Pricing Pricing Pricing Packaged Delivered Fabric Grade 3 Pallas Fabric Basic Fire Shell Height Adj Base Caster/ Upholstery Fabric Grade Fabric Grade Pallas Fabric Pallas Fabric Pallas Fabric MODEL **Features** Model Code Color Lever Color Color | Cylinder Color Weight Pricing 1 & C.O.M. & Group 2V Vinyl Group P0 Group P1 Group P3 Armless Task Stool Poly Seat/Back LL6100 NFR 36.2# \$ 564 One-piece shell Uph Seat/Poly Back LL6200 NFR 38.2# N/A 768 774 777 825 788 846 867 Expansive color options Large family · Dual surface caster · 400 pound approved • C = Poly Seat and/or Back Color . 20" Footring has black spokes with polished top surface and chrome tube D = Height Adj. Lever Color applies to height adjust lever and seat shroud color • E = Base color LL62 • F = Casters/Cylinder Color · When base is Black, Cottonwood or Warm Grey, casters/cylinders match. When base is Polished Aluminum, a caster/cylinder color must be selected. Poly Seat/Back Task Arm Stool LL6111 NFR 39.5# \$ 644 · One-piece shell LL6211 NFR N/A 848 854 868 Uph Seat/Poly Back 41.5# 856 905 926 · Expansive color options Large family · Dual surface caster · 400 pound approved C = Poly Seat and/or Back Color · 20" Footring has black spokes with polished top surface and chrome tube D = Armrest/Height Adj. Lever Color applies to height adjust lever and seat shroud color LL62 • E = Base color • F = Casters/Cylinder Color When base is Black. Cottonwood or Warm Grey, casters/cylinders match. When base is Polished Aluminum, a caster/cylinder color must be selected. Δ **(3**) **(3**) Θ 0 0 Θ

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR - Compliance to TB 117-2013

Select shell color.

Refer to the **Product Color Options** page in this price

• Select armrest/height adjust lever color. Refer to the **Product Color Options** page in this price Armrest/Height Adjust Lever color applies to height

adjust lever and and seat shroud.

 Select base color. BBL - Black - Cottonwood ; add \$96 - Polished Aluminum; add \$96 BWG - Warm Grey; add \$96 BBLT - Black Textured (Matte): add \$96 **BCOT** - Cottonwood Textured (Matte); add \$96 BWGT - Warm Grey Textured (Matte); add \$96

When base is Black, Cottonwood, or Warm Grey, casters/cylinders match. When base is Polished Aluminum, a caster/cylinder color must be selected.

Select caster/cylinder color for Polished Aluminum

UCBL - Black

UCCO - Cottonwood UCWG - Warm Grey

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2022 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000518/KI/PDF

