

High Mileage® Floor Finish

A floor finish that delivers excellent gloss build and outstanding durability for your floors, even in the heaviest of traffic.

Less Recoat Cycles = Labor Savings

- Extended recoat and stripping cycles yield labor savings and overall improved productivity
- Install up to five coats in one night

High Performance and Durability

- Specially designed higher solids formula builds durability over time
- Extremely tough in high traffic areas and resists dirt, black heel marks and scratches exceptionally well
- Unsurpassed buff response with all types of UHS equipment—propane, battery or cord electric



High Mileage®

Floor Finish



Use Directions

- Blockade areas to be stripped or finished. Floors will be very slippery until dry.
- Strip floors, using a Diversey stripper per the instructions on the stripper label.

Coating

- Apply 3 or more medium coats using a clean finish mop or the Diversey ProSpeed^{TM/MC} or TrailBlazer^{TM/MC} Floor Finish Applicator System. Apply additional coats until desired gloss is obtained.
- Allow 30–45 minutes drying time between coats. Temperature, humidity and ventilation may affect drying time. Allow finish to cure for 24 hours before burnishing.

Maintenance

- Dust mop or sweep. Clean the floor with a mop or an automatic scrubber using the recommended Diversey brand cleaner according to label directions.
- If desired, dry buff using medium to aggressive pad and 1000– 1500 rpm equipment. Ultra-high speed burnish using a medium aggressiveness pad and 2000+ rpm equipment.

Recoating

- Dust mop or sweep.
- Clean the floor with a mop or an automatic scrubber using the recommended Diversey brand cleaner according to label directions.
- Blockade area and apply 1–2 uniform coats of finish using a clean mop. Allow finish to cure for 24 hours before burnishing.

Removal

 Remove using recommended Diversey brand stripper following label directions.

Precautions

Do not dilute. Do not use on surfaces colder than 50° F (10° C).
 To avoid contamination, do not return unused finish to original container. Do not freeze.

Product Specifications

Description	
Color/Form	Milky white liquid
Flash Point	> 200° F (> 93.3° C)
рН	8.3
Scent	Mild
Shelf Life	2 years
Slip Resistance	0.5 minimum (ASTM D2047)
Solids %	25
Solubility	Dispersible
Specific Gravity	1.033

Available Items

Product Cod	de	Description/Package Size	Dilution
95104811 5104811	[+]	1 x 5 gallon / 18.9 L Envirobox™ (TrailBlazer™ ready)	Ready-to-Use
95109638 5109638	== +	6 x 2.64 Qt. / 2.5 L ProSpeed™ BIB (Bag-in-Box)	Ready-to-Use

Safety Reminder



Crew[®] Neutral NA

Non-Acid Bowl & Bathroom Disinfectant Cleaner



Non-acid, multi-surface restroom disinfectant cleaner that cleans, disinfects and deodorizes in one easy step.

Effective

- Meets OSHA's bloodborne pathogen standard
- Kills HBV & HIV in one minute

Easy-to-Use

- Simple ready-to-use flip top bottle
- Cleans, disinfects and deodorizes in one easy step
- Uniformly coats the surface for easier cleaning

Crew® Neutral NA

Non-Acid Bowl & Bathroom Disinfectant Cleaner



Use Directions

For use as a One-Step Non-Acid Bowl Cleaner/Disinfectant for Toilet Bowls

- Remove gross filth and heavy soil deposits.
- With swab applicator, remove water from bowl by forcing water over trap. Press swab applicator against side of bowl to remove excess water.
- Apply 1 oz. of this product to swab applicator, cloth, mop, sponge or directly to surface. Swab entire surface area especially under the rim. Allow entire surface to remain wet for 10 minutes.
- Flush toilet and rinse swab applicator thoroughly.

For use as a Non-Acid Cleaner/Disinfectant for Urinals

- Remove gross filth and heavy soil deposits. Apply product directly to urinal surfaces including water outlets areas for general cleaning. Then pour an additional 1 oz. of product on applicator.
- Clean entire unit especially under the rim at water outlets with applicator.
- Remove screen trap to deodorize drain and apply 1 oz. directly on edge and into drain.
- Wait 10 minutes, flush and rinse applicator.

One-Step Disinfecting Glazed Ceramic Tile, Glazed Porcelain, Shower Walls, Floors and Other Hard, Nonporous Inanimate Bathroom Surfaces

- To disinfect hard, nonporous inanimate surfaces, use full strength.
- Apply product with a cloth, sponge, sprayer or mop.
- Treated surfaces must remain wet for 10 minutes.
- Rinse thoroughly.
- Pre-cleaning is required for heavily soiled surfaces.

Product Specifications

Description	
EPA Reg. No.	70627-3
Color/Form	Blue, liquid
Flash Point	> 200° F (> 93.4° C)
рН	7.0
Scent	Fresh
Shelf Life	3 years
Solubility	Complete
Specific Gravity	1.002

Available Items

Product Code	Description/Package Size	Dilution
04996 54568	12 x 32 oz./946 mL Squeeze Bottles	Ready-to-Use

Safety Reminder



Glance® NA

Glass & Multi-Purpose Cleaner Non-Ammoniated Streak-free, non-ammoniated glass cleaner that meets Green Seal™, Environmental Choice and GREENGUARD standards.

Non-Ammoniated

• No unpleasant ammonia scent

Easy-to-Use

- Will not streak or smear glass or mirror surfaces
- Wipes clean and dries fast

Environmentally Preferable

- Green Seal™ Certified, Environmental Choice and GREENGUARD Approved
- Reduced human and aquatic toxicity
- Reduced smog production potential











Glance® NA

Glass & Multi-Purpose Cleaner Non-Ammoniated



Use Directions

- Dose or dispense product using cold water into spray bottle or bucket.
- Apply to surfaces to be cleaned.
- Wipe with clean cloth or towel to dry.

Product Specifications

Description	
Color/Form	Blue liquid
Flash Point	> 200° F (> 93.4° C)
рН	7.0 (Concentrate) 7.0 (Use Dilution)
Phosphates	0%
Scent	Mild
Shelf Life	2 years

Available Items

TV GRADIE REITIE		
Product Code	Description/Package Size	Dilution
93361936* == 3361936	2 x 50.7 oz./1.5 L RTD°	1:40
93172641* == 3172641 •	2 x 84.5 oz./2.5 L J-Fill®	1:40
95019510* = 5019510 • 	2 x 47.3 oz./1.4 L SmartDose ^{TM/MC}	1:40 (Bottle), 1:50 (Cloth Bucket)
95271310* = 5271310	2 x 1.5 gal./5.68 L Command Center™™	1:40
95851023* = 5851023 • 	1 x 2.5 gal./9.5 L Hanging bag	1:40
100828355	2 x 2.7 oz./81 mL Smart Mix Pro ^{nnxc}	1:47
95224978 == 5224978 +	12 x 32 oz./946 mL Empty Bottles	

^{*} Meets Green Seal GS-37 standard.

Safety Reminder



Spitfire® RTU & SC

Power Cleaner

Spray-and-wipe cleaner that removes the toughest dirt, grime, oils and stains from a wide variety of surfaces.

Effective

- Works on the toughest dirt, grime and stains on a wide variety of surfaces
- Lightly scented and pleasant to use, the no-rinse formula leaves no residue

Versatile

- Effective on a wide variety of surfaces
- Cleans a wide variety of soils

Easy-To-Use

Just spray and wipe



Spitfire® RTU & SC

Power Cleaner



Use Directions

- Spray on hard surfaces to be cleaned.
- Allow power cleaner to penetrate and lift soils.
- Wipe with a clean cloth.
- Does not require a water rinse after use.
- Do not use on glass, aluminum or water-based paint.
- Suitable for use in areas where food or packaging will not come in contact with spray or surface during or after the use of this product.

Product Specifications

Description	
Color/Form	Clear red, liquid
Flash Point	> 200° F (> 93.4° C)
рН	12.3
Scent	Fresh pine
Shelf Life	2 years
Solubility	Complete
Specific Gravity	1.01
Decembrica	
Description	
Color/Form	Red, liquid
· · · · · · · · · · · · · · · · · · ·	Red, liquid > 200° F (> 93.4° C)
Color/Form	· · · · · · · · · · · · · · · · · · ·
Color/Form Flash Point	> 200° F (> 93.4° C) 13.5 (Concentrate)
Color/Form Flash Point pH	> 200° F (> 93.4° C) 13.5 (Concentrate) 12.0 (Use Dilution 1:12)
Color/Form Flash Point pH Scent	> 200° F (> 93.4° C) 13.5 (Concentrate) 12.0 (Use Dilution 1:12) Fresh pine
Color/Form Flash Point pH Scent Shelf Life	> 200° F (> 93.4° C) 13.5 (Concentrate) 12.0 (Use Dilution 1:12) Fresh pine 2 years

Available Items

Product Code	9	Description/Package Size	Dilution
95891789 5891789	<u> </u>	12 x 32 oz./946 mL Spray Bottles (with 2 sprayers)	Ready-to-Use
95892221 5892221	<u> </u>	2 x 84.5 oz./2.5 L J-Fill® - SC	1:12
95891201 5891201	<u> </u>	2 x 50.7 oz./1.5 L RTD° - SC	1:16
95892546 5892546		1 x 1.32 gal./5 L RTD° - SC	1:16
100835272 100835273		2 x 1.5 gal./5.68 L Command Center™MC	1:6
903919 03919	<u> </u>	12 x 32 oz./946 mL Spray Bottles (with 2 sprayers)	

Safety Reminder



Crew[®]
Clinging Toilet
Bowl Cleaner



9.25% HCl toilet bowl disinfectant cleaner with a thickened formula that clings to vertical surfaces and effectively removes build-ups.

Effective

- Quickly cleans away organic soil and eliminates rust, lime, hard water and uric acid deposits
- Cleans and disinfects in one minute
- Fresh floral fragrance leaves surfaces smelling clean and fresh

Easy-to-Use

- Thickened formula clings to vertical surfaces for more effective cleaning and disinfecting
- Ready-to-use squeeze bottle



Crew® Clinging Toilet Bowl Cleaner



Use Directions

To Clean and Disinfect Toilet Bowls & Urinals

Toilet Bowls:

- Remove water from bowl by forcing over trap with applicator.
- Remove excess water from applicator by pressing it against side of bowl.
- Pour 1 oz. of product onto applicator.
- Scrub entire unit especially under the rim at water outlets.
- Wait one minute, then flush.

Urinals:

- Apply product directly to urinal surfaces including water outlet areas.
- Pour 1 oz. of product on applicator.
- Clean entire unit especially under the rim at water outlets.
- Remove screen trap to deodorize drain and apply 1 ounce directly on edge and into drain.
- Wait one minute, flush and rinse applicator.

Product Specifications

Description	
EPA Reg. No.	70627-5
Color/Form	Green, liquid
Flash Point	> 200° F (> 93.4° C)
рН	1.0
Scent	Floral
Shelf Life	1 year
Solubility	Complete
Specific Gravity	1.0

Available Items

Product Code	Description/Package Size	Dilution
04578	12 x 32 oz./946 mL Squeeze Bottles	Ready-to-Use

Safety Reminder



Shine-UpTM/MC

Lemon Furniture Polish



Cleans and polishes hard wood and laminate commercial furniture to a beautiful shine.

Protects as it Cleans

• Its rich blend of polishes provide a beautiful luster that helps protect against ordinary wear

Resists Smears and Fingerprints

• Special cleaners remove fingerprints, smudges and common oil-based marks

Easy-to-Use

 All the beauty of a hard-wax shine in no more time than it takes to dust



Shine-Up^{TM/MC} Lemon Furniture Polish



Shine-Up^{TM/MC} Lemon Furniture Polish provides a beautiful luster that helps protect wood and other surfaces against ordinary wear. Its unique formulation of rich polishes resists smears, fingerprints, smudges and common oil-based marks. Formulated for use on today's commercial furniture because it resists smears and fingerprints.

Use Directions

- Hold container about 8 inches (20 cm) from surface to be waxed and spray a light mist on the surface.
- Wipe immediately with a soft, clean cloth.
- Do not allow spray to dry before wiping. No second cloth needed.
- Never use on floors and protect floors from overspray.
- The product ingredients could make a floor slippery.
- If oversprayed onto a floor, scrub the floor with detergent and dry thoroughly.
- On some small areas such as table legs, chrome trim, etc., it is not convenient to spray **Shine-Up**^{TM/MC} **Lemon Furniture Polish** directly onto the surface.
- In those cases, spray Shine-Up^{TM/MC} Lemon Furniture Polish onto a cloth and wipe the surface in a normal dusting action.

Product Specifications

Description	Aerosol
Color/Form	Opaque owhite aerosol
Flash Point	-156° F (-104.4° C)
рН	10.4
Scent	Lemon
Shelf Life	1 year
Specific Gravity	0.996
WHIMS Classification	Flammable

Description	Ready-To-Use
Color/Form	Milky white liquid
Flash Point	> 200° F (> 93.4° C)
рН	7.1
Scent	Lemon
Shelf Life	2 years
Solubility	Dispersible
Specific Gravity	0.99

Available Items

Product Co	ode	Description/Package Size	Dilution
4995480	I + I	12 x 32 oz./946 mL Spray Bottles	Ready-To-Use
95765571		12 x 13.8 oz./391 g Aerosol	Ready-To-Use
5765571	I * I	12 x 13.8 oz./391 g Aerosol	Ready-To-Use
4995498	I + I	4 x 1 gallon / 3.78 L Containers	Ready-To-Use

Safety Reminder

Please make sure your employees read and understand the product label and Safety Data Sheet before using this product. The label contains directions for use, and both the label and SDS contain hazard warnings, precautionary statements and first aid procedures. SDSs are available on-line at www.sealedair.com or by calling 888 352 2249. Improper use or dilution may result in damage to surfaces and may result in health and physical hazards that match those of the concentrate. Please refer to the Diversey HazMat Library, only available through Internet Explorer, http://naextranet.diversey.com/dot/, for up to date shipping information.

www.sealedair.com



Deep Gloss®

Maintainer for Stainless Steel



Ideal for cleaning stainless steel and other washable hard surfaces.

Versatile

• Cleans, shines and protects stainless steel and other metals

Cleans Fast and Easy

 Removes water-based or oil-based soils, including grease, spots, spills and smudges

Protects Surfaces

 Resists finger marks, smudges, watermarks, soiling and dust pick-up

Water-Based Emulsion Formula

• Cuts through grease and oil leaving a clear protective shine on hard surfaces

Deep Gloss®

Maintainer for Stainless Steel



Use Directions

- Shake well before using.
- Spray sparingly over surface.
- Wipe clean with a dry cloth, turning often.
- For heavy deposits, allow foam to remain up to a minute before wiping.

Product Specifications

Description	
Certification	NSF
Color/Form	Off-white liquid (Aerosol)
Flash Point	-156° F (-104.4° C)
рН	6
Scent	Characteristic
Shelf Life	2 years
Solubility	Insoluble
Specific Gravity	0.958

Available Items

Product Code	Description/Package Size	Dilution
94970590 = 4970590 •	12 x 16 oz./473 g Aerosol	Ready-to-Use

Safety Reminder



Crew® NA SC

Non-Acid Bowl and Bathroom Disinfectant Cleaner



A non-acid formula that cleans, disinfects and deodorizes a variety of hard, nonporous bathroom surfaces in one step.

Efficient

- Provides broad spectrum efficacy against common bathroom microorganisms
- Kills HIV-1, Staphylococcus aureus, Salmonella choleraesuis, E. coli, Trichophyton mentagrophytes, Shigella dysenteriae and other microorganisms

Versatile

• Use in and out of the bathroom to clean and disinfect a variety of hard surfaces without damage to chrome, brass or other polished metal surfaces

Economical

• Concentrated formula dilutes at 1 oz. per gallon delivering cleaning performance for just pennies per diluted gallon



Crew® NA SC Non-Acid Bowl and Bathroom Disinfectant Cleaner

Use Directions

- Use with a mop and bucket, trigger sprayer, sponge or by soaking.
- Use on toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas and other places where bacterial growth can cause malodors.
- Product will not damage chrome, brass or other polished metal surfaces.

Product Specifications

Description	
Color/Form	Clear, blue liquid
EPA Reg. No.	6836-73-70627
Flash Point	> 200° F (> 93.4° C)
рН	12.6 (Concentrate)
	10.5 (Use Dilution)
Scent	Fresh
Shelf Life	1 year
Solubility	Complete

Available Items

Product Co	de	Description/Package Size	Dilution
5546264		2 x 84.5 oz. / 2.5 L J-Fill®	1:128
5019237		2 x 47.3 oz. / 1.4 L SmartDose ^{TM/MC}	1:128 (Spray Bottle), 1:128 (Toilet)
03975		12 x 32 oz. / 946 mL Empty Bottles	

Safety Reminder



Crew®

Restroom Floor & Surface SC Non-Acid Disinfectant Cleaner Non-acid restroom disinfectant cleaners that cleans, disinfects and deodorizes bathroom surfaces in one step.

Features

- Removes common soils without Residue
- No Rinsing required for non-food contact surfaces
- Provides broad spectrum efficacy against common bathroom microoragnisms
- Kills HIV-1, Staphylococcus aureus, Salmonella choleraesuis, E. coli, MRSA, VRE and other microorganisms

Benefits

- Disinfects in up to 400 ppm hard water
- Deodorizes as it disinfects
- Pleasant to work with

Applications

- Use in and out of the bathroom to clean and disinfect a variety of hard nonporous surfaces
- Apply by mop and bucket, trigger sprayer or sponge





Crew® Restroom Floor & Surface SC Non-Acid Disinfectant Cleaner



Use Directions

- For use on hard, nonporous inanimate environmental surfaces such as floors, walls, porcelain, glazed ceramic tile, plastic surfaces, shower stalls, bathtubs and cabinets.
- To disinfect inanimate, hard nonporous surfaces, dilute according to label directions.
- Apply solution with a mop, cloth, sponge or hand-pump trigger sprayer so as to wet all surfaces thoroughly.
- Allow to remain wet for 10 minutes then remove excess liquid.
- For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use.

Product Specifications

Description	Concentrate
Color/Form	Green liquid
EPA Reg. No.	1839-169-70627
Flash Point	> 200° F (> 93.4° C)
рН	6.0-8.0
Scent	Fresh
Shelf Life	1 year
Solubility	Complete
Description	Superconcentrate
Color/Form	Green liquid
EPA Reg. No.	1839-169-70627
Flash Point	130° F (54.4° C)
рН	6.5-8.0
Scent	Fresh
Shelf Life	1 year
Solubility	Complete

Available Items

Product Code	Description/Package Size	Dilution
3364707	2 x 50.7 oz. / 1.5 L RTD® Spray	1:64
3063437	2 x 50.7 oz. / 1.5 L RTD®	1:64
4278763	2 x 84.5 oz. / 2.5 L J-Fill® - SC	1:256
5019211	2 x 47.3 oz. / 1.4 L SmartDose ^{TM/MC} - SC	1:256 (Spray Bottle), 1:256 (Mop Bucket)
100845662	$2 \times 2.1 \text{ oz.} / 63 \text{ mL Smart Mix Pro}^{\text{TM/MC}}$	1:64
03905	12 x 32 oz. / 946 mL Empty Bottles	
5980811	1 x 1.32 gallon / 5 L RTD®	1:64
5323909	2 x 84.5 oz. / 2.5 L J-Fill®	1:256

Safety Reminder

Please make sure your employees read and understand the product label and Safety Data Sheet before using this product. The label contains directions for use, and both the label and SDS contain hazard warnings, precautionary statements and first aid procedures. SDSs are available on-line at www.sealedair.com or by calling 888 352 2249. Improper use or dilution may result in damage to surfaces and may result in health and physical hazards that match those of the concentrate. Please refer to the Diversey HazMat Library, only available through Internet Explorer, http://naextranet.diversey.com/dot/, for up to date shipping information.

www.sealedair.com



Protect Every Moment

Intelli**Care**™

Smarter Design. Sustainable Care.

A complete hand care solution

The IntelliCare™ dispensing system is engineered to address all of your hand care needs with a versatile, modern and durable platform that is compatible with liquid/gel and foam products.

Game-changing innovation in dispenser technology:

- First hybrid dispenser for professional hand care available worldwide, with patented built-in technology that allows for touchless and manual activation, and provides low-content alerts.
- Robust and reliable ABS-plastic, scratch and UV-resistant
- Dose size switch and snap-in placard for ultimate versatility

Smart 1.3L packaging that let's you:

- Gain full product visibility at all times, with a patented bottle design that collapses from the back
- See the last product doses through a reservoir
- Reduce waste with a collapsible bottle that empties fully
- Easily replenish the bottle with an intuitive click mechanism

Professional hand care made easy with a compact range to cover most hand care applications. We achieve that with:

- Simplified product offering that is effective across multiple application areas
- Liquid and foam options available
- Best-in-class tested, trusted and proven formulations
- Maximum user acceptance; fragrances with universal appeal
- Leading mildness and skin compatibility
- Dermatologically tested formulations
- Global colour coded products with multilingual indications

Peace of mind with support from the industry experts:

- State-of-the-art on-site support communication and signage
- Partnered with leading organizations to develop and implement campaigns to raise hand hygiene awareness and programs to enhance compliance for you and your staff



EXTENSIVE LIQUID AND FOAM OPTIONS THAT WORK IN THE SAME DISPENSER









Protect Every Moment



THE NEW Intelli**Care™** RANGE

SKU	Product	SKU	Product	Pack size	
D6205568	IntelliCare Hybrid Dispenser White	100907876	Soft Care All Purpose	6 x 1.3 L	
D6205550	IntelliCare Hybrid Dispenser Black	100907877	Soft Care All Purpose Foam	6 x 1.3 L	Section 1
D6205541	IntelliCare Manual Dispenser White	100907880	Soft Care Sensitive Foam	6 x 1.3 L	
D6205533	IntelliCare Manual Dispenser Black	100907878	Soft Care Deluxe	6 x 1.3 L	
D6205605	IntelliCare Drip Tray Grey	100907879	Soft Care Deluxe Foam	6 x 1.3 L	
D6205592	IntelliCare Drip Tray Black	100907901	Soft Care Defend	6 x 1.2 L	
D6205613	IntelliCare Elbow lever	100907902	Soft Care Defend Foam	6 x 1.2 L	EXECUTE OF THE PROPERTY OF THE
		100907871 US	Soft Care Impact	6 x 1.2 L	
	Protect Every Moment Market Market Name In M	100907873 US	Soft Care Impact Foam	6 x 1.2 L	Marie Company
Œ	APP FOR HAND HYGIENE TRAINING, SUPPORT AND MANAGEMENT	100907875	Soft Care Impact Alcohol Free	6 x 1.3 L	Marie Carrier



Amplify™™

High Solids Durable Finish



A high solids UHS floor finish for floors that demand excellent gloss and durability.

Excellent Performance

- One coat has the gloss of two coats
- · Applies easily and levels perfectly with no mop drag
- Great mark resistance and durability

Easy-to-Use

- Install up to five coats in one night
- Excellent repairability with spray buffing or UHS burnishing
- Low odor finish is ideal for 24-hour facilities

Designed For

- Healthcare
- Education
- Retail
- Government
- BSC

Use Overview



Amplify High Solids Durable Finish gives you high-gloss brilliance and durability in fewer coats, saving you time and labor.

Preparation

- Always barricade area to be finished.
- Before the first application of Amplify MMC High Solids Durable Finish, remove all old finish with recommended Diversey stripper.

Coating

- Apply 3 or more medium coats of Amplify^{TM/MC} High Solids
 Durable Finish with a clean finish mop. Let dry to the touch
 between coats (about 30 minutes).
- On porous resilient or stone floors, seal first with 2 coats of recommended Diversey seal.

Maintenance

- Clean Daily: Dust mop. Then wet clean with recommended Diversey cleaner in an autoscrubber or with a damp mop.
- Spray buff as needed with recommended Diversey spray buff, a red or beige pad and a 175–1500 RPM machine. Or burnish with a UHS pad and a battery, cord electric or propane machine at 1500–2000+ RPM.



• Clean and restore gloss with recommended Diversey burnisher. Apply recommended Diversey burnisher using an autoscrubber or damp mop, let floor dry and then burnish.

Recoating

- Clean thoroughly. Dust mop. Machine scrub with a floor machine or autoscrubber using a blue pad and the recommended Diversey cleaner at the recommended dilution. Rinse well and let dry.
- Apply 2 new coats of Amplify^{TM/MC} High Solids Durable Finish.

Product Specifications

Description	Concentrate
Color/Form	Opaque liquid
Flash Point	>200°F(>93.4°C)
рН	7.9-8.5
Scent	Bland
Shelf Life	2 years
Slip Resistance	0.5 minimum (ASTM D2047)
Solids %	25
Solubility	Dispersible
Specific Gravity	1.03

Hazard Rating

HMIS		NFPA
1	Health	1
0	Flammability	0
0	Reactivity	0

4=Very High; 3=High; 2=Moderate; 1=Slight; 0=Insignificant

Available Items

Product Code	Description/Package Size	Dilution
5104714	1 x 5 gallon / 18.9 L Envirobox™	Ready-to-Use
4972034	1 x 2.5 L / 2.64 Qt. ProSpeed™™ BIB (Bag-in-Box)	Ready-to-Use

Safety Reminder



Bravo®

Heavy Duty Low Odor Stripper



Heavy duty and non-ammoniated for tough stripping jobs without the odor.

Effective

- ▶ Powerful formula dissolves all Diversey floor finishes
- Penetrates through finish build-ups and burnished finishes

Low Odor

- Non-ammoniated, non-solvenated
- No heavy odor

Versatile

Suitable for use on a wide range of flooring

Economical

 Multiple dilution rates for different levels of build-up—all at affordable prices

Designed For

- Healthcare
- Education
- Retail
- BSC
- Government

Use Overview

Bravo® Heavy Duty Low Odor Stripper is a heavy-duty non-ammoniated floor stripper designed to quickly and easily handle your toughest stripping jobs.

Preparation

- ▶ Blockade areas to be stripped or finished. Floors will be very slippery until dry.
- Mix 1 part Bravo® Heavy Duty Low Odor Stripper to 4–8 parts warm water, depending on floor finish build-up.

Coating

- ▶ Apply liberal amounts of solution uniformly on floor with mop.
- If splashing occurs, wipe off surfaces with a clean rag dampened with water.
- ▶ Let stripper solution soak for 5–7 minutes.
- Increase soak time if using cool water. Keep areas to be stripped wet.
- ▶ Scrub thoroughly using a stripping pad or brush to break-up film.
- ▶ Pick-up all of the solution with a clean mop, wet vac, or an automatic scrubber.
- ▶ Thoroughly rinse floor with clear water.
- Let floor dry completely before applying recommended Diversey brand floor finish or sealer.



Note: The dilution of **Bravo® Heavy Duty Low Odor Stripper** can be varied from 1:4 to 1:8
depending on performance requirements.

Cautions

- When using on asphalt or rubber tile, strip a small inconspicuous area to determine if bleaching or softening will occur.
- Do not use on unsealed wood, cork, linoleum or painted surfaces.

Product Specifications

Description	
Color/Form	Colorless liquid
Flash Point	> 200° F (> 93.3° C)
рН	13.0 (Concentrate) 12.3 (Dilution 1:4)
Scent	No fragrance added
Shelf Life	2 years
Specific Gravity	1.089
Solubility	Complete

Available Items

Product Code	Description/Package Size	Dilution
5115940	4 x 1 gallon / 3.78 L Containers	1:4–1:8
5115958	1 x 5 gallon / 18.9 L Envirobox ^{TM/MC}	1:4–1:8
5115974	1 x 55 gallon / 208 L Drum	1:4-1:8

Safety Reminder

Please make sure your employees read and understand the product label and Material Safety Data Sheet before using this product. The label contains directions for use, and both the label and MSDS contain hazard warnings, precautionary statements and first aid procedures. MSDS are available on-line at www.diversey.com or by calling 888 352 2249.

Hazard Rating

HMIS		NFPA
3	Health	3
0	Flammability	0
0	Reactivity	0

 $4 \!=\! Very\, High; 3 \!=\! High; 2 \!=\! Moderate; 1 \!=\! Slight; 0 \!=\! Insignificant.$









Complete® Floor Finish

A durable finish that reduces the need to strip and refinish – responds beautifully when spray buffed.

Lasts Longer In Tough Traffic Situations

• Low maintenance, high durability and great finish value

Easy-to-Use

- Easy application and recoat
- Great leveling

Simple System Requires Minimal Training

• Easy to clean, maintain and strip with matched Diversey products

Protects and Enhances

• Excellent traffic and mark resistance even on older floors









Complete® Floor Finish



Use Directions

- Strip floor using recommended Diversey brand stripper according to label directions.
- Apply 2–3 uniform coats using a clean mop. If higher gloss is desired, apply additional coats.
- Allow 40–50 minutes drying time between coats.
- Contaminants on floors can cause floors to become slippery.
- Avoid contact with eyes and skin.
- If contact occurs, flush immediately with water.
- If irritation develops, seek medical attention.

Product Specifications

Description	
Color/Form	Opaque tan liquid
Flash Point	>200° F (> 93.3° C)
рН	9.0-9.4
Scent	Ammonia
Shelf Life	2 years
Slip Resistance	0.5 minimum (ASTM D2047-82)
Solids %	17
Solubility	Dispersible
Specific Gravity	1.02

Available Items

Product Code	Description/Package Size	Dilution
04649	4 x 1 gallon / 3.78 L Containers	Ready-to-Use
5104773	1 x 5 gallon / 18.9 L Envirobox™	Ready-to-Use

Safety Reminder

Please make sure your employees read and understand the product label and Safety Data Sheet before using this product. The label contains directions for use, and both the label and SDS contain hazard warnings, precautionary statements and first aid procedures. SDSs are available on-line at www.sealedair.com or by calling 888 352 2249. Improper use or dilution may result in damage to surfaces and may result in health and physical hazards that match those of the concentrate. Please refer to the Diversey HazMat Library, only available through Internet Explorer, http://naextranet.diversey.com/dot/, for up to date shipping information.



© 2015 Sealed Air Corporation. All Rights Reserved. 29320 SPC010 en (15/118)





End Bac® II Spray Disinfectant



A quaternary-based aerosol germicide for disinfecting and deodorizing pre-cleaned surfaces.

Broad Spectrum Activity

- Kills gram positive and gram negative bacteria
- Kills Staphylococcus aureus and Pseudomonas aeruginosa, Streptococcus hemolyticus on hard, non-porous environmental surfaces

Controls Mold and Mildew

- Controls the growth of fungus, mold and mildew on hard non-porous environmental surfaces
- Ideal for locker rooms, shower stalls, floors and benches

Odor Control

• Eliminates odors at their source, does not just mask odors

Versatile

 For use in hospital rooms, sick rooms, doctor examining rooms, bathroom and locker room facilities on hard, nonporous environmental surfaces



End Bac® II Spray Disinfectant



Use Directions

 Prior to application, thoroughly clean all surfaces to be treated to remove gross filth or heavy soil.

Disinfectant

 Hold can upright and spray from a distance of 6 to 8 inches until area for treatment is thoroughly moistened. Allow to remain wet for 10 minutes before wiping or allow to air dry.

Control of Mold and Mildew

• Spray surface until thoroughly moistened. Allow to air dry. Repeat application in 7 days.

Control of Fungus

- Spray surfaces until thoroughly moistened.
- Allow to air dry.

Product Specifications

Description	
Color/Form	Colorless, aerosol
EPA Reg. No.	67603-4-70627
Flash Point	〈 0° F (propellant)
рН	11.13
Scent	Fresh
Shelf Life	1 year
Solubility	Complete
Specific Gravity	0.898

Available Items

Product Code	Description/Package Size	Dilution
04832	12 x 15 oz. / 425 g Aerosol Cans	Ready-To-Use

Safety Reminder



Envy®

Foaming
Disinfectant
Cleaner



Foaming, quaternary-based, hospital-grade disinfectant cleaner that cleans, disinfects and deodorizes in one step.

Broad Spectrum Activity

- Highly effective against a wide variety of pathogenic microorganisms including bacteria, antibiotic resistant bacteria, viruses, fungi, mold and mildew
- Bactericidal, Fungicidal, Mildewstatic and Virucidal
- Meets bloodborne pathogen standard for HBV and HIV

Effective

- Cleans and disinfects surfaces with a simple spray and wipe
- Foam dissolves dirt, grime, mold, mildew and other common soils

Versatile

- Use on hard, nonporous surfaces including vinyl, painted surfaces, plastic, glazed ceramic, glazed porcelain, chrome, laminated surfaces and baked enamel surfaces
- Effective on stains in health care, educational, lodging and food service environments



Envy[®] Foaming Disinfectant Cleaner



Use Overview

For General Cleaning and/or Deodorizing

- Hold can upright. Spray foam evenly over surface.
- Wipe with clean cloth, sponge or paper towel.
- For heavily soiled areas or stubborn spots, let foam stay on surface longer before wiping.

For General Cleaning and/or Deodorizing

- Spray foam evenly over surface. Be sure to wet all surfaces thoroughly.
- Let remain on surface for three minutes.
- Wipe with clean cloth, sponge or paper towel.

Product Specifications

Description	
Color/Form	White, aerosol
EPA Reg. No.	70627-35
Flash Point	〈20°F(〈-6°C)
рН	12.1
Scent	Lemon
Shelf Life	3 years
Solubility	Complete
Specific Gravity	0.98

Available Items

Product Code	Description/Package Size	Dilution
04531	12 x 19 oz. Aerosol	Ready-To-Use

Safety Reminder



Envy® Liquid Disinfectant Cleaner



Quaternary-based, hospital-grade disinfectant cleaner that cleans, disinfects and deodorizes in one step.

Broad Spectrum Activity

- Highly effective against a wide variety of pathogenic microorganisms including bacteria, antibiotic resistant bacteria, viruses, fungi, mold and mildew
- Bactericidal, fungicidal, mildewstatic and virucidal

Effective

- Ready-to-use liquid disinfects in five minutes and is a nonfood contact sanitizer in 30 seconds
- Cleans and disinfects surfaces
- Quickly removes dirt, grime, mold, mildew and other common soils on hard, nonporous surfaces

Versatile

- Use on hard, nonporous surfaces including vinyl, painted surfaces, plastic, glazed ceramic, glazed porcelain, chrome, laminated surfaces and baked enamel surfaces
- Effective on stains in health care, educational, lodging and food service environments



Envy® Liquid Disinfectant Cleaner



Use Directions

For Use as a General Cleaner/Deodorizer

- Hold bottle upright.
- Spray evenly over surface.
- Wipe with clean cloth, sponge or paper towel.
- For heavily soiled areas or stubborn spots, let solution stay on the surface longer before wiping.

For Use as a Cleaner/Disinfectant

- Spray evenly over surface.
- Be sure to wet all surfaces thoroughly.
- Let solution remain on surface for five minutes.
- Wipe with clean cloth, sponge or paper towel. For heavily soiled areas, thoroughly clean surface prior to disinfecting.
- When disinfecting food contact surfaces such as kitchen counters and tables used for food preparation, cutting boards, appliances and sinks, then thoroughly rinse surfaces with potable water.
- This product must not be used to clean the following surfaces: utensils, glassware and dishes.

To Sanitize Non-Food Contact Surfaces

- Pre-clean hard nonporous surfaces.
- Apply spray until thoroughly wet.
- Let stand 30 seconds. Then wipe.
- Not for use on food contact surfaces or on food preparation areas.

Product Specifications

Clear liquid
70627-33
> 200° F (> 93.4° C)
12.2
Lavender
3 years
Complete
1.017

Available Items

Product Code	Description/Package Size	Dilution
04528	12 x 32 oz./946 mL Spray Bottles	Ready-To-Use

Safety Reminder



Extraction Cleaner



A powerful multi-purpose cleaner compatible with advanced generation fibers when used as an extraction cleaner.

Versatile

- Use as a liquid extraction cleaner, traffic lane pre-spray or bonnet buff cleaner
- Available in conventional AccuMix®, Command Center™c, bulk gallons and J-Fill® packaging

User-Friendly

• Low foam formula for the needs of today's high pressure carpet extractors

Effective

- · Resists resoiling
- Provides excellent cleaning in hot or cold water
- No optical brighteners
- Excellent hard water tolerance

Economical

• Concentrated for maximum savings

Designed For

- Healthcare
- Education
- Retail
- BSC
- Government







Use Overview

Extraction Cleaner is a powerful cleaner compatible with advanced generation fibers when used as an extraction cleaner. It is safe to use on all synthetic carpets. Always vacuum carpet to remove loose soil and pre-spot carpet prior to cleaning. If being used for the first time, test for colorfastness in an inconspicuous area before use.

For Portable Extractor Use

• Dilute 5 oz. of Extraction Cleaner per 5 gallons cold water (147 mL per 19 L).

For Truck Mount Stock Solution

• Add 40 oz. of Extraction Cleaner per 5 gallons cold water (1.18 liters per 19 L).

For Use as Pre-Spray (except on stain resistant synthetics)

- Dilute 13 oz. of Extraction Cleaner per gallon cold water (78 mL per liter).
- Spray solution via a low-pressure sprayer onto carpet, paying particular attention to spots and traffic lanes. Agitate with a carpet rake, extractor brush, shampoo brush or bonnet.
- Fill extractor with clear cold water or Extraction Rinse according to label directions and rinse carpet. After cleaning, re-set pile by brushing in one direction with a clean stiff synthetic broom or carpet rake.



Product Specifications

Description	SC	
Color/Form	Clear colorless liquid	
Flash Point	> 200° F (> 93.4° C)	
рН	9.1 (Concentrate) 8.7 (Use Dilution 1:320)	
Scent	Floral fresh	
Shelf Life	2 years	
Solubility	Complete	
Specific Gravity	1.03	
Description	Concentrate	
Color/Form	Class salaslass lisusid	
COIOI/FOI III	Clear colorless liquid	
Flash Point	> 200° F (> 93.4° C)	
,	<u> </u>	
Flash Point	> 200° F (> 93.4° C) 9.04 (Concentrate)	
Flash Point pH	> 200° F (> 93.4° C) 9.04 (Concentrate) 8.5 (Use Dilution 1:12)	
Flash Point pH Scent	> 200° F (> 93.4° C) 9.04 (Concentrate) 8.5 (Use Dilution 1:12) Floral fresh	
Flash Point pH Scent Shelf Life	> 200° F (> 93.4° C) 9.04 (Concentrate) 8.5 (Use Dilution 1:12) Floral fresh 2 years	

Available Items

Product Code	Description/Package Size	Dilution
903844 = 03844 + 	4 x 1 gallon / 3.78 L Containers	1:128

Hazard Rating

HMIS		NFPA
2	Health	2
0	Flammability	0
0	Reactivity	0

4=Very High; 3=High; 2=Moderate; 1=Slight; 0=Insignificant.

Safety Reminder

Please make sure your employees read and understand the product label and Safety Data Sheet before using this product. The label contains directions for use, and both the label and SDS contain hazard warnings, precautionary statements and first aid procedures. SDSs are available on-line at www.sealedair.com or by calling 888 352 2249. Improper use or dilution may result in damage to surfaces and may result in health and physical hazards that match those of the concentrate. Please refer to the Diversey HazMat Library, only available through Internet Explorer, http://naextranet.diversey.com/dot/, for up to date shipping information.

WoolSafe Approved® logo is a registered certification mark owned by the WoolSafe Organization

www.sealedair.com



Extraction Cleaner



A powerful multi-purpose cleaner compatible with advanced generation fibers when used as an extraction cleaner.

Versatile

- Use as a liquid extraction cleaner, traffic lane pre-spray or bonnet buff cleaner
- Available in conventional AccuMix®, Command Center™, bulk gallons and J-Fill® packaging

User-Friendly

• Low foam formula for the needs of today's high pressure carpet extractors

Effective

- Resists resoiling
- Provides excellent cleaning in hot or cold water
- No optical brighteners
- Excellent hard water tolerance

Economical

• Concentrated for maximum savings



Extraction Cleaner



Use Directions

For Portable Extractor Use

 Dilute 5 oz. of Extraction Cleaner per 5 gallons cold water (147 mL per 19 L).

For Truck Mount Stock Solution

 Add 40 oz. of Extraction Cleaner per 5 gallons cold water (1.18 liters per 19 L).

For Use as Pre-Spray (except on stain resistant synthetics)

- Dilute 13 oz. of Extraction Cleaner per gallon cold water (78 mL per liter).
- Spray solution via a low-pressure sprayer onto carpet, paying particular attention to spots and traffic lanes. Agitate with a carpet rake, extractor brush, shampoo brush or bonnet.
- Fill extractor with clear cold water or Extraction Rinse according to label directions and rinse carpet. After cleaning, re-set pile by brushing in one direction with a clean stiff synthetic broom or carpet rake.

Product Specifications

roddet opec		
Description	SC	
Color/Form	Clear colorless liquid	
Flash Point	> 200° F (> 93.4° C)	
рН	9.1 (Concentrate) 8.7 (Use Dilution 1:320)	
Scent	Floral fresh	
Shelf Life	2 years	
Solubility	Complete	
Specific Gravity	1.03	
Description	Concentrate	
Color/Form	Clear colorless liquid	
Flash Point	> 200° F (> 93.4° C)	
рН	9.04 (Concentrate) 8.5 (Use Dilution 1:12)	
Scent	Floral fresh	
Shelf Life	2 years	
Solubility	Complete	
Specific Gravity	1.015	

Available Items

Product Co	de	Description/Package Size	Dilution
903844 03844	= +	4 x 1 gallon / 3.78 L Containers	1:128
904972 04972		2 x 84.5 oz./2.5 L J-Fill®	1:320

Safety Reminder

Please make sure your employees read and understand the product label and Safety Data Sheet before using this product. The label contains directions for use, and both the label and SDS contain hazard warnings, precautionary statements and first aid procedures. SDSs are available on-line at www.sealedair.com or by calling 888 352 2249. Improper use or dilution may result in damage to surfaces and may result in health and physical hazards that match those of the concentrate. Please refer to the Diversey HazMat Library, only available through Internet Explorer, http://naextranet.diversey.com/dot/, for up to date shipping information.

WoolSafe Approved® logo is a registered certification mark owned by the WoolSafe Organization.



Heavy Duty Prespray Plus



Cleans heavily soiled carpets with a unique polymer-enhanced formula that also prevents resoiling.

Effective

- Cleans tough soils in heavy traffic areas
- Carpets stay cleaner longer due to exclusive soil barriers that help resist resoiling

Available in RTD® Dispensers

• All of the no-hassle benefits available with RTD® dispensers

Safe

• pH neutral

CRI™ Certified

• Meets the specification for the Carpet and Rug Institute Seal of Approval





Heavy Duty Prespray Plus



Use Directions

For Prespray Cleaning

- Thoroughly vacuum carpet and pre treat spots.
- Using RTD® dispenser, turn dial to 🛍 (1:40) and fill pump up sprayer.
- Spray carpet completely, paying particular attention to traffic lane.
- Allow 5–10 minutes for product to completely loosen soils.
- Agitate carpet with extractor brush, shampoo brush, carpet rake or bonnet.
- Thoroughly extract carpet with diluted Extraction Rinse or luke warm water (use Liquid Defoamer in recovery tank as needed). Allow carpet to dry.

For Bonnet Cleaning

- Using RTD® dispenser, turn dial to 🛍 (1:40) and fill pump up sprayer.
- Pre-spray solution on carpet.
- Clean with dry or lightly sprayed bonnet under rotary floor machine using circular motion. For bonnet scrubbing, soak bonnet in bucket of Heavy Duty Prespray Plus and wring out thoroughly before cleaning.

- When bonnet becomes dirty, turn over and continue. When both sides are soiled, replace with a clean bonnet and continue. For bonnet scrubbing, clean bonnet by pre-soaking in solution.
- Groom carpet with clean carpet rake or stiff synthetic broom.
 Allow to dry.

For Extraction Cleaning

- Using RTD° dispenser, turn dial to 🖟 (1:320) and fill up extraction cleaning machine.
- Thoroughly extract carpet (use Liquid Defoamer in recovery tank as needed).
- Allow to air dry.

Product Specifications

Description	Concentrate
Color/Form	Clear yellow liquid
Flash Point	> 200° F (>93.4° C)
рН	8.2 (Concentrate) 7.5 (Use Dilution 1:320) 7.8 (Use Dilution 1:40)
Scent	Fruity Fresh
Shelf Life	2 years
Solubility	Complete
Specific Gravity	1.058

Available Items

Product Code	Description/Package Size	Dilution
93515034 == 3515034 *	2 x 1.5 L / 1.59 Qt. RTD° Units	1:40, 1:320

Safety Reminder

Please make sure your employees read and understand the product label and Safety Data Sheet before using this product. The label contains directions for use, and both the label and SDS contain hazard warnings, precautionary statements and first aid procedures. SDSs are available on-line at www.sealedair.com or by calling 888 352 2249. Improper use or dilution may result in damage to surfaces and may result in health and physical hazards that match those of the concentrate. Please refer to the Diversey HazMat Library, only available through Internet Explorer, http://naextranet.diversey.com/dot/, for up to date shipping information.

RTD® Dilution Icons



Prespray/ Bonnet Buff 1:40



Extraction Cleaner 1:320

WoolSafe Approved* logo is a registered certification mark owned by the WoolSafe Organization. CRI Seal of Approval Logo is a certification mark owned by the Carpet and Rug Institute.