

# Oxivir® Tb and Oxivir® Tb Wipes

## General Virucide, Bactericide, Tuberculocide, Fungicide, Sanitizer



A ready-to-use cleaner disinfectant based on proprietary AHP® technology to deliver fast, effective cleaning performance.

### Effective

- ▶ Bactericidal and \*Virucidal in one minute, kills HBV, HCV, HIV-1 (AIDS virus) in one minute, Tuberculocidal in five minutes and kills fungi in ten minutes
- ▶ Patented technology contains a high performance surfactant system that delivers faster and better cleaning results
- ▶ SKU #5388471 meets NFPA (National Fire Protection Association) and CMS (Centers for Medicare & Medicaid Services) requirements

### Environmentally Responsible

- ▶ No VOC's, no added fragrance, no NPE's
- ▶ The active ingredient breaks down to water and oxygen

### Easy-to-Use

- ▶ Use to clean most hard, nonporous environmental surfaces with confidence
- ▶ Non-irritating to skin and eyes and contains no substances which at the given concentration, are considered to be hazardous to health per OSHA standards

### Designed For

- ▶ Health Care
- ▶ Retail
- ▶ Government
- ▶ Lodging



# Use Overview

**Oxivir® Tb** is a patented one-step cleaner disinfectant for spray-and-wipe cleaning applications. **Oxivir® Tb Wipes** is a one-step cleaner disinfectant wipe.

- ▶ Pre-clean heavily soiled areas.
- ▶ Apply solution by cloth or disposable wipe to hard, non-porous environmental surfaces.
- ▶ All surfaces must remain wet for one-minute to kill bacteria, HIV-1, HBV and HCV.
- ▶ Use a five-minute contact time for Tb and a ten-minute contact time for fungi.
- ▶ Wipe surfaces dry, rinse or allow to air dry.
- ▶ **Note:** Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces must be rinsed with potable water. Do not use on glassware, utensils, or dishes. Not recommended for use on brass, copper, aluminum, bronze, granite, zinc or marble.



## Product Specifications

Description	
<b>Color/Form</b>	Colorless, liquid; Colorless, wipe
<b>EPA Reg. No.</b>	70627-56 (RTU) 70627-60 (Wipes)
<b>pH</b>	2.5–3.5
<b>Scent</b>	Characteristic
<b>Solubility</b>	Complete
<b>Shelf Life</b>	2 years (RTU), 3 years (Wipes)
<b>Specific Gravity</b>	1.01

## Hazard Rating

HMIS		NFPA
0	Health	0
0	Flammability	0
0	Reactivity	0

4=Very High; 3=High; 2=Moderate; 1=Slight; 0=Insignificant.

## Available Items

Product Code	Description/Package Size	Dilution
4277285	12 x 32 fl. oz. / 946 mL Flip Top Bottles Plus Two Trigger Sprayers	Ready-to-Use
5768705	4 x 32 oz./946 mL Flip Top Bottles Plus One Trigger Sprayer	Ready-to-Use
4599516	12 x 160 count 6 x 7 in. Wipes / 15.24 x 17.78 cm Canisters	Ready-to-Use
5388471	12 x 60 count 7 x 8 in. Wipes / 17.8 x 20.3 cm Canisters	Ready-to-Use
5627427	4 x 160 count 11 x 12 in. Wipes / 27.9 x 30.5 cm Buckets	Ready-to-Use
5499664	6 x 1 Unit (Wall Bracket for use with 60 count wipes)	
9P700798	1 Double Unit Non-Locking Stand	
9P700797	1 Double Unit Locking Stand	
9P700814	1 Plastic Locking Bracket (for use with 160 count wipes)	
9P700799	6 x 1 Unit Wire Bracket Locking on Plastic Wall Mount (for use with 160 count wipes)	
9P700800	6 x 1 Unit Wire Bracket Non-Locking on Plastic Wall Mount (for use with 160 count wipes)	

## Safety Reminder

Please make sure your employees read and understand the product label and Material Safety Data Sheet before using this product. The label contains directions for use, and both the label and MSDS contain hazard warnings, precautionary statements and first aid procedures. MSDS are available on-line at [www.diversey.com](http://www.diversey.com) or by calling 888 352 2249.

AHP and Design® are registered trademarks of Virox Technologies Inc. used under license.

For additional information, please contact us at +1 800 558 2332 or at [www.diversey.com](http://www.diversey.com)

© 2013 Sealed Air Corporation. All Rights Reserved 18780-SPC729

**Diversey**  
for a cleaner, healthier future™

Diversey

High Noon<sup>®</sup>

## Ultra-durable finish for UHS maintenance

Attractive floors only happen with a strong floor care programme. Our quality products, effective training, and professional support keeps our customers' floors looking their best.

### Key features

- Built with tough all-acrylic polymers and fortified with urethane for unmatched durability
- Burnishes to a rich deep gloss
- Reduces labour costs by extending recoat and strip-out cycles
- Retains good looks longer between burnishing

### Directions for use

- **Application:** Strip first with a Diversey Care stripper. Rinse thoroughly. On a stripped floor, apply 4 coats of High Noon. A coat dries in 30 minutes or less. On old or worn floors, seal first with 2 coats of a Diversey Care sealer.
- **Maintenance/gloss restoring:** Dry mop before cleaning. Wet clean with a Diversey Care floor cleaner. Burnish routinely with a UHS burnisher and appropriate burnishing pad. Clean and restore gloss once or twice a week with a Diversey Care cleaner/maintainer.
- **Recoating:** Dry mop. Wet scrub with a heavy-duty floor cleaner and a blue pad. Rinse well and let dry. Apply 2 new coats of High Noon.



## High Noon<sup>®</sup>

### Technical data

Dilution	Ready to use
Colour	White liquid
Polymer content	Urethane and acrylic copolymers
Total solids	20%
pH	8.0 - 8.4
Recoat time	Can be recoated when finish is dry to touch
Removability	Can be stripped with quality water-based strippers
Slip resistance	Meets or exceeds industry standards of 0.5 static coefficient of friction (ASTM D-2047)
Coverage	Moderate coats recommended. 50 square metres/litre/coat
Stability	At least 2 years when stored at room temperature
Freeze/thaw stability	Not damaged by up to 3 freeze thaw cycles. Thaw and mix before using

The above data is typical of normal production and should not be taken as a specification.

### Packaging information

Product	Pack size	Article code
High Noon	2 x 5 L, 200 L	

### Safe handling

Full guidance on the handling and disposal of this product is provided in a separate Safety Data Sheet. Only for professional users/specialists.

### Storage information

Store in original closed containers away from extremes of temperature.



**TKO™**  
**OVEN and GRILL CLEANER**

## FEATURES

- Institutional strength
- Ready to use formula
- Non abrasive formulation

## BENEFITS

- Low use cost
- No product mixing
- Does not scratch surfaces

## RECOMMENDED USES

For use on grills, ovens, hoods and other stainless steel surfaces.

## SPECIFICATIONS

**Color** : Colorless  
**Scent** : None  
**Character** : Clear, slightly viscous liquid  
**Foam** : Moderate

**pH use dilution** : greater than 13.00  
**Phosphorus content** : 0.0%  
**Approvals** : N/A



## IMPORTANT

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.

## PRODUCT DIRECTIONS

### EQUIPMENT TO USE

Clean cloth, rubber gloves and eye protection.

### DIRECTIONS TO USE

Rubber gloves and eye protection are recommended. NOTE: For gas ovens, do not spray on pilot light. For electric ovens, do not spray on heating element. Use in either warm (150°–200°F) or cold empty oven. Clean racks separately. Spray foam over interior surface. Allow foam to work 10-15 minutes. Wipe clean with wet cloth, sponge or paper towels. Be sure all foam is removed. Rinse. Repeat if necessary. Do not use on aluminum.

## PACKAGING

This product is available in 6/32 oz. cases (3183738).

**Xenon™****GLASS and MULTI-SURFACE CLEANER****FEATURES**

- Ready-to-use
- Multi-surface formula
- Pleasant scent
- Spray bottle

**BENEFITS**

- No mixing of concentrates
- Safe to use on many surfaces other than glass
- Pleasant to use
- Quick, convenient application

**RECOMMENDED USES**

For streak-free cleaning of glass, plastic and vinyl.

**SPECIFICATIONS**

**Color** : Purple  
**Scent/Odor** : Solvent/floral  
**Character** : Clear, non-viscous liquid  
**Foam** : Low

**pH use dilution** : 9.5-11.0  
**Phosphorus content** : 0.0%  
**Approvals** : N/A

**IMPORTANT**

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.

**PRODUCT DIRECTIONS****EQUIPMENT TO USE**

Clean cloth, paper towel.

**DIRECTIONS TO USE**

Spray holding 6-8 inches from surface to be cleaned. For vertical surfaces, start from the bottom and work upwards. Wipe with lint-free towel or cloth.

**PACKAGING**

This product is available in 6/32 oz. cases (3187405).

**Sheen™**OIL BASED STAINLESS STEEL  
CLEANER and POLISH**FEATURES**

- Ready to use formulation
- Non-abrasive
- Lemon-lime scented
- Provides protective coating

**BENEFITS**

- No product mixing
- Does not scratch surfaces
- For pleasant work environment
- Aids in soil removal

**RECOMMENDED USES**

For use on stainless steel equipment surfaces.

**SPECIFICATIONS**

**Color** : Colorless  
**Scent** : Lemon  
**Character** : Clear, non-viscous liquid  
**Foam** : Non-foamer

**pH use dilution** : N/A  
**Phosphorus content** : 0.0%  
**Approvals** : cRc

**IMPORTANT**

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.

**PRODUCT DIRECTIONS****EQUIPMENT TO USE**

Clean cloth.

**DIRECTIONS TO USE**

Apply this product to surface and wipe with a soft cloth, spreading and rubbing to be sure entire surface is covered. For heavier soil, a brief soaking period should be allowed after application, the rubbing continued until accumulated soil is removed. Cloth should be turned frequently to keep the clean areas “working” with the polish. Never use this polish on food contact surfaces. Rubber gloves recommended. NOTE: Never use on floors and protect floors from overspray. The products ingredients make a floor slippery. If oversprayed onto a floor, scrub the floor with detergent and dry thoroughly.

**PACKAGING**

This product is available in 6/32 oz. cases (4948317).





# HYDROGEN PEROXIDE G.P. CLEANER

## FEATURES

- Green Seal™ certified
- Contains Hydrogen Peroxide
- Fast acting

## BENEFITS

- Safer for users and the environment
- Excellent stain removal
- Reduces labor time

## RECOMMENDED USES

For cleaning and destaining throughout institutional facilities

## SPECIFICATIONS

**Color** : Colorless  
**Scent/Odor** : Citrus  
**Character** : Slightly hazy, non-viscous liquid  
**Foam** : Moderate to low

**pH use dilution** : 6.2 - 7.5  
**Phosphorus content** : 0.0%  
**Certifications** : Green Seal™  
**Approvals** : cRc



## IMPORTANT

Wear chemical-splash goggles and chemical-resistant protective gloves when handling the product concentrate. Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.

## PRODUCT DIRECTIONS

### EQUIPMENT TO USE

Spray bottle, clean towel or cloth.

### DIRECTIONS TO USE

Fill mop bucket or spray bottle with proper use dilution of product as shown below. For glass, restroom, and general spray and wipe cleaning, apply to surfaces to be cleaned, allow sufficient time to loosen soil, then wipe, mop, or squeegee surface. For floor cleaning, apply to floor, allow sufficient time to loosen soil, then mop surface. For carpet spotting, apply to carpet spot, agitate and rinse with water. For carpet prespray, spray on carpet and extract with cold water. For carpet extraction, fill carpet extraction tank with diluted product, and extract floor according to carpet extractor instructions. **LIGHT DUTY CLEANING:** 1:256 dilution (1/2 oz per gallon of cold water) for spray and wipe cleaning of glass, metal fixtures, counter tops, and other washable surfaces. At this dilution this product can also be used for daily floor cleaning and carpet extraction. **MEDIUM DUTY CLEANING:** 1:128 (1 oz per gallon of cold water) for cleaning of finished and unfinished floors. At this dilution, this product can also be used for spray and wipe cleaning of washable surfaces as well as carpet prespray. **HEAVY DUTY CLEANING:** 1:64 dilution (2 oz per gallon of cold water) for cleaning sinks, tile & grout, and shower surfaces in the restroom. At this dilution, the product can also be used for spray and wipe cleaning, degreasing, deodorizing surfaces and carpet spotting.

**CONTAINER DISPOSAL** Please dispose of any unused product in accordance with federal, state, and local regulations. Please recycle container.

Improper use or dilution may result in damage to surfaces and may result in health and physical hazards that match those of the concentrate.

## PACKAGING

This product is available in 2/1500 mL canisters (4617690), 2/3100 mL canisters (5018461) and 4/1 gallon cases (4504417).

\*This product meets Green Seal™ Standard GS-37 based on effective performance, concentrated volume, minimized/recycled packaging and protective limits on: VOCs and human & environmental toxicity. GreenSeal.org.





# Amber Suds

## Economical Pot & Pan Detergent



Amber Suds is an economical manual pot and pan detergent designed for institutional use. It is fortified with the high suds and grease cutting components that make up the most expensive of products, yet costs much less. This product is mild to the hands and has a pleasant lemon scent.

### Specifications

<b>Color</b>	Amber
<b>Scent/Odor</b>	Lemon
<b>Character</b>	Clear, non-viscous liquid
<b>Foam</b>	High
<b>pH Use Dilution</b>	7.0 - 8.0
<b>Phosphorus Content</b>	0.0%
<b>Approvals</b>	cRc, RBS

### Pack Sizes

<b>057513</b>	4/1 gallon case
<b>057515</b>	5 gallon pail
<b>5116248</b>	265 gallon tote



### Directions For Use

**Equipment:** Jug or pail pump, wall pump or faucet feeder, abrasive pad or stiff brush, recommended automatic dispensing system.

**Use Dilution:** 1 ounce to 1 gallon.

1. Pre-flush ware to be cleaned. Lukewarm water works best.
2. Wash in a solution of 1 ounce of product to 1 gallon of warm water (110°-120°F). (Tank #1)
3. Rinse in clean water. (Tank #2)
4. Sanitize, using a recommended sanitizer. (Tank #3)
5. Air dry, NEVER TOWEL. Store dishware in a clean, covered place.

### Product Demo



Scan the QR code with your mobile device to view an instructional video featuring this product!

### Safety Reminder

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.





# Iron Stone™/MC

## Acrylic Seal



---

**Acrylic seal for resilient and stone surfaces with excellent leveling and adhesive characteristics, even on worn surfaces.**

### Effective

- ▶ Superior compatibility for a wide range of resilient and stone surfaces
- ▶ Protects against soil penetration and staining

### Easy to Use

- ▶ Top coat using any Diversey finish
- ▶ Strips easily with any Diversey stripper

---

### Designed For

- ▶ Education
- ▶ Government
- ▶ Retail
- ▶ BSC



For additional information, please visit our website at [www.diversey.com](http://www.diversey.com)

# Use Overview

**Iron Stone™/MC Acrylic Seal** seals stone, resilient and porous surfaces with excellent leveling and adhesive characteristics, even on worn surfaces. It has superior compatibility with a wide range of stone surfaces.

- ▶ Do not dilute (when applicable).
- ▶ Do not use on surfaces colder than 50° F (10° C).
- ▶ To avoid contamination, do not return unused product to original container.

**Note:** Floors will be slippery when wet or contaminated with foreign materials. Promptly clean-up spills and foreign materials. Meets ASTM D-2047 requirement for slip resistance.

## Preparation

- ▶ Blockade areas to be stripped, sealed or finished. Floors will be very slippery until dry.
- ▶ Before first application of **Iron Stone™/MC Acrylic Seal** remove all old coatings with any Diversey stripper.



## Coating

- ▶ Apply 1–2 uniform coats of **Iron Stone™/MC Acrylic Seal** using a clean mop.
- ▶ Allow 30–45 minutes drying time between coats. Temperature, humidity and ventilation may affect drying time.

## Top Coating

- ▶ Use Diversey finish based on desired gloss and equipment.

## Product Specifications

Description	
<b>Color/Form</b>	Opaque white liquid
<b>Flash Point</b>	> 200° F (> 93.4° C)
<b>pH</b>	8.2
<b>Scent</b>	Solvent ammonia
<b>Shelf Life</b>	2 years
<b>Slip Resistance</b>	0.5 minimum (ASTM D2047)
<b>Solids %</b>	18
<b>Solubility</b>	Dispersible
<b>Specific Gravity</b>	1.024

## Available items

Product Code	Description/Package Size	Dilution
4006110	4 x 1 gallon / 3.78 L Containers	Ready-To-Use
5104837	1 x 5 gallon / 18.9 L Envirobox™/MC	Ready-To-Use

## Safety Reminder

Please make sure your employees read and understand the product label and Material Safety Data Sheet before using this product. The label contains directions for use, and both the label and MSDS contain hazard warnings, precautionary statements and first aid procedures. MSDS are available on-line at [www.diversey.com](http://www.diversey.com) or by calling 888 352 2249.

## Hazard Rating

HMIS		NFPA
1	Health	1
0	Flammability	0
0	Reactivity	0

4=Very High; 3=High; 2=Moderate; 1=Slight; 0=Insignificant.

# Bacterial Digestant

Bacterial Digestant contains selected strains of natural enzyme-producing bacteria. These special strains of bacteria are very efficient at digesting organic waste to help eliminate malodors. This product contains no harmful acids, caustics or solvents and is ideal for use in maintaining free flowing, odor-free drains, plumbing, grease traps and septic systems.

## Specifications

<b>Color</b>	White
<b>Scent/Odor</b>	Floral
<b>Character</b>	Opaque, non-viscous liquid
<b>Foam</b>	Low
<b>pH Use Dilution</b>	6.0 - 8.0
<b>Phosphorus Content</b>	0.0%
<b>Approvals</b>	cRc

## Pack Sizes

<b>057737</b>	4/1 gallon case
<b>057738</b>	5 gallon pail



## Directions For Use

**Equipment:** Manually pour or automatic dispensing system.

Keep from freezing.

### Use Dilution:

**For Grease Traps:** For average size grease traps (about 30 cubic feet), use one quart added directly to trap or through drain. Then use one pint per week for maintenance.

**Septic Tanks:** Use 2 to 4 quarts for initial treatment of 500 gallon tank. For weekly maintenance, use 1 pint for each 5 people on the system. Treat drain fields and leach beds by pouring into the distribution boxes or vents.

**For Free-Flowing Plumbing:** Treat drains at least once per week with the recommended amount. Apply at the end of the day or when flow is at the lowest, and treat lower floors first.

Kitchen sinks:.....	4 ounces
Bathroom sinks:.....	4 ounces
Mop, laundry sinks:.....	8 ounces
Floor drains:.....	4 ounces
Dishwashers:.....	8 ounces
Urinals, toilets:.....	2 ounces
Garbage disposal:.....	8 ounces
Bar sinks, tap drains:.....	2 ounces

## Safety Reminder

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.



# Floorbac™

## Bioactive Floor Cleaner



FloorBac™ uses surfactant cleaning technology combined with enzyme producing bacteria. The result is a one step process which effectively cleans the top surface of the floor, while leaving behind grease eating bacteria that digest build-up in porous tiles and grout. Continuous use of this product produces extremely clean floors with no trace of build up problems that contribute to slip and fall accidents. FloorBac™ is non-corrosive.

### Specifications

Color	Blue
Scent/Odor	Citrus
Character	Hazy, slightly viscous liquid
Foam	Moderate
pH Use Dilution	6.0 - 8.0
Phosphorus Content	0.0%
Approvals	cRc, RBS

### Pack Sizes

3041220	2/1 gallon case
---------	-----------------



### Directions For Use

**Equipment:** Mop and bucket, deck brush.

**Use Dilution:** 3 ounces to 3 gallons of water.

1. Wipe up spills and sweep debris from surface.
2. Add 3 ounces of product per 3 gallons of warm (not hot) water.
3. Apply solution liberally to floor using a mop. Deck brush as needed.
4. Dry mop excess moisture.
5. Discard mop water down troubled drains to reduce grease build up.

**NOTE:** Floors will be slippery when wet or contaminated with foreign materials. Promptly clean-up spills and foreign materials.

### Product Demo



Scan the QR code with your mobile device to view an instructional video featuring this product!

### Safety Reminder

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.



# Fryer Cleaner

## Deep Fat Fryer Cleaner


Fryer Cleaner safely cleans fryer vessels with minimum effort. Wetting agents, water conditioners and high alkalinity easily remove heavy grease deposits. Fryer Cleaner rinses well, leaving behind clean, shiny, build-up free surfaces.

### Specifications

<b>Color</b>	White
<b>Scent/Odor</b>	Bland
<b>Character</b>	Free flowing powder
<b>Foam</b>	Non-foamer
<b>pH Use Dilution</b>	Greater than 12.0
<b>Phosphorus Content</b>	1.3%
<b>Approvals</b>	None

### Pack Sizes

<b>057564</b>	4/3.75 pound case
---------------	-------------------



### Directions For Use

**Equipment:** Long handled brush.

**Use Dilution:** 2-3 ounces per gallon of water.

1. Drain and remove loose grease.
2. Add 2-3 ounces of this product per gallon of cool water.
3. Bring to low boil and hold for 20 minutes.
4. Brush, drain, flush.
5. Rinse and neutralize with mild acid solution (vinegar and water).
6. Rinse thoroughly with clean water. Do not use on aluminum.

### Safety Reminder

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.



# Quat-Clean Plus

Quat-Clean Plus is a phosphate-free formulation designed to provide effective cleaning, deodorization, sanitization, and disinfection specifically for hospitals, nursing homes, schools and food service establishments where housekeeping is of prime importance in controlling the hazard of cross-contamination. This product, when used as directed, is formulated to disinfect inanimate, hard, non-porous surfaces: floors, sinks, countertops, tables, chairs, and telephones. This product deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls, and other areas which are prone to odors caused by microorganisms.

## Specifications

<b>Color</b>	Red
<b>Scent/Odor</b>	None added
<b>Character</b>	Clear, slightly viscous liquid
<b>Foam</b>	Low
<b>pH Use Dilution</b>	9.5 - 11.5
<b>Phosphorus Content</b>	0.0%
<b>Approvals</b>	cRc
<b>Registrations</b>	EPA

## Pack Sizes

<b>4500184</b>	4/1 gallon case
----------------	-----------------



## Directions For Use

**Equipment:** Pail and mop, sponge, cleaning cloth, spray bottle, appropriate measuring device.

**Disinfection:** To disinfect hard inanimate surfaces (such as walls, floors, table tops), add 1 ounce of this product per gallon of water. Apply solution with mop, cloth, sponge or mechanical sprayer so as to wet thoroughly. Allow to remain wet for 10 minutes and then let air dry.

**Sanitization:** To sanitize previously cleaned and rinsed nonporous food contact surfaces, prepare 200 ppm active quaternary solution by adding 1 ounce of this product to 3.5 gallons of water. This product is an effective sanitizer when diluted in water up to 250 ppm hardness ( $\text{CaCO}_3$ ). To sanitize immobile items (such as tanks, chopping blocks, counter tops), flood the area with 200 ppm of this product solution or apply with a cloth or sponge, making sure to wet all surfaces completely for at least 60 seconds. Let air dry. Prepare a fresh solution for each use. To sanitize mobile items (such as drinking glasses, eating utensils), immerse in 200 ppm of this product solution for at least 60 seconds making sure to immerse completely. Remove and let air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

## Safety Reminder

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.





# Quat-Clean Plus

Quat-Clean Plus is a phosphate-free formulation designed to provide effective cleaning, deodorization, sanitization, and disinfection specifically for hospitals, nursing homes, schools and food service establishments where housekeeping is of prime importance in controlling the hazard of cross-contamination. This product, when used as directed, is formulated to disinfect inanimate, hard, non-porous surfaces: floors, sinks, countertops, tables, chairs, and telephones. This product deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls, and other areas which are prone to odors caused by microorganisms.

## Specifications

<b>Color</b>	Red
<b>Scent/Odor</b>	None added
<b>Character</b>	Clear, slightly viscous liquid
<b>Foam</b>	Low
<b>pH Use Dilution</b>	9.5 - 11.5
<b>Phosphorus Content</b>	0.0%
<b>Approvals</b>	cRc
<b>Registrations</b>	EPA

## Pack Sizes

<b>4500184</b>	4/1 gallon case
----------------	-----------------



## Directions For Use

**Equipment:** Pail and mop, sponge, cleaning cloth, spray bottle, appropriate measuring device.

**Disinfection:** To disinfect hard inanimate surfaces (such as walls, floors, table tops), add 1 ounce of this product per gallon of water. Apply solution with mop, cloth, sponge or mechanical sprayer so as to wet thoroughly. Allow to remain wet for 10 minutes and then let air dry.

**Sanitization:** To sanitize previously cleaned and rinsed nonporous food contact surfaces, prepare 200 ppm active quaternary solution by adding 1 ounce of this product to 3.5 gallons of water. This product is an effective sanitizer when diluted in water up to 250 ppm hardness ( $\text{CaCO}_3$ ). To sanitize immobile items (such as tanks, chopping blocks, counter tops), flood the area with 200 ppm of this product solution or apply with a cloth or sponge, making sure to wet all surfaces completely for at least 60 seconds. Let air dry. Prepare a fresh solution for each use. To sanitize mobile items (such as drinking glasses, eating utensils), immerse in 200 ppm of this product solution for at least 60 seconds making sure to immerse completely. Remove and let air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

## Safety Reminder

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.



# See-Thru

## Ammoniated Glass Cleaner

See-Thru is designed for fast, thorough cleaning of all glass, porcelain, formica and chrome surfaces. It quickly removes soils without smudging or smearing. It easily removes smoke film and grime from windows and auto interiors. This product is applied with a handy trigger sprayer, then simply wiped away without rinsing. It is ammoniated for fast soil penetration and increased detergency. Regular use of this product keeps everything gleaming!

### Specifications

<b>Color</b>	Blue
<b>Scent/Odor</b>	Ammonia odor
<b>Character</b>	Clear, non-viscous liquid
<b>Foam</b>	Low
<b>pH Use Dilution</b>	9.0 - 11.0
<b>Phosphorus Content</b>	0.0%
<b>Approvals</b>	cRc

### Pack Sizes

<b>066457</b>	4/1 gallon case
---------------	-----------------



### Directions For Use

**Equipment:** Spray bottle, clean towel or cloth.

**Use Dilution:** Dilute 1:2

1. Spray over surface to be cleaned.
2. Wipe dry with a soft, clean towel, turning it often.
3. For extremely soiled surfaces, a second application may be required.

### Product Demo



Scan the QR code with your mobile device to view an instructional video featuring this product!

### Safety Reminder

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.



# Speedy

## High Performance Cleaner and Degreaser



Nonfood Compounds  
Program Listed (A1, A4, A8)  
(136392)

Speedy is a general purpose cleaner and degreaser for all maintenance needs. It is an economical and easy to use liquid that will quickly clean greasy soils, atmospheric grime and everyday dirt. It removes soils without great effort, and it is an excellent detergent for pressure-spray cleaning operations. It is ideal for cleaning hoods, fans, deep fat fryers and similar items. This product is rugged enough for industrial maintenance and cleaning applications. It is also safe to use on soft metal surfaces such as aluminum. To avoid food contamination, rinse all surfaces with potable water after use.

### Specifications

Color	Blue
Scent/Odor	Solvent (none added)
Character	Clear, non-viscous liquid
Foam	Moderate
pH Use Dilution	9.0 - 11.5
Phosphorus Content	0.0%
Approvals	cRc, NSF A1, A4, A8

### Pack Sizes

066481	4/1 gallon case
--------	-----------------



### Directions For Use

**Equipment:** Spray bottle, mop and pail, sponge, cleaning cloth, appropriate measuring device.

**Light Duty Cleaning:** When cleaning surfaces such as floors, walls, countertops, cabinets, appliances, chrome fixtures, tile, etc., dilute 2-3 ounces of this product to 1 gallon of warm water (110°-120°F).

**Medium Duty Cleaning:** When cleaning surfaces such as the exterior of stoves and ovens, grills, hoods, air filtering systems, carpet, etc., dilute 3-6 ounces of this product to 1 gallon of warm water (110°-120°F). This product may also be used as a laundry prespotter at this dilution. Always pretest product on fabric to assure it will not damage or discolor cloth. Wet fabric prior to application of product.

**Heavy Duty Cleaning:** When cleaning surfaces such as industrial equipment, machinery, engines, automotive parts, white wall tires, concrete, etc., dilute 6-12 ounces of this product to 1 gallon of warm water (110°-120°F).

A potable water rinse is required after use of this product.

**NOTE:** When mechanically dispensing this product, do not use at water temperatures that exceed 160°F.

### Product Demo



Scan the QR code with your mobile device to view an instructional video featuring this product!

### Safety Reminder

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.



# Temp Det

## All Temperature Warewashing Detergent

Temp Det is a non-chlorinated, liquid warewash detergent designed for all temperature warewashing. It is fortified with special water conditioners and grease emulsifiers to tackle the tough jobs. It is very economical, yet strong enough for most applications.

### Specifications

<b>Color</b>	Red/orange
<b>Scent/Odor</b>	None
<b>Character</b>	Clear, non-viscous liquid
<b>Foam</b>	Non-foamer
<b>pH Use Dilution</b>	10.0 - 12.0
<b>Phosphorus Content</b>	0.0%
<b>Approvals</b>	cRc

### Pack Sizes

<b>057560</b>	4/1 gallon case
<b>057562</b>	5 gallon pail
<b>4391395</b>	15 gallon drum



### Directions For Use

**Equipment:** Recommended dispensing system.

**Use Dilution:** Concentration varies due to environmental conditions. Your sanitation specialist will properly adjust product concentration to meet your needs.

#### For Low Temperature Warewashing:

1. Pre-flush and/or scrape dishes before washing.
2. Rack dishes properly. Place dishes in machine.
3. Wash using this product.
4. In rinse cycle, use a recommended rinse additive.
5. Sanitize using an approved chlorinated sanitizer at 50 ppm\*.  
Test using chlorine test papers or a liquid chlorine test kit.
6. Allow dishes to air dry.

#### For High Temperature Warewashing:

1. Pre-flush and/or scrape dishes before washing.
2. Rack dishes properly. Place dishes in machine.
3. Wash using this product. Maintain wash temperature at 150°-160°F.
4. In rinse cycle, use a recommended rinse additive. Maintain rinse temperature at 180°-190°F.
5. Allow dishes to air dry.

\*ppm = parts per million

**NOTE:** Do not use on aluminum.

### Product Demo



Scan the QR code with your mobile device to view an instructional video featuring this product!

### Safety Reminder

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.



# Temp Rinse

## Quality Drying Agent

Temp Rinse is designed to lower water surface tension, providing clean, spot-free dishware in all temperatures. This product will do an effective job in most water conditions eliminating the worry of water mineral spots remaining on the dishware.

### Specifications

<b>Color</b>	Blue
<b>Scent/Odor</b>	None added
<b>Character</b>	Clear, non-viscous liquid
<b>Foam</b>	Low to none
<b>pH Use Dilution</b>	5.0 - 8.0
<b>Phosphorus Content</b>	0.0%
<b>Approvals</b>	cRc

### Pack Sizes

<b>057500</b>	4/1 gallon case
<b>057502</b>	5 gallon pail
<b>100940321</b>	265 gallon tote



### Directions For Use

**Equipment:** Recommended warewash rinse injector.

**Use Dilution:** Concentration varies due to environmental conditions. Your sanitation specialist will adjust properly to meet your needs.

#### For Low Temperature Warewashing:

1. Pre-flush and/or scrape dishes before washing.
2. Rack dishes properly. Place dishes in machine.
3. Wash using a recommended warewash detergent.
4. For rinse cycle, use this product.
5. Sanitize using a recommended chlorine sanitizer at 50 ppm.  
Test using chlorine test papers or a liquid chlorine test kit.
6. Allow dishes to air dry.

#### For High Temperature Warewashing:

1. Pre-flush and/or scrape dishes before washing.
2. Rack dishes properly. Place dishes in machine.
3. Wash using a recommended warewash detergent. Maintain wash temperature at 150°-160°F.
4. For rinse cycle, use this product. Maintain rinse temperature at 180°-190°F.
5. Allow dishes to air dry.

### Product Demo



Scan the QR code with your mobile device to view an instructional video featuring this product!

### Safety Reminder

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.



# Terrifico™

## General Purpose Cleaner and Degreaser

Terrifico is a cleaner/degreaser suitable for use in industrial, institutional and commercial settings. This product effectively removes oils, greases and soils from floors, walls, shower stalls, kitchen equipment, road equipment, vehicles, boats, trains, vinyl upholstery and more. This detergent emulsifies and holds soils in suspension for easy rinsing and wiping. Use for removing soot, smoke, carbon, crayon, lipstick, food spills, wax, etc.

### Specifications

<b>Color</b>	Purple
<b>Scent/Odor</b>	Lavender-pine
<b>Character</b>	Clear, non-viscous liquid
<b>Foam</b>	Moderate
<b>pH Use Dilution</b>	6.0 - 7.0
<b>Phosphorus Content</b>	0.0%
<b>Approvals</b>	cRc

### Pack Sizes

<b>3318735</b>	4/1 gallon case
----------------	-----------------



### Directions For Use

**Equipment:** Spray bottle, mop and pail, sponge, cleaning cloth, appropriate measuring device.

**Use Dilution:** 1 ounce per 1.5 gallons of water.

1. When cleaning floors, sweep area prior to application.
2. Dilute 1 ounce of product to 1.5 gallons of water in a wash bucket.
3. Always use a clean mop or applicator. Apply to surface.
4. Rinse mop or applicator, wring out and pick up excess solution. Repeat if necessary.

### Product Demo



Scan the QR code with your mobile device to view an instructional video featuring this product!

### Safety Reminder

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.



# T-A-P Orange

T-A-P Orange is a concentrated product for cleaning, maintenance and degreasing of all washable surfaces. At varying dilutions, it will safely and economically remove grease, grime, dirt and the toughest stains.

## Specifications

<b>Color</b>	Orange
<b>Scent/Odor</b>	Orange
<b>Character</b>	Clear, non-viscous liquid
<b>Foam</b>	Moderate
<b>ph Use Dilution</b>	6.0-8.0
<b>Phosphorus Content</b>	0.0%
<b>Approvals</b>	cRc

## Pack Sizes

<b>063067</b>	4/1 gallon case
---------------	-----------------



## Directions For Use

**Equipment:** Clean cloth, sponge or paper towel, mop and pail.

### General Cleaning

Dilute one part product to 32 parts water (4 ounces per gallon).

### Vinyl, Wood, Marble

Dilute one part product to 64 parts water (2 ounces per gallon).

### Windows, Mirrors

Spray on a solution of one part product to 128 parts water (1 ounce per gallon).

### Spot Cleaning, Tile Grout, Smoke and Soot

Use one part product to 32 parts water (4 ounces per gallon).

### Laundry Pre-Soak

Fill machine with cold water and add 1 cup product along with clothes to be soaked. Then wash as usual, using 1/3 less detergent.

Do not use T-A-P Orange full strength on wood, plastic or fabric. If used as fabric spot remover, wash fabric immediately after treating.

## Product Demo



Scan the QR code with your mobile device to view an instructional video featuring this product!

## Safety Reminder

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.



## GLASS CLEANER

### FEATURES

- No streak formula
- Concentrated strength
- Clinging foam

### BENEFITS

- Eliminates excess wiping
- Removes soils quickly
- Increased surface contact time
- Saves time and labor

### RECOMMENDED USES

For use on all glass, plastic, and vinyl surfaces.

### SPECIFICATIONS

**Color** : White foam  
**Scent/Odor** : Floral  
**Character** : Semi-stable foam  
**Foam** : High

**pH use dilution** : 9.0 - 10.0  
**Phosphorus content** : 0.0%  
**Approvals** : N/A



### IMPORTANT

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.

### PRODUCT DIRECTIONS

#### EQUIPMENT TO USE

Clean towel or cloth.

#### DIRECTIONS TO USE

**Shake well before each use. Will not spray when cold.** Remove protective cap - hold dispenser upright. Point valve opening toward window or glass to be sprayed, holding about 8 to 12 inches away. Press button-spray on fine mist and wipe clean. For best results, polish with a lint-free, cotton cloth.

### PACKAGING

This product is available in 6/19 ounce cases (064158).

Diversey

# Mainstay™/MC

## Floor Finish


High-performance finish for infrequent maintenance

### Effective

- Versatile finish provides great durability
- Excellent mark, scuff and scratch resistance

### Easy to Use

- Responds to spray buff maintenance and to UHS burnishings



## Use Directions

### Preparation

- Blockade areas to be stripped or finished. Floors will be very slippery until dry.
- Before the first application of Mainstay™/MC Floor Finish, remove all old finish with any Diversey stripper.

### Coating

- Apply 3–4 medium coats of Mainstay™/MC Floor Finish with a clean finish mop. Let dry to the touch between coats (about 30 minutes).
- On porous resilient or stone floors, seal first with 2 coats of the recommended Diversey sealer.

### Maintenance

- For daily cleaning dust mop or sweep.
- Then wet clean with recommended Diversey cleaner in an autoscrubber or with a damp mop.

### Burnishing

- To renew gloss, spray buff as needed with recommended Diversey spray buff, a red or beige pad and a 175–1500 rpm machine. Or burnish with a UHS pad and a battery, cord electric or propane machine at 1500–2000+ rpm.

### Recoating

- Dust mop or sweep floor. Scrub floor with an autoscrubber or floor machine using a blue pad and the recommended Diversey cleaner at the recommended dilution. Rinse well and let dry.
- Apply 1–2 new coats of Mainstay™/MC Floor Finish.

## Product Specifications

Description	
Color/Form	Opaque white liquid
Flash Point	> 200° F (> 93.4° C)
pH	9.0
Scent	Ammonia
Shelf Life	2 years
Slip Resistance	0.5 minimum (ASTM D2047)
Solids %	16
Solubility	Dispersible
Specific Gravity	1.02

## Available Items

Product Code	Description/Package Size	Dilution
5104917	1 x 5 gallon / 18.9 L Envirobox™/MC	Ready-to-Use

## Safety Reminder

Please make sure your employees read and understand the product label and Safety Data Sheet before using this product. The label contains directions for use, and both the label and SDS contain hazard warnings, precautionary statements and first aid procedures. SDSs are available on-line at [www.sealedair.com](http://www.sealedair.com) or by calling 888 352 2249. Improper use or dilution may result in damage to surfaces and may result in health and physical hazards that match those of the concentrate. Please refer to the Diversey HazMat Library, only available through Internet Explorer, <http://naextranet.diversey.com/dot/>, for up to date shipping information.



## LIME-OUT



### FEATURES

- Institutional strength acid
- Non-foaming
- Designed for regular use
- Non-abrasive
- Phosphate free

### BENEFITS

- Fast, efficient lime removal
- Designed for deliming dishmachines
- Extends life of equipment
- Won't harm surfaces
- Environmentally friendly

### RECOMMENDED USES

For removing lime from institutional equipment surfaces.

### SPECIFICATIONS

**Color** : Green  
**Scent/Odor** : None added  
**Character** : Clear, non-viscous liquid  
**Foam** : Low

**pH use dilution** : 1.5 - 3.0  
**Phosphorus content** : 0.0%  
**Approvals** : cRc

### IMPORTANT

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.

### PRODUCT DIRECTIONS

#### EQUIPMENT TO USE

Abrasive pad or stiff brush.

#### DIRECTIONS TO USE

**Note:** Do not use on aluminum.

**USE DILUTION:** For general use, use 1-2 ounces to 3 gallons of water.

**INITIAL TREATMENT:** Use 2-3 ounces per gallon of water. Allow areas of heavy lime deposit to soak for several minutes, then brush surface.

#### DISHMACHINE:

1. Drain, flush, and clean out machine. Never add lime solvent to dishmachine containing warewashing detergent.
2. Close drain valve, fill tank(s) with hot water.
3. Add lime solvent at 4 ounces (1/2 cup) for each gallon of water.
4. Turn on pumps until lime can be brushed or flushed away.
5. Drain tank and flush. Always use rubber gloves if product may contact hands.

**DO NOT LET DELIMER SOLUTION REMAIN IN UNATTENDED DISH MACHINE.**

### PACKAGING

This product is available in 4/1 gallon bottles (5512283).





## MANUAL POT & PAN DETERGENT



### FEATURES

- High suds
- Excellent grease cutting
- Mild to hands
- Safe on all ware
- Institutional strength

### BENEFITS

- Long lasting cleaning
- Saves time and labor
- Employee acceptance
- No corrosion
- Low use cost

### RECOMMENDED USES

First tank sink and light duty equipment cleaning.

### SPECIFICATIONS

**Color** : Gold  
**Scent/Odor** : Lemon  
**Character** : Clear, viscous liquid  
**Foam** : High

**pH use dilution** : 6.5-8.0  
**Phosphorus content** : 0.0%  
**Approvals** : cRc, RBS

### IMPORTANT

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.

### PRODUCT DIRECTIONS

#### EQUIPMENT TO USE

Abrasive pad and stiff brush.

#### DIRECTIONS TO USE

USE DILUTION: 1 ounce to 10 gallons. DO NOT MIX WITH ANYTHING BUT WATER. 1. Pre-flush ware to be cleaned. Lukewarm water works best. 2. Wash in a solution of 1 ounce of product to 10 gallons of warm water (110°-120°F). (Tank #1) 3. Rinse in clean water. (Tank #2) 4. Sanitize with a recommended sanitizer. (Tank #3) 5. Air dry, never towel. Store dishes in a clean, covered place.

### PACKAGING

This product is available in 2/1.5 gallon bottles (5326034).





## MICRO-PAK DETERGENT



### FEATURES

- Highly concentrated
- Encapsulated
- Heavy duty formula

### BENEFITS

- Low use cost
- Safe, simple, convenient to use
- Removes tough, greasy soils

### RECOMMENDED USES

For institutional high temperature mechanical warewashing use only.

### SPECIFICATIONS

**Color** : White  
**Scent/Odor** : None added  
**Character** : Free flowing powder  
**Foam** : Non-foamer

**pH use dilution** : 12.0-12.5  
**Phosphorus content** : 7.5%  
**Approvals** : cRc

### IMPORTANT

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.

### PRODUCT DIRECTIONS

#### EQUIPMENT TO USE

Automatic warewash dispensing system.

#### DIRECTIONS TO USE

Product will be automatically dispensed by the dishmachine dispenser during the machine cycle. To load product into dispenser, remove empty capsule from dispenser. Using tab on top of capsule, remove lip insert to expose cap. **DO NOT UNSCREW THE CAP.** Place the new capsule in the dispenser with the open mouth pointed down. To wash dishes, pre-flush and/or scrape dishes before washing. Rack dishes properly and place racked dishes inside dishmachine. Wash, rinse and sanitize dishes as directed by your representative. Remove rack from dishmachine and allow dishes to air dry.

### PACKAGING

This product is available in 4/9 pound cases (5512443).





## MECHANICAL WAREWASH DETERGENT



### FEATURES

- High alkaline
- Concentrated
- Excellent water conditioning

### BENEFITS

- Removes tough, burned-on soil
- Efficient and economical
- Can be used in all water hardness conditions

### RECOMMENDED USES

For Institutional Use Only. DO NOT USE ON ALUMINUM OR ANY SOFT OR PRECIOUS METALS.

### SPECIFICATIONS

**Color** : Red  
**Scent/Odor** : None added/Amine  
**Character** : Clear, non-viscous liquid  
**Foam** : Non-foamer

**pH use dilution** : 11.0-12.5  
**Phosphorus content** : 0.7%  
**Approvals** : cRc

### IMPORTANT

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.

### PRODUCT DIRECTIONS

#### DIRECTIONS TO USE

**USE DILUTION:** Concentration varies due to environmental conditions. Your sanitation specialist will adjust properly to meet your needs. **FOR LOW TEMPERATURE WAREWASHING:** 1. Pre-flush and/or scrape dishes before washing. 2. Rack dishes properly. Place dishes in machine. 3. Wash using this product. 4. In rinse cycle, use a recommended rinse additive. 5. Sanitize using an approved chlorinated sanitizer at 50 ppm. Test using chlorine test papers or a liquid chlorine test kit. 6. Allow dishes to air dry. **FOR HIGH TEMPERATURE WAREWASHING:** 1. Pre-flush and/or scrape dishes before washing. 2. Rack dishes properly. Place dishes in machine. 3. Wash using this product. Concentration will vary due to environmental conditions. Maintain wash temperature at 150°-160°F. 4. In rinse cycle, use a recommended rinse additive. Be sure rinse injector is working properly. Maintain rinse temperature at 180°-190°F. 5. Allow dishes to air dry.

### PACKAGING

This product is available in 2/1.5 gallon bottles (5325040).







## MECHANICAL WAREWASH RINSE



### FEATURES

- Excellent water conditioning
- Concentrated

### BENEFITS

- Can be used in all water hardness conditions
- Efficient and economical

### RECOMMENDED USES

For institutional use only. For high or low temperature use.

### SPECIFICATIONS

**Color** : Blue  
**Scent/Odor** : None added  
**Character** : Clear, slightly viscous liquid  
**Foam** : Low to none

**pH use dilution** : 6.5 - 7.5  
**Phosphorus content** : 0.4%  
**Approvals** : cRc

### IMPORTANT

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.

### PRODUCT DIRECTIONS

#### DIRECTIONS TO USE

USE DILUTION: Concentration varies due to environmental conditions. Your sanitation specialist will adjust properly to meet your needs. FOR LOW TEMPERATURE WAREWASHING: 1. Pre-flush and/or scrape dishes before washing. 2. Rack dishes properly. Place dishes in machine. 3. Wash using a recommended warewash detergent. 4. For rinse cycle, use this product. 5. Sanitize using a recommended chlorine sanitizer at 50 ppm. Test using chlorine test papers or a liquid chlorine test kit. 6. Allow dishes to air dry. FOR HIGH TEMPERATURE WAREWASHING: 1. Pre-flush and/or scrape dishes before washing. 2. Rack dishes properly. Place dishes in machine. 3. Wash using a recommended warewash detergent. Maintain wash temperature at 150°-160°F. 4. For rinse cycle, use this product. Maintain rinse temperature at 180°-190°F. 5. Allow dishes to air dry.

### PACKAGING

This product is available in 2/1.5 gallon bottles (5325998).





## PHENOM X MANUAL POT & PAN DETERGENT



### FEATURES

- High suds
- Excellent grease cutting
- Mild to hands
- Safe on all ware
- Institutional strength

### BENEFITS

- Long lasting cleaning
- Saves time and labor
- Employee acceptance
- No corrosion
- Low use cost

### RECOMMENDED USES

First tank sink, light duty equipment cleaning.

### SPECIFICATIONS

**Color** : Purple  
**Scent/Odor** : Lavender  
**Character** : Clear, viscous liquid  
**Foam** : High

**pH use dilution** : 6.5-7.5  
**Phosphorus content** : 0.0%  
**Approvals** : cRc, RBS

### IMPORTANT

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.

### PRODUCT DIRECTIONS

#### EQUIPMENT TO USE

Abrasive pad and stiff brush.

#### DIRECTIONS TO USE

USE DILUTION: 1 ounce to 15 gallons. DO NOT MIX WITH ANYTHING BUT WATER. 1. Pre-flush ware to be cleaned. Lukewarm water works best. 2. Wash in a solution of 1 ounce of product to 15 gallons of warm water (110°-120°F). (Tank #1) 3. Rinse in clean water. (Tank #2) 4. Sanitize with a recommended sanitizer. (Tank #3) 5. Air dry, never towel. Store dishes in a clean, covered place.

### PACKAGING

This product is available in 1/1.5 gallon bottles (5374546).





## Over & Under<sup>®</sup> Sealer

A comprehensive floor care solution for all finishes used on resilient flooring.

### Enhances the Appearance of Your Floors

- Penetrates, seals and protects to extend the life of new and older flooring
- Improves performance of floor finishes by providing better adhesion, leveling and enhances gloss of all Diversey floor finishes

### Easy-To-Use

- Easily removed with all Diversey strippers
- Non-solventated, suitable for use on a wide range of flooring



## Use Directions

### Applying Floor Sealer

- Clean or strip floor using Diversey brand stripper according to label directions.
- Apply one coat of Over & Under® Sealer using a clean mop or TrailBlazer™/MC Floor Finish Applicator.
- Allow 30 minutes drying time between coats.
- After a minimum of 2 coats of Over & Under® Sealer, top coat with 2–3 coats of a recommended Diversey floor finish according to label directions.

### Maintenance

- Dust mop or sweep the floor as necessary.
- Clean floor with appropriate Diversey brand cleaner according to label directions.
- Maintain the finish gloss using periodic recoating, spray buffing or burnishing according to finish label.

### Precautions

- Do not dilute.
- Always test Over & Under® Sealer on a small area of the floor to be finished before finishing the entire floor.
- Intended for interior surfaces only.
- Do not apply to exterior or vertical surfaces, or use on wood, cork and concrete floors.
- Will not adhere to floors previously finished with a paste wax, paste wax must be removed by a thorough stripping before sealer can be applied.
- Do not use on surfaces colder than 45° F (7° C).
- Do not return unused product to original container.
- Floors can become slippery when wet, clean up spills promptly.
- Keep from freezing.

## Product Specifications

Description	
Color/Form	Opaque off-white liquid
Flash Point	>200° F (>93.4° C)
pH	8.3
Scent	Ammonia
Shelf Life	2 years
Slip Resistance	0.5 minimum (ASTM D2047-82)
Solids %	18
Solubility	Dispersible
Specific Gravity	1.03

## Available Items

Product Code	Description/Package Size	Dilution
04166	4 x 1 gallon / 3.78 L Containers	Ready-to-Use
5118737	1 x 5 gallon / 18.9 L Envirobox™/MC (TrailBlazer™/MC ready)	Ready-to-Use

## Safety Reminder

Please make sure your employees read and understand the product label and Safety Data Sheet before using this product. The label contains directions for use, and both the label and SDS contain hazard warnings, precautionary statements and first aid procedures. SDSs are available on-line at [www.sealedair.com](http://www.sealedair.com) or by calling 888 352 2249. Improper use or dilution may result in damage to surfaces and may result in health and physical hazards that match those of the concentrate. Please refer to the Diversey HazMat Library, only available through Internet Explorer, <http://naextranet.diversey.com/dot/>, for up to date shipping information.