RECEPTION

Price List

USA 2023

logiflex

Table of Contents

Introduction 3

Update Summary 4
Product Map 5
Our social responsability 7
Conditions of Sale 7
Manufacturing Standards 8
How to Use the Price List 10
Appendix A: Colors and Finishes 11
Appendix B: Surfaces and Molding Edges 12
Appendix C: Pedestals and File Drawers 13
Appendix D: Pricing for Additional Adjustable Shelves 13
Appendix E: Wood Grain 14
Appendix F: Monochrom - Manufacturing Standards 15
Appendix G: Calculation and Use of Electrical Components 18

Reception Counters and Desks 21

M-Brace 22
Monochrom 26
Inbox 31
Pedestals for Inbox Collection 36
Reception 3K 39
Gallery 42
Spheric 45
Manhattan 59
Reception C 60

Work Desks 67

Lateral Tables 68
Returns 69
Extended Corner Tables 70

Storage Furniture 72

Installed Pedestals 73
Mobile Pedestals 75
Lateral File Cabinets 77
Multiple Units 78
Cabinets 79
Pigeonhole Units 81

Accessories 84

Handles 85
Lighting 86
Keyboard Trays 87
CPU Holders 88
Miscellaneous Accessories 89
Electrical Accessories 90

Introduction

MAKE A STATEMENT
A client's first impression when they visit your company may affirm their decision to choose your product or service. This makes it important to personalize your reception desk to make it distinctly you. From minimalist geometry to curves and curls, Logiflex's reception units will highlight the individuality of your company, projecting a modern esthetic without sacrificing functionality.

Update Summary

The Reception price list presents these principal modifications:

DATE	SECTION	MODIFICATIONS
February 1, 2023	**All the Price List**	• All prices have been increased by approximately 5%. • Removal of products: • New certification Indoor Advantage Gold (replace Greenguard). • Removal of the pedestal option for TL.

Previous updates:

DATE	SECTION	MODIFICATIONS
December 1, 2022	**Electrical accessories**	• Adjustment of the names and images of certain items.
July 1, 2022	**All the Price List**	• All prices have been increased by approximately 5%. • Replacement of the 1 circuit and 4 circuits electrical system.
	Accessories	• Removal of the TCPM2
	Appendix A	• Color availability chart update for the HPL.
February 1, 2022	**All the Price List**	• All prices have been increased by approximately 6%.
	Conditions of Sales	• The order modification / cancellation deadline is changed to 48 hours.

Product Map

Reception Counters

M-Brace p. 22

MS-M | MS-A | MC-M | MC-A

Monochrom p. 26

MON | MONL | MONR | MONL | MONR

Reception Desks

Inbox p. 31

INBL | INBU | INBS | D | E | F | CBCL | BCCL | CL

Reception 3K p. 39

3K1 | 3K2 | RET 3K

Gallery p. 42

GA | GACX | GAL

Spheric p. 45

SPH F | SPH T | SPH P | SPH C | SPH A | SPH IF | SPH IT | SPH IP | SPH IC | SPH SF | SPH ST | SPH SP | SPH SC | SPH SA

Manhattan p. 59

MAN

Reception C p. 60

CXT | CXX | CTB | LCTTB | RCTTB | LCVTB | RCVTB

Product Map

Work Desks

Lateral Tables p. 68

TL

Returns p. 69

L29 R29

Extended Corner Tables p. 70

S L A L S R A R

Storage Furniture

Installed Pedestals p. 73

D E F CBCL30 BCCL30 CL30

Storage Furniture *(continued)*

Mobile Pedestals p. 75

MOBE MOBF

Lateral File Cabinets p. 77

CL2 CL3 CL4

Multiple Units p. 78

UC1 UC2 UC3

Cabinets p. 79

AR AR PV

Pigeonhole Units p. 81

PG PG30 PGV

Our social responsability

At Logiflex, we have chosen to be a responsible North American manufacturer by implementing initiatives for sustainable development. As much as possible, we source local materials and partner with suppliers who prioritize clean manufacturing processes. We also consolidate goods during transport to reduce ou fuel consumption and we continually make changes that help reduce our waste production.

The company is ISO 9001 certified.

You can consult our eco-responsible approach as well as all our certifications in the Certifications section of our website. Find out how our products can help you obtain LEED credits and the Logiflex products that are Indoor Advantage Gold certified.

Conditions of Sale

Prices

The amounts listed in this document are suggested retail prices and may be changed without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. A deposit may be requested if the opening of your account has not been completed or if your account has become inactive.

Terms of Payment

Net 30 days F.O.B. Sherbrooke, Quebec. The invoice will be assigned the shipping date and is payable 30 days from that date. Logiflex remains the owner of the merchandise until the invoice is paid in full.

Customized Products (Special Items)

Price requests for customized products or special items can be submitted via the "Private Space" section of our website, at www.logiflex.ca. Our quotations department will study your request and send you a quotation and a technical drawing for approval as soon as possible. Modifications to quotations or technical drawings can be requested the same way. The approved quotation(s) and technical drawing(s) can then be attached to your purchase order.

Orders

An official purchase order must be issued for all purchases. Your purchase order must contain the following information:

- Your company letterhead
- Your reference number
- The delivery address (with contact name, email and phone number)
- The complete product codes
- Furniture colour(s)
- Quantities
- Descriptions
- Retail prices and net prices
- Project registration number (if applicable), and your approved quotation and technical drawing (for special items).

Please note that a quotation cannot serve as a purchase order.

Returns

All returns must first be approved by Logiflex. If the return is accepted, a Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

Modifications and/or Cancellations

You have 48 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may cancel your order during this same 48-hour period. If you would like to modify or cancel your order after this 48-hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials.

Liability

Logiflex's liability ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

Claims

Logiflex recommends inspecting the shipment before signing the carrier's delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture within 30 days after delivery. Requests to replace damaged products can be made via the "Private Space" section of our website, at www.logiflex.ca. Our after-sales service department will examine your request and help you correct the situation.

Changes

Logiflex reserves the right to make changes to the materials, accessories, components, specifications and designs, and to discontinue collections and/or models, at any time and without prior notice.

Storage and/or Shipping Fees

According to the terms Logiflex set forth in the transport policy. The transport policy can be consulted online in the Private Space.

Items Delivered Disassembled

Some items are delivered disassembled, such as empty desks, empty returns, bridges, arched tables, D, P or Q tables, lateral tables, end tables, hook tables, corner tables and extended-corner tables.

Warranty

Logiflex guarantees to the original purchaser that Logiflex products are free from defects in design, materials and workmanship for the product's lifetime, with certain exceptions.

You may consult the full warranty on the website:
Logiflex Warranty

Manufacturing Standards

Product Dimensions

For display purposes, the furniture dimensions represented in the price tables on each product page are rounded to the nearest whole number.

Tops, Bases, Fronts and Shelves

Each collection offers different thicknesses for tops, faces, fronts and shelves. Please consult the illustrations below.

M-Brace

Inbox

Manhattan

Spheric

Reception 3K

Reception C

Gallery

Manufacturing Standards (continued)

Handles

Handles are included with all storage furniture. Refer to each collection's pages for the standard handle used. Glass doors include built-in handles into the aluminum frame. Please refer to the Logiflex accessories selection at the end of this price list on p. 85.

Grommets

Grommets are included on all work desks, refer to each collection's pages for the standard grommet finish used.

Locks

Locks are included with all storage furniture, except for those with aluminum doors. The standard is LKSN, satin nickel finish. Please refer to the Logiflex accessories selection at the end of this price list on p. 89.

Pedestals

All drawers are made of black Medium density fiberboard (MDF) with an average thickness of 7/16".

Drawer Fronts

A PVC strip 1.5 mm thick is systematically applied along all drawer front edges.

Finishes

You must specify the desired finish(es) for each item of furniture ordered. Please make your selection(s) from the Logiflex **Colors & Finishes Guide**.

Levelers

All furniture items sit on 1" in diameter, white nylon levelers, allowing for up to 1" height adjustment.

Colors

Colors have to be specified for all furniture items ordered. Consult the "How to Oder" section on the product page for further details about the procedure. Consult the Logiflex **Colors & Finishes Guide** for the colors and finishes offered. Unless indicated otherwise in the order, the PVC edge will match the color and finish specified.

How to Use the Price List

Appendix A: Colors and Finishes

How to specify your laminate colors

Top
Surface / Edge
W / W

Base
Surface / Edge
W / W

Front
Surface / Edge
GGH / GGH

Shelf
Surface / Edge
W / W

Surface

Edge

Glass and Acrylic

V4	White Glass
V5	White Satin
KB	Jet Black Glass
KS	Black Satin Glass
KE	Ocean Blue Glass
KO	Overseas Blue Glass
KR	Bright Red Glass
KM	Metallic Gray Glass
KA	Satin Silver Glass
KG	Satin Gold Glass
VS	Frosted Glass
PL	Frosted Acrylic

Availablility Chart

FINI FINISH	CODE	COLOR COULEUR	THICKNESS ÉPAISSEUR ⅝"	1"	1-⅝"	HPL STRATIFIÉ	PANVAL CODE
OMNIA	DOO	Dosha	•	•		•	K77
	COO	Cosmos	•	•		•	K78
AURA	GIA	Ginger Root | Gingembre	•	•		•	H72
	HAA	Haze | Brume	•	•	•	•	H57
	OHA	Ohm	•	•	•	•	K69
	STA	Storm | Tempête	•	•	•	•	H58
	TUA	Tundra	•	•		•	H75
LYRA	ASY	Asha	•	•		•	K47
	CIY	Chiffon | Mousseline **	•	•	•	•	K60
	KAY	Kali	•	•		•	K46
SUPERMAT	IGS	Ingot grey | Gris lingot	•	•			828
	WGS	Willow grey | Gris saule	•	•			802
DOLOMITE	AU	Audacity | Audace **	•	•	•	•	241
	B	Jet Black | Noir intense *	•	•		•	888 | S405-CA
	BC	Brown cherry | Cerisier brun	•	•	•	•	207
	C	Slate | Ardoise *	•	•		•	801
	DR	Driftwood | Bois de rive	•	•		•	744
	G	Mink Grey | Gris vison	•	•		•	805 | OU-927
	NM	Natural Maple | Érable naturel	•	•	•	•	206
	PO	Porto	•	•		•	913 | OU-648
	SW	Smoked Walnut | Noyer fumé	•	•	•	•	G21
	TO	Tobacco	•	•		•	205
	W	Polar White | Blanc polaire	•	•	•	•	555 | 459-CA
	WK	Whisky	•	•	•	•	245
HIGH GLOSS | SUPER LUSTRÉ	W-H	Polar White - fronts | Blanc polaire - façades	•				

* Non recommended color for work surfaces.
** For conference tables with 2 or more parts, we do not recommend the use of colors with irregular and contrasted woodgrain like Chiffon, Audacity or Coastal Pear as it results in a pronounced wood grain mismatch.

Colors may vary from 2% to 5% between tfl and hpl laminates due to different technical applications.

See our complete **Colors & Finishes Guide**

N New

Appendix B: Surfaces and Molding Edges

SERIES	PREVIEW	COMPONENT	MATERIAL	EDGES / MOLDING
RE		**1" surfaces**	Thermofused laminate (TFL) - 1" high-density particle board.	1.5 mm polyvinyl chloride (PVC)
REL		**1-1/16" surfaces**	High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending).	1.5 mm polyvinyl chloride (PVC)
REC		**1-5/8" surfaces**	Thermofused laminate (TFL) - 1-5/8" high-density particle board.	1.5 mm polyvinyl chloride (PVC)
RECL		**1-9/16" surface**	High pressure laminate (HPL) - 1-1/2" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending).	1.5 mm polyvinyl chloride (PVC)

Appendix C: Pedestals and File Drawers

D, E and F Pedestals

Combination Pedestals

File Drawers

File drawers can receive either legal or letter formats. Please refer to the illustration below.

Legal format

Letter format

Lateral File Drawers

Lateral file drawers can receive either legal or letter formats. Please refer to the illustration below.

Legal and Letter formats

Appendix D: Pricing for Additional Adjustable Shelves

To find out the price for additional adjustale shelves, trace down the vertical column "A" the shelf depth to its intersection with columns "B" the shelf length.

$		B								
		12"	15"	18"	20"	24"	30"	36"	42"	48"
A	12"	22	26	34	36	42	51	63	72	83
	15"	26	35	40	43	51	65	78	90	105
	16"	27	36	42	45	56	70	83	97	111
	20"	36	43	51	58	70	86	105	122	137
	24"	42	51	63	70	83	105	125	144	167
	30"	51	65	78	86	105	129			

Appendix E: Wood Grain

Each collection offers different wood grain direction. Please consult the illustrations below.

M-Brace

Manhattan

Reception C

Inbox

Sphéric

Gallery

Reception 3K

Appendix F: Monochrom - Manufacturing Standards

Monochrom Reception Counter Components

1. **Frame** with Monochrom high pressure laminate applied after assembly for a clean and precise look without visible edges. 5/8" panel construction, on white levelers.
2. **Front** high pressure laminate recessed 15-5/8".
3. **Back** includes assembly access panel.
4. **Work desk and storage furniture** sold separately and are independent. The Monochrom reception desks can be combined with all Logiflex collections.

Information about Monochrom HPL

The Monochrom finish offers an ultra matte surface, low light reflectivity, anti-fingerprint finish and a soft-touch surface. This product can be easily cleaned and requires no special maintenance plan. In addition, the Monochrom finish is antibacterial and resists wear, abrasion, acids, bases and solvents.

Properties of the Monochrom finish :

- Matte finish, ultra-soft to the touch;
- Anti-fingerprints;
- Through-color core;
- Scratch resistant;
- Antibacterial.

For more information on the Monochrom finish, refer to the Material Data Sheet.

Application of Colors

We recommend you rely on actual samples to make your color combinations.

Frame
The Monochrom reception frame is covered only with Monochrom high pressure laminate, available in two colors:

CBM Carbon

CKM Chalk

Recessed Front
All colors available in HPL can be used for the recessed front.
The direction of the wood grain is horizontal. **See Appendix A.**

Piazza Cement : exclusive to the Monochrom collection
The recessed front can also be finished in Piazza Cement (PIC), a new laminate color offered exclusively for the recessed front of the Monochrom reception..

PIC Piazza Cement

Appendix F: Monochrom - Manufacturing Standards

Configurations

Multiple configurations are possible by combining one of three Monochrom reception counter models with different desks, returns and cabinets. It is important to consider the following in selecting the desk to combine with the reception counter.

MON - Linear Reception Counter:

This counter has been designed to achieve a linear configuration. Both sides of the work desk are visible.

- The width of the desk is the same as the width of the reception desk.
- There are no restrictions on the depth of the desk.

***Note:** For stability purposes it is recommended that this reception counter be attached to a desk.*

MONL/MONR (40" and 46" deep) - "L" Shaped Reception Counter

This counter has been designed to achieve an overall linear configuration. The return of the counter can hide one of the sides of the desk.

- The width of the desk must be 16" less than the width of the counter (Dim. A).
- The depth of the desk must be 16" less than the counter depth (Dim. B)

Ordering Information

Desk *(width)*

Counter Width (**A**)	Desk Width
76"	60"
82"	66"
88"	72"
94"	78"

Desk *(depth)*

Counter Depth (**B**)	Desk Depth
40"	24"
46"	30"

MONL/MONR (70"deep and more) - "L" Shaped Reception Counter

This counter has been designed to achieve an L-shaped configuration. The return of the counter can hide one side of the desk and return.

- The width of the desk must be 16" less than the width of the counter (Dim. A).
- The width of the return will depend on the depth of the desk.
  - If the desk is 24" deep, the return must be 40" less than the counter depth (Dim. B)
  - If the desk is 30" deep, the return must be 46" less than the counter depth (Dim. B)

Ordering Information

Desk

Counter width (**A**)	Desk width
76"	60"
82"	66"
88"	72"
94"	78"

Return

24" deep desk		30" deep desk	
Return depth (**B**)	Return width	Return depth (**B**)	Return width
70"	30"	70"	-
76"	36"	76"	30"
82"	42"	82"	36"
88"	48"	88"	42"
94"	54"	94"	48"

Appendix F: Monochrom - Manufacturing Standards

So Many Other Possible Configurations

As the reception counter is independent to the desk, you can create different types of configurations. It is therefore important to consider the measurements mentioned on the previous page. Here are only a few ideas of the possibilities... let your imagination go!

Example 1:
MON linear reception counter, Manhattan desk with E pedestal, right return with 2 lateral filing drawers.

Example 2:
MONR "L" shaped reception counter, Level layering desk FM with drawer suppport and wire cutout, UN02SL high pedestal.

Example 3:
MONR "L" shaped reception counter, Level YM desk, RY return, MOBD mobile pedestal.

LED Option

The LED option* consists of an LED strip installed below the counter surface, which illuminates the recessed façade. A black switch ❶ is on the back of the reception (see image opposite).

If the LED option has been ordered, the cabinet comes with LED strips already installed under the countertop. Just connect the strips together ❷ at the junction of the counters during assembly.

***Note:** The LED otion must absolutely be ordered at the same time as the reception desk. Since it requires machining, it can not be added later.

Appendix G: Calculation and Use of Electrical Components

An Introduction to Calculation and Use of Electrical Components

Most people are uncomfortable with anything related to electricity. This step-by-step guide is intended for people who are not familiar with electrical installations but who have to specify what system they need when ordering furniture. In this guide, you will learn how to choose and specify the electrical components required for your projects. The list that follows illustrates and identifies each product and describes its applications.

The electrical components are all recognized by the Underwriters Laboratory (UL) as office furniture accessories and are manufactured according to Canadian Standards Association (CSA) and UL electrical standards.

Note: All electrical connections must be performed by a certified electrician.

By following these 3 simple steps, you can easily determine the number of circuits required to ensure safe use of your electrical system.

1. Determing the Number of Amperes Required
2. Calculating the Total Amperes
3. Determing How Many Circuits You Need

STEP 1:
Determing the Number of Amperes Required

What is Amperage
An Ampere (Amp or A) is a unit for measuring the rate at which electric current flows. All electrical equipment has an amperage rate. By following these few simple steps, you can easily determine the number of circuits required to ensure safe use of your electrical equipment.

Determine the Number of Amperes Required
On your computer or other electric devices (ie: monitor, central processing unit, printer) find the plate that provides the technical specifications as follows:

Input: 120V - 1.8A.

If you cannot locate this information on the machine, you will probably find it in the user manual.

Here are a few examples of how many Amps some equipment may consume. Please note that these are examples and the number of amperes may vary from one machine to another.

Electrical System Capacity

Our electrical system is designed for circuits of 20 amps each. This includes electrical components such as computers, printers, laptops, monitors, server or other devices.

20A

A single Duplex has a maximum capacity of 20 A

Each power block can hold 2 Duplex

Each power block can hold 4 Duplex

If the duplexes are connected to the same circuit, the capacity is divided between them. For example, 3 duplexes connected to the same circuit have a total capacity of 20A.

Appendix G: Calculation and Use of Electrical Components

STEP 2:
Calculating the Total Amperes

Add the Amperes

Add the number of amps for each machine. In our example, there are 4 CPUs at 2.5A per computer, 4 monitors at 0.5A and one printer at 9A.

2.5A + .5A + 2.5A + .5A + 2.5A + .5A + 2.5A + .5A + 9A = **21A**

The total number of amperes used in this example equals to 21A.

Divide by 16

Most machines and computers used in offices or schools are used continuously for many hours at a time. In this type of situation, national electrical codes usually limit circuits at 80% of their capacity of continuous use. Our electrical system is designed for circuits of 20 amps each. So 80% of 20A is 16 Amps You must therefore divide the total number of amperes calculated by 16.

STEP 3:
Determing How Many Circuits You Need

In most cases, this number will contain decimals. Round up to the next whole number, and this will be the number of circuits required for your equipment to run safely. If the number obtained is higher than 4 (the maximum number of circuits for a system), you must reduce the total amperage or add another electrical system. Continuing with our example, the 1.3A is rounded up to 2A.

Here is one possible configuration. Using 5 power blocks joined together with junction cables, only 2 circuits are being used. The 4 workstations would be on the first circuit for a total of 16 amps. The printer would be on the second circuit.

Appendix G: Calculation and Use of Electrical Components

8 Wire, 4 Circuit (3+1) Power Block

- Duplex are interchangable permitting any required circuit combination;
- Blocks for single or double sided applications;
- Complies with National Electric Code;
- UL Listed/Recognized.

Starter Cable with Hardwire

- 4 circuit starter cable with hardwire at one end;
- 4 circuits rated for 20 AMP each;
- Available in lengths from 12"to 180";
- Whip end to be connected to building power by an electrican.

Starter Cable with Plug

- 1 circuit starter cable with 20A electrical plug;
- Circuit rated for 20 AMP;
- Available in lengths from 36"to 180".

Junction Cable

- 4 circuit cord;
- All circuits rated for 20 AMP;
- Available in lengths from 12"to 216".

Reception Counters and Desks

M-Brace - Straight Reception Counter with Laminate Front

MS-M

Manufacturing Standards

- 1-5/8" thick laminate top and legs;
- 5-3/8" recessed laminate front (exterior);
- 6" recessed modesty panel (interior).

For specification reasons, the reception desk is 3/8" less than the dimension listed.

Interior width for work desk:
- 60" work desk fits with a 64" reception counter;
- 72" work desk fits with a 76" reception counter;
- 78" work desk fits with a 82" reception counter.

Prices

Dimensions A B C	Std	Hg
18 64 41	1359	1512
18 76 41	1469	1634
18 82 41	1516	1794

Combination of Colors

Top & Legs
Color available for 1-5/8" only

Base
1" structure and panel on user side

Front
Choice of 5/8" Std or Hg color

How to Order

	ABC			Combination of Colors (See the Logiflex Color Chart (p. 11))		
	REC		**MS-M**			
	series	dimensions	product	top & legs	base	front
Example	**REC**	188241	**MS-M**	SW	W	W-H

M-Brace - Straight Reception Counter with Acrylic Front Panel

MS-A

Manufacturing Standards

- 1-5/8" thick laminate top and legs;
- 6" recessed translucent white acrylic front with laminate frame (interior and exterior);
- Removable front for access to the lighting.

For specification reasons, the reception desk is 3/8" less than the dimension listed.

Interior width for work desk:
- 60" work desk fits with a 64" reception counter;
- 72" work desk fits with a 76" reception counter;
- 78" work desk fits with a 82" reception counter.

LED Option: *LED backlighting with two 4-step tape dimmers fixed under the top on the user side on both left and right sides of the reception.*

Prices

Dimensions A B C	D0	D1	D2
18 64 41	2460	2649	2840
18 76 41	2580	2771	2960
18 82 41	2613	2804	3021

LED Lighting

D0
No LED

D1
LED on top only

D2
LED on top and bottom

Combination of Colors

Top & Legs
Color available for 1-5/8" only

Base
1" panel on user side

Front
1" laminate frame around acrylic panel

How to Order

	series	dimensions (ABC)	product	LED (D0 D1 D2)	top & legs (Combination of Colors)	base	front
	REC		MS-A				
Example	REC	188241	MS-A	D2	SW	W	SW

See the Logiflex Color Chart (p. 11)

M-Brace - Corner Reception Counter with Laminate Front Panel

MC-M L

MC-M R

Manufacturing Standards

- 1-5/8" thick laminate top and legs;
- 5-3/8" recessed laminate front (exterior);
- 6" recessed modesty panel (interior).

For specification reasons, the reception desk is 1/8" less than the dimension listed.

Interior width for work desk:
- 60"x 60" work desk fits with a 74"x 74" reception counter;
- 66"x 66" work desk fits with a 80"x 80" reception counter;
- 72"x 72" work desk fits with a 86"x 86" reception counter.

Prices

Dimensions A B C D	Std	Hg
18 74 74 18	2563	3158
18 80 80 18	2646	3297
18 86 86 18	2730	3434

Combination of Colors

Top & Legs
Color available for 1-5/8" only

Base
1" structure and panel on user side

Front
Choice of 5/8" Std or Hg color

How to Order

	series	dimensions	height	product	direction (L R)	top & legs	base	front
	REC	ABCD	41	MC-M				
Example	REC	18868618	41	MC-M	R	SW	SW	W-H

Combination of Colors
See the Logiflex Color Chart (p. 11)

M-Brace - Corner Reception Counter with Acrylic Front Panel

MC-A L

MC-A R

Manufacturing Standards

- 1-5/8" thick laminate top and legs;
- 6" recessed translucent white acrylic front with laminate frame (interior and exterior);
- Removable fronts for access to the lighting.

For specification reasons, the reception desk is 1/8" less than the dimension listed.

Interior width for work desk:
- 60"x 60" work desk fits with a 74"x 74" reception counter;
- 66"x 66" work desk fits with a 80"x 80" reception counter;
- 72"x 72" work desk fits with a 86"x 86" reception counter.

LED Option: *LED backlighting with two 4-step tape dimmers fixed under the top on the user side on both left and right sides of the reception.*

Prices

Dimensions A B C D	D0	D1	D2
18 74 74 18	4613	4803	5289
18 80 80 18	4692	4881	5398
18 86 86 18	4776	4965	5510

LED Lighting

D0
No LED

D1
LED on top only

D2
LED on top and bottom

Combination of Colors

Top & Legs
Color available for 1-5/8" only

Base
1" panel on user side

Front
1" laminate frame around acrylic panel

How to Order

						Combination of Colors *See the Logiflex Color Chart (p. 11)*		
	ABCD			D0 D1 D2	L R			
REC		**41**	**MC-A**					
series	dimensions	height	product	LED	direction	top & legs	base	front
Example **REC**	18868618	**41**	**MC-A**	D2	R	SW	W	SW

Monochrom - Straight Reception Counter

MON

Combination of Colors

Frame and Back
2 Monochrom finishes:
Carbon **CBM** and Chalk **CKM**

Recessed Front

Manufacturing Standards

- Monochrom straight reception counter with seamless edge frame;
- Monochrom anti-fingerprint, matt finish on frame and back;
- HPL recessed front 15-3/8";
- Height: 42"

***Note:** for stability purposes it is recommended that the 16" reception counter be attached to a desk.*

Desks and storage sold separately.

Options

LED Option

LED on top only

D1
$378

Prices

Dimensions A	
60	13 884
66	14 136
72	14 390
78	14 642

How to Order

		A		CKM CBM	D1	**Combination of Colors** *See the Logiflex Color Chart (p. 15)*
	REM		**MON**			
	series	dimension	product	frame color	LED	front color
Example	**REM**	60	**MON**	CBM		W

Monochrom - Left L-Shaped Reception Counter

MONL

Combination of Colors

Frame and Back
2 Monochrom finishes:
Carbon **CBM** and Chalk **CKM**

Recessed Front

Manufacturing Standards

- Delivered disassembled;
- Monochrom L-shaped reception counter with seamless edge frame;
- Monochrom anti-fingerprint, matt finish on frame and back;
- HPL recessed front 15-3/8";
- Height: 42"

Suggested model for a linear desk configuration.

Desks and storage sold separately. For more information, see Appendix F.

Options

LED Option

LED on top only

D1
$378

Prices

Dimensions A	B
40 76	21 291
46 76	21 543
40 82	21 795
46 82	22 050
40 88	22 302
46 88	22 555
40 94	22 807
46 94	23 061

How to Order

		AB		CKM CBM	D1	**Combination of Colors** *See the Logiflex Color Chart (p. 15)*
	REM		**MONL**			
	series	dimensions	product	frame color	LED	front color
Example	**REM**	4076	**MONL**	CBM		W

Monochrom - Right L-Shaped Reception Counter

MONR

Combination of Colors

Frame and Back
2 Monochrom finishes:
Carbon **CBM** and Chalk **CKM**

Recessed Front

Manufacturing Standards

- Delivered disassembled;
- Monochrom L-shaped reception counter with seamless edge frame;
- Monochrom anti-fingerprint, matt finish on frame and back;
- HPL recessed front 15-3/8";
- Height: 42"

Suggested model for a linear desk configuration.

Desks and storage sold separately. For more information, see Appendix F.

Options

LED Option

LED on top only

D1
$378

Prices

Dimensions A	B
76	40
76	46
82	40
82	46
88	40
88	46
94	40
94	46

A	B
21	291
21	543
21	795
22	050
22	302
22	555
22	807
23	061

How to Order

	series	dimensions	product	frame color	LED	front color
	REM	AB	MONR	CKM CBM	D1	
Example	REM	7640	MONR	CBM		W

Combination of Colors *See the Logiflex Color Chart (p. 15)*

Monochrom - Left L-Shaped Reception Counter

MONL

Combination of Colors

Frame and Back
2 Monochrom finishes:
Carbon **CBM** and Chalk **CKM**

Recessed Front

Manufacturing Standards

- Delivered disassembled;
- Monochrom L-shaped reception counter with seamless edge frame;
- Monochrom anti-fingerprint, matt finish on frame and back;
- HPL recessed front 15-3/8";
- Height: 42"

Suggested model for "L" configuration.

Desks and storage sold separately. For more information, see Appendix F.

Options

LED Option

LED on top only

D1
$378

How to Order

		AB		CKM CBM	D1	**Combination of Colors** *See the Logiflex Color Chart (p. 15)*
	REM		**MONL**			
	series	dimensions	product	frame color	LED	front color
Example	**REM**	7076	**MONL**	CBM		W

Prices

Dimensions A	B	
70	76	21 366
76	76	21 681
70	82	21 998
76	82	22 315
82	82	22 631
70	88	22 947
76	88	23 263
82	88	23 580
88	88	23 896
70	94	24 211
76	94	24 526
82	94	24 843
88	94	25 160
94	94	25 475

Monochrom - Right L-Shaped Reception Counter

MONR

Combination of Colors

Frame and Back
2 Monochrom finishes:
Carbon **CBM** and Chalk **CKM**

Recessed Front

Manufacturing Standards

- Delivered disassembled;
- Monochrom L-shaped reception counter with seamless edge frame;
- Monochrom anti-fingerprint, matt finish on frame and back;
- HPL recessed front 15-3/8";
- Height: 42"

Suggested model for "L" configuration.

Desks and storage sold separately. For more information, see Appendix F.

Options

LED Option

LED on top only

D1
$378

How to Order

		AB		CKM CBM	D1	**Combination of Colors** *See the Logiflex Color Chart (p. 15)*
	REM		**MONR**			
	series	dimensions	product	frame color	LED	front color
Example	**REM**	7670	**MONR**	CBM		W

Prices

Dimensions A	B
76	70
76	76
82	70
82	76
82	82
88	70
88	76
88	82
88	88
94	70
94	76
94	82
94	88
94	94

21	366
21	681
21	998
22	315
22	631
22	947
23	263
23	580
23	896
24	211
24	526
24	843
25	160
25	475

Inbox - Left L-Shaped Counter

INBL L

Combination of Colors

Top | **Base** | **Front** Std or HG colors | **Shelf**

Manufacturing Standards

- Delivered disassembled;
- 1" tops;
- Metallic high pressure laminate kick plate;
- 2 CCPF grommets on the main work surface.

Pedestal: *To add a pedestal, see Pedestals for Inbox Collection starting at page 36.*

LED option: *Cool white LED tape lighting the kick plate, with black rocker switch installed on desk top.*

Options

Grommet Position

Grommet Style

ELPF $0 | C_PF $0

LED Option

DEL $651

How to Order

		AB			NGR GRL GRR **GLR (std)**	ELPF CAPF CBPF **CCPF (std)**		**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
	RE		**INBL**	**L**							
	series	dimensions	product	direction	grommet position	grommet style	LED	top	base	front	shelf
Example	**RE**	84100	**INBL**	**L**	GLR	CCPF		LL	W	W	W

Prices

Dimensions A	B	Std	Hg
72	82	4823	5542
72	88	4867	5608
72	94	4910	5673
72	100	4954	5741
78	82	4867	5598
78	88	4910	5664
78	94	4954	5732
78	100	4999	5797
84	82	4910	5653
84	88	4953	5719
84	94	4999	5789
84	100	5043	5856

Inbox - Right L-Shaped Counter

INBL R

Combination of Colors

Top | **Base** | **Front** Std or HG colors | **Shelf**

Manufacturing Standards

- Delivered disassembled;
- 1" tops;
- Metallic high pressure laminate kick plate;
- 2 CCPF grommets on the main work surface.

Pedestal: *To add a pedestal, see Pedestals for Inbox Collection starting at page 36.*

LED option: *Cool white LED tape lighting the kick plate, with white rocker switch installed on desk top.*

Options

Grommet Position

Grommet Style

ELPF $0 | C_PF $0

LED Option

DEL $651

How to Order

		AB			NGR GRL GRR **GLR (std)**	ELPF CAPF CBPF **CCPF (std)**		**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
	RE		**INBL**	**R**							
	series	dimensions	product	direction	grommet position	grommet style	LED	top	base	front	shelf
Example	**RE**	10084	**INBL**	**R**	GLR	CCPF		LL	W	W	W

Prices

Dimensions A	B	Std	Hg
82	72	4823	5542
88	72	4867	5608
94	72	4910	5673
100	72	4954	5741
82	78	4867	5598
88	78	4910	5664
94	78	4954	5732
100	78	4999	5797
82	84	4910	5653
88	84	4953	5719
94	84	4999	5789
100	84	5043	5856

Inbox - Left U-Shaped Counter

INBU L

Combination of Colors

Top | **Base** | **Front** Std or HG colors | **Shelf**

Manufacturing Standards

- Delivered disassembled;
- 1" tops;
- Metallic high pressure laminate kick plate;
- 3 CCPF grommets.

Pedestal: *To add a pedestal, see Pedestals for Inbox Collection starting at page 36.*

LED option: *Cool white LED tape lighting the kick plate, with white rocker switch installed on desk top.*

Options

Grommet Position

3 grommets (GR3)

Grommet Style

ELPF $0 | C_PF $0

LED Option

DEL $911

Prices

Dimensions A	B	C	Std	Hg
72	106	66	6598	7650
84	106	78	6775	7895

How to Order

	ABC			NGR GCR GLC **GR3 (std)**	ELPF CAPF CBPF **CCPF (std)**		**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
RE		**INBU**	**L**							
series	dimensions	product	direction	grommet position	grommet style	LED	top	base	front	shelf
Example **RE**	8410678	**INBU**	**L**	GR3	CCPF		LL	W	W	W

Inbox - Right U-Shaped Counter

INBU R

Combination of Colors

Top | **Base** | **Front** Std or HG colors | **Shelf**

Manufacturing Standards

- Delivered disassembled;
- 1" tops;
- Metallic high pressure laminate kick plate;
- 3 CCPF grommets.

Pedestal: *To add a pedestal, see Pedestals for Inbox Collection starting at page 36.*

LED option: *Cool white LED tape lighting the kick plate, with white rocker switch installed on desk top.*

Options

Grommet Position

3 grommets (GR3)

Grommet Style

ELPF $0 | C_PF $0

LED Option

DEL $911

Prices

Dimensions A	B	C	Std	Hg
66	106	72	6598	7650
78	106	84	6775	7895

How to Order

	ABC			NGR GCR GLC **GR3 (std)**	ELPF CAPF CBPF **CCPF (std)**		**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
RE		**INBU**	**R**							
series	dimensions	product	direction	grommet position	grommet style	LED	top	base	front	shelf
Example **RE**	7810684	**INBU**	**R**	GR3	CCPF		LL	W	W	W

Inbox - Transaction Shelf

INBS

Combination of Colors

Top **Base** **Front**
Std or HG colors

Manufacturing Standards

- Made of laminate, to be attached to an Inbox reception counter;
- 1" transaction shelf comes in 2 pieces, available in:
  - Laminate **(M)**
  - Stained wood **(W)**

Wood finishes: *Available colors: White Wash* ***WW****, Golden Wheat* ***GW****, Sand* ***SD****, Apricot* ***AT****, Pecan* ***PN****, Brandy* ***BR****, Chestnut* ***CT****, Coffee* ***CF****, Espresso* ***ES****, Bordeaux* ***BO****, Black Wash* ***BW*** *and Bark* ***BK****.*

Prices

Dimensions A	Code	Front Finish Std	Hg
30	INBS M	922	1041
30	INBS W	1479	

How to Order

	series	dimensions	product	finish	top	base	front
	RE	A	INBS	M W	Combination of Colors *See the Logiflex Color Chart (p. 11)*		
Example	RE	30	INBS	M	W	LL	W

Inbox - D, E and F Pedestals for Inbox Collection

D

E

F

Note: The above illustrations represents the left overlapping drawer front.

Manufacturing Standards

- Pedestals without tops for Inbox;
- H052 CHR handle;
- D = 1 utility drawer and 1 file drawer;
- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- Lock.

Width : Letter size -15-3/4"
Width : Legal size - 18-3/4"

For installation by client on existing furniture.

Handles: *For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.*

Options

Drawer Direction
It is important to specify the drawer direction as the drawer front is offset and overlaps the leg on the side.
Ex: the left drawer front overlaps the left leg.

Legal Size

X

Prices

Code	Std	Hg
INBOXD	726	763
INBOXDX	814	849
INBOXE	909	932
INBOXEX	990	1016
INBOXF	909	932
INBOXFX	990	1016

How to Order

		D E F	L R	X	
RE	INBOX				
series	code	code	direction	legal size	
Example RE	INBOX	D	L	X	

Inbox - Combination Pedestals for Inbox Collection

CBCL-L

The above illustrations represents the left overlapping drawer front.

BCCL-R

The above illustrations represents the right overlapping drawer front.

Manufacturing Standards

- Pedestals without tops for Inbox;
- 2 utlilty drawers, 1 filing drawer and 1 lateral filing drawer;
- H052 CHR handles;
- Crossbars;
- Locks.

For installation by client on existing furniture.

Handles: *For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.*

Options

Drawer Direction

It is important to specify the drawer direction as the drawer front is offset and overlaps the leg on the side.
Ex: the left drawer front overlaps the left leg.

Prices

Width A	Std	Hg
30	1526	1566
36	1614	1652

How to Order

		CBCL BCCL	30 36	L R
RE	**INBOX**			
series	code	code	width	direction
Example **RE**	**INBOX**	BCCL	36	R

Inbox - Two Drawer Lateral Filing Cabinet for Inbox Collection

CL

Note: The above illustrations represents the left overlapping drawer front.

Manufacturing Standards

- Pedestals without tops for Inbox;
- 2 lateral filing drawers;
- H052 CHR handles;
- Crossbars;
- Lock.

For installation by client on existing furniture.

Handles: *For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.*

Options

Drawer Direction

It is important to specify the drawer direction as the drawer front is offset and overlaps the leg on the side.
Ex: the left drawer front overlaps the left leg.

Prices

Width A	Std	Hg
30	1067	1096
36	1154	1181
42	1190	1218

How to Order

			30 36 42	L R
RE	**INBOX**	**CL**		
series	code	code	width	direction
Example **RE**	**INBOX**	**CL**	36	L

Reception 3K - Reception Desk with One Full Length Transaction Shelf

3K1

Combination of Colors

Top **Base** **Front** Std or Hg **Shelf**

Manufacturing Standards

- 1" tops;
- 2 CCPF grommets;
- Full modesty panel;
- 2 front panels 5/8" thick;
- Strip of brushed aluminum high pressure laminate on the kick plate and between the front panels;
- Shelf brackets are 1.75" in diameter, 4-3/8" high and have a Satin Nickel finish.

***Note:** for stability purposes the 24" 3K1 and 3K2 reception desks must be attached to either a pedestal or a return.*

Options

Grommet Position

Grommet Style

ELPF $0 | C_PF $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Prices

Dimensions A B	Std	Hg
*24 66	3090	3427
*24 72	3367	3739
*24 78	3655	4057
*24 84	3936	4369
*24 96	4495	4990
30 66	3148	3511
30 72	3432	3814
30 78	3729	4143
30 84	4018	4459
30 96	4582	5087

How to Order

	series	pedestal on left	dimensions	pedestal on right	product	grommet position	grommet style	reception return	top	base	front	shelf
		option ($)	AB	option ($)		NGR GRL GRR GRC **GLR (std)**	ELPF CAPF CBPF **CCPF (std)**	L29 R29 RET3KL RET3KR	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
	RE				**3K1**							
Example	**RE**	E	2466		**3K1**	GLR	CCPF		W	SW	SW	W

Reception 3K - Reception Desk with Two Transaction Shelves

3K2

Combination of Colors

Top **Base** **Front** Std or Hg **Shelf**

Manufacturing Standards

- 1" tops;
- 2 CCPF grommets;
- Full modesty panel;
- 2 front panels 5/8" thick;
- Strip of brushed aluminum high pressure laminate on the kick plate and between the front panels;
- Shelf brackets are 1.75" in diameter, 4-3/8" high and have a Satin Nickel finish.

***Note:** for stability purposes the 24" 3K1 and 3K2 reception desks must be attached to either a pedestal or a return.*

Options

Grommet Position

Grommet Style

ELPF $0 | C_PF $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Prices

Dimensions A B	Std	Hg
*24 66	3090	3427
*24 72	3367	3739
*24 78	3655	4057
*24 84	3936	4369
*24 96	4495	4990
30 66	3148	3511
30 72	3432	3814
30 78	3729	4143
30 84	4018	4459
30 96	4582	5087

How to Order

		option ($)	AB	option ($)		NGR GRL GRR GRC **GLR (std)**	ELPF CAPF CBPF **CCPF (std)**	L29 R29 RET3KL RET3KR	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
	RE				**3K2**							
	series	pedestal on left	dimensions	pedestal on right	product	grommet position	grommet style	reception return	top	base	front	shelf
Example	**RE**	E	2466		**3K2**	GLR	CCPF		W	SW	SW	W

Reception 3K - Return

RET 3K L

RET 3K R

Combination of Colors

Top **Base** **Front**

Manufacturing Standards

- 1" tops;
- Centred CCPF grommet;
- Full modesty panel.

Options

Grommet Position

Grommet Style

ELPF $0

C_PF $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Prices

Dimensions A	B
24 30	774
24 36	803
24 42	845
24 48	887

How to Order

		AB	option ($)		L R	NGR GRL GRR GLR **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*		
	RE			**RET 3K**						
	series	dimensions	pedestal	product	direction	grommet position	grommet style	top	base	front
Example	**RE**	2442	E	**RET 3K**	L	GRC	CCPF	SW	SW	W

Gallery - Rectangular Reception Desk with Shelf

GA

Manufacturing Standards

- Rectangular reception desk;
- 42"H transaction shelf;
- CCPF grommets on left and right.

Combination of Colors

Top Base Shelf

Tips & Tricks

You can add an INBS transaction shelf from the Inbox collection to your Gallery rectangular reception desk.

INBS

Options

Grommet Position

Grommet Style

ELPF $0

C_PF $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Prices

Dimensions A B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
30 60	1389	1827	1739	2092
30 66	1452	1925	1832	2208
30 72	1526	2041	1944	2357
30 78	1600	2161	2059	2507
30 84	1660	2261	2151	2626
36 60	1409	1919	1829	2208
36 66	1489	2048	1950	2385
36 72	1594	2162	2060	2531
36 78	1625	2280	2170	2674
36 84	1703	2403	2290	2851

How to Order

	RE REL REC RECL	option ($)	AB	option ($)		NGR GRC GRR GRL **GLR (std)**	ELPF CAPF CBPF **CCPF (std)**	L29 R29 GAL GAR	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*		
					GA						
	series	pedestal on left	dimensions	pedestal on right	product	grommet position	grommet style	reception return	top	base	shelf
Example	RE	E	3660		**GA**	GLR	CCPF		Z	Z	W

Gallery - Rectangular Reception Desk with Convex Shelf

GACX

Manufacturing Standards

- Rectangular reception desk;
- 42"H transaction shelf;
- CCPF grommets on left and right.

Combination of Colors

Top **Base** **Shelf**

Options

Grommet Position

Grommet Style

ELPF $0

C_PF $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Prices

Dimensions A B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
30 60	1622	2071	1971	2339
30 66	1688	2176	2072	2461
30 72	1762	2290	2180	2604
30 78	1834	2403	2290	2764
30 84	1901	2507	2389	2867
36 60	1644	2164	2063	2461
36 66	1722	2294	2184	2631
36 72	1792	2409	2295	2777
36 78	1857	2525	2403	2925
36 84	1941	2654	2529	3094

How to Order

	RE REL REC RECL	option ($)	AB	option ($)		NGR GRC GRR GRL **GLR (std)**	ELPF CAPF CBPF **CCPF (std)**	L29 R29 GAL GAR	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*		
					GACX						
	series	pedestal on left	dimensions	pedestal on right	product	grommet position	grommet style	reception return	top	base	shelf
Example	RE	E	3660		**GACX**	GLR	CCPF		Z	Z	W

Gallery - Reception Return

GAL

GAR

Combination of Colors

Top **Base** **Front**

Manufacturing Standards

- Reception return;
- CCPF centered grommet.

Options

Grommet Position

Grommet Style

ELPF $0

C_PF $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Prices

Dimensions A B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
20 36	794	989	941	1055
20 42	860	1076	1026	1154
20 48	922	1166	1112	1254
20 54	991	1259	1199	1391
20 60	1055	1359	1293	1475
24 36	814	1041	992	1130
24 42	881	1130	1077	1251
24 48	948	1226	1168	1340
24 54	1013	1326	1264	1452
24 60	1078	1427	1358	1565

How to Order

	RE REL REC RECL	AB	option ($)	GAR GAL	NGR GLR GRR GRL **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*		
	series	dimensions	pedestal	product	grommet position	grommet style	top	base	front
Example	RE	2460	E	GAL	GRC	CCPF	Z	Z	W

Spheric - Quarter-Moon Reception Desk with Finishing Shelf

SPH F

Manufacturing Standards

- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet;
- 3" aluminum finishing filler when there are 2 adjoining desks.

Direction

L Finished on left

C No finish *(between 2 desks)*

R Finished on right

Combination of Colors

Top **Base** **Shelf**

Options

Grommet Position

Grommet Style

ELPF $0

C_PF $26 ea.

Prices

Dimensions A	B	
24	46	4262
30	54	4697

How to Order

		AB		L C R	NGR GLR GRR GRL **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*		
	RE		**SPH F**						
	series	dimensions	product	direction	grommet position	grommet style	top	base	shelf
Example	**RE**	2446	**SPH F**	L	GRC	CCPF	LL	W	LL

Spheric - Quarter-Moon Reception Desk with Transaction Shelf

SPH T

Manufacturing Standards

- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet;
- 3" aluminum finishing filler when there are 2 adjoining desks.

***Transaction Tops:**
For 24" tops, the transaction shelf is 12";
For 30" tops, the transaction shelf is 16".

Direction

L Finished on left

C No finish *(between 2 desks)*

R Finished on right

Combination of Colors

Top **Base** **Front** **Shelf**

Options

Grommet Position

Grommet Style

ELPF $0

C_PF $26 ea.

Prices

Dimensions A	B
24 46	5446
30 54	6284

How to Order

		AB		L C R	NGR GLR GRR GRL **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*		
	RE		**SPH T**						
	series	dimensions	product	direction	grommet position	grommet style	top	base	front	shelf
Example	**RE**	2446	**SPH T**	L	GRC	CCPF	LL	W	W	LL

Spheric - Quarter-Moon Reception Desk with Transaction Shelf and Pigeonhole Unit

SPH P

Direction

L Finished on left

C No finish *(between 2 desks)*

R Finished on right

Combination of Colors

Top **Base** **Front** **Shelf**

Manufacturing Standards

- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet;
- 3" aluminum finishing filler when there are 2 adjoining desks.

Transaction Tops:
For 24" tops, the transaction shelf is 12";
For 30" tops, the transaction shelf is 16".

Options

Grommet Position

Grommet Style

ELPF $0

C_PF $26 ea.

Prices

Dimensions A	B
24 46	6927
30 54	7413

How to Order

		AB		L C R	NGR GLR GRR GRL **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
	RE		**SPH P**							
	series	dimensions	product	direction	grommet position	grommet style	top	base	front	shelf
Example	**RE**	2446	**SPH P**	L	GRC	CCPF	LL	W	W	LL

Spheric - Quarter-Moon Consulting Desk

SPH C

Direction

L Finished on left

C No finish *(between 2 desks)*

R Finished on right

Combination of Colors

Top **Base**

Manufacturing Standards

- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet;
- 3" aluminum finishing filler when there are 2 adjoining desks.

Fits with Spherical reception desks:
- 27" consulting desk fits with a 24" reception desk;
- 33" consulting desk fits with a 30" reception desk.

Options

Grommet Position

Grommet Style

ELPF $0

C_PF $26 ea.

Prices

Dimensions A	B
27 46	3795
33 54	4026

How to Order

		AB		L C R	NGR GLR GRR GRL **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*	
	RE		**SPH C**					
	series	dimensions	product	direction	grommet position	grommet style	top	base
Example	**RE**	2746	**SPH C**	L	GRC	CCPF	LL	W

Spheric - Quarter-Moon Accessible Reception Desk

SPH A

Direction

L Finished on left

C No finish *(between 2 desks)*

R Finished on right

Combination of Colors

Top **Base** **Front** **Shelf**

Manufacturing Standards

- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet;
- 3" aluminum finishing filler when there are 2 adjoining desks.

Transaction Tops:
For 24" tops, the transaction shelf is 12";
For 30" tops, the transaction shelf is 16".

Options

Grommet Position

Grommet Style

ELPF $0

C_PF $26 ea.

Prices

Dimensions A	B
24 46	5759
30 54	5991

How to Order

		AB		L C R	NGR GLR GRR GRLL **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*		
	RE		**SPH A**						
	series	dimensions	product	direction	grommet position	grommet style	top	base	front	shelf
Example	**RE**	3054	**SPH A**	L	GRC	CCPF	LL	W	W	LL

Spheric - Inverted Quarter-Moon Reception Desk with Finishing Shelf

SPH IF

Direction

L Finished on left

C No finish *(between 2 desks)*

R Finished on right

Combination of Colors

Top **Base** **Shelf**

Manufacturing Standards

- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet;
- 3" aluminum finishing filler when there are 2 adjoining desks.

Options

Grommet Position

Grommet Style

ELPF $0

C_PF $0

Prices

Dimensions A	B	
24	36	4440
30	42	4533

How to Order

		AB		L C R	NGR **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
	RE		**SPH IF**							
	series	dimensions	product	direction	grommet	grommet style	top	base	front	shelf
Example	**RE**	2436	**SPH IF**	L	GRC	CCPF	LL	W	W	LL

Spheric - Inverted Quarter-Moon Reception Desk with Transaction Shelf

SPH IT

Manufacturing Standards

- 1 ” top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet;
- 3" aluminum finishing filler when there are 2 adjoining desks.

***Transaction Tops:**
For 24" tops, the transaction shelf is 12";
For 30" tops, the transaction shelf is 16".

Direction

L Finished on left

C No finish *(between 2 desks)*

R Finished on right

Combination of Colors

Top **Base** **Front** **Shelf**

Options

Grommet Position

Grommet Style

ELPF $0 | C_PF $0

Prices

Dimensions A	B	
24	36	4535
30	42	4696

How to Order

		AB		L C R	NGR **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
	RE		**SPH IT**							
	series	dimensions	product	direction	grommet	grommet style	top	base	front	shelf
Example	**RE**	2436	**SPH IT**	L	GRC	CCPF	LL	W	W	LL

Spheric - Inverted Quarter-Moon Reception Desk with Transaction Shelf and Pigeonhole Unit

SPH IP

Direction

L Finished on left

C No finish *(between 2 desks)*

R Finished on right

Combination of Colors

Top **Base** **Front** **Shelf**

Manufacturing Standards

- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet;
- 3" aluminum finishing filler when there are 2 adjoining desks.

Transaction Tops:
For 24" tops, the transaction shelf is 12";
For 30" tops, the transaction shelf is 16".

Options

Grommet Position

Grommet Style

ELPF $0

C_PF $0

Prices

Dimensions A	B	
24	36	5592
30	42	5759

How to Order

		AB		L C R	NGR **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
	RE		**SPH IP**							
	series	dimensions	product	direction	grommet	grommet style	top	base	front	shelf
Example	**RE**	2436	**SPH IP**	L	GRC	CCPF	LL	W	W	LL

Spheric - Inverted Quarter-Moon Consulting Desk

SPH IC

Direction

L
Finished on left

C
No finish
(between 2 desks)

R
Finished on right

Combination of Colors

Top **Base**

Manufacturing Standards

- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet;
- 3" aluminum finishing filler when there are 2 adjoining desks.

Fits with Spherical reception desks:
- 27" consulting desk fits with a 24" reception desk;
- 33" consulting desk fits with a 30" reception desk.

Options

Grommet Position

Grommet Style

ELPF $0 | C_PF $0

Prices

Dimensions A	B	
27	36	3629
33	42	3795

How to Order

		AB		L C R	NGR **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*	
	RE		**SPH IC**					
	series	dimensions	product	direction	grommet	grommet style	top	base
Example	**RE**	2736	**SPH IC**	L	GRC	CCPF	LL	W

Spheric - Straight Reception Desk with Finishing Shelf

SPH SF

Direction

L Finished on left

C No finish *(between 2 desks)*

R Finished on right

Combination of Colors

Top **Base** **Shelf**

Manufacturing Standards

- 1" top;
- Front panels made of high pressure laminate (HPL);
- Centered CCPF grommet;
- 3" aluminum finishing filler when there are 2 adjoining desks.

Installed Pedestal Option: *For available installed pedestals, see Work Desks starting on page 73.*

Options

Grommet Position

Grommet Style

ELPF $0

C_PF $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Prices

Dimensions A	B	
24	36	1495
30	36	1542

How to Order

		option ($)	AB	option ($)		L C R	NGR GLR GRR GRL **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*		
	RE				**SPH SF**						
	series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	top	base	shelf
Example	**RE**	E	2436		**SPH SF**	L	GRC	CCPF	LL	W	LL

Spheric - Straight Reception Desk with Transaction Shelf

SPH ST

Direction

L Finished on left

C No finish *(between 2 desks)*

R Finished on right

Combination of Colors

Top **Base** **Front** **Shelf**

Manufacturing Standards

- 1" top;
- Front panels made of high pressure laminate (HPL);
- Centered CCPF grommet;
- 3" aluminum finishing filler when there are 2 adjoining desks.

Transaction Tops:
For 24" tops, the transaction shelf is 12";
For 30" tops, the transaction shelf is 16".

Installed Pedestal Option: *For available installed pedestals, see Work Desks starting on page 73.*

Options

Grommet Position

Grommet Style

ELPF $0

C_PF $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Prices

Dimensions A	B
24	36
30	36

How to Order

		option ($)	AB	option ($)		L C R	NGR GLR GRR GRL **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
	RE				**SPH ST**							
	series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	top	base	front	shelf
Example	**RE**	E	2436		**SPH ST**	L	GRC	CCPF	LL	W	W	LL

Spheric - Straight Reception Desk with Transaction Shelf and Pigeonhole Unit

SPH SP

Direction

L Finished on left

C No finish *(between 2 desks)*

R Finished on right

Combination of Colors

Top **Base** **Front** **Shelf**

Manufacturing Standards

- 1" top;
- Front panels made of high pressure laminate (HPL);
- Centered CCPF grommet;
- 3" aluminum finishing filler when there are 2 adjoining desks.

Transaction Tops:
For 24" tops, the transaction shelf is 12";
For 30" tops, the transaction shelf is 16".

Installed Pedestal Option: *For available installed pedestals, see Work Desks starting on page 73.*

Options

Grommet Position

Grommet Style

ELPF $0

C_PF $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Prices

Dimensions A	B
24	36
30	36

1971	
2052	

How to Order

		option ($)	AB	option ($)		L C R	NGR GLR GRR GRL **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
	RE				**SPH SP**							
	series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	top	base	front	shelf
Example	**RE**	E	2436		**SPH SP**	L	GRC	CCPF	LL	W	W	LL

Spheric - Straight Consulting Desk

SPH SC

Direction

L Finished on left

C No finish *(between 2 desks)*

R Finished on right

Combination of Colors

Top **Base**

Manufacturing Standards

- 1" top;
- Front panels made of high pressure laminate (HPL);
- Centered CCPF grommet;
- 3" aluminum finishing filler when there are 2 adjoining desks.

Fits with Spherical reception desks:
- 27" consulting desk fits with a 24" reception desk;
- 33" consulting desk fits with a 30" reception desk.

Installed Pedestal Option: *For available installed pedestals, see Work Desks starting on page 73.*

Options

Grommet Position

Grommet Style

ELPF $0

C_PF $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Prices

Dimensions A	B
27	36
33	36

936	
1099	

How to Order

		option ($)	AB	option ($)		L C R	NGR GLR GRR GRL **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*	
	RE				**SPH SC**					
	series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	top	base
Example	**RE**	E	2736		**SPH SC**	L	GRC	CCPF	LL	W

Spheric - Straight Accessable Reception Desk

SPH SA

Direction

L Finished on left

C No finish *(between 2 desks)*

R Finished on right

Combination of Colors

Top **Base** **Front** **Shelf**

Manufacturing Standards

- 1" top;
- Front panels made of high pressure laminate (HPL);
- Centered CCPF grommet;
- 3" aluminum finishing filler when there are 2 adjoining desks.

Transaction Tops:
For 24" tops, the transaction shelf is 12";
For 30" tops, the transaction shelf is 16".

Installed Pedestal Option: *For available installed pedestals, see Work Desks starting on page 73.*

Options

Grommet Position

Grommet Style

ELPF $0

C_PF $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Prices

Dimensions A	B
24	36
30	36

1678	
1727	

How to Order

		option ($)	AB	option ($)		L C R	NGR GLR GRR GRL **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
	RE				**SPH SA**							
	series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	top	base	front	shelf
Example	**RE**	E	2436		**SPH SA**	L	GRC	CCPF	LL	W	W	LL

Manhattan - Reception Desk

MAN

Combination of Colors

Manufacturing Standards

Reception Desk:

- 1-5/8" desk and shelf tops;
- Rounded corner front panel made of high pressure laminate (HPL);
- 2.5" diameter, Satin Nickel finish brackets;
- Centred CAPF grommet;
- Top depth: 30".

Acrylic Panel Option:

- 1/8" frosted acrylic panels polished on the visible sides.

Pedestals cannot be installed on reception stations that are 66" X 66" because of the curves close to the user space. We suggest mobile pedestals instead.

30" pedestals cannot be installed on reception stations that are less than 84" X 84" because of the curves close to the user space.

Options

Grommet Position

3 grommets (GR3)

Grommet Style

ELPF $0

C_PF $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Acrylic Panels

PL
$2 379

Prices

Dimensions A B	REC 1-5/8"	RECL 1-9/16"
66 66	7228	8670
72 72	7434	8885
78 78	7639	9101
84 84	7850	9363
96 96	8258	9781

How to Order

	series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	acrylic panel	top	base	front	shelf
	REC RECL	option ($)	AB	option ($)		L R	NGR GLC GCR GR3 **GRC (std)**	ELPF CCPF CBPF **CAPF (std)**	PL				
					MAN								
Example	REC	E	7878		**MAN**	L	GRC	CAPF	PL	W	SW	SW	W

Combination of Colors
See the Logiflex Color Chart (p. 11)

Reception C - Corner Counter with Straight Cut

CXT

Direction

Full Legs | Half Leg on Right | Half Leg on Left | 2 Half Legs

Combination of Colors

Top | Base | Front | Shelf

Manufacturing Standards

- Corner reception desk with straight keyboard space;
- 42"H transaction shelf;
- Corner CCPF grommet.

Vertical Panel (PV) option: *It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).*

Options

Grommet Position

Grommet Style

ELPF $0 | C_PF $26 ea.

Vertical Panel

PV $996

Prices

Dimensions A B C	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
18 36 18	3766	4245	4043	4448
18 42 18	3829	4390	4182	4659
24 42 24	3829	4390	4182	4659
24 48 24	3991	4661	4438	5000
30 48 30	3991	4661	4438	5000

How to Order

	series	dimensions	product	direction	grommet position	grommet style	vertical panel	top	base	front	shelf
	RE REL REC RECL	ABC	**CXT**	LR LH HR HH	NGR GRL GRR GLR **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	PV				
Example	RE	184218	**CXT**	LR	GRC	CCPF	PV	W	W	W	W

Combination of Colors
See the Logiflex Color Chart (p. 11)

Reception C - Corner Counter with Curved Cut

CXX

Direction

Full Legs | Half Leg on Right | Half Leg on Left | 2 Half Legs

Combination of Colors

Top | **Base** | **Front** | **Shelf**

Manufacturing Standards

- Corner reception desk with curved keyboard space;
- 42"H transaction shelf;
- Corner CCPF grommet.

Vertical Panel (PV) option: *It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).*

Options

Grommet Position

Grommet Style

ELPF $0 | C_PF $26 ea.

Vertical Panel

PV $996

Prices

Dimensions A B C	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
18 42 18	3940	4513	4300	4780
24 42 24	3940	4513	4300	4780
24 48 24	4104	4786	4558	5124
30 48 30	4104	4786	4558	5124

How to Order

	series	dimensions	product	direction	grommet position	grommet style	vertical panel	top	base	front	shelf
	RE REL REC RECL	ABC		LR LH HR HH	NGR GRL GRR GLR **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	PV				
			CXX								
Example	RE	184218	**CXX**	LR	GRC	CCPF	PV	W	W	W	W

Combination of Colors
See the Logiflex Color Chart (p. 11)

Reception C - Rectangular Reception Desk

CTB

Direction

Full Legs | Half Leg on Right | Half Leg on Left | 2 Half Legs

Combination of Colors

Top | Base | Front | Shelf

Manufacturing Standards

- Rectangular reception desk;
- 42"H transaction shelf;
- Centered CCPF grommet for desks less than 48", left and right grommets for desks of 48" and up.

Vertical Panel (PV) option: *It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).*

Options

Grommet Position

Grommet Style

ELPF $0 | C_PF $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Vertical Panel

PV $226

Prices

Dimensions A B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
18 36	947	1168	1114	1321
18 42	990	1238	1177	1391
18 48	1031	1294	1235	1478
18 54	1132	1404	1337	1658
18 60	1205	1515	1442	1693
24 36	996	1248	1190	1403
24 42	1050	1326	1264	1499
24 48	1131	1440	1370	1636
24 54	1214	1544	1473	1793
24 60	1265	1634	1556	1853
30 36	1050	1327	1265	1484
30 42	1111	1415	1349	1608
30 48	1236	1582	1511	1793
30 54	1298	1685	1604	1931
30 60	1326	1756	1672	2016

How to Order

	RE REL REC RECL	option ($)	AB	option ($)		LR LH HR HH	NGR GRL GRR GLR **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	PV	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
					CTB								
	series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	vertical panel	top	base	front	shelf
Example	RE	E	2460		**CTB**	LR	GRC	CCPF	PV	W	W	W	W

Reception C - Left Reception Return with Corner Cut on Right

LCTTB

Direction

Half Leg on Right — 2 Half Legs

Combination of Colors

Top — **Base** — **Front** — **Shelf**

Manufacturing Standards

- Left reception return with corner cut on right;
- 42"H transaction shelf;
- Centered CCPF grommet for desks less than 48", left and right grommets for desks of 48" and up.

Vertical Panel (PV) option: *It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).*

Options

Grommet Position

Grommet Style

ELPF $0 — C_PF $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Vertical Panel

PV
$226

Prices

Dimensions A B C	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
24 36 18	1061	1317	1252	1470
24 42 18	1114	1395	1327	1567
24 48 18	1195	1506	1435	1703
24 54 18	1280	1611	1535	1861
24 60 18	1328	1701	1619	1920
30 36 24	1114	1397	1328	1555
30 42 24	1172	1473	1403	1677
30 48 24	1298	1652	1573	1861
30 54 24	1362	1756	1672	1998
30 60 24	1390	1821	1735	2081
36 36 30	1238	1546	1474	1677
36 42 30	1308	1661	1582	1849
36 48 30	1381	1778	1695	2021
36 54 30	1452	1895	1806	2167
36 60 30	1497	1972	1878	2270

How to Order

	RE REL REC RECL	option ($)	ABC		LH HH	NGR GRL GRR GLR **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	PV	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
				LCTTB								
	series	pedestal on left	dimensions	product	direction	grommet position	grommet style	vertical panel	top	base	front	shelf
Example	RE	E	246018	**LCTTB**	LH	GRC	CCPF	PV	W	W	W	W

Reception C - Right Reception Return with Corner Cut on Left

RCTTB

Direction

Half Leg on Left — 2 Half Legs

Combination of Colors

Top — Base — Front — Shelf

Manufacturing Standards

- Right reception return with corner cut on left;
- 42" high transaction shelf;
- Centered CCPF grommet for desks less than 48", left and right grommets for desks of 48" and up.

Vertical Panel (PV) option: *It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).*

Options

Grommet Position

Grommet Style

ELPF $0 — C_PF $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Vertical Panel

PV $226

Prices

Dimensions A B C	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
18 36 24	1061	1317	1252	1470
18 42 24	1114	1395	1327	1567
18 48 24	1195	1506	1435	1703
18 54 24	1280	1611	1535	1861
18 60 24	1328	1701	1619	1920
24 36 30	1114	1397	1328	1555
24 42 30	1172	1473	1403	1677
24 48 30	1298	1652	1573	1861
24 54 30	1362	1756	1672	1998
24 60 30	1390	1821	1735	2081
30 36 36	1238	1546	1474	1677
30 42 36	1308	1661	1582	1849
30 48 36	1381	1778	1695	2021
30 54 36	1452	1895	1806	2167
30 60 36	1497	1972	1878	2270

How to Order

	series	dimensions	pedestal on right	product	direction	grommet position	grommet style	vertical panel	top	base	front	shelf
	RE REL REC RECL	ABC	option ($)	**RCTTB**	HR HH	NGR GRL GRR GLR **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	PV	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
Example	RE	186024	E	**RCTTB**	HR	GRC	CCPF	PV	W	W	W	W

Reception C - Left Reception Return with Curved Cut on Right

LCVTB

Direction

Half Leg on Right 2 Half Legs

Combination of Colors

Top **Base** **Front** **Shelf**

Manufacturing Standards

- Left reception return with curved cut on right;
- 42"H transaction shelf;
- Centered CCPF grommet for desks less than 48", left and right grommets for desks of 48" and up.

Vertical Panel (PV) option: *It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).*

Options

Grommet Position

Grommet Style

ELPF $0 C_PF $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Vertical Panel

PV
$226

Prices

Dimensions A B C	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
24 36 18	1061	1317	1252	1470
24 42 18	1114	1395	1327	1567
24 48 18	1195	1506	1435	1703
24 54 18	1280	1611	1535	1861
24 60 18	1328	1701	1619	1920
30 36 24	1114	1397	1328	1555
30 42 24	1172	1473	1403	1677
30 48 24	1298	1652	1573	1861
30 54 24	1362	1756	1672	1998
30 60 24	1390	1821	1735	2081
36 36 30	1238	1546	1474	1677
36 42 30	1308	1661	1582	1849
36 48 30	1381	1778	1695	2021
36 54 30	1452	1895	1806	2167
36 60 30	1497	1972	1878	2270

How to Order

	RE REL REC RECL	option ($)	ABC		LH HH	NGR GRL GRR GLR **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	PV	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
				LCVTB								
	series	pedestal on left	dimensions	product	direction	grommet position	grommet style	vertical panel	top	base	front	shelf
Example	RE	E	246018	**LCVTB**	LH	GRC	CCPF	PV	W	W	W	W

Reception C - Right Reception Return with Curved Cut on Left

RCVTB

Direction

Half Leg on Left — 2 Half Legs

Combination of Colors

Top **Base** **Front** **Shelf**

Manufacturing Standards

- Right reception return with curved cut on left;
- 42" high transaction shelf;
- Centered CCPF grommet for desks less than 48", left and right grommets for desks of 48" and up.

Vertical Panel (PV) option: *It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).*

Options

Grommet Position

Grommet Style

ELPF $0 — C_PF $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Vertical Panel

PV $226

Prices

Dimensions A B C	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
18 36 24	1061	1317	1252	1470
18 42 24	1114	1395	1327	1567
18 48 24	1195	1506	1435	1703
18 54 24	1280	1611	1535	1861
18 60 24	1328	1701	1619	1920
24 36 30	1114	1397	1328	1555
24 42 30	1172	1473	1403	1677
24 48 30	1298	1652	1573	1861
24 54 30	1362	1756	1672	1998
24 60 30	1390	1821	1735	2081
30 36 36	1238	1546	1474	1677
30 42 36	1308	1661	1582	1849
30 48 36	1381	1778	1695	2021
30 54 36	1452	1895	1806	2167
30 60 36	1497	1972	1878	2270

How to Order

	series	dimensions	pedestal on right	product	direction	grommet position	grommet style	vertical panel	top	base	front	shelf
	RE REL REC RECL	ABC	option ($)	**RCVTB**	HR HH	NGR GRL GRR GLR **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	PV	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*			
Example	RE	186024	E	**RCVTB**	HR	GRC	CCPF	PV	W	W	W	W

Work Desks

Lateral Tables

TL

Leg Bases

Combination of Colors

Manufacturing Standards

- 1" thick laminate top and legs;
- Centered CCPF grommet;
- Flush modesty.

Modesties: *If choice of modesty is not specified, the standard (FM) will be used, PM modesties are available at no extra charge.*

Options

Modesty

10" high — PM — $0

Full height — FM — $0

Grommet Position

Grommet Style

ELPF — $0

C_PF — $26 ea.

Prices

Dimensions A	B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
24	30	629	746	709	839
24	36	680	818	778	931
24	42	709	865	824	996
24	48	752	927	882	1077
24	54	767	961	916	1130
24	60	800	1013	963	1199
24	66	833	1065	1013	1272
24	72	863	1114	1059	1340
24	78	891	1160	1106	1405

How to Order

	series	dimensions	product	direction	modesty	grommet position	grommet style	top	base	front
	RE REL REC RECL	AB	**TL**	LH HR HH **LR (std)**	PM **FM (std)**	NGR GRL GRR GLR **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*		
Example	RE	2472	**TL**	LR	PM	GRC	CCPF	SW	W	SW

Returns

L29

R29

Manufacturing Standards

- 1" thick laminate top and legs;
- Centered CCPF grommet;
- Flush plates;
- Flush modesty;
- Height: 29".

Modesties: *If choice of modesty is not specified, the standard (FM) will be used, PM modesties are available at no extra charge.*

Combination of Colors

Top **Base** **Front**

Options

Modesty

10" high — PM — $0

Full height — FM — $0

Grommet Position

Grommet Style

ELPF — $0

C_PF — $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Prices

Dimensions A	B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
24	30	590	708	674	800
24	36	615	751	714	863
24	42	637	792	753	922
24	48	669	842	801	993
24	54	709	900	858	1071
24	60	752	961	916	1151

How to Order

	RE REL REC RECL	AB	option ($)	L29 R29	PM **FM (std)**	NGR GRL GRR GLR **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*		
	series	dimensions	pedestal	product	modesty	grommet position	grommet style	top	base	front
Example	RE	2448	E	L29	PM	GRC	CCPF	SW	W	SW

Left Extended Corner Tables

S L

Straight Cut

A L

Curved Cut

Manufacturing Standards

- Delivered disassembled;
- 1" thick laminate top and legs;
- Corner CCPF grommet;
- Flush modesty.

Modesties: *If choice of modesty is not specified, the standard (FM) will be used, PM modesties are available at no extra charge.*

Installed Pedestal Option: *The pedestal will be installed on the extended side of the desks (on left).*

Modesties

Leg Bases

Full Legs | Half Leg on Right | Half Leg on Left | Half Legs

Combination of Colors

Top | **Base** | **Front**

Options

Modesty

10" high — PM — $0

Full height — FM — $0

Grommet Position

Grommet Style

ELPF — $0

C_PF — $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Prices

Dimensions A B C D	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
24 60 42 24	1408	1781	1697	2109
24 66 42 24	1460	1869	1778	2231
24 72 42 24	1541	1981	1888	2377
24 78 42 24	1623	2097	1998	2525

How to Order

	RE REL REC RECL	ABCD	option ($)	S A		LH HR HH **LR (std)**	PM **FM (std)**	PM **FM (std)**	NGR GRL GRR GLR **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*		
					L								
	series	dimensions	pedestal	product	direction	direction	modesty 1	modesty 2	grommet position	grommet style	top	base	front
Example	RE	24724224	E	A	**L**	LR	PM	PM	GRC	CCPF	SW	W	SW

Right Extended Corner Tables

S R

Straight Cut

A R

Curved Cut

Manufacturing Standards

- Delivered disassembled;
- 1" thick laminate top and legs;
- Corner CCPF grommet;
- Flush modesty.

Modesties: *If choice of modesty is not specified, the standard (FM) will be used, PM modesties are available at no extra charge.*

Installed Pedestal Option: *The pedestal will be installed on the extended side of the desks (on right).*

Modesties

Leg Bases

Full Legs | Half Leg on Right | Half Leg on Left | Half Legs

Combination of Colors

Top | **Base** | **Front**

Options

Modesty

10" high — PM — $0

Full height — FM — $0

Grommet Position

Grommet Style

ELPF — $0

C_PF — $26 ea.

Installed Pedestals

Specify installed pedestals, starting on p. 73

Prices

Dimensions A B C D	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
24 42 60 24	1408	1781	1697	2109
24 42 66 24	1460	1869	1778	2231
24 42 72 24	1541	1981	1888	2377
24 42 78 24	1623	2097	1998	2525

How to Order

	RE REL REC RECL	ABCD	option ($)	S A		LH HR HH **LR (std)**	PM **FM (std)**	PM **FM (std)**	NGR GRL GRR GLR **GRC (std)**	ELPF CAPF CBPF **CCPF (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*		
					R								
	series	dimensions	pedestal	product	direction	direction	modesty 1	modesty 2	grommet position	grommet style	top	base	front
Example	RE	24427224	E	A	**R**	LR	PM	PM	GRC	CCPF	SW	W	SW

Storage Furniture

Installed Pedestals

D

E

F

Manufacturing Standards

- Factory installed pedestals without tops;
- D = 1 utility drawer and 1 file drawer;
- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- H052CHR or H052SN handles according to collection;
- Satin nickel lock.

Width : Letter size -15-3/4"
Width : Legal size - 18-3/4"

Depth is adjusted to match furniture ordered.

How to Order:
Add the pedestal code desired to the desk code on which it has to be installed following the "How to Order" instructions on the desk page.

Handles: *For handles other than H052, please choose from the Logiflex list at no extra charge.*

Prices

Code	Front Finish Std	Hg
D	686	719
DX	796	833
E	935	985
EX	1048	1093
F	910	957
FX	1024	1071

Options

Legal Size

X

Installed Pedestals

CBCL30

BCCL30

CL30

Manufacturing Standards

- Factory installed pedestals without tops;
- CBCL/BCCL= 2 utility drawers, 1 file drawer and 1 lateral file drawer;
- CL= 2 lateral file drawers;
- H052CHR or H052SN handles according to collection;
- Satin nickel lock.

Depth is adjusted to match furniture ordered.

How to Order:
Add the pedestal code desired to the desk code on which it has to be installed following the "How to Order" instructions on the desk page.

Handles: *For handles other than H052, please choose from the Logiflex list at no extra charge.*

Prices

CBCL30/BCCL30

Code	Front Finish Std	Hg
CBCL30	1507	1597
BCCL30	1507	1597

CL30

Code	Front Finish Std	Hg
CL30	1037	1130

Mobile E and F Pedestals - Letter Size

MOBE

MOBF

Manufacturing Standards

- Delivered with the casters disassembled;
- E = 2 utility drawers and 1 letter size file drawer;
- F = 2 letter size file drawers;
- H052CHR handles;
- Satin nickel lock;
- 5 casters (not visible);
- Height: 27-3/8".

Handles: *For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.*

Counterweight: *A 45 lb counterweight is included for pedestals that are 18" deep.*

Prices

Dimensions A	Code	Front Finish Std	Hg
18	MOBE	1033	1079
23	MOBE	1033	1079
18	MOBF	1010	1055
23	MOBF	1010	1055

Combination of Colors

How to Order

series	dimensions	code	pedestal	top	base	front
RE	A	MOB	E F			
Example RE	18	MOB	E	W	W	SW

Combination of Colors
See the Logiflex Color Chart (p. 11)

Mobile E and F Pedestals - Legal Size

MOBXE

MOBXF

Manufacturing Standards

- Delivered with the casters disassembled;
- E = 2 utility drawers and 1 legal size file drawer;
- F = 2 legal size file drawers;
- H052CHR handles;
- Satin nickel lock;
- 5 casters (not visible);
- Height: 27-3/8".

Handles: *For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.*

Counterweight: *A 45 lb counterweight is included for pedestals that are 18" deep.*

Prices

Dimensions A	Code	Front Finish Std	Hg
18	MOBXE	1154	1210
23	MOBXE	1154	1210
18	MOBXF	1130	1188
23	MOBXF	1130	1188

Combination of Colors

Top **Base** **Front**

How to Order

	series	dimensions	code	pedestal	top	base	front
	RE	A	MOBX	E F			
Example	RE	18	MOBX	E	W	W	SW

Combination of Colors
See the Logiflex Color Chart (p. 11)

Lateral File Cabinets

CL2

CL3

CL4

Manufacturing Standards

- 2, 3 or 4 legal size lateral filing drawers;
- H052CHR handles;
- Satin nickel locks;
- Crossbars;
- Counterweight (CL2 only).

Handles: *For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.*

Combination of Colors

Top **Base** **Front**

Prices

CL2 - 2 lateral filing drawers

Dimensions A	B	Front Finish Std	Hg
24	30	1285	1386
24	36	1383	1503

CL3 - 3 lateral filing drawers

Dimensions A	B	Front Finish Std	Hg
24	30	1912	2057
24	36	2000	2175

CL4 - 4 lateral filing drawers

Dimensions A	B	Front Finish Std	Hg
24	30	2494	2685
24	36	2603	2832

How to Order

	series	dimensions	code	drawers	top	base	front
	RE	AB	CL	2 3 4			
Example	RE	2436	CL	3	W	W	SW

Combination of Colors
See the Logiflex Color Chart (p. 11)

Multiple Units

UC1

UC2

UC3

Manufacturing Standards

- Open storage with 11" interior height;
- 1, 2 or 3lateral filing drawers;
- H052CHR handles;
- Counterweight (UC1 and UC2)
- Satin nickel lock.

Handles: *For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.*

Prices

UC1 - 1 open storage, 1 lateral filing drawer

Dimensions A	B	Front Finish Std	Hg
24	30	1210	1254
24	36	1258	1309

UC2 - 1 open storage, 2 lateral filing drawers

Dimensions A	B	Front Finish Std	Hg
24	30	1772	1877
24	36	1862	1988

UC3 - 1 open storage, 3 lateral filing drawers

Dimensions A	B	Front Finish Std	Hg
24	30	2266	2430
24	36	2397	2597

Combination of Colors

Top **Base** **Front**

How to Order

	series	dimensions (AB)	code	drawers (1 2 3)	top	base	front
	RE		**UC**				
Example	**RE**	2436	**UC**	2	W	W	SW

Combination of Colors
See the Logiflex Color Chart (p. 11)

Cabinets with 2 Laminate Doors

AR

Combination of Colors

Top **Base** **Front** **Shelf**

Manufacturing Standards

- 2 laminate doors;
- H052CHR handles;
- Satin nickel lock;
- Adjustable shelves;
- Shelf brackets;
- 5/8" laminate back.

Adjustable Shelves:
29" high: 1 adjustable shelf;
41" high: 2 adjustable shelves;
53" high: 3 adjustable shelves.

Handles: *For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.*

Additional adjustable shelves (SH): *see Appendix D for prices, p. 13*

Options

Adjustable Shelves

SH

Prices

Dimensions A B C	Front Finish Std	Hg
24 30 29	1082	1180
24 36 29	1152	1268
24 30 41	1287	1430
24 36 41	1357	1525
24 30 53	1492	1679
24 36 53	1565	1787

How to Order

	ABC			Combination of Colors *See the Logiflex Color Chart (p. 11)*			
	RE		AR				
	series	dimensions	code	top	base	front	shelf
Example	RE	243641	AR	W	W	SW	W

Cabinets with 2 Glass Doors

AR - Glass Doors

Combination of Colors

Top **Base** **Shelf**

Manufacturing Standards

- Aluminum-frame doors with white glass (V4) and built-in aluminum handles;
- Soft-close doors;
- Adjustable shelves;
- Shelf brackets;
- 5/8" laminate back.

Adjustable Shelves:
29" high: 1 adjustable shelf;
41" high: 2 adjustable shelves;
53" high: 3 adjustable shelves.

Glass: *If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart.*

Additional adjustable shelves (SH): *see Appendix D for prices, p. 13*

Options

Adjustable Shelves

SH

How to Order

	ABC		VS PL **V4 (std)**	**Combination of Colors** *See the Logiflex Color Chart (p. 11)*		
RE		**AR**				
series	dimensions	code	glass (p. 11)	top	base	shelf
Example **RE**	243641	**AR**	V4	W	W	W

Prices

Dimensions A B C	VS	PL	V4
24 30 29	1799	1818	2148
24 36 29	1891	1914	2311
24 30 41	2102	2134	2599
24 36 41	2224	2261	2816
24 30 53	2567	2609	3210
24 36 53	2712	2764	3482

Pigeonhole Units

PG

Letter Size

PGX

Legal Size

Manufacturing Standards

- 3" interior height in each pigeonhole;
- Frame is 1" laminate;
- Shelf and back 5/8" laminate.

Combination of Colors

Top **Base** **Front** **Shelf**

Options

Drawer

DR
$316

Prices

Dimensions A	Code
16 PG	464
16 PGX	485

How to Order

	series	dimensions A	code PG PGX	drawer DR	top	base	front	shelf
	RE	16						
Example	RE	16	PG	DR	SW	SW	W-H	SW

Combination of Colors
See the Logiflex Color Chart (p. 11)

Pigeonhole Units

PG30

PG36

Manufacturing Standards

- 3" interior height in each pigeonhole;
- Frame is 1" laminate;
- Shelf and back 5/8" laminate.

Combination of Colors

Top **Base** **Front** **Shelf**

Options

Drawer

DR
$634

Prices

Dimensions A	B
16 30	800
16 36	837

How to Order

	A		B	DR	Combination of Colors (See the Logiflex Color Chart (p. 11))			
RE	16	PG						
series	dimensions	code	dimensions	drawer	top	base	front	shelf
Example RE	16	PG	30	DR	SW	SW	W-H	SW

Vertical Pigeonhole Units

PGV

Manufacturing Standards

- On levelers;
- Frame is 1" laminate;
- 2 fixed shelves 1" laminate;
- Back 5/8" laminate.

Prices

Dimensions A	B	C	
24	08	41	795

Combination of Colors

Top **Base** **Shelf**

How to Order

	ABC			**Combination of Colors** *See the Logiflex Color Chart (p. 11)*		
	RE		**PGV**			
	series	dimensions	code	top	base	shelf
Example	**RE**	240841	**PGV**	SW	SW	W

Accessories

Handles

HJA

Handle

- 6" metal handle;
- 5-1/32" (128mm) center to center.

Code	$	Description
HJA	14	*Satin Nickel*
HJAB	14	*Black*

H011

Handle

- 9-1/8" metal handle;
- 8-13/16" (224mm) center to center.

Code	$	Description
H011	14	*Satin Nickel*

H051

Handle

- 3-5/32" metal handle;
- 2-17/32" (64mm) center to center.

Code	$	Description
H051CHR	14	*Chrome*
H051SN	14	*Satin Nickel*
H051BL	14	*Black*
H051WH	14	*White*

H052

Handle

- 7-1/32" metal handle;
- 6-9/32" (160mm) center to center.

Code	$	Description
H052CHR	14	*Chrome*
H052SN	14	*Satin Nickel*
H052BL	14	*Black*
H052WH	14	*White*

H060

Handle

- 9-1/4" metal handle;
- 8-3/4" (222.25mm) center to center.

Code	$	Description
H060BN	14	*Brushed Nickel*
H060CHR	14	*Chrome*

H070

Handle

- 8-3/16" metal handle;
- 7-1/2" (190.5mm) center to center.

Code	$	Description
H070BN	14	*Brushed Nickel*
H070CHR	14	*Chrome*

H071

Handle

- 7-9/32" metal handle;
- 6-5/16" (160.338mm) center to center.

Code	$	Description
H071CHR	14	*Chrome*
H071BN	14	*Brushed Nickel*
H071BL	14	*Black*
H071WH	14	*White*

H072

Handle

- 6-3/8" metal handle;
- 5-1/32" (127.8mm) center to center.

Code	$	Description
H072CHR	14	*Chrome*
H072BL	14	*Black*
H072WH	14	*White*

SXP002

Handle

- 9-1/2" metal handle;
- 7-9/16" (192mm) center to center.

Code	$	Description
SXP002	14	*Satin Nickel*

SXP003

Handle

- 5-1/8" metal handle;
- 3-25/32" (96mm) center to center.

Code	$	Description
SXP003	14	*Satin Nickel*

Lighting

DELSW

On/Off Rocker Switch

- On/Off Rocker Switch in black plastic.

Code	$	Description
DELSW	25	*per unit*

DELALI

LED Starting Kit

- 1x power supply to connect up to 20' of 2.4 W LED lights;
- 60 W, 24V DC power supply, 100–240 V, 50/60 Hz;
- 39" primary power cord and 38" secondary cord for connection to the LED light.

Code	$	Description
DELALI	86	*per kit*

DELFIL

Power Cord

- 1x 79" power cord.

Code	$	Description
DELFIL	8	*per unit*

DELRAL

Extension Cord

- To connect 12" strips of 2.4W LED tape together;
- 3 lengths available: 20", 40" and 79".

Code	$	Description
DELRAL20	4	*20" extension*
DELRAL40	6	*40" extension*
DELRAL79	8	*79" extension*

DEL12

Flexible LED Tape

- 2.4 W flexible LED tape;
- Cool white, self-adhesive, 12" long;
- Allow 72 hours once the tape is applied before turning the light on;
- Can be directly linked one to the other.

Code	$	Description
DEL12	19	*per unit*

DELT

T-Joint

- T-joint to link three directions;
- 3 quick connectors.

Code	$	Description
DELT	18	*per unit*

DELL

L-Joint

- 90° L-joint to use at a corner;
- 3 quick connectors are included.

Code	$	Description
DELL	14	*per unit*

DELX

X-Joint

- X-joint to connect four directions;
- 3 quick connectors are included.

Code	$	Description
DELX	22	*per unit*

Keyboard Trays

KB360M

Keyboard Tray

- Black plastic 24-1/2"wide retractable ergonomic keyboard;
- Lift-N-Lock spring system (no lever) to adjust height;
- Handle for easy tilt adjustment from 10" to 15";
- 10" x 7-1/2" mouse tray;
- 19" black gel wrist rest;
- 360° rotation.

Code	$	Description
KB360M	615	

KB

Keyboard Tray

- 24" wide keyboard tray only;
- 5/8" and 1" thick laminate;
- Adjustable height from 1-3/4" to 2-3/4" / additional 2" for slides.

Code	$	Description
KB	194	*1" thick laminate*
KBT	183	*5/8" thick laminate*

KBMOD

Keyboard Tray

- Keyboard tray, available in lengths from minimum 24" to maximum 30";
- 5/8" and 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides.

Code	$	Description
KBMOD	233	*1" thick laminate*
KBMODT	222	*5/8" thick laminate*

To order, for example a 27" long keyboard tray, 5/8" thick laminate: KBMODT27

KBMODR

Keyboard Tray

- 28" wide keyboard tray;
- 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides;
- Black gel wrist rest / depth-adjustable stop handles.

Code	$	Description
KBMODR	315	

AP

Wrist Rest

- Black gel wrist rest.

Code	$	Description
AP	74	

CPU Holders

MCPU50

Miniature CPU Holder

- Height adjustable: 8" - 14";
- Width adjustable: 2" - 4";
- Maximum capacity: 10 kg (22 lbs);
- Need a minimum 5" deep clearance.

Code	$	Description
MCPU50	171	

MCPU90

CPU Holder

- Black metal CPU holder;
- Easy manipulation;
- Vertical adjustment:
  - Height: 15.5" x 20"
  - Width: 5.5" x 9.8"
- Horizontal adjustment:
  - Height: 17.5" x 22"
  - Width: 9.25" x 13.5"

Code	$	Description
MCPU90	216	*per unit*

CPUIND

CPU Holder

- 5/8" thick laminate CPU holder;
- 10" x 20" interior

Code	$	Description
CPUIND	184	*per unit*

Miscellaneous Accessories

SB

Suspension Bars

- Short suspension bars: 1 or 2 suspension bars for a left/ right filing for a regular file drawer;
- Long suspension bars: 1 or 2 suspension bars for a front/ back filing for a lateral file drawer.

Code	$	Description
SBV1	7	*1 short suspension bar*
SBV2	14	*2 short suspension bars*
SBH1	7	*1 long suspension bar*
SBH2	14	*2 long suspension bars*

TCPM

Sliding Drawer

- Black plastic sliding drawer with steel ball bearing slides.

Code	$	Description
TCPM	194	

SWV

Swivel Organizer Tray

- Storage drawer that rotate 360 degrees;
- Mounts flush to the edge;
- Dimensions: 8-1/4"D x 13-5/8"W x 1-3/8"H.

Code	$	Description
SWV	63	

LK

Lock

- Finish: Satin nickel and black;
- To order a lock separately, specify if it's a drawer lock (LKSNF or LKBLF) or a door lock (LKSNP or LKBLP);
- To order a factory installed lock, add (LKSN) or (LKBL) after the product code on wich lock will be installed.

Code	$	Description
LKSN	44	*Satin Nickel lock (factory installed)*
LKBL	44	*Black lock (factory installed)*
LKSNF	29	*Satin Nickel front lock*
LKBLF	29	*Black front lock*
LKSNP	29	*Satin Nickel door lock*
LKBLP	29	*Black door lock*
KEY	24	*Set of 2 keys - #501 - 600*
SERR 010	24	*1 master key*

ELPF

Black Plastic Grommet

- Standard black plastic grommet with the Logiflex logo engraved;
- 2-1/2" diameter cutout.

Code	$	Description
ELPF	6	*Unit price*

C_PF

Grommet

- Square metal grommet with the Logiflex logo engraved;
- Finish: Satin NIckel, Black and Chrome;
- 2-1/2" diameter cutout.

Code	$	Description
CAPF	26	*Unit price - Satin Nickel*
CBPF	26	*Unit price - Black*
CCPF	26	*Unit price - Chrome*
CDPF	26	*Unit price - White*

Electrical Accessories

BE-KDHB-1

Single sided power block (1)

Set including:

- Single sided power block (1);
- 2 Duplex -1 circuit;
- 2 mounting plates;
- Max. 10 duplex per circuit (5 double half power block BE-KDHB-1).

Code	$	Description
BE-KDHB-1-BL	203	
BE-KDHB-1-WH	213	

BE-KDHB-4

Single sided power block (2)

Set including:

- Single sided power block (2);
- 4 Duplex -1 of each circuit;
- 4 Mounting plates;
- Max. 40 duplex (20 double half power block).

Code	$	Description
BE-KDHB-4-BL	416	
BE-KDHB-4-WH	426	

BE-KDBSM-1

Double sided power block

Set including:

- Double sided power block;
- 4 duplex -1 circuit;
- 2 slide mounting brackets;
- Max. 10 duplex per circuit (2 double power block).

Code	$	Description
BE-KDBSM-1-BL	390	
BE-KDBSM-1-WH	408	

BE-KDBSM-4

Double sided power block

Set including:

- Double sided power block;
- 4 duplex -1 of each circuit;
- 2 slide mounting brackets;
- Max. 40 duplex (10 double power block).

Code	$	Description
BE-KDBSM-4-BL	390	
BE-KDBSM-4-WH	408	

SMWM

Cable Support

- 3.5" metal wire support with 1 telecom plate cutout;
- Satin nickel finish.

Code	$	Description
SMWM	29	

BE-TELA

Telecom plate

- Blank plate;
- 3-1/8'' x 1-3/4";
- Colors: Black, White and Satin nickel;
- To be used with the APB, APF or AP2 cover plate option of the supply walls.

Code	$	Description
BE-TELA-BL	6	
BE-TELA-WH	6	
BE-TELA-SN	6	

BE-TELB

Telecom plate

- 2 spaces to install connection ports;
- 3-1/8'' x 1-3/4";
- Adapter included.
- Colors: Black, White and Satin nickel.

Code	$	Description
BE-TELB-BL	6	
BE-TELB-WH	6	
BE-TELB-SN	6	

BE-HW

Hardwired conduit power entry

* To be connected to an electrical box by an electrician.

- 8 wires - 4 circuits 20A;
- For 8 trac system;
- Bare wires at one end
- Male end.

Code	$	Description
BE-HW-72	182	*8 wire, 4 circuit - 72"L*
BE-HW-84	198	*8 wire, 4 circuit - 84"L*
BE-HW-96	221	*8 wire, 4 circuit - 96"L*
BE-HW-120	258	*8 wire, 4 circuit - 120"L*
BE-HW-180	378	*8 wire, 4 circuit - 180"L*

Electrical Accessories

BE-PI72

Corded Power entry

- Corded power entry of 72'';
- Right angle 20 Amp plug;
- Male end;
- 1 circuit 20A;
- Must be plug on 20A outlet

Code	$	Description
BE-PI72	226	

BE-NYHW

NYC flex hardwired power infeed

* To be connected to an electrical box by an electrician.
- 8 wires - 4 circuits 20 A;
- Bare wires at one end;
- For 8 trac system;
- Male end.

Code	$	Description
BE-NYHW-72	410	
BE-NYHW-84	431	
BE-NYHW-96	447	
BE-NYHW-108	469	
BE-NYHW-120	487	

BE-J

M/M jumper

- Non-ajustable;
- 8 wire - 4 circuits;
- M/M;
- For 8 trac system;
- Minimum 12" - Maximum 216".

Code	$	Description
BE-J12	116	*8 wire cable / 4 circuit - 12"L*
BE-J18	124	*8 wire cable / 4 circuit - 18"L*
BE-J24	131	*8 wire cable / 4 circuit - 24"L*
BE-J36	143	*8 wire cable / 4 circuit - 36"L*
BE-J42	152	*8 wire cable / 4 circuit - 42"L*
BE-J48	162	*8 wire cable / 4 circuit - 48"L*
BE-J54	169	*8 wire cable / 4 circuit - 54"L*
BE-J60	183	*8 wire cable / 4 circuit - 60"L*
BE-J66	190	*8 wire cable / 4 circuit - 66"L*
BE-J72	200	*8 wire cable / 4 circuit - 72"L*
BE-J78	211	*8 wire cable / 4 circuit - 78"L*
BE-J84	222	*8 wire cable / 4 circuit - 84"L*
BE-J96	239	*8 wire cable / 4 circuit - 96"L*
BE-J120	279	*8 wire cable / 4 circuit - 120"L*
BE-J216	519	*8 wire cable / 4 circuit - 216"L*

BE-HC

Harness connector F/F

- Used to connect jumper cables and blocks together;
- 1-1/2'' x 2-1/4''.

Code	$	Description
BE-HC	54	

BE-DHB

Single sided power block

- Maximum of 2 duplex per block;
- Includes mounting plates ;
- F/F ;
- For 8-trac system ;
- Duplex ordered separately.

Code	$	Description
BE-DHB	106	

BE-DBSM

Double sided power block

- Maximum of 4 duplex per block;
- For 8-trac system ;
- Slide mounting sold separately ;
- F/F ;
- Duplex ordered separately.

Code	$	Description
BE-DBSM	152	

Electrical Accessories

BE-D20-C

Duplex

- 20 Amp;
- Height 1-1/18";
- For BE-DHB & BE-DBSM blocks ;
- Colors: Black or white ;
- Maximum of 10 Duplex per circuit.

Code	$	Description
BE-D20-C-1-BL	48	*Circuit 1 - 20A - Black*
BE-D20-C-2-BL	48	*Circuit 2 - 20A - Black*
BE-D20-C-3-BL	48	*Circuit 3 - 20A - Black*
BE-D20-C-4-BL	48	*Isolated Circuit 4 - 20A - Black*
BE-D20-C-1-WH	54	*Circuit 1 - 20A - White*
BE-D20-C-2-WH	54	*Circuit 2 - 20A - White*
BE-D20-C-3-WH	54	*Circuit 3 - 20A - White*
BE-D20-C-4-WH	54	*Isolated Circuit 4 - 20A - White*

BE-SM58-2

Slide mount bracket

2 brackets;

- Only for the double power block (BE DBSM);
- 5/8" height;
- Screws included.

Code	$	Description
BE-SM58-2	42	

WM

Velcro Tie

- Velcro tie for electrical cable;
- The non-metallic buckle is safe to use around electrical devices;
- Dimensions: ¾" x 10";
- Color: black.

Code	$	Description
WM	13	*Unit price*
WMS	14	*with #8, 9/16" Robertson screw, per unit*

BR1

Branch unit

- 1 power outlet / 1 dual charger USB-a+c;
- Table top with braided storm 120 IN power cord.

Code	$	Description
BR1BL	522	*Black*
BR1WH	522	*White*

BR2

Branch unit

- 3 power outlet / 1 dual charger USB-a;
- Table top with braided storm 120 IN power cord.

Code	$	Description
BR2BL	671	*Black*
BR2WH	671	*White*

OAS

Oasis

- OAS A: 6 power receptacles, 2 USB (chargers), cutout for 1 Telecom plate;
- OAS B: 6 power receptacles, 2 USB (chargers), HDMI F/F with 36" patch cord attached, Mini Stereo Inline, 15 Pin HD VGA F/F with 72" patch cord attached;
- OAS C: 6 power receptacles, 2 USB (chargers), HDMI F/F with 36" patch cord attached;
- 108" power cable with electric plug;
- Satin Nickel finish.

Code	$	Description
OASA	2619	
OASB	3035	
OASC	2830	

Electrical Accessories

INT

Interact

- Interact:
  - 72" power cable with electric plug for INT A, INT B and INT C models;
  Satin Nickel finish.
- INT A: 2 power receptacles and a cutout for 1 telecom plate, 3rd electrical outlet on underside.
- INT B: 2 power receptacles, 3rd electrical outlet on underside, HDMI F/F with 36" patch cord attached, Mini Stereo Inline, 15 Pin HD VGA F/F.
- INT C: 2 power receptacles, 3rd electrical outlet on underside, HDMI F/F with 36" patch cord attached.

Code	$	Description
INT A	721	
INT B	1137	
INT C	932	

With electric plug

Code	$	Description
INT A HW	555	
INT B HW	1137	
INT C HW	931	

Hardwire: to be connected to an electrical box by an electrician.

COV1

Cove Unit

- 108" power cable with electric plug;
- Satin nickel finish.

Code	$	Description
COV1	581	*1 power, 2 USB (chargers)*

POR 01

RJ45, CAT 6 connectivity port

- RJ45, CAT6 connector;
- RJ45 M/F cable - 72" ;
- Finish: Black.

Code	$	Description
POR 01	144	

POR 02

RJ11 connectivity port

- RJ11 connector, 4 pin
- RJ11 M/F cable - 84";
- Finish: Black.

Code	$	Description
POR 02	42	

POR 03

USB connectivity port

- 1 USB (data/passive);
- USB M/F cable - 72";
- Finish: Black.

Code	$	Description
POR 03	89	

POR 04

HDMI connectivity port

- HDMI connector;
- HDMI M/F cable - 18";
- Finish: Black.

Code	$	Description
POR 04	131	

POR 05

Mini Stereo Jack

- 3.5 mm Mini Stereo Jack, M/F;
- Audio M/F cable -120";
- Finish: Black.

Code	$	Description
POR 05	47	

POR 06

VGA Connector

- VGA connector, 15 pin;
- VGA M/F cable -120";
- Finish: Black.

Code	$	Description
POR 06	167	

Electrical Accessories

F-714

Power bar

- Power bar with 6 AC 15 Amp electric outlets;
- 120", 14-3 power cable with electric plug.

Code	$	Description
F-714	118	

PBL

Power bar

- Power bar with 6 electric outlets;
- 120" power cable with electric plug.

Code	$	Description
PBL	65	

CT

Metal cable tray

Metal cable tray

- In stainless steel;
- Dimensions: 2x4; Interior dimensions: 1-7/8"D x 1-7/8"H
- Length of 24" and 118" (118" can be cut on site).
- With mounting hardware

Code	$	Description
CT24	64	
CT118	110	

SPINE

Wire Management Spine

- 2" diameter;
- Gray plastic.

Code	$	Description
SPINE	169	

CTCOVER

Laminate cover

- Laminate cover for cable tray;
- Mounting brackets;
- Dimension "B" is 1/4" recessed.

Code	$	Description
53		*6 x 30*
58		*6 x 36*
64		*6 x 42*
69		*6 x 48*
76		*6 x 54*
81		*6 x 60*
87		*6 x 66*
92		*6 x 72*
99		*6 x 78*
104		*6 x 84*

DSG

Double-sided grommet

Passe-fils double-face

- Hole diameter: 2.5"
- Use for electrical cable management with division panels. Drilling to be done by the installer.
- Grommet to cut on site for desired thickness to cover.

Code	$	Description
DSG BL	29	*Black*
DSG WH	29	*White*

WMP

Wire Management Pole

- Blank steel pole to bring cables from the ceiling to a work station;
- Satin nickel finish with a grey boot base;
- 2 compartments: 1 power/1 communications
- Mounting hardware, entrance end plate and ceiling trim plate included;
- Wires and outlets not included;
- Height: 12' 5".

Code	$	Description
WMP	455	

Electrical Accessories

T5

Florescent task light

- Florescent lamp (T5) with swivel reflector and electronic ballast;
- 120" power cable with electric plug;
- 16" connection wire for T524, T536 or T548 florescent task lamps;
- Finish: Black and Satin Nickel

Code	$	Description
T524 BL	177	*24" length - Black*
T524SN	177	*24" length - Satin Nickel*
T536 BL	238	*36" length - Black*
T536 SN	238	*36" length - Satin Nickel*
T548 BL	314	*48" length - Black*
T548 SN	314	*48" length - Satin Nickel*

DEL20

LED task light

- 20" LED task light, 7.5W, cool white;
- 180° swivel feature;
- 72" power cable with electric plug;
- 20" connection wire for DEL20 task lamps;
- Finish: Satin nickel.

Code	$	Description
DEL20	218	*20" length*

As our product line is constantly evolving and expanding, we recommend that you visit logiflex.ca for updates.

logiflex
1235 St-Roch N., Sherbrooke QC J1N 0H2 Canada
T : 1.877.864.9323 | F : 1.800.474.7830 | logiflex.ca

CERTIFIED INDOOR AIR QUALITY™ SCS GLOBAL SERVICES
INDOOR ADVANTAGE GOLD FURNITURE