XTENSION

Price List

USA 2023

logiflex

Table of Contents

Product Map 5
Our social responsability 8
Conditions of Sale 8
Manufacturing Standards 9
How to Use the Price List 10
Appendix A: Colors and Finishes 11
Appendix B: Surfaces and Molding Edges 14
Appendix C: Wood Grain 15
Appendix D: Pedestals and File Drawers 16
Appendix E: Calculation and Use of Electrical Components 17
Appendix H: Locks 20
Appendix I: Electrical Wire Management Solutions 21
Appendix J: Surface Support 24

Walls and Panels 25

Power Walls 26
Division Panels 31
Panel Accessories 38

Surfaces 48

Rectangular Surfaces 49
D Surfaces 51
Collaboration Surfaces 52
Privacy Corner Screen 53

Supports 54

Legs 55
Layering Surface Support 61
Brackets and Stiffeners 63

Pedestals 68

Independant Pedestals 69
Mobile Pedestals 77
High Pedestals 79
Benches 81

Storage Towers 84

Sliding Storages 85
Storage Towers 86

Islands Stations 89

Islands Stations 90
Islands Stations with Bookcase 91
Islands Stations with Lockers 92

Accessories 93

Handles 94
Keyboard Trays 95
CPU Holders 96
Computer Monitor Brackets 97
Miscellaneous Accessories 99
Electrical Accessories 101

Introduction

The Xtension furniture collection

Update Summary

The Xtension price list presents these principal modifications:

DATE	SECTION	MODIFICATIONS
February 1, 2023	**All the Price List**	• All prices have been increased by approximately 5%. • Transition from 6 to 14 grades of fabric. • New certification Indoor Advantage Gold (replace Greenguard).

Previous updates:

DATE	SECTION	MODIFICATIONS
December 1, 2022	**Electrical accessories**	• Adjustment of the names and images of certain items.
July 1, 2022	**Appendix A**	• Color availability chart update for the HPL.

Product Map

*Do not mix Xtension with other collections

See the Xtension specifications guide here

Walls and Panels

Power Walls p. 26

PWL | PWLT | PWLX | EPAN | EPANL | EPANR | EPANC

Division Panels p.34

PAN | PANLL | PANLR | PANT | PANX

Panel Accessories p.38

TBP | MBP | SHP | LPLANTS | LPLANTP | EAS | ATF01 | MTC | OHSS | OHSD | CTCOVER

Surfaces

Rectangular Surfaces p.48

TOP | DTOP | COLTOP | CORTOP

Privacy Corner Screen p.52

FSFD

Product Map

*Do not mix Xtension with other collections

See the Xtension specifications guide here

Supports

Legs p.54

ENDLEG | MIDLEG | RAW | RA2 | HATLEY | 4.5 | IFN | LENNOX | MAGOG | PATTE30

Layering Surface Support p.60

DRSUP | TSUP

Brackets and Stiffeners p.62

CNT01 | CNT02 | CNT03 | CNTC01 | CNTC02 | CNTSH | RSTF | FP2BL

Pedestals

Independant Pedestals p.68

EIND | FIND | PGDIND | UOIND | ARLIND | ARRIND | ARIND | BBLIND | CLIND

Mobile Pedestals p.76

MOBARL | MOBARR | MOBSPU

High Pedestal p.78

OK25 | KO25 | OAR25 | ARO25

Product Map

*Do not mix Xtension with other collections

See the Xtension specifications guide here

Pedestals (following)

Benches p.79

BO | BOO | BF | BFF | BLEO

Storage Towers

Sliding Storages p.84

SL01L | SL01R

Storage Towers p.85

ARHL | ARHR | BBUF | ARUFL | ARUFR

Islands Stations

Islands Stations p.88

USF | USBB | USLOR | USLOL

Our social responsability

At Logiflex, we have chosen to be a responsible North American manufacturer by implementing initiatives for sustainable development. As much as possible, we source local materials and partner with suppliers who prioritize clean manufacturing processes. We also consolidate goods during transport to reduce ou fuel consumption and we continually make changes that help reduce our waste production.

The company is ISO 9001 certified.

You can consult our eco-responsible approach as well as all our certifications in the Certifications section of our website. Find out how our products can help you obtain LEED credits and the Logiflex products that are Indoor Advantage Gold certified.

Conditions of Sale

Prices

The amounts listed in this document are suggested retail prices and may be changed without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. A deposit may be requested if the opening of your account has not been completed or if your account has become inactive.

Terms of Payment

Net 30 days F.O.B. Sherbrooke, Quebec. The invoice will be assigned the shipping date and is payable 30 days from that date. Logiflex remains the owner of the merchandise until the invoice is paid in full.

Customized Products (Special Items)

Price requests for customized products or special items can be submitted via the "Private Space" section of our website, at www.logiflex.ca. Our quotations department will study your request and send you a quotation and a technical drawing for approval as soon as possible. Modifications to quotations or technical drawings can be requested the same way. The approved quotation(s) and technical drawing(s) can then be attached to your purchase order.

Orders

An official purchase order must be issued for all purchases. Your purchase order must contain the following information:

- Your company letterhead
- Your reference number
- The delivery address (with contact name and phone number)
- The complete product codes
- Furniture colour(s)
- Quantities
- Descriptions
- Retail prices and net prices
- Project registration number (if applicable), and your approved quotation and technical drawing (for special items).

Please note that a quotation cannot serve as a purchase order.

Returns

All returns must first be approved by Logiflex. If the return is accepted, a Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

Modifications and/or Cancellations

You have 24 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may cancel your order during this same 24-hour period. If you would like to modify or cancel your order after this 24-hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials.

Liability

Logiflex's liability ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

Claims

Logiflex recommends inspecting the shipment before signing the carrier's delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture as soon as possible. Requests to replace damaged products can be made via the "Private Space" section of our website, at www.logiflex.ca. Our after-sales service department will examine your request and help you correct the situation.

Changes

Logiflex reserves the right to make changes to the materials, accessories, components, specifications and designs, and to discontinue collections and/or models, at any time and without prior notice.

Storage and/or Shipping Fees

According to the terms Logiflex set forth in the transport policy. The transport policy can be consulted online in the Private Space.

Items Delivered Disassembled

Some items are delivered disassembled, such as empty desks, empty returns, bridges, arched tables, D, P or Q tables, lateral tables, end tables, hook tables, corner tables and extended-corner tables. To order these items assembled, add a $100 list price. Contact Customer Service for details.

Warranty

Logiflex guarantees to the original purchaser that Logiflex products are free from defects in design, materials and workmanship for the product's lifetime, with certain exceptions.

You may consult the full warranty on the website:
Logiflex Warranty

Manufacturing Standards

Product Dimensions

For display purposes, the furniture dimensions represented in the price tables on each product page are rounded to the nearest whole number.

Furniture Construction

- All desktops and legs are 1" thick laminate;
- Fronts and backs are 5/8" thick laminate.

Handles

Handles are included for all Xtension furniture with doors. The standard handle, when included, is the H071BL handle (black). Please refer to the Accessories section for the list of handles available from Logiflex.

Space for surfaces

All surfaces offer the option of having a 1.5" space to allow wiring to pass through. Please refer to the different product pages to see and understand its operation.

Locks

Locks are included for all pedestals, lateral file drawers, cabinets and wardrobes. It is possible to specify a finish other than the black standard. Please refer to the Accessories section at the end of this price list to find out about the different finishes available from Logiflex.

Pedestals

All drawers are made of black Medium density fiberboard (MDF) with an average thickness of 7/16". Utility, file and lateral file drawers have full extension slides. The lateral file drawer has a load capacity of 150lbs while the utility and file drawer have a load capacity of 100lbs.

Drawer Fronts

A PVC strip 1.5 mm thick is systematically applied along all drawer front edges.

Wood Grain

The wood grain is always vertical on fronts, furniture doors, walls and panels. Logiflex cannot guarantee that the wood grain will match up on the different parts of a same surface.

Finishes

You must specify the desired finish(es) for each item of furniture ordered. Please make your selection(s) from the Logiflex chart.

Levelers

All furniture items sit on 1" in diameter, white nylon levelers, allowing for up to 1-1/4" height adjustment. The standard finished height for work surfaces is 29".

How to Use the Price List

Standard Product Code
Details as per the price listed

Options, if desired ($)
Always after the product code

Appendix A: Colors and Finishes

How to specify your laminate colors

Metal Finishes

SN	Satin Nickel
BL	Black
WH	White

Availablility Chart

FINI FINISH	CODE	COLOR COULEUR	THICKNESS ÉPAISSEUR ⅝"	1"	1-⅝"	HPL STRATIFIÉ	PANVAL CODE
OMNIA	DOO	Dosha	•	•		•	K77
	COO	Cosmos	•	•		•	K78
AURA	GIA	Ginger Root | Gingembre	•	•		•	H72
	HAA	Haze | Brume	•	•	•	•	H57
	OHA	Ohm	•	•	•	•	K69
	STA	Storm | Tempête	•	•	•	•	H58
	TUA	Tundra	•	•		•	H75
LYRA	ASY	Asha	•	•		•	K47
	CIY	Chiffon | Mousseline **	•	•	•	•	K60
	KAY	Kali	•	•		•	K46
SUPERMAT	IGS	Ingot grey | Gris lingot	•	•			828
	WGS	Willow grey | Gris saule	•	•			802
DOLOMITE	AU	Audacity | Audace **	•	•	•	•	241
	B	Jet Black | Noir intense *	•	•		•	888 | S405-CA
	BC	Brown cherry | Cerisier brun	•	•	•	•	207
	C	Slate | Ardoise *	•	•		•	801
	DR	Driftwood | Bois de rive	•	•		•	744
	G	Mink Grey | Gris vison	•	•		•	805 | OU-927
	NM	Natural Maple | Érable naturel	•	•	•	•	206
	PO	Porto	•	•		•	913 | OU-648
	SW	Smoked Walnut | Noyer fumé	•	•	•	•	G21
	TO	Tobacco	•	•		•	205
	W	Polar White | Blanc polaire	•	•	•	•	555 | 459-CA
	WK	Whisky	•	•	•	•	245
HIGH GLOSS | SUPER LUSTRÉ	W-H	Polar White - fronts | Blanc polaire - façades	•				

* Non recommended color for work surfaces.
** For conference tables with 2 or more parts, we do not recommend the use of colors with irregular and contrasted woodgrain like Chiffon, Audacity or Coastal Pear as it results in a pronounced wood grain mismatch.

Colors may vary from 2% to 5% between tfl and hpl laminates due to different technical applications.

See our complete **Colors & Finishes Guide**

N New

Appendix A: Colors and Finishes (following)

12 Wood Stains

Logiflex offers varnish and stain selection among the following 12 colors on all wood applications.

Knots and color variation can occur between different wood components of the same piece of furniture, or between different pieces of furniture. This variation is due to the natural characteristics of the wood, and is more contrasting for pale wood colors like Golden Wheat.

WW White Wash

GW Golden Wheat

SD Sand

AT Apricot

PN Pecan

BR Brandy

CT Chestnut

CF Coffee

ES Espresso

BO Bordeaux

BW Black Wash

BK Bark

- Due to its natural properties of wood, grain pattern and finish color variation can be expected.
- Although Logiflex offers great matches from laminate to wood, they are not exact due to grain pattern and sheen variation from laminate to wood. They coordinate throughout a floor plan, however we recommend they not be utilized on the same piece of furniture. See the **Closest match - Wood stain / Laminate** guide.
- Adding a new product to an existing installation might result in color variations due to light exposure.
- **RAW** and **HATLEY** legs have a wood part.

3 Felt Colors for hexagonal tiles

Hexagonal felt tiles are 12" x 10-25/64" tiles covered with felt and are offered in a choice of 3 colors.

BL Blue

LG Light Grey

DG Dark Grey

10 Fabrics for Tackboards

You must specify the fabric when the item requires it. Please refer to the Logiflex fabric guide to make your choice.

TBFRME Medium Grey

TBFRGR Grey Mix

TBOFTH Thermal

TBOFCO Coal

TBOFTI Tidal

TBOFHY Hydro

TBOFLA Lava

TBOFFO Fossil

TBSPAL Alabaster

TBSPOB Obsidian

Cushions Fabrics

See the Logiflex Graded-in List

Appendix A: Colors and Finishes (following)

15 Colors for Ezobord Sound Absorbing Overhead Screen

The Ezobord sound absorbing overhead screens are used to give an extra touch of privacy with a unique style and are offered in a choice of 15 colors.

2 Colors Available

BG07 Bold Gray

MG10 Moss Green

13 Other Colors Available, if Order 6 and More

PB09 Pure Black

CG06 Charcoal Gray

SG04 Silver Gray

CW04 Classic White

DS10 Desert Sand

SD18 Sunny Days

PI14 Polar Ice

OB14 Ocean Blue

EG11 Elephant Gray

TB35 Tree Bark

BR34 Brick Red

GV36 Grape Vine

RB08 Royal Blue

• These colors only apply to sound absorbing overhead screens products with codes **OHSS** or **OHSD**.

Appendix B: Surfaces and Molding Edges

SERIES	PREVIEW	COMPONENT	MATERIAL	EDGES / MOLDING
XT		**1" surface**	Thermofused laminate (TFL) - 1" high-density particle board.	1.5 mm polyvinyl chloride (PVC)
XTL		**1-1/16" surface**	High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with 2.5 mm PVC edge.	1.5 mm polyvinyl chloride (PVC)
		Front and back	Thermofused laminate (TFL) - 5/8" high-density particle board.	1.5 mm polyvinyl chloride (PVC) on showing surfaces and 0.5 mm polyvinyl chloride (PVC) on non-showing surfaces.

Appendix C: Wood Grain

Wood grain runs lengthwise on surfaces and vertically on drawers, doors and legs.
See image below for wood grain direction placements.

Appendix D: Pedestals and File Drawers

E and F Pedestals

E

F

16" Pedestal Width: A plastic pencil tray is included in the first utility drawer.

File Drawers

File drawers can receive either legal or letter formats. Please refer to the illustration below.

Letter format

Legal format

Lateral File Drawers

Lateral file drawers can receive either legal or letter formats. Please refer to the illustration below.

Legal and Letter formats

30" and 36" file drawers can accomodate 2 rows of files.
42" file drawers can accomodate 3 rows of files.

2 rows of files

3 rows of files

Appendix E: Calculation and Use of Electrical Components

An Introduction to Calculation and Use of Electrical Components

Most people are uncomfortable with anything related to electricity. This step-by-step guide is intended for people who are not familiar with electrical installations but who have to specify what system they need when ordering furniture. In this guide, you will learn how to choose and specify the electrical components required for your projects. The list that follows illustrates and identifies each product and describes its applications.

The electrical components are all recognized by the Underwriters Laboratory (UL) as office furniture accessories and are manufactured according to Canadian Standards Association (CSA) and UL electrical standards.

Note: All electrical connections must be performed by a certified electrician.

By following these 3 simple steps, you can easily determine the number of circuits required to ensure safe use of your electrical system.

1. Determing the Number of Amperes Required
2. Calculating the Total Amperes
3. Determing How Many Circuits You Need

STEP 1:
Determing the Number of Amperes Required

What is Amperage
An Ampere (Amp or A) is a unit for measuring the rate at which electric current flows. All electrical equipment has an amperage rate. By following these few simple steps, you can easily determine the number of circuits required to ensure safe use of your electrical equipment.

Determine the Number of Amperes Required
On your computer or other electric devices (ie: monitor, central processing unit, printer) find the plate that provides the technical specifications as follows:

Input: 120V - 1.8A.

If you cannot locate this information on the machine, you will probably find it in the user manual.

Here are a few examples of how many Amps some equipment may consume. Please note that these are examples and the number of amperes may vary from one machine to another.

Electrical System Capacity

Our electrical system is designed for circuits of 20 amps each. This includes electrical components such as computers, printers, laptops, monitors, server or other devices.

20A

A single Duplex has a maximum capacity of 20 A

Each power block can hold 2 Duplex

Each power block can hold 4 Duplex

If the duplexes are connected to the same circuit, the capacity is divided between them. For example, 3 duplexes connected to the same circuit have a total capacity of 20A.

Appendix F: Calculation and Use of Electrical Components

STEP 2:
Calculating the Total Amperes

Add the Amperes

Add the number of amps for each machine. In our example, there are 4 CPUs at 2.5A per computer, 4 monitors at 0.5A and one printer at 9A.

2.5A + .5A + 2.5A + .5A + 2.5A + .5A + 2.5A + .5A + 9A = **21A**

The total number of amperes used in this example equals to 21A.

Divide by 16

Most machines and computers used in offices or schools are used continuously for many hours at a time. In this type of situation, national electrical codes usually limit circuits at 80% of their capacity of continuous use. Our electrical system is designed for circuits of 20 amps each. So 80% of 20A is 16 Amps You must therefore divide the total number of amperes calculated by 16.

STEP 3:
Determing How Many Circuits You Need

In most cases, this number will contain decimals. Round up to the next whole number, and this will be the number of circuits required for your equipment to run safely. If the number obtained is higher than 4 (the maximum number of circuits for a system), you must reduce the total amperage or add another electrical system. Continuing with our example, the 1.3A is rounded up to 2A.

Here is one possible configuration. Using 5 power blocks joined together with junction cables, only 2 circuits are being used. The 4 workstations would be on the first circuit for a total of 16 amps. The printer would be on the second circuit.

Appendix G: Calculation and Use of Electrical Components

8 Wire, 4 Circuit (3+1) Power Block

- Duplex are interchangable permitting any required circuit combination;
- Blocks for single or double sided applications;
- Complies with National Electric Code;
- UL Listed/Recognized.

Starter Cable with Hardwire

- 4 circuit starter cable with hardwire at one end;
- 4 circuits rated for 20 AMP each;
- Available in lengths from 12"to 180";
- Whip end to be connected to building power by an electrican.

Starter Cable with Plug

- 1 circuit starter cable with 20A electrical plug;
- Circuit rated for 20 AMP;
- Available in lengths from 36"to 180".

Junction Cable

- 4 circuit cord;
- All circuits rated for 20 AMP;
- Available in lengths from 12"to 216".

Appendix H: Locks

E1

See the E1 lock guide here

Features:
- Keypad with backlight for easy distinction;
- Wrong code or illegal card alarm;
- Code combination ranging from 1 to 9 digits for multiple possibilities;
- Private and public mode;
- Stainless steel material;
- External power back up.

Lock/Unlock by Master or User Card:
- Scan the master card near the instruction area. The green light comes on with a beep and the lock is unlocked.
- Permanent code mode: scan the card. The red light comes on with 2 beeps and the lock is automatically locked.
- One-time code mode: after unlocking by user card, the lock is in unlocked state.

Power supply	3 x AA alkaline batteries
Card type	EM card (125KHz)
Battery life	12 15 months
Static current	≤20μA
Dynamic current	≤200mA
Working temperature	-15 +55
Working humidity	20 95%RH
Alarm voltage	3.7±0.2V
Door thickness	≥ 1mm

Program/Change Master Card:
- After initialization, scan a card near the instruction area.
- After 3 long beeps, the programmed card becomes master card.
- During the flashing period of the LED, the other 2 cards can be programmed up to 3 times max.
- The other 2 cards are needed in the future if one or 2 cards are lost.
- The programming procedure is: * - master card - # new master card.
- After programming a new master, the lost master card is deleted.

Delete Permanent Code:
- Tap the master card on the inductive areas three times. After 3 short beep sounds the permanent code is deleted.

Lock/Unlock by Permanent Code:
- Digital code (max 9 digit) followed by #
- After being unlocked for five seconds, a red light and two beep will sound while the locking automatically.

E2

See the E2 lock guide here

Features:
- Tactile buttons and indicators sound for a premium experience;
- Automatic alarm after 4 attempts;
- 4 digit combination for 10,000 possibilities;
- For shared use (public);
- Low consumption of battery (more than 5,000 uses);
- Easy button cell battery change.

Program your Personnal Code:
- Lock: Enter a 4-digit code and turn lock button to lock. Memorize this code. This code will be valid for one use only.
- Unlock: Enter this 4 digit code again and turn lock button to unlock. Do NOT press OK.

Forgotten Code:
- Note the serial number located on the side of the lock.
- Contact Logiflex to obtain the master code for your lock.
- Enter the 8-digit master code and press OK.
- Turn the lock to open.

Master Key Forgotten Code:
- Contact the person in charge of the master key.
- Insert the key and press OK.
- Turn the lock to open.

CMLK

Features:
- Key lock for use in lockers.
- Lock numbers are assigned randomly. Identical keys not available.
- The CMLK lock is different from the standard Logiflex lock. Additional keys and master keys are available on request. Mention that it is the locker lock.
- Finish: Chrome.

Appendix I: Electrical Wire Management Solutions

Example : Power Wall PWL

Appendix I: Electrical Wire Management Solutions (following)

Example: Option 1.5" Space

Specify this option to allow a 1.5 space between the surface and panel for wiring to run below the surface.

Example: Island Station

The island stations have a removable panel on the side where there is no storage, the removable panels are used to provide access to plugs.

Example: IND Pedestal and High Pedestal

The pedestals have a 2.5' recess to pass wiring.

The pedestals have an open back for access to wiring, concealed with a removable panel on the cabinets and BB.

Appendix I: Electrical Wire Management Solutions (following)

Example : Storage Tower

Storage towers can be specified with a recessed back by requesting a cutout on the right, left or both sides.

Example : Under the Surface

A metal cable tray can be installed on the dividing panels and power walls. It is recommended to install the cable tray with the help of the supports CNT01/02/03.

If a cable tray is specified under an Elevation Plus table, it is recommended to specify a CTCOVER to hide the cables.

To pass wiring between dividing panels or in power walls, you must order a DSG and drill a 2.5" hole during installation.

Appendix J: Surface Support

Example : Dividing Panel

The dividing panels are dependent on the furniture inside, here are the rules to follow according to the specification;

Example : Power Wall

Power walls do not need furniture to be supported, Elevation Plus tables should be used more;

Walls and Panels

Power wall

PWL

Manufacturing Standards

Power wall with:

- 1" laminate frame with 6" interior space to allow the wiring to pass through;
- Open bottom for wire management;
- Open sides on the left and the right with connectors;
- Connectors compatible with power wall or end panels only;
- White nylon levelers;
- Vertical wood grain.
- Requires end panel when not connected to power wall
- 8" thick

Non freestanding furniture.

Refer to Appendix J for specification rules.

End panels are needed to close the ends. *See p. 31.*

Panel accessories sold separately.

Power block option:
Plugs, telecom plate and cables sold separately.

Options

Electric box with access panel

(back)
APB
$217 ea.

(both)
AP2
$435 ea.

(front)
APF
$217 ea.

Prices

Dimensions A	B	
24	42	693
30	42	762
36	42	855
24	54	809
30	54	849
36	54	884

How to Order

		AB		APF APB AP2 **N (std)**	SN WH **BL (std)**
	XT		PWL		
	Series	Dimensions	Product	Access panel	Metal
Example	**XT**	2442	PWL	N	BL

T-shaped Power Wall with dividing panel - 42''H

PWLT - 42"H

Options

Electric box with access panel

(back)

APB

$217 ea.

Connector

F

$0

How to Order

		AB		CD	APB **N (std)**	SN WH **BL (std)**	F **N (std)**
	XT		PWLT				
	Series	Dimensions low wall	Product	Panel dimensions	Access panel	Metal	Front connector
Example	**XT**	2142	PWLT	2042	N	BL	N

Manufacturing Standards

Power wall with:

- 1" laminate frame with 6" interior space to allow the wiring to pass through;
- Open bottom for wire management;
- Open sides on the left and the right with connectors;
- Connectors compatible with power wall or end panels only;
- White nylon levelers;
- Vertical wood grain.
- Requires end panel when not connected to power wall
- 8" thick

Non freestanding furniture.

Refer to Appendix J for specification rules.

End panels are needed to close the ends. *See p. 31.*

Panel accessories sold separately.

Power block option:
Plugs, telecom plate and cables sold separately.

*Power block with finishing panel option not available on sides with division panel and for the *13" and *21" walls.*

Prices

Dimensions A B C D	
*13 42 12 42	769
*21 42 20 42	832
25 42 24 42	896
31 42 30 42	993
37 42 36 42	1138

T-shaped Power Wall with dividing panel - 54''H

PWLT - 54"H

Options

Electric box with access panel

(back)

APB

$217 ea.

Connector

F

$0

How to Order

		AB		CD	APB **N (std)**	SN WH **BL (std)**	F **N (std)**
	XT		PWLT				
	Series	Dimensions low wall	Product	Panel dimensions	Access panel	Metal	Front connector
Example	**XT**	2154	PWLT	2042	N	BL	N

Manufacturing Standards

Power wall with:

- 1" laminate frame with 6" interior space to allow the wiring to pass through;
- Open bottom for wire management;
- Open sides on the left and the right with connectors;
- Connectors compatible with power wall or end panels only;
- White nylon levelers;
- Vertical wood grain.
- Requires end panel when not connected to power wall
- 8" thick

Non freestanding furniture.

Refer to Appendix J for specification rules.

End panels are needed to close the ends. *See p. 31.*

Panel accessories sold separately.

Power block option:
Plugs, telecom plate and cables sold separately.

*Power block with finishing panel option not available on sides with division panel and for the *13" and *21" walls.*

Prices

Dimensions A B C D	
*13 54 12 42	930
*21 54 20 42	993
25 54 24 42	1016
31 54 30 42	1080
37 54 36 42	1282
*13 54 12 54	942
*21 54 20 54	1005
25 54 24 54	1063
31 54 30 54	1138
37 54 36 54	1236

X-shaped Power Wall with dividing panels - 42''H

PWLX - 42"H

Options

Connector

(back) B $0

(front) F $0

How to Order

		AB		CD	F **N (std)**	B **N (std)**
	XT		PWLX			
	Series	Dimensions low wall	Product	Panel dimensions	Front connector	Rear connector
Example	**XT**	2142	PWLX	2042	N	N

Manufacturing Standards

Power wall with:

- 1" laminate frame with 6" interior space to allow the wiring to pass through;
- Open bottom for wire management;
- Open sides on the left and the right with connectors;
- Connectors compatible with power wall or end panels only;
- 2 simple dividing panels, fixed to the center;
- White nylon levelers;
- Vertical wood grain.
- Requires end panel when not connected to power wall
- 8" thick

Non freestanding furniture.

Refer to Appendix J for specification rules.

End panels are needed to close the ends. *See p. 31.*

Panel accessories sold separately.

Power block with finishing panel option not available on sides with division panel.

Prices

Dimensions A B C D	
13 42 12 42	953
21 42 20 42	1016
25 42 24 42	1046
31 42 30 42	1196
37 42 36 42	1392

X-shaped Power Wall with dividing panel - 54''H

PWLX - 54"H

Options

Connector

How to Order

		AB		CD	F **N (std)**	B **N (std)**
	XT		PWLX			
	Series	Dimensions low wall	Product	Panel dimensions	Front connector	Rear connector
Example	**XT**	2154	PWLX	2042	N	N

Manufacturing Standards

Power wall with:

- 1" laminate frame with 6" interior space to allow the wiring to pass through;
- Open bottom for wire management;
- Open sides on the left and the right with connectors;
- Connectors compatible with power wall or end panels only;
- 2 simple dividing panels, fixed to the center;
- White nylon levelers;
- Vertical wood grain.
- Requires end panel when not connected to power wall
- 8" thick

Non freestanding furniture.

Refer to Appendix J for specification rules.

End panels are needed to close the ends. *See p. 31.*

Panel accessories sold separately.

Power block with finishing panel option not available on sides with division panel.

Prices

Dimensions A B C D	
13 54 12 42	1040
21 54 20 42	1101
25 54 24 42	1151
31 54 30 42	1281
37 54 36 42	1415
13 54 12 54	1127
21 54 20 54	1201
25 54 24 54	1247
31 54 30 54	1392
37 54 36 54	1566

End Panel for Power Wall

EPAN

Manufacturing Standards

End panel:
- 1" laminate panel;
- With connectors for power wall.

Important: *Must be the same height as the power wall*

Position of grommet: An ELPF grommet is aligned with the power wall and at 20" H.

To connect division panels on the left or on the right, see products PANL, PANR, PANC.

Options

Grommet

GRC
$0

Prices

Dimensions A	B
08 42	87
08 54	92

How to Order

		AB		GRC **NGR (std)**
	XT		EPAN	
	Series	Dimensions	Product	Grommet
Example	**XT**	0842	EPAN	N

End panel for power wall, extended on one side

EPANL

EPANR

Manufacturing Standards

End panel for power wall, extended on one side:

- 1" laminate panel;
- With connectors for power wall;
- White nylon levelers.

Important: *Must be the same height as the power wall*

Position of grommet: An ELPF grommet is aligned with the power wall and at 20" H.

To connect division panels on the left and on the right, see products PANL, PANR, PANC.

Options

Connector

L
R
$0

Grommet

GRC
$0

Prices

Dimensions A	B
28 42	249
32 42	260
28 54	300
32 54	335

How to Order

		AB	EPANL EPANR	L **N (std)**	R **N (std)**	GRC **NGR (std)**
	XT					
	Series	Dimensions	Product	Connector Left	Connector Right	Grommet
Example	**XT**	2842	EPANL	N	N	NGR

End panel for power wall, extended on both sides

EPANC

Manufacturing Standards

End panel for power wall, extended on both sides:

- 1" laminate panel;
- With connectors for power wall;
- White nylon levelers.

Important: *Must be the same height as the power wall*

Position of grommet: An ELPF grommet is aligned with the power wall and at 20" H.

To connect division panels on the left or on the right, see products PANL, PANR, PANC.

Options

Connector

L
R
$0

Grommet

GRC
$0

Prices

Dimensions A	B
32 42	226
48 42	243
32 54	284
48 54	318

How to Order

		AB		L N (std)	R N (std)	GRC NGR (std)
	XT		EPANC			
	Series	Dimensions	Product	Left connector	Right connector	Grommet
Example	**XT**	3242	EPANC	N	N	N

Simple panel

PAN

Manufacturing Standards

Simple panel:
- 1'' laminate with connectors on each end;
- White nylon levelers.
- Vertical woodgrain.

Non freestanding furniture.

Refer to Appendix J for specification rules.

Electrical management: refer to Appendix I.

Panel accessories sold separately.

For wire management, holes must be drilled on site be the installer. See Accessories section for DSG grommet.

Options

Connector

L
R
$0

Prices

Dimensions A	B
06 42	77
12 42	89
14 42	102
15 42	107
18 42	127
20 42	146
24 42	171
26 42	185
30 42	216
32 42	231
36 42	266
42 42	295
48 42	335
06 54	89
12 54	107
14 54	122
15 54	133
18 54	162
20 54	180
24 54	219
26 54	231
30 54	272
32 54	307
36 54	341
42 54	376
48 54	427

How to Order

		AB		N **L (std)**	N **R (std)**
	XT		PAN		
	Series	Dimensions	Product	Left connector	Right connector
Example	**XT**	2642	PAN	N	N

L-shaped Panel

PANLL

PANLR

Manufacturing Standards

L-shaped panel:

- Delivered disassembled;
- 1'' laminate with connectors on each end;
- White nylon levelers.
- Vertical woodgrain.

Non freestanding furniture.

Refer to Appendix J for specification rules.

Electrical management: refer to Appendix I.

Panel accessories sold separately.

For wire management, holes must be drilled on site be the installer. See Accessories section for DSG grommet.

Options

Connector on the left

L
R
$0

How to Order

		AB	PANLR PANLL	CD	N **L (std)**	N **R (std)**
	XT					
	Series	Dimensions 1st panel	Product	Dimensions 2nd panel	Left connector	Right connector
Example	**XT**	2142	PANLR	2042	N	N

Prices

Dimensions A B C D	
21 42 20 42	291
25 42 24 42	342
31 42 30 42	432
37 42 36 42	531
21 54 20 42	324
25 54 24 42	391
31 54 30 42	487
37 54 36 42	606
21 54 20 54	358
25 54 24 54	439
31 54 30 54	543
37 54 36 54	681

T-Shaped Panel

PANT

Manufacturing Standards

T-shaped panel:

- Delivered disassembled;
- 1'' laminate with the possibility to connect on each end;
- White nylon levelers.
- Vertical woodgrain.

Non freestanding furniture.

Refer to Appendix J for specification rules.

Electrical management: refer to Appendix I.

Panel accessories sold separately.

For wire management, holes must be drilled on site be the installer. See Accessories section for DSG grommet.

Options

Connector

L	F	R
$0	$0	$0

How to Order

		AB		CD	N **L (std)**	N **R (std)**	N **F (std)**
	XT		PANT				
	Series	Dimensions	Product	Height	Left connector	Right connector	Front connector
Example	**XT**	1342	PANT	1242	N	N	N

Prices

Dimensions A B C D	
13 42 12 42	171
21 42 20 42	295
25 42 24 42	335
31 42 30 42	432
37 42 36 42	531
41 42 40 42	589
13 54 12 42	202
21 54 20 42	342
25 54 24 42	379
31 54 30 42	487
37 54 36 42	606
41 54 40 42	670
13 54 12 54	219
21 54 20 54	376
25 54 24 54	427
31 54 30 54	543
37 54 36 54	681
41 54 40 54	751

X-shaped Panel

PANX

Options

Connector on the left

L	F	R	B
$0	$0	$0	$0

How to Order

		AB		CD	N **L (std)**	N **R (std)**	N **F (std)**	N **B (std)**
	XT		PANX					
	Series	Dimensions	Product	Height 2nd panel	Left connector	Right connector	Front connector	Rear connector
Example	**XT**	1342	PANX	1242	N	N	N	N

Manufacturing Standards

X-shaped panel:
- Delivered disassembled;
- 1'' with the possibility to connect on each end;
- White nylon levelers;
- Vertical woodgrain.

Non freestanding furniture.

Refer to Appendix J for specification rules.

Electrical management: refer to Appendix I.

Panel accessories sold separately.

For wire management, holes must be drilled on site be the installer. See Accessories section for DSG grommet.

Prices

Dimensions A B C D	
13 42 12 42	266
21 42 20 42	440
25 42 24 42	506
31 42 30 42	648
37 42 36 42	797
41 42 40 42	884
13 54 12 42	306
21 54 20 42	470
25 54 24 42	562
31 54 30 42	704
37 54 36 42	872
41 54 40 42	965
13 54 12 54	341
21 54 20 54	538
25 54 24 54	658
31 54 30 54	815
37 54 36 54	1023
41 54 40 54	1127

Hanging tackboard

TBP

Manufacturing Standards

Hanging tackboard :

- 7/8'' tackboard, 1/8" tick clip, ~1" thick total;
- Hanging on panels or on power walls;
- 2 hooks in the finish of your choice included.

The height of the panels is 3 "less than the overall height.

We do not recommend the use of tackboards with height adjustable tables unless there is adequate clearance.

Prices

Dimensions		COM												
A	B	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12
12	24	268	293	326	359	400	442	483	524	565	607	648	730	813
12	30	268	293	326	359	400	442	483	524	565	607	648	730	813
12	36	268	293	326	359	400	442	483	524	565	607	648	730	813
12	42	268	293	326	359	400	442	483	524	565	607	648	730	813
12	48	268	293	326	359	400	442	483	524	565	607	648	730	813
12	54	268	293	326	359	400	442	483	524	565	607	648	730	813
12	60	362	395	439	483	538	593	648	703	758	813	868	978	1088
12	66	362	395	439	483	538	593	648	703	758	813	868	978	1088
12	72	406	447	502	557	626	695	763	832	901	970	1038	1176	1313
18	24	294	319	352	385	426	468	509	550	591	633	674	756	839
18	30	294	319	352	385	426	468	509	550	591	633	674	756	839
18	36	294	319	352	385	426	468	509	550	591	633	674	756	839
18	42	294	319	352	385	426	468	509	550	591	633	674	756	839
18	48	294	319	352	385	426	468	509	550	591	633	674	756	839
18	54	294	319	352	385	426	468	509	550	591	633	674	756	839
18	60	389	422	466	510	565	620	675	730	785	840	895	1005	1115
18	66	389	422	466	510	565	620	675	730	785	840	895	1005	1115
18	72	432	473	528	583	652	721	789	858	927	996	1064	1202	1339
24	24	319	344	377	410	451	493	534	575	616	658	699	781	864
24	30	319	344	377	410	451	493	534	575	616	658	699	781	864
24	36	319	344	377	410	451	493	534	575	616	658	699	781	864
24	42	319	344	377	410	451	493	534	575	616	658	699	781	864
24	48	319	344	377	410	451	493	534	575	616	658	699	781	864

How to Order

		AB	TBP	SN WH **BL (std)**
	XT			
	Series	Dimensions	Product	Metal finish
Example	**XT**	1824	TBP	BL

Markerboard

MBP

Manufacturing Standards

Markerboard:

- 5/8'' board, 1/8" tick clip, ~3/4" thick total;
- To install on panels or on power walls;
- 2 hooks in the finish of your choice included.

The height of the tackboard is 3 "less than the overall height.

We do not recommend the use of tackboards with height adjustable tables unless there is adequate clearance.

Prices

Dimensions A B C	
12 24	116
12 30	127
12 36	139
12 42	150
12 48	162
12 54	173
12 60	185
12 66	196
12 72	208
18 24	145
18 30	162
18 36	180
18 42	196
18 48	214
18 54	231
18 60	249
18 66	266
18 72	284
24 24	168
24 30	191
24 36	214
24 42	237
24 48	260

How to Order

	Series	Dimensions	Product	Metal finish
	XT	AB	MBP	SN WH **BL (std)**
Example	**XT**	1824	MBP	BL

Transaction Shelf

SHP

Manufacturing Standards

Transaction shelf with:

- 1'' laminate;
- 2 ''L'' brackets included;
- To install on dividing panels or power walls;
- 2 brackets when less than 42", 3 brackets when 42" and more.

Prices

Dimensions A B C	
12 24	99
12 30	104
12 36	110
12 42	116
12 48	122
12 54	133
12 60	145
12 66	156
12 72	168

How to Order

		AB	
	XT		SHP
	Series	Dimensions	Product
Example	**XT**	1224	SHP

Metal Planter Box

LPLANTS

LPLANTP

Dividing panel

Power wall

Manufacturing Standards

Metal Planter Box:

- Dimensions: 8 x 30 x 6 H
  LPLANTS: Set-on surface
  LPLANTP: Rests on dividing panel

Prices

Code	
LPLANTS	411
LPLANTP	434

How to Order

	Product	Metal finish
	LPLANTS LPLANTP	SN WH **BL (std)**
Example	LPLANTP	BL

Acrylic divider on panel

EAS

Manufacturing Standards

Acrylic divider on panel:

- Acrylic panel with metal finish of your choice extrusion;
- Fixed on edge.

Dimension "B" allows the installation of panel accessories in combination with the divider.

Metal extrusion is 4'' shorter than acrylic panel

Prices

Dimensions A	B
06 22	168
06 28	196
06 34	226
06 40	249
06 46	272
06 52	289
06 58	295
06 64	300
06 70	307

How to Order

		AB		SN WH **BL (std)**
	XT		EAS	
	Series	Dimensions	Product	Metal finish
Example	**XT**	0622	EAS	BL

Hexagonal felt tile

ATF01

Manufacturing Standards

Hexagonal felt tile:

- Accoustical adhesive felt tile 10-3/8" x 12"'.

Important: *Item is too thin to be used as tackboard.*

Felt colors: *Blue **BL**, Light Grey **LG**, Dark Grey **DG**.*

Prices

Code	
ATF01 LG	61
ATF01 DG	61
ATF01 BL	61

How to Order

	Product	Felt color
	ATF01	BL LG DG
Example	ATF01	BL

Stabilazing Laminate Corner

MTC

Manufacturing Standards

Laminate triangle corner with:

- 1" laminate panel;
- Mounting hardware;
- Made for situations where no items are panel mounted;
- Maximum load: 25lbs.

Prices

Dimensions A	Dimensions B	
12	12	56

How to Order

	Series	Dimensions	Product
	XT	12 12	MTC
Example	**XT**	1212	MTC

Sound absorbing overhead screen - 1-sided

OHSS

Manufacturing Standards

Sound absorbing overhead screen - 1 sided:

- Total height of 18", exceeds 15" from the wall;
- 100% PET (min, 50% recycled content);
- 12 mm material;
- 15 finishes available;
- No hardware assembly;
- Fully tackable surface;
- Sound absorption characteristics:
  NRC: 0.80
  SAA: 0.80
  ASTM C423

***Ezobord Colors**: Bold Gray **BG07**, Green Moss **MG10**.*
For more colors, see Appendix A. Note that you must order 6 or more to access the other colors.

Prices

Dimensions A	
30	953
36	953

How to Order

	Product	Dimensions	Finishes see appendix A
	OHSS		
Example	OHSS	30	BG07

Sound absorbing overhead screen - 2-sided

OHSD

Manufacturing Standards

Sound absorbing overhead screen - 2 sided:

- Total height of 18", exceeds 15" from the wall;
- 100% PET (min, 50% recycled content);
- 12 mm material;
- 15 finishes available;
- No hardware assembly;
- Fully tackable surface;
- Sound absorption characteristics:
  NRC: 0.80
  SAA: 0.80
  ASTM C423

***Ezobord Colors**: Bold Gray **BG07**, Green Moss **MG10**.*
For more colors, see Appendix A. Note that you must order 6 or more to access the other colors.

Prices

Dimensions A	
30	1127
36	1127

How to Order

	Product	Dimensions	Finishes see appendix A
	OHSD		
Example	OHSD	30	BG07

Laminate Cover

CTCOVER

Manufacturing Standards

Laminate cover:

- Laminate cover for cable tray;
- Mounting brackets;
- Dimension "B" is 1/4" recessed.

Prices

Dimensions A B	
06 30	53
06 36	58
06 42	64
06 48	69
06 54	76
06 60	81
06 66	87
06 72	92
06 78	99
06 84	104

How to Order

		AB	CTCOVER
	XT		
	Series	Dimensions	
Example	XT	0630	CTCOVER

Surfaces

Rectangular surface 15" & 20"D

TOP

Manufacturing Standards

Rectangular surface:

- 1'' laminate surface;
- Hardware sold separately;
- Wiring space is removed from the overall dimension.

No machining.

Support: *Legs, cantilever and independent storage are sold separately.*

Maximum distance between two supports: *42".*

Stiffener: *The use of stiffeners is necessary for surfaces of 54" and more. It is used for the part of the surface not supported by a pedestal.*

Options

1½" space for wiring

SP
$0

Prices

Dimensions A	B	
15	24	99
15	30	99
15	36	99
15	42	102
15	48	116
15	54	130
15	60	145
15	66	160
15	72	173
15	78	188
15	84	203
20	16	99
20	24	99
20	30	100
20	36	116
20	42	135
20	48	153
20	54	173
20	60	193
20	66	211
20	72	231
20	78	251
20	84	269

How to Order

	XT	AB	TOP	SP3 SPL SPLR SPR SPFR SPF SPFL **SPN (std)**
	Series	Dimensions	Product	Space 1½" for wiring
Example	**XT**	1524	TOP	SPN

Rectangular surface 24", 30" & 36"D (following)

TOP

Manufacturing Standards

Rectangular surface:
- 1'' laminate surface;
- Hardware sold separately;
- Wiring space is removed from the overall dimension.

No machining.

Support: *Legs, cantilever and independent storage are sold separately.*

Maximum distance between two supports: *42".*

Stiffener: *The use of stiffeners is necessary for surfaces of 54" and more. It is used for the part of the surface not supported by a pedestal.*

Options

1½" space for wiring

SP
$0

Prices

Dimensions A	B
24 30	116
24 36	139
24 42	162
24 48	185
24 54	208
24 60	231
24 66	254
24 72	277
24 78	300
24 84	323
30 54	260
30 60	289
30 66	318
30 72	347
30 78	376
30 84	404
36 54	328
36 60	364
36 66	401
36 72	437
36 78	474
36 84	509

How to Order

	XT	AB		SP3 SPL SPLR SPR SPFR SPF SPFL **SPN (std)**
			TOP	
	Series	Dimensions	Product	Space 1½" for wiring
Example	**XT**	2430	TOP	SPN

D surface

DTOP

Manufacturing Standards

D surface:

- 1'' laminate;
- Hardware sold separately: See the support and modesty section. An independant pedestal can also be used;
- Wiring space is removed from the overall dimension.

No machining.

Support: *Legs, cantilever and independent storage are sold separately.*

Maximum distance between two supports: *42".*

Stiffener: *The use of stiffeners is necessary for surfaces of 54" and more. It is used for the part of the surface not supported by a pedestal.*

Options

1½" space for wiring

SP
$0

How to Order

XT	AB		SPF SPS SPFS **SPN (std)**
		DTOP	
Series	Dimensions	Product	Space 1½" for wiring
Example **XT**	2454	DTOP	SPN

Prices

Dimensions A	B
24 54	260
24 60	289
24 66	318
24 72	347
24 78	376
24 84	404
30 54	324
30 60	361
30 66	397
30 72	434
30 78	469
30 84	506
36 54	391
36 60	434
36 66	477
36 72	520
36 78	564
36 84	607

Collaboration surface

COLTOP

CORTOP

Manufacturing Standards

Collaboration surface:

- 1'' laminate;
- Angle: 135
- Hardware sold separately;
- Wiring space is removed from the overall dimension.

Overall dimensions :

- 30 54 30 : 43"D x 75-3/4"W
- 30 60 36 : 47-1/4"D x 86"W
- 30 66 36 : 47-1/4"D x 92"W

No machining.

Support: *Legs, cantilever and independent storage are sold separately.*

Maximum distance between two supports: *42".*

Stiffener: *The use of stiffeners is necessary for surfaces of 54" and more. It is used for the part of the surface not supported by a pedestal.*

Options

1½" space for wiring

SP
$0

Prices

Dimensions A B C	
30 54 30	655
30 60 36	828
30 66 36	885

How to Order

XT	ABC	COLTOP CORTOP	SPF SPS SPFS **SPN (std)**
Series	Dimensions	Product	Space 1½" for wiring
Example **XT**	305430	COLTOP	SPN

Privacy corner screen

FSFD

Manufacturing Standards

Privacy Corner Screen
- 7/8" thick plywood panel, upholstered;
- With decorative piping;
- Set-on surface;
- Panel / tackboard fabrics not recommended;
- Dimensions: 18" x 19-1/2".

Cannot be used as a tackboard

Prices

	COM												
	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12
FSFD	429	454	487	520	561	603	644	685	726	768	809	891	974

How to Order

	Product	Fabrics see appendix A
	FSFD	
Example	FSFD	TBFRME

Supports

End leg

ENDLEG

Manufacturing Standards

End Leg:

- 1'' Laminate;
- 4 mounting brackets;
- White nylon levelers;
- Height: 28''H.

Prices

Dimensions A	B	
20	28	127
24	28	139
30	28	150
36	28	162

How to Order

		AB	
	XT		ENDLEG
	Series	Dimensions	Product
Example	**XT**	2028	ENDLEG

Middle leg

MIDLEG

Manufacturing Standards

Middle leg:
- 1'' laminate with space for wiring;
- 4 mounting brackets;
- White nylon levelers;
- Height: 28''H.

Prices

Dimensions		
A	B	
12	28	159

How to Order

		AB	
	XT		MIDLEG
	Series	Dimensions	Product
Example	**XT**	1228	MIDLEG

Legs

RAW

RA2

HATLEY

Metal

Wood

Manufacturing Standards

RAW:

- Base in metal, finish: Satin Nickel (SN), White (WH) and Black (BL);
- Wood insert (18");
- White nylon levelers;
- Height: 28".

RA2:

- Set of 2 angled rectangular metal legs;
- Dimensions: 2" x 1";
- Finish: Satin Nickel (SN) and Black (BL);
- Height: 28".

HATLEY:

- Set of two 28" tapered legs with wood insert;
- 4" x 4" end plate;
- Finish: Satin Nickel (SN), Chrome (CHR) and Black (BL);
- Height: 28".

For stability reasons, please check with your account manager the dimensions of your furniture when ordering this leg separately from the surface.

Available colors for wood (RAW & HATLEY): White Wash WW, Golden Wheat GW, Sand SD, Apricot AT, Pecan PN, Brandy BR, Chestnut CT, Coffee CF, Espresso ES, Bordeaux BO, Black Wash BW and Bark BK

Prices

Code	
RAWBL	181
RAWSN	181
RAWWH	181

Code	
RA2SN	188
RA2BL	188
RA2WH	188

Code	
HATSN	329
HATCHR	329
HATBL	329

How to Order

	Product	Metal	Finishes *See the Logiflex Color Guide*
	RAW	WH SN **BL (std)**	
	Product	Metal	wood color
Example	RAW	BL	GW

	Product	Metal
	RA2	WH SN BL
	Product	Metal
Example	RA2	BL

	Product	Metal	Finishes *See the Logiflex Color Guide*
	HAT	CHR SN BL	
	Product	Metal	wood color
Example	HAT	BL	GW

Legs

4.5

IFN

Manufacturing Standards

4.5:
- Fixed round metal leg / on leveler;
- 4-1/2" diameter;
- 6" x 6" end plate;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 27-1/2".

IFN:
- Fixed round metal leg / on leveler;
- 2-1/2" diameter;
- 3-3/4" x 3-3/4" end plate screwed to the leg;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 27-1/2".

Prices

Code	
4.5BL	254
4.5SN	254

Code	
IFNBL	89
IFNSN	89

How to Order

		BL SN
	4.5	
	Product	Metal
Example	4.5	BL

		BL SN
	IFN	
	Product	Metal
Example	IFN	BL

Legs

LENNOX

MAGOG

Manufacturing Standards

LENNOX:
- Fixed Lennox leg;
- Base: 18";
- 8" x 8" end plate;
- Finish: Satin Nickel (SN), Black (BL) and Chrome (CHR);
- Height: 28".

MAGOG:
- Fixed Magog leg;
- Base: 18";
- 8" x 8" end plate;
- Finish: Satin Nickel (SN), Black (BL) and Chrome (CHR);
- Height: 28".

For stability reasons, please check with your account manager the dimensions of your furniture when ordering this leg separately from the surface.

Prices

Code	
LENSN	571
LENBL	571
LENCHR	1166
LENWH	571

Code	
MAGSN	571
MAGBL	571
MAGCHR	1166
MAGWH	571

How to Order

	Product	Metal
	LEN	WH CHR BL SN
Example	LEN	BL

	Product	Metal
	MAG	WH CHR BL SN
Example	MAG	BL

Legs

PATTEC30

PATTEC36

Manufacturing Standards

C Metal Leg:

- Base in metal, Black (BL);
- White nylon levelers;
- Height: 28"H.

Prices

Code	
PATTEC30	316
PATTEC36	358

How to Order

PATTEC30 PATTEC36	WH SN BL (std)
Product	Metal
Example PATTEC30	BL

Layering Desk Supports

DRSUP

Manufacturing Standards

Layering deskr:

- Drawer and front 5/8'' laminate;
- Frame 1'' laminate;
- Mounting brackets, screws and double-sided tape included;
- Height: 3''H.
- Interior dimensions of the drawer:
  11-11/16'' width x 9-3/8'' depth x 2-1/2'' height.

Support for high cabinets: *This product is used to support the surface on a high cabinet 25"H.*

Color Combinaison

Front

Base

Prices

Dimensions A	B	
14	16	205
20	16	205
26	16	205

How to Order

		AB		H071BL (std)
	XT		DRSUP	
	Series	Dimensions	Product	Handle
Example	**XT**	1416	DRSUP	H071BL

T-Support

TSUP

Manufacturing Standards

T-Support:

- 1" laminate;
- Mounting brackets, screws and double-sided tape included;
- Height: 3"H;
- Dimensions recommendations:
  - -A 18 B 12 for 24" surface
  - -A 26 B 12 for 30" surface
  - -A 32 B 12 for 36" surface

Support for high cabinets: *This product is used to support the surface on a high cabinet 25"H.*

Prices

Dimensions A B	
18 12	99
26 12	99
32 12	99

How to Order

		AB	
	XT		TSUP
	Series	Dimensions	Product
Example	**XT**	1812	TSUP

Cantilever support with space for cable tray

CNT01

CNT02

CNT03

Manufacturing Standards

Cantilever support with space for cable tray:

- Metal support, Satin Nickel finish;
- Without pointing for assembly;
- Height: 8''H.

Dimensions :

CNT01 : 16.5", for 20"D surface
CNT02 : 20.5", for 24"D and 30"D surface
CNT03 : 27", for 36"D surface

To help installation, order IGS.

Work surface support.
Refer to Appendix J for specification rules.

Compatible with CT24 and CT118 cable tray.

Prices

Code	
CNT01	56
CNT02	61
CNT03	68

How to Order

	CNT01 CNT02 CNT03	
		SN
	Product	Metal
Example	CNT01	SN

Slender cantilever support

CNTC01

CNTC02

Manufacturing Standards

16" cantilever support without reinforcement bar:

- Metal support;
- Without pointing for assembly;
- Height: 6''H.

Dimensions :

CNTC01 : 6", for surfaces less than 30''

CNTC02 : 16", for surfaces 30'' and more

Work surface support.
Refer to Appendix J for specification rules.

To be used at the end of a surface when there is no electrical management.

Prices

Code	
CNTC01	25
CNTC02	34

How to Order

CNTC01 CNTC02	WH BL **SN (std)**
Product	Metal
Example CNTC01	SN

Shelf Support

CNTSH

Manufacturing Standards

Shelf Support:

- Metal, finishes: Satin Nickel (SN), Black (BL) or White (WH);
- with hook at the base of the support;
- without pointing for assembly;
- For surface with a depth of 15";
- Support dimensions: 9"x9".

Prices

Code	
CNTSH SN	76
CNTSH BL	76
CNTSH WH	76

How to Order

		WH BL SN
	CNTSH	
	Product	Metal
Example	CNTSH	SN

Stiffener

RSTF

Manufacturing Standards

Stiffener:
- Metal, Satin Nickel finish;
- Suggested for work surfaces 54" or more;
- Installation harware included.

Prices

Dimensions A	
40	93
46	93
52	93
58	93
64	93
70	93

How to Order

		A
	RSTF	
	Product	Dimensions
Example	RSTF	40

Flush Plates

FP2BL

Manufacturing Standards

2 Flush Plates with Screws:
- Metal support, Black finish;
- Without pointing for assembly.

Work surface support.

Refer to Appendix J for specification rules.

Prices

Code	
FP2BL	15

How to Order

FP2BL
Product

Example FP2BL

Pedestals

Independant E pedestal

EIND

Manufacturing Standards

Independant pedestal with 2 utility drawers and file drawer:

- Pedestal without top;
- 2-3/8" back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 14-3/32"H opening in the back;
- White nylon levelers;
- Handles H071BL;
- Lock;
- Height: 28''H.
- Attention: This pedestal is designed for use under a work surface or a return. A fitted surface - 16" wide - is not possible due to the width of the pedestal (16 1/16").

To use with power walls and division panels.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

Color Combinaison

Front **Base**

Depth of Leg

Prices

Dimensions A	
20	932
24	944
30	956

How to Order

			A	R L LR **N (std)**	**H071BL (std)**	N LKSN **LKBL (std)**
XT	EIND					
Series	Product	Depth		Full depth placket	Handle	Lock
Example **XT**	EIND	20		N	H071BL	LKBL

Independant F pedestal

FIND

Manufacturing Standards

Independant pedestal with 2 file drawers:

- Pedestal without top;
- 2-1/2'' back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 14-3/32”H opening in the back;
- White nylon levelers;
- Handles H071BL;
- Lock;
- Height: 28''H.
- Attention: This pedestal is designed for use under a work surface or a return. A fitted surface - 16" wide - is not possible due to the width of the pedestal (16 1/16").

To use with power walls and division panels.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

Color Combinaison

Front **Base**

Depth of Leg

Prices

Dimensions A	
20	916
24	927
30	939

How to Order

			A	R L LR **N (std)**	**H071BL (std)**	N LKSN **LKBL (std)**
	XT	FIND				
	Series	Product	Depth	Full depth placket	Handle	Lock
Example	**XT**	FIND	20	N	H071BL	LKBL

Independant pedestal with 1 pigeonhole, 1 utility drawer Pedestal without top

PGDIND

Manufacturing Standards

Independant pedestal with 1 pigeonhole, 1 utility drawer Pedestal without top;

- Pedestal without top;
- Pigeonhole height: 6-1/8;
- 2-1/2'' back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 14-3/32”H opening in the back;
- White nylon levelers;
- Handles H071BL;
- Lock;
- Height: 28''H.
- Attention: This pedestal is designed for use under a work surface or a return. A fitted surface - 16" wide - is not possible due to the width of the pedestal (16 1/16").

To use with power walls and division panels.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

Color Combinaison

Front **Base**

Depth of Leg

Prices

Dimensions A	
20	932
24	944
30	956

How to Order

		A	R L LR **N (std)**	**H071BL (std)**	N LKSN **LKBL (std)**
XT	PGDIND				
Series	Product	Depth	Full depth placket	Handle	Lock
Example **XT**	PGDIND	20	N	H071BL	LKBL

Independant cabinet with 1 utility drawer and 1 open space

UOIND

Manufacturing Standards

Independant cabinet with 1 utility drawer and 1 open space:

- Pedestal without top;
- Height of open space: 19-3/4"H;
- 2-1/2'' back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 14-3/32"H opening in the back, concealed with a removable panel;
- White nylon levelers;
- Handles H071BL;
- Lock;
- Height: 28''H.
- Attention: This pedestal is designed for use under a work surface or a return. A fitted surface - 16" wide - is not possible due to the width of the pedestal (16 1/16").

To use with power walls and division panels.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

Color Combinaison

Front **Base**

Depth of Leg

Prices

Dimensions A	
20	734
24	792
30	849

How to Order

		A	R L LR **N (std)**	**H071BL (std)**	N LKSN **LKBL (std)**
XT	UOIND				
Series	Product	Depth	Full depth placket	Handle	Lock
Example **XT**	UOIND	20	N	H071BL	LKBL

Independant cabinet with 1door

ARLIND

ARRIND

Manufacturing Standards

Independant cabinet:

- Cabinet without top;
- 2-3/8'' back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 14-3/32”H opening in the back, concealed with a removable panel;
- White nylon levelers;
- Handles H071BL;
- Lock;
- Height: 28''H;
- Adjustable shelf.
- Attention: This pedestal is designed for use under a work surface or a return. A fitted surface - 16" wide - is not possible due to the width of the pedestal (16 1/16").

To use with power walls and division panels.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

Color Combinaison

Front **Base**

Depth of Leg

Prices

Dimensions A	
20	670
24	728
30	785

How to Order

		ARLIND ARRIND	A	R L LR **N (STD)**	**H071BL (std)**	N LKSN **LKBL (STD)**
	XT					
	Series	Product	Depth	Full depth placket	Handle	Lock
Example	**XT**	ARLIND	20	N	H071BL	LKBL

Independant cabinet with two doors

ARIND

Manufacturing Standards

Independant cabinet with two doors:

- Cabinet without top;
- 1 adjustable shelf;
- 2-3/8'' back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 14-3/32"H opening in the back, concealed with a removable panel;
- White nylon levelers;
- Handles H071BL;
- Lock;
- Height: 28''H.

To use with power walls and division panels.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

Color Combinaison

Front **Base**

Depth of Leg

Prices

Dimensions A	B
20 24	810
20 30	865
20 36	903
20 42	939
24 24	833
24 30	888
24 36	926
24 42	962

How to Order

		A	B		R L LR **N (std)**	**H071BL (std)**	N LKSN **LKBL (std)**
	XT			ARIND			
	Series	Depth	Width	Product	Full depth placket	Handle	Lock
Example	**XT**	20	24	ARIND	N	H071BL	LKBL

Independant bookcase

BBLIND

Manufacturing Standards

Independant bookcase:

- Bookcase without top;
- 1 adjustable shelf, 1" thick;
- 2-3/8'' back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 14-3/32"H opening in the back, concealed with a removable panel;
- White nylon levelers;
- Height: 28''H.

To use with power walls and division panels.

Color Combinaison

Shelf **Base**

Depth of Leg

Prices

Dimensions A	B	
20	16	612
20	24	670
24	16	670
24	24	728
30	16	728
30	24	785

How to Order

		A	B		R L LR **N (std)**
	XT			BBLIND	
	Series	Depth	Width	Product	Full depth placket
Example	**XT**	20	16	BBLIND	N

Independant lateral Filing cabinet

CLIND

Manufacturing Standards

Independant Lateral Filing cabinet:

- Cabinet without top;
- 2 lateral filing drawers;
- 2 crossbars per file drawer;
- 2-3/8'' back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 14-3/32"H opening in the back;
- White nylon levelers;
- Handles H071BL;
- Lock;

To use with power walls and division panels.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

Color Combinaison

Front **Base**

Depth of Leg

Prices

Dimensions A	B
20 30	1013
20 36	1098
20 42	1180
24 30	1036
24 36	1121
24 42	1203

How to Order

		A	B		R L LR **N (STD)**	**H071BL (std)**	N LKSN **LKBL (std)**
	XT			CLIND			
	Series	Depth	Width	Product	Full depth placket	Handle	Lock
Example	**XT**	20	30	CLIND	N	H071BL	LKBL

Mobile pedestal with cabinet

MOBARL

MOBARR

Manufacturing Standards

Mobile pedestal with 1-door cabinet:

- 1 storage on top;
- 4 black locking casters;
- Handle H071BL;
- Lock;
- Height: 20''H;
- 1 adjustable shelf.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

Color Combinaison

Top **Shelf** **Front** **Base**

Prices

Dimensions A B C	
16 10 20	678
16 16 20	690

How to Order

		AB	MOBARL MOBARR	**H071BL (std)**	N LKSN **LKBL (std)**
	XT				
	Series	Dimensions	Product	Handle	Lock
Example	**XT**	1610	MOBARL	H071BL	LKBL

Mobile pedestal with 1 fixed shelf and 1 utility drawer

MOBSPU

Manufacturing Standards

Mobile pedestal with 1 fixed shelf and 1 utility drawer at the bottom:

- 1 storage space on top (2"H);
- 1 utility drawer at the bottom;
- 4 black casters with lock:
- Handle H071BL;
- Lock;
- Height: 20''H.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

Color Combinaison

Top **Shelf** **Front** **Base**

Prices

Dimensions A B C	
16 10 20	678
16 16 20	690

How to Order

		AB		**H071BL (std)**	N LKSN **LKBL (std)**
	XT		MOBSPU		
	Series	Dimensions	Product	Handle	Lock
Example	**XT**	1610	MOBSPU	H071BL	LKBL

High Pedestal

OK25

KO25

Color Combinaison

Top | Front | Shelf | Base

Depth of Leg

(std)			
N	LR	R	L
$0	$0	$0	$0

Manufacturing Standards

High Pedestal:

- 1 open storage with 1 adjustable shelf;
- A section with 1 utility drawer with integrated dividers and 1 lateral file drawer.
- 2-3/8'' back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 12.5"H opening in the back, concealed with a removable panel on bookcase side;
- White nylon levelers;
- H071BL Handles;
- Lock;
- Height: 25"H.

For wire access: *Removable back on bookcase side and opening on cabinet side.*

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

Options

Surface 1½" for wiring

SP
$0

Cushion

CL Cushion Left | CR Cushion Right

	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	leather
CL	$333	$345	$362	$378	$399	$419	$440	$461	$481	$502	$522	$564	$605	$571
CR	$333	$345	$362	$378	$399	$419	$440	$461	$481	$502	$522	$564	$605	$571

Prices

Dimensions A B C	
20 60 25	1675
20 72 25	1756

How to Order

		AB	OK25 KO25	SPF **SPN (std)**	R L LR **N (std)**	CL CR **N (std)**	**H071BL (std)**	N LKSN **LKBL (std)**
	XT							
	Series	Dimensions	Product	Area Space 1½" for wiring	Full depth placket	Cushion	Handle	Lock
Example	**XT**	2060	OK25	SPN	N	N	H071BL	LKBL

High Pedestal

OAR25

ARO25

Color Combinaison

Top | Front | Shelf | Base

Depth of Leg

(std)			
N	LR	R	L
$0	$0	$0	$0

Manufacturing Standards

High Pedestal:

- An open storage with 1 adjustable shelf;
- A 2-door cabinet section with 1 adjustable shelf;
- 2-3/8'' back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 12.5"H opening in the back, concealed with a removable panel on bookcase side and cabinet side;
- White nylon levelers;
- H071BL Handles;
- Lock;
- Height: 25"H.

For wire access: *Removable back on bookcase side and opening on the armory section.*

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

Options

Surface 1½" for wiring

SP
$0

Cushion

60″ 72″ 60″ 72″

CL Cushion Left
CR Cushion Right

	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	leather
CL	$333	$345	$362	$378	$399	$419	$440	$461	$481	$502	$522	$564	$605	$571
CR	$333	$345	$362	$378	$399	$419	$440	$461	$481	$502	$522	$564	$605	$571

Prices

Dimensions A	B	C	
20	60	25	1523
20	72	25	1617

How to Order

		AB	OAR25 ARO25	SPF **SPN (std)**	R L LR **N (std)**	CL CR **N (std)**	**H071BL (std)**	N LKSN **LKBL (std)**
	XT							
	Series	Dimensions	Product	Area Space 1½" for wiring	Full depth placket	Cushion	Handle	Lock
Example	**XT**	2060	OAR25	SPN	N	N	H071BL	LKBL

Bench with open storage

BO

BOO

Manufacturing Standards

Bench with open storage:

- 1'' laminate frame with full back;
- 1-1/2''H Full cushion;
- Open storage with interior space 18'' x 16'';
- White nylon levelers.

Color Combinaison

Top **Base**

Prices

BO

Dimensions A B C	GRA	GR1	COM GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	Cuir Leather
20 18 19	417	434	456	478	506	533	561	588	616	643	671	726	781	735

BOO

Dimensions A B C	GRA	GR1	COM GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	Cuir Leather
20 42 19	678	703	736	769	810	852	893	934	975	1017	1058	1140	1223	1154

How to Order

	Series	Dimensions	Product
	XT	AB	BO BOO
Example	**XT**	2018	BO

Bench with file drawer

BF

BFF

Manufacturing Standards

Bench with open storage:

- 1'' laminate frame with full back;
- 1-1/2''H Full cushion;
- 18"W: 1 file drawer (BF);
- 42"W: 2 file drawers (BFF);
- Handle H071BL;
- White nylon levelers;
- Lock.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

Color Combinaison

Top **Front** **Base**

Prices

BF

Dimensions A	B	C	GRA	GR1	COM GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	Cuir Leather
20	18	19	625	642	664	686	714	741	769	796	824	851	879	934	989	943

BFF

Dimensions A	B	C	GRA	GR1	COM GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	Cuir Leather
20	42	19	1105	1130	1163	1196	1237	1279	1320	1361	1402	1444	1485	1567	1650	1581

How to Order

		AB	BF BFF	**H071BL (std)**	N LKSN **LKBL (std)**
	XT				
	Series	Dimensions	Product	Handle	Lock
Example	**XT**	2018	BF	H071BL	LKBL

Bottomless open bench

BLEO

Manufacturing Standards

Bottomless open bench:

- 1'' laminate frame with full back;
- 1-1/2''H Full cushion;
- Bottomless open storage with interior space 19-15/32'' x 19-15/32'';
- White nylon levelers;
- For storage of LEO18 bench.

Compatible with LEO18 and LEOC18 benches.

Color Combinaison

Top **Base**

Prices

BLEO

Dimensions			COM												Cuir
A	B	C	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	Leather
20	42	19	531	556	589	622	663	705	746	787	828	870	911	993	1076	1007

How to Order

		AB	BLEO
	XT		
	Series	Dimensions	Product
Example	**XT**	2042	BLEO

Storage Towers

Sliding storage

SL01L

SL01R

Color Combinaison

Top **Base** **Shelf** **Front**

Manufacturing Standards

Sliding storage:

- 1 cloakroom section with 1 fixed shelf and a hook;
- 1 storage section with 1 fixed shelf and:
  42"H : 1 adjustable shelf
  54"H : 2 adjustable shelves
- Removable panel at the back for wire access. There is no removable back if the tab notch option is chosen;
- Unit on slides and castes, with soft close system;
- Handle H071BL;
- Lock;
- White nylon levelers.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

Options

Tab with notch for wire management

MG $0 MGN $0

Cutouts for socket (plug not included)

P1 $0

Prices

Dimensions A B C	
30 12 42	2402
30 12 54	2518

How to Order

		ABC	SL01L SL01R	MGRL MGLR MGRR **MGN (std)**	P1 **N (std)**	**H071BL (std)**	N LKSN **LKBL (std)**
	XT						
	Series	Dimensions	Product	Tab with notch for wire management	Cutout for socket	Handle	Lock
Example	**XT**	301242	SL01L	MGN	ÙN	H071BL	LKBL

Cabinet with coat hook

ARHL

ARHR

Color Combinaison

Top **Base** **Shelf** **Front**

Manufacturing Standards

Cabinet with coat hook:

- Cabinet with 1 door;
- 2 adjustable shelves 42"H;
- 3 adjustable shelves 54"H;
- Coat hook on cabinet door;
- Ventilation grill at the bottom;
- Handle H071BL;
- Lock;
- White nylon levelers;
- Space of 10-1/4" in front of the adjustable shelves for a mantel. (For the 2 depths, the shelves change in depth).

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

Options

Tab with notch for wire management

MG $0 MGN $0

How to Order

		ABC	ARHL ARHR	MGRL MGLR MGRR **MGN (std)**	**H071BL (std)**	N LKSN **LKBL (std)**
	XT					
	Series	Dimensions	Product	Tab with notch for wire management	Handle	Lock
Example	**XT**	201842	ARHL	MGN	H071BL	LKBL

Prices

Dimensions A B C	
20 18 42	770
24 18 42	932
20 18 54	921
24 18 54	1107

Bookcase with drawers

BBUF

Color Combinaison

Top **Shelf** **Front** **Base**

Manufacturing Standards

Bookcase with drawers:

- Open storage with 1 adjustable shelf for the 42"H cabinet, 2 adjustable shelves for the 54"H cabinet;
- 1 utility drawer;
- 1 lateral file drawer;
- Handles H071BL;
- Lock.
- White nylon levelers.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

Options

Tab with notch for wire management

Prices

Dimensions A B C	
20 18 42	1338
24 18 42	1371
20 18 54	1365
24 18 54	1399

How to Order

		ABC		MGRL MGLR MGRR **MGN (std)**	**H071BL (std)**	N LKSN **LKBL (std)**
	XT		BBUF			
	Series	Dimensions	Product	Tab with notch for wire management	Handle	Lock
Example	**XT**	201842	BBUF	MGN	H071BL	LKBL

Cabinet with drawers

ARUFL

ARUFR

Color Combinaison

Top **Front** **Base**

Manufacturing Standards

Cabinet with 1 door, 1 utility drawer and 1 lateral file drawer:

- 1 cabinet section with 1 adjustable shelf for the 42"H cabinet with drawers, 2 adjustable shelves for the 54"H cabinet with drawers;
- 1 utility drawer;
- 1 lateral file drawer;
- Handles H071BL;
- Lock;
- White nylon levelers.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

Options

Tab with notch for wire management

MG $0 MGN $0

How to Order

		ABC	ARUFL ARUFR	MGRL MGLR MGRR **MGN (std)**	**H071BL (std)**	N LKSN **LKBL (std)**
	XT					
	Series	Dimensions	Product	Tab with notch for wire management	Handle	Lock
Example	**XT**	201842	ARUFR	MGN	H071BL	LKBL

Prices

Dimensions A B C	
20 18 42	1525
24 18 42	1554
20 18 54	1548
24 18 54	1579

Islands Stations

Island station

USF

Color Combinaison

Top **Shelf** **Front** **Base**

Manufacturing Standards

Island station :

- 1" laminate frame;
- Removable end panels for wire management;
- White nylon levelers;

Options :
Shelf height: 29" (Island Station 36"H & 42"H), 42" (Island Station 54"H).

Shelf depth: 15".

Cutouts for socket: 2 by side.

For outlet, please refer to the Accessory section.

Options

Cutouts for socket (plug not included)

PL	PR	PLR
$0	$0	$0

Shelf

L	LR	R
$179	$358	$179

Prices

Dimensions A B C	
15 30 36	792
15 36 36	820
15 42 36	843
15 30 42	820
15 36 42	843
15 30 54	866
15 36 54	889

How to Order

		ABC		PL PR PLR **N (std)**	L R LR **N (std)**	WH SN **BL (std)**
	XT		USF			
	Series	Dimensions	Product	Cutout for socket	Shelf	Metal
Example	**XT**	153036	USF	N	N	BL

Island station with Bookcase - 1 side

USBB

Color Combinaison

Top **Base** **Shelf** **Front**

Manufacturing Standards

Island Station with Bookcase - 1 side

- 1" laminate frame;
- Bookcase on 1 side with:
  36"H: 2 open spaces 13 1/4"H (int.)
  42"H: 2 open spaces 16 1/4"H (int.)
  54"H: 3 open spaces 14 1/2"H (int.)
- Fixed shelves, not full depth;
- Removable end panel for wire management;
- White nylon levelers.

Options :
Shelf height: 29" (Island Station 36"H & 42"H), 42" (Island Station 54"H).

Shelf depth: 15".

Cutouts for socket: 1 by side.

For outlet, please refer to the Accessory section.

Options

Cutouts for socket (plug not included)

PL	PR	PLR
$0	$0	$0

Shelf

L	LR	R
$179	$358	$179

Prices

Dimensions A B C		*Interior depth shelf:*
15 30 36	792	*18 5/8"*
15 36 36	820	*21 5/8"*
15 42 36	843	*24 5/8"*
15 30 42	820	*18 5/8"*
15 36 42	843	*21 5/8"*
15 30 54	866	*18 5/8"*
15 36 54	889	*21 5/8"*

How to Order

		ABC		PL PR PLR **N (std)**	L R LR **N (std)**	WH SN **BL (std)**
	XT		USBB			
	Series	Dimensions	Product	Cutout for socket	Shelf	Metal
Example	**XT**	153036	USBB	N	N	BL

Island station with lockers - 1 side

USLOR

USLOL

Color Combinaison

Top **Front** **Base** **Shelf**

Manufacturing Standards

Island Station with lockers - 1 side:

- 1'' laminate frame;
- XY"D Lockers on 1 side with:
  36"H: 2 open spaces 13 1/4"H (int.)
  42"H: 2 open spaces 16 1/4"H (int.)
  54"H: 3 open spaces 14 1/2"H (int.)
- Doors with key locks and push-to-open latch;
- Removable end panel for wire management;
- White nylon levelers;
- Shelves not full depth.
- Locker interior dimension:
  30"H: 18 5/16" (int.)
  36"H: 21 5/16" (int.)
  42"H: 24 5/16" (int.)

Options :
Shelf height: 29" (Island Station 36"H & 42"H), 42" (Island Station 54"H).

Shelf depth: 15".

Cutouts for socket: 1 by side.

For outlet, please refer to the Accessory section.

Options

Lock

E1	E2	CMLK
$260 ea.	$156 ea.	$0

Cutouts for socket (plug not included)

PL	PR	PLR
$0	$0	$0

Shelf

L	LR	R
$179	$358	$179

Prices

Dimensions A B C	
15 30 36	1360
15 36 36	1482
15 42 36	1602
15 30 42	1482
15 36 42	1724
15 30 54	1636
15 36 54	1878

How to Order

		ABC	USLOR USLOL	E1 E2 N **CMLK(std)**	PL PR PRL **N (std)**	L R LR **N (std)**	WH SN **BL (std)**
	XT						
	Series	Dimensions	Product	Lock	Cutout for socket	Shelf	Metal
Example	**XT**	153036	USLOR	E1	N	N	BL

Accessories

Handles

HJA

Handle

- 6" metal handle;
- 5-1/32" (128mm) center to center.

Code	$	Description
HJA	14	*Satin Nickel*
HJAB	14	*Black*

H011

Handle

- 9-1/8" metal handle;
- 8-13/16" (224mm) center to center.

Code	$	Description
H011	14	*Satin Nickel*

H051

Handle

- 3-5/32" metal handle;
- 2-17/32" (64mm) center to center.

Code	$	Description
H051CHR	14	*Chrome*
H051SN	14	*Satin Nickel*
H051BL	14	*Black*
H051WH	14	*White*

H052

Handle

- 7-1/32" metal handle;
- 6-9/32" (160mm) center to center.

Code	$	Description
H052CHR	14	*Chrome*
H052SN	14	*Satin Nickel*
H052BL	14	*Black*
H052WH	14	*White*

H060

Handle

- 9-1/4" metal handle;
- 8-3/4" (222.25mm) center to center.

Code	$	Description
H060BN	14	*Brushed Nickel*
H060CHR	14	*Chrome*

H070

Handle

- 8-3/16" metal handle;
- 7-1/2" (190.5mm) center to center.

Code	$	Description
H070BN	14	*Brushed Nickel*
H070CHR	14	*Chrome*

H071

Handle

- 7-9/32" metal handle;
- 6-5/16" (160.338mm) center to center.

Code	$	Description
H071CHR	14	*Chrome*
H071BN	14	*Brushed Nickel*
H071BL	14	*Black*
H071WH	14	*White*

H072

Handle

- 6-3/8" metal handle;
- 5-1/32" (127.8mm) center to center.

Code	$	Description
H072CHR	14	*Chrome*
H072BL	14	*Black*
H072WH	14	*White*

SXP002

Handle

- 9-1/2" metal handle;
- 7-9/16" (192mm) center to center.

Code	$	Description
SXP002	14	*Satin Nickel*

SXP003

Handle

- 5-1/8" metal handle;
- 3-25/32" (96mm) center to center.

Code	$	Description
SXP003	14	*Satin Nickel*

Keyboard Trays

KB360M

Keyboard Tray

- Black plastic 24-1/2"wide retractable ergonomic keyboard;
- Lift-N-Lock spring system (no lever) to adjust height;
- Handle for easy tilt adjustment from 10" to 15";
- 10" x 7-1/2" mouse tray;
- 19" black gel wrist rest;
- 360° rotation.

Code	$	Description
KB360M	615	

KB

Keyboard Tray

- 24" wide keyboard tray only;
- 5/8" and 1" thick laminate;
- Adjustable height from 1-3/4" to 2-3/4" / additional 2" for slides.

Code	$	Description
KB	194	*1" thick laminate*
KBT	183	*5/8" thick laminate*

KBMOD

Keyboard Tray

- Keyboard tray, available in lengths from minimum 24" to maximum 30";
- 5/8" and 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides.

Code	$	Description
KBMOD	233	*1" thick laminate*
KBMODT	222	*5/8" thick laminate*

To order, for example a 27" long keyboard tray, 5/8" thick laminate: KBMODT27

KBMODR

Keyboard Tray

- 28" wide keyboard tray;
- 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides;
- Black gel wrist rest / depth-adjustable stop handles.

Code	$	Description
KBMODR	315	

AP

Wrist Rest

- Black gel wrist rest.

Code	$	Description
AP	74	

CPU Holders

MCPU50

Miniature CPU Holder

- Height adjustable: 8" - 14";
- Width adjustable: 2" - 4";
- Maximum capacity: 10 kg (22 lbs);
- Need a minimum 5" deep clearance.

Code	$	Description
MCPU50	171	

MCPU90

CPU Holder

- Black metal CPU holder;
- Easy manipulation;
- Vertical adjustment:
  - Height: 15.5" x 20"
  - Width: 5.5" x 9.8"
- Horizontal adjustment:
  - Height: 17.5" x 22"
  - Width: 9.25" x 13.5"

Code	$	Description
MCPU90	216	*per unit*

CPUIND

CPU Holder

- 5/8" thick laminate CPU holder;
- 10" x 20" interior

Code	$	Description
CPUIND	184	*per unit*

Computer Monitor Brackets

C-1A

Computer Monitor Bracket

- Computer monitor bracket with fixed arm support;
- Height-adjustable arm;
- Clamp mounted;
- Finish: Black.

Code	$	Description
C-1A	139	

C-1B

Computer Monitor Bracket

- Computer monitor bracket with flexible arm support;
- Height-adjustable arm;
- Clamp mounted;
- Finish: Black.

Code	$	Description
C-1B	236	

C-2A

Double Computer Monitor Bracket

- Double computer monitor bracket with fixed arm support;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	$	Description
C-2A	235	

C-2B

Double Computer Monitor Bracket

- Double computer monitor bracket with flexible arm support;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	$	Description
C-2B	418	

C-2A-1S

Triple Computer Monitor Bracket

- Triple computer monitor bracket with fixed arm support;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	$	Description
C-2A-1S	405	

C-2B-1S

Triple Computer Monitor Bracket

- Triple monitor bracket with 2 flexible arm supports;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	$	Description
C-2B-1S	459	

Computer Monitor Brackets

BRSC1M4

Monitor Arm

- Monitor arm with height-adjustable arm, clamp-mounted;
- Finish: Satin nickel.

Code	$	Description
BRSC1M4	717	

This is a Human Scale product.

BRSC1M7

Monitor Arm

- Monitor arm with fixed-height arm, clamp-mounted;
- Finish: Satin nickel.

Code	$	Description
BRSC1M7	506	

This is a Human Scale product.

BRSC2M4

Double Monitor Arm

- Double monitor arm with height-adjustable arm, clamp-mounted;
- Finish: Satin nickel.

Code	$	Description
BRSC2M4	1261	

This is a Human Scale product.

BRSC2M7

Double Monitor Arm

- Double monitor arm with fixed-height arm, clamp-mounted;
- Finish: Satin nickel.

Code	$	Description
BRSC2M7	783	

This is a Human Scale product.

BRSG1M4

Computer Monitor Bracket

- Computer monitor bracket with height-adjustable arm;
- Grommet mounted;
- Finish: Satin Nickel.

Code	$	Description
BRSG1M4	689	

This is a Human Scale product.

BRSG1M7

Computer Monitor Bracket

- Computer monitor bracket with fixed-height arm;
- Grommet mounted;
- Finish: Satin Nickel.

Code	$	Description
BRSG1M7	471	

This is a Human Scale product.

BRSG2M4

Double Computer Monitor Bracket

- Double computer monitor bracket with height-adjustable arm;
- Grommet mounted;
- Finish: Satin Nickel.

Code	$	Description
BRSG2M4	1252	

This is a Human Scale product.

BRSG2M7

Double Computer Monitor Bracket

- Double computer monitor bracket with fixed height;
- Grommet mounted;
- Finish: Satin Nickel.

Code	$	Description
BRSG2M7	748	

This is a Human Scale product.

Miscellaneous Accessories

LK

Lock/key

- Locks with keys
- Finish: Satin nickel or black finish;
- Additional locks, sold separately or factory installed;
- Please specify the type of furniture on which the will be installed.

Code	$	Description
LKSN	44	*Satin Nickel lock (factory installed)*
LKBL	44	*Black lock (factory installed)*
LKSNF	29	*Satin Nickel front lock*
LKBLF	29	*Black front lock*
LKSNP	29	*Satin Nickel door lock*
LKBLP	29	*Black door lock*
KEY	24	*Set of 2 keys - #501 - 600*
SERR 010	24	*1 master key*

TCPM

Sliding Drawer

- Black plastic sliding drawer with steel ball bearing slides.

Code	$	Description
TCPM	194	

SWV

Swivel Organizer Tray

- Storage drawer that rotate 360 degrees;
- Mounts flush to the edge;
- Dimensions: 7-1/2"D x 8-7/8"W x 1"H.

Code	$	Description
SWV	63	

SB

Suspension Bars

- Short suspension bars: 1 or 2 suspension bars for a left/ right filing for a regular file drawer;
- Long suspension bars: 1 or 2 suspension bars for a front/ back filing for a lateral file drawer.

Code	$	Description
SBV1	7	*1 short suspension bar*
SBV2	14	*2 short suspension bars*
SBH1	7	*1 long suspension bar*
SBH2	14	*2 long suspension bars*

IGS

Installation guide for surface supports

- Compatible with; CNT01/CNT02/CNT03/CNTC01/CNTC02;
- 1" laminate;
- White nylons levelers;
- Dimensions: 10"W x 28" H;
- It is recommended for every 10 workstations to have 1x IGS.

Code	$	Description
IGS	127	

IGWM

Installation guide for 1½" wire management space for surfaces

- 1" laminate;
- Dimensions: 5-3/8" D x 12"L;
- It is recommended for every 10 workstations to have 2x IGWM.

Code	$	Description
IGWM	50	

Miscellaneous Accessories

ME2

Master key for E2 lock

Master key for E2 lock:

- To unlock and reinitialise E2 electronic lock;

Code	$	Description
ME2	230	

CHE1

Charger for E1 lock

- Charger for E1 lock:
- Emergency battery charger to unlock E1 lock.

Code	$	Description
CHE1	118	

Electrical Accessories

BE-KDHB-1

Single sided power block (1)

Set including:

- Single sided power block (1);
- 2 Duplex -1 circuit;
- 2 mounting plates;
- Max. 10 duplex per circuit (5 double half power block BE-KDHB-1).

Code	$	Description
BE-KDHB-1-BL	203	
BE-KDHB-1-WH	213	

BE-KDHB-4

Single sided power block (2)

Set including:

- Single sided power block (2);
- 4 Duplex -1 of each circuit;
- 4 Mounting plates;
- Max. 40 duplex (20 double half power block).

Code	$	Description
BE-KDHB-4-BL	416	
BE-KDHB-4-WH	426	

BE-KDBSM-1

Double sided power block

Set including:

- Double sided power block;
- 4 duplex -1 circuit;
- 2 slide mounting brackets;
- Max. 10 duplex per circuit (2 double power block).

Code	$	Description
BE-KDBSM-1-BL	390	
BE-KDBSM-1-WH	408	

BE-KDBSM-4

Double sided power block

Set including:

- Double sided power block;
- 4 duplex -1 of each circuit;
- 2 slide mounting brackets;
- Max. 40 duplex (10 double power block).

Code	$	Description
BE-KDBSM-4-BL	390	
BE-KDBSM-4-WH	408	

SMWM

Cable Support

Ex: BE-TELB

- 3.5" metal wire support with 1 telecom plate cutout;
- Satin nickel finish.

Code	$	Description
SMWM	29	

BE-TELA

Telecom plate

- Blank plate;
- 3-1/8'' x 1-3/4";
- Colors: Black, White and Satin nickel;
- To be used with the APB, APF or AP2 access panel option of the supply walls.

Code	$	Description
BE-TELA-BL	6	
BE-TELA-WH	6	
BE-TELA-SN	6	

BE-TELB

Telecom plate

- 2 spaces to install connection ports;
- 3-1/8'' x 1-3/4";
- Adapter included.
- Colors: Black, White and Satin nickel.

Code	$	Description
BE-TELB-BL	6	
BE-TELB-WH	6	
BE-TELB-SN	6	

BE-HW

Hardwired conduit power entry

* To be connected to an electrical box by an electrician.

- 8 wires - 4 circuits 20A;
- For 8 trac system;
- Bare wires at one end
- Male end.

Code	$	Description
BE-HW-72	182	*8 wire, 4 circuit - 72"L*
BE-HW-84	198	*8 wire, 4 circuit - 84"L*
BE-HW-96	221	*8 wire, 4 circuit - 96"L*
BE-HW-120	258	*8 wire, 4 circuit - 120"L*
BE-HW-180	378	*8 wire, 4 circuit - 180"L*

Electrical Accessories

BE-PI72

Corded Power entry

- Corded power entry of 72'';
- Right angle 20 Amp plug;
- Male end;
- 1 circuit 20A;
- Must be plug on 20A outlet

Code	$	Description
BE-PI72	226	

BE-NYHW

NYC flex hardwired power infeed

* To be connected to an electrical box by an electrician.

- 8 wires - 4 circuits 20 A;
- Bare wires at one end;
- For 8 trac system;
- Male end.

Code	$	Description
BE-NYHW-72	410	
BE-NYHW-84	431	
BE-NYHW-96	447	
BE-NYHW-108	469	
BE-NYHW-120	487	

BE-J

M/M jumper

- Not-adjustable;
- 8 wire - 4 circuits;
- M/M;
- For 8 trac system;
- Minimum 12" - Maximum 216".

Code	$	Description
BE-J12	116	*8 wire cable / 4 circuit - 12"L*
BE-J18	124	*8 wire cable / 4 circuit - 18"L*
BE-J24	131	*8 wire cable / 4 circuit - 24"L*
BE-J36	143	*8 wire cable / 4 circuit - 36"L*
BE-J42	152	*8 wire cable / 4 circuit - 42"L*
BE-J48	162	*8 wire cable / 4 circuit - 48"L*
BE-J54	169	*8 wire cable / 4 circuit - 54"L*
BE-J60	183	*8 wire cable / 4 circuit - 60"L*
BE-J66	190	*8 wire cable / 4 circuit - 66"L*
BE-J72	200	*8 wire cable / 4 circuit - 72"L*
BE-J78	211	*8 wire cable / 4 circuit - 78"L*
BE-J84	222	*8 wire cable / 4 circuit - 84"L*
BE-J96	239	*8 wire cable / 4 circuit - 96"L*
BE-J120	279	*8 wire cable / 4 circuit - 120"L*
BE-J216	519	*8 wire cable / 4 circuit - 216"L*

BE-HC

Harness connector F/F

- Used to connect jumper cables;
- 1-1/2'' x 2-1/4''.

Code	$	Description
BE-HC	54	

BE-DHB

Single sided power block

- Maximum of 2 duplex per block;
- Includes mounting plates ;
- F/F ;
- For 8-trac system ;
- Duplex ordered separately.

Code	$	Description
BE-DHB	106	

BE-DBSM

Double sided power block

- Maximum of 4 duplex per block;
- For 8-trac system ;
- Slide mounting sold separately ;
- F/F ;
- Duplex ordered separately.

Code	$	Description
BE-DBSM	152	

Electrical Accessories

BE-D20-C

Duplex

- 20 Amp;
- Height 1-1/18";
- For BE-DHB & BE-DBSM blocks ;
- Colors: Black or white ;
- Maximum of 10 Duplex per circuit.

Code	$	Description
BE-D20-C-1-BL	48	*Circuit 1 - 20A - Black*
BE-D20-C-2-BL	48	*Circuit 2 - 20A - Black*
BE-D20-C-3-BL	48	*Circuit 3 - 20A - Black*
BE-D20-C-4-BL	48	*Isolated Circuit 4 - 20A - Black*
BE-D20-C-1-WH	54	*Circuit 1 - 20A - White*
BE-D20-C-2-WH	54	*Circuit 2 - 20A - White*
BE-D20-C-3-WH	54	*Circuit 3 - 20A - White*
BE-D20-C-4-WH	54	*Isolated Circuit 4 - 20A - White*

BE-SM58-2

Slide mount bracket

2 brackets;

- Only for the double power block (BE DBSM);
- 5/8" height;
- Screws included.

Code	$	Description
BE-SM58-2	42	

WM

Velcro Tie

- Velcro tie for electrical cable;
- The non-metallic buckle is safe to use around electrical devices;
- Dimensions: ¾" x 10";
- Color: black.

Code	$	Description
WM	13	*Unit price*
WMS	14	*with #8, 9/16" Robertson screw, per unit*

SQE

Electric plug

- Electric plug;
- Cable - 120";
- Finish: Black, Dusk, Navy, Storm.

Code	$	Description
SQE-120-C	135	*Black*
SQE-120-JM	135	*Dusk*
SQE-120-JL	135	*Navy*
SQE-120-JK	135	*Storm*

SQU

USB port

- 2 USB ports (passive);
- USB M/F cable - 72";
- Finish: Black, Dusk, Navy, Storm.

Code	$	Description
SQU-72-C	222	*Black*
SQU-72-JM	222	*Dusk*
SQU-72-JL	222	*Navy*
SQU-72-JK	222	*Storm*

BR1

Branch unit

- 1 power outlet / 1 dual charger USB-a+c;
- Table top with braided storm 120 IN power cord.

Code	$	Description
BR1BL	522	*Black*
BR1WH	522	*White*

BR2

Branch unit

- 3 power outlet / 1 dual charger USB-a;
- Table top with braided storm 120 IN power cord.

Code	$	Description
BR2BL	671	*Black*
BR2WH	671	*White*

Electrical Accessories

BCSS1BL

Communication Box

- Communication box to be installed under surface;
- 2 empty telecommunication outlets (outlets not included);
- 15A/125V;
- 1 set of universal adapters.

Code	$	Description
BCSS1BL	172	*Available in black only*

BCSS2BL

Communication Box

- Communication box to be installed under surface;
- 1 electrical outlet and 1 empty telecommunication outlet (outlet not included);
- 72" power cable with electric plug;
- 15A/125V;
- 1 set of universal adapters.

Code	$	Description
BCSS2BL	172	*Available in black only*

BCSS3BL

Communication Box

- Communication box to be installed under surface;
- 2 electrical outlets;
- 72" power cable with electric plug;
- 15A/125V;
- 1 set of universal adapters.

Code	$	Description
BCSS3BL	172	*Available in black only*

POR 01

RJ45, CAT 6 connectivity port

- RJ45, CAT6 connector;
- RJ45 M/F cable - 72" ;
- Finish: Black.

Code	$	Description
POR 01	144	

POR 02

RJ11 connectivity port

- RJ11 connector, 4 pin
- RJ11 M/F cable - 84";
- Finish: Black.

Code	$	Description
POR 02	42	

POR 03

USB connectivity port

- 1 USB (data/passive);
- USB M/F cable - 72";
- Finish: Black.

Code	$	Description
POR 03	89	

POR 04

HDMI connectivity port

- HDMI connector;
- HDMI F/F cable - 18";
- Finish: Black.

Code	$	Description
POR 04	131	

POR 05

Mini Stereo Jack

- 3.5 mm Mini Stereo Jack, M/F;
- Audio M/F cable -120";
- Finish: Black.

Code	$	Description
POR 05	47	

POR 06

VGA Connector

- VGA connector, 15 pin;
- VGA M/F cable -120";
- Finish: Black.

Code	$	Description
POR 06	167	

Electrical Accessories

F-714

Power bar

- Power bar with 6 AC 15 Amp electric outlets;
- 120", 14-3 power cable with electric plug.

Code	$	Description
F-714	118	

PBL

Power bar

- Power bar with 6 electric outlets;
- 120" power cable with electric plug.

Code	$	Description
PBL	65	

CT

Metal cable tray

Temporarily unavailable

Metal cable tray

- In stainless steel;
- Dimensions: 2x4; Interior dimensions: 1-7/8"D x 1-7/8"H
- Length of 24" and 118" (118" can be cut on site).
- With mounting hardware

Code	$	Description
CT24	64	
CT118	110	

DSG

Double-sided grommet

Passe-fils double-face

- Hole diameter: 2.5"
- Use for electrical cable management with division panels. Drilling to be done by the installer.
- Grommet to cut on site for desired thickness to cover.

Code	$	Description
DSG BL	29	*Black*
DSG WH	29	*White*

WMP

Wire Management Pole

- Blank steel pole to bring cables from the ceiling to a work station;
- Satin nickel finish with a grey boot base;
- 2 compartments: 1 power/1 communications
- Mounting hardware, entrance end plate and ceiling trim plate included;
- Wires and outlets not included;
- Height: 12' 5".

Code	$	Description
WMP	455	

As our product line is constantly evolving and expanding, we recommend that you visit logiflex.ca for updates.

logiflex
1235 St-Roch N., Sherbrooke QC J1N 0H2 Canada
T : 1.877.864.9323 | F : 1.800.474.7830 | logiflex.ca