

MAESTRO® SEATING

PRICE LIST

January 3, 2011

Updated October 3, 2022

800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering C	.O.M., C.O.L., and C.O.V.								
	Bonduel, Green Bay, Ontario, Tupelo and Shipping Locations								
Maestro®									
	General Information		4						
	Product Color Options		5						
	Chairs		6						

Architectural Walls


How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual vardage to uphol ster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

> KI Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in - vardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.


For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing

For products shipped from Green Bay, WI facility, ship upholstery material to:

Green Bay, WI 54302

Attn: C.O.M. Storage 1687 Westminster Drive - Gate 3 and backrests, provide a sketch noting requirements, as in Diagram B. along with



For products shipped from Bonduel, WI facility,

For products shipped from Ontario, CA facility,

Avail/Impress/Kismet/Medical &

Attn: C.O.M. Storage

Bonduel, WI 54107

204 West South Street

Laboratory Stools/Pilot

Attn: C.O.M. Storage

1110 S. Mildred Ave. Ontario, CA 91761

ship material to:

ship material to:

Intricate Patterns

Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material

C.O.M. SHIPPING LOCATION



Architectural Walls	System 3000	MN
EvokeMN	Universal Overheads	MN
Genius WallsMN	Wireworks	MN
	Unite	MN
Casegoods		
Aristotle TackboardsMN	Residence Hall Furniture	
Likha TackboardsMN	RoomScape Furniture	MN
Classroom Furniture	Screens	
Intellect Wave ChairsGB	All Terrain	KP
Learn2GB	Connection Zone	BW
RuckusGB	True/Volition	KP
	Genesis	KP
Desking	Tattoo	MN
700 Series DeskingKP	Universal	BW
Balance OverheadsMN		
Genesis DeskingMN	Seating	
True DeskingKP	400 Series Folding Chairs	BW
Universal OverheadsMN	600 Series Folding Chairs	BW
WorkZone DeskingMN	600 Series Stools	BW
	Affina Collection	HN
Files & Storage	Altus Task Chairs	GB
700 Series Pedestal CushionGB	Apply Stack Chairs	GB
Connection Zone PadsBW	Auditorium Folding Chairs	BW
U-Series Pedestal CushionGB	Calida Lounge Seating	HN
TattooBW	Diem Task Chairs	OM
	Doni Collection	GB
Fixed Seating	FourC Seating	GB
Concerto Auditorium SeatingBW	Gladly Lounge Seating	VQ
Single Pedestal SeatingGB	Grazie Seating	GB
Jury Base SeatingGB	Hiatus Sleeper Bench	HN
Lancaster Auditorium SeatingBW	Hub Modular Lounge Seating	HN
Sequence SeatingGB	Impress Task Chairs	OM
University SeatingGB	Impress Ultra Task Chairs	OM
	Jessa Lounge Seating	HN
Panel Systems	Jubilee Lounge Seating	
All TerrainKP	Katera Guest Chair	GB
Balance Overheads MN	Kury Benches	HN

LaResta Day BedsHN
LimeLiteGB
Lyra Lounge SeatingHN
Maestro Stack ChairsGB
Matrix Stack ChairsGB
Medical & Laboratory StoolsOM
MyPlace Lounge SeatingHN
MyWay SeatingHN
Oath Task Chairs and StoolsGB
Opt4GB
Pilot Task ChairsOM
Promenade Seating SystemBW
RuckusGB
Sela Lounge SeatingHN
Sift Task ChairsGB
Signia Task Chairs and StoolsOM
Soltice Metal CollectionHN
Soltice Multiple, Healthcare & Guest.HN
Soltice II Healthcare SeatingHN
Strive Multiple, Stack & TaskGB
SwayBW
TattooHN
Torsion-on-the-Go! Nesting Chairs GB
Torsion Air Stack and Task Seating GB
ZoetryHN

C.O.M., C.O.L and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement

Type of seating and number of units of each type

Purchasing Agent (Dealer or buying organization) Attention Project Name

Please see information below and check the appropriate box.

☐ Submitted for testing.

Purchase Order Number

KI Acknowledgement Number

Test approved. Submitted for production.

In all instances, send this form to the C.O.M. Specialist.



Selvage Top and Bottom







KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

KI Bonduel Attn: COM Storage 204 West South St Bonduel, WI 54107

KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263

KI Manitowoc Attn: COM Storage 1400 S 41st St Manitowoc, WI 54220 Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

KI Pembroke Attn: COM Storage Attn: COM Storage 1000 Olympic Dr. 1110 S. Mildred Ave. Pembroke, Ontario K8A6X7 Ontario, CA 91761







Stacking Chair (MSP)

Stacking Chair with Fixed Seat/Back Cushion (MSUSB)

Transport Dolly

Features			
Stackable	•	•	
Ganging	•	•	
Polypropyene seat and back	•	•	
Upholstered seat and back fixed cushion		•	
General Dimensions			
Seat width	18"	18"	
Seat depth	17-1/2"	17-1/2"	
Seat height	17-1/2"	18"	
Floor to back height	31-1/2"	31-1/2"	
Overall Dimensions			
Width	19-1/4"	19-1/4"	22-3/8"
Depth	21-1/4"	21-1/4"	25-5/8"
Ganging on center	20"	20"	
Stacking on Dolly			
Width	23"	23"	
Depth	42"	42"	
Quantity/height	38 Chairs/80" High	15 Chairs/80" High	
Stacking on Floor			
Width	19-1/4"	19-1/4"	
Depth	31"	31"	
Quantity/height	10 Chairs/38-3/4" High	10 Chairs/38-3/4" High	

SPECIFICATIONS

Seat and Backrest

Injection-molded polypropylene seat and back. Back features a contoured handle for easy lifting and stacking.

Seat and Back Pads

Fixed seat and back pads consist of a 3/16" thick plywood board with threaded inserts for attachment. The **INFORMATION** boards are covered in 1/2" foam padding and wrapped with fabric. The pads are attached to the seat and back with screws into the threaded fasteners.

Chair Frame

7/16" solid steel rod in bright nickel-chrome or with electrostatically-applied epoxy.

Bright Chrome Finish

step process.

Powder-Coated Finish

Electrostatically-applied epoxy, baked onto surface. Stacking powder-coated frames is not recommended.

Transport Dolly

Tubular and plate steel welded together. 5" casters: two fixed, two swivel. Powder-coated finish.

Universal Dolly Handle

Tubular steel and plate steel construction. Handle is powder coated. Field-assembled to dolly.

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. Upholstered chairs must be tested separately. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may Surfaces are duplex nickel-chrome plated in a twenty-one be requested. Customer's own vinyl and KI's 2V cannot be used on the MXU Matrix® model (upholstered seat/ back, no cushion) but can be used on fixed cushion

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

1

Frame Color		Seat and Back Color - Polypropylene	
Black	BL	Non Flame-Retardant	
Blue Grey	GR	Black	PBL
Bronze Metallic	ZM	Blue Grey	PGR
Cayenne	CY	Cayenne	PCY
Champagne Metallic	CM	Cool Grey	PCG
Chrome	CH	Cottonwood	PC0
Cool Grey	CG	Earthen Clay	PEY
Cottonwood	CO	Everglade Shade	PEV
Earthen Clay	EY	Flannel	PFN
Espresso Metallic	EX	Hazy Jade	PHJ
Everglade Shade	EV	Honey Bee	PHY
Flannel	FN	Light Tone	PLG
Glitz Metallic	GZ	Mardi Gras	PMG
Hazy Jade	HJ	Misty Brown	PMY
Honey Bee	HY	Nemo	PNE
Light Tone	LG	Nordic	PND
Mardi Gras	MG	Poppy Red	PPR
Misty Brown	MY	Purple Haze	PPH
Nemo	NE	Rubber Ducky	PRK
Nordic	ND	Sand	PSA
Poppy Red	PR	Sky Blue	PSK
Purple Haze	PH	Surf's Up	PSP
Rubber Ducky	RK	Twilight Shadow	PTI
Sand	SA	Ultra Blue	PUB
Sky Blue	SK	Warm Grey	PWG
Starlight Silver Metallic	SX	Zesty Lime	PZL
Surf's Up	SP		
Twilight Shadow	TI	Seat and Back Color - Polypropylene Flame-Retardant	
Ultra Blue	UB		DDI
Warm Grey	WG	Black	PBL
Zesty Lime	ZL	The above seating product can be manufact appropriate flame-retardant materials for co Technical Bulletin 133.	
		Additional colors may be available. Please co Service at 1-800-424-2432.	ontact KI Customer

Finish Cards
View color swatches for items listed within this document.

Paints

Wood/Veneer

Laminates

Edge Styles

Glass





										•								
		MODEL NUMBER																
	MODEL	Features	Basic Model	Glide Option	Frame Color	Seat & Back Color		Upholstery Color	Approx. Packaged Weight	Delivered Pricin Unupholstered	Delivered Pricing g Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Stack Chair	Polypropylene	MSP						16.0#	\$ 200								
	Polypropylene seat and backrestPolypropylene seat and back with uphol-	Fixed Seat Cushion	MSUS						18.0#	N/A	299	318	328	327	341	367	384	413
	stered seat cushion	Fixed Seat/Back Cushion	MSUSB						20.0#	N/A	421	455	473	442	504	545	578	618
	 Polypropylene seat and back with uphol- stered cushion on seat and back 																	
	 Steel rod frame in chrome or colors 																	
	38 poly chairs stack on dolly to 80" high15 upholstered chairs stack on dolly to																	
	80" high																	
MSP	•																	
MSUS																		
MSUSB																		
ſλ	Transport Dolly for Poly Chairs • Easy maneuverability with 5" casters;		CSD.BL						30.0#	\$ 553								
	two fixed, two swivel																	
	Black powder-coated finish																	
HRDPT																		
	Transport Dolly for Upholstered Chairs • Easy maneuverability with 5" casters;		MFSD.BL	-					30.0#	\$ 553								
	two fixed, two swivel																	
	Black powder-coated finish																	
V																		
HRDPT																		
	Universal Dolly Handle		UDH.BL						8.0#	\$ 199								
	Field installableProvides convenient handle for relocat-																	
	ing dolly when empty or loaded																	
	Overall dolly height with handle is 37"																	
14																		
HRDPT																		
			A	B	Θ	0	3	3										
			_	_	_	_	_	_										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect glide option.

NG - No glides
F - Replaceable Felt Glides; add \$5
G - Ganging polycarbonate glides; add

\$5

GS - Ganging steel glides; add \$5

H - Polycarbonate glides; add \$5

NS - PVC non-skid glides; add \$5

- Stainless steel glides; add \$5

Select upholstery grade/color.

Refer to ki.com/fabrics

Select frame color.

Refer to the **Product Color Options** page in this price list.

① Select seat and back color.

Refer to the **Product Color Options** page in this price list.

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added Lead Time=1 week Added List Price=\$31 Model=Uph. Seat Pad Only Added Lead Time=N/A Added List Price=\$91 Model=Uph. Seat/Back Pad Added Lead Time=N/A Added Lead Time=N/A Added Lead Time=N/A Added List Price=\$108

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. Requirement for orders of 11 or more with upholstered seat only is 1/2 yard per chair. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000426/KI/PDF

