



Harry Lee James, P.E.

State Aid Engineer

P.O. Box 1850

412E WaadovWilsonAse.

Jackson, Mssissipri 39216

Fax (601) 339-7141

February 19, 2020

Board of Supervisors Marion County c/o Chancery Clerk Columbia, MS 39429

Gentlemen:

RE:

STATE AID PROJECT

PROJECT NO. SAP-46(18)M MARION COUNTY

The Plans and specifications for the above numbered project have been reviewed and are herewith approved. You are, therefore, authorized to advertise this project for bids. The work to be done under this project consists of Bridge Replacement.

The date for opening these bids has been set for Tuesday, MArch 24, 2020 at 10:00 a.m. in the Boardroom at Columbia.

In accordance with the Provisions of Section 31-7-13, Mississippi Code of 1972 as amended by House Bills numbered 901 and 1306 of the 1991 regular Legislative Session, the advertisement for receipt of bids on this project must be made once each week for two (2) consecutive weeks in a regular newspaper published in your county and, further, that the date as published for the bid opening shall not be less than fifteen (15) working days after the last published notice. The date, as set above, should be no sooner than the sixteenth working day after the last advertisement appears in the newspaper.

We are returning herewith an approved copy of the Plans and Proposal Documents to be filed by your Clerk when advertisement is begun.

Sincerely,

Harry Lee James, P. E. State Aid Engineer

Edyn Hellins

By:

Evelyn Hollins

Administrative Assistant

pc:

Jeff J. Dungan, P.E., Co. Eng./Project Eng. Supervisor District(s) 4,5

Chris Dixon, P.E.

F.H.W.A., 00-01 (if Federal) System Consultants Associates McGraw Hill Construction Dodge

MS Procurement Technical Assistance Program Associated General Contractors of Mississippi, Inc.

M.R.B.A. Project File

OFFICE OF STATE AID ROAD CONSTRUCTION MISSISSIPPI DEPARTMENT OF TRANSPORTATION AND

MARION COUNTY BOARD OF SUPERVISORS

SECTION 900

NOTICE TO CONTRACTORS:

Sealed bids will be received by the Board of Supervisors of Marion County, Mississippi at the Marion County Board Office 215 Broad St, Columbia, Mississippi, until on the day of , and shortly thereafter publicly opened for the construction of 0.224 miles of BRIDGES AND APPROACHES on the SITES "A", "B", & "C" being known as Project No. SAP-46(18)M in Marion County, Mississippi.

PRINCIPAL ITEMS OF WORK ARE APPROXIMATELY AS FOLLOWS:

ITEM	QUANTITY	UNIT
ROADWAY ITEMS:		
MOBILIZATION	LUMP SUM	LS
TREE TRIMMING WITHIN MAINTENANCE	4.500	STA
LIMITS		
REMOVAL OF BRIDGE @ STATION 97+67	1.000	UN
REMOVAL OF BRIDGE @ STATION 29+95	1.000	UN
REMOVAL OF BRIDGE @ STATION 244+78	1.000	UN
UNCLASSIFIED EXCAVATION (FM)	735.000	CY
BORROW EXCAVATION (F.M.E.)	200.000	CY
(CONTRACTOR FURNISHED) (CLASS 7)		
GRANULAR MATERIAL (LVM),	781.000	CY
(CLASS 6, GROUP C)	tu .	
HOT MIX ASPHALT, (ST) (9.5 MM)	226.000	TON
GUARD RAIL, W-BEAM	337.500	LF
GUARD RAIL, BRIDGE END SECTION,	9.000	EA
SPECIAL DESIGN		
GUARD RAIL, TERMINAL END SECTION	9.000	EA
ROADWAY CONSTRUCTION SURVEYING	LUMP SUM	LS
MAINTENANCE OF TRAFFIC	LUMP SUM	LS
ADDITIONAL CONSTRUCTION SIGNS	0.000	SF
IMPACT ATTENUATOR (45 MPH), REACT	3.000	UN
350 OR MDOT APPROVED EQUIV.		
4" WIDE THERMOPLASTIC EDGE STRIPE	0.450	ΜI
(CONTINUOUS WHITE) (60 MILS)		
4" WIDE THERMOPLASTIC TRAFFIC	2,380.000	LF
STRIPE (CONTINUOUS YELLOW)		
(90 MILS)		
TWO-WAY YELLOW REFLECTIVE HIGH	21.000	EA
PERFORMANCE RAISED MARKERS		
REFLECTORIZED TRAFFIC OBJECT MARKER	12.000	EA
(ENCAPSULATED LENS) (TYPE 3)		e :

EROSION CONTROL ITEMS:

SECTION 900 PROJECT NO. SAP-46(18)M MARION COUNTY

MARION COUNTY		
TWO-WAY YELLOW REFLECTIVE HIGH	21 000	
PERFORMANCE RAISED MARKERS	21.000 -	EA
REFLECTORIZED TRAFFIC OBJECT MARKER	12 000	
(ENCAPSULATED LENS) (TYPE 3) -	12.000	EA
(TINGER BODATED DENS) (TIPE 3)		
EROSION CONTROL ITEMS:		
AGRICULTURAL LIMESTONE	1.400-	TION
COMMERCIAL FERTILIZER (13-13-13)*	0.700~	TOT
SEEDING -	0.700	TOT
VEGETATIVE MATERIALS FOR MULCH ~	1,400	AC
TEMPORARY SILT FENCE	1,930.000-	TON
(TYPE II) (AOS 0.15-0.84)-	1,930.000	LF_{\lnot}
BRIDGE ITEMS:		
SITE "A" BRIDGE ITEMS:		
TEST PILE 🗻	2.000	EA
CONVENTIONAL STATIC PILE LOAD TEST	0.000	E.A
14" PRESTRESSED CONCRETE PILING ~	1,490.000	LF
19' PRECAST CONCRETE SLAB UNIT,	42.000-	EZ
3'-6" INTERIOR .		
31' PRECAST CONCRETE SLAB UNIT,	6.000-	EA
3'-6" INTERIOR ·		
9' PRECAST CONCRETE SLAB UNIT,	14.000′	EA
CURB		
31' PRECAST CONCRETE SLAB UNIT,	2.000/	EA
CURB •		
BEAM TYPE RAILING WITH	328.000 -	LF
CONCRETE POSTS *		
9' PRECAST CONCRETE CAP,	7.000 ′	EA
NTERMEDIATE UNIT, CONCRETE PILE		
9' PRECAST CONCRETE CAP,	2.000′	EA
ND UNIT, CONCRETE PILE	71	
.5' PRECAST CONCRETE WING	4.000	EA
OOSE RIPRAP, 300 LB	85.200-	TO
EOTEXTILE UNDER RIPRAP,	175.000	SY
YPE V, AOS 0.21-0.43		
ITE "B" BRIDGE ITEMS:		
EST PILE.	2.000	EA
ONVENTIONAL STATIC PILE LOAD TEST-	0.000	EA
4" PRESTRESSED CONCRETE PILING-	1,490.000-	LE
9' PRECAST CONCRETE SLAB UNIT	42.000-	EA
'-6" INTERIOR -	12.000	E.A.
1' PRECAST CONCRETE SLAB UNIT,	6.000-	EA
'-6" INTERIOR -	0.000	£A.
9' PRECAST CONCRETE SLAB UNIT,	14.000	EA
URB -	7.4.000	EA

31' PRECAST CONCRETE SLAB UNIT,	2.000 ^	EA
BEAM TYPE RAILING WITH CONCRETE POSTS /	328.000-	LF
29' PRECAST CONCRETE CAP, INTERMEDIATE UNIT, CONCRETE PILE -	7.000 ^	EA~
29' PRECAST CONCRETE CAP, END UNIT, CONCRETE PILE ~	2.000	EA
7.5' PRECAST CONCRETE WING LOOSE RIPRAP, 300 LB GEOTEXTILE UNDER RIPRAP, TYPE V, AOS 0.21 - 0.43	4.000 ° 94.400 ° 200.000	EA TON ~ SY-
SITE "C" BRIDGE ITEMS:		
TEST PILE CONVENTIONAL STATIC PILE LOAD TEST 14 PRESTRESSED CONCRETE PILING 19' PRECAST CONCRETE SLAB UNIT, 3'-6" INTERIOR.	2.000 / 0.000 / 910.000 / 24.000 /	EA EA LF EA
31' PRECAST CONCRETE SLAB UNIT, 3'-6" INTERIOR >	6.000,	EA ^
19' PRECAST CONCRETE SLAB UNIT,	8.000	EA ^
31' PRECAST CONCRETE SLAB UNIT, CURB,	2.000 -	EA*
BEAM TYPE RAILING WITH CONCRETE POSTS /	214.000.	LF *
29' PRECAST CONCRETE CAP, INTERMEDIATE UNIT, CONCRETE PILE	4.000-	EA
29' PRECAST CONCRETE CAP, END UNIT, CONCRETE PILE /	2.000	EA
7.5' PRECAST CONCRETE WING LOOSE RIPRAP, 300 LB. GEOTEXTILE UNDER RIPRAP, TYPE V, AOS 0.21-0.43.	4.000° 118.500° 220.000°	EA TON SY -

NOTICE TO CONTRACTORS:

CONTRACT TIME:

140 Working Days

BASIS OF AWARD

The award, if made, will be made to the lowest qualified bidder on the basis of published quantities.

The Board of Supervisors hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprise will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

PLANS AND SPECIFICATIONS are on file in the Office of the Chancery Clerk of Marion County, the County Engineer's office and the Office of the State Aid Engineer, 412 E. Woodrow Wilson Avenue, Jackson, Mississippi. This project shall be constructed in accordance with the latest edition of the Mississippi Standard Specifications for State Aid Road and Bridge Construction.

PLANS AND PROPOSALS may be secured from Jeff J. Dungan, County Engineer for Marion County, Mississippi, 1574 Highway 98 East, Columbia. The Cost is fifty dollars(\$50.00) for plans and fifty dollars(\$50.00) for the proposal, non-refundable. Or official bid documents can be downloaded from Central Bidding at

Certified check or bid bond for five percent (5%) of the total bid, made payable to Marion County and the State of Mississippi must accompany each proposal.

Bidders are hereby notified that any proposal accompanied by letters qualifying in any manner the condition under which the proposal is tendered will be considered an irregular bid and such proposal will not be considered in making the award.

Tony Morgan, President Marion County Board of Supervisors

Publish on: