M E L O

TASK • MANAGEMENT • CONFERENCE







MELO CHAIR • HIGHBACK AND MIDBACK



MELO CHAIR

FEATURES

- Durable poly mesh back
- 6 colors of back mesh available
- Upholstered seat Standard and Petite
- Many arm options
- Synchro tilt with 4-position tilt lock
- Free floats in unlocked position
- Tilt tension adjustment
- Meets or exceeds ANSI/BIFMA Standards
- 300 lb weight capacity



Midback ME35P/ATS

ADDITIONAL OPTIONS

CAL133 tested and approved

Memory foam 1" top added to seat

1" extra seat foam

Sliding seat depth adjustment

Ratchet back height adjustment (Highback only)

Hard floor casters (set of 5)

Aluminum base, chrome cylinder and casters

Petite seat

Weight activated tension control

DIMENSIONS

Seat width 21" 19" Petite Seat depth 20½" Petite 18½" Back width 20½" Back height 22" (Highback) 18" (Midback) Seat height from floor 16½-21" approx 36-38 lbs Weight

MELO CHAIR



MELO BASIC AND MELO STOOL



ADDITIONAL OPTIONS

CAL133 tested and approved Hard floor casters (set of 5)

MELO BASIC

FEATURES

- Durable poly mesh back
- 6 colors of back mesh available
- Upholstered seat
- 3 different arm options, or armless
- Free floats or locks in upright position
- Tilt tension adjustment
- Meets or exceeds ANSI/BIFMA Standards
- 275 lb weight capacity
- Ships KD Assembly Required

DIMENSIONS

Seat width 21" Petite 19" Seat depth 20½" Petite 18½" Back width 19½" Back height 22" Seat height from floor 16-21" Weight approx 36-38 lbs



MELO STOOL

FEATURES

- Fixed position seat and back
- Non-tilting
- Many options available

DIMENSIONS

Seat width 21"
Seat depth 20½"
Back width 20½"
Back height 18"
Seat height from floor 25-32¼"

Weight approx 36-38 lbs



TASK • MANAGEMENT • CONFERENCE

MELO SIDE CHAIR

FEATURES

- Durable poly mesh back
- 6 colors of back mesh available
- Upholstered seat
- Deep waterfall front seat edge
- Stackable 4 high
- Ships fully assembled
- CAL133 tested and approved

ADDITIONAL OPTIONS

Black or Gray 7/8" frame Available with casters Black arms or armless









MELOCHAIR.COM