

Prices effective February 5, 2018

Meridian® Vertical Files

Introduction	page 2
Meridian® Vertical Files	3
Vertical Files	5
Accessories	15
Keyless Locks	21
Indices	25
By Name	25
By Number	27
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Keyed-Alike Information	
Stain-to-Match Program	
For the latest materials information, refer to the Materials pages on	HermanMiller.com.

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 5, 2018, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest $^{1}/_{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon <a> a will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an A are on the assigned leadtime program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.


Meridian® Vertical Files

Vertical Files

Accessories

Keyless Locks

4



Description

This 15"- or 18"-wide stacking vertical file has standard pulls and smooth or textured steel. The file has no top or a metal or laminate top. Each module can be specified as 1 file drawer or 2 box drawers. File drawers include a file compressor; box drawers include an adjustable drawer divider. A positive interlock system permits only 1 drawer to open at a time. 1 lock controls all drawers. 5 base heights are available; all bases include adjustable glides.

Actual vertical file depths are $17^{7/8}$ ", $21^{7/8}$ ", or $27^{7/8}$ ".

Notes

1 counterweight is included for 18"-deep vertical files. For additional stability on 22"- and 28"-deep files, specify counterweight (CB).

Dimensional illustrations do not include all possible configurations.

18"-deep file drawers have 14" of filing capacity. 22"-deep file drawers have 18" of filing capacity. 28"-deep file drawers have 24" of filing capacity.

Order optional accessories for 15"-wide file separately:

- Drawer divider (73-1567-D)
- File drawer organizer (73-9874-FDO)
- File drawer organizer (LG901)
- Pencil tray (73-1516-PT)
- Stationery tray (73-7082-SST)


Order optional accessories for 18"-wide file separately:

- Drawer divider (73-1867-D)
- File drawer organizer (LG901)
- Pencil tray (73-1816-PT)
- Stationery tray (73-7082-SST-SP)

No lock option (NL) can only be specified on files with no top option (NT) or laminate top option (TL).

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions



h		
2	23	1/2
3	35	1/4
4	47	
5	58	3/4
6	70	1/2

All dimensions are in inches.

Specification Information

Step 1	1.	
36- [A	A	
Step 2	2. Width	
15	15" wide 🗚	
18	18" wide A	
Step 3	3. Depth	
18-	18" deep 🗚	
22-	22" deep 🗚	
28-	28" deep A	
Step 2	4. Number of Modules	
2	2 modules A	
3	3 modules A	
4	4 modules A	
5	5 modules A	
6	6 modules A	
CI	D: (/C) IT	
, -	5. Paint/Steel Type	+\$0
SS TS	smooth paint on smooth steel A	•
XS	smooth paint on textured steel A	+\$20 +\$0
Λ3	textured paint on smooth steel A	+\$0
Step 6	6. Surface Finish	
Nonm	netallic Paint	
For sn	mooth paint on smooth steel (SS) or smooth p	paint on textured
steel	(TS)	
8Q	folkstone grey 🖪	+\$o
91	white A	+\$o
98	studio white A	+\$o
9J	sparrow A	+\$ 0
BU	black umber A	+\$ 0
CL	cool grey neutral A	+\$o
G2	graphite satin	+\$o
HF	inner tone light	+\$o
HT	inner tone A	+\$o
LT	light tone 🖪	+\$o
LU	soft white A	+\$ 0
MT	medium tone	+\$ 0
SG	slate grey A	+\$o
WA	wheat A	+\$o
WL	sandstone A	+\$o


1209 1210 1212	platinum A			Φ-
				+\$o
1212	hematite A			+\$0
	bronzite A			+\$0
CN	metallic champagne A			+\$0
EH	metallic bronze A			+\$o
MS	metallic silver A			+\$0
Sand T	exture Paint			
For tex	tured paint on smooth steel (XS)			
98	studio white A			+\$0
Bright	Sand Texture Paint			
For tex	tured paint on smooth steel (XS)			
91	white A			+\$0
CL	cool grey neutral A			+\$0
G1	graphite A			+\$0
WN	warm grey neutral A			+\$0
Step 7	. Тор			
		18-	22-	28-
NT	no top A	+\$o	0	0
T1	1"-high painted metal top with squared edge A	+\$55	62	75
T2	$1^{1}/4^{"}$ -high painted metal top with squared edge \boxed{A}	+\$55	62	75
Т3	$1^{1}/_{4}$ "-high painted metal top with radius edge \boxed{A}	+\$129	136	148
TL	1 ¹ / ₄ "-high laminate top with	+\$141	150	158
	thermoplastic edge A			
TR	11/4"-high recut veneer top A	+\$233	239	251
TF	11/4"-high wood veneer top A	+\$238	246	257

Step 8	3.	
,		
Top Fi	nish: Solid-Color Laminate	
For 1 ¹ /	/₄"-high laminate top with thermoplastic edge (TL)	
8Q	folkstone grey A	+\$0
91	white A	+\$o
98	studio white	+\$o
CL	cool grey neutral A	+ \$o
HF	inner tone light A	+\$o
HT	inner tone A	+\$o
LT	light tone A	+\$o
LU	soft white A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$0
'	nish: Linen Laminate	
	/4"-high laminate top with thermoplastic edge (TL)	+\$0
LBM	crisp linen	+\$0 +\$0
LBN	classic linen	+\$0 +\$0
LBP	casual linen	+\$0
Top Fi	nish: Mesh Laminate	
For 1 ¹ /	/ ₄ "-high laminate top with thermoplastic edge (TL)	
LBK	pewter mesh	+\$ o
LBL	steel mesh	+\$0
Top Fi	nish: Twill Laminate	
For 1 ¹ /	/₄"-high laminate top with thermoplastic edge (TL)	
LBF	neutral twill	+\$0
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+ \$o
LBQ	white twill	+\$0

Top Fi	nish: Wood-Grain Laminate	
For 1 ¹ /	/₄"-high laminate top with thermoplastic edge (TL)	
нм	natural maple 🖪	+\$0
HP	light anigre A	+\$0
LA	light ash 🖪	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LM	mahogany A	+\$0
76	light brown walnut 🗚	+\$0
нх	aged cherry A	+\$0
ΗY	walnut on cherry A	+\$0
Гор Fi	nish: Zephyr Laminate	
For 1 ¹ /	/₄"-high laminate top with thermoplastic edge (TL)	
28	canyon A	+\$0
29	misted A	+\$0
Venee	er Top Finish: Wood Veneer	
For 1 ¹ /	/₄"-high wood veneer top (TF)	
2U	light brown walnut 🗚	+\$20
40	dark brown walnut 🗚	+\$20
ED	aged cherry A	+\$20
ΕK	medium red walnut 🖪	+\$20
ET	clear on ash 🖪	+\$20
EU	oak on ash 🖪	+\$20
EV	walnut on ash 🗚	+\$20
UL	natural maple 🖪	+\$20
UX	walnut on cherry A	+\$20
Venee	er Top Finish: Recut Veneer	
For 1 ¹ /	/ ₄ "-high recut veneer top (TR)	
RA	light ash 🗚	+\$0
RK	mahogany dark 🗚	+\$0
RM	mahogany A	+\$0
Step	9. Edge Finish	
For 1 ¹ /	/ ₄ "-high laminate top with thermoplastic edge (TL)	
98	studio white	+\$0
28	canyon A	+\$0
29	misted A	+\$0
76	light brown walnut 🗚	+\$0
BQ.	folkstone grey A	+\$0
91	white A	+\$0
BU	black umber A	+\$0

ared edge I-high pair er top (TR)	nted met	tal top w	ith
,	,,	5	
			+\$46
			+\$46
			+\$46
			, , ,
			+\$46
			+\$46
			+\$46
			. 440
3- 1522-	- 1528.	- 1818-	1822-
		-	_
0 420	, 440	, 420	435 1828 -
,			+\$320
			+\$320
			+ 3 454
T)			
	4500	1010	1000
		-	_
0 426	5 440) 426	
			1828-
			+\$320
			+\$454
m Top)			
dules (5)	AND 6 n	nodules	(6)
3- 1522-	- 1528-	- 1818-	1822-
0 297	7 310	298	306
0 426	ó 440	426	435
			1828-
		,	+\$320
			+\$454
т Тор)			
6 modules	rs (6)		
6 module: 3- 1522-		- 1818-	1822-
	- 1528-		
	o 297 o 426 om Top) 3- 1522 o 297 o 426 om Top) odules (5) 3- 1522 o 297 o 426	o 297 310 o 426 440 om Top) 3- 1522- 1528- o 297 310 o 426 440 om Top) odules (5) AND 6 11 3- 1522- 1528- o 297 310 o 426 440	o 426 440 426 om Top) 3- 1522- 1528- 1818- o 297 310 298 o 426 440 426 m Top) odules (5) AND 6 modules 3- 1522- 1528- 1818- o 297 310 298 o 426 440 426

•						1828
V	file 🖪					+\$320
Q	box/box A					+\$454
Step	16. Configuration (5th	Module from	Тор)			
For 5	modules (5) AND 6 m	odules (6)				
		1518-	1522-	1528-	1818-	1822-
V	file 🖪	+\$290	297	310	298	306
Q	box/box A	+\$420	426	440	426	435
						1828
٧	file A					+\$320
Q	box/box A					+\$454
Step	17. Configuration (6th	Module from	Тор)			
For 6	modules (6)					
		1518-	1522-	1528-	1818-	1822-
V	file A	+\$290	297	310	298	306
Q	box/box A	+\$420	426	440	426	435 1828 -
v	file A					+\$320
Q	box/box A					+\$454
Step	18. Base Height					
				18-	22-	28-
В1	1"-high base 🗚			+\$81	93	100
B2	1 ¹ / ₂ "-high base A			+\$81	93	100
В3	21/4"-high base A			+\$81	93	100
B4	31/4"-high base A			+\$81	93	100
B5	4¹/₄"-high base 🖪			+\$118	132	151
ВА	1"-high recessed ba	ise A		+\$118	132	151
ВВ	11/2"-high recessed	base 🗚		+\$118	132	151
BC	21/4"-high recessed	base 🗚		+\$118	132	151
BD	3 ¹ / ₄ "-high recessed	base A		+\$118	132	151
Step	19. Counterweight					
For 18	8" deep (18-)					
СВ	countorwoight 🕡					+\$126
	counterweight A					
For 22	2" deep (22-) or 28" d	eep (28-)				
For 22						+\$0



Description

This 15"- or 18"-wide stacking vertical file has bevel pulls and smooth or textured steel. The file has no top or a metal or laminate top. Each module can be specified as 1 file drawer or 2 box drawers. File drawers include a file compressor; box drawers include an adjustable drawer divider. A positive interlock system permits only 1 drawer to open at a time. 1 lock controls all drawers. 5 base heights are available; all bases include adjustable glides.

Actual vertical file depths are $17^{7/8}$, $21^{7/8}$, or $27^{7/8}$.

Notes

1 counterweight is included for 18"-deep vertical files. For additional stability on 22"- and 28"-deep files, specify counterweight (CB).

Dimensional illustrations do not include all possible configurations.

18"-deep file drawers have 14" of filing capacity. 22"-deep file drawers have 18" of filing capacity. 28"-deep file drawers have 24" of filing capacity.

Order optional accessories for 15"-wide file separately:

- Drawer divider (73-1567-D)
- File drawer organizer (73-9874-FDO)
- File drawer organizer (LG901)
- Pencil tray (73-1516-PT)
- Stationery tray (73-7082-SST)


Order optional accessories for 18"-wide file separately:

- Drawer divider (73-1867-D)
- File drawer organizer (LG901)
- Pencil tray (73-1816-PT)
- Stationery tray (73-7082-SST-SP)

No lock option (NL) can only be specified on files with no top option (NT) or laminate top option (TL).

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions



n		
2	23	1/2
3	35	1/4
4	47	
5	58	3/4
6	70	1/2

All dimensions are in inches.

Spec	cification Information	
Step	1.	
34- [A	
Stan	2. Width	
15	15" wide A	
18	18" wide A	
10	10 Wide A	
Step	3. Depth	
18-	18" deep 🖪	
22-	22" deep 🖪	
28-	28" deep 🖪	
Step	4. Number of Modules	
2	2 modules A	
3	3 modules A	
4	4 modules A	
5	5 modules A	
6	6 modules A	
	5. Paint/Steel Type	
SS	smooth paint on smooth steel A	+\$0
TS	smooth paint on textured steel A	+\$20
XS	textured paint on smooth steel 🗚	+\$0
Step	6. Surface Finish	
Nonn	netallic Paint	
For sr	mooth paint on smooth steel (SS) or smooth paint	t on textured
steel	•	
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white A	+\$o
9J	sparrow A	+\$o
BU	black umber 🗚	+\$0
G2	graphite satin A	+\$o
HF	inner tone light A	+\$o
нт	inner tone A	+\$0
LM	mahogany A	+\$o
LT	light tone A	+\$o
LU	soft white A	+\$o
MT	medium tone A	+\$0
SG	slate grey A	+\$0
WA	wheat A	+\$0
WL	sandstone A	+\$0

Metall	ic Paint			
	nooth paint on smooth steel (SS) or sm	ooth paint on	texture	d
steel (TS)			
1209	platinum 🗚			+\$0
1210	hematite A			+\$0
1212	bronzite A			+\$0
CN	metallic champagne 🗚			+\$0
EH	metallic bronze 🗚			+\$0
MS	metallic silver A			+\$0
Sand	Texture Paint			
For te	xtured paint on smooth steel (XS)			
98	studio white A			+\$0
Bright	Sand Texture Paint			
For tex	xtured paint on smooth steel (XS)			
91	white A			+\$0
CL	cool grey neutral 🗚			+\$0
G1	graphite 🖪			+\$0
WN	warm grey neutral 🗚			+\$0
Step 7	. Top			
		18-	22-	28-
NT	no top A	+\$ 0	0	C
T1	1"-high painted metal top with	+\$55	62	75
T-0	squared edge A	*		
T2	$1^{1}/4^{"}$ -high painted metal top with squared edge \boxed{A}	+\$55	62	75
T3	11/4"-high painted metal top with	+\$129	136	148
	radius edge 🗚			
TL	1¹/₄"-high laminate top with	+\$141	150	158
	thermoplastic edge A			
TR	1¹/₄"-high recut veneer top A	+\$233	239	251
TF	1¹/₄"-high wood veneer top 🖪	+\$238	246	257

Step 8	3.	
Top Fi	nish: Solid-Color Laminate	
For 1 ¹ /	/₄"-high laminate top with thermoplastic edge (TL)	
8Q	folkstone grey A	+\$0
91	white A	+\$ o
98	studio white	+\$o
BU	black umber A	+\$o
CL	cool grey neutral A	+\$o
HF	inner tone light A	+\$o
HT	inner tone A	+\$o
LT	light tone A	+\$o
LU	soft white A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$0
Top Fi	nish: Linen Laminate	
For 11/	/₄"-high laminate top with thermoplastic edge (TL)	
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$0
Top Fi	nish: Mesh Laminate	
For 1 ¹ /	/₄"-high laminate top with thermoplastic edge (TL)	
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
Top Fi	nish: Twill Laminate	
For 1 ¹ /	/₄"-high laminate top with thermoplastic edge (TL)	
LBF	neutral twill	+\$ 0
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBQ	white twill	+\$0


Top Fi	nish: Wood-Grain Laminate	
For 1 ¹ ,	/₄"-high laminate top with thermoplastic edge (TL)	
нм	natural maple 🖪	+\$0
HP	light anigre A	+\$0
LA	light ash A	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+ \$o
LBC	walnut on ash	+ \$o
LBD	dark brown walnut	+ \$0
LBE	medium red walnut	+\$0
LM	mahogany 🖪	+\$0
76	light brown walnut 🗚	+\$0
HX	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
Top Fi	nish: Zephyr Laminate	
For 1 ¹ ,	/₄"-high laminate top with thermoplastic edge (TL)	
28	canyon 🗚	+ \$0
29	misted A	+\$0
Venee	er Top Finish: Wood Veneer	
	/ ₄ "-high wood veneer top (TF)	
2U	light brown walnut 🗚	+\$20
40	dark brown walnut 🗚	+\$20
ED	aged cherry A	+\$20
EK	medium red walnut 🖪	+\$20
ET	clear on ash 🖪	+\$20
EU	oak on ash 🖪	+\$20
EV	walnut on ash 🗚	+\$20
UL	natural maple A	+\$20
UX	walnut on cherry A	+\$20
Venee	er Top Finish: Recut Veneer	
For 1 ¹ ,	/ ₄ "-high recut veneer top (TR)	
RA	light ash 🖪	+\$0
RK	mahogany dark 🖪	+\$0
RM	mahogany A	+\$0
Step	o. Edge Finish	
For 1 ¹ ,	/ ₄ "-high laminate top with thermoplastic edge (TL)	
98	studio white	+\$0
28	canyon A	+\$0
29	misted A	+\$0
76	light brown walnut 🗚	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
BU	black umber A	+\$0

CL	cool grey neutral A			+\$o		"-high painted metal to		-		- ,	
G2	graphite satin A			+\$0		ll top with squared edg					
HF	inner tone light A			+\$0		ıs edge (T3), 1½"-high	recut veneer t	top (TR),	or 11/4"-	high wo	od
HM HP	natural maple A			+\$o +\$o		er top (TF)					
HT	light anigre A			+\$0 +\$0	KA	keyed alike A	. –				+\$46
нх	inner tone A			+\$0 +\$0	KC	keyed differently, o	_				+\$46
НХ	aged cherry A walnut on cherry A			+\$0 +\$0	KD	keyed differently, b	olack 🛕				+\$46
LA	light ash A			+\$0	<u></u>	.:					
LBA	clear on ash			+\$0		" locking filler top (10)					. ¢ . ૮
LBB	oak on ash			+\$0	KA KC	keyed alike A	la va ma a				+\$46
LBC	walnut on ash			+\$0	KD	keyed differently, o	_				+\$46 +\$46
LBD	dark brown walnut			+\$0	KD	keyed differently, b	nack [A]				+\$40
LBE	medium red walnut			+\$o	Sten	12. Configuration (Top	Module)				
LBK	pewter mesh			+\$o	Jiep	12. Comigaration (10p		1522-	1528-	1818-	1822-
LBL	steel mesh			+\$o	٧	file A	+\$290	297	310	298	306
LBM	crisp linen			+\$o	Q	box/box A	+\$420	426	440	426	435
LBN	classic linen			+\$o		201/2011	.44=0	4-0	440	4-0	1828-
LBP	casual linen			+\$o	٧	file A					+\$320
LBF	neutral twill			+\$o	Q	box/box A					+\$454
LBG	sarum twill			+\$o		2011/2011					.4474
LBH	earthen twill			+\$o	Step 13. Configuration (2nd Module from Top)						
LBJ	graphite twill			+\$o	otop	1), cogaracion (=		1522-	1528-	1818-	1822-
LBQ	white twill			+\$o	V	file A	+\$290	297	310	298	306
LM	mahogany 🖪			+ \$0	Q	box/box A	+\$420	426	440	426	435
LU	soft white A			+\$ 0							1828-
MT	medium tone A			+\$ 0	V	file A					+\$320
SG	slate grey A			+\$ 0	Q	box/box A					+\$454
WA	wheat A			+\$ 0		,					. 13 1
WL	sandstone A			+\$o	Step	14. Configuration (3rd	Module from	Тор)			
WN	warm grey neutral 🗚			+\$ 0							
					For 3	modules (3), 4 modul	les (4), 5 modu	ıles (5) i	4ND 6 m	odules ((6)
Step 1	10. Lock/Filler Top				***************************************		1518-	1522-	1528-	1818-	1822-
					V	file A	+\$290	297	310	298	306
For 1 ¹ ,	/₄"-high laminate top with thermoplast				Q	box/box A	+\$420	426	440	426	435
		18-	22-	28-							1828-
NL	no lock A	+\$o	0	0	٧	file A					+\$320
10	1" locking filler top A	+\$55	62	75	Q	box/box A					+\$454
Step 1	11. Lock				Step	15. Configuration (4th	Module from	Тор)			
	top (NT)				For 4	modules (4), 5 modul	les (5) AND 6 r	nodules	(6)		
NL	no lock 🗚			+\$o			1518-	1522-	1528-	1818-	1822-
	no tock A						1710			-0-0	
	HO LOCK A				٧	file A	+\$290	297	310	298	306

•••••						1828
٧	file A					+\$320
Q	box/box A					+\$454
Step	16. Configuration (5th	Module from	Тор)			
For 5	modules (5) AND 6 m	odules (6)				
		1518-	1522-	1528-	1818-	1822
٧	file 🖪	+\$290	297	310	298	306
Q	box/box A	+\$420	426	440	426	435
						1828
V	file A					+\$320
Q	box/box A					+\$454
Step	17. Configuration (6th	Module from	Тор)			
For 6	modules (6)					
		1518-	1522-	1528-	1818-	1822
٧	file A	+\$290	297	310	298	306
Q	box/box A	+\$420	426	440	426	435
						1828
٧	file 🖪					+\$320
Q	box/box A					+\$454
Step	18. Base Height					
				18-	22-	28
B1	1"-high base 🗚			+\$81	93	100
B2	11/2"-high base A			+\$81	93	100
В3	4/ // 1 1 1					
	21/4"-high base A			+\$81	93	100
B4	2 ¹ / ₄ "-nigh base A			+\$81 +\$81	93 93	
-						100
В5	3 ¹ / ₄ "-high base A	se A		+\$81	93	100 15
B5 BA	$3^{1}/4''$ -high base A $4^{1}/4''$ -high base A			+\$81 +\$118	93 132	100 15:
B5 BA BB	$3^{1}/4^{"}$ -high base \boxed{A} $4^{1}/4^{"}$ -high base \boxed{A} 1"-high recessed ba	base A		+\$81 +\$118 +\$118	93 132 132	100 15: 15:
B5 BA BB BC	$3^{1}/4^{"}$ -high base \boxed{A} $4^{1}/4^{"}$ -high base \boxed{A} $1^{"}$ -high recessed ba $1^{1}/2^{"}$ -high recessed	base A		+\$81 +\$118 +\$118 +\$118	93 132 132 132	100 151 151 151
B5 BA BB BC BD	3 ¹ / ₄ "-high base A 4 ¹ / ₄ "-high base A 1"-high recessed ba 1 ¹ / ₂ "-high recessed 2 ¹ / ₄ "-high recessed	base A		+\$81 +\$118 +\$118 +\$118 +\$118	93 132 132 132 132	100 151 151 151
,	3 ¹ / ₄ "-high base A 4 ¹ / ₄ "-high base A 1"-high recessed ba 1 ¹ / ₂ "-high recessed 2 ¹ / ₄ "-high recessed 3 ¹ / ₄ "-high recessed	base A		+\$81 +\$118 +\$118 +\$118 +\$118	93 132 132 132 132	100 151 151 151
B5 BA BB BC BD	3 ¹ / ₄ "-high base A 4 ¹ / ₄ "-high base A 1"-high recessed ba 1 ¹ / ₂ "-high recessed 2 ¹ / ₄ "-high recessed 3 ¹ / ₄ "-high recessed	base A		+\$81 +\$118 +\$118 +\$118 +\$118	93 132 132 132 132	100 15: 15: 15: 15:
B5 BA BB BC BD Step	31/4"-high base A 41/4"-high base A 1"-high recessed ba 11/2"-high recessed 21/4"-high recessed 31/4"-high recessed 19. Counterweight	base A base A base A		+\$81 +\$118 +\$118 +\$118 +\$118	93 132 132 132 132	100 15: 15: 15: 15:
B5 BA BB BC BD Step	31/4"-high base A 41/4"-high base A 1"-high recessed ba 11/2"-high recessed 21/4"-high recessed 31/4"-high recessed 19. Counterweight 3" deep (18-) counterweight A	base A base A base A		+\$81 +\$118 +\$118 +\$118 +\$118	93 132 132 132 132	100 100 151 151 151 151 151 +\$126

Pencil Tray for Box Drawer, Meridian® Pedestal

73-15 73-18



Product Information

Description


This plastic drawer stores pencils and other small items in a box drawer. The 12"-wide pencil tray fits in a 15"-wide box drawer; the 15"-wide pencil tray fits in an 18"-wide box drawer. Finish is black umber.

Notes

Pencil tray cannot be used in Tu® pedestals or Quadrant® pedestals.

For 5000 Series furniture, pencil tray can be used in standard-, bevel-, or contour-pull pedestals.

Dimensions



Specification Information

Step 1.

73-

Step 2. Width


1516-PT for 15"-wide drawer (for Meridian® pedestals and 5000 Series furniture)

1816-PT for 18"-wide drawer (for Meridian® pedestals)

Prices for Steps 1-2.	
73-1516-PT	\$21
73-1816-PT	\$24

Drawer Divider for Box Drawer, Meridian® Pedestal

73-15 73-18



Product Information

Description

This adjustable divider is used in a box drawer. The 12"-wide divider fits in a 15"-wide box drawer; the 15"-wide divider fits in an 18"-wide box drawer. Finish is black umber.

Notes

Drawer divider cannot be used in Tu® pedestals or Quadrant® pedestals. For 5000 Series furniture, drawer divider can be used in standard, bevel-, or contour-pull pedestals.

Dimensions





For 15" Wide Drawer



For 18" Wide Drawer

Specification Information

Step 1.

73-

Step 2. Width

73-1867-D


1567-D for 15"-wide drawer (for Meridian® pedestals and 5000 Series furniture)

1867-D for 18"-wide drawer (for Meridian® pedestals)

Prices for Steps 1-2.

73-1567-D \$15

\$18




Description

This sectioned tray stores envelopes, stationery, and forms in a box drawer. The 12"-wide tray fits in a 15"-wide box drawer; the 15"-wide tray fits in an 18"-wide box drawer. Finish is black umber.

Notes

Stationery tray cannot be used in Tu® pedestals or Quadrant® pedestals. For 5000 Series furniture, stationery tray can be used in standard, bevel-, or contour-pull pedestals.

Dimensions



Specification Information

Step 1.


73-7082-

Step 2. Width

for 15"-wide drawer (for Meridian® pedestals and 5000 Series furniture)

SST-SP for 18"-wide drawer (for Meridian® pedestals)

Prices for Steps 1-2.	
73-7082- SST	\$107
SST-SP	\$119



File Drawer Organizer, Meridian®

Product Information

Description

Pedestal


This sectioned organizer stores letter-size stationery and papers in a file drawer. The 12"-wide organizer fits in a 15"-wide file drawer; the 15"-wide organizer fits in an 18"-wide file drawer. Finish is black umber.


Notes

File drawer organizer cannot be used in Tu® pedestals or Quadrant® pedestals.

For 5000 Series furniture, file drawer organizer can be used in standard-, bevel-, or contour-pull pedestals.

Dimensions





Specification Information

Step 1.


73-9874-

Step 2. Width

for 15"-wide drawer (for Meridian® pedestals and 5000 Series

FDO-SP for 18"-wide drawer (for Meridian® pedestals)


Prices for S	Steps 1-2.	
73-9874-	FDO	\$189
	FDO-SP	\$227



Description

This 2-sectioned organizer fits into any file drawer arranged for lettersize filing. The removable top section stores computer disks and other small items. The bottom section stores larger items or can be divided into 3 compartments; it includes 2 vertical dividers. Finish is black umber.


Dimensions



Specification Information

Step 1.


LG901 \$79



Description

This plastic loop-style pull slides into the standard pull or Tu® W-pull on a pedestal or lateral file drawer. It makes the drawer easier to open. Package contains 1 pull and attachment hardware.


Dimensions



Specification Information Step 1. EAP-Step 2. Pull Style loop Prices for Steps 1-2. EAP-L \$54 Step 3. Finish BU **+**\$0 black umber HF inner tone light **+**\$0 ΜT medium tone **+**\$0

Keyless Lock

MKL-H MKL-V MKS-H MKS-V



Product Information

Description

This keyless lock replaces an existing cam lock and is available in 2 mode options. Locker mode allows for a temporary code to be entered for each use, and station mode allows for repeated use with the same code. Multiple orientation options allow the keyless lock to be used with a variety of products.

Notes

Replacement battery is a 3-volt lithium CR2032 battery.


Actual lock dimensions are 3.86"W×1.00"H×0.39"D.


Meridian® standard pull 2600 series, the Tu® metal pedestal, and some Tu metal lateral files will not accommodate the width of the keyless lock. Order the following products separately:

- Control key fob (MKL-CKF)
- User key fob (MKL-UKF)

This keyless lock can be found under the Meridian $^{\! \circ}$ product line code of MS.

Dimensions





Specification Information

Step 1.

MK A

Step 2. Mode

L- locker mode A

S- station mode A

Step 3. Orientation

HL horizontal, keypad facing left A
 HR horizontal, keypad facing right A
 VU vertical, keypad facing up A
 VD vertical, keypad facing down A

Prices for Steps 1-3.	
MKL-HL	\$203
MKL-HR	\$203
MKL-VU	\$203
MKL-VD	\$203
MKS-HL	\$203
MKS-HR	\$203
MKS-VU	\$203
MKS-VD	\$203

Step 4.	. Finish	
01	silver A	+\$o
BK	black A	+\$ o



Description

This key fob opens the keyless lock without using the numeric keypad.


Notes

Order the following products separately:

- Keyless lock (MK)
- User key fob (MKL-UKF)

This keyless lock, control key fob can be found under the Meridian® product line code of MS.

Dimensions



Specification Information

Step 1.

MKL-CKF A

\$173

\$173



Product Information

Description

This key fob opens the keyless lock without using the numeric keypad.


Notes

Order the following products separately:

- Keyless lock (MK)
- Control key fob (MKL-CKF)

This keyless lock, user key fob can be found under the Meridian® product line code of MS.

Dimensions



Specification Information

Step 1.

MKL-UKF A

Meridian® Vertical Files	
Bevel-Pull Vertical File	page(s) 10
Drawer Divider for Box Drawer, Meridian® Pedestal	16
EnhancedAccess™ Pull	20
File Drawer Organizer	19
File Drawer Organizer, Meridian® Pedestal	18
Keyless Lock	2
Keyless Lock, Control Key Fob	22
Keyless Lock, User Key Fob	23
Pencil Tray for Box Drawer, Meridian® Pedestal	15
Standard-Pull Vertical File	Į.
Stationery Tray for Box Drawer, Meridian® Pedestal	17

34-15	Bevel-Pull Vertical File	page(s) 10
34-18		
36-15	Standard-Pull Vertical File	5
36-18		
73-15	Drawer Divider for Box Drawer, Meridian® Pedestal	16
73-15	Pencil Tray for Box Drawer, Meridian® Pedestal	15
73-18	Drawer Divider for Box Drawer, Meridian® Pedestal	16
73-18	Pencil Tray for Box Drawer, Meridian® Pedestal	15
73-70	Stationery Tray for Box Drawer, Meridian® Pedestal	17
73-98	File Drawer Organizer, Meridian® Pedestal	18
EAP-L	EnhancedAccess™ Pull	20
LG901	File Drawer Organizer	19
MKL-C	Keyless Lock, Control Key Fob	22
MKL-H	Keyless Lock	21
MKL-U	Keyless Lock, User Key Fob	23
MKL-V	Keyless Lock	21
MKS-H		
MKS-V		



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon $\boxed{\mathbb{A}}$ will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an $\boxed{\mathbb{A}}$ are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

HermanMiller October 2013



Keyed-Alike Locks

All components with locks may be specified keyed alike. Products with keyed-alike locks will be shipped with lock chassis installed. Installation of lock cylinders will be on-site according to instructions provided. Herman Miller, Inc., will not be responsible for lock cylinder installation.

When specifying product keyed-alike, include separate lines on your order for the lock cylinders.

For Action Office®, Ethospace®, Passage®, Quadrant®, Resolve®, and Supplemental products, list cylinder part number and key number (232092-XXX); select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

The following products require a different lock cylinder part number. Specify UKY001-XXX for these products only; select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

A3013.

A3053.

G5180.

G5181.

G5280.

The keys provided in 232092-XXX and UKY001-XXX kits work with either cylinder type, provided the key numbers match.

For Tu[®] Storage, Canvas Office Landscape[®], 5000 Series, and Meridian[®] Storage, see the following charts.

Keyed-alike locks are field installed.

To order keyed-alike locks for Action Office® Series 1 and 2 door panels, please contact Customer Care.

A master key can be used to open any lock on an attached or freestanding component. In addition, a removal key or lock change tool is required to remove lock plugs. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care.

For Canvas overhead and lower storage units, specify as follows:

Specification Code	Part Number	Color	Lock Series	
KA	1B2JK7-XXX ¹	chrome	UM series 226-427	

For Canvas Metal Storage, Meridian Storage, Tu Storage, and 5000 Series desk components with pedestals, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX ¹	black	UM series 226-427
KA	1B2JK7-XXX ¹	chrome	UM series 226-427

For 5000 Series flipper door unit with bezel or credenza storage cabinet with bezel, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX ¹	black	UM series 226-427

Key Number:

XXX¹ = a key number between 226 and 427 (excluding 408 and 412)

HermanMiller April 2016

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:

(800) 654 3910

Stain-to-Match Process

- Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
- Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
- If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to: options@hermanmiller.com.
- 4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
- 5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

STA: Stain-to-Match on Recut Ash STB: Stain-to-Match on Beech STC: Stain-to-Match on Cherry STD: Stain-to-Match on Oak

STK: Stain-to-Match on Reltech Anigre (Geiger) STM: Stain-to-Match on Recut Mahogany

STP: Stain-to-Match on Maple

STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

December 2016 HermanMiller

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2018 Herman Miller, Inc., Zeeland, Michigan

WermanMiller, ©, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

TM 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Intent, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Locale, Logic Mini, Logic Power Access Solutions, Live OS, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Mora, Motia, Multiscrim, Nelson, Pari, Pixelated Support, Plex, PostureFit SL, Prospect, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, Verus and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

 ${\tt DACRON}^{\circledast}$ is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper $^{\infty}$, Saiba $^{\infty}$, and Ward Bennett $^{\infty}$ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

 $Hang\text{-}It\text{-}All @is\ a\ registered\ trademark\ of\ Lucia\ Eames\ Demetrios,\ d.b.a.\ Eames\ Office.$

 $\label{eq:holophane} \mbox{Holophane} \mbox{ is a registered trademark of Holophane.}$

 $\mathsf{Ingeo}^{\scriptscriptstyle\mathsf{TM}}$ is a trademark of Cargill Dow LLC.

 $iPad^{\circledast}$ is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi $^\circ$ and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table $^\circ$ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.