

Monolithic Panel Systems

Price & Specification Guide 2023

Prices effective March 1, 2023

PDF updated July 11, 2023

All content marked in red signifies an update to the previous version of this price guide published on July 1, 2023.

Limited Lifetime Warranty

Our unwavering commitment to our customers compels us to care, and our dedication to quality is just one of the ways we show our customers how much they mean to us.

We recognize that keeping up with the pace of change requires having products that work as hard as the people who use them. That's why each of our products is rigorously tested and certified to meet the highest industry standards.

In the unlikely event that any Allsteel product or component covered by the Allsteel Warranty should fail under normal workplace use because of defective material or workmanship, Allsteel promises to fix it. Because taking care of *people* is how Allsteel takes care of business.

For information on Allsteel's warranty coverage, visit AllsteelOffice.com.

Monolithic Panel Systems

Specification and Price List

Effective March 1, 2023

- Software support packages furnished to the customer, either by Allsteel® or by another source, which support the sale of Allsteel products are superseded by printed price lists.
- Prices are subject to change without notice. All orders are subject to prices in effect at the time of order.
- Please refer to your Allsteel Dealer Sales and Discount Policies for order placement information, terms and conditions.
- Additional copies of this Specification and Price List are available upon request from Allsteel Literature Fulfillment at 1-866-255-7833.

- Ordering information appears at the bottom of each product page complete with examples on how to specify. Fabric and finish pages are referenced at the bottom of product pages.

This publication is available as an interactive or downloadable PDF at www.allsteeloffice.com.

Questions or Comments?

Please call us at: **888-ALLSTEEL**
888-255-7833

Warranty	Inside Front Cover
Table of Contents	3
New, Revised, and Discontinued Products	4
COM and Specials Policies	5-7
Programs	8
Upholstery and Finishes	9-14

FIT™

Finishes	16
Panel Fabrics	17
Laminate and Paint Matching	18
Overview of Components	19
Working with Panels	20
Specifying Fit Panels	21-23
Working with Gallery-to-Gallery Panels	24-25
Specifying Power & Electrical for Fit Panels	26
Working with Storage & Worksurface Connectors	27-29
Working with Fit Components	30-31
Fit 30", 35", 42", 50", 57½" Panels	32-36
Fit 30", 35", 42", 50", and 57½" for Use with Glass	37-41
Panel Systems Gallery Glass	42-44
Panel Connectors & Rails	45-46
Working with Accessories	47-48
Fit Panel Bench	49
Fit Accessories	50-51
Fit Countertops	52
Working with Electrical & Data	53-60
Electrical Components	61-63

OPTIMIZE™

Finishes	66
Typicals Overview	67

Specifications

Introduction and Overview	68-69
Working with Panels, Connectors, and Sliding Doors	70-73
Panels & Connectors	74-80

Electrical & Data

Working with Electrical & Data	81-89
Electrical & Data Components	90-92

Worksurfaces & Supports

Overview of Worksurfaces	93
Working with Worksurfaces and Supports	94-99
Working with Cadence® Freestanding Desking	100-108
Laminate Worksurfaces	109-115
9120 Worksurfaces	116-117
Worksurface Supports	118-120

Metal Overheads & Hutches

Working with Overhead Storage	121-124
Overheads, Shelves, and Mounting Kits	125-126
Hutches, Tackboards, and Accessories	127

GALLERY PANELS

Finishes	130
Panel Fabrics	131
Laminate and Paint Matching	132
Gallery-to-Gallery Panels	141
Freestanding Screens	142-143
Optimize Connector Kits	169
Panel Systems Gallery Glass	170-172
Accessories	173-175

ALIGN™

Statement of Line	245
-------------------------	-----

APPROACH™

Statement of Line	246-249
-------------------------	---------

INVOLVE®

Statement of Line	250-251
-------------------------	---------

ALTITUDE

Paint Finishes, Laminates, Eased Edge	254
Fabrics	255
Working with Height-Adjustable Tables	256-259
Altitude Height-Adjustable Tops, Bases, & Accessories	260-300
Altitude – A6	260-261
Worksurfaces for Height-Adjustable Bases	263-267
Cable Management	268
Screens and Power Module	269
Altitude - Metal Screens	270-271
Power Rail Specifications	273-280
Working with Electrical and Data	281-285
Power Rail – Electrical Components	286-288
A8 Screen Kits	289
Metal Screens and Tackboard Accessories	290-291
Power Rails and Accessories	292-295
HAT to Panel Brackets	296-298
Working with Organization Rail & Accessories & Screens	299
Worksurface Mounted Rail and Accessories	300

EXTENSIONS™

Introduction	301
Working with Ergonomic Accessories	302-303
Working with Organization Tools	304-309
Working with Illumination	310-313
Power/Data Modules	314

ACCESSORIES

Working with Pivot Monitor Arms	316-319
---------------------------------------	---------

APPENDIX AND INDEX

Locking Specification/Easy Lock	320-322
Touch-Up Paint	323
Fabric Grades G-J and Upholstery Grades 9-23	324-325
Index — Model Numbers with Page Reference	327-331

Monolithic Panel Systems

New, Revised, and Discontinued Products

NEW FINISHES

Studio Paints

Ochre – P093

Sienna – P092

Stratawood Beigewood Maple SE878

Stratawood Field Elm Maple SE599

Stratawood Belair Maple SE934

Stratawood Florence Walnut ST579

Natural Florence Walnut NT579

Quarter Florence Walnut QT579

Belair LWBA

Field Elm laminate LWFE

NEW TEXTILES

Noble – Aegean, Amethyst, Aster, Blossom, Bluebell, Chamomile,

Conifer, Cottage, Darkness, Desert Sand, Dewfall, Dusted Sage, Flax,

Harmony, Ice Caves, Icicle, Inky, Iris, Monarch, Pitch, Queen Bee,

Sandcastle, Sedona, Sunbeam, Voyager, Windy Day.

Vast – Vineyard, Garden, Grasslands, Bay, Open Air, Atmosphere, Ocean,

Mountain Range, Highway, Tundra, Beach, Desert, Countryside

DE-EMPHASIZED FINISHES:

Amethyst — P091

Cobalt Mica — P090

DISCONTINUED FINISHES

Charcoal Walnut laminate — LWCW Disco 6/30/2022

Columbian Walnut laminate — LWZ Disco 6/30/2022

Amber Cherry laminate — LWAC Disco 6/30/2022

Charcoal Walnut edge — DC Disco 6/30/2022

Columbian Walnut edge — DZ Disco 6/30/2022

Amber Cherry edge — DA Disco 6/30/2022

Canyon Zephyr laminate — LT5B Disco 6/30/2022

Desert Zephyr laminate — LT5A Disco 6/30/2022

Ebony laminate — LT3E Disco 6/30/2022

Grey Mesh laminate — LT8A Disco 6/30/2022

Parchment laminate — TM20 Disco 6/30/2022

Pewter Mesh laminate — LT8C Disco 6/30/2022

Sheer Mesh laminate — LT8B Disco 6/30/2022

White Tigris laminate — LT2A Disco 6/30/2022

DISCONTINUED TEXTILES

Analog — 12/31/2023

Whisper — Brick Red, Carotene, Cucumber, Forest, Merlot, Ochre,

Putty, Sangre, Zest — 12/31/2023

DISCONTINUED PRODUCTS

Concensys paneling system discontinued 6/30/2023

Stride screens, panels and modesty discontinued 6/30/2023,
recommended replacement is Universal Screens

Altitude Easy-to-Assemble Worksurfaces discontinued 6/30/2023

Altitude Basic 2-Stage 2-Leg Base and Altitude Basic Kaidi 3-Position
Memory Control discontinued 6/30/2023. Recommended
replacement is A6 2-Stage 2-Leg Rectangle T-Foot

COM Program

Allsteel understands that customers may at times want to specify fabrics outside of Allsteel's standard fabric offering. Our COM program was designed to make specifying COMs on Allsteel products a simpler, friendlier, and hassle-free process. This process is simple and easy to use, and is described below under "Allsteel to Supply (ATS)." If a Dealer wishes to manage the COM process themselves, they can do so by following guidelines under "Dealer to Supply (DTS)". **ATS is the preferred method for all COM fabrics.** With ATS, Company will provide acknowledgment based upon planned date of receipt of COM fabric and manage the entire process. DTS is allowed if it is not a partnership fabric or if Company does not have access to the supplier. **DTS may cause order delays and is strongly discouraged.** Find out more about Allsteel's COM process by emailing our COM Department at allsteelcomteam@allsteeloffice.com.

Allsteel to Supply (ATS):

1. Select the fabric you wish to use and check the COM Search on Synergy at: [Allsteelsynergy/Design Resources/Textiles & Finishes/COM Search](#) or [COM Search quick link](#). You will need to have the COM supplier's name, fabric pattern name, and color name to search for approved fabrics.
2. If your fabric is listed as an approved fabric, you may place your order directly with Allsteel Customer Support. Please use the fabric code (e.g., S216426XP) from the COM Test Request on your order in the place of the standard fabric code.

If your fabric is not listed as approved, you will need to select the "Request COM Test" link on the COM Search website. If your fabric is not listed as approved, and it is not a Partnership fabric you may request a "Dealer to Supply" code. Select the "Request COM Test" link on the COM Search website. Your name, company name and email will be prepopulated fields. The secondary email, project name, and bid/contract number are optional information. The supplier, pattern, and color will show a list by clicking in the box and entering the first letter of the name and these are free form text boxes. Once that information is entered click add. (Multiple series can be added to the same request if they are the same supplier, pattern, and color.) Then click submit.
3. An email will be sent to the to the requestor stating the COM Request was successfully submitted. Up to four emails could be received: Testing materials requested, in testing, and final approval/denial with price grade and fabric code. It's rare actual test yardage is required. Testing is mainly done by reviewing the attributes of the fabric. The testing process takes approximately 48 hours. Written COM price quotes hold pricing for 90 days after issue date.
4. Once the fabric has been approved by Allsteel, enter your order directly with Allsteel Customer Support. Allsteel will purchase all COM fabric directly from the COM suppliers and schedule for production.

In the event that the Dealer decides to cancel a COM fabric order, the Dealer is responsible for the cost of the fabric plus a handling charge that is equal to 10% of the fabric cost.

Dealer to Supply (DTS):

1. Select the fabric you wish to use and check the COM Search on Synergy at: [Allsteelsynergy/Design Resources/Textiles & Finishes/COM Search](#) or [COM Search quick link](#). Or call Allsteel Customer Support to see if the fabric you have chosen has already been tested and approved on the product you are interested in.

You will need to have the COM supplier's name, fabric pattern name, and color name for this inquiry.
2. If your fabric is not listed as approved, and it is not a Partnership fabric you may request a "Dealer to Supply" code. Select the "Request COM Test" link on the COM Search website. Your name, company name and email will be prepopulated fields. The secondary email, project name, and bid/contract number are optional information. The supplier, pattern, and color will show a list by clicking in the box and entering the first letter of the name and these are free form text boxes. Once that information is entered click add. (Multiple series can be added to the same request if they are the same supplier, pattern, and color.) Then click submit.
3. An email will be sent to the to the requestor stating the COM Request was successfully submitted. Up to four emails could be received: Testing materials requested, in testing, and final approval/denial with price grade and fabric code. It's rare actual test yardage is required. Testing is mainly done by reviewing the attributes of the fabric. The testing process takes approximately 48 hours.
4. Make sure to use a "Dealer to Supply" COM code (e.g., S216426ZP) and place your order directly with Allsteel Customer Support.
5. All "Dealer to Supply" orders will be charged Grade 4 pricing for seating, Grade 3 for Gather, and Grade D pricing for panels. Dealers will pay for the COM fabric separately.
6. All "Dealer to Supply" fabric must be sent on a fabric roll. Estimate the yardage required by using the yardage requirements listed in the price list by model. For questions please contact Allsteel Customer Support.
7. Place your fabric order directly with the COM Supplier with instructions for the fabric to be sent on a fabric roll to:

HNI Textile Distribution Center

COM Production Yardage — PO Number

Docks 20-22

301 Mulberry Avenue

Muscatine, IA 52761

Monolithic Panel Systems

COM Policy

Information that **MUST** be included in the packing slip attached to the DTS fabric:

1. Dealer's Purchase Order number to Allsteel
2. Allsteel's Tracking number for the COM fabric
3. Dealer Name
4. Yards of Fabric

If the fabric shipment does not match the correct fabric and yardage, Allsteel will notify the Dealer for resolution.

If Allsteel receives fabric with incorrect labeling or fabric yardage that cannot be linked to an Allsteel furniture order, Allsteel will hold the fabric for up to 4 weeks. After 4 weeks Allsteel will dispose of the fabric. There are no exceptions to this policy.

Specific to DTS orders - The customer should send only the amount needed for the order. Excess yardage, or yardage not attached to an order will be disposed of at Allsteel's discretion.

Any canceled orders are subject to cancellation charges up to the full value of the Allsteel product canceled. Allsteel will determine the actual cancellation charge at the time the cancellation is requested.

8. For additional details on "Dealer to Supply" fabric refer to your Allsteel terms and conditions.

Additional Policy Information:

The company assumes no responsibility for the overall appearance, flammability, normal durability, colorfastness, or any other quality standards. The company reserves the right to reject a COM if the quality of the COM is not satisfactory for the product. Should this occur, the customer will be notified with an explanation when the issue is found.

The company is not responsible for fabric that has become obsolete at the COM supplier, that is of poor quality, or that is delivered late to the manufacturer from the COM supplier.


All cancellations or changes to COM orders are subject to Company approval. Because of the nature of COM, special fabrics, finishes, and structural modifications, products ordered as specials and then canceled prior to shipment are subject to cancellation costs up to the full value of the product canceled. The company determines the actual cancellation charge at the time the cancellation is requested. Upon approval, a cancellation number is issued to the Customer.

Purchase orders will not be accepted or entered unless the testing process is complete with positive results.

If all testing has been previously completed, re-testing is only necessary if fabric is to be used on a different product, or pattern direction has changed from that previously approved.

Previous test results can be obtained by a customer on the COM Search on Synergy or by calling Allsteel Customer Support.

All COM fabric will be applied to seating and panel systems Pattern Cut unless Railroad Cut is requested and approved on the COM Test Request. Any fabrics approved as a width pass, the dealer is responsible for clarifying Railroad Cut on orders containing items that are too large to support the Pattern Cut of a fabric application (any items larger than 48" high or wide).



Fire Retardant

The Dealer is responsible for ensuring that the COM fabric is certified to meet all flame retardant requirements.

For more information, please contact Allsteel Customer Support.

YARDAGE REQUIREMENTS FOR FABRIC WITH REPEATS — FOR USE ON GATHER™ PRODUCTS

Fabric Width	Plain Fabric	2"– 14" Repeat	15"– 19" Repeat	20"– 27" Repeat	28"– 36" Repeat
54"	0	+15%	+20%	+25%	+30%
53"	+6%	+19%	+24%	+28%	+36%
52"	+13%	+23%	+28%	+33%	+38%
51"	+19%	+26%	+31%	+36%	+41%
50"	+25%	+30%	+35%	+40%	+45%
49"	+30%	+35%	+40%	+45%	+50%
48"	+35%	+40%	+45%	+50%	+55%
47"	+45%	+50%	+55%	+58%	+65%

Depending upon the pattern repeat, it may be necessary to pattern cut the fabric. This will require 10% additional fabric.

To calculate multiple repeats (vertical and horizontal), add each repeat for total yardage required. For example for a fabric width of 54": 7" vertical requires 15%, 15" horizontal requires 20% total additional yardage required equals 35% (15% + 20%). Therefore, if your chair requires 2 yards of fabric, multiply 2 by 35%. Then 2.7 yards will be yardage required.

Monolithic Panel Systems

Special Paint, Stain & Laminate Policy

Special Paint & Stain Policy

Allsteel at its own discretion may modify its standard products with non-standard paint and stain colors to meet specific needs. Dealer is required to submit a special paint or stain request via the COM Search on Synergy. A sample of the non-standard paint or stain color desired will be required for matching. Pricing, lead time, and order information will be provided at the time of approval.

- For each new requested stain or paint, there will be a \$500 net fee to cover supplier costs to match the special item.
- For existing, previously-approved stains or paints, there is no \$500 matching fee, however, there is a sample chip fee of \$175 net for stains and \$100 net for paints.
- Samples, preferably at least 3" x 5" chips, of the exact color desired should be sent to the Allsteel Tailored Products Group. Paint matches require (3) sample chips and stain matches require (3) sample chips. Please mail these sample chips to the address below and reference the Special Item Request Number from Tailored Solutions.

Allsteel Inc.

Attn: Tailored Products Group
2210 Second Avenue
Muscatine, IA 52761

- Allsteel will color match the sample and send control samples to the address provided in the request. Dealer will review Allsteel's color match and approve by signing the back of the sample chip. Send the signed sample back to the Allsteel Tailored Products Group.
- Special paints will be assigned a paint price grade.
- Orders will not be accepted until Allsteel receives the Dealer's written approval on the color match.
- Extended lead times will apply on orders containing special paints or stains.
- Due to manufacturing techniques, materials, and quality issues, some exclusions will apply and some matches may be declined.

Important Notes

- Natural veneer is subject to nature's quality control. Differences in grain and color are naturally occurring variations and cannot be controlled by the manufacturer and cannot be considered as product defects. Natural veneer has the characteristics and beauty of a living organism; with its own variations of grain, growth, and color patterns. For these reasons, Natural veneer is preferred by many for its warmth and personal characteristics.
- Color changes will occur over time when wood is exposed to light. For this reason, when new product is ordered as an addition to existing product, there will be color variances between the old and new product. Please remember when specifying new product that although the species of veneer will be the same, additional product is being manufactured from a different tree. It may take several months for the new furniture to mature to the color level of existing product. Even with this maturation process the additional product will not be an exact match.

Special Laminate Policy

The Company at its own discretion may modify its standard products with non-standard laminates to meet specific needs. Contact the Allsteel Tailored Products Group for pre-approved Wilsonart, Formica, Nevamar and Pionite laminates and pricing for special laminates. When requesting a special laminate please supply manufacturer, along with name and pattern number of laminate.

- Extended lead times will apply on orders containing special laminates.
- Due to manufacturing techniques, materials, and quality issues, some product exclusions will apply and some requests may be declined.

Monolithic Panel Systems

Open Line Laminate Program

[GSA Reference Page](#)

Allsteel Open Line Laminate Program

The Open Line Laminate (OLL) program makes it even easier for a customer to tailor their Allsteel product for a custom look. Select Allsteel furniture products accommodate hundreds of graded-in high-pressure laminates (HPL) from the leading laminate manufacturers' open lines.

Laminates that are currently available in the program can be viewed in specification tools.

Requests to add laminates to the standard specials program can be submitted through the CET Specials Integration tool as well as Community.

Matching edge options are not available offered for laminates in the OLL program. When selecting a laminate please select an edge option from the Allsteel standard offering. If a matching edge is required a modification request can be submitted through the CET Specials Integration tool as well as Community.

Due to manufacturing techniques, materials, quality issues of varying laminates, and minimum order quantities some product exclusions will apply, and some requests may be declined.

Extended lead times may apply on orders containing special laminates.

Contact the Tailored Products Group for questions or additional information regarding pre-approved laminates and pricing.

Allsteel

Phone: 888-255-7833 Option 4.2

Email: ASITPG@allsteeloffice.com

For edge band recommendations from the Allsteel standard offering, please email the HNI Workplace Colors, Materials and Finishes team at allsteel finishes@allsteeloffice.com.

Allsteel edge samples can be ordered through the Allsteel Synergy literature site, <https://www.allsteelsynergy.com>.

For laminate samples, please contact the manufacturer directly:

Wilsonart

<https://www.wilsonart.com/>

1-800-433-3222

Formica

<https://www.formica.com/en-us/>

1-800-FORMICA (367-6422)

Nevamar and Pionite

<https://www.panolam.com>

877-726-6526

Everyday Advantage®

New terms and conditions for EDA:

1. Orders must clearly state “Everyday Advantage Order” and include the appropriate Everyday Advantage contract number:
 - Everyday Advantage Std-0125, Everyday Advantage Canada-0127
2. Everyday Advantage orders are not eligible for bid pricing.
3. Program discounting includes the complete Optimize, Further, and Terrace systems lines, private office solution, Approach and Involve storage. This program also includes Acuity, Access, Evo, Inspire, Lyric, Mimeo, Nimble, Quip, Relate, Seek, and Svelte, seating. Altitude, Aware, and Structure tables are also available, along with Align pedestals, lockers and metal storage and Essentials pedestals, and Raddi storage lines. In addition, Extensions ergonomic accessories and lighting are part of the standard offering. All other product not called out is available for order on the contract but will receive standard discounting of 55%–65%.
4. All textiles and finishes except for veneer and some wood finishes are available, depending on quantity and selection, and may have extended lead times.
5. Everyday Advantage orders are not limited to a minimum or maximum.
6. All orders ship based on standard lead times. Large-quantity orders of like products may be subject to longer lead times.
7. Standard freight terms apply.
8. If driver assistance is needed, standard driver assist charges will be added at time of order entry.

Allsteel Inc. reserves the right to amend or terminate this program at anytime with 30 days written notice. Allsteel is not liable for service delays caused by force majeure (circumstances beyond Allsteel's control).

Monolithic Panel Systems

Panel Fabrics

GRADE A

*APPOINT PANEL

Artichoke.....	APN911
Blackberry.....	APN932
Bronze.....	APN922
Carbon.....	APN928
Chai.....	APN912
Cherry.....	APN930
Dark Pewter.....	APN917
Dune.....	APN915
Espresso.....	APN923
Framboise.....	APN931
Frost.....	APN934
Jet.....	APN927
Lawn.....	APN925
Mandarin.....	APN929
Morel.....	APN909
Nimbus.....	APN916
Platinum.....	APN924
Turquoise.....	APN926

BINARY †

Blush.....	BNRY12
Coal.....	BNRY06
Cream.....	BNRY01
Denim.....	BNRY08
Diamond.....	BNRY03
Graphite.....	BNRY05
Juniper.....	BNRY10
Lagoon.....	BNRY07
Lavendar.....	BNRY11
Mineral.....	BNRY04
Reef.....	BNRY09
Sand Dollar.....	BNRY02

*CENTURION^w

Apricot.....	CU47
Bark.....	CU25
Black.....	CU10
Espresso.....	CU49
Fog.....	CU03
Frost.....	CU22
Goldenrod.....	CU27
Indigo.....	CU06
Iris.....	CU50
Iron Ore.....	CU19
Jade.....	CU83
Marsala.....	CU63
Morel.....	CU24
Navy.....	CU98
Peacock.....	CU97
Pear.....	CU84
Ruby.....	CU67
Sapphire.....	CU09

CIRCUIT † ♣

Atlas.....	CIRC35
Dolphin.....	CIRC63
Island White.....	CIRC14
Moon.....	CIRC07
Night.....	CIRC49
Pacific.....	CIRC28
Quartz.....	CIRC01
Sienna.....	CIRC56
Silk.....	CIRC21
Snap Pea.....	CIRC42

ETCH

Axis.....	ECH913
Blend.....	ECH914
Cast.....	ECH912
Highlight.....	ECH910
Midtone.....	ECH911
Outline.....	ECH908
Shade.....	ECH909
Tonal.....	ECH916
Vanish.....	ECH915

GRADE A – continued

*LANDSCAPE

Corn silk.....	LN15
Drift.....	LN05
Khaki.....	LN20
Sheen.....	LN10
Slate.....	LN35
Umber.....	LN25
Urban.....	LN30

*LUCY

Aspen.....	LC932
Corn silk.....	LC930
Dusk.....	LC922
Fawn.....	LC933
Graphite.....	LC934
Mist.....	LC920
Neutra.....	LC924
Pewter.....	LC935
Snowdrop.....	LC928

*NOBLE

Aegean.....	NBLE18
Amethyst.....	NBLE19
Aspen.....	NBLE14
Aster.....	NBLE20
Blossom.....	NBLE21
Bluebell.....	NBLE22
Bordeaux.....	NBLE01
Brick.....	NBLE02
Chambray.....	NBLE10
Chamomile.....	NBLE23
Clementine.....	NBLE04
Conifer.....	NBLE24
Cottage.....	NBLE25
Darkness.....	NBLE26
Dawn.....	NBLE13
Desert Sand.....	NBLE27
Dewfall.....	NBLE28
Dusted Sage.....	NBLE29
Flax.....	NBLE30
Grass.....	NBLE07
Gunmetal.....	NBLE15
Harmony.....	NBLE31
Harvest.....	NBLE12
Ice Caves.....	NBLE32
Icicle.....	NBLE33
Inky.....	NBLE34
Iris.....	NBLE35
Jade.....	NBLE06
Knight.....	NBLE17
Mesa.....	NBLE03
Monarch.....	NBLE36
Pacific.....	NBLE08
Pitch.....	NBLE37
Queen Bee.....	NBLE38
Rainforest.....	NBLE05
Regal.....	NBLE11
Sandcastle.....	NBLE39
Sedona.....	NBLE40
Stormy.....	NBLE16
Sunbeam.....	NBLE41
Voyager.....	NBLE42
Windy Day.....	NBLE43

*REFLECTIONS

Galvanized.....	REF929
Ice.....	REF920
Loggia.....	REF921
Mistral.....	REF928
Moonstone.....	REF923
Pewter.....	REF922
Stainless.....	REF924
Vanilla.....	REF925
Winter.....	REF927

GRADE A – continued

*REFUGE

Artesian.....	RFG996
Dune.....	RFG992
Eclipse.....	RFG990
Frost †.....	RFG993
Glacier †.....	RFG991
Mineral.....	RFG998
Tidal.....	RFG994

*TEMPEST

Dragonfly.....	TP930
Frost.....	TP915
Full Stream.....	TP980
Gold Rush.....	TP910
Slate.....	TP945
Tumbleweed.....	TP970
Wind Chill.....	TP940
Zebra.....	TP935

*VAST

Vineyard.....	VST01
Garden.....	VST02
Grasslands.....	VST03
Bay.....	VST04
Open Air.....	VST05
Atmosphere.....	VST06
Ocean.....	VST07
Mountain Range.....	VST08
Highway.....	VST09
Tundra.....	VST10
Beach.....	VST11
Desert.....	VST12
Country Side.....	VST13

GRADE B

COAST † ♣

Channel.....	COA914
Dune.....	COA903
Headlands.....	COA910
Marsh.....	COA902
Pebble.....	COA912
Pier.....	COA913
Shoal.....	COA901
Silt.....	COA906
Tide.....	COA908

*DISPERSE †

Autumn.....	DISP03
Branch.....	DISP10
Coffee Bean.....	DISP13
Dusk.....	DISP09
Emerald City.....	DISP08
Gold Rush.....	DISP02
Igloo.....	DISP11
Ink.....	DISP06
Mist.....	DISP12
Oatmeal.....	DISP15
Prince.....	DISP07
Reservoir.....	DISP01
Rose.....	DISP04
Spring.....	DISP05
Steel.....	DISP16
Taupe.....	DISP14

*MICA

Anthracite.....	MCA911
Breeze.....	MCA918
Bronze.....	MCA913
Buff.....	MCA914
Cremini.....	MCA917
Crystal †.....	MCAWIT
Dew.....	MCA920
Dove.....	MCA912
Fresh.....	MCA916
Mineral.....	MCA915
Nectar.....	MCA919
Shale.....	MCA910

GRADE B – continued

*SPIN PANEL

Alabaster.....	SPIN02
Cavern.....	SPIN03
Cobblestone.....	SPIN04
Ember.....	SPIN06
Flame.....	SPIN07
Heron.....	SPIN13
Oat.....	SPIN01
Ocean.....	SPIN12
Plum.....	SPIN15
Pool.....	SPIN11
Raven.....	SPIN10
Rhubarb.....	SPIN14
Tropic.....	SPIN08
Willow.....	SPIN05

*TERRAIN

Bay.....	TRRN05
Bayou.....	TRRN35
Canyon.....	TRRN30
Cliff.....	TRRN45
Crest.....	TRRN25
Delta.....	TRRN10
Plateau.....	TRRN15
Ridge.....	TRRN20
Valley.....	TRRN40

ALLSTEEL PARTNERSHIP PROGRAM

Allsteel understands that customers may want to specify panel and seating textiles outside of Allsteel's standard offering. Allsteel's **Partnership Program** consists of on-trend and design-forward patterns that have been tested and approved by Allsteel for use on Allsteel products. A subset of these approved patterns is available on cards in the textile binder, while numerous others are available on our website, allsteeloffice.com.

For memo samples, please contact our partners:

- Camira, memos@camirafabrics.com
1.616.288.0655
- CF Stinson, cfstinson.com
1.800.841.6279
- HBF Textiles, hbftextiles.com
1.877.494.5727
- Maharam, maharam.com
1.800.645.3943

The intent of the **Partnership Program** is to offer a wide variety of on-trend textiles to meet your varied needs, but since these textiles are not part of our standard offering they may be subject to extended lead times. Because new materials will be introduced regularly, Allsteel reserves the right to change the offering at any time.

^w Limited to products 48"W or less.

† Panel fabric is not available on Concensys®.

♣ Panel fabric is not available on Involve®.

♠ Panel fabric is not available on Further™.

◆ Panel fabric is not available on Optimize®.

* Not available on 72"W.

Multi-use fabrics are seating fabrics that can be used on specific Allsteel panels systems, providing more color and pattern options. The applicable Allsteel multi-use fabrics are noted with System designators in the Seating, Collaboration & Tables Price List. Refer to website for graded in partnership fabrics for vertical applications.

Finishes

Paint Name	Paint Code	Grade	Touch Ups	Pivot Monitor Arms	Pivot GSA Monitor Arms	Concensys	Optimize	Extensions	Metal Center Drawers	Power Pole	Cable Management Tray	Altitude A6 Table Bases	Altitude A8 Table Bases and Utility Bay
Black	P27	1	*			*	*	*	*	*	*		
Black	P71	1	*									*	*
Black	BLK	1	*	*									
Brownstone	P7D	1	*			*	*	*	*	*	*		
Bungalow	P7C	1	*			*	*	*	*	*	*		
Carbon	P4Q	1	*										
Charblack	CBK	1	*							*			
Charblack Metallic*	P80	1	*										
Cinder	P7Q	1	*			*	*	*		*			
Designer White	WHT	1											
Designer White	PJW	1	*			*	*	*	*	*		*	
Flint	P02	1	*			*	*	*	*	*			
Fog	FOG	1											
Fossil	P28	1	*			*	*	*	*	*			
Loft	P7B	1	*			*	*	*	*	*			
Muslin	P4J	1	*			*	*	*	*	*			
Nickel	P8L	1									*		
Parchment	P93	1	*			*	*	*	*	*			
Pebble	P8R	1	*			*	*	*	*	*			
Pewter	P8D	1	*			*	*	*	*	*			
Platinum Metallic Texture	P6H	1											
Putty	PJS	1											
Salt	P8C	1	*			*	*	*		*			
Shadow	P4K	1											
Textured Brownstone	P7J	1	*										
Textured Designer White	PK7	1	*										
Textured Flint	P7A	1	*										
Textured Loft	P7L	1	*										
Textured Muslin	P7M	1	*										
Textured Pebble	P8Y	1	*										
Textured Salt	P8Z	1	*										
Textured Titanium	P8V	1	*										
Titanium	P8T / T	1	*			*	*	*		*			
White	PD8	1									*		
Anodized Silver	PR0	2	*										
Champagne Metallic	PR5	2	*			*	*	*	*	*			
Designer White High Gloss 65	P8W	2	*										
Graphite Metallic Texture	P85	2	*										
Gunmetal Metallic	PR3	2	*			*	*	*	*	*			
Matte Gold	P8G	2											
Night Bronze	P8B	2	*				*	*					
Platinum Metallic	PR2	2	*			*	*	*	*	*			
Pyrite	PJE	2	*				*	*					
Silver	PR6	2	*			*	*	*		*		*	
Silver Generic	SVR	2		*	*								
Silver Texture	PR8	2	*										
Solar Black	P8X	2	*			*	*	*					
Atom	P8S	3	*			*	*	*					
Blossom	P8K	3	*			*	*	*					
Bullseye	PJF	3	*			*	*	*					
Ember	P8P	3	*			*	*	*					
Ion	P8N	3	*			*	*	*					
Iris	P8J	3	*			*	*	*					
Krypton	P8F	3	*			*	*	*					
Regatta	P8M	3	*			*	*	*					
Markerboard White	MKP	6											

Finishes

Paint Name	Paint Code	Grade	Altitude A8 Grommets and Power Rails	Altitude Metal Screens	Gallery Panels Connectors	Hands Free Pulls	Universal Screens
Black	P27	1					
Black	P71	1	•	•	•		•
Black	BLK	1					
Brownstone	P7D	1	•	•	•		•
Bungalow	P7C	1	•	•	•		
Carbon	P4Q	1					
Charblack	CBK	1					
Charblack Metallic*	P80	1					
Cinder	P7Q	1	•	•	•		•
Designer White	WHT	1					
Designer White	PJW	1	•	•	•		•
Flint	P02	1	•	•	•		•
Fog	FOG	1					
Fossil	P28	1	•	•	•		•
Loft	P7B	1	•	•	•		•
Muslin	P4J	1	•	•	•		•
Nickel	P8L	1					
Parchment	P93	1			•		
Pebble	P8R	1	•	•	•		•
Pewter	P8D	1	•	•	•		•
Platinum Metallic Texture	P6H	1					
Putty	PJS	1					
Salt	P8C	1	•	•	•		•
Shadow	P4K	1					
Textured Brownstone	P7J	1					
Textured Designer White	PK7	1					
Textured Flint	P7A	1					
Textured Loft	P7L	1					
Textured Muslin	P7M	1					
Textured Pebble	P8Y	1					
Textured Salt	P8Z	1					
Textured Titanium	P8V	1				•	
Titanium	P8T / T	1	•	•	•		•
White	PD8	1					
Anodized Silver	PR0	2					
Champagne Metallic	PR5	2	•	•	•		•
Designer White High Gloss 65	P8W	2					
Graphite Metallic Texture	P85	2					
Gunmetal Metallic	PR3	2			•		•
Matte Gold	P8G	2					
Night Bronze	P8B	2	•	•	•		
Platinum Metallic	PR2	2			•		
Pyrite	PJE	2	•	•	•		
Silver	PR6	2	•	•	•		•
Silver Generic	SVR	2					
Silver Texture	PR8	2					
Solar Black	P8X	2	•	•	•		•
Atom	P8S	3	•	•	•		•
Blossom	P8K	3	•	•	•		•
Bullseye	PJF	3	•	•	•		•
Ember	P8P	3	•	•	•		•
Ion	P8N	3	•	•	•		•
Iris	P8J	3	•	•	•		•
Krypton	P8F	3	•	•	•		•
Regatta	P8M	3	•	•	•		•
Markerboard White	MKP	6		•			•

Finishes

Pattern Name	Code	Grade	Altitude	System Laminate Doors	Systems Worksurfaces
Ash	LT3B	1	•	•	•
Handspun Pearl	LAHP	1	•	•	•
Handspun Dove	LAHD	1	•	•	•
Handspun Slate	LAHS	1	•	•	•
Handspun Chestnut	LAHC	1	•	•	•
Silver Mesh	LT8D	1	•	•	•
Black	P	1	•	•	•
Brownstone	LM13	1	•	•	•
Bungalow	LM12	1	•	•	•
Designer White 15051	LDW1	1	•	•	•
Flint	LM16	1	•	•	•
Fossil Shale	LEH1	1	•	•	•
Loft	LM11	1	•	•	•
Muslin	LM15	1	•	•	•
Titanium	LT11	1	•	•	•
Belair	LWBA	1	•	•	•
Bourbon Cherry	H	1	•	•	•
Field Elm	LWFE	1	•	•	•
Florence Walnut	LFW1	1	•	•	•
Kingswood Walnut	LK11	1	•	•	•
Natural Maple	LWD	1	•	•	•
NeoWalnut	LNU1	1	•	•	•
Pinnacle	PINC	1	•	•	•
Shaker Cherry	LW7C	1	•	•	•
Beigewood	LWBE	2	•	•	•
Fawn Cypress	LFC1	2	•	•	•
Lowell Ash	LLA1	2	•	•	•
Mangalore Mango	LMM1	2	•	•	•
Natural Recon	LNR1	2	•	•	•
Phantom Charcoal	LPC1	2	•	•	•
Phantom Ecru	LPE1	2	•	•	•
Portico Teak	LPT1	2	•	•	•
Skyline Walnut	LSW1	2	•	•	•
Veranda Teak	LVT1	2	•	•	•
Natural Walnut	LWNNW	3	•	•	•
Open Line Laminate Program	N/A	Varies	•	•	•

Finishes

System Worksurfaces

Veneer Type	Stain Name	Code	Grade	
FSC Stratawood Cherry	Cinnamon Cherry	FSCSC260	1	•
FSC Stratawood Cherry	Lowell Ash	FSCSC394	1	•
FSC Stratawood Cherry	Clear Cherry	FSCSC700	1	•
FSC Stratawood Cherry	Light Cherry	FSCSC701	1	•
FSC Stratawood Cherry	Shaker Cherry	FSCSC774	1	•
FSC Stratawood Cherry	Burnished Cherry	FSCSC777	1	•
FSC Stratawood Maple	Field Elm	FSCSE599	1	•
FSC Stratawood Maple	Clear Maple	FSCSE800	1	•
FSC Stratawood Maple	Harvest Maple	FSCSE856	1	•
FSC Stratawood Maple	Beigewood	FSCSE878	1	•
FSC Stratawood Maple	Phantom Ecu	FSCSE912	1	•
FSC Stratawood Maple	Belair	FSCSE934	1	•
FSC Stratawood Rift Oak	Clear Oak	FSCSF300	1	•
FSC Stratawood Rift Oak	Dark Rift Oak	FSCSF331	1	•
FSC Stratawood Walnut	Florence Walnut	FSCST579	1	•
FSC Stratawood Walnut	Light Walnut	FSCST601	1	•
FSC Stratawood Walnut	Skyline Walnut	FSCST625	1	•
FSC Stratawood Walnut	Pinnacle Walnut	FSCST679	1	•
FSC Stratawood Walnut	Sumatra Walnut	FSCST693	1	•
FSC Natural Cherry	Cinnamon Cherry	FSCNC260	1	•
FSC Natural Cherry	Lowell Ash	FSCNC394	1	•
FSC Natural Cherry	Medium Red Cherry	FSCNC512	1	•
FSC Natural Cherry	Clear Cherry	FSCNC700	1	•
FSC Natural Cherry	Light Cherry	FSCNC701	1	•
FSC Natural Cherry	Shaker Cherry	FSCNC774	1	•
FSC Natural Cherry	Burnished Cherry	FSCNC777	1	•
FSC Natural Maple	Natural Maple-Clear	FSCNE800	1	•
FSC Natural Maple	Harvest Maple	FSCNE856	1	•
FSC Natural Walnut	Ebony Walnut	FSCNT509	1	•
FSC Natural Walnut	Florence Walnut	FSCNT579	1	•
FSC Natural Walnut	Light Walnut	FSCNT601	1	•
FSC Natural Walnut	Skyline Walnut	FSCNT625	1	•
FSC Natural Walnut	Nutmeg Walnut	FSCNT629	1	•
FSC Natural Walnut	Pinnacle Walnut	FSCNT679	1	•
FSC Natural Walnut	Sumatra Walnut	FSCNT693	1	•
FSC Natural Rift Cut Oak	Fawn Cypress	FSCRF108	2	•
FSC Natural Rift Cut Oak	Light Rift Oak	FSCRF301	2	•
FSC Natural Rift Cut Oak	Dark Rift Oak	FSCRF331	2	•
FSC Natural Rift Oak	Phantom Ecu	FSCRF912	2	•
Natural Cherry	Cinnamon Cherry	NC260	1	•
Natural Cherry	Lowell Cherry	NC394	1	•
Natural Cherry	Medium Red Cherry	NC512	1	•
Natural Cherry	Light Cherry	NC701	1	•
Natural Cherry	Shaker Cherry	NC774	1	•
Natural Cherry	Burnished Cherry	NC777	1	•
Natural Maple	Natural Maple-Clear	NE800	1	•
Natural Maple	Harvest Maple	NE856	1	•
Natural Rift Cut Oak	Fawn Cypress	RF108	2	•
Natural Rift Cut Oak	Light Rift Oak	RF301	2	•
Natural Rift Cut Oak	Dark Rift Oak	RF331	2	•
Natural Rift Cut Oak	Natural Recon	RF896	2	•
Natural Rift Cut Oak	Phantom Ecu	RF912	2	•
Natural Walnut	Ebony Walnut	NT509	1	•
Natural Walnut	Florence Walnut	NT579	1	•
Natural Walnut	Light Walnut	NT601	1	•
Natural Walnut	Skyline Walnut	NT625	1	•
Natural Walnut	Nutmeg Walnut	NT629	1	•
Natural Walnut	Pinnacle Walnut	NT679	1	•
Natural Walnut	Sumatra Walnut	NT693	1	•

Finishes

Veneer Type	Stain Name	Code	Grade	System Worksurfaces
Stratawood Cherry	Cinnamon Cherry	SC260	1	•
Stratawood Cherry	Lowell Ash	SC394	1	•
Stratawood Cherry	Clear Cherry	SC700	1	•
Stratawood Cherry	Light Cherry	SC701	1	•
Stratawood Cherry	Shaker Cherry	SC774	1	•
Stratawood Cherry	Burnished Cherry	SC777	1	•
Stratawood Maple	Field Elm	SE599	1	•
Stratawood Maple	Clear Maple	SE800	1	•
Stratawood Maple	Harvest Maple	SE856	1	•
Stratawood Maple	Beigewood	SE878	1	•
Stratawood Maple	Phantom Ecrú	SE912	1	•
Stratawood Maple	Belair	SE934	1	•
Stratawood Silver Oak	Clear	SB100	1	•
Stratawood Silver Oak	Portico Teak	SB150	1	•
Stratawood Rift Oak	Clear Oak	SF300	1	•
Stratawood Rift Oak	Dark Rift Oak	SF331	1	•
Stratawood Walnut	Florence Walnut	ST579	1	•
Stratawood Walnut	Light Walnut	ST601	1	•
Stratawood Walnut	Skyline Walnut	ST625	1	•
Stratawood Walnut	Pinnacle Walnut	ST679	1	•
Stratawood Walnut	Sumatra Walnut	ST693	1	•

Finishes	16
Panel Fabrics	17
Laminate and Paint Matching	18
Overview of Components	19
Working with Panels	20
Specifying Fit Panels.....	21-23
Working with Gallery-to-Gallery Panels	24-25
Specifying Power & Electrical for Fit Panels	26
Working with Storage & Worksurface Connectors	27-29
Working with Fit Components.....	30-31
Fit 30", 35", 42", 50", 57½" Panels	32-36
Fit 30", 35", 42", 50", and 57½" for Use with Glass	37-41
Panel Systems Gallery Glass	42-44
Panel Connectors & Rails	45-46
Working with Accessories	47-48
Fit Panel Bench.....	49
Fit Accessories	50-51
Fit Countertops	52
Working with Electrical & Data.	53-60
Electrical Components	61-63

PAINT FINISHES

GRADE P1

Black	P71
Brownstone	P7D
Bungalow	P7C
Cinder	P7Q
Designer White	PJW
Flint	P02
Fossil	P28
Loft	P7B
Muslin	P4J
Parchment	P93
Pebble	P8R
Pewter	P8D
Salt	P8C
Textured Brownstone	P7J
Textured Designer White	PK7
Textured Flint	P7A
Textured Loft	P7L
Textured Muslin	P7M
Textured Pebble	P8Y
Textured Salt	P8Z
Textured Titanium	P8V
Titanium	P8T

GRADE P2

Champagne Metallic	PR5
Gunmetal Metallic	PR3
Matte Gold	P8G
Night Bronze	P8B
Platinum Metallic	PR2
Pyrite	PJE
Silver	PR6
Silver Texture	PR8
Solar Black	P8X

Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)

GRADE P3

Amethyst (<i>De-emphasized</i>)	P091
Atom	P8S
Blossom***	P8K
Bullseye	PJF
Cobalt Mica (<i>De-emphasized</i>)	P090
Ember	P8P
Ion	P8N
Iris	P8J
Krypton	P8F
Ochre	P093
Regatta	P8M
Sienna	P092
Succulent***	P8A

***These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

LAMINATES

GRADE L1

SOLID COLOR	
Black	P
Brownstone	LM13
Bungalow	LM12
Designer White	LDW1
Flint	LM16
Fossil Shale	LEH1
Loft	LM11
Muslin	LM15
Titanium	LTI1
ABSTRACT	
Handspun Pearl	LAHP
Handspun Dove	LAHD
Handspun Slate	LAHS
Handspun Chestnut	LAHC

WOODGRAIN

Belair	LWBA
Bourbon Cherry	H
Field Elm	LWFE
Florence Walnut	LFW1
Kingswood Walnut	LKI1
Natural Maple	LWD
NeoWalnut	LNU1
Pinnacle	PINC
Shaker Cherry	LW7C

GRADE L2

Beigewood	LWBE
Fawn Cypress	LFC1
Lowell Ash	LLA1
Mangalore Mango	LMM1
Natural Recon	LNR1
Phantom Charcoal	LPC1
Phantom Ecru	LPE1
Portico Teak	LPT1
Skyline Walnut	LSW1
Veranda Teak	LVT1

GRADE L3

Natural Walnut	LWNW
----------------------	------

LAMINATE EDGE COLORS

Beigewood	DE
Belair	BA
Black	E4
Bourbon Cherry	H
Brownstone	EY
Bungalow	EX
Designer White	DW
Fawn Cypress	FC
Field Elm	FE
Flint	E9
Florence Walnut	FW
Fossil	EH
Kingswood Walnut	KI
Loft	EV
Lowell Ash	DL
Mangalore Mango	MM
Muslin	EU
Natural Maple	DD
Natural Recon	NR
Natural Walnut	DN
NeoWalnut	NU
Parchment	EN
Phantom Charcoal	PC
Phantom Ecru	PE
Pinnacle	PI
Plyband	PL
Portico Teak	DP
Shaker Cherry	DF
Skyline Walnut	SW
Titanium	TI
Veranda Teak	VT

Forest Stewardship Council (FSC) is a non-profit organization devoted to encouraging the responsible management of the world's forests. FSC sets high standards that ensure forestry is practiced in an environmentally responsible, socially beneficial, and economically viable way. Allsteel received its FSC Chain of Custody certification in 2010 and can offer FSC Certified products. Select wood-based products can be ordered as FSC certified, either by choosing the FSC option or selecting an FSC laminate or veneer finish at the time of order. For more information, please contact Customer Support at 888-255-7833. (FSC Trademark license code: FSC-CO14704.)

NOTE: Refer to individual product pages for upcharges.

GRADE A

APPOINT PANEL

100% Polyester

Artichoke.....	APN911
Blackberry.....	APN932
Bronze.....	APN922
Carbon.....	APN928
Chai.....	APN912
Cherry.....	APN930
Dark Pewter.....	APN917
Dune.....	APN915
Espresso.....	APN923
Framboise.....	APN931
Frost.....	APN934
Jet.....	APN927
Lawn.....	APN925
Mandarin.....	APN929
Morel.....	APN909
Nimbus.....	APN916
Platinum.....	APN924
Turquoise.....	APN926

BINARY †

Blush.....	BNRY12
Coal.....	BNRY06
Cream.....	BNRY01
Denim.....	BNRY08
Diamond.....	BNRY03
Graphite.....	BNRY05
Juniper.....	BNRY10
Lagoon.....	BNRY07
Lavendar.....	BNRY11
Mineral.....	BNRY04
Reef.....	BNRY09
Sand Dollar.....	BNRY02

CENTURION™

(Nanotex™ Stain-Resistant finish)

Apricot.....	CU47
Bark.....	CU25
Black.....	CU10
Espresso.....	CU49
Fog.....	CU03
Frost.....	CU22
Goldenrod.....	CU27
Indigo.....	CU06
Iris.....	CU50
Iron Ore.....	CU19
Jade.....	CU83
Marsala.....	CU63
Morel.....	CU24
Navy.....	CU98
Peacock.....	CU97
Pear.....	CU84
Ruby.....	CU67
Sapphire.....	CU09

CIRCUIT † ♣

Atlas.....	CIRC35
Dolphin.....	CIRC63
Island White.....	CIRC14
Moon.....	CIRC07
Night.....	CIRC49
Pacific.....	CIRC28
Quartz.....	CIRC01
Sienna.....	CIRC56
Silk.....	CIRC21
Snap Pea.....	CIRC42

ETCH

100% Polyester

Axis.....	ECH913
Blend.....	ECH914
Cast.....	ECH912
Highlight.....	ECH910
Midtone.....	ECH911
Outline.....	ECH908
Shade.....	ECH909
Tonal.....	ECH916
Vanish.....	ECH915

GRADE A – continued

EXCHANGE

100% Polyester

Iron.....	EXG916
Nickel.....	EXG914
Pistachio.....	EXG910
Root.....	EXG913
Rupee.....	EXG903
Shadow.....	EXG911
Silver.....	EXG915
Sisal.....	EXG917
Stone.....	EXG912

LANDSCAPE

100% Polyester

Cornsilk.....	LN15
Drift.....	LN05
Khaki.....	LN20
Sheen.....	LN10
Slate.....	LN35
Umber.....	LN25
Urban.....	LN30

LUCY

100% Recycled Polyester

Aspen.....	LC932
Cornsilk.....	LC930
Dusk.....	LC922
Fawn.....	LC933
Graphite.....	LC934
Mist.....	LC920
Neutra.....	LC924
Pewter.....	LC935
Snowdrop.....	LC928

NOBLE

Aegean.....	NBLE18
Amethyst.....	NBLE19
Aspen.....	NBLE14
Aster.....	NBLE20
Blossom.....	NBLE21
Bluebell.....	NBLE22
Bordeaux.....	NBLE01
Brick.....	NBLE02
Chambray.....	NBLE10
Chamomile.....	NBLE23
Clementine.....	NBLE04
Conifer.....	NBLE24
Cottage.....	NBLE25
Darkness.....	NBLE26
Dawn.....	NBLE13
Denim.....	NBLE09
Desert Sand.....	NBLE27
Dewfall.....	NBLE28
Dusted Sage.....	NBLE29
Flax.....	NBLE30
Grass.....	NBLE07
Gunmetal.....	NBLE15
Harmony.....	NBLE31
Harvest.....	NBLE12
Ice Caves.....	NBLE32
Icicle.....	NBLE33
Inky.....	NBLE34
Iris.....	NBLE35
Jade.....	NBLE06
Knight.....	NBLE17
Mesa.....	NBLE03
Monarch.....	NBLE36
Pacific.....	NBLE08
Pitch.....	NBLE37
Queen Bee.....	NBLE38
Rainforest.....	NBLE05
Regal.....	NBLE11
Sandcastle.....	NBLE39
Sedona.....	NBLE40
Stormy.....	NBLE16
Sunbeam.....	NBLE41
Voyager.....	NBLE42
Windy Day.....	NBLE43

GRADE A – continued

REFLECTIONS

100% Recycled Polyester

Galvanized.....	REF929
Ice.....	REF920
Loggia.....	REF921
Mistral.....	REF928
Moonstone.....	REF923
Pewter.....	REF922
Stainless.....	REF924
Vanilla.....	REF925
Winter.....	REF927

REFUGE

64% Recycled Polyester

Artesian.....	RFG996
Dune.....	RFG992
Eclipse.....	RFG990
Frost †.....	RFG993
Glacier †.....	RFG991
Mineral.....	RFG998
Tidal.....	RFG994

SARTO ▼

100% Polyester (45% Recycled)

Ash.....	SRT988
Fog.....	SRT914
Lemongrass.....	SRT949
Mist.....	SRT945
Mushroom.....	SRT976
Oyster.....	SRT918
Reef.....	SRT964
Sesame.....	SRT993
Shale.....	SRT952

TEMPEST

100% Recycled Polyester

Dragonfly.....	TP930
Frost.....	TP915
Full Stream.....	TP980
Gold Rush.....	TP910
Slate.....	TP945
Tumbleweed.....	TP970
Wind Chill.....	TP940
Zebra.....	TP935

VAST

Vineyard.....	VST01
Garden.....	VST02
Grasslands.....	VST03
Bay.....	VST04
Open Air.....	VST05
Atmosphere.....	VST06
Ocean.....	VST07
Mountain Range.....	VST08
Highway.....	VST09
Tundra.....	VST10
Beach.....	VST11
Desert.....	VST12
Country Side.....	VST13

GRADE B

ANALOG (De-emphasized)

Album.....	ANLG06
Cartridge.....	ANLG04
Cassette.....	ANLG09
Dial.....	ANLG02
Media.....	ANLG08
Reel.....	ANLG07
Signal.....	ANLG03
Stereo.....	ANLG01
Track.....	ANLG05

GRADE B – continued

COAST † ♣

100% Antimony-Free Polyester

Channel.....	COA914
Dune.....	COA903
Headlands.....	COA910
Marsh.....	COA902
Pebble.....	COA912
Pier.....	COA913
Shoal.....	COA901
Silt.....	COA906
Tide.....	COA908

DISPERSE †*

100% Polyester

Autumn.....	DISP03
Branch.....	DISP10
Coffee Bean.....	DISP13
Dusk.....	DISP09
Emerald City.....	DISP08
Gold Rush.....	DISP02
Igloo.....	DISP11
Ink.....	DISP06
Mist.....	DISP12
Oatmeal.....	DISP15
Prince.....	DISP07
Reservoir.....	DISP01
Rose.....	DISP04
Spring.....	DISP05
Steel.....	DISP16
Taupe.....	DISP14

MICA

100% Recycled Polyester

Anthracite.....	MCA911
Breeze.....	MCA918
Bronze.....	MCA913
Buff.....	MCA914
Cremeni.....	MCA917
Crystal †.....	MCAWIT
Dew.....	MCA920
Dove.....	MCA912
Fresh.....	MCA916
Mineral.....	MCA915
Nectar.....	MCA919
Shale.....	MCA910

SPIN PANEL

46% Recycled Polyester,

56% Polyester

Alabaster.....	SPIN02
Cavern.....	SPIN03
Cobblestone.....	SPIN04
Ember.....	SPIN06
Flame.....	SPIN07
Heron.....	SPIN13
Oat.....	SPIN01
Ocean.....	SPIN12
Plum.....	SPIN15
Pool.....	SPIN11
Raven.....	SPIN10
Rhubarb.....	SPIN14
Tropic.....	SPIN08
Willow.....	SPIN05

TERRAIN

52% Recycled Polyester,

48% Polyester

Bay.....	TRRN05
Bayou.....	TRRN35
Canyon.....	TRRN30
Cliff.....	TRRN45
Crest.....	TRRN25
Delta.....	TRRN10
Plateau.....	TRRN15
Ridge.....	TRRN20
Valley.....	TRRN40

ALLSTEEL PARTNERSHIP PROGRAM

Allsteel understands that customers may want to specify panel and seating textiles outside of Allsteel's standard offering. Allsteel's **Partnership Program** consists of on-trend and design-forward patterns that have been tested and approved by Allsteel for use on Allsteel products. A subset of these approved patterns is available on cards in the textile binder, while numerous others are available on our website, allsteeloffice.com.

For memo samples, please contact our partners:

- Camira, memos@camirafabrics.com
1.616.288.0655
- CF Stinson, cfstinson.com
1.800.841.6279
- HBF Textiles, hbftextiles.com
1.877.494.5727
- Maharam, maharam.com
1.800.645.3943
- Ultrafabrics, ultrafabricsllc.com

The intent of the **Partnership Program** is to offer a wide variety of on-trend textiles to meet your varied needs, but since these textiles are not part of our standard offering they may be subject to extended lead times. Because new materials will be introduced regularly, Allsteel reserves the right to change the offering at any time.

PARTNERSHIP—GRADE D

Camira BLAZER LITE † ▼

(100% Pure New Wool)

Angel.....	PCAMBLT49
Aspire.....	PCAMBLT52
Balance.....	PCAMBLT41
Bliss.....	PCAMBLT48
Buddha.....	PCAMBLT56
Cuddle.....	PCAMBLT62
Dainty.....	PCAMBLT64
Daydream.....	PCAMBLT46
Devoted.....	PCAMBLT58
Faith.....	PCAMBLT68
Freedom.....	PCAMBLT69
Graceful.....	PCAMBLT51
Happy.....	PCAMBLT55
Harmony.....	PCAMBLT63
Haven.....	PCAMBLT40
Hope.....	PCAMBLT50
Hush.....	PCAMBLT42
Love.....	PCAMBLT47
Mood.....	PCAMBLT44
Pamper.....	PCAMBLT66
Pastel.....	PCAMBLT65
Pillow.....	PCAMBLT43
Praise.....	PCAMBLT54
Retreat.....	PCAMBLT39
Shelter.....	PCAMBLT60
Solace.....	PCAMBLT70
Tender.....	PCAMBLT53
True.....	PCAMBLT61
Verity.....	PCAMBLT57
Wish.....	PCAMBLT67
Worship.....	PCAMBLT59

™ Limited to product 48"W or less.

▼ Panel fabric is not available on Further.

♣ Panel fabric is not available on Optimize®.

† Panel fabric is not available on Concensys®.

◆ Panel fabric is not available on Involve.

* Not available on 72"W.

Multi-use fabrics are seating fabrics that can be used on specific Allsteel panels systems, providing more color and pattern options. The applicable Allsteel multi-use fabrics are noted with System designators in the Seating, Collaboration, and Tables Price List.

Paint Recommendations for Gallery-to-Gallery Cover


Laminate	Code	Recommended Paint
Brownstone	LM13	Brownstone
Bungalow	LM12	Bungalow
Designer White 15051	LDW1	Designer White
Flint	LM16	Flint
Fossil Shale	LEH1	Fossil
Loft	LM11	Loft
Muslin	LM15	Muslin
Titanium	LTI1	Titanium
Florence Walnut	LFW1	Cinder, Brownstone, Flint
Kingswood Walnut	LKI1	Fossil, Flint, Loft
Natural Maple	LWD	Muslin
NeoWalnut	LNU1	Cinder
Shaker Cherry	LW7C	Black, Cinder
Beigewood	LWBE	Muslin, Loft, Fossil
Fawn Cypress	LFC1	Cinder, Brownstone, Flint
Lowell Ash	LLA1	Cinder
Mangalore Mango	LMM1	Cinder
Natural Recon	LNR1	Cinder, Brownstone
Phantom Charcoal	LPC1	Flint, Salt, Cinder
Phantom Ecu	LPE1	Flint, Brownstone, Muslin
Portico Teak	LPT1	Fossil, Brownstone, Pewter
Skyline Walnut	LSW1	Cinder, Flint, Fossil
Veranda Teak	LVT1	Fossil, Brownstone, Pewter
Natural Walnut	LWNW	Cinder

Panels & Components


Fit™ — Overview of Components

[GSA Reference Page](#)

PANELS:




Fit Panel




Fit Panel for use with Glass


PANEL CONNECTORS:




L-Connector



Straight In-Line




Split End




Single End


INTEGRATED GLASS:



RAILS:




Spine Rail




Return Rail


RAIL CONNECTORS:




End Cap




Straight In-Line



Straight Corner




L-Connector




Infeed L-Connector



Floor Infeed Cover




Hardwire Infeed Cover



Infeed Straight Connector


OTHER FIT COMPONENTS:




Workspace Mounting Bracket Kit



Installation Template




Power Pole



Floating Shelves



Wall Start



Countertop Brackets


Panels & Components

Fit™ — Working with Panels


GSA Reference Page

Building Horizontally with Fit Panels

Method 1—Opposing Returns



Method 2—Single-Sided Returns



Important planning guidelines: For adequate stability, one of two methods of stabilization must be adhered to:

Method 1 — Opposing returns

- A parent run must be a minimum of 60" and a maximum of 144" between return panels. The parent run must have a minimum of two return panels running in opposing directions on each end of run.
- Dual-sided return panels must be a minimum of 60" combined width.
- Return panels must not be any more than 30" lower than the height of the parent panel run.
- Panel height measurement includes integrated glass, if used.

Method 2 — Single-sided returns

- A parent run must be a minimum of 60" and a maximum of 144" between return panels.
- A parent run less than or equal to 84"W must have a minimum of two return panels totaling 60" in combined width. For every 7½" drop in panel height, 6" must be added to the minimum combined return length.
- A parent run greater than 84"W must have a minimum of two return panels totaling 84" in combined width.
- Return panels must not be any more than 30" lower than the maximum height of the parent panel run.
- Panel height measurement includes integrated glass, if used.

Panels for Use with Glass



- Panels match construction of non-glass panels but have a routed top edge.
- Glass mounts directly into the panel route via a gasket.
- Single end panel routing is inset by ½" from each end of the panel and requires glass to be the same as the panel width, see image.
- Spine, Mid, and Split End panel routing is inset around 1½" from each end of the panel, exact distance will vary with panel type. These panel types require glass to be 3" shorter than the panel width.
- Glass is available in 3 colors: Clear, Frosted, and Smoked.
- Glass height is available in 7½"H, 13"H, and 15"H.
- Glass is available on all panel widths.
- Specify glass models separately from panel models.
- Glass Panels at 30"W and under are not UL listed.

Panel Construction

- Made of 1½" board with HPL laminate.
- Can be specified with matching or contrasting edge.
- Edge band is 2mm ABS.
- Available in woodgrain or solid laminates.
- Woodgrain laminates can be specified with vertical grain up to 54"W. Horizontal grain is available on all sizes.
- Grain matching is not available.
- Fit Panels offer 2½" leveling capability.
- Available with and without the integrated glass option. Panels for use with glass offer a routed top edge.
- Glass is specified separately.
- Fit Panels for use with glass have separate model numbers.
- Laminate on Fit Panels is not grain matched.

Panel Dimensions

- Depth: 1½"
- Nominal widths: 18", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78"**, and 84"** (actual width dimension will vary based on panel type, see Panel Specification page for details)
- Heights*: 30", 35", 42½", 50", 57½"
- Glass Heights: 7½", 13", 15"
- Leveling Glides: 2½" Range
*with levelers fully retracted
- **Panels 78"W and wider require the use of a stiffener shelf or tube



Specifying Fit Panels – Full Model Logic

Panels 18", 24", 30", and 36"W are available in the following configurations:

- Mid Wing, No Power Below Worksurface – 'MDWPPW'
- Mid Wing, No Power Below HAT – 'MDWPH'

Panels 42", 48", 50", and 54"W are available in the following configurations:

- Mid Wing, No Power Below Worksurface – 'MDWPPW'
- Mid Wing, No Power Below HAT – 'MDWPH'
- Left-Hand Split End, No Power – 'LPEPN'
- Right-Hand Split End, No Power – 'RPEPN'


Panels 60"W, 66"W, 72"W, 78"W, 84"W are available in the following configurations:

- Left-Hand Single-Sided End, Single-Side Power Below WS – 'LSESW'
- Left-Hand Single-Sided End, Single-Side Power Below HAT – 'LSESH'
- Right-Hand Single-Sided End, Single-Side Power Below WS – 'RSESW'
- Right-Hand Single-Sided End, Single-Side Power Below HAT – 'RSESH'
- Left-Hand Split End, Single-Side Power Below WS – 'LPESW'
- Left-Hand Split End, Single-Side Power Below HAT – 'LPESH'
- Left-Hand Split End, No Power – 'LPEPN'
- Right-Hand Split End, Single-Side Power Below WS – 'RPESW'
- Right-Hand Split End, Single-Side Power Below HAT – 'RPESH'
- Right-Hand Split End, No Power – 'RPEPN'
- Left-Hand End Spine, Single-Sided Power Below WS – 'LESSW'
- Left-Hand End Spine, Single-Sided Power Below HAT – 'LESSH'
- Left-Hand End Spine, Dual-Sided Power Below WS – 'LESWSW'
- Left-Hand End Spine, Dual-Sided Power Below HAT – 'LESWDH'
- Right-Hand End Spine, Single-Sided Power Below WS – 'RESSW'
- Right-Hand End Spine, Single-Sided Power Below HAT – 'RESSH'
- Right-Hand End Spine, Dual-Sided Power Below WS – 'RESWSW'
- Right-Hand End Spine, Dual-Sided Power Below HAT – 'RESWDH'
- Right-Hand End Spine, Dual-Sided Power Below WS – 'RESDSW'
- Right-Hand End Spine, Dual-Sided Power Below HAT – 'RESDSH'
- Mid Spine, Single-Sided Power Below WS – 'MSPSW'
- Mid Spine, Single-Sided Power Below HAT – 'MSPSH'
- Mid Spine, Dual-Sided Power Below WS – 'MSPDW'
- Mid Spine, Dual-Sided Power Below HAT – 'MSPDH'
- Single Spine, Single-Sided Power Below WS – 'SGSSW'
- Single Spine, Single-Sided Power Below HAT – 'SGSSH'
- Single Spine, Dual-Sided Power Below WS – 'SGSDW'
- Single Spine, Dual-Sided Power Below HAT – 'SGSDH'
- Mid Wing, Right-Hand Single-Sided Power Below WS – 'MDWRW'
- Mid Wing, Right-Hand Single-Sided Power Below HAT – 'MDWRH'
- Mid Wing, Left-Hand Single-Sided Power Below WS – 'MDWLW'
- Mid Wing, Left-Hand Single-Sided Power Below HAT – 'MDWLH'
- Mid Wing, Dual-Sided Power Below WS – 'MDWDW'
- Mid Wing, Dual-Sided Power Below HAT – 'MDWDH'
- Mid Wing, No Power Below WS – 'MDWPPW'
- Mid Wing, No Power Below HAT – 'MDWPH'

Panels & Components

Specifying Fit Panels

Panel Type			Hand	Power Height	Panel Width					
					18"-36"		42"-54"		60"-84"	
					Single Sided	Dual Sided	Single Sided	Dual Sided	Single Sided	Dual Sided
1	End Spine	Power	Left	Below Wks	-	-	-	-	LESSW	LESDDW
				Below HAT	-	-	-	-	LESSH	LESDDH
			Right	Below Wks	-	-	-	-	RESSW	RESDDW
				Below HAT	-	-	-	-	RESSH	RESDDH
2	Mid Spine	Power	None	Below Wks	-	-	-	-	MSPSW	MSPDDW
				Below HAT	-	-	-	-	MSPSH	MSPDDH
3	Single Spine	Power	None	Below Wks	-	-	-	-	SGSSW	SGSDDW
				Below HAT	-	-	-	-	SGSSH	SGSDDH
4	Split End	Power	Left	Below Wks	-	-	-	-	LPESW	-
				Below HAT	-	-	-	-	LPESH	-
			Right	Below Wks	-	-	-	-	RPESW	-
				Below HAT	-	-	-	-	RPESH	-
		No Power	Left	Same	-	-	LPEPN	-	LPEPN	-
					-	-	-	-	-	-
			Right	Same	-	-	RPEPN	-	RPEPN	-
					-	-	-	-	-	-
5	Single-Sided End	Power	Left	Below Wks	-	-	-	-	LSESW	-
				Below HAT	-	-	-	-	LSESH	-
			Right	Below Wks	-	-	-	-	RSESW	-
				Below HAT	-	-	-	-	RSESH	-
		No Power	Left	Same	GLxxyyL	-	GLxxyyL	-	GLxxyyL Max 78"	-
					-	-	-	-	-	-
			Right	Same	GLxxyyR	-	GLxxyyR	-	GLxxyyR Max 78"	-
					-	-	-	-	-	-
6	Mid Wing	Power	Left	Below Wks	-	-	-	-	MDWLW	MDWDW
				Below HAT	-	-	-	-	MDWLH	MDWDH
			Right	Below Wks	-	-	-	-	MDWRW	MDWDW
				Below HAT	-	-	-	-	MDWRH	MDWDH
		No Power	None	Below Wks	-	MDWPW	-	MDWPW	-	MDWPW
				Below HAT	-	MDWPH	-	MDWPH	-	MDWPH



Panels & Components


Specifying Fit Panels

GSA Reference Page

Specifying Fit Panels

- When specifying Fit Panels, the base model indicates the height and modular width needed. Model logic is 'GSYS' then 'height' then 'width.' (e.g., a 50"H by 72"W panel would be GSYS5072)
- The first dot option indicates the panel type (where the panel is located within the typical) and power options. (e.g., GSYS5072.MSPDW (Mid Spine, Power Below Worksurface, Wall))
- When a Single-sided End panel is ordered, a separate connector must be specified (GPLTBK) with any Allsteel standard paint color.
- When Split End panels are ordered, a separate connector must be specified (GSYSCONSE) with any Allsteel standard paint color.
- Due to the lack of connectors spacing out the panels, the true width of Fit panels must accommodate panel overlap. To allow for modular interior worksurface dimensions, the option codes must indicate how much overlap is needed, which is done by specifying 'panel type' explained below.
- Spine panels must be the tallest panels in the run. No variable height along the spine panel run is allowed.

Panel Type Options are below:	True Panel Widths (ex: 72"W)	Glass Widths
Mid Wing = "MDW"	Exact width (72")	3" Undersized
Left Hand Split End = "LPE"	1/2 panel width overlap (72.56"W)	3" Undersized
Right Hand Split End = "RPE"	1/2 panel width overlap (72.56"W)	3" Undersized
Left Hand Single-Sided End = "LSE"	1 panel width overlap (73.125" W)	Same width as panel
Right Hand Single-Sided End = "RSE"	1 panel width overlap (73.125" W)	Same width as panel
Right Hand End Spine = "RES"	1/2 panel width overlap (72.56"W)	3" Undersized
Left Hand End Spine = "LES"	1/2 panel width overlap (72.56"W)	3" Undersized
Mid Spine = "MSP"	1 panel width overlap (73.125" W)	3" Undersized
Single Spine = "SGS"	Exact width (72")	3" Undersized




Panels & Components

Working with Gallery-to-Gallery Panels


[GSA Reference Page](#)

- For Non-Powered End Panels (Single or Dual-Sided), Gallery-to-Gallery 'L' or 'T' Models should be used. Gray panels indicate Gallery-to-Gallery.
- GTEMP model is required for connecting Gallery-to-Gallery Panels to Fit panels.




1. GThhww (Gallery-to-Gallery T Panel)
2. GSYShhww.LESDW (Left Hand End Spine)
3. GSYShhww.RESDW (Right hand End Spine)

- Gallery-to-Gallery Panels can also be connected to Fit Wing or End panels as an additional return. Gray panels indicate Gallery-to-Gallery.
- GTEMP model is required for connecting Gallery-to-Gallery Panels to Fit panels.



1. GSYShhww.RPESW (Right Hand Split End)
2. GSYShhww.LPESW (Left Hand Split End)
3. GLhwwL (Left Hand Gallery-2-Gallery L)
4. GLhwwR (Right Hand Gallery-2-Gallery L)
5. GThhww (Gallery-2-Gallery T)
6. GSYShhww.LESDW (Left Hand End Spine)
7. GSYShhww.RESDW (Right Hand End Spine)
8. GSYShhww.MDWDW (Mid Wing)




1. GLhwwL (Left Hand Gallery-2-Gallery L)
2. GLhwwR (Right Hand Gallery-2-Gallery L)
3. GSYShhww.LESSW (Left Hand End Spine)
4. GSYShhww.MDWDW (Mid Wing)
5. GSYShhww.RESSW (Right Hand End Spine)
6. GThhww (Gallery-2-Gallery T)

WHEN TO USE "SGS" MODELS



Traditional 4-station benching with fixed surfaces



Reception style station

Gallery-to-Gallery Panels (page 141)

- Gallery-to-Gallery Panels connect to Fit panels and are available in L-, T-, and Nonsymmetrical T- configurations.
- When specifying Gallery-to-Gallery Panels, the installation template (GTEMP) is required. The recommendation is 1 template for every 30 panels. Templates are reusable.
- Gallery-to-Gallery Panels cap over Fit panels and are oversized by 1½" to maintain true interior dimensions.
- Gallery-to-Gallery Panels must be of equal or lower height than the Fit panel attached. The Gallery-to-Gallery Panel cannot be taller than the adjacent panel. If this is required, please reach out to TPG for a custom solution.
- Panel construction is the same as Fit panels.
- Can be specified with matching or contrasting edge.
- Woodgrain laminates can be specified with vertical grain up to 54"W. Horizontal grain is available on all sizes.
- Gallery-to-Gallery Panel widths are available in 3" increments from 18"W to 30"W and in 6" increments from 30"W to 78"W.
- Gallery-to-Gallery Panels offer 2½" leveling capability.
- Overall heights line up with adjacent panel.
- Available with and without the integrated glass option.
- Glass is specified separately.
- Gallery-to-Gallery Panels for use with glass have separate model numbers.
- Gallery-to-Gallery Panels are secured with an inset flat bracket under a painted metal cover at the base and a hidden top connection.
- If Fit Panel L- connectors are preferred at Gallery-to-Gallery attachments for aesthetic reasons, they may be added.
- L- and Nonsymmetrical T- panels are handed.
- Additional support is required after every 60" in panel width (i.e., return panel, storage or worksurface tie-in, panel bracket, or foot).
- Nonsymmetrical T- panels are specified in the format GTyyxxzz. Substitute yy as panel height, xx and LH nominal length, and zz and RH nominal length.

Power & Electrical Components

Specifying Fit Panels

GSA Reference Page

Specifying Fit Panels

Following the 'Panel Type', the option code includes a power specification.

Power options for Spine Panels are below:

- Single-Sided Power Below Worksurface = "SW"
- Single-Sided Power Below HAT = "SH"
- Dual-Sided Power Below Worksurface = "DW"
- Dual-Sided Power Below HAT = "DH"

Power options for End Panels are below:

- No Power = "PN"
- Single-Sided Power Below Worksurface = "SW"
- Single-Sided Power Below HAT = "SH"


Power options for Mid-Wing Panels are below:

- No Power Below Worksurface = "PW"
- No Power Below HAT = "PH"
- Left-Handed Single-Sided Power Below Worksurface = "LW"
- Left-Handed Single-Sided Power Below HAT = "LH"
- Right-Handed Single-Sided Power Below Worksurface = "RW"
- Right-Handed Single-Sided Power Below HAT = "RH"
- Dual-Sided Power Below Worksurface = "DW"
- Dual-Sided Power Below HAT = "DH"




Electrical Rail (page 46)

- Panels 60" W and larger can be specified with integrated power.
- Rail offers 2 receptacle locations and an optional knock-out location for data.
- Includes attachment hardware for mounting onto the panel.
- Rail protrudes 1" from the face of the panel, with receptacles protruding an additional ¼". Note any potential interference with workstation components. (See Casegoods & Storage Pricer.)
- Rails must be specified to cover electrical components when using a powered panel.
- Spine panels require the rail to be specified at the same width as the panel.
- Powered Wing or End panels require a return rail since power is only integrated within the first 36" past the spine.
- Rails can be specified as single- or dual-sided.
- Can be painted any Allsteel Standard Paint color.
- Electrical can be placed at two different heights on the panel face, Below Worksurface and Below HAT, see dimensions below. Rail models are the same regardless of height.
- Below Worksurface is intended for use below fixed worksurfaces or above low storage.
- Below HAT is intended for use below a Height-Adjustable table.
- Ordering two single-sided rail models is not a substitute for one dual-sided model, and vice-versa.

Below Worksurface Height



Below HAT Height





Panels & Components

Storage & Worksurface Connectors

GSA Reference Page

Worksurface Mounting Bracket (page 45)

- Used to mount a fixed-height worksurface to a Fit panel.
- Can be painted any Allsteel Standard Paint color.
- A worksurface stiffener is required for surfaces 60" W or greater.
- One bracket kit (GWSBK) is required for each worksurface corner attached to Fit panels.
- Sized to fit above a Below Worksurface power rail location and locate the top of a fixed worksurface at 29¼" above the floor. Or can be installed at any available height.
- When using a 30" H spine with a below worksurface rail, a worksurface or storage must be mounted at any panel-to-panel connection.
- Worksurface sits flush with FIT panels. For mounting desk mounted accessories (Monitor arms, Power Modules, etc.) please specify either grommets in worksurface or use special undersized worksurface through the 9120 program.



Storage Ganging Kits (page 45)

- The laminate storage ganging kit (GSGKL) is used to connect a Fit panel to a laminate storage unit.
- The metal storage ganging kit (GSGKM) is used to connect a Fit panel to a metal storage unit.


Panels & Components

Working with Fit & Storage


GSA Reference Page

Credenzas & Towers

- Approach low credenzas w/ trough and Align low credenzas sit below rail. (Below Worksurface height only.)
- Rail will offset taller storage, like towers, from panel by 1".
- Infeed housing will interfere with storage units when placed in the same corner.





NOTE: A topper used on an Approach credenza may interfere with the ability to plug into the rail. Credenza will need to be offset from the panel.



Support Pedestals

- Further, Involve, and Align support pedestals match height of worksurface brackets and can be recommended for worksurface support.
- Cannot use full-depth support storage that matches worksurface depth due to rail interference.



Panels & Components

Fit™ — Working with Connectors

GSA Reference Page

Rail Connectors (page 46)


- Rail connectors must be used at BOTH ends of each rail to create the proper transition.
- Rail connectors are painted metal and can be painted to match the rail color.

GSYSRSL	GSYSRL	GSYSRSC	GSYSREC	GSYSRPL*	GSYSRPS*
Straight In-Line Connection (No Mid Panel between Spine Panels)	L-Connection (Between Powered Spine and Powered Wing)	Straight Corner Connection (Between Powered Spine and Non-Powered Wing)	End Cap (At the end of any Return Rail)	L- Infeed Connection (Infeed between Powered Spine and Powered Wing)	Straight Corner Infeed (Infeed between Powered Spine and Non-Powered Wing)

*Models replace GSYSRL or GSYSRSC

Rail Hardwire Infeed Connectors (page 46)

- Rail Hardwire infeed connectors are for use where a hardwired infeed comes into the rail.



Panel Connectors (page 45)



- Panel connectors must be used at each panel connection

GSYSCONS	GSYSCONL	GSYSCONSE	GPLTBK
Straight In-Line Connection (No Mid Panel between Spine Panels) No In-line panel connector is needed if 1 or more wing panels are connected to the spine at the panel intersection	L-Connection (Between Spine and Mid Wing) Each Mid Panel requires 2 kits – unless storage is ganged at the base, then 1 kit is needed	Split Panel connection at the End of the Run (Split panels also require 1 L-Bracket kit GSYSCONL to be specified)	Single Powered Panel connection at the End of the Run (Single Powered panels also require 1 L-Bracket kit GSYSCONL to be specified)

Panels & Components



Working with Fit Components

GSA Reference Page





Power Pole (page 63)

- Ceiling power pole for use with ceiling in-feeds.
- Ceiling power poles connect to the rail inside of workstation, in this instance a mounted worksurface or HAT may need to be field-cut to accommodate. (See image at right.)
- Below HAT Power Pole is used to shroud a base or wall in-feed as it connects into a Below HAT Rail Height.
- Below Worksurface Power Pole is used to shroud a base or wall in-feed as it connects into a Below Worksurface Rail Height.
- Power Pole height is 13 feet.



Rail Port Cover (page 63)

- Offered in a 2- or 12-pack.
- Used to cover a port location in a rail when a receptacle is not needed.
- Can be painted any Allsteel Standard Paint color.




Installation Template (page 45)


- At least one required at installation, recommended that at least one is ordered per project.

Specifying Fit Panels

- Panels under 60"W are not available with power.
- Panels 60"W and greater are available with single- or dual-sided power.
- Spine panels are only available 60"W or greater and must be specified with power.
- Specify L- or T- Gallery-to-Gallery Panels when power is not needed in a single-piece end panel.
- Split End panels may be specified with or without single-sided power.
- When power is not needed in Mid Wing Panels, they must be specified with No Power AND the spine power height in order to allow electrical components to pass through the panel. Power can be specified at the Below Worksurface or Below HAT heights.
- A dual-sided powered spine must have an end panel that extends both directions:



- When using a mid wing on the EXTERIOR face of a single-sided powered spine, use a standard Gallery Panel. Connectors must be field-measured.



- When submitting a request to TPG, the full dot option logic must be provided.

Panels

Fit 30"H Panels

For specification information see pages 19-49.

GSA SIN Pending

Description	Model	L1 List Price	L2 List Price	L3 List Price
30"H Panels				
18"W	GSYS3018	\$ 483	\$ 504	\$ 524
24"W	GSYS3024 (shown)	\$ 530	\$ 552	\$ 575
30"W	GSYS3030	\$ 637	\$ 665	\$ 691
36"W	GSYS3036	\$ 706	\$ 736	\$ 765

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54" W or less)	6th Option: Glide:
G . . .					V .	G

Example: GSYS3024.MDWPH.X.LDW1.DW.VLG.G

Description	Model	L1 List Price	L2 List Price	L3 List Price
30"H Panels				
42"W	GSYS3042 (shown)	\$ 818	\$ 852	\$ 887
48"W	GSYS3048	\$ 929	\$ 969	\$ 1007
54"W	GSYS3054	\$ 988	\$ 1030	\$ 1071

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT LPEPN Left Hand Split End no power RPEPN Right Hand Split End no power	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54" W or less)	6th Option: Glide:
G . . .					V .	G

Example: GSYS3042.LPEPN.X.LDW1.DW.VLG.G

Description	Model	L1 List Price	L2 List Price	L3 List Price
30"H Panels				
60"W	GSYS3060	\$ 1078	\$ 1123	\$ 1169
66"W	GSYS3066	\$ 1116	\$ 1163	\$ 1210
72"W	GSYS3072 (shown)	\$ 1226	\$ 1278	\$ 1329
78"W	GSYS3078	\$ 1437	\$ 1497	\$ 1558
84"W	GSYS3084	\$ 1627	\$ 1696	\$ 1764

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: See page 21-22 for options.	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only	6th Option: Glide:
G . . .					V L G .	G


Example: GSYS3072.MSPSH.X.LDW1.DW.VLG.G

Panels

Fit 35"H Panels

For specification information see pages 19-49.


GSA SIN Pending



Description	Model	L1 List Price	L2 List Price	L3 List Price
35"H Panels				
18" W	GSYS3518	\$ 581	\$ 605	\$ 631
24" W	GSYS3524 (shown)	\$ 634	\$ 661	\$ 688
30" W	GSYS3530	\$ 763	\$ 795	\$ 828
36" W	GSYS3536	\$ 845	\$ 881	\$ 916

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54" W or less)	6th Option: Glide:
G .	.	.	.	.	V .	G


Example: GSYS3524.MDWPH.X.LDW1.DW.VLG.G



Description	Model	L1 List Price	L2 List Price	L3 List Price
35"H Panels				
42" W	GSYS3542 (shown)	\$ 940	\$ 980	\$ 1019
48" W	GSYS3548	\$ 1034	\$ 1078	\$ 1122
54" W	GSYS3554	\$ 1105	\$ 1151	\$ 1198

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT LPEPN Left Hand Split End no power RPEPN Right Hand Split End no power	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54" W or less)	6th Option: Glide:
G .	.	.	.	.	V .	G

Example: GSYS3542.LPEPN.X.LDW1.DW.VLG.G



Description	Model	L1 List Price	L2 List Price	L3 List Price
35"H Panels				
60" W	GSYS3560	\$ 1185	\$ 1236	\$ 1285
66" W	GSYS3566	\$ 1243	\$ 1296	\$ 1348
72" W	GSYS3572 (shown)	\$ 1361	\$ 1418	\$ 1476
78" W	GSYS3578	\$ 1536	\$ 1601	\$ 1665
84" W	GSYS3584	\$ 1799	\$ 1875	\$ 1950

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: See page 21-22 for options.	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only	6th Option: Glide:
G .	.	.	.	.	V L G .	G

Example: GSYS3572.MSPSH.X.LDW1.DW.VLG.G

Panels

Fit 42"H Panels

For specification information see pages 19-49.

GSA SIN Pending

Description	Model	L1 List Price	L2 List Price	L3 List Price
42"H Panels				
18"W	GSYS4218	\$ 634	\$ 661	\$ 688
24"W	GSYS4224 (shown)	\$ 691	\$ 721	\$ 749
30"W	GSYS4230	\$ 833	\$ 868	\$ 903
36"W	GSYS4236	\$ 922	\$ 961	\$ 1000

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54"W or less)	6th Option: Glide:
G 					V .	G .

Example: GSYS4224.MDWPH.X.LDW1.DW.VLG.G

Description	Model	L1 List Price	L2 List Price	L3 List Price
42"H Panels				
42"W	GSYS4242 (shown)	\$ 1025	\$ 1068	\$ 1112
48"W	GSYS4248	\$ 1103	\$ 1149	\$ 1196
54"W	GSYS4254	\$ 1202	\$ 1253	\$ 1303

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT LPEPN Left Hand Split End no power RPEPN Right Hand Split End no power	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54"W or less)	6th Option: Glide:
G 					V .	G .

Example: GSYS4242.LPEPN.X.LDW1.DW.VLG.G

Description	Model	L1 List Price	L2 List Price	L3 List Price
42"H Panels				
60"W	GSYS4260	\$ 1275	\$ 1329	\$ 1382
66"W	GSYS4266	\$ 1350	\$ 1407	\$ 1464
72"W	GSYS4272 (shown)	\$ 1452	\$ 1514	\$ 1575
78"W	GSYS4278	\$ 1593	\$ 1660	\$ 1728
84"W	GSYS4284	\$ 1908	\$ 1988	\$ 2069

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: See page 21-22 for options.	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only	6th Option: Glide:
G 					V L G .	G .


Example: GSYS4272.MSPSH.X.LDW1.DW.VLG.G

Panels

Fit 50"H Panels

For specification information see pages 19-49.


GSA SIN Pending



Description	Model	L1 List Price	L2 List Price	L3 List Price
50"H Panels				
18"W	GSYS5018	\$ 732	\$ 763	\$ 794
24"W	GSYS5024 (shown)	\$ 788	\$ 821	\$ 855
30"W	GSYS5030	\$ 918	\$ 957	\$ 996
36"W	GSYS5036	\$ 1011	\$ 1054	\$ 1097

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54"W or less)	6th Option: Glide:
G . . .					V .	G


Example: GSYS5024.MDWPH.X.LDW1.DW.VLG.G



Description	Model	L1 List Price	L2 List Price	L3 List Price
50"H Panels				
42"W	GSYS5042 (shown)	\$ 1126	\$ 1173	\$ 1221
48"W	GSYS5048	\$ 1234	\$ 1286	\$ 1338
54"W	GSYS5054	\$ 1315	\$ 1371	\$ 1426

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT LPEPN Left Hand Split End no power RPEPN Right Hand Split End no power	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54"W or less)	6th Option: Glide:
G . . .					V .	G

Example: GSYS5042.LPEPN.X.LDW1.DW.VLG.G



Description	Model	L1 List Price	L2 List Price	L3 List Price
50"H Panels				
60"W	GSYS5060	\$ 1386	\$ 1444	\$ 1503
66"W	GSYS5066	\$ 1454	\$ 1516	\$ 1577
72"W	GSYS5072 (shown)	\$ 1535	\$ 1600	\$ 1664
78"W	GSYS5078	\$ 1789	\$ 1865	\$ 1940
84"W	GSYS5084	\$ 2067	\$ 2155	\$ 2241

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: See page 21-22 for options.	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only	6th Option: Glide:
G . . .					V L G .	G


Example: GSYS5072.MSPSH.X.LDW1.DW.VLG.G

Panels

Fit 57½"H Panels

For specification information see pages 19-49.


GSA SIN Pending



Description	Model	L1 List Price	L2 List Price	L3 List Price
57½"H Panels				
18"W	GSYS5718	\$ 882	\$ 920	\$ 957
24"W	GSYS5724 (shown)	\$ 938	\$ 978	\$ 1017
30"W	GSYS5730	\$ 1069	\$ 1114	\$ 1159
36"W	GSYS5736	\$ 1161	\$ 1211	\$ 1259

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54"W or less)	6th Option: Glide:
G					V	G


Example: GSYS5724.MDWPH.X.LDW1.DW.VLG.G



Description	Model	L1 List Price	L2 List Price	L3 List Price
57½"H Panels				
42"W	GSYS5742 (shown)	\$ 1273	\$ 1327	\$ 1380
48"W	GSYS5748	\$ 1382	\$ 1440	\$ 1498
54"W	GSYS5754	\$ 1465	\$ 1527	\$ 1589

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT LPEPN Left Hand Split End no power RPEPN Right Hand Split End no power	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54"W or less)	6th Option: Glide:
G					V	G

Example: GSYS5742.LPEPN.X.LDW1.DW.VLG.G



Description	Model	L1 List Price	L2 List Price	L3 List Price
57½"H Panels				
60"W	GSYS5760	\$ 1536	\$ 1601	\$ 1665
66"W	GSYS5766	\$ 1603	\$ 1671	\$ 1738
72"W	GSYS5772 (shown)	\$ 1683	\$ 1754	\$ 1824
78"W	GSYS5778	\$ 1938	\$ 2020	\$ 2101
84"W	GSYS5784	\$ 2217	\$ 2310	\$ 2404

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: See page 21-22 for options.	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only	6th Option: Glide:
G					V L G	G

Example: GSYS5772.MSPSH.X.LDW1.DW.VLG.G


Panels

30"H Application for Use with Glass

For Fit Glass see page 42.

For Fit Panel connectors see pages 45-46.


GSA SIN Pending



Description	Model	L1 List Price	L2 List Price	L3 List Price
30"H Fit Panels with Glass				
18"W	GSYS3018G	\$ 708	\$ 738	\$ 767
24"W	GSYS3024G (shown)	\$ 753	\$ 785	\$ 817
30"W	GSYS3030G	\$ 861	\$ 897	\$ 933
36"W	GSYS3036G	\$ 929	\$ 969	\$ 1007

<i>How to specify —</i> Select the Model Number from above.	<i>1st Option:</i> Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT	<i>2nd Option:</i> FSC: F FSC Wood X Non-FSC Wood	<i>3rd Option:</i> Laminate: See page 16 for finishes.	<i>4th Option:</i> Edge: See page 16 for finishes.	<i>5th Option:</i> Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54" W or less)	<i>6th Option:</i> Glide:
G .	.	.	.	.	V .	G


Example: GSYS3024G.MDWPH.X.LDW1.DW.VLG.G



Description	Model	L1 List Price	L2 List Price	L3 List Price
30"H Fit Panels with Glass				
42"W	GSYS3042G (shown)	\$ 1042	\$ 1086	\$ 1130
48"W	GSYS3048G	\$ 1152	\$ 1200	\$ 1250
54"W	GSYS3054G	\$ 1213	\$ 1265	\$ 1315

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT LPEPN Left Hand Split End no power RPEPN Right Hand Split End no power	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54" W or less)	6th Option: Glide:
G .	.	.	.	.	V .	G

Example: GSYS3042G.LPEPN.X.LDW1.DW.VLG.G



Description	Model	L1 List Price	L2 List Price	L3 List Price
30"H Fit Panels with Glass				
60"W	GSYS3060G	\$ 1303	\$ 1358	\$ 1412
66"W	GSYS3066G	\$ 2028	\$ 2114	\$ 2199
72"W	GSYS3072G (shown)	\$ 2161	\$ 2252	\$ 2342
78"W	GSYS3078G	\$ 2225	\$ 2319	\$ 2412
84"W	GSYS3084G	\$ 2396	\$ 2497	\$ 2597

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: See page 21-22 for options.	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only	6th Option: Glide:
G .	.	.	.	.	V L G .	G

Example: GSYS3072G.MSPSH.X.LDW1.DW.VLG.G

Panels

35"H Application for Use with Glass

For Fit Glass see page 42.

For Fit Panel connectors see pages 45-46.

GSA SIN Pending

Description	Model	L1 List Price	L2 List Price	L3 List Price
35"H Fit Panels with Glass				
18"W	GSYS3518G	\$ 803	\$ 837	\$ 871
24"W	GSYS3524G (shown)	\$ 857	\$ 893	\$ 929
30"W	GSYS3530G	\$ 986	\$ 1028	\$ 1069
36"W	GSYS3536G	\$ 1070	\$ 1115	\$ 1160

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type:	2nd Option: FSC:	3rd Option: Laminate:	4th Option: Edge:	5th Option: Grain:	6th Option: Glide:
	MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT	F FSC Wood X Non-FSC Wood	See page 16 for finishes.	See page 16 for finishes.	VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54"W or less)	Glide:
G V . G						

Example: GSYS3524G.MDWPH.X.LDW1.DW.VLG.G

Description	Model	L1 List Price	L2 List Price	L3 List Price
35"H Fit Panels with Glass				
42"W	GSYS3542G (shown)	\$ 1163	\$ 1213	\$ 1261
48"W	GSYS3548G	\$ 1258	\$ 1311	\$ 1364
54"W	GSYS3554G	\$ 1328	\$ 1384	\$ 1440

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type:	2nd Option: FSC:	3rd Option: Laminate:	4th Option: Edge:	5th Option: Grain:	6th Option: Glide:
	MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT LPEPN Left Hand Split End no power RPEPN Right Hand Split End no power	F FSC Wood X Non-FSC Wood	See page 16 for finishes.	See page 16 for finishes.	VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54"W or less)	Glide:
G V . G						

Example: GSYS3542G.LPEPN.X.LDW1.DW.VLG.G

Description	Model	L1 List Price	L2 List Price	L3 List Price
35"H Fit Panels with Glass				
60"W	GSYS3560G	\$ 1410	\$ 1469	\$ 1528
66"W	GSYS3566G	\$ 1468	\$ 1530	\$ 1592
72"W	GSYS3572G (shown)	\$ 1583	\$ 1650	\$ 1716
78"W	GSYS3578G	\$ 1759	\$ 1834	\$ 1907
84"W	GSYS3584G	\$ 2023	\$ 2109	\$ 2194

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type:	2nd Option: FSC:	3rd Option: Laminate:	4th Option: Edge:	5th Option: Grain:	6th Option: Glide:
	See page 21-22 for options.	F FSC Wood X Non-FSC Wood	See page 16 for finishes.	See page 16 for finishes.	VLG Horizontal grain or Solid only	Glide:
G V L G . G						

Example: GSYS3572G.MSPSH.X.LDW1.DW.VLG.G

Panels

42"H Application for Use with Glass

For Fit Glass see page 42.

For Fit Panel connectors see pages 45-46.

GSA SIN Pending

Description	Model	L1 List Price	L2 List Price	L3 List Price
42"H Fit Panels with Glass				
18"W	GSYS4218G	\$ 857	\$ 893	\$ 929
24"W	GSYS4224G (shown)	\$ 915	\$ 954	\$ 992
30"W	GSYS4230G	\$ 1056	\$ 1101	\$ 1145
36"W	GSYS4236G	\$ 1148	\$ 1196	\$ 1244

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54"W or less)	6th Option: Glide:
G V . G						

Example: GSYS4224G.MDWPH.X.LDW1.DW.VLG.G

Description	Model	L1 List Price	L2 List Price	L3 List Price
42"H Fit Panels with Glass				
42"W	GSYS4242G (shown)	\$ 1249	\$ 1302	\$ 1354
48"W	GSYS4248G	\$ 1326	\$ 1382	\$ 1438
54"W	GSYS4254G	\$ 1426	\$ 1486	\$ 1546

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT LPEPN Left Hand Split End no power RPEPN Right Hand Split End no power	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54"W or less)	6th Option: Glide:
G V . G						

Example: GSYS4242G.LPEPN.X.LDW1.DW.VLG.G

Description	Model	L1 List Price	L2 List Price	L3 List Price
42"H Fit Panels with Glass				
60"W	GSYS4260G	\$ 1500	\$ 1564	\$ 1626
66"W	GSYS4266G	\$ 1575	\$ 1642	\$ 1707
72"W	GSYS4272G (shown)	\$ 1676	\$ 1746	\$ 1817
78"W	GSYS4278G	\$ 1817	\$ 1894	\$ 1970
84"W	GSYS4284G	\$ 2132	\$ 2222	\$ 2311

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: See page 21-22 for options.	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only	6th Option: Glide:
G V . G						

Example: GSYS4272G.MSPSH.X.LDW1.DW.VLG.G

Panels

50"H Application for Use with Glass

For Fit Glass see page 42.

For Fit Panel connectors see pages 45-46.

GSA SIN Pending

Description	Model	L1 List Price	L2 List Price	L3 List Price
50"H Fit Panels with Glass				
18"W	GSYS5018G	\$ 955	\$ 996	\$ 1036
24"W	GSYS5024G (shown)	\$ 1012	\$ 1055	\$ 1098
30"W	GSYS5030G	\$ 1142	\$ 1190	\$ 1238
36"W	GSYS5036G	\$ 1235	\$ 1287	\$ 1339

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54" W or less)	6th Option: Glide:
G					V	G

Example: GSYS5024G.MDWPH.X.LDW1.DW.VLG.G

Description	Model	L1 List Price	L2 List Price	L3 List Price
50"H Fit Panels with Glass				
42"W	GSYS5042G (shown)	\$ 1349	\$ 1406	\$ 1463
48"W	GSYS5048G	\$ 1457	\$ 1519	\$ 1580
54"W	GSYS5054G	\$ 1539	\$ 1604	\$ 1668

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT LPEPN Left Hand Split End no power RPEPN Right Hand Split End no power	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54" W or less)	6th Option: Glide:
G					V	G

Example: GSYS5042G.LPEPN.X.LDW1.DW.VLG.G

Description	Model	L1 List Price	L2 List Price	L3 List Price
50"H Fit Panels with Glass				
60"W	GSYS5060G	\$ 1611	\$ 1679	\$ 1747
66"W	GSYS5066G	\$ 1678	\$ 1749	\$ 1819
72"W	GSYS5072G (shown)	\$ 1758	\$ 1833	\$ 1906
78"W	GSYS5078G	\$ 2013	\$ 2097	\$ 2182
84"W	GSYS5084G	\$ 2292	\$ 2388	\$ 2484

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: See page 21-22 for options.	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only	6th Option: Glide:
G					V L G	G

Example: GSYS5072G.MSPSH.X.LDW1.DW.VLG.G


Panels

57½"H Application for Use with Glass

For Fit Glass see page 42.

For Fit Panel connectors see pages 45-46.


GSA SIN Pending



Description	Model	L1 List Price	L2 List Price	L3 List Price
57½"H Fit Panels with Glass				
18"W	GSYS5718G	\$ 1106	\$ 1153	\$ 1199
24"W	GSYS5724G (shown)	\$ 1162	\$ 1212	\$ 1260
30"W	GSYS5730G	\$ 1292	\$ 1347	\$ 1400
36"W	GSYS5736G	\$ 1384	\$ 1442	\$ 1500

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54"W or less)	6th Option: Glide:
G 					V .	G .


Example: GSYS5724G.MDWPH.X.LDW1.DW.VLG.G



Description	Model	L1 List Price	L2 List Price	L3 List Price
57½"H Fit Panels with Glass				
42"W	GSYS5742G (shown)	\$ 1499	\$ 1563	\$ 1625
48"W	GSYS5748G	\$ 1606	\$ 1674	\$ 1742
54"W	GSYS5754G	\$ 1688	\$ 1759	\$ 1830

How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: MDWPW Mid wing, no power below WS MDWPH Mid Wing no power below HAT LPEPN Left Hand Split End no power RPEPN Right Hand Split End no power	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only VST Vertical Grain (available only for single panels 54"W or less)	6th Option: Glide:
G 					V .	G .

Example: GSYS5742G.LPEPN.X.LDW1.DW.VLG.G



Description	Model	L1 List Price	L2 List Price	L3 List Price
57½"H Fit Panels with Glass				
60"W	GSYS5760G	\$ 1759	\$ 1834	\$ 1907
66"W	GSYS5766G	\$ 1828	\$ 1905	\$ 1982
72"W	GSYS5772G (shown)	\$ 1908	\$ 1988	\$ 2069
78"W	GSYS5778G	\$ 2161	\$ 2252	\$ 2342
84"W	GSYS5784G	\$ 2441	\$ 2544	\$ 2646


How to specify — Select the Model Number from above.	1st Option: Panel and Power Type: See page 21-22 for options.	2nd Option: FSC: F FSC Wood X Non-FSC Wood	3rd Option: Laminate: See page 16 for finishes.	4th Option: Edge: See page 16 for finishes.	5th Option: Grain: VLG Horizontal grain or Solid only	6th Option: Glide:
G 					V L G .	G .

Example: GSYS5772G.MSPSH.X.LDW1.DW.VLG.G

Panels

Panel Systems Gallery Glass

GSA SIN 33721



Description	Model	List Price		
		Clear Glass	Frosted Glass	Smoked Glass
7½"H Fit Glass				
15"W	G40715GS	\$ 205	\$ 225	\$ 232
18"W	G40718GS	\$ 211	\$ 232	\$ 239
21"W	G40721GS	\$ 215	\$ 236	\$ 244
24"W	G40724GS	\$ 219	\$ 241	\$ 248
27"W	G40727GS	\$ 238	\$ 261	\$ 269
30"W	G40730GS	\$ 255	\$ 281	\$ 288
33"W	G40733GS	\$ 280	\$ 308	\$ 316
36"W	G40736GS	\$ 315	\$ 346	\$ 356
39"W	G40739GS	\$ 341	\$ 374	\$ 386
42"W	G40742GS	\$ 382	\$ 420	\$ 432
45"W	G40745GS	\$ 415	\$ 456	\$ 469
48"W	G40748GS	\$ 451	\$ 495	\$ 509
51"W	G40751GS	\$ 461	\$ 506	\$ 521
54"W	G40754GS	\$ 499	\$ 547	\$ 564
57"W	G40757GS	\$ 552	\$ 606	\$ 623
60"W	G40760GS	\$ 647	\$ 710	\$ 731
63"W	G40763GS	\$ 753	\$ 827	\$ 851
66"W	G40766GS	\$ 814	\$ 893	\$ 919
69"W	G40769GS	\$ 891	\$ 978	\$ 1006
72"W	G40772GS	\$ 953	\$ 1046	\$ 1077
75"W	G40775GS	\$ 1019	\$ 1118	\$ 1151
78"W	G40778GS	\$ 1122	\$ 1230	\$ 1267
81"W	G40781GS	\$ 1179	\$ 1294	\$ 1331
84"W	G40784GS	\$ 1202	\$ 1327	\$ 1367

FIT

How to specify —

Select the
Model Number
from above.

*1st Option:***Glass:**

LC Clear Glass
LF Frosted Glass
GSM1 Smoked Glass

G 4 0 7 .


.

Examples: G40715GS.LC G40739GS.GSM1

Panels

Panel Systems Gallery Glass

GSA SIN 33721



Description	Model	List Price		
		Clear Glass	Frosted Glass	Smoked Glass
13"H Fit Glass				
24"W	G41324GS	\$ 500	\$ 555	\$ 572
27"W	G41327GS	\$ 545	\$ 604	\$ 624
30"W	G41330GS	\$ 586	\$ 650	\$ 670
33"W	G41333GS	\$ 616	\$ 683	\$ 706
36"W	G41336GS	\$ 653	\$ 724	\$ 747
39"W	G41339GS	\$ 704	\$ 781	\$ 806
42"W	G41342GS	\$ 728	\$ 807	\$ 833
45"W	G41345GS	\$ 743	\$ 824	\$ 850
48"W	G41348GS	\$ 767	\$ 850	\$ 878
51"W	G41351GS	\$ 780	\$ 864	\$ 893
54"W	G41354GS	\$ 835	\$ 926	\$ 955
57"W	G41357GS	\$ 854	\$ 947	\$ 978
60"W	G41360GS	\$ 878	\$ 973	\$ 1005
63"W	G41363GS	\$ 941	\$ 1043	\$ 1077
66"W	G41366GS	\$ 1021	\$ 1132	\$ 1169
69"W	G41369GS	\$ 1080	\$ 1197	\$ 1236
72"W	G41372GS	\$ 1158	\$ 1284	\$ 1325
75"W	G41375GS	\$ 1243	\$ 1378	\$ 1422
78"W	G41378GS	\$ 1323	\$ 1466	\$ 1514
81"W	G41381GS	\$ 1396	\$ 1547	\$ 1597
84"W	G41384GS	\$ 1439	\$ 1602	\$ 1656

FIT

How to specify —

Select the
Model Number
from above.

1st Option:

Glass:

LC Clear Glass
LF Frosted Glass
GSM1 Smoked Glass

G 4 1 3 .


.

Examples: G41324GS.LC G41339GS.GSM1

Panels

Panel Systems Gallery Glass

GSA SIN 33721



Description	Model	List Price		
		Clear Glass	Frosted Glass	Smoked Glass
15"H Fit Glass				
15"W	G41515GS	\$ 522	\$ 579	\$ 598
18"W	G41518GS	\$ 545	\$ 604	\$ 624
21"W	G41521GS	\$ 570	\$ 633	\$ 652
24"W	G41524GS	\$ 600	\$ 665	\$ 687
27"W	G41527GS	\$ 619	\$ 686	\$ 709
30"W	G41530GS	\$ 644	\$ 714	\$ 737
33"W	G41533GS	\$ 676	\$ 750	\$ 774
36"W	G41536GS	\$ 736	\$ 816	\$ 842
39"W	G41539GS	\$ 770	\$ 853	\$ 882
42"W	G41542GS	\$ 790	\$ 876	\$ 904
45"W	G41545GS	\$ 803	\$ 891	\$ 919
48"W	G41548GS	\$ 823	\$ 913	\$ 942
51"W	G41551GS	\$ 841	\$ 932	\$ 962
54"W	G41554GS	\$ 895	\$ 993	\$ 1024
57"W	G41557GS	\$ 907	\$ 1006	\$ 1038
60"W	G41560GS	\$ 915	\$ 1015	\$ 1047
63"W	G41563GS	\$ 970	\$ 1075	\$ 1110
66"W	G41566GS	\$ 1051	\$ 1165	\$ 1203
69"W	G41569GS	\$ 1105	\$ 1225	\$ 1265
72"W	G41572GS	\$ 1182	\$ 1310	\$ 1353
75"W	G41575GS	\$ 1276	\$ 1414	\$ 1461
78"W	G41578GS	\$ 1345	\$ 1490	\$ 1538
81"W	G41581GS	\$ 1424	\$ 1578	\$ 1629
84"W	G41584GS	\$ 1471	\$ 1638	\$ 1693

FIT

How to specify —

Select the
Model Number
from above.

*1st Option:***Glass:**

LC Clear Glass
LF Frosted Glass
GSM1 Smoked Glass

G 4 1 5 .






Examples: G41515GS.LC G41539GS.GSM1

Panels

Fit Panel Connectors

For specification information see pages 19-49.

GSA SIN Pending



Description	Model	P1 List Price	P2 List Price	P3 List Price
Panel Connectors				
Single End Panel Connector	GPLTBK (shown)	\$ 99	\$ 99	\$ 99
Split Panel Connector	GSYSCONSE (shown)	\$ 87	\$ 91	\$ 95
Corner Panel Connector, 2-Pack	GSYSCONL (shown)	\$ 117	\$ 123	\$ 127
Straight In-Line Panel Connector	GSYSCONS (shown)	\$ 175	\$ 183	\$ 191
Installation Template	GSYSTP (shown)	\$ 59		

Worksurface Mounting Bracket Kit

Worksurface Mounting Bracket	GWSBK	\$ 77
------------------------------	-------	-------

Note: Ships with 2 brackets.

Fit Panel Stiffeners

Stiffener for 75"/78"W Panels	GSTFN7578	\$ 175	\$ 189	\$ 208
Stiffener for 81"/85"W Panels	GSTFN8184	\$ 196	\$ 212	\$ 234

Storage Ganging Kits

Laminate Storage Ganging Kit (no color option)	GSGKL (shown)	\$ 77
Metal Storage Ganging Kit (no color option)	GSGKM (shown)	\$ 18

Fit Wall Start

30"H Wall Start	GWS30	\$ 120	\$ 126	\$ 130
35"H Wall Start	GWS35	\$ 137	\$ 143	\$ 149
42"H Wall Start	GWS42	\$ 149	\$ 156	\$ 161
50"H Wall Start	GWS50	\$ 171	\$ 179	\$ 186
57½"H Wall Start	GWS57	\$ 184	\$ 192	\$ 200

How to specify —

Select the Model Number from above.

1st Option:

Paint:

P1 P2 P3

See page 16 for finishes.

G .


Examples: GWS57.PJW

Panels


Fit Rails & Connectors

For specification information see pages 19-49.


GSA SIN Pending




GSYSR60DS




GSYSR60SS




GSYSRRSS




GSYSREC




GSYSRSL



GSYSRSC



GSYSRL



GSYSRPS

GSYSRPL



GSYSPBW



GSYSHWBW

Description	Model	P1 List Price	P2 List Price	P3 List Price
Rails				
Spine Rail 60"W Double Sided	GSYSR60DS (shown)	\$ 371	\$ 387	\$ 403
Spine Rail 66"W Double Sided	GSYSR66DS	\$ 389	\$ 406	\$ 422
Spine Rail 72"W Double Sided	GSYSR72DS	\$ 417	\$ 435	\$ 452
Spine Rail 78"W Double Sided	GSYSR78DS	\$ 447	\$ 466	\$ 485
Spine Rail 84"W Double Sided	GSYSR84DS	\$ 475	\$ 495	\$ 515
Spine Rail 60"W Single Sided	GSYSR60SS (shown)	\$ 212	\$ 221	\$ 230
Spine Rail 66"W Single Sided	GSYSR66SS	\$ 223	\$ 233	\$ 242
Spine Rail 72"W Single Sided	GSYSR72SS	\$ 239	\$ 249	\$ 259
Spine Rail 78"W Single Sided	GSYSR78SS	\$ 256	\$ 267	\$ 278
Spine Rail 84"W Single Sided	GSYSR84SS	\$ 270	\$ 281	\$ 293
Return Rail Double Sided	GSYSRRDS	\$ 442	\$ 461	\$ 480
Return Rail Single Sided	GSYSRRSS (shown)	\$ 220	\$ 229	\$ 239

Rail Connectors

Rail End Cap	GSYSREC (shown)	\$ 87	\$ 91	\$ 95
Rail Straight Inline Connector	GSYSRSL (shown)	\$ 117	\$ 123	\$ 127
Rail Straight Corner Connector	GSYSRSC (shown)	\$ 87	\$ 91	\$ 95
Rail "L" Connector	GSYSRL (shown)	\$ 87	\$ 91	\$ 95
Rail Infeed Straight Corner Connector	GSYSRPS (shown)	\$ 117	\$ 123	\$ 127
Rail Infeed "L" Connector	GSYSRPL (shown)	\$ 117	\$ 123	\$ 127
Rail Infeed Connector Shroud BW	GSYSPBW (shown)	\$ 182	\$ 190	\$ 198
Rail Infeed Connector Shroud BH	GSYSPBH	\$ 182	\$ 190	\$ 198
Rail Hardwire Infeed Shroud BW	GSYSHWBW (shown)	\$ 182	\$ 190	\$ 198
Rail Hardwire Infeed Shroud BH	GSYSHWBH	\$ 182	\$ 190	\$ 198

Note: Rail Hardwire Infeed Shroud BW and BH models GSYSHWBW and GSYSHWBH must be used with Hardwire Infeed Housing model U8SBKCH (ordered separately).

How to specify —

Select the Model Number from above.

1st Option:


Paint:

P1 P2 P3


See page 16 for finishes.

G .


Examples: GSYSRRDS.PJW

**Tackboards** (page 50)


- Provides tackable surface.
- Comes with steel-painted trim.
- Available in the following heights: 15", 22½"
- Available in the following *widths: 24", 30", 36", 42", 48", 54", 60"
*Nominal widths, true width is undersized by ½"
- Depth of .45"
- Mounts directly to Fit Panel. Mounting hardware included. Will deface the panel.

**Magnet or Marker Boards** (page 50)


- Provides writable and magnetic surface when painted in marker board paint.
- Provides magnetic surface, NON-writable, when painted in other Allsteel paint colors.
- Available in the following heights: 15", 22½"
- Available in the following *widths: 24", 30", 36", 42", 48", 54", 60"
*Nominal widths, true width is undersized by ½"
- Depth of .45"
- Mounts directly to Fit Panel. Mounting hardware included. Will deface the panel.

**Hanging Magnet or Marker Boards** (page 50)

- Hangs over Fit panel or sits on top of worksurface.
- Provides writable and magnetic surface when painted in marker board paint.
- Provides magnetic surface, NON-writable, when painted in other Allsteel paint colors.
- Cannot be installed back-to-back when hanging in the same location.
- Available in 30"W and in two heights: 20"H and 26"H.

**Fit Panel Foot** (page 50)


- Single foot provides rigidity to large wing panel.
- Available in any textured Allsteel paint.
- Foot extends 9" from either side of the panel.

**Floating Laminate Shelves** (page 51)

- 6" depth.
- ¾" thickness.
- Constructed of HPL laminate with 0.8mm ABS edgebanding.
- Available in solid or horizontal woodgrain laminate.
- Available with contrasting or matching edge.
- Widths available every 6" from 12" to 78"W.
- Widths from 54" to 78" satisfy a stiffener requirement and are meant to be mounted to a panel that is 6" wider than the shelf.
(e.g., 84"W panel would accept a 78"W stiffener shelf.)
- Shelves narrower than 54"W do not act as a stiffener.
- Shelf stiffeners must be installed above the power rail to function as a stiffener.

**Wall Start** (page 45)

- Wall Starts are 1½" by 1½" rectangular mounting posts that are meant to affix a Fit panel to a permanent building wall.
- Wall starts add 1½" to panel run.
- Attachment hardware not included.
- Must be specified at the same height as the connecting panel.

**Countertop Brackets** (page 52)

- Includes attachment hardware.
- Countertops are flush with the top of the panel and can be flush with the ends of the panel or shorter than the panel width.
- For straight countertops, two countertop brackets must be ordered.
- For corner countertops, three countertop brackets must be ordered.
- Will deface the panel.


Panels & Components

Working with Accessories

GSA Reference Page

Accessory Rail and Paper Management (page 51)

- Accessory Rail provides mounting for paper management accessories, listed below.
- Rail is 2.6"H and is available in the following widths: 12", 18", 24", 30", 36".
- Rails can be installed in any location on the Fit panel and can be placed in-line to span panel length.
- Rail height when installed cannot exceed the height of the panel.
- Rail and accessories can be painted any standard Allsteel paint color.
- Mounts directly to the Fit panel, attachment hardware included.
- Extensions accessories are NOT compatible with the accessory rail.
- These accessories are compatible with tool tiles.
- Includes a rail cover to hide hardware and provide magnetic surface.
- Compatible Rail Accessories:
 - Coat Hook (Rail-based, a mounted version is also available to attach directly to the panel)
 - Rail Based dimensions: 4" x 3" x 1¼"
 - Mounted dimensions: 4" x 3" x 1½"
 - Angle File (Triple, Dual, and Single heights)
 - Depth of 2"
 - Heights: Triple = 15½", Dual = 12½", Single = 9½"
 - Paper Tray (Triple, Dual, and Single heights)
 - Depth of 10"
 - Heights: Triple = 9½", Dual = 6½", Single = 3½"
 - Personal Shelf
 - 9½" x 24" x 10½"
 - Binder Shelf
 - 12½" x 12" x 11½"




Height-Adjustable Table Tie-In Brackets (page 51)

- Improves panel rigidity. Does not function as a panel stability solution.
- AGBKT to be specified for connection to a T-leg HAT.
- AGBKC to be specified for connection to a C-leg HAT.
- Reusable mounting template is required and must be ordered separately (AGBKTMP).
- Brackets telescope to account for 24" and 30" worksurface depths and screen attachments.
- A6 C-legs with a 30"D worksurface and a screen must be specified with T-leg brackets.
- NOTE: Wire chain cannot be installed on the same leg as the HAT tie-in bracket.

Max Height (with Glass): 65"H

Max Width: 84"W; No top size restrictions



Panels & Components

Fit Panel Bench



GSA Reference Page

Dual-Sided Panel Bench

- Can be created using HAT brackets or Fit Panel Feet. Cannot be single-sided. No maximum run length.


Height-Adjustable Table Tie-In Brackets (page 51)

- Max height (with Glass): 65"H
- Max Width: 84"W



Fit Panel Feet (page 50)

- Max height (with Glass): 65"H
- Max Width: 84"W




Panels


Fit Accessories

For specification information see pages 19-49.


GSA SIN Pending




Description	Model	P1 List Price	P2 List Price	P3 List Price	P6 List Price
Tackboards					
Tackboard 15"H x 24"W	GTB1524	\$ 340	\$ 355	\$ 369	N/A
Tackboard 15"H x 30"W	GTB1530	\$ 370	\$ 386	\$ 401	N/A
Tackboard 15"H x 36"W	GTB1536	\$ 410	\$ 428	\$ 445	N/A
Tackboard 15"H x 42"W	GTB1542	\$ 427	\$ 445	\$ 463	N/A
Tackboard 15"H x 48"W	GTB1548	\$ 436	\$ 455	\$ 474	N/A
Tackboard 15"H x 54"W	GTB1554	\$ 457	\$ 477	\$ 496	N/A
Tackboard 15"H x 60"W	GTB1560	\$ 464	\$ 484	\$ 504	N/A
Tackboard 22.5"H x 24"W	GTB2224	\$ 383	\$ 400	\$ 415	N/A
Tackboard 22.5"H x 30"W	GTB2230	\$ 416	\$ 434	\$ 451	N/A
Tackboard 22.5"H x 36"W	GTB2236 (shown)	\$ 454	\$ 473	\$ 493	N/A
Tackboard 22.5"H x 42"W	GTB2242	\$ 464	\$ 484	\$ 504	N/A
Tackboard 22.5"H x 48"W	GTB2248	\$ 500	\$ 521	\$ 542	N/A
Tackboard 22.5"H x 54"W	GTB2254	\$ 525	\$ 547	\$ 569	N/A
Tackboard 22.5"H x 60"W	GTB2260	\$ 539	\$ 562	\$ 585	N/A



Magnet/Marker Boards					
Magnet/Marker Board 15"H x 24"W	GMB1524	\$ 450	\$ 469	\$ 489	\$ 545
Magnet/Marker Board 15"H x 30"W	GMB1530	\$ 486	\$ 507	\$ 527	\$ 588
Magnet/Marker Board 15"H x 36"W	GMB1536	\$ 517	\$ 539	\$ 561	\$ 626
Magnet/Marker Board 15"H x 42"W	GMB1542	\$ 543	\$ 566	\$ 589	\$ 657
Magnet/Marker Board 15"H x 48"W	GMB1548	\$ 569	\$ 593	\$ 617	\$ 688
Magnet/Marker Board 15"H x 54"W	GMB1554	\$ 586	\$ 612	\$ 636	\$ 710
Magnet/Marker Board 15"H x 60"W	GMB1560	\$ 619	\$ 646	\$ 672	\$ 749
Magnet/Marker Board 22.5"H x 24"W	GMB2224	\$ 555	\$ 578	\$ 602	\$ 672
Magnet/Marker Board 22.5"H x 30"W	GMB2230	\$ 583	\$ 607	\$ 633	\$ 706
Magnet/Marker Board 22.5"H x 36"W	GMB2236	\$ 607	\$ 633	\$ 659	\$ 735
Magnet/Marker Board 22.5"H x 42"W	GMB2242	\$ 636	\$ 663	\$ 690	\$ 769
Magnet/Marker Board 22.5"H x 48"W	GMB2248 (shown)	\$ 667	\$ 696	\$ 723	\$ 807
Magnet/Marker Board 22.5"H x 54"W	GMB2254	\$ 688	\$ 717	\$ 746	\$ 832
Magnet/Marker Board 22.5"H x 60"W	GMB2260	\$ 712	\$ 742	\$ 772	\$ 862



Hanging Magnet/Marker Boards & Blotter					
Hanging Magnet/Marker Board or Blotter 20"H x 30"W	GHMB2030 (shown)	\$ 354	\$ 370	\$ 384	\$ 429
Hanging Magnet/Marker Board or Blotter 26"H x 30"W	GHMB2630	\$ 492	\$ 513	\$ 534	\$ 596



Support Foot					
Fit Support Foot	GFT1	\$ 336	\$ 351	\$ 365	

Note: Available in textured paint only

How to specify —
Select the
Model Number
from above.

G | | | | | .

1st Option:

Paint:

P1 P2 P3

See page 16 for finishes.

| | | .

2nd Option:

Fabric

(if applicable):

See page 16 for finishes.

| | | | |


Examples: GHMB2030.MKP

Panels


Fit Accessories

For specification information see pages 19-49.


GSA SIN Pending




Description	Model	L1 List Price	L2 List Price	L3 List Price
Laminate Floating Shelves				
12"W Floating Shelf	GSTF12	\$ 263	\$ 274	\$ 285
18"W Floating Shelf	GSTF18	\$ 293	\$ 305	\$ 319
24"W Floating Shelf	GSTF24	\$ 322	\$ 336	\$ 350
30"W Floating Shelf	GSTF30	\$ 351	\$ 367	\$ 381
36"W Floating Shelf	GSTF36	\$ 381	\$ 398	\$ 413
42"W Floating Shelf	GSTF42	\$ 410	\$ 428	\$ 445
48"W Floating Shelf	GSTF48	\$ 439	\$ 458	\$ 477
54"W Floating Stiffener Shelf	GSTF54	\$ 468	\$ 488	\$ 508
60"W Floating Stiffener Shelf	GSTF60	\$ 498	\$ 519	\$ 540
66"W Floating Stiffener Shelf	GSTF66 (shown)	\$ 527	\$ 549	\$ 572
72"W Floating Stiffener Shelf	GSTF72	\$ 555	\$ 578	\$ 602
78"W Floating Stiffener Shelf	GSTF78	\$ 586	\$ 612	\$ 636




GACRL12




G2AGF




G1PTR



GWPSF




GBRSF




GCHRB

Accessory Rail & Paper Management

Gallery Panel 12"W Accessory Rail	GACRL12 (shown)	\$ 231	\$ 241	\$ 251
Gallery Panel 18"W Accessory Rail	GACRL18	\$ 247	\$ 258	\$ 268
Gallery Panel 24"W Accessory Rail	GACRL24	\$ 249	\$ 260	\$ 270
Gallery Panel 30"W Accessory Rail	GACRL30	\$ 263	\$ 274	\$ 285
Gallery Panel 36"W Accessory Rail	GACRL36	\$ 277	\$ 289	\$ 300
Triple Angle File	G3AGF	\$ 219	\$ 228	\$ 238
Double Angle File	G2AGF (shown)	\$ 184	\$ 192	\$ 200
Single Angle File	G1AGF	\$ 150	\$ 157	\$ 164
Triple Paper Tray	G3PTR	\$ 219	\$ 228	\$ 238
Double Paper Tray	G2PTR	\$ 184	\$ 192	\$ 200
Single Paper Tray	G1PTR (shown)	\$ 150	\$ 157	\$ 164
Personal Shelf	GWPSF (shown)	\$ 184	\$ 192	\$ 200
Binder Shelf	GBRSF (shown)	\$ 184	\$ 192	\$ 200
Coat Hook Rail-Based	GCHRB (shown)	\$ 74	\$ 78	\$ 81
Coat Hook Mounted	GCHMT	\$ 87	\$ 91	\$ 95



AGBKT



AGBKTMP

HAT Bracket

HAT to Fit Panel Bracket T-Leg	AGBKT (shown)	\$ 250	\$ 271	\$ 298
HAT to Fit Panel Bracket C-Leg	AGBKC	\$ 250	\$ 271	\$ 298
HAT to Fit Panel Installation Template (Black only, code P)	AGBKTMP (shown)	\$ 61		

How to specify —

Select the
Model Number
from above.

1st Option:

Paint:

P1 P2 P3

See page 16 for finishes.

Examples: AGBKC.PJW


Panels

Fit — Countertops

For specification information see pages 93-108.

Laminate

GSA SIN 33721


	Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge			
			L1 List Price	L2 List Price	L3 List Price	
	Straight Countertops — must order 2 sets of brackets per surface					
	24"W x 15"D	851524M	\$ 375	\$ 392	\$ 405	
	30"W x 15"D	851530M	\$ 416	\$ 434	\$ 448	
	36"W x 15"D	851536M	\$ 467	\$ 486	\$ 502	
	42"W x 15"D	851542M	\$ 484	\$ 503	\$ 520	
	48"W x 15"D	851548M	\$ 512	\$ 532	\$ 550	
	54"W x 15"D	851554M	\$ 580	\$ 602	\$ 621	
	60"W x 15"D	851560M	\$ 647	\$ 666	\$ 682	
66"W x 15"D	851566M	\$ 670	\$ 698	\$ 716		
72"W x 15"D	851572M	\$ 697	\$ 726	\$ 744		

Corner Countertops 15"D at ends — must order 3 sets of brackets per surface				
24"W x 24"W	852424M	\$ 732	\$ 762	\$ 782
30"W x 30"W	853030M	\$ 851	\$ 884	\$ 908
36"W x 36"W	853636M	\$ 944	\$ 979	\$ 1008
42"W x 42"W	854242M	\$ 1025	\$ 1063	\$ 1095


Countertop Bracket

Countertop Connector Bracket	GCTKS	\$ 117	\$ 123	\$ 127
------------------------------	-------	--------	--------	--------

Note: Must order two brackets for straight countertop, three brackets for corner countertop.



GCTKS



Flat Edge

How to specify —
Select the
Model Number
from above.

1st Option:

Laminate:



See page 16 for finishes.

2nd Option:

Edge Trim Color:

See page 16 for finishes.

Examples: 851524M.LT3B.EX



Floor infeed electrical connection

Electrical & Data

Fit™ — Working with Electrical & Data

GSA Reference Page

Electrical Systems

Fit Electrical Systems

Fit offers a choice of three electrical systems:

- Four-circuit, 3 + 1
- Four-circuit, 2 + 2
- Three-circuit, separate neutrals
- See pages 58-59 for a detailed explanation of each electrical system.
- All 3 systems utilize an 8-wire electrical system, rated at 20 amps per circuit (15 amps Canadian)
- Fit panels and electrical components are UL listed. Electrical components are also CSA certified.
- Installation and use of the electrical system, the number of receptacles used on a given circuit, and connections to the building power supply should be in compliance with all local and national electrical codes.

Caution: Electrical equipment cords or extension cords MUST NOT BE ROUTED through panels.

Hardwire Junction Box – New York Code (page 62)

- Hardwire (New York Code) junction box is used when local electrical codes require hardwire entry.
- Separate junction boxes must be specified for single- or dual-sided power.
- For use with hardwire power infeed shrouds, models GSYSHWBH & GSYSHWBW.
- Unit must connect to a power or pass-thru harness positioned in the rail of an adjacent panel.
- Customer to furnish all cabling and wiring from power entry to power source.
- Junction box can be positioned at any 90-degree panel connection with an adjacent rail.
- Must order housing model U8SBKCH for junction box.

Hardwire Wiring Harness – Chicago Code (page 62)

- The junction box must connect into power harness within rail through a hardwire power infeed shroud at a 90-degree panel connection with an adjacent rail.
- Hardwire receptacles connect into standard mounting locations within rail.
- Power entry can be routed from the ceiling, via a Fit power pole, or from the floor into a junction box model.
- For single-sided applications use junction box A871500. For double-sided application use junction box 877600. Must order junction box housing model U8SBKCH separately in both cases.

Electrical Infeeds




- Power infeed cables deliver power from building to panel's electrical system.
- Infeed cables are housed in conduit to separate electrical system from communication and data lines.
- Select quantity of base or ceiling infeed cables depending on individual power requirements.
- When using sealtight infeeds, an additional H-clip is needed to connect the infeed to the power harness, ordered separately.
- When bringing in an infeed from outside the station, adjust the leveling glides up to allow the infeed cable to fit under the panel.

Ceiling Power Infeed (page 62)

- Ceiling power infeed connects to a prewired electrical harness in the rail pathway, traverses through an adjacent panel, and terminates in the junction box at the top of the integrated power pole.
- Use power pole model GSYSP.
- Most codes allow flex cables to be exposed after installation. Verify code requirements before ordering for exposed application.

Integrated Power/Communication Pole (page 63)



- Integrated power pole accommodates ceiling power infeed and communication/data lines.
- Provide capacity for routing power infeed and cables to the power rail.
- Conduit of the infeed cables serves as the division of electrical and communication cabling.
- Installs into Below Worksurface or Below HAT rail heights in a 90-degree panel connection.
- Single cavity with removable cover.
- Height: 13", Outside Dimension: 2" square.
- When using a ceiling power infeed, consider that the infeed must connect into an electrical harness.
- To power the prewired electrical system, from a ceiling power source, a ceiling infeed cable must be purchased separately.




Electrical & Data

Power Harnesses and Pass-Thru Harnesses


Electrical power harnesses are used to distribute power in Fit panels. Harness power blocks snap directly onto brackets in base pathway. Power blocks on electrical power harness and pass-thru harness accept duplex receptacles.



Electrical Power Harness



Electrical Pass-Thru Harness With Power Block



Electrical Pass-Thru Harness Without Power Block

Electrical Power Harnesses (page 61)

- Electrical power harnesses are used to distribute power in panels.
- Fit electrical can only be located at one location.
- Specify harness length to match panel width.
- Connectors at both ends of power harnesses allow power distribution in either direction.
- Harness power blocks snap directly onto brackets in the rail.

Electrical Pass-thru Harness With Power Block (page 61)


- Electrical pass-thru harnesses with power block have capacity to handle one duplex receptacle on each side of the panel when exposed.
- Specify harness length to match panel width.
- Power harnesses accept one duplex receptacle per panel side.

Electrical Pass-thru Harnesses Without Power Block (page 61)


- Specify harness length to match panel width.
- Electrical pass-thru cables distribute power through any panel(s) where receptacles are not required. Cable length cannot be stretched.

All electrical power harnesses and pass-thru harnesses will stretch 3½", allowing them to span "T", "X", and "S" extended straight connections.

Note: "T" intersections require a minimum of one power harness and "X" intersections requires a minimum of two power harnesses.



Requires minimum of one power harness.



Requires minimum of two power harnesses.

Use of a ceiling infeed at this location requires an additional power harness.

Electrical & Data

Fit™ — Working with Electrical & Data

GSA Reference Page

Receptacles



Duplex Receptacle

Receptacle Color Recommended to Coordinate with Paint Color

Paint Color	Receptacle Color
Designer White — PJW	Designer White — DW
Bungalow — P7C	Muslin — EU
Carob — P52	Black — E4
Champagne Metallic — PR5	Muslin — EU
Cinder — P7Q	Brownstone — EY
Fossil — P28	Flint — E9
Gunmetal Metallic — PR3	Brownstone — EY
Parchment — P93	Muslin — EU
Pebble — P8R	Loft — EV
Pewter — P8D	Flint — E9
Platinum Metallic — PR2	Loft — EV
Salt — P8C	Silver — ES
Titanium — P8T	Silver — ES



Duplex Receptacles (page 62)

- Duplex receptacles snap into power blocks of power harnesses or pass-through harnesses with blocks.
- Duplexes are available in multiple colors. See page 66 for finishes.
- Each receptacle is labeled to indicate which circuit it will be connected to: 1, 2, 3, or 4.
- Duplexes are model specific to support either 3+1 and 2+2 electrical infeed; or have an "A" suffix and are design to support a three-circuit separate neutral electrical infeed.


Single- vs Dual-Sided

- Different receptacles are required for single vs dual-sided power, see page 62 for models.




Data Components



ATADF3



ATADF4



Data Faceplates (page 63)


- Fit not only provides space for voice and data cables, it also offers several means of mounting commercially available voice and data components.
- Commercially available modular data faceplates can be mounted in vacant rail receptacle openings.
- Due to rail depth, back-to-back data modules should not be used. Rail knockouts must be located on opposite sides in dual-sided applications.

Fit Rail Covers (page 46)


- Features additional knockout (offset) for improved utilization of power and data. Knockouts are 2.7"W and 1.344"H.
- Two power cutouts are available per powered panel for receptacle placement. Port covers are available (ordered separately) for unused receptacle locations.

Rail Port Cover (page 63)

- Offered in a 2- or 12-pack.
- Used to cover a port location in a rail when a receptacle is not needed.



Single Sided




Double Sided

Electrical & Data

Fit™ — Working with Electrical & Data

GSA Reference Page



Circuit Usage

Strategy 1

Circuits to Equipment

Assign specific uses for each of the circuits:

- For example, in a four-circuit system:
Circuit 1 — Calculators, fans, etc.
Circuit 2 — Task lights (could be wired to wall switch)
Circuit 3 — CRT or flat screen monitors
Circuit 4 — CPUs



Strategy 2

Circuits to Workstations

Assign specific workstations to each of the three available circuits. Use circuit 4 for power-sensitive electronic equipment.

Rails are non-handed, so the data knockout may be installed on the left- or right-hand side of the panel. **NOTE:** Data may not be installed back-to-back in dual-sided applications.

Lay-in Cable Capacity



- The Fit power rail allows continuous voice and data cables to run through and between panels without interruption.
- The rail accepts up to 12 voice/data cables (1/4" dia) at 60% fill when electrical system shares the rail.
- Cable capacity of the Fit power pole is 3.3 sq. in. for a total capacity of 34 cables of 1/4" diameter.
- Cables can enter/exit rail through the ceiling power pole or the base infeed power pole.

Note: Cable quantities listed are at 60% fill ratio.

Electrical & Data

Fit™ — Working with Electrical & Data

To Order:

1. Determine which electrical system you will use after consulting your electrician and computer support personnel:
 - The four-circuit system (4-Hot/2-Neutral/2-Ground)
 - 3 + 1 option
 - 2 + 2 option
 - The three-circuit system (3-Hot/3-Neutral/2-Ground)
 - The eight-circuit system (back-to-back four-circuit systems)
2. Determine location, quantity, and circuit of duplexes.
3. Determine the appropriate choice and use of isolated, isolated/dedicated, and separate neutrals circuits.
4. Specify appropriate power harnesses* and pass-thru cables.*
5. Determine the location, quantity, and type of power infeed needed.

GSA Reference Page

* Select power harness models (A8712XX), pass-thru cables (A8710XX), and pass-thru harness (A8711XX) with the last two digits corresponding with the panel width into which the component is to be positioned. The initial cable length can be stretched approximately 3" to transverse "T", "X", "L", and extended straight connectors.

Flexconnect™ Electrical System Options


The four-circuit, eight-wire electrical system is widely specified and trusted by hundreds of thousands of end-users. This proven system delivers four circuits for every power infeed in either a 3 + 1 or 2 + 2 configuration. The isolated/dedicated circuits are ideal for sensitive computing equipment, while the common circuits are suitable for faxes, copiers, task lights and other peripherals. Both the 3 + 1 and 2 + 2 systems use the same pre-wired components, making it easy to adjust as electrical needs change.

You can also choose a three-circuit, eight-wire system that has a dedicated neutral for every hot circuit. The three-circuit components have model numbers with an "A" suffix and appear in a gray box in this price.


All three systems utilize an eight-wire electrical system rated at 20 amps per circuit (15 amps Canadian). Fit panels and electrical components are UL listed and CSA certified.

Reference the Office Equipment Typical Load Values matrix on page 60.


Four-circuit, 3 + 1 Receptacle Option




The 3 + 1 option is the electrical standard used on Allsteel systems for many years in most installations. This wiring option provides three utility circuits plus an isolated/dedicated circuit for more sensitive equipment. Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with single-phase building electrical supply.



Four-circuit, 2 + 2 Receptacle Option



The 2 + 2 option is a wiring option that provides two utility circuits and two isolated circuits for more extensive computer usage applications.




Electrical & Data


Fit™ — Working with Electrical & Data

GSA Reference Page

Three-circuit, separate neutrals



The three-circuit, separate neutrals configuration is a wiring option that provides separate neutrals for each of the three circuits. Two circuits share a common ground, and one circuit is isolated/dedicated. The three-circuit components have model numbers with an "A" suffix.



Fit System Receptacle Usage

Two 8-wire, 20 amp (15 amp Canadian) electrical systems are offered


Electrical System	Circuitry	Receptacle Capacity			
Four-circuit 4-Hot/2-Neutral/2-Ground	3 + 1	Common Circuit-1 A871501 A877501	Common Circuit-2 ⁽¹⁾ A871502 A877502	Common Circuit-3 A871503 A877503	Iso/Dedicated Circuit-4 A871504 A877504
	2 + 2	Common Circuit-1 A871501 A877501	Common Circuit-2 A871502 A877502	Isolated Circuit-3 A871506 A877506	Isolated Circuit-4 A871504 A877504
Three-circuit 3-Hot/3-Neutral/2-Ground	w/separate neutrals	Common Circuit-1 A871501A A877501A	Common Circuit-2 A871502A A877502A	Iso/Dedicated Circuit-3 A871503A A877503A	N/A

Notes:

- Four-circuit components and three-circuit components (with suffix "A") cannot be used together.
- Components of the two systems are keyed differently to prevent components of one system being connected to components of another system.
- Allsteel Model Numbers are printed on the UL labels, and components are color-coded to provide visual identification of the different components.
- Four-circuit components have black plastic parts.
- Three-circuit components have rust-colored terminal ends and receptacle backs are rust colored.

- (1) Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with a single-phase building electrical supply.
- (2) A87150x models are for single sided applications and A87750x models are for dual sided applications.

Duplex Receptacle



15 amp Receptacle

Electrical & Data

Office Equipment Typical Load Values

GSA Reference Page

Office Equipment Typical Load Values

Item	*Amps
Desktop/2 Monitors	4
Laptop Computer	1
Laptop/2 Monitors/Docking Station	3
Paper Shredder	1.22
Radio	0.05
Scanner	3
Space Heater (1500 watts)	12
Task Light (equiv. 60-watt bulb)	
Fluorescent	0.12
LED	0.08
USB Charger	0.17
LCD Television (42")	1
LCD Monitor (21")	0.5
Bluetooth Speaker	0.1
Desktop Printer	
Inkjet	0.15
Laser	4 to 10
Multimedia Projector	1.7
Sit-to-Stand Height-Adjustable Desk	Idle 0.01 / Max 4
Office Kitchen	
Coffee Maker	10
Microwave	10
Toaster	12.5
Compact Refrigerator	1.5

*Chart is recommended for planning purposes. Check device specifications for exact amperage. Consult with your electrician regarding the applicable configurations.

Examples of Component Usage based on the *Office Equipment Typical Load Values* Chart

Power Option 3+1

Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2, 3: Height-adjustable tables and ancillary items

Power Option 2+2

Dedicated Circuit 3: 4 desktop computers with 2 monitors each; or 10 laptop computers
Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2: Height-adjustable tables and ancillary items

Power Option 3 (Circuit-separate neutrals)




Dedicated Circuit 3: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2: Height-adjustable tables and ancillary items

Electrical & Data

Fit™ — Electrical Components

For specification information see pages 196-202.

GSA SIN Pending



Description	Max. Recept. Cap. per Panel Side	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals	List Price
Electrical Power Harnesses				
For 30" W Panels	2	A871230	A871230A	\$ 379
For 60" W Panels	2	A871260*	A871260A	\$ 403
For 66" W Panels	2	A871266*	A871266A	\$ 401
For 72" W Panels	2	A871272*	A871272A	\$ 404
For 78" W Panels	2	A871278*	A871278A	\$ 404
For 84" W Panels	2	A871284*	A871284A	\$ 404
Electrical Pass-Thru Harnesses with Power Block				
For 30" W Panels	1	A871130	A871130A	\$ 232
For 60" W Panels	1	A871160*	A871160A	\$ 247
For 66" W Panels	1	A871166*	A871166A	\$ 331
For 72" W Panel Runs	1	A871172	A871172A	\$ 331
For 78" W Panel Runs	1	A871178	A871178A	\$ 331
For 84" W Panel Runs	1	A871184	A871184A	\$ 331
Electrical harnesses are intended for use with Allsteel systems furniture and are approved under GSA SIN 33721. When purchased separately and used without Allsteel systems furniture, those electrical harnesses marked by () are considered Open Market.				
Note: 30" models are used for return applications only.				
Electrical Pass-Thru Cable without Power Block				
For 60" W Panels	1	A871060	A871060A	\$ 222
For 66" W Panels	1	A871066	A871066A	\$ 261
For 72" W Panels	1	A871072	A871072A	\$ 261
For 78" W Panels	1	A871078	A871078A	\$ 261
For 84" W Panels	1	A871084	A871084A	\$ 261

Description	Model	List Price
Sealtight Infeed to Harness Connector		
Sealtight to Harness H-Clip	A877101	\$ 52

How to specify —
Select the
Model Number
from above.

1st Option:

Color:

P Black

P

Examples: A871224.P A871260.P A871060.P A8777101.P

Electrical & Data


Fit™ — Electrical Components

For specification information see pages 196-202.

GSA SIN Pending



Description	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals	List Price
Duplex Receptacles for Single-Sided Fit Power Rail (specify color)			
Circuit 1	A871501	A871501A S	\$ 69
Circuit 2	A871502	A871502A S	\$ 69
Circuit 3 (3+1)	A871503	A871503A S	\$ 69
Circuit 3 (2+2)	A871506	N/A S	\$ 69
Circuit 4 — iso/dedicated	A871504	N/A S	\$ 69
Circuit 1, 20 AMP	A871601	A871601A S	\$ 69



Duplex Receptacles for Dual-Sided Fit Power Rail (specify color)			
Circuit 1	A877501	A877501A S	\$ 69
Circuit 2	A877502	A877502A S	\$ 69
Circuit 3 (3+1)	A877503	A877503A S	\$ 69
Circuit 3 (2+2)	A877506	N/A S	\$ 69
Circuit 4 — iso/dedicated	A877504	N/A S	\$ 69

Receptacle Color Recommended to Coordinate with Paint Color

Paint Color Recommended Receptacle Color

Bungalow — P7C.....	Muslin — EU
Champagne Metallic — PR5.....	Muslin — EU
Cinder — P7Q.....	Brownstone — EY
Fossil — P28.....	Flint — E9
Gunmetal Metallic — PR3.....	Brownstone — EY
Parchment — P93.....	Muslin — EU
Pebble — P8R.....	Loft — EV
Pewter — P8D.....	Flint — E9
Platinum Metallic — PR2.....	Loft — EV
Salt — P8C.....	Silver — ES
Titanium — P8T.....	Silver — ES


Note: Four-circuit components and three-circuit components (with an "A" suffix) cannot be connected together.

Electrical Infeed Cables

6' Flex Cable	A871972	A871972A	\$ 321
---------------	---------	----------	--------

Query


Placed A871972 here for consistency with page setup in the Altitude section.



Electrical Infeed Cables


Ceiling Electrical Infeed Cables

12' Flex Cable	A871912	A871912A S	\$ 435
18' Flex Cable	A871918	A871918A S	\$ 548



Electrical Infeed Cables

12' Sealtight Cable Power Infeed	A877012	N/A S	\$ 531
----------------------------------	---------	--------------------	--------




Electrical Infeed Cable

Hardware Power Infeed (New York Code)

For 30"-72" W panels	A871400	A871400A S	\$ 418
----------------------	---------	-------------------------	--------

Note: Customer to furnish all cabling and wiring from power entry to power source. (Approved for use by city of New York.)



How to specify —
Select the
Model Number
from above.

1st Option:
Electrical Receptacle
Color (if applicable):
See page 16
for finishes.

1st Option:
Color
(if applicable):
P Black

_____ . **E**

Example: A877501.EV

P

S Shippable by small-package carrier.

Electrical & Data

Fit™ — Electrical Components

For specification information see pages 196-202.

GSA SIN Pending



Description

Model

List Price

Hardwire Junction Box

Single-Sided Hardwire Junction Box (6-pack)

A871500

\$ 903

Dual-sided Hardwire Junction Box (6-pack)

877600

\$ 1111

Hardwire Infeed Junction Box Housing

U8SBKCH

\$ 326

Note: Junction box can be positioned at any duplex receptacle location. Customer must furnish conduit, wiring and designer-type receptacle. (Approved for use by city of Chicago.)

Hardwire Infeed Housing model U8SBKCH must be ordered when using Rail Hardwire Infeed Shroud BW and BH models GSYSHWBW and GSYSHWBH.



Data Faceplates

Three-Port Flex-Mode Faceplate, Black (E4)

ATADF3 [S]

\$ 40

Four-Port Flex-Mode Faceplate, Black (E4)

ATADF4 [S]

\$ 40

Notes: ATADF3 can install up to 3 jacks (CAT 3, 5E or 6). ATADF4 can install 4 jacks (CAT 3, 5E or 6).

ATADF models are compatible with ports in Optimize base pathway.

Allsteel's data faceplates are designed for use with the jacks listed below. We do not guarantee compatibility with other manufacturers' product.



ATADJ5

Jacks

RJ45 CAT 5E Jack — Black only

Toolless

ATADJ5 [S]


\$ 71

RJ45 CAT 6 Jack — Black only


Requires Tool

ATADJ6 [S]

\$ 95



GSYSRPC2



GSYSRPC12

Description

Model

P1
List PriceP2
List PriceP3
List Price

Rail Port Cover

Rail Port Cover (Pack of 2)

GSYSRPC2 (shown)

\$ 59

\$ 62

\$ 65

Rail Port Cover (Pack of 12)

GSYSRPC12 (shown)

\$ 219

\$ 228

\$ 238

Integrated Power/Communication Pole for Fit


13' long — 2" square

GSYSPP (shown)

\$ 2890

\$ 2957

\$ 3023



GSYSPP

How to specify —

Select the Model Number from above.

1st Option:

Electrical Receptacle Color (if applicable):

See page 16 for finishes.

1st Option:

Color (if applicable):

P Black

1st Option:

Paint (if applicable):

P1 P2 P3

See page 16 for finishes.

Examples: A871500.P ATADF3.P

[S] Shippable by small-package carrier.

Notes

Finishes	66
Typicals Overview	67
<i>Specifications</i>	
Introduction and Overview	68-69
Working with Panels, Connectors, and Sliding Doors	70-73
<i>Panels & Connectors</i>	
Tackable Panels and Stacking Panels.....	74
Top Trim	75
Glazed Panels and Glazed Stacking Panels.....	76
Screens and Doors.....	77
Connectors — In-line, “L”, “T”, “X”, Extended Straight, and Connector Straps.....	78-79
Connectors — End Trim, Variable Height, Wall Mount, 2-Way, and 3-Way	80
<i>Electrical & Data</i>	
Working with Electrical & Data	81-89
Harnesses	90
Receptacles, Infeeds, Hardwire, and Poles.....	91
Electrical and Data Components.....	92
<i>Worksurfaces & Supports</i>	
Overview of Worksurfaces	93
Working with Worksurfaces and Supports.....	94-99
Working with Cadence® Freestanding Desking	100-108
<i>Laminate Worksurfaces</i>	
Primary and Bow-Front Worksurfaces	109-110
Corner, Corner Shelves, and Corner Cove	111-112
Altitude® Height-Adjustable Reference.....	112
Peninsula, P-Shaped, and Jetty	113
Quarter-Round and D-Shaped	114
Countertops and Countertop Brackets.....	115
9120 Program for Non-Standard Sizes	116-117
Worksurface Supports, Panel-Mount Worksurface Supports and Brackets	118
Cadence Worksurface Supports and Modesty Panels	119-120
<i>Metal Overheads & Hutches</i>	
Working with Overhead Storage	121-124
Overheads, Shelves, and Mounting Kits	125-126
Hutches, Tackboards, and Accessories	127

Optimize™ System

PAINTED METAL FINISHES

GRADE P1

Black	P27
Brownstone	P7D
Bungalow	P7C
Cinder	P7Q
Designer White	PJW
Flint	P02
Fossil	P28
Loft	P7B
Muslin	P4J
Parchment	P93
Pebble	P8R
Pewter	P8D
Salt	P8C
Titanium	P8T

GRADE P2

Champagne Metallic	PR5
Gunmetal Metallic	PR3
Platinum Metallic	PR2
Silver	PR6
Solar Black	P8X

Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)

GRADE P3

Amethyst (<i>De-emphasized</i>)	P091
Atom	P8S
Blossom***	P8K
Bullseye	PJF
Cobalt Mica (<i>De-emphasized</i>)	P090
Ember	P8P
Ion	P8N
Iris	P8J
Krypton	P8F
Ochre	P093
Regatta	P8M
Sienna	P092
Succulent***	P8A

***These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

METAL STORAGE PULLS

Black	E4
Matte Silver	EL

ELECTRICAL AND DATA COMPONENTS

Black	E4
Brownstone	EY
Designer White	DW
Flint	E9
Loft	EV
Muslin	EU
Silver	ES

Recommended Coordinate Colors:
 Bungalow use Muslin EU
 Champagne Metallic use Muslin EU
 Cinder use Brownstone EY
 Fossil use Flint E9
 Gunmetal Metallic use Brownstone EY
 Parchment use Muslin EU
 Pebble use Loft EV
 Pewter use Flint E9
 Platinum Metallic use Silver ES
 Salt use Silver ES
 Titanium use Silver ES

OPTIMIZE REPLACEMENT RECEPTACLE COVERS

Black	E4
Muslin	EU
Shadow	SH

LAMINATES

GRADE L1

SOLID COLORS

Black	P
Brownstone*	LM13
Bungalow*	LM12
Designer White*	LDW1
Flint*	LM16
Fossil Shale*	LEH1
Loft*	LM11
Muslin*	LM15
Titanium*	LTI1

ABSTRACT

Ash	LT3B
Handspun Pearl	LAHP
Handspun Dove	LAHD
Handspun Slate	LAHS
Handspun Chestnut	LAHC
Silver Mesh	LT8D

WOODGRAIN

Belair	LWBA
Bourbon Cherry	H
Field Elm	LWFE
Florence Walnut*	LFW1
Kingswood Walnut*	LKI1
Natural Maple*	LWD
NeoWalnut*	LNU1
Pinnacle	PINC
Shaker Cherry*	LW7C

GRADE L2

Beigewood*	LWBE
Fawn Cypress*	LFC1
Lowell Ash*	LLA1
Mangalore Mango*	LMM1
Natural Recon*	LNR1
Phantom Charcoal*	LPC1
Phantom Ecu*	LPE1
Portico Teak*	LPT1
Skyline Walnut*	LSW1
Veranda Teak	LVT1

GRADE L3

Natural Walnut*	LWNW
-----------------------	------

* Storage available in these 30 laminates.

LAMINATE EDGE COLORS

Beigewood	DE
Belair	BA
Black	E4
Bourbon Cherry	H
Brownstone	EY
Bungalow	EX
Designer White	DW
Fawn Cypress	FC
Field Elm	FE
Flint	E9
Florence Walnut	FW
Fossil	EH
Kingswood Walnut	KI
Loft	EV
Lowell Ash	DL
Mangalore Mango	MM
Muslin	EU
Natural Maple	DD
Natural Recon	NR
Natural Walnut	DN
NeoWalnut	NU
Parchment	EN
Phantom Charcoal	PC
Phantom Ecu	PE
Pinnacle	PI
Platinum Metallic	EP
Plyband ♦	PL
Portico Teak	DP
Shaker Cherry	DF
Skyline Walnut	SW
Titanium	TI
Veranda Teak	VT

♦ Edge is limited to flat edge surfaces: rectangle, square, trapezoid, polygon, or round. No curvilinear or combination curve and straight.

METAL GROMMETS

FOR LAMINATE WORKSURFACES

Oval/Square:	
Matte Silver	EL

PLASTIC GROMMETS

FOR WORKSURFACES

Black	E4
Brownstone	EY
Bungalow	EX
Designer White	DW
Flint	E9
Fossil	EH
Loft	EV
Muslin	EU
Parchment	EN
Titanium	TI

PLASTIC GROMMETS WITH WOODGRAIN EDGE

If woodgrain edge is specified, the plastic grommet color is predetermined, based on finish selection.

Beigewood, Fawn Cypress, Natural Maple, and Natural Recon	Muslin EU
Kingswood Walnut and NeoWalnut	Brownstone EY
Phantom Charcoal and Skyline Walnut	Flint E9
Phantom Ecu	Loft EV
Portico Teak	Fossil EH
All other woodgrain options	Black E4

LOCKS

Matte Silver	EL
--------------------	----

Note: Refer to individual product pages for upcharges.



A full gallery of typicals from each Allsteel system can be found on our website:

<https://www.allsteeloffice.com/design-resources/idea-starters>.

Each typical includes a complete BOM with current pricing, downloadable CAD files, and PDFs of each drawing.

Use the Allsteel Typicals Gallery to find the components in Optimize workstations:



Optimize "L" Station 7' x 6'



Line Item	Product Description	Qty	Model Number
1	Optimize Tackable Panel 65"H x 36"W w/out Top Cap	2	P16536TP
2	Optimize Tackable Panel 65"H x 24"W w/out Top Cap	1	P16524TP
3	Optimize Tackable Glazed Panel 65"H x 48"W w/out Top Cap	1	P16548HP
4	Optimize Tackable Glazed Panel 65"H x 36"W w/out Top Cap	1	P16536HP
5	Panel Top Cap 36"W	3	P1AOP-TC36
6	Panel Top Cap 48"W	1	P1AOP-TC48
7	Panel Top Cap 24"W	1	P1AOP-TC24
8	Optimize In-line Connector Kit	2	P3CONTT
9	Optimize "L" Connector 65"H	2	P3CONL65
10	Optimize Panel End Covers 65"H	2	P3AOP-ET65
11	Corner Cove 36"x72"-24"L/24"R Extd RH Flat Edge w/Grommets	1	T5922ER
12	Worksurface 24"D x 48"W Flat Edge Lam w/Grommets	1	T52448S
13	End Panel Support LH 24"D x 29½"H	1	TKEP2429PL
14	Cantilever Bracket 18"D LH	1	T6CB18L
15	Cantilever Bracket 24"D RH	1	T6CB24R
16	Cantilever Bracket 24"D LH	1	T6CB24L
17	Worksurface Bracket Kit	1	T6BK
18	Power Harness 36"W	2	A871236
19	Base Power Infeed Cable 3+1 & 2+2 Systems	1	A879072
20	Duplex Receptacle Circuit 1: 3+1 or 2+2 System	1	A871501
21	Duplex Receptacle Circuit 4: 3+1 or 2+2 System	1	A871504
22	Essentials Personal File F/B/B/Lat Drawer Arch Pull	1	EPF23018FBBLA
23	15"H x 36"W Sliding Single Door Overhead	1	OH1536SD



Optimize "U" Station 8' x 8'

Provides seated privacy with ample storage and worksurface space.



Optimize "L" Station 7' x 6'

Storage tower allows lower panel height for an open feeling.



Visit <https://www.allsteeloffice.com/design-resources/idea-starters> to view these typicals and more.

Workstations made easier.

Whether you're outfitting a call center, creating teaming areas, replacing a reception desk, or adding new stations for managers, Allsteel can help you make the most of your office with Optimize. By bringing together panels, worksurfaces, and storage in one cohesive offering, we've made it easy for you to create efficient, well-designed spaces. All you have to do is configure these quality components to fit the needs of everyone in your office. Let us show you how.

Optimize makes a good first impression.

In areas open to the public, choose panels, worksurfaces, and storage to define space and keep projects organized. In this reception/shared workspace, a transaction countertop welcomes guests and worksurfaces below provide ample space for computers and paperwork.

We help you put it all together.


An open configuration with lower panels and a small footprint is perfect for people who perform the same function and need to share information throughout the day. Optimize benching can utilize tool rails and monitor arms to keep items off the desktop. An integrated D-shaped worksurface makes it easy for workers to come together to collaborate and then quickly return to their personal work areas.

As work changes, Optimize changes with you.

Optimize helps workers adjust workstyles throughout the day, from concentrated work to team brainstorming. In team areas, each person can have ample privacy, roomy storage with overhead bins, as well as a spacious worksurface for individual tasks. When it's time to collaborate, a table within the workspace and mobile pedestals that double as seating make it easy to come together.

Make the most of your space.

With Optimize panels, worksurfaces, and storage, you can create stations that feel like private offices. Higher panels promote privacy along the aisle while glass stackers near windows bring natural light into the space. Plenty of enclosed, lockable storage above and below the worksurface holds sensitive information. A U-shaped worksurface arrangement creates a natural conference area to accommodate conversations with team members or clients.




Panels & Connectors


Optimize™ — Overview of Panels

[GSA Reference Page](#)


BASE RACEWAY PANELS — Tackable




BASE RACEWAY PANELS — Tackable Glazed





TOP TRIM



STACKING PANELS — Tackable and Glazed





DOORS





Connector Kits — Optimize profile

- "TT" In-line Connector Kit
- "L" 90° Connector Post
- "T" 3-way Connector Post
- "X" 4-way Connector Post
- "S" Extended Straight Connector Post
- "V" 2-Way 120° Connector Post
- "Y" 3-Way 120° Connector Post



**Frame Dimensions (Actual)****Depth:** 2⅝" (use 2¼" to calculate intersections in length of panel run)**Widths:** 20", 24", 30", 36", 42", 48", 60", 72"**Heights:** 34¼", 41¾", 49¼", 64¼" (with levelers fully retracted)**Leveling Glides:** 2⅝" range**Stacking Panels:** 15"H fabric and glass, 30"H glass**Frameless Glass Screens:** 7½"H, 15"H**Tackable Panels** (pages 74-75)

- Specifications: 4-sided, welded tubular steel panel frame.
- Panel frames include and are shipped with base pathway covers installed. Top trim is specified separately for all panel frames.
- Hardware included with connector kits.
- Available in 4 heights and 8 widths — add ⅜" for each panel vertical end trim.
- Panel frames can be leveled up to 2⅝". Actual panel height varies depending on position of leveling glides.
- Direct connections between same height frames in a continuous run are accomplished with provided hardware. There is no incremental increase in dimension along the run.
- For adequate stability, one of two methods of stabilization shown on page 71 must be adhered to.
- Due to depth of panel, back-to-back data modules should not be used in the base. Optional 3-hole kickplates are available.
- Add 2¼" to panel run for each "L", "T", "X", or extended straight connector ("S").
- Acoustical panels meet BIFMA recommendations.
- Fabric selection for 72"W panels is limited. Fabrics that are unavailable on 72"W panels are flagged with a * on page 9 of this price list.




Panels



Optimize™ — Working with Panels

[GSA Reference Page](#)

Building Vertically with Optimize Panels




Stacking Frame Connection
Glazed panels only in top position




Sliding doors are available in 50"H, 65"H, and 80"H.

Building Horizontally with Optimize Panels

Method 1—Opposing Returns



Method 2—Single-Sided Returns



Important planning guidelines: For adequate stability, one of two methods of stabilization must be adhered to:

Method 1 — Opposing returns

- A parent run must be a minimum of 48" and a maximum of 144" between return panels.
- The parent run must have a minimum of two 24"W return panels running in opposing directions on each end of run.
- Return panels must not be any more than 30" shorter in height than parent run.
- When using 120° connectors, 12" must be added to length of return panels as determined by methods 1 and 2.

Method 2 — Single-sided returns


- A parent run must be a minimum of 48" and a maximum of 144" between return panels.
- The parent run must have a minimum of two return panels extending in one direction. Stack-ons may require additional length. See chart.
- Return panels must not be any more than 30" shorter in height than parent run.

Stacking Tackable and Glazed Panels (pages 74 and 76)

- When adding stacking panels, remove the top trim from the structural panel, and install top trim on top of the stacking panel.
- Stacking connection provides a solid connection, allowing the stacking frame to accept hang-on components, per Optimize configuration guidelines at left.
- Includes attachment hardware. Specify connectors separately.
- Only one stacking glazed panel can be added to top position of any Optimize panel of same width from 20"W to 72"W up to a maximum combined height of 80".
- End trim is specified in full end height to include height of base panel + stacking panel.
- Guidelines for using overhead storage with stacking frames are given on page 122.
- Stacking glazed panels feature clear or frosted tempered safety glass inserts (specified). Glass frame is painted to match trim.
- Stacking frames can be added to the top of same width 35"H, 50"H, and 65"H base panels up to 80"H; added to 42 1/2"H panels up to 72 1/2"H.
- Slot modularity will be lost on stacker used with 42 1/2"H panels. If panel mounting slots are not being used, this is not an issue.
- Do not combine differing frame widths in a single stack. No spanning multiple frames.
- Stacking frames cannot be used as base frames.
- Fabric selection for 72"W panels is limited. Panel fabrics that are not available on 72"W panels are flagged with a "*" on page 9 of this price list.


Tackable Glazed Panels (page 76)

- Available 50"H and 65"H with 15"H clear or frosted tempered safety glass inserts (specified).
- Glass frame is painted to match trim.
- Top trim is specified separately.
- Cannot stack on glazed panels.
- Fabric selection for 72"W panels is limited. Available 72"W panel fabrics are flagged with a "W" on page 9 of this price list.



Glass Panel Mounted Screens (page 77)

- Frameless insert integrated into the base panel frame top trim.
- Replaces top trim on structural or stacking tackable frame.
- It is possible to span multiple frames when the combined frame width is equal to the panel mounted screen width.
- Can do variable height, must be used with grooved VH trim.
- Panel mounted screens are non-structural. Do not hang or stack on top of panel mounted screens.
- Available in 3/8" thick clear or frosted glass.
- To be included in overall height of panel with a maximum combined height of 80".



Door Panel Frame (page 77)

- The 80"H door panel frame includes 42"W frame, 36"W laminate door, hinges, and attaching hardware. Top trim is specified separately.
- See illustration at right.
- Lockset with knob or lever ordered separately.

Optimize Sliding Doors and Mounting Kits (pages 73 and 77)

- Optimize sliding doors are available in 50"H, 65"H, and 80"H.
- See illustration and specification information on page 73.



Method 2 – Single-sided Returns

Single-Sided Panel Run	Minimum Return Panels Total (X+Y)	Minimum Return Panels Total (X+Y) with Stack-ons
48"-108"	84"	84"
114"-144"	84"	96"

Panels & Connectors

Optimize™ — Working with Panels & Connectors


GSA Reference Page



Connectors and Trim

In-line Connector Kit (page 78)

- In-line connections between panels in a continuous run are accomplished with an in-line connector kit. There is no incremental increase in dimension along the run.
- In-line connector kits include all parts required for connecting two panels of same height together.
- Kit includes in-line connector strap, hardware, and glide tower to glide tower screw.
- Order panel end trim kits to finish the end of every panel run (except when attaching panels to permanent walls).



Extended Straight "S" Connection

"L", "T", "X", "S", "V", and "Y" Connectors (page 78)

- "L", "T", "X", "S", "V", and "Y" connectors kits are used when connecting panels at intersecting runs. For "L", "T", and "X" connections connector kits, add 2 1/4" to the total length of the panel run for each intersection, whether located in the middle or at the end of the run.
- Specify connectors based on number and placement of panels.
- Connector posts are specified separately from connector straps—specify post based on tallest panel height and type of panel connection, specify straps based on connection of tallest panels (see variable height examples left).
- Connectors are made of extruded aluminum.
- Connector posts where power pole will enter need to be specified with single connector straps, model P3CONS1.
- Extended straight connector kit "S" can be used to keep continuous runs dimensionally consistent with opposing panel runs which incorporate "T" or "X" intersections.
- Add 2 1/4" to the length of the run for every extended straight connector used.

Multiple-Height Connections (page 78)

- Multiple-height connections also utilize standard "L", "T", "X", and "S" connectors, in the height of the tallest panel. (See examples 1-4 at left.)

Panel End Trim (page 80)

- End vertical trim cover (includes top cap — adds 3/8" to run).
- Order to finish the end of every panel run (except when attaching panels to permanent walls).

Variable Height Connector Kits — Post Trim (page 80)

- Includes connectors, vertical cover, and attaching hardware.
- Order one per each panel height change in an "L", "T", "X", or "S".

Grooved VH Finishing Kit (page 80)

- For use when the base panel frame of a panel mounted screen is shorter than the adjacent panel

In-line Variable Height End Trim Finish Kits (page 80)

- End vertical cover (includes top cap).
- High-low "H" covers the exposed end of a panel when joining panels in-line of differing heights. Optimize profile adds 3/8" to length of panel run.
- Order one per each panel height change in an in-line connection.
- At the end of a panel run use panel end trim.

Wall Mount Kits (page 80)



- Wall mount kits provide a means to affix a panel run to a permanent building wall.
- Includes top cap. (Color must be specified.)
- Connector adds 1" to length of panel run.
- Anchor devices are not supplied with the wall mount kit. Refer to Optimize Installation Instructions for appropriate hardware.

2-Way 120° Connector Kits (page 80)



- Includes top cap, connectors, vertical cover, and attaching hardware.

3-Way 120° Connector Kits (page 80)


- Includes top cap and connectors.




In variable height "T" connections as shown above, you would use the connectors as indicated.



Base connectors (includes base pathway) must be specified at base regardless of full height or segmented connection.



Example above represents Optimize variable height connection for 65"H to 50"H.




Panels

Optimize™ — Working with Sliding Doors

GSA Reference Page

The sliding doors must be specified with specific mounting kits for each door ordered. With a Frosted Translucent insert and your choice of P1 or P2 paint, the sliding door will create a unique look for any office environment.

The **sliding doors** are available in 30", 65", and 80" H models and can mount to 30", 36", 42", and 48" W panels. They accommodate a 36" W opening and are 42" W, nominally. The doors ship from the factory non-handed and become handed when field installed to fit the scope of the project. The handle pulls located on each side of the door are color matched to the trim to create a uniform style. And with the threshold free design, the sliding door offers better aesthetics and safety by eliminating the potential for tripping.



General Guidelines for Use of Sliding Door (page 77)

- The system requires the ordering of both a door and a mounting bracket kit.
- All doors are 42" wide to accommodate a 36"W opening and are non-handed .
- A mounting bracket kit must be ordered for each door corresponding to the mounting panels width (30", 36", 42", or 48"W). Kits available in P1 and P2 paint.

General Guidelines for Layout Planning of Sliding Door

- Stability guidelines must be followed when specifying a sliding door. (Refer to page 71). The sliding door system was designed to close an opening in a run of parallel panels. Doors mounted to long runs of panels without floor support, ties to worksurfaces, or return panels may seem less stable.
- If the door is used to close an opening **(A)** where the panel opposite the door is at 90°, there will be a gap equal to the panel thickness between the door and the panel end when closed.
- When planning the layout, care must be taken if the plan includes a door mounted on a panel that is less than 42" W. If the panel is at a corner **(B)**, the door will protrude into the aisle or next workstation when in the open position.
- If back-to-back doors are mounted on panels **(C)** that are less than 42" W they will interfere with each other if both are open at the same time.
- The door is attached at the base of the panel at any end position with a wrap around bracket. Bracket kits are ordered in conjunction with appropriate end trim profiles. The slots at the base of the panel must be clear **(D)** and cannot be utilized by worksurface supports or panel hung components.
- If the door is mounted to a panel run that is positioned adjacent to a wall **(E)** or an inside 90° angle and there is not a 42" clearance between the track and the wall/inside 90° the assembly of the first stop will be difficult and plans will need to be modified for the assembly.
- If a door is closing an opening of a workstation that includes a "T" connector in the opposite wall, an extended straight connector may need to be used to maintain the 36" required opening.

Marker Board (page 75)


- For use with dry marking pens.
- Hangs directly on Optimize™ panel frame.
- Brackets must be field re-located for use with other systems.
- Porcelain-coated steel surface.
- White with silver trim.
- Width must correspond with width of panel.

Panels

Optimize™ — Tackable Panels

For specification information see pages 69-73.

GSA SIN 33721



Description	Model Without Top Trim	List Price Without Top Trim					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
35"H Tackable Panel							
24"W	P13524TP 	\$ 513	\$ 553	\$ 592	\$ 688	\$ 808	\$ 886
30"W	P13530TP 	\$ 560	\$ 603	\$ 643	\$ 751	\$ 879	\$ 963
36"W	P13536TP 	\$ 622	\$ 668	\$ 713	\$ 833	\$ 977	\$ 1072
42"W	P13542TP 	\$ 640	\$ 688	\$ 733	\$ 855	\$ 1003	\$ 1100
48"W	P13548TP 	\$ 686	\$ 737	\$ 790	\$ 921	\$ 1080	\$ 1185
60"W	P13560TP	\$ 770	\$ 828	\$ 889	\$ 1042	\$ 1226	\$ 1347
72"W	P13572TP	\$ 976	\$ 1050	\$ 1125	\$ 1309	\$ 1537	\$ 1688

42½"H Tackable Panel

24"W	P14224TP	S	\$ 541	\$ 583	\$ 622	\$ 727	\$ 849	\$ 934
30"W	P14230TP	S	\$ 605	\$ 650	\$ 694	\$ 808	\$ 948	\$ 1041
36"W	P14236TP	S	\$ 678	\$ 728	\$ 778	\$ 906	\$ 1062	\$ 1166
42"W	P14242TP	S	\$ 746	\$ 801	\$ 857	\$ 995	\$ 1165	\$ 1277
48"W	P14248TP	S	\$ 796	\$ 854	\$ 915	\$ 1067	\$ 1249	\$ 1370
60"W	P14260TP		\$ 923	\$ 993	\$ 1064	\$ 1245	\$ 1459	\$ 1603
72"W	P14272TP		\$ 1064	\$ 1144	\$ 1224	\$ 1429	\$ 1673	\$ 1836

50"H Tackable Panel

24"W	P15024TP	S	\$ 596	\$ 640	\$ 684	\$ 796	\$ 931	\$ 1024
30"W	P15030TP	S	\$ 666	\$ 714	\$ 764	\$ 891	\$ 1044	\$ 1144
36"W	P15036TP	S	\$ 753	\$ 808	\$ 865	\$ 1005	\$ 1175	\$ 1289
42"W	P15042TP	S	\$ 837	\$ 899	\$ 960	\$ 1117	\$ 1304	\$ 1430
48"W	P15048TP	S	\$ 901	\$ 967	\$ 1033	\$ 1205	\$ 1409	\$ 1544
60"W	P15060TP		\$ 980	\$ 1055	\$ 1131	\$ 1321	\$ 1552	\$ 1702
72"W	P15072TP		\$ 1198	\$ 1286	\$ 1376	\$ 1603	\$ 1876	\$ 2057

65"H Tackable Panel

24"W	P16524TP	S	\$ 651	\$ 698	\$ 746	\$ 867	\$ 1018	\$ 1114
30"W	P16530TP	S	\$ 737	\$ 791	\$ 846	\$ 984	\$ 1150	\$ 1263
36"W	P16536TP	S	\$ 828	\$ 890	\$ 949	\$ 1103	\$ 1290	\$ 1413
42"W	P16542TP	S	\$ 919	\$ 986	\$ 1054	\$ 1226	\$ 1433	\$ 1568
48"W	P16548TP		\$ 970	\$ 1041	\$ 1113	\$ 1294	\$ 1514	\$ 1659
60"W	P16560TP		\$ 1061	\$ 1141	\$ 1223	\$ 1429	\$ 1675	\$ 1841
72"W	P16572TP		\$ 1317	\$ 1412	\$ 1514	\$ 1762	\$ 2059	\$ 2257

15"H Stacking Panel — Fabric

24"W	P21524T	S	\$ 371	\$ 399	\$ 411	\$ 472	\$ 524	\$ 603
30"W	P21530T	S	\$ 408	\$ 438	\$ 451	\$ 521	\$ 577	\$ 666
36"W	P21536T	S	\$ 454	\$ 488	\$ 501	\$ 580	\$ 645	\$ 739
42"W	P21542T	S	\$ 493	\$ 529	\$ 543	\$ 628	\$ 697	\$ 801
48"W	P21548T	S	\$ 529	\$ 568	\$ 583	\$ 676	\$ 751	\$ 861
60"W	P21560T	S	\$ 720	\$ 770	\$ 795	\$ 920	\$ 1021	\$ 1173
72"W	P21572T		\$ 762	\$ 815	\$ 841	\$ 974	\$ 1082	\$ 1243

How to specify —
Select the
Model Number
from above.

1st Option:

Panel Fabric:
See page 9 for
fabrics.

Limited selection for
72" W models.

2nd Option:

Paint:

P1 P2 P3

See page 66 for finishes.

For P2 paints — add \$44.
For P3 paints — add \$89.

P | | | | | | | . | | | | | | | . | | |

Examples: P13524TP.ECH901.P7B P16572TP.APN911.P7B

S Shippable by small-package carrier.


Panels

Optimize™ — Painted Top Trim

GSA SIN 33721



Description	Model	P1 List Price	P2 List Price	P3 List Price
Painted Top Trim for Tackable (Examples span multiple panels)				
24" W	P1AOP-TC24	\$ 42	\$ 44	\$ 45
30" W	P1AOP-TC30	\$ 43	\$ 45	\$ 46
36" W	P1AOP-TC36	\$ 44	\$ 46	\$ 47
42" W	P1AOP-TC42	\$ 46	\$ 48	\$ 50
48" W— 24" + 24"	P1AOP-TC48	\$ 54	\$ 56	\$ 58
60" W – 30" + 30" or 24" + 36"	P1AOP-TC60	\$ 62	\$ 64	\$ 66
72" W – 36" + 36" or 24" + 48"	P1AOP-TC72	\$ 77	\$ 80	\$ 83



Description	Model	List Price
Marker Board		
36" W x 24" H	AMRK36	\$ 750
42" W x 24" H	AMRK42	\$ 816
48" W x 24" H	AMRK48	\$ 845

How to specify —
Select the
Model Number
from above.

1st Option:

Paint:

See page 66 for finishes.

P 1 | T | C | | | . | | |

Example: P1TC24.P7B


Shippable by small-package carrier.

Panels

Optimize™ — Glazed Panels

For specification information see pages 69-73.

GSA SIN 33721



Description	15"H		30"H	15"H List Price		30"H List Price		
	Model		Model	Clear	Frosted	Clear	Frosted	
Stacking Panel — Glazed								
24"W	P21524G		P23024G		\$ 685	\$ 732	\$ 1171	\$ 1246
30"W	P21530G		P23030G		\$ 721	\$ 771	\$ 1279	\$ 1360
36"W	P21536G		P23036G		\$ 804	\$ 860	\$ 1387	\$ 1474
42"W	P21542G		P23042G		\$ 931	\$ 995	\$ 1471	\$ 1562
48"W	P21548G		P23048G		\$ 1038	\$ 1109	\$ 1545	\$ 1640
60"W	P21560G		P23060G		\$ 1105	\$ 1181	\$ 1649	\$ 1754
72"W	P21572G		N/A		\$ 1174	\$ 1255	N/A	N/A

Description	Model Without Top Trim	List Price Without Top Trim					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
50"H Tackable Glazed Panel w/15"H Clear Glass							
24"W	P15024HP 	\$ 999	\$ 1073	\$ 1143	\$ 1329	\$ 1553	\$ 1701
30"W	P15030HP 	\$ 1094	\$ 1173	\$ 1253	\$ 1454	\$ 1697	\$ 1859
36"W	P15036HP 	\$ 1194	\$ 1280	\$ 1367	\$ 1587	\$ 1852	\$ 2028
42"W	P15042HP 	\$ 1306	\$ 1398	\$ 1496	\$ 1736	\$ 2023	\$ 2216
48"W	P15048HP 	\$ 1358	\$ 1457	\$ 1557	\$ 1810	\$ 2110	\$ 2313
60"W	P15060HP	\$ 1554	\$ 1669	\$ 1784	\$ 2078	\$ 2430	\$ 2662
72"W	P15072HP	\$ 1896	\$ 2035	\$ 2174	\$ 2528	\$ 2951	\$ 3231

50"H Tackable Glazed Panel w/15"H Frosted Glass								
24"W	P15024HP		\$ 1073	\$ 1147	\$ 1217	\$ 1403	\$ 1627	\$ 1775
30"W	P15030HP		\$ 1173	\$ 1252	\$ 1332	\$ 1533	\$ 1776	\$ 1938
36"W	P15036HP		\$ 1280	\$ 1366	\$ 1453	\$ 1673	\$ 1938	\$ 2114
42"W	P15042HP		\$ 1398	\$ 1490	\$ 1588	\$ 1828	\$ 2115	\$ 2308
48"W	P15048HP		\$ 1457	\$ 1556	\$ 1656	\$ 1909	\$ 2209	\$ 2412
60"W	P15060HP		\$ 1669	\$ 1784	\$ 1899	\$ 2193	\$ 2545	\$ 2777
72"W	P15072HP		\$ 2035	\$ 2174	\$ 2313	\$ 2667	\$ 3090	\$ 3370

65"H Tackable Glazed Panel w/15"H Clear Glass								
24"W	P16524HP		\$ 1096	\$ 1175	\$ 1255	\$ 1456	\$ 1699	\$ 1861
30"W	P16530HP		\$ 1179	\$ 1265	\$ 1350	\$ 1569	\$ 1833	\$ 2007
36"W	P16536HP		\$ 1297	\$ 1389	\$ 1486	\$ 1726	\$ 2013	\$ 2204
42"W	P16542HP		\$ 1416	\$ 1517	\$ 1620	\$ 1882	\$ 2197	\$ 2404
48"W	P16548HP		\$ 1479	\$ 1586	\$ 1694	\$ 1968	\$ 2297	\$ 2516
60"W	P16560HP		\$ 1705	\$ 1829	\$ 1956	\$ 2274	\$ 2656	\$ 2912
72"W	P16572HP		\$ 2067	\$ 2218	\$ 2371	\$ 2752	\$ 3213	\$ 3519

65"H Tackable Glazed Panel w/15"H Frosted Glass								
24"W	P16524HP		\$ 1175	\$ 1254	\$ 1334	\$ 1535	\$ 1778	\$ 1940
30"W	P16530HP		\$ 1265	\$ 1351	\$ 1436	\$ 1655	\$ 1919	\$ 2093
36"W	P16536HP		\$ 1389	\$ 1481	\$ 1578	\$ 1818	\$ 2105	\$ 2296
42"W	P16542HP		\$ 1517	\$ 1618	\$ 1721	\$ 1983	\$ 2298	\$ 2505
48"W	P16548HP		\$ 1586	\$ 1693	\$ 1801	\$ 2075	\$ 2404	\$ 2623
60"W	P16560HP		\$ 1829	\$ 1953	\$ 2080	\$ 2398	\$ 2780	\$ 3036
72"W	P16572HP		\$ 2218	\$ 2369	\$ 2522	\$ 2903	\$ 3364	\$ 3670

How to specify — Select the Model Number from above.	1st Option: Panel Fabric (if applicable): See page 9 for fabrics. Limited selection for 72"W models.	2nd Option: Paint: P1 P2 P3 See page 66 for finishes. For P2 paints on stacking and base panels — add \$44. For P3 paints — add \$89.	3rd Option: Glass (if applicable): C Clear F Frosted
P .	.	.	.

Examples: P21572G.P7B.F P16524HP.ECH901.P7B.C





S Shippable by small-package carrier.

Panels

Optimize™ — Screens and Doors

For specification information see pages 69-73.

GSA SIN 33721



Description and Examples	7½"H	15"H	7½"H List Price		15"H List Price	
	Model	Model	Clear	Frosted	Clear	Frosted
Glass Panel Mounted Screens — ⅜" Thick Glass with Painted Trim (Example spans multiple panels)						
24"W	P2AOP-0724FG 	P2AOP-1524FG 	\$ 671	\$ 721	\$ 762	\$ 818
30"W	P2AOP-0730FG 	P2AOP-1530FG 	\$ 745	\$ 800	\$ 840	\$ 900
36"W	P2AOP-0736FG 	P2AOP-1536FG 	\$ 827	\$ 887	\$ 949	\$ 1017
42"W	P2AOP-0742FG 	P2AOP-1542FG 	\$ 883	\$ 947	\$ 1010	\$ 1084
48"W	P2AOP-0748FG 	P2AOP-1548FG 	\$ 956	\$ 1024	\$ 1111	\$ 1193
54"W – 24" + 30"	P2AOP-0754FG 	P2AOP-1554FG 	\$ 1070	\$ 1148	\$ 1215	\$ 1303
60"W – 30" + 30" or 24" + 36"	P2AOP-0760FG 	P2AOP-1560FG 	\$ 1161	\$ 1247	\$ 1304	\$ 1397
66"W – 30" + 36"	P2AOP-0766FG 	P2AOP-1566FG 	\$ 1290	\$ 1382	\$ 1409	\$ 1512
72"W – 36" + 36" or 24" + 48"	P2AOP-0772FG 	P2AOP-1572FG 	\$ 1367	\$ 1580	\$ 1487	\$ 1596

Note: Frameless glass model change as of 7/1/2021 due to an adjustment in glass height. New glass models are 1" shorter than old models to accommodate variable height conditions. To match old product for reconfiguration purposes, contact the Tailored Products Group.

Description	Model	P1 List Price	P2 List Price	P3 List Price
Door Panel — Laminate				
80"H x 42"W Hinged Door without Top Trim	P48042DP	\$ 3706	\$ 3760	\$ 3815
Standard Lockset (Door Knob)	899900	\$ 174	N/A	N/A

Note: Polished Brass; keyed on one side.

Door Lever	899910	\$ 496	N/A	N/A
------------	--------	--------	-----	-----

Note: Brushed Aluminum; keyed on one side.

Frosted Translucent Sliding Doors (for 36"W opening)				
50"H x 42"W	Z15042SD	\$ 5537	\$ 5597	\$ 5660
65"H x 42"W	Z16542SD	\$ 6712	\$ 6772	\$ 6835
80"H x 42"W	Z18042SD	\$ 8175	\$ 8235	\$ 8298

Mounting Kit for Sliding Doors (mounts to adjacent Optimize panel)

30"W	P1DMK30		\$ 517	\$ 536	\$ 551
36"W	P1DMK36		\$ 517	\$ 536	\$ 551
42"W	P1DMK42		\$ 517	\$ 536	\$ 551
48"W	P1DMK48		\$ 517	\$ 536	\$ 551

How to specify — Select the Model Number from above.	1st Option: Paint: P1 P2 P3 See page 66 for finishes.	2nd Option: Glass — Screen Only (if applicable): C Clear F Frosted	2nd Option: Laminate — Door Only (if applicable): See page 66 for finishes.	2nd Option: Insert — Sliding Door Only (if applicable): FT Frosted Translucent
	.			F T

Examples: P20720GS.P02.F Z15042SD.P02.FT P1DMK36.P02


S Shippable by small-package carrier.

Panels

Optimize™ — Connector Kits

For specification information see pages 69-73.

GSA SIN 33721




Description	Model	List Price
In-line Connector Kits		
Single Connector Strap and Hardware	P3CONTT S	\$ 106




Connector Straps		
Single Connector Strap	P3CONS1	\$ 23



"L" Connector Strap	P3CONSL	\$ 23
---------------------	---------	-------



"T" Connector Strap	P3CONST	\$ 30
---------------------	---------	-------




"X" Connector Strap	P3CONSX	\$ 39
---------------------	---------	-------



Extended Straight Connector Strap "S"	P3CONSS	\$ 39
---------------------------------------	---------	-------



120 Degree 2 Way Connector Strap "V"	P3CONSV	\$ 52
--------------------------------------	---------	-------



120 Degree 3 Way Connector Strap "Y"	P3CONSY	\$ 52
--------------------------------------	---------	-------

How to specify —

Select the
Model Number
from above.

P3CON

Example: P3CONTT

S Shippable by small-package carrier.

Panels

Optimize™ — Connector Kits

For specification information see pages 69-73.

GSA SIN 33721



Description	Model	P1 List Price	P2 List Price	P3 List Price
Connector Posts				
"L" 90° Connector Post				
35"H "L" Connector Post	P3CONL35N	\$ 139	\$ 163	\$ 184
42½"H "L" Connector Post	P3CONL42N	\$ 139	\$ 163	\$ 184
50"H "L" Connector Post	P3CONL50N	\$ 175	\$ 199	\$ 220
57½"H "L" Connector Post	P3CONL57N	\$ 175	\$ 199	\$ 220
65"H "L" Connector Post	P3CONL65N	\$ 175	\$ 199	\$ 220
72½"H "L" Connector Post	P3CONL72N	\$ 204	\$ 228	\$ 249
80"H "L" Connector Post	P3CONL80N	\$ 204	\$ 228	\$ 249
"T" 3-Way Connector Post				
35"H "T" Connector Post	P3CONT35N	\$ 262	\$ 278	\$ 290
42½"H "T" Connector Post	P3CONT42N	\$ 262	\$ 278	\$ 290
50"H "T" Connector Post	P3CONT50N	\$ 286	\$ 302	\$ 314
57½"H "T" Connector Post	P3CONT57N	\$ 286	\$ 302	\$ 314
65"H "T" Connector Post	P3CONT65N	\$ 286	\$ 302	\$ 314
72½"H "T" Connector Post	P3CONT72N	\$ 353	\$ 369	\$ 381
80"H "T" Connector Post	P3CONT80N	\$ 353	\$ 369	\$ 381
"X" 4-Way Connector Post				
35"H "X" Connector Post	P3CONX35N	\$ 252	\$ 268	\$ 280
42½"H "X" Connector Post	P3CONX42N	\$ 252	\$ 268	\$ 280
50"H "X" Connector Post	P3CONX50N	\$ 276	\$ 292	\$ 304
57½"H "X" Connector Post	P3CONX57N	\$ 276	\$ 292	\$ 304
65"H "X" Connector Post	P3CONX65N	\$ 276	\$ 292	\$ 304
72½"H "X" Connector Post	P3CONX72N	\$ 343	\$ 359	\$ 371
80"H "X" Connector Post	P3CONX80N	\$ 343	\$ 359	\$ 371
"S" Extended Straight Connector Post				
35"H Extended Straight Connector Post "S"	P3CONS35N	\$ 384	\$ 400	\$ 412
42½"H Extended Straight Connector Post "S"	P3CONS42N	\$ 384	\$ 400	\$ 412
50"H Extended Straight Connector Post "S"	P3CONS50N	\$ 474	\$ 490	\$ 502
57½"H Extended Straight Connector Post "S"	P3CONS57N	\$ 474	\$ 490	\$ 502
65"H Extended Straight Connector Post "S"	P3CONS65N	\$ 474	\$ 490	\$ 502
72½"H Extended Straight Connector Post "S"	P3CONS72N	\$ 600	\$ 616	\$ 628
80"H Extended Straight Connector Post "S"	P3CONS80N	\$ 600	\$ 616	\$ 628

How to specify —
Select the
Model Number
from above.

1st Option:

Paint
(if applicable):

P1 P2 P3

See page 66
for finishes.

P 3 C O N


Example: P3CONL35N.P02

Panels

Optimize™ — Connector Kits

For specification information see pages 69-73.

GSA SIN 33721



Description	Model	P1 List Price	P2 List Price	P3 List Price
Panel End Trim				
35"H	P3AOP-ET35	\$ 111	\$ 135	\$ 156
42½"H	P3AOP-ET42	\$ 111	\$ 135	\$ 156
50"H	P3AOP-ET50	\$ 116	\$ 140	\$ 161
57½"H	P3AOP-ET57	\$ 116	\$ 140	\$ 161
65"H	P3AOP-ET65	\$ 116	\$ 140	\$ 161
72½"H	P3AOP-ET72	\$ 145	\$ 169	\$ 190
80"H	P3AOP-ET80	\$ 145	\$ 169	\$ 190
Variable Height Connector Kit — Post Trim				
7½"H	P3AOP-VH07	\$ 107	\$ 131	\$ 152
15"H	P3AOP-VH15	\$ 107	\$ 131	\$ 152
22½"H	P3AOP-VH22	\$ 118	\$ 142	\$ 163
30"H	P3AOP-VH30	\$ 118	\$ 142	\$ 163
In-line Variable Height End Trim Finish Kit				
7½"H	P3AOP-IV07	\$ 107	\$ 131	\$ 152
15"H	P3AOP-IV15	\$ 107	\$ 131	\$ 152
22½"H	P3AOP-IV22	\$ 118	\$ 142	\$ 163
30"H	P3AOP-IV30	\$ 118	\$ 142	\$ 163
Grooved Variable Height Finish Kit				
7½"H	P3AOP-GV07	\$ 109	\$ 133	\$ 154
15"H	P3AOP-GV15	\$ 119	\$ 143	\$ 164
Wall Mount Kit				
35"H	P3AOP-WM35	\$ 238	\$ 262	\$ 283
42½"H	P3AOP-WM42	\$ 238	\$ 262	\$ 283
50"H	P3AOP-WM50	\$ 260	\$ 284	\$ 305
57½"H	P3AOP-WM57	\$ 260	\$ 284	\$ 305
65"H	P3AOP-WM65	\$ 260	\$ 284	\$ 305
72½"H	P3AOP-WM72	\$ 320	\$ 344	\$ 365
80"H	P3AOP-WM80	\$ 320	\$ 344	\$ 365
2-Way 120° Connector Post				
35"H 120 Degree 2 Way Connector Post "V"	P3CONB35N	\$ 237	\$ 252	\$ 263
42½"H 120 Degree 2 Way Connector Post "V"	P3CONB42N	\$ 237	\$ 252	\$ 263
50"H 120 Degree 2 Way Connector Post "V"	P3CONB50N	\$ 252	\$ 267	\$ 278
57½"H 120 Degree 2 Way Connector Post "V"	P3CONB57N	\$ 262	\$ 277	\$ 288
65"H 120 Degree 2 Way Connector Post "V"	P3CONB65N	\$ 262	\$ 277	\$ 288
72½"H 120 Degree 2 Way Connector Post "V"	P3CONB72N	\$ 326	\$ 341	\$ 352
80"H 120 Degree 2 Way Connector Post "V"	P3CONB80N	\$ 326	\$ 341	\$ 352
3-Way 120° Connector Post				
35"H 120 Degree 3 Way Connector Post "Y"	P3CONC35N	\$ 237	\$ 252	\$ 263
42½"H 120 Degree 3 Way Connector Post "Y"	P3CONC42N	\$ 237	\$ 252	\$ 263
50"H 120 Degree 3 Way Connector Post "Y"	P3CONC50N	\$ 252	\$ 267	\$ 278
57½"H 120 Degree 3 Way Connector Post "Y"	P3CONC57N	\$ 262	\$ 277	\$ 288
65"H 120 Degree 3 Way Connector Post "Y"	P3CONC65N	\$ 262	\$ 277	\$ 288
72½"H 120 Degree 3 Way Connector Post "Y"	P3CONC72N	\$ 326	\$ 341	\$ 352
80"H 120 Degree 3 Way Connector Post "Y"	P3CONC80N	\$ 326	\$ 341	\$ 352

How to specify —

Select the Model Number from above.

1st Option:

Paint (if applicable):

P1 P2 P3

See page 66 for finishes.

P 3 .


Examples: P3CONVH15.P02 P335W.P02

Electrical & Data

Optimize™ — Working with Electrical & Data

GSA Reference Page

Optimize features capabilities for cable management, including electrical, voice, and data. The 8-wire electrical system can be integrated at base pathway. The frame allows voice and data cables to be routed horizontally in the base pathway.



Electrical & Data

Optimize™ — Working with Electrical & Data

GSA Reference Page

Electrical Systems

Optimize Electrical Systems


Optimize offers a choice of four electrical systems:

- Four-circuit, 3 + 1
- Four-circuit, 2 + 2
- Three-circuit, separate neutrals
- Eight circuits; two four-circuit systems provided back-to-back.
- See pages 83-84 for a detailed explanation of each electrical system.
- All four systems utilize an 8-wire electrical system, rated at 20 amps per circuit (15 amps Canadian).
- Optimize panels and electrical components are UL Listed. Electrical components are also CSA certified.
- Installation and use of the electrical system, the number of receptacles used on a given circuit, and connections to the building power supply should be in compliance with all local and national electrical codes.

Caution: Electrical equipment cords or extension cords MUST NOT BE ROUTED through panels.

Hardwire Junction Box – New York Code (page 91)

- Hardwire (New York Code) junction box (model A871400) is used when local electrical codes require hardwire entry.
- For use in panels 30" W to 72" W.
- When used in 30" W and 36" W panels, power can be routed only in one direction.
- When used in 42" and wider panels, an electrical pass-thru cable or harness for that panel width can be used to route power back in the opposite direction.
- Unit must connect to a power or pass-thru harness positioned in the base pathway area of an adjacent panel.
- Customer to furnish all cabling and wiring from power entry to power source.
- Junction box can be positioned at any duplex receptacle location.



Hardwire Wiring Harness – Chicago Code (page 91)


- Hardwire (Chicago Code) wiring harnesses and snap connectors are not allowed in Chicago — base pathways must be comprised of all metallic components.
- The base pathway junction box (model A871500) clips direct into receptacle locations for single sided applications.
- Customer must furnish conduit, wiring, and designer-type receptacles for the base pathway.
- Power entry can be routed from the ceiling, via an Optimize power pole, or from the floor into a junction box (model A871500).

Electrical Infeeds

- Power infeed cables deliver power from building to panel's electrical system.
- Infeed cables are housed in conduit to separate electrical system from communications and data lines.
- Select quantity of base or ceiling infeed cables depending on individual power requirements.


Base Pathway Power Infeed (page 91)

- Sealtight base pathway power infeed mounts into any receptacle position in the base pathway area.
- A heavy rubber sheathing shields conduit, allowing infeed to be exposed.




Ceiling Power Infeed (page 91)

- Ceiling power infeed connects to a prewired electrical harness in the base pathway, traverses through an adjacent panel, and terminates in the junction box at the top of the integrated power pole.
- Use integrated power pole model P278PP.
- Most codes allow flex conduit to be exposed after installation. Verify code requirements before ordering for exposed application.



Integrated Power/Communication Pole (page 91)

- Integrated power pole accommodates ceiling power infeed and communication/data lines.
- Provide capacity for routing power infeed and cables to the base pathway of a panel.
- Conduit of the infeed cable serves as the division of electrical and communications cabling.
- Installs into 42½"-65" H or 15" H stacking 90°, "T", and "X" connections.
- Integrated power pole includes trim kit.
- Single cavity with removable cover.
- Field-cut to desired length.
- Outside Dimension: 2" square.
- When using a ceiling power infeed, consider that the infeed must connect into an electrical harness located in an adjacent panel. (See page 91 for cable capacity.)
- To power the prewired electrical system, from a ceiling power source, a ceiling infeed cable, Model A871912, A871912C, A871912A, A871912AC, A871918, A871918C, A871918A, or A871918AC must be purchased separately.
- For applications requiring longer integrated power poles, a 156" H model is available.



Integrated Power and Communications Pole

Electrical & Data

Optimize™ — Working with Electrical

To Order:

1. Determine which electrical system you will use after consulting your electrician and computer support personnel:
 - The four-circuit system (4-Hot/2-Neutral/2-Ground)
 - 3 + 1 option
 - 2 + 2 option
 - The three-circuit system (3-Hot/3-Neutral/2-Ground)
 - The eight-circuit system (back-to-back four-circuit systems)
2. Determine location, quantity, and circuit of duplexes.
3. Determine the appropriate choice and use of isolated, isolated/dedicated, and separate neutrals circuits.
4. Specify appropriate power harnesses* and pass-thru cables.*
5. Determine the location, quantity, and type of power infeed needed.

GSA Reference Page

* Select power harness models (A8712XX), pass-thru cables (A8710XX), and pass-thru harness (A8711XX) with the last two digits corresponding with the panel width into which the component is to be positioned. The initial cable length can be stretched approximately 3" to transverse "T", "X", "L", and extended straight connectors.

Flexconnect™ Electrical System Options


The four-circuit, eight-wire electrical system is widely specified and trusted by hundreds of thousands of end-users. This proven system delivers four circuits for every power infeed in either a 3 + 1 or 2 + 2 configuration. The isolated/dedicated circuits are ideal for sensitive computing equipment, while the common circuits are suitable for faxes, copiers, task lights and other peripherals. Both the 3 + 1 and 2 + 2 systems use the same pre-wired components, making it easy to adjust as electrical needs change.

You can also choose a three-circuit, eight-wire system that has a dedicated neutral for every hot circuit. The three-circuit components have model numbers with an "A" suffix and appear in a gray box in this price.


All three systems utilize an eight-wire electrical system rated at 20 amps per circuit (15 amps Canadian). Concensys panels and electrical components are UL listed and CSA certified.

Reference the Office Equipment Typical Load Values matrix on page 89.


Four-circuit, 3 + 1 Receptacle Option




The 3 + 1 option is the electrical standard used on Allsteel systems for many years in most installations. This wiring option provides three utility circuits plus an isolated/dedicated circuit for more sensitive equipment. Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with single-phase building electrical supply.



Four-circuit, 2 + 2 Receptacle Option



The 2 + 2 option is a wiring option that provides two utility circuits and two isolated circuits for more extensive computer usage applications.




Electrical & Data


Optimize™ — Working with Electrical

GSA Reference Page

Three-circuit, separate neutrals



The three-circuit, separate neutrals configuration is a wiring option that provides separate neutrals for each of the three circuits. Two circuits share a common ground, and one circuit is isolated/dedicated. The three-circuit components have model numbers with an "A" suffix.



Optimize System Receptacle Usage

Two 8-wire, 20 amp (15 amp Canadian) electrical systems are offered

Electrical System	Circuitry	Receptacle Capacity			
Four-circuit 4-Hot/2-Neutral/2-Ground	3 + 1	Common Circuit-1 A871501	Common Circuit-2 ⁽¹⁾ A871502	Common Circuit-3 A871503	Iso/Dedicated Circuit-4 A871504
	2 + 2	Common Circuit-1 A871501	Common Circuit-2 A871502	Isolated Circuit-3 A871506	Isolated Circuit-4 A871504
Three-circuit 3-Hot/3-Neutral/2-Ground	w/separate neutrals	Common Circuit-1 A871501A	Common Circuit-2 A871502A	Iso/Dedicated Circuit-3 A871503A	N/A

(1) Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with a single-phase building electrical supply.

Notes:

- Four-circuit components and three-circuit components (with suffix "A") cannot be used together.
- Components of the two systems are keyed differently to prevent components of one system being connected to components of another system.
- Allsteel Model Numbers are printed on the UL labels, and components are color-coded to provide visual identification of the different components.
- Four-circuit components have black plastic parts.
- Three-circuit components have rust-colored terminal ends and receptacle backs are rust colored.

Duplex Receptacle



15 amp Receptacle



Electrical & Data

Optimize™ — Working with Electrical


GSA Reference Page

Power Harnesses, Pass-Thru Harnesses, and Dual Electrical Harnesses

Electrical power harnesses are used to distribute power in Optimize panels. Harness power blocks snap directly onto brackets in base pathway. Power blocks on electrical power harness and pass-thru harness accept duplex receptacles.




Electrical Power Harness



Electrical Pass-Thru Harness With Power Block




Electrical Pass-Thru Harness Without Power Block




Dual Electrical Eight-circuit Power Harness Kit

All electrical power harnesses and pass-thru harnesses (except 20"W) will stretch 3½", allowing them to span "T", "X", "120°" intersections, and "S" extended straight connections.

Note: "T" intersections require a minimum of one power harness and "X" intersections requires a minimum of two power harnesses.



Requires minimum of one power harness.



Requires minimum of two power harnesses.

Use of a ceiling infeed at this location requires an additional power harness.

Electrical Power Harnesses (page 90)

- Electrical power harnesses are used to distribute power in panels.
- Optimize electrical can only be located at base pathway.
- Specify harness length to match panel width.
- 24" power harness accepts one receptacle on each side of the harness, all other length power harnesses have power blocks to accept four duplex receptacles (two on each side of panel).
- Connectors at both ends of power harnesses allow power distribution in either direction.
- Harness power blocks snap directly onto brackets in base pathway.
- Use of a ceiling infeed requires one additional harness.

Electrical Pass-thru Harness With Power Block (page 90)

- Electrical pass-thru harness with power block have capacity to handle one duplex receptacle on each side of the panel when exposed.
- Specify harness length to match panel width or combined panel widths.
- Power harnesses accept one duplex receptacle per panel side.
- Note: "T" intersections require a minimum of one power harness and "X" intersections requires a minimum of two power harnesses.
- All electrical power harnesses and pass-thru harnesses with power block will stretch 3½", allowing them to span "T", "X", "A" intersections, and "S" extended straight connections.

Electrical Pass-thru Harnesses Without Power Block (page 90)

- Specify harness length to match panel width or combined panel widths.
- Electrical pass-thru cables distribute power through any panel(s) where receptacles are not required. Cable length cannot be stretched.

Dual Electrical Eight-Circuit Power Harness Kits (page 90)


- Kit provides back-to-back four-circuit systems giving double the capacity of harness and pass-thru cables.
- Specify harness length to match panel width.
- Requires two four-circuit infeeds.
- Uses four-circuit receptacles.
- Models must be positioned back-to-back in the panel — single-side use is not permitted.
- Components can only be routed in a single run — a single run can branch to single panel runs at "T" and "X" junctions.
- Standard four-circuit pass-thru cables (A8710xx) can be used in between power harnesses. Two are required in the back-to-back configurations.
- Models can be connected to standard four-circuit power harnesses and pass-thrus, although it is not recommended because of possible circuit number ambiguity.
- Two power infeeds are required to connect the back-to-back runs. Power A8719xx must be connector to a power block at the end of a run.
- Data faceplates and terminals cannot be positioned in a panel into which back-to-back power harnesses are installed
- Power infeeds A8719xx must be routed from a panel wherein no power harness is positioned, into an adjacent panel where a power harness is positioned and connected to the end of a power block.

Electrical & Data

Optimize™ — Working with Electrical

GSA Reference Page

Receptacles



Duplex Receptacle


Receptacle Color Recommended to Coordinate with Paint Color

Paint Color	Receptacle Color
Designer White — PJW	Designer White — DW
Bungalow — P7C	Muslin — EU
Carob — P52	Black — E4
Champagne Metallic — PR5	Muslin — EU
Cinder — P7Q	Brownstone — EY
Fossil — P28	Flint — E9
Gunmetal Metallic — PR3	Brownstone — EY
Parchment — P93	Muslin — EU
Pebble — P8R	Loft — EV
Pewter — P8D	Flint — E9
Platinum Metallic — PR2	Loft — EV
Salt — P8C	Silver — ES
Titanium — P8T	Silver — ES


Duplex Receptacles (page 91)

- Duplex receptacles snap into power blocks of power harnesses or pass-through harnesses with blocks.
- Duplexes are available in multiple colors. See page 66 for finishes.
- Each receptacle is labeled to indicate which circuit it will be connected to: 1, 2, 3, or 4.
- Duplexes are model specific to support either 3+1 and 2+2 electrical infeed; or have an "A" suffix and are design to support a three-circuit separate neutral electrical infeed.


Data Components



Voice/Data Receptacles




ATADF3



ATADF4

Data Faceplates (page 92)

- Optimize not only provides space for large volumes of voice and data cables, it also offers several means of mounting commercially available voice and data components.
- Commercially available modular data faceplates can be mounted in vacant base receptacle openings.
- Due to panel depth, back-to-back data modules should not be used at the base on Optimize.



Base Pathway Cover

Optimize Base Pathway Covers (page 92)





- Features an additional knockout (offset) for improved utilization of power and data. Knockouts are 2.700"W x 1.377"H up to 60"W.
- Due to panel depth, back-to-back data modules should not be used in the base on Optimize.

Electrical & Data

Optimize™ — Working with Electrical & Data

GSA Reference Page

Cable and Wire Management



Cable Management Tray (page 92)

- Attaches under the worksurface to contain cables.
- Metal tray shelf is 4" deep. Can hold electrical power strip and/or surge protector.
- 24" and 36" lengths, use multiple units for larger worksurfaces.
- Attachment hardware included, specify paint color.

Wire Management Channel (page 92)

- Self adhesive backing to attach to panels and underside of worksurfaces.
- Flexible strips allow cabling to enter/exit and can be contained inside the 2-cavity profile.
- Each cavity provides space for a maximum of six .22" dia. cables. Total capacity = 1 sq. in.

Cord Retainer Clip (page 92)

- Provides confinement of vertical electrical/data wiring.
- 1½"H cord clips snap into vertical panel slots to contain cords.
- 4 clips are provided standard with each task light cord.
- Package of 50. Available in Black only.

Wireway Grommet (page 92)

- Fits into any receptacle opening.
- Used when routing wires through receptacle opening.



Replacement Receptacle Cover (page 92)

- Fits into unused receptacle opening in base raceway.
- Package of 25. Specify paint color.

Cord Organizer (page 92)

- Attaches to bottom of worksurface.
- 4"W x 7/8"D, made from sheet metal.
- Top sits flush with worksurface if mounted to worksurface.
- 4 cable cut outs: 2 – .250" diameter and 2 – 0.147" diameter; .250" diameter cut outs are centered between the .147" diameter cut outs.

Lighting



Task Lights (page 312)

- Task lights can be recessed under storage cabinets or storage shelves, panel-hung, or freestanding.
- Three styles of recessed task lights in four sizes are available to correspond to cabinet or shelf width.
- All styles have 9' power cords in black, connected in the right rear corner.
- All models feature electronic ballast for longer bulb life and cooler operating temperature.
- Task lights with a fused plug to meet Chicago electrical code are also available.

Recommendation: Provide a separate circuit for task lights for proper long-term operation without RF interference to computers that may be in use.

LED Undercabinet Light (page 312)


- LED undercabinet light can be mounted beneath overhead cabinets with wood screws or magnets.

Electrical & Data

Optimize™ — Working with Electrical & Data

GSA Reference Page

Base Pathway Receptacle Locations



Circuit Usage

Strategy 1

Circuits to Equipment

Assign specific uses for each of the circuits:

- For example, in a four-circuit system:
Circuit 1 — Calculators, fans, etc.
Circuit 2 — Task lights (could be wired to wall switch)
Circuit 3 — CRT or flat screen monitors
Circuit 4 — CPUs





Strategy 2

Circuits to Workstations

Assign specific workstations to each of the three available circuits. Use circuit 4 for power-sensitive electronic equipment.


Placement of pedestals and lateral files may render some duplex locations inaccessible. Pedestal placement may also affect compatibility with pull-up receptacles.

Lay-in Cable Capacity



- The base pathway allows continuous voice and data lines to run through and between panels without interruption.
- Lay-in is provided for environments where systems furniture or cabling are subject to frequent change.
- Optimize base pathway accepts up to 77 voice/data cables (.25\" dia.) (6.27 sq. in.) at 60% fill.
- When electrical system shares base pathway, the cable capacity in Optimize is reduced to 25 cables (2.03 sq. in.).
- Cable capacity of the Optimize integrated power pole is 3.3 sq. in. for a total capacity of 34 cables of .25\" diameter.
- Cable capacity of the power pole/communication pole Model A870070 is 4.5 sq. in.
- Cables can enter/exit panel through underside of base pathway on frames.

Note: Cable quantities listed are at 60% fill ratio.



Electrical & Data

Office Equipment Typical Load Values

Office Equipment Typical Load Values

Item	*Amps
Desktop/2 Monitors	4
Laptop Computer	1
Laptop/2 Monitors/Docking Station	3
Paper Shredder	1.22
Radio	0.05
Scanner	3
Space Heater (1500 watts)	12
Task Light (equiv. 60-watt bulb)	
Fluorescent	0.12
LED	0.08
USB Charger	0.17
LCD Television (42")	1
LCD Monitor (21")	0.5
Bluetooth Speaker	0.1
Desktop Printer	
Inkjet	0.15
Laser	4 to 10
Multimedia Projector	1.7
Sit-to-Stand Height-Adjustable Desk	Idle 0.01 / Max 4
Office Kitchen	
Coffee Maker	10
Microwave	10
Toaster	12.5
Compact Refrigerator	1.5

*Chart is recommended for planning purposes. Check device specifications for exact amperage. Consult with your electrician regarding the applicable configurations.

Examples of Component Usage based on the *Office Equipment Typical Load Values* Chart

Power Option 3+1

Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2, 3: Height-adjustable tables and ancillary items

Power Option 2+2

Dedicated Circuit 3: 4 desktop computers with 2 monitors each; or 10 laptop computers
Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2: Height-adjustable tables and ancillary items

Power Option 3 (Circuit-separate neutrals)



Dedicated Circuit 3: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2: Height-adjustable tables and ancillary items

Electrical & Data

Optimize™ — Electrical Components

For specification information see pages 81-89.

GSA SIN 33721



Description	Max. Recept. Cap. per Panel Side	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals		List Price
Electrical Power Harnesses					
For 24" W Panels	1	A871224	A871224A		\$ 379
For 30" W Panels	2	A871230	A871230A		\$ 379
For 36" W Panels	2	A871236*	A871236A		\$ 379
For 42" W Panels	2	A871242*	A871242A		\$ 403
For 48" W Panels	2	A871248*	A871248A		\$ 403
For 60" W Panels	2	A871260*	A871260A		\$ 403
For 72" W Panels	2	A871272*	A871272A		\$ 404

Electrical Pass-Thru Harnesses with Power Block


For 24" W Panels	1	A871124	A871124A		\$ 232
For 30" W Panels	1	A871130	A871130A		\$ 232
For 36" W Panels	1	A871136*	A871136A		\$ 232
For 42" W Panels	1	A871142*	A871142A		\$ 247
For 48" W Panels	1	A871148*	A871148A		\$ 247
For 60" W Panels	1	A871160*	A871160A		\$ 247
For 72" W Panel Runs	1	A871172	A871172A		\$ 331

Electrical harnesses are intended for use with Allsteel systems furniture and are approved under GSA SIN 33721. When purchased separately and used without Allsteel systems furniture, those electrical harnesses marked by () are considered Open Market.

Electrical Pass-Thru Cable without Power Block

For 24" W Panels	0	A871024	A871024A		\$ 212
For 30" W Panels	0	A871030	A871030A		\$ 212
For 36" W Panels	0	A871036	A871036A		\$ 212
For 42" W Panels	0	A871042	A871042A		\$ 222
For 48" W Panels	0	A871048	A871048A		\$ 222
For 60" W Panels	0	A871060	A871060A		\$ 222

Note: Four-circuit components and three-circuit components (with an "A" suffix) cannot be connected together.



Description	Max. Recept. Cap. per Panel Side	Eight-circuit 3 + 1 (each side) 2 + 2 (each side)		List Price
Dual Electrical Eight-circuit Power Harness Kit				
For 24" W Panels	1	A2-8CIR24		\$ 911
For 30" W Panels	2	A2-8CIR30		\$ 911
For 36" W Panels	2	A2-8CIR36		\$ 1318
For 42" W Panels	2	A2-8CIR42		\$ 1318
For 48" W Panels	2	A2-8CIR48		\$ 1318
For 60" W Panels	2	A2-8CIR60		\$ 1329
For 72" W Panels	2	A2-8CIR72		\$ 1329

Note: Kit consists of two four-circuit harnesses placed "back-to-back" to provide 8 circuits.

How to specify —
Select the
Model Number
from above.

1st Option:

Color:

P Black

P

Examples: A871224.P A871224A.P A2-8CIR36.P


Shippable by small-package carrier.

Electrical & Data


Optimize™ — Electrical Components

For specification information see pages 81-89.


GSA SIN 33721




Duplex Receptacle



Electrical Infeed Cables



Ceiling Electrical Infeed Cable



Hardwire Power Infeed



Hardwire Junction Box

Description	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals	List Price
Duplex Receptacles for Optimize Base Pathway (specify color)			
Circuit 1	A871501	A871501A S	\$ 69
Circuit 2	A871502	A871502A S	\$ 69
Circuit 3 (3+1)	A871503	A871503A S	\$ 69
Circuit 3 (2+2)	A871506	N/A S	\$ 69
Circuit 4 — iso/dedicated	A871504	N/A S	\$ 69
Circuit 1, 20 AMP	A871601	A871601A S	\$ 69

Electrical Infeed Cables

6' Sealtight Cable for Optimize Receptacle	A879072	A879072A S	\$ 426
6' Flex Cable	A871972	A871972A S	\$ 321
14' Sealtight Cable — ¾" dia.	A879168	A879168A S	\$ 1028

Ceiling Electrical Infeed Cables

12' Flex Cable	A871912	A871912A S	\$ 435
18' Flex Cable	A871918	A871918A S	\$ 548

Hardwire Power Infeed (New York Code)


For 30"–72" W panels	A871400	A871400A S	\$ 418
Note: Customer to furnish all cabling and wiring from power entry to power source. (Approved for use by city of New York.)			
Hardwire Junction Box (6-pack)	A871500	N/A S	\$ 903

Note: Junction box can be positioned at any duplex receptacle location for single-sided application. Customer must furnish conduit, wiring and designer-type receptacle. (Approved for use by city of Chicago.)

Receptacle Color Recommended to Coordinate with Paint Color

Paint Color	Recommended Receptacle Color
Bungalow — P7C.....	Muslin — EU
Champagne Metallic — PR5.....	Muslin — EU
Cinder — P7Q.....	Brownstone — EY
Fossil — P28.....	Flint — E9
Gunmetal Metallic — PR3.....	Brownstone — EY
Parchment — P93.....	Muslin — EU
Pebble — P8R.....	Loft — EV
Pewter — P8D.....	Flint — E9
Platinum Metallic — PR2.....	Loft — EV
Salt — P8C.....	Silver — ES
Titanium — P8T.....	Silver — ES

Note: Four-circuit components and three-circuit components (with an "A" suffix) cannot be connected together.



Description	Model	P1 List Price	P2 List Price	P3 List Price
Integrated Power/Communication Pole for Optimize				
For 42½"H-65"H Panels — 78"H	P278PP S	\$ 975	\$ 992	\$ 1005
For 42½"H-65"H Panels — 156"H	P2156PP S	\$ 1295	\$ 1315	\$ 1331

Power/Communication Pole

10'5" long w/o Receptacles — 2¼" square	A870070	\$ 775	N/A	N/A
---	---------	--------	-----	-----

Note: Limited availability of P1 paint options. P2 and P3 options do NOT apply to this model.

How to specify —
Select the
Model Number
from above.

1st Option:
Electrical Receptacle
Color (if applicable):
See page 66
for finishes.

1st Option:
Color
(if applicable):
P Black

1st Option:
Paint
(if applicable):
P1 P2 P3
See page 66
for finishes.

Examples: A871501.E4

A879072.P

A871912A.P

P278PP.PR2

S Shippable by small-package carrier.

Electrical & Data

Optimize™ — Electrical and Data Components

For specification information see pages 81-89.

GSA SIN 33721

ATADF3



ATADF4



Description

Model

List Price

Data Faceplates

Three-Port Flex-Mode Faceplate,
Black (E4)

ATADF3 [S]

\$ 40

Four-Port Flex-Mode Faceplate,
Black (E4)

ATADF4 [S]

\$ 40

Notes: ATADF3 can install up to 3 jacks (CAT 3, 5E or 6). ATADF4 can install 4 jacks (CAT 3, 5E or 6).

ATADF models are compatible with ports in Optimize base pathway.

Allsteel's data faceplates are designed for use with the jacks listed below. We do not guarantee compatibility with other manufacturers' product.



ATADJ5

Jacks

RJ45 CAT 5E Jack — Black only

Toolless

ATADJ5 [S]

\$ 71

RJ45 CAT 6 Jack — Black only

Requires Tool

ATADJ6 [S]

\$ 95

Cable Management Tray

24" Tray

CMT24 [S]

\$ 123

36" Tray

CMT36 [S]

\$ 147

Wire Management Channel (Black only)

92" Long

AEV920 [S]

\$ 227

Cord Retainer Clip

Package of 50 (Black only)

AAPACM2

\$ 54

Wireway Grommet (Black only)

Pack of 6

TAWG [S]

\$ 181

Replacement Receptacle Covers (specify cover color)

Pack of 25

PRECPCVR [S]

\$ 132

Description

Model

List Price

P1

P2

P3

Cord Organizer

4"W x 7/8"D Metal with 4 cable cutouts

U9WTC [S]

\$ 190

\$ 198

\$ 205

Base Pathway Covers — with additional knockout

36"W

CBPLATE3-36

\$ 98

\$ 115

\$ 128

42"W

CBPLATE3-42

\$ 100

\$ 117

\$ 130

48"W

CBPLATE3-48

\$ 106

\$ 123

\$ 136

60"W

CBPLATE3-60

\$ 123

\$ 140

\$ 153

How to specify —

Select the
Model Number
from above.

1st Option:

Paint Color
(if applicable):

P1 P2 P3

See page 66
for finishes.

1st Option:

Wireway Grommet,
Receptacle Covers, and
Data Faceplate Color:

P

E

Examples: A870300 AEV920 CMT24.P27 TAWG.E4
ATADF4.E4 PRECPCVR.EU U9WTC.PR2














[S] Shippable by small-package carrier.

Monolithic Panel Systems – 03/2023

Worksurfaces

Add Suffix "N" to model number for no grommets, no upcharge.

Laminate with Flat Edge




Arrows indicate grain direction for woodgrain laminates.
Grain direction on symmetrical corner worksurfaces runs at a diagonal.

Worksurfaces

Optimize™ — Working with Worksurfaces and Supports





GSA Reference Page

Worksurfaces are 1½" thick with particleboard core and with top surfaces finished in laminate. Bottom surfaces are covered with a backer sheet. Worksurfaces can be panel hung or used in freestanding applications. Modesty panels and appropriate supports are required to configure freestanding Cadence® desks.



Worksurfaces

- **Laminate tops** offer flat edge trim in twenty standard colors (customer specified) to match solid or woodgrain laminates and to complement patterned laminates.
- **Optional wider width primary worksurfaces** are available for use with Optimize panel runs having a "T" or "S" connection — upcharge applies.



- **Wire management grommets** are standard in most worksurfaces (unless specified with no grommets) and specified in plastic or metal. Metal grommets are available in oval or square.
- Rectangular worksurfaces over 42"W have two grommets. Corner cove worksurfaces will have two grommets. Peninsula and corner worksurfaces have one. D-Shaped worksurfaces and countertops do not have grommets.
- Grommets on standard systems worksurfaces are located 6⅞" from the side edges and 3⅞" from the back edge.
- Add Suffix "N" to a model number for no grommets — no upcharge.

Supports

Worksurfaces can be configured at 29½"H with end-panel supports and in-line support panels, or at various heights on 1" increments using specific product configurations.

Worksurface support options include:

- | | |
|--------------------------------|-------------------------------------|
| • Support column* | • Support storage units* |
| • Flat brackets | • Pedestal-to-panel attachment kit* |
| • External support channel | • Desk-to-panel attachment kit* |
| • Worksurface bracket kits | • Corner desk leg |
| • Height adjustable mechanisms | • Bridge and return kits |
| • Cantilever brackets | • Modesty panels |
| • In-line support legs* | • Gussets |
| • End-panel supports* | |

*Units provide floor support.

Support Guidelines — See Drawings on page 95

- Panel mounted worksurface runs 96" and greater need floor support for improved stability when overheads are not used.
- When using overheads in panel mounted worksurface run applications 72" and greater, floor support* is required. (See list at left.)
- When using overheads at the end of a panel run, floor supports* are required.
- Worksurface bracket kit should be used to tie panels to worksurface for added stability.
- A return panel at the end of a panel run can be substituted with one of these floor supports: storage, open or closed end support panel, O-leg.

continued on next page

Worksurfaces



Optimize™ — Working with Worksurfaces and Supports

GSA Reference Page




continued from previous page

- Cantilever brackets cannot be used at the end of a worksurface panel run in place of a return panel or floor support.
- Worksurface runs 60" W or greater require an external worksurface support channel when a center support cantilever cannot be used. It is recommended for spans greater than 48" W. See pages 99 and 110.


- Support channel may interfere with mounting of some CPU holders and keyboard supports.
- Cantilevers are recommended in place of an external worksurface support channel where feasible.
- Cadence Desking configurations utilize modesty panels and gussets in place of external support channels for worksurfaces up to 72" W. See pages 100-108.



Worksurface bracket kit should be used to tie panels to worksurface for added stability



Cantilevers are recommended in place of an external worksurface support channel where feasible.



Worksurfaces with Flat Edge

**Primary Worksurfaces** (page 109)


- Primary worksurfaces are available in 20", 24", and 30" depths up to 96"W. Worksurface spans greater than 72" require floor support.
- Nominal worksurface width is equal to nominal panel width.
- Wire management grommets standard, one for widths up to 42", two on widths 48"W and greater. Add "N" suffix for no grommets.
- Worksurfaces greater than 60"W require a cantilever bracket for center support in panel mounted applications. Specify 18" cantilever on 20"D, and 24" cantilever on 24"D and 30"D worksurfaces.
- Width must correspond with panel width(s). For worksurface to span a "T" or extended straight connection add upcharge and suffix "TM" to model number.
- Primary worksurfaces can be used with a modesty panel and appropriate supports to configure freestanding desk(s). Refer to Working With Cadence®, pages 100-108.
- The 9120 Program can be used to order HPL particle board rectangular worksurfaces in any non-standard width and depth in 1/8" increments up to a maximum of 120"W x 36"D. See pages 116-117.

**Bow-Front Worksurfaces** (page 110)


- Two wire management grommets standard.
- Can be used with a modesty panel and appropriate supports to configure freestanding desk. Refer to Cadence pages 100-108.

**Corner Worksurfaces** (page 111)

- One wire management grommet.
- Corner worksurfaces with woodgrain laminate have grain direction diagonal to adjacent worksurfaces.
- Does NOT include rear support bracket. If rear support bracket is needed, order T6BK. Worksurface bracket kit (order separately) required at junction where a panel is wall-mounted to a permanent wall and wall track stanchion is not positioned in the right-hand corner.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.

**120° Corner Worksurfaces** (page 111)


- Standard with one wire management grommet in corner location.
- Does NOT include rear support bracket. If rear support bracket is needed, order T6BK. Worksurface bracket kit (order separately) required at junction where a panel is wall-mounted to a permanent wall and wall track stanchion is not positioned in the right hand corner.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.

**60° Pie Worksurface** (page 111)

- Order support column and two flat brackets separately.


Corner Shelf (page 111)

- Diagonal leading edge = 10½"; diagonal depth = 22½".
- Includes panel attachment brackets.


**Corner Cove Worksurfaces** (page 112)

- Two wire management grommets standard.
- Does NOT include rear support bracket. If rear support bracket is needed, order T6BK. Worksurface bracket kit (order separately) required at junction where a panel is wall-mounted to a permanent wall and wall track stanchion is not positioned in the right-hand corner. All other support hardware is ordered separately.
- Can be used with a modesty panel and appropriate supports to configure freestanding desk(s). Refer to Cadence pages 100-108.
- Worksurfaces greater than 60"W require a cantilever bracket for center support in panel mounted applications. Specify 24" cantilever on 24"D and 30"D worksurfaces.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.

Worksurfaces with Flat Edge

**Peninsula, P-Shaped, and Jetty Worksurfaces** (page 113)


- Wire management grommets standard.
- Support column ordered separately, column includes panel support brackets T6BK.
- Can be used with a modesty panel and appropriate supports to configure freestanding desk(s). Refer to Cadence® pages 100-108.

**Quarter-Round Worksurfaces** (page 114)

- Use to connect two 90° panel-attached worksurfaces.
- Order support column and two flat brackets separately.

D-Shaped Worksurfaces (page 114)


- Order support column and two 24"D in-line support legs separately.
- Not recommended for use with T6CB24L or T6CB24R for shared applications.
- Includes attachment bracket.

**Countertops** (page 115)

- Mounting brackets and attaching hardware ordered separately.
- Countertops are flush with panel top cap.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.

**Countertop Brackets** (page 115)


- Countertop brackets must be ordered separately. Models P51500 and P51500-42 each contain one right-hand and one left-hand bracket.
- Specify paint color.
- Model P51500 brackets are for 35"H or 50"H panels. Model P51500-42 brackets are for 42½"H panels.
- Order two model P51500 or P51500-42 for straight countertops. Order three model P51500 or P51500-42 for corner countertops.

**Height-Adjustable Worksurfaces**



- For freestanding applications, see height-adjustable tables in the Seating, Collaboration, and Tables Price List.

Non-Standard Worksurface Sizes (pages 116 and 117)




- The 9120 Program can be used to order particle board rectangular worksurfaces in any non-standard width and depth in ½" increments up to a maximum of 120"W x 36"D.
- Other modification requests should be made through Allsteel Tailored Products Group.



Worksurface Supports

End-Panel, Closed End,
and Open End Supports

Support Legs

Support
ColumnsHanded
Cantilever BracketsNon-Handed
Cantilever Brackets**End Supports and Bracket Kits** (page 118)

- End-panels are 1½" thick. For use in place of panels at the end of worksurface runs.
- Levelers provide 1½" vertical adjustment.
- Must be connected into panel slots for panel hung applications.
- Straight worksurfaces adjacent to 120° connections must be supported by full end-panels.
- 11"D end-panel models for use with D-shaped worksurfaces or curvilinear shaped worksurfaces in freestanding applications.
- Panel mounted end-panel supports are ordered for right- or left-handed application.
- Open end panel supports are non-handed and are only for panel mounted applications.
- End-panel models can be converted to freestanding with removal of panel mount bracket. End-panel bracket kit converts freestanding end-panel support model to panel mounted.

Support Legs and Bracket Kit (page 118)

- Support legs are 1½" thick. Leg portion is 12¾"D. Supports the junction of two worksurfaces.
- Non-handed for use at either end of worksurface.
- Provided with flat bracket.
- Worksurface in-line support legs are used to support worksurfaces only in a shared position. Worksurfaces require to the floor support every 72".
- Levelers provide 1½" vertical adjustment.
- Must be connected into panel slots for panel hung applications.
- Panel mounted models can be converted to freestanding with removal of panel mount bracket.
- Support leg bracket kit (non-handed) converts freestanding model to panel mounted.

Support Columns (page 118)

- Used to support one end of curvilinear worksurfaces.
- D-shaped, P-shaped, peninsula, jetty, boomerang, and reef worksurfaces require support columns (ordered separately).
- Includes column, worksurface bracket kit T6BK, attaching hardware, and adjustable glides.


Cantilever Brackets — handed (page 118)

- Cantilever brackets are left or right handed. No assembly required.
- They can be inserted into panel reveals in 1" vertical increments.
- One size is used for both 24" and 30"D worksurfaces.
- 18"D cantilever are for use with 20"D worksurfaces and to support 24"D worksurfaces 66"-72"W that require a cantilever bracket for center support in panel mounted applications.
- 12"D cantilevers are only for use with 12"D secondary worksurfaces.
- Both left and right brackets are required in shared applications.
- Includes tie bracket and attachment hardware.
- Use with runs 72" or less — avoid installation on only one side of a straight connection except to support corner worksurfaces. Floor support is required for runs greater than 72". See page 95.
- Cantilevers can and should still be used in the middle of a worksurface run 72"W or less for proper support and to help prevent worksurface bowing. See page 95.
- DO NOT position at the end of a panel run.
- DO NOT use to support worksurfaces from which a hanging pedestal is suspended or peninsula worksurface is attached.
- DO NOT use cantilever brackets to support worksurfaces supported with permanent-wall hanger kit.

Cantilever Bracket — non-handed (page 118)

- Assembly required. Includes attachment hardware.
- Includes two angle brackets for shared applications. Use two cantilever brackets when adjacent worksurfaces are positioned at different heights.
- One size is used for both 24" and 30"D worksurfaces.

Worksurface Supports




Worksurface Brackets

Worksurface Bracket Kit — T6BK (page 118)

- Worksurface bracket kit allows one end of a worksurface to be supported by a return panel. Return panel width must be the same as the depth of the worksurface.
- Kit includes one pair of brackets and attachment hardware.
- Freestanding pedestals can also be used to support one end of a panel-attached worksurface in conjunction with worksurface bracket.

Worksurface Storage Bracket Kit — T6SB (page 118)

- Worksurface storage bracket kit (T6SB) is used for aesthetics where under-desk storage is immediately adjacent to the return panel. In all other applications use worksurface bracket kit (T6BK) to utilize worksurface threaded metal inserts.
- Black only.
- Kit includes one pair of brackets and attachment hardware.
- Brackets do not align with worksurface threaded metal inserts, and therefore require wood screws (included).



Flat Brackets




Pedestal-to-Panel Brackets

Flat Brackets (page 118)

- Includes bracket and attaching hardware.
- Can be used to connect one worksurface perpendicular to another worksurface.

Pedestal-to-Panel Attachment Bracket (page 118)

- Can be used in place of full end panel or return panel.
- Provides structural support to panel run by securing panel directly to pedestal.
- Works with Essentials™ and Involve® pedestals.



External Worksurface Support Channel

External Worksurface Support Channel (page 110)

- Is required on a systems worksurface for additional support for spans 60" W or greater. Width of worksurface span can be reduced by using support storage.
- Extends 1½" below the worksurface. Installs 7" from user's edge.
- When using 28"H mobile pedestals the length of support channel needs to be reduced to accommodate width of the pedestal.
- Support channel may interfere with mounting of some CPU holders and keyboard supports. May require spacer kit AKMH.

Freestanding Desks



- Freestanding desks can be created by combining primary and corner worksurfaces with modesty panels and appropriate desk supports. See Cadence® pages 100-108.

Cadence® Freestanding

Optimize™ — Working with Cadence

GSA Reference Page

Configurations



Full Modesty



Half Modesty



Gussets

All the right choices

Choose Cadence freestanding desking with confidence. It personalizes any work environment, accommodates a range of needs, and offers all the right features — curvilinear worksurface shapes, multiple worksurface edges, and a complete paint finish and laminate offering. Cadence is made to last with heavy-gauge steel construction. Metal-to-metal worksurface connection points make installation and reconfiguration reliable and easy. And Cadence is backed by a lifetime warranty.

Universally flexible

Cadence sets up easily and reconfigures time after time. It even shares components with Optimize, Terrace®, and Concensys®, which simplifies inventory management. Cadence is created with worksurfaces, supports, modesty panels, end panels, and brackets. Cadence is compatible with the entire line of Allsteel storage solutions and Extensions™ — work tools to provide personalized organization for every workstyle.

Systems integration — Cadence works in combination with Optimize, Terrace, or Concensys panels, extending the functionality of each product line.

Highly adaptable — Make the most of building architecture by using an existing wall to create a semi-private workspace.

Space utilization — Multiple worksurface shapes offer unlimited design potential for using space creatively and efficiently.

Team interaction — Cadence design flexibility allows you to create personal workspace and a team collaboration area in the same office.

The Cadence choice

It works in the open plan, the private office, or in combination with Optimize, Terrace, or Concensys panels, allowing complete office coordination. The flexible, universal design of Cadence supports virtually any workstyle and any interior aesthetic. Backed by Allsteel's Lifetime Warranty and manufactured to strict environmental standards, Cadence provides one high-value package.

Configurations

End Panels **E** and Support Legs **L**

Each are available in two options: freestanding or panel-mount. If the freestanding version is purchased and later needs to be converted to panel-mount, the proper handed panel-mount bracket may be purchased separately.


The 11"D end panel is used to freestand peninsulas, curvilinear shapes, and D-tops in panel applications.

Corner Desk Legs **C**

Corner desk legs have a 90-degree bend and welded construction. The strong construction allows gussets or half-height modesty panels to be used with corner legs.

Bridge Kits **B**

Bridge kits include: two flat brackets, two modesty panel-to-end panel attachment brackets, and two tie straps. This kit is used when attaching a bridge unit between two rectangular worksurfaces.



There are some bridge instances where only half of a bridge kit is needed (e.g. using a bridge between a rectangular worksurface and a corner or peninsula). A return kit may be ordered for these instances.


Surface **S**

Support Column **SC**

Support columns are used to support one end of curvilinear worksurfaces. Includes column, worksurface bracket kit T6BK, attaching hardware, and adjustable glides.

Return Kits **R**


Return kits include: one flat bracket, one modesty panel-to-end panel attachment bracket, and one tie strap. These are used when attaching a return to a primary desk. Return kits can also be used in some bridge applications — one example is shown below when using a peninsula.



Desk-to-Panel Attachment Kits **D**


Desk-to-panel attachment kits are used to connect a worksurface and modesty panel perpendicular to a panel of corresponding width. Opposing end of worksurface must be attached with an end-panel, support leg, or corner leg mounted directly under this worksurface.

When using a corner or corner cove worksurface with the rear corner attached to a panel, and opposing end of worksurface is attached to a freestanding desk, use corner w/desk attachment kit. Hand of unit is determined from the user's side of the desk (right hand unit attaches to right side of modesty).



Corner w/Desk Panel Attachment Kit ^{CW}


Corner w/desk panel attachment kit connects the rear corner of a corner or corner cove worksurface and modesty panel to a panel when the opposing end of the worksurface shares a support leg with an adjacent freestanding desk and the support leg is mounted under the freestanding desk. Hand of unit is determined from the user's side of the desk (left hand unit attaches to left side of modesty).

**Corner Worksurfaces**

Corner worksurfaces to accommodate 90-degree corner desk legs.

In-Line Connections of Desks

Freestanding full end panels must be used to support adjacent rectangular desks, corner desks, and corner desks with returns. Freestanding support legs should NOT be used at the in-line junction. 24"D full end panels may be used at the in-line junction on 30"D rectangular desks if two worksurface tie straps are used to secure the desks together. Contact Allsteel Customer Support for ordering information.

**Pedestals and Storage**

Pedestals must be ordered one size smaller than the depth of the worksurface. For example, 18"D or 20"D peds should be used with 24"D worksurfaces. 18", 20"D, or 23"D pedestals can be used with 30"D worksurfaces. Using 18"D laterals or personal files provide additional pull style and storage options under 24"D worksurfaces.


Modesty Panels ^M

The following are some general guidelines for Cadence modesty panels:


- **Desk:** Modesty panel width is the same width as the worksurface
- **Return:** Modesty panel width is 6" greater than the width of the worksurface
- **Bridge connecting two rectangular worksurfaces:** Modesty panel width is 12" greater than the width of the bridge worksurface
- **Bridge connecting a rectangular worksurface and corner or peninsula:** Modesty panel width is 6" greater than the width of the worksurface
- **Corner connecting to an adjacent worksurface:** Modesty panel width is the same width as the worksurface.

Stand-Alone Corner Modesty Panels SM

Stand-alone corner modesty panels are used only when one or both sides of a corner or corner cove worksurface are freestanding and NOT attached to another worksurface. Specify the width the same as the width of the worksurface.

**Gussets ^G**


Gussets can be used in place of a modesty panel with desks 36"W to 60"W. Gussets can also be used with corner desk legs.



Configurations


Freestanding Desk

Example Shown Qty.	Model	Description
1	T52436S	Flat Edge Worksurface 24"D x 36"W
2	CEP2429F	End-Panel Support 24"D x 29½"H
1	CS369	Modesty Panel 36"W x 29½"H




Panel-Attached Desk

Example Shown Qty.	Model	Description
1	T52436S	Flat Edge Worksurface 24"D x 36"W
1	CEP2429F	End-Panel Support 24"D x 29½"H
1	CS369	Modesty Panel 36"W x 29½"H
1	□DPA29R	Desk-to-Panel Attachment Kit 29½"H – RH C – Concensys® TK – Optimize or Terrace®



CONFIGURATION OPTIONS	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel			Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	12" wider than Work-surface (M+12)		
Freestanding Desk	1	2		1				
Panel-Attached Desk	1	1		1			1 RH	

Return Desk (Attached to a primary or return desk.)




Example Shown Qty.	Model	Description
1	T52436S	Flat Edge Worksurface 24"D x 36"W
1	CS429	Modesty Panel 42"W x 29½"H
1	CEP2429F	End-Panel Support 24"D x 29½"H
1	CRK29	Return Kit

Note: The widest modesty panel is 72"W which limits return worksurfaces to a maximum of 66"W.

CONFIGURATION OPTIONS	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel			Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)	Return Kit (R)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	12" wider than Work-surface (M+12)			
Return Desk	1	1			1				1

Return Desk (Attached to a panel-hung worksurface.)



Example Shown Qty.	Model	Description
1	T52448S	Flat Edge Worksurface 24"D x 48"W
1	CS549	Modesty Panel 54"W x 29½"H
1	CEP2429F	End-Panel Support 24"D x 29½"H
1	CRK29	Return Kit


Cadence® Freestanding

Optimize™ — Working with Cadence

GSA Reference Page

Configurations

Bridge Desk (Attached between two primary desks.)




Example Shown

Qty.	Model	Description
1	T52442S	Flat Edge Worksurface 24"D x 42"W
1	CS549	Modesty Panel 54"W x 29½"H
1	CBK29	Bridge Kit

CONFIGURATION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel			Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)	Bridge Kit (B)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	12" wider than Work-surface (M+12)			
Bridge Desk	1					1			1

Bridge Desk and Peninsula (Attached to a primary desk).



Example Shown

Qty.	Model	Description
1	T52442S	Flat Edge Worksurface 24"D x 42"W
1	T53060B	Flat Edge Peninsula Worksurface 30"W x 60"L
1	CS489	Modesty Panel 48"W x 29½"H
1	CS309	Modesty Panel 30"W x 29½"H
1	CEP1129F	End-Panel Support 11"D x 29½"H
1	CSL2429F	Support Leg 24"D x 29½"H
1	CRK29	Return Kit
1	830299	Support Column for Peninsula Worksurface 29½"H (Concensys®)
1	TT629SC	(Optimize or Terrace®)

CONFIGURATION OPTION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel			Desk-to-Panel Attachment Kit (D)	Support Column (SC)	Return Kit (R)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	12" wider than Work-surface (M+12)			
Bridge Desk and Peninsula	2	1	1	1	1			1	1


Cadence® Freestanding

Optimize™ — Working with Cadence

GSA Reference Page


Configurations

Corner Desk (Stand-alone)



Example Shown Qty.	Model	Description
1	T53624CR	Flat Edge Worksurface 24"D x 36"W
2	CSCMP3629	Stand-Alone Corner Modesty Panel 36"W x 29½"H
2	CEP2429F	End-Panel Support 24"D x 29½"H
1	CDL29	Corner Desk Leg 29½"H


Corner Desk (With an adjacent desk attached at one side.)



Example Shown Qty.	Model	Description
1	T53624CR	Flat Edge Corner Worksurface 24"D x 36"W
1	T52436S	Flat Edge Worksurface 24"D x 36"W
1	CSCMP3629	Stand-Alone Corner Modesty Panel 36"W x 29½"H
2	CS369	Modesty Panel 36"W x 29½"H
2	CEP2429F	End-Panel Support 24"D x 29½"H
1	CSL2429F	Support Leg 24"D x 29½"H
1	CDL29	Corner Desk Leg 29½"H

CONFIGURATION OPTION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel		Stand-Alone Corner Modesty Panel	Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)			
Corner Desk	1	2				2		1
Corner Desk (with adjacent desk)	2	2	1	2		1		1

Bridge Desk (Attached between corner and primary desk.)



Example Shown Qty.	Model	Description
1	T52436S	Flat Edge Worksurface 24"D x 36"W
1	CS429	Modesty Panel 42"W x 29½"H
1	CRK29	Return Kit
1	CSL2429F	Support Leg 24"D x 29½"H

CONFIGURATION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel			Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)	Return Kit (R)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	12" wider than Work-surface (M+12)			
Bridge Desk	1		1		1				1


Cadence® Freestanding

Optimize™ — Working with Cadence

GSA Reference Page

Configurations


Corner Desk (Attached to a panel with an adjacent desk at one side.)



Example Shown		
Qty.	Model	Description
1	T53624CR	Flat Edge Corner Worksurface 36"W x 24"D
1	T52430S	Flat Edge Worksurface 24"D x 30"W
1	CS369	Modesty Panel 36"W x 29½"H
1	CS309	Modesty Panel 30"W x 29½"H
1	CEP2429F	End-Panel Support 24"D x 29½"H
1	CSL2429F	Support Leg 24"D x 29½"H
1	□CWD29L	Corner w/Desk Attachment Kit 29"H LH
C – Concensys®		
TK – Optimize or Terrace®		

CONFIGURATION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel			Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)	Corner w/Desk Panel Attachment Kit (CW)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	12" wider than Work-surface (M+12)			
Corner Desk	2	1	1	2					1 LH


"U" with Jetty and Corner Cove



Example Shown		
Qty.	Model	Description
1	T54722JR	Flat Edge Jetty RH 48"D x 72"W x 24" x 30"
1	T5722ER	Flat Edge Corner Cove RH 48"D x 72"W x 24"
2	CS489	Modesty Panel 48"W x 29½"H
1	CSCMP7229	Stand-Alone Corner Modesty Panel 72"W x 29½"H
1	CEP1129F	End-Panel Support 11"D x 29½"H
1	CSL2429F	Support Leg 24"D x 29½"H
1	CEP2429F	Full End-Panel Support 24"D x 29½"H
1	CDL29	Corner Desk Leg 29½"H
1	830299	Support Column for Jetty 29½"H (Concensys)
1	TT629SC	(Optimize or Terrace)

CONFIGURATION OPTION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel		Stand-Alone Corner Modesty Panel	Support Column (SC)	Corner Desk Leg (C)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	Same width as Work-surface (SM)		
Cove and Jetty	2	2	1	2		1	1	1


Cadence Supports



End-Panel Supports

End-Panel Supports (page 119)


- End panels are 1⅝" thick. For use at the end of worksurface runs.
- Levelers provide 1½" vertical adjustment.
- Freestanding models can be converted to Optimize panel-mount with end panel bracket kit.
- Must be connected into panel slots for panel hung applications.
- Straight worksurfaces adjacent to 120° connections must be supported by full end panels.
- 11"D models for use with D-shaped worksurfaces or curvilinear shaped worksurfaces in freestanding applications.



Support Leg

Support Legs (page 119)


- Support legs are non-handed. Supports the junction of two worksurfaces.
- Leg portion is 12¾"D and is 1⅝" thick.
- Flat bracket included.
- Levelers provide 2¾" vertical adjustment.
- Freestanding models can be converted to Optimize panel-mount with support leg bracket (non-handed).
- Must be connected into panel slots for panel hung applications.



Corner Desk Leg

Corner Desk Leg (page 119)

- Attaches two modesty panels at rear of corner desk.
- Leveler provides 2¾" vertical adjustment.
- See examples on pages 102 and 105.



Bridge Kit

Bridge Kit (page 119)


- Connects bridge worksurface and modesty panel to end panels and worksurfaces that are perpendicular to the bridge worksurface.
- Includes two flat brackets and two modesty panel-to-end-panel brackets.
- See examples on pages 101 and 105.



Return Kit

Return Kit (page 119)


- Connects return worksurface and modesty panel to end panel and perpendicular worksurface — non-handed.
- Includes one flat brackets and one modesty panel-to-end-panel bracket.
- See examples on pages 101 and 103.



Desk-to-Panel Attachment Kit

Desk-to-Panel Attachment Kits for Optimize (page 119)


- Used to connect a worksurface and modesty panel perpendicularly to a Optimize Panel of corresponding width. Opposing end of worksurface must be attached with an end-panel, support leg, or corner leg mounted directly under this worksurface.
- If using corner or corner cove with the rear corner attached to a panel, and opposing end of worksurface is attached to a freestanding desk — use corner w/desk panel attachment kit.
- “Hand” of unit is determined from the user’s side of the desk (left hand unit attaches to left side of modesty).



Corner w/Desk Attachment Kit

Corner w/Desk Panel Attachment Kit for Optimize (page 119)

- Used when the rear corner of a corner or corner cove worksurface and modesty panel is attached to a Optimize panel and opposing end of worksurface is attached to a freestanding desk. Opposing end of worksurface shares the support leg that is mounted under the adjacent freestanding desk.
- “Hand” of unit is determined from the user’s side of the desk.




Flat Bracket

Flat Brackets (page 119)

- Bracket and attaching hardware.
- Can be used to connect one worksurface perpendicular to another worksurface.

Cadence Supports



Freestanding Pedestals

- Can also be used to support one end of a panel-attached worksurface in conjunction with worksurface bracket.

Freestanding Desks


- Freestanding desks can be created by combining primary and corner worksurfaces with modesty panels and appropriate desk supports. See pages 100-106.

Pedestal Compatibility with Cadence and Panel-hung Worksurfaces

Cadence Desking	24" Deep	30" Deep
18"D Ped	Yes	Yes
19½"D Ped	Yes*	Yes
23¾"D Ped		Yes
29½"D Ped		
Systems Panel-hung	24" Deep	30" Deep
18"D Ped	Yes	Yes
19½"D Ped	Yes*	Yes
23¾"D Ped	Yes*	Yes
29½"D Ped		Yes*

*Wire management grommet is blocked in these applications.

Note: Pedestal placement may affect access to receptacles in base pathway.



Universal Modesty Panels

	Peninsula			P-Shape	Jetty		Boomerang
Model	60"L	66"L	72"L	72"L	66"L	72"L	72"L
PMP41	•						
PMP47		•		•	•		
PMP53			•		•	•	•

Optimize Wall Track/Tile Attachment Kits (page 119)

- Allows for mounting of system panel components on permanent wall structures.
- Begin with one pair of ends; for multiple kits in line, add middle unit(s) between ends.
- Height of wall track coordinates with panel height. Field cut for lower heights.
- Wall track will add 1" to depth of attached components.
- Use Terrace® wall track tile attachment kit to install tiles onto Optimize wall track. Kit includes two tile bars. Top bar may only be used in the top uppermost position on wall track. Bottom bar can be used in the bottom position at any location on wall track.
- When segmenting tiles on wall track, segment bars must be ordered for placement between all vertically adjacent tiles or at the top position of a single tile that is not in the uppermost position.
- When using Optimize wall track and using Terrace tiles to create a tackboard situation under overheads hung at 65"H, make sure to use a 30"H tile or 2-15"H tiles to cover the entire area between the overheads and the worksurface.

Modesty Panel (page 120)

- Mounts to end-panel supports, desk support legs, bridge kit, return kit, desk-to-panel, and corner w/desk panel attachment kits.
- 29½"H units provide ¾" of space between bottom of modesty panel and floor.
- Actual width of 29½"H modesty panel is ¾" less than the nominal dimension listed in the Systems Price List.
- 14"H units provide 1¼" of space between bottom of modesty panel and floor.
- Refer to pages 100-106 to select proper width.
- Use 14"H modesty panels for desks positioned against a wall to provide access to electrical receptacles.
- 14"H modesty panels, stand-alone corner modesty panels or gussets can be used with corner or corner cove worksurfaces.

Stand-alone Corner Modesty Panel (page 120)

- 29½"H units provide ¾" of spacing between bottom of panel and floor.
- 14"H units provide 1¼" of space between bottom of modesty panel and floor.
- Actual width of modesty panel is 6⅙" less than the nominal dimension listed in the Systems Price List.
- Modesty panels are inset 2⅞"; when adding pedestals, consult chart below.

Pedestal-to-Pedestal Modesty Panels (page 120)

- Widths available to work with 60"W, 66"W, and 72"W worksurfaces to create freestanding double pedestal desk using two medal support pedestals.

Gussets (page 120)

- Provides easy access to wall outlets.
- Cannot be used with suspended pedestals.
- Gussets can be used on corner and corner cove worksurfaces.

Universal Modesty Panel (page 120)

- Mounts under peninsula, P-shape, jetty, and boomerang worksurfaces. Refer to chart below to select proper width.
- Can be used with panel-mounted and freestanding worksurfaces.
- Provides 8½" of privacy and is non-handed.
- Constructed of steel. No upcharge for Select paint.
- Only requires attachment to the worksurface.
- Does not provide electrical, data or structural support.
- Panel is 1½" thick and can be mounted at various distances from edge of worksurface based on user's preference for clearance and conferencing requirements.


Worksurfaces

Optimize™ — Primary

For specification information see pages 93-108.
For non-standard worksurface sizes see pages 116-117.

Laminate

GSA SIN 33721



Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge		
		L1 List Price	L2 List Price	L3 List Price
Primary Worksurfaces				
24"W x 20"D	T52024S	\$ 373	\$ 390	\$ 405
30"W x 20"D	T52030S	\$ 396	\$ 414	\$ 429
36"W x 20"D	T52036S	\$ 442	\$ 461	\$ 478
42"W x 20"D	T52042S	\$ 497	\$ 518	\$ 537
48"W x 20"D	T52048S	\$ 536	\$ 558	\$ 578
54"W x 20"D	T52054S	\$ 582	\$ 606	\$ 626
60"W x 20"D	T52060S	\$ 662	\$ 691	\$ 712
66"W x 20"D	T52066S	\$ 717	\$ 748	\$ 771
72"W x 20"D	T52072S	\$ 747	\$ 779	\$ 802
78"W x 20"D	T52078S	\$ 973	\$ 1012	\$ 1045
84"W x 20"D	T52084S	\$ 1017	\$ 1057	\$ 1092
90"W x 20"D	T52090S	\$ 1202	\$ 1247	\$ 1291
96"W x 20"D	T52096S	\$ 1260	\$ 1307	\$ 1353
24"W x 24"D	T52424S	\$ 395	\$ 413	\$ 428
30"W x 24"D	T52430S	\$ 416	\$ 435	\$ 450
36"W x 24"D	T52436S	\$ 469	\$ 489	\$ 507
42"W x 24"D	T52442S	\$ 524	\$ 545	\$ 565
48"W x 24"D	T52448S	\$ 568	\$ 592	\$ 611
54"W x 24"D	T52454S	\$ 614	\$ 642	\$ 660
60"W x 24"D	T52460S	\$ 697	\$ 727	\$ 748
66"W x 24"D	T52466S	\$ 758	\$ 790	\$ 814
72"W x 24"D	T52472S	\$ 791	\$ 824	\$ 848
78"W x 24"D	T52478S	\$ 1027	\$ 1067	\$ 1102
84"W x 24"D	T52484S	\$ 1076	\$ 1118	\$ 1155
90"W x 24"D	T52490S	\$ 1271	\$ 1318	\$ 1364
96"W x 24"D	T52496S	\$ 1330	\$ 1380	\$ 1429
24"W x 30"D	T53024S	\$ 416	\$ 435	\$ 450
30"W x 30"D	T53030S	\$ 501	\$ 522	\$ 541
36"W x 30"D	T53036S	\$ 539	\$ 561	\$ 581
42"W x 30"D	T53042S	\$ 581	\$ 605	\$ 625
48"W x 30"D	T53048S	\$ 614	\$ 642	\$ 660
54"W x 30"D	T53054S	\$ 686	\$ 716	\$ 737
60"W x 30"D	T53060S	\$ 764	\$ 796	\$ 820
66"W x 30"D	T53066S	\$ 825	\$ 859	\$ 885
72"W x 30"D	T53072S	\$ 895	\$ 931	\$ 960
78"W x 30"D	T53078S	\$ 1162	\$ 1206	\$ 1249
84"W x 30"D	T53084S	\$ 1214	\$ 1259	\$ 1304
90"W x 30"D	T53090S	\$ 1448	\$ 1502	\$ 1555
96"W x 30"D	T53096S	\$ 1495	\$ 1550	\$ 1606



Notes:

- 1) Add suffix and upcharge for 24"D and 30"D primary worksurfaces to span a "T" or extended straight connection. Suffix = "TM" for flat edge worksurfaces (Optimize — adds 2¼" to width) \$38 upcharge. Examples: **T53030STM**, **T53060STM**
- 2) Add Suffix "N" to model number for no grommet, no upcharge. Example: **T53078SN**

2) Add Suffix "N" to model number for no grommet, no upcharge. Example: **T53078SN**

How to specify — Select the Model Number from above. Prefix T Lamine w/Flat	1st Option: Laminate: See page 66 for finishes.	2nd Option: Edge Trim Color: See page 66 for finishes.	3rd Option: Grommet Type (if applicable): P Oval Plastic (will match edge trim) M Oval Metal (Add \$12 per grommet) S Square Metal (Add \$12 per grommet)	4th Option: Grommet Color (Metal only): EL Matte Silver Note: Plastic grommet color matches trim selection.
---	--	---	---	---

Examples: T52424S.LM14.EW.P T53048STMN.LM14.E4



Worksurfaces

Optimize™ — Bow-Front / External Support Channel

For specification information see pages 93-108.

Laminate

GSA SIN 33721




Flat Edge

Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge		
		L1	L2	L3
		List Price	List Price	List Price
Bow-Front Worksurfaces				
60"W x 30"D¹ x 36"D²	TT53660BT	\$ 1142	\$ 1186	\$ 1228
66"W x 30"D¹ x 36"D²	TT53666BT	\$ 1240	\$ 1286	\$ 1331
72"W x 30"D¹ x 36"D²	TT53672BT	\$ 1334	\$ 1384	\$ 1433

Note: Add Suffix "N" to model number for no grommet, no upcharge.

Sample Worksurface

12"W x 12"D	831212M	\$ 369	\$ 385	\$ 398
-------------	---------	--------	--------	--------



Description	Model	List Price
External Worksurface Support Channel (no color option) — 1½"H		
30"W External Support Channel for use on 42"W Worksurface	Z5SC42 S	\$ 83
36"W External Support Channel for use on 48"W Worksurface	Z5SC48 S	\$ 86
42"W External Support Channel for use on 54"W Worksurface	Z5SC54 S	\$ 99
48"W External Support Channel for use on 60"W Worksurface	Z5SC60	\$ 106
54"W External Support Channel for use on 66"W Worksurface	Z5SC66	\$ 124
60"W External Support Channel for use on 72"W Worksurface	Z5SC72	\$ 133
66"W External Support Channel for use on 78"W Worksurface	Z5SC78	\$ 145
72"W External Support Channel for use on 84"W Worksurface	Z5SC84	\$ 160

How to specify —
Select the
Model Number
from above.

1st Option:
Laminate
(if applicable):
See page 66
for finishes.

2nd Option:
Edge Trim Color
(if applicable):
See page 66
for finishes.

3rd Option:
Grommet Type
(if applicable):
P Oval Plastic (will
match edge trim)
M Oval Metal (Add \$12
per grommet)
S Square Metal (Add
\$12 per grommet)

4th Option:
Grommet Color
(Metal only)
(if applicable):
EL Matte Silver
Note: Plastic grommet
color matches trim
selection.

E | L

Examples: TT53660BT.LT3B.EV.P 831212M.LT3B.EX.P
Z5SC42

S Shippable by small-package carrier.


Worksurfaces

Optimize™ — Corner / 120° / 60° / Shelf




For specification information see pages 93-108.

Laminate

GSA SIN 33721



Flat Edge




Corner Shelf


Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge		
		L1 List Price	L2 List Price	L3 List Price
24"D Corner Worksurfaces w/Radial Leading Edge				
36"W x 24"D	T53624CR	\$ 720	\$ 753	\$ 778
42"W x 24"D	T54224CR	\$ 772	\$ 806	\$ 835
48"W x 24"D	T54824CR	\$ 888	\$ 927	\$ 959
24"D Corner Worksurfaces w/Straight Leading Edge				
36"W	T53624SC	\$ 694	\$ 724	\$ 752
42"W	T54224SC	\$ 732	\$ 763	\$ 792
48"W	T54824SC	\$ 828	\$ 862	\$ 897
30"D Corner Worksurfaces w/Radial Leading Edge				
42"W x 30"D	T54230CR	\$ 948	\$ 988	\$ 1023
48"W x 30"D	T54830CR	\$ 1029	\$ 1071	\$ 1111
30"D Corner Worksurfaces w/Straight Leading Edge				
42"W	T54230SC	\$ 904	\$ 942	\$ 979
48"W	T54830SC	\$ 935	\$ 974	\$ 1012
60° Pie Worksurface				
24"D	TN52424SD	\$ 643	\$ 672	\$ 691
Corner Shelves with Flat Edge				
36" x 36" x 11"D	860536M	\$ 712	\$ 741	\$ 760
42" x 42" x 11"D	860542M	\$ 756	\$ 786	\$ 807
48" x 48" x 11"D	860548M	\$ 803	\$ 834	\$ 858

Note: Add Suffix “N” to model number for no grommet, no upcharge.

Corner Worksurfaces with Radial Leading Edge



Corner Worksurfaces with Straight Leading Edge



How to specify —
Select the
Model Number
from above.

1st Option:

Laminate:
See page 66
for finishes.

2nd Option:

Paint (Corner Shelves only):

P1 P2 P3
See page 66
for finishes.

2nd Option:

Edge Trim Color:
See page 66
for finishes.

3rd Option:

Grommet Type
(if applicable):

- P** Oval Plastic (will match edge trim)
- M** Oval Metal (Add \$12 per grommet)
- S** Square Metal (Add \$12 per grommet)

4th Option:

**Grommet Color
(Metal only):**

EL Matte Silver

Note: Plastic grommet color matches trim selection.

Examples: T53624CR.LT3B.EV.MEL 860536M.LT3B.P27.E4


Worksurfaces

Optimize™ — Corner Cove


For specification information see pages 93-108.

Laminate

GSA SIN 33721




Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge		
		L1 List Price	L2 List Price	L3 List Price
Corner Cove Worksurfaces — Extended Left				
60" x 36" — 24"L / 24"R	T5822EL	\$ 831	\$ 867	\$ 899
60" x 36" — 24"L / 30"R	T5832EL	\$ 870	\$ 908	\$ 940
60" x 48" — 24"L / 24"R	T5622EL	\$ 931	\$ 971	\$ 1005
60" x 48" — 30"L / 24"R	T5623EL	\$ 974	\$ 1015	\$ 1052
60" x 48" — 24"L / 30"R	T5632EL	\$ 974	\$ 1015	\$ 1052
60" x 48" — 30"L / 30"R	T5633EL	\$ 1010	\$ 1052	\$ 1091
72" x 36" — 24"L / 24"R	T5922EL	\$ 931	\$ 971	\$ 1005
72" x 36" — 24"L / 30"R	T5932EL	\$ 974	\$ 1015	\$ 1052
72" x 48" — 24"L / 24"R	T5722EL	\$ 1206	\$ 1253	\$ 1299
72" x 48" — 30"L / 24"R	T5723EL	\$ 1250	\$ 1298	\$ 1349
72" x 48" — 24"L / 30"R	T5732EL	\$ 1250	\$ 1298	\$ 1349
72" x 48" — 30"L / 30"R	T5733EL	\$ 1287	\$ 1338	\$ 1389



Corner Cove Worksurfaces — Extended Right				
36" x 60" — 24"L / 24"R	T5822ER	\$ 831	\$ 867	\$ 899
36" x 60" — 30"L / 24"R	T5832ER	\$ 870	\$ 908	\$ 940
48" x 60" — 24"L / 24"R	T5622ER	\$ 931	\$ 971	\$ 1005
48" x 60" — 24"L / 30"R	T5623ER	\$ 974	\$ 1015	\$ 1052
48" x 60" — 30"L / 24"R	T5632ER	\$ 974	\$ 1015	\$ 1052
48" x 60" — 30"L / 30"R	T5633ER	\$ 1010	\$ 1052	\$ 1091
36" x 72" — 24"L / 24"R	T5922ER	\$ 931	\$ 971	\$ 1005
36" x 72" — 30"L / 24"R	T5932ER	\$ 974	\$ 1015	\$ 1052
48" x 72" — 24"L / 24"R	T5722ER	\$ 1206	\$ 1253	\$ 1299
48" x 72" — 24"L / 30"R	T5723ER	\$ 1250	\$ 1298	\$ 1349
48" x 72" — 30"L / 24"R	T5732ER	\$ 1250	\$ 1298	\$ 1349
48" x 72" — 30"L / 30"R	T5733ER	\$ 1287	\$ 1338	\$ 1389

Note: Add Suffix "N" to model number for no grommet, no upcharge.



Note: Freestanding Altitude electric height-adjustable tables are available to order in Seating, Collaboration, and Tables price list.

How to specify —
Select the
Model Number
from above.

1st Option:
Laminate:
See page 66
for finishes.

2nd Option:
Edge Trim Color:
See page 66
for finishes.

3rd Option:
Grommet Type:
P Oval Plastic (will
match edge trim)
M Oval Metal (Add \$12
per grommet)
S Square Metal (Add
\$12 per grommet)

4th Option:
Grommet Color
(Metal only):
EL Matte Silver
Note: Plastic grommet
color matches trim
selection.

E | L

Examples: T5822EL.LT3B.EY.MEL T5822EL.LT3B.EV.P

Worksurfaces


Optimize™ — Peninsula / P-Shaped / Jetty

For specification information see pages 93-108.


Laminate

GSA SIN 33721

Support column
ordered separately.




Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge		
		L1	L2	L3
		List Price	List Price	List Price
Peninsula Worksurfaces				
60"L x 30"W	T53060B	\$ 1045	\$ 1086	\$ 1123
66"L x 30"W	T53066B	\$ 1155	\$ 1199	\$ 1242
72"L x 30"W	T53072B	\$ 1260	\$ 1307	\$ 1353
60"L x 36"W	T53660B	\$ 1260	\$ 1307	\$ 1353
66"L x 36"W	T53666B	\$ 1398	\$ 1450	\$ 1502
72"L x 36"W	T53672B	\$ 1539	\$ 1595	\$ 1655




P-Shaped Worksurfaces w/42" Diameter End

72"L x 30"W (Left hand)	T53072PR	\$ 1444	\$ 1498	\$ 1552
72"L x 30"W (Right hand)	T53072PL	\$ 1444	\$ 1498	\$ 1552



Jetty Worksurfaces — Left Hand


48"A x 66"B x 24"C x 30"D	T54662JL	\$ 1357	\$ 1408	\$ 1459
48"A x 72"B x 24"C x 30"D	T54722JL	\$ 1387	\$ 1438	\$ 1490
48"A x 66"B x 30"C x 30"D	T54663JL	\$ 1417	\$ 1469	\$ 1522
48"A x 72"B x 30"C x 30"D	T54723JL	\$ 1443	\$ 1497	\$ 1551



Jetty Worksurfaces — Right Hand

48"A x 66"B x 24"C x 30"D	T54662JR	\$ 1357	\$ 1408	\$ 1459
48"A x 72"B x 24"C x 30"D	T54722JR	\$ 1387	\$ 1438	\$ 1490
48"A x 66"B x 30"C x 30"D	T54663JR	\$ 1417	\$ 1469	\$ 1522
48"A x 72"B x 30"C x 30"D	T54723JR	\$ 1443	\$ 1497	\$ 1551

Note: Add Suffix "N" to model number for no grommet, no upcharge.



How to specify —
Select the
Model Number
from above.

1st Option:
Laminate:
See page 66
for finishes.

2nd Option:
Edge Trim Color:
See page 66
for finishes.

3rd Option:
Grommet Type:
P Oval Plastic (will
match edge trim)
M Oval Metal (Add \$12
per grommet)
S Square Metal (Add
\$12 per grommet)

4th Option:
Grommet Color
(Metal only):
EL Matte Silver
Note: Plastic grommet
color matches trim
selection.

E | L

Examples: T53060B.LT3B.EV.P T54662JL.LT3B.EV.MEL

Worksurfaces

Optimize™ — Quarter-Round / D-Shaped

For specification information see pages 93-108.

Laminate


GSA SIN 33721

Support column
ordered separately.

Support column
and flat brackets
ordered separately.


Quarter-Round Worksurfaces (outside corner connecting two 90° panel-attached worksurfaces)

24"D x 24"D	802424M	\$ 585	\$ 607	\$ 627
30"D x 30"D	803030M	\$ 737	\$ 767	\$ 787




D-Shaped Worksurfaces

Connects to two 24"D Worksurfaces	832407M	\$ 1128	\$ 1168	\$ 1204
Connects to two 30"D Worksurfaces	833007M	\$ 1312	\$ 1357	\$ 1401



Support column
and 11" end panels
ordered separately.

Note: Cantilever brackets should not be used in place of end panels in this application.



832407M

833007M



How to specify —
Select the
Model Number
from above.

1st Option:

Laminate:

See page 66
for finishes.

2nd Option:

Edge Trim Color:

See page 66
for finishes.

Examples: 802424M.LT3B.EV 832407M.LT3B.EV


Worksurfaces

Optimize™ — Countertops


For specification information see pages 93-108.

Laminate

GSA SIN 33721



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Countertop Brackets — Straight countertops require 2 sets; corner countertops 3 sets				
For 35"H and 50"H Panels — 1 each right-hand and left-hand	P51500	\$ 53	\$ 64	\$ 72
For 42½"H Panels — 1 each right-hand and left-hand	P51500-42	\$ 53	\$ 64	\$ 72



Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge		
		L1 List Price	L2 List Price	L3 List Price
Straight Countertops — must order 2 sets of brackets per surface				
24"W x 15"D	851524M	\$ 375	\$ 392	\$ 405
30"W x 15"D	851530M	\$ 416	\$ 434	\$ 448
36"W x 15"D	851536M	\$ 467	\$ 486	\$ 502
42"W x 15"D	851542M	\$ 484	\$ 503	\$ 520
48"W x 15"D	851548M	\$ 512	\$ 532	\$ 550
54"W x 15"D	851554M	\$ 580	\$ 602	\$ 621
60"W x 15"D	851560M	\$ 647	\$ 666	\$ 682
66"W x 15"D	851566M	\$ 670	\$ 698	\$ 716
72"W x 15"D	851572M	\$ 697	\$ 726	\$ 744



Corner Countertops 15"D at ends — must order 3 sets of brackets per surface				
24"W x 24"W	852424M	\$ 732	\$ 762	\$ 782
30"W x 30"W	853030M	\$ 851	\$ 884	\$ 908
36"W x 36"W	853636M	\$ 944	\$ 979	\$ 1008
42"W x 42"W	854242M	\$ 1025	\$ 1063	\$ 1095



How to specify —
Select the
Model Number
from above.

1st Option:
Laminate
(Countertops only):
See page 66 for finishes.

1st Option:
Paint
(for Brackets only):
P1 P2 P3
See page 66
for finishes.

2nd Option:
Edge Trim Color
(Countertops only):
See page 66 for finishes.

Examples: 851524M.LT3B.EX P51500.P02

Worksurfaces

9120 Program

Laminate Worksurfaces / Non-Standard Sizes

ORDERING


The 9120 Program can be used to order particle board rectangular worksurfaces in any non-standard width and depth in $\frac{1}{8}$ " increments up to a maximum of 120" W x 36" D.

Specify:

- Model Number**
Specify closest nominal width/depth model (round up).
- Grommet Option** (if desired)
See grommet specification instructions on this page.
- Grommet Type:**
P Plastic
M Metal (add \$12 per grommet for laminate)
- Grommet Color:**
(Metal only)
EL Matte Silver
NOTE: Plastic grommet will match flat edge.
- Laminate Choices**
See page 66.
- Flat Edge Color Choices**
See EDGE COLORS page 66 for laminates.
- Exact Size**
Specify the **EXACT Width** and **EXACT Depth** you require.
Width and depth is specified in $\frac{1}{8}$ " increments which is denoted as a single digit following the whole number dimension at the end of the model number string.

$\frac{1}{8}$ " = 1	$\frac{5}{8}$ " = 5
$\frac{2}{8}$ " = 2	$\frac{6}{8}$ " = 6
$\frac{3}{8}$ " = 3	$\frac{7}{8}$ " = 7
$\frac{4}{8}$ " = 4	no extra increment = 0

For example, when ordering a worksurface that is $34\frac{3}{8}$ " W x $20\frac{1}{2}$ " D, specification should be 345Wx204D.
Example: 9120R3624.G0.TM33.EU.345Wx204D.



PRODUCT SPECIFICATIONS

- Flat Edge on all sides
- 45 lb. particle board
- 1 $\frac{1}{8}$ " top thickness
- .020 resin impregnated paper backer sheet
- Grommets available
- Maximum width 120" (maximum recommended unsupported span is 42")
- Maximum depth 36"
- Standard Allsteel laminates
- Quantities of 10 or greater are palletized; less than 10 are individually cartoned.

Note: 9120 worksurface maximum unsupported span is 42". 9120 worksurfaces do not have pre-drilled pilot holes or threaded metal inserts.


When spanning multiple freestanding storage units with one worksurface, add $\frac{1}{8}$ " for each additional storage unit. For example, when ordering a worksurface for three 30"W lateral files, 3 units x 30" = 90" + $\frac{1}{8}$ " + $\frac{1}{8}$ " = 90 $\frac{1}{4}$ " worksurface. Do NOT follow this rule if panel wrapping storage units.

CHANGES / CANCELLATIONS

No changes/cancellations for 9120 Program Worksurfaces.

GROMMET SPECIFICATIONS

Plastic grommets are made of durable ABS plastic and grommets match edge color on laminate worksurfaces. Metal grommets are only available Matte Silver oval for laminate.



PRICING

One Grommet – GC, GL, or GR Position \$19.00
Two Grommets – G3 or G4 Position..... \$38.00
NOTE: Add \$12 per grommet for Metal grommets with laminate.

ORDERING


Specify grommet location and color.

Example: 9120R10836.GCP.TM33.EU.1022Wx326D

Code Grommet Position

- GC Centered side-to-side – $3\frac{3}{8}$ " from rear to grommet edge;
 $4\frac{1}{2}$ " from rear to grommet center
- GL $6\frac{3}{16}$ " from left side to grommet edge – $3\frac{3}{8}$ " from rear to grommet edge; $4\frac{1}{2}$ " from rear to grommet center
- GR $6\frac{3}{16}$ " from right side to grommet edge – $3\frac{3}{8}$ " from rear to grommet edge; $4\frac{1}{2}$ " from rear to grommet center
- G3 Pair of grommets each 18" from side edge – $3\frac{3}{8}$ " from rear to grommet edge; $4\frac{1}{2}$ " from rear to grommet center (Position G3 not available on tops 60"W or less.)
- G4 Pair of grommets each $6\frac{3}{16}$ " from side edge to grommet edge – $3\frac{3}{8}$ " from rear to grommet edge; $4\frac{1}{2}$ " from rear to grommet center
- G0 No grommets

Dimensions are from grommet center line to top edge.



Rectangular Top

Grommet positions other than those shown above are considered non-standard.

Worksurfaces

9120 Program

For specification information see page 116.

Laminate Worksurfaces / Non-Standard Sizes

GSA SIN 33721


Maximum	Model Number*	Width		Depth		Laminate List Price		
		MIN	MAX	MIN	MAX	L1	L2	L3
18"D								
18"W	9120R1818	180W	180W	121D	180D	\$ 454	\$ 474	\$ 490
24"W	9120R2418	181W	240W	121D	180D	\$ 474	\$ 494	\$ 512
30"W	9120R3018	241W	300W	121D	180D	\$ 519	\$ 540	\$ 558
36"W	9120R3618	301W	360W	121D	180D	\$ 539	\$ 561	\$ 581
42"W	9120R4218	361W	420W	121D	180D	\$ 624	\$ 648	\$ 669
48"W	9120R4818	421W	480W	121D	180D	\$ 688	\$ 718	\$ 739
60"W	9120R6018	481W	600W	121D	180D	\$ 898	\$ 933	\$ 961
72"W	9120R7218	601W	720W	121D	180D	\$ 1086	\$ 1126	\$ 1162
84"W	9120R8418	721W	840W	121D	180D	\$ 1420	\$ 1470	\$ 1522
96"W	9120R9618	841W	960W	121D	180D	\$ 1468	\$ 1520	\$ 1572
108"W	9120R10818	961W	1080W	121D	180D	\$ 1679	\$ 1737	\$ 1798
120"W	9120R12018	1081W	1200W	121D	180D	\$ 1822	\$ 1890	\$ 1958
24"D								
24"W	9120R2424	181W	240W	181D	240D	\$ 515	\$ 536	\$ 556
30"W	9120R3024	241W	300W	181D	240D	\$ 563	\$ 585	\$ 605
36"W	9120R3624	301W	360W	181D	240D	\$ 587	\$ 611	\$ 631
42"W	9120R4224	361W	420W	181D	240D	\$ 674	\$ 703	\$ 721
48"W	9120R4824	421W	480W	181D	240D	\$ 728	\$ 759	\$ 782
60"W	9120R6024	481W	600W	181D	240D	\$ 942	\$ 978	\$ 1010
72"W	9120R7224	601W	720W	181D	240D	\$ 1128	\$ 1170	\$ 1207
84"W	9120R8424	721W	840W	181D	240D	\$ 1468	\$ 1520	\$ 1572
96"W	9120R9624	841W	960W	181D	240D	\$ 1444	\$ 1498	\$ 1552
108"W	9120R10824	961W	1080W	181D	240D	\$ 1728	\$ 1788	\$ 1851
120"W	9120R12024	1081W	1200W	181D	240D	\$ 1864	\$ 1933	\$ 2004
30"D								
30"W	9120R3030	241W	300W	241D	300D	\$ 619	\$ 647	\$ 665
36"W	9120R3630	301W	360W	241D	300D	\$ 651	\$ 680	\$ 699
42"W	9120R4230	361W	420W	241D	300D	\$ 694	\$ 724	\$ 745
48"W	9120R4830	421W	480W	241D	300D	\$ 751	\$ 783	\$ 807
60"W	9120R6030	481W	600W	241D	300D	\$ 986	\$ 1024	\$ 1056
72"W	9120R7230	601W	720W	241D	300D	\$ 1127	\$ 1170	\$ 1210
84"W	9120R8430	721W	840W	241D	300D	\$ 1711	\$ 1774	\$ 1838
96"W	9120R9630	841W	960W	241D	300D	\$ 1752	\$ 1816	\$ 1882
108"W	9120R10830	961W	1080W	241D	300D	\$ 1973	\$ 2045	\$ 2121
120"W	9120R12030	1081W	1200W	241D	300D	\$ 2199	\$ 2281	\$ 2363
36"D								
36"W	9120R3636	301W	360W	301D	360D	\$ 884	\$ 919	\$ 949
42"W	9120R4236	361W	420W	301D	360D	\$ 1004	\$ 1044	\$ 1078
48"W	9120R4836	421W	480W	301D	360D	\$ 1129	\$ 1172	\$ 1212
60"W	9120R6036	481W	600W	301D	360D	\$ 1454	\$ 1505	\$ 1557
72"W	9120R7236	601W	720W	301D	360D	\$ 1712	\$ 1772	\$ 1833
84"W	9120R8436	721W	840W	301D	360D	\$ 2072	\$ 2144	\$ 2220
96"W	9120R9636	841W	960W	301D	360D	\$ 2124	\$ 2199	\$ 2274
108"W	9120R10836	961W	1080W	301D	360D	\$ 2355	\$ 2438	\$ 2524
120"W	9120R12036	1081W	1200W	301D	360D	\$ 2464	\$ 2555	\$ 2649

Worksurfaces

Optimize™ — Worksurface Supports

For specification information see pages 93-99.

GSA SIN 33721



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
End-Panel Supports				
11"D x 29½"H — Left – Panel-Mount	TKEP1129PL	\$ 277	\$ 317	\$ 357
11"D x 29½"H — Right – Panel-Mount	TKEP1129PR	\$ 277	\$ 317	\$ 357
24"D x 29½"H — Left – Panel-Mount	TKEP2429PL	\$ 296	\$ 336	\$ 376
24"D x 29½"H — Right – Panel-Mount	TKEP2429PR	\$ 296	\$ 336	\$ 376
30"D x 29½"H — Left – Panel-Mount	TKEP3029PL	\$ 324	\$ 364	\$ 404
30"D x 29½"H — Right – Panel-Mount	TKEP3029PR	\$ 324	\$ 364	\$ 404
Support Legs				
24"D x 29½"H — Panel-Mount	TKSL2429P	\$ 261	\$ 301	\$ 341
30"D x 29½"H — Panel-Mount	TKSL3029P	\$ 285	\$ 325	\$ 365
Support Columns				
29½"H / 3"Diameter	TT629SC	\$ 249	\$ 289	\$ 329
Cantilever Brackets				
12"D Left-Hand	T6CB12L	\$ 69	\$ 85	\$ 97
12"D Right-Hand	T6CB12R	\$ 69	\$ 85	\$ 97
18"D Left-Hand	T6CB18L	\$ 74	\$ 90	\$ 102
18"D Right-Hand	T6CB18R	\$ 74	\$ 90	\$ 102
24" or 30"D Left-Hand	T6CB24L	\$ 81	\$ 97	\$ 109
24" or 30"D Right-Hand	T6CB24R	\$ 81	\$ 97	\$ 109
Cantilever Bracket — non-handed (Core paint colors only)				
24" or 30"D	T624CB	\$ 221	N/A	N/A
Worksurface Bracket Kit				
One pair	T6BK	\$ 70	\$ 85	\$ 96
Worksurface Storage Bracket Kit (no color option)				
One Pair	T6SB	\$ 95	N/A	N/A
Flat Brackets (no color option)				
For 12"D	T612FB	\$ 67	N/A	N/A
For 24"D	T624FB	\$ 77	N/A	N/A
For 30"D	T630FB	\$ 88	N/A	N/A
Pedestal-to-Panel Bracket				
Left	TKPPBL	\$ 117	\$ 133	\$ 145
Right	TKPPBR	\$ 117	\$ 133	\$ 145
Open End Panel Supports				
12"D x 29½"H Panel-Mount	AYBHEP1229	\$ 273	\$ 313	\$ 353
18"D x 29½"H Panel-Mount	AYBHEP1829	\$ 278	\$ 318	\$ 358
24"D x 29½"H Panel-Mount	AYBHEP2429	\$ 288	\$ 328	\$ 368
30"D x 29½"H Panel-Mount	AYBHEP3029	\$ 310	\$ 350	\$ 390

How to specify —

Select the
Model Number
from above.

1st Option:

Paint
(if applicable):








See page 66
for finishes.

Examples: TKEP1129PL.P02 T6SB

Shippable by small-package carrier.

For specification information see pages 100-108.

GSA SIN 33721



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
End-Panel Supports				
11"D x 29½"H — Freestanding	CEP1129F	\$ 268	\$ 308	\$ 348
24"D x 29½"H — Freestanding	CEP2429F	\$ 288	\$ 328	\$ 368
30"D x 29½"H — Freestanding	CEP3029F	\$ 319	\$ 359	\$ 399
11"D x 29½"H — Left – Panel-Mount	TKEP1129PL	\$ 277	\$ 317	\$ 357
11"D x 29½"H — Right – Panel-Mount	TKEP1129PR	\$ 277	\$ 317	\$ 357
24"D x 29½"H — Left – Panel-Mount	TKEP2429PL	\$ 296	\$ 336	\$ 376
24"D x 29½"H — Right – Panel-Mount	TKEP2429PR	\$ 296	\$ 336	\$ 376
30"D x 29½"H — Left – Panel-Mount	TKEP3029PL	\$ 324	\$ 364	\$ 404
30"D x 29½"H — Right – Panel-Mount	TKEP3029PR	\$ 324	\$ 364	\$ 404
End-Panel Bracket Kits for Optimize				
29½"H Bracket Kit — Left	TKEB29L	\$ 56	\$ 72	\$ 84
29½"H Bracket Kit — Right	TKEB29R	\$ 56	\$ 72	\$ 84
Support Legs				
24"D x 29½"H — Freestanding	CSL2429F S	\$ 249	\$ 289	\$ 329
30"D x 29½"H — Freestanding	CSL3029F S	\$ 276	\$ 316	\$ 356
24"D x 29½"H — Panel-Mount	TKSL2429P	\$ 261	\$ 301	\$ 341
30"D x 29½"H — Panel-Mount	TKSL3029P	\$ 285	\$ 325	\$ 365
Support Leg Bracket for Optimize				
29½"H	TKSB29	\$ 56	\$ 72	\$ 84
Corner Desk Leg				
29½"H	CDL29 S	\$ 229	\$ 253	\$ 274
Bridge Kit				
29½"H	CBK29 S	\$ 240	\$ 256	\$ 268
Return Kit				
29½"H	CRK29 S	\$ 123	\$ 135	\$ 144
Desk-to-Panel Attachment Kits for Optimize				
29½"H – Left-Hand	TKDPA29L	\$ 111	\$ 127	\$ 139
29½"H – Right-Hand	TKDPA29R	\$ 111	\$ 127	\$ 139
Corner w/Desk Panel Attachment Kit for Optimize				
29½"H – Left-Hand	TKCWD29L	\$ 111	\$ 127	\$ 139
29½"H – Right-Hand	TKCWD29R	\$ 111	\$ 127	\$ 139
Flat Brackets				
24"D	831124 S	\$ 76	N/A	N/A
30"D	831130 S	\$ 83	N/A	N/A
Note: Flint only.				
Optimize Wall Track Kit — End/Shared				
65"H — Pair of Ends	TK365YEB S	\$ 342	\$ 389	\$ 438
65"H — Middle Unit	TK365YM S	\$ 178	\$ 206	\$ 231

How to specify —
Select the
Model Number
from above.

1st Option:

Paint:

P1 P2 P3

See page 66
for finishes.

Examples: CEP1129F.P02 831124






S Shippable by small-package carrier.

Cadence® Freestanding

Optimize™ — Modesty Panels

For specification information see pages 100-108.

GSA SIN 33721



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Modesty Panels				
29½"H x 24"W	CS249 S	\$ 260	\$ 284	\$ 305
29½"H x 30"W	CS309 S	\$ 268	\$ 292	\$ 313
29½"H x 36"W	CS369 S	\$ 274	\$ 298	\$ 319
29½"H x 42"W	CS429 S	\$ 280	\$ 304	\$ 325
29½"H x 48"W	CS489 S	\$ 285	\$ 309	\$ 330
29½"H x 54"W	CS549 S	\$ 288	\$ 312	\$ 333
29½"H x 60"W	CS609 S	\$ 293	\$ 317	\$ 338
29½"H x 66"W	CS669 S	\$ 298	\$ 322	\$ 343
29½"H x 72"W	CS729 S	\$ 309	\$ 333	\$ 354

Stand-alone Corner Modesty Panels

29½"H x 36"W	CSCMP3629 S	\$ 274	\$ 298	\$ 319
29½"H x 42"W	CSCMP4229 S	\$ 280	\$ 304	\$ 325
29½"H x 48"W	CSCMP4829 S	\$ 285	\$ 309	\$ 330
29½"H x 60"W	CSCMP6029 S	\$ 293	\$ 317	\$ 338
29½"H x 72"W	CSCMP7229 S	\$ 309	\$ 333	\$ 354

Modesty Panels

14"H x 24"W	CS244 S	\$ 245	\$ 269	\$ 290
14"H x 30"W	CS304 S	\$ 250	\$ 274	\$ 295
14"H x 36"W	CS364 S	\$ 257	\$ 281	\$ 302
14"H x 42"W	CS424 S	\$ 264	\$ 288	\$ 309
14"H x 48"W	CS484 S	\$ 273	\$ 297	\$ 318
14"H x 54"W	CS544 S	\$ 276	\$ 300	\$ 321
14"H x 60"W	CS604 S	\$ 285	\$ 309	\$ 330
14"H x 66"W	CS664 S	\$ 288	\$ 312	\$ 333
14"H x 72"W	CS724 S	\$ 293	\$ 317	\$ 338

Stand-alone Corner Modesty Panels

14"H x 36"W	CSCMP3614 S	\$ 257	\$ 281	\$ 302
14"H x 42"W	CSCMP4214 S	\$ 264	\$ 288	\$ 309
14"H x 48"W	CSCMP4814 S	\$ 273	\$ 297	\$ 318
14"H x 60"W	CSCMP6014 S	\$ 285	\$ 309	\$ 330
14"H x 72"W	CSCMP7214 S	\$ 293	\$ 317	\$ 338

Pedestal-to-Pedestal Modesty Panel

27"H x 30"W to create a 60"W Desk	TKMP60	\$ 251	\$ 275	\$ 296
27"H x 36"W to create a 66"W Desk	TKMP66	\$ 253	\$ 277	\$ 298
27"H x 42"W to create a 72"W Desk	TKMP72	\$ 262	\$ 286	\$ 307

Gussets

One pair	CDG S	\$ 187	\$ 211	\$ 232
----------	--------------------	--------	--------	--------

Modesty Panels

41"W for 60"L Peninsula	PMP41 S	\$ 360	\$ 360	\$ 360
47"W for 66"L Peninsula, 72"L P-Shape, or 66"L Jetty	PMP47 S	\$ 367	\$ 367	\$ 367
53"W for 72"L Peninsula, Jetty, or Boomerang	PMP53 S	\$ 379	\$ 379	\$ 379

How to specify —
Select the
Model Number
from above.

1st Option:

Paint:


P1 P2 P3

See page 66
for finishes.

Examples: TKMP60.P4J CS244.P28

S Shippable by small-package carrier.

Monolithic Panel Systems – 03/2023



Product dimensions

Overhead Storage Cabinet

Width 24", 30", 36", 42", 48", 60", and 72"

Inside width Flipper or 24"-36"W Hinged door — $\frac{3}{8}$ " less than width
42"-48"W Hinged or Sliding door — two compartments that are half of $\frac{3}{8}$ " less than width

Depth 14 $\frac{1}{4}$ " RTA models 12"

Inside depth 12 $\frac{7}{8}$ " Receding door 12 $\frac{1}{2}$ " RTA models 11 $\frac{5}{8}$ "

Height 15"



Inside height 12 $\frac{3}{4}$ " Receding door 11 $\frac{5}{8}$ " RTA models 12 $\frac{3}{4}$ "

Open Shelf

Width 24", 30", 36", 42", 48", 60", and 72"

Depth 12 $\frac{7}{8}$ " RTA models 11 $\frac{1}{2}$ "

Height 4 $\frac{5}{8}$ " RTA models 5 $\frac{5}{8}$ "




- **Task lights** can be mounted beneath storage shelves and overhead storage cabinets.
- Additional panel hung and freestanding lighting options are available.
- **Cord retainer clips** fasten into panel slots to anchor power cords.
- Available in black only.
- Clips are provided with under-shelf mounted task lights. Additional clips can be purchased separately.

Metal Overheads & Shelves

Optimize™ — Working With Overhead Storage

GSA Reference Page





Specification Guidelines


- In a panel run, only two overhead storage cabinets or open storage shelves are recommended per panel side.
- Overhead storage cabinets and open storage shelves can be mounted on Optimize structural and stacking panels to a maximum height of 80"H.
- Base panel frames with stacking frames that have an overall height of 57½" will not accept overhead storage cabinets if spanning between stacker and base panel.
- Immediate adjacent panels must be equal height to panels with overhead storage cabinets on them.

When overhead storage units are suspended from stacking frames, the following guidelines should be adhered to:


- Stacking panels can be added to any base panel up to 80"H.
- Stacking frames should be added to all the parent run panels, and to each return-panel run. Stacking panels added to return panel must match the parent run configuration.
- A maximum of two overhead storage units should be suspended from each side of stacking frames on any given panel.



- No limitation to the number of units on structural frames when run is supported with return panels on each side of storage shelves or overhead storage cabinets.




- **Assembled metal overhead cabinets** can be mounted on a panel equal to or up to 18" narrower than cabinet using provided panel attachment brackets.
- One side of overhead must be held on-module.




- **RTA overhead, RTA shelf, and receding door** width must correspond with width of panel(s).
- It is possible to span two panels when combined panel width equals cabinet or shelf width.


Overheads, Shelves, and Hutches




Sliding Door Overhead




Flipper Door Overhead




Hinged Door Overhead



Open Shelf



Upmount Kit for Overhead Cabinets



Horizontal Wall Track

Assembled Overhead Storage Cabinet (page 125)

- Steel cabinet with backstop.
- Available with sliding, hinged, or flipper door(s).
- Easy-Assist flipper door optional — requires minimal assistance in opening and closing.
- Easy-Assist flipper door not available on 60"W or 72"W cabinets — specify 2–30"W cabinets or 2–36"W cabinets.
- Self-engaging safety latch to secure cabinet to panel.
- Width can correspond with width of panel, or two panels joined with an in-line connector kit.
- Arch or square pull optional on flipper doors.
- 60"W and 72"W flipper door cabinets have two doors with two independent locks.
- 24"-36"W hinged door cabinets have 1 lock and 2 optional pulls, 42"-48"W have 2 locks and 4 optional pulls.
- Accommodates recessed task lighting (specified separately).
- For locking specifications, see pages 320-322.
- Cabinets are 14¼"D x 15"H.
- 15"H cabinets can also be mounted on a panel equal to or up to 18" narrower than cabinet using provided panel attachment brackets.
- Sliding doors have a built-in pull.
- Sliding, Hinged, and Flipper Door Overhead Weight Limits:

24"W	59 lbs.	42"W	105 lbs.
30"W	74 lbs.	48"W	121 lbs.
36"W	90 lbs.	60"W	152 lbs.
- Mounting an overhead on frames that have an overall height of 57½"H is not recommended. Slot modularity in relation to adjacent panels may be compromised.

Assembled Open Shelf (page 125)

- Metal shelf with back stop.
- Locking clips (2) standard.
- Will accommodate recessed task lighting (ordered separately).
- Weight Limits:

24"W	61 lbs.	42"W	108 lbs.
30"W	77 lbs.	48"W	124 lbs.
36"W	93 lbs.	60"W	155 lbs.
- Mounting an open shelf on Optimize frames cannot span base panel frame and stack-on frame — slot modularity is not maintained.


Upmount Kits for Assembled Overhead Cabinets (page 125)

- Consists of two upmount brackets, full back panel, and required installation hardware.
- Allows mounting of an assembled overhead cabinet up to 15" above height of panel.
- Specify "Z2" prefix model number upmount kits with 15"H, 35"H, 50"H, or 65"H Optimize panels; and "Z4" prefix model number upmount kits with 42½"H Optimize panels.
- Brackets require a clearance of 6½" below bottom of overhead cabinet.
- Width must correspond with width of panel frame or 2 panel frames joined directly in-line.
- Full back panel adds ½" to depth of overhead case.
- Full back panel only used when upmounting cabinet.
- Cannot be used with RTA models.

Horizontal Wall Track (page 125)

- Allows mounting assembled overhead cabinets on permanent wall structures ONLY. Attachment hardware not included.
- Cannot be used with RTA models.
- Track is 60"W and notched at 6" intervals as a guide for field cutting.
- For use with 15"H sliding door overhead, field modification is necessary.
- Available in black only.


Overheads, Shelves, and Hutches



Assembled Receding Door Overhead Storage Cabinet (page [126](#))


- Steel cabinet with open back. Optional back can be ordered separately.
- Arch or square pull optional.
- 60"W cabinet has 2 – 30"W doors with 2 independent locks.
- Accommodates recessed task lighting — ordered separately.
- For locking specifications, see pages [320-322](#).
- Cabinets are 13¼"D x 15"H. When door is recessed, interior dimensions are 12⅝"D x 11⅝"H.
- Weight Limits:

30"W	70 lbs.	48"W	110 lbs.
36"W	85 lbs.	60"W	138 lbs.
42"W	100 lbs.		




Receding Door Overhead Back (page [126](#))

- Optional for use with receding door overhead.
- Order width to match overhead cabinet.



Ready to Assemble (RTA) Flipper Door Overhead (page [126](#))

- Steel cabinet with open back.
- 60"W and 72"W cabinets have 2 doors with independent locks.
- Accommodates recessed task lighting — ordered separately.
- Random keying, for locking specifications see pages [320-322](#).
- Cabinets are 12"D x 15"H. Interior dimensions 11⅝"D x 12¼"H.




Stack-On Hutch

Ready to Assemble (RTA) Shelf (page [126](#))

- Metal shelf with locking clips.
- Accommodates recessed task lighting — ordered separately.

Stack-on Hutch (page [127](#))

- Have flipper doors with square horizontal edges.
- Universal model can be converted to an open hutch.
- Doors are standard with a core removable lock (60"W, 66"W and 72"W have two doors and two locks.)
- Attachment tape provided.
- Order hutch to match width of worksurface(s) it covers.
- Hutch has clearance of 19¼" for computers, etc.
- Depth dimensions shown includes thickness of door.
- Universal model inside depth dimension is 12¼".
- Stack-on hutches accommodate recessed task lighting.
- For locking specification see pages [320-322](#).
- Chicago task light cords cannot be routed through the hutch end panels, due to the large size of the fused plugs.



Tackboards for
Hutches

Tackboards (page [127](#))


- Use tackboard to close the back of stack-on or hutch below storage unit.
- Due to width of fabric roll, 72"W tackboards are available in railroad cut only.

Metal Overheads


Optimize™ — Overheads / Shelves and Mounting Kits

For specification information see pages 121-124.

GSA SIN 33721




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
15"H x 14 1/4"D Sliding Single Door Overhead Cabinets				
24" W	OH1524SD	\$ 1010	\$ 1086	\$ 1161
30" W	OH1530SD	\$ 1033	\$ 1109	\$ 1184
36" W	OH1536SD	\$ 1083	\$ 1159	\$ 1234
42" W	OH1542SD	\$ 1132	\$ 1208	\$ 1283
48" W	OH1548SD	\$ 1183	\$ 1259	\$ 1334
60" W	OH1560SD	\$ 1562	\$ 1638	\$ 1713



15"H x 14 1/4"D Flipper Door Overhead Cabinets				
24" W	OH1524FD	\$ 1010	\$ 1086	\$ 1161
30" W	OH1530FD	\$ 1033	\$ 1109	\$ 1184
36" W	OH1536FD	\$ 1083	\$ 1159	\$ 1234
42" W	OH1542FD	\$ 1132	\$ 1208	\$ 1283
48" W	OH1548FD	\$ 1183	\$ 1259	\$ 1334
60" W	OH1560FD	\$ 1562	\$ 1638	\$ 1713
72" W	OH1572FD	\$ 2114	\$ 2190	\$ 2265


Note: Add suffix **A** for arch pull or **S** for square pull to model number — add \$41 per pull.

For "Easy-Assist" on 24"W-48"W change FD suffix to FE – add \$233




15"H x 14 1/4"D Hinged Door Overhead Cabinets				
24" W	OH1524HD	\$ 1729	\$ 1804	\$ 1879
30" W	OH1530HD	\$ 1807	\$ 1882	\$ 1957
36" W	OH1536HD	\$ 1892	\$ 1967	\$ 2042
42" W	OH1542HD	\$ 1972	\$ 2047	\$ 2122
48" W	OH1548HD	\$ 2045	\$ 2120	\$ 2195

Note: Add suffix **A** for arch pull or **S** for square pull to model number — add \$41 per pull.




4 7/8'H x 12 1/2'D Open Shelf (to line up with 15"H Overheads)				
24" W	ZS24 S	\$ 431	\$ 458	\$ 482
30" W	ZS30 S	\$ 467	\$ 494	\$ 518
36" W	ZS36 S	\$ 493	\$ 520	\$ 544
42" W	ZS42 S	\$ 516	\$ 543	\$ 567
48" W	ZS48 S	\$ 541	\$ 568	\$ 592
60" W	ZS60	\$ 659	\$ 686	\$ 710
72" W	ZS72	\$ 967	\$ 994	\$ 1018



Upmount Kits for Overhead Cabinets — Specify "Z4" prefix models with 42 1/2"H panels; "Z2" for all other panel heights.


24" W	Z UP 24	\$ 261	\$ 289	\$ 314
30" W	Z UP 30	\$ 273	\$ 301	\$ 326
36" W	Z UP 36	\$ 281	\$ 309	\$ 334
42" W	Z UP 42	\$ 296	\$ 324	\$ 349
48" W	Z UP 48	\$ 310	\$ 338	\$ 363
60" W	Z UP 60	\$ 332	\$ 360	\$ 385



Shelf Dividers for Assembled Overhead Cabinets and Open Shelf

Package of 6	T7DV S	\$ 134	\$ 151	\$ 162
--------------	---------------	--------	--------	--------

Note: Not compatible with RTA models.



Horizontal Wall Track

60" W Track	TWTH	\$ 131	N/A	N/A
-------------	------	--------	-----	-----

How to specify —
Select the
Model Number
from above.

1st Option:
Pull
(if applicable):
A Arch pull,
add \$41 per pull
S Square pull,
add \$41 per pull

2nd Option:
System
(if applicable):
YZ Optimize or
Concensys

YZ _____

3rd Option:
Paint
(if applicable):
P1 P2 P3
See page 66
for finishes.

P _____

4th Option:
Pull Color
(if applicable):
Arch:
E4 Black
EL Matte Silver
Square:
EL Matte Silver

E _____

5th Option:
Lock Type
(if applicable):
STD Standard —
Random Keyed
OMT Omit Lock Core
(Deduct \$20 per
lock)

Examples: OH1536FEA.YZ.P01.E4.STD OH1548FDS.YZ.P52.EL.OMT

OH1560SD.YZ.PR2.EL.STD Z2UP24.P27 TWTH


S Shippable by small-package carrier.

Metal Overheads

Optimize™ — Overheads


For specification information see pages 121-124.

GSA SIN 33721




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
15"H x 13¼"D Assembled Receding Door Overheads (inside dimensions with door recessed — 11⅞"H x 12⅞"D)				
30"W	OH1530RD	\$ 1185	\$ 1261	\$ 1336
36"W	OH1536RD	\$ 1250	\$ 1326	\$ 1401
42"W	OH1542RD	\$ 1328	\$ 1404	\$ 1479
48"W	OH1548RD	\$ 1439	\$ 1515	\$ 1590
60"W	OH1560RD	\$ 2177	\$ 2253	\$ 2328

Note: Add Suffix **A** for arch pull or **S** for square pull option — add \$41 per pull.



15"H x 12"D Ready to Assemble (RTA) Flipper Door Overhead

36"W RTA — Flipper Door	POHRTA1536FD	\$ 849	\$ 925	\$ 1000
42"W RTA — Flipper Door	POHRTA1542FD	\$ 887	\$ 963	\$ 1038
48"W RTA — Flipper Door	POHRTA1548FD	\$ 925	\$ 1001	\$ 1076



5⅞"H x 12"D Ready to Assemble (RTA) Shelf

36"W RTA — Shelf	POHRTA36S	\$ 442	\$ 468	\$ 490
48"W RTA — Shelf	POHRTA48S	\$ 486	\$ 512	\$ 534

How to specify —
Select the
Model Number
from above.

1st Option:

**Receding Door
Pull** (if applicable):

- A** Arch Pull, add
\$41 per pull
S Square Pull, add
\$41 per pull

2nd Option:

**System for
Assembled
Receding Door
Overhead**
(if applicable):

YZ Optimize or
Concensys

3rd Option:

Paint:

P1 P2 P3

See page 66
for finishes.

4th Option:

**Receding Door
Pull Color**
(if applicable):

Arch:
E4 Black
EL Silver

Square:
EL Silver

5th Option:

**Receding Door
Lock**
(if applicable):

STD Standard
OMT Omit Lock
Core (Deduct
\$20 per lock)


Examples: OH1560RD.YZ.P7C.STD OH1536RDA.YZ.P27.E4.OMT
POHRTA1536FD.P27

Metal Hutches


Optimize™ — Hutches, Tackboards, and Accessories

For specification information see pages 121-124.

GSA SIN 33721



Description	Universal Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Essentials Hutch w/Square Flipper Doors and Lock — 14½"D x 35"H				
36"W	UH6536FD 	\$ 1165	\$ 1244	\$ 1322
42"W	UH6542FD 	\$ 1218	\$ 1297	\$ 1375
48"W	UH6548FD 	\$ 1259	\$ 1338	\$ 1416
60"W	UH6560FD 	\$ 1784	\$ 1863	\$ 1941
66"W	UH6566FD 	\$ 1871	\$ 1950	\$ 2028
72"W	UH6572FD 	\$ 1961	\$ 2040	\$ 2118
Shelf Dividers				
Package of 6	T7DV 	\$ 134	\$ 151	\$ 162



Description	Universal Model	P1 Paint List Price — Fabric			P2 Paint List Price — Fabric			P3 Paint List Price — Fabric		
		Grades A/B	Grades C/D	Grades E/F	Grades A/B	Grades C/D	Grades E/F	Grades A/B	Grades C/D	Grades E/F
20"H Tackboards for Stack-on Hutches										
36"W Tackboard	UHTB36 	\$ 524	\$ 618	\$ 774	\$ 550	\$ 644	\$ 800	\$ 572	\$ 666	\$ 822
42"W Tackboard	UHTB42 	\$ 550	\$ 649	\$ 812	\$ 576	\$ 675	\$ 838	\$ 598	\$ 697	\$ 860
48"W Tackboard	UHTB48 	\$ 600	\$ 712	\$ 897	\$ 626	\$ 738	\$ 923	\$ 648	\$ 760	\$ 945
60"W Tackboard	UHTB60 	\$ 671	\$ 811	\$ 1044	\$ 697	\$ 837	\$ 1070	\$ 719	\$ 859	\$ 1092
66"W Tackboard	UHTB66 	\$ 706	\$ 859	\$ 1114	\$ 732	\$ 885	\$ 1140	\$ 754	\$ 907	\$ 1162
72"W Tackboard	UHTB72 	\$ 744	\$ 896	\$ 1148	\$ 770	\$ 922	\$ 1174	\$ 792	\$ 944	\$ 1196

OPTIMIZE

How to specify — Select the Model Number from above.	1st Option: Pull (if applicable): Add \$41 per pull. A Arch Pull S Square Pull N No Pull	2nd Option: Paint: P1 P2 P3 See page 66 for finishes.	3rd Option: Fabric (if applicable): Limited fabric offering available — see page 9 for details.	3rd Option: Lock Type (if applicable): STD Standard — Random Keyed OMT Omit Lock Core (Deduct \$20 per lock)	4th Option: Railroad Cut (Tackboard only): (Only applicable to 66" and 72" W Fabric Tackboards.)
	.	P .	.		R R

Examples: UH6536FDN.P27.STD

UHTB66.P52.APN934.RR

S *Shippable by small-package carrier.*

Notes

Gallery Panels

Finishes	130
Panel Fabrics	131
Laminate and Paint Matching.....	132
Gallery Panels	133
Basic Characteristics.....	134
Dimensions	135
Working with Integrated Glass.....	136-137
Optimize - End Panel	138-139
Optimize - Mid Panel.....	140
Gallery-to-Gallery Panels	141
Freestanding Screens	142-143
Storage and Worksurface Connectors	144
Working with Accessories	145-147
Gallery Panels HAT Brackets	148
Gallery-to-Gallery Panels: 30"H Application.....	149
Gallery-to-Gallery Panels: 35"H Application.....	150
Gallery-to-Gallery Panels: 42"H Application.....	151
Gallery-to-Gallery Panels: 50"H Application.....	152
Gallery-to-Gallery Panels: 57½"H Application	153
Gallery-to-Gallery Panels: 30"H Application for use with Glass.....	154
Gallery-to-Gallery Panels: 35"H Application for use with Glass	155
Gallery-to-Gallery Panels: 42"H Application for use with Glass	156
Gallery-to-Gallery Panels: 50"H Application for use with Glass	157
Gallery-to-Gallery Panels: 57½"H Application for use with Glass.....	158
30"H Application	159
35"H Application	160
42"H Application	161
50"H Application	162
57½"H Application	163
30"H Application for Use with Glass	164
35"H Application for Use with Glass	165
42"H Application for Use with Glass	166
50"H Application for Use with Glass	167
57½"H Application for Use with Glass	168
Optimize Connector Kits	169
Panel Systems Gallery Glass.....	170-172
Accessories	173-175

Gallery Panels

Laminates and Paint Finishes

PAINT FINISHES

GRADE P1

Black	P71
Brownstone	P7D
Bungalow	P7C
Charblack	CBK
Cinder	P7Q
Designer White	PJW
Flint	P02
Fossil	P28
Loft	P7B
Muslin	P4J
Parchment	P93
Pebble	P8R
Pewter	P8D
Salt	P8C
Textured Brownstone	P7J
Textured Designer White	PK7
Textured Flint	P7A
Textured Loft	P7L
Textured Muslin	P7M
Textured Pebble	P8Y
Textured Salt	P8Z
Textured Titanium	P8V
Titanium	P8T

GRADE P2

Champagne Metallic	PR5
Gunmetal Metallic	PR3
Matte Gold	PG8
Night Bronze	P8B
Platinum Metallic	PR2
Pyrite	PJE
Silver	PR6
Silver Texture	PR8
Solar Black	P8X

Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)

GRADE P3

Amethyst (<i>De-emphasized</i>)	P091
Atom	P8S
Blossom***	P8K
Bullseye	PJF
Cobalt Mica (<i>De-emphasized</i>)	P090
Ember	P8P
Ion	P8N
Iris	P8J
Krypton	P8F
Ochre	P093
Regatta	P8M
Sienna	P092
Succulent***	P8A

***These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

LAMINATES

GRADE L1

SOLID COLOR

Black	P
Brownstone	LM13
Bungalow	LM12
Designer White	LDW1
Flint	LM16
Fossil Shale	LEH1
Loft	LM11
Muslin	LM15
Titanium	LTI1

ABSTRACT

Handspun Pearl	LAHP
Handspun Dove	LAHD
Handspun Slate	LAHS
Handspun Chestnut	LAHC

WOODGRAIN

Belair	LWBA
Bourbon Cherry	H
Field Elm	LWFE
Florence Walnut	LFW1
Kingswood Walnut	LKI1
Natural Maple	LWD
NeoWalnut	LNU1
Pinnacle	PINC
Shaker Cherry	LW7C

GRADE L2

Beigewood	LWBE
Fawn Cypress	LFC1
Lowell Ash	LLA1
Mangalore Mango	LMM1
Natural Recon	LNR1
Phantom Charcoal	LPC1
Phantom Ecru	LPE1
Portico Teak	LPT1
Skyline Walnut	LSW1
Veranda Teak	LVT1

GRADE L3

Natural Walnut	LWNW
----------------------	------

LAMINATE EDGE COLORS

Beigewood	DE
Belair	BA
Black	E4
Bourbon Cherry	H
Brownstone	EY
Bungalow	EX
Designer White	DW
Fawn Cypress	FC
Field Elm	FE
Flint	E9
Florence Walnut	FW
Fossil	EH
Kingswood Walnut	KI
Loft	EV
Lowell Ash	DL
Mangalore Mango	MM
Muslin	EU
Natural Maple	DD
Natural Recon	NR
Natural Walnut	DN
NeoWalnut	NU
Parchment	EN
Phantom Charcoal	PC
Phantom Ecru	PE
Pinnacle	PI
Plyband	PL
Portico Teak	DP
Shaker Cherry	DF
Skyline Walnut	SW
Titanium	TI
Veranda Teak	VT

Forest Stewardship Council (FSC) is a non-profit organization devoted to encouraging the responsible management of the world's forests. FSC sets high standards that ensure forestry is practiced in an environmentally responsible, socially beneficial, and economically viable way. Allsteel received its FSC Chain of Custody certification in 2010 and can offer FSC Certified products. Select wood-based products can be ordered as FSC certified, either by choosing the FSC option or selecting an FSC laminate or veneer finish at the time of order. For more information, please contact Customer Support at 888-255-7833. (FSC Trademark license code: FSC-CO14704.)

NOTE: Refer to individual product pages for upcharges.

Gallery Panels

Panel Fabrics

GRADE A

APPOINT PANEL

100% Polyester

Artichoke.....	APN911
Blackberry.....	APN932
Bronze.....	APN922
Carbon.....	APN928
Chai.....	APN912
Cherry.....	APN930
Dark Pewter.....	APN917
Dune.....	APN915
Espresso.....	APN923
Framboise.....	APN931
Frost.....	APN934
Jet.....	APN927
Lawn.....	APN925
Mandarin.....	APN929
Morel.....	APN909
Nimbus.....	APN916
Platinum.....	APN924
Turquoise.....	APN926

BINARY †

Blush.....	BNRY12
Coal.....	BNRY06
Cream.....	BNRY01
Denim.....	BNRY08
Diamond.....	BNRY03
Graphite.....	BNRY05
Juniper.....	BNRY10
Lagoon.....	BNRY07
Lavendar.....	BNRY11
Mineral.....	BNRY04
Reef.....	BNRY09
Sand Dollar.....	BNRY02

CENTURION™

(Nanotex™ Stain-Resistant finish)

Apricot.....	CU47
Bark.....	CU25
Black.....	CU10
Espresso.....	CU49
Fog.....	CU03
Frost.....	CU22
Goldenrod.....	CU27
Indigo.....	CU06
Iris.....	CU50
Iron Ore.....	CU19
Jade.....	CU83
Marsala.....	CU63
Morel.....	CU24
Navy.....	CU98
Peacock.....	CU97
Pear.....	CU84
Ruby.....	CU67
Sapphire.....	CU09

CIRCUIT † ♣

Atlas.....	CIRC35
Dolphin.....	CIRC63
Island White.....	CIRC14
Moon.....	CIRC07
Night.....	CIRC49
Pacific.....	CIRC28
Quartz.....	CIRC01
Sienna.....	CIRC56
Silk.....	CIRC21
Snap Pea.....	CIRC42

ETCH

100% Polyester

Axis.....	ECH913
Blend.....	ECH914
Cast.....	ECH912
Highlight.....	ECH910
Midtone.....	ECH911
Outline.....	ECH908
Shade.....	ECH909
Tonal.....	ECH916
Vanish.....	ECH915

GRADE A – continued

EXCHANGE

100% Polyester

Iron.....	EXG916
Nickel.....	EXG914
Pistachio.....	EXG910
Root.....	EXG913
Rupee.....	EXG903
Shadow.....	EXG911
Silver.....	EXG915
Sisal.....	EXG917
Stone.....	EXG912

LANDSCAPE

100% Polyester

Cornsilk.....	LN15
Drift.....	LN05
Khaki.....	LN20
Sheen.....	LN10
Slate.....	LN35
Umber.....	LN25
Urban.....	LN30

LUCY

100% Recycled Polyester

Aspen.....	LC932
Cornsilk.....	LC930
Dusk.....	LC922
Fawn.....	LC933
Graphite.....	LC934
Mist.....	LC920
Neutra.....	LC924
Pewter.....	LC935
Snowdrop.....	LC928

NOBLE

Aegean.....	NBLE18
Amethyst.....	NBLE19
Aspen.....	NBLE14
Aster.....	NBLE20
Blossom.....	NBLE21
Bluebell.....	NBLE22
Bordeaux.....	NBLE01
Brick.....	NBLE02
Chambray.....	NBLE10
Chamomile.....	NBLE23
Clementine.....	NBLE04
Conifer.....	NBLE24
Cottage.....	NBLE25
Darkness.....	NBLE26
Dawn.....	NBLE13
Denim.....	NBLE09
Desert Sand.....	NBLE27
Dewfall.....	NBLE28
Dusted Sage.....	NBLE29
Flax.....	NBLE30
Grass.....	NBLE07
Gunmetal.....	NBLE15
Harmony.....	NBLE31
Harvest.....	NBLE12
Ice Caves.....	NBLE32
Icicle.....	NBLE33
Inky.....	NBLE34
Iris.....	NBLE35
Jade.....	NBLE06
Knight.....	NBLE17
Mesa.....	NBLE03
Monarch.....	NBLE36
Pacific.....	NBLE08
Pitch.....	NBLE37
Queen Bee.....	NBLE38
Rainforest.....	NBLE05
Regal.....	NBLE11
Sandcastle.....	NBLE39
Sedona.....	NBLE40
Stormy.....	NBLE16
Sunbeam.....	NBLE41
Voyager.....	NBLE42
Windy Day.....	NBLE43

GRADE A – continued

REFLECTIONS

100% Recycled Polyester

Galvanized.....	REF929
Ice.....	REF920
Loggia.....	REF921
Mistral.....	REF928
Moonstone.....	REF923
Pewter.....	REF922
Stainless.....	REF924
Vanilla.....	REF925
Winter.....	REF927

REFUGE

64% Recycled Polyester

Artesian.....	RFG996
Dune.....	RFG992
Eclipse.....	RFG990
Frost †.....	RFG993
Glacier †.....	RFG991
Mineral.....	RFG998
Tidal.....	RFG994

SARTO ▼

100% Polyester (45% Recycled)

Ash.....	SRT988
Fog.....	SRT914
Lemongrass.....	SRT949
Mist.....	SRT945
Mushroom.....	SRT976
Oyster.....	SRT918
Reef.....	SRT964
Sesame.....	SRT993
Shale.....	SRT952

TEMPEST

100% Recycled Polyester

Dragonfly.....	TP930
Frost.....	TP915
Full Stream.....	TP980
Gold Rush.....	TP910
Slate.....	TP945
Tumbleweed.....	TP970
Wind Chill.....	TP940
Zebra.....	TP935

VAST

Vineyard.....	VST01
Garden.....	VST02
Grasslands.....	VST03
Bay.....	VST04
Open Air.....	VST05
Atmosphere.....	VST06
Ocean.....	VST07
Mountain Range.....	VST08
Highway.....	VST09
Tundra.....	VST10
Beach.....	VST11
Desert.....	VST12
Country Side.....	VST13

GRADE B

ANALOG (De-emphasized)

Album.....	ANLG06
Cartridge.....	ANLG04
Cassette.....	ANLG09
Dial.....	ANLG02
Media.....	ANLG08
Reel.....	ANLG07
Signal.....	ANLG03
Stereo.....	ANLG01
Track.....	ANLG05

GRADE B – continued

COAST † ♣

100% Antimony-Free Polyester

Channel.....	COA914
Dune.....	COA903
Headlands.....	COA910
Marsh.....	COA902
Pebble.....	COA912
Pier.....	COA913
Shoal.....	COA901
Silt.....	COA906
Tide.....	COA908

DISPERSE †*

100% Polyester

Autumn.....	DISP03
Branch.....	DISP10
Coffee Bean.....	DISP13
Dusk.....	DISP09
Emerald City.....	DISP08
Gold Rush.....	DISP02
Igloo.....	DISP11
Ink.....	DISP06
Mist.....	DISP12
Oatmeal.....	DISP15
Prince.....	DISP07
Reservoir.....	DISP01
Rose.....	DISP04
Spring.....	DISP05
Steel.....	DISP16
Taupe.....	DISP14

MICA

100% Recycled Polyester

Anthracite.....	MCA911
Breeze.....	MCA918
Bronze.....	MCA913
Buff.....	MCA914
Cremeni.....	MCA917
Crystal †.....	MCAWIT
Dew.....	MCA920
Dove.....	MCA912
Fresh.....	MCA916
Mineral.....	MCA915
Nectar.....	MCA919
Shale.....	MCA910

SPIN PANEL

46% Recycled Polyester,

56% Polyester

Alabaster.....	SPIN02
Cavern.....	SPIN03
Cobblestone.....	SPIN04
Ember.....	SPIN06
Flame.....	SPIN07
Heron.....	SPIN13
Oat.....	SPIN01
Ocean.....	SPIN12
Plum.....	SPIN15
Pool.....	SPIN11
Raven.....	SPIN10
Rhubarb.....	SPIN14
Tropic.....	SPIN08
Willow.....	SPIN05

TERRAIN

52% Recycled Polyester,

48% Polyester

Bay.....	TRRN05
Bayou.....	TRRN35
Canyon.....	TRRN30
Cliff.....	TRRN45
Crest.....	TRRN25
Delta.....	TRRN10
Plateau.....	TRRN15
Ridge.....	TRRN20
Valley.....	TRRN40

ALLSTEEL PARTNERSHIP PROGRAM

Allsteel understands that customers may want to specify panel and seating textiles outside of Allsteel's standard offering. Allsteel's **Partnership Program** consists of on-trend and design-forward patterns that have been tested and approved by Allsteel for use on Allsteel products. A subset of these approved patterns is available on cards in the textile binder, while numerous others are available on our website, allsteeloffice.com.

For memo samples, please contact our partners:

- Camira, memos@camirafabrics.com
1.616.288.0655
- CF Stinson, cfstinson.com
1.800.841.6279
- HBF Textiles, hbftextiles.com
1.877.494.5727
- Maharam, maharam.com
1.800.645.3943
- Ultrafabrics, ultrafabricsllc.com

The intent of the **Partnership Program** is to offer a wide variety of on-trend textiles to meet your varied needs, but since these textiles are not part of our standard offering they may be subject to extended lead times. Because new materials will be introduced regularly, Allsteel reserves the right to change the offering at any time.

PARTNERSHIP—GRADE D

Camira BLAZER LITE † ▼

(100% Pure New Wool)

Angel.....	PCAMBLT49
Aspire.....	PCAMBLT52
Balance.....	PCAMBLT41
Bliss.....	PCAMBLT48
Buddha.....	PCAMBLT56
Cuddle.....	PCAMBLT62
Dainty.....	PCAMBLT64
Daydream.....	PCAMBLT46
Devoted.....	PCAMBLT58
Faith.....	PCAMBLT68
Freedom.....	PCAMBLT69
Graceful.....	PCAMBLT51
Happy.....	PCAMBLT55
Harmony.....	PCAMBLT63
Haven.....	PCAMBLT40
Hope.....	PCAMBLT50
Hush.....	PCAMBLT42
Love.....	PCAMBLT47
Mood.....	PCAMBLT44
Pamper.....	PCAMBLT66
Pastel.....	PCAMBLT65
Pillow.....	PCAMBLT43
Praise.....	PCAMBLT54
Retreat.....	PCAMBLT39
Shelter.....	PCAMBLT60
Solace.....	PCAMBLT70
Tender.....	PCAMBLT53
True.....	PCAMBLT61
Verity.....	PCAMBLT57
Wish.....	PCAMBLT67
Worship.....	PCAMBLT59

▼ Limited to product 48"W or less.

▼ Panel fabric is not available on Further.

♣ Panel fabric is not available on Optimize®.

† Panel fabric is not available on Concensus®.

♦ Panel fabric is not available on Involve.

* Not available on 72"W.

Multi-use fabrics are seating fabrics that can be used on specific Allsteel panels systems, providing more color and pattern options. The applicable Allsteel multi-use fabrics are noted with System designators in the Seating, Collaboration, and Tables Price List.

Gallery Panels

Laminate and Paint Matching

Paint Recommendations for Gallery-to-Gallery Cover


Laminate	Code	Recommended Paint
Brownstone	LM13	Brownstone
Bungalow	LM12	Bungalow
Designer White 15051	LDW1	Designer White
Flint	LM16	Flint
Fossil Shale	LEH1	Fossil
Loft	LM11	Loft
Muslin	LM15	Muslin
Titanium	LT11	Titanium
Florence Walnut	LFW1	Cinder, Brownstone, Flint
Kingswood Walnut	LKI1	Fossil, Flint, Loft
Natural Maple	LWD	Muslin
NeoWalnut	LNU1	Cinder
Shaker Cherry	LW7C	Black, Cinder
Beigewood	LWBE	Muslin, Loft, Fossil
Fawn Cypress	LFC1	Cinder, Brownstone, Flint
Lowell Ash	LLA1	Cinder
Mangalore Mango	LMM1	Cinder
Natural Recon	LNR1	Cinder, Brownstone
Phantom Charcoal	LPC1	Flint, Salt, Cinder
Phantom Ecu	LPE1	Flint, Brownstone, Muslin
Portico Teak	LPT1	Fossil, Brownstone, Pewter
Skyline Walnut	LSW1	Cinder, Flint, Fossil
Veranda Teak	LVT1	Fossil, Brownstone, Pewter
Natural Walnut	LWNW	Cinder

Gallery Panels


Gallery Panels

GSA SIN 33721


Gallery Panels are ideal for bringing natural wood elements to workstations and providing privacy. Allsteel Gallery Panels are designed to work universally across 5 product platforms. Please follow the product guidelines for proper specification.



End Panel (Dual-Sided)



End Panel (Single-Sided)



Mid Panel

Gallery Panels



Standard Gallery Panels

GSA SIN 33721

- Available to connect to Frame & Tile, Monolithic, Benching systems, and other Gallery Panels
- Standard Gallery Panels connect to Benching, Frame & Tile, and Monolithic systems, and Gallery-to-Gallery panels connect to other Gallery Panels
- Gallery Panels can be used in freestanding applications. See page 142 for specification requirements.

Standard Gallery Panels

- Standard Gallery panels connect to Benching, Frame & Tile, and Monolithic systems and are available as End-of-Run Single and Mid Panels (panel systems only)
- Made of 1½" board with HPL laminate.
- Can be specified with matching or contrasting edge.
- Edge band is 2mm ABS
- Available in woodgrain and solid laminates.
- Woodgrain laminates can be specified with vertical grain up to 60"W. Horizontal grain is available on all sizes.
- Single Panel widths are available in 3" increments from 18"W to 84"W.
- Standard Gallery Panel sizes up to 84"W come as a single piece.
- Gallery Panels offer 2½" leveling capability.
- Overall heights line up with adjacent panel or benching systems.
- Standard Gallery panel widths are true to size
- Available with and without the integrated glass option.
- Glass is specified separately.
- Gallery Panels for use with glass have separate model numbers.
- All configurations are non-handed.
- Please adhere to all standard systems specification guidelines.
- Additional support is required after every 60" in gallery panel width (i.e. storage or worksurface tie-in)





Gallery Panels

Dimensions


GSA SIN 33721

Standard Gallery Panel Widths



Gallery Panel Heights

Gallery-to-Gallery Panel L/T Widths




Gallery Panels

Working with Integrated Glass

GSA SIN 33721

Standard Gallery Panels

- Gallery Panels for use with glass offer a routed top edge.
- Glass mounts directly into the Gallery Panel route via a gasket.
- The routing is inset 1½" from each end of the panel.
- Single-piece Gallery Panels for use with integrated glass require glass 3" shorter than the panel width.
- Glass is available in 3 colors: Clear, Frosted, Smoked.
- Glass height is available in 7½"H, 13"H, and 15"H.
- Glass is available on all Gallery Panel widths.
- Specify glass models separate from Gallery Panel models.
- Glass Panels at 30"W and under are not UL listed.



Standard Single Panel with Glass

Find the Gallery Glass width appropriate for your Gallery Panel width.

Shaded example:
For the 18"W
Gallery Panel,
Gallery Glass
should be ordered
with width of 15".

Gallery Panel Width \ Gallery Glass Height	7.5"H, 13"H, 15"H
	Gallery Glass Order Width
18"W Gallery Panel	15"W
21"W Gallery Panel	18"W
24"W Gallery Panel	21"W
27"W Gallery Panel	24"W
30"W Gallery Panel	27"W
33"W Gallery Panel	30"W
36"W Gallery Panel	33"W
39"W Gallery Panel	36"W
42"W Gallery Panel	39"W
45"W Gallery Panel	42"W
48"W Gallery Panel	45"W
51"W Gallery Panel	48"W
54"W Gallery Panel	51"W
57"W Gallery Panel	54"W
60"W Gallery Panel	57"W
63"W Gallery Panel	60"W
66"W Gallery Panel	63"W
69"W Gallery Panel	66"W
72"W Gallery Panel	69"W
75"W Gallery Panel	72"W
78"W Gallery Panel	75"W
81"W Gallery Panel	78"W
84"W Gallery Panel	81"W


Gallery Panels

Working with Integrated Glass

GSA SIN 33721

Gallery-to-Gallery Panels


- Gallery Panels for use with glass offer a routed top edge.
- Glass mounts directly into the Gallery Panel route via a gasket.
- The routing is inset $\frac{1}{2}$ " from each end of the panel.
- Gallery-to-Gallery Panels for use with integrated glass require glass equal to the panel width.
- Glass is available in 3 colors: Clear, Frosted, Smoked.
- Glass height is available in $7\frac{1}{2}$ "H, 13"H, and 15"H
- Glass is available on all Gallery Panel widths. Glass panels at 30"W and under are not UL listed.
- Specify glass models separate from Gallery Panel models



Gallery-to-Gallery Panel with Glass

Find the Gallery Glass width appropriate for your Gallery Panel width.

Gallery Panel Width	Gallery Glass Height	7.5"H, 13"H, 15"H
	Gallery Glass Order Width	
18"W Gallery Panel	18" W	
21"W Gallery Panel	21" W	
24"W Gallery Panel	24" W	
27"W Gallery Panel	27" W	
30"W Gallery Panel	30" W	
36"W Gallery Panel	36" W	
42"W Gallery Panel	42" W	
48"W Gallery Panel	48" W	
54"W Gallery Panel	54" W	
60"W Gallery Panel	60" W	
66"W Gallery Panel	66" W	
72"W Gallery Panel	72" W	
78"W Gallery Panel	78" W	




Gallery Panels

Optimize™ System - End Panel (Dual-Sided)


GSA SIN 33721

- Provides privacy to one or both ends of the system in a dual sided application.
- Single piece End Panels can be used for off-modular planning.
Connector kit location must be field measured.
- End Gallery Panels cannot be shorter than spine panel.
- Optimize Gallery End Panels without integrated glass connect using P3CONGE connector kit.
- Optimize Gallery End Panels with integrated glass that match the height of the spine panel connect using P3CONGEG connector kit. (P3CONGEG only for use with dual-sided end panels with glass.)
- Must follow Optimize panel stability rules.


Front edge of Gallery Panel will sit ½" proud of front edge of worksurface on Optimize.



Detail of P3CONGE
Invisible connection on standard panels



Detail of P3CONGEG
Visual of end connector on panels with integrated glass






Gallery Panels

Optimize™ System - End Panel (Single-Sided)

GSA SIN 33721

- Provides privacy to one or both ends of the system in a single sided application.
- Single-Sided End Panels cap over the System panel. Accommodate for 2 1/8" frame thickness when planning with Optimize panel system.
- All Optimize End Panels (Single-Sided) require connector kit P3CONGE to attach to parent run.
- Gallery Panel sizes 63"W or greater require storage or worksurface tie-in. Please reference storage and worksurface support sections for more details.
- Due to thickness of the Optimize panel Single-Sided End Panel overhangs by approximately 7/8" in front of a worksurface.
- End Gallery Panels cannot be shorter than spine panel.
- Optimize Gallery Single-Sided End Panels both with and without integrated glass connect using P3CONGE connector kit.
- When using stackers on the spine, use stacker bracket provided with connector kit OR fixed worksurfaces with cantilevers must be tied to the Gallery Panels. (See detail 1 below.)




Gallery Panels

Optimize™ System - Mid Panel

GSA SIN 33721

- Mid panels do not overlap parent system panel.
- When specifying single-sided Mid panels, one gallery panel single-sided mid connector kit is required to space the System panels out $1\frac{1}{8}$ ". Kits include: Connector post, connector strap, bracketry and a top cap.
- When specifying dual-sided Mid panels, one gallery panel dual-sided mid connector kit is required to space the System panels out $1\frac{1}{8}$ ". Kits include: Connector post, connector strap, bracketry and a top cap.
- Connector models must match the height of the parent run.
- Specify one mid-connector kit per "t" or "x" connection.
- When using a Mid panel, both panel frames in spine must be of equal height.
- Mid Panels may not vary in height of parent run by more than 15".
- Trims can be painted to match the System panel trims.
- Mid Panels are available in 18"-84" widths in 3" increments.
- Gallery Panel sizes 63"W or greater require storage or worksurface tie-in. Please reference storage and worksurface support sections for more details.
- Spanning top cap available through Allsteel Tailored Solution Group.


Mid panel must be 3" shorter than end panel due to panel frame thickness



Dual-sided

Front edge of Gallery Panel will sit $\frac{1}{2}$ " proud of front edge of worksurface on Optimize






Note: mid panel will align with front of worksurface



Single-sided

Front edge of Gallery Panel will sit $\frac{7}{8}$ " proud of front edge of worksurface on Optimize

Note: mid panel will align with front of worksurface




Gallery Panels

Gallery-to-Gallery Panels







GSA SIN 33721

Gallery-to-Gallery Panels

- Gallery-to-Gallery panels connect to other gallery panels and are available in L-, T-, and Nonsymmetrical T- configurations.
- When specifying Gallery-to-Gallery panels, the installation template (GTEMP) is required. The recommendation is 1 template for every 30 panels. Templates are reusable.
- Gallery-to-Gallery panels cap over Standard Gallery panels and are oversized by $1\frac{1}{8}$ " to maintain true interior dimensions
- Gallery-to-Gallery panels must be of equal or lower height than the Standard Gallery panel attached. The Gallery-to-Gallery panel cannot be taller than the adjacent panel. If this is required, please reach out to TPG for a custom solution.
- Made of $1\frac{1}{8}$ " board with HPL laminate.
- Can be specified with matching or contrasting edge.
- Edge band is 2mm ABS
- Available in woodgrain and solid laminates.
- Woodgrain laminates can be specified with vertical grain up to 54"W. Horizontal grain is available on all sizes.
- Gallery-to-Gallery panel widths are available in 3" increments from 18"W to 30"W and in 6" increments from 30"W to 78"W
- Gallery Panels offer $2\frac{1}{2}$ " leveling capability.
- Overall heights line up with adjacent panel or benching systems.
- Available with and without the integrated glass option.
- Glass is specified separately.
- Gallery Panels for use with glass have separate model numbers.
- Gallery-to-Gallery panels are secured with an inset flat bracket under a painted metal cover.
- L- and Nonsymmetrical T- panels are handed.
- Please adhere to all standard systems specification guidelines.
- Additional support is required after every 60" in gallery panel width (i.e. storage or worksurface tie-in)
- Nonsymmetrical T Panels are specified in the format GTyyxxzz. Substitute yy as panel height, xx as LH nominal length, and zz as RH nominal length



Note: Gallery-to-Gallery Panels cap over standard Gallery Panels and are oversized by $1\frac{1}{8}$ " to maintain modular interior dimensions. (ex: 18" panel is actually $19\frac{1}{8}$ " W)



Gallery Panels


Freestanding Screens

GSA SIN 33721

Freestanding Screens can be specified using Standard Gallery panels and Gallery-to-Gallery (depicted by the shaded panels in the illustrations below). Overall height, including glass, cannot exceed 72.5". Gallery Panel sizes 63"W or greater require storage or worksurface tie-in.

Freestanding L-Screens


Parent	Minimum Return
18-24	Not Valid
30-36	30
39-60	36
63-84	42



NOTE: Increase minimum return length by 3" or next largest width of panel for every 7.5" variation in panel height.

Freestanding U-Screens


Parent	Minimum Return
18-21	Not Valid
24-48	24
51-60	27
63-84	30



NOTE: Increase minimum return length by 3" or next largest width of panel for every 7.5" variation in panel height.

Freestanding T-Screens

T-Return	Minimum Parent
18-21	Not Valid
24-36	30-84
42-60	36-84
66-78	42-84





NOTE: Increase minimum return length by 3" or next largest width of panel for every 7.5" variation in panel height.

Freestanding H-Screens





Parent	Minimum H-Return
30-84	18

NOTE: Increase minimum return length by 3" or next largest width of panel for every 7.5" variation in panel height.



**Worksurface Mounting Bracket** (page 173)


- Used to mount a fixed-height worksurface to a Gallery panel.
- Can be painted any Allsteel Standard Paint color.
- A worksurface stiffener is required for surfaces 60"W or greater.
- One bracket kit (GWSBK) is required for each worksurface end attached to Gallery Panels.
- One bracket kit (GWSBK) includes two large L- brackets and one small corner L- bracket.


**Storage Ganging Kits** (page 169)

- The laminate storage ganging kit (GSGKL) is used to connect a Gallery Panel to a laminate storage unit.
- The metal storage ganging kit (GSGKM) is used to connect a Gallery Panel to a metal storage unit.


Gallery Panel Stiffeners (page 169)

- Required for single-piece panels 75"W and greater that are used in a wing or single-sided end condition and do not have a horizontally-mounted credenza.
- For panels 75"W and 78"W, order model (GSTFN7578). Stiffener width is 72".
- For panels 81"W and 84"W, order model (GSTFN8184). Stiffener width is 78".
- Attaches directly to one side of the Gallery Panel with a painted metal cover, attachment hardware included.
- Placement on panel face must be at least 18" above the floor but is not restricted to a specific location on the panel.
- Stiffener is 1½" x 1½".
- Available in any Allsteel standard paint color




**Tackboards** (page 174)


- Provides tackable surface.
- Comes with steel-painted trim.
- Available in the following heights: 15", 22½"
- Available in the following *widths: 24", 30", 36", 42", 48", 54", 60".
*Nominal widths, true width is undersized by ½"
- Depth of .45"
- Mounts directly to Gallery Panel. Mounting hardware included. Will deface the panel.

**Magnet or Marker Boards** (page 174)


- Provides writable and magnetic surface when painted in marker board paint.
- Provides magnetic surface, NON-writable, when painted in other Allsteel paint colors.
- Available in the following heights: 15", 22½"
- Available in the following *widths: 24", 30", 36", 42", 48", 54", 60".
*Nominal widths, true width is undersized by ½"
- Depth of .45"
- Mounts directly to Gallery Panel. Mounting hardware included. Will deface the panel.








Tackboard Accessory on Mid and End Gallery Panels

**Hanging Magnet or Marker Boards** (page 174)


- Hangs over Gallery panel or sits on top of worksurface.
- Provides writable and magnetic surface when painted in marker board paint.
- Provides magnetic surface, NON-writable, when painted in other Allsteel paint colors.
- Cannot be installed back-to-back when hanging in the same location.
- Available in 30"W and in two heights: 20"H and 26"H.

**Gallery Panel Foot** (page 174)


- Single foot provides rigidity to large wing panel.
- Using two feet on a single Gallery Panel allows for a freestanding application on panels greater than 24"W.
- Available in any textured Allsteel paint.
- Foot extends 9" from either side of the panel.

**Floating Laminate Shelves** (page 175)


- 6" depth.
- 3/4" thickness.
- Constructed of HPL laminate with 0.8mm ABS edgebanding.
- Available in solid or horizontal woodgrain laminate.
- Available with contrasting or matching edge.
- Widths available every 6" from 12" to 78"W.
- Widths from 54" to 78" satisfy a stiffener requirement and are meant to be mounted to a panel that is 6" wider than the shelf. (e.g., 84"W panel would accept a 78"W stiffener shelf.)
- Shelves narrower than 54"W do not act as a stiffener.
- Weight capacity is 10lbs per linear foot.




GACRL12




GCHRB




G2AGF



G1PTR



GWPSF



GBRSF

Accessory Rail and Paper Management (page 175)


- Accessory Rail provides mounting for paper management accessories, listed below.
- Rail is 2.6"H and is available in the following widths: 12", 18", 24", 30", 36".
- Rails can be installed in any location on the Gallery Panel, as long as the rail does not extend beyond the top of the panel, and can be placed in-line to span panel length.
- Rail and accessories can be painted any standard Allsteel paint color.
- Mounts directly to the Gallery panel, attachment hardware included.
- Extensions accessories are NOT compatible with the accessory rail.
- These accessories are compatible with panel system tool tiles and rails.
- Includes a rail cover to hide hardware and provide magnetic surface.
- Compatible Rail Accessories:
 - Coat Hook (Rail-based, a mounted version is also available to attach directly to the panel)
 - Rail Based dimensions: 4" x 3" x 1¼"
 - Mounted dimensions: 4" x 3" x 1½"
 - Weight limit: 25 lbs
 - Angle File (Triple, Dual, and Single heights)
 - Depth of 2"
 - Heights: Triple = 15½", Dual = 12½", Single = 9½"
 - Paper Tray (Triple, Dual, and Single heights)
 - Depth of 10"
 - Heights: Triple = 9½", Dual = 6½", Single = 3½"
 - Personal Shelf
 - 9½" x 24" x 10½"
 - Weight limit: 25 lbs
 - Binder Shelf
 - 12½" x 12" x 11½"
 - Weight limit: 25lbs

NOTE: When accessory tools are attached to freestanding Gallery Panel screens, excess weight may affect overall panel stability.



Wall Start (page 173)

- Wall Starts are 1⅝" by 1⅝" rectangular mounting posts that are meant to affix a Gallery Panel to a permanent building wall.
- Wall starts add 1⅝" to panel run.
- Attachment hardware not included.
- Must be specified at the same height as the connecting panel.




Countertop Brackets (page 173)

- Includes attachment hardware.
- Countertops are flush with the top of the panel and can be flush with the ends of the panel or shorter than the panel width.
- For straight countertops, two countertop brackets must be ordered.
- For corner countertops, three countertop brackets must be ordered.
- Will deface the Gallery Panel.
- May be used in conjunction with Stride, Terrace, or Optimize panels. When transitioning from a Panel spine to a Gallery Panel wing with a corner countertop, use countertop model of the panel system.

Height Adjustable Table Tie-In Brackets (Gallery Panels)

- Improves panel rigidity. Does not function as a panel stability solution.
- AGBKT to be specified for connection to a T leg HAT
- AGBKC to be specified for connection to a C leg HAT
- Reusable mounting template is required and must be ordered separately (AGBKTMP).
- Brackets telescope to account for 24" and 30" worksurface depths and screen attachments.
- A6 C legs with a 30"D worksurface and a screen must be specified with T leg brackets
- NOT compatible with Altitude MAX bases
- Height adjustable table brackets must be installed to both sides of the panel to substitute for a return panel in a dual-sided panel bench application. When a single bracket is connected to a wing panel as shown in the 4-pack image, the HAT bracket can substitute for a return panel.
- Freestanding panel can be connected to height adjustable table if it is supported by HAT brackets on both sides of the table and panel spine.




Note: Wire chain cannot be installed on the same leg as a HAT tie-in bracket.

SINGLE BRACKET

Gallery Panel Application:

Max Height (with Glass): 65"H

Max Width: 75"W; No top size restrictions




DUAL SIDED PANEL BENCH

Gallery Panel Application:

Max Height (with Glass): 65"H

Bracket Needed: Single Panel (75" max) with Brackets on each leg (placed at the same height)







Freestanding Gallery Panel Application

Gallery Panels

Gallery-to-Gallery Panels: 30"H Application

GSA SIN 33721

	Description	Model	List Price		
			L1	L2	L3
 Right Hand  Left Hand	30"H L- Gallery-to-Gallery Panels				
	18"W (RH)	GL3018R	\$ 698	\$ 724	\$ 749
	18"W (LH)	GL3018L	\$ 698	\$ 724	\$ 749
	21"W (RH)	GL3021R	\$ 712	\$ 738	\$ 764
	21"W (LH)	GL3021L	\$ 712	\$ 738	\$ 764
	24"W (RH)	GL3024R	\$ 744	\$ 771	\$ 798
	24"W (LH)	GL3024L	\$ 744	\$ 771	\$ 798
	27"W (RH)	GL3027R	\$ 781	\$ 810	\$ 837
	27"W (LH)	GL3027L	\$ 781	\$ 810	\$ 837
	30"W (RH)	GL3030R	\$ 861	\$ 892	\$ 924
	30"W (LH)	GL3030L	\$ 861	\$ 892	\$ 924
	36"W (RH)	GL3036R	\$ 932	\$ 966	\$ 999
	36"W (LH)	GL3036L	\$ 932	\$ 966	\$ 999
	42"W (RH)	GL3042R	\$ 1018	\$ 1056	\$ 1092
	42"W (LH)	GL3042L	\$ 1018	\$ 1056	\$ 1092
	48"W (RH)	GL3048R	\$ 1137	\$ 1178	\$ 1219
	48"W (LH)	GL3048L	\$ 1137	\$ 1178	\$ 1219
	54"W (RH)	GL3054R	\$ 1202	\$ 1245	\$ 1289
	54"W (LH)	GL3054L	\$ 1202	\$ 1245	\$ 1289
	60"W (RH)	GL3060R	\$ 1297	\$ 1344	\$ 1390
	60"W (LH)	GL3060L	\$ 1297	\$ 1344	\$ 1390
	66"W (RH)	GL3066R	\$ 1336	\$ 1384	\$ 1432
	66"W (LH)	GL3066L	\$ 1336	\$ 1384	\$ 1432
	72"W (RH)	GL3072R	\$ 1455	\$ 1508	\$ 1560
	72"W (LH)	GL3072L	\$ 1455	\$ 1508	\$ 1560
	78"W (RH)	GL3078R	\$ 1679	\$ 1739	\$ 1799
	78"W (LH)	GL3078L	\$ 1679	\$ 1739	\$ 1799
 	30"H T- Gallery-to-Gallery Panels				
	18"W	GT3018	\$ 697	\$ 723	\$ 748
	21"W	GT3021	\$ 713	\$ 739	\$ 765
	24"W	GT3024	\$ 744	\$ 771	\$ 798
	27"W	GT3027	\$ 781	\$ 810	\$ 837
	30"W	GT3030	\$ 858	\$ 889	\$ 921
	36"W	GT3036	\$ 930	\$ 964	\$ 997
	42"W	GT3042	\$ 1020	\$ 1058	\$ 1094
	48"W	GT3048	\$ 1139	\$ 1180	\$ 1221
	54"W	GT3054	\$ 1199	\$ 1242	\$ 1286
	60"W	GT3060	\$ 1295	\$ 1342	\$ 1388
	66"W	GT3066	\$ 1337	\$ 1385	\$ 1433
	72"W	GT3072	\$ 1455	\$ 1508	\$ 1560
	78"W	GT3078	\$ 1679	\$ 1739	\$ 1799
	30"H Nonsym T- Gallery-to-Gallery Panels				
42"W 18L 24R	GT301824	\$ 1020	\$ 1058	\$ 1094	
42"W 24L 18R	GT302418	\$ 1020	\$ 1058	\$ 1094	
48"W 18L 30R	GT301830	\$ 1040	\$ 1081	\$ 1122	
48"W 30L 18R	GT303018	\$ 1040	\$ 1081	\$ 1122	
54"W 24L 30R	GT302430	\$ 1199	\$ 1242	\$ 1286	
54"W 30L 24R	GT303024	\$ 1199	\$ 1242	\$ 1286	




Description	Model	List Price
Gallery-to-Gallery Installation Template (<i>Black only, code P</i>)	GTEMP	\$ 76

How to specify — Select the Model Number from above.	1st Option: FSC: (if applicable): F FSC Wood X Non-FSC Wood	2nd Option: Laminate: (if applicable): See page 130 for finishes.	3rd Option: Edge: See page 130 for finishes.	4th Option: Grain: (if applicable): VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	5th Option: Paint See page 130 for finishes.	6th Option: Glide: (if applicable):
G				V		G

Gallery Panels

Gallery-to-Gallery Panels: 35"H Application

GSA SIN 33721

	Description	Model	List Price		
			L1	L2	L3
 Right Hand	35"H L- Gallery-to-Gallery Panels				
	18" W (RH)	GL3518R	\$ 787	\$ 816	\$ 844
	18" W (LH)	GL3518L	\$ 787	\$ 816	\$ 844
	21" W (RH)	GL3521R	\$ 805	\$ 834	\$ 863
	21" W (LH)	GL3521L	\$ 805	\$ 834	\$ 863
	24" W (RH)	GL3524R	\$ 841	\$ 872	\$ 901
	24" W (LH)	GL3524L	\$ 841	\$ 872	\$ 901
	27" W (RH)	GL3527R	\$ 874	\$ 906	\$ 938
	27" W (LH)	GL3527L	\$ 874	\$ 906	\$ 938
	30" W (RH)	GL3530R	\$ 975	\$ 1010	\$ 1045
	30" W (LH)	GL3530L	\$ 975	\$ 1010	\$ 1045
	36" W (RH)	GL3536R	\$ 1062	\$ 1101	\$ 1139
	36" W (LH)	GL3536L	\$ 1062	\$ 1101	\$ 1139
	42" W (RH)	GL3542R	\$ 1130	\$ 1171	\$ 1211
	42" W (LH)	GL3542L	\$ 1130	\$ 1171	\$ 1211
	48" W (RH)	GL3548R	\$ 1228	\$ 1272	\$ 1317
	48" W (LH)	GL3548L	\$ 1228	\$ 1272	\$ 1317
	54" W (RH)	GL3554R	\$ 1301	\$ 1348	\$ 1395
	54" W (LH)	GL3554L	\$ 1301	\$ 1348	\$ 1395
	 Left Hand	60" W (RH)	GL3560R	\$ 1384	\$ 1435
60" W (LH)		GL3560L	\$ 1384	\$ 1435	\$ 1484
66" W (RH)		GL3566R	\$ 1446	\$ 1499	\$ 1550
66" W (LH)		GL3566L	\$ 1446	\$ 1499	\$ 1550
72" W (RH)		GL3572R	\$ 1568	\$ 1625	\$ 1681
72" W (LH)		GL3572L	\$ 1568	\$ 1625	\$ 1681
78" W (RH)		GL3578R	\$ 1751	\$ 1815	\$ 1877
78" W (LH)		GL3578L	\$ 1751	\$ 1815	\$ 1877
35"H T- Gallery-to-Gallery Panels					
18" W		GT3518	\$ 786	\$ 815	\$ 843
21" W		GT3521	\$ 805	\$ 834	\$ 863
24" W		GT3524	\$ 842	\$ 873	\$ 902
27" W		GT3527	\$ 875	\$ 907	\$ 939
30" W		GT3530	\$ 975	\$ 1010	\$ 1045
36" W	GT3536	\$ 1062	\$ 1101	\$ 1139	
42" W	GT3542	\$ 1129	\$ 1170	\$ 1210	
48" W	GT3548	\$ 1229	\$ 1273	\$ 1318	
54" W	GT3554	\$ 1302	\$ 1349	\$ 1396	
60" W	GT3560	\$ 1384	\$ 1435	\$ 1484	
66" W	GT3566	\$ 1446	\$ 1499	\$ 1550	
72" W	GT3572	\$ 1567	\$ 1624	\$ 1680	
78" W	GT3578	\$ 1751	\$ 1815	\$ 1877	
	35"H Nonsym T- Gallery-to-Gallery Panels				
	42" W 18L 24R	GT351824	\$ 1129	\$ 1170	\$ 1210
	42" W 24L 18R	GT352418	\$ 1129	\$ 1170	\$ 1210
	48" W 18L 30R	GT351830	\$ 1229	\$ 1273	\$ 1318
	48" W 30L 18R	GT353018	\$ 1229	\$ 1273	\$ 1318
	54" W 24L 30R	GT352430	\$ 1302	\$ 1349	\$ 1396
	54" W 30L 24R	GT353024	\$ 1302	\$ 1349	\$ 1396

Description	Model	List Price
Gallery-to-Gallery Installation Template (<i>Black only, code P</i>)	GTEMP	\$ 76

How to specify —
Select the
Model Number
from above.

G | | | | | | | . | | .

1st Option:
FSC: (if applicable):
F FSC Wood
X Non-FSC Wood

2nd Option:
Laminate: (if applicable):
See page 130 for finishes.

| | | | | .

3rd Option:
Edge:
See page 130 for finishes.

| | | .

4th Option:
Grain: (if applicable):
VLG Horizontal grain or Solid only.
VST Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W).

V | | | .

5th Option:
Paint
See page 130 for finishes.

| | | | .



6th Option:
Glide: (if applicable):

G |

Gallery Panels

Gallery-to-Gallery Panels: 42"H Application

GSA SIN 33721

	Description	Model	List Price		
			L1	L2	L3
 Right Hand	42"H L- Gallery-to-Gallery Panels				
	18" W (RH)	GL4218R	\$ 854	\$ 885	\$ 916
	18" W (LH)	GL4218L	\$ 854	\$ 885	\$ 916
	21" W (RH)	GL4221R	\$ 868	\$ 900	\$ 931
	21" W (LH)	GL4221L	\$ 868	\$ 900	\$ 931
	24" W (RH)	GL4224R	\$ 913	\$ 946	\$ 979
	24" W (LH)	GL4224L	\$ 913	\$ 946	\$ 979
	27" W (RH)	GL4227R	\$ 954	\$ 988	\$ 1023
	27" W (LH)	GL4227L	\$ 954	\$ 988	\$ 1023
	30" W (RH)	GL4230R	\$ 1064	\$ 1103	\$ 1141
	30" W (LH)	GL4230L	\$ 1064	\$ 1103	\$ 1141
	36" W (RH)	GL4236R	\$ 1161	\$ 1203	\$ 1244
	36" W (LH)	GL4236L	\$ 1161	\$ 1203	\$ 1244
	42" W (RH)	GL4242R	\$ 1240	\$ 1285	\$ 1330
	42" W (LH)	GL4242L	\$ 1240	\$ 1285	\$ 1330
 Left Hand	48" W (RH)	GL4248R	\$ 1320	\$ 1367	\$ 1415
	48" W (LH)	GL4248L	\$ 1320	\$ 1367	\$ 1415
	54" W (RH)	GL4254R	\$ 1427	\$ 1479	\$ 1530
	54" W (LH)	GL4254L	\$ 1427	\$ 1479	\$ 1530
	60" W (RH)	GL4260R	\$ 1504	\$ 1558	\$ 1612
	60" W (LH)	GL4260L	\$ 1504	\$ 1558	\$ 1612
	66" W (RH)	GL4266R	\$ 1583	\$ 1640	\$ 1697
	66" W (LH)	GL4266L	\$ 1583	\$ 1640	\$ 1697
	72" W (RH)	GL4272R	\$ 1693	\$ 1755	\$ 1814
	72" W (LH)	GL4272L	\$ 1693	\$ 1755	\$ 1814
	78" W (RH)	GL4278R	\$ 1843	\$ 1910	\$ 1975
	78" W (LH)	GL4278L	\$ 1843	\$ 1910	\$ 1975

 	42" H T- Gallery-to-Gallery Panels				
	18" W	GT4218	\$ 855	\$ 886	\$ 917
	21" W	GT4221	\$ 869	\$ 901	\$ 932
	24" W	GT4224	\$ 915	\$ 948	\$ 981
	27" W	GT4227	\$ 953	\$ 987	\$ 1022
	30" W	GT4230	\$ 1066	\$ 1105	\$ 1143
	36" W	GT4236	\$ 1162	\$ 1204	\$ 1245
	42" W	GT4242	\$ 1241	\$ 1286	\$ 1331
	48" W	GT4248	\$ 1323	\$ 1370	\$ 1418
	54" W	GT4254	\$ 1429	\$ 1481	\$ 1532
	60" W	GT4260	\$ 1505	\$ 1559	\$ 1613
	66" W	GT4266	\$ 1584	\$ 1641	\$ 1698
	72" W	GT4272	\$ 1693	\$ 1755	\$ 1814
78" W	GT4278	\$ 1844	\$ 1911	\$ 1976	

	42" H Nonsym T- Gallery-to-Gallery Panels				
	42" W 18L 24R	GT421824	\$ 1241	\$ 1286	\$ 1331
	42" W 24L 18R	GT422418	\$ 1241	\$ 1286	\$ 1331
	48" W 18L 30R	GT421830	\$ 1323	\$ 1370	\$ 1418
	48" W 30L 18R	GT423018	\$ 1323	\$ 1370	\$ 1418
	54" W 24L 30R	GT422430	\$ 1429	\$ 1481	\$ 1532
	54" W 30L 24R	GT423024	\$ 1429	\$ 1481	\$ 1532




Description	Model	List Price
Gallery-to-Gallery Installation Template (<i>Black only, code P</i>)	GTEMP	\$ 76

<i>How to specify —</i> Select the Model Number from above.	<i>1st Option:</i> FSC: (if applicable): F FSC Wood X Non-FSC Wood	<i>2nd Option:</i> Laminate: (if applicable): See page 130 for finishes.	<i>3rd Option:</i> Edge: See page 130 for finishes.	<i>4th Option:</i> Grain: (if applicable): VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	<i>5th Option:</i> Paint See page 130 for finishes.	<i>6th Option:</i> Glide: (if applicable):
G .	.	.	.	V .	.	G

Gallery Panels

Gallery-to-Gallery Panels: 50"H Application

GSA SIN 33721

	Description	Model	List Price		
			L1	L2	L3
 Right Hand Left Hand	50"H L- Gallery-to-Gallery Panels				
	18"W (RH)	GL5018R	\$ 960	\$ 995	\$ 1029
	18"W (LH)	GL5018L	\$ 960	\$ 995	\$ 1029
	21"W (RH)	GL5021R	\$ 981	\$ 1016	\$ 1052
	21"W (LH)	GL5021L	\$ 981	\$ 1016	\$ 1052
	24"W (RH)	GL5024R	\$ 1018	\$ 1056	\$ 1092
	24"W (LH)	GL5024L	\$ 1018	\$ 1056	\$ 1092
	27"W (RH)	GL5027R	\$ 1061	\$ 1100	\$ 1138
	27"W (LH)	GL5027L	\$ 1061	\$ 1100	\$ 1138
	30"W (RH)	GL5030R	\$ 1157	\$ 1199	\$ 1240
	30"W (LH)	GL5030L	\$ 1157	\$ 1199	\$ 1240
	36"W (RH)	GL5036R	\$ 1256	\$ 1301	\$ 1347
	36"W (LH)	GL5036L	\$ 1256	\$ 1301	\$ 1347
	42"W (RH)	GL5042R	\$ 1346	\$ 1394	\$ 1442
	42"W (LH)	GL5042L	\$ 1346	\$ 1394	\$ 1442
	48"W (RH)	GL5048R	\$ 1461	\$ 1514	\$ 1566
	48"W (LH)	GL5048L	\$ 1461	\$ 1514	\$ 1566
	54"W (RH)	GL5054R	\$ 1547	\$ 1603	\$ 1659
	54"W (LH)	GL5054L	\$ 1547	\$ 1603	\$ 1659
	60"W (RH)	GL5060R	\$ 1623	\$ 1681	\$ 1740
	60"W (LH)	GL5060L	\$ 1623	\$ 1681	\$ 1740
	66"W (RH)	GL5066R	\$ 1694	\$ 1756	\$ 1815
	66"W (LH)	GL5066L	\$ 1694	\$ 1756	\$ 1815
	72"W (RH)	GL5072R	\$ 1781	\$ 1846	\$ 1909
	72"W (LH)	GL5072L	\$ 1781	\$ 1846	\$ 1909
	78"W (RH)	GL5078R	\$ 2051	\$ 2125	\$ 2199
	78"W (LH)	GL5078L	\$ 2051	\$ 2125	\$ 2199
	50"H T- Gallery-to-Gallery Panels				
	18"W	GT5018	\$ 961	\$ 996	\$ 1030
	21"W	GT5021	\$ 983	\$ 1018	\$ 1054
	24"W	GT5024	\$ 1020	\$ 1058	\$ 1094
	27"W	GT5027	\$ 1060	\$ 1099	\$ 1137
	30"W	GT5030	\$ 1155	\$ 1197	\$ 1238
	36"W	GT5036	\$ 1256	\$ 1301	\$ 1347
	42"W	GT5042	\$ 1346	\$ 1394	\$ 1442
	48"W	GT5048	\$ 1459	\$ 1512	\$ 1564
	54"W	GT5054	\$ 1548	\$ 1604	\$ 1660
	60"W	GT5060	\$ 1624	\$ 1682	\$ 1741
	66"W	GT5066	\$ 1697	\$ 1759	\$ 1818
	72"W	GT5072	\$ 1780	\$ 1845	\$ 1908
	78"W	GT5078	\$ 2050	\$ 2124	\$ 2198
	50"H Nonsym T- Gallery-to-Gallery Panels				
	42"W 18L 24R	GT501824	\$ 1346	\$ 1394	\$ 1442
	42"W 24L 18R	GT502418	\$ 1346	\$ 1394	\$ 1442
	48"W 18L 30R	GT501830	\$ 1459	\$ 1512	\$ 1564
	48"W 30L 18R	GT503018	\$ 1459	\$ 1512	\$ 1564
	54"W 24L 30R	GT502430	\$ 1548	\$ 1604	\$ 1660
	54"W 30L 24R	GT503024	\$ 1548	\$ 1604	\$ 1660

Description	Model	List Price
Gallery-to-Gallery Installation Template (<i>Black only, code P</i>)	GTEMP	\$ 76

How to specify —
Select the
Model Number
from above.

G

1st Option:
FSC: (if applicable):
F FSC Wood
X Non-FSC Wood

2nd Option:
Laminate: (if applicable):
See page 130 for finishes.

.

3rd Option:
Edge:
See page 130 for finishes.

.

4th Option:
Grain: (if applicable):
VLG Horizontal grain or Solid only.
VST Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W).

V

5th Option:
Paint
See page 130 for finishes.

.


6th Option:
Glide: (if applicable):

G


Gallery Panels

Gallery-to-Gallery Panels: 57½"H Application


GSA SIN 33721




Right Hand



Left Hand





Description	Model	List Price		
		L1	L2	L3
57½"H L- Gallery-to-Gallery Panels				
18" W (RH)	GL5718R	\$ 1119	\$ 1160	\$ 1200
18" W (LH)	GL5718L	\$ 1119	\$ 1160	\$ 1200
21" W (RH)	GL5721R	\$ 1138	\$ 1179	\$ 1220
21" W (LH)	GL5721L	\$ 1138	\$ 1179	\$ 1220
24" W (RH)	GL5724R	\$ 1177	\$ 1220	\$ 1261
24" W (LH)	GL5724L	\$ 1177	\$ 1220	\$ 1261
27" W (RH)	GL5727R	\$ 1219	\$ 1263	\$ 1307
27" W (LH)	GL5727L	\$ 1219	\$ 1263	\$ 1307
30" W (RH)	GL5730R	\$ 1314	\$ 1361	\$ 1408
30" W (LH)	GL5730L	\$ 1314	\$ 1361	\$ 1408
36" W (RH)	GL5736R	\$ 1414	\$ 1465	\$ 1516
36" W (LH)	GL5736L	\$ 1414	\$ 1465	\$ 1516
42" W (RH)	GL5742R	\$ 1503	\$ 1557	\$ 1611
42" W (LH)	GL5742L	\$ 1503	\$ 1557	\$ 1611
48" W (RH)	GL5748R	\$ 1619	\$ 1677	\$ 1735
48" W (LH)	GL5748L	\$ 1619	\$ 1677	\$ 1735
54" W (RH)	GL5754R	\$ 1707	\$ 1769	\$ 1830
54" W (LH)	GL5754L	\$ 1707	\$ 1769	\$ 1830
60" W (RH)	GL5760R	\$ 1782	\$ 1847	\$ 1910
60" W (LH)	GL5760L	\$ 1782	\$ 1847	\$ 1910
66" W (RH)	GL5766R	\$ 1855	\$ 1922	\$ 1988
66" W (LH)	GL5766L	\$ 1855	\$ 1922	\$ 1988
72" W (RH)	GL5772R	\$ 1940	\$ 2010	\$ 2079
72" W (LH)	GL5772L	\$ 1940	\$ 2010	\$ 2079
78" W (RH)	GL5778R	\$ 2208	\$ 2288	\$ 2367
78" W (LH)	GL5778L	\$ 2208	\$ 2288	\$ 2367
57½"H T- Gallery-to-Gallery Panels				
18" W	GT5718	\$ 1117	\$ 1158	\$ 1198
21" W	GT5721	\$ 1140	\$ 1181	\$ 1222
24" W	GT5724	\$ 1177	\$ 1220	\$ 1261
27" W	GT5727	\$ 1219	\$ 1263	\$ 1307
30" W	GT5730	\$ 1315	\$ 1362	\$ 1409
36" W	GT5736	\$ 1413	\$ 1464	\$ 1515
42" W	GT5742	\$ 1504	\$ 1558	\$ 1612
48" W	GT5748	\$ 1620	\$ 1678	\$ 1736
54" W	GT5754	\$ 1705	\$ 1767	\$ 1828
60" W	GT5760	\$ 1781	\$ 1846	\$ 1909
66" W	GT5766	\$ 1854	\$ 1921	\$ 1987
72" W	GT5772	\$ 1939	\$ 2009	\$ 2078
78" W	GT5778	\$ 2209	\$ 2289	\$ 2368
57½"H Nonsym T- Gallery-to-Gallery Panels				
42" W 18L 24R	GT571824	\$ 1504	\$ 1558	\$ 1612
42" W 24L 18R	GT572418	\$ 1504	\$ 1558	\$ 1612
48" W 18L 30R	GT571830	\$ 1620	\$ 1678	\$ 1736
48" W 30L 18R	GT573018	\$ 1620	\$ 1678	\$ 1736
54" W 24L 30R	GT572430	\$ 1705	\$ 1767	\$ 1828
54" W 30L 24R	GT573024	\$ 1705	\$ 1767	\$ 1828

Description	Model	List Price
Gallery-to-Gallery Installation Template (<i>Black only, code P</i>)	GTEMP	\$ 76

How to specify — Select the Model Number from above.	1st Option: FSC: (if applicable): F FSC Wood X Non-FSC Wood	2nd Option: Laminate: (if applicable): See page 130 for finishes.	3rd Option: Edge: See page 130 for finishes.	4th Option: Grain: (if applicable): VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	5th Option: Paint See page 130 for finishes.	6th Option: Glide: (if applicable):
G				V		G

Gallery Panels

Gallery-to-Gallery Panels for use with Glass: 30" Application

GSA SIN 33721





Description	Model	List Price
Gallery-to-Gallery Installation Template (<i>Black only, code P</i>)	GTEMP	\$ 76

<i>How to specify —</i> Select the Model Number from above.	<i>1st Option:</i> FSC: (if applicable): F FSC Wood X Non-FSC Wood	<i>2nd Option:</i> Laminate: (if applicable): See page 130 for finishes.	<i>3rd Option:</i> Edge: See page 130 for finishes.	<i>4th Option:</i> Grain: (if applicable): VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60" W or less, and for split panels between 87" W and 117" W.	<i>5th Option:</i> Paint See page 130 for finishes.	<i>6th Option:</i> Glide: (if applicable):
G .	.	.	.	V .	.	G

Gallery Panels

Gallery-to-Gallery Panels for use with Glass: 35" Application

GSA SIN 33721

	Description	Model	List Price			Accepts Glass Models	
			L1	L2	L3	7½"H, 13"H, 15"H	
 Right Hand  Left Hand	35"H L- Gallery-to-Gallery Panels For Use w/ Glass						
	18" W (RH)	GL3518RG	1018	1056	1092	G4	18GS
	18" W (LH)	GL3518LG	1018	1056	1092	G4	18GS
	21" W (RH)	GL3521RG	1039	1077	1114	G4	21GS
	21" W (LH)	GL3521LG	1039	1077	1114	G4	21GS
	24" W (RH)	GL3524RG	1075	1114	1153	G4	24GS
	24" W (LH)	GL3524LG	1075	1114	1153	G4	24GS
	27" W (RH)	GL3527RG	1108	1148	1188	G4	27GS
	27" W (LH)	GL3527LG	1108	1148	1188	G4	27GS
	30" W (RH)	GL3530RG	1207	1251	1294	G4	30GS
	30" W (LH)	GL3530LG	1207	1251	1294	G4	30GS
	36" W (RH)	GL3536RG	1296	1343	1389	G4	36GS
	36" W (LH)	GL3536LG	1296	1343	1389	G4	36GS
	42" W (RH)	GL3542RG	1360	1410	1459	G4	42GS
	42" W (LH)	GL3542LG	1360	1410	1459	G4	42GS
	48" W (RH)	GL3548RG	1461	1514	1566	G4	48GS
	48" W (LH)	GL3548LG	1461	1514	1566	G4	48GS
	54" W (RH)	GL3554RG	1534	1589	1645	G4	54GS
	54" W (LH)	GL3554LG	1534	1589	1645	G4	54GS
	60" W (RH)	GL3560RG	1617	1675	1733	G4	60GS
	60" W (LH)	GL3560LG	1617	1675	1733	G4	60GS
	66" W (RH)	GL3566RG	1679	1739	1799	G4	66GS
	66" W (LH)	GL3566LG	1679	1739	1799	G4	66GS
	72" W (RH)	GL3572RG	1800	1865	1929	G4	72GS
	72" W (LH)	GL3572LG	1800	1865	1929	G4	72GS
	78" W (RH)	GL3578RG	1984	2055	2126	G4	78GS
	78" W (LH)	GL3578LG	1984	2055	2126	G4	78GS
	35"H T- Gallery-to-Gallery Panels For Use w/ Glass						
	18" W	GT3518G	1020	1058	1094	G4	18GS
	21" W	GT3521G	1037	1075	1112	G4	21GS
	24" W	GT3524G	1074	1113	1152	G4	24GS
	27" W	GT3527G	1107	1147	1187	G4	27GS
	30" W	GT3530G	1209	1253	1296	G4	30GS
	36" W	GT3536G	1294	1341	1387	G4	36GS
	42" W	GT3542G	1362	1412	1461	G4	42GS
	48" W	GT3548G	1459	1512	1564	G4	48GS
	54" W	GT3554G	1534	1589	1645	G4	54GS
	60" W	GT3560G	1619	1677	1735	G4	60GS
	66" W	GT3566G	1679	1739	1799	G4	66GS
	72" W	GT3572G	1801	1866	1930	G4	72GS
	78" W	GT3578G	1982	2053	2124	G4	78GS
	35"H Nonsym T- Gallery-to-Gallery Panels For Use w/ Glass						
	42" W 18L 24R	GT351824G	1362	1412	1461	G4	42GS
	42" W 24L 18R	GT352418G	1362	1412	1461	G4	42GS
	48" W 18L 30R	GT351830G	1459	1512	1564	G4	48GS
	48" W 30L 18R	GT353018G	1459	1512	1564	G4	48GS
	54" W 24L 30R	GT352430G	1534	1589	1645	G4	54GS
	54" W 30L 24R	GT353024G	1534	1589	1645	G4	54GS
Note: Fill in model number blanks with one of the following options to determine glass height.							
07 7.5"H glass							
13 13"H glass							
15 15"H glass							


Description	Model	List Price
Gallery-to-Gallery Installation Template (<i>Black only, code P</i>)	GTEMP	\$ 76

How to specify — Select the Model Number from above.	1st Option: FSC: (if applicable): F FSC Wood X Non-FSC Wood	2nd Option: Laminate: (if applicable): See page 130 for finishes.	3rd Option: Edge: See page 130 for finishes.	4th Option: Grain: (if applicable): VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	5th Option: Paint See page 130 for finishes.	6th Option: Glide: (if applicable):
G				V		G


Gallery Panels

Gallery-to-Gallery Panels for use with Glass: 42" Application

GSA SIN 33721



Right Hand



Left Hand

Description	Model	List Price			Accepts Glass Models
		L1	L2	L3	7½"H, 13"H, 15"H
42"H L- Gallery-to-Gallery Panels For Use w/ Glass					
18"W (RH)	GL4218RG	1087	1127	1166	G4 □□ 18GS
18"W (LH)	GL4218LG	1087	1127	1166	G4 □□ 18GS
21"W (RH)	GL4221RG	1100	1140	1179	G4 □□ 21GS
21"W (LH)	GL4221LG	1100	1140	1179	G4 □□ 21GS
24"W (RH)	GL4224RG	1148	1190	1230	G4 □□ 24GS
24"W (LH)	GL4224LG	1148	1190	1230	G4 □□ 24GS
27"W (RH)	GL4227RG	1188	1231	1274	G4 □□ 27GS
27"W (LH)	GL4227LG	1188	1231	1274	G4 □□ 27GS
30"W (RH)	GL4230RG	1298	1345	1391	G4 □□ 30GS
30"W (LH)	GL4230LG	1298	1345	1391	G4 □□ 30GS
36"W (RH)	GL4236RG	1394	1445	1495	G4 □□ 36GS
36"W (LH)	GL4236LG	1394	1445	1495	G4 □□ 36GS
42"W (RH)	GL4242RG	1473	1526	1579	G4 □□ 42GS
42"W (LH)	GL4242LG	1473	1526	1579	G4 □□ 42GS
48"W (RH)	GL4248RG	1555	1611	1667	G4 □□ 48GS
48"W (LH)	GL4248LG	1555	1611	1667	G4 □□ 48GS
54"W (RH)	GL4254RG	1660	1720	1779	G4 □□ 54GS
54"W (LH)	GL4254LG	1660	1720	1779	G4 □□ 54GS
60"W (RH)	GL4260RG	1738	1801	1863	G4 □□ 60GS
60"W (LH)	GL4260LG	1738	1801	1863	G4 □□ 60GS
66"W (RH)	GL4266RG	1818	1884	1948	G4 □□ 66GS
66"W (LH)	GL4266LG	1818	1884	1948	G4 □□ 66GS
72"W (RH)	GL4272RG	1928	1997	2067	G4 □□ 72GS
72"W (LH)	GL4272LG	1928	1997	2067	G4 □□ 72GS
78"W (RH)	GL4278RG	2077	2152	2226	G4 □□ 78GS
78"W (LH)	GL4278LG	2077	2152	2226	G4 □□ 78GS

42"H T- Gallery-to-Gallery Panels For Use w/ Glass

18"W	GT4218G	1088	1128	1167	G4 □□ 18GS
21"W	GT4221G	1103	1143	1182	G4 □□ 21GS
24"W	GT4224G	1148	1190	1230	G4 □□ 24GS
27"W	GT4227G	1186	1229	1272	G4 □□ 27GS
30"W	GT4230G	1300	1347	1393	G4 □□ 30GS
36"W	GT4236G	1396	1447	1497	G4 □□ 36GS
42"W	GT4242G	1473	1526	1579	G4 □□ 42GS
48"W	GT4248G	1554	1610	1666	G4 □□ 48GS
54"W	GT4254G	1661	1721	1780	G4 □□ 54GS
60"W	GT4260G	1738	1801	1863	G4 □□ 60GS
66"W	GT4266G	1817	1883	1947	G4 □□ 66GS
72"W	GT4272G	1927	1996	2066	G4 □□ 72GS
78"W	GT4278G	2076	2151	2225	G4 □□ 78GS

42"H Nonsym T- Gallery-to-Gallery Panels For Use w/ Glass

42"W 18L 24R	GT421824G	1473	1526	1579	G4 □□ 42GS
42"W 24L 18R	GT422418G	1473	1526	1579	G4 □□ 42GS
48"W 18L 30R	GT421830G	1554	1610	1666	G4 □□ 48GS
48"W 30L 18R	GT423018G	1554	1610	1666	G4 □□ 48GS
54"W 24L 30R	GT422430G	1661	1721	1780	G4 □□ 54GS
54"W 30L 24R	GT423024G	1661	1721	1780	G4 □□ 54GS

Note: Fill in model number blanks with one of the following options to determine glass height.

- 07 7.5"H glass
13 13"H glass
15 15"H glass

Description	Model	List Price
Gallery-to-Gallery Installation Template (<i>Black only, code P</i>)	GTEMP	\$ 76

How to specify —
Select the
Model Number
from above.

G □ □ □ □ □ □ □ □ □ □ . □ □ .

1st Option:

FSC: (if applicable):
F FSC Wood
X Non-FSC Wood

2nd Option:

Laminate: (if applicable):
See page 130 for finishes.

3rd Option:
Edge:

See page 130 for finishes.

4th Option:

Grain: (if applicable):
VLG Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W).
VST Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W).

V □ □ □ .

5th Option:

Paint
See page 130 for finishes.

□ □ □ □ .

6th Option:


Glide: (if applicable):

G


Gallery Panels

Gallery-to-Gallery Panels for use with Glass: 50" Application

GSA SIN 33721



Right Hand



Left Hand

Description	Model	List Price			Accepts Glass Models
		L1	L2	L3	7½"H, 13"H, 15"H
50"H L- Gallery-to-Gallery Panels For Use w/ Glass					
18" W (RH)	GL5018RG	1193	1236	1279	G4 □□ 18GS
18" W (LH)	GL5018LG	1193	1236	1279	G4 □□ 18GS
21" W (RH)	GL5021RG	1214	1258	1302	G4 □□ 21GS
21" W (LH)	GL5021LG	1214	1258	1302	G4 □□ 21GS
24" W (RH)	GL5024RG	1252	1297	1342	G4 □□ 24GS
24" W (LH)	GL5024LG	1252	1297	1342	G4 □□ 24GS
27" W (RH)	GL5027RG	1295	1342	1388	G4 □□ 27GS
27" W (LH)	GL5027LG	1295	1342	1388	G4 □□ 27GS
30" W (RH)	GL5030RG	1390	1441	1490	G4 □□ 30GS
30" W (LH)	GL5030LG	1390	1441	1490	G4 □□ 30GS
36" W (RH)	GL5036RG	1489	1543	1596	G4 □□ 36GS
36" W (LH)	GL5036LG	1489	1543	1596	G4 □□ 36GS
42" W (RH)	GL5042RG	1579	1636	1693	G4 □□ 42GS
42" W (LH)	GL5042LG	1579	1636	1693	G4 □□ 42GS
48" W (RH)	GL5048RG	1693	1755	1814	G4 □□ 48GS
48" W (LH)	GL5048LG	1693	1755	1814	G4 □□ 48GS
54" W (RH)	GL5054RG	1781	1846	1909	G4 □□ 54GS
54" W (LH)	GL5054LG	1781	1846	1909	G4 □□ 54GS
60" W (RH)	GL5060RG	1857	1924	1990	G4 □□ 60GS
60" W (LH)	GL5060LG	1857	1924	1990	G4 □□ 60GS
66" W (RH)	GL5066RG	1929	1998	2068	G4 □□ 66GS
66" W (LH)	GL5066LG	1929	1998	2068	G4 □□ 66GS
72" W (RH)	GL5072RG	2013	2085	2157	G4 □□ 72GS
72" W (LH)	GL5072LG	2013	2085	2157	G4 □□ 72GS
78" W (RH)	GL5078RG	2283	2365	2447	G4 □□ 78GS
78" W (LH)	GL5078LG	2283	2365	2447	G4 □□ 78GS
50"H T- Gallery-to-Gallery Panels For Use w/ Glass					
18" W	GT5018G	1194	1237	1280	G4 □□ 18GS
21" W	GT5021G	1214	1258	1302	G4 □□ 21GS
24" W	GT5024G	1253	1298	1343	G4 □□ 24GS
27" W	GT5027G	1293	1340	1386	G4 □□ 27GS
30" W	GT5030G	1390	1441	1490	G4 □□ 30GS
36" W	GT5036G	1489	1543	1596	G4 □□ 36GS
42" W	GT5042G	1579	1636	1693	G4 □□ 42GS
48" W	GT5048G	1693	1755	1814	G4 □□ 48GS
54" W	GT5054G	1780	1845	1908	G4 □□ 54GS
60" W	GT5060G	1856	1923	1989	G4 □□ 60GS
66" W	GT5066G	1928	1997	2067	G4 □□ 66GS
72" W	GT5072G	2013	2085	2157	G4 □□ 72GS
78" W	GT5078G	2284	2366	2448	G4 □□ 78GS
50"H Nonsym T- Gallery-to-Gallery Panels For Use w/ Glass					
42" W 18L 24R	GT501824G	1579	1636	1693	G4 □□ 42GS
42" W 24L 18R	GT502418G	1579	1636	1693	G4 □□ 42GS
48" W 18L 30R	GT501830G	1693	1755	1814	G4 □□ 48GS
48" W 30L 18R	GT503018G	1693	1755	1814	G4 □□ 48GS
54" W 24L 30R	GT502430G	1780	1845	1908	G4 □□ 54GS
54" W 30L 24R	GT503024G	1780	1845	1908	G4 □□ 54GS

Note: Fill in model number blanks with one of the following options to determine glass height.

07 7.5"H glass

13 13"H glass

15 15"H glass


Description	Model	List Price
Gallery-to-Gallery Installation Template (<i>Black only, code P</i>)	GTEMP	\$ 76

How to specify — Select the Model Number from above.	1st Option: FSC: (if applicable): F FSC Wood X Non-FSC Wood	2nd Option: Laminate: (if applicable): See page 130 for finishes.	3rd Option: Edge: See page 130 for finishes.	4th Option: Grain: (if applicable): VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60" W or less, and for split panels between 87" W and 117" W.	5th Option: Paint See page 130 for finishes.	6th Option: Glide: (if applicable):
G				V		G


Gallery Panels

Gallery-to-Gallery Panels for use with Glass: 57½" Application

GSA SIN 33721



Description	Model	List Price			Accepts Glass Models	
		L1	L2	L3	7½"H, 13"H, 15"H	
57½"H L- Gallery-to-Gallery Panels For Use w/ Glass						
18"W (RH)	GL5718RG	1351	1399	1449	G4	□□ 18GS
18"W (LH)	GL5718LG	1351	1399	1449	G4	□□ 18GS
21"W (RH)	GL5721RG	1372	1422	1471	G4	□□ 21GS
21"W (LH)	GL5721LG	1372	1422	1471	G4	□□ 21GS
24"W (RH)	GL5724RG	1411	1462	1513	G4	□□ 24GS
24"W (LH)	GL5724LG	1411	1462	1513	G4	□□ 24GS
27"W (RH)	GL5727RG	1452	1505	1556	G4	□□ 27GS
27"W (LH)	GL5727LG	1452	1505	1556	G4	□□ 27GS
30"W (RH)	GL5730RG	1547	1603	1659	G4	□□ 30GS
30"W (LH)	GL5730LG	1547	1603	1659	G4	□□ 30GS
36"W (RH)	GL5736RG	1646	1705	1764	G4	□□ 36GS
36"W (LH)	GL5736LG	1646	1705	1764	G4	□□ 36GS
42"W (RH)	GL5742RG	1737	1800	1862	G4	□□ 42GS
42"W (LH)	GL5742LG	1737	1800	1862	G4	□□ 42GS
48"W (RH)	GL5748RG	1853	1920	1986	G4	□□ 48GS
48"W (LH)	GL5748LG	1853	1920	1986	G4	□□ 48GS
54"W (RH)	GL5754RG	1940	2010	2079	G4	□□ 54GS
54"W (LH)	GL5754LG	1940	2010	2079	G4	□□ 54GS
60"W (RH)	GL5760RG	2016	2088	2160	G4	□□ 60GS
60"W (LH)	GL5760LG	2016	2088	2160	G4	□□ 60GS
66"W (RH)	GL5766RG	2087	2163	2237	G4	□□ 66GS
66"W (LH)	GL5766LG	2087	2163	2237	G4	□□ 66GS
72"W (RH)	GL5772RG	2172	2250	2328	G4	□□ 72GS
72"W (LH)	GL5772LG	2172	2250	2328	G4	□□ 72GS
78"W (RH)	GL5778RG	2441	2529	2616	G4	□□ 78GS
78"W (LH)	GL5778LG	2441	2529	2616	G4	□□ 78GS



57½" H T- Gallery-to-Gallery Panels For Use w/ Glass						
18"W	GT5718G	1351	1399	1449	G4 □□	18GS
21"W	GT5721G	1373	1423	1472	G4 □□	21GS
24"W	GT5724G	1411	1462	1513	G4 □□	24GS
27"W	GT5727G	1452	1505	1556	G4 □□	27GS
30"W	GT5730G	1548	1604	1660	G4 □□	30GS
36"W	GT5736G	1646	1705	1764	G4 □□	36GS
42"W	GT5742G	1737	1800	1862	G4 □□	42GS
48"W	GT5748G	1852	1919	1985	G4 □□	48GS
54"W	GT5754G	1939	2009	2078	G4 □□	54GS
60"W	GT5760G	2015	2087	2159	G4 □□	60GS
66"W	GT5766G	2086	2162	2236	G4 □□	66GS
72"W	GT5772G	2172	2250	2328	G4 □□	72GS
78"W	GT5778G	2441	2529	2616	G4 □□	78GS

57½" H Nonsym T- Gallery-to-Gallery Panels For Use w/ Glass						
42"W 18L 24R	GT571824G	1737	1800	1862	G4 □□	42GS
42"W 24L 18R	GT572418G	1737	1800	1862	G4 □□	42GS
48"W 18L 30R	GT571830G	1852	1919	1985	G4 □□	48GS
48"W 30L 18R	GT573018G	1852	1919	1985	G4 □□	48GS
54"W 24L 30R	GT572430G	1939	2009	2078	G4 □□	54GS
54"W 30L 24R	GT573024G	1939	2009	2078	G4 □□	54GS

Note: Fill in model number blanks with one of the following options to determine glass height.

- | | |
|----|-------------|
| 07 | 7.5"H glass |
| 13 | 13"H glass |
| 15 | 15"H glass |

Description	Model	List Price
Gallery-to-Gallery Installation Template (<i>Black only, code P</i>)	GTEMP	\$ 76

GALLERY PANELS


<i>How to specify — Select the Model Number from above.</i>	<i>1st Option: FSC: (if applicable); F FSC Wood X Non-FSC Wood</i>	<i>2nd Option: Laminate: (if applicable); See page 130 for finishes.</i>	<i>3rd Option: Edge: See page 130 for finishes.</i>	<i>4th Option: Grain: (if applicable); VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.</i>	<i>5th Option: Paint See page 130 for finishes.</i>	<i>6th Option: Glide: (if applicable);</i>
G .	.	.	.	V .	.	G

Gallery Panels

30"H Application

For Gallery Panel connectors see page 169.

GSA SIN 33721



Description	Model	Configuration	List Price		
			L1	L2	L3
30"H Gallery Panels					
18"W	G3018	Mid	\$ 465	\$ 482	\$ 498
21"W	G3021	Mid	\$ 483	\$ 501	\$ 517
24"W	G3024	Mid	\$ 513	\$ 532	\$ 549
27"W	G3027	Mid	\$ 550	\$ 570	\$ 590
30"W	G3030	Mid	\$ 627	\$ 649	\$ 672
33"W	G3033	S, Mid	\$ 665	\$ 689	\$ 712
36"W	G3036	S, Mid	\$ 699	\$ 725	\$ 749
39"W	G3039	S, Mid	\$ 759	\$ 787	\$ 813
42"W	G3042	S, Mid	\$ 821	\$ 850	\$ 879
45"W	G3045	S, Mid	\$ 896	\$ 928	\$ 960
48"W	G3048	S, Mid	\$ 938	\$ 971	\$ 1005
51"W	G3051	D, S, Mid	\$ 954	\$ 988	\$ 1022
54"W	G3054	D, S, Mid	\$ 1000	\$ 1035	\$ 1071
57"W	G3057	D, S, Mid	\$ 1044	\$ 1082	\$ 1118
60"W	G3060	D, S, Mid	\$ 1095	\$ 1134	\$ 1173
63"W	G3063	D, S, Mid	\$ 1114	\$ 1154	\$ 1193
66"W	G3066	D, S, Mid	\$ 1138	\$ 1179	\$ 1218
69"W	G3069	D, S, Mid	\$ 1219	\$ 1262	\$ 1306
72"W	G3072	D, S, Mid	\$ 1254	\$ 1298	\$ 1343
75"W	G3075	D, S, Mid	\$ 1422	\$ 1473	\$ 1523
78"W	G3078	D, S, Mid	\$ 1477	\$ 1530	\$ 1581
81"W	G3081	D, S, Mid	\$ 1529	\$ 1583	\$ 1637
84"W	G3084	D, S, Mid	\$ 1680	\$ 1739	\$ 1798

Note: Configuration is not included in model number

Mid Mid Panel
S End Single Sided
D End Dual Sided

How to specify — Select the Model Number from above.	1st Option: FSC: F FSC Wood X Non-FSC Wood	2nd Option: Laminate: See page 130 for finishes.	3rd Option: Edge: See page 130 for finishes.	4th Option: Grain: VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W).	5th Option: Glide:
G . .	.	.	.	V .	G


Example: G3018.X.LT11.TI.VLG.G

Gallery Panels

35"H Application

For Gallery Panel connectors see page 169.

GSA SIN 33721



Description	Model	Configuration	List Price		
			L1	L2	L3
35"H Gallery Panels					
18"W	G3518	Mid	\$ 558	\$ 579	\$ 599
21"W	G3521	Mid	\$ 576	\$ 597	\$ 618
24"W	G3524	Mid	\$ 612	\$ 635	\$ 657
27"W	G3527	Mid	\$ 646	\$ 670	\$ 693
30"W	G3530	Mid	\$ 747	\$ 775	\$ 802
33"W	G3533	S, Mid	\$ 787	\$ 816	\$ 844
36"W	G3536	S, Mid	\$ 834	\$ 865	\$ 894
39"W	G3539	S, Mid	\$ 891	\$ 924	\$ 956
42"W	G3542	S, Mid	\$ 931	\$ 965	\$ 999
45"W	G3545	S, Mid	\$ 988	\$ 1024	\$ 1059
48"W	G3548	S, Mid	\$ 1031	\$ 1069	\$ 1106
51"W	G3551	D, S, Mid	\$ 1066	\$ 1105	\$ 1143
54"W	G3554	D, S, Mid	\$ 1104	\$ 1145	\$ 1184
57"W	G3557	D, S, Mid	\$ 1149	\$ 1191	\$ 1232
60"W	G3560	D, S, Mid	\$ 1186	\$ 1229	\$ 1272
63"W	G3563	D, S, Mid	\$ 1213	\$ 1257	\$ 1301
66"W	G3566	D, S, Mid	\$ 1248	\$ 1293	\$ 1338
69"W	G3569	D, S, Mid	\$ 1308	\$ 1355	\$ 1402
72"W	G3572	D, S, Mid	\$ 1369	\$ 1419	\$ 1468
75"W	G3575	D, S, Mid	\$ 1476	\$ 1530	\$ 1582
78"W	G3578	D, S, Mid	\$ 1553	\$ 1609	\$ 1665
81"W	G3581	D, S, Mid	\$ 1669	\$ 1729	\$ 1789
84"W	G3584	D, S, Mid	\$ 1828	\$ 1894	\$ 1959

Note: Configuration is not included in model number

Mid Mid Panel
S End Single Sided
D End Dual Sided

How to specify —
Select the Model Number from above.

1st Option:**FSC:**

F FSC Wood
X Non-FSC Wood

2nd Option:**Laminate:**

See page 130 for finishes.

3rd Option:**Edge:**

See page 130 for finishes.

4th Option:**Grain:**

VLG Horizontal grain or Solid only.
VST Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W).

5th Option:**Glide:**

G | | | | | . | | .

| | | | | .

| | | .

V | | | .

G |


Example: G3518.X.LT11.TI.VLG.G

Gallery Panels

42"H Application

For Gallery Panel connectors see page 169.

GSA SIN 33721



Description	Model	Configuration	List Price		
			L1	L2	L3
42"H Gallery Panels					
18"W	G4218	Mid	\$ 623	\$ 645	\$ 667
21"W	G4221	Mid	\$ 640	\$ 663	\$ 685
24"W	G4224	Mid	\$ 684	\$ 708	\$ 732
27"W	G4227	Mid	\$ 724	\$ 750	\$ 776
30"W	G4230	Mid	\$ 835	\$ 865	\$ 894
33"W	G4233	S, Mid	\$ 879	\$ 910	\$ 942
36"W	G4236	S, Mid	\$ 931	\$ 964	\$ 997
39"W	G4239	S, Mid	\$ 997	\$ 1032	\$ 1067
42"W	G4242	S, Mid	\$ 1039	\$ 1077	\$ 1113
45"W	G4245	S, Mid	\$ 1077	\$ 1116	\$ 1154
48"W	G4248	S, Mid	\$ 1121	\$ 1161	\$ 1200
51"W	G4251	D, S, Mid	\$ 1192	\$ 1234	\$ 1276
54"W	G4254	D, S, Mid	\$ 1229	\$ 1273	\$ 1316
57"W	G4257	D, S, Mid	\$ 1259	\$ 1304	\$ 1348
60"W	G4260	D, S, Mid	\$ 1306	\$ 1352	\$ 1398
63"W	G4263	D, S, Mid	\$ 1341	\$ 1388	\$ 1436
66"W	G4266	D, S, Mid	\$ 1385	\$ 1435	\$ 1483
69"W	G4269	D, S, Mid	\$ 1412	\$ 1463	\$ 1512
72"W	G4272	D, S, Mid	\$ 1493	\$ 1546	\$ 1598
75"W	G4275	D, S, Mid	\$ 1546	\$ 1601	\$ 1655
78"W	G4278	D, S, Mid	\$ 1643	\$ 1701	\$ 1759
81"W	G4281	D, S, Mid	\$ 1835	\$ 1900	\$ 1964
84"W	G4284	D, S, Mid	\$ 1976	\$ 2046	\$ 2115

Note: Configuration is not included in model number

Mid Mid Panel
S End Single Sided
D End Dual Sided

How to specify — Select the Model Number from above.	1st Option: FSC: F FSC Wood X Non-FSC Wood	2nd Option: Laminate: See page 130 for finishes.	3rd Option: Edge: See page 130 for finishes.	4th Option: Grain: VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W).	5th Option: Glide:
G . .	.	.	.	V .	G .


Example: G4218.X.LT11.TI.VLG.G

Gallery Panels

50"H Application

For Gallery Panel connectors see page 169.

GSA SIN 33721



Description	Model	Configuration	List Price		
			L1	L2	L3
50"H Gallery Panels					
18"W	G5018	Mid	\$ 730	\$ 757	\$ 782
21"W	G5021	Mid	\$ 752	\$ 779	\$ 806
24"W	G5024	Mid	\$ 788	\$ 816	\$ 844
27"W	G5027	Mid	\$ 832	\$ 862	\$ 891
30"W	G5030	Mid	\$ 927	\$ 960	\$ 993
33"W	G5033	S, Mid	\$ 975	\$ 1009	\$ 1044
36"W	G5036	S, Mid	\$ 1023	\$ 1059	\$ 1095
39"W	G5039	S, Mid	\$ 1086	\$ 1125	\$ 1163
42"W	G5042	S, Mid	\$ 1144	\$ 1185	\$ 1225
45"W	G5045	S, Mid	\$ 1229	\$ 1273	\$ 1316
48"W	G5048	S, Mid	\$ 1259	\$ 1304	\$ 1348
51"W	G5051	D, S, Mid	\$ 1293	\$ 1339	\$ 1384
54"W	G5054	D, S, Mid	\$ 1347	\$ 1394	\$ 1442
57"W	G5057	D, S, Mid	\$ 1382	\$ 1432	\$ 1480
60"W	G5060	D, S, Mid	\$ 1423	\$ 1474	\$ 1524
63"W	G5063	D, S, Mid	\$ 1454	\$ 1506	\$ 1557
66"W	G5066	D, S, Mid	\$ 1494	\$ 1547	\$ 1599
69"W	G5069	D, S, Mid	\$ 1538	\$ 1593	\$ 1646
72"W	G5072	D, S, Mid	\$ 1580	\$ 1636	\$ 1692
75"W	G5075	D, S, Mid	\$ 1686	\$ 1745	\$ 1805
78"W	G5078	D, S, Mid	\$ 1851	\$ 1917	\$ 1981
81"W	G5081	D, S, Mid	\$ 2008	\$ 2079	\$ 2150
84"W	G5084	D, S, Mid	\$ 2147	\$ 2223	\$ 2298

Note: Configuration is not included in model number

Mid Mid Panel
S End Single Sided
D End Dual Sided

How to specify —
Select the Model Number from above.

1st Option:**FSC:**

F FSC Wood
X Non-FSC Wood

2nd Option:**Laminate:**

See page 130 for finishes.

3rd Option:**Edge:**

See page 130 for finishes.

4th Option:**Grain:**

VLG Horizontal grain or Solid only.
VST Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W).

5th Option:**Glide:**

G

.

.

V

G


Example: G5018.X.LT11.TI.VLG.G

Gallery Panels

57½"H Application

For Gallery Panel connectors see page 169.

GSA SIN 33721



Description	Model	Configuration	List Price		
			L1	L2	L3
57½"H Gallery Panels					
18"W	G5718	Mid	\$ 888	\$ 920	\$ 951
21"W	G5721	Mid	\$ 909	\$ 941	\$ 974
24"W	G5724	Mid	\$ 945	\$ 979	\$ 1012
27"W	G5727	Mid	\$ 988	\$ 1023	\$ 1058
30"W	G5730	Mid	\$ 1085	\$ 1124	\$ 1162
33"W	G5733	S, Mid	\$ 1131	\$ 1172	\$ 1211
36"W	G5736	S, Mid	\$ 1182	\$ 1224	\$ 1265
39"W	G5739	S, Mid	\$ 1246	\$ 1290	\$ 1334
42"W	G5742	S, Mid	\$ 1305	\$ 1351	\$ 1397
45"W	G5745	S, Mid	\$ 1386	\$ 1436	\$ 1484
48"W	G5748	S, Mid	\$ 1419	\$ 1470	\$ 1520
51"W	G5751	D, S, Mid	\$ 1452	\$ 1504	\$ 1555
54"W	G5754	D, S, Mid	\$ 1505	\$ 1559	\$ 1611
57"W	G5757	D, S, Mid	\$ 1540	\$ 1595	\$ 1648
60"W	G5760	D, S, Mid	\$ 1581	\$ 1637	\$ 1693
63"W	G5763	D, S, Mid	\$ 1612	\$ 1669	\$ 1726
66"W	G5766	D, S, Mid	\$ 1653	\$ 1711	\$ 1770
69"W	G5769	D, S, Mid	\$ 1694	\$ 1754	\$ 1813
72"W	G5772	D, S, Mid	\$ 1737	\$ 1799	\$ 1860
75"W	G5775	D, S, Mid	\$ 1843	\$ 1908	\$ 1973
78"W	G5778	D, S, Mid	\$ 2008	\$ 2079	\$ 2150
81"W	G5781	D, S, Mid	\$ 2169	\$ 2246	\$ 2322
84"W	G5784	D, S, Mid	\$ 2303	\$ 2384	\$ 2466

Note: Configuration is not included in model number

Mid Mid Panel
S End Single Sided
D End Dual Sided

How to specify — Select the Model Number from above.	1st Option: FSC: F FSC Wood X Non-FSC Wood	2nd Option: Laminate: See page 130 for finishes.	3rd Option: Edge: See page 130 for finishes.	4th Option: Grain: VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	5th Option: Glide:
G . .		.	.	V .	G


Example: G5718.X.LT11.TI.VLG.G

Gallery Panels

42"H Application for Use with Glass

For Gallery Panel Glass see page 170.
For Gallery Panel connectors see page 169.

GSA SIN 33721



Description	Model	Configuration	List Price			Accepts Glass Models
			L1	L2	L3	7½"H, 13"H, 15"H
42"H Gallery Panels with Glass						
18"W	G4218G	Mid	\$ 861	\$ 892	\$ 923	G4 □□ 15GS
21"W	G4221G	Mid	\$ 876	\$ 907	\$ 939	G4 □□ 18GS
24"W	G4224G	Mid	\$ 921	\$ 954	\$ 987	G4 □□ 21GS
27"W	G4227G	Mid	\$ 962	\$ 996	\$ 1030	G4 □□ 24GS
30"W	G4230G	Mid	\$ 1072	\$ 1111	\$ 1148	G4 □□ 27GS
33"W	G4233G	S, Mid	\$ 1117	\$ 1157	\$ 1196	G4 □□ 30GS
36"W	G4236G	S, Mid	\$ 1168	\$ 1210	\$ 1250	G4 □□ 33GS
39"W	G4239G	S, Mid	\$ 1235	\$ 1279	\$ 1323	G4 □□ 36GS
42"W	G4242G	S, Mid	\$ 1279	\$ 1324	\$ 1369	G4 □□ 39GS
45"W	G4245G	S, Mid	\$ 1315	\$ 1361	\$ 1408	G4 □□ 42GS
48"W	G4248G	S, Mid	\$ 1359	\$ 1407	\$ 1455	G4 □□ 45GS
51"W	G4251G	D, S, Mid	\$ 1429	\$ 1480	\$ 1530	G4 □□ 48GS
54"W	G4254G	D, S, Mid	\$ 1466	\$ 1518	\$ 1570	G4 □□ 51GS
57"W	G4257G	D, S, Mid	\$ 1499	\$ 1552	\$ 1605	G4 □□ 54GS
60"W	G4260G	D, S, Mid	\$ 1543	\$ 1598	\$ 1652	G4 □□ 57GS
63"W	G4263G	D, S, Mid	\$ 1578	\$ 1634	\$ 1690	G4 □□ 60GS
66"W	G4266G	D, S, Mid	\$ 1622	\$ 1679	\$ 1737	G4 □□ 63GS
69"W	G4269G	D, S, Mid	\$ 1650	\$ 1708	\$ 1766	G4 □□ 66GS
72"W	G4272G	D, S, Mid	\$ 1730	\$ 1792	\$ 1853	G4 □□ 69GS
75"W	G4275G	D, S, Mid	\$ 1782	\$ 1846	\$ 1908	G4 □□ 72GS
78"W	G4278G	D, S, Mid	\$ 1879	\$ 1946	\$ 2011	G4 □□ 75GS
81"W	G4281G	D, S, Mid	\$ 2073	\$ 2147	\$ 2220	G4 □□ 78GS
84"W	G4284G	D, S, Mid	\$ 2214	\$ 2292	\$ 2370	G4 □□ 81GS

Note: Configuration is not included in model number

Mid Mid Panel
S End Single Sided
D End Dual Sided

Note: Fill in model number blanks with one of the following options to determine glass height.

07 7.5"H glass
13 13"H glass
15 15"H glass

How to specify —
Select the
Model Number
from above.

1st Option:

FSC:
F FSC Wood
X Non-FSC Wood

2nd Option:

Laminate:
See page 130 for
finishes.

3rd Option:

Edge:
See page 130 for
finishes.

4th Option:

Grain:
VLG Horizontal grain or Solid only.
VST Vertical Grain (available only
for single panels 60"W or less,
and for split panels between
87"W and 117"W).

5th Option:

Glide:

G □ □ □ □ □ □ □ □ . □ □ .

□ □ □ □ □ □ □ □ .

□ □ □ □ □ □ □ □ .

V □ □ □ □ □ □ □ .

G □ □ □ □ □ □ □ □ .


Example: G4218G.X.LT11.TI.VLG.G

Gallery Panels

50"H Application for Use with Glass

For Gallery Panel Glass see page 170.
For Gallery Panel connectors see page 169.

GSA SIN 33721



Description	Model	Configuration	List Price			Accepts Glass Models
			L1	L2	L3	7½"H, 13"H, 15"H
50"H Gallery Panels with Glass						
18"W	G5018G	Mid	\$ 967	\$ 1001	\$ 1035	G4 □ □ 15GS
21"W	G5021G	Mid	\$ 988	\$ 1023	\$ 1058	G4 □ □ 18GS
24"W	G5024G	Mid	\$ 1025	\$ 1061	\$ 1097	G4 □ □ 21GS
27"W	G5027G	Mid	\$ 1069	\$ 1107	\$ 1145	G4 □ □ 24GS
30"W	G5030G	Mid	\$ 1164	\$ 1206	\$ 1246	G4 □ □ 27GS
33"W	G5033G	S, Mid	\$ 1212	\$ 1255	\$ 1298	G4 □ □ 30GS
36"W	G5036G	S, Mid	\$ 1260	\$ 1305	\$ 1349	G4 □ □ 33GS
39"W	G5039G	S, Mid	\$ 1324	\$ 1371	\$ 1417	G4 □ □ 36GS
42"W	G5042G	S, Mid	\$ 1384	\$ 1434	\$ 1482	G4 □ □ 39GS
45"W	G5045G	S, Mid	\$ 1466	\$ 1518	\$ 1570	G4 □ □ 42GS
48"W	G5048G	S, Mid	\$ 1499	\$ 1552	\$ 1605	G4 □ □ 45GS
51"W	G5051G	D, S, Mid	\$ 1531	\$ 1585	\$ 1639	G4 □ □ 48GS
54"W	G5054G	D, S, Mid	\$ 1583	\$ 1639	\$ 1695	G4 □ □ 51GS
57"W	G5057G	D, S, Mid	\$ 1619	\$ 1676	\$ 1733	G4 □ □ 54GS
60"W	G5060G	D, S, Mid	\$ 1660	\$ 1719	\$ 1777	G4 □ □ 57GS
63"W	G5063G	D, S, Mid	\$ 1691	\$ 1751	\$ 1810	G4 □ □ 60GS
66"W	G5066G	D, S, Mid	\$ 1733	\$ 1795	\$ 1856	G4 □ □ 63GS
69"W	G5069G	D, S, Mid	\$ 1775	\$ 1838	\$ 1900	G4 □ □ 66GS
72"W	G5072G	D, S, Mid	\$ 1817	\$ 1882	\$ 1945	G4 □ □ 69GS
75"W	G5075G	D, S, Mid	\$ 1922	\$ 1990	\$ 2058	G4 □ □ 72GS
78"W	G5078G	D, S, Mid	\$ 2088	\$ 2162	\$ 2236	G4 □ □ 75GS
81"W	G5081G	D, S, Mid	\$ 2248	\$ 2327	\$ 2407	G4 □ □ 78GS
84"W	G5084G	D, S, Mid	\$ 2384	\$ 2468	\$ 2552	G4 □ □ 81GS

Note: Configuration is not included in model number

Mid	Mid Panel
S	End Single Sided
D	End Dual Sided

Note: Fill in model number blanks with one of the following options to determine glass height.

07	7.5" H glass
13	13" H glass
15	15" H glass

How to specify — Select the Model Number from above.	1st Option: FSC: F FSC Wood X Non-FSC Wood	2nd Option: Laminate: See page 130 for finishes.	3rd Option: Edge: See page 130 for finishes.	4th Option: Grain: VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	5th Option: Glide:
G .	.	.	.	V .	G

Example: G5018G.X.LTI1.TI.VLG.G


Gallery Panels

57½"H Application for Use with Glass

For Gallery Panel Glass see page 170.

For Gallery Panel connectors see page 169.

GSA SIN 33721



Description	Model	Configuration	List Price			Accepts Glass Models
			L1	L2	L3	7½"H, 13"H, 15"H
57½"H Gallery Panels with Glass						
18"W	G5718G	Mid	\$ 1127	\$ 1167	\$ 1207	G4 □ □ 15GS
21"W	G5721G	Mid	\$ 1148	\$ 1189	\$ 1229	G4 □ □ 18GS
24"W	G5724G	Mid	\$ 1184	\$ 1226	\$ 1267	G4 □ □ 21GS
27"W	G5727G	Mid	\$ 1225	\$ 1269	\$ 1312	G4 □ □ 24GS
30"W	G5730G	Mid	\$ 1323	\$ 1370	\$ 1416	G4 □ □ 27GS
33"W	G5733G	S, Mid	\$ 1369	\$ 1417	\$ 1465	G4 □ □ 30GS
36"W	G5736G	S, Mid	\$ 1421	\$ 1472	\$ 1522	G4 □ □ 33GS
39"W	G5739G	S, Mid	\$ 1482	\$ 1535	\$ 1587	G4 □ □ 36GS
42"W	G5742G	S, Mid	\$ 1542	\$ 1597	\$ 1650	G4 □ □ 39GS
45"W	G5745G	S, Mid	\$ 1624	\$ 1681	\$ 1739	G4 □ □ 42GS
48"W	G5748G	S, Mid	\$ 1656	\$ 1714	\$ 1773	G4 □ □ 45GS
51"W	G5751G	D, S, Mid	\$ 1689	\$ 1748	\$ 1808	G4 □ □ 48GS
54"W	G5754G	D, S, Mid	\$ 1742	\$ 1804	\$ 1865	G4 □ □ 51GS
57"W	G5757G	D, S, Mid	\$ 1777	\$ 1840	\$ 1903	G4 □ □ 54GS
60"W	G5760G	D, S, Mid	\$ 1818	\$ 1883	\$ 1946	G4 □ □ 57GS
63"W	G5763G	D, S, Mid	\$ 1850	\$ 1916	\$ 1980	G4 □ □ 60GS
66"W	G5766G	D, S, Mid	\$ 1889	\$ 1956	\$ 2022	G4 □ □ 63GS
69"W	G5769G	D, S, Mid	\$ 1933	\$ 2001	\$ 2070	G4 □ □ 66GS
72"W	G5772G	D, S, Mid	\$ 1976	\$ 2046	\$ 2115	G4 □ □ 69GS
75"W	G5775G	D, S, Mid	\$ 2079	\$ 2153	\$ 2226	G4 □ □ 72GS
78"W	G5778G	D, S, Mid	\$ 2248	\$ 2327	\$ 2407	G4 □ □ 75GS
81"W	G5781G	D, S, Mid	\$ 2405	\$ 2491	\$ 2574	G4 □ □ 78GS
84"W	G5784G	D, S, Mid	\$ 2544	\$ 2634	\$ 2723	G4 □ □ 81GS

Note: Configuration is not included in model number

Mid Mid Panel
S End Single Sided
D End Dual Sided

Note: Fill in model number blanks with one of the following options to determine glass height.

07 7.5"H glass
13 13"H glass
15 15"H glass

How to specify —
 Select the
 Model Number
 from above.

1st Option:

FSC:
F FSC Wood
X Non-FSC Wood

2nd Option:

Laminate:
 See page 130 for
 finishes.

3rd Option:

Edge:
 See page 130 for
 finishes.

4th Option:

Grain:
VLG Horizontal grain or Solid only.
VST Vertical Grain (available only
 for single panels 60"W or less,
 and for split panels between
 87"W and 117"W).

5th Option:

Glide:

G □ □ □ □ □ □ □ □ . □ □ .

□ □ □ □ □ .

□ □ □ .

V □ □ □ .


G □

Example: G5718G.X.LT11.TI.VLG.G


Gallery Panel Connectors

Optimize™ Connector Kits

GSA SIN PENDING




Description	Model	List Price		
		P1	P2	P3
Optimize Connector Kit				
End Panel Connector Kit for Optimize System	P3CONGE	\$ 159	\$ 166	\$ 173
Glass End Panel connector kit for Optimize System	P3CONGEG	\$ 322	\$ 336	\$ 350




Optimize Single-Sided Mid-Connector

35" Single-Sided Mid	P3CONGM35S	\$ 281	\$ 293	\$ 305
42" Single-Sided Mid	P3CONGM42S	\$ 281	\$ 293	\$ 305
50" Single-Sided Mid	P3CONGM50S	\$ 322	\$ 336	\$ 350
57.5" Single-Sided Mid	P3CONGM57S	\$ 322	\$ 336	\$ 350
65" Single-Sided Mid	P3CONGM65S	\$ 377	\$ 394	\$ 409
72" Single-Sided Mid	P3CONGM72S	\$ 377	\$ 394	\$ 409




Optimize Dual-Sided Mid-Connector

35" Dual-Sided Mid	P3CONGM35D	\$ 281	\$ 293	\$ 305
42" Dual-Sided Mid	P3CONGM42D	\$ 281	\$ 293	\$ 305
50" Dual-Sided Mid	P3CONGM50D	\$ 322	\$ 336	\$ 350
57.5" Dual-Sided Mid	P3CONGM57D	\$ 322	\$ 336	\$ 350
65" Dual-Sided Mid	P3CONGM65D	\$ 377	\$ 394	\$ 409
72" Dual-Sided Mid	P3CONGM72D	\$ 377	\$ 394	\$ 409



Storage Mounting Brackets

Gallery Laminate Storage Ganging Kit	GSGKL	\$ 77	N/A	N/A
Gallery Metal Storage Ganging Kit	GSGKM	\$ 18	N/A	N/A



Gallery Panel Stiffener

Stiffener for 75"W/78"W Panels	GSTFN7578	\$ 175	\$ 189	\$ 208
Stiffener for 81"W/84"W Panels	GSTFN8184	\$ 196	\$ 212	\$ 234

Approved under GSA SIN 33721

How to specify —

Select the Model Number from above.

1st Option:

Paint for Connector Kits and Brackets (if available):

P1 P2 P3


See page 130 for finishes.

Examples: P3CONGM35S.P71 GSGKL GSGKM

Gallery Glass

Panel Systems Gallery Glass

GSA SIN 33721



Description	Model	List Price		
		Clear Glass	Frosted Glass	Smoked Glass
7½"H Gallery Glass — Single Panel				
15"W	G40715GS	\$ 205	\$ 225	\$ 232
18"W	G40718GS	\$ 211	\$ 232	\$ 239
21"W	G40721GS	\$ 215	\$ 236	\$ 244
24"W	G40724GS	\$ 219	\$ 241	\$ 248
27"W	G40727GS	\$ 238	\$ 261	\$ 269
30"W	G40730GS	\$ 255	\$ 281	\$ 288
33"W	G40733GS	\$ 280	\$ 308	\$ 316
36"W	G40736GS	\$ 315	\$ 346	\$ 356
39"W	G40739GS	\$ 341	\$ 374	\$ 386
42"W	G40742GS	\$ 382	\$ 420	\$ 432
45"W	G40745GS	\$ 415	\$ 456	\$ 469
48"W	G40748GS	\$ 451	\$ 495	\$ 509
51"W	G40751GS	\$ 461	\$ 506	\$ 521
54"W	G40754GS	\$ 499	\$ 547	\$ 564
57"W	G40757GS	\$ 552	\$ 606	\$ 623
60"W	G40760GS	\$ 647	\$ 710	\$ 731
63"W	G40763GS	\$ 753	\$ 827	\$ 851
66"W	G40766GS	\$ 814	\$ 893	\$ 919
69"W	G40769GS	\$ 891	\$ 978	\$ 1006
72"W	G40772GS	\$ 953	\$ 1046	\$ 1077
75"W	G40775GS	\$ 1019	\$ 1118	\$ 1151
78"W	G40778GS	\$ 1122	\$ 1230	\$ 1267
81"W	G40781GS	\$ 1179	\$ 1294	\$ 1331

How to specify —

Select the
Model Number
from above.

*1st Option:***Glass:**

LC Clear Glass
LF Frosted Glass
GSM1 Smoked Glass

G 4 0 7 .


.

Example: G40715GS.LC

Gallery Glass

Panel Systems Gallery Glass

GSA SIN 33721



Description	Model	List Price		
		Clear Glass	Frosted Glass	Smoked Glass
13"H Gallery Glass — Single Panel				
24"W	G41324GS	\$ 500	\$ 555	\$ 572
27"W	G41327GS	\$ 545	\$ 604	\$ 624
30"W	G41330GS	\$ 586	\$ 650	\$ 670
33"W	G41333GS	\$ 616	\$ 683	\$ 706
36"W	G41336GS	\$ 653	\$ 724	\$ 747
39"W	G41339GS	\$ 704	\$ 781	\$ 806
42"W	G41342GS	\$ 728	\$ 807	\$ 833
45"W	G41345GS	\$ 743	\$ 824	\$ 850
48"W	G41348GS	\$ 767	\$ 850	\$ 878
51"W	G41351GS	\$ 780	\$ 864	\$ 893
54"W	G41354GS	\$ 835	\$ 926	\$ 955
57"W	G41357GS	\$ 854	\$ 947	\$ 978
60"W	G41360GS	\$ 878	\$ 973	\$ 1005
63"W	G41363GS	\$ 941	\$ 1043	\$ 1077
66"W	G41366GS	\$ 1021	\$ 1132	\$ 1169
69"W	G41369GS	\$ 1080	\$ 1197	\$ 1236
72"W	G41372GS	\$ 1158	\$ 1284	\$ 1325
75"W	G41375GS	\$ 1243	\$ 1378	\$ 1422
78"W	G41378GS	\$ 1323	\$ 1466	\$ 1514
81"W	G41381GS	\$ 1396	\$ 1547	\$ 1597

How to specify —
Select the
Model Number
from above.

1st Option:

Glass:

LC Clear Glass
LF Frosted Glass
GSM1 Smoked Glass

G 4 1 3 .


.

Example: **G41324GS.LC**

Gallery Glass

Panel Systems Gallery Glass

GSA SIN 33721



Description	Model	List Price		
		Clear Glass	Frosted Glass	Smoked Glass
15"H Gallery Glass — Single Panel				
15"W	G41515GS	\$ 522	\$ 579	\$ 598
18"W	G41518GS	\$ 545	\$ 604	\$ 624
21"W	G41521GS	\$ 570	\$ 633	\$ 652
24"W	G41524GS	\$ 600	\$ 665	\$ 687
27"W	G41527GS	\$ 619	\$ 686	\$ 709
30"W	G41530GS	\$ 644	\$ 714	\$ 737
33"W	G41533GS	\$ 676	\$ 750	\$ 774
36"W	G41536GS	\$ 736	\$ 816	\$ 842
39"W	G41539GS	\$ 770	\$ 853	\$ 882
42"W	G41542GS	\$ 790	\$ 876	\$ 904
45"W	G41545GS	\$ 803	\$ 891	\$ 919
48"W	G41548GS	\$ 823	\$ 913	\$ 942
51"W	G41551GS	\$ 841	\$ 932	\$ 962
54"W	G41554GS	\$ 895	\$ 993	\$ 1024
57"W	G41557GS	\$ 907	\$ 1006	\$ 1038
60"W	G41560GS	\$ 915	\$ 1015	\$ 1047
63"W	G41563GS	\$ 970	\$ 1075	\$ 1110
66"W	G41566GS	\$ 1051	\$ 1165	\$ 1203
69"W	G41569GS	\$ 1105	\$ 1225	\$ 1265
72"W	G41572GS	\$ 1182	\$ 1310	\$ 1353
75"W	G41575GS	\$ 1276	\$ 1414	\$ 1461
78"W	G41578GS	\$ 1345	\$ 1490	\$ 1538
81"W	G41581GS	\$ 1424	\$ 1578	\$ 1629

How to specify —

Select the
Model Number
from above.

*1st Option:***Glass:**

LC Clear Glass
LF Frosted Glass
GSM1 Smoked Glass

G 4 1 5 .


.

Example: G41515GS.LC

Gallery Panels

Accessories


GSA SIN Pending



GCTKS

Description	Model	P1 List Price	P2 List Price	P3 List Price
Countertop Bracket				
Countertop Connector Bracket	GCTKS	\$ 117	\$ 123	\$ 127

Note: 2 brackets needed for straight countertops, 3 brackets are needed for corner countertops





Flat Edge

Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge		
		L1 List Price	L2 List Price	L3 List Price
Straight Countertops — must order 2 sets of brackets per surface				
24"W x 15"D	851524M	\$ 375	\$ 392	\$ 405
30"W x 15"D	851530M	\$ 416	\$ 434	\$ 448
36"W x 15"D	851536M	\$ 467	\$ 486	\$ 502
42"W x 15"D	851542M	\$ 484	\$ 503	\$ 520
48"W x 15"D	851548M	\$ 512	\$ 532	\$ 550
54"W x 15"D	851554M	\$ 580	\$ 602	\$ 621
60"W x 15"D	851560M	\$ 647	\$ 666	\$ 682
66"W x 15"D	851566M	\$ 670	\$ 698	\$ 716
72"W x 15"D	851572M	\$ 697	\$ 726	\$ 744

Corner Countertops 15"D at ends — must order 3 sets of brackets per surface

24"W x 24"W	852424M	\$ 732	\$ 762	\$ 782
30"W x 30"W	853030M	\$ 851	\$ 884	\$ 908
36"W x 36"W	853636M	\$ 944	\$ 979	\$ 1008
42"W x 42"W	854242M	\$ 1025	\$ 1063	\$ 1095



Description	Model	P1 List Price	P2 List Price	P3 List Price
Gallery Panel Wall Start				
30"H Wall Start	GWS30	\$ 120	\$ 126	\$ 130
35"H Wall Start	GWS35	\$ 137	\$ 143	\$ 149
42"H Wall Start	GWS42	\$ 149	\$ 156	\$ 161
50"H Wall Start	GWS50	\$ 171	\$ 179	\$ 186
57½"H Wall Start	GWS57	\$ 184	\$ 192	\$ 200

Worksurface Mounting Bracket Kit

Worksurface Mounting Bracket	GWSBK	\$ 77
------------------------------	-------	-------

Note: Ships with 2 brackets.

HAT Bracket

HAT to Fit Panel Bracket T-Leg	AGBKT (shown)	\$ 250	\$ 271	\$ 298
HAT to Fit Panel Bracket C-Leg	AGBKC	\$ 250	\$ 271	\$ 298
HAT to Fit Panel Installation Template (Black only, code P)	AGBKTMP (shown)	\$ 61		

How to specify —

Select the
Model Number
from above.

1st Option:

Paint:

P1 P2 P3





See page 130 for finishes.

Examples:

Gallery Panels

Accessories

GSA SIN Pending

	Description	Model	P1 List Price	P2 List Price	P3 List Price
	Tackboards				
	Tackboard 15"H x 24"W	GTB1524	\$ 340	\$ 355	\$ 369
	Tackboard 15"H x 30"W	GTB1530	\$ 370	\$ 386	\$ 401
	Tackboard 15"H x 36"W	GTB1536	\$ 410	\$ 428	\$ 445
	Tackboard 15"H x 42"W	GTB1542	\$ 427	\$ 445	\$ 463
	Tackboard 15"H x 48"W	GTB1548	\$ 436	\$ 455	\$ 474
	Tackboard 15"H x 54"W	GTB1554	\$ 457	\$ 477	\$ 496
	Tackboard 15"H x 60"W	GTB1560	\$ 464	\$ 484	\$ 504
	Tackboard 22.5"H x 24"W	GTB2224	\$ 383	\$ 400	\$ 415
	Tackboard 22.5"H x 30"W	GTB2230	\$ 416	\$ 434	\$ 451
	Tackboard 22.5"H x 36"W	GTB2236 (shown)	\$ 454	\$ 473	\$ 493
	Tackboard 22.5"H x 42"W	GTB2242	\$ 464	\$ 484	\$ 504
	Tackboard 22.5"H x 48"W	GTB2248	\$ 500	\$ 521	\$ 542
	Tackboard 22.5"H x 54"W	GTB2254	\$ 525	\$ 547	\$ 569
	Tackboard 22.5"H x 60"W	GTB2260	\$ 539	\$ 562	\$ 585
	Magnet/Marker Boards				
	Magnet/Marker Board 15"H x 24"W	GMB1524	\$ 450	\$ 469	\$ 489
	Magnet/Marker Board 15"H x 30"W	GMB1530	\$ 486	\$ 507	\$ 527
	Magnet/Marker Board 15"H x 36"W	GMB1536	\$ 517	\$ 539	\$ 561
	Magnet/Marker Board 15"H x 42"W	GMB1542	\$ 543	\$ 566	\$ 589
	Magnet/Marker Board 15"H x 48"W	GMB1548	\$ 569	\$ 593	\$ 617
	Magnet/Marker Board 15"H x 54"W	GMB1554	\$ 586	\$ 612	\$ 636
	Magnet/Marker Board 15"H x 60"W	GMB1560	\$ 619	\$ 646	\$ 672
	Magnet/Marker Board 22.5"H x 24"W	GMB2224	\$ 555	\$ 578	\$ 602
	Magnet/Marker Board 22.5"H x 30"W	GMB2230	\$ 583	\$ 607	\$ 633
	Magnet/Marker Board 22.5"H x 36"W	GMB2236	\$ 607	\$ 633	\$ 659
	Magnet/Marker Board 22.5"H x 42"W	GMB2242	\$ 636	\$ 663	\$ 690
	Magnet/Marker Board 22.5"H x 48"W	GMB2248 (shown)	\$ 667	\$ 696	\$ 723
	Magnet/Marker Board 22.5"H x 54"W	GMB2254	\$ 688	\$ 717	\$ 746
	Magnet/Marker Board 22.5"H x 60"W	GMB2260	\$ 712	\$ 742	\$ 772
	Hanging Magnet/Marker Boards & Blotter				
	Hanging Magnet/Marker Board or Blotter 20"H x 30"W	GHMB2030 (shown)	\$ 354	\$ 370	\$ 384
	Hanging Magnet/Marker Board or Blotter 26"H x 30"W	GHMB2630	\$ 492	\$ 513	\$ 534
	Gallery Panel Foot				
	Gallery Panel Foot (Single)	GFT1	\$ 336	\$ 351	\$ 365
	Gallery Panel Foot (Dual)	GFT2	\$ 673	\$ 702	\$ 730
	Note: Available in textured paint only				

How to specify —
Select the
Model Number
from above.

G | | | | | | | .

1st Option:

Paint:

P1 P2 P3

See page 130 for finishes.

| | | | .

2nd Option:

Fabric

(if applicable):

See page 131 for fabrics.








| | | | | | .

Examples:

Gallery Panels

Accessories

GSA SIN Pending

	Description	Model	L1 List Price	L2 List Price	L3 List Price
	Laminate Floating Shelves				
	12"W Floating Shelf	GSTF12	\$ 263	\$ 274	\$ 285
	18"W Floating Shelf	GSTF18	\$ 293	\$ 305	\$ 319
	24"W Floating Shelf	GSTF24	\$ 322	\$ 336	\$ 350
	30"W Floating Shelf	GSTF30	\$ 351	\$ 367	\$ 381
	36"W Floating Shelf	GSTF36	\$ 381	\$ 398	\$ 413
	42"W Floating Shelf	GSTF42	\$ 410	\$ 428	\$ 445
	48"W Floating Shelf	GSTF48	\$ 439	\$ 458	\$ 477
	54"W Floating Stiffener Shelf	GSTF54	\$ 468	\$ 488	\$ 508
	60"W Floating Stiffener Shelf	GSTF60	\$ 498	\$ 519	\$ 540
	66"W Floating Stiffener Shelf	GSTF66 (shown)	\$ 527	\$ 549	\$ 572
	72"W Floating Stiffener Shelf	GSTF72	\$ 555	\$ 578	\$ 602
	78"W Floating Stiffener Shelf	GSTF78	\$ 586	\$ 612	\$ 636
 GACRL12  G2AGF  G1PTR  GWPSF  GBRSF  GCHRB	Accessory Rail & Paper Management				
	Gallery Panel 12"W Accessory Rail	GACRL12 (shown)	\$ 231	\$ 241	\$ 251
	Gallery Panel 18"W Accessory Rail	GACRL18	\$ 247	\$ 258	\$ 268
	Gallery Panel 24"W Accessory Rail	GACRL24	\$ 249	\$ 260	\$ 270
	Gallery Panel 30"W Accessory Rail	GACRL30	\$ 263	\$ 274	\$ 285
	Gallery Panel 36"W Accessory Rail	GACRL36	\$ 277	\$ 289	\$ 300
	Triple Angle File	G3AGF	\$ 219	\$ 228	\$ 238
	Double Angle File	G2AGF (shown)	\$ 184	\$ 192	\$ 200
	Single Angle File	G1AGF	\$ 150	\$ 157	\$ 164
	Triple Paper Tray	G3PTR	\$ 219	\$ 228	\$ 238
	Double Paper Tray	G2PTR	\$ 184	\$ 192	\$ 200
	Single Paper Tray	G1PTR (shown)	\$ 150	\$ 157	\$ 164
	Personal Shelf	GWPSF (shown)	\$ 184	\$ 192	\$ 200
	Binder Shelf	GBRSF (shown)	\$ 184	\$ 192	\$ 200
	Coat Hook Rail-Based	GCHRB (shown)	\$ 74	\$ 78	\$ 81
	Coat Hook Mounted	GCHMT	\$ 87	\$ 91	\$ 95

How to specify —

Select the Model Number from above.

1st Option:

Paint:

P1 P2 P3

See page 130 for finishes.

Examples:

Notes

For complete specification and pricing information see the [Storage Price List](#).

[GSA Reference Page](#)

Align Metal Pedestals — support



File/File
28½"H x 15"W
18", 23¼", 29¼"D



Box/Box/File
28½"H x 15"W
18", 23¼", 29¼"D




File/File
26½"H x 15"W
18", 23¼", 29¼"D




Box/Box/File
26½"H x 15"W
18", 23¼", 29¼"D

Plinth base shown, models available with Stride or Terrace feet. Choice of metal or laminate fronts.

Align Low Metal Storage — credenzas, right and left configurations available



Box/Lateral/Open
72"W
22"H x 18", 24"D



Box/Lateral/Open
60"W
22"H x 18", 24"D



Box/Lateral/Open
48"W
22"H x 18", 24"D



Box/Lateral/Open
42"W
22"H x 18", 24"D



Box/Lateral
24", 30", 36", 42"W
22"H x 18", 24"D

Plinth base shown, models available with Stride or Terrace feet. Choice of metal or laminate fronts.

Align Metal Lateral and Personal Files




2-High
28"H
30", 36", 42"W
18"D



2-High
28"H
30"W
18"D




2-High
28"H
24", 30", 36"W
18"D




Open
24", 30", 36", 42"W
22"H x 18", 24"D

Plinth base shown, models available with Stride or Terrace feet. Choice of metal or laminate fronts.


Approach Pre-configured Desks & Tables — height-adjustable 27¼"-47⅝"H, fixed height 29½"H, left and right configurations




Height-Adjustable w/Storage
72", 66"W x 36", 30"D



Height-Adjustable w/ and w/o
Modesty
72"-48"W x 36", 30"D



Shell Desk
60, 66, 72"W x 30"D



Racetrack Top w/Column,
End Panel, and Modesty
72", 66"W x 30"D







Table Desk with "O" Legs
72", 66"W x 30"D




With End Panel
84"-48"W x 30"D




With "O" leg
84"-48"W x 30"D




Racetrack Top w/Column
60", 54", 48"W x 30"D



With Pedestal
72"-48"W x 30"D




Credenza for Integrated HAT
60, 72"W
18, 24"D




Support Pedestal
w/o Trough
28"H x 15"W
24, 30"D




Support Box/File
24"H x 18"W x 18"D




Support Box/Box/File and
File/File w/Troughs
28"H x 18"W x 18", 24"D



Support Slim Box/Box/File
and File/File w/Back Panel
28"H x 9½"W x 24", 30"D




Support Left- and Right-Hand
Hinged Door w/Troughs
28"H x 18"W x 18", 24"D




Height-Adjustable Slim
Ped & Shroud Kit
14½"W x 30"D

Approach False Peds, Wall Access Panels, Bridges, and Back Panels




Height-Adjustable Shroud Kit
5¼"W x 30"D
27¼"-47¼"H



False Ped Left/Right
28"H x 12"W x
14, 18", 24"D




Wall Access Panel
28"H x 18", 24", 30", 36",
42", 48"W




Bridge w/14"H Modesty
42", 48"W x 24"D



Back Panels 28", 24", 20"H
18", 30", 36", 60" 72"W




Modesty Panels
14"H x 30"-72"W




Full Height Modesty
42"-72"W


Approach Tops, Worksurfaces, and Supports — End Panels left- and right-handed




Cushion Tops for Mobile Ped
& Credenzas
16" x 20" / 30", 36" x 18"




True and Shortened Depth
Laminate Tops
18"D, 24"D x 18"W-96"W




Laminate Worksurfaces
24"D, 30"D x 30"W-96"W
36"D x 72"W-84"W



Double Sight line Wksfc.
36"-24"D x 60"-72"W
42"-30"D x 60"-72"W



End Panels, O-Legs, Column &
Splay Leg Supports 28"H
14", 24", 30", 36"D




Stanchions & Support
Channel
3"H, 4"H x 12"D, 18"D
& 30"W-72"W

Stack-On w/Doors
18", 30", 36"W
x 29½, 42½"H


Stack-On Open
18", 30", 36"W
x 29½, 42½"H

Stack-On Side Access
18"W
x 29½, 42½"H


Approach Overhead Storage — 15½"H x 15½"D with doors, open units 15½"D




Hinged Doors
30"-78"W




Writable Doors
30", 36", 60", 72"W



Frosted Glass Doors
30"-78"W




Open
30", 36"W



Sliding Door
48"-78"W




Overhead Mounting Kit
for Beyond Walls




35"H Hutch
Lam. or Frosty Doors
48"-72"W


Approach Tackboards, Writable Boards, and Accessories — Tackboards and Writable Boards 30", 34", 45", 49"H




Tackboards for Hutches
48"W-72"W




Tackboards
30"W-96"W



Writable Boards
30"W-96"W



Counterweights
25, 35, 50, 60 lbs.




Mini Tap Power
6' Cord




End Cap


Altitude® Height-Adjustable Tops, Bases, and Accessories for Approach




Altitude Tops
24", 30", 36"D x
48"-72"W




A6 T-leg Base 2-stage
22½"H-48½"H for
24"-30"D x 48"-84"W Tops




A6 C-leg Base 2-stage
27½"H-47½"H for
24"-30"D x 48"-72"W Tops



Collaborative
Height-Adjustable Tables
60"-48"D, 54-42"D, 42"-30"D




Cable Management
Channel, Tray, and Trough




Power Modules
Power & USB

Extensions for Approach




Monitor Arms
21"




Articulating Keyboard
25"W x 10½"D



CPU Hammock
CPU 3-6"W x 16-23"H



Under Cabinet LED Lights
17" & 31"



Link™ and Wand™ LED Lights
Clamp

Laminate Wood Storage

Involve® — Statement of Line

Leg or Plinth Base models available. Leg base units are shown below.

[GSA Reference Page](#)

Pedestals — 24"H and 28"H



Support
Box/Box/File



Support
File/File




Support
Open

Laminate Wood Storage


Involve® — Statement of Line

Overheads and Shelves


GSA Reference Page



Worksurfaces — Shapes below added for Involve to the hundreds available in our existing Worksurface selection.




Supports and Accessories



Modesty Panels and Screens

Accessories



Notes

- Software support packages furnished to the customer, either by Allsteel® or by another source, which support the sale of Allsteel products are superseded by printed price lists.
- Prices are subject to change without notice. All orders are subject to prices in effect at the time of order.
- Please refer to your Allsteel Dealer Sales and Discount Policies for order placement information, terms and conditions.
- Additional copies of this Specification and Price List are available upon request from Allsteel Literature at 1-866-255-7833.

- Ordering information appears at the bottom of each product page complete with examples on how to specify. Fabric and finish pages are referenced at the bottom of product pages.

This publication is available as an interactive or downloadable PDF at www.allsteeloffice.com.

Questions or Comments?

Please call us at: **888-ALLSTEEL**
888-255-7833

Paint Finishes, Laminates, Eased Edge	254
Fabrics.....	255
Working with Height-Adjustable Tables	256-259
Altitude Height-Adjustable Tops, Bases,	
& Accessories	260-300
Altitude – A6.....	260-261
Worksurfaces for Height-Adjustable Bases	263-267
Cable Management.....	268
Screens and Power Module.....	269
Altitude - Metal Screens.....	270-271
Power Rail Specifications.....	273-280
Working with Electrical and Data.....	281-285
Power Rail – Electrical Components.....	286-288
A8 Screen Kits.....	289
Metal Screens and Tackboard Accessories	290-291
Power Rails and Accessories	292-295
HAT to Panel Brackets	296-298
Working with Organization Rail & Accessories & Screens.....	299
Worksurface Mounted Rail and Accessories	300

Altitude® Tables

Paint Finishes, Laminates, Eased Edge

BASE COLORS

GRADE P1

Black.....	P71
Brownstone.....	P7D
Cinder.....	P7Q
Designer White.....	PJW
Flint.....	P02
Fossil.....	P28
Loft.....	P7B
Muslin.....	P4J
Nickel.....	P8L
Parchment.....	P93
Pebble.....	P8R
Pewter.....	P8D
Salt.....	P8C
Titanium.....	P8T

GRADE P2

Champagne Metallic.....	PR5
Gunmetal Metallic.....	PR3
Night Bronze.....	P8B
Platinum Metallic.....	PR2
Silver.....	PR6

GRADE P3

Bullseye*.....	PJF
Regatta*.....	P8M
***Altitude Basic is only offered in one finish, Silver (SVR)	

POWER RAIL PAINT COLORS

GRADE P1

Black.....	P71
Brownstone.....	P7D
Bungalow.....	P7C
Cinder.....	P7Q
Designer White.....	PJW
Flint.....	P02
Fossil.....	P28
Loft.....	P7B
Muslin.....	P4J
Pebble.....	P8R
Pewter.....	P8D
Salt.....	P8C
Titanium.....	P8T

GRADE P2

Champagne Metallic.....	PR5
Gunmetal Metallic.....	PR3
Night Bronze.....	P8B
Pyrite.....	PJE
Silver.....	PR6
Solar Black.....	P8X

GRADE P3

Amethyst (<i>De-emphasized</i>).....	P091
Atom.....	P8S
Blossom***.....	P8K
Cobalt Mica (<i>De-emphasized</i>).....	P090
Ember.....	P8P
Ion.....	P8N
Iris.....	P8J
Krypton.....	P8F
Ochre.....	P093
Regatta.....	P8M
Sienna.....	P092
Succulent***.....	P8A

***These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

A8 SCREEN BRACKET PAINT COLORS

GRADE P1

Black.....	P71
Designer White.....	PJW

GRADE P2

Silver.....	PR6
-------------	-----

LAMINATES

GRADE L1

SOLID COLORS

Black.....	P
Brownstone.....	LM13
Bungalow.....	LM12
Designer White.....	LDW1
Flint.....	LM16
Fossil Shale.....	LEH1
Loft.....	LM11
Muslin.....	LM15
Titanium.....	LT11

ABSTRACT

Ash.....	LT3B
Handspun Pearl.....	LAHP
Handspun Dove.....	LAHD
Handspun Slate.....	LAHS
Handspun Chestnut.....	LAHC
Silver Mesh.....	LT8D

WOODGRAIN

Belair.....	LWBA
Bourbon Cherry.....	H
Field Elm.....	LWFE
Florence Walnut.....	LFW1
Kingswood Walnut.....	LK11
Natural Maple.....	LWD
NeoWalnut.....	LNU1
Pinnacle.....	PINC
Shaker Cherry.....	LW7C

GRADE L2

Beigewood.....	LWBE
Fawn Cypress.....	LFC1
Lowell Ash.....	LLA1
Mangalore Mango.....	LMM1
Natural Recon.....	LNR1
Phantom Charcoal.....	LPC1
Phantom Ecu.....	LPE1
Portico Teak.....	LPT1
Skyline Walnut.....	LSW1
Veranda Teak.....	LVT1

GRADE L3

Natural Walnut.....	LWNW
---------------------	------

EASED EDGE LAMINATES

GRADE L1

Designer White.....	LDW1
Loft.....	LM11
Natural Maple.....	LWD

GRADE L2

Natural Recon.....	LNR1
--------------------	------

STRAIGHT/ROUNDED EDGE COLORS

Beigewood.....	DE
Belair.....	BA
Black.....	E4
Bourbon Cherry.....	H
Brownstone.....	EY
Bungalow.....	EX
Designer White.....	DW
Fawn Cypress.....	FC
Field Elm.....	FE
Flint.....	E9
Florence Walnut.....	FW
Fossil.....	EH
Kingswood Walnut.....	KI
Loft.....	EV
Lowell Ash.....	DL
Mangalore Mango.....	MM
Muslin.....	EU
Natural Maple.....	DD
Natural Recon.....	NR
Natural Walnut.....	DN
NeoWalnut.....	NU
Parchment.....	EN
Phantom Charcoal.....	PC
Phantom Ecu.....	PE
Pinnacle.....	PI
Platinum Metallic.....	EP
Plyband.....	PL
Portico Teak.....	DP
Shaker Cherry.....	DF
Skyline Walnut.....	SW
Titanium.....	TI
Veranda Teak.....	VT

ELECTRICAL & DATA COMPONENTS

Black.....	E4
Brownstone.....	EY
Designer White.....	DW
Flint.....	E9
Loft.....	EV
Muslin.....	EU
Silver.....	ES

All of Allsteel's tables are level® – 2 certified to the ANSI/BIFMA e3 Furniture Sustainability Standard. See www.levelcertified.org for more information.

NOTE: Refer to individual product pages for upcharges.

Fabrics

For use with Screen Kits.

GSA Reference Page

GRADE A

NOBLE

Aegean	NBLE18
Amethyst.....	NBLE19
Aspen	NBLE14
Aster	NBLE20
Blossom.....	NBLE21
Bluebell.....	NBLE22
Bordeaux.....	NBLE01
Brick	NBLE02
Chambray	NBLE10
Chamomile.....	NBLE23
Clementine	NBLE04
Conifer.....	NBLE24
Cottage	NBLE25
Darkness	NBLE26
Dawn	NBLE13
Denim	NBLE09
Desert Sand.....	NBLE27
Dewfall	NBLE28
Dusted Sage.....	NBLE29
Flax.....	NBLE30
Grass.....	NBLE07
Gunmetal	NBLE15
Harmony.....	NBLE31
Harvest	NBLE12
Ice Caves	NBLE32
Icicle.....	NBLE33
Inky.....	NBLE34
Iris.....	NBLE35
Jade.....	NBLE06
Knight	NBLE17
Mesa	NBLE03
Monarch	NBLE36
Pacific	NBLE08
Pitch.....	NBLE37
Queen Bee	NBLE38
Rainforest	NBLE05
Regal.....	NBLE11
Sandcastle	NBLE39
Sedona	NBLE40
Stormy	NBLE16
Sunbeam	NBLE41
Voyager.....	NBLE42
Windy Day.....	NBLE43


GRADE D

BLAZER LITE


(100% Pure New Wool)

Haven	PCAMBLT40
Retreat	PCAMBLT39
Solace.....	PCAMBLT70


A8 Screens




U Screen Kit



L Screen Kit (Left)



L Screen Kit (Right)



Rectangular Screen Kit

Metal Screens




L Screen (Left)




L Screen (Right)



U Screen




Straight




Tackboard Accessory

Altitude Power Rail



Altitude Power Rail



Altitude Rail Screen

Height-Adjustable Worksurfaces, Bases, and Controls

Height-Adjustable Worksurfaces (page 263)

- Height-adjustable worksurfaces are available in laminate with flat edge and rectangular veneer with matching square edge.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.
- Worksurface dimensions are nominal. Actual widths are reduced by 2" (1" each side) and worksurface depths are reduced by ¾". Corner cove depth is nominal, actual is 1" less.
- Rectangular undersized worksurface models' (model number ending in -U) actual widths and depths are reduced by 2".
- Corner Cove undersized worksurface models' (model number ending in -LD) actual dimensions are reduced by 2".
- Altitude worksurfaces are pre-drilled with mounting location for bases.
- Rectangular worksurface grommet location is limited to center location due to mounting of worksurface supports at each end of the worksurface.
- Certain two-piece top configurations may require two stiffeners depending on the footprint of your station.
- 2-leg standard bases can accommodate worksurface configurations from 24"D x 24"W to 30"D x 72"W.
- 2-leg Max bases can accommodate worksurface configurations from 24"D x 24"W to 30"D x 96"W.
- 3-Leg standard bases can accommodate worksurface configurations from 24"D x 48"W x 36"W to 30"D x 72"W x 48"W.
- 3-Leg Max bases can accommodate worksurface configurations from 24"D x 48"W x 36"W to 30"D x 72"W x 72"W.
- Altitude A6 bases specified with a work surface 60"W and greater require the use of an external stiffener. An external stiffener is included in Altitude work surface models 60"W and greater (all models ending with letter -D). If a non-Altitude work surface is being used, an external stiffener may need to be specified separately.


Height-Adjustable Bases (pages 260-261)

- Electronic height-adjustable base units are available in six styles: A6-T Base with 2 legs, A6-C Base with 2 legs, A6-T Base with 3 legs, A6-C Base with 3 legs, A6-T Max Base with 2 legs, A6-C Max Base with 2 legs, A6-T Max Base with 3 legs, and A6-C Max Base with 3 legs.
- A6 2-stage 1.2"/sec, A6 3-stage 1.4"/sec, A6 Max .8"/sec. Motor devices have a continuous cycle time of 2 minutes with an 18 minute rest period before it can be cycled again.
- Control box is powered by 110-120V/60Hz/4A. Standby power is < 0.1 Watts. Power cords on A6-T models are 10'.
- Pedestals taller than 24½" for 2-stage models and 19½" for 3-stage models when placed under table will limit range in lowest position.
- Mobile box/file pedestals will clear feet on height adjustable base but will extend past edge of worksurface in that position. See chart on page 257.
- Moving worksurfaces can collide with other components. It is important to ensure free range of motion prior to operating the table.
- All tables have adjustable glides providing ½" adjustment on A6.
- Slide glides offered as a .option and model level. Only available on 2-leg bases.
- Casters available on model level for retrofitting on 2-Leg Bases ONLY.
- Altitude A6 tables feature collision detection, a feature designed to stop table travel when the table detects an obstacle.
- A6 load capacity is 250 lbs for 2-leg models, 375 lbs for 3-leg models, 350 lbs for 2-leg Max models, and 500 lbs for 3-leg Max models. This includes the weight of the worksurface.

A6 Control Options


- Memory Controls are now a .option.
- Up/Down: Basic Up/Down control.
- Memory Control: 4 memory pre-set options allow the user to adjust their height to their preferred heights.
- Paddle: Simple, aesthetic control with 1 memory pre-set option and reminder mode.
- Bluetooth Capability: A6 optional Bluetooth capability is sold as accessory model A6BLUETOOTH. Bluetooth is enabled through smartphone app AiDesk. Bluetooth control will only work with 2-leg A6 tables. Bluetooth control will **not** work with 3-leg A6 tables.

Screens









- See Table 1 for overall table width and depth for each screen shape.
- Adding a screen adds 3" to depth of the table.
- Adding a screen adds 1" to the width of the table per return wing.
- RH L-screens have return wing on user's right; LH opposite.
- When using a 24"D worksurface with Altitude screens, you must specify a T-foot.

Power Module



- Contains 5 simplex outlets and 1 dual USB.
- Available in plastic or metal. Metal power module is required for Chicago code.
- Cord options include straight and curly.
 - Straight cord is 144"
 - Curly cord is 120"



Straight

L-Shape

U-Shape

Size Reference Matrix


Models	A	B	C1	C2	D	E	F	G1	G2	H	I	J1	J2	K
	Under Desk Height	Wing to Front	Wing Width STD	Wing Width EXT	Left Leg to Edge	Right Leg to Edge	Left Side Panel to Support	Distance Between Supports	Distance Between Center/Right Support	Right Side Panel to Support	Overall Width	Desktop To Base of Panel	Desktop to Top of Panel	Cable Drop Space
AMS2048LH	24.7	3.3	21.1	24.3	2.0	2.0	5.9	29.7	-	6.4	46.1	2.9	20.0	1.0
AMS2054LH	24.7	3.3	21.1	24.3	2.0	2.0	5.9	35.7	-	6.4	52.1	2.9	20.0	1.0
AMS2060LH	24.7	3.3	21.1	24.3	2.0	2.0	5.9	41.7	-	6.4	58.1	2.9	20.0	1.0
AMS2066LH	24.7	3.3	21.1	24.3	2.0	2.0	5.9	22.8	22.8	6.4	64.1	2.9	20.0	1.0
AMS2072LH	24.7	3.3	21.1	24.3	2.0	2.0	5.9	25.8	25.8	6.4	70.1	2.9	20.0	1.0
AMS2048RH	24.7	3.3	21.1	24.3	2.0	2.0	6.4	29.7	-	5.9	46.1	2.9	20.0	1.0
AMS2054RH	24.7	3.3	21.1	24.3	2.0	2.0	6.4	35.7	-	5.9	52.1	2.9	20.0	1.0
AMS2060RH	24.7	3.3	21.1	24.3	2.0	2.0	6.4	41.7	-	5.9	58.1	2.9	20.0	1.0
AMS2066RH	24.7	3.3	21.1	24.3	2.0	2.0	6.4	22.8	22.8	5.9	64.1	2.9	20.0	1.0
AMS2072RH	24.7	3.3	21.1	24.3	2.0	2.0	6.4	25.8	25.8	5.9	70.1	2.9	20.0	1.0
AMS3248LH	17.5	3.3	21.1	24.3	2.0	2.0	5.9	29.7	-	6.4	46.1	10.0	20.0	1.0
AMS3254LH	17.5	3.3	21.1	24.3	2.0	2.0	5.9	35.7	-	6.4	52.1	10.0	20.0	1.0
AMS3260LH	17.5	3.3	21.1	24.3	2.0	2.0	5.9	41.7	-	6.4	58.1	10.0	20.0	1.0
AMS3266LH	17.5	3.3	21.1	24.3	2.0	2.0	5.9	22.8	22.8	6.4	64.1	10.0	20.0	1.0
AMS3272LH	17.5	3.3	21.1	24.3	2.0	2.0	5.9	25.8	25.8	6.4	70.1	10.0	20.0	1.0
AMS3248RH	17.5	3.3	21.1	24.3	2.0	2.0	6.4	29.7	-	5.9	46.1	10.0	20.0	1.0
AMS3254RH	17.5	3.3	21.1	24.3	2.0	2.0	6.4	35.7	-	5.9	52.1	10.0	20.0	1.0
AMS3260RH	17.5	3.3	21.1	24.3	2.0	2.0	6.4	41.7	-	5.9	58.1	10.0	20.0	1.0
AMS3266RH	17.5	3.3	21.1	24.3	2.0	2.0	6.4	22.8	22.8	5.9	64.1	10.0	20.0	1.0
AMS3272RH	17.5	3.3	21.1	24.3	2.0	2.0	6.4	25.8	25.8	5.9	70.1	10.0	20.0	1.0
AMS2048US	24.7	3.3	21.1	24.3	2.0	2.0	5.9	30.3	-	5.9	46.1	2.9	20.0	1.0
AMS2054US	24.7	3.3	21.1	24.3	2.0	2.0	5.9	36.3	-	5.9	52.1	2.9	20.0	1.0
AMS2060US	24.7	3.3	21.1	24.3	2.0	2.0	5.9	42.3	-	5.9	58.1	2.9	20.0	1.0
AMS2066US	24.7	3.3	21.1	24.3	2.0	2.0	5.9	23.1	23.1	5.9	64.1	2.9	20.0	1.0
AMS2072US	24.7	3.3	21.1	24.3	2.0	2.0	5.9	26.1	26.1	5.9	70.1	2.9	20.0	1.0
AMS3248US	17.5	3.3	21.1	24.3	2.0	2.0	5.9	30.3	-	5.9	46.1	10.0	20.0	1.0
AMS3254US	17.5	3.3	21.1	24.3	2.0	2.0	5.9	36.3	-	5.9	52.1	10.0	20.0	1.0
AMS3260US	17.5	3.3	21.1	24.3	2.0	2.0	5.9	42.3	-	5.9	58.1	10.0	20.0	1.0
AMS3266US	17.5	3.3	21.1	24.3	2.0	2.0	5.9	23.1	23.1	5.9	64.1	10.0	20.0	1.0
AMS3272US	17.5	3.3	21.1	24.3	2.0	2.0	5.9	26.1	26.1	5.9	70.1	10.0	20.0	1.0
AMS2048SS	24.7	-	-	-	2.0	2.0	5.0	32.0	-	5.0	46.0	2.9	20.0	1.0
AMS2054SS	24.7	-	-	-	2.0	2.0	5.0	38.0	-	5.0	52.0	2.9	20.0	1.0
AMS2060SS	24.7	-	-	-	2.0	2.0	5.0	44.0	-	5.0	58.0	2.9	20.0	1.0
AMS2066SS	24.7	-	-	-	2.0	2.0	5.0	24.0	24.0	5.0	64.0	2.9	20.0	1.0
AMS2072SS	24.7	-	-	-	2.0	2.0	5.0	27.0	27.0	5.0	70.0	2.9	20.0	1.0
AMS3248SS	17.5	-	-	-	2.0	2.0	5.0	32.0	-	5.0	46.0	10.0	20.0	1.0
AMS3254SS	17.5	-	-	-	2.0	2.0	5.0	38.0	-	5.0	52.0	10.0	20.0	1.0
AMS3260SS	17.5	-	-	-	2.0	2.0	5.0	44.0	-	5.0	58.0	10.0	20.0	1.0
AMS3266SS	17.5	-	-	-	2.0	2.0	5.0	24.0	24.0	5.0	64.0	10.0	20.0	1.0
AMS3272SS	17.5	-	-	-	2.0	2.0	5.0	27.0	27.0	5.0	70.0	10.0	20.0	1.0

Altitude — Metal Screens (page 290)


- Powder coated magnetic metal privacy screen.
- Metal surfaces can be easily disinfected with cleaners. See cleaning guide for more details at AllsteelOffice.com.
- Available in all standard paint colors.
- Provides 1" gap along the back for accessory mount and cord drop.
- Available in 48"W, 54"W, 60"W, 66"W and 72"W.
- 66"W and 72"W screens include 3rd center bracket.
- Available in Straight, L- and U-shape configurations. Above and Above/Below desk applications.
- L- and U-Shape screens are not compatible with shrouded Height Adjustable Table legs.
- Optional tackable accessories specified separately.
- 66"W tackable accessory comes as a set of (2) 24"W.
- 72"W tackable accessory comes as a set of (2) 20"W.
- Available in standard and extended wings.
- Wings mount flush to the edge of the surface with an L-Bracket.
- 20"W tackable accessory must only be applied to both standard and extended wings without accessory slots.
- Wings are available with accessory slots that accept Raddi Hot File, Side Saddle and Coat hook.
- Top slot can accept one Raddi accessory.
- Bottom slot can accept a Coat hook and one other accessory.
- Accessories can hang on either side of the wing.
- TIP: If the Hot File is used in the top slot, it will block access for accessories in the bottom slot.
- Do not hang more than 5lbs of weight on wings.
- Screens are compatible with Raddi undermount storage.
- Not compatible with standard 120-worksurfaces. Contact Allsteel TPG for custom sizes.
- When using a 24"D worksurface with Altitude screens, you must specify a T-foot.

Size Reference Matrix

Tackboards	Wing	48"W	54"W	60"W	66"W	72"W
Actual Dimensions	20"W	30"W	36"W	42"W	20"W	24"W
Set of Tackboards	1	1	1	1	2	2

**Accessories — Tackboard** (page 291)

- Tackable accessories come with metal frame available in standard paint colors and fabric options.
- Attach to the screen using a dual lock tape (included in hardware).

**Accessories — Raddi** (page 291)

- Wings are available with accessory slots that accept Raddi Hot File, Side Saddle and Coat hook.
- Top slot can accept one Raddi accessory.
- Bottom slot can accept a Coat hook and one other accessory.
- Accessories can hang on either side of the wing.
- TIP: If the Hot File is used in the top slot, it will block access for accessories in the bottom slot.


Accessories — Further Worksurface Rail Mount (page 300)

- Accessory rail must be field cut to fit between the screen brackets.
- The following accessories are not compatible with screens: U9WTC and U9TM.


Notes

For specification information see page 269.
(See page 325 for COM pricing on fabric grades G-J.)


Open Market



Description	Model	Ship Weight	Cubes	List Price	
				A	D
U Screen Kit					
48 "	FDSC48U	30.0	16.6	\$ 1972	\$ 2093
54 "	FDSC54U	31.0	18.6	\$ 2040	\$ 2166
60 "	FDSC60U (shown)	32.0	20.6	\$ 2100	\$ 2230
66 "	FDSC66U	33.0	22.6	\$ 2223	\$ 2362
72 "	FDSC72U	34.0	24.6	\$ 2391	\$ 2541



L Screen Kit					
Left Hand 48"	FDSC48LL	26.5	16.6	\$ 1283	\$ 1353
Right Hand 48"	FDSC48LR	26.5	16.6	\$ 1283	\$ 1353
Left Hand 54"	FDSC54LL	27.5	18.6	\$ 1503	\$ 1587
Right Hand 54"	FDSC54LR	27.5	18.6	\$ 1503	\$ 1587
Left Hand 60"	FDSC60LL (shown)	28.5	20.6	\$ 1571	\$ 1661
Right Hand 60"	FDSC60LR (shown)	28.5	20.6	\$ 1571	\$ 1661
Left Hand 66"	FDSC66LL	29.5	22.6	\$ 1871	\$ 1986
Right Hand 66"	FDSC66LR	29.5	22.6	\$ 1871	\$ 1986
Left Hand 72"	FDSC72LL	30.5	24.6	\$ 1970	\$ 2091
Right Hand 72"	FDSC72LR	30.5	24.6	\$ 1970	\$ 2091



Rectangular Screen Kit					
48"	FDSC48R	23.0	3.7	\$ 1241	\$ 1309
54"	FDSC54R	24.0	4.1	\$ 1271	\$ 1341
60"	FDSC60R (shown)	25.0	4.6	\$ 1366	\$ 1442
66"	FDSC66R	26.0	5.0	\$ 1569	\$ 1663
72"	FDSC72R	27.0	5.6	\$ 1670	\$ 1771

Note: Installation brackets are now attached to the screen from the factory.

How to specify —
Select the Model Number from above.

1st Option:
Select the Screen Fabric:
See page 255 for selections and color codes.

2nd Option:
Select the Screen Bracket Paint:
P1 P2
See page 254 for selections and color codes.*
P2 (\$15 extra)

Examples: FDSC48U.PCAMBLT40.P71 FDSC48LL.PCAMBLT70.P71 FDSC48R.PCAMBLT39.P71

For specification information see pages 270-271.

GSA SIN 33721



Extended



Extended Slots

Slots

Description		Model	P1 Paint List Price	P2 Paint Upcharge	P3 Paint Upcharge
20"H Metal L-Screen					
48"W		AMS2048LH	\$ 833	\$ 865	\$ 897
54"W		AMS2054LH	\$ 906	\$ 940	\$ 975
60"W		AMS2060LH	\$ 1014	\$ 1053	\$ 1091
66"W		AMS2066LH	\$ 1109	\$ 1151	\$ 1193
72"W		AMS2072LH	\$ 1160	\$ 1204	\$ 1248
48"W		AMS2048RH (shown)	\$ 833	\$ 865	\$ 897
54"W		AMS2054RH	\$ 906	\$ 940	\$ 975
60"W		AMS2060RH	\$ 1014	\$ 1053	\$ 1091
66"W		AMS2066RH	\$ 1109	\$ 1151	\$ 1193
72"W		AMS2072RH	\$ 1160	\$ 1204	\$ 1248




Extended




Extended Slots

Slots

30"H Metal L-Screen				
48"W	AMS3248LH	\$ 1081	\$ 1122	\$ 1163
54"W	AMS3254LH	\$ 1145	\$ 1189	\$ 1232
60"W	AMS3260LH	\$ 1196	\$ 1241	\$ 1287
66"W	AMS3266LH	\$ 1312	\$ 1362	\$ 1412
72"W	AMS3272LH	\$ 1363	\$ 1415	\$ 1466
48"W	AMS3248RH (shown)	\$ 1081	\$ 1122	\$ 1163
54"W	AMS3254RH	\$ 1145	\$ 1189	\$ 1232
60"W	AMS3260RH	\$ 1196	\$ 1241	\$ 1287
66"W	AMS3266RH	\$ 1312	\$ 1362	\$ 1412
72"W	AMS3272RH	\$ 1363	\$ 1415	\$ 1466




Extended




Extended Slots

Slots

20"H Metal U-Screen				
48"W	AMS2048US (shown)	\$ 1086	\$ 1128	\$ 1168
54"W	AMS2054US	\$ 1145	\$ 1189	\$ 1232
60"W	AMS2060US	\$ 1196	\$ 1241	\$ 1287
66"W	AMS2066US	\$ 1312	\$ 1362	\$ 1412
72"W	AMS2072US	\$ 1377	\$ 1430	\$ 1481



Extended



Extended Slots

Slots

30"H Metal U-Screen				
48"W	AMS3248US (shown)	\$ 1304	\$ 1354	\$ 1403
54"W	AMS3254US	\$ 1374	\$ 1426	\$ 1478
60"W	AMS3260US	\$ 1435	\$ 1490	\$ 1543
66"W	AMS3266US	\$ 1574	\$ 1633	\$ 1693
72"W	AMS3272US	\$ 1653	\$ 1716	\$ 1778

How to specify —
Select the
Model Number
from above.

1st Option:

Wing Type :

STD Standard
EXT Extended

2nd Option:

Accessories Slots:

X	No Accessory Cut Out
SLT	Accessory Cut Out

3rd Option:

Paint Option:

P1 P2 P3
See page 254
for finishes.

4th Option:

Paint Option:

NA Screen

									.			.			.	P		.	N/A
--	--	--	--	--	--	--	--	--	---	--	--	---	--	--	---	---	--	---	-----




Examples: AMS2048LH.STD.SLT.PR6.NA

AMS2048SS.PR6.NA

S *Shippable by small-package carrier.*

For specification information see pages 270-271.

GSA SIN 33721



Description	Model	P1 Paint List Price	P2 Paint Upcharge	P3 Paint Upcharge
20"H Metal Rectangular Screen				
48" W	AMS2048SS (shown)	\$ 710	\$ 738	\$ 764
54" W	AMS2054SS	\$ 746	\$ 775	\$ 803
60" W	AMS2060SS	\$ 796	\$ 827	\$ 856
66" W	AMS2066SS	\$ 906	\$ 940	\$ 975
72" W	AMS2072SS	\$ 978	\$ 1016	\$ 1053
30"H Metal Rectangular Screen				
48" W	AMS3248SS (shown)	\$ 870	\$ 903	\$ 936
54" W	AMS3254SS	\$ 906	\$ 940	\$ 975
60" W	AMS3260SS	\$ 964	\$ 1000	\$ 1038
66" W	AMS3266SS	\$ 1086	\$ 1128	\$ 1168
72" W	AMS3272SS	\$ 1145	\$ 1189	\$ 1232
15"H Tackboard Accessories				
20" W	AAS1520 S	\$ 309	\$ 321	\$ 332
48" W	AAS1548 S (shown)	\$ 367	\$ 382	\$ 395
54" W	AAS1554 S	\$ 406	\$ 422	\$ 437
60" W	AAS1560 S	\$ 423	\$ 440	\$ 455
66" W	AAS1566 S	\$ 617	\$ 640	\$ 664
72" W	AAS1572 S	\$ 675	\$ 701	\$ 727

How to specify — Select the Model Number from above.	1st Option: Wing Type : STD Standard EXT Extended	2nd Option: Accessories Slots: X No Accessory Cut Out SLT Accessory Cut Out	3rd Option: Paint Option: P1 P2 P3 See page 254 for finishes.	4th Option: Paint Option: NA Screen	5th Option: Accessories Color (if applicable): DW Designer White E9 Flint

Examples: AAS1548.PR6.APN911 AFAMS2048LH.STD.SLT.PR6.NA
AFAMS2048SS.PR6.NA

Work Tools



Description	Model	List Price
Hot File (Designer White Only)		
9½"H x 12¼"W x 3¾"D	AEHF	\$ 62
Side Saddle (Designer White Only)		
4"H x 12¼"W x 2½"D	AESS	\$ 51
Bag or Coat Hook (Designer White Only)		
3¼"H x 1½"W x 2¼"D	AECH	\$ 39

How to specify — Select the Model Number from above.	1st Option: Paint Option (if applicable): P1 P2 P3 See page 254 for finishes.	2nd Option: Fabric Option (if applicable): See page 255 for fabric options.	3rd Option: Paint Option: NA Screen	4th Option: Accessories Color (if applicable): DW Designer White E9 Flint

Example: AEHF.PJW

S Shippable by small-package carrier.


HAT to Panel Brackets

Gallery Panels HAT Brackets

GSA SIN PENDING

Height Adjustable Table Tie-In Brackets (Gallery Panels)

- Improves panel rigidity. Does not function as a panel stability solution.
- AGBKT to be specified for connection to a T leg HAT
- AGBKC to be specified for connection to a C leg HAT
- Reusable mounting template is required and must be ordered separately (AGBKTMP).
- Brackets telescope to account for 24" and 30" worksurface depths and screen attachments.
- A6 C legs with a 30"D worksurface and a screen must be specified with T leg brackets
- NOT compatible with Altitude MAX bases
- Height adjustable table brackets must be installed to both sides of the panel to substitute for a return panel in a dual-sided panel bench application. When a single bracket is connected to a wing panel as shown in the 4-pack image, the HAT bracket can substitute for a return panel.
- Freestanding panel can be connected to height adjustable table if it is supported by HAT brackets on both sides of the table and panel spine.




Note: Wire chain cannot be installed on the same leg as a HAT tie-in bracket.

SINGLE BRACKET

Gallery Panel Application:

Max Height (with Glass): 65"H

Max Width: 75"W; No top size restrictions




DUAL SIDED PANEL BENCH

Gallery Panel Application:

Max Height (with Glass): 65"H

Bracket Needed: Single Panel (75" max) with Brackets on each leg (placed at the same height)



Freestanding Gallery Panel Application


HAT to Panel Brackets

Panel Systems HAT Brackets


GSA SIN PENDING

Height Adjustable Table Tie-In Brackets (Optimize, Stride, and Terrace)

- Improves panel rigidity.
- ABKTL to be specified for connection to a LH T-leg HAT
- ABKTR to be specified for connection to a RH T-leg HAT
- ABKCL to be specified for connection to a LH C-leg HAT
- ABKCR to be specified for connection to a RH C-leg HAT
- Brackets mount into slotted standard.
- Brackets telescope to account for 24" and 30" worksurface depths and screen attachments.
- A6 C legs with a 30"D worksurface and a screen must be specified with T leg brackets
- NOT compatible with Altitude MAX bases
- Height adjustable table brackets must be installed to both sides of the panel to substitute for a return panel in a dual-sided panel bench application. When a single bracket is connected to a wing panel as shown in the 4-pack image, the HAT bracket can substitute for a return panel.
- Freestanding panel can be connected to height adjustable table if it is supported by HAT brackets on both sides of the table and panel spine for A8, A3, and A6.
- Dual sided A5 tables cannot support a freestanding panel. (A5 was discontinued on 12/31/2020)



Note: Wire chain cannot be installed on the same leg as a HAT tie-in bracket.




SINGLE BRACKET

Systems Application (not compatible with Concensys):

Max Height (with Glass): 65" H

Max Width: 96" W; Note: tops greater than 72" W will not align.

Overheads cannot be used without return panel



DUAL SIDED PANEL BENCH



Systems Application (not compatible with Concensys):

Max Height (with Glass): 65" H

Bracket Needed: Every 96" on both sides (placed at the same height).

Note: tops greater than 72" W will not align.

Overheads cannot be used without return panel




ALTITUDE


HAT to Panel Brackets

HAT to Panel Bracket Pricing


GSA SIN 33721




ABKTR



ABKTL



AGBKT



AGBKTMP

Description	Model	List Price
HAT to Panel Bracket T-leg RH	ABKTR	\$ 250
HAT to Panel Bracket T-leg LH	ABKTL	\$ 250
HAT to Panel Bracket C-leg RH	ABKCR	\$ 250
HAT to Panel Bracket C-leg LH	ABKCL	\$ 250
HAT to Gallery Panel Bracket T-leg	AGBKT	\$ 250
HAT to Gallery Panel Bracket C-leg	AGBKC	\$ 250
HAT to Gallery Panel Install Template	AGBKTMP	\$ 61

(Black only, code P)

How to specify —
Select the
Model Number
from above.

1st Option:
Paint (if applicable):

A | | | | | | | . | | |

Accessories

Working with Organization Rail & Accessories and Screens


[GSA Reference Page](#)

Rail Accessories



Side View



Top View

Phone/
Tablet
StandPencil
HolderRail
Mounted
ShelfVertical
Paper Tray

Front View



Worksurface Mounted Rail (page 300)

- Aluminum extrusion designed to mount to flat edge worksurfaces. Comes with rail and hardware for mounting.
- Mounted rail extends $\frac{3}{4}$ " on underside of worksurface which may interfere with the mounting of storage and screens.
- Widths available for Altitude tables 12" through 66" in 6" increments. Can pass across seams of ganged worksurfaces in tethered applications.
- Passes behind worksurface bracket on tethered applications.
- For freestanding applications rail should be 6" shorter than worksurface (i.e. 54" rail for 60" worksurface).

Rail Mounted Accessories

Not recommended for use on panel systems with attached worksurfaces due to fit up issues created with worksurface and panel. Adding accessory rail shifts worksurface — $\frac{3}{16}$ " away from panel along that edge. Forcing worksurface into place crushes fabric tile and with tiles of other material (steel, marker board, etc) is likely to scratch, dent, or otherwise damage tile during installation.

U9TM Phone/Tablet Stand (page 300)

- $6\frac{1}{2}$ "H x $4\frac{1}{4}$ "W and angles back $1\frac{3}{4}$ ".
- Has a $\frac{1}{4}$ " x 1" slot in bottom flange to allow for routing cables. Requires $1\frac{3}{4}$ " space behind worksurface edge in order to be used.




U9TP Pencil Holder (page 300)

- $2\frac{1}{2}$ "H x 6"W x 3"D.
- Holds approximately twenty #2 pencils.




U9TS Rail Mounted Shelf (page 300)

- 8"W x $4\frac{1}{2}$ "D and sits $2\frac{3}{8}$ " higher than top of worksurface.
- Holds up to 8 pounds.



U9TF Vertical Paper Tray (page 300)

- Sits 12"H x $1\frac{1}{2}$ "W x 12"D from back of worksurface.
- Folder front stands 9" high from worksurface top, $1\frac{1}{4}$ " space holds about 280 sheets of copy paper.



U9WTC Cord Organizer (page 300)

- Can attach to both bottom of worksurface or slides into rail.
- 4"W x $\frac{7}{8}$ "D, made from sheet metal.
- Top sits flush with worksurface if mounted to worksurface.
- 4 cable cut outs: 2 – .250" diameter and 2 – 0.147" diameter; .250" diameter cut outs are centered between the .147" diameter cut outs.



Universal Hook (page 300)

- Mounts to underside of worksurface and provides storage for bags, coats and purses. Can be used as a horizontal wire manager.




Accessories


Worksurface Mounted Rail and Accessories

For specification information see page 299.

GSA SIN 33721




Description	Model	List Price		
		P1	P2	P3
Accessories Rail — Worksurface Mounted				
12"W	U912WTR 	\$ 116	\$ 123	\$ 127
18"W	U918WTR 	\$ 124	\$ 131	\$ 135
24"W	U924WTR 	\$ 142	\$ 149	\$ 153
30"W	U930WTR 	\$ 159	\$ 169	\$ 176
36"W	U936WTR 	\$ 180	\$ 190	\$ 197
42"W	U942WTR 	\$ 195	\$ 205	\$ 212
48"W	U948WTR 	\$ 205	\$ 219	\$ 224
54"W	U954WTR 	\$ 214	\$ 229	\$ 233
60"W	U960WTR 	\$ 225	\$ 241	\$ 247
66"W	U966WTR 	\$ 270	\$ 286	\$ 292

Rail Mounted Accessories


Phone/Tablet Stand — 6½"H x 4¼"W	U9TM	\$ 175	\$ 187	\$ 197
----------------------------------	------	--------	--------	--------




Pencil Holder — 2½"H x 6"W x 3"D	U9TP	\$ 106	\$ 116	\$ 123
----------------------------------	------	--------	--------	--------



Shelf — 8"W x 4½"D; 2½" above top of worksurface	U9TS	\$ 128	\$ 140	\$ 150
--	------	--------	--------	--------



Vertical Paper Tray — 12"H x 1⅝"W x 12"D	U9TF	\$ 192	\$ 204	\$ 214
--	------	--------	--------	--------

**Cord Organizer**

4"W x ⅞"D Metal with 4 cable cutouts	U9WTC	\$ 190	\$ 198	\$ 205
--------------------------------------	-------	--------	--------	--------

**Universal Hook (Black only)**

Package of 2	AGSAUHK	\$ 128	—	—
--------------	---------	--------	---	---

How to specify —

Select the Model Number from above.

1st Option:**Paint:**

See page 254 for selections and color codes.*

U | 9 | | | | | .

Examples: U912WTR.PR6 U9TF.P7G AGSAUHK.P27

Shippable by small-package carrier.

Extensions — Introduction

Extensions accessory line by Allsteel is designed to help you create your own space.

- **Create a unique space**

Each person is unique, no one person works exactly like another, and different tasks require different tools. Extensions work tools allow each person the ability to create a unique environment that is all their own. Lots of paper to manage? Need active files within arm's reach? Want to maximize your worksurface space? Need light somewhere other than below a cabinet? Whatever the task, we have the tools to accommodate your workstyle.

- **Create a comfortable space**

With a full line of organization, ergonomic, and illumination tools, Extensions allow you to create a comfortable, ergonomic work area. Organization tools keep important items visible and within your reach. Ergonomic tools help you stay comfortable while working. Illumination tools allow you to put your light where it suits you.

- **Create an organized space**

Tired of all the piles of paper building up on your worksurface? Organization tools house your materials and keep them in an orderly fashion. With a combination of hanging or freestanding organizational accessories, Extensions let you manage everything from binders to paper clips.

- **Organization tools**

Work tools are a durable metal construction. Extensions allow you to manage your workspace smartly with tools like the phone caddy to elevate the phone off the worksurface, landscaped mail box trays to minimize worksurface intrusion, folder holders and tool box pencil holders that hang off the slat rail and each other.




Increase your efficiency with organization!

- **Ergonomic tools**

Ergonomics is more than just comfort, it's flexibility and safety. The adjustable keyboard options allow users to maintain and vary comfortable wrist and arm positions throughout the day, whether typing or mousing. Monitor Arms offer versatile adjustability while providing optimum comfort for the eyes, neck, and shoulders.


- **Illumination tools**

Sleek and flexible, our lighting components offer you several choices. Recessed task lights conserve space and feature electronic ballast for longer bulb life and cooler operating temperature. LED tasklights' slim design blends in with its surrounding while utilizing energy-efficient LED technology. The Link light offers award-winning style to a highly versatile and energy efficient light.


Articulating Keyboard Supports			
Features	Model AKTSHORT	Model AKTLONG	Model AKTMID
			
Keyboard Support	Platform style 28"W x 8"D	Platform Style 19"Wx11"D	Platform Style 19"Wx11"D
Keyboard Support Material	Phenolic	Phenolic	Phenolic
Suspension	- Nylon glides on lubricated slide track - Intuitive lift and lock one touch height adjustment	Lubricated slide track system: spring assisted	Lubricated slide track system: spring assisted
Platform Rotation	360 degrees	360 degrees	360 degrees
Platform Tilt	+10/-20 degrees	+10/-20 degrees	+10/-20 degrees
Platform Tilt Adjustment	Soft touch lever for precise tilt adjustment	Convenient tilt wheel assists desired tilt angle	Convenient tilt wheel assists desired tilt angle
Platform Height Adjustment Range	6½" (1½" above / 5¼" below)	12½" (7" above to 5½" below)	8" (3" above / 5" below)
Platform Height Adjustment	Lift platform to raise, lift slightly and tilt back to lower	Lift platform to raise, lift slightly and tilt back to lower	Lift platform to raise, lift slightly and tilt back to lower
Palm Rest	Detachable leatherette-covered gel palm rest	Fabric covered gel palm rest	Fabric covered gel palm rest
Mouse Pad	In-line to accommodate mouse on same level as keyboard.	Circular, swivel, tilt, LH/RH mounting, mouse catcher, gel rest	Circular, swivel, tilt, LH/RH mounting, mouse catcher, gel rest
Microsoft Natural Compatible	No	Yes — by removing palm rest	Yes — by removing palm rest
Track Depth	8"	23"	21"
Required Mounting Clearance	20"W x 8"D x ¼" Recess	19"W x 23"D + ¼" Recess	19"W x 23"D + ¼" Recess
Adjustable Wrist Rest	No	Fixed mounting and height	Fixed mounting and height
Ideal For	- Straight worksurfaces - ADA/HFES compliance - Extensive adjustability with mouse in line, mouse over or mouse forward of keyboard - Height-Adjustable Table	- Corner worksurface applications - Sit to stand applications	- Shallow worksurfaces - Corner worksurface (17" or 21") - Radius worksurface (42" or 48")
Additional Information		Track can be cut in the field to shorten track depth — may affect ability to fully recess platform	Track can be cut in the field to shorten track depth — may affect ability to fully recess platform

AKTSHORT Keyboard Support (page 303)

- Lift and lock intuitive height adjustment.
- Compatible with Altitude Height Adjustable Tables
- Positive and negative tilt for best ergonomic positioning.
- +10°/-20° tilt adjustment and 360° rotation provides support of neutral position of shoulders, arms and wrists while accommodating multiple working postures.
- Surpasses ANSI/BIFMA standards.
- Black powder coat finish.
- Patented secondary slide and unique arm design provide minimal footprint.

**AKTMID and AKTLONG Keyboard Support (page 303)**


- Lift and lock intuitive height adjustment.
- Positive and negative tilt for the best ergonomic positioning.
- +10°/-20° tilt adjustment and 360° rotation provides support of neutral position of shoulders, arms, and wrists while accommodating multiple working postures.
- Non-handed mouse tray can be moved from right hand to left hand side.
- Surpasses ANSI/BIFMA standards.
- Black powder-coat finish.

**Keyboard Spacer Kit (page 303)**

- Keyboard Spacer Kit required for mounting under Altitude worksurfaces.
- Kit provides ten spacers and hardware for mounting keyboard supports beneath an external worksurface support channel.
- Spacers are 2⅝"H providing more room beneath surface for mounting.


CPU Hammock (page 303)

- Features 360-degree swivel with an 11" track.
- Load capacity is 75 lbs.
- CPU must be minimum of ¾"W with maximum dimension of 64" in perimeter.
- Handy adjustment tool stores within unit.
- Safety feature prevents accidental release of straps and straps can be adjusted while CPU is installed.
- Can be used on Height Adjustable Tables as long as it is attached with spacer model AKMH. Take into account required leg room for users.



For specification information see page 302.


GSA SIN 33721

**Compact Keyboard Support with 8" Track**

30"W x 13"D

AKTSHORT 


\$ 585

**STS Keyboard Support with 23" Track**

24"W x 12"D

AKTLONG 

\$ 717

**Articulating Keyboard Support with 21" Track**

24"W x 12"D

AKTMID 

\$ 616

**Keyboard Spacer Kit**

10 – 2 1/8"H Spacers and Hardware

AKMH 


\$ 63

**CPU Hammock™ (Silver only)**

360° swivel CPU holder with adjustable straps

ACPU1 

\$ 418

**Description****Metal Corner Sleeve** — for use with Optimize™, Concensys®, and Terrace®

• Fits 1 1/4" thick square edge detail.

(T-Mold worksurfaces) 22 1/2"W leading edge x 18"D.

Model

AWCS

**P1 Paint
List Price**

\$ 147


**P2 Paint
List Price**

\$ 152

**P3 Paint
List Price**

\$ 157

Edge Details



Model AWCS

How to specify —Select the
Model Number
from above.

--	--	--	--	--	--	--	--	--	--

Examples: AKMH ACPU1

 Shippable by small-package carrier.

allsteeloffice.com | 303


Allsteel's tool rail works in conjunction with a variety of accessories. Modular accessories free up worksurface space and provide orderly storage that is well within reach. Units can be arranged and rearranged to respond to changing workflow. The work tools that attach to the tool rail are:

- Mail Box
- Folder Holder
- Phone Caddy
- Binder Bin
- Tool Box
- Clip Caddy™
- Sidebar™ Personal Shelf
- Paper Wave™
- Gripper Clip

Additional accessories that work with the **tool rail work tools** aesthetically are:

- Bookends
- Freestanding Mail Box

Coat hooks, marker boards and center drawers round out the organization offering.



Tool rail, shown above, is height-adjustable in 1" increments using slots in panels or metal hutch. Tool rail shown with two tool boxes, two mail boxes, folder holder, and phone caddy. Folder holders and binder bins extend below a tool rail. Paper Wave and contents extend above a tool rail.



Tool Rails and Work Tools (page 307)

- Sturdy aluminum extrusion with steel support construction.
- Powder coated for durable finish.
- Use to hang Extensions tools. Cannot be used to support monitor arms.
- Suggested weight capacity not to exceed 80 lbs.
- Consideration needs to be given to height of tools and location of worksurfaces.
- For use with Terrace®, Concensys®, and Optimize™ systems.
- 5" high rail (widths coordinate with panels).
- Attachment via vertical reveals.
- Can be hung from wall track. Good solution for above copiers.
- Systems tool rail is off-modular — can be used on a panel of equal width or one size smaller.
- May span two panels of appropriate size, i.e., 60" W Tool Rail on two 30" W panels.

Tool Rail for Hutches (page 307)

- Will work on Universal, Terrace, Optimize, and Concensys system hutches produced after July 2, 2000 and Align™ metal hutches.
- Sturdy aluminum extrusion with steel support construction.
- Powder coated for durable finish.
- Use to hang Extensions tools. Cannot be used to support monitor arms.
- Suggested weight capacity not to exceed 80 lbs.
- Consideration needs to be given to height of tools and location of worksurfaces.

Mail Box (page 308)

- Holds standard letter-size paper and inter-office envelopes.
- Minimal horizontal intrusion.

Folder Holder (page 308)

- Holds manila envelopes.
- Is capable of hanging on other folder holders to maximize space.
- Stores vertically for easy access to files.

Phone Caddy (page 308)

- Holds telephone at optimum ergonomic angle.
- Wire management cut-outs.
- Accommodates standard phone sizes.

Binder Bin (page 308)

- Holds folders, binders, and manuals.

Tool Box (page 308)

- Holds pencils and other writing utensils, large post-it notes, and other desk top accessories.

Clip Caddy™ (page 308)




- Holds paper clips and other small objects.


Sidebar™ Personal Shelf (page 308)

- Holds office supplies and personal effects.

Paper Wave™ (page 308)

- Provides 3 fully divided slots for organizing files.
- Keeps papers from "bowing" at bottom.



**Gripper Clip** (page 308)

- Binds project papers together.
- Mounts to tool rail or tool tile.

Bookends (page 308)


- Can be used on shelves or in cabinets.
- Used to hold books, binders, and catalogs upright.

Freestanding Mail Box (page 308)

- Incorporates similar aesthetic to mounted Mail Box.
- Mounting brackets allow for free access from front and back.
- Sold in pairs of two; will stack up to eight high.
- Individual mail box dimension = 1¾"H.
- Stacking brackets are black.


Coat Hook APMC6 (page 308)

- Hangs directly into slotted Terrace®, Optimize™, or Concensys® panel frame.
- Use for coat or bag.
- Package of six.
- Available in black only.



Metal Center Drawers (page 309)

- All metal center drawers feature pencil trays with three compartments for storage.
- Center drawers will not fit in center of 24"D worksurfaces which are wider than 60" due to location of center support bracket.
- For locking specifications, see pages 320-322.
- Ball-bearing slide suspension.





Laptop Drawer — U7WDA (page 309)

- Drawer body made of sheet metal.
- Drawer front made of 3/4" particleboard with laminate on both sides and fused laser edge banding.
- Core removable lock is located on right side drawer front
- 17 5/8"W x 18"D x 3 3/8"H Outside (interior 13"W x 16"D x 1 7/8"H)
- Minimum surface depth is 21" for surfaces not using an external stiffener; and 27" for surfaces using an external stiffener.
- Drawer extends 16"
- Maximum load: 45 lbs (functional BIFMA load)
- Drawer assembly and cover have cut out in back to allow for cables to exit drawer.
- Distance from floor to bottom of unit w/glides fully retracted is 24 3/4".
- Does not interfere with Further leg mounting plates so drawer can be placed directly next to either a system or table leg.
- When being placed next tower storage using the tower ell bracket (Z6LB) to support surface the drawer must be inset 3" to clear the ell bracket.
- Can be placed directly next to any support storage from any Allsteel product line (excluding towers).
- Flat brackets — drawer must be offset 3" from seam between surfaces to clear the bracket. See illustration at left.
- Can be used with rabbit edge worksurface models but there will be a larger reveal between surface and drawer.
- Can be used with knife edge worksurface models but reveal and depth need to be considered.

Flat Brackets


Front View

Top View



Polymer Center Drawer - ACD1 (page 309)

- 20 1/2"W x 17"D x 2"H
- Available in black only
- Made from ABS.
- Minimum clearance for mounting: 23"W x 16 1/4"D x 2"H.
- Retracts on 16" ball-bearing slides.
- Can be used on worksurfaces with Height Adjustable Bases as long as it is attached with spacer model AKMH.
- Can store up to 25 lbs.








Name Plate (page 308)

- Comes in a 10-pack.
- Metal backer installs under a Terrace or Optimize top cap, can be used with frameless glass.
- Cover is a transparent polycarbonate insert.
- Full plate is 8 1/2"W x 2 5/8"H.

For specification information see pages 304-305.

GSA SIN 33721

	Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
	Mail Box 9"D x 15"W	EAPT 	\$ 128	\$ 147	\$ 162
	Folder Holder 9"H x 12"W	EAFS 	\$ 131	\$ 150	\$ 165
	Phone Caddy 9"W x 11"D	EATS 	\$ 160	\$ 179	\$ 194
	Binder Bin 8½"H x 5¼"W x 10"D	EABS 	\$ 128	\$ 147	\$ 162
	Tool Box 5"H x 5¼"W x 1½"D	EADH 	\$ 102	\$ 121	\$ 136
	Clip Caddy™ 2"H x 7"W x 3½"D	EAAC 	\$ 91	\$ 110	\$ 125
	Sidebar™ Personal Shelf 2"H x 21"W x 7"D	EAPS 	\$ 131	\$ 150	\$ 165
	Paper Wave™ Tray size: 2½"H x 6"W x 10"D Dividers: 9½"H x 9"W	EASS 	\$ 183	\$ 202	\$ 217
	Gripper Clip Package of 2 — 5"W x 2"H	EAPC 	\$ 131	\$ 150	\$ 165
	Freestanding Mail Box (specify paint color) Pair — 4⅞"H x 13¼"W x 9"D	EAFB 	\$ 263	\$ 282	\$ 297
	Coat Hooks (black only) Package of six	APMC6 	\$ 128	N/A	N/A
	Panel Name Plate Package of 10	EACS	\$ 349	\$ 368	\$ 383
	Note: Not for use on tool tile or rail, name plate installs under top cap on Terrace and Optimize.				

How to specify —
Select the
Model Number
from above.

1st Option:

Paint:





See page 66 for
finishes.








Examples: EAPT.P4J APMC6.P

 Shippable by small-package carrier.

For specification information see pages 305-306.

GSA SIN 33721

	Description	Model	List Price		
			P1	P2	P3
 Angled front	Metal Center Drawer w/Lock 19"W x 14¼"D x 3"H • 12" drawer extension (3/4). • Inside drawer dimension: 19"W x 13"D x 2⅝"H. • Minimum clearance for mounting: 21¼"W x 19¼"D.	CSDC19 	\$ 296	\$ 317	\$ 335
 Angled front	24¼"W x 14¼"D x 3"H • 12" drawer extension (3/4). • Inside drawer dimension: 24½"W x 13½"D x 2⅝"H. • Minimum clearance for mounting: 27⅝"W x 19¼"D.	CSDC25 	\$ 304	\$ 325	\$ 343
 Angled front	Laptop Drawer — Locking, laminate front, metal case 17⅝"W x 18"D x 3⅝"H • 16" drawer extension • Inside drawer dimensions: 13"W x 16"D x 1⅞"H • Minimum clearance for mounting: 17⅝"W x 21"D x 3⅝"H (see illustration)	U7WDA 	\$ 1699	\$ 1721	\$ 1739
 Angled front	Polymer Center Drawer 20½"W x 17"D x 2"H • 11½" extension • Minimum clearance for mounting: 23"W x 16¼"D x 2"H	ACD1	\$ 236	N/A	N/A

How to specify — Select the Model Number from above.	1st Option: Laminate (Laptop drawer front if applicable): See page 66 for finishes.	2nd Option: Edge (Laptop drawer edge if applicable): See page 66 for finishes.	3rd Option: Paint (If laptop drawer, list exterior case color here): See page 66 for finishes. Power Data Module PR6 Silver.	4th Option: Paint (Interior of laptop drawer if applicable): See page 66 for finishes.	5th Option: Lock (if applicable): STD Standard OMT Omit (Deduct \$20)	6th Option: Lock or Tech Module Color (if applicable): EL Silver (Lock)


Example: U7WDA.LM11EV.P27.PR6.STDEL

 Shippable by small-package carrier.

Allsteel Extensions offers Illumination in three styles — Undercabinet LED Light, Wand Light, and Splitly Light.

Recessed Undercabinet LED Light


Recessed task lights conserve space and provide an efficient solution for illuminating the workplace. All models are equipped with LED strips.



Recessed task light models mount under storage cabinets or shelves to provide optimal space utilization. Models are available in two styles and three sizes to correspond with the width of the cabinet or shelf. Task lights with a fused plug are available to meet Chicago electrical code.

Undercabinet LED Light


The Undercabinet LED Light is a low-profile, linear solution for overhead cabinets and shelves and is an ideal solution for painted wood storage. It utilizes energy-efficient LED technology which provides a long life. The Undercabinet LED Light provides the opportunity to mount the fixture where light is needed most.



The Undercabinet LED Light features a metal trough reflector with diffuser lens. The light has a sleek ½" thick profile and provides two options for mounting, either magnetically or with hardware. Undercabinet LED Lights can be daisy-chained.

Optional undercabinet occupancy sensor is available which will automatically turn off the fixture after 30 minutes of no detection and back on immediately as the user re-enters the detection range using Passive Infrared (PIR) sensor technology. Unit features 360° lens with 90° outward detection angle, providing a 36" coverage diameter at 18". Occupancy sensor comes with connector and is required to be connected in the sequence shown below. Connect occupancy sensor to a light, or first light in daisy chain to control all linked lights.

CONNECTION SEQUENCE*



*Cannot deviate from this sequence

Recessed Task Lights (page 312)

- Black Metal Construction with 9' long black cord attached to right rear corner of the fixture.
- LED strip comes installed within light.
 - 50,000 hour life span
 - 120V-277V
 - CCT 4000K
 - CRI 80+
- Includes 4 cord retainer clips.
- Shorter width models can be used on wider overheads, shelves and hutches.
- On/Off switch provides individual control of tasklight within the workstation.
- Daisy chain models require a master control model — 10 fixtures maximum.
- RECOMMENDATION: Provide a separate circuit for task lights to ensure proper, long-term operation.

Undercabinet LED Lights (page 312)

- Low profile energy-efficient LED task light for use with overhead storage cabinets and shelves.
- 20W power supply for 10W 17" unit (.166 amps).
- 20W power supply for 20W 31" unit (.166 amps).
- 60W power supply for daisy-chain starter units (.5 amps). Must order one starter unit for each daisy-chain application.

LED Light Combinations Must Not Exceed 60W in Combination	Power Usage
6X 17"	60W
3X 31"	60W
1X 31" + 4X 17"	60W
2X 31" + 2X 17"	60W

- The combinations that could max out 60W are featured above. *Daisy chained units have a power limit of 60W from one power entry. 17W units use 10W and 31W units use 20W.*
- Specify up to 5 additional 17" interconnect units (ALED17UJMP30) to daisy-chain together with 17" daisy-chain starter fixture (ALED17U60).

Example: Daisy-chain 4–17" undercabinet LED lights:

Specify: 1 ALED17U60

Specify: 3 ALED17UJMP30 with 10" jumper cord

- Specify up to 2 additional 31" interconnect units (ALED31UJMP30) with 10" jumper cords to daisy-chain together with 31" tasklight (ALED31U60); or 17" daisy-chain starter fixture (ALED17U60).
- 3500K color temperature.
- 131 footcandles at 18" on ALED31U; 76 footcandles at 18" on ALED17U.
- Magnetic or screw-mount option — attachment hardware included.
- On 20 watt models, power drive is attached to plug: allow 1¼"D space at outlet.
- On 60 watt models, power drive brick is in center of cord.
- Includes 3 cord retainer clips.
- Meets California Title 24 Energy Efficiency Standards.
- "Instant On" switch with infinite dimming cycle from 100% to 15% with the last state memory, allowing the user to set their desired level of lighting.
- Fixture automatically turns off after 10 hours of use to reduce unwanted energy use.
- Optional occupancy sensor automatically turns off all interlinked fixtures after 30 minutes of no detection and back on immediately when detection is found.

Overhead Length	Suggested LED Sizes
24	17
30	17
36	17
42	31
48	17 + 17
60	31 + 17
72	31 + 31

Note: LED lights may need to be positioned along length properly to allow jumping to additional overheads. Suggested sizes above are recommendations for single overheads to provide as much light along length of overhead as possible.

The suggested sizes factor in 4 inches of room for the power inlet and occupancy sensor (optional).

For specification information see pages 310-311.

Open Market / GSA SIN 33721 (as noted)




Open Market

Description	Watt Usage	Model	List Price
Recessed Task Lights (Black only) — Use recessed under overhead cabinets, storage shelves, or hutches, comes with cord retainer clips			
Task Light for 24"W	10	A870824	\$ 429
Task Light for 30"W and 36"W	14	A870830	\$ 433
Task Light for 42"W and 48"W	21	A870842	\$ 468
Task Light for 60"W, 66"W, and 72"W	28	A870860	\$ 506

Recessed Task Lights (Black only) — With fused plug (satisfies Chicago electrical code)

Task Light for 24"W	10	A870824CH	\$ 553
Task Light for 30"W and 36"W	14	A870830CH	\$ 564
Task Light for 42"W and 48"W	21	A870842CH	\$ 600
Task Light for 60"W, 66"W, and 72"W	28	A870860CH	\$ 634

Note: See below for GSA Approved Task Lights.

GSA SIN 33721

GSA Recessed Task Lights — Use recessed under overhead cabinets, storage shelves, or hutches**Base Models** — Stand Alone


Task Light for 24"W	15	GS870924	\$ 548
Task Light for 30"W and 36"W	17	GS870930	\$ 566
Task Light for 42"W and 48"W	25	GS870948	\$ 608
Task Light for 60"W, 66"W, and 72"W	32	GS870960	\$ 651



GSA SIN 33721

Cord Retainer Clips (Black only)

Bag of 50 clips	AAPACM2	\$ 54
-----------------	---------	-------



GSA SIN 33721

LED Undercabinet Light (white end caps)

17" Task Light w/20 watt power supply for 24"W or wider overhead	ALED17U	\$ 1014
17" Task Light w/60 watt power supply for daisy chain	ALED17U60	\$ 1110
17" 10 watt Interconnect Task Light w/10" Jumper Cord	ALED17UJMP30	\$ 783
31" Task Light w/20 watt power supply 36"W or wider overhead	ALED31U	\$ 1522
31" Task Light w/60 watt power supply for daisy chain	ALED31U60	\$ 1604
31" 20 watt Interconnect Task Light w/10" Jumper Cord	ALED31UJMP30	\$ 914
Undercabinet Occupancy Sensor 2 1/4"W + 1"W Connector	ALEDOCC*	\$ 617

*Undercabinet Occupancy Sensor works with LED Undercabinet lights shipped after 11/1/2013.

How to specify —

Select the Model Number from above.

1st Option:**Cord Retainer**
Clip Color:

Black only.

P | 2 | 7

Examples: A870824

A870824CH
ALED17U

GS870924

AAPACM2.P27

Shippable by small-package carrier.




Monolithic Panel Systems – 03/2023

Notes

Accessories

Working with Pivot Monitor Arms

Open Market / GSA Reference Page

PIVOT MONITOR ARMS	Standard Dynamic Single	Standard Dynamic Dual	Heavy Duty Dynamic Single	Heavy Duty Dynamic Dual with Crossbar
Allsteel Model:	AMASTS	AMASD	AMASHD	AMADHD
				
Features:				
Price	\$464	\$936	\$798	\$1104
Colors	Black and Silver	Black and Silver	Black and Silver	Black and Silver
Monitor Rotation	180°	180°	180°	180°
Monitor Extension	18.75"	18.26"	20.75"	23"
Monitor Tilt Adjustment	+25°/-25°	+25°/-25°	+25°/-25°	+25°/-25°
Arm Height Adjustment	8.4" to 19"	9.6" to 20.1"	8.5" to 20"	8.5" to 20"
Weight Capacity	6.2 to 17 lbs.	6.2 to 17 lbs. per Arm	8 to 35 lbs.	17.5 lbs. per VESA Plate
Mounting Option	Grommet and Clamp Mounts	Grommet and Clamp Mounts	Grommet and Clamp Mounts	Grommet and Clamp Mounts
360° Lockout Feature	Yes	Yes	Yes	Yes
VESA Compatibility	75mm and 100mm	75mm and 100mm	75mm and 100mm	75mm and 100mm
Pole Height	N/A	N/A	N/A	N/A
Maximum Width per Monitor*	N/A	25"	N/A	25"
Worksurface Clamp Requirements	¾" to 2" Thick	¾" to 2" Thick	¾" to 2" Thick	¾" to 2" Thick
Worksurface Grommet Clamp Requirements	¾" to 2" Thick/Hole Diameter ⅜" to 2"	¾" to 2" Thick/Hole Diameter ⅜" to 2"	¾" to 2" Thick/Hole Diameter ⅜" to 2"	¾" to 2" Thick/Hole Diameter ⅜" to 2"
Environmental Info	94% Recycled Content	94% Recycled Content	94% Recycled Content	94% Recycled Content

*Use of APACSM Slider Model will allow for wider monitor capabilities

Pivot Standard Weight Monitor Arms

- Adaptable and adjustable to user preference the Pivot monitor arm offers a slim and refined design coupled with easy fingertip adjustment.
- Multiple points of adjustment including 360 degree swivel with optional 180 degree lockout, 18.75" extension, and 10" of height adjustment.
- Monitor tilts +25/-25 degrees.
- Standard weight arms utilize a tension spring that allows for effortless adjustment of monitors to proper ergonomic positions.
- Tension adjustment at multiple points allows for proper adjustment for monitors weight between 6-17 lbs.
- Model includes grommet and worksurface mounting options.
- Desk clamp mounts require ¾" – 2" thick surfaces; grommet mount requires hole diameter of ⅜" to 2" wide and accommodates up to 2" thick surfaces.
- Integrated cable management included with each model. Black models ship with all black cable management pieces, Silver models ship with grey wire management but optional white pieces ship in the box and can be installed on site.
- Dual monitor arm supports up to 25" wide monitors. Wider monitors may require use of optional slider mount model.
- Pivot arms are VESA 75mm and 100mm compatible.
- Quick release feature simplifies monitor installation and changes.

Pivot Slider Mount

- Provides 11.8" of horizontal movement.
- Allows for wider monitors to be used on dual monitor arms and sit flush side by side.
- Not compatible with Pivot Heavy Duty Series.




Pivot Heavy Duty Series

- Adaptable and adjustable to user preference the Pivot monitor arm offers a slim and refined design coupled with easy fingertip adjustment.
- Multiple points of adjustment including 360 degree swivel with optional 180 degree lockout, 20.75" extension, and 12" of height adjustment.
- Monitor tilts +25/-25 degrees.
- Tension adjustment at multiple points allows for proper adjustment for monitors weight between 8-35 lbs.
- Model includes grommet and worksurface mounting options.
- Desk clamp mounts require ¾" – 2" thick surfaces; grommet mount requires hole diameter of ⅜" to 2" wide and accommodates up to 2" thick surfaces.
- Integrated cable management included with each model. Black models ship with all black cable management pieces, Silver models ship with grey wire management but optional white pieces ship in the box and can be installed on site.
- Dual monitor arm supports up to 2 monitors weight 4-17.5 lbs each.
- Pivot arms are VESA 75mm and 100mm compatible.
- Quick release feature simplifies monitor installation and changes.

Accessories

Working with Pivot Monitor Arms

Open Market / GSA Reference Page

PIVOT MONITOR ARMS	Dynamic Single Post	Dynamic Dual Post	Triple Fixed Post
Allsteel Model:	APASD	APADD	APATF
			
Features:			
Price	\$628	\$879	\$1110
Colors	Silver	Silver	Silver
Monitor Rotation	180°	180°	180°
Monitor Extension	21"	21"	23"
Monitor Tilt Adjustment	+25°/-25°	+25°/-25°	+25°/-25°
Arm Height Adjustment	10.6"	10.6"	N/A
Weight Capacity	6.2 to 17 lbs.	6.2 to 17 lbs. per Arm	17 lbs. per arm
Mounting Option	Grommet and Clamp Mounts	Grommet and Clamp Mounts	Grommet and Clamp Mounts
360° Lockout Feature	Yes	Yes	Yes
VESA Compatibility	75mm and 100mm	75mm and 100mm	75mm and 100mm
Pole Height	17.7"	17.7"	27.5"
Maximum Width per Monitor*	25"	25"	25"
Worksurface Clamp Requirements	7/8" to 2" Thick	7/8" to 2" Thick	7/8" to 2" Thick
Worksurface Grommet Clamp Requirements	7/8" to 2" Thick/Hole Diameter 3/16" to 2"	7/8" to 2" Thick/Hole Diameter 3/16" to 2"	7/8" to 2" Thick/Hole Diameter 3/16" to 2"
Environmental Info	94% Recycled Content	94% Recycled Content	94% Recycled Content

*Use of APACSM Slider Model will allow for wider monitor capabilities

Pivot Post Series

- Adaptable and adjustable to user preference the Pivot monitor arm offers a slim and refined design coupled with easy fingertip adjustment.
- Multiple points of adjustment including 360 degree swivel with 21" extension and 10.6" of height adjustment.
- Monitor tilts +25/-25 degrees.
- Tension adjustment at multiple points allows for proper adjustment for monitors weight between 6.5-17 lbs per arm.
- Model includes grommet and worksurface mounting options.
- Desk clamp mounts require 7/8" – 2" thick surfaces; grommet mount requires hole diameter of 3/16" to 2" wide and accommodates up to 2" thick surfaces.
- Integrated cable management included with each model. Silver color option with grey wire management only.
- Dual monitor arm supports up to 25" wide monitors. Wider monitors may require use of optional slider mount model.
- Single and dual models have a post height of 17.7"; Triple monitor model has a post height of 27.5".
- Pivot arms are VESA 75mm and 100mm compatible.
- Quick release feature simplifies monitor installation and changes.

Pivot Counterweight Kit

- Counterweight Kit to be used with monitors weighing less than 6 lbs.
- Gray color only.
- Counterweight weighs 1 lb. 6 oz.

Pivot Conversion Kits

- Kit allows user to transform single monitor arm (Standard, Heavy Duty, or Post) into Dual Arm configuration
- Available in black and silver, Post arm only available in silver
- Required wire management included
- Once assembled, will aesthetically emulate dual configuration of chosen arm

Accessories — Pivot Monitor Arms

Pivot

For specification information see pages 316-317.


GSA SIN PENDING, GSA SIN 33721




Description	Model	List Price
Pivot Monitor Arms		
Dynamic Single Monitor - Standard Weight	AMASTS S	\$ 464
Dynamic Single Monitor - Standard Weight for GSA	AMASTS-G	\$ 548
*Silver Only		
Open for order Fall 2020 – GSA SIN 33721.		



Dynamic Single Monitor - Heavy Weight	AMASHD S	\$ 798
---------------------------------------	-----------------------	--------




Dynamic Dual Monitor with Crossbar	AMADHD S	\$ 1104
------------------------------------	-----------------------	---------




Dynamic Dual Monitor - Standard Weight	AMASD S	\$ 936
--	----------------------	--------


Dynamic Dual Monitor - Standard Weight for GSA	AMASD-G	\$ 998
*Silver Only		
**Slider Mount included.		
Open for order Fall 2020 – GSA SIN 33721.		



Single Dynamic Post Arm	APASD S	\$ 628
*Silver Only		



Double Dynamic Post Arm	APADD S	\$ 879
*Silver Only		



Triple Fixed Post Mount	APATF S	\$ 1110
*Silver Only		

How to specify —
Select the
Model Number
from above.

1st Option:

Select the Color:

SVR Silver
BLK Black

A | | | | | .

| | | |

Example: AMADHD.BLK





S Shippable by small-package carrier.

Accessories — Pivot Monitor Arms

Pivot

Open Market

For specification information see pages 316-317.



Description	Model	List Price
Pivot Monitor Arms		
Monitor Arm Sliding Mount	APACSM S	\$ 221
Monitor Arm Counterweight	APACW S	\$ 52
Pivot Monitor Arm Standard Single Conversion Kit	AMASTSCK	\$ 520
Pivot Monitor Arm Heavy Duty Single Conversion Kit	AMASHDCK	\$ 454
Pivot Single Post Arm Conversion Kit	APASDCK	\$ 661
*Silver Only		

How to specify —
Select the
Model Number
from above.

1st Option:

Select the Color:

SVR Silver
BLK Black

A | | | | | .

Example:

Monolithic Panel Systems – 03/2023

S Shippable by small-package carrier.

allsteeloffice.com | 319

Laterals, Pedestals and Storage, Painted Wood Storage**Standard Options**

- Random Keying — The factory will assign key(s) arbitrarily using key numbers from chart below.
- Omit Lock Core — The factory will omit lock cores. Removable lock core kits with specific key number must be ordered to facilitate keying alike in the field.

Replacing Lock Cores

- Lock must be in the unlocked position.
- Insert core removal key and pull core straight out.
(Reach units require rotating key 90° clockwise past unlocked position.)
- Insert new core with core removable key, hold core into lock and withdraw core removal key.
- Retain original core for future use.

Vertical Files**Standard Options**



- Random Keying — The factory will assign key(s) arbitrarily (see below chart for key numbers).

Key Alike Process

- Order standard product which will be shipped with factory installed locks and random numbered cores.
- Order the appropriate quantity of like numbered cores required for each workstation or keyed area.
- Simply replace the factory installed core with the replacement cores after product has been installed.

	Random Keying	Omit Lock Core	Key Numbers	Lock Core Kit	Master Key
Align™ Laterals	X	X	101E-225E	ALKF23C*	AMKF22
Align New Low Credenzas, Towers, Pedestals (“YP” prefix models)	X	X	101E-225E	ALKF26EL	AMKF22
Align Old Pedestals (for New Pedestals after 11/2015 see above)	X	X	101E-225E	ALKF23C*	AMKF22
Align Old Towers (for New Towers after 2/2016 see above)	X	X	101E-225E	ALKF23C*	AMKF22
Align Metal Front Lockers	X	X	101E-225E	ALKF26EL	AMKF22
Align Laminate Front Lockers	X	X	101E-225E	ALKF23C*	AMKF22
Approach™ Desking and Storage	X	X	101E-225E	ALKF26EL	AMKF22
Center Drawer (CSDC19/25)	X	X	101E-225E	ALKF23C*	AMKF22
Essentials™ Laterals	X	X	101E-225E	ALKF23C	AMKF22
Essentials Overfile Cabinets	X	X	101E-225E	ALKF23C*	AMKF22
Essentials Pedestals	X	X	101E-225E	ALKF23C*	AMKF22
Essentials Personal Tower and Files	X	X	101E-225E	ALKF23C*	AMKF22
Further™ Laminate Storage	X	X	101E-225E	ALKF23C*	AMKF22
Hutches	X	X	101E-225E	ALKF23C*	AMKF22
Involve® Laminate Storage	X	X	101E-225E	ALKF23C*	AMKF22
Overheads (Flipper Door, including RTA)	X	X	101E-225E	ALKF23C*	AMKF22
Overheads (Receding Door)	X	X	101E-225E	ALKF23C*	AMKF22
Stride® Painted Wood Storage	X	X	101E-225E	ALKF23C*	AMKF22
Vertical Files A990/A940	X		101E-225E	ALKF23C*	AMKF22

*ALKF23C is chrome. Optional black core for wood casegoods is ALKF23CE4. Optional matte silver core is ALKF26EL.

	Description	Model	List Price									
	Removable Lock Core Kits**	Key Numbers 101E-225E										
	Brushed Chrome used on metal and painted wood casegoods product produced after 2/3/97; A980, A990, and A940 Series vertical files; Persona™ pedestals produced after 8/22/09; Reach® Storage units produced after 10/5/09; and receding door overheads produced after 8/1/10. Includes one core, two keys, one core removal tool, adapter and instructions	ALKF23C 	\$ 30									
	Black used on veneer casegoods product. Includes one core, two keys, one core removal tool, adapter and instructions. Core matches manufactured lock on metal casegoods but Black core can be used with veneer and laminate product.	ALKF23CE4 	\$ 29									
	Matte Silver used on Approach and Align metal credenzas, new pedestals, and new towers. Includes one core, two keys, one core removal tool, adapter, and instructions.	ALKF26EL 	\$ 29									
	Master Key (One key) Available to authorized dealers only on faxed orders. Will open ALKF23C, LKF23C, ALKF23CE4, LKF23CE4, LKF24, LKF25EL, and LKF25E4 locks numbered 101E-225E.	AMKF22 	\$ 31									
 Open Market	HOW TO ORDER: Note: Numbers 101E-225E are available. Orders without numbers specified will be keyed at random. SAMPLE ORDER: <table><tr><th>Quantity</th><th>Model</th><th>Color</th></tr><tr><td>6</td><td>ALKF23C</td><td>X121E</td></tr><tr><td>1</td><td>AMKF22</td><td>X</td></tr></table>			Quantity	Model	Color	6	ALKF23C	X121E	1	AMKF22	X
Quantity	Model	Color										
6	ALKF23C	X121E										
1	AMKF22	X										
	Brushed Chrome Removable Lock Core Kit* **	Key Numbers 101N-225N										
	Includes one core, two keys, one core removal tool, adapter, and instructions	ALKF23CN 	\$ 29									
 Open Market	Master Key* (One key) Available to authorized dealers only on electronic orders. Will open ALKF23CN and LKF23CN locks numbered 101N-225N.	AMF22 	\$ 31									
	N series lock cores (ALKF23CN) are a replacement part for legacy Allsteel products. N series lock cores were used in all Persona pedestals produced between January 1996 and August 2009 as well as Receding Door Overheads produced between January 1996 and August 2010. N series lock cores are NOT used in current product and should not be ordered for product produced after these dates. E series lock cores are used in current product, see above.											

*On existing Premium and Asset lateral, use N-Series locks.

** Removable Lock Core Kits are intended for use with Allsteel systems furniture and are approved under GSA SIN 33721. When purchased separately and used without Allsteel systems furniture, those Removable Lock Core Kits marked by (**) are considered Open Market.

 Shippable by small-package carrier.

Appendix

Locking Specifications

GSA SIN 33721

EASY LOCK PROGRAM

The Allsteel Easy Lock Program simplifies the lock-core ordering process when multiple cores are being specified. The Easy Lock cores can be used with Allsteel storage that currently uses the **ALKF23C** cores (all storage except Receding Door Overheads).

To ensure ease of ordering in different situations the Easy Lock cores can be specified in three different ways — Random, Specified or Sequential.

Random Keying

The Random Keying option is provided for instances where there are multiple orders or phases to a project and the offices need to be keyed alike but the key numbering is not required. With the random keying option key numbers are not specified, however, the core kits will be in sequential order from a random starting point.

Example: *There are 15 offices which each have 5 black locks that need to be keyed alike, but the actual key numbers are not important.*

This order would look like: **LKFE5BLK.X.15**

This specifies that 15 5-core kits are needed in black with random key numbers.

Specified Keying

The Specified Keying option is provided for the instances where there is a specific key number desired for all of the cores ordered.

Example: *There are 10 offices which each have 2 silver locks that need to be keyed-alike with key number 202.*

This order would look like: **LKFE2SLV.X202.10**

This specifies that 10 2-core kits are needed in silver with key number 202.

Sequential Keying

Allsteel Sequential Keying option is provided for the instances when there are multiple orders or phases to a project and it is imperative that key numbers are not duplicated.

Example: *A multiple phase project has 60 total offices — 40 offices in Phase I, and 20 offices in Phase II. The project manager has expressed a need to have keyed-alike offices but doesn't want any of the offices to use the same key numbers.*

The first 40 offices have 4 silver locks each that need to be keyed-alike.

This order would look like: **LKFE4SLV.SEQ/101.40**

This specifies that 40 4-core kits are needed in silver and the starting number is 101.

The second set of 20 offices only have 3 silver locks each that need to be keyed-alike; and it is important which key number starts off the sequence to ensure that no key number is duplicated. It is known that the first key range was key numbers 101-140.

The second order would look like: **LKFE3SLV.SEQ/141.20**

This specifies that 20 3-core kits are needed in silver and key sequence has to start at key number 141.

HOW TO ORDER:

Numbers 101-225 are available. Orders without key numbers specified will be keyed at random.

SAMPLE ORDER FOR EXAMPLES GIVEN:

Model	Key Type	Quantity
LKFE5BLK.	X.	15
LKFE2SLV.	X202.	10
LKFE4SLV.	SEQ/101.	40
LKFE3SLV.	SEQ/141.	20

NOTE: Quantity required is last number in model.option string.

Description	Model / Color	List Price
Easy Lock Lock-Core		
Lock Core Kit — 1 core, 2 keys	LKFE1	\$ 29
Lock Core Kit — 2 cores, 2 keys	LKFE2	\$ 59
Lock Core Kit — 3 cores, 2 keys	LKFE3	\$ 88
Lock Core Kit — 4 cores, 2 keys	LKFE4	\$ 117
Lock Core Kit — 5 cores, 2 keys	LKFE5	\$ 146
Lock Core Kit — 6 cores, 2 keys	LKFE6	\$ 176
Lock Core Kit — 7 cores, 2 keys	LKFE7	\$ 205
Lock Core Kit — 8 cores, 2 keys	LKFE8	\$ 235

Add color suffix to model: **SLV** Silver, **BLK** Black, **MTS** Matte Silver

Note: One core removal key minimum per order. One additional core removal key per 25 lock-cores will be shipped.


Master Key

(One key) Available to authorized dealers only on faxed orders.

AMKF22 **\$ 31**


How to specify using Easy Lock Program:

Step 1 — Count the number of lock cores and color required in each workstation that need to be keyed alike.




2 overheads with 1 lock-core each = 2
2 pedestals with 1 lock-core each = 2
Total silver lock-cores per station = 4

Step 2 — Count the total number of workstations needing 4 lock-cores.



4 total workstations

Step 3 — Specify model number based on total number of lock-cores in a station and quantity of kits based on number of workstations.



LKFE4SLV.X.4
Lock-Cores per station
Color of Core
Number of workstations

Appendix

Fabric Grade Pricing

Model Number	Description	Grade G	Grade H	Grade J
Optimize® Tackable Panels — see page 74				
P13524TP	24" W	\$ 966	\$ 1044	\$ 1123
P13530TP	30" W	\$ 1047	\$ 1129	\$ 1214
P13536TP	36" W	\$ 1166	\$ 1261	\$ 1357
P13542TP	42" W	\$ 1199	\$ 1296	\$ 1392
P13548TP	48" W	\$ 1289	\$ 1394	\$ 1499
P13560TP	60" W	\$ 1469	\$ 1590	\$ 1713
P13572TP	72" W	\$ 1840	\$ 1992	\$ 2144
P14224TP	24" W	\$ 1018	\$ 1102	\$ 1185
P14230TP	30" W	\$ 1135	\$ 1228	\$ 1322
P14236TP	36" W	\$ 1269	\$ 1373	\$ 1474
P14242TP	42" W	\$ 1390	\$ 1503	\$ 1617
P14248TP	48" W	\$ 1492	\$ 1613	\$ 1735
P14260TP	60" W	\$ 1745	\$ 1889	\$ 2032
P14272TP	72" W	\$ 1998	\$ 2162	\$ 2325
P15024TP	24" W	\$ 1116	\$ 1208	\$ 1302
P15030TP	30" W	\$ 1243	\$ 1342	\$ 1443
P15036TP	36" W	\$ 1402	\$ 1519	\$ 1632
P15042TP	42" W	\$ 1555	\$ 1681	\$ 1805
P15048TP	48" W	\$ 1679	\$ 1815	\$ 1949
P15060TP	60" W	\$ 1855	\$ 2005	\$ 2156
P15072TP	72" W	\$ 2242	\$ 2423	\$ 2605
P16524TP	24" W	\$ 1212	\$ 1309	\$ 1405
P16530TP	30" W	\$ 1374	\$ 1485	\$ 1596
P16536TP	36" W	\$ 1536	\$ 1657	\$ 1781
P16542TP	42" W	\$ 1705	\$ 1842	\$ 1978
P16548TP	48" W	\$ 1804	\$ 1949	\$ 2094
P16560TP	60" W	\$ 2008	\$ 2172	\$ 2337
P16572TP	72" W	\$ 2454	\$ 2653	\$ 2851
P21524T	24" W	\$ 681	\$ 761	\$ 840
P21530T	30" W	\$ 753	\$ 840	\$ 928
P21536T	36" W	\$ 834	\$ 930	\$ 1023
P21542T	42" W	\$ 904	\$ 1008	\$ 1112
P21548T	48" W	\$ 971	\$ 1082	\$ 1193
P21560T	60" W	\$ 1323	\$ 1473	\$ 1624
P21572T	72" W	\$ 1405	\$ 1567	\$ 1728

Model Number	Description	Grade G	Grade H	Grade J
Optimize® Glazed Panels — see page 76				
P15024HP	24" W Clear Glass	\$ 1850	\$ 1998	\$ 2147
P15030HP	30" W Clear Glass	\$ 2018	\$ 2178	\$ 2338
P15036HP	36" W Clear Glass	\$ 2204	\$ 2380	\$ 2557
P15042HP	42" W Clear Glass	\$ 2407	\$ 2599	\$ 2790
P15048HP	48" W Clear Glass	\$ 2516	\$ 2720	\$ 2923
P15060HP	60" W Clear Glass	\$ 2896	\$ 3130	\$ 3363
P15072HP	72" W Clear Glass	\$ 3511	\$ 3792	\$ 4073
P15024HP	24" W Frosted Glass	\$ 1924	\$ 2072	\$ 2221
P15030HP	24" W Frosted Glass	\$ 2097	\$ 2257	\$ 2417
P15036HP	24" W Frosted Glass	\$ 2290	\$ 2466	\$ 2643
P15042HP	24" W Frosted Glass	\$ 2499	\$ 2691	\$ 2882
P15048HP	24" W Frosted Glass	\$ 2615	\$ 2819	\$ 3022
P15060HP	24" W Frosted Glass	\$ 3011	\$ 3245	\$ 3478
P15072HP	24" W Frosted Glass	\$ 3650	\$ 3931	\$ 4212
P16524HP	24" W Clear Glass	\$ 2020	\$ 2180	\$ 2340
P16530HP	30" W Clear Glass	\$ 2182	\$ 2358	\$ 2533
P16536HP	36" W Clear Glass	\$ 2395	\$ 2586	\$ 2776
P16542HP	42" W Clear Glass	\$ 2610	\$ 2817	\$ 3024
P16548HP	48" W Clear Glass	\$ 2737	\$ 2956	\$ 3177
P16560HP	60" W Clear Glass	\$ 3169	\$ 3424	\$ 3681
P16572HP	72" W Clear Glass	\$ 3826	\$ 4132	\$ 4438
P16524HP	24" W Frosted Glass	\$ 2099	\$ 2259	\$ 2419
P16530HP	30" W Frosted Glass	\$ 2268	\$ 2444	\$ 2619
P16536HP	36" W Frosted Glass	\$ 2487	\$ 2678	\$ 2868
P16542HP	42" W Frosted Glass	\$ 2711	\$ 2918	\$ 3125
P16548HP	48" W Frosted Glass	\$ 2844	\$ 3063	\$ 3284
P16560HP	60" W Frosted Glass	\$ 3293	\$ 3548	\$ 3805
P16572HP	72" W Frosted Glass	\$ 3977	\$ 4283	\$ 4589
Optimize® Tackboards for Stack-on Hutches — see page 127				
UHTB36	36" W	\$ 993	\$ 993	\$ 1274
UHTB42	42" W	\$ 1041	\$ 1041	\$ 1334
UHTB48	48" W	\$ 1155	\$ 1155	\$ 1489
UHTB60	60" W	\$ 1370	\$ 1370	\$ 1790
UHTB66	66" W	\$ 1471	\$ 1471	\$ 1928
UHTB72	72" W	\$ 1501	\$ 1501	\$ 1955

Appendix

Fabric Grade Pricing

Model Number	Description	Grade G	Grade H	Grade J
Consensys® Tackboards and Cord Covers — see page 243				
861324	24" W	\$ 382	\$ 382	\$ 487
861330	30" W	\$ 433	\$ 433	\$ 542
861336	36" W	\$ 502	\$ 502	\$ 634
861342	42" W	\$ 579	\$ 579	\$ 734
861348	48" W	\$ 649	\$ 649	\$ 827
861360	60" W	\$ 740	\$ 740	\$ 950
861824	24" W	\$ 419	\$ 419	\$ 543
861830	30" W	\$ 521	\$ 521	\$ 676
861836	36" W	\$ 599	\$ 599	\$ 781
861842	42" W	\$ 693	\$ 693	\$ 907
861848	48" W	\$ 779	\$ 779	\$ 1025
861860	60" W	\$ 872	\$ 872	\$ 1149
EL97	13" H	\$ 99	\$ 99	\$ 106
EL99	18" H	\$ 99	\$ 99	\$ 106

Consensys® Universal Tackboards for Stack-on Hutches — see page 244				
UHTB36	36" W	\$ 993	\$ 993	\$ 1274
UHTB42	42" W	\$ 1041	\$ 1041	\$ 1334
UHTB48	48" W	\$ 1155	\$ 1155	\$ 1489
UHTB60	60" W	\$ 1370	\$ 1370	\$ 1790
UHTB66	66" W	\$ 1471	\$ 1471	\$ 1928
UHTB72	72" W	\$ 1501	\$ 1501	\$ 1955

Altitude® A8 Screen Kits — see page 289				
FDSC48U	48" W	\$ 2190	\$ 2214	\$ 2274
FDSC54U	54" W	\$ 2266	\$ 2291	\$ 2354
FDSC60U	60" W	\$ 2334	\$ 2360	\$ 2424
FDSC66U	66" W	\$ 2472	\$ 2499	\$ 2569
FDSC72U	72" W	\$ 2661	\$ 2690	\$ 2765
FDSC48LL	48" W	\$ 1410	\$ 1424	\$ 1459
FDSC48LR	48" W	\$ 1410	\$ 1424	\$ 1459
FDSC54LL	54" W	\$ 1655	\$ 1672	\$ 1714
FDSC54LR	54" W	\$ 1655	\$ 1672	\$ 1714
FDSC60LL	60" W	\$ 1732	\$ 1749	\$ 1794
FDSC60LR	60" W	\$ 1732	\$ 1749	\$ 1794
FDSC66LL	66" W	\$ 2076	\$ 2099	\$ 2157
FDSC66LR	66" W	\$ 2076	\$ 2099	\$ 2157
FDSC72LL	72" W	\$ 2187	\$ 2212	\$ 2272
FDSC72LR	72" W	\$ 2187	\$ 2212	\$ 2272
FDSC48R	48" W	\$ 1362	\$ 1377	\$ 1410
FDSC54R	54" W	\$ 1396	\$ 1410	\$ 1445
FDSC60R	60" W	\$ 1503	\$ 1518	\$ 1555
FDSC66R	66" W	\$ 1737	\$ 1757	\$ 1804
FDSC72R	72" W	\$ 1851	\$ 1871	\$ 1921

Notes

Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
9120 Program.....	116, 117, 231, 232	A870070.....	91, 205	A871506.....	62, 91, 204	AF5RS3624U.....	264	AMS2054RH.....	290
801550.....	234	A870071.....	205	A871601.....	62, 91, 204, 287	AF5RS3630U.....	264	AMS2054SS.....	291
802424M.....	114, 229	A870302.....	314	A871601A.....	62, 91, 204, 287	AF5RS4224U.....	264	AMS2054US.....	290
803030M.....	114, 229	A870824.....	312	A871912.....	62, 91, 204, 287	AF5RS4230U.....	264	AMS2060LH.....	290
830299.....	234	A870824CH.....	312	A871912A.....	62, 91, 204, 287	AF5RS4824.....	263	AMS2060RH.....	290
831099.....	233	A870830.....	312	A871918.....	62, 91, 204, 287	AF5RS4824U.....	264	AMS2060SS.....	291
831124.....	119, 233, 234	A870830CH.....	312	A871972.....	62, 91, 204, 287	AF5RS4830.....	263	AMS2060US.....	290
831130.....	119, 233, 234	A870842CH.....	312	A871972A.....	62, 91, 204, 287	AF5RS4830U.....	264	AMS2066LH.....	290
831212M.....	110, 225	A870860.....	312	A873501.....	287	AF5RS5424.....	263	AMS2066RH.....	290
831324.....	233	A870860CH.....	312	A873502.....	287	AF5RS5424U.....	264	AMS2066SS.....	291
831330.....	233	A871024.....	90, 203	A873503.....	287	AF5RS5430.....	263	AMS2066US.....	290
831500L.....	233	A871024A.....	90, 203	A873504.....	287	AF5RS5430U.....	264	AMS2072LH.....	290
831500R.....	233	A871030.....	90, 203	A873506.....	287	AF5RS6024D.....	263	AMS2072RH.....	290
832407M.....	114, 229	A871030A.....	90, 203	A876072.....	287	AF5RS6024UD.....	264	AMS2072SS.....	291
833007M.....	114, 229	A871036.....	90, 203	A876072A.....	287	AF5RS6030D.....	263	AMS2072US.....	290
851500.....	230	A871036A.....	90, 203	A877012.....	62, 287	AF5RS6030UD.....	264	AMS3248LH.....	290
851524M.....	52, 115, 173, 230	A871042.....	90, 203	A877101.....	61	AF5RS6624D.....	263	AMS3248RH.....	290
851530M.....	52, 115, 173, 230	A871042A.....	90, 203	A877501.....	62	AF5RS6624UD.....	264	AMS3248SS.....	291
851536M.....	52, 115, 173, 230	A871048.....	90, 203	A877501A.....	62	AF5RS6630D.....	263	AMS3248US.....	290
851542M.....	52, 115, 173, 230	A871048A.....	90, 203	A877502.....	62	AF5RS6630UD.....	264	AMS3254LH.....	290
851548M.....	52, 115, 173, 230	A871060.....	61, 90, 203	A877502A.....	62	AF5RS7224D.....	263	AMS3254RH.....	290
851554M.....	52, 115, 173, 230	A871060A.....	61, 90, 203	A877503.....	62	AF5RS7224UD.....	264	AMS3254SS.....	291
851560M.....	52, 115, 173, 230	A871066.....	61	A877503A.....	62	AF5RS7230D.....	263	AMS3254US.....	290
851566M.....	52, 115, 173, 230	A871066A.....	61	A877504.....	62	AF5RS7230UD.....	264	AMS3260LH.....	290
851572M.....	52, 115, 173, 230	A871072.....	61	A877506.....	62	AF5RS7824D.....	263	AMS3260RH.....	290
852424M.....	52, 115, 173, 230	A871072A.....	61	A879072.....	91, 204	AF5RS7824UD.....	264	AMS3260SS.....	291
853030M.....	52, 115, 173, 230	A871078.....	61	A879072A.....	91, 204	AF5RS7830D.....	263	AMS3260US.....	290
853636M.....	52, 115, 173, 230	A871078A.....	61	A879168.....	91, 204	AF5RS7830UD.....	264	AMS3266LH.....	290
854242M.....	52, 115, 173, 230	A871084.....	61	A879168A.....	91, 204	AF5RS8424D.....	263	AMS3266RH.....	290
860536M.....	111, 226	A871084A.....	61	AAPACM2.....	92, 205, 312	AF5RS8424UD.....	264	AMS3266SS.....	291
860542M.....	111, 226	A871124.....	90, 203, 286	AA51520.....	291	AF5RS8430D.....	263	AMS3266US.....	290
860548M.....	111, 226	A871124A.....	90, 203, 286	AA51548.....	291	AF5RS8430UD.....	264	AMS3272LH.....	290
861324.....	243	A871130.....	61, 90, 203	AA51554.....	291	AF5RS9024D.....	263	AMS3272RH.....	290
861330.....	243	A871130A.....	61, 90, 203	AA51560.....	291	AF5RS9024UD.....	264	AMS3272SS.....	291
861336.....	243	A871136.....	90, 203	AA51566.....	291	AF5RS9030D.....	263	AMS3272US.....	290
861342.....	243	A871136A.....	90, 203	AA51572.....	291	AF5RS9030UD.....	264	APACSM.....	319
861348.....	243	A871142.....	90, 203	ABKCL.....	298	AF5RS9624D.....	263	APACW.....	319
861360.....	243	A871142A.....	90, 203	ABKCR.....	298	AF5RS9624UD.....	264	APADD.....	318
861824.....	243	A871148.....	90, 203, 286	ABKTL.....	298	AF5RS9630D.....	263	APASD.....	318
861830.....	243	A871148A.....	90, 203, 286	ABKTR.....	298	AF5RS9630UD.....	264	APASDCK.....	319
861836.....	243	A871160.....	61, 90, 203, 286	ACBHEP1229.....	233	AF5120S4224D.....	264	APATF.....	318
861842.....	243	A871160A.....	61, 90, 203, 286	ACBHEP2429.....	233	AF5120S4230D.....	264	APCM6.....	308
861848.....	243	A871166.....	61	ACBHEP3029.....	233	AF5120S4824D.....	264	APTK.....	323
861860.....	243	A871166A.....	61	ACD1.....	309	AF5120S4830D.....	264	APWRMOD1TT.....	314
870072P.....	205	A871172.....	61, 90, 203, 286	ACOMDOME2.....	314	AF5120S5424D.....	264	APWRMOD1UWM.....	314
870073P.....	205	A871172A.....	61, 90, 203, 286	ACPU1.....	303	AF5120S5430D.....	264	APWRMOD2Q.....	314
870074P.....	205	A871178.....	61	AECH.....	291	AGBKC.....	51, 173, 298	APWRMOD2UWM.....	314
873600.....	288	A871178A.....	61	AEHF.....	291	AGBKT.....	51, 173, 298	APWRMOD2WC.....	314
877600.....	63	A871184.....	61	AESH.....	291	AGBKTMP.....	51, 173, 298	APWRMOD3UWM.....	314
899900.....	77	A871184A.....	61	AEV920.....	92, 205, 268	AGSAUHK.....	300	APWRMOD3WC.....	314
899910.....	77	A871224.....	90, 203	AF5CCS5424.....	264	AKMH.....	303	ARSLCC.....	323
A2-8CIR24.....	90, 203	A871224A.....	90, 203	AF5CCS5430.....	264	AKTLONG.....	303	ATADF3.....	63, 92, 206, 288
A2-8CIR30.....	90, 203	A871230.....	61, 90, 203	AF5CCS603624LD.....	265	AKTMD.....	303	ATADF4.....	63, 92, 206, 288
A2-8CIR36.....	90, 203	A871230A.....	61, 90, 203	AF5CCS603624RD.....	265	AKTSHORT.....	303	ATADJ5.....	63, 92, 206, 288
A2-8CIR42.....	90, 203	A871236.....	90, 203	AF5CCS604824LD.....	265	ALED17U.....	312	ATADJ6.....	63, 92, 206, 288
A2-8CIR48.....	90, 203	A871236A.....	90, 203	AF5CCS604824RD.....	265	ALED17U60.....	312	AVF5RS4824.....	263
A2-8CIR60.....	90, 203	A871242.....	90, 203	AF5CCS604830LD.....	265	ALED17UJMP30.....	312	AVF5RS4830.....	263
A2-8CIR72.....	90	A871242A.....	90, 203	AF5CCS604830RD.....	265	ALED31U.....	312	AVF5RS5424.....	263
A6BLUETOOTH.....	261	A871248.....	90, 203, 286	AF5CCS723624LD.....	265	ALED31U60.....	312	AVF5RS5430.....	263
A6CASTER.....	261	A871248A.....	90, 203, 286	AF5CCS723624RD.....	265	ALED31UJMP30.....	312	AVF5RS6024D.....	263
A6MREC3S2LCF.....	260	A871254.....	286	AF5CCS724824LD.....	265	ALEDOCC.....	312	AVF5RS6030D.....	263
A6MREC3S2LTF.....	260	A871254A.....	286	AF5CCS724824RD.....	265	ALKF23C.....	321	AVF5RS6624D.....	263
A6MREC3S3LCF.....	261	A871260.....	61, 90, 203, 286	AF5CCS724830LD.....	265	ALKF23CE4.....	321	AVF5RS6630D.....	263
A6MREC3S3LTF.....	261	A871260A.....	61, 90, 203, 286	AF5CCS724830RD.....	265	ALKF23CN.....	321	AVF5RS7224D.....	263
A6REC2S2LCF.....	260	A871266.....	61, 286	AF5RND4824.....	263	ALKF26EL.....	321	AVF5RS7230D.....	263
A6REC2S2LTF.....	260	A871266A.....	61, 286	AF5RND4830.....	263	AMADHD.....	318	AVSTAS3PWR.....	314
A6REC2S3LCF.....	261	A871272.....	61, 90, 286	AF5RND5424.....	263	AMASD.....	318	AWCS.....	303
A6REC2S3LTF.....	261	A871272A.....	61, 90, 286	AF5RND5430.....	263	AMASD-G.....	318	AYBHEP1229.....	118
A6REC3S2LCF.....	260	A871278.....	61	AF5RND6024D.....	263	AMASHD.....	318	AYBHEP1829.....	118
A6REC3S2LTF.....	260	A871278A.....	61	AF5RND6030D.....	263	AMASHDCK.....	319	AYBHEP2429.....	118
A6REC3S3LCF.....	261	A871284.....	61	AF5RND6630D.....	263	AMASTS.....	318	AYBHEP3029.....	118
A6REC3S3LTF.....	261	A871400.....	62, 91, 204, 287	AF5RND7224D.....	263	AMASTSCK.....	319	CBK29.....	119, 234
A6SLDGLIDE.....	261	A871400A.....	62, 91, 204, 287	AF5RND7230D.....	263	AMASTS-G.....	318	CBPLATE3-36.....	92, 206
A9CLWMC.....	294	A871500.....	63, 91, 204	AF5RND7824D.....	263	AMF22.....	321	CBPLATE3-42.....	92, 206
A5622ELS.....	265	A871501.....	62, 91, 204	AF5RND8424D.....	263	AMKF22.....	321, 322	CBPLATE3-48.....	92, 206
A5722ELS.....	265	A871501A.....	62, 91, 204, 287	AF5RND8430D.....	263	AMRK36.....	75	CBPLATE3-60.....	92, 206
A5722ERS.....	265	A871502.....	62, 91, 204	AF5RND9024D.....	263	AMRK42.....	75	CCB12L.....	233
A5822ELS.....	265	A871502A.....	62, 91, 204, 287	AF5RND9030D.....	263	AMRK48.....	75	CCB12R.....	233
A5822ERS.....	265	A871503.....	62, 91, 204	AF5RND9624D.....	263	AMS2048LH.....	290	CCB18L.....	233
A5922ELS.....	265	A871503A.....	62, 91, 204, 287	AF5RND9630D.....	263	AMS2048RH.....	290	CCB18R.....	233
A5922ERS.....	265	A871504.....	62, 91, 204			AMS2048SS.....	291	CCB24L.....	233
						AMS2048US.....	290	CCB24R.....	233
						AMS2054LH.....	290	CCK.....	205

Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
CCWD29L.....	234	EASR36.....	307	G3078.....	159	G4263G.....	166	G5751.....	163
CCWD29R.....	234	EASR42.....	307	G3078G.....	164	G4266.....	161	G5751G.....	168
CDG.....	120, 235	EASR48.....	307	G3081.....	159	G4266G.....	166	G5754.....	163
CDL29.....	119, 234	EASR60.....	307	G3081G.....	164	G4269.....	161	G5754G.....	168
CDP.....	205	EASS.....	308	G3084.....	159	G4269G.....	166	G5757.....	163
CDPA29L.....	234	EATS.....	308	G3084G.....	164	G4272.....	161	G5757G.....	168
CDPA29R.....	234	EL96.....	243	G3518.....	160	G4272G.....	166	G5760.....	163
CEP1129F.....	119, 234	EL97.....	243	G3518G.....	165	G4275.....	161	G5760G.....	168
CEP1129P.....	233, 234	EL98.....	243	G3521.....	160	G4275G.....	166	G5763.....	163
CEP2429F.....	119, 234	EL99.....	243	G3521G.....	165	G4278.....	161	G5763G.....	168
CEP2429P.....	233, 234	FDEPC2.....	292	G3524.....	160	G4278G.....	166	G5766.....	163
CEP3029F.....	119, 234	FDEPC12.....	292	G3524G.....	165	G4281.....	161	G5766G.....	168
CEP3029P.....	233, 234	FDPWRC.....	292	G3527.....	160	G4281G.....	166	G5769.....	163
CFDPWRC.....	292	FDPWRSC.....	292	G3527G.....	165	G4284.....	161	G5769G.....	168
CFDPWRSC.....	292	FDRWEC.....	292	G3530.....	160	G4284G.....	166	G5772.....	163
CMT24.....	92, 205, 268	FDRWLEG.....	292	G3530G.....	165	G5018.....	162	G5772G.....	168
CMT36.....	92, 205, 268	FDRWUC.....	292	G3533.....	160	G5018G.....	167	G5775.....	163
COMBKT.....	242	FDSC48LL.....	289	G3533G.....	165	G5021.....	162	G5775G.....	168
CPMB29.....	234	FDSC48LR.....	289	G3536.....	160	G5021G.....	167	G5778.....	163
CRK29.....	119, 234	FDSC48R.....	289	G3536G.....	165	G5024.....	162	G5778G.....	168
CS244.....	120, 235	FDSC48U.....	289	G3539.....	160	G5024G.....	167	G5781.....	163
CS249.....	120, 235	FDSC54LL.....	289	G3539G.....	165	G5027.....	162	G5781G.....	168
CS304.....	120, 235	FDSC54LR.....	289	G3542.....	160	G5027G.....	167	G5784.....	163
CS309.....	120, 235	FDSC54R.....	289	G3542G.....	165	G5030.....	162	G5784G.....	168
CS364.....	120, 235	FDSC54U.....	289	G3545.....	160	G5030G.....	167	G40715GS.....	42, 170
CS369.....	120, 235	FDSC60LL.....	289	G3545G.....	165	G5033.....	162	G40718GS.....	42, 170
CS424.....	120, 235	FDSC60LR.....	289	G3548.....	160	G5033G.....	167	G40721GS.....	42, 170
CS429.....	120, 235	FDSC60R.....	289	G3548G.....	165	G5036.....	162	G40724GS.....	42, 170
CS484.....	120, 235	FDSC60U.....	289	G3551.....	160	G5036G.....	167	G40727GS.....	42, 170
CS489.....	120, 235	FDSC66LL.....	289	G3551G.....	165	G5039.....	162	G40730GS.....	42, 170
CS544.....	120, 235	FDSC66LR.....	289	G3554.....	160	G5039G.....	167	G40733GS.....	42, 170
CS549.....	120, 235	FDSC66R.....	289	G3554G.....	165	G5042.....	162	G40736GS.....	42, 170
CS604.....	120, 235	FDSC66U.....	289	G3557.....	160	G5042G.....	167	G40739GS.....	42, 170
CS609.....	120, 235	FDSC72LL.....	289	G3557G.....	165	G5045.....	162	G40742GS.....	42, 170
CS664.....	120, 235	FDSC72LR.....	289	G3560.....	160	G5045G.....	167	G40745GS.....	42, 170
CS669.....	120, 235	FDSC72R.....	289	G3560G.....	165	G5048.....	162	G40748GS.....	42, 170
CS724.....	120, 235	FDSC72U.....	289	G3563.....	160	G5048G.....	167	G40751GS.....	42, 170
CS729.....	120, 235	GIAGF.....	51, 175	G3563G.....	165	G5051.....	162	G40754GS.....	42, 170
CSCMP3614.....	120, 235	GIPTTR.....	51, 175	G3566.....	160	G5051G.....	167	G40757GS.....	42, 170
CSCMP3629.....	120, 235	G2AGF.....	51, 175	G3566G.....	165	G5054.....	162	G40760GS.....	42, 170
CSCMP4214.....	120, 235	G2PTR.....	51, 175	G3569.....	160	G5054G.....	167	G40763GS.....	42, 170
CSCMP4229.....	120, 235	G3AGF.....	51, 175	G3569G.....	165	G5057.....	162	G40766GS.....	42, 170
CSCMP4814.....	120, 235	G3PTR.....	51, 175	G3572.....	160	G5057G.....	167	G40769GS.....	42, 170
CSCMP4829.....	120, 235	G3018.....	159	G3572G.....	165	G5060.....	162	G40772GS.....	42, 170
CSCMP6014.....	120, 235	G3018G.....	164	G3575.....	160	G5060G.....	167	G40775GS.....	42, 170
CSCMP6029.....	120, 235	G3021.....	159	G3575G.....	165	G5063.....	162	G40778GS.....	42, 170
CSCMP7214.....	120, 235	G3021G.....	164	G3578.....	160	G5063G.....	167	G40781GS.....	42, 170
CSCMP7229.....	120, 235	G3024.....	159	G3578G.....	165	G5066.....	162	G40784GS.....	42
CSDC19.....	236, 309	G3024G.....	164	G3581.....	160	G5066G.....	167	G41324GS.....	43, 171
CSDC25.....	236, 309	G3027.....	159	G3581G.....	165	G5069.....	162	G41327GS.....	43, 171
CSF24.....	243	G3027G.....	164	G3584.....	160	G5069G.....	167	G41330GS.....	43, 171
CSF30.....	243	G3030.....	159	G3584G.....	165	G5072.....	162	G41333GS.....	43, 171
CSF36.....	243	G3030G.....	164	G4218.....	161	G5072G.....	167	G41336GS.....	43, 171
CSF42.....	243	G3033.....	159	G4218G.....	166	G5075.....	162	G41339GS.....	43, 171
CSF48.....	243	G3033G.....	164	G4221.....	161	G5075G.....	167	G41342GS.....	43, 171
CSF60.....	243	G3036.....	159	G4221G.....	166	G5078.....	162	G41345GS.....	43, 171
CSL2429F.....	119, 234	G3036G.....	164	G4224.....	161	G5078G.....	167	G41348GS.....	43, 171
CSL2429P.....	233, 234	G3039.....	159	G4224G.....	166	G5081.....	162	G41351GS.....	43, 171
CSL3029F.....	119, 234	G3039G.....	164	G4227.....	161	G5081G.....	167	G41354GS.....	43, 171
CSL3029P.....	233, 234	G3042.....	159	G4227G.....	166	G5084.....	162	G41357GS.....	43, 171
CUP24.....	242	G3042G.....	164	G4230.....	161	G5084G.....	167	G41360GS.....	43, 171
CUP30.....	242	G3045.....	159	G4230G.....	166	G5718.....	163	G41363GS.....	43, 171
CUP36.....	242	G3045G.....	164	G4233.....	161	G5718G.....	168	G41366GS.....	43, 171
CUP42.....	242	G3048.....	159	G4233G.....	166	G5721.....	163	G41369GS.....	43, 171
CUP48.....	242	G3048G.....	164	G4236.....	161	G5721G.....	168	G41372GS.....	43, 171
CUP60.....	242	G3051.....	159	G4236G.....	166	G5724.....	163	G41375GS.....	43, 171
EAAC.....	308	G3051G.....	164	G4239.....	161	G5724G.....	168	G41378GS.....	43, 171
EABS.....	308	G3054.....	159	G4239G.....	166	G5727.....	163	G41381GS.....	43, 171
EACS.....	308	G3054G.....	164	G4242.....	161	G5727G.....	168	G41384GS.....	43
EADH.....	308	G3057.....	159	G4242G.....	166	G5730.....	163	G41515GS.....	44, 172
EAFS.....	308	G3057G.....	164	G4245.....	161	G5730G.....	168	G41518GS.....	44, 172
EAFI.....	308	G3060.....	159	G4245G.....	166	G5733.....	163	G41521GS.....	44, 172
EAHSR36.....	307	G3060G.....	164	G4248.....	161	G5733G.....	168	G41524GS.....	44, 172
EAHSR42.....	307	G3063.....	159	G4248G.....	166	G5736.....	163	G41527GS.....	44, 172
EAHSR48.....	307	G3063G.....	164	G4251.....	161	G5736G.....	168	G41530GS.....	44, 172
EAHSR60.....	307	G3066.....	159	G4251G.....	166	G5739.....	163	G41533GS.....	44, 172
EAHSR66.....	307	G3066G.....	164	G4254.....	161	G5739G.....	168	G41536GS.....	44, 172
EAHSR72.....	307	G3069.....	159	G4254G.....	166	G5742.....	163	G41539GS.....	44, 172
EAPC.....	308	G3069G.....	164	G4257.....	161	G5742G.....	168	G41542GS.....	44, 172
EAPS.....	308	G3072.....	159	G4257G.....	166	G5745.....	163	G41545GS.....	44, 172
EAPT.....	308	G3072G.....	164	G4260.....	161	G5745G.....	168	G41548GS.....	44, 172
EASR24.....	307	G3075.....	159	G4260G.....	166	G5748.....	163	G41551GS.....	44, 172
EASR30.....	307	G3075G.....	164	G4263.....	161	G5748G.....	168	G41554GS.....	44, 172

Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
G41557GS	44, 172	GL3524L	150	GL4260RG	156	GL5730R	153	GSYS3060	32
G41560GS	44, 172	GL3524LG	155	GL4266L	151	GL5730RG	158	GSYS3060G	37
G41563GS	44, 172	GL3524R	150	GL4266LG	156	GL5736L	153	GSYS3066	32
G41566GS	44, 172	GL3524RG	155	GL4266R	151	GL5736LG	158	GSYS3066G	37
G41569GS	44, 172	GL3527L	150	GL4266RG	156	GL5736R	153	GSYS3072	32
G41572GS	44, 172	GL3527LG	155	GL4272L	151	GL5736RG	158	GSYS3072G	37
G41575GS	44, 172	GL3527R	150	GL4272LG	156	GL5742L	153	GSYS3078	32
G41578GS	44, 172	GL3527RG	155	GL4272R	151	GL5742LG	158	GSYS3078G	37
G41581GS	44, 172	GL3530L	150	GL4272RG	156	GL5742R	153	GSYS3084	32
G41584GS	44	GL3530LG	155	GL4278L	151	GL5742RG	158	GSYS3084G	37
GACRL12	51, 175	GL3530R	150	GL4278LG	156	GL5748L	153	GSYS3518	33
GACRL18	51, 175	GL3530RG	155	GL4278R	151	GL5748LG	158	GSYS3518G	38
GACRL24	51, 175	GL3536L	150	GL4278RG	156	GL5748R	153	GSYS3524	33
GACRL30	51, 175	GL3536LG	155	GL5018L	152	GL5748RG	158	GSYS3524G	38
GACRL36	51, 175	GL3536R	150	GL5018LG	157	GL5754L	153	GSYS3530	33
GBRSF	51, 175	GL3536RG	155	GL5018R	152	GL5754LG	158	GSYS3530G	38
GCHMT	51, 175	GL3542L	150	GL5018RG	157	GL5754R	153	GSYS3536	33
GCHRB	51, 175	GL3542LG	155	GL5021L	152	GL5754RG	158	GSYS3536G	38
GCTKS	52, 173	GL3542R	150	GL5021LG	157	GL5760L	153	GSYS3542	33
GFT1	50, 174	GL3542RG	155	GL5021R	152	GL5760LG	158	GSYS3542G	38
GFTT	174	GL3548L	150	GL5021RG	157	GL5760R	153	GSYS3548	33
GHMB2030	50, 174	GL3548LG	155	GL5024L	152	GL5760RG	158	GSYS3548G	38
GHMB2630	50, 174	GL3548R	150	GL5024LG	157	GL5766L	153	GSYS3554	33
GL3018L	149	GL3548RG	155	GL5024R	152	GL5766LG	158	GSYS3554G	38
GL3018LG	154	GL3554L	150	GL5024RG	157	GL5766R	153	GSYS3560	33
GL3018R	149	GL3554LG	155	GL5027L	152	GL5766RG	158	GSYS3560G	38
GL3018RG	154	GL3554R	150	GL5027LG	157	GL5772L	153	GSYS3566	33
GL3021L	149	GL3554RG	155	GL5027R	152	GL5772LG	158	GSYS3566G	38
GL3021LG	154	GL3560L	150	GL5027RG	157	GL5772R	153	GSYS3572	33
GL3021R	149	GL3560LG	155	GL5030L	152	GL5772RG	158	GSYS3572G	38
GL3021RG	154	GL3560R	150	GL5030LG	157	GL5778L	153	GSYS3578	33
GL3024L	149	GL3560RG	155	GL5030R	152	GL5778LG	158	GSYS3578G	38
GL3024LG	154	GL3566L	150	GL5030RG	157	GL5778R	153	GSYS3584	33
GL3024R	149	GL3566LG	155	GL5036L	152	GL5778RG	158	GSYS3584G	38
GL3024RG	154	GL3566R	150	GL5036LG	157	GMB1524	50, 174	GSYS4218	34
GL3027L	149	GL3566RG	155	GL5036R	152	GMB1530	50, 174	GSYS4218G	39
GL3027LG	154	GL3572L	150	GL5036RG	157	GMB1536	50, 174	GSYS4224	34
GL3027R	149	GL3572LG	155	GL5042L	152	GMB1542	50, 174	GSYS4224G	39
GL3027RG	154	GL3572R	150	GL5042LG	157	GMB1548	50, 174	GSYS4230	34
GL3030L	149	GL3572RG	155	GL5042R	152	GMB1554	50, 174	GSYS4230G	39
GL3030LG	154	GL3578L	150	GL5042RG	157	GMB1560	50, 174	GSYS4236	34
GL3030R	149	GL3578LG	155	GL5048L	152	GMB2224	50, 174	GSYS4236G	39
GL3030RG	154	GL3578R	150	GL5048LG	157	GMB2230	50, 174	GSYS4242	34
GL3036L	149	GL3578RG	155	GL5048R	152	GMB2236	50, 174	GSYS4242G	39
GL3036LG	154	GL4218L	151	GL5048RG	157	GMB2242	50, 174	GSYS4248	34
GL3036R	149	GL4218LG	156	GL5054L	152	GMB2248	50, 174	GSYS4248G	39
GL3036RG	154	GL4218R	151	GL5054LG	157	GMB2254	50, 174	GSYS4254	34
GL3042L	149	GL4218RG	156	GL5054R	152	GMB2260	50, 174	GSYS4254G	39
GL3042LG	154	GL4221L	151	GL5054RG	157	GPLTBK	45	GSYS4260	34
GL3042R	149	GL4221LG	156	GL5060L	152	GS870924	312	GSYS4260G	39
GL3042RG	154	GL4221R	151	GL5060LG	157	GS870930	312	GSYS4266	34
GL3048L	149	GL4221RG	156	GL5060R	152	GS870948	312	GSYS4266G	39
GL3048LG	154	GL4224L	151	GL5060RG	157	GS870960	312	GSYS4272	34
GL3048R	149	GL4224LG	156	GL5066L	152	GS870960	312	GSYS4272G	39
GL3048RG	154	GL4224R	151	GL5066LG	157	GS870960	312	GSYS4278	34
GL3054L	149	GL4224RG	156	GL5066R	152	GSTF12	51, 175	GSYS4278G	39
GL3054LG	154	GL4227L	151	GL5066RG	157	GSTF18	51, 175	GSYS4284	34
GL3054R	149	GL4227LG	156	GL5072L	152	GSTF24	51, 175	GSYS4284G	39
GL3054RG	154	GL4227R	151	GL5072LG	157	GSTF30	51, 175	GSYS5018	35
GL3060L	149	GL4227RG	156	GL5072R	152	GSTF36	51, 175	GSYS5018G	40
GL3060LG	154	GL4230L	151	GL5072RG	157	GSTF42	51, 175	GSYS5024	35
GL3060R	149	GL4230LG	156	GL5078L	152	GSTF48	51, 175	GSYS5024G	40
GL3060RG	154	GL4230R	151	GL5078LG	157	GSTF54	51, 175	GSYS5030	35
GL3066L	149	GL4230RG	156	GL5078R	152	GSTF60	51, 175	GSYS5030G	40
GL3066LG	154	GL4236L	151	GL5078RG	157	GSTF66	51, 175	GSYS5036	35
GL3066R	149	GL4236LG	156	GL5718L	153	GSTF72	51, 175	GSYS5036G	40
GL3066RG	154	GL4236R	151	GL5718LG	158	GSTF78	51, 175	GSYS5042	35
GL3072L	149	GL4236RG	156	GL5718R	153	GSTFN7578	45, 169	GSYS5042G	40
GL3072LG	154	GL4242L	151	GL5718RG	158	GSTFN8184	45, 169	GSYS5048	35
GL3072R	149	GL4242LG	156	GL5721L	153	GSYS3018	32	GSYS5048G	40
GL3072RG	154	GL4242R	151	GL5721LG	158	GSYS3018G	37	GSYS5054	35
GL3078L	149	GL4242RG	156	GL5721R	153	GSYS3024	32	GSYS5054G	40
GL3078LG	154	GL4248L	151	GL5721RG	158	GSYS3024G	37	GSYS5060	35
GL3078R	149	GL4248LG	156	GL5724L	153	GSYS3030	32	GSYS5060G	40
GL3078RG	154	GL4248R	151	GL5724LG	158	GSYS3030G	37	GSYS5066	35
GL3518L	150	GL4248RG	156	GL5724R	153	GSYS3036	32	GSYS5066G	40
GL3518LG	155	GL4254L	151	GL5724RG	158	GSYS3036G	37	GSYS5072	35
GL3518R	150	GL4254LG	156	GL5727L	153	GSYS3042	32	GSYS5072G	40
GL3518RG	155	GL4254R	151	GL5727LG	158	GSYS3042G	37	GSYS5078	35
GL3521L	150	GL4254RG	156	GL5727R	153	GSYS3048	32	GSYS5078G	40
GL3521LG	155	GL4260L	151	GL5727RG	158	GSYS3048G	37	GSYS5084	35
GL3521R	150	GL4260LG	156	GL5730L	153	GSYS3054	32	GSYS5084G	40
GL3521RG	155	GL4260R	151	GL5730LG	158	GSYS3054G	37	GSYS5718	36

Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
GSYS5718G	41	GT3524G	155	GT5736	153	GTB2224	50, 174	P3AOP-VH07	80
GSYS5724	36	GT3527	150	GT5736G	158	GTB2230	50, 174	P3AOP-VH15	80
GSYS5724G	41	GT3527G	155	GT5742	153	GTB2236	50, 174	P3AOP-VH22	80
GSYS5730	36	GT3530	150	GT5742G	158	GTB2242	50, 174	P3AOP-VH30	80
GSYS5730G	41	GT3530G	155	GT5748	153	GTB2248	50, 174	P3AOP-WM35	80
GSYS5736	36	GT3536	150	GT5748G	158	GTB2254	50, 174	P3AOP-WM42	80
GSYS5736G	41	GT3536G	155	GT5754	153	GTB2260	50, 174	P3AOP-WM50	80
GSYS5742	36	GT3542	150	GT5754G	158	GTEMP	149, 150, 151, 152, 153, 154, 155, 156, 157, 158	P3AOP-WM57	80
GSYS5742G	41	GT3542G	155	GT5760	153			P3AOP-WM65	80
GSYS5748	36	GT3548	150	GT5760G	158			P3AOP-WM72	80
GSYS5748G	41	GT3548G	155	GT5766	153	GWPSF	51, 175	P3AOP-WM80	80
GSYS5754	36	GT3554	150	GT5766G	158	GWS30	45, 173	P3CONB35N	80
GSYS5754G	41	GT3554G	155	GT5772	153	GWS35	45, 173	P3CONB42N	80
GSYS5760	36	GT3560	150	GT5772G	158	GWS42	45, 173	P3CONB50N	80
GSYS5760G	41	GT3560G	155	GT5778	153	GWS50	45, 173	P3CONB57N	80
GSYS5766	36	GT3566	150	GT5778G	158	GWS57	45, 173	P3CONB65N	80
GSYS5766G	41	GT3566G	155	GT301824	149	GWSBK	45, 173	P3CONB72N	80
GSYS5772	36	GT3572	150	GT301824G	154	LKFE	322	P3CONB80N	80
GSYS5772G	41	GT3572G	155	GT301830	149	OH1524FD	125, 242	P3CONC35N	80
GSYS5778	36	GT3578	150	GT301830G	154	OH1524HD	125	P3CONC42N	80
GSYS5778G	41	GT3578G	155	GT302418	149	OH1524SD	125	P3CONC50N	80
GSYS5784	36	GT4218	151	GT302418G	154	OH1530FD	125, 242	P3CONC57N	80
GSYS5784G	41	GT4218G	156	GT302430	149	OH1530HD	125	P3CONC65N	80
GSYSCONL	45	GT4221	151	GT302430G	154	OH1530RD	126, 242	P3CONC72N	80
GSYSCONS	45	GT4221G	156	GT303018	149	OH1530SD	125	P3CONC80N	80
GSYSCONSE	45	GT4224	151	GT303018G	154	OH1536FD	125, 242	P3CONGE	169
GSYSHWBH	46	GT4224G	156	GT303024	149	OH1536HD	125	P3CONGEG	169
GSYSHWBW	46	GT4227	151	GT303024G	154	OH1536RD	126, 242	P3CONGM35D	169
GSYSBPB	46	GT4227G	156	GT351824	150	OH1536SD	125	P3CONGM35S	169
GSYSBPBW	46	GT4230	151	GT351824G	155	OH1542FD	125, 242	P3CONGM42D	169
GSYSPP	63	GT4230G	156	GT351830	150	OH1542HD	125	P3CONGM42S	169
GSYSR60DS	46	GT4236	151	GT351830G	155	OH1542RD	126, 242	P3CONGM50D	169
GSYSR60SS	46	GT4236G	156	GT352418	150	OH1542SD	125	P3CONGM50S	169
GSYSR66DS	46	GT4242	151	GT352418G	155	OH1548FD	125, 242	P3CONGM57D	169
GSYSR66SS	46	GT4242G	156	GT352430	150	OH1548HD	125	P3CONGM57S	169
GSYSR72DS	46	GT4248	151	GT352430G	155	OH1548RD	126, 242	P3CONGM65D	169
GSYSR72SS	46	GT4248G	156	GT353018	150	OH1548SD	125	P3CONGM65S	169
GSYSR78DS	46	GT4254	151	GT353018G	155	OH1560FD	125, 242	P3CONGM72D	169
GSYSR78SS	46	GT4254G	156	GT353024	150	OH1560RD	126, 242	P3CONGM72S	169
GSYSR84DS	46	GT4260	151	GT353024G	155	OH1560SD	125	P3CONL35N	79
GSYSR84SS	46	GT4260G	156	GT421824	151	OH1572FD	125	P3CONL42N	79
GSYSREC	46	GT4266	151	GT421824G	156	P1AOP-TC24	75	P3CONL50N	79
GSYSRL	46	GT4266G	156	GT421830	151	P1AOP-TC30	75	P3CONL57N	79
GSYSRPC2	63	GT4272	151	GT421830G	156	P1AOP-TC36	75	P3CONL65N	79
GSYSRPC12	63	GT4272G	156	GT422418	151	P1AOP-TC42	75	P3CONL72N	79
GSYSRPL	46	GT4278	151	GT422418G	156	P1AOP-TC48	75	P3CONL80N	79
GSYSRPS	46	GT4278G	156	GT422430	151	P1AOP-TC60	75	P3CONS1	78
GSYSRRDS	46	GT5018	152	GT422430G	156	P1AOP-TC72	75	P3CONS35N	79
GSYSRRSS	46	GT5018G	157	GT423018	151	P1DMK30	77	P3CONS42N	79
GSYSRSC	46	GT5021	152	GT423018G	156	P1DMK36	77	P3CONS50N	79
GSYSRSL	46	GT5021G	157	GT423024	151	P1DMK42	77	P3CONS57N	79
GSYSTP	45	GT5024	152	GT423024G	156	P1DMK48	77	P3CONS65N	79
GT3018	149	GT5024G	157	GT501824	152	P2AOP-0724FG	77	P3CONS72N	79
GT3018G	154	GT5027	152	GT501824G	157	P2AOP-0730FG	77	P3CONS80N	79
GT3021	149	GT5027G	157	GT501830	152	P2AOP-0736FG	77	P3CONSL	78
GT3021G	154	GT5030	152	GT501830G	157	P2AOP-0742FG	77	P3CONS	78
GT3024	149	GT5030G	157	GT502418	152	P2AOP-0748FG	77	P3CONST	78
GT3024G	154	GT5036	152	GT502418G	157	P2AOP-0754FG	77	P3CONSV	78
GT3027	149	GT5036G	157	GT502430	152	P2AOP-0760FG	77	P3CONSX	78
GT3027G	154	GT5042	152	GT502430G	157	P2AOP-0766FG	77	P3CONSY	78
GT3030	149	GT5042G	157	GT503018	152	P2AOP-0772FG	77	P3CONT35N	79
GT3030G	154	GT5048	152	GT503018G	157	P2AOP-1524FG	77	P3CONT42N	79
GT3036	149	GT5048G	157	GT503024	152	P2AOP-1530FG	77	P3CONT50N	79
GT3036G	154	GT5054	152	GT503024G	157	P2AOP-1536FG	77	P3CONT57N	79
GT3042	149	GT5054G	157	GT571824	153	P2AOP-1542FG	77	P3CONT65N	79
GT3042G	154	GT5060	152	GT571824G	158	P2AOP-1548FG	77	P3CONT72N	79
GT3048	149	GT5060G	157	GT571830	153	P2AOP-1554FG	77	P3CONT80N	79
GT3048G	154	GT5066	152	GT571830G	158	P2AOP-1560FG	77	P3CONTT	78
GT3054	149	GT5066G	157	GT572418	153	P2AOP-1566FG	77	P3CONX35N	79
GT3054G	154	GT5072	152	GT572418G	158	P2AOP-1572FG	77	P3CONX42N	79
GT3060	149	GT5072G	157	GT572430	153	P3AOP-ET35	80	P3CONX50N	79
GT3060G	154	GT5078	152	GT572430G	158	P3AOP-ET42	80	P3CONX57N	79
GT3066	149	GT5078G	157	GT573018	153	P3AOP-ET50	80	P3CONX65N	79
GT3066G	154	GT5718	153	GT573018G	158	P3AOP-ET57	80	P3CONX72N	79
GT3072	149	GT5718G	158	GT573024	153	P3AOP-ET65	80	P3CONX80N	79
GT3072G	154	GT5721	153	GT573024G	158	P3AOP-ET72	80	P278PP	91
GT3078	149	GT5721G	158	GTB1524	50, 174	P3AOP-ET80	80	P2156PP	91
GT3078G	154	GT5724	153	GTB1530	50, 174	P3AOP-GV07	80	P13524TP	74
GT3518	150	GT5724G	158	GTB1536	50, 174	P3AOP-GV15	80	P13530TP	74
GT3518G	155	GT5727	153	GTB1542	50, 174	P3AOP-IV07	80	P13536TP	74
GT3521	150	GT5727G	158	GTB1548	50, 174	P3AOP-IV15	80	P13542TP	74
GT3521G	155	GT5730	153	GTB1554	50, 174	P3AOP-IV22	80	P13548TP	74
GT3524	150	GT5730G	158	GTB1560	50, 174	P3AOP-IV30	80	P13560TP	74

Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page	Model	Page
P13572TP	74	RFRDRWHUBLIN	293	T53072B	113, 228	UH6548FD	244
P14224TP	74	RFRDRWHUBT	293	T53072PL	113, 228	UH6548FDA	127
P14230TP	74	RFRDRWHUBX	293	T53072PR	113, 228	UH6548FDN	127
P14236TP	74	RFRDRWLEG	292	T53072S	109, 224	UH6548FDS	127
P14242TP	74	RFRDRWSC48	295	T53078S	109, 224	UH6560FD	244
P14248TP	74	RFRDRWSC54	295	T53084S	109, 224	UH6560FDA	127
P14260TP	74	RFRDRWSC60	295	T53090S	109, 224	UH6560FDN	127
P14272TP	74	RFRDRWSC66	295	T53096S	109, 224	UH6560FDS	127
P15024HP	76	RFRDRWSC72	295	T53624CR	111, 226	UH6566FD	244
P15024TP	74	RFRDRWWM	294	T53624SC	111, 226	UH6566FDA	127
P15030HP	76	T6BK	118	T53660B	113, 228	UH6566FDN	127
P15030TP	74	T6CB12L	118	T53666B	113, 228	UH6566FDS	127
P15036HP	76	T6CB12R	118	T53672B	113, 228	UH6572FD	244
P15036TP	74	T6CB18L	118	T54224CR	111, 226	UH6572FDA	127
P15042HP	76	T6CB18R	118	T54224SC	111, 226	UH6572FDN	127
P15042TP	74	T6CB24L	118	T54230CR	111, 226	UH6572FDS	127
P15048HP	76	T6CB24R	118	T54230SC	111, 226	UHTB36	127, 244
P15048TP	74	T6SB	118	T54662JL	113, 228	UHTB42	127, 244
P15060HP	76	T7DV	125, 127, 243, 244	T54662JR	113, 228	UHTB48	127, 244
P15060TP	74	T612FB	118, 233	T54663JL	113, 228	UHTB60	127, 244
P15072HP	76	T624CB	118, 233	T54663JR	113, 228	UHTB66	127, 244
P15072TP	74	T624FB	118	T54722JL	113, 228	UHTB72	127, 244
P16524HP	76	T630FB	118	T54722JR	113, 228	UN2HPSQ	294
P16524TP	74	T5622EL	112, 227	T54723JL	113, 228	UN2HPSQSK	294
P16530HP	76	T5622ER	112, 227	T54723JR	113, 228	UN924HT	268
P16530TP	74	T5623EL	112, 227	T54824CR	111, 226	UN936HT	268
P16536HP	76	T5623ER	112, 227	T54824SC	111, 226	UN948HT	268
P16536TP	74	T5632EL	112, 227	T54830CR	111, 226	UNQTMP	268, 314
P16542HP	76	T5632ER	112, 227	T54830SC	111, 226	WANDFS	313
P16542TP	74	T5633EL	112, 227	TAWG	92, 205	WANDFSOC	313
P16548HP	76	T5633ER	112, 227	TK365YEB	119	WANDFSUSB	313
P16548TP	74	T5722EL	112, 227	TK365YM	119	WKSWMC	268, 294
P16560HP	76	T5722ER	112, 227	TKCWD29L	119	Z2UP24	125
P16560TP	74	T5723EL	112, 227	TKCWD29R	119	Z2UP30	125
P16572HP	76	T5723ER	112, 227	TKDPA29L	119	Z2UP36	125
P16572TP	74	T5732EL	112, 227	TKDPA29R	119	Z2UP42	125
P21524G	76	T5732ER	112, 227	TKEB29L	119	Z2UP48	125
P21524TP	74	T5733EL	112, 227	TKEB29R	119	Z2UP60	125
P21530G	76	T5733ER	112, 227	TKEP1129PL	118, 119	Z4UP24	125
P21530TP	74	T5822EL	112, 227	TKEP1129PR	118, 119	Z4UP30	125
P21536G	76	T5822ER	112, 227	TKEP2429PL	118, 119	Z4UP36	125
P21536TP	74	T5832EL	112, 227	TKEP2429PR	118, 119	Z4UP42	125
P21542G	76	T5832ER	112, 227	TKEP3029PL	118, 119	Z4UP48	125
P21542TP	74	T5922EL	112, 227	TKEP3029PR	118, 119	Z4UP60	125
P21548G	76	T5922ER	112, 227	TKMP60	120	Z5SC42	110, 225
P21548TP	74	T5932EL	112, 227	TKMP66	120	Z5SC48	110, 225
P21560G	76	T5932ER	112, 227	TKMP72	120	Z5SC54	110, 225
P21560TP	74	T52024S	109, 224	TKPPBL	118	Z5SC60	110, 225
P21572G	76	T52030S	109, 224	TKPPBR	118	Z5SC66	110, 225
P21572TP	74	T52036S	109, 224	TKSB29	119	Z5SC72	110, 225
P23024G	76	T52042S	109, 224	TKSL2429P	118, 119	Z5SC78	110, 225
P23030G	76	T52048S	109, 224	TKSL3029P	118, 119	Z5SC84	110, 225
P23036G	76	T52054S	109, 224	TN52424SD	111	Z617UWTRGH	268
P23042G	76	T52060S	109, 224	TT6295SC	118	Z636UWTRGH	268
P23048G	76	T52066S	109, 224	TT53660BT	110, 225	Z15042SD	77
P23060G	76	T52072S	109, 224	TT53666BT	110, 225	Z16542SD	77
P48042DP	77	T52078S	109, 224	TT53672BT	110, 225	Z18042SD	77
P51500	115	T52084S	109, 224	TWTH	125, 242	Z61710UWTRGH	268
P51500-42	115	T52090S	109, 224	U7WDA	309	Z63610UWTRGH	268
PMP41	120, 236	T52096S	109, 224	U8SBKCH	63	ZS24	125
PMP47	120, 236	T52424S	109, 224	U9TF	300	ZS30	125
PMP53	120, 236	T52430S	109, 224	U9TM	300	ZS36	125
POHRTA36S	126	T52436S	109, 224	U9TP	300	ZS42	125
POHRTA48S	126	T52442S	109, 224	U9TS	300	ZS48	125
POHRTA1536FD	126	T52448S	109, 224	U9WTC	92, 205, 300	ZS60	125
POHRTA1542FD	126	T52454S	109, 224	U912WTR	300	ZS72	125
POHRTA1548FD	126	T52460S	109, 224	U918WTR	300		
PRECPCVR	92	T52466S	109, 224	U924WTR	300		
PRFTSKCL	313	T52472S	109, 224	U930WTR	300		
PRFTSKFS	313	T52478S	109, 224	U936WTR	300		
PRFTSKTR	313	T52484S	109, 224	U942WTR	300		
RFRDRW48	292	T52490S	109, 224	U948WTR	300		
RFRDRW54	292	T52496S	109, 224	U954WTR	300		
RFRDRW60	292	T53024S	109, 224	U960WTR	300		
RFRDRW66	292	T53030S	109, 224	U966WTR	300		
RFRDRW72	292	T53036S	109, 224	UH6536FD	244		
RFRDRWAB	292	T53042S	109, 224	UH6536FDA	127		
RFRDRWCNPP	294	T53048S	109, 224	UH6536FDN	127		
RFRDRWCNPPE	294	T53054S	109, 224	UH6536FDS	127		
RFRDRWCNPPM	294	T53060B	113, 228	UH6542FD	244		
RFRDRWHUBEND	293	T53060S	109, 224	UH6542FDA	127		
RFRDRWHUBENDT	293	T53066B	113, 228	UH6542FDN	127		
RFRDRWHUBL	293	T53066S	109, 224	UH6542FDS	127		

Notes

Notes

BACK

Allsteel®

Allsteel Inc.
Muscatine, Iowa 52761

allsteeloffice.com

Form #A8711.A6 (07/23)