

WHOLEGOODS PRICE LIST

Effective March 1, 2018



Innovative
Solutions
for
Vegetation Management



Tiger Corporation, Sioux Falls, SD. 800-843-6849

www.tigermowers.com

TIGER CORPORATION

MISSISSIPPI STATE CONTRACT

Contract No. 3130000670

General Provisions of Sale on all Tiger Products:

- 1 No credit will be allowed for the return of any equipment or parts for Warranty unless arrangements for such are made prior to their return. A Warranty Application Form must be used in connection with each application.
- 2 Machines included in this price book conform to safety standards applicable to the products at the time of manufacture and may include safety devices such as shields, guards, or operator protective devices. Under no circumstances should machines be operated without the safety devices in place.
- 3 Tiger™ reserves the right to make changes and /or improvements in design and construction of parts or machines shown herein without notice or obligation. Tiger™ guarantees each piece of equipment against defective materials and workmanship for a period of one year from date of delivery unless otherwise noted.
- 4 Safety equipment may not be returned for credit.
- 5 The "Acknowledgement" is a confirmation of your order. All applicable blanks must be filled in, and a signature on this document is required to process this order in a timely manner.
- 6 All prices are F.O.B. Destination.

HOW TO ORDER:

- 1 Select Tiger Product from Listing
- 2 Refer to the "HOW TO ORDER" and select the Order Codes required to build your product.
- 3 Select Mounting Charge applicable to the type of Tiger Product selected.
- 4 Select any OPTIONAL equipment for type of Tiger Product selected.
- 5 Total the selected items for the total purchase price.

TIGER CORPORATION

PRICE LIST

TABLE OF CONTENTS

| <u>PRICE LIST A</u> | <u>PAGE</u> |
|----------------------------------|-------------|
| <u>BOOM MOWERS</u> | |
| WILDKAT HYD | 1 |
| 10S | 2 |
| | 2 |
| BENGAL | |
| 18 - 22 - 24 | 3 |
| Pre-Assemblies & Attachment Kits | 4 |
| Attachment Kits | 5 |
| BENGAL BRUTE | |
| LRS | 6 |
| Pre-Assemblies & Attachment Kits | 7 8 |
| SABER 25 | |
| 30S | 9 |
| Pre-Assemblies | 10 |
| SABER 28 & 30 | |
| 30S | 11 |
| Pre-Assemblies | 12 |
| <u>ROTARY MOWERS</u> | |
| SIDE MOUNT ROTARY | |
| | 13 |
| Attachment Kit | 14 |
| TWIN (SIDE & REAR) MOUNT | |
| Extreme Duty | 15 |
| Attachment Kit | 16 |

TABLE OF CONTENTS -continued

| <u>PRICE LIST A</u> | <u>PAGE</u> |
|--------------------------------|--------------------|
| <u>FLAIL MOWERS</u> | |
| SIDE MOUNT | |
| Super Duty | 18 |
| Attachment Kit | 19 |
| REAR MOUNT | |
| Super Duty | 20 |
| FRONT MOUNT | |
| Super Duty | 21 |
| TRIPLE MOUNT | |
| Super Duty | 22 |
| SIDE MOUNT | |
| Extreme Duty | 23 |
| Attachment Kit | 24 |
| REAR MOUNT | |
| Extreme Duty | 25 |
| FRONT MOUNT | |
| Extreme Duty | 26 |
| TRIPLE MOUNT | |
| Extreme Duty | 27 |
| TRIPLE PULL FLAIL | 28 |
| <u>DITCHER</u> | |
| SIDE MOUNT | |
| Extreme Duty | 29 |
| Attachment Kit | 30 |
| BOOM MOUNT | |
| BENGAL | 30 |
| SABER | 30 |
| <u>REAR BOOM MOWERS</u> | |
| SIDE SHIFT - 3PT | 31 |
| BOOM MOUNT - 3PT | 31 |
| HEAVY DUTY BOOM MOUNT- 3PT | 32 |

TABLE OF CONTENTS -continued

| <u>PRICE LIST A</u> | <u>PAGE</u> |
|---|--------------------|
| <u>SPECIALTY EQUIPMENT</u> | |
| Bi-DIRECTIONAL | |
| BOOM MOWER | |
| BENGAL | 33 |
| SABER | 34 |
| TRIPLE FLAIL | 35 36 |
| <u>ATTACHMENTS</u> | |
| CLAW | 37 |
| SAW BLADE | 37 |
| TREE SHEAR | 38 |
| GRADALL CUTTING HEAD | 38 |
| TIGER OPTIONAL EQUIPMENT | 39 |
| TIGER WARRANTY OPTIONS | 39 |
| TIGER APPAREL | 39 |
| <u>PRICE LIST B</u> | <u>PAGE</u> |
| <u>WHEEL LOADER BOOM MOWER-ENGINE</u> | |
| Bengal 19, 24, 25 | 40 |
| <u>WHEEL LOADER BOOM MOWER-HYDRAULIC</u> | |
| Bengal 19, 24, 25 | 41 |
| <u>TRAILKAT - FLEX-WING MOWERS</u> | |
| 72", 84" 3PT Hitch Standard Duty | 42 |
| 10' & 15' Standard Duty | 43 |
| 10' & 15' Heavy Duty | 44 |
| Offset Hitch system | 44 |

WILDKAT

SIDE SHIFT - Rotary or Flail

Hydraulic Boom/PTO Driven Side Shift Rear Flail

HOW TO ORDER: You must select one item from Section 1, 2 & 3 for a complete Side Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|---|--|----------------------|------------|
| <u>SECTION 1 - Choose a Base Unit</u> | | | |
| AR - 12 | Mid-mount Side Shift Mower | 3550 | \$ 22,315 |
| <u>INCLUDES:</u> Tractor Mount Kit, Mower Hydraulic Drive System, Travel Safety Lock, 10S Stow System, Mower On/Off Switch box, Operator Safety Screen/Poly, 500 lb Wheel Weight | | | |
| <u>SECTION 2 - Choose a Cutter Head</u> | | | |
| ARRT-60B | 60" Rotary Head with Blade Bar/Brush Knives & Hydraulic Door | 910 | \$ 16,587 |
| ARRT-60D | 60" Rotary Head with Disc/Grass Knives & Hydraulic Door | 985 | \$ 16,775 |
| ARFL-75SD | 75" Flail Head with Standard Cut Knives | 945 | \$ 16,369 |
| ARFL-75SDG | 75" Flail Head with Smooth Cut Knives | 945 | \$ 16,442 |
| <u>SECTION 3 - Choose a Hydraulic Controls Option</u> | | | |
| CBL | Cable Controls and Lift Valve Kit | 78 | \$ 5,244 |
| W-JSTK | Joystick, Electro-hydraulic and Valve Kit with EFS (Easy Float System) Float Functions | 80 | \$ 14,913 |
| <u>SECTION 4 - Installation Charge</u> | | | |
| Factory Mount | Installation of complete mower system | | \$ 6,405 |
| Field Mount | Installation of complete mower system | | \$ 6,405 |
| <u>SECTION 5 - WILDKAT BOOM MOWER OPTIONS</u> | | | |
| | Wheel Weight - up charge 500 to 1300 lbs of counter balance. | 800 | \$ 1,697 |
| 06200670 | 60" Blade Bar Kit (bar, knives, bolts, nuts) BRUSH | 85 | \$ 1,265 |
| 06744040 | 60" Rotary Blade Bar Parts Kit (knives, bolts, nuts, filter, grease) BRUSH | 36 | \$ 290 |
| 06744001 | 60" Rotary Disc Parts Kit (knives, bolts, nuts, filter, grease) GRASS | 39 | \$ 230 |
| 06744055 | Knife Kit, 75" Flail (knives, bolts, nuts, clevis) STANDARD CUT | 47 | \$ 345 |
| 06744056 | Knife Kit, 75" Flail (knives, bolts, nuts, clevis) SMOOTH CUT | 35 | \$ 425 |
| 06200210 | Paint, non-standard | | \$ 1,385 |
| <u>SECTION 6 - PTO DRIVEN HYDRAULIC SHIFT REAR FLAILS</u> | | | |
| RF-90SDHSS | Flail, Rear Mount 90", STANDARD CUT - PTO Driven & Hyd Side Shift | 1450 | \$ 14,718 |
| RF-90SDGHSS | Flail, Rear Mount 90", SMOOTH CUT - PTO Driven & Hyd Side Shift | 1445 | \$ 14,786 |
| RF-96SDHSS | Flail, Rear Mount 96", STANDARD CUT - PTO Driven & Hyd Side Shift | 1525 | \$ 15,145 |
| RF-96SDGHSS | Flail, Rear Mount 96", SMOOTH CUT - PTO Driven & Hyd Side Shift | 1520 | \$ 15,213 |
| <u>FLAIL INCLUDES:</u> Cutter Head, Cat II Offset 3 Point Hitch Mounting, 540 RPM PTO Drive System, Front & Rear Guards | | | |

WILDKAT

SIDE SHIFT - Rotary or Flail

Hydraulic Boom/HYD Driven Side Shift Rear Flail

HOW TO ORDER: You must select one item from Section 1, 2 & 3 for a complete Side Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|--|--|----------------------|------------|
| SECTION 1 - Choose a Base Unit | | | |
| AR - 12 | Mid-mount Side Shift Mower | 3550 | \$ 22,315 |
| INCLUDES: Tractor Mount Kit, Mower Hydraulic Drive System, Travel Safety Lock, 10S Stow System, Mower On/Off Switch box, Operator Safety Screen/Poly, 500 lb Wheel Weight | | | |
| SECTION 2 - Choose a Cutter Head | | | |
| ARRT-60B | 60" Rotary Head with Blade Bar/Brush Knives & Hydraulic Door | 910 | \$ 16,587 |
| ARRT-60D | 60" Rotary Head with Disc/Grass Knives & Hydraulic Door | 985 | \$ 16,775 |
| ARFL-75SD | 75" Flail Head with Standard Cut Knives | 945 | \$ 16,369 |
| ARFL-75SDG | 75" Flail Head with Smooth Cut Knives | 945 | \$ 16,422 |
| SECTION 3 - Choose a Hydraulic Controls Option | | | |
| CBL | Cable Controls and Lift Valve Kit | 78 | \$ 5,244 |
| W-JSTK | Joystick, Electro-hydraulic and Valve Kit with EFS (Easy Float System) Float Functions | 80 | \$ 14,913 |
| SECTION 4 - Installation Charge | | | |
| Factory Mount | Installation of complete mower system | | \$ 6,405 |
| Field Mount | Installation of complete mower system | | \$ 6,405 |
| SECTION 5 - WILDKAT BOOM MOWER OPTIONS | | | |
| | Wheel Weight - up charge 500 to 1300 lbs of counter balance. | 800 | \$ 1,697 |
| 06200670 | 60" Blade Bar Kit (bar, knives, bolts, nuts) BRUSH | 85 | \$ 1,265 |
| 06744040 | 60" Rotary Blade Bar Parts Kit (knives, bolts, nuts, filter, grease) BRUSH | 36 | \$ 290 |
| 06744001 | 60" Rotary Disc Parts Kit (knives, bolts, nuts, filter, grease) GRASS | 39 | \$ 230 |
| 06744055 | Knife Kit, 75" Flail (knives, bolts, nuts, clevis) STANDARD CUT | 47 | \$ 345 |
| 06744056 | Knife Kit, 75" Flail (knives, bolts, nuts, clevis) SMOOTH CUT | 35 | \$ 425 |
| 06200210 | Paint, non-standard | | \$ 1,385 |
| SECTION 6 - HYDRAULIC DRIVEN HYDRAULIC SHIFT REAR FLAILS | | | |
| RF-90SDHSHSS | Flail, Rear Mount 90", STANDARD CUT - Hyd Driven & Hyd Side Shift | 1410 | \$ 20,654 |
| RF-90SDGHDHSS | Flail, Rear Mount 90", SMOOTH CUT - Hyd Driven & Hyd Side Shift | 1405 | \$ 20,721 |
| RF-96SDHSHSS | Flail, Rear Mount 96", STANDARD CUT - Hyd Driven & Hyd Side Shift | 1485 | \$ 21,077 |
| RF-96SDGHDHSS | Flail, Rear Mount 96", SMOOTH CUT - Hyd Driven & Hyd Side Shift | 1480 | \$ 21,144 |
| **Hydraulic Rear Flails need to be used in conjunction with a Boom Or Side Mower. Kit includes twin pump operation & mower hydraulic system. Cat II, 3 Pt Mount | | | |

BENGAL SERIES

HOW TO ORDER: You must select one item from Sections 1, 2, 3 & 4 for a complete Boom Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|---|---|----------------------|--------------|
| SECTION 1 - Choose a Base Unit | | | |
| BB-18 | Mid-mount Boom Mower (1300 lb wheel weight) | 3950 | \$ 23,258 |
| BB-22 | Mid-mount Boom Mower (1700 lb wheel weight) | 4110 | \$ 27,620 |
| BB-24 | Mid-mount Boom Mower (1700 lb wheel weight) | 4250 | \$ 31,204 |
| INCLUDES: Boom Arms, Mounting system, Wheel Weights, Mower Hydraulic Drive System, Operator Safety Screen/Poly | | | |
| SECTION 2 - Choose a Cutter Head Stow System | | | |
| SS-BB | SIDE STOW (SS) transport system & Travel Safety Lock | 45 | Inc. in Base |
| 3PS-BB | 3 PT STOW (3PS) transport system & Travel Safety Lock | 130 | \$ 3,069 |
| 1OS-BB | SINGLE PT OPEN STOW (1OS) transport system & Travel Safety Lock | 160 | \$ 3,590 |
| 3OS-BB | 3 PT OPEN STOW (3OS) transport system & Travel Safety Lock | 550 | \$ 4,526 |
| 3OS-BB-EXT | 3OS Boomrest Extension Bracket | 22 | \$ 421 |
| SECTION 3 - Choose a Cutter Head | | | |
| ROTARY | | | |
| RT50D | 50" Rotary head with Disc/Brush Knives & Hydraulic Door | 815 | \$ 12,138 |
| RT50B | 50" Rotary Head with Blade Bar/Brush Knives & Hydraulic Door | 740 | \$ 12,013 |
| RT50G | 50" Rotary head with Disc/Grass Knives & Hydraulic Door | 815 | \$ 12,105 |
| RT60B | 60" Rotary Head with Blade Bar/Brush Knives & Hydraulic Door | 840 | \$ 14,104 |
| RT60B-SW | 60" Rotary Swivel Head, Blade Bar/Brush Knives & Hyd Door (BB-22 & BB-24 ONLY) | 950 | \$ 14,479 |
| RT60DG | 60" Rotary Head with Disc/Grass Knives & Hydraulic Door | 915 | \$ 14,236 |
| FLAIL | | | |
| FL50LBG | 50" Flail Head with Light Brush/Grass Knives (LBG) | 800 | \$ 13,847 |
| FL50MBG | 50" Flail Head with Medium Brush/Grass Knives (MBG) | 808 | \$ 14,575 |
| FL50HDB | 50" Flail Head with Heavy Duty Brush Knives (HDB) | 815 | \$ 14,610 |
| FL63G | 63" Flail Head with Grass Knives | 855 | \$ 14,236 |
| SECTION 4 - Choose a Hydraulic Controls Options | | | |
| CBL | Cable Controls and Lift Valve Kit | 78 | \$ 5,244 |
| JSTK | Joystick, Electro-hydraulic and Valve Kit | 80 | \$ 13,186 |
| SECTION 5 - Installation Charge | | | |
| Factory Mount | Installation of complete boom mower system | | \$ 6,405 |
| Field Mount | Installation of complete boom mower system | | \$ 6,405 |

SECTION 6 - BOOM MOWER OPTIONS

| | | | | |
|----------|--|-----|----|-------|
| | Wheel Weight - up charge from 1300 to 1700 lbs of counter balance. | 400 | \$ | 1,060 |
| | Wheel Weight - upcharge from 1700 to 2550 lbs of counter balance. | 850 | \$ | 2,041 |
| | Rotary Head to Flail Head Dogleg Linkage Kit | 13 | \$ | 456 |
| | Flail Head to Rotary Head Dogleg Linkage Kit | 13 | \$ | 456 |
| 06200609 | 50" Blade Bar Kit (bar,knives,bolts,nuts) | 75 | \$ | 845 |
| 06200670 | 60" Blade Bar Kit (bar,knives,bolts,nuts) | 85 | \$ | 1,265 |
| 06744050 | 50" Rotary Disc Kit (knives,bolts,nuts,filter,grease) BRUSH | 36 | \$ | 325 |
| 06744051 | 50" Rotary Disc Kit (knives,bolts,nuts,filter,grease) GRASS | 39 | \$ | 335 |
| 06744040 | 50/60" Rotary Blade Bar Kit (knives,bolts,nuts,filter,grease) BRUSH | 36 | \$ | 290 |
| 06744001 | 60" Rotary Disc Kit (knives,bolts,nuts,filter,grease) GRASS | 39 | \$ | 230 |
| 06744005 | 50" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) LBG FLAIL | 32 | \$ | 660 |
| 06744043 | 50" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) MBG FLAIL | 58 | \$ | 1,540 |
| 06744044 | 50" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) HDB FLAIL | 55 | \$ | 1,395 |
| 06744006 | 63" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) GRASS | 44 | \$ | 455 |
| 06200210 | Paint, non-standard | | \$ | 1,385 |

BENGAL PRE-ASSEMBLIES**HOW TO ORDER:** You must select one item from Section 1 & 2 for a complete Pre-Assembly.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|-------------------------|------------|
|------------|-------------|-------------------------|------------|

SECTION 1 - Choose a Unit

| | | | |
|----------|-------------------|------|-----------|
| BB18-BPA | Pre-assembly - 18 | 765 | \$ 7,815 |
| BB22-BPA | Pre-assembly - 22 | 865 | \$ 9,119 |
| BB24-BPA | Pre-assembly - 24 | 1040 | \$ 11,616 |

INCLUDES: Primary(Inner) & Secondary(Outer) Boom Arms, Boom Arm Cylinders,
Hoses and Hardware**SECTION 2 - Choose a Cutter Head****ROTARY****ROTARY**

| | | | |
|----------|--|-----|-----------|
| RT50D | 50" Rotary head with Disc/Brush Knives & Hydraulic Door | 815 | \$ 12,138 |
| RT50B | 50" Rotary Head with Blade Bar/Brush Knives & Hydraulic Door | 740 | \$ 12,013 |
| RT50G | 50" Rotary head with Disc/Grass Knives & Hydraulic Door | 815 | \$ 12,105 |
| RT60B | 60" Rotary Head with Blade Bar/Brush Knives & Hydraulic Door | 840 | \$ 14,104 |
| RT60B-SW | 60" Rotary Swivel Head, Blade Bar/Brush Knives & Hyd Door (BB-22 & BB-24 ONLY) | 950 | \$ 14,479 |
| RT60DG | 60" Rotary Head with Disc/Grass Knives & Hydraulic Door | 915 | \$ 14,236 |

FLAIL

| | | | |
|---------|---|-----|-----------|
| FL50LBG | 50" Flail Head with Light Brush/Grass Knives | 800 | \$ 13,847 |
| FL50MBG | 50" Flail Head with Medium Brush/Grass Knives | 808 | \$ 14,575 |
| FL50HDB | 50" Flail Head with Heavy Duty Brush Knives | 815 | \$ 14,610 |
| FL63G | 63" Flail Head with Grass Knives | 855 | \$ 14,236 |

BENGAL ATTACHMENT KIT

(Kit provides the required components needed to convert a Side Mount Mower to a Boom Mower)

HOW TO ORDER: You must select one item from Sections 1, 2, 3 & 4 for a complete Attachment Kit.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|---|--|----------------------|--------------|
| SECTION 1 - Choose a Boom Arm Kit | | | |
| BB18-BA | Mid-mount Boom Arm Kit & 1300 lbs Wheel Weight | 3840 | \$ 20,896 |
| BB22-BA | Mid-mount Boom Arm Kit & 1700 lbs Wheel Weight | 4020 | \$ 22,454 |
| BB24-BA | Mid-mount Boom Arm Kit & 1700 lbs Wheel Weight | 4125 | \$ 23,029 |
| INCLUDES: Primary(Inner) & Secondary(Outer) Boom Arms, Boom Arm Cylinders, Hoses & Hardware, Boom Mount Kit, Wheel Weight, Operator Safety | | | |
| SECTION 2 - Choose a Cutter Head Stow System | | | |
| SS-BB | SIDE STOW (SS) transport system & Travel Safety Lock | 45 | Inc. in Base |
| 3PS-BB | 3 POINT STOW (3PS) transport system & Travel Safety Lock | 130 | \$ 3,069 |
| 1OS-BB | SINGLE POINT OPEN STOW (1OS) transport system & Travel | 160 | \$ 3,590 |
| 3OS-BB | 3 POINT OPEN STOW (3OS) transport system & Travel Safety | 550 | \$ 4,526 |
| SECTION 3 - Choose a Cutter Head | | | |
| ROTARY | | | |
| RT50D | 50" Rotary head with Disc/Brush Knives & Hydraulic Door | 815 | \$ 12,138 |
| RT50B | 50" Rotary Head with Blade Bar/Brush Knives & Hydraulic Door | 740 | \$ 12,013 |
| RT50G | 50" Rotary head with Disc/Grass Knives & Hydraulic Door | 815 | \$ 12,105 |
| RT60B | 60" Rotary Head with Blade Bar/Brush Knives & Hydraulic Door | 840 | \$ 14,104 |
| RT60B-SW | 60" Rotary Swivel Head, Blade Bar/Brush Knives & Hyd Door (BB-22 & BB-24 ONLY) | 950 | \$ 14,479 |
| RT60DG | 60" Rotary Head with Disc/Grass Knives & Hydraulic Door | 915 | \$ 14,236 |
| FLAIL | | | |
| FL50LBG | 50" Flail Head with Light Brush/Grass Knives | 800 | \$ 13,444 |
| FL50MBG | 50" Flail Head with Medium Brush/Grass Knives | 808 | \$ 14,575 |
| FL50HDB | 50" Flail Head with Heavy Duty Brush Knives | 815 | \$ 14,610 |
| FL63G | 63" Flail Head with Grass Knives | 855 | \$ 13,484 |
| SECTION 4 - Choose a Hydraulic Controls Options | | | |
| CBL | Cable Controls and Lift Valve Kit | 78 | \$ 5,244 |
| JSTK | Joystick, Electro-hydraulic and Valve Kit | 80 | \$ 13,186 |

BENGAL BRUTE

HOW TO ORDER: You must select one item from Sections 1, 2 & 3 for a complete Boom Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|--|--|----------------------|------------|
| SECTION 1 - Choose a Base Unit | | | |
| Brute - LRS | Mid-mount Boom Mower w/ LEGAL REAR STOW (LRS) transport system & 1700 lbs Wheel Weight | 4525 | \$ 38,232 |
| | INCLUDES: Boom Arms, Mounting system, Wheel Weights, Mower Hydraulic Drive System, Stow system, Travel Safety Lock, Operator Safety Screen/Poly | | |
| Brute - STD | Mid-mount Boom Mower w/ breakaway secondary boom arm,(3OS) transport system & 1700 lbs Wheel Weight | 4525 | \$ 38,232 |
| | INCLUDES: Boom Arms, Mounting system, Wheel Weights, Mower Hydraulic Drive System, Stow system, Travel Safety Lock, Operator Safety Screen/Poly | | |
| SECTION 2 - Choose a Cutter Head | | | |
| ROTARY - LRS ONLY | | | |
| RT50D-LRS | 50" Rotary Head -Disc/Brush Knives & Hydraulic Door | 815 | \$ 12,240 |
| RT50B-LRS | 50" Rotary Head - Blade Bar/Brush Knives & Hydraulic Door | 740 | \$ 12,110 |
| RT50G-LRS | 50" Rotary head - Disc/Grass Knives & Hydraulic Door | 815 | \$ 12,207 |
| RT60B-LRS | 60" Rotary Head - Blade Bar/Brush Knives & Hydraulic Door | 840 | \$ 14,207 |
| RT60DG | 60" Rotary Head - Disc/Grass Knives & Hydraulic Door | 915 | \$ 14,236 |
| FLAIL - LRS ONLY | | | |
| FL50LBG-LRS | 50" Flail Head with Light Brush/Grass Knives | 800 | \$ 14,111 |
| FL50MBG-LRS | 50" Flail Head with Medium Brush/Grass Knives | 808 | \$ 14,839 |
| FL50HDB-LRS | 50" Flail Head with Heavy Duty Brush Knives | 815 | \$ 14,878 |
| FL63G-LRS | 63" Flail Head with Grass Knives | 855 | \$ 14,367 |
| SECTION 3 - Choose a Hydraulic Controls Options | | | |
| CBL | Cable Controls and Lift Valve Kit | 78 | \$ 5,244 |
| JSTK | Joystick, Electro-hydraulic and Valve Kit | 80 | \$ 13,186 |
| SECTION 4 - Installation Charge | | | |
| Factory Mount | Installation of complete boom mower system | | \$ 6,945 |
| Field Mount | Installation of complete boom mower system | | \$ 6,945 |
| SECTION 5 - BOOM MOWER OPTIONS | | | |
| | Wheel Weight - upcharge to 2550 lbs of counter balance. | 850 | \$ 2,041 |
| | Rotary Head to Flail Head Dogleg Linkage Kit | 13 | \$ 456 |
| | Flail Head to Rotary Head Dogleg Linkage Kit | 13 | \$ 456 |
| 06200609 | 50" Blade Bar Kit (bar,knives,bolts,nuts) | 75 | \$ 845 |
| 06200670 | 60" Blade Bar Kit (bar,knives,bolts,nuts) | 85 | \$ 1,265 |
| 06744050 | 50" Rotary Disc Kit (knives,bolts,nuts,filter,grease) BRUSH | 36 | \$ 325 |
| 06744051 | 50" Rotary Disc Kit (knives,bolts,nuts,filter,grease) GRASS | 39 | \$ 335 |
| 06744040 | 50/60" Rotary Blade Bar Kit (knives,bolts,nuts,filter,grease) BRUSH | 36 | \$ 290 |
| 06744001 | 60" Rotary Disc Kit (knives,bolts,nuts,filter,grease) GRASS | 39 | \$ 230 |
| 06744005 | 50" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) LBG FLAIL | 32 | \$ 660 |
| 06744043 | 50" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) MBG FLAIL | 58 | \$ 1,540 |
| 06744044 | 50" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) HDB FLAIL | 55 | \$ 1,395 |
| 06744006 | 63" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) GRASS | 44 | \$ 455 |
| 06200210 | Paint, non-standard | | \$ 1,385 |

BENGAL BRUTE PRE-ASSEMBLIES

HOW TO ORDER: You must select one item from Section 1 & 2 for a complete Pre-Assembly.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|-------------------------|------------|
|------------|-------------|-------------------------|------------|

SECTION 1 - Choose a Unit

| | | | |
|--|------------------------------|------|-----------|
| LRS-BPA | Legal Rear Stow Pre-assembly | 1160 | \$ 11,352 |
| INCLUDES: Primary(Inner) & Secondary(Outer) Boom Arms, Boom Arm Cylinders, Hoses and Hardware | | | |

SECTION 2 - Choose a Cutter Head

ROTARY - LRS ONLY

| | | | |
|-----------|---|-----|-----------|
| RT50D-LRS | 50" Rotary Head -Disc/Brush Knives & Hydraulic Door | 815 | \$ 12,240 |
| RT50B-LRS | 50" Rotary Head - Blade Bar/Brush Knives & Hydraulic Door | 740 | \$ 12,110 |
| RT50G-LRS | 50" Rotary head - Disc/Grass Knives & Hydraulic Door | 815 | \$ 12,207 |
| RT60B-LRS | 60" Rotary Head - Blade Bar/Brush Knives & Hydraulic Door | 840 | \$ 14,207 |
| RT60DG | 60" Rotary Head - Disc/Grass Knives & Hydraulic Door | 915 | \$ 14,236 |

FLAIL - LRS ONLY

| | | | |
|-------------|---|-----|-----------|
| FL50LBG-LRS | 50" Flail Head with Light Brush/Grass Knives | 800 | \$ 14,111 |
| FL50MBG-LRS | 50" Flail Head with Medium Brush/Grass Knives | 808 | \$ 14,839 |
| FL50HDB-LRS | 50" Flail Head with Heavy Duty Brush Knives | 815 | \$ 14,878 |
| FL63G-LRS | 63" Flail Head with Grass Knives | 855 | \$ 14,367 |

BENGAL BRUTE ATTACHMENT KIT

(Kit provides the required components needed to convert a Tiger Side Mount Mower to a Tiger Boom Mower)

HOW TO ORDER: You must select one item from Sections 1, 2 & 3 for a complete Attachment Kit.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|-------------------------|------------|
|------------|-------------|-------------------------|------------|

SECTION 1 - Choose a Unit

| | | | |
|---|---|------|-----------|
| LRS-BA | Mid-mount Boom Arm Kit w/ LEGAL REAR STOW (LRS) | 3150 | \$ 29,135 |
| INCLUDES: Primary(Inner) & Secondary(Outer) Boom Arms, Boom Arm Cylinders, Hoses & Hardware, Boom Mount Kit, Wheel Weight, Operator Safety Screen/Poly | | | |

| | | | |
|---|--|------|-----------|
| BA | Mid-mount Boom Arm Kit w/ breakaway secondary boom arm, 3OS transport system & 1700 lbs Wheel Weight | 3150 | \$ 29,135 |
| INCLUDES: Primary(Inner) & Secondary(Outer) Boom Arms, Boom Arm Cylinders, Hoses & Hardware, Boom Mount Kit, Wheel Weight, Operator Safety Screen/Poly | | | |

SECTION 2 - Choose a Cutter Head

ROTARY - LRS ONLY

| | | | |
|-----------|---|-----|-----------|
| RT50D-LRS | 50" Rotary Head -Disc/Brush Knives & Hydraulic Door | 815 | \$ 12,240 |
| RT50B-LRS | 50" Rotary Head - Blade Bar/Brush Knives & Hydraulic Door | 740 | \$ 12,110 |
| RT50G-LRS | 50" Rotary head - Disc/Grass Knives & Hydraulic Door | 815 | \$ 12,207 |
| RT60B-LRS | 60" Rotary Head - Blade Bar/Brush Knives & Hydraulic Door | 840 | \$ 14,207 |
| RT60DG | 60" Rotary Head - Disc/Grass Knives & Hydraulic Door | 915 | \$ 14,236 |

FLAIL - LRS ONLY

| | | | |
|-------------|---|-----|-----------|
| FL50LBG-LRS | 50" Flail Head with Light Brush/Grass Knives | 800 | \$ 14,111 |
| FL50MBG-LRS | 50" Flail Head with Medium Brush/Grass Knives | 808 | \$ 14,839 |
| FL50HDB-LRS | 50" Flail Head with Heavy Duty Brush Knives | 815 | \$ 14,878 |
| FL63G-LRS | 63" Flail Head with Grass Knives | 855 | \$ 14,367 |

Bengal Brute LRS

Prices subject to change without notice.

SECTION 3 - Choose a Hydraulic Controls Options

TIGER CORPORATION

Effective March 1, 2018

PRICE LIST A

CBL

Cable Controls and Lift Valve Kit

78 \$ 5,244

JSTK

Joystick, Electro-hydraulic and Valve Kit

80 \$ 13,186

SABER 25 SERIES

HOW TO ORDER: You must select one item from Sections 1, 2 & 3 for a complete Boom Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|--|--|----------------------------|------------|
| SECTION 1 - Choose a Base Unit | | | |
| 3OS-25-SB | Mid-mount Boom Mower w/ 3 POINT OPEN STOW (3OS) transport system & 3400 lbs Wheel Weight | 7140 | \$ 47,490 |
| INCLUDES: Boom Arms, Mounting system, Wheel Weights, Mower Hydraulic Drive System, Stow system, Travel Safety Lock, Operator Safety Screen/Poly | | | |
| SECTION 2 - Choose a Cutter Head | | | |
| ROTARY - 25' - 26.6' Reach | | | |
| RT50S | 50" Rotary Head with Blade Bar/Brush Knives & Hydraulic Door | 990 | \$ 12,765 |
| RT60S | 60" Rotary Head with Blade Bar/Brush Knives & Hydraulic Door | 845 | \$ 14,111 |
| FLAIL - 23.9' - 25.0' Reach | | | |
| FL50HDB-S | 50" Flail Head with Heavy Duty Brush Knives (HDB) | 1002 | \$ 14,429 |
| FL50MBG-S | 50" Flail Head with Medium Brush/Grass Knives (MBG) | 995 | \$ 14,377 |
| FL50LBG-S | 50" Flail Head with Light Brush/Grass Knives (LBG) | 995 | \$ 13,714 |
| FL63G-S | 63" Flail Head with Grass Knives | 855 | \$ 14,908 |
| SECTION 3 - Choose a Hydraulic Controls Options | | | |
| CBL | Cable Controls and Lift Valve Kit | 78 | \$ 5,244 |
| JSTK | Joystick, Electro-hydraulic and Valve Kit | 80 | \$ 13,186 |
| SECTION 4 - Installation Charge | | | |
| Factory Mount | Installation of complete boom mower system | | \$ 7,239 |
| Field Mount | Installation of complete boom mower system | | \$ 7,239 |
| SECTION 5 - BOOM MOWER OPTIONS | | | |
| 06744052 | 50" Blade Bar Kit (bar,knives,bolts,nuts) | 75 | \$ 1,525 |
| 06200670 | 60" Blade Bar Kit (bar,knives,bolts,nuts) | 85 | \$ 1,265 |
| 06744003 | 50" Rotary Parts Kit (knives,bolts,nuts,filter,grease) BRUSH | 36 | \$ 610 |
| 06744040 | 60" Rotary Parts Kit (knives,bolts,nuts,filter,grease) BRUSH | 36 | \$ 290 |
| 06744044 | 50" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) HDB | 55 | \$ 1,395 |
| 06744043 | 50" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) MBG | 55 | \$ 1,540 |
| 06744005 | 50" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) LBG | 55 | \$ 660 |
| 06744006 | 63" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) GRASS | 44 | \$ 455 |
| 06200839 | JD 4WD 6145-55 M/R Series Cylinder Axle Stabilizer Kit | | \$ 1,365 |
| 06200818 | CNH 4WD T6.xxx Series Cylinder Axle Stabilizer Kit | | \$ 1,416 |
| 06200210 | Paint, non-standard | | \$ 1,523 |

SABER 25 PRE-ASSEMBLIES

HOW TO ORDER: You must select one item from Section 1 & 2 for a complete Pre-Assembly.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|---|---|----------------------------|------------|
| SECTION 1 - Choose a Base Unit | | | |
| 3OS-25-SBPA | 3 Point Open Stow Pre-assembly INCLUDES: Primary(Inner) & Secondary(Outer) Boom Arms, Boom Arm Cylinders, Hoses and Hardware | 1140 | \$ 21,116 |
| SECTION 2 - Choose a Cutter Head | | | |
| <u>ROTARY</u> | | | |
| RT50S | 50" Rotary Head with Blade Bar/Brush Knives & Hydraulic Door | 990 | \$ 12,765 |
| RT60S | 60" Rotary Head with Blade Bar/Brush Knives & Hydraulic Door | 845 | \$ 14,111 |
| <u>FLAIL</u> | | | |
| FL50HDB-S | 50" Flail Head with Heavy Duty Brush Knives (HDB) | 1002 | \$ 14,429 |
| FL50MBG-S | 50" Flail Head with Medium Brush/Grass Knives (MBG) | 995 | \$ 14,377 |
| FL50LBG-S | 50" Flail Head with Light Brush/Grass Knives (LBG) | 995 | \$ 13,714 |
| FL63G-S | 63" Flail Head with Grass Knives | 875 | \$ 14,908 |

SABER 28 & 30 SERIES

HOW TO ORDER: You must select one item from Sections 1, 2 & 3 for a complete Boom Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|------------|
|------------|-------------|----------------------------|------------|

SECTION 1 - Choose a Base Unit

| | | | |
|-----------|---|------|-----------|
| 3OS-28-SB | Mid-mount Boom Mower w/ 3 POINT OPEN STOW (3OS) transport system & 4250 lbs Wheel Weight | 7975 | \$ 53,400 |
| 3OS-30-SB | Mid-mount Extended Boom Mower w/ 3 POINT OPEN STOW (3OS) transport system & 4250 lbs Wheel Weight | 8170 | \$ 54,650 |

INCLUDES: Standard Equipment - Boom Arms, Mounting system, Wheel Weights, Mower Hydraulic Drive System, Stow system, Travel Safety Lock, Operator Safety Screen/Poly, Cylinder Axle Stabilizer Kit

SECTION 2 - Choose a Cutter Head

ROTARY

| | | | |
|------------|--|-----|-----------|
| RT50B-XB-S | 50" Rotary Head with Blade Bar/Brush Knives & Hydraulic Door | 750 | \$ 13,757 |
| RT60B-XB-S | 60" Rotary Head with Blade Bar/Brush Knives & Hydraulic Door | 839 | \$ 14,111 |

FLAIL - Saber 28

| | | | |
|--------------|--|-----|-----------|
| FL50LBG-28-S | 50" Flail Head with Light Brush/Grass Knives - LBG | 800 | \$ 13,714 |
| FL50MBG-28-S | 50" Flail Head with Medium Brush/Grass Knives - MBG | 808 | \$ 14,377 |
| FL50HDB-28-S | 50" Flail Head with Heavy Duty Brush Knives - HDB | 808 | \$ 14,429 |

FLAIL - Saber 30 - Direct Drive

| | | | |
|----------------|--|-----|-----------|
| FL50LBG-30-SDD | 50" Flail Head with Light Brush/Grass Knives - LBG | 695 | \$ 13,935 |
| FL50MBG-30-SDD | 50" Flail Head with Medium Brush/Grass Knives - MBG | 725 | \$ 14,377 |

SECTION 3 - Choose a Hydraulic Controls Options

| | | | |
|------|---|----|-----------|
| CBL | Cable Controls and Lift Valve Kit | 78 | \$ 5,244 |
| JSTK | Joystick, Electro-hydraulic and Valve Kit | 80 | \$ 13,186 |

SECTION 4 - Installation Charge

| | | |
|---------------|--|----------|
| Factory Mount | Installation of complete boom mower system | \$ 7,239 |
| Field Mount | Installation of complete boom mower system | \$ 7,239 |

SECTION 5 - BOOM MOWER OPTIONS

| | | | |
|----------|--|----|----------|
| 06200609 | 50" Blade Bar Kit (bar,knives,bolts,nuts) | 75 | \$ 845 |
| 06200670 | 60" Blade Bar Kit (bar,knives,bolts,nuts) | 85 | \$ 895 |
| 06744040 | 50"/ 60" Rotary Parts Kit (knives,bolts,nuts,filter,grease) BRUSH | 36 | \$ 290 |
| 06744005 | 50" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) LBG FLAIL | 32 | \$ 660 |
| 06744043 | 50" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) MBG FLAIL | 58 | \$ 1,540 |
| 06744044 | 50" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) HDB FLAIL | 58 | \$ 1,395 |
| 06200210 | Paint, non-standard | | \$ 1,676 |

SABER 28 & 30 PRE-ASSEMBLIES

HOW TO ORDER: You must select one item from Section 1 & 2 for a complete Pre-Assembly.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|------------|
|------------|-------------|----------------------------|------------|

SECTION 1 - Choose a Base Unit

| | | | |
|-------------|--------------------------------|------|-----------|
| 3OS-28-SBPA | 3 Point Open Stow Pre-assembly | 2350 | \$ 26,454 |
| 3OS-30-SBPA | 3 Point Open Stow Pre-assembly | 2450 | \$ 27,495 |

INCLUDES: Primary(Inner) & Secondary(Outer) Boom Arms, Boom Arm
Cylinders, Hoses and Hardware

SECTION 2 - Choose a Cutter Head

ROTARY

| | | | |
|------------|--|-----|-----------|
| RT50B-XB-S | 50" Rotary Head with Blade Bar/Brush Knives & Hydraulic Door | 750 | \$ 13,757 |
| RT60B-XB-S | 60" Rotary Head with Blade Bar/Brush Knives & Hydraulic Door | 839 | \$ 14,111 |

FLAIL - Saber 28

| | | | |
|--------------|--|-----|-----------|
| FL50LBG-28-S | 50" Flail Head with Light Brush/Grass Knives - LBG | 800 | \$ 13,714 |
| FL50MBG-28-S | 50" Flail Head with Medium Brush/Grass Knives - MBG | 808 | \$ 14,377 |
| FL50HDB-28-S | 50" Flail Head with Heavy Duty Brush Knives - HDB | 808 | \$ 14,429 |

FLAIL - Saber 30 - Direct Drive

| | | | |
|----------------|--|-----|-----------|
| FL50LBG-30-SDD | 50" Flail Head with Light Brush/Grass Knives - LBG | 695 | \$ 13,935 |
| FL50MBG-30-SDD | 50" Flail Head with Medium Brush/Grass Knives - MBG | 725 | \$ 14,377 |

SIDE ROTARY MOWER

HOW TO ORDER: You must select one item from Section 1, 2, 3 & 4 for a complete Side Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|------------|
|------------|-------------|----------------------------|------------|

SECTION 1 - Choose a Base Unit

| | | | |
|--|-----------------------------|------|-----------|
| SMR-EDBT4 | Mid-mount Side Rotary Mower | 2565 | \$ 13,250 |
| INCLUDES: Tractor Mount Kit, Mower Hydraulic Drive System, Travel Safety Lock, Hyd Combo Lift & Tilt System | | | |

SECTION 2 - Choose a Cutter Head

| | | | |
|--|--|-----|-----------|
| TSR-60EDH | Rotary, Side, 60", Domed Top Cutter Head | 920 | \$ 11,489 |
| TM-60EDH | Rotary, Side, 60", Flat Top Cutter Head | 920 | \$ 11,266 |
| TM-72EDH | Rotary, Side, 72", Flat Top Cutter Head | 920 | \$ 11,678 |
| INCLUDES: Cutter Head & Front Safety Chains | | | |

SECTION 3 - Choose a Rear Guard

| | | | |
|------|-----------------------|-----|----------|
| RC60 | Rear Chains, 60" | 132 | \$ 1,071 |
| RR60 | Rear Rubber Flap, 60" | 100 | \$ 923 |
| RC72 | Rear Chains, 72" | 132 | \$ 1,121 |
| RR72 | Rear Rubber Flap, 72" | 100 | \$ 975 |

SECTION 4 - Choose a Hydraulic Controls Option

| | | | |
|--|--|----|----------|
| H KIT-2 | Hydraulic Hose Kit to Tractor Remotes | 25 | \$ 876 |
| 2SPV-R | Valve, 2 spool, stand, hoses and cable control | 85 | \$ 2,999 |
| 3SPV-R | Valve, 3 spool, stand, hoses and cable control (For Twin Rotary) | 95 | \$ 3,930 |
| INCLUDES: Mower On/Off Switch box | | | |

SECTION 5 - Installation Charge

| | | |
|---------------|---------------------------------------|----------|
| Factory Mount | Installation of complete mower system | \$ 4,671 |
| Field Mount | Installation of complete mower system | \$ 4,671 |

SECTION 6 - SIDE MOUNT MOWER OPTIONS

| | | | |
|----------|--|-----|----------|
| Caster-S | Side mower caster wheel assembly | 142 | \$ 1,275 |
| 06744017 | TSR-60" Rotary Parts Kit (knives,bolts,nuts,filter,grease) | 27 | \$ 248 |
| 06744010 | TM-60" Rotary Parts Kit (knives,bolts,nuts,filter,grease) | 27 | \$ 248 |
| 06744018 | TM-72" Rotary Parts Kit (knives,bolts,nuts,filter,grease) | 27 | \$ 262 |
| Tiltkit | Mower Tilt Stop Switch | 4 | \$ 373 |
| 06200210 | Paint, non-standard- Side Mount Rotary | | \$ 1,236 |

SIDE MOUNT MOWER ATTACHMENT KIT

(Kit provides the required components needed to convert a Tiger Boom Mower into a Side Mount Mower)

HOW TO ORDER: You must select one item from Section 1, 2, 3, 4 & 5 for a complete Attachment Kit.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|--|--|----------------------------|------------|
| SECTION 1 - Choose a Lift System | | | |
| SMR-EDBT4-A | Hydraulic Lift & Tilt system | 495 | \$ 4,044 |
| INCLUDES: Draft Beam and Cutter Head Lift feature, Travel Safety Lock | | | |
| SECTION 2 - Choose a Cutter Head | | | |
| TSR-60EDH | Rotary, Side, 60", Domed Top Cutter Head | 920 | \$ 11,489 |
| TM-60EDH | Rotary, Side, 60", Flat Top Cutter Head | 920 | \$ 11,223 |
| TM-72EDH | Rotary, Side, 72", Flat Top Cutter Head | 920 | \$ 11,678 |
| INCLUDES: Cutter Head & Front Safety Chains | | | |
| SECTION 3 - Choose a Rear Guard | | | |
| RC60 | Rear Chains, 60" | 132 | \$ 1,071 |
| RR60 | Rear Rubber Flap, 60" | 100 | \$ 923 |
| RC72 | Rear Chains, 72" | 132 | \$ 1,121 |
| RR72 | Rear Rubber Flap, 72" | 100 | \$ 975 |
| SECTION 4 - Choose a Hydraulic Option | | | |
| H KIT-2 | Hydraulic Hose Kit to Tractor Remotes | 25 | \$ 876 |
| 2SPV-R | Valve, 2 spool, stand, hoses and cable control | 85 | \$ 2,999 |
| 3SPV-R | Valve, 3 spool, stand, hoses and cable control (For Twin Rotary) | 95 | \$ 3,930 |
| INCLUDES: Mower On/Off Switch box | | | |
| SECTION 5 - Installation Charge | | | |
| Factory Mount | Installation of side rotary attachment kit | | \$ 950 |
| Field Mount | Installation of side rotary attachment kit | | \$ 950 |

TWIN ROTARY MOWERS (SIDE & REAR)

HOW TO ORDER: You must select one item from Section 1, 2, 3, 4, 5 & 6 for a complete Twin Rotary mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|------------|
|------------|-------------|----------------------------|------------|

SECTION 1 - Choose a Base Unit

| | | | |
|-----------|--|------|-----------|
| TMR-EDBT4 | Mid-mount Side Rotary Mower & 3 PT Offset Rear | 2247 | \$ 16,683 |
|-----------|--|------|-----------|

INCLUDES: Tractor Mount Kit, Mower Hydraulic Drive System with Twin Pump, Mower Hydraulic Cooling System, Offset 3 Point Hitch Mounting, Single Tail Wheel, Tilt Cylinder, Travel Safety Lock, Hyd Lift & Tilt System

SECTION 2 - Choose a Side Mount Cutter Head

| | | | |
|-----------|--|-----|-----------|
| TSR-60EDH | Rotary, Side, 60", Domed Top Cutter Head | 920 | \$ 11,489 |
| TM-60EDH | Rotary, Side, 60", Flat Top Cutter Head | 920 | \$ 11,111 |
| TM-72EDH | Rotary, Side, 72", Flat Top Cutter Head | 920 | \$ 12,360 |

INCLUDES: Cutter Head & Front Safety Chains

SECTION 3 - Choose a Rear Guard for Side Mount Mower

| | | | |
|------|-----------------------|-----|----------|
| RC60 | Rear Chains, 60" | 132 | \$ 1,071 |
| RR60 | Rear Rubber Flap, 60" | 100 | \$ 923 |
| RC72 | Rear Chains, 72" | 132 | \$ 1,121 |
| RR72 | Rear Rubber Flap, 72" | 100 | \$ 975 |

SECTION 4 - Choose a Rear Mount Cutter Head

| | | | |
|-----------|---|------|-----------|
| TSR-60RDH | Rotary, Rear Mount 60", Domed Top Cutter Head | 1200 | \$ 11,427 |
| TM-60RDH | Rotary, Rear Mount 60", Flat Top Cutter Head | 1200 | \$ 11,164 |

INCLUDES: Cutter Head & Front Safety Chains

SECTION 5 - Choose a Rear Guard for Rear Cutter Head

| | | | |
|------|-----------------------|-----|----------|
| RC60 | Rear Chains, 60" | 132 | \$ 1,071 |
| RR60 | Rear Rubber Flap, 60" | 100 | \$ 923 |

SECTION 6 - Choose a Hydraulic Controls Option

| | | | |
|---------|--|----|----------|
| H KIT-3 | Hydraulic Hose Kit to Tractor Remotes (3 SCV's Required) | 50 | \$ 1,248 |
| 3SPV-R | Valve, 3 spool, stand, hoses and cable control (For Twin Rotary) | 95 | \$ 3,930 |

INCLUDES: Mower On/Off Switch box

SECTION 7 - Installation Charge for Twin

| | | |
|---------------|-----------------------------------|----------|
| Factory Mount | Installation of twin mower system | \$ 6,143 |
| Field Mount | Installation of twin mower system | \$ 6,143 |

SECTION 8 - TWIN ROTARY MOWER OPTIONS

| | | | |
|----------|--|-----|----------|
| Caster-S | Side mower caster wheel assembly | 142 | \$ 1,275 |
| Caster-R | Second Rear Caster Wheel Assembly | 194 | \$ 1,291 |
| Tiltkit | Mower Tilt Stop Switch | 4 | \$ 373 |
| 06744017 | Side TSR-60" Rotary Parts Kit (knives,bolts,nuts,filter,grease) | 27 | \$ 248 |
| 06744010 | Side TM-60" Rotary Parts Kit (knives,bolts,nuts,filter,grease) | 27 | \$ 248 |
| 06744018 | Side TM-72" Rotary Parts Kit (knives,bolts,nuts,filter,grease) | 27 | \$ 262 |
| 06744017 | Rear TM60 & TSR60 Rotary Parts Kit (knives,bolts,nuts,filter,grease) | 27 | \$ 248 |
| 06200210 | Paint, non-standard- Rear Rotary | | \$ 688 |

REAR MOUNT MOWER ATTACHMENT KIT

(Kit provides the required components needed to convert a Tiger Side Mount Mower into a Tiger Twin Rotary)

HOW TO ORDER: You must select one item from Section 1, 2, 3 & 4 for a complete Attachmnet Kit.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|---|--|----------------------------|------------|
| <u>SECTION 1 - Choose an Attachment Kit</u> | | | |
| RMR-A | Rear Mount- Cat.II 3 PT mounting, Twin Pump Hydraulic System, Mower Hydraulic Cooling System,Tilt Cylinder, Travel Safety Lock | 2247 | \$ 8,375 |
| <u>INCLUDES:</u> Offset 3 Point Hitch Mounting, Single Tail Wheel, Hydraulic Controls Option, Twin Pump Hydraulic System, Mower Hydraulic Cooling System, Tilt Cylinder, Travel Safety Lock, Front Safety Chains | | | |
| <u>SECTION 2 - Choose a Cutter Head</u> | | | |
| TSRR-A | Rotary, Rear 60", Domed Top Cutter Head | 1200 | \$ 14,634 |
| TMR-A | Rotary, Rear 60", Flat Top Cutter Head | 1200 | \$ 13,881 |
| <u>INCLUDES:</u> Cutter Head & Front Safety Chains | | | |
| <u>SECTION 3 - Choose a Rear Guard</u> | | | |
| RC60 | Rear Chains, 60" | 132 | \$ 1,071 |
| RR60 | Rear Rubber Flap, 60" | 100 | \$ 923 |
| Caster-R | Second Rear Caster Wheel Assembly | 194 | \$ 1,304 |
| <u>SECTION 4 - Installation Charge</u> | | | |
| Factory Mount | Installation of rear attachment kit | | \$ 1,250 |
| Field Mount | Installation of rear attachment kit | | \$ 1,250 |

SIDE FLAIL - SUPER DUTY

HOW TO ORDER: You must select one item from Section 1, 2 & 3 for a complete Side Flail Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|------------|
|------------|-------------|----------------------------|------------|

SECTION 1 - Choose a Base Unit

| | | | |
|---------|--|------|-----------|
| SMF-SDB | Mid-mount Side Flail Mower with Hydraulic Combo Lift & Tilt system | 1390 | \$ 11,574 |
|---------|--|------|-----------|

INCLUDES: Tractor Mount Kit, Mower Hydraulic Drive System, Travel Safety Lock

SECTION 2 - Choose a Cutter Head

| | | | |
|-----------|--|-----|-----------|
| TSF-63SD | Flail, Side, 63" Cutter Head, STANDARD CUT | 790 | \$ 10,210 |
| TSF-63SDG | Flail, Side, 63" Cutter Head, SMOOTH CUT | 790 | \$ 10,263 |
| TSF-75SD | Flail, Side, 75" Cutter Head, STANDARD CUT | 871 | \$ 10,345 |
| TSF-75SDG | Flail, Side, 75" Cutter Head, SMOOTH CUT | 871 | \$ 10,398 |

INCLUDES: Cutter Head, Front & Rear Guards

SECTION 3 - Choose a Hydraulic Controls Option

| | | | |
|---------|--|----|----------|
| H KIT-2 | Hydraulic Hose Kit to Tractor Remotes | 25 | \$ 876 |
| 2SPV-F | Valve, 2 spool, stand, hoses and cable control | 85 | \$ 2,999 |

INCLUDES: Mower On/Off Switch box

SECTION 4 - Installation Charge

| | | |
|---------------|---------------------------------------|----------|
| Factory Mount | Installation of complete mower system | \$ 4,671 |
| Field Mount | Installation of complete mower system | \$ 4,671 |

SECTION 5 - SIDE MOUNT MOWER OPTIONS

| | | | |
|----------|---|----|----------|
| 06200085 | Adaptor Kit for 45 degree shield application | 12 | \$ 60 |
| 06200129 | Deflector Shield 63" SDC | 28 | \$ 220 |
| 06200220 | Deflector Shield 75" SDC | 36 | \$ 274 |
| 06744053 | Knife Kit, 63" SD Flail (knives,bolts,nuts,clevis) STANDARD CUT | 37 | \$ 280 |
| 06744054 | Knife Kit, 63" SD Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 25 | \$ 337 |
| 06744055 | Knife Kit, 75" SD Flail (knives,bolts,nuts,clevis) STANDARD CUT | 47 | \$ 343 |
| 06744056 | Knife Kit, 75" SD Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 35 | \$ 421 |
| Tiltkit | Mower Tilt Stop Switch | 4 | \$ 373 |
| 06200210 | Paint, non-standard | | \$ 1,236 |

SIDE FLAIL SUPER DUTY ATTACHMENT KIT

(Kit provides the required components needed to convert a Tiger Boom Mower into a Tiger Side Mount Mower)

HOW TO ORDER: You must select one item from Section 1, 2, 3 & 4 for a complete Attachment Kit.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|------------|
|------------|-------------|----------------------------|------------|

SECTION 1 - Choose an Attachment Unit

| | | | |
|-----------|------------------------------------|------|----------|
| SMF-SDB-A | Hydraulic Combo Lift / Tilt system | 2247 | \$ 3,043 |
|-----------|------------------------------------|------|----------|

INCLUDES: Combo Draft Beam, Travel Safety Lock

SECTION 2 - Choose a Cutter Head

| | | | |
|----------|--|-----|-----------|
| TSF-63SD | Flail, Side, 63" Cutter Head, STANDARD CUT | 790 | \$ 10,210 |
|----------|--|-----|-----------|

| | | | |
|-----------|--|-----|-----------|
| TSF-63SDG | Flail, Side, 63" Cutter Head, SMOOTH CUT | 790 | \$ 10,263 |
|-----------|--|-----|-----------|

| | | | |
|----------|--|-----|-----------|
| TSF-75SD | Flail, Side, 75" Cutter Head, STANDARD CUT | 871 | \$ 10,345 |
|----------|--|-----|-----------|

| | | | |
|-----------|--|-----|-----------|
| TSF-75SDG | Flail, Side, 75" Cutter Head, SMOOTH CUT | 871 | \$ 10,398 |
|-----------|--|-----|-----------|

INCLUDES: Cutter Head, Front & Rear Guards

SECTION 3 - Choose a Hydraulic Controls Option

| | | | |
|---------|---------------------------------------|----|--------|
| H KIT-2 | Hydraulic Hose Kit to Tractor Remotes | 25 | \$ 876 |
|---------|---------------------------------------|----|--------|

| | | | |
|--------|--|----|----------|
| 2SPV-F | Valve, 2 spool, stand, hoses and cable control | 85 | \$ 2,999 |
|--------|--|----|----------|

INCLUDES: Mower On/Off Switch box

SECTION 4 - Installation Charge

| | | |
|---------------|---|--------|
| Factory Mount | Installation of side mower attachment kit | \$ 950 |
|---------------|---|--------|

| | | |
|-------------|---|--------|
| Field Mount | Installation of side mower attachment kit | \$ 950 |
|-------------|---|--------|

REAR FLAIL - SUPER DUTY

HOW TO ORDER: You must select one item from Section 1 for a complete flail mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|------------|
|------------|-------------|----------------------------|------------|

SECTION 1 - Choose a Cutter Head

| | | | |
|----------|--------------------------------------|------|-----------|
| RF-75SD | Flail, Rear Mount 75" , STANDARD CUT | 966 | \$ 10,358 |
| RF-75SDG | Flail, Rear Mount 75", SMOOTH CUT | 961 | \$ 10,606 |
| RF-90SD | Flail, Rear Mount 90", STANDARD CUT | 1159 | \$ 11,843 |
| RF-90SDG | Flail, Rear Mount 90", SMOOTH CUT | 1146 | \$ 11,910 |
| RF-96SD | Flail, Rear Mount 96", STANDARD CUT | 1210 | \$ 12,275 |
| RF-96SDG | Flail, Rear Mount 96", SMOOTH CUT | 1205 | \$ 12,342 |

NOTE:ORDER MUST INDICATE THE OFFSET REQUIREMENT

| | | | |
|-------------|--|------|-----------|
| RF-90SDHSS | Flail, Rear Mount 90", STANDARD CUT - PTO Driven & Hyd Side Shift | 1450 | \$ 14,865 |
| RF-90SDGHSS | Flail, Rear Mount 90", SMOOTH CUT - PTO Driven & Hyd Side Shift | 1445 | \$ 14,934 |
| RF-96SDHSS | Flail, Rear Mount 96", STANDARD CUT - PTO Driven & Hyd Side Shift | 1525 | \$ 15,296 |
| RF-96SDGHSS | Flail, Rear Mount 96", SMOOTH CUT - PTO Driven & Hyd Side Shift | 1520 | \$ 15,365 |

FLAIL INCLUDES: Cutter Head, Cat II Offset 3 Point Hitch Mounting,540 RPM PTO Drive System, Front & Rear Guards

Hydraulic Driven ~ Hydraulic Side Shift Models

| | | | |
|---------------|--|------|-----------|
| RF-90SDHDHSS | Flail, Rear Mount 90", STANDARD CUT - Hyd Driven & Hyd Side Shift | 1410 | \$ 20,861 |
| RF-90SDGHDHSS | Flail, Rear Mount 90", SMOOTH CUT - Hyd Driven & Hyd Side Shift | 1405 | \$ 20,928 |
| RF-96SDHDHSS | Flail, Rear Mount 96", STANDARD CUT - Hyd Driven & Hyd Side Shift | 1485 | \$ 21,288 |
| RF-96SDGHDHSS | Flail, Rear Mount 96", SMOOTH CUT - Hyd Driven & Hyd Side Shift | 1480 | \$ 21,355 |

****Hydraulic Rear Flails need to be used in conjunction with a Boom Or Side Mower. Kit includes twin pump operation & mower hydraulic system. Cat II, 3 Pt Mount**

SECTION 2 - Installation Charge

| | | | |
|----------|---------------------------------------|----|-----|
| Mounting | Installation of complete mower system | \$ | 175 |
|----------|---------------------------------------|----|-----|

SECTION 3 - REAR FLAIL MOWER OPTIONS

| | | | |
|----------|---|----|----------|
| 06200085 | Adaptor Kit for 45 degree shield application | 12 | \$ 60 |
| 06200220 | Deflector Shield 75" SDC | 28 | \$ 274 |
| 06200219 | Deflector Shield 90" SDC | 36 | \$ 315 |
| 06744055 | Knife Kit, 75" SD Flail (knives,bolts,nuts,clevis) STANDARD CUT | 42 | \$ 343 |
| 06744056 | Knife Kit, 75" SD Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 35 | \$ 421 |
| 06744057 | Knife Kit, 90" SD Flail (knives,bolts,nuts,clevis) STANDARD CUT | 50 | \$ 411 |
| 06744058 | Knife Kit, 90" SD Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 42 | \$ 505 |
| 06744059 | Knife Kit, 96" SD Flail (knives,bolts,nuts,clevis) STANDARD CUT | 53 | \$ 446 |
| 06744060 | Knife Kit, 96" SD Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 45 | \$ 547 |
| 06520415 | Slip Clutch Driveline (in lieu of standard) | 18 | \$ 220 |
| Tiltkit | Mower Tilt Stop Switch | 4 | \$ 373 |
| 06200210 | Paint, non-standard | | \$ 1,236 |

FRONT FLAIL - SUPER DUTY

HOW TO ORDER: You must select one item from Section 1 for a complete flail mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|------------|
|------------|-------------|----------------------------|------------|

SECTION 1 - Choose a Cutter Head

| | | | |
|-----------|---------------------------------------|------|-----------|
| OFF-75SD | Flail, Front Mount 75" , STANDARD CUT | 966 | \$ 11,147 |
| OFF-75SDG | Flail, Front Mount 75", SMOOTH CUT | 966 | \$ 11,215 |
| OFF-90SD | Flail, Front Mount 90", STANDARD CUT | 1159 | \$ 12,463 |
| OFF-90SDG | Flail, Front Mount 90", SMOOTH CUT | 1159 | \$ 12,520 |
| OFF-96SD | Flail, Rear Mount 96", STANDARD CUT | 1210 | \$ 12,896 |
| OFF-96SDG | Flail, Rear Mount 96", SMOOTH CUT | 1210 | \$ 12,946 |

INCLUDES: Cutter Head, Cat II Offset 3 Point Hitch Front Mounting, 540/1000 RPM PTO Drive System, Front & Rear Guards

SECTION 2 - Installation Charge

| | | | |
|----------|---------------------------------------|----|-----|
| Mounting | Installation of complete mower system | \$ | 175 |
|----------|---------------------------------------|----|-----|

SECTION 3 - FRONT FLAIL MOWER OPTIONS

| | | | |
|----------|---|----|----------|
| 06200085 | Adaptor Kit for 45 degree shield application | 12 | \$ 60 |
| 06200220 | Deflector Shield 75" SDC | 28 | \$ 274 |
| 06200219 | Deflector Shield 90" SDC | 36 | \$ 315 |
| 06744055 | Knife Kit, 75" SD Flail (knives,bolts,nuts,clevis) STANDARD CUT | 42 | \$ 343 |
| 06744056 | Knife Kit, 75" SD Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 35 | \$ 421 |
| 06744057 | Knife Kit, 90" SD Flail (knives,bolts,nuts,clevis) STANDARD CUT | 50 | \$ 411 |
| 06744058 | Knife Kit, 90" SD Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 42 | \$ 505 |
| 06744059 | Knife Kit, 96" SD Flail (knives,bolts,nuts,clevis) STANDARD CUT | 53 | \$ 446 |
| 06744060 | Knife Kit, 96" SD Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 45 | \$ 547 |
| 06200210 | Paint, non-standard | | \$ 1,236 |

TRIPLE FLAIL - SUPER DUTY

TIER III TRACTORS ONLY

HOW TO ORDER: You must select one item from Section 1, 2 & 3 for a complete Flail Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|---|---|----------------------|------------|
| SECTION 1 - Choose a Base Unit | | | |
| T3F-SDB | Flail Mower - 90" Rear Flail (STANDARD CUT) | 1390 | \$ 28,834 |
| T3F-SDBG | Flail Mower - 90" Rear Flail (SMOOTH CUT) | 1390 | \$ 28,635 |
| INCLUDES: Rear Flail - 90", Hydraulic Combo Lift & Tilt Draft Beam, Tractor Mount Kit, Multi-Valve Cable Control system, Mower Hydraulic Drive System, Mower Hydraulic Cooling System, Front & Rear Guards, Travel Safety Lock | | | |
| SECTION 2 - Choose a Right Side Cutter Head | | | |
| TSF-63RSD | Flail, RH Side, 63" Cutter Head, STANDARD CUT | 790 | \$ 10,210 |
| TSF-63RSDG | Flail, RH Side, 63" Cutter Head, SMOOTH CUT | 790 | \$ 10,263 |
| TSF-75RSD | Flail, RH Side, 75" Cutter Head, STANDARD CUT | 871 | \$ 10,345 |
| TSF-75RSDG | Flail, RH Side, 75" Cutter Head, SMOOTH CUT | 871 | \$ 10,398 |
| SECTION 3 - Choose a Left Side Cutter Head | | | |
| TSF-63LSD | Flail, LH Side, 63" Cutter Head, STANDARD CUT | 790 | \$ 10,210 |
| TSF-63LSDG | Flail, LH Side, 63" Cutter Head, SMOOTH CUT | 790 | \$ 10,263 |
| TSF-75LSD | Flail, LH Side, 75" Cutter Head, STANDARD CUT | 871 | \$ 10,345 |
| TSF-75LSDG | Flail, LH Side, 75" Cutter Head, SMOOTH CUT | 871 | \$ 10,398 |
| SECTION 4 - Installation Charge | | | |
| Factory Mount | Installation of complete mower system | | \$ 7,614 |
| Field Mount | Installation of complete mower system | | \$ 7,614 |
| SECTION 5 - TRIPLE FLAIL MOWER OPTIONS | | | |
| E-KIT | Egress Kit, Triple Flail | 150 | \$ 3,667 |
| Tiltkit | Mower Tilt Stop Switch | 4 | \$ 373 |
| 06200085 | Adaptor Kit for 45 degree shield application | 12 | \$ 60 |
| 06200129 | Deflector Shield 63" SDC | 28 | \$ 220 |
| 06200220 | Deflector Shield 75" SDC | 36 | \$ 274 |
| 06200219 | Deflector Shield 90" SDC | 42 | \$ 315 |
| 06744053 | Knife Kit, 63" SD Flail (knives,bolts,nuts,clevis) STANDARD CUT | 37 | \$ 274 |
| 06744054 | Knife Kit, 63" SD Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 25 | \$ 337 |
| 06744055 | Knife Kit, 75" SD Flail (knives,bolts,nuts,clevis) STANDARD CUT | 42 | \$ 343 |
| 06744056 | Knife Kit, 75" SD Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 35 | \$ 421 |
| 06744057 | Knife Kit, 90" SD Flail (knives,bolts,nuts,clevis) STANDARD CUT | 50 | \$ 411 |
| 06744058 | Knife Kit, 90" SD Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 42 | \$ 505 |
| 06200210 | Paint, non-standard | | \$ 2,002 |

SIDE FLAIL - EXTREME DUTY

HOW TO ORDER: You must select one item from Section 1, 2 & 3 for a complete Side Flail Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|------------|
|------------|-------------|----------------------------|------------|

SECTION 1 - Choose a Base Unit

| | | | |
|------------|----------------------------|------|-----------|
| SMF-EDBAT4 | Mid-mount Side Flail Mower | 2565 | \$ 13,302 |
|------------|----------------------------|------|-----------|

INCLUDES: Tractor Mount Kit, Mower Hydraulic Drive System, Travel Safety Lock, Hyd Combo Lift & Tilt System

SECTION 2 - Choose a Cutter Head

| | | | |
|-----------|--|------|-----------|
| TSF-60ED | Flail, Side, 60" Cutter Head, STANDARD CUT | 1005 | \$ 12,811 |
| TSF-60EDG | Flail, Side, 60" Cutter Head, SMOOTH CUT | 1005 | \$ 12,878 |
| TSF-75ED | Flail, Side, 75" Cutter Head, STANDARD CUT | 1110 | \$ 13,439 |
| TSF-75EDG | Flail, Side, 75" Cutter Head, SMOOTH CUT | 1110 | \$ 13,500 |
| TSF-90ED | Flail, Side, 90" Cutter Head, STANDARD CUT | 1215 | \$ 14,224 |
| TSF-90EDG | Flail, Side, 90" Cutter Head, SMOOTH CUT | 1215 | \$ 14,290 |

INCLUDES: Cutter Head, Front & Rear Guards

SECTION 3 - Choose a Hydraulic Controls Option

| | | | |
|---------|--|----|----------|
| H KIT | Hydraulic Hose Kit to Tractor Remotes | 25 | \$ 876 |
| 2 SPV-F | Valve, 2 spool, stand, hoses and cable control | 85 | \$ 2,999 |

INCLUDES: Mower On/Off Switch box

SECTION 4 - Installation Charge

| | | |
|---------------|---------------------------------------|----------|
| Factory Mount | Installation of complete mower system | \$ 4,681 |
| Field Mount | Installation of complete mower system | \$ 4,681 |

SECTION 5 - SIDE MOUNT MOWER OPTIONS

| | | | |
|----------|--|----|----------|
| 06200085 | Adaptor Kit for 45 degree shield application | 12 | \$ 60 |
| 06200218 | Deflector Shield 60" | 28 | \$ 274 |
| 06200072 | Deflector Shield 75" | 36 | \$ 279 |
| 06200082 | Deflector Shield 90" | 42 | \$ 327 |
| 06744070 | Knife Kit 60" ED Flail (knives,bolts,nuts,clevis) STANDARD CUT | 40 | \$ 288 |
| 06744071 | Knife Kit 60" ED Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 34 | \$ 520 |
| 34108 | Knife Kit 75" ED Flail (knives,bolts,nuts,clevis) STANDARD CUT | 52 | \$ 360 |
| 06744072 | Knife Kit 75" ED Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 45 | \$ 648 |
| 34107 | Knife Kit 90" ED Flail (knives,bolts,nuts,clevis) STANDARD CUT | 59 | \$ 432 |
| 06744073 | Knife Kit 90" ED Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 50 | \$ 778 |
| Tiltkit | Mower Tilt Stop Switch | 4 | \$ 373 |
| 06200210 | Paint, non-standard | | \$ 1,236 |

SIDE FLAIL EXTREME DUTY ATTACHMENT KIT

(Kit provides the required components needed to convert a Tiger Boom Mower into a Tiger Side Mount Mower)

HOW TO ORDER: You must select one item from Section 1, 2, 3 & 4 for a complete Attachment Kit.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|--|---|----------------------------|------------|
| <u>SECTION 1 - Choose an Attachment Unit</u> | | | |
| SMF-EDBOT4-A | Hydraulic Lift & Tilt system | 2475 | \$ 3,993 |
| <u>SECTION 2 - Choose a Cutter Head</u> | | | |
| TSF-60ED | Flail, Side, 60" Cutter Head, STANDARD CUT | 1005 | \$ 12,811 |
| TSF-60EDG | Flail, Side, 60" Cutter Head, SMOOTH CUT | 1005 | \$ 12,878 |
| TSF-75ED | Flail, Side, 75" Cutter Head, STANDARD CUT | 1110 | \$ 13,439 |
| TSF-75EDG | Flail, Side, 75" Cutter Head, SMOOTH CUT | 1110 | \$ 13,500 |
| TSF-90ED | Flail, Side, 90" Cutter Head, STANDARD CUT | 1215 | \$ 14,224 |
| TSF-90EDG | Flail, Side, 90" Cutter Head, SMOOTH CUT | 1215 | \$ 14,290 |
| <u>INCLUDES:</u> Cutter Head, Front & Rear Guards | | | |
| <u>SECTION 3 - Choose a Hydraulic Controls Option</u> | | | |
| H KIT | Hydraulic Hose Kit to Tractor Remotes | 25 | \$ 876 |
| 2SPV-F | Valve, 2 spool, stand, hoses and cable control for Side Flail mower | 85 | \$ 2,999 |
| <u>INCLUDES:</u> Mower On/Off Switch box | | | |
| <u>SECTION 4 - Installation Charge</u> | | | |
| Factory Mount | Installation of side mower attachment kit | | \$ 950 |
| Field Mount | Installation of side mower attachment kit | | \$ 950 |

REAR FLAIL - EXTREME DUTY

HOW TO ORDER: You must select one item from Section 1 for a complete flail mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|------------|
|------------|-------------|----------------------------|------------|

SECTION 1 - Choose a Cutter Head - includes 540 drive system & guards

| | | | |
|-----------|--|------|-----------|
| RF-60ED | Flail, Rear Mount 60", Ext Duty, STANDARD CUT | 1060 | \$ 11,660 |
| RF-60EDG | Flail, Rear Mount 60", Ext Duty, SMOOTH CUT | 1055 | \$ 11,706 |
| RF-75ED | Flail, Rear Mount 75", Ext Duty, STANDARD CUT | 1250 | \$ 12,872 |
| RF-75EDG | Flail, Rear Mount 75", Ext Duty, SMOOTH CUT | 1245 | \$ 12,651 |
| RF-90ED | Flail, Rear Mount 90", Ext Duty, STANDARD CUT | 1440 | \$ 13,215 |
| RF-90EDG | Flail, Rear Mount 90", Ext Duty, SMOOTH CUT | 1435 | \$ 13,151 |
| RF-96ED | Flail, Rear Mount 96", Ext Duty, STANDARD CUT | 1525 | \$ 13,620 |
| RF-96EDG | Flail, Rear Mount 96", Ext Duty, SMOOTH CUT | 1520 | \$ 13,647 |
| RF-102ED | Flail, Rear Mount 102", Ext Duty, STANDARD CUT | 1610 | \$ 14,018 |
| RF-102EDG | Flail, Rear Mount 102", Ext Duty, SMOOTH CUT | 1605 | \$ 14,099 |

NOTE:ORDER MUST INDICATE THE OFFSET REQUIREMENT

| | | | |
|--------------|--|------|-----------|
| RF-90EDHSS | Flail, Rear Mount 90", STANDARD CUT - PTO Driven & Hyd Side Shift | 1850 | \$ 16,998 |
| RF-90EDGHSS | Flail, Rear Mount 90", SMOOTH CUT - PTO Driven & Hyd Side Shift | 1845 | \$ 17,048 |
| RF-96EDHSS | Flail, Rear Mount 96", STANDARD CUT - PTO Driven & Hyd Side Shift | 1935 | \$ 17,389 |
| RF-96EDGHSS | Flail, Rear Mount 96", SMOOTH CUT - PTO Driven & Hyd Side Shift | 1930 | \$ 17,418 |
| RF-102EDHSS | Flail, Rear Mount 102", STANDARD CUT - PTO Driven & Hyd Side Shift | 2025 | \$ 17,800 |
| RF-102EDGHSS | Flail, Rear Mount 102", SMOOTH CUT - PTO Driven & Hyd Side Shift | 2020 | \$ 17,881 |

FLAIL INCLUDES: Cutter Head, Cat II Offset 3 Point Hitch Mounting, 540 RPM PTO Drive System, Front & Rear Guards

SECTION 2 - Installation Charge

| | | | |
|----------|---------------------------------------|----|-----|
| Mounting | Installation of complete mower system | \$ | 175 |
|----------|---------------------------------------|----|-----|

SECTION 3 - REAR FLAIL MOWER OPTIONS

| | | | |
|----------|---|-----|----------|
| TF3049 | Caster Wheel, Per Pair, Rear Flail | 150 | \$ 2,014 |
| 06744070 | Knife Kit 60" ED Flail (knives,bolts,nuts,clevis) STANDARD CUT | 40 | \$ 288 |
| 06744071 | Knife Kit 60" ED Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 34 | \$ 520 |
| 34108 | Knife Kit 75" ED Flail (knives,bolts,nuts,clevis) STANDARD CUT | 52 | \$ 360 |
| 06744072 | Knife Kit 75" ED Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 45 | \$ 648 |
| 34107 | Knife Kit 90" ED Flail (knives,bolts,nuts,clevis) STANDARD CUT | 59 | \$ 432 |
| 06744073 | Knife Kit 90" ED Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 50 | \$ 778 |
| 34106 | Knife Kit 96" ED Flail (knives,bolts,nuts,clevis) STANDARD CUT | 52 | \$ 468 |
| 06744074 | Knife Kit 96" ED Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 45 | \$ 811 |
| 34105 | Knife Kit 102" ED Flail (knives,bolts,nuts,clevis) STANDARD CUT | 59 | \$ 496 |
| 06744075 | Knife Kit 102" ED Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 50 | \$ 875 |
| 06200085 | Adaptor Kit for 45 degree shield application | 12 | \$ 60 |
| 06200218 | Deflector Shield 60" | 26 | \$ 274 |
| 06200072 | Deflector Shield 75" | 36 | \$ 279 |
| 06200082 | Deflector Shield 90" | 42 | \$ 327 |
| 06200083 | Deflector Shield 96" | 45 | \$ 342 |
| 06200103 | Deflector Shield 102" | 47 | \$ 357 |
| 06520415 | Slip Clutch Driveline (in lieu of standard) | 18 | \$ 220 |
| 06200210 | Paint, non-standard | | \$ 1,236 |

Side, Twin, Triple Flail-ED

Prices are subject to change without notice.

FRONT FLAIL - EXTREME DUTY

HOW TO ORDER: You must select one item from Section 1 for a complete flail mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|---|---|----------------------------|------------|
| SECTION 1 - Choose a Cutter Head | | | |
| OFF-60ED | Flail, Front Mount 60", Ext Duty, STANDARD CUT | 1160 | \$ 12,654 |
| OFF-60EDG | Flail, Front Mount 60", Ext Duty, SMOOTH CUT | 1160 | \$ 12,720 |
| OFF-75ED | Flail, Front Mount 75", Ext Duty, STANDARD CUT | 1350 | \$ 13,559 |
| OFF-75EDG | Flail, Front Mount 75", Ext Duty, SMOOTH CUT | 1350 | \$ 13,627 |
| OFF-90ED | Flail, Front Mount 90", Ext Duty, STANDARD CUT | 1540 | \$ 14,057 |
| OFF-90EDG | Flail, Front Mount 90", Ext Duty, SMOOTH CUT | 1540 | \$ 14,124 |
| OFF-96ED | Flail, Front Mount 96", Ext Duty, STANDARD CUT | 1625 | \$ 14,599 |
| OFF-96EDG | Flail, Front Mount 96", Exrt Duty, SMOOTH CUT | 1625 | \$ 14,662 |
| OFF-102ED | Flail, Front Mount 102", Ext Duty, STANDARD CUT | 1710 | \$ 15,009 |
| OFF-102EDG | Flail, Front Mount 102", Ext Duty, SMOOTH CUT | 1710 | \$ 15,078 |

INCLUDES: Cutter Head, Cat II Offset 3 Point Hitch Front Mounting, 540/1000 RPM PTO Drive System, Front & Rear Guards

| | | | |
|--|---------------------------------------|----|-----|
| SECTION 2 - Installation Charge | | | |
| Mounting | Installation of complete mower system | \$ | 175 |

| | | | |
|--|---|-----|----------|
| SECTION 3 - FRONT FLAIL MOWER OPTIONS | | | |
| TF3049 | Caster Wheel, Per Pair, Rear Flail | 150 | \$ 2,014 |
| 06744070 | Knife Kit 60" ED Flail (knives,bolts,nuts,clevis) STANDARD CUT | 40 | \$ 288 |
| 06744071 | Knife Kit 60" ED Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 34 | \$ 520 |
| 34108 | Knife Kit 75" ED Flail (knives,bolts,nuts,clevis) STANDARD CUT | 52 | \$ 360 |
| 06744072 | Knife Kit 75" ED Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 45 | \$ 648 |
| 34107 | Knife Kit 90" ED Flail (knives,bolts,nuts,clevis) STANDARD CUT | 59 | \$ 432 |
| 06744073 | Knife Kit 90" ED Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 50 | \$ 778 |
| 34106 | Knife Kit 96" ED Flail (knives,bolts,nuts,clevis) STANDARD CUT | 52 | \$ 468 |
| 06744074 | Knife Kit 96" ED Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 45 | \$ 811 |
| 34105 | Knife Kit 102" ED Flail (knives,bolts,nuts,clevis) STANDARD CUT | 59 | \$ 496 |
| 06744075 | Knife Kit 102" ED Flail (knives,bolts,nuts,clevis) SMOOTH CUT | 50 | \$ 875 |
| 06200085 | Adaptor Kit for 45 degree shield application | 12 | \$ 60 |
| 06200218 | Deflector Shield 60" | 26 | \$ 274 |
| 06200072 | Deflector Shield 75" | 36 | \$ 279 |
| 06200082 | Deflector Shield 90" | 42 | \$ 327 |
| 06200083 | Deflector Shield 96" | 45 | \$ 342 |
| 06200103 | Deflector Shield 102" | 47 | \$ 357 |
| 06200210 | Paint, non-standard | | \$ 1,236 |

TRIPLE FLAIL - EXTREME DUTY

TIER III TRACTORS ONLY

HOW TO ORDER: You must select one item from Section 1, 2 & 3 for a complete Flail Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|--|---|----------------------------|------------|
| SECTION 1 - Choose a Base Unit | | | |
| T3F-HEB | Extreme Duty Triple Flail system - 102" Rear Flail (Standard Cut) | 1450 | \$ 31,452 |
| T3F-HEB | Extreme Duty Triple Flail system - 102" Rear Flail (Smooth Cut) | 1450 | \$ 31,840 |
| INCLUDES: Combo Draft Beam, Tractor Mount Kit and Multi-Valve Cable Control system, Mower Hydraulic Drive System, Mower Hydraulic Cooling System, Front & Rear Guards, Travel Safety Lock | | | |
| SECTION 2 - Choose a Right Side Cutter Head | | | |
| TSF-60RED | Flail, RH Side, 60" Cutter Head, STANDARD CUT | 1005 | \$ 12,811 |
| TSF-60REDG | Flail, RH Side, 60" Cutter Head, SMOOTH CUT | 1005 | \$ 12,874 |
| TSF-75RED | Flail, RH Side, 75" Cutter Head, STANDARD CUT | 1110 | \$ 13,439 |
| TSF-75REDG | Flail, RH Side, 75" Cutter Head, SMOOTH CUT | 1110 | \$ 13,500 |
| TSF-90RED | Flail, RH Side, 90" Cutter Head, STANDARD CUT | 1215 | \$ 14,224 |
| TSF-90REDG | Flail, RH Side, 90" Cutter Head, SMOOTH CUT | 1215 | \$ 14,290 |
| SECTION 3 - Choose a Left Side Cutter Head | | | |
| TSF-60LED | Flail, LH Side, 60" Cutter Head, STANDARD CUT | 1005 | \$ 12,811 |
| TSF-60LEDG | Flail, LH Side, 60" Cutter Head, SMOOTH CUT | 1005 | \$ 12,874 |
| TSF-75LED | Flail, LH Side, 75" Cutter Head, STANDARD CUT | 1110 | \$ 13,439 |
| TSF-75LEDG | Flail, LH Side, 75" Cutter Head, SMOOTH CUT | 1110 | \$ 13,500 |
| TSF-90LED | Flail, LH Side, 90" Cutter Head, STANDARD CUT | 1215 | \$ 14,224 |
| TSF-90LEDG | Flail, LH Side, 90" Cutter Head, SMOOTH CUT | 1215 | \$ 14,290 |
| SECTION 4 - Installation Charge | | | |
| Factory Mount | Installation of complete Triple Mower system | | \$ 7,616 |
| Field Mount | Installation of complete Triple Mower system | | \$ 7,616 |
| TRIPLE FLAIL MOWER OPTIONS | | | |
| E-KIT | Egress Kit, Triple Flail | 150 | \$ 3,667 |
| Tiltkit | Mower Tilt Stop Switch | 4 | \$ 373 |
| TF3049 | Caster Wheel, Per Pair, Rear Flail | 108 | \$ 2,014 |
| 06200085 | Adaptor Kit for 45 degree shield application | 12 | \$ 60 |
| 06200218 | Deflector Shield 60" | 28 | \$ 274 |
| 06200072 | Deflector Shield 75" | 36 | \$ 279 |
| 06200082 | Deflector Shield 90" | 42 | \$ 327 |
| 06200103 | Deflector Shield 102" | 47 | \$ 357 |
| 06200210 | Paint, non-standard, Single Mowing Deck | | \$ 1,236 |
| 06200210 | Paint, non-standard, Twin or Triple | | \$ 2,002 |
| | Reversing Fan, Tractor (Cleans Tractor Radiator) Contact Tiger. | | POR |

TRIPLE FLAIL - EXTREME DUTY

FRONT/REAR MOUNT ONLY

HOW TO ORDER: You must select one item from Section 1 for a complete Flail Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|------------|
|------------|-------------|----------------------------|------------|

SECTION 1 - Base Unit

| | | | |
|---------|--|------|-----------|
| T3F-FT4 | Extreme Duty Triple Flail system - Qty 1 of 102" Front Flail, Qty 2 of 90" Rear Flails - Designate Standard cut or Smooth cut knives. TRACTOR MUST HAVE FRONT 3 POINT MOUNT SYSTEM & PTO. | 1450 | \$ 63,654 |
|---------|--|------|-----------|

INCLUDES: Rear Unit: Combo Draft Beam, Tractor Mount Kit and Multi-Valve Cable Control system, Mower Hydraulic Drive System, Mower Hydraulic Cooling System, Front & Rear Guards, Travel Safety Lock. Front Flail: 102" 3 Point Attachment Flail.

SECTION 2 - Installation Charge

| | | |
|---------------|--|----------|
| Factory Mount | Installation of complete Triple Mower system | \$ 6,143 |
| Field Mount | Installation of complete Triple Mower system | \$ 6,143 |

TRIPLE FLAIL MOWER OPTIONS

| | | | |
|----------|---|-----|----------|
| Tiltkit | Mower Tilt Stop Switch | 4 | \$ 373 |
| TF3049 | Caster Wheel, Per Pair, Rear Flail | 108 | \$ 2,014 |
| 06200085 | Adaptor Kit for 45 degree shield application | 12 | \$ 60 |
| 06200082 | Deflector Shield 90" | 42 | \$ 327 |
| 06200103 | Deflector Shield 102" | 47 | \$ 357 |
| 06200210 | Paint, non-standard, Single Mowing Deck | | \$ 1,236 |
| 06200210 | Paint, non-standard, Twin or Triple | | \$ 2,002 |
| | Reversing Fan, Tractor (Cleans Tractor Radiator) Contact Tiger. | | POR |

TRIPLE PULL FLAIL - EXTREME DUTY

TPF MODEL - 1000 RPM PTO TRACTORS REQUIRED

HOW TO ORDER: You must select one item from Section 1 for a complete Flail Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|------------|
|------------|-------------|----------------------------|------------|

SECTION 1 - Base Unit

| | | | |
|---------|--|------|-----------|
| TPF-FT4 | Trailer Mounted, Complete Hydraulically driven Extreme Duty Triple Flail system - Qty 2 of 75" Side Flails, Qty 1 of 90" Rear Flail - Designate Standard cut or Smooth cut knives. 1000 RPM PTO Drive, Tractor power beyond Required. Width of cut = 225" | 7450 | \$ 70,950 |
|---------|--|------|-----------|

INCLUDES: Hydraulic Double Combo Lift & Draft Beam, Mower Hydraulic Drive System, Lift valve Kit, Mower Hydraulic Cooling System, Front & Rear Guards, Travel Safety Locks, Cutter head tilt auto-shutoff, Rear flail with Cat II 3pt hitch lift, complete trailer w/4 wheels.

SECTION 2 - Tractor Prep & Installation

| | | | |
|---------------|---|----|-----|
| Factory Mount | Tractor Prep & Installation of TPF Flail system | \$ | 500 |
| Field Mount | Tractor Prep & Installation of TPF Flail system | \$ | 500 |

TRIPLE FLAIL MOWER OPTIONS

| | | | |
|----------|--|----|----------|
| 06200085 | Adaptor Kit for 45 degree shield application | 12 | \$ 60 |
| 06200072 | Deflector Shield 75" | 36 | \$ 279 |
| 06200082 | Deflector Shield 90" | 42 | \$ 327 |
| Tiltkit | Mower Tilt Stop Switch | 4 | \$ 373 |
| 06200210 | Paint, non-standard, Flails & Frame | | \$ 1,640 |

SIDE DITCHER

TIER III TRACTORS ONLY

HOW TO ORDER: You must select one item from Section 1, 2, 3 & 4 for a complete Side Ditcher.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|---|--|----------------------------|------------|
| SECTION 1 - Choose a Base Unit | | | |
| DSM-HDB | Mid-mount Side Ditcher - Extreme Duty | 2247 | \$ 8,688 |
| INCLUDES: Tractor Mount Kit & Hydraulic Drive System for Ditcher | | | |
| SECTION 2 - Choose a Ditcher system | | | |
| DA22-120HSV | Ditcher- for Extreme Duty mount systems w/Brake Valve | 868 | \$ 11,421 |
| DA22-120HSN | Ditcher- for Extreme Duty mount systems without Brake Valve | 845 | \$ 12,692 |
| SECTION 3 - Choose a Lift System | | | |
| Combo | Combo Lift system includes: Hydraulic Combo Lift & Tilt system | 100 | \$ 3,031 |
| Cable | Cable Lift system includes: Hydraulic Lift & Cable Tilt system | 132 | \$ 2,889 |
| SECTION 4 - Choose a Hydraulic Controls Option | | | |
| H KIT | Hydraulic Hose Kit to Tractor Remotes | 25 | \$ 876 |
| 3SPV-R | Valve, 3 spool, stand, hoses and cable control | 95 | \$ 3,930 |
| SECTION 5 - DITCHER OPTIONS | | | |
| 06200121 | Ditcher Rotation Conversion Kit | 75 | \$ 2,518 |
| SECTION 6 - Installation Charge | | | |
| Factory Mount | Installation of complete ditcher system at factory | | \$ 4,671 |
| Field Mount | Installation of complete ditcher system at factory | | \$ 4,671 |

DITCHER ATTACHMENT KIT

TIER III TRACTORS ONLY

(Kit provides the required components needed to convert a Side Mount Mower into a Side Mount Ditcher)

HOW TO ORDER: You must select one item from Section 1 for a complete Attachment Kit.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|--|---|----------------------------|------------|
| SECTION 1 - Choose a Unit | | | |
| DA22-120SDCOV | Ditcher-Combo Lift for Super Duty mount systems w/Brake Valve | 743 | \$ 11,022 |
| DA22-120HDCAV | Ditcher-Cable Lift for Extreme Duty mount systems w/Brake Valve | 736 | \$ 10,189 |
| DA22-120HDCOV | Ditcher-Combo Lift for Extreme Duty mount systems w/Brake Valve | 745 | \$ 11,256 |
| DA22-120SDOSN | Ditcher-Combo Lift for Super Duty mount systems w/o Brake Valve | 822 | \$ 13,220 |
| DA22-120HDCAOSN | Ditcher-Cable Lift for Extreme Duty mount systems w/o Brake Valve | 814 | \$ 12,509 |
| DA22-120HDCOOSN | Ditcher-Combo Lift for Extreme Duty mount systems w/o Brake Valve | 824 | \$ 13,220 |
| INCLUDES: Ditcher Head Assembly and Hose Kit to operate with tractor remote | | | |
| SECTION 2 - DITCHER OPTIONS | | | |
| 06200121 | Ditcher Rotation Conversion Kit | 75 | \$ 2,518 |

DITCHER ATTACHMENT KIT

TIER 4 TRACTORS ONLY

(Kit provides the required components needed to convert a T4 Side Mount Mower into a Side Mount Ditcher)

HOW TO ORDER: You must select one item from Section 1 for a complete Attachment Kit.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|------------|
|------------|-------------|----------------------------|------------|

SECTION 1 - Choose a Unit

| | | | |
|----------|---|------|-----------|
| DA22-SMD | Mid-mount Side Ditcher for Tier 4 mount systems | 3650 | \$ 17,995 |
|----------|---|------|-----------|

SECTION 2 - Choose a Hydraulic Controls Option

| | | | |
|-------------|--|-----|----------|
| Conkit 2SPV | Convert 2 spool valve to 5 spool valve | 55 | \$ 2,307 |
| 5SPV-R | Valve, 5 spool, stand, hoses and cable control | 105 | \$ 5,238 |

SECTION 3 - DITCHER OPTIONS

| | | | |
|----------|---------------------------------|----|----------|
| 06200121 | Ditcher Rotation Conversion Kit | 75 | \$ 2,518 |
|----------|---------------------------------|----|----------|

DITCHER HEAD KIT - BENGAL

(Kit provides the required components needed to convert a Bengal Boom Mower into a Ditcher)

HOW TO ORDER: You must select one item from Section 1 for a complete Head Kit.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|------------|
|------------|-------------|----------------------------|------------|

SECTION 1 - Choose a Base Unit

| | | | |
|---------------|---|-----|-----------|
| DA22-BPV | Ditcher- Boom - Primary(inner) boom arm mount w/Brake Valve | 693 | \$ 9,740 |
| DA22-BPN | Ditcher- Boom - Primary(inner) boom arm mount w/o Brake Valve | 693 | \$ 12,348 |
| DA22-BSECV-SR | Ditcher - Std Rotation - Secondary boom mount w/ Brake Valve. | 645 | \$ 9,614 |
| DA22-BSECV-RR | Ditcher-Reverse Rotation- Secondary boom arm w/ Brake Valve. | 645 | \$ 9,614 |

INCLUDES: Ditcher Head to attach to primary or secondary boom arm and Hose Kit

SECTION 2 - DITCHER OPTIONS

| | | | |
|----------|--|----|----------|
| 06200121 | Ditcher Rotation Conversion Kit | 75 | \$ 2,518 |
| 06100438 | Linkage, Dog Leg required for Bengal Boom Flail Head | 50 | \$ 461 |

DITCHER HEAD KIT - SABER

(Kit provides the required components needed to convert a Saber Boom Mower into a Ditcher)

HOW TO ORDER: You must select one item from Section 1 for a complete Head Kit.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|------------|
|------------|-------------|----------------------------|------------|

SECTION 1 - Choose a Base Unit

| | | | |
|--------------|---|-----|----------|
| DA22-SSEC-SR | Ditcher - Std Rotation - Secondary boom arm mount system. | 675 | \$ 9,718 |
| DA22-SSEC-RR | Ditcher - Reverse Rotation - Secondary boom arm mount system. | 675 | \$ 9,718 |

Ditcher Head to attach to secondary boom arm and Hose Kit. Need

INCLUDES: clamp attachment kit if unit is equipped with 60" Rotary Head

SECTION 2 - DITCHER OPTIONS

| | | | |
|----------|--------------------------------------|----|----------|
| 06200121 | Ditcher Rotation Conversion Kit | 75 | \$ 2,518 |
| | 60" Rotary Head Clamp Attachment Kit | 22 | \$ 747 |

REAR SIDE SHIFT FLAIL MOWERS

HOW TO ORDER: You must select one item from Section 1 for a complete Rear Offset Flail Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|---------------------------------------|-------------|----------------------------|------------|
| SECTION 1 - Choose a Base Unit | | | |

| | | | |
|-----------|--|------|-----------|
| RBF-2C-63 | 63" Rear Flail, Hydraulic Powered Side Shift - (60 PTOhp/4500 lbs) | 1895 | \$ 17,861 |
| RBF-2C-80 | 80" Rear Flail, Hydraulic Powered Side Shift - (60 PTOhp/4500 lbs) | 2006 | \$ 21,317 |

INCLUDES: Flail Head w/Universal knives, Category II 3 Point Hitch and Hose Kit to tractor remotes, 540 RPM PTO Drive System, Travel Safety Lock, Front & Rear Guards

NOTE: Tractor requires 2 Dual Rear Remote Outlets

Additional front & left rear ballast may be required for desired tractor stability. Ballast Not included.

SECTION 2 - Dealer Installation

| | | | |
|----------|---------------------------------------|----|-----|
| Mounting | Installation of complete mower system | \$ | 588 |
|----------|---------------------------------------|----|-----|

SECTION 3 - Options

| | | | |
|----------|--|----|----------|
| 06744061 | Knife Kit for RBF63 (knives,clevis,spacers,bolts,nuts,washers) | 35 | \$ 1,713 |
| 06744062 | Knife Kit for RBF80 (knives,clevis,spacers,bolts,nuts,washers) | 42 | \$ 1,740 |

REAR BOOM FLAIL MOWERS

HOW TO ORDER: You must select one item from Section 1 & 2 for a complete Rear Boom Flail Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|---------------------------------------|-------------|----------------------------|------------|
| SECTION 1 - Choose a Base Unit | | | |

| | | | |
|-------------|---|------|-----------|
| RBF-130BASE | Rear Boom unit with 13' 9" Reach w/ 37" (40 PTOhp/4000 lbs) | 1338 | \$ 14,155 |
| RBF-150BASE | Rear Boom unit with 15' 5" Reach w/37" (50 PTOhp/4400 lbs) | 1405 | \$ 16,874 |

INCLUDES: Rear Boom mower, Category II 3 Point Hitch, 540 PTO Independent Hydraulic Pump system, Travel Safety Lock, Multi-valve Cable Control, Mower Guards, Noncab Tractors will include Operator Safety Screen. Oil included.

Additional front & left rear ballast may be required for desired tractor stability. Ballast Not included.

| | | | |
|-------------|--|------|-----------|
| RBF-190BASE | Rear Boom unit with 18' 8" Reach (70 PTOhp/7000 lbs) | 2590 | \$ 21,140 |
|-------------|--|------|-----------|

INCLUDES: Rear Boom mower, Hydraulic Swing System, Category II 3 Point Hitch, Lift Float Kit, 540 PTO Independent Hydraulic Pump system, Travel Safety Lock, Multi-valve Cable Control, Mower Guards, Rear lights. Non Cab Tractors will include an Operator Safety Screen. Oil included.

Additional front & left rear ballast may be required for desired tractor stability. Ballast Not included.

SECTION 2 - Choose a Cutter Head

| | | | |
|----------|---|-----|----------|
| RBF-37HG | 37" Flail Cutter Head with Universal Knives | 285 | \$ 5,301 |
| RBF-37HB | 37" Flail Cutter Head with Brush Knives | 285 | \$ 5,393 |
| RBF-50HG | 50" Flail Cutter Head with Universal Knives | 400 | \$ 6,099 |

SECTION 3 - Dealer Installation

| | | | |
|----------|---------------------------------------|----|-------|
| Mounting | Installation of complete mower system | \$ | 1,442 |
|----------|---------------------------------------|----|-------|

SECTION 3 - Options

| | | | |
|----------|--|----|----------|
| 06744063 | Knife Kit for 37" GRASS (knives,collar,spacers,bolts,nuts,washers) | 32 | \$ 1,158 |
| 06744064 | Knife Kit for 37" BRUSH (knives,collar,bolts,nuts,washers) | 38 | \$ 724 |
| 06744065 | Knife Kit for 50" GRASS (knives,collar,spacers,bolts,nuts,washers) | 42 | \$ 1,493 |

HEAVY DUTY REAR BOOM MOWERS

HOW TO ORDER: You must select one item from Section 1 & 2 for a complete Rear Boom Flail Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|--|--|----------------------------|------------|
| SECTION 1 - Choose a Base Unit | | | |
| RBM-16BASE | Rear Boom unit with 16' 5" Reach (70 PTO hp/ 7500 lbs) | 1700 | \$ 22,261 |
| RBM-20BASE | Rear Boom unit with 19' 8" Reach (75 PTO hp/ 8800 lbs) | 2305 | \$ 25,194 |
| INCLUDES: Rear Boom mower, Swing System, Category II 3 Point Hitch, Lift Float Kit, 540 PTO Independent Hydraulic Pump system, Travel Safety Lock, Multi-valve Cable Control, Mower Guards, Non Cab Tractors will include an Operator Safety Screen. Rear lights on unit. Oil included. | | | |
| Additional front & left rear ballast may be required for desired tractor stability. Ballast Not included. | | | |
| SECTION 2 - Choose a Cutter Head | | | |
| RBM-16/20HG | 47" Flail Cutter Head with Grass Knives | 740 | \$ 8,162 |
| RBM-16/20HU | 47" Flail Cutter Head with Universal Knives | 740 | \$ 8,226 |
| RBM-16/20HH | 47" Flail Cutter Head with Hedge Knives | 740 | \$ 8,284 |
| RBM-16/20HR | 60" Rotary Cutter Head with Blade Bar | 870 | \$ 10,946 |
| SECTION 3 - Dealer Installation | | | |
| Mounting | Installation of complete mower system | | \$ 1,656 |
| SECTION 4 - Options | | | |
| XTC-Joystick | Proportional Joystick Control System (factory install only) | 18 | \$ 10,657 |
| 06744066 | Knife Kit for 47" GRASS (knives,clevis,spacers,bolts,nuts,washers) | 47 | \$ 1,589 |
| 06744067 | Knife Kit for 47" UNIV (knives,clevis,spacers,bolts,nuts,washers) | 42 | \$ 1,569 |
| 06744068 | Knife Kit for 47" HEDGE (knives,clevis,spacers,bolts,nuts,washers) | 49 | \$ 1,393 |
| 06744069 | Blade Kit for 60" Rotary (knives,bolts,spacers,nuts,pins) | 28 | \$ 160 |

New Holland BiDi Tractor Mowers

BOOM MOWER- BENGAL

for New Holland Bi-Directional Tractors

HOW TO ORDER: You must select one item from Section 1 & 2 for a complete Side Flail Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|---------------------------------------|-------------|----------------------------|---------------|
| SECTION 1 - Choose a Base Unit | | | |

| | | | |
|---|--|------|-----------|
| TV-B | Bengal Boom Mower - (Pre-Assembled) | 3478 | \$ 48,940 |
| TV-XB-B | Bengal XB Boom Mower - (Pre-Assembled) | 3680 | \$ 53,724 |
| INCLUDES: Boom Arms, Mounting system and Wheel weights, Mower Hydraulic System, Multi-valve Electronic Joystick Control system, Stow system, Travel Safety Lock, Operator Safety Screen/Poly | | | |

SECTION 2 - Choose a Cutter Head

ROTARY

| | | | |
|-------|--|-----|-----------|
| RT50D | 50" Rotary head with Disc & Hydraulic Door | 815 | \$ 12,495 |
| RT50B | 50" Rotary Head with Blade Bar & Hydraulic Door (Boom Reach ≈ 21.4' for TV-B and 23.7' for TV-XB) | 740 | \$ 12,366 |
| RT60B | 60" Rotary Head with Blade Bar & Hydraulic Door (Boom Reach ≈ 21.8' for TV-B and 24.2' for TV-XB) | 840 | \$ 14,517 |

FLAIL

| | | | |
|---------|--|-----|-----------|
| FL50LBG | 50" Flail Head with Light Brush/Grass Knives | 800 | \$ 14,266 |
| FL50MBG | 50" Flail Head with Medium Brush/Grass Knives | 808 | \$ 15,004 |
| FL50HDB | 50" Flail Head with Heavy Duty Brush Knives (Boom Reach ≈ 21.4' for TV-B and 23.7' for TV-XB) | 815 | \$ 15,039 |
| FL63G | 63" Flail Head with Grass Knives (Boom Reach ≈ 21.9' for TV-B and 24.3' for TV-XB) | 855 | \$ 14,652 |

SECTION 3 - Installation Charge

| | | |
|---------------|---------------------------------------|----------|
| Factory Mount | Installation of complete mower system | \$ 5,371 |
| Field Mount | Installation of complete mower system | \$ 5,371 |

SECTION 4 - OPTIONS

| | | | |
|----------|--|----|----------|
| 06744040 | 50" & 60" Blade Bar Parts Kit (knives,bolts,nuts,filter,grease) | 36 | \$ 307 |
| 06744005 | 50" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) BRUSH | 32 | \$ 687 |
| 06744006 | 63" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) GRASS | 44 | \$ 510 |
| 06200210 | Paint, non-standard | | \$ 1,497 |

BOOM MOWER- SABER

for New Holland Bi-Directional Tractors

HOW TO ORDER: You must select one item from Section 1 & 2 for a complete Side Flail Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|---------------|
|------------|-------------|----------------------------|---------------|

SECTION 1 - Choose a Base Unit

| | | | |
|--|------------------------------------|------|-----------|
| TV-SB | Saber Boom Mower - (Pre Assembled) | 4475 | \$ 66,527 |
| <u>INCLUDES:</u> Boom Arms, Mounting system and Wheel weights, Mower Hydraulic System, Multi-valve Electronic Joystick Control system, Stow system, Travel Safety Lock, Operator Safety Screen/Poly | | | |

SECTION 2 - Choose a Cutter Head

ROTARY

| | | | |
|-------|--|-----|-----------|
| RT50S | 50" Rotary Head with Blade Bar & Hydraulic Door (Boom Reach ≈ 23.5' for TV-S) | 990 | \$ 13,139 |
| RT60S | 60" Rotary Head with Blade Bar & Hydraulic Door (Boom Reach ≈ 23.6' for TV-S) | 845 | \$ 14,523 |

FLAIL

| | | | |
|--------|---|------|-----------|
| FL50SB | 50" Flail Head with Brush Knives (Boom Reach ≈ 23.5' for TV-S) | 1002 | \$ 14,852 |
| FL63SG | 63" Flail Head with Grass Knives (Boom Reach ≈ 23.6' for TV-S) | 875 | \$ 15,344 |

SECTION 3 - Installation Charge

| | | |
|---------------|---------------------------------------|----------|
| Factory Mount | Installation of complete mower system | \$ 5,371 |
| Field Mount | Installation of complete mower system | \$ 5,371 |

SECTION 4 - OPTIONS

| | | | |
|----------|--|----|----------|
| 06744003 | 50" Rotary Parts Kit (knives,bolts,nuts,filter,grease) | 36 | \$ 598 |
| 06744040 | 60" Rotary Parts Kit (knives,bolts,nuts,filter,grease) | 36 | \$ 307 |
| 06744044 | 50" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) BRUSH | 55 | \$ 1,085 |
| 06744006 | 63" Flail Parts Kit (knives,bolts,nuts,filter,clevis,belts) GRASS | 44 | \$ 510 |
| 06200210 | Paint, non-standard | | \$ 1,497 |

TRIPLE FLAIL MOWER

for New Holland Bi-Directional Tractors

HOW TO ORDER: You must select one item from Section 1 for a complete Flail Mower.

| Order Code | Description | Approx. Weight (lbs) | List Price |
|---------------------------------------|-------------|----------------------------|---------------|
| SECTION 1 - Choose a Base Unit | | | |

| | | | |
|---------|--|------|-----------|
| TV-T3F | Flails (STANDARD CUT) RH Side- 90", LH Side- 90", Rear Mount 102", PTO powered Hydraulic Mower system, Multi-valve Cable Control system, Hydraulic Lift & Tilt system, Tractor Mount system, Cooling System. | 5280 | \$ 72,662 |
| TV-T3FG | Flails (SMOOTH CUT) RH Side- 90", LH Side- 90", Rear Mount 102", PTO powered Hydraulic Mower system, Multi-valve Cable Control system, Hydraulic Lift & Tilt system, Tractor Mount system, Cooling System. | 5280 | \$ 72,441 |

INCLUDES: Cutter Heads (3), Tractor Mount Kit and Multi-Valve Cable Control system, Mower Hydraulic System, Mower Hydraulic Cooling System, Front & Rear Guards, Travel Safety Lock

**** These models are Pre Assembled****

SECTION 2 - Installation Charge

| | | |
|---------------|---|----------|
| Factory Mount | Installation of complete BiDi Triple Mower system | \$ 6,659 |
| Field Mount | Installation of complete BiDi Triple Mower system | \$ 6,659 |

SECTION 3 - MOWER OPTIONS

| | | |
|----------|---|-----------|
| TV-RF | Reversing Fan, Tractor (Cleans Tractor Radiator) Contact Tiger for details. | \$ 7,666 |
| Tiltkit | Mower Tilt Stop Switch | 4 \$ 373 |
| 06200085 | Adaptor Kit for 45 degree shield application | 12 \$ 61 |
| 06200082 | Deflector Shield 90" | 42 \$ 340 |
| 06200103 | Deflector Shield 102" | 45 \$ 372 |
| 06200210 | Paint, non-standard, Triple | \$ 1,879 |

ATTACHMENTS

CLAW - ROAD SHOULDER REPAIR

HOW TO ORDER: You must select one item from Section 1 for a complete CLAW.

Tractor requires 2 Dual SCV's - Cat II - 3 Point Hitch

| Order Code | Description | Approx. Weight | List Price |
|---|--|----------------|------------|
| SECTION 1 - Choose a Base Unit | | | |
| 06100846 | Right Hand Mount - Mechanical Positioning | 1605 | \$ 8,067 |
| 06101804 | Right Hand Mount - Hydraulic Positioning | 1630 | \$ 8,920 |
| 06101574 | Universal Right & Left Hand Mount - Mechanical Positioning | 1755 | \$ 8,542 |
| 06101748 | Universal Right & Left Hand Mount - Hydraulic Positioning | 1785 | \$ 9,396 |
| INCLUDES: Hose Kit to Tractor Remotes, Transport System, Travel Safety Lock ** Tractor requires 2 Dual SCV's and Category II 3 PT Hitch system ** | | | |
| SECTION 2 - OPTIONS | | | |
| CLW-HC | Hydraulic Cylinder Kit for field installation | | \$ 1,352 |

SAW BLADE

HOW TO ORDER: You must select one item from Section 1 for a Saw Blade complete .

| Order Code | Description | Approx. Weight | List Price |
|---|--|----------------|------------|
| SECTION 1 - Choose a Saw Blade Kit | | | |
| TSAW - TRB | Saw blade - 48" diameter Blade kit For 50" Bengal Rotary Deck Only | 220 | \$ 6,166 |
| TSAW - SBR | Saw blade - 48" diameter Blade kit For 50" Saber Rotary Deck Only. Fits Saber 25' model only. | 220 | \$ 6,294 |
| INCLUDES: 48" dia. Blade, Adapter, Carbide Teeth and mounting fasteners. | | | |
| SECTION 2 - Installation Charge | | | |
| Mounting | Installation | | \$ 293 |
| SECTION 3 - SAW BLADE OPTIONS | | | |
| 34704 | Rivet Removal Tool | | \$ 230 |
| 34705 | Sharpening Tool | | \$ 359 |
| 06200616 | Carbide replacement tip, set of 10 (Require silver solder to fasten to teeth) | | \$ 79 |
| 06200615 | Teeth, extra set 30 pcs (rivets included) | | \$ 532 |

TIGER GRADALL HEADS

XL SERIES

HOW TO ORDER: You must select one item from Section 1 for a complete Gradall Cutting Head

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|------------|
|------------|-------------|----------------------------|------------|

SECTION 1 - Base Unit

| | | | |
|---------------|--|------|-----------|
| TGGRAD-RT | 50" Saber Rotary Head with Blade Bar/manual door for Gradall Excavator | 1125 | \$ 14,690 |
| TGGRAD-FL-MBG | 50" Saber Flail Head with MBG Brush knives for Gradall Excavator | 1195 | \$ 15,426 |
| TGGRAD-FL-HD | 50" Saber Flail Head with HD Brush knives for Gradall Excavator | 1215 | \$ 15,572 |

BOOM MOUNT TREE SHEAR

HOW TO ORDER: You must select one item from Section 1 for a complete Tree Shear attachment

| Order Code | Description | Approx. Weight (lbs) | List Price |
|------------|-------------|----------------------------|------------|
|------------|-------------|----------------------------|------------|

SECTION 1 - Base Unit

| | | | |
|---------------|---|-----|-----------|
| TSHEAR-Bengal | Tree shear to mount to Bengal Booms - cuts up to 12" diameter trees/limbs | 965 | \$ 10,679 |
| TSHEAR-Saber | Tree shear to mount to Saber Booms - cuts up to 12" diameter trees/limbs | 965 | \$ 10,679 |

| Additional Options for Tiger Equipment | | | |
|--|---|----------------------|------------|
| Order Code | Description | Approx. Weight (lbs) | List Price |
| | Auxiliary Cooler for Mowers (call for adaptability) | 35 | \$ 3,085 |
| | Biodegradable Hydraulic Oil (Price per Gallon-Factory Install Only) | | \$ 60 |
| | Cable Controlled Valve Spool (for converting flail unit to rotary unit) | 5 | \$ 794 |
| | Grill Guard w/Pump Guard | 34 | \$ 400 |
| | Hydraulic Reservoir Cap Lock | 3 | \$ 62 |
| 06200803 | JD 4WD 61x5E Series Timbren Axle Stabilizer Kit | | \$ 425 |
| 06200746 | JD 4WD 6x30 Series Cylinder Axle Stabilizer Kit | | \$ 1,275 |
| 06200741 | JD 4WD 7x30 Series Cylinder Axle Stabilizer Kit | | \$ 1,095 |
| 06200806 | JD 4WD 6105-30 M/R Series Cylinder Axle Stabilizer Kit | | \$ 1,365 |
| 06200807 | JD 4WD 6140-50 M/R Series Cylinder Axle Stabilizer Kit | | \$ 1,365 |
| 06200839 | JD 4WD 6145-55 M/R Series Cylinder Axle Stabilizer Kit | | \$ 1,365 |
| 06200818 | CNH 4WD T6.xxx Series Cylinder Stabilizer Kit | | \$ 1,425 |
| 06700214 | Light Bar Kit for Tractors | | \$ 775 |
| 06200790 | Safety Screen, Lower front window, 6000 series | | \$ 405 |
| 06200791 | Safety Screen, Lower front window, 7000 series | | \$ 405 |
| | Safety Screen, Lower front window, 61xx M Series | | \$ 405 |
| | Operator Protective Screen (ROPS) | | \$ 3,194 |
| | Operator Protective Screen (CAB) | | \$ 2,528 |
| | Pump Guard | 22 | \$ 172 |
| | Quick Coupler Bulkhead Connections (booms, heads, tractor) | | \$ 3,888 |
| | Quick Coupler Kit for Heads Only | 10 | \$ 345 |
| | Quick Coupler Kit for Side/Boom Mower and Heads | 15 | \$ 644 |
| 06520415 | Slip Clutch Driveline | 18 | \$ 583 |
| 06200392 | Torque Wrench Kit for Rotary (1000 ft Pound Tool) | 50 | \$ 2,693 |
| 06200393 | Torque Wrench Kit for Rotary (2000 ft Pound Tool) | 65 | \$ 4,437 |
| | Wheel Weight - 500 lb. | 500 | \$ 1,305 |
| | Wheel Weight - 850 lb. Cast Outboard Design | 850 | \$ 2,083 |
| | Wheel Weight, 1300 lbs (30" min. rim) | 1300 | \$ 3,032 |
| | Wheel Weight, 1700 lbs (34" min. rim) | 1700 | \$ 4,237 |
| | Wheel Weight, 3400 lbs (38" min. rim) | 3400 | \$ 6,992 |
| | Wheel Weight Kit, 4250 lbs(1-3400#, 1-850#) Need 38" Rims | 4250 | \$ 9,291 |
| | Mounting, Custom* (In addition to standard mounting charge) | Dealer Net Price | \$ 3,055 |
| | Dealer PDI (prep,delivery,installation) Hourly Rate | Net Per Hour | \$ 155 |

***CUSTOM MOUNT CHARGE WILL BE ADDED TO NON-STANDARD TRACTORS.**

WARRANTY OPTIONS

Tiger Product Extended Warranty - 1 year - \$250 Deductible/Visit per Std Warranty Policy 6.5% of Net Sale

Tiger Product Extended Warranty - 2 year - \$250 Deductible/Visit per Std Warranty Policy 12.0% of Net Sale

Tiger Product Extended Warranty - add 3% additional per year after 2 years.

| Tiger Apparel | | | |
|---------------|---|------------------|-----------|
| Order Code | Description | | Net Price |
| TCAP | Tiger Cap - Beige with colored logo | Dealer Net Price | \$ 13 |
| TSGS | Tiger Short Sleeve Golf Shirt Style #469 (Size S-XL) | Dealer Net Price | \$ 67 |
| TSGS-HG | Tiger Short Sleeve Golf Shirt Style #469 (Size XXL +) | Dealer Net Price | \$ 72 |
| TJKT | Tiger Jacket Style #JP54 Fleece Lined (Size S-XL) | Dealer Net Price | \$ 98 |
| TJKT-HG | Tiger Jacket Style #JP54 Fleece Lined (Size XXL +) | Dealer Net Price | \$ 115 |

ENGINE WHEEL LOADER BOOM MOWER

NOTE: Wheel Loader must have a minimum GVW of 25,000 lbs and or a Lift Capacity of 10,000 lbs.

HOW TO ORDER: You must select one item from Section 1, 2 & 3 for a complete Wheel Loader Boom Mower.

| Order Code | Description | Approx Weight (lbs) | List Price |
|------------|-------------|---------------------|------------|
|------------|-------------|---------------------|------------|

SECTION 1 - Choose a Base Unit

RIGHT HAND REACH

| | | | |
|---------------|--|------|-----------|
| WHLDR RHBB-19 | Bengal 19 Boom Mower for Wheel Loader Quick Attach system. | 7750 | \$ 68,405 |
| WHLDR RHBB-24 | Bengal 24 Boom Mower for Wheel Loader Quick Attach system. | 7850 | \$ 70,298 |
| WHLDR RHBB-25 | Bengal 25 Boom Mower for Wheel Loader Quick Attach system. | 7995 | \$ 72,353 |

LEFT HAND REACH

| | | | |
|---------------|--|------|-----------|
| WHLDR LHBB-19 | Bengal 19 Boom Mower for Wheel Loader Quick Attach system. | 7750 | \$ 68,405 |
| WHLDR LHBB-24 | Bengal 24 Boom Mower for Wheel Loader Quick Attach system. | 7850 | \$ 70,298 |
| WHLDR LHBB-25 | Bengal 25 Boom Mower for Wheel Loader Quick Attach system. | 7995 | \$ 72,353 |

INCLUDES: All components needed for boom mower to be mounted to a Wheel Loader Quick Attach system with auxiliary engine. Boom Arms, Mounting system and Counter Weights, Mower Hydraulic Drive System. Multi-valve Electronic Joystick Control system, Travel Safety Lock, Front & Rear Guards. Counterweight of # 1585 included, if more counterweight needed, see below. ****OPERATOR PROTECTION NOT SUPPLIED****

NOTE: WHEEL LOADER QUICK ATTACH HOOKS ARE NOT INCLUDED. HOOKS MUST BE SUPPLIED AND WILL BE INSTALLED AT FACTORY.

SECTION 2 - Choose a Cutter Head

ROTARY

| | | | |
|---------|---|-----|-----------|
| WhRT50D | 50" Rotary head with Disc & Hydraulic Door | 815 | \$ 10,622 |
| WhRT50B | 50" Rotary Head with Blade Bar & Hydraulic Door | 740 | \$ 10,518 |
| WhRT60B | 60" Rotary Head with Blade Bar & Hydraulic Door | 840 | \$ 12,343 |

FLAIL

| | | | |
|-----------|---|-----|-----------|
| WhFL50LBG | 50" Flail Head with Light Brush/Grass Knives | 800 | \$ 12,116 |
| WhFL50MBG | 50" Flail Head with Medium Brush/Grass Knives | 808 | \$ 12,752 |
| WhFL50HDB | 50" Flail Head with Heavy Duty Brush Knives | 815 | \$ 12,792 |
| WhFL63LG | 63" Flail Head with Grass Knives | 855 | \$ 12,459 |

SECTION 3 - Installation Charges-all required or customer supplied

| | | |
|--------------|--|----------|
| Hooks | QA Hooks for Wheel Loader adaptor device-specify model | \$ 3,935 |
| Mount/Weld | Field Installation of QA Hooks (welded to plate on mower system) | \$ 1,930 |
| Loader Mount | Installation of complete mower system by Dealer | \$ 3,275 |

OPTIONAL EQUIPMENT

| | | | |
|-------|---|----|--------|
| 35018 | Counterweight Sections (72 lbs each - max 25 for space provided) | 72 | \$ 275 |
|-------|---|----|--------|

HYDRUALIC WHEEL LOADER BOOM MOWER

NOTE: Wheel Loader must have a minimum GVW of 25,000 lbs and or a Lift Capacity of 10,000 lbs.

HOW TO ORDER: You must select one item from Section 1, 2 & 3 for a complete Wheel Loader Boom Mower.

| Order Code | Description | Approx Weight (lbs) | List Price |
|------------|-------------|---------------------|------------|
|------------|-------------|---------------------|------------|

SECTION 1 - Choose a Base Unit

RIGHT HAND REACH

| | | | |
|---------------|--|------|-----------|
| WHLDR RHBB-19 | Bengal 19 Boom Mower for Wheel Loader Quick Attach system. | 4500 | \$ 39,505 |
| WHLDR RHBB-24 | Bengal 24 Boom Mower for Wheel Loader Quick Attach system. | 4750 | \$ 40,557 |
| WHLDR RHBB-25 | Bengal 25 Boom Mower for Wheel Loader Quick Attach system. | 4950 | \$ 41,873 |

INCLUDES: All components needed for boom mower to be mounted to a Wheel Loader Quick Attach system with hydraulic controls. Boom Arms, Mounting system and Counter Weights, Mower Hydraulic Drive System. Multi-valve Electronic Joystick Control system, Travel Safety Lock, Front & Rear Guards. Counterweight of # 1585 included, if more counterweight needed, see below. ****OPERATOR PROTECTION NOT SUPPLIED****

NOTE: WHEEL LOADER QUICK ATTACH HOOKS ARE NOT INCLUDED. HOOKS MUST BE SUPPLIED AND WILL BE INSTALLED AT FACTORY.

SECTION 2 - Choose a Cutter Head

ROTARY

| | | | |
|---------|---|-----|-----------|
| WhRT50D | 50" Rotary head with Disc & Hydraulic Door | 815 | \$ 10,622 |
| WhRT50B | 50" Rotary Head with Blade Bar & Hydraulic Door | 740 | \$ 10,518 |
| WhRT60B | 60" Rotary Head with Blade Bar & Hydraulic Door | 840 | \$ 12,343 |

FLAIL

| | | | |
|-----------|---|-----|-----------|
| WhFL50LBG | 50" Flail Head with Light Brush/Grass Knives | 800 | \$ 12,116 |
| WhFL50MBG | 50" Flail Head with Medium Brush/Grass Knives | 808 | \$ 12,752 |
| WhFL50HDB | 50" Flail Head with Heavy Duty Brush Knives | 815 | \$ 12,792 |
| WhFL63LG | 63" Flail Head with Grass Knives | 855 | \$ 12,459 |

SECTION 3 - Installation Charges-all required or customer supplied

| | | |
|--------------|--|----------|
| Hooks | QA Hooks for Wheel Loader adaptor device-specify model | \$ 3,935 |
| Mount/Weld | Field Installation of QA Hooks (welded to plate on mower system) | \$ 1,930 |
| Loader Mount | Installation of complete mower system by Dealer | \$ 3,275 |

OPTIONAL EQUIPMENT

| | | | |
|-------|---|----|--------|
| 35018 | Counterweight Sections (72 lbs each - max 25 for space provided) | 72 | \$ 275 |
|-------|---|----|--------|

TRAILKAT

3 PT HITCH ROTARY MOWERS

HOW TO ORDER: You must select one item from Section 1 for a complete 3 Point Hitch Mower.

| Order Code | Description | Approx Weight (lbs) | List Price |
|------------|-------------|---------------------------|------------|
|------------|-------------|---------------------------|------------|

SECTION 1 - Choose a Base Unit

STANDARD DUTY

| | | | |
|------|--|------|----------|
| TK-6 | TrailKat 72" Rotary Mower, 540 RPM, Cat I-II. (Min. 45 PTO HP) | 1092 | \$ 4,289 |
| TK-7 | TrailKat 84" Rotary Mower, 540 RPM, Cat II-III. (Min. 60 PTO HP) | 1274 | \$ 4,995 |

INCLUDES: 3 PT Hitch mount, Front Double Row Chains & Rear Rubber Deflector, Single Laminated Tire on TK-5 & TK-6 and Two Laminated Tires on TK-7, Two Blade Stump Jumper, Slip Clutch Protection, 130 HP Gearbox.

FLEX-WING ROTARY MOWERS

HOW TO ORDER: You must select one item from Section 1 for a complete Flex-Wing mower.

| Order Code | Description | Approx Weight (lbs) | List Price |
|------------|-------------|---------------------|------------|
|------------|-------------|---------------------|------------|

SECTION 1 - Choose a Base Unit

STANDARD DUTY

| | | | |
|---------|---|------|-----------|
| TK-120L | TrailKat Flex Rotary 126" Cut, (5) - 20" Laminate Tires & Wheels | 5420 | \$ 18,104 |
| TK-120P | TrailKat Flex Rotary 126" Cut, (5) - 25.5" Pneumatic Tires & Wheels | 5420 | \$ 18,427 |
| TK-120F | TrailKat Flex Rotary 126" Cut, (5) - 25.6" Foam Tires & Wheels | 5420 | \$ 18,787 |
| TK-180L | TrailKat Flex Rotary 180" Cut, (6) - 20" Laminate Tires & Wheels | 5995 | \$ 20,574 |
| TK-180P | TrailKat Flex Rotary 180" Cut, (6) - 25.5" Pneumatic Tires & Wheels | 5995 | \$ 20,903 |
| TK-180F | TrailKat Flex Rotary 180" Cut, (6) - 25.6" Foam Tires & Wheels | 5995 | \$ 21,257 |
| TK-240L | TrailKat Flex Rotary 240" Cut, (6) - 20" Laminate Tires & Wheels | 5995 | \$ 33,315 |
| TK-240P | TrailKat Flex Rotary 240" Cut, (6) - 25.5" Pneumatic Tires & Wheels | 5995 | \$ 34,220 |
| TK-240F | TrailKat Flex Rotary 240" Cut, (6) - 25.6" Foam Tires & Wheels | 5995 | \$ 34,253 |

ABOVE UNITS

INCLUDE:

Easy Clean Top, Double Chain Guards, Deck Protection Rings and Hose Kit to operate with tractor remote, dog bone blade kit, pivoting clevis and 540 RPM CV tractor shaft, Mech/Hyd Lift System, Center Section Clockwise rotation, Safety LED lights, Safety Tow Chains.

SECTION 2 - TRAILKAT OPTIONS

| | | | |
|----------|--|----|----------|
| 00791628 | Round Blade Pan Carrier - 2 for TK120 & 3 for TK180/240 (Price is for 1) | 50 | \$ 211 |
| 00787326 | TK-180/240 Hydraulic Splitter (operates both wings from 1 tractor remote) | 2 | \$ 27 |
| 00791673 | TK-120/TK-180 Center Walking Axle Only | | \$ 597 |
| 00778917 | TK-240 Center Walking Axle Only (6 tires required) | | \$ 820 |
| 00791674 | TK-120 Center & Wing Walking Axle (need 1 additional wheel/tire from standard) | | \$ 862 |
| 00791675 | TK-180 Center & Wings Walking Axle (need 2 additional wheel/tires from standard) | | \$ 1,166 |
| | 20" Laminate Tire/Wheel (each) | | \$ 179 |
| | 25.5" Pneumatic Tire/Wheel (each) | | \$ 239 |
| | 25.6" Foam Tire/Wheel (each) | | \$ 287 |
| | WetCut for TK-120 Mower - Manual Operation | | \$ 4,500 |
| | WetCut for TK-120 Mower - Automatic Control Operation | | \$ 9,055 |
| | WetCut for TK-180 Mower - Manual Operation | | \$ 5,151 |
| | WetCut for TK-180 Mower - Automatic Control Operation | | \$ 9,706 |
| | Set Up and Installation for WetCut System on mower | | \$ 3,200 |
| | Set Up and Installation for Flex-Wing Mower in field | | \$ 820 |

TRAILKAT

FLEX-WING ROTARY MOWERS

HOW TO ORDER: You must select one item from Section 1 for a complete Flex-Wing mower.

| Order Code | Description | Approx Weight | List Price |
|---------------------------------------|-------------|---------------|------------|
| SECTION 1 - Choose a Base Unit | | | |

HEAVY DUTY

| | | | |
|------------|---|------|-----------|
| TFRHD-120C | TrailKat Flex Rotary 126" Cut, 540 RPM, 75 hp tractor suggested | 5200 | \$ 28,640 |
| TFRHD-180C | TrailKat Flex Rotary 180" Cut, 540 RPM, 85 hp tractor suggested | 5800 | \$ 33,625 |

INCLUDES: Tubular Hitch, Internal Tubular Frame System, Double Chain Guards, Laminated Tires, Walking Tandem Center Section, Deck Protection Rings and Hose Kit to operate with tractor remote strut mount, two blade pan kit & CV style trailing hitch with open clevis and 540 RPM CV tractor shaft, Complete Hydraulic Lift System. Rear Light Kit.

**** Tractor requires 3 dual rear remotes for 180 and 2 dual rear remotes for 120 ****

SECTION 2 - TRAILKAT OPTIONS

| | | | |
|----------|---|----|-------|
| A102-350 | Valve Splitter Kit, (for less than min remotes) TFRHD-120C | \$ | 1,507 |
| A101-350 | Valve Splitter Kit, (for less than min remotes) TFRHD-180C | \$ | 1,620 |
| STIRE | Severe Duty 20 Ply Tire Set - TFRHD -120C Mower (in lieu of laminated) | \$ | 852 |
| STIRE | Severe Duty 20 Ply Tire Set - TFRHD - 180C Mower (in lieu of laminated) | \$ | 959 |
| FTIRE | Foam-filled Tire Set - TFRHD -120C Mower (in lieu of laminated) | \$ | 1,020 |
| FTIRE | Foam-filled Tire Set - TFRHD -180C Mower (in lieu of laminated) | \$ | 1,176 |
| C306-880 | Right Wing Guage Wheel Kit | \$ | 618 |
| C306-885 | Left Wing Guage Wheel Kit | \$ | 618 |
| C000-300 | Precision Hitch | \$ | 824 |
| C306-315 | Toolbox & Mounting Kit | \$ | 580 |
| C180-486 | Right Wing Wheel Kit - TFRHD-120C (up charge from standard) | \$ | 266 |
| C180-488 | Dual Wing Wheel Kit - TFRHD-180C (up charge from standard) | \$ | 484 |
| C307-875 | Walking Tandem Wing Kit - 10' Mower (up charge from standard) | \$ | 987 |
| C306-875 | Walking Tandem Wing Kit - 15' Mower (up charge from standard) | \$ | 1,480 |
| | Set Up and Installation for Flex-Wing Mower | \$ | 820 |

OFFSET HITCH

HOW TO ORDER: You must select one item from Section 1 for a complete Flex-Wing mower.

| Order Code | Description | Approx Weight (lbs) | List Price |
|------------|-------------|---------------------|------------|
|------------|-------------|---------------------|------------|

SECTION 1 - Choose a Base Unit

| | | | |
|---|--|------|-----------|
| TOH-1510C | Tiger Offset Hitch Attachment, 1510 Flex-Arm | 1795 | \$ 20,575 |
| INCLUDES: Unit includes safety lights, caster wheels, 540/1000 RPM drive line & strut mount. Requires 4 dual rear remotes for a 15' Mower and 3 dual rear remotes for a 10' Mower. Mower will require strut mount. | | | |

SECTION 2 - HITCH OPTIONS

| | | | |
|----------|--|----|-------|
| A105-135 | Skid Shoe, center | \$ | 160 |
| A105-350 | 6-port Selector valve for independent wing lift | \$ | 1,365 |
| A105-360 | Hose Kit for independent wing lift | \$ | 211 |
| | Set Up and Installation for Off-Set Hitch system | \$ | 980 |