



# MYPLACE™ LOUNGE FURNITURE

## PRICE LIST

June 28, 2017

Updated March 7, 2023

800.424.2432





<b>Ordering Customer's Own Material (C.O.M.) Upholstery</b>		
Information		3
<b>MyPlace™ Lounge Seating</b>		
General Information, Backless and 32" Low-Back		5
General Information - Technical Specifications, Backless and 32" Low-Back		7
Product Color Options		10
Ottomans		11
Junior Ottomans		17
Backless Lounge Seating		23
32" Low-Back Lounge Seating		28
General Information, 48" High-Back		41
General Information, 60" High-Back		42
General Information - Technical Specifications, High-Back		43
48" High-Back Lounge Seating		47
60" High-Back Lounge Seating		73
Gangers		101
Byrne Interlink® IQ Infeed and Jumper		101
Tables		99
<b>C-Table™ and C-Table™ Max</b>		
General Information and Technical Specifications, C-Table™		103
General Information, C-Table™ Max		104
Technical Specifications, C-Table Max™		105
Product Color Options		107
<b>C-Table™</b>		
27" Fixed Height		108
<b>C-Table™ Max</b>		
26" Fixed Height		109
29" Fixed Height		112
25" - 30" Adjustable Height		115
<b>Athens® Tables</b>		
General Information		118
Product Color Options		120
<b>Athens® Booth Tables</b>		
Square--Flat Disc Base, 4" Column, Fixed Height		121
Rectangular--Flat Disc Base, 4" Column, Fixed Height		122
<b>Pillar™ Tables</b>		
General Information		123
Product Color Options		127
<b>MyPlace™ Pillar™ Tables</b>		
Inside Curve - 29" High, 18" and 24" Deep		128
Inside Curve - 36" High, 18" and 24" Deep		129
Inside Curve - 42" High, 18" and 24" Deep		130
Outside Curve - 18" High and 24" Deep		131
Rectangular - 29" High, 18" and 24" Deep		132
Rectangular - 36" High, 18" and 24" Deep		133
Rectangular - 42" High, 18" and 24" Deep		134
Inside Curve - 29" High w/Single Circuit		135
Inside Curve - 36" High w/Single Circuit		136
Inside Curve - 42" High w/Single Circuit		137
Rectangular - 29" High w/Single Circuit, 18" and 24" Deep		138
Rectangular - 36" High w/Single Circuit, 18" and 24" Deep		139
Rectangular - 42" High w/Single Circuit, 18" and 24" Deep		140





Customer’s Own Material ■  
Specifications Form  
January 2023


How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor’s website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied. RAILROADED FABRIC REQUIRES A PRODUCT MODIFICATION REQUEST DUE TO ADDITIONAL YARDAGE REQUIREMENTS

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.

C.O.M. must be supplied in continuous yardage.

Yardage requirements listed in price list are based on plain goods 54” wide. Fabrics less than 54” wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. Consult matrix below for additional yardage needed.



**C.O.M. INCREASE MATRIX** (yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or K.O.M. upholsteries).

This table is a general guide.

FABRIC WIDTH	PLAIN FABRIC	UNDER 7” REPEAT	8”–13” REPEAT	14”–21” REPEAT	22”–27” REPEAT	28”–33” REPEAT	34”–40” REPEAT	41”–48” REPEAT
54”	0	20%	25%	30%	45%	55%	70%	80%
51”-53”	15%	25%	30%	35%	50%	60%	80%	90%
48”-50”	20%	30%	35%	40%	55%	65%	85%	95%
45”-47”	30%	45%	50%	55%	60%	80%	90%	100%
36”-44”	50%	65%	70%	75%	80%	100%	110%	120%

Fabric with double repeat: If using a fabric with a double repeat, please follow this formula: take the total amount of the larger and half of the smaller repeat; add together to find the correct overall repeat. Example: 10” vertical with 14” horizontal would be 14+5=19.

If fabric comes in on multiple rolls, one additional yard per roll needs to be added to the yardage requirement.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer’s upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. or K.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled as follows:

1. Name and address
2. Your purchase order number
3. Our style number to which fabric is to be applied
4. Supplier name and fabric name, number, and color

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer’s responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order





C.O.M. SHIPPING LOCATION



Architectural Walls		System 3000.....	MN	LimeLite .....	GB
Evoke.....		Universal Overheads.....	MN	Lyra Lounge Seating.....	HN
Genius Walls.....		Wireworks .....	MN	Maestro Stack Chairs .....	GB
		Unite.....	MN	Medical & Laboratory Stools.....	OM
Casegoods		Residence Hall Furniture		MyPlace Lounge Seating .....	HN
Aristotle Tackboards.....		RoomScape Furniture .....	MN	MyWay Seating.....	HN
Likha Tackboards.....				Oath Task Chairs and Stools.....	GB
Classroom Furniture		Screens		Opt4 .....	GB
Intellect Wave Chairs.....		All Terrain.....	KP	Pilot Task Chairs.....	OM
Learn2 .....		Connection Zone.....	BW	Promenade Seating System .....	BW
Ruckus.....		True/Volition .....	KP	Ruckus.....	GB
Desking		Genesis.....	KP	Sela Lounge Seating .....	HN
700 Series Desking.....		Tattoo.....	MN	Sift Task Chairs .....	GB
Balance Overheads.....		Universal.....	BW	Signia Task Chairs and Stools .....	OM
Genesis Desking.....		Seating		Soltice Metal Collection.....	HN
True Desking.....		400 Series Folding Chairs.....	BW	Soltice Multiple, Healthcare & Guest .....	HN
Universal Overheads.....		600 Series Folding Chairs.....	BW	Soltice II Healthcare Seating.....	HN
WorkZone Desking .....		600 Series Stools.....	BW	Strive Multiple, Stack & Task .....	GB
Files & Storage		Affina Collection.....	HN	Sway .....	BW
700 Series Pedestal Cushion.....		Altus Task Chairs.....	GB	Tattoo.....	HN
Connection Zone Pads.....		Apply Stack Chairs .....	GB	Torsion-on-the-Go! Nesting Chairs .....	GB
U-Series Pedestal Cushion.....		Auditorium Folding Chairs .....	BW	Torsion Air Stack and Task Seating ....	GB
Tattoo.....		Calida Lounge Seating .....	HN	Zoetry .....	HN
		Diem Task Chairs.....	OM		
Fixed Seating		Doni Collection.....	GB		
Concerto Auditorium Seating.....		Gladly Lounge Seating .....	VQ		
Single Pedestal Seating .....		Grazie Seating .....	GB		
Jury Base Seating.....		Hiatus Sleeper Bench .....	HN		
Lancaster Auditorium Seating .....		Hub Modular Lounge Seating .....	HN		
Sequence Seating.....		Impress Task Chairs.....	OM		
University Seating.....		Impress Ultra Task Chairs .....	OM		
Panel Systems		Jessa Lounge Seating .....	HN		
All Terrain.....		Jubilee Lounge Seating.....	VQ		
Balance Overheads .....		Katera Guest Chair.....	GB		
		Kurv Benches.....	HN		
		LaResta Day Beds .....	HN		

KI C.O.M. Manufacturing Site Addresses:

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107	<u>HN</u> KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263	<u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220	<u>VQ</u> KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623
<u>GB</u> KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	<u>KP</u> KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7	<u>OM</u> KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761	





18" Round



26" Round



Crescent



Square



Cube



Hexagon

General Dimensions						
Seat width	18-3/4"					
Seat depth						
Seat height	18"	18"	18"		18"	18"
Overall Dimensions						
Width	18" Diameter	26" Diameter	26" Diameter	26"	18"	20-3/4"
Depth			22"	26"	18"	18"
Height	18"	18"	18"	18"	18"	18"



Rectangle



Rectangle with 32" Low-Back



Lounge Chair with 32" Low-Back



Corner with 32" Low-Back (Right and Left)



Five Star with 32" Low-Back

General Dimensions					
Seat width		48"	26"	19"	19"
Seat depth		19"	19"	19"	17"
Seat height		18"	18"	18"	18"
Overall Dimensions					
Width	48"	48"	26"	26"	31-1/4"
Depth	26"	26"	26"	26"	28"
Height	18"	32"	32"	32"	32"



Backless 30° Curve



Inside Back 30° Curve, 32" Low-Back



Outside Back 30° Curve, 32" Low-Back

General Dimensions			
Seat width	14"	14"	14"
Seat depth	19"	19"	19"
Seat height	18"	18"	18"
Overall Dimensions			
Width	28"	28"	28"
Depth	27"	27"	27"
Height	18"	32"	32"



Backless 45° Curve



Inside Back 45° Curve, 32" Low-Back



Outside Back 45° Curve, 32" Low-Back

General Dimensions			
Seat width	21"	21"	21"
Seat depth	19"	19"	19"
Seat height	18"	18"	18"
Overall Dimensions			
Width	41-1/2"	41-1/2"	41-1/2"
Depth	28"	28"	28"
Height	18"	32"	32"





Backless 60° Curve



Inside Back 60° Curve, 32” Low-Back




Outside Back 60° Curve, 32” Low-Back

General Dimensions			
Seat width	28"	28"	28"
Seat depth	19"	19"	19"
Seat height	18"	18"	18"
Overall Dimensions			
Width	54"	54"	54"
Depth	30"	30"	30"
Height	18"	32"	32"



Backless 90° Curve



Inside Back 90° Curve, 32” Low-Back



Outside Back 90° Curve, 32” Low-Back

General Dimensions			
Seat width	39-3/4"	39-3/4"	39-3/4"
Seat depth	19"	19"	19"
Seat height	18"	18"	18"
Overall Dimensions			
Width	76-1/2"	76-1/2"	76-1/2"
Depth	33-1/2"	33-1/2"	33-1/2"
Height	18"	32"	32"



18" Round Table



26" Round Table



Square Table



Inline Table, Without Pad



Inline Table, With Pad

General Dimensions					
Seat width				13"	13"
Seat depth					26"
Seat height				13"	18"
Overall Dimensions					
Width	18" Diameter	26" Diameter	26"	13"	13"
Depth			26"	26"	26"
Height	18"	18"	18"	18"	18"



Junior 18" Round



Junior 26" Round



Junior Crescent



Junior Square



Junior Cube



Junior Hexagon

General Dimensions						
Seat width			18-3/4"			
Seat depth				18"		18"
Seat height	14"	14"	14"		14"	14"
Overall Dimensions						
Width	18" Diameter	26" Diameter	26" Diameter	22"	18"	21"
Depth			22"	22"	18"	18"
Height	14"	14"	14"	14"	14"	14"





Shapes Shown: Rectangle (1), Rectangular In-line Table (1), Lounge Chair (2), 45° Inside Curve w/ Back (2), Rectangle w/ Back (1), Corner w/ Back (1), 18" Round, 18" Cube (2), 26" Round Table (2)

- A. 24 standard-scale and six junior-scale shapes create endless environments in any footprint.
- B. Option for up to three contrasting fabrics when specified with a back, two fabrics when specified without a back.
- C. Four base options include concealed glides (shown), wood feet (shown), poly feet or casters.
- D. Lightweight modular construction allows for ease of reconfiguration.
- E. Durably crafted to support a 400 pound weight rating.
- F. Table options include: Round, Square or Rectangular In-line. Rectangular In-line Tables can be specified with or without an upholstered pad. However specified, Rectangular In-line Tables are 18" high to seamlessly integrate MyPlace seat heights.
- G. Rectangular In-line Tables provide dual-sided storage to keep personal belongings off the floor and can be specified with contrasting laminate tops.

### Frame

All seat and back frames are constructed of  $\frac{3}{4}$ " laminated hardwood plywood, CNC cut. All main frame joints are nailed and glued in addition to interlocking joinery across all stress points.

### Foam

MyPlace Junior models use foam that is 2.6 density, 80 lb compression with 2" thick seat.  $\frac{3}{4}$ " thick foam covers all exposed sides.

The following MyPlace Standard sized models use a high-density foam for firm support: MPI8R, MP26R, MPCRE, MPI8H and MPI8C. The foam is 2.6 density, 80 lb compression with 2" thick seat.  $\frac{3}{4}$ " thick foam covers all exposed sides. The MPTEDP uses a high-density foam that is  $\frac{3}{4}$ " thick, 2.6 density, 80 lb compression.


The following MyPlace Standard sized models use a soft sit high-density foam providing enhanced user comfort: MPSQR, MP5S, MPCRV, MPICB, MPOCB, MPRCT, MPRB, MPCRN, MPSQRL, MPC30, MPC45, MPC60, MPC130, MPC145, MPC160, MPCO30, MPCO45 and MPCO60. The following models use foam that is 2.5 density, 45 lb compression with 2.5" thick seat, topped with .5" of 2.6 density 80 lb compression foam. The backs are 1.5" total thickness consisting of 1" thick 2.5 density - 45 lb and a .5" topper of 2.6 density - 80 lb compression foam.  $\frac{3}{4}$ " of 2.6 density, 80 lb compression foam covers all exposed sides.

### Sewing

All MyPlace Lounge units are double-needle stitched at all primary seams for lasting durability.

### Base Options

- Poly Feet are 2" high polyurethane and made from impact resistant injection-molded nylon, mounted to the underside frame using  $\frac{1}{4}$ -20 x  $1\frac{1}{2}$ " hex lag screws. Feet are black in color with four or five feet used per lounge, depending upon model.
- Wood feet are 2" high and made from 2" x 2" x 2" beech hardwood, kiln dried to a moisture content of 6%. Exposed wood is sanded with 220 grit sand paper, then spray stained with KI standard colors, or custom matching color and placed in a burn-off oven for one hour at 140-150 degrees. The wood is then sealed to prevent moisture imbalance and finish sanded with 400 grit sand paper for fine detailing. The final step for wood feet is the application of a varnish topcoat, then feet are oven baked. Both the sealer and finish coats contain an anti-microbial protectant.
- Concealed Glides are .38" high, of nail-in molded white nylon. Four or five glides are used per lounge depending upon model. In-line table concealed glides are adjustable, screw-in as opposed to nail-in.
- Casters are 2" high and use  $1\frac{1}{2}$ " diameter dual soft swivel wheels with a 150 lb weight rating per caster. They are black in color with four or five casters used per lounge depending upon model. Casters are only available non-locking. **Note:** Caster Lounges cannot be ganged.







Ganging


Gangers are made from 7-gauge steel (.179" thick), powder-coated black and mounted to the underside of any lounge using 1/4 x 1" wood screws. Only the feet and concealed glide base options are available to use gangers.

Tabletops

Tabletops are made up of a high-pressure laminate surface that is glued to a 45 lb density particleboard core. The underside of the top and core is a 1/32" phenolic backer laminated for balanced construction and to help prevent moisture absorption in the core material. A 74P flat polymer edge band is offered in select KI colors (see color addendum). The finished tabletop height is 1 1/4".


In-Line Table Construction














Tables are constructed using 3/4" thick medium density fiberboard core, high pressure laminate facing on visible surfaces, phenolic backing sheet on non-visible surfaces and 2 mm polypropylene (73P) edge banding. Each table includes a centrally located divider panel. Panels are secured together using dowels, wood screws and glued joints. In-Line tables can be ganged together with other in-line tables or with MyPlace lounge pieces having consistent base styles (feet or glides).




Lounge Overall Dimension									
Model		A (Back Depth)	B (Seat Depth)	C (Overall Depth)	D (Overall Width)	E (Diameter)	F (Overall Height)	G (Seat Height)	H (Seat Width)
	MP18R					18"	18"	18"	
	MP26R					26"	18"	18"	
	MPCRE			22"		26"	18"	18"	18 3/4"
	MP18H			18"	20 3/4"		18"	18"	
	MP18C			18"	18"		18"	18"	
	MPSQR		26"	26"	26"		18"	18"	
	MPRCT		26"	26"	48"		18"	18"	
	MPSQRL	26"	19"	26"			32"	18"	
	MPRB	26"	19"	26"	48"		32"	18"	
	MPCRN	26"	19"	26"	26"		32"	18"	
	MP5S	20"	17"	28"	31 1/4"		32"	18"	19"
	MPC30			27"	28"		18"	18"	14"
	MPC45			28"	41 1/2"		18"	18"	21"
	MPC60			30"	54"		18"	18"	28"
	MPCRV			33 1/2"	76 1/2"		18"	18"	39 3/4"











Lounge Overall Dimension									
Model		A (Back Depth)	B (Seat Depth)	C (Overall Depth)	D (Overall Width)	E (Diameter)	F (Overall Height)	G (Seat Height)	H (Seat Width)
	MPC130	26"	19"	27"	28"		32"	18"	14"
	MPC145	26"	19"	28"	41 1/2"		32"	18"	21"
	MPC160	26"	19"	30"	54"		32"	18"	28"
	MPICB	26"	19"	33 1/2"	76 1/2"		32"	18"	39 3/4"
	MPCO30	26"	19"	27"	28"		32"	18"	14"
	MPCO45	26"	19"	28"	41 1/2"		32"	18"	21"
	MPCO60	26"	19"	30"	54"		32"	18"	28"
	MPOCB	26"	19"	33 1/2"	76 1/2"		32"	18"	39 3/4"
	MPT18R					18"	18"	18"	
	MPT26R					26"	18"	18"	
	MPTSQR		26"	26"	26"		18"	18"	
	MYPTD			26"	13"		18"		
	MPTEDP		26"	26"	13"		18"	18"	13"

JUNIOR DIMENSIONS



Junior Lounge Overall Dimension									
Model		A (Back Depth)	B (Seat Depth)	C (Overall Depth)	D (Overall Width)	E (Diameter)	F (Overall Height)	G (Seat Height)	H (Seat Width)
	MPJ18R					18"	14"	14"	
	MPJ26R					26"	14"	14"	
	MPJCRE			22"		26"	14"	14"	18 3/4"
	MPJ18C		18"	18"	21"		14"	14"	
	MPJ18H		18"	18"	18"		14"	14"	
	MPJSQR		22"	22"	22"		14"	14"	





Brushed Aluminum Feet		Surface/Top Finish - Laminate		Top Edge Color - 73P and 74P Edges		Side and Divider Color - Laminate (models MPTEDP and MYPTED)		Side and Divider Edge Color - 73P Edge (models MPTEDP and MYPTED)	
Black	BL	Belair	LBQ	Belair	EBQ	Belair	LBQS	Belair	SBQ
Blue Grey	GR	Biltmore Cherry	LBT	Biltmore Cherry	EBT	Belair	LBTS	Biltmore Cherry	SBT
Bronze Metallic	ZM	Black	LBK	Black	EBL	Biltmore Cherry	LBKS	Black	SBL
Brushed aluminum legs	BRAL	Brighton Walnut	LBW	Blue Grey	EGR	Black	LBWS	Blue Grey	SGR
Cayenne	CY	Canyon Zephyr	LCA	Brighton Walnut	EBW	Brighton Walnut	LCAS	Brighton Walnut	SBW
Champagne Metallic	CM	Castle Oak	LCO	Castle Oak	ECO	Canyon Zephyr	LCOS	Castle Oak	SCO
Cool Grey	CG	Casual Linen	LCU	Cherry Storm	ECX	Castle Oak	LCUS	Cherry Storm	SCX
Cottonwood	CO	Cherry Storm	LCX	Cocobala	ECC	Casual Linen	LCXS	Cocobala	SCC
Earthen Clay	EY	Classic Linen	LCI	Cool Grey	ECG	Cherry Storm	LCIS	Cool Grey	SCG
Espresso Metallic	EX	Cloud Zephyr	LCL	Earthen Clay	EEY	Classic Linen	LCLS	Earthen Clay	SEY
Everglade Shade	EV	Cocobala	LCC	Everglade Shade	EEV	Cloud Zephyr	LCCS	Everglade Shade	SEV
Flannel	FN	Crisp Linen	LRI	Flannel	EFN	Cocobala	LRIS	Flannel	SFN
Glitz Metallic	GZ	Desert Zephyr	LDZ	Florence Walnut	EFZ	Crisp Linen	LDZS	Florence Walnut	SFC
Hazy Jade	HJ	Dove Grey	LDG	Friston Ash	EFH	Desert Zephyr	LDGS	Friston Ash	SFH
Honey Bee	HY	Fired Steel	LIL	Frosty White	EFW	Dove Grey	LILS	Frosty White	SFW
Light Tone	LG	Flax Linen	LXF	Hazy Jade	EHJ	Fired Steel	LXFS	Hazy Jade	SHJ
Mardi Gras	MG	Florence Walnut	LFC	Honey Bee	EHY	Flax Linen	LFCS	Honey Bee	EHY
Misty Brown	MY	Forged Steel	LOL	Italian Silver Ash	EIT	Florence Walnut	LOLS	Italian Silver Ash	SIT
Nemo	NE	Friston Ash	LFH	Kensington Maple	EKM	Forged Steel	LFHS	Kensington Maple	SKM
Nordic	ND	Frosty White	LFW	Light Tone	ELG	Friston Ash	LFWS	Light Tone	SLG
Pewter	PWTR	Graphite Nebula	LGN	Mardi Gras	EMG	Frosty White	LGNS	Mardi Gras	SMG
Poppy Red	PR	Grey	LGE	Misty Brown	EMY	Graphite Nebula	LGES	Misty Brown	SMY
Purple Haze	PH	High Rise	LHE	Monticello Maple	EMT	Grey	LHES	Monticello Maple	SMT
Rubber Ducky	RK	Hollyberry	LHY	Multiplex	EMB	High Rise	LHYS	Multiplex	SMB
Sand	SA	Irish Linen	LIH	Nemo	ENE	Hollyberry	LIHS	Nemo	SNE
Sky Blue	SK	Island	LID	Purple Haze	EPH	Irish Linen	LIDS	Purple Haze	EPH
Starlight Silver Metallic	SX	Italian Silver Ash	LIT	River Cherry	ERY	Island	LITS	River Cherry	SRY
Surf's Up	SP	Kensington Maple	LKM	Rubber Ducky	ERK	Italian Silver Ash	LKMS	Rubber Ducky	SRK
Twilight Shadow	TI	Lapis Blue	LLB	Sand	ESA	Kensington Maple	LLBS	Sand	SSA
Ultra Blue	UB	Markerboard White	LMK	Sterling Ash	EAZ	Lapis Blue	LMKS	Sterling Ash	SAZ
Warm Grey	WG	Misted Zephyr	LMR	Surf's Up	ESP	Markerboard White	LMRS	Surf's Up	SSP
Zesty Lime	ZL	Monticello Maple	LMT	Twilight Shadow	ETI	Misted Zephyr	LMTS	Twilight Shadow	STI
Wood Feet Finish		Nickel Evolv	LNV	Ultra Blue	EUB	Monticello Maple	LNVS	Ultra Blue	SUB
		North Sea	LNA	Warm Grey	EWG	Nickel Evolv	LNAS	Warm Grey	SWG
		Ocean	LON	Windsor Mahogany	EWY	North Sea	LONS	Windsor Mahogany	SWY
		Pearl Bisque	LPB	Zesty Lime	EZL	Ocean	LPBS	Zesty Lime	SZL
		Pearl Silver	LPS			Pearl Bisque	LPSS		
		Pressed Linen	LPR			Pearl Silver	LPRS		
		River Cherry	LRY			Pressed Linen	LRYS		
		Rugged Linen	LRG			River Cherry	LRGS		
		Satin Stainless	LSS			Rugged Linen	LSSS		
		Shadow Zephyr	LSR			Satin Stainless	LSRS		
		Silicon evolv	LSV			Shadow Zephyr	LSVS		
		Sterling Ash	LAZ			Silicon evolv	LAZS		
		Tailored Linen	LTL			Sterling Ash	LTLS		
		Titanium evolv	LTV			Tailored Linen	LTVS		
		White Nebula	LWL			Titanium evolv	LWLS		
		White Sand	LWN			White Nebula	LWNS		
		Windsor Mahogany	LWY			White Sand	LWYS		
						Windsor Mahogany			

Finish Cards

View color swatches for items listed within this document.

<u>Paints</u>	<u>Wood/Veneer</u>	<u>Molded Edges</u>	<u>Hard Plastics</u>
<u>Plastics/Poly</u>	<u>Laminates</u>	<u>Edge Styles</u>	<u>Glass</u>

Certain options referenced may not be available on GSA Schedule.



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note: 

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

Select basic model.

B

Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](#)

C

Select fabric contrast 2.  
Refer to [ki.com/fabrics](#)

D

Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

E

Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

F

Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

SPECIAL SERVICES

Special Carton Marking



With specially marked informationN/C

Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																			
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier														
<div>concealed glides shown</div> <div></div>	Concealed Glides, Non-contrast	MP18C/CGL/NC	□□□□				□□□	26.5#	\$ 738	\$ 809	\$ 826	\$ 849	\$ 862	\$ 891	\$ 921	\$ 961	\$ 1030	\$ 1103	\$ 1176	\$ 1322	\$ 190	
	Poly Feet, Non-contrast	MP18C/PFT/NC	□□□□				□□□	25.5#	738	809	826	849	862	891	921	961	1030	1103	1176	1322	190	
	Wood Feet, Non-contrast	MP18C/WFT/NC	□□□□			□□□	□□□	25.5#	865	934	952	975	988	1018	1048	1089	1157	1230	1304	1450	190	
	Casters, Non-contrast	MP18C/CST/NC	□□□□				□□□	25.5#	738	809	826	849	862	891	921	961	1030	1103	1176	1322	190	
	Aluminum Feet, Non-Contrast	MP18C/AFT/NC	□□□□				□□	□□□	25.5#	872	942	960	983	997	1027	1058	1099	1168	1241	1315	1463	190
M18C																						
18” Cube - Non-contrast																						
• Non-contrast C.O.M = 1.75 yds																						
Overall Dimensions:																						
• W=18” D=18” H=18”																						
<div>concealed glides shown</div> <div></div>	Concealed Glides, Contrast	MP18C/CGL/FC	□□□□	□□□□			□□□	26.5#	\$ 765	\$ 861	\$ 886	\$ 917	\$ 937	\$ 977	\$ 1018	\$ 1075	\$ 1170	\$ 1270	\$ 1370	\$ 1572	\$ 190	
	Poly Feet, Contrast	MP18C/PFT/FC	□□□□	□□□□			□□□	25.5#	765	861	886	917	937	977	1018	1075	1170	1270	1370	1572	190	
	Wood Feet, Contrast	MP18C/WFT/FC	□□□□	□□□□	□□□		□□□	25.5#	896	992	1018	1048	1067	1107	1148	1205	1300	1400	1503	1702	190	
	Casters, Contrast	MP18C/CST/FC	□□□□	□□□□			□□□	25.5#	765	861	886	917	937	977	1018	1075	1170	1270	1370	1572	190	
	Aluminum Feet, Contrast	MP18C/AFT/FC	□□□□	□□□□			□□	□□□	25.5#	872	966	991	1020	1039	1078	1118	1173	1265	1363	1463	1657	190
M18C																						
18” Cube - Contrast																						
• 1 = Base (Fabric Contrast 1) C.O.M. = 1.25 yd																						
• 2 = Seat (Fabric Contrast 2) C.O.M. = .75 yd																						
Overall Dimensions:																						
• W=18” D=18” H=18”																						
• Price is based off of highest grade fabric.																						
			A	B	C	D	E	F														

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)

**D** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

**F** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

## Special Carton Marking

With specially marked information N/C

## Shipping

**Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.



**A**

**B**

©

**D**

**E**

**F**

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)

**C** Select fabric contrast 2  
Refer to [ki.com/fabrics](http://ki.com/fabrics)

**D** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

**E** Select brushed aluminum feet finish. Refer to the **Product Color Options** price list.

**F** Select moisture barrier.

**MB** - Moisture barrier

**NMB** - No moisture barrier

See pricing column for moisture barrier upcharge.

## Special Carton Marking



With specially marked information N/C

## Shipping

**Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																			
		Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
<div>concealed glides shown</div> <div></div> <div>M26R</div> <div>26" Round - Non-contrast</div> <div><ul style="list-style-type: none"><li>Non-contrast C.O.M = 2.25 yds</li><li>Ganging (specify kit separately)</li><li>Dia=26" H=18"</li></ul></div>	Concealed Glide, Non-contrast	MP26R/CGL/NC	□□□□				□□□	35.0#	\$ 773	\$ 878	\$ 905	\$ 937	\$ 959	\$ 1003	\$ 1048	\$ 1102	\$ 1211	\$ 1320	\$ 1430	\$ 1650	\$ 149
	Poly Feet, Non-contrast	MP26R/PFT/NC	□□□□				□□□	35.0#	773	878	905	937	959	1003	1048	1102	1211	1320	1430	1650	149
	Wood Feet, Non-contrast	MP26R/WFT/NC	□□□□		□□□		□□□	35.0#	900	1003	1031	1064	1085	1130	1174	1228	1337	1447	1557	1775	149
	Casters, Non-contrast	MP26R/CST/NC	□□□□				□□□	35.0#	773	878	905	937	959	1003	1048	1102	1211	1320	1430	1650	149
	Aluminum Feet, Non-Contrast	MP26R/AFT/NC	□□□□			□□	□□□	35.0#	908	1012	1040	1073	1094	1140	1184	1239	1349	1460	1571	1792	149
<div>concealed glides shown</div> <div></div> <div>M26R</div> <div>26" Round - Contrast</div> <div><ul style="list-style-type: none"><li>1 = Base (Fabric Contrast 1) C.O.M. = 1.75 yd</li><li>2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd</li><li>Ganging (specify kit separately)</li><li>Dia=26" H=18"</li><li>Price is based off of highest grade fabric.</li></ul></div>	Concealed Glide, Contrast	MP26R/CGL/FC	□□□□	□□□□			□□□	35.0#	\$ 804	\$ 915	\$ 943	\$ 976	\$ 1035	\$ 1079	\$ 1123	\$ 1177	\$ 1337	\$ 1447	\$ 1682	\$ 1902	\$ 149
	Poly Feet, Contrast	MP26R/PFT/FC	□□□□	□□□□			□□□	35.0#	804	915	943	976	1035	1079	1123	1177	1337	1447	1682	1902	149
	Wood Feet, Contrast	MP26R/WFT/FC	□□□□	□□□□	□□□		□□□	35.0#	931	1041	1068	1102	1161	1205	1250	1304	1463	1572	1808	2027	149
	Casters, Contrast	MP26R/CST/FC	□□□□	□□□□			□□□	35.0#	804	915	943	976	1035	1079	1123	1177	1337	1447	1682	1902	149
	Aluminum Feet, Contrast	MP26R/AFT/FC	□□□□	□□□□		□□	□□□	35.0#	939	1050	1078	1112	1171	1215	1261	1315	1476	1586	1825	2046	149
		<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>														

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](#)
- C**Select fabric contrast 2.  
Refer to [ki.com/fabrics](#)
- D**Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.
- E**Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.
- F**Select moisture barrier.

**MB** - Moisture barrier

**NMB** - No moisture barrier

See pricing column for moisture barrier upcharge.

SPECIAL SERVICES

Special Carton Marking

With specially marked information      N/C

**Shipping**  
Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)
- C** Select fabric contrast 2.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)
- D** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.
- E** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.
- F** Select moisture barrier.  
**MB** - Moisture barrier  
**NMB** - No moisture barrier

See pricing column for moisture barrier upcharge.

## Special Carton Marking



With specially marked information N/C

## Shipping

**Ships assembled, FOB High Point, NC 27263,  
freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																			
		Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
<div>concealed glides shown</div> <div></div> <div>MSQR</div> <div><b>Square - Non-contrast</b></div> <div><ul style="list-style-type: none"><li>Non-contrast C.O.M = 3.5 yds</li><li>Ganging (specify kit separately)</li><li>W=26" D=26" H=18"</li></ul></div>	Concealed Glide, Non-contrast	MPSQR/CGL/NC	□□□□				□□□	39.0#	\$ 865	\$ 1027	\$ 1070	\$ 1121	\$ 1155	\$ 1223	\$ 1290	\$ 1376	\$ 1546	\$ 1717	\$ 1888	\$ 2226	\$ 225
	Poly Feet, Non-contrast	MPSQR/PFT/NC	□□□□				□□□	39.0#	865	1027	1070	1121	1155	1223	1290	1376	1546	1717	1888	2226	225
	Wood Feet, Non-contrast	MPSQR/WFT/NC	□□□□		□□□		□□□	39.0#	990	1154	1197	1247	1280	1349	1416	1503	1671	1843	2013	2353	225
	Casters, Non-contrast	MPSQR/CST/NC	□□□□				□□□	39.0#	865	1027	1070	1121	1155	1223	1290	1376	1546	1717	1888	2226	225
	Aluminum Feet, Non-contrast	MPSQR/AFT/NC	□□□□			□□	□□□	39.0#	999	1164	1208	1259	1292	1361	1429	1516	1686	1859	2031	2374	225
<div>concealed glides shown</div> <div></div> <div>MSQR</div> <div><b>Square - Contrast</b></div> <div><ul style="list-style-type: none"><li>1 = Base (Fabric Contrast 1) C.O.M. = 2.5 yd</li><li>2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd</li><li>Ganging (specify kit separately)</li><li>W=26" D=26" H=18"</li><li>Price is based off of highest grade fabric.</li></ul></div>	Concealed Glide, Contrast	MPSQR/CGL/FC	□□□□	□□□□			□□□	39.0#	\$ 897	\$ 1058	\$ 1102	\$ 1152	\$ 1186	\$ 1254	\$ 1322	\$ 1408	\$ 1577	\$ 1748	\$ 1918	\$ 2259	\$ 225
	Poly Feet, Contrast	MPSQR/PFT/FC	□□□□	□□□□			□□□	39.0#	897	1058	1102	1152	1186	1254	1322	1408	1577	1748	1918	2259	225
	Wood Feet, Contrast	MPSQR/WFT/FC	□□□□	□□□□	□□□		□□□	39.0#	1023	1185	1228	1278	1311	1381	1449	1533	1704	1874	2044	2385	225
	Casters, Contrast	MPSQR/CST/FC	□□□□	□□□□			□□□	39.0#	897	1058	1102	1152	1186	1254	1322	1408	1577	1748	1918	2259	225
	Aluminum Feet, Contrast	MPSQR/AFT/FC	□□□□	□□□□		□□	□□□	39.0#	1032	1195	1239	1290	1323	1393	1462	1547	1719	1891	2062	2406	225
		<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>														

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1.  
Refer to **ki.com/fabrics**
- C**Select fabric contrast 2.  
Refer to **ki.com/fabrics**
- D**Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.
- E**Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.
- F**Select moisture barrier.

**MB** - Moisture barrier

**NMB** - No moisture barrier

See pricing column for moisture barrier upcharge.

SPECIAL SERVICES



Special Carton Marking

With specially marked information      N/C

**Shipping**  
Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																			
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Feet Finish	Moisture Barrier															
								Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div></div>	<div><b>Junior 18" Round - Non-contrast</b></div> <div><ul style="list-style-type: none"><li>Non-contrast C.O.M = 1.25 yds</li><li>Dia=18" H=14"</li></ul></div>	Concealed Glide, Non-contrast	MPJ18R/CGL/NC	□□□□			□□□	25.0#	\$ 626	\$ 683	\$ 699	\$ 716	\$ 729	\$ 754	\$ 778	\$ 812	\$ 869	\$ 930	\$ 990	\$ 1111	\$ 98	
		Poly Feet, Non-contrast	MPJ18R/PFT/NC	□□□□			□□□	25.0#	626	683	699	716	729	754	778	812	869	930	990	1111	98	
		Wood Feet, Non-contrast	MPJ18R/WFT/NC	□□□□		□□□	□□□	25.0#	751	809	825	842	855	879	903	937	996	1055	1115	1238	98	
		Casters, Non-contrast	MPJ18R/CST/NC	□□□□			□□□	25.0#	626	683	699	716	729	754	778	812	869	930	990	1111	98	
MJ18R																						
<div>concealed glides shown</div> <div></div>	<div><b>Junior 18" Round - Contrast</b></div> <div><ul style="list-style-type: none"><li>1 = Base (Fabric Contrast 1) C.O.M. = 1.25 yd</li><li>2 = Seat (Fabric Contrast 2) C.O.M. = .75 yd</li><li>Dia=18" H=14"</li><li>Price is based off of highest grade fabric.</li></ul></div>	Concealed Glide, Contrast	MPJ18R/CGL/FC	□□□□	□□□□		□□□	25.0#	\$ 657	\$ 749	\$ 774	\$ 803	\$ 823	\$ 861	\$ 901	\$ 956	\$ 1047	\$ 1143	\$ 1367	\$ 1436	\$ 98	
		Poly Feet, Contrast	MPJ18R/PFT/FC	□□□□	□□□□		□□□	25.0#	657	749	774	803	823	861	901	956	1047	1143	1367	1436	98	
		Wood Feet, Contrast	MPJ18R/WFT/FC	□□□□	□□□□	□□□	□□□	25.0#	783	876	901	930	948	987	1026	1081	1173	1268	1493	1561	98	
		Casters, Contrast	MPJ18R/CST/FC	□□□□	□□□□		□□□	25.0#	657	749	774	803	823	861	901	956	1047	1143	1367	1436	98	
MJ18R																						
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>															

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](#)
- C**Select fabric contrast 2. Refer to [ki.com/fabrics](#)
- D**Select wood feet finish. Refer to the **Product Color Options** page in this price list.
- E**Select moisture barrier.

**MB** - Moisture barrier

**NMB** - No moisture barrier

See pricing column for moisture barrier upcharge.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MPJ18C	\$224
MPJ18H	\$215
MPJ18R	\$138
MPJ26R	\$166
MPJCRE	\$247
MPJSQR	\$237

SPECIAL SERVICES

Special Carton Marking

With specially marked information      N/C

Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.





			MODEL NUMBER																					
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Feet Finish	Moisture Barrier																	
MODEL			Features					Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price			
<div>concealed glides shown</div> <div></div>	<div><b>Junior 18" Cube - Non-contrast</b></div> <div>• Non-contrast C.O.M = 1.5 yds</div> <div>Overall Dimensions:</div> <div>• W=18" D=18" H=14"</div>	Concealed Glides, Non-contrast	MPJ18C/CGL/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	26.5#	\$ 718	\$ 787	\$ 805	\$ 827	\$ 842	\$ 871	\$ 901	\$ 942	\$ 1010	\$ 1082	\$ 1156	\$ 1302	\$ 190			
		Poly Feet, Non-contrast	MPJ18C/PFT/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	25.5#	718	787	805	827	842	871	901	942	1010	1082	1156	1302	190			
		Wood Feet, Non-contrast	MPJ18C/WFT/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	25.5#	844	912	931	954	967	997	1026	1066	1135	1208	1280	1427	190			
		Casters, Non-contrast	MPJ18C/CST/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	25.5#	718	787	805	827	842	871	901	942	1010	1082	1156	1302	190			
MJ18C																								
<div>concealed glides shown</div> <div></div>	<div><b>Junior 18" Cube - Contrast</b></div> <div>• 1 = Base (Fabric Contrast 1) C.O.M. = 1.25 yd</div> <div>• 2 = Seat (Fabric Contrast 2) C.O.M. = .75 yd</div> <div>Overall Dimensions:</div> <div>• W=18" D=18" H=14"</div>	Concealed Glides, Contrast	MPJ18C/CGL/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	26.5#	\$ 744	\$ 839	\$ 865	\$ 895	\$ 914	\$ 955	\$ 995	\$ 1052	\$ 1147	\$ 1247	\$ 1350	\$ 1549	\$ 190			
		Poly Feet, Contrast	MPJ18C/PFT/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	25.5#	744	839	865	895	914	955	995	1052	1147	1247	1350	1549	190			
		Wood Feet, Contrast	MPJ18C/WFT/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	25.5#	874	969	994	1025	1045	1086	1126	1183	1278	1378	1479	1680	190			
		Casters, Contrast	MPJ18C/CST/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	25.5#	744	839	865	895	914	955	995	1052	1147	1247	1350	1549	190			
MJ18C																								
• Price is based off of highest grade fabric.																								



HOW TO ORDER

Indicate the following information on order form:  
1. Quantity of each item.  
2. Model number, including options. See “How To Build a Model Number”.  
3. Any special service required.

Note: • The ☐ indicates that a choice is required.  
  
• The absence of the ☐ indicates that no choice is required.  
  
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

Select basic model.

B

Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](#)

C

Select fabric contrast 2.  
Refer to [ki.com/fabrics](#)

D

Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

E

Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MPJ18C	\$224
MPJ18H	\$215
MPJ18R	\$138
MPJ26R	\$166
MPJCRE	\$247
MPJSQR	\$237

SPECIAL SERVICES

Special Carton Marking









With specially marked information      N/C

Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																					
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Feet Finish	Moisture Barrier																	
MODEL			Features																			Moisture Barrier add to list price		
<div>concealed glides shown</div> <div></div>	<b>Junior 26" Round - Non-contrast</b> <ul style="list-style-type: none"><li>Non-contrast C.O.M = 2 yds</li><li>Ganging (specify kit separately)</li><li>Dia=26" H=14"</li></ul>	Concealed Glide, Non-contrast	MPJ26R/CGL/NC	□□□□			□□□	31.0#	\$ 738	\$ 831	\$ 856	\$ 884	\$ 904	\$ 943	\$ 982	\$ 1031	\$ 1129	\$ 1227	\$ 1323	\$ 1517	\$ 118			
		Poly Feet, Non-contrast	MPJ26R/PFT/NC	□□□□			□□□	31.0#	738	831	856	884	904	943	982	1031	1129	1227	1323	1517	118			
		Wood Feet, Non-contrast	MPJ26R/WFT/NC	□□□□		□□□	□□□	31.0#	865	957	982	1011	1030	1068	1108	1157	1254	1353	1450	1642	118			
		Casters, Non-contrast	MPJ26R/CST/NC	□□□□			□□□	31.0#	738	831	856	884	904	943	982	1031	1129	1227	1323	1517	118			
MJ26R																								
<div>concealed glides shown</div> <div></div>	<b>Junior 26" Round - Contrast</b> <ul style="list-style-type: none"><li>1 = Base (Fabric Contrast 1) C.O.M. = 1.50 yd</li><li>2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd</li><li>Ganging (specify kit separately)</li><li>Dia=26" H=14"</li><li>Price is based off of highest grade fabric.</li></ul>	Concealed Glide, Contrast	MPJ26R/CGL/FC	□□□□	□□□□		□□□	31.0#	\$ 771	\$ 862	\$ 888	\$ 916	\$ 967	\$ 1007	\$ 1045	\$ 1093	\$ 1223	\$ 1320	\$ 1450	\$ 1642	\$ 118			
		Poly Feet, Contrast	MPJ26R/PFT/FC	□□□□	□□□□		□□□	31.0#	771	862	888	916	967	1007	1045	1093	1223	1320	1450	1642	118			
		Wood Feet, Contrast	MPJ26R/WFT/FC	□□□□	□□□□	□□□	□□□	31.0#	897	988	1013	1042	1092	1132	1172	1220	1349	1447	1575	1769	118			
		Casters, Contrast	MPJ26R/CST/FC	□□□□	□□□□		□□□	31.0#	771	862	888	916	967	1007	1045	1093	1223	1320	1450	1642	118			
MJ26R																								
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>																	

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

**D** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

**E** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MPJ18C	\$224
MPJ18H	\$215
MPJ18R	\$138
MPJ26R	\$166
MPJCRE	\$247
MPJSQR	\$237









## Special Carton Marking

With specially marked information N/C

**Ships assembled, FOB High Point, NC 27263,  
freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																					
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Feet Finish	Moisture Barrier																	
MODEL			Features		Approx. Packaged Weight    Grade C.O.M.    Grade C    Grade D    Grade E & C.O.L.    Grade F    Grade G    Grade H    Grade I    Grade J    Grade K    Grade L Leather    Grade M Leather    Moisture Barrier add to list price																			
<div>concealed glides shown</div> <div></div> <div></div> <div></div> <div></div>	<b>Junior Crescent - Non-contrast</b>		Concealed Glide, Non-contrast		MPJCRE/CGL/NC	□□□□			□□□	50.0#	\$ 765	\$ 857	\$ 881	\$ 910	\$ 931	\$ 970	\$ 1009	\$ 1056	\$ 1155	\$ 1252	\$ 1349	\$ 1543	\$ 194	
	• Non-contrast C.O.M = 2 yds		Poly Feet, Non-contrast		MPJCRE/PFT/NC	□□□□			□□□	50.0#	765	857	881	910	931	970	1009	1056	1155	1252	1349	1543	194	
	• Ganging (specify kit separately)		Wood Feet, Non-contrast		MPJCRE/WFT/NC	□□□□		□□□	□□□	50.0#	891	983	1008	1036	1056	1096	1134	1183	1280	1377	1475	1669	194	
	• Dia=26" H=14"		Casters, Non-contrast		MPJCRE/CST/NC	□□□□			□□□	50.0#	765	857	881	910	931	970	1009	1056	1155	1252	1349	1543	194	
MJCRE																								
<div>concealed glides shown</div> <div></div> <div></div> <div></div> <div></div>	<b>Junior Crescent - Contrast</b>		Concealed Glide, Contrast		MPJCRE/CGL/FC	□□□□	□□□□		□□□	50.0#	\$ 798	\$ 902	\$ 925	\$ 955	\$ 1025	\$ 1064	\$ 1103	\$ 1151	\$ 1280	\$ 1377	\$ 1601	\$ 1795	\$ 194	
	• 1 = Base (Fabric Contrast 1) C.O.M. = 1.75 yd		Poly Feet, Contrast		MPJCRE/PFT/FC	□□□□	□□□□		□□□	50.0#	798	902	925	955	1025	1064	1103	1151	1280	1377	1601	1795	194	
	• 2 = Seat (Fabric Contrast 2) C.O.M. = .75 yd		Wood Feet, Contrast		MPJCRE/WFT/FC	□□□□	□□□□	□□□	□□□	50.0#	923	1027	1052	1080	1151	1189	1229	1277	1407	1504	1727	1921	194	
	• Ganging (specify kit separately)		Casters, Contrast		MPJCRE/CST/FC	□□□□	□□□□		□□□	50.0#	798	902	925	955	1025	1064	1103	1151	1280	1377	1601	1795	194	
	• Dia=26" H=14"																							
MJCRE																								



			MODEL NUMBER																			
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Feet Finish	Moisture Barrier															
MODEL	Features							Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div></div>	<b>Junior Square - Non-contrast</b> <ul style="list-style-type: none"><li>• Non-contrast C.O.M = 1.75 yds</li><li>• Ganging (specify kit separately)</li><li>• W=22" D=22" H=14"</li></ul>	Concealed Glide, Non-contrast	MPJSQR/CGL/NC	□□□□			□□□	35.0#	\$ 770	\$ 850	\$ 871	\$ 898	\$ 914	\$ 948	\$ 982	\$ 1025	\$ 1110	\$ 1195	\$ 1280	\$ 1451	\$ 189	
		Poly Feet, Non-contrast	MPJSQR/PFT/NC	□□□□			□□□	35.0#	770	850	871	898	914	948	982	1025	1110	1195	1280	1451	189	
		Wood Feet, Non-contrast	MPJSQR/WFT/NC	□□□□		□□□	□□□	35.0#	895	976	998	1024	1040	1075	1108	1151	1236	1320	1407	1576	189	
		Casters, Non-contrast	MPJSQR/CST/NC	□□□□			□□□	35.0#	770	850	871	898	914	948	982	1025	1110	1195	1280	1451	189	
MJSQR																						
<div>concealed glides shown</div> <div></div>	<b>Junior Square - Contrast</b> <ul style="list-style-type: none"><li>• 1 = Base (Fabric Contrast 1) C.O.M. = 1 yd</li><li>• 2 = Seat (Fabric Contrast 2) C.O.M. = .75 yd</li><li>• Ganging (specify kit separately)</li><li>• W=22" D=22" H=14"</li><li>• Price is based off of highest grade fabric.</li></ul>	Concealed Glide, Contrast	MPJSQR/CGL/FC	□□□□	□□□□		□□□	35.0#	\$ 801	\$ 881	\$ 903	\$ 930	\$ 946	\$ 980	\$ 1013	\$ 1056	\$ 1142	\$ 1227	\$ 1311	\$ 1482	\$ 189	
		Poly Feet, Contrast	MPJSQR/PFT/FC	□□□□	□□□□		□□□	35.0#	801	881	903	930	946	980	1013	1056	1142	1227	1311	1482	189	
		Wood Feet, Contrast	MPJSQR/WFT/FC	□□□□	□□□□	□□□	□□□	35.0#	927	1008	1029	1055	1071	1106	1140	1183	1267	1353	1438	1608	189	
		Casters, Contrast	MPJSQR/CST/FC	□□□□	□□□□		□□□	35.0#	801	881	903	930	946	980	1013	1056	1142	1227	1311	1482	189	
MJSQR																						

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)

**D** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MPJ18C	\$224
MPJ18H	\$215
MPJ18R	\$138
MPJ26R	\$166
MPJCRE	\$247
MPJSQR	\$237

## Special Carton Marking

With specially marked information N/C

**Ships assembled, FOB High Point, NC 27263,  
freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																			
		Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
<div>concealed glides shown</div> <div></div>	Concealed Glide, Non-contrast	MPRCT/CGL/NC	□□□□				□□□	70.0#	\$ 1225	\$ 1386	\$ 1429	\$ 1481	\$ 1515	\$ 1583	\$ 1651	\$ 1736	\$ 1906	\$ 2076	\$ 2246	\$ 2587	\$ 252
	Poly Feet, Non-contrast	MPRCT/PFT/NC	□□□□				□□□	70.0#	1225	1386	1429	1481	1515	1583	1651	1736	1906	2076	2246	2587	252
	Wood Feet, Non-contrast	MPRCT/WFT/NC	□□□□		□□□		□□□	70.0#	1351	1511	1555	1607	1640	1708	1777	1862	2033	2201	2372	2714	252
	Aluminum Feet, Non-Contrast	MPRCT/AFT/NC	□□□□			□□	□□□	70.0#	1363	1525	1570	1622	1655	1724	1793	1879	2051	2221	2393	2738	252
MRCT																					
<b>Rectangle, Backless - Non-contrast</b>																					
<ul style="list-style-type: none"><li>• Non-contrast C.O.M = 3.5 yds</li><li>• Ganging (specify kit separately)</li><li>• W=48" D=26" H=18"</li><li>• Casters unavailable as standard.</li></ul>																					
<div>concealed glides shown</div> <div></div>	Concealed Glide, Contrast	MPRCT/CGL/FC	□□□□	□□□□			□□□	70.0#	\$ 1256	\$ 1417	\$ 1461	\$ 1511	\$ 1546	\$ 1614	\$ 1682	\$ 1768	\$ 1937	\$ 2108	\$ 2277	\$ 2619	\$ 252
	Poly Feet, Contrast	MPRCT/PFT/FC	□□□□	□□□□			□□□	70.0#	1256	1417	1461	1511	1546	1614	1682	1768	1937	2108	2277	2619	252
	Wood Feet, Contrast	MPRCT/WFT/FC	□□□□	□□□□	□□□		□□□	70.0#	1383	1543	1586	1638	1671	1740	1808	1893	2064	2234	2402	2745	252
	Aluminum Feet, Contrast	MPRCT/AFT/FC	□□□□	□□□□		□□	□□□	70.0#	1395	1557	1601	1653	1686	1756	1825	1910	2082	2254	2424	2769	252
MRCT																					
<b>Rectangle, Backless - Contrast</b>																					
<ul style="list-style-type: none"><li>• 1 = Base (Fabric Contrast 1) C.O.M. = 2.5 yd</li><li>• 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd</li><li>• Ganging (specify kit separately)</li><li>• W=48" D=26" H=18"</li><li>• Casters unavailable as standard.</li><li>• Price is based off of highest grade fabric.</li></ul>																					
		<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>														

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
  - B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)
  - C** Select fabric contrast 2.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)
  - D** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.
  - E** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.
  - F** Select moisture barrier.
- |            |                       |
|------------|-----------------------|
| <b>MB</b>  | - Moisture barrier    |
| <b>NMB</b> | - No moisture barrier |
- See pricing column for moisture barrier upcharge.

## Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MPRCT	\$304

## SPECIAL SERVICES

## Special Carton Marking

With specially marked information N/C

## Shipping

**Ships assembled, FOB High Point, NC 27263,  
freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.



HOW TO ORDER

Indicate the following information on order form:  
1. Quantity of each item.  
2. Model number, including options. See “How To Build a Model Number”.  
3. Any special service required.

Note: • The ☐ indicates that a choice is required.  
  
• The absence of the ☐ indicates that no choice is required.  
  
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

Select basic model.

B

Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](#)

C

Select fabric contrast 2.  
Refer to [ki.com/fabrics](#)

D

Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

E

Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

F

Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model

MPC30	\$241
MPC45	\$250
MPC60	\$250

SPECIAL SERVICES

Special Carton Marking

With specially marked information      N/C

Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



[illegible]

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
  - B** Select non-contrast or fabric contrast 1.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)
  - C** Select fabric contrast 2.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)
  - D** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.
  - E** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.
  - F** Select moisture barrier.
- |            |                       |
|------------|-----------------------|
| <b>MB</b>  | - Moisture barrier    |
| <b>NMB</b> | - No moisture barrier |
- See pricing column for moisture barrier upcharge.

## Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MPC30	\$241
MPC45	\$250
MPC60	\$250

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

## Shipping

**Ships assembled, FOB High Point, NC 27263,  
freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.



[illegible]

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
  - B** Select non-contrast or fabric contrast 1.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)
  - C** Select fabric contrast 2.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)
  - D** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.
  - E** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.
  - F** Select moisture barrier.
- 
- |            |                       |
|------------|-----------------------|
| <b>MB</b>  | - Moisture barrier    |
| <b>NMB</b> | - No moisture barrier |
- See pricing column for moisture barrier upcharge.

## Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MPC30	\$241
MPC45	\$250
MPC60	\$250

## SPECIAL SERVICES

## Special Carton Marking



With specially marked information N/C

## Shipping

**Ships assembled, FOB High Point, NC 27263,  
freight prepaid. Freight class 250.**









Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																			
		Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
<div>concealed glides shown</div> <div></div>	Concealed Glide, Non-contrast	MPCRV/CGL/NC	□□□□				□□□	116.0#	\$ 1503	\$ 1714	\$ 1771	\$ 1837	\$ 1880	\$ 1970	\$ 2060	\$ 2172	\$ 2392	\$ 2616	\$ 2839	\$ 3285	\$ 263
	Poly Feet, Non-contrast	MPCRV/PFT/NC	□□□□				□□□	116.0#	1503	1714	1771	1837	1880	1970	2060	2172	2392	2616	2839	3285	263
	Wood Feet, Non-contrast	MPCRV/WFT/NC	□□□□		□□□		□□□	116.0#	1631	1842	1898	1966	2008	2099	2187	2300	2521	2744	2968	3414	263
	Aluminum Feet, Non-Contrast	MPCRV/AFT/NC	□□□□			□□	□□□	116.0#	1616	1826	1881	1948	1990	2080	2168	2280	2499	2720	2942	3383	263
MCRV																					
Backless, 90° Curve - Non-contrast																					
• Non-contrast C.O.M = 4.5 yds																					
• Ganging (specify kit separately)																					
• W=76-1/2" D=26" H=18"																					
• Casters unavailable as standard.																					
<div>concealed glides shown</div> <div></div>	Concealed Glide, Contrast	MPCRV/CGL/FC	□□□□	□□□□			□□□	116.0#	\$ 1534	\$ 1777	\$ 1835	\$ 1901	\$ 1977	\$ 2066	\$ 2156	\$ 2267	\$ 2521	\$ 2744	\$ 3096	\$ 3541	\$ 263
	Poly Feet, Contrast	MPCRV/PFT/FC	□□□□	□□□□			□□□	116.0#	1534	1777	1835	1901	1977	2066	2156	2267	2521	2744	3096	3541	263
	Wood Feet, Contrast	MPCRV/WFT/FC	□□□□	□□□□	□□□		□□□	116.0#	1663	1905	1963	2029	2104	2195	2284	2396	2649	2873	3224	3670	263
	Aluminum Feet, Contrast	MPCRV/AFT/FC	□□□□	□□□□		□□	□□□	116.0#	1648	1888	1946	2011	2086	2176	2263	2374	2625	2847	3196	3637	263
MCRV																					
Backless, 90° Curve - Contrast																					
• 1 = Base (Fabric Contrast 1) C.O.M. = 3 yd																					
• 2 = Seat (Fabric Contrast 2) C.O.M. = 2 yd																					
• Ganging (specify kit separately)																					
• W=76-1/2" D=26" H=18"																					
• Casters unavailable as standard.																					
• Price is based off of highest grade fabric.																					
			</																		





			MODEL NUMBER																							
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Fabric Contrast 3	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier																	
MODEL		Features								Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price			
<div>concealed glides shown</div> <div></div> <div></div> <div><b>Lounge Chair, 32" Low-Back - Non-contrast</b></div> <div><ul style="list-style-type: none"><li>Non-contrast C.O.M = 3.5 yds</li><li>Ganging (specify kit separately)</li><li>Overall Dimensions:<ul style="list-style-type: none"><li>W=26" D=26" H=32"</li></ul></li><li>Seat Dimensions:<ul style="list-style-type: none"><li>D=19" H=18"</li></ul></li></ul></div>	Concealed Glide	MPSQRL/CGL/NC	□□□□					□□□	62.0#	\$ 1210	\$ 1374	\$ 1417	\$ 1469	\$ 1505	\$ 1574	\$ 1643	\$ 1742	\$ 1903	\$ 2076	\$ 2250	\$ 2596	\$ 209				
	Poly Feet	MPSQRL/PFT/NC	□□□□					□□□	62.0#	1210	1374	1417	1469	1505	1574	1643	1742	1903	2076	2250	2596	209				
	Wood Feet	MPSQRL/WFT/NC	□□□□			□□□		□□□	62.0#	1338	1504	1546	1598	1633	1701	1772	1870	2032	2205	2379	2725	209				
	Casters	MPSQRL/CST/NC	□□□□					□□□	62.0#	1210	1374	1417	1469	1505	1574	1643	1742	1903	2076	2250	2596	209				
	Aluminum Feet	MPSQRL/AFT/NC	□□□□				□□	□□□	62.0#	1326	1491	1532	1584	1618	1686	1756	1854	2014	2186	2358	2701	209				
MSQRL																										
<div>concealed glides shown</div> <div></div> <div></div> <div><b>Lounge Chair, 32" Low-Back - Contrast</b></div> <div><ul style="list-style-type: none"><li>1 = Base (Fabric Contrast 1) C.O.M. = 1.25 yd</li><li>2 = Seat (Fabric Contrast 2) C.O.M. = .75 yd</li><li>3 = Back (Fabric Contrast 3) C.O.M. = 1.75 yd</li><li>Ganging (specify kit separately)</li><li>Overall Dimensions:<ul style="list-style-type: none"><li>W=26" D=26" H=32"</li></ul></li><li>Seat Dimensions:<ul style="list-style-type: none"><li>D=19" H=18"</li></ul></li><li>Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.</li></ul></div>	Concealed Glide	MPSQRL/CGL/FC	□□□□	□□□□	□□□□			□□□	62.0#	\$ 1231	\$ 1411	\$ 1459	\$ 1515	\$ 1554	\$ 1628	\$ 1703	\$ 1810	\$ 1988	\$ 2177	\$ 2366	\$ 2744	\$ 209				
	Poly Feet	MPSQRL/PFT/FC	□□□□	□□□□	□□□□			□□□	62.0#	1231	1411	1459	1515	1554	1628	1703	1810	1988	2177	2366	2744	209				
	Wood Feet	MPSQRL/WFT/FC	□□□□	□□□□	□□□□	□□□		□□□	62.0#	1362	1542	1589	1645	1684	1758	1834	1941	2118	2307	2498	2874	209				
	Casters	MPSQRL/CST/FC	□□□□	□□□□	□□□□			□□□	62.0#	1231	1411	1459	1515	1554	1628	1703	1810	1988	2177	2366	2744	209				
	Aluminum Feet	MPSQRL/AFT/FC	□□□□	□□□□	□□□□		□□	□□□	62.0#	1326	1502	1547	1602	1639	1712	1786	1890	2062	2247	2432	2798	209				
MSQRL																										



[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

- C** Select fabric contrast 2.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)
- D** Select fabric contrast 3.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)
- E** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.
- F** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

**G** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MPRB	\$345

## Special Carton Marking









With specially marked information N/C

**Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.





		MODEL NUMBER																				
		Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Fabric Contrast 3	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier														
Features									Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
<div>concealed glides shown</div> <div></div> <div></div> <div>MCRN</div> <div>Corner LEFT with 32" Low-Back - Non-contrast</div> <div><ul style="list-style-type: none"><li>Non-contrast C.O.M = 4.25 yds</li><li>Ganging (specify kit separately)</li></ul>Overall Dimensions:<ul style="list-style-type: none"><li>W=26" D=26" H=32"</li></ul>Seat Dimensions:<ul style="list-style-type: none"><li>W=19" D=19" H=18"</li></ul></div>	Concealed Glide	MPCRN/LF/CGL/NC	□□□□					□□□	50.0#	\$ 1505	\$ 1704	\$ 1756	\$ 1818	\$ 1859	\$ 1945	\$ 2027	\$ 2132	\$ 2340	\$ 2549	\$ 2757	\$ 3175	\$ 246
	Poly Feet	MPCRN/LF/PFT/NC	□□□□					□□□	50.0#	1505	1704	1756	1818	1859	1945	2027	2132	2340	2549	2757	3175	246
	Wood Feet	MPCRN/LF/WFT/NC	□□□□			□□□		□□□	50.0#	1632	1830	1883	1946	1987	2071	2153	2259	2468	2675	2885	3302	246
	Casters	MPCRN/LF/CST/NC	□□□□					□□□	50.0#	1505	1704	1756	1818	1859	1945	2027	2132	2340	2549	2757	3175	246
	Aluminum Feet	MPCRN/LF/AFT/NC	□□□□				□□	□□□	50.0#	1632	1830	1883	1946	1987	2071	2153	2259	2468	2675	2885	3302	246
<div>concealed glides shown</div> <div></div> <div></div> <div>MCRN</div> <div>Corner LEFT with 32" Low-Back - Contrast</div> <div><ul style="list-style-type: none"><li>1 = Base (Fabric Contrast 1) C.O.M. = 1.5 yd</li><li>2 = Seat (Fabric Contrast 2) C.O.M. = .75 yd</li><li>3 = Back (Fabric Contrast 3) C.O.M. = 2.5 yd</li><li>Ganging (specify kit separately)</li><li>Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.</li></ul></div>	Concealed Glide	MPCRN/LF/CGL/FC	□□□□	□□□□	□□□□			□□□	50.0#	\$ 1570	\$ 1767	\$ 1819	\$ 1881	\$ 1955	\$ 2039	\$ 2122	\$ 2228	\$ 2468	\$ 2675	\$ 3011	\$ 3429	\$ 246
	Poly Feet	MPCRN/LF/PFT/FC	□□□□	□□□□	□□□□			□□□	50.0#	1570	1767	1819	1881	1955	2039	2122	2228	2468	2675	3011	3429	246
	Wood Feet	MPCRN/LF/WFT/FC	□□□□	□□□□	□□□□	□□□		□□□	50.0#	1696	1895	1947	2008	2082	2166	2249	2354	2594	2802	3138	3556	246
	Casters	MPCRN/LF/CST/FC	□□□□	□□□□	□□□□			□□□	50.0#	1570	1767	1819	1881	1955	2039	2122	2228	2468	2675	3011	3429	246
	Aluminum Feet	MPCRN/LF/AFT/FC	□□□□	□□□□	□□□□		□□	□□□	50.0#	1696	1895	1947	2008	2082	2166	2249	2354	2594	2802	3138	3556	246

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](https://ki.com/fabrics)
- C**Select fabric contrast 2. Refer to [ki.com/fabrics](https://ki.com/fabrics)
- D**Select fabric contrast 3. Refer to [ki.com/fabrics](https://ki.com/fabrics)
- E**Select wood feet finish. Refer to the **Product Color Options** page in this price list.
- F**Select brushed aluminum feet finish. Refer to the **Product Color Options** page in this price list.
- G**Select moisture barrier.
- |            |                       |
|------------|-----------------------|
| <b>MB</b>  | - Moisture barrier    |
| <b>NMB</b> | - No moisture barrier |
- See pricing column for moisture barrier upcharge.

Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MPCRN	\$325

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

**Shipping**  
Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.





		MODEL NUMBER																				
		Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Fabric Contrast 3	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
<div>concealed glides shown</div> <div></div> <div>MCRN</div> <div>Corner RIGHT with 32” Low-Back - Non-contrast</div> <div><ul style="list-style-type: none"><li>Non-contrast C.O.M = 4.25 yds</li><li>Ganging (specify kit separately)</li></ul>Overall Dimensions:<ul style="list-style-type: none"><li>W=26” D=26” H=32”</li></ul>Seat Dimensions:<ul style="list-style-type: none"><li>W=19” D=19” H=18”</li></ul></div>	Concealed Glide	MPCRN/RF/CGL/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>					<input type="checkbox"/> <input type="checkbox"/>	50.0#	\$ 1505	\$ 1704	\$ 1756	\$ 1818	\$ 1859	\$ 1945	\$ 2027	\$ 2132	\$ 2340	\$ 2549	\$ 2757	\$ 3175	\$ 246
	Poly Feet	MPCRN/RF/PFT/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>					<input type="checkbox"/> <input type="checkbox"/>	50.0#	1505	1704	1756	1818	1859	1945	2027	2132	2340	2549	2757	3175	246
	Wood Feet	MPCRN/RF/WFT/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>	50.0#	1632	1830	1883	1946	1987	2071	2153	2259	2468	2675	2885	3302	246
	Casters	MPCRN/RF/CST/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>					<input type="checkbox"/> <input type="checkbox"/>	50.0#	1505	1704	1756	1818	1859	1945	2027	2132	2340	2549	2757	3175	246
	Aluminum Feet	MPCRN/RF/AFT/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	50.0#	1632	1830	1883	1946	1987	2071	2153	2259	2468	2675	2885	3302	246
<div>concealed glides shown</div> <div></div> <div>MCRN</div> <div>Corner RIGHT with 32” Low-Back - Contrast</div> <div><ul style="list-style-type: none"><li>1 = Base (Fabric Contrast 1) C.O.M. = 1.5 yd</li><li>2 = Seat (Fabric Contrast 2) C.O.M. = .75 yd</li><li>3 = Back (Fabric Contrast 3) C.O.M. = 2.5 yd</li><li>Ganging (specify kit separately)</li><li>Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.</li></ul></div>	Concealed Glide	MPCRN/RF/CGL/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>	50.0#	\$ 1570	\$ 1767	\$ 1819	\$ 1881	\$ 1955	\$ 2039	\$ 2122	\$ 2228	\$ 2468	\$ 2675	\$ 3011	\$ 3429	\$ 246
	Poly Feet	MPCRN/RF/PFT/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>	50.0#	1570	1767	1819	1881	1955	2039	2122	2228	2468	2675	3011	3429	246
	Wood Feet	MPCRN/RF/WFT/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>	50.0#	1696	1895	1947	2008	2082	2166	2249	2354	2594	2802	3138	3556	246
	Casters	MPCRN/RF/CST/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>	50.0#	1570	1767	1819	1881	1955	2039	2122	2228	2468	2675	3011	3429	246
	Aluminum Feet	MPCRN/RF/AFT/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	50.0#	1696	1895	1947	2008	2082	2166	2249	2354	2594	2802	3138	3556	246

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](#)
- C**Select fabric contrast 2. Refer to [ki.com/fabrics](#)
- D**Select fabric contrast 3. Refer to [ki.com/fabrics](#)
- E**Select wood feet finish. Refer to the **Product Color Options** page in this price list.
- F**Select brushed aluminum feet finish. Refer to the **Product Color Options** page in this price list.
- G**Select moisture barrier.
- |            |                       |
|------------|-----------------------|
| <b>MB</b>  | - Moisture barrier    |
| <b>NMB</b> | - No moisture barrier |
- See pricing column for moisture barrier upcharge.

Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MPCRN	\$325

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



[illegible]

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
  - B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)
  - C** Select fabric contrast 2.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)
  - D** Select fabric contrast 3.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)
  - E** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.
  - F** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.
  - G** Select moisture barrier.
- |            |                       |
|------------|-----------------------|
| <b>MB</b>  | - Moisture barrier    |
| <b>NMB</b> | - No moisture barrier |
- See pricing column for moisture barrier upcharge.

### Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MP5S	\$307

## SPECIAL SERVICES

## Special Carton Marking

With specially marked information N/C



## Shipping

**Ships assembled, FOB High Point, NC 27263,  
freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.





			MODEL NUMBER																							
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Fabric Contrast 3	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier																	
MODEL		Features								Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price			
<div>concealed glides shown</div> <div></div>	MC130 MC30	<b>Inside Back, 30° Curve, 32” Low-Back - Non-contrast</b> <ul style="list-style-type: none"><li>Non-contrast C.O.M = 2.75 yds</li><li>Ganging (specify kit separately)</li></ul> Overall Dimensions: <ul style="list-style-type: none"><li>W=28” D=26” H=32”</li></ul> Seat Dimensions: <ul style="list-style-type: none"><li>D=19” H=18”</li></ul>	Concealed Glide	MPCI30/CGL/NC	□□□□					64.0#	\$ 1188	\$ 1317	\$ 1353	\$ 1393	\$ 1420	\$ 1475	\$ 1530	\$ 1606	\$ 1734	\$ 1870	\$ 2006	\$ 2278	\$ 203			
			Poly Feet	MPCI30/PFT/NC	□□□□					□□□	61.0#	1188	1317	1353	1393	1420	1475	1530	1606	1734	1870	2006	2278	203		
			Wood Feet	MPCI30/WFT/NC	□□□□			□□□		□□□	61.0#	1316	1446	1481	1521	1548	1603	1658	1735	1861	1998	2134	2406	203		
			Casters	MPCI30/CST/NC	□□□□					□□□	61.0#	1188	1317	1353	1393	1420	1475	1530	1606	1734	1870	2006	2278	203		
			Aluminum Feet	MPCI30/AFT/NC	□□□□				□□	□□□	51.5#	1304	1433	1467	1507	1534	1588	1643	1719	1845	1980	2115	2384	203		
<div>concealed glides shown</div> <div></div>	MC130	<b>Inside Back, 30° Curve, 32” Low-Back - Contrast</b> <ul style="list-style-type: none"><li>1 = Base (Fabric Contrast 1) C.O.M. = 1.25 yd</li><li>2 = Seat (Fabric Contrast 2) C.O.M. = .75 yd</li><li>3 = Back (Fabric Contrast 3) C.O.M. = 2 yd</li><li>Ganging (specify kit separately)</li></ul> Overall Dimensions: <ul style="list-style-type: none"><li>W=28” D=26” H=32”</li></ul> Seat Dimensions: <ul style="list-style-type: none"><li>D=19” H=18”</li></ul> <ul style="list-style-type: none"><li>Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.</li></ul>	Concealed Glide	MPCI30/CGL/FC	□□□□	□□□□	□□□□			64.0#	\$ 1210	\$ 1402	\$ 1452	\$ 1513	\$ 1554	\$ 1634	\$ 1715	\$ 1827	\$ 2017	\$ 2218	\$ 2420	\$ 2823	\$ 203			
			Poly Feet	MPCI30/PFT/FC	□□□□	□□□□	□□□□			□□□	61.0#	1210	1402	1452	1513	1554	1634	1715	1827	2017	2218	2420	2823	203		
			Wood Feet	MPCI30/WFT/FC	□□□□	□□□□	□□□□	□□□		□□□	61.0#	1340	1532	1583	1643	1684	1765	1846	1959	2148	2348	2551	2954	203		
			Casters	MPCI30/CST/FC	□□□□	□□□□	□□□□			□□□	61.0#	1210	1402	1452	1513	1554	1634	1715	1827	2017	2218	2420	2823	203		
			Aluminum Feet	MPCI30/AFT/FC	□□□□	□□□□	□□□□		□□	□□□	64.0#	1304	1492	1542	1600	1639	1718	1797	1907	2091	2287	2484	2876	203		

A

B

C

D

E

F

G





			MODEL NUMBER																					
MODEL		Features	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Fabric Contrast 3	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div></div> <div>MC030</div>	<div><b>Outside Back, 30° Curve, 32" Low-Back - Non-contrast</b></div> <div>• Non-contrast C.O.M = 2.50 yds</div> <div>• Ganging (specify kit separately)</div> <div>Overall Dimensions:</div> <div>• W=28" D=26" H=32"</div> <div>Seat Dimensions:</div> <div>• D=19" H=18"</div>	Concealed Glide	MPC030/CGL/NC	□□□□					□□□	58.0#	\$ 1110	\$ 1229	\$ 1259	\$ 1297	\$ 1320	\$ 1370	\$ 1420	\$ 1490	\$ 1605	\$ 1728	\$ 1854	\$ 2101	\$ 197	
		Poly Feet	MPC030/PFT/NC	□□□□					□□□	56.0#	1110	1229	1259	1297	1320	1370	1420	1490	1605	1728	1854	2101	197	
		Wood Feet	MPC030/WFT/NC	□□□□				□□□		□□□	56.0#	1238	1356	1387	1425	1449	1497	1547	1617	1734	1857	1981	2229	197
		Casters	MPC030/CST/NC	□□□□						□□□	56.0#	1110	1229	1259	1297	1320	1370	1420	1490	1605	1728	1854	2101	197
		Aluminum Feet	MPC030/AFT/NC	□□□□					□□	□□□	58.0#	1227	1344	1374	1412	1436	1484	1533	1603	1718	1840	1964	2209	197
<div>concealed glides shown</div> <div></div> <div>MC030</div>	<div><b>Outside Back, 30° Curve, 32" Low-Back - Contrast</b></div> <div>• 1 = Base (Fabric Contrast 1) C.O.M. = 1.25 yd</div> <div>• 2 = Seat (Fabric Contrast 2) C.O.M. = .75 yd</div> <div>• 3 = Back (Fabric Contrast 3) C.O.M. = 1.25 yd</div> <div>• Ganging (specify kit separately)</div> <div>Overall Dimensions:</div> <div>• W=28" D=26" H=32"</div> <div>Seat Dimensions:</div> <div>• D=19" H=18"</div> <div>• Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.</div>	Concealed Glide	MPC030/CGL/FC	□□□□	□□□□	□□□□			□□□	58.0#	\$ 1130	\$ 1285	\$ 1327	\$ 1376	\$ 1408	\$ 1475	\$ 1540	\$ 1632	\$ 1784	\$ 1949	\$ 2114	\$ 2442	\$ 197	
		Poly Feet	MPC030/PFT/FC	□□□□	□□□□	□□□□			□□□	56.0#	1130	1285	1327	1376	1408	1475	1540	1632	1784	1949	2114	2442	197	
		Wood Feet	MPC030/WFT/FC	□□□□	□□□□	□□□□	□□□		□□□	56.0#	1260	1416	1458	1506	1538	1605	1670	1764	1915	2081	2245	2572	197	
		Casters	MPC030/CST/FC	□□□□	□□□□	□□□□			□□□	56.0#	1130	1285	1327	1376	1408	1475	1540	1632	1784	1949	2114	2442	197	
		Aluminum Feet	MPC030/AFT/FC	□□□□	□□□□	□□□□		□□	□□□	58.0#	1227	1379	1420	1466	1497	1563	1626	1717	1865	2026	2186	2504	197	
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>															

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
  - Model number, including options. See "How To Build a Model Number".
  - Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](https://ki.com/fabrics)
- C**Select fabric contrast 2. Refer to [ki.com/fabrics](https://ki.com/fabrics)
- D**Select fabric contrast 3. Refer to [ki.com/fabrics](https://ki.com/fabrics)
- E**Select wood feet finish. Refer to the **Product Color Options** page in this price list.
- F**Select brushed aluminum feet finish. Refer to the **Product Color Options** page in this price list.
- G**Select moisture barrier.
- |            |                       |
|------------|-----------------------|
| <b>MB</b>  | - Moisture barrier    |
| <b>NMB</b> | - No moisture barrier |
- See pricing column for moisture barrier upcharge.

Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model

MPC130	\$258
MPC030	\$258
MPC145	\$302
MPC045	\$292
MPC160	\$334
MPC060	\$310
MPICB	\$471
MPOCB	\$415

SPECIAL SERVICES

Special Carton Marking



With specially marked information      N/C

Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																							
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Fabric Contrast 3	Wood Feet Finish	Aluminum Feet Finish	Moisture Barrier																	
MODEL	Features									Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price			
<div>concealed glides shown</div> <div></div>	<div><b>Inside Back, 45° Curve, 32” Low-Back - Non-contrast</b></div> <div><ul style="list-style-type: none"><li>• Non-contrast C.O.M = 3.75 yds</li><li>• Ganging (specify kit separately)</li></ul></div> <div>Overall Dimensions:</div> <div><ul style="list-style-type: none"><li>• W=41.5” D=26” H=32”</li></ul></div> <div>Seat Dimensions:</div> <div><ul style="list-style-type: none"><li>• D=19” H=18”</li></ul></div>	Concealed Glide	MPCI45/CGL/NC	□□□□					□□□	84.0#	\$ 1646	\$ 1822	\$ 1870	\$ 1925	\$ 1963	\$ 2036	\$ 2111	\$ 2215	\$ 2389	\$ 2575	\$ 2762	\$ 3133	\$ 220			
		Poly Feet	MPCI45/PFT/NC	□□□□					□□□	82.0#	1646	1822	1870	1925	1963	2036	2111	2215	2389	2575	2762	3133	220			
		Wood Feet	MPCI45/WFT/NC	□□□□				□□□		□□□	82.0#	1775	1952	1998	2053	2091	2165	2239	2344	2519	2705	2891	3260	220		
		Casters	MPCI45/CST/NC	□□□□						□□□	82.0#	1646	1822	1870	1925	1963	2036	2111	2215	2389	2575	2762	3133	220		
		Aluminum Feet	MPCI45/AFT/NC	□□□□					□□	□□□	82.0#	1759	1935	1980	2035	2072	2146	2219	2323	2496	2681	2865	3231	220		
<div>concealed glides shown</div> <div></div>	<div><b>Inside Back, 45° Curve, 32” Low-Back - Contrast</b></div> <div><ul style="list-style-type: none"><li>• 1 = Base (Fabric Contrast 1) C.O.M. = 1.75 yd</li><li>• 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd</li><li>• 3 = Back (Fabric Contrast 3) C.O.M. = 2 yd</li><li>• Ganging (specify kit separately)</li></ul></div> <div>Overall Dimensions:</div> <div><ul style="list-style-type: none"><li>• W=41.5” D=26” H=32”</li></ul></div> <div>Seat Dimensions:</div> <div><ul style="list-style-type: none"><li>• D=19” H=18”</li></ul></div> <div><ul style="list-style-type: none"><li>• Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.</li></ul></div>	Concealed Glide	MPCI45/CGL/FC	□□□□	□□□□	□□□□			□□□	84.0#	\$ 1676	\$ 1904	\$ 1963	\$ 2035	\$ 2084	\$ 2180	\$ 2275	\$ 2411	\$ 2635	\$ 2874	\$ 3112	\$ 3592	\$ 220			
		Poly Feet	MPCI45/PFT/FC	□□□□	□□□□	□□□□			□□□	82.0#	1676	1904	1963	2035	2084	2180	2275	2411	2635	2874	3112	3592	220			
		Wood Feet	MPCI45/WFT/FC	□□□□	□□□□	□□□□	□□□		□□□	82.0#	1807	2034	2094	2166	2214	2311	2405	2541	2765	3005	3243	3724	220			
		Casters	MPCI45/CST/FC	□□□□	□□□□	□□□□			□□□	82.0#	1676	1904	1963	2035	2084	2180	2275	2411	2635	2874	3112	3592	220			
		Aluminum Feet	MPCI45/AFT/FC	□□□□	□□□□	□□□□		□□	□□□	82.0#	1759	1980	2039	2109	2156	2250	2342	2474	2692	2926	3158	3626	220			
				A	B	C	D	E	F	G																

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)

**D** Select fabric contrast 3.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

**F** Select brushed aluminum feet finish. Refer to the **Product Color Options** price list.

**G** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MPC130	\$258
MPC030	\$258
MPC145	\$302
MPC045	\$292
MPC160	\$334
MPC060	\$310
MPICB	\$471
MPOCB	\$415

## Special Carton Marking

With specially marked information N/C

**Ships assembled, FOB High Point, NC 27263,  
freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.





			MODEL NUMBER																					
MODEL		Features	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Fabric Contrast 3	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier															
										Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div></div> <div>MC045</div> <div>MC045</div>	<div><b>Outside Back, 45° Curve, 32" Low-Back - Non-contrast</b></div> <div>• Non-contrast C.O.M = 3.25 yds</div> <div>• Ganging (specify kit separately)</div> <div>Overall Dimensions:</div> <div>• W=41.5" D=26" H=32"</div> <div>Seat Dimensions:</div> <div>• D=19" H=18"</div>	Concealed Glide	MPC045/CGL/NC	□□□□					□□□	67.0#	\$ 1537	\$ 1691	\$ 1732	\$ 1779	\$ 1812	\$ 1875	\$ 1940	\$ 2032	\$ 2182	\$ 2342	\$ 2504	\$ 2825	\$ 216	
		Poly Feet	MPC045/PFT/NC	□□□□					□□□	65.5#	1537	1691	1732	1779	1812	1875	1940	2032	2182	2342	2504	2825	216	
		Wood Feet	MPC045/WFT/NC	□□□□				□□□		□□□	65.5#	1665	1819	1859	1907	1940	2004	2068	2158	2309	2470	2632	2953	216
		Casters	MPC045/CST/NC	□□□□						□□□	65.5#	1537	1691	1732	1779	1812	1875	1940	2032	2182	2342	2504	2825	216
		Aluminum Feet	MPC045/AFT/NC	□□□□					□□	□□□	66.5#	1651	1803	1843	1890	1923	1986	2049	2139	2289	2448	2609	2927	216
<div>concealed glides shown</div> <div></div> <div>MC045</div> <div>MC045</div>	<div><b>Outside Back, 45° Curve, 32" Low-Back - Contrast</b></div> <div>• 1 = Base (Fabric Contrast 1) C.O.M. = 1.75 yd</div> <div>• 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd</div> <div>• 3 = Back (Fabric Contrast 3) C.O.M. = 1.75 yd</div> <div>• Ganging (specify kit separately)</div> <div>Overall Dimensions:</div> <div>• W=41.5" D=26" H=32"</div> <div>Seat Dimensions:</div> <div>• D=19" H=18"</div> <div>• Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.</div>	Concealed Glide	MPC045/CGL/FC	□□□□	□□□□	□□□□			□□□	67.0#	\$ 1564	\$ 1780	\$ 1837	\$ 1905	\$ 1951	\$ 2042	\$ 2132	\$ 2262	\$ 2473	\$ 2698	\$ 2926	\$ 3381	\$ 216	
		Poly Feet	MPC045/PFT/FC	□□□□	□□□□	□□□□			□□□	65.5#	1564	1780	1837	1905	1951	2042	2132	2262	2473	2698	2926	3381	216	
		Wood Feet	MPC045/WFT/FC	□□□□	□□□□	□□□□	□□□		□□□	65.5#	1695	1910	1967	2035	2082	2171	2263	2392	2604	2829	3056	3511	216	
		Casters	MPC045/CST/FC	□□□□	□□□□	□□□□			□□□	53.5#	1564	1780	1837	1905	1951	2042	2132	2262	2473	2698	2926	3381	216	
		Aluminum Feet	MPC045/AFT/FC	□□□□	□□□□	□□□□		□□	□□□	66.5#	1651	1859	1915	1981	2027	2113	2203	2329	2535	2755	2976	3419	216	
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>															

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
  - Model number, including options. See "How To Build a Model Number".
  - Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](#)
- C**Select fabric contrast 2. Refer to [ki.com/fabrics](#)
- D**Select fabric contrast 3. Refer to [ki.com/fabrics](#)
- E**Select wood feet finish. Refer to the **Product Color Options** page in this price list.
- F**Select brushed aluminum feet finish. Refer to the **Product Color Options** page in this price list.
- G**Select moisture barrier.
- |            |                       |
|------------|-----------------------|
| <b>MB</b>  | - Moisture barrier    |
| <b>NMB</b> | - No moisture barrier |
- See pricing column for moisture barrier upcharge.

Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model

MPC130	\$258
MPC030	\$258
MPC145	\$302
MPC045	\$292
MPC160	\$334
MPC060	\$310
MPICB	\$471
MPOCB	\$415

SPECIAL SERVICES

Special Carton Marking

With specially marked information      N/C



Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.





			MODEL NUMBER																					
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Fabric Contrast 3	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier															
MODEL			Features							Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div></div> <div>MC160</div>	<div><b>Inside Back, 60° Curve, 32” Low-Back - Non-contrast</b></div> <div><ul style="list-style-type: none"><li>Non-contrast C.O.M = 4.75 yds</li><li>Ganging (specify kit separately)</li></ul></div> <div>Overall Dimensions:<ul style="list-style-type: none"><li>W=54” D=26” H=32”</li></ul></div> <div>Seat Dimensions:<ul style="list-style-type: none"><li>D=19” H=18”</li><li>Casters unavailable as standard.</li></ul></div>	Concealed Glide	MPCI60/CGL/NC	□□□□					□□□	98.0#	\$ 1887	\$ 2111	\$ 2171	\$ 2240	\$ 2287	\$ 2382	\$ 2476	\$ 2608	\$ 2829	\$ 3064	\$ 3300	\$ 3770	\$ 233	
		Poly Feet	MPCI60/PFT/NC	□□□□					□□□	95.0#	1887	2111	2171	2240	2287	2382	2476	2608	2829	3064	3300	3770	233	
		Wood Feet	MPCI60/WFT/NC	□□□□				□□□	□□□	95.0#	2016	2239	2298	2369	2415	2510	2604	2737	2957	3192	3428	3898	233	
		Aluminum Feet	MPCI60/AFT/NC	□□□□				□□	□□□	95.0#	1998	2219	2278	2348	2393	2488	2581	2713	2930	3164	3398	3863	233	
<div>concealed glides shown</div> <div></div> <div>MC160</div>	<div><b>Inside Back, 60° Curve, 32” Low-Back - Contrast</b></div> <div><ul style="list-style-type: none"><li>1 = Base (Fabric Contrast 1) C.O.M. = 1.75 yd</li><li>2 = Seat (Fabric Contrast 2) C.O.M. = .75 yd</li><li>3 = Back (Fabric Contrast 3) C.O.M. = 3.25 yd</li><li>Ganging (specify kit separately)</li></ul></div> <div>Overall Dimensions:<ul style="list-style-type: none"><li>W=54” D=26” H=32”</li></ul></div> <div>Seat Dimensions:<ul style="list-style-type: none"><li>D=19” H=18”</li><li>Casters unavailable as standard.</li></ul></div> <div><ul style="list-style-type: none"><li>Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.</li></ul></div>	Concealed Glide	MPCI60/CGL/FC	□□□□	□□□□	□□□□			□□□	98.0#	\$ 1921	\$ 2209	\$ 2286	\$ 2375	\$ 2434	\$ 2556	\$ 2678	\$ 2848	\$ 3130	\$ 3435	\$ 3737	\$ 4340	\$ 233	
		Poly Feet	MPCI60/PFT/FC	□□□□	□□□□	□□□□			□□□	95.0#	1921	2209	2286	2375	2434	2556	2678	2848	3130	3435	3737	4340	233	
		Wood Feet	MPCI60/WFT/FC	□□□□	□□□□	□□□□	□□□		□□□	95.0#	2052	2339	2416	2505	2565	2687	2808	2979	3262	3565	3867	4471	233	
		Aluminum Feet	MPCI60/AFT/FC	□□□□	□□□□	□□□□		□□	□□□	95.0#	1998	2278	2352	2439	2498	2616	2734	2900	3176	3471	3765	4353	233	
				<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>														

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
  - Model number, including options. See "How To Build a Model Number".
  - Any special service required.

Note: • The □ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](#)
- C**Select fabric contrast 2. Refer to [ki.com/fabrics](#)
- D**Select fabric contrast 3. Refer to [ki.com/fabrics](#)
- E**Select wood feet finish. Refer to the **Product Color Options** page in this price list.
- F**Select brushed aluminum feet finish. Refer to the **Product Color Options** page in this price list.
- G**Select moisture barrier.
- |            |                       |
|------------|-----------------------|
| <b>MB</b>  | - Moisture barrier    |
| <b>NMB</b> | - No moisture barrier |
- See pricing column for moisture barrier upcharge.

Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model

MPCI30	\$258
MPCO30	\$258
MPCI45	\$302
MPCO45	\$292
MPCI60	\$334
MPCO60	\$310
MPICB	\$471
MPOCB	\$415

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.





			MODEL NUMBER																					
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Fabric Contrast 3	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier															
MODEL			Features							Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div></div> <div>MC060</div>	<b>Outside Back, 60° Curve, 32" Low-Back - Non-contrast</b> <ul style="list-style-type: none"><li>Non-contrast C.O.M = 5 yds</li><li>Ganging (specify kit separately)</li></ul> Overall Dimensions: <ul style="list-style-type: none"><li>W=54" D=26" H=32"</li></ul> Seat Dimensions: <ul style="list-style-type: none"><li>D=19" H=18"</li><li>Casters unavailable as standard.</li></ul>	Concealed Glide	MPC060/CGL/NC	□□□□					□□□	92.0#	\$ 1764	\$ 1952	\$ 2001	\$ 2061	\$ 2101	\$ 2181	\$ 2259	\$ 2372	\$ 2556	\$ 2754	\$ 2952	\$ 3350	\$ 223	
		Poly Feet	MPC060/PFT/NC	□□□□					□□□	92.0#	1764	1952	2001	2061	2101	2181	2259	2372	2556	2754	2952	3350	223	
		Wood Feet	MPC060/WFT/NC	□□□□			□□□		□□□	92.0#	1893	2080	2130	2188	2229	2308	2388	2500	2686	2882	3081	3478	223	
		Aluminum Feet	MPC060/AFT/NC	□□□□				□□	□□□	92.0#	1876	2061	2111	2169	2209	2288	2367	2478	2662	2856	3054	3447	223	
<div>concealed glides shown</div> <div></div> <div>MC060</div>	<b>Outside Back, 60° Curve, 32" Low-Back - Contrast</b> <ul style="list-style-type: none"><li>1 = Base (Fabric Contrast 1) C.O.M. = 1.75 yd</li><li>2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd</li><li>3 = Back (Fabric Contrast 3) C.O.M. = 1.75 yd</li><li>Ganging (specify kit separately)</li></ul> Overall Dimensions: <ul style="list-style-type: none"><li>W=54" D=26" H=32"</li></ul> Seat Dimensions: <ul style="list-style-type: none"><li>D=19" H=18"</li><li>Casters unavailable as standard.</li><li>Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.</li></ul>	Concealed Glide	MPC060/CGL/FC	□□□□	□□□□	□□□□			□□□	95.0#	\$ 1796	\$ 2011	\$ 2068	\$ 2136	\$ 2182	\$ 2272	\$ 2363	\$ 2490	\$ 2704	\$ 2930	\$ 3157	\$ 3609	\$ 223	
		Poly Feet	MPC060/PFT/FC	□□□□	□□□□	□□□□			□□□	92.0#	1796	2011	2068	2136	2182	2272	2363	2490	2704	2930	3157	3609	223	
		Wood Feet	MPC060/WFT/FC	□□□□	□□□□	□□□□	□□□		□□□	92.0#	1927	2141	2198	2266	2312	2402	2494	2623	2834	3061	3288	3741	223	
		Aluminum Feet	MPC060/AFT/FC	□□□□	□□□□	□□□□		□□	□□□	92.0#	1876	2085	2140	2207	2251	2339	2429	2554	2759	2980	3201	3643	223	

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
  - Model number, including options. See "How To Build a Model Number".
  - Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](#)
- C**Select fabric contrast 2.  
Refer to [ki.com/fabrics](#)
- D**Select fabric contrast 3.  
Refer to [ki.com/fabrics](#)
- E**Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.
- F**Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.
- G**Select moisture barrier.
- |            |                       |
|------------|-----------------------|
| <b>MB</b>  | - Moisture barrier    |
| <b>NMB</b> | - No moisture barrier |
- See pricing column for moisture barrier upcharge.

Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model

MPC130	\$258
MPC030	\$258
MPC145	\$302
MPC045	\$292
MPC160	\$334
MPC060	\$310
MPICB	\$471
MPOCB	\$415

SPECIAL SERVICES

Special Carton Marking

With specially marked information      N/C





Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.





			MODEL NUMBER																					
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Fabric Contrast 3	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier															
MODEL			Features							Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div></div> <div>MICB</div>	<div></div>	<b>Inside Back, 90° Curve, 32" Low-Back - Non-contrast</b> <ul style="list-style-type: none"><li>Non-contrast C.O.M = 8 yds</li><li>Ganging (specify kit separately)</li></ul> Overall Dimensions: <ul style="list-style-type: none"><li>W=76-1/2" D=26" H=32"</li></ul> Seat Dimensions: <ul style="list-style-type: none"><li>D=19" H=18"</li><li>Casters unavailable as standard.</li></ul>	Concealed Glide	MPICB/CGL/NC	□□□□																			
			Poly Feet	MPICB/PFT/NC	□□□□																			
			Wood Feet	MPICB/WFT/NC	□□□□			□□□																
			Aluminum Feet	MPICB/AFT/NC	□□□□				□□	□□□														
<div>concealed glides shown</div> <div></div> <div>MICB</div>	<div></div>	<b>Inside Back, 90° Curve, 32" Low-Back - Contrast</b> <ul style="list-style-type: none"><li>1 = Base (Fabric Contrast 1) C.O.M. = 2.75 yd</li><li>2 = Seat (Fabric Contrast 2) C.O.M. = 1.75 yd</li><li>3 = Back (Fabric Contrast 3) C.O.M. = 4 yd</li><li>Ganging (specify kit separately)</li></ul> Overall Dimensions: <ul style="list-style-type: none"><li>W=76-1/2" D=26" H=32"</li></ul> Seat Dimensions: <ul style="list-style-type: none"><li>D=19" H=18"</li><li>Casters unavailable as standard.</li><li>Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.</li></ul>	Concealed Glide	MPICB/CGL/FC	□□□□	□□□□	□□□□																	
			Poly Feet	MPICB/PFT/FC	□□□□	□□□□	□□□□																	
			Wood Feet	MPICB/WFT/FC	□□□□	□□□□	□□□□	□□□																
			Aluminum Feet	MPICB/AFT/FC	□□□□	□□□□	□□□□		□□	□□□														
				<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>														

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
  - Model number, including options. See "How To Build a Model Number".
  - Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](https://ki.com/fabrics)
- C**Select fabric contrast 2. Refer to [ki.com/fabrics](https://ki.com/fabrics)
- D**Select fabric contrast 3. Refer to [ki.com/fabrics](https://ki.com/fabrics)
- E**Select wood feet finish. Refer to the **Product Color Options** page in this price list.
- F**Select brushed aluminum feet finish. Refer to the **Product Color Options** page in this price list.
- G**Select moisture barrier.
- |            |                       |
|------------|-----------------------|
| <b>MB</b>  | - Moisture barrier    |
| <b>NMB</b> | - No moisture barrier |
- See pricing column for moisture barrier upcharge.

Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model

MPCI30	\$258
MPCO30	\$258
MPCI45	\$302
MPCO45	\$292
MPCI60	\$334
MPCO60	\$310
MPICB	\$471
MPOCB	\$415

SPECIAL SERVICES

Special Carton Marking

With specially marked information      N/C

Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



HOW TO ORDER

Indicate the following information on order form:  
1. Quantity of each item.  
2. Model number, including options. See “How To Build a Model Number”.  
3. Any special service required.

Note: • The ☐ indicates that a choice is required.  
  
• The absence of the ☐ indicates that no choice is required.  
  
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

Select basic model.

B

Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](#)

C

Select fabric contrast 2.  
Refer to [ki.com/fabrics](#)

D

Select fabric contrast 3.  
Refer to [ki.com/fabrics](#)

E

Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

F

Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

G

Select moisture barrier.

MB

- Moisture barrier

NMB

- No moisture barrier

See pricing column for moisture barrier upcharge.

Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model

MPCI30

\$258

MPCO30

\$258

MPCI45

\$302

MPCO45

\$292

MPCI60

\$334

MPCO60

\$310

MPICB

\$471

MPOCB

\$415

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.





Inside Back 45° Curve with 48" High-Back




Outside Back 45° Curve with 48" High-Back

General Dimensions		
Seat width	21"	21"
Seat depth	19"	19"
Seat height	18"	18"
Overall Dimensions		
Width	41-1/2"	41-1/2"
Depth	28"	28"
Height	48"	48"



Inside Back 60° Curve with 48" High-Back



Outside Back 60° Curve with 48" High-Back

General Dimensions		
Seat width	28"	28"
Seat depth	19"	19"
Seat height	18"	18"
Overall Dimensions		
Width	54"	54"
Depth	30"	30"
Height	48"	48"



Inside Back 90° Curve with 48" High-Back



Outside Back 90° Curve with 48" High-Back

General Dimensions		
Seat width	39-3/4"	39-3/4"
Seat depth	19"	19"
Seat height	18"	18"
Overall Dimensions		
Width	76-1/2"	76-1/2"
Depth	33-1/2"	33-1/2"
Height	48"	48"



Booth with 48" High-Back



Rectangle with 48" High-Back



Lounge Chair with 48" High-Back

General Dimensions		
Seat width	48"	26"
Seat depth	19-2/5"	19"
Seat height	18"	18"
Back Depth		
Overall Dimensions		
Width	48"	26"
Depth	52"	26"
Height	48"	48"



Corner with 48" High-Back  
(Right and Left)



Extended Corner with 48" High-Back  
(Right and Left)

General Dimensions		
Seat width	19"	
Seat depth	19"	18-1/2"
Seat height	18"	18"
Back Depth		
Overall Dimensions		
Width	26"	48"
Depth	26"	26"
Height	48"	48"





Inside Back 45° Curve with 60" High-Back



Outside Back 45° Curve with 60" High-Back

General Dimensions		
Seat width	21"	21"
Seat depth	19"	19"
Seat height	18"	18"
Overall Dimensions		
Width	41-1/2"	41-1/2"
Depth	28"	28"
Height	60"	60"



Inside Back 60° Curve with 60" High-Back



Outside Back 60° Curve, 60" High-Back

General Dimensions		
Seat width	28"	28"
Seat depth	19"	19"
Seat height	18"	18"
Overall Dimensions		
Width	54"	54"
Depth	30"	30"
Height	60"	60"



Inside Back 90° Curve with 60" High-Back



Outside Back 90° Curve with 60" High-Back

General Dimensions		
Seat width	39-3/4"	39-3/4"
Seat depth	19"	19"
Seat height	18"	18"
Overall Dimensions		
Width	76-1/2"	76-1/2"
Depth	33-1/2"	33-1/2"
Height	60"	60"



Booth with 60"High-Back



Rectangle with 60" High-Back



Lounge Chair with 60" High-Back

General Dimensions		
Seat width	48"	26"
Seat depth	19-2/5"	19"
Seat height	18"	18"
Back Depth		
Overall Dimensions		
Width	48"	26"
Depth	52"	26"
Height	60"	60"




Corner with 60"High-Back  
(Right and Left)



Extended Corner with 60" High-Back  
(Right and Left)

General Dimensions		
Seat width	19"	
Seat depth	19"	18-1/2"
Seat height	18"	18"
Back Depth		
26"		
Overall Dimensions		
Width	26"	48"
Depth	26"	26"
Height	60"	60"





- A. Modular lounge in rectilinear and curvilinear shapes with high-backs to create endless environments in any footprint. Can be planned together, with backless units, or as standalone pieces.
- B. Two back heights available (48" or 60").
- C. Option for up to three contrasting fabrics per unit (seat, base, back), select from many approved fabrics and patterns.
- D. Four base options include concealed glides, wood feet, black poly feet, or aluminum feet. Wood feet and aluminum feet can be specified in all applicable KI standard finish options. All base/foot options include leveling capability with an adjustment range of 3/4".
- E. MyPlace High-Back lounge units can be specified with no power, single RPT module power, or with Interlink® IQ multi-unit single-circuit power. Interlink® IQ can power up to eight modules using one single in-feed, no hardwiring required. See the MyPlace Planning Guide and Technical Specifications for more information.
- F. Removable seat design allows for easy cleaning and UL electrical inspections when using Interlink® IQ power.
- G. Built in clean-out in seat design allows for debris to be guided towards the floor, and painted wood frames protect against liquid spills while allowing for floor access with open spaces.
- H. Two-Sided Booth unit is designed to work within working lounge spaces, or to be used as traditional booth seating within café environments.
- I. Products feature a superior 400 lb. weight rating per individual seat.
- J. MyPlace high-back lounge can be ganged with other high-back units or MyPlace backless units. See the MyPlace Planning Guide for more information.



Frame

All seat and backrest frames are constructed of 3/4" laminated hardwood plywood, CNC cut. All main frame joints are nailed and glued, in addition to interlocking joinery across all stress points. Seats are removeable without tools for cleaning and electrical inspection. Frame bases are coated with a black stain and sealer to seal and protect wooden frames from liquid spills. The seat base contains multiple pass-through cutouts to allow liquid and debris to route to the floor. Seats feature a curved clean-out space to route liquid and debris towards floor.

Foam

All MyPlace High-Back models use seat foam that is 2.5" thick, 2.5 density - 45 lb compression, topped with 1/2" thick, 2.6 density - 80 lb compression foam. The backrest foam is 1 1/2" total thickness consisting of 1" thick, 2.5 density - 45 lb compression foam, and topped with a 1/2" thick, 2.6 density - 80 lb compression foam. The headrest topper has 1 3/8" thick, 2.5 density - 45 lb compression foam on the seating side. All non-seating sides have a 3/4" thick, 2.6 density - 80 lb compression foam covering.

Sewing

All MyPlace Lounge units are double-needle stitched at all primary seams for lasting durability.

Base Options

Poly Feet

Poly feet are 2" high polyurethane, and contain an adjustable glide. The height-adjustable steel 1/4-20 threaded, natural color, impact resistant nylon glide bottom allows for 3/4" of leveling. Poly feet are mounted to the underside frame using 5/16-18 x 1 1/2" set screws. Feet are black in color with four or five feet used per lounge, depending upon model.

Wood Feet

Wood feet are 2" high and made from 2" x 2" x 2" beech hardwood, kiln dried to a moisture content of 6%. Exposed wood is sanded with 220 grit sand paper, then spray stained with KI standard colors, or a custom matching color and placed in a burn-off oven for one hour at 140-150 degrees. The wood is then sealed to prevent moisture imbalance and finish sanded with 400 grit sand paper for fine detailing. The final step for wood feet is the application of a varnish topcoat, then feet are oven baked. Both the sealer and finish coats contain an anti-microbial protectant. A height-adjustable steel 1/4-20 threaded, natural color, impact resistant nylon glide bottom allows for 3/4" of leveling. Four to five wood feet are used per lounge depending upon model. See KI color addendum for stain color offering.

Cast Aluminum Feet

Cast aluminum feet are 2" high and mounted to the underside frame using 5/16-18 x 1 1/2" set screws. Feet are offered in brushed aluminum or painted in powder-coat paint with four or five feet used per lounge, depending upon model. A height-adjustable steel 1/4-20 threaded, natural color, impact resistant nylon glide bottom allows for 3/4" of leveling. See KI Color Addendum for paint color offering.

Concealed Glides

Concealed glides are height-adjustable steel, 1/4-20 threaded with a natural color nylon bottom allowing for 3/4" of leveling. Four to five adjustable glides are used per lounge depending upon model.





Ganging

- Gangers are made from steel and are either, painted with a black finish and are mounted using #10 x 3/4" wood screws.
- 60" high-back gangers - formed of 12-gauge steel. Gangers included with 60" high-back lounge models.
  - High-back base gangers - formed of 14-gauge steel. Gangers included with all 48" and 60" high-back models.
  - 48" high-back catch & hook gangers - formed 10-gauge steel. Gangers included with all 48" high-back models.
  - High-back to low-back, backless or inline table gangers - formed of 12-gauge steel. Gangers must be ordered separately. See MyPlace Lounge Furniture - Planning Guide (KI-PG-000020) for more information.

Electrical System Options

Byrne Mini-Tap® Power Module with 3-Prong Plug

MyPlace High-Back can be configured with optional Byrne Mini-Tap® power modules with 3-prong plug (a self-contained, UL listed single relocatable power tap). One 15-amp, 125 volt AC simplex receptacle and two 2.1-amp, 5 volt DC USB Type A connector ports (2.0 and 3.0 compatible, no data), provide connection for device charging or direct AC power. Byrne Mini-Tap® power module is standard with 72" long, 14 AWG, 15-amp NEMA rated 3-conductor SJT cord with a three-prong grounded plug. Faceplates are optionally either black in color with black outlet ports, white with white outlet ports, or silver with black outlet ports. Cord is black.


One Byrne Mini-Tap® power module with 3-prong plug is available per model, and may be configurable for front and rear power outlets. See MyPlace Lounge Furniture - Planning Guide (KI-PG-000020) for configurable power locations.








Byrne Interlink® IQ System

Optionally, MyPlace High-Back can be configured with Byrne Interlink® IQ system (an ETL-Listed, 120-volt single circuit electrical system). Interlink® IQ is a non-sequential power system that allows users to “daisy-chain” multiple power modules together powered by one infeed (ordered separately). The infeed cord is a 10’ long, 14 AWG, 15-amp NEMA rated 3-conductor SJT cord with a three-prong grounded plug. Faceplates are optionally either black in color with black outlet ports, white with white outlet ports, or silver with black outlet ports. Cord is black.


Up to eight total power modules can be configured in a multi-lounge plan, and are configured as part of the lounge units. Modules contain one 15-amp, 125 volt AC simplex receptacle and two 2.1-amp, 5 volt DC USB Type A connector ports (2.0 and 3.0 compatible, no data), providing connection for device charging or direct AC power. The module to module cord connections are keyed and light indicated for proper hook up.

Up to four power modules per lounge are available, depending upon model, and may be configurable for front and rear power outlets. See the planning guide for configurable power locations.




Lounge Overall Dimension									
Model		A (Seat Depth)	B (Overall Depth)	C (Overall Width)	D (Radius)	E (Overall Height)	F (Seat Height)	G (Seat Width)	H (Back Depth)
	MSQH48	18½"	26"	26"		48"	18"		26"
	MRBH48	18½"	26"	48"		48"	18"		26"
	MBH48	19⅜"	52"	48"		48"	18"		
	MCNH48L	18½"	26"	26"		48"	18"		26"
	MCNH48R	18½"	26"	26"		48"	18"		26"
	MECH48L	18½"	26"	48"		48"	18"		26"
	MECH48R	18½"	26"	48"		48"	18"		26"












Lounge Overall Dimension									
Model		A (Seat Depth)	B (Overall Depth)	C (Overall Width)	D (Radius)	E (Overall Height)	F (Seat Height)	G (Seat Width)	H (Back Depth)
	MCIH44	18½"	28"	41½"	28"	48"	18"	21"	26"
	MCOH44	18½"	28"	41½"	54"	48"	18"	41"	26"
	MCIH64	18½"	29½"	54"	28"	48"	18"	28"	26"
	MCOH64	18½"	29½"	54"	54"	48"	18"	54"	26"
	MCIH94	18½"	34"	76½"	28"	48"	18"	40"	26"
	MCOH94	18½"	34"	76½"	54"	48"	18"	76"	26"



Lounge Overall Dimension									
Model		A (Seat Depth)	B (Overall Depth)	C (Overall Width)	D (Radius)	E (Overall Height)	F (Seat Height)	G (Seat Width)	H (Back Depth)
	MSQH60	18½"	26"	26"		60"	18"		26"
	MRBH60	18½"	26"	48"		60"	18"		26"
	MBH60	19⅜"	52"	48"		60"	18"		
	MCNH60L	18½"	26"	26"		60"	18"		26"
	MCNH60R	18½"	26"	26"		60"	18"		26"
	MECH60L	18½"	26"	48"		60"	18"		26"
	MECH60R	18½"	26"	48"		60"	18"		26"





Lounge Overall Dimension									
Model		A (Seat Depth)	B (Overall Depth)	C (Overall Width)	D (Radius)	E (Overall Height)	F (Seat Height)	G (Seat Width)	H (Back Depth)
	MCIH46	18 1/2"	28"	41 1/2"	28"	60"	18"	21"	26"
	MCOH46	18 1/2"	28"	41 1/2"	54"	60"	18"	41"	26"
	MCIH66	18 1/2"	29 1/2"	54"	28"	60"	18"	28"	26"
	MCOH66	18 1/2"	29 1/2"	54"	54"	60"	18"	54"	26"
	MCIH96	18 1/2"	34"	76 1/2"	28"	60"	18"	40"	26"
	MCOH96	18 1/2"	34"	76 1/2"	54"	60"	18"	76"	26"



**MSQ48**

**Lounge Chair, 48" High-Back - Non-contrast**

- Non-contrast COM= 4.5 yds
- Gangers included to gang to other High-Back models.
- Ganging to backless units or High-Back back to side ganging (specify kit separately)
- Does not gang with 32" Low-Back units
- Cannot be retrofitted to 60" model
- All base models have foot leveling capacity
- Removable seat design, debris clean-out location, and painted wood base to protect against liquids.
- Overall Dimensions:  
W=26" D=26" H=48"

Seat Dimensions:

- D=18.5" H=18"

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

- C** Select power option.
  - NP** - No power
  - WP** - With power
- D** Select power type.
  - DCP** - Byrne Interlink® IQ System w/Mini-Tap® module OR jumper (Interlink® IQ Infeed to power Interlink® IQ Systems ordered separately)
  - RPT** - Mini-Tap® power module w/3-prong plug; add \$304
- E** Select Mini-Tap® module w/3-prong plug location.
  - LRFP** - Left Front Facing Power
  - RRFP** - Left Rear Facing Power
  - RFFP** - Right Front Facing Power
  - RRFP** - Right Rear Facing Power

- F** Select Byrne Interlink® IQ System type.

<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$120
<b>DSMOD</b>	- Byrne Interlink®IQ System w/Mini-Tap® module

- G** Select Byrne Interlink® IQ System w/Mini-Tap® module quantity.
- |             |                             |
|-------------|-----------------------------|
| <b>MOD1</b> | - One Module; add \$392     |
| <b>MOD2</b> | - Two Modules; add \$783    |
| <b>MOD3</b> | - Three Modules; add \$1175 |
| <b>MOD4</b> | - Four Modules; add \$1566  |

- |               |   |
|---------------|---|
| <b>H</b>      | Select Byrne Interlink® IQ System w/Mini-Tap®e location(s). |
| <b>LFFP</b>   | - Left Front Facing Power                                   |
| <b>LRFP</b>   | - Left Rear Facing Power                                    |
| <b>RFFP</b>   | - Right Front Facing Power                                  |
| <b>RRFP</b>   | - Right Rear Facing Power                                   |
| <b>LFLR</b>   | - Left Front, Left Rear Facing Power                        |
| <b>LRFR</b>   | - Left Front, Right Front Facing Power                      |
| <b>LRRR</b>   | - Left Front, Right Rear Facing Power                       |
| <b>RRRF</b>   | - Left Rear, Right Front Facing Power                       |
| <b>RRRL</b>   | - Left Rear, Right Rear Facing Power                        |
| <b>LFLRRR</b> | - Left Front, Left Rear, Right Rear Facing                  |

Power

<b>LFRLRL</b>	- Left Front, Right Front, Left Rear Facing Power
<b>LFRRRL</b>	- Left Front, Right Front, Right Rear Facing Power
<b>RFLRLR</b>	- Right Front, Left Rear, Right Rear Facing Power
<b>RFRLRL</b>	- Left Front, Right Front, Left Rear, Right Rear Facing Power

- 1** Select module color:
- |            |                       |
|------------|-----------------------|
| <b>MPB</b> | - Black power module  |
| <b>MPS</b> | - Silver power module |
| <b>MPW</b> | - White power module  |

- J** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

- K** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

- L** Select moisture barrier.
- |            |                       |
|------------|-----------------------|
| <b>MB</b>  | - Moisture barrier    |
| <b>NMB</b> | - No moisture barrier |
- See pricing column for moisture barrier upcharge.

The above seating products can be manufactured as a Product Modification using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MSQH48	\$424
MSQH60	\$462

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed.

All 48" high-back models can be used as free-standing units or can be ganged to other 48" high-back or 60" high-back models. Gangers are included for traditional lineal ganging with 48" high-back models, however, please note installing concealed gangers on 48" high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

With specially marked information N/C

**Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.



- 1 = Base (Contrast 1) COM= 1.25 yd
- 2 = Seat (Contrast 2) COM= .75 yd
- 3 = Back (Contrast 3) COM= 2.75 yd
- Gangers included to gang to other High-Back models.
- Ganging to backless units or High-Back back to side ganging (specify kit separately)
- Does not gang with 32" Low-Back units
- Cannot be retrofitted to 60" model
- All base models have foot leveling capacity
- Removable seat design, debris clean-out location, and painted wood base to protect against liquids.
- Overall Dimensions:
  - W=26" D=26" H=48"

Seat Dimensions:

- D=18.5" H=18"
- Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- C** Select fabric contrast 2.  
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- D** Select fabric contrast 3.  
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- E** Select power option.  

<b>NP</b>	- No power
<b>WP</b>	- With power

**F** Select power type.  
**DCP** - Byrne Interlink® IQ System w/Mini-Tap® module OR jumper (Interlink® IQ Infeed to power Interlink® IQ Systems ordered separately)  
**RPT** - Mini-Tap® power module w/3-prong plug; add \$304

**G** Select Mini-Tap® module w/3-prong plug location.  
**LFPP** - Left Front Facing Power

<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power

**H** Select Byrne Interlink® IQ System type.

<b>DCJ</b>	- Byrne Interlink® IQ System jumper only; add \$120
<b>DSMOD</b>	- Byrne Interlink® IQ System w/Mini-Tap® module

**I** Select Byrne Interlink® IQ System w/Mini-Tap® module quantity.

<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
<b>MOD4</b>	- Four Modules; add \$1566

**J** Select Byrne Interlink® IQ System w/Mini-Tap Module location(s).

<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFLR</b>	- Left Front, Left Rear Facing Power
<b>LRFR</b>	- Left Front, Right Front Facing Power
<b>LFRR</b>	- Left Front, Right Rear Facing Power

<b>LRRF</b>	- Left Rear, Right Front Facing Power
<b>LRRR</b>	- Left Rear, Right Rear Facing Power
<b>RRRF</b>	- Right Rear, Right Front Facing Power
<b>LFLRRR</b>	- Left Front, Left Rear, Right Rear Facing Power
<b>LFRFLR</b>	- Left Front, Right Front, Left Rear Facing Power
<b>LFRFRR</b>	- Left Front, Right Front, Right Rear Facing Power
<b>RFLRRR</b>	- Right Front, Left Rear, Right Rear Facing Power
<b>LFRFLRRR</b>	- Left Front, Right Front, Left Rear, Right Rear Facing Power
<b>K</b> Select module color.	
<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module
<b>L</b> Select wood feet finish.	
Refer to the <b>Product Color Options</b> page in this price list.	
<b>M</b> Select brushed aluminum feet finish.	
Refer to the <b>Product Color Options</b> page in this price list.	
<b>N</b> Select moisture barrier.	
<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier
See pricing column for moisture barrier upcharge.	

**Compliance to TB133 Fire Safety Code**  
For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MSQH48	\$424
MSQH60	\$462

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed.

All 48" high-back models can be used as free-standing units or can be ganged to other 48" high-back or 60" high-back models. Gangers are included for traditional lineal ganging with 48" high-back models, however, please note installing concealed gangers on 48" high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

## Special Carton Marking

With specially marked information N/C

## Shipping

**Ships assembled, FOB High Point, NC 27263,  
freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.



**MRB48**

**Rectangle with 48" High-Back - Non-contrast**

- Non-contrast COM= 5.75 yds
- Gangers included to gang to other High-Back models.
- Ganging to backless units or High-Back back to side ganging (specify kit separately)
- Does not gang with 32" Low-Back units
- Cannot be retrofitted to 60" model
- All base models have foot leveling capacity
- Removable seat design, debris clean-out location, and painted wood base to protect against liquids.
- Overall Dimensions:
  - W=48" D=26" H=48"

Seat Dimensions:

- D=18.5" H=18"

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)

**C** Select power option.

<b>NP</b>	- No power
<b>WP</b>	- With power

**D** Select power type.

<b>DCP</b>	- Byrne Interlink®@IQ System module OR jumper (Interlink®@IQ Infeed Interlink®@IQ Systems ordered separately)
<b>RPT</b>	- Mini-Tap® power module w/ add \$304

**E** Select Mini-Tap® module w/3-prong plug

<b>LFFP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power

**F** Select Byrne Interlink®@IQ System type.

<b>Ⓒ</b>	Select Byrne Interlink®IQ System w/Mini-Tap® module quantity.
<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
<b>MOD4</b>	- Four Modules; add \$1566
<b>Ⓓ</b>	Select Byrne Interlink®IQ System w/Mini-Tap® module location(s).
<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFPP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFLR</b>	- Left Front, Left Rear Facing Power
<b>LRFR</b>	- Left Front, Right Front Facing Power
<b>LRFR</b>	- Left Front, Right Rear Facing Power
<b>LRRF</b>	- Left Rear, Right Front Facing Power
<b>LRRF</b>	- Left Rear, Right Rear Facing Power
<b>RRFR</b>	- Right Rear, Right Front Facing Power
<b>LFLRRR</b>	- Left Front, Left Rear, Right Rear Facing Power
<b>LFRFLR</b>	- Left Front, Right Front, Left Rear Facing Power
<b>RLFRFR</b>	- Left Front, Right Front, Right Rear Facing Power
<b>RFLRRR</b>	- Right Front, Left Rear, Right Rear Facing Power

- 1** Select module color.
 

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module
- 1** Select wood feet finish.  
 Refer to the **Product Color Options** page in this price list.
- K** Select brushed aluminum feet finish.  
 Refer to the **Product Color Options** page in this price list.
- 1** Select moisture barrier.
 

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

 See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MRBH48	\$493
MRBH60	\$548

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed. All 48" high-back models can be used as free-standing units or can be ganged to other 48" high-back or 60" high-back models. Gangers are included for traditional lineal ganging with 48" high-back models, however, please note installing concealed gangers on 48" high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

With specially marked information N/C

**Shipping**  
Ships assembled, FOB High Point, NC 27263,  
freight prepaid. Freight class 250.

Specifications and prices are subject to change without prior notice.



[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

**C** Select fabric contrast 2.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

**D** Select fabric contrast 3.  
Refer to **ki.com/fabrics**

**E** Select power option.

<b>NP</b>	- No power
<b>WP</b>	- With power

**F** Select power type.  
**DCP** - Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered separately)  
**RPT** - Mini-Tap® power module w/3-prong plug; add \$304

**G** Select Mini-Tap® module w/3-prong plug location.  
**LFFP** - Left Front Facing Power

<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power

**H** Select Byrne Interlink®IQ System type.

<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$120
<b>DSMOD</b>	- Byrne Interlink®IQ System w/Mini-Tap® module

① Select Byrne Interlink® IQ System w/Mini-Tap® module quantity.

<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
<b>MOD4</b>	- Four Modules; add \$1566

**J** Select Byrne Interlink® IQ System w/Mini-Tap® module location(s).

<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RRFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFLR</b>	- Left Front, Left Rear Facing Power
<b>LRFR</b>	- Left Front, Right Rear Facing Power
<b>LFRR</b>	- Left Front, Right Rear Facing Power
<b>LRFR</b>	- Left Rear, Right Front Facing Power
<b>RRRR</b>	- Left Rear, Right Rear Facing Power
<b>RRRF</b>	- Right Rear, Right Front Facing Power

<b>LFLRRR</b>	- Left Front, Left Rear, Right Rear Facing Power
<b>LFRRFL</b>	- Left Front, Right Front, Left Rear Facing Power
<b>LFRRFR</b>	- Left Front, Right Front, Right Rear Facing Power
<b>RFLRRR</b>	- Right Front, Left Rear, Right Rear Facing Power
<b>LFRLRRR</b>	- Left Front, Right Front, Left Rear, Right Rear Facing Power

**K** Select module color.

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

**L** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

**M** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

**N** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MRBH48	\$493
MRBH60	\$548

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed.

All 48" high-back models can be used as free-standing units or can be ganged to other 48" high-back or 60" high-back models. Gangers are included for traditional lineal ganging with 48" high-back models, however, please note installing concealed gangers on 48" high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

### Special Carton Marking





With specially marked information N/C

**Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.





		MODEL NUMBER																										
		Basic Model	Non-Cont or Fabric Cont 1	Pwr Opt	Pwr Type	MT Pwr Loc	IQ Pwr Type	IQ Mod Qty	IQ Pwr Loc	Power Color	Wood Feet Finish	Alum-inum Feet Finish	Moist Barr															
Features														Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div></div>	Concealed Glides	MECH48L/CGL/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	170.0#	\$ 3117	\$ 3407	\$ 3484	\$ 3577	\$ 3638	\$ 3760	\$ 3883	\$ 4057	\$ 4343	\$ 4650	\$ 4956	\$ 5571	\$ 268	
	Poly Feet	MECH48L/PFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	170.0#	3117	3407	3484	3577	3638	3760	3883	4057	4343	4650	4956	5571	268	
	Wood Feet	MECH48L/WFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	170.0#	3239	3529	3606	3699	3760	3882	4005	4179	4465	4772	5078	5693	268
	Aluminum Feet	MECH48L/AFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	170.0#	3239	3529	3606	3699	3760	3882	4005	4179	4465	4772	5078	5693	268	
																					</							

**A**      **B**      **C**      **D**      **E**      **F**      **G**      **H**      **I**      **J**      **K**      **L**

HOW TO ORDER

Indicate the following information on order form:  
1. Quantity of each item.  
2. Model number, including options. See “How To Build a Model Number”.  
3. Any special service required.

Note: • The ☐ indicates that a choice is required.  
• The absence of the ☐ indicates that no choice is required.  
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](#)
- C**Select power option.

☐ **NP** - No power

☐ **WP** - With power
- D**Select power type.

☐ **DCP** - Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered seperately)

☐ **RPT** - Mini-Tap® power module w/3-prong plug; add \$304
- E**Select Mini-Tap® module w/3-prong plug location.

☐ **LRFP** - Left Rear Facing Power

☐ **RFFP** - Right Front Facing Power

☐ **RRFP** - Right Rear Facing Power
- F**Select Byrne Interlink®IQ System type.

☐ **DCJ** - Byrne Interlink®IQ System jumper

- only; add \$120

☐ **DSMOD** - Byrne Interlink®IQ System w/Mini-Tap® module
- ☐ **G**Select Byrne Interlink®IQ System w/Mini-Tap® module quantity.

☐ **MOD1** - One Module; add \$392

☐ **MOD2** - Two Modules; add \$783

☐ **MOD3** - Three Modules; add \$1175
- ☐ **H**Select Byrne Interlink®IQ System w/Mini-Tap® module location(s).

☐ **LRFP** - Left Rear Facing Power

☐ **RFFP** - Right Front Facing Power

☐ **RRFP** - Right Rear Facing Power

☐ **LRRF** - Left Rear, Right Front Facing Power

☐ **LRRR** - Left Rear, Right Rear Facing Power

☐ **RRRF** - Right Rear, Right Front Facing Power

☐ **RFLRRR** - Right Front, Left Rear, Right Rear Facing Power
- ☐ **I**Select power module color.

☐ **MPB** - Black power module

☐ **MPS** - Silver power module

☐ **MPW** - White power module

- J**Select wood feet finish. Refer to the **Product Color Options** page in this price list.
- K**Select brushed aluminum feet finish. Refer to the **Product Color Options** page in this price list.
- L**Select moisture barrier.

☐ **MB** - Moisture barrier

☐ **NMB** - No moisture barrier

See pricing column for moisture barrier upcharge.

**Compliance to TB133 Fire Safety Code**  
For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model  
MECH48L \$536  
MECH48R \$536  
MCNH48L \$437  
MCNH48R \$437

**INFORMATION**  
The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed. All 48” high-back models can be used as free-standing units or can be ganged to other 48” high-back or 60” high-back models. Gangers are included for traditional lineal ganging with 48” high-back models, however, please note installing concealed gangers on 48” high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

**SPECIAL SERVICES**  
**Special Carton Marking**  
With specially marked information      N/C  
  
**Shipping**  
Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



## HOW TO ORDER

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)
- C** Select fabric contrast 2.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)
- D** Select fabric contrast 3.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)
- E** Select power option.
 

<b>NP</b>	- No power
<b>WP</b>	- With power
- F** Select power type.
 

<b>DCP</b>	- Byrne Interlink®IQ System Tap® module OR jumper (Interlink®IQ power Interlink®IQ Systems ordered)
<b>RPT</b>	- Mini-Tap® power module w/ plug; add \$304
- G** Select Mini-Tap® module w/3-prong plug

<b>LRFP</b>	- Left Rear Facing Power
<b>RFPF</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
Select Byrne Interlink®IQ System type.	
<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$120
<b>DSMOD</b>	- Byrne Interlink®IQ System w/Mini-Tap® module
Select Byrne Interlink®IQ System w/Mini-Tap® module quantity.	
<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
Select Byrne Interlink®IQ System w/Mini-Tap® module combination(s).	
<b>LRFP</b>	- Left Rear Facing Power
<b>RFPF</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LRRF</b>	- Left Rear, Right Front Facing Power
<b>LRRR</b>	- Left Rear, Right Rear Facing Power
<b>RRRF</b>	- Right Rear, Right Front Facing Power
<b>RFLRRR</b>	- Right Front, Left Rear, Right Rear Facing

## Power

- |            |                            |
|------------|----------------------------|
| <b>K</b>   | Select power module color. |
| <b>MPB</b> | - Black power module       |
| <b>MPS</b> | - Silver power module      |
| <b>MPW</b> | - White power module       |
- 
- |  |                                      |
|--|--------------------------------------|
| <b>L</b>   | Select wood feet finish.             |
| Refer to the <b>Product Color Options</b> page in this price list. |                                      |
| <b>M</b>   | Select brushed aluminum feet finish. |
| Refer to the <b>Product Color Options</b> page in this price list. |                                      |
| <b>N</b>   | Select moisture barrier.             |
| <b>MB</b>  | - Moisture barrier                   |
| <b>NMB</b>   | - No moisture barrier                |
| See pricing column for moisture barrier upcharge.                  |                                      |

## Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MECH48L	\$536
MECH48R	\$536
MCNH48L	\$437
MCNH48R	\$437

## INFORMATION

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed.

All 48" high-back models can be used as free-standing units or can be ganged to other 48" high-back or 60" high-back models. Gangers are included for traditional lineal ganging with 48" high-back models, however, please note installing concealed gangers on 48" high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

## SPECIAL SERVICES

## Special Carton Marking

With specially marked information N/C





## Shipping

**Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.





		MODEL NUMBER																										
		Basic Model	Non-Cont or Fabric Cont 1	Pwr Opt	Pwr Type	MT Pwr Loc	IQ Pwr Type	IQ Mod Qty	IQ Pwr Loc	Power Color	Wd Feet Fin	Alum Feet Fin	Moist Barr															
Features														Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div><div></div></div>	Concealed Glides	MECH48R/CGL/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	170.0#	\$ 3117	\$ 3407	\$ 3484	\$ 3577	\$ 3638	\$ 3760	\$ 3883	\$ 4057	\$ 4343	\$ 4650	\$ 4956	\$ 5571	\$ 268	
	Poly Feet	MECH48R/PFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	170.0#	3117	3407	3484	3577	3638	3760	3883	4057	4343	4650	4956	5571	268	
	Wood Feet	MECH48R/WFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	170.0#	3239	3529	3606	3699	3760	3882	4005	4179	4465	4772	5078	5693	268
	Aluminum Feet	MECH48R/AFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	170.0#	3239	3529	3606	3699	3760	3882	4005	4179	4465	4772	5078	5693	268	
MEC48																												
Extended Corner RIGHT with 48” High-Back - Non-contrast																												
<ul style="list-style-type: none"><li>• Non-contrast C.O.M = 6.5 yds</li><li>• Gangers included to gang to other High-Back models.</li><li>• Ganging to backless units or High-Back back to side ganging (specify kit separately)</li><li>• Does not gang with 32” Low-Back units</li><li>• Cannot be retrofitted to 60” model</li><li>• Power cannot be specified on front of unit on closed-end side. Three available power locations.</li><li>• All base models have foot leveling capacity</li><li>• Removable seat design, debris clean-out location, and painted wood base to protect against liquids.</li></ul>																												
Overall Dimensions:																												
• W=48” D=26” H=48”																												
Seat Dimensions:																												
• D=18.5” H=18”																												



**MEC48**

**Extended Corner RIGHT with 48" High-Back - Contrast**

- 1 = Base (Contrast 1) C.O.M. = 2 yd
- 2 = Seat (Contrast 2) C.O.M. = .75 yd
- 3 = Back (Contrast 3) C.O.M. = 5 yd
- Gangers included to gang to other High-Back models.
- Ganging to backless units or High-Back to side ganging (specify kit separately)
- Does not gang with 32" Low-Back units
- Cannot be retrofitted to 60" model
- Power cannot be specified on front of unit on closed-end side. Three available power locations.
- All base models have foot leveling capacity
- Removable seat design, debris clean-out location, and painted wood base to protect against liquids.

**Overall Dimensions:**

- W=48" D=26" H=48"

**Seat Dimensions:**

- D=18.5" H=18"
- Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- C** Select fabric contrast 2.  
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- D** Select fabric contrast 3.  
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- E** Select power option.  

<b>NP</b>	- No power
<b>WP</b>	- With power

**G** Select Mini-Tap® module w/3-prong plug location.

<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RRFP</b>	- Right Rear Facing Power
Select Byrne Interlink®IQ System type.	
<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$120
<b>DSMOD</b>	- Byrne Interlink®IQ System w/Mini-Tap® module
Select Byrne Interlink®IQ System w/Mini-Tap® module location(s).	
<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
Select Byrne Interlink®IQ System w/Mini-Tap® module location(s).	
<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFLR</b>	- Left Front, Left Rear Facing Power
<b>LFRR</b>	- Left Front, Right Rear Facing Power
<b>LRRR</b>	- Left Rear, Right Rear Facing Power
<b>LFLRRR</b>	- Left Front, Left Rear, Right Rear Facing

**K** Select power module color.

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

**L** Select wood feet finish.

Refer to the **Product Color Options** page in this price list.

**M** Select brushed aluminum feet finish.

Refer to the **Product Color Options** page in this price list.

**N** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MECH48L	\$536
MECH48R	\$536
MCNH48L	\$437
MCNH48R	\$437

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed. All 48" high-back models can be used as free-standing units or can be ganged to other 48" high-back or 60" high-back models. Gangers are included for traditional lineal ganging with 48" high-back models, however, please note installing concealed gangers on 48" high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

## Special Carton Marking

With specially marked information N/C


## Shipping

**Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.





			MODEL NUMBER																				
			Basic Model	Non-Contrast or Fabric Contrast 1	Power Option	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier															
MODEL			Features						Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div></div> <div>MCN48</div>	<div><b>Corner LEFT with 48” High-Back - Non-contrast</b></div> <div><ul style="list-style-type: none"><li>• Non-contrast C.O.M = 4.75 yds</li><li>• Gangers included to gang to other High-Back models.</li><li>• Ganging to backless units or High-Back back to side ganging (specify kit separately)</li><li>• Does not gang with 32” Low-Back units</li><li>• Cannot be retrofitted to 60” model</li><li>• No Mini-Tap® power options</li><li>• Byrne Interlink®IQ power only available as a pass-through jumper</li><li>• All base models have foot leveling capacity</li><li>• Removable seat design, debris clean-out location, and painted wood base to protect against liquids.</li><li>• Overall Dimensions: W=26” D=26” H=48”</li><li>• Seat Dimensions: D=18.5” H=18”</li></ul></div>	Concealed Glides	MCNH48L/CGL/NC	□□□□□	□□□			□□□	125.0#	\$ 2522	\$ 2735	\$ 2791	\$ 2858	\$ 2903	\$ 2993	\$ 3082	\$ 3210	\$ 3418	\$ 3643	\$ 3866	\$ 4314	\$ 241	
		Poly Feet	MCNH48L/PFT/NC	□□□□□	□□□			□□□	125.0#	2522	2735	2791	2858	2903	2993	3082	3210	3418	3643	3866	4314	241	
		Wood Feet	MCNH48L/WFT/NC	□□□□□	□□□		□□	□□□	125.0#	2644	2857	2913	2980	3025	3115	3204	3332	3540	3765	3988	4436	241	
		Aluminum Feet	MCNH48L/AFT/NC	□□□□□	□□□		□□	□□□	125.0#	2644	2857	2913	2980	3025	3115	3204	3332	3540	3765	3988	4436	241	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](#)
- C**Select power option.

**DCJ** - Byrne Interlink®IQ System jumper only; add \$120

**NP** - No power
- D**Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.
- E**Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.
- F**Select moisture barrier.

**MB** - Moisture barrier

**NMB** - No moisture barrier

See pricing column for moisture barrier upcharge.

**Compliance to TB133 Fire Safety Code**  
For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model  
MECH48L \$536  
MECH48R \$536  
MCNH48L \$437  
MCNH48R \$437

**INFORMATION**  
The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed. All 48” high-back models can be used as free-standing units or can be ganged to other 48” high-back or 60” high-back models. Gangers are included for traditional lineal ganging with 48” high-back models, however, please note installing concealed gangers on 48” high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

**SPECIAL SERVICES**  
**Special Carton Marking**  
With specially marked information N/C

**Shipping**  
Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



**A                  B                  C                  D                  E                  F                  G                  H**

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

**D** Select fabric contrast 3.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

**F** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

**G** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MECH48L	\$536
MECH48R	\$536
MCNH48L	\$437
MCNH48R	\$437

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed.

All 48" high-back models can be used as free-standing units or can be ganged to other 48" high-back or 60" high-back models. Gangers are included for traditional lineal ganging with 48" high-back models, however, please note installing concealed gangers on 48" high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.


With specially marked information N/C

**Shipping**  
Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.





			MODEL NUMBER																				
			Basic Model	Non-Contrast or Fabric Contrast 1	Power Option	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div></div> <div>MCN48</div>	<b>Corner RIGHT with 48" High-Back - Non-contrast</b> <ul style="list-style-type: none"><li>Non-contrast C.O.M = 4.75 yds</li><li>Gangers included to gang to other High-Back models.</li><li>Ganging to backless units or High-Back back to side ganging (specify kit separately)</li><li>Does not gang with 32" Low-Back units</li><li>Cannot be retrofitted to 60" model</li><li>No Mini-Tap® power options</li><li>Byrne Interlink®IQ power only available as a pass-through jumper</li><li>All base models have foot leveling capacity</li><li>Removable seat design, debris clean-out location, and painted wood base to protect against liquids.</li><li>Overall Dimensions:<ul style="list-style-type: none"><li>W=26" D=26" H=48"</li></ul></li><li>Seat Dimensions:<ul style="list-style-type: none"><li>D=18.5" H=18"</li></ul></li></ul>	Concealed Glides	MCNH48R/CGL/NC	□□□	□□□			□□□	125.0#	\$ 2522	\$ 2735	\$ 2791	\$ 2858	\$ 2903	\$ 2993	\$ 3082	\$ 3210	\$ 3418	\$ 3643	\$ 3866	\$ 4314	\$ 241	
		Poly Feet	MCNH48R/PFT/NC	□□□	□□□			□□□	125.0#	2522	2735	2791	2858	2903	2993	3082	3210	3418	3643	3866	4314	241	
		Wood Feet	MCNH48R/WFT/NC	□□□	□□□	□□		□□□	125.0#	2644	2857	2913	2980	3025	3115	3204	3332	3540	3765	3988	4436	241	
		Aluminum Feet	MCNH48R/AFT/NC	□□□	□□□		□□	□□□	125.0#	2644	2857	2913	2980	3025	3115	3204	3332	3540	3765	3988	4436	241	
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>															

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](#)
- C**Select power option.

**DCJ** - Byrne Interlink®IQ System jumper only; add \$120

**NP** - No power
- D**Select wood feet finish. Refer to the **Product Color Options** page in this price list.
- E**Select brushed aluminum feet finish. Refer to the **Product Color Options** page in this price list.
- F**Select moisture barrier.

**MB** - Moisture barrier

**NMB** - No moisture barrier

See pricing column for moisture barrier upcharge.

**Compliance to TB133 Fire Safety Code**  
For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model  
MECH48L \$536  
MECH48R \$536  
MCNH48L \$437  
MCNH48R \$437

**INFORMATION**  
The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed. All 48” high-back models can be used as free-standing units or can be ganged to other 48” high-back or 60” high-back models. Gangers are included for traditional lineal ganging with 48” high-back models, however, please note installing concealed gangers on 48” high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

**SPECIAL SERVICES**  
**Special Carton Marking**  
With specially marked information N/C

**Shipping**  
Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.  
  
Specifications and prices are subject to change without prior notice.



Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

**C** Select fabric contrast 2.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

**D** Select fabric contrast 3.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

**E** Select power option.

<b>DCJ</b>	- Byrne Interlink® IQ System jumper only; add \$120
<b>NP</b>	- No power

**F** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

**G** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

**H** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MECH48L	\$536
MECH48R	\$536
MCNH48L	\$437
MCNH48R	\$437

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed. All 48" high-back models can be used as free-standing units or can be ganged to other 48" high-back or 60" high-back models. Gangers are included for traditional lineal ganging with 48" high-back models, however, please note installing concealed gangers on 48" high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

## Special Carton Marking

With specially marked information N/C

## Shipping

**Ships assembled, FOB High Point, NC 27263,  
freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.



**Booth, Two-Sided, 48" High-Back - Non-contrast**

- Non-contrast C.O.M = 7.75 yds
- Gangers included to gang to other High-Back models.
- Ganging to backless units or High-Back back to side ganging (specify kit separately)
- Does not gang with 32" Low-Back units
- Cannot be retrofitted to 60" model
- All base models have foot leveling capacity
- Removable seat design, debris clean-out location, and painted wood base to protect against liquids.
- Overall Dimensions:
- W=48" D=52" H=48"

**Seat Dimensions:**

- D=19.375" H=18"

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)

**C** Select power option.

<b>NP</b>	- No power
<b>WP</b>	- With power

**D** Select power type.

**DGP** - Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered separately)

**RPT** - Mini-Tap® power module w/3-prong plug; add \$304

**E** Select Mini-Tap® module w/3-prong plug location.

<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RRFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power

<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$120
<b>DSMOD</b>	- Byrne Interlink®IQ System w/Mini-Tap® module

<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
<b>MOD4</b>	- Four Modules; add \$1566

<b>LFFP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power

- |             |  |
|-------------|--|
| <b>LFLR</b> | - Left Front, Left Rear Facing Power   |
| <b>LFRF</b> | - Left Front, Right Front Facing Power |
| <b>LRRR</b> | - Left Front, Right Rear Facing Power  |
| <b>LRRF</b> | - Left Rear, Right Front Facing Power  |
| <b>RRRR</b> | - Left Rear, Right Rear Facing Power   |
| <b>RRRF</b> | - Right Rear, Right Front Facing Power |

- LFLRRR** - Left Front, Left Rear, Right Rear Facing Power  
**LFRFLR** - Left Front, Right Front, Left Rear Facing Power

- LFRFRR** - Left Front, Right Front, Right Rear Facing Power  
**RFLRRR** - Right Front, Left Rear, Right Rear Facing Power

- LFRFLRRR** - Left Front, Right Front, Left Rear, Right Rear Facing Power

- |                      |                       |
|----------------------|-----------------------|
| select module color. |                       |
| <b>MPB</b>           | - Black power module  |
| <b>MPS</b>           | - Silver power module |
| <b>MPW</b>           | - White power module  |

- Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

- Refer to the **Product Color Options** page in this price list.

- Select moisture barrier.
- |            |                       |
|------------|-----------------------|
| <b>MB</b>  | - Moisture barrier    |
| <b>NMB</b> | - No moisture barrier |
- See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details. .

Model	
MBH48	\$605
MBH60	\$646

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed.

All 48" high-back models can be used as free-standing units or can be ganged to other 48" high-back or 60" high-back models. Gangers are included for traditional lineal ganging with 48" high-back models, however, please note installing concealed gangers on 48" high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

With specially marked information N/C

Ships **partially assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

**D** Select fabric contrast 3.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

<b>NP</b>	- No power
<b>WP</b>	- With power

**DCP** - Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered seperately)

---

**RPT** - Mini-Tap® power module w/3-prong plug; add \$304

<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power

<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$120
<b>DSMOD</b> module	- Byrne Interlink®IQ System w/Mini-Tap®

<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1174
<b>MOD4</b>	- Four Modules; add \$1565

<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFRL</b>	- Left Front, Left Rear Facing Power
<b>LRFR</b>	- Left Front, Right Front Facing Power
<b>LFRR</b>	- Left Front, Right Rear Facing Power

<b>LRRF</b>	- Left Rear, Right Front Facing Power
<b>LRRR</b>	- Left Rear, Right Rear Facing Power
<b>RRRF</b>	- Right Rear, Right Front Facing Power
<b>LFLRRR</b>	- Left Front, Left Rear, Right Rear Facing Power
<b>LFRLRR</b>	- Left Front, Right Front, Left Rear Facing Power
<b>FFRRR</b>	- Left Front, Right Front, Right Rear Facing Power
<b>RFLRRR</b>	- Right Front, Left Rear, Right Rear Facing Power
<b>LFRLRRR</b>	- Left Front, Right Front, Left Rear, Right Rear Facing Power

**K** Select module color.

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

**M** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

**N** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MBH48	\$605
MBH60	\$646





The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed. All 48" high-back models can be used as free-standing units or can be ganged to other 48" high-back or 60" high-back models. Gangers are included for traditional lineal ganging with 48" high-back models, however, please note installing concealed gangers on 48" high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

With specially marked information N/C

**Shipping**  
Ships **partially assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																										
		Basic Model	Non-Cont or Fabric Cont 1	Pwr Opt	Pwr Type	MT Pwr Loc	IQ Pwr Type	IQ Mod Qty	IQ Pwr Loc	Pwr Color	Wd Feet Fin	Alum Feet Fin	Moist Barr															
Features														Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div><div></div></div>	Concealed Glide	MCIH44/CGL/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	122.0#	\$ 2238	\$ 2452	\$ 2508	\$ 2575	\$ 2619	\$ 2708	\$ 2798	\$ 2925	\$ 3135	\$ 3359	\$ 3583	\$ 4031	\$ 241	
	Poly Feet	MCIH44/PFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	122.0#	2238	2452	2508	2575	2619	2708	2798	2925	3135	3359	3583	4031	241	
	Wood Feet	MCIH44/WFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	122.0#	2360	2574	2630	2697	2741	2830	2920	3048	3256	3481	3704	4153	241
	Aluminum Feet	MCIH44/AFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	122.0#	2360	2574	2630	2697	2741	2830	2920	3048	3256	3481	3704	4153	241
MCI44																												
Inside Back, 45° Curve, 48” High-Back - Non-contrast																												
• Non-contrast C.O.M = 4.75 yds																												
• Gangers included to gang to other High-Back models.																												
• Ganging to backless units or High-Back back to side ganging (specify kit separately)																												
• Does not gang with 32” Low-Back units																												
• Cannot be retrofitted to 60” model																												
• All base models have foot leveling capacity																												
• Removable seat design, debris clean-out location, and painted wood base to protect against liquids.																												
• Overall Dimensions:																												
• W=41.5” D=26” H=48”																												
Seat Dimensions:																												
• D=18.5” H=18”																												
		A	B	C	D	E	F	G	H	I	J	K	L															

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

**C** Select power option.

<b>NP</b>	- No power
<b>WP</b>	- With power

**D** Select power type.

**DCP** - Byrne Interlink® IQ System w/Mini-Tap® module OR jumper (Interlink® IQ Infeed to power Interlink® IQ Systems ordered seperately)

**RPT** - Mini-Tap® power module w/3-prong plug; add \$304

**E** Select Mini-Tap® module w/3-prong plug location.

<b>LFFP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RRFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power

**F** Select Byrne Interlink® IQ System type.

<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$120
<b>DSMOD</b>	- Byrne Interlink®IQ System w/Mini-Tap® module

**Ⓢ** Select Byrne Interlink®IQ System w/Mini-Tap® module quantity.

<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
<b>MOD4</b>	- Four Modules; add \$1566

<b>H</b>	Select Byrne Interlink®IQ System w/Mini-Tap® module location(s).
<b>LFFP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFLR</b>	- Left Front, Left Rear Facing Power
<b>LRFR</b>	- Left Front, Right Front Facing Power
<b>LRFR</b>	- Left Front, Right Rear Facing Power
<b>LRRF</b>	- Left Rear, Right Front Facing Power
<b>LRRR</b>	- Left Rear, Right Rear Facing Power
<b>RRRF</b>	- Right Rear, Right Front Facing Power
<b>LFLRRR</b>	- Left Front, Left Rear, Right Rear Facing Power
<b>LRFLRR</b>	- Left Front, Right Front, Left Rear Facing Power
<b>LRFRRR</b>	- Left Front, Right Front, Right Rear Facing Power
<b>RFLRRR</b>	- Right Front, Left Rear, Right Rear Facing Power
<b>LRFLRRRR</b>	- Left Front, Right Front, Left Rear, Right Rear

Facing Power

elect power module color.	
<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

elect wood feet finish.

refer to the **Product Color Options** page in this price list.

elect brushed aluminum feet finish.

refer to the **Product Color Options** page in this price list.

elect moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

see pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MCIH44	\$437
MCOH44	\$396
MCIH64	\$507
MCOH64	\$451
MCIH94	\$661
MCOH94	\$549

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed.

All 48" high-back models can be used as free-standing units or can be ganged to other 48" high-back or 60" high-back models. Gangers are included for traditional lineal ganging with 48" high-back models, however, please note installing concealed gangers on 48" high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

With specially marked information N/C

**Shipping**  
Ships assembled, FOB High Point, NC 27263,  
freight prepaid. Freight class 250.

Specifications and prices are subject to change without prior notice.



**MC144**

**Inside Back, 45° Curve, 48" High-Back - Contrast**

- 1 = Base (Contrast 1) C.O.M. = 1.25 yd
- 2 = Seat (Contrast 2) C.O.M. = .75 yd
- 3 = Back (Contrast 3) C.O.M. = 3.25 yd
- Gangers included to gang to other High-Back models.
- Ganging to backless units or High-Back back to side ganging (specify kit separately)
- Does not gang with 32" Low-Back units
- Cannot be retrofitted to 60" model
- All base models have foot leveling capacity
- Removable seat design, debris clean-out location, and painted wood base to protect against liquids.
- Overall Dimensions:
  - W=41.5" D=26" H=48"

Seat Dimensions:

- D=18.5" H=18"
- Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

**D** Select fabric contrast 3.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

**E** Select power option.

<b>NP</b>	- No power
<b>WP</b>	- With power

**F** Select power type.

<b>DCP</b>	- Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered separately)
<b>RPT</b>	- Mini-Tap® power module w/3-prong plug; add \$304

**G** Select Mini-Tap® module w/3-prong plug location.  
**LFFP** - Left Front Facing Power

<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power

**H** Select Byrne Interlink®IQ System type.

<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$120
<b>DSMOD</b>	- Byrne Interlink®IQ System w/Mini-Tap® module

① Select Byrne Interlink® IQ System w/Mini-Tap® module quantity.

<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
<b>MOD4</b>	- Four Modules; add \$1566

**J** Select Byrne Interlink® IQ System w/Mini-Tap® module location(s).

<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFPP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFRL</b>	- Left Front, Left Rear Facing Power
<b>LRFR</b>	- Left Front, Right Front Facing Power
<b>LFRR</b>	- Left Front, Right Rear Facing Power
<b>LRFR</b>	- Left Rear, Right Front Facing Power
<b>LRRL</b>	- Left Rear, Right Rear Facing Power
<b>RRFR</b>	- Right Rear, Right Front Facing Power

**FLFRRL** - Left Front, Left Rear, Right Rear Facing Power  
**FLRRLR** - Left Front, Right Front, Left Rear Facing Power  
**LFRRFR** - Left Front, Right Front, Right Rear Facing Power  
**RFLRRR** - Right Front, Left Rear, Right Rear Facing Power  
**LFRLRR** - Left Front, Right Front, Left Rear, Right Rear Facing Power

**K** Select power module color.

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

**L** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

**M** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

**N** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

## Model

MCIH44	\$437
MCOH44	\$396
MCIH64	\$507
MCOH64	\$451
MCIH94	\$661
MCOH94	\$549

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed.

All 48" high-back models can be used as free-standing units or can be ganged to other 48" high-back or 60" high-back models. Gangers are included for traditional lineal ganging with 48" high-back models, however, please note installing concealed gangers on 48" high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

## Special Carton Marking


With specially marked information N/C

## Shipping

Ships assembled, FOB High Point, NC 27263,  
freight prepaid. Freight class 250.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER											
		Basic Model	Non-Cont or Fabric Cont 1	Pwr Opt	Pwr Type	MT Pwr Loc	IQ Pwr Type	IQ Mod Qty	IQ Pwr Loc	Power Color	Wood Feet Finish	Alum-inum Feet Finish	Moist Barr
Features													
<div>concealed glides shown</div>	Concealed Glide	MCOH44/CGL/NC	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>
	Poly Feet	MCOH44/PFT/NC	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>
	Wood Feet	MCOH44/WFT/NC	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>
	Aluminum Feet	MCOH44/AFT/NC	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
MCO44													
Outside Back, 45° Curve, 48” High-Back - Non-contrast													
• Non-contrast C.O.M = 4 yds													
• Gangers included to gang to other High-Back models.													
• Ganging to backless units or High-Back back to side ganging (specify kit separately)													
• Does not gang with 32” Low-Back units													
• Cannot be retrofited to 60” model													
• All base models have foot leveling capacity													
• Removable seat design, debris clean-out location, and painted wood base to protect against liquids.													
• Overall Dimensions:													
• W=41.5” D=26” H=48”													
Seat Dimensions:													
• D=18.5” H=18”													
		A	B	C	D	E	F	G	H	I	J	K	L

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)

**C** Select power option.

<b>NP</b>	- No power
<b>WP</b>	- With power

**D** Select power type.

<b>DCP</b>	- Byrne Interlink@IQ System w/Mini-Tap® module OR jumper (Interlink@IQ Infeed to power Interlink@IQ Systems ordered seperately)
<b>RPT</b>	- Mini-Tap® power module w/3-prong plug; add \$304

**E** Select Mini-Tap® module w/3-prong plug location.

<b>LFFP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power

**F** Select Byrne Interlink® IQ System type.

<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$120
<b>DSMOD</b>	- Byrne Interlink®IQ System w/Mini-Tap® module

**G** Select Byrne Interlink® IQ System w/Mini-Tap® module quantity.

<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
<b>MOD4</b>	- Four Modules; add \$1566

**H** Select Byrne Interlink® IQ System w/Mini-Tap® module location(s).

<b>LFFP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFLR</b>	- Left Front, Left Rear Facing Power
<b>LRFR</b>	- Left Front, Right Rear Facing Power
<b>LFRR</b>	- Left Front, Right Rear Facing Power
<b>LRFR</b>	- Left Rear, Right Front Facing Power
<b>RRFR</b>	- Left Rear, Right Front Facing Power
<b>RRFR</b>	- Right Rear, Right Front Facing Power
<b>LFLRRR</b>	- Left Front, Left Rear, Right Rear Facing Power
<b>FLFRRL</b>	- Left Front, Right Front, Left Rear Facing Power

**LFRRFR** - Left Front, Right Front, Right Rear Facing Power

**RFLRRR** - Right Front, Left Rear, Right Rear Facing Power

**LFRLRRR** - Left Front, Right Front, Left Rear, Right Rear Facing Power

**1** Select power module color.

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

**J** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

**K** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

**L** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

## Model

MCIH44	\$437
MCOH44	\$396
MCIH64	\$507
MCOH64	\$451
MCIH94	\$661
MCOH94	\$549

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed.

All 48" high-back models can be used as free-standing units or can be ganged to other 48" high-back or 60" high-back models. Gangers are included for traditional lineal ganging with 48" high-back models, however, please note installing concealed gangers on 48" high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

### Special Carton Marking

With specially marked information N/C

## Shipping

**Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.







		MODEL NUMBER																											
		Basic Model	Non-Cont or Fabric Cont 1	Pwr Opt	Pwr Type	MT Pwr Loc	IQ Pwr Type	IQ Mod Qty	IQ Pwr Loc	Pwr Color	Wd Feet Fin	Alum Feet Fin	Moist Barr																
Features														Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price		
<div>concealed glides shown</div> <div></div>	Concealed Glide	MCIH64/CGL/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	160.0#	\$ 2906	\$ 3176	\$ 3246	\$ 3332	\$ 3388	\$ 3501	\$ 3614	\$ 3774	\$ 4040	\$ 4323	\$ 4604	\$ 5171	\$ 260		
	Poly Feet	MCIH64/PFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	160.0#	2906	3176	3246	3332	3388	3501	3614	3774	4040	4323	4604	5171	260		
	Wood Feet	MCIH64/WFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	160.0#	3028	3298	3368	3454	3510	3623	3736	3896	4162	4445	4726	5293	260	
	Aluminum Feet	MCIH64/AFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	160.0#	3028	3298	3368	3454	3510	3623	3736	3896	4162	4445	4726	5293	260		
MCI64																													
Inside Back, 60° Curve, 48” High-Back - Non-contrast																													
• Non-contrast C.O.M = 6 yds																													
• Gangers included to gang to other High-Back models.																													
• Ganging to backless units or High-Back back to side ganging (specify kit separately)																													
• Does not gang with 32” Low-Back units																													
• Cannot be retrofitted to 60” model																													
• All base models have foot leveling capacity																													
• Removable seat design, debris clean-out location, and painted wood base to protect against liquids.																													
• Overall Dimensions:																													
• W=54” D=26” H=48”																													
Seat Dimensions:																													
• D=18.5” H=18”																													
		A	B	C	D	E	F	G	H	I	J	K	L																

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)

**C** Select power option.

- NP** - No power
- WP** - With power

**D** Select power type.

- DCP** - Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ infeed to power Interlink®IQ Systems ordered separately)
- RPT** - Mini-Tap® power module w/3-prong plug; add \$304

**E** Select Mini-Tap® module w/3-prong plug location.

- LRFP** - Left Front Facing Power
- RRFP** - Right Front Facing Power
- LRBP** - Left Rear Facing Power
- RRBP** - Right Rear Facing Power

**F** Select Byrne Interlink® IQ System type.

<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$177
<b>DSMOD</b>	- Byrne Interlink®IQ System w/Mini-Tap® module
<b>G</b> Select Byrne Interlink®IQ System w/Mini-Tap® module quantity.	
<b>MOD4</b>	- Four Modules; add \$1654
<b>MOD1</b>	- One Module; add \$480
<b>MOD3</b>	- Three Modules; add \$1262
<b>MOD2</b>	- Two Modules; add \$872

**H** Select Byrne Interlink® IQ System w/Mini-Tap® module location(s).

<b>LFLR</b>	- Left Front, Left Rear Facing Power
<b>LFRF</b>	- Left Front, Right Front Facing Power
<b>LFRR</b>	- Left Front, Right Rear Facing Power
<b>LRFF</b>	- Left Rear, Right Front Facing Power
<b>LRRR</b>	- Left Rear, Right Rear Facing Power
<b>RRRF</b>	- Right Rear, Right Front Facing Power
<b>LFRFLRRR</b>	- Left Front, Right Front, Left Rear, Right Rear Facing Power
<b>LFLRRR</b>	- Left Front, Left Rear, Right Rear Facing Power
<b>LRFLRL</b>	- Left Front, Right Front, Left Rear Facing Power
<b>LFRFRR</b>	- Left Front, Right Front, Right Rear Facing Power

<b>RFLRRR</b>	- Right Front, Left Rear, Right Rear Facing Power
<b>LFFP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power

**I** Select power module color.

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

**J** Select wood feet finish.

Refer to the **Product Color Options** page in this price list.

**K** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

**L** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MCIH44	\$437
MCOH44	\$396
MCIH64	\$507
MCOH64	\$451
MCIH94	\$661
MCOH94	\$549

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed.

All 48" high-back models can be used as free-standing units or can be ganged to other 48" high-back or 60" high-back models. Gangers are included for traditional lineal ganging with 48" high-back models, however, please note installing concealed gangers on 48" high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

### Special Carton Marking


With specially marked information N/C

## Shipping

**Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																															
		Basic Model	Non-Cont or Fabric Cont 1	Fab Con 2	Fab Con 3	Pwr Opt	Pwr Type	MT Pwr Loc	IQ Pwr Type	IQ Mod Qty	IQ Pwr Loc	Pwr Color	Wd Feet Fin	Alum Feet Fin	Moist Barr																		
Features																	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price			
<div>concealed glides shown</div> <div></div>	Concealed Glide	MCIH64/CGL/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>			160.0#	\$ 2958	\$ 3336	\$ 3435	\$ 3553	\$ 3632	\$ 3792	\$ 3949	\$ 4174	\$ 4567	\$ 4940	\$ 5335	\$ 6129	\$ 260			
	Poly Feet	MCIH64/PFT/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>			160.0#	2958	3336	3435	3553	3632	3792	3949	4174	4567	4940	5335	6129	260			
	Wood Feet	MCIH64/WFT/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		160.0#	3083	3460	3559	3678	3756	3916	4073	4298	4668	5064	5459	6253	260			
	Aluminum Feet	MCIH64/AFT/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		160.0#	3083	3460	3559	3678	3756	3916	4073	4298	4668	5064	5459	6253	260			
																										</							

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

**D** Select fabric contrast 3.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

<b>NP</b>	- No power
<b>WP</b>	- With power

**LFFP** - Left Front Facing Power

**DCJ** - Byrne Interlink®IQ System jumper only; add \$120

---

**DSMOD** - Byrne Interlink®IQ System w/Mini-Tap® module

<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
<b>MOD4</b>	- Four Modules; add \$1566

<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFPP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFLR</b>	- Left Front, Left Rear Facing Power
<b>LRFR</b>	- Left Front, Right Front Facing Power
<b>LFRR</b>	- Left Front, Right Rear Facing Power

**K** Select power module color.

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

**M** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

**N** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

## Model

MCIH44	\$437
MCOH44	\$396
MCIH64	\$507
MCOH64	\$451
MCIH94	\$661
MCOH94	\$549

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed. All 48" high-back models can be used as free-standing units or can be ganged to other 48" high-back or 60" high-back models. Gangers are included for traditional lineal ganging with 48" high-back models, however, please note installing concealed gangers on 48" high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

## Special Carton Marking

With specially marked information N/C


## Shipping

**Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.






		MODEL NUMBER																										
		Basic Model	Non-Cont or Fabric Cont 1	Pwr Opt	Pwr Type	MT Pwr Loc	IQ Pwr Type	IQ Mod Qty	IQ Pwr Loc	Pwr Color	Wd Feet Fin	Alum Feet Fin	Moist Barr															
Features														Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div></div>	Concealed Glide	MCOH64/CGL/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	165.0#	\$ 2803	\$ 3027	\$ 3087	\$ 3157	\$ 3204	\$ 3298	\$ 3392	\$ 3527	\$ 3746	\$ 3984	\$ 4219	\$ 4691	\$ 245	
	Poly Feet	MCOH64/PFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	165.0#	2803	3027	3087	3157	3204	3298	3392	3527	3746	3984	4219	4691	245	
	Wood Feet	MCOH64/WFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	165.0#	2925	3149	3209	3279	3326	3420	3515	3649	3868	4106	4341	4813	245
	Aluminum Feet	MCOH64/AFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	165.0#	2925	3149	3209	3279	3326	3420	3515	3649	3868	4106	4341	4813	245	
MC064																												
<b>Outside Back, 60° Curve, 48” High-Back - Non-contrast</b>																												
<ul style="list-style-type: none"><li>Non-contrast C.O.M = 5 yds</li><li>Gangers included to gang to other High-Back models.</li><li>Ganging to backless units or High-Back back to side ganging (specify kit separately)</li><li>Does not gang with 32” Low-Back units</li><li>Cannot be retrofitted to 60” model</li><li>All base models have foot leveling capacity</li><li>Removable seat design, debris clean-out location, and painted wood base to protect against liquids.</li></ul>																												
<ul style="list-style-type: none"><li>Overall Dimensions:</li><li>W=54” D=26” H=48”</li></ul>																												
Seat Dimensions:																												
<ul style="list-style-type: none"><li>D=18.5” H=18”</li></ul>																												



<h2>HOW TO ORDER</h2> <p>Indicate the following information on order form:</p> <ol style="list-style-type: none"> <li>Quantity of each item.</li> <li>Model number, including options. See “How To Build a Model Number”.</li> <li>Any special service required.</li> </ol> <p>Note: • The <input type="checkbox"/> indicates that a choice is required.</p> <ul style="list-style-type: none"> <li>The absence of the <input type="checkbox"/> indicates that no choice is required.</li> <li>Alpha-numeric characters in place of <input type="checkbox"/> indicate that no other alternatives are available.</li> </ul>																																																																															
<h2>HOW TO BUILD A MODEL NUMBER</h2> <p><b>A</b>Select basic model.</p> <p><b>B</b>Select non-contrast or fabric contrast 1. Refer to <a href="#">ki.com/fabrics</a></p> <p><b>C</b>Select fabric contrast 2. Refer to <a href="#">ki.com/fabrics</a></p> <p><b>D</b>Select fabric contrast 3. Refer to <a href="#">ki.com/fabrics</a></p> <p><b>E</b>Select power option.</p> <table> <tr> <td><b>NP</b></td><td>- No power</td></tr> <tr> <td><b>WP</b></td><td>- With power</td></tr> </table> <p><b>F</b>Select power type.</p> <table> <tr> <td><b>DCP</b></td><td>- Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered seperately)</td></tr> <tr> <td><b>RPT</b></td><td>- Mini-Tap® power module w/3-prong plug; add \$304</td></tr> </table> <p><b>G</b>Select Mini-Tap® module w/3-prong plug location.</p> <table> <tr> <td><b>LRFP</b></td><td>- Left Front Facing Power</td></tr> <tr> <td><b>RRFP</b></td><td>- Right Front Facing Power</td></tr> <tr> <td><b>RRFP</b></td><td>- Right Rear Facing Power</td></tr> </table> <p><b>H</b>Select Byrne Interlink®IQ System type.</p> <table> <tr> <td><b>DCJ</b></td><td>- Byrne Interlink®IQ System jumper only; add \$120</td></tr> <tr> <td><b>DSMOD</b></td><td>- Byrne Interlink®IQ System w/Mini-Tap® module</td></tr> </table> <p><b>I</b>Select Byrne Interlink®IQ System w/Mini-Tap® module quantity.</p> <table> <tr> <td><b>MOD1</b></td><td>- One Module; add \$392</td></tr> <tr> <td><b>MOD2</b></td><td>- Two Modules; add \$783</td></tr> <tr> <td><b>MOD3</b></td><td>- Three Modules; add \$1175</td></tr> <tr> <td><b>MOD4</b></td><td>- Four Modules; add \$1566</td></tr> </table> <p><b>J</b>Select Byrne Interlink®IQ System w/Mini-Tap® module location(s).</p> <table> <tr> <td><b>LRFP</b></td><td>- Left Front Facing Power</td></tr> <tr> <td><b>LRFP</b></td><td>- Left Rear Facing Power</td></tr> <tr> <td><b>RRFP</b></td><td>- Right Front Facing Power</td></tr> <tr> <td><b>RRFP</b></td><td>- Right Rear Facing Power</td></tr> <tr> <td><b>LFLR</b></td><td>- Left Front, Left Rear Facing Power</td></tr> <tr> <td><b>LFRF</b></td><td>- Left Front, Right Front Facing Power</td></tr> <tr> <td><b>LFRR</b></td><td>- Left Front, Right Rear Facing Power</td></tr> <tr> <td><b>LRRF</b></td><td>- Left Rear, Right Front Facing Power</td></tr> <tr> <td><b>LRRR</b></td><td>- Left Rear, Right Rear Facing Power</td></tr> <tr> <td><b>RRRF</b></td><td>- Right Front, Right Front Facing Power</td></tr> <tr> <td><b>LFLRRR</b></td><td>- Left Front, Left Rear, Right Rear Facing Power</td></tr> <tr> <td><b>LFRFRR</b></td><td>- Left Front, Right Front, Left Rear Facing Power</td></tr> <tr> <td><b>LFRFRR</b></td><td>- Left Front, Right Front, Right Rear Facing Power</td></tr> <tr> <td><b>RFLRRR</b></td><td>- Right Front, Left Rear, Right Rear Facing Power</td></tr> <tr> <td><b>LFRFLRRR</b></td><td>- Left Front, Right Front, Left Rear, Right Rear Facing Power</td></tr> </table> <p><b>K</b>Select power module color.</p> <table> <tr> <td><b>MPB</b></td><td>- Black power module</td></tr> <tr> <td><b>MPS</b></td><td>- Silver power module</td></tr> <tr> <td><b>MPW</b></td><td>- White power module</td></tr> </table> <p><b>L</b>Select wood feet finish. Refer to the <b>Product Color Options</b> page in this price list.</p> <p><b>M</b>Select brushed aluminum feet finish. Refer to the <b>Product Color Options</b> page in this price list.</p> <p><b>N</b>Select moisture barrier.</p> <table> <tr> <td><b>MB</b></td><td>- Moisture barrier</td></tr> <tr> <td><b>NMB</b></td><td>- No moisture barrier</td></tr> </table> <p>See pricing column for moisture barrier upcharge.</p> <p><b>Compliance to TB133 Fire Safety Code</b> For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.</p> <p>Model</p> <table> <tr> <td>MCIH44</td><td>\$437</td></tr> <tr> <td>MCOH44</td><td>\$396</td></tr> <tr> <td>MCIH64</td><td>\$507</td></tr> <tr> <td>MCOH64</td><td>\$451</td></tr> <tr> <td>MCIH94</td><td>\$661</td></tr> <tr> <td>MCOH94</td><td>\$549</td></tr> </table> <p><b>Information</b> The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed. All 48” high-back models can be used as free-standing units or can be ganged to other 48” high-back or 60” high-back models. Gangers are included for traditional lineal ganging with 48” high-back models, however, please note installing concealed gangers on 48” high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.</p> <p><b>Special Services</b> <b>Special Carton Marking</b> With specially marked information      N/C</p> <p><b>Shipping</b> Ships <b>assembled, FOB High Point, NC 27263, freight prepaid.</b> Freight class 250.</p> <p>Specifications and prices are subject to change without prior notice.</p>		<b>NP</b>	- No power	<b>WP</b>	- With power	<b>DCP</b>	- Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered seperately)	<b>RPT</b>	- Mini-Tap® power module w/3-prong plug; add \$304	<b>LRFP</b>	- Left Front Facing Power	<b>RRFP</b>	- Right Front Facing Power	<b>RRFP</b>	- Right Rear Facing Power	<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$120	<b>DSMOD</b>	- Byrne Interlink®IQ System w/Mini-Tap® module	<b>MOD1</b>	- One Module; add \$392	<b>MOD2</b>	- Two Modules; add \$783	<b>MOD3</b>	- Three Modules; add \$1175	<b>MOD4</b>	- Four Modules; add \$1566	<b>LRFP</b>	- Left Front Facing Power	<b>LRFP</b>	- Left Rear Facing Power	<b>RRFP</b>	- Right Front Facing Power	<b>RRFP</b>	- Right Rear Facing Power	<b>LFLR</b>	- Left Front, Left Rear Facing Power	<b>LFRF</b>	- Left Front, Right Front Facing Power	<b>LFRR</b>	- Left Front, Right Rear Facing Power	<b>LRRF</b>	- Left Rear, Right Front Facing Power	<b>LRRR</b>	- Left Rear, Right Rear Facing Power	<b>RRRF</b>	- Right Front, Right Front Facing Power	<b>LFLRRR</b>	- Left Front, Left Rear, Right Rear Facing Power	<b>LFRFRR</b>	- Left Front, Right Front, Left Rear Facing Power	<b>LFRFRR</b>	- Left Front, Right Front, Right Rear Facing Power	<b>RFLRRR</b>	- Right Front, Left Rear, Right Rear Facing Power	<b>LFRFLRRR</b>	- Left Front, Right Front, Left Rear, Right Rear Facing Power	<b>MPB</b>	- Black power module	<b>MPS</b>	- Silver power module	<b>MPW</b>	- White power module	<b>MB</b>	- Moisture barrier	<b>NMB</b>	- No moisture barrier	MCIH44	\$437	MCOH44	\$396	MCIH64	\$507	MCOH64	\$451	MCIH94	\$661	MCOH94	\$549
<b>NP</b>	- No power																																																																														
<b>WP</b>	- With power																																																																														
<b>DCP</b>	- Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered seperately)																																																																														
<b>RPT</b>	- Mini-Tap® power module w/3-prong plug; add \$304																																																																														
<b>LRFP</b>	- Left Front Facing Power																																																																														
<b>RRFP</b>	- Right Front Facing Power																																																																														
<b>RRFP</b>	- Right Rear Facing Power																																																																														
<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$120																																																																														
<b>DSMOD</b>	- Byrne Interlink®IQ System w/Mini-Tap® module																																																																														
<b>MOD1</b>	- One Module; add \$392																																																																														
<b>MOD2</b>	- Two Modules; add \$783																																																																														
<b>MOD3</b>	- Three Modules; add \$1175																																																																														
<b>MOD4</b>	- Four Modules; add \$1566																																																																														
<b>LRFP</b>	- Left Front Facing Power																																																																														
<b>LRFP</b>	- Left Rear Facing Power																																																																														
<b>RRFP</b>	- Right Front Facing Power																																																																														
<b>RRFP</b>	- Right Rear Facing Power																																																																														
<b>LFLR</b>	- Left Front, Left Rear Facing Power																																																																														
<b>LFRF</b>	- Left Front, Right Front Facing Power																																																																														
<b>LFRR</b>	- Left Front, Right Rear Facing Power																																																																														
<b>LRRF</b>	- Left Rear, Right Front Facing Power																																																																														
<b>LRRR</b>	- Left Rear, Right Rear Facing Power																																																																														
<b>RRRF</b>	- Right Front, Right Front Facing Power																																																																														
<b>LFLRRR</b>	- Left Front, Left Rear, Right Rear Facing Power																																																																														
<b>LFRFRR</b>	- Left Front, Right Front, Left Rear Facing Power																																																																														
<b>LFRFRR</b>	- Left Front, Right Front, Right Rear Facing Power																																																																														
<b>RFLRRR</b>	- Right Front, Left Rear, Right Rear Facing Power																																																																														
<b>LFRFLRRR</b>	- Left Front, Right Front, Left Rear, Right Rear Facing Power																																																																														
<b>MPB</b>	- Black power module																																																																														
<b>MPS</b>	- Silver power module																																																																														
<b>MPW</b>	- White power module																																																																														
<b>MB</b>	- Moisture barrier																																																																														
<b>NMB</b>	- No moisture barrier																																																																														
MCIH44	\$437																																																																														
MCOH44	\$396																																																																														
MCIH64	\$507																																																																														
MCOH64	\$451																																																																														
MCIH94	\$661																																																																														
MCOH94	\$549																																																																														





		MODEL NUMBER																									
		Basic Model	Non-Cont or Fabric Cont 1	Pwr Opt	Pwr Type	MT Pwr Loc	IQ Pwr Type	IQ Mod Qty	IQ Pwr Loc	Pwr Color	Wd Feet Fin	Alum Feet Fin	Moist Barr														
Features														Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
<div>concealed glides shown</div> <div></div> <div>MCI94</div>	Concealed Glide	MCIH94/CGL/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	223.0#	\$ 3224	\$ 3616	\$ 3720	\$ 3844	\$ 3926	\$ 4091	\$ 4257	\$ 4490	\$ 4875	\$ 5289	\$ 5701	\$ 6527	\$ 299
	Poly Feet	MCIH94/PFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	223.0#	3224	3616	3720	3844	3926	4091	4257	4490	4875	5289	5701	6527	299
	Wood Feet	MCIH94/WFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	223.0#	3347	3739	3842	3966	4048	4213	4379	4612	4997	5411	5823	6649	299
	Aluminum Feet	MCIH94/AFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	223.0#	3347	3739	3842	3966	4048	4213	4379	4612	4997	5411	5823	6649	299
<div>Inside Back, 90° Curve, 48” High-Back - Non-contrast</div> <div><ul style="list-style-type: none"><li>Non-contrast C.O.M = 8.75 yds</li><li>Gangers included to gang to other High-Back models.</li><li>Ganging to backless units or High-Back back to side ganging (specify kit separately)</li><li>Does not gang with 32” Low-Back units</li><li>Cannot be retrofitted to 60” model</li><li>If Byrne Interlink®IQ Power is specified, an additional jumper is always included due to product size, impacting total count for one infeed. See Planning Guide for more information.</li><li>All base models have foot leveling capacity</li><li>Removable seat design, debris clean-out location, and painted wood base to protect against liquids.</li><li>Overall Dimensions: W=76.5” D=26” H=48”</li><li>Seat Dimensions: D=18.5” H=18”</li></ul></div>																											

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](#)
- C**Select power option.

NP

- No power

WP

- With power
- D**Select power type.

DCP

- Byrne Interlink®IQ System w/Mini-Tap® module QR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered seperately)

RPT

- Mini-Tap® power module w/3-prong plug; add \$304
- E**Select Mini-Tap® module w/3-prong plug location.

LFFP

- Left Front Facing Power

LRFP

- Left Rear Facing Power

RFFP

- Right Front Facing Power

RRFP

- Right Rear Facing Power
- F**Select Byrne Interlink®IQ System type.

- DCJ

- Byrne Interlink®IQ System jumper only; add \$177

DSMOD

- Byrne Interlink®IQ System w/Mini-Tap® module
- G**Select Byrne Interlink®IQ System w/Mini-Tap® module quantity.

MOD1

- One Module; add \$480

MOD2

- Two Modules; add \$872

MOD3

- Three Modules; add \$1262

MOD4

- Four Modules; add \$1654
- H**Select Byrne Interlink®IQ System w/Mini-Tap® module location(s).

LFRFLR

- Left Front Facing Power

LRFP

- Left Rear Facing Power

RFFP

- Right Front Facing Power

RRFP

- Right Rear Facing Power

LFLR

- Left Front, Left Rear Facing Power

LFRF

- Left Front, Right Front Facing Power

LFRR

- Left Front, Right Rear Facing Power

LRRF

- Left Rear, Right Front Facing Power

LRRR

- Left Rear, Right Rear Facing Power

RRRF

- Right Rear, Right Front Facing Power

LFLRRR

- Left Front, Left Rear, Right Rear Facing Power

- LFRFLR

- Left Front, Right Front, Left Rear Facing Power

LFRFRR

- Left Front, Right Front, Right Rear Facing Power

RFLRRR

- Right Front, Left Rear, Right Rear Facing Power

LFRFLRRR

- Left Front, Right Front, Left Rear, Right Rear Facing Power
- I**Select power module color.

MPB

- Black power module

MPS

- Silver power module

MPW

- White power module

**J**Select wood feet finish. Refer to the **Product Color Options** page in this price list.

**K**Select brushed aluminum feet finish. Refer to the **Product Color Options** page in this price list.

**L**Select moisture barrier.

MB

- Moisture barrier

NMB

- No moisture barrier

See pricing column for moisture barrier upcharge.

**Compliance to TB133 Fire Safety Code**  
For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model

MCIH44	\$437
MCOH44	\$396
MCIH64	\$507
MCOH64	\$451
MCIH94	\$661
MCOH94	\$549

**INFORMATION**  
The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed. All 48” high-back models can be used as free-standing units or can be ganged to other 48” high-back or 60” high-back models. Gangers are included for traditional lineal ganging with 48” high-back models, however, please note installing concealed gangers on 48” high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

**SPECIAL SERVICES**  
**Special Carton Marking**  
With specially marked information      N/C  
  
**Shipping**  
Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



## HOW TO ORDER

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)
- C** Select fabric contrast 2.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)
- D** Select fabric contrast 3.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)
- E** Select power option.
- |           |              |
|-----------|--------------|
| <b>NP</b> | - No power   |
| <b>WP</b> | - With power |
- F** Select power type.
- DCP** - Byrne Interlink® IQ System w/Mini-Tap® module OR jumper (Interlink® IQ Infeed to power Interlink® IQ Systems ordered seperately)
- RPT** - Mini-Tap® power module w/3-prong plug; add \$304
- G** Select Mini-Tap® module w/3-prong plug location.
- |             |                           |
|-------------|---------------------------|
| <b>LFFP</b> | - Left Front Facing Power |
|-------------|---------------------------|

<b>LRFP</b>	- Left Rear Facing Power
<b>RFPF</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
elect Byrne Interlink®IQ System type.	
<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$177
<b>DSMOD</b>	- Byrne Interlink®IQ System w/Mini-Tap® module
elect Byrne Interlink®IQ System w/Mini-Tap® module quantity.	
<b>MOD1</b>	- One Module; add \$480
<b>MOD2</b>	- Two Modules; add \$872
<b>MOD3</b>	- Three Modules; add \$1262
<b>MOD4</b>	- Four Modules; add \$1654
elect Byrne Interlink®IQ System w/Mini-Tap® module location(s).	
<b>LRFP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFPF</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFLR</b>	- Left Front, Left Rear Facing Power
<b>LRFR</b>	- Left Front, Right Front Facing Power
<b>LRFR</b>	- Left Front, Right Rear Facing Power
<b>LRRF</b>	- Left Rear, Right Front Facing Power
<b>LRRR</b>	- Left Rear, Right Rear Facing Power
<b>RRRF</b>	- Right Rear, Right Front Facing Power
<b>LFLRRR</b>	- Left Front, Left Rear, Right Rear Facing Power

<b>LFRFLR</b>	- Left Front, Right Front, Left Rear Facing Power
<b>LFRFRR</b>	- Left Front, Right Front, Right Rear Facing Power
<b>RFLRRR</b>	- Right Front, Left Rear, Right Rear Facing Power
<b>LFRFLRRR</b>	- Left Front, Right Front, Left Rear, Right Rear Facing Power
select power module color.	
<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module
select wood feet finish.	
refer to the <b>Product Color Options</b> page in this price list.	
select brushed aluminum feet finish.	
refer to the <b>Product Color Options</b> page in this price list.	
select moisture barrier.	
<b>NMB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier
see pricing column for moisture barrier upcharge.	

## Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MCIH44	\$437
MCOH44	\$396
MCIH64	\$507
MCOH64	\$451
MCIH94	\$661
MCOH94	\$549

## INFORMATION

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers power modules with a 3-prong plug (ETL Listed) or Byrne Interlink® IQ electrical system (an ETL Listed Furniture Power Distribution Unit, electrical system.) Because the system is ETL Listed, MyPlace™ Lounge has not been listed.

All 48" high-back models can be used as free-standing units or can be ganged to other 48"-high back or 60" high-back models. Gangers are included for traditional lineal ganging with 48" high-back models, however, please note installing concealed gangers on 48" high-back models will permanently alter upholstery. Please see Installation Guide for further information related to ganging.

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C



## Shipping

**Ships assembled, FOB High Point, NC 27263,  
freight prepaid. Freight class 250.**


Specifications and prices are subject to change without prior notice.





		MODEL NUMBER																										
		Basic Model	Non-Cont or Fabric Cont 1	Pwr Opt	Pwr Type	MT Pwr Loc	IQ Pwr Type	IQ Mod Qty	IQ Pwr Loc	Pwr Color	Wd Feet Fin	Alum Feet Fin	Moist Barr															
Features														Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div></div>	Concealed Glide	MCOH94/CGL/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	190.0#	\$ 3147	\$ 3450	\$ 3529	\$ 3625	\$ 3689	\$ 3816	\$ 3945	\$ 4124	\$ 4422	\$ 4740	\$ 5058	\$ 5695	\$ 270	
	Poly Feet	MCOH94/PFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	190.0#	3147	3450	3529	3625	3689	3816	3945	4124	4422	4740	5058	5695	270	
	Wood Feet	MCOH94/WFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	190.0#	3269	3572	3651	3748	3811	3938	4067	4246	4544	4862	5180	5817	270	
	Aluminum Feet	MCOH94/AFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	190.0#	3269	3572	3651	3748	3811	3938	4067	4246	4544	4862	5180	5817	270	
MCO94																												
Outside Back, 90* Curve, 48” High-Back - Non-contrast																												
<ul style="list-style-type: none"><li>Non-contrast C.O.M = 6.75 yds</li><li>Gangers included to gang to other High-Back models.</li><li>Ganging to backless units or High-Back back to side ganging (specify kit separately)</li><li>Does not gang with 32” Low-Back units</li><li>Cannot be retrofitted to 60” model</li><li>If Byrne Interlink®IQ Power is specified, an additional jumper is always included due to product size, impacting total count for one infeed. See Planning Guide for more information.</li><li>All base models have foot leveling capacity</li><li>Removable seat design, debris clean-out location, and painted wood base to protect against liquids.</li><li>Overall Dimensions: W=76.5” D=26” H=48”</li></ul> Seat Dimensions: <ul style="list-style-type: none"><li>D=18.5” H=18”</li></ul>																												



		MODEL NUMBER																											
		Basic Model	Non-Cont or Fabric Cont 1	Fab Con 2	Fab Con 3	Pwr Opt	Pwr Type	MT Pwr Loc	IQ Pwr Type	IQ Mod Qty	IQ Pwr Loc	Pwr Color	Wd Feet Fin	Alum Feet Fin	Moist Barr														
Features																Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
<div>concealed glides shown</div> <div></div>	Concealed Glide	MCOH94/CGL/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	190.0#	\$ 3203	\$ 3568	\$ 3664	\$ 3780	\$ 3857	\$ 4009	\$ 4164	\$ 4382	\$ 4739	\$ 5124	\$ 5508	\$ 6278	\$ 270
	Poly Feet	MCOH94/PFT/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	190.0#	3203	3568	3664	3780	3857	4009	4164	4382	4739	5124	5508	6278	270
	Wood Feet	MCOH94/WFT/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	190.0#	3328	3692	3788	3905	3981	4134	4289	4506	4863	5249	5633	6402	270
	Aluminum Feet	MCOH94/AFT/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	190.0#	3328	3692	3788	3905	3981	4134	4289	4506	4863	5249	5633	6402	270
MCO94																													
Outside Back, 90° Curve, 48" High-Back - Contrast																													
<ul style="list-style-type: none"><li>• 1 = Base (Contrast 1) C.O.M. = 2.5 yd</li><li>• 2 = Seat (Contrast 2) C.O.M. = 1.75 yd</li><li>• 3 = Back (Contrast 3) C.O.M. = 3.75 yd</li><li>• Gangers included to gang to other High-Back models.</li><li>• Ganging to backless units or High-Back back to side ganging (specify kit separately)</li><li>• Does not gang with 32" Low-Back units</li><li>• Cannot be retrofitted to 60" model</li><li>• If Byrne Interlink®IQ Power is specified, an additional jumper is always included due to product size, impacting total count for one infeed. See Planning Guide for more information.</li><li>• All base models have foot leveling capacity</li><li>• Removable seat design, debris clean-out location, and painted wood base to protect against liquids.</li><li>• Overall Dimensions:<ul style="list-style-type: none"><li>• W=76.5" D=26" H=48"</li></ul></li><li>• Seat Dimensions:<ul style="list-style-type: none"><li>• D=18.5" H=18"</li></ul></li><li>• Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.</li></ul>																													
																	</												



concealed glides shown

The diagram shows a side view of a chair with a high back and a rectangular seat. Three circular callouts are positioned to the right of the chair, each showing a top-down view of a specific area on the underside of the seat. The first callout shows a U-shaped glide at the front edge. The second callout shows a U-shaped glide in the middle of the seat. The third callout shows a U-shaped glide at the rear edge.

**Lounge Chair, 60" High-Back -  
Non-contrast**

- Non-contrast C.O.M = 5.25 yds
  - Gangers included to gang to other 60" High-Back models.
  - Ganging to backless units or High-Back back to side ganging (specify kit separately)
  - Does not gang with 32" Low-Back units
  - Cannot be retrofitted to 48" model
  - All base models have foot leveling capacity
  - Removable seat design, debris clean-out location, and painted wood base to protect against liquids.
  - Overall Dimensions:
  - W=26" D=26" H=60"
- Seat Dimensions:
- D=18.5" H=18"

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)

- C** Select power option.
- |           |              |
|-----------|--------------|
| <b>NP</b> | - No power   |
| <b>WP</b> | - With power |
- D** Select power type.
- |            |   |
|------------|---|
| <b>DCP</b> | - Byrne Interlink@IQ System w/Mini-Tap® module OR jumper (Interlink@IQ Infeed to power Interlink@IQ Systems ordered seperately) |
| <b>RPT</b> | - Mini-Tap® power module w/3-prong plug; add \$304  |

- E** Select Mini-Tap® module w/3-prong plug location.
- |             |                            |
|-------------|----------------------------|
| <b>LFPP</b> | - Left Front Facing Power  |
| <b>LRFP</b> | - Left Rear Facing Power   |
| <b>RFFP</b> | - Right Front Facing Power |
| <b>RRFP</b> | - Right Rear Facing Power  |

- F** Select Byrne Interlink® IQ System type.

- |              |  |
|--------------|--|
| <b>DCJ</b>   | - Byrne Interlink®IQ System jumper only; add \$120 |
| <b>DSMOD</b> | - Byrne Interlink®IQ System w/Mini-Tap® module     |

- G** Select Byrne Interlink® IQ System w/Mini-Tap® module quantity.
- |             |                             |
|-------------|-----------------------------|
| <b>MOD1</b> | - One Module; add \$392     |
| <b>MOD2</b> | - Two Modules; add \$783    |
| <b>MOD3</b> | - Three Modules; add \$1175 |
| <b>MOD4</b> | - Four Modules; add \$1566  |

- |                |   |
|----------------|---|
| <b>H</b>       | Select Byrne Interlink®IQ System w/Mini-Tap® module quantity. |
| <b>LFFP</b>    | - Left Front Facing Power                                     |
| <b>LRFP</b>    | - Left Rear Facing Power                                      |
| <b>RFFP</b>    | - Right Front Facing Power                                    |
| <b>RRFP</b>    | - Right Rear Facing Power                                     |
| <b>LFRL</b>    | - Left Front, Left Rear Facing Power                          |
| <b>LFRR</b>    | - Left Front, Right Front Facing Power                        |
| <b>LRRL</b>    | - Left Front, Right Rear Facing Power                         |
| <b>LRFR</b>    | - Left Rear, Right Front Facing Power                         |
| <b>LRRR</b>    | - Left Rear, Right Rear Facing Power                          |
| <b>RRFR</b>    | - Right Rear, Right Front Facing Power                        |
| <b>LFRLRR</b>  | - Left Front, Left Rear, Right Rear Facing Power              |
| <b>LRFLRL</b>  | - Left Front, Right Front, Left Rear Facing Power             |
| <b>LFRRRL</b>  | - Left Front, Right Front, Right Rear Facing Power            |
| <b>RFLRRR</b>  | - Right Front, Left Rear, Right Rear Facing Power             |
| <b>LFRLRRR</b> | - Left Front, Right Front, Left Rear, Right                   |

## Rear Facing Power

- 1** Select module color.
- |            |                       |
|------------|-----------------------|
| <b>MPB</b> | - Black power module  |
| <b>MPS</b> | - Silver power module |
| <b>MPW</b> | - White power module  |
- 4** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.
- K** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

- L** Select moisture barrier.
- |            |                       |
|------------|-----------------------|
| <b>MB</b>  | - Moisture barrier    |
| <b>NMB</b> | - No moisture barrier |
- See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MSQH48	\$424
MSQH60	\$462

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.

### Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

## Shipping

Ships **partially assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



HOW TO ORDER

Indicate the following information on order form:  
1. Quantity of each item.  
2. Model number, including options. See “How To Build a Model Number”.  
3. Any special service required.

Note: • The ☐ indicates that a choice is required.  
  
• The absence of the ☐ indicates that no choice is required.  
  
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

Select basic model.

B

Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](#)

C

Select fabric contrast 2. Refer to [ki.com/fabrics](#)

D

Select fabric contrast 3. Refer to [ki.com/fabrics](#)

E

Select power option.

NP

- No power

WP

- With power

F

Select power type.

DCP

- Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered seperately)

RPT

- Mini-Tap® power module w/3-prong plug; add \$304

G

Select Mini-Tap® module w/3-prong plug location.

LFFP

- Left Front Facing Power

LRFP

- Left Rear Facing Power

RFFP

- Right Front Facing Power

RRFP

- Right Rear Facing Power

H

Select Byrne Interlink®IQ System type.

DCJ

- Byrne Interlink®IQ System jumper only; add \$120

DSMOD

- Byrne Interlink®IQ System w/Mini-Tap® module

I

Select Byrne Interlink®IQ System w/Mini-Tap® module quantity.

MOD1

- One Module; add \$392

MOD2

- Two Modules; add \$783

MOD3

- Three Modules; add \$1175

MOD4

- Four Modules; add \$1566

J

Select Byrne Interlink®IQ System w/Mini-Tap® module quantity.

LFFP

- Left Front Facing Power

LRFP

- Left Rear Facing Power

RFFP

- Right Front Facing Power

RRFP

- Right Rear Facing Power

LFLR

- Left Front, Left Rear Facing Power

LFRF

- Left Front, Right Front Facing Power

LFRR

- Left Front, Right Rear Facing Power

LRRF

- Left Rear, Right Front Facing Power

LRRR

- Left Rear, Right Rear Facing Power

RRRF

- Right Rear, Right Front Facing Power

LFLRRR

- Left Front, Left Rear, Right Rear Facing Power

LFRFLR

- Left Front, Right Front, Left Rear Facing Power

LFRFRR

- Left Front, Right Front, Right Rear Facing Power

RFLRRR

- Right Front, Left Rear, Right Rear Facing Power

LFRFLRRR

- Left Front, Right Front, Left Rear, Right Rear Facing Power

K

Select module color.

MPB

- Black power module

MPS

- Silver power module

MPW

- White power module

L

Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

M

Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

N

Select moisture barrier.

MB

- Moisture barrier

NMB

- No moisture barrier

See pricing column for moisture barrier upcharge.

Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model

MSQH48

\$424

MSQH60

\$462

INFORMATION

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **partially assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.







**Rectangle with 60" High-Back - Contrast**

- 1 = Base (Contrast 1) C.O.M. = 2 yd
- 2 = Seat (Contrast 2) C.O.M. = .75 yd
- 3 = Back (Contrast 3) C.O.M. = 5 yd
- Gangers included to gang to other 60" High-Back models.
- Ganging to backless units or High-Back back to side ganging (specify kit separately)
- Does not gang with 32" Low-Back units
- Cannot be retrofitted to 48" model
- All base models have foot leveling capacity
- Removable seat design, debris clean-out location, and painted wood base to protect against liquids.
- Overall Dimensions:  
 • W=48" D=26" H=60"

**Seat Dimensions:**

- D=18.5" H=18"
- Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](#)
- C** Select fabric contrast 2.  
Refer to [ki.com/fabrics](#)
- D** Select fabric contrast 3.  
Refer to [ki.com/fabrics](#)
- E** Select power option.  

<b>NP</b>	- No power
<b>WP</b>	- With power

**G** Select Mini-Tap® module w/3-prong plug location.  
**LFPP** - Left Front Facing Power

<b>LRFP</b>	- Left Rear Facing Power
<b>RFPF</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<p>select Byrne Interlink®IQ System type.</p>	
<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$120
<b>DSMOD</b>	- Byrne Interlink®IQ System w/Mini-Tap® module
<p>select Byrne Interlink®IQ System w/Mini-Tap® module type.</p>	
<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
<b>MOD4</b>	- Four Modules; add \$1566
<p>select Byrne Interlink®IQ System w/Mini-Tap® module type.</p>	
<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFPF</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFLR</b>	- Left Front, Left Rear Facing Power
<b>LFRR</b>	- Left Front, Right Front Facing Power
<b>LFRR</b>	- Left Front, Right Rear Facing Power
<b>LRFR</b>	- Left Rear, Right Front Facing Power

<b>RRR</b>	- Left Rear, Right Rear Facing Power
<b>RRFR</b>	- Right Rear, Right Front Facing Power
<b>LFLRRR</b>	- Left Front, Left Rear, Right Rear Facing Power
<b>LFRFLR</b>	- Left Front, Right Front, Left Rear Facing Power
<b>LFRFR</b>	- Left Front, Right Front, Right Rear Facing Power
<b>RFLRRR</b>	- Right Front, Left Rear, Right Rear Facing Power
<b>LFRFLRRR</b>	- Left Front, Right Front, Left Rear, Right Rear Facing Power

select module color.

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

select wood feet finish.

refer to the **Product Color Options** page in this price list.

select brushed aluminum feet finish.

refer to the **Product Color Options** page in this price list.

select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

see pricing column for moisture barrier upcharge.

**Compliance to TB133 Fire Safety Code**  
For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MRBH48	\$493
MRBH60	\$548

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.

## Special Carton Marking

With specially marked information N/C

## Shipping

Ships **partially assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.



- Non-contrast C.O.M = 7.75 yds
- Gangers included to gang to other 60" High-Back models.
- Ganging to backless units or High-Back back to side ganging (specify kit separately)
- Does not gang with 32" Low-Back units
- Cannot be retrofitted to 48" model
- Power cannot be specified on front of unit on closed-end side. Three available power locations.
- All base models have foot leveling capacity
- Removable seat design, debris clean-out location, and painted wood base to protect against liquids.
- Overall Dimensions:
  - W=48" D=26" H=60"

Seat Dimensions:

- D=18.5" H=18"

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)

**C** Select power option.

<b>NP</b>	- No power
<b>WP</b>	- With power

**D** Select power type.

<b>DCP</b>	- Byrne Interlink®IQ System w/ Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered separately)
<b>RPT</b>	- Mini-Tap® power module w/3-prong plug; add \$304

**E** Select Mini-Tap® module w/3-prong plug location.

<b>LRFP</b>	- Left Rear Facing Power
<b>RRFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power

**DCJ** - Byrne Interlink®IQ System jumper only; add \$120

---

**DSMOD** - Byrne Interlink®IQ System w/ Mini-Tap® module

<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175

<b>LRFP</b>	- Left Rear Facing Power
<b>RFPF</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LRRF</b>	- Left Rear, Right Front Facing Power
<b>LRRR</b>	- Left Rear, Right Rear Facing Power
<b>RRRF</b>	- Right Rear, Right Front Facing Power
<b>RFLRRR</b>	- Right Front, Left Rear, Right Rear Facing Power

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

**K** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in  
this price list.

**L** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MECH60L	\$605
MECH60R	\$605
MCNH60L	\$493
MCNH60R	\$493

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.

With specially marked information N/C

**Ships partially assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.



## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- C** Select fabric contrast 2.  
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- D** Select fabric contrast 3.  
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- E** Select power option.

<b>NP</b>	- No power
<b>WP</b>	- With power

- |   |
|---|
| <b>Ⓒ</b> Select Mini-Tap® module w/3-prong plug location.                     |
| <b>LRFP</b> - Left Rear Facing Power  |
| <b>RFPF</b> - Right Front Facing Power  |
| <b>RRFP</b> - Right Rear Facing Power   |
| <b>Ⓓ</b> Select Byrne Interlink® IQ System type.                              |
| <b>DCJ</b> - Byrne Interlink® IQ System jumper only;<br>add \$120             |
| <b>DSMOD</b> - Byrne Interlink® IQ System w/Mini-Tap®<br>module               |
| <b>Ⓔ</b> Select Byrne Interlink® IQ System w/Mini-Tap® module<br>quantity.    |
| <b>MOD1</b> - One Module; add \$392   |
| <b>MOD2</b> - Two Modules; add \$783  |
| <b>MOD3</b> - Three Modules; add \$1175                                       |
| <b>Ⓕ</b> Select Byrne Interlink® IQ System w/Mini-Tap® module<br>location(s). |
| <b>LRFP</b> - Left Rear Facing Power  |
| <b>RFPF</b> - Right Front Facing Power  |
| <b>RRFP</b> - Right Rear Facing Power   |
| <b>LRRF</b> - Left Rear, Right Front Facing Power                             |
| <b>LRRR</b> - Left Rear, Right Rear Facing Power                              |
| <b>RRRF</b> - Right Rear, Right Front Facing Power                            |

**K** Select power module color.

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

- L** Select wood feet finish.  
Refer to the **Product Color Options** page in  
this price list.

- M** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in  
this price list.

- N** Select moisture barrier.
- |            |                       |
|------------|-----------------------|
| <b>MB</b>  | - Moisture barrier    |
| <b>NMB</b> | - No moisture barrier |
- See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MECH60L	\$605
MECH60R	\$605
MCNH60L	\$493
MCNH60R	\$493

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean-out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.

## Special Carton Marking

With specially marked information N/C

## Shipping

Ships **partially assembled, FOB High Point, NC**  
**27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



- Non-contrast C.O.M = 7.75 yds
- Gangers included to gang to other 60" High-Back models.
- Ganging to backless units or High-Back back to side ganging (specify kit separately)
- Does not gang with 32" Low-Back units
- Cannot be retrofitted to 48" model
- Power cannot be specified on front of unit on closed-end side. Three available power locations.
- All base models have foot leveling capacity
- Removable seat design, debris clean-out location, and painted wood base to protect against liquids.
- Overall Dimensions:
  - W=48" D=26" H=60"

Seat Dimensions:

- D=18.5" H=18"

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)

**C** Select power option.

<b>NP</b>	- No power
<b>WP</b>	- With power

**D** Select power type.

<b>DCP</b>	- Byrne Interlink®IQ System w/ Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered separately)
<b>RPT</b>	- Mini-Tap® power module w/3-prong plug; add \$304

**E** Select Mini-Tap® module w/3-prong plug location.

<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RRFP</b>	- Right Rear Facing Power

**F** Select Byrne Interlink® IQ System type.

<b>DCJ</b>	- Byrne Interlink® IQ System jumper only; add \$120
<b>DSMOD</b>	- Byrne Interlink® IQ System w/Mini-Tap® module

**G** Select Byrne Interlink® IQ System w/Mini-Tap®  
module quantity.

<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175

<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>FLRL</b>	- Left Front, Left Rear Facing Power
<b>LFRR</b>	- Left Front, Right Rear Facing Power
<b>LRRL</b>	- Left Rear, Right Rear Facing Power
<b>FLFLRRR</b>	- Left Front, Left Rear, Right Rear Facing Power

**I** Select power module color.  
**MPB** - Black power module

<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

**J** Select wood feet finish.  
Refer to the **Product Color Options** page in  
this price list.

**K** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in  
this price list.

**L** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

**Compliance to TB133 Fire Safety Code**  
For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MECH60L	\$605
MECH60R	\$605
MCNH60L	\$493
MCNH60R	\$493

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.

## Special Carton Marking

With specially marked information N/C

## Shipping

Ships **partially assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.


Specifications and prices are subject to change without prior notice.



HOW TO ORDER		HOW TO BUILD A MODEL NUMBER		Power		Compliance to TB133 Fire Safety Code		INFORMATION		SPECIAL SERVICES	
Indicate the following information on order form:						For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.		The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.		With specially marked information N/C	
1. Quantity of each item.		<b>A</b> Select basic model.		<b>K</b> Select power module color.						<b>Special Carton Marking</b>	
2. Model number, including options. See “How To Build a Model Number”.		<b>B</b> Select non-contrast or fabric contrast 1. Refer to <a href="#">ki.com/fabrics</a>		<b>MPB</b> - Black power module <b>MPS</b> - Silver power module <b>MPW</b> - White power module				Model MECH60L \$605 MECH60R \$605 MCNH60L \$493 MCNH60R \$493			
3. Any special service required.		<b>C</b> Select fabric contrast 2. Refer to <a href="#">ki.com/fabrics</a>		<b>L</b> Select wood feet finish. Refer to the <b>Product Color Options</b> page in this price list.						<b>Shipping</b> Ships <b>partially assembled, FOB High Point, NC 27263, freight prepaid.</b> Freight class 250.	
Note: • The <input type="checkbox"/> indicates that a choice is required.		<b>D</b> Select fabric contrast 3. Refer to <a href="#">ki.com/fabrics</a>		<b>M</b> Select brushed aluminum feet finish. Refer to the <b>Product Color Options</b> page in this price list.						Specifications and prices are subject to change without prior notice.	
• The absence of the <input type="checkbox"/> indicates that no choice is required.		<b>E</b> Select power option. <b>NP</b> - No power <b>WP</b> - With power		<b>N</b> Select moisture barrier. <b>MB</b> - Moisture barrier <b>NMB</b> - No moisture barrier See pricing column for moisture barrier upcharge.							
• Alpha-numeric characters in place of <input type="checkbox"/> indicate that no other alternatives are available.		<b>F</b> Select power type. <b>DCP</b> - Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered seperately) <b>RPT</b> - Mini-Tap® power module w/3-prong plug; add \$304									
		<b>G</b> Select Mini-Tap® module w/3-prong plug location.									





			MODEL NUMBER																				
			Basic Model	Non-Contrast or Fabric Contrast 1	Power Option	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier															
MODEL			Features						Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div></div> <div>MCN60</div>	<div><b>Corner LEFT with 60” High-Back - Non-contrast</b></div> <ul style="list-style-type: none"><li>• Non-contrast C.O.M = 5.75 yds</li><li>• Gangers included to gang to other 60” High-Back models.</li><li>• Ganging to backless units or High-Back back to side ganging (specify kit separately)</li><li>• Does not gang with 32” Low-Back units</li><li>• Cannot be retrofitted to 48” model</li><li>• No Mini-Tap® Power options</li><li>• Byrne Interlink®IQ power only available as a pass-through jumper</li><li>• All base models have foot leveling capacity</li><li>• Removable seat design, debris clean-out location, and painted wood base to protect against liquids.</li><li>• Overall Dimensions: W=26” D=26” H=60”</li><li>• Seat Dimensions: D=18.5” H=18”</li></ul>	Concealed Glides	MCNH60L/CGL/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	130.0#	\$ 2867	\$ 3125	\$ 3192	\$ 3274	\$ 3328	\$ 3436	\$ 3545	\$ 3699	\$ 3951	\$ 4224	\$ 4495	\$ 5037	\$ 257	
		Poly Feet	MCNH60L/PFT/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	130.0#	2867	3125	3192	3274	3328	3436	3545	3699	3951	4224	4495	5037	257	
		Wood Feet	MCNH60L/WFT/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	130.0#	2989	3247	3314	3396	3450	3558	3667	3821	4073	4346	4617	5159	257	
		Aluminum Feet	MCNH60L/AFT/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	130.0#	2989	3247	3314	3396	3450	3558	3667	3821	4073	4346	4617	5159	257	
																	</						

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- C**Select power option.  
**DCJ** - Byrne Interlink®IQ System jumper only; add \$120  
**NP** - No power
- D**Select wood feet finish. Refer to the **Product Color Options** page in this price list.
- E**Select brushed aluminum feet finish. Refer to the **Product Color Options** page in this price list.
- F**Select moisture barrier.  
**MB** - Moisture barrier  
**NMB** - No moisture barrier  
See pricing column for moisture barrier upcharge.

**Compliance to TB133 Fire Safety Code**  
For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model  
MECH60L \$605  
MECH60R \$605  
MCNH60L \$493  
MCNH60R \$493

**INFORMATION**  
The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.

**SPECIAL SERVICES**

**Special Carton Marking**  
With specially marked information N/C

**Shipping**  
Ships **partially assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.







HOW TO ORDER

Indicate the following information on order form:  
1. Quantity of each item.  
2. Model number, including options. See “How To Build a Model Number”.  
3. Any special service required.

Note: • The ☐ indicates that a choice is required.  
• The absence of the ☐ indicates that no choice is required.  
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

Select basic model.

B

Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

C

Select power option.

DCJ

- Byrne Interlink® IQ System jumper only; add \$120

NP

- No power

D

Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

E

Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

F

Select moisture barrier.

MB

- Moisture barrier

NMB

- No moisture barrier

See pricing column for moisture barrier upcharge.

Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model

MECH60L

\$605

MECH60R

\$605

MCNH60L

\$493

MCNH60R

\$493

INFORMATION

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping

Ships **partially assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.





		MODEL NUMBER																					
		Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Fabric Contrast 3	Power Option	Wood Feet Finish	Alum-inum Feet Finish	Moisture Barrier														
Features										Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
<div>concealed glides shown</div> <div></div>	Concealed Glides	MCNH60R/CGL/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	130.0#	\$ 2918	\$ 3239	\$ 3322	\$ 3422	\$ 3490	\$ 3625	\$ 3759	\$ 3949	\$ 4264	\$ 4599	\$ 4935	\$ 5608	\$ 257
	Poly Feet	MCNH60R/PFT/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	130.0#	2918	3239	3322	3422	3490	3625	3759	3949	4264	4599	4935	5608	257
	Wood Feet	MCNH60R/WFT/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	130.0#	3043	3363	3446	3547	3614	3749	3883	4073	4388	4723	5059	5732	257
	Aluminum Feet	MCNH60R/AFT/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	130.0#	3043	3363	3446	3547	3614	3749	3883	4073	4388	4723	5059	5732	257
MCN60																							
Corner RIGHT with 60” High-Back-Contrast																							







[illegible]

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)
- C** Select fabric contrast 2.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)
- D** Select fabric contrast 3.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)
- E** Select power option.
- |           |              |
|-----------|--------------|
| <b>NP</b> | - No power   |
| <b>WP</b> | - With power |
- F** Select power type.
- DCP** - Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered seperately)
- RPT** - Mini-Tap® power module w/3-prong plug; add \$304
- G** Select Mini-Tap® module w/3-prong plug location.
- LFPP** - Left Front Facing Power

<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
Select Byrne Interlink®IQ System type.	
<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$120
<b>DSMOD</b>	- Byrne Interlink®IQ System w/Mini-Tap® module
Select Byrne Interlink®IQ System w/Mini-Tap® module quantity.	
<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
<b>MOD4</b>	- Four Modules; add \$1566
Select Byrne Interlink®IQ System w/Mini-Tap® module	
tion(s).	
<b>LFFP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFLR</b>	- Left Front, Left Rear Facing Power
<b>LFRF</b>	- Left Front, Right Front Facing Power
<b>LFRR</b>	- Left Front, Right Rear Facing Power
<b>LRRF</b>	- Left Rear, Right Front Facing Power
<b>LRRR</b>	- Left Rear, Right Rear Facing Power

<b>RFRF</b>	- Right Rear, Right Front Facing Power
<b>LFLRRR</b>	- Left Front, Left Rear, Right Rear Facing Power
<b>RFLRRR</b>	- Right Front, Left Rear, Right Rear Facing Power
<b>LFRFLRRR</b>	- Left Front, Right Front, Left Rear, Right Rear Facing Power

Select power module color.

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

Select wood feet finish.

Refer to the **Product Color Options** page in this price list.

Select brushed aluminum feet finish.

Refer to the **Product Color Options** page in this price list.

Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

### Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MBH48	\$605
MBH60	\$646

## INFORMATION

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean-out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.

## SPECIAL SERVICES

## Special Carton Marking





With specially marked information	N/C
-----------------------------------	-----

## Shipping

**Ships partially assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																									
		Basic Model	Non-Cont or Fabric Cont 1	Pwr Opt	Pwr Type	MT Pwr Loc	IQ Pwr Type	IQ Mod Qty	IQ Pwr Loc	Power Color	Wd Feet Fin	Alum Feet Fin	Moist Barr	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
<div>concealed glides shown</div> <div></div>	Concealed Glides	MCIH46/CGL/NC	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>	150.0#	\$ 2712	\$ 2958	\$ 3023	\$ 3101	\$ 3153	\$ 3256	\$ 3360	\$ 3508	\$ 3749	\$ 4010	\$ 4269	\$ 4788	\$ 252	
	Poly Feet	MCIH46/PFT/NC	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>	150.0#	2712	2958	3023	3101	3153	3256	3360	3508	3749	4010	4269	4788	252	
	Wood Feet	MCIH46/WFT/NC	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>	150.0#	2834	3080	3145	3223	3275	3378	3482	3630	3871	4132	4392	4910	252
	Aluminum Feet	MCIH46/AFT/NC	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	150.0#	2834	3080	3145	3223	3275	3378	3482	3630	3871	4132	4392	4910	252
MCI46																											
Inside Back, 45° Curve, 60” High-Back Non-contrast																											
• Non-contrast C.O.M = 5.5 yds																											
• Gangers included to gang to other 60” High-Back models.																											
• Ganging to backless units or High-Back back to side ganging (specify kit separately)																											
• Does not gang with 32” Low-Back units																											
• Cannot be retrofitted to 48” model																											
• All base models have foot leveling capacity																											
• Removable seat design, debris clean-out location, and painted wood base to protect against liquids.																											
Overall Dimensions:																											
• W=41.5” D=26” H=60”																											
Seat Dimensions:																											
• D=18.5” H=18”																											
		A	B	C	D	E	F	G	H	I	J	K	L														

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

**C** Select power option.

<b>NP</b>	- No power
<b>WP</b>	- With power

**D** Select power type.

<b>DCP</b>	- Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered separately)
<b>RPT</b>	- Mini-Tap® power module w/3-prong plug; add \$304

**E** Select Mini-Tap® module w/3-prong plug location.

<b>LFFP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power

**F** Select Byrne Interlink® IQ System type.

**DCJ** - Byrne Interlink®IQ System jumper only;  
add \$120

---

**DSMOD** - Byrne Interlink®IQ System w/Mini-Tap®  
module

**G** Select Byrne Interlink®IQ System w/Mini-Tap® module quantity.

<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
<b>MOD4</b>	- Four Modules; add \$1566

<b>H</b>	Select Byrne Interlink®IQ System w/Mini-Tap® module location(s).
<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFLR</b>	- Left Front, Left Rear Facing Power
<b>LRFR</b>	- Left Front, Right Front Facing Power
<b>LFRR</b>	- Left Front, Right Rear Facing Power
<b>LRRF</b>	- Left Rear, Right Front Facing Power
<b>RRRR</b>	- Left Rear, Right Rear Facing Power
<b>LFRRR</b>	- Left Front, Left Rear, Right Rear Facing

Power	
<b>LFRFLR</b>	- Left Front, Right Front, Left Rear Facing Power
<b>LFRFRR</b>	- Left Front, Right Front, Right Rear Facing Power
<b>RFLRRR</b>	- Right Front, Left Rear, Right Rear Facing Power
<b>LFRFLRRR</b>	- Left Front, Right Front, Left Rear, Right Rear Facing Power

**1** Select power module color.

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

**J** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

**K** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

**L** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MCIH46	\$479
MCOH46	\$424
MCIH66	\$563
MCOH66	\$479
MCIH96	\$758
MCOH96	\$591

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.

With specially marked information N/C

Ships **partially assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)

**C** Select fabric contrast 2.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)

**D** Select fabric contrast 3.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)

**E** Select power option.

<b>NP</b>	- No power
<b>WP</b>	- With power

**F** Select power type.

**DCP** — Byrne Interlink®/IQ System w/Mini-Tap® module OR jumper (Interlink®/IQ Infeed to power Interlink®/IQ Systems ordered separately)

**RPT** — Mini-Tap® power module w/3-prong plug; add \$304

**G** Select Byrne Mini-Tap® module w/3-prong plug location.

<b>LFFP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power

**H** Select Byrne Interlink®IQ System type.

<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$120
<b>DSMOD</b>	- Byrne Interlink®IQ System w/Mini-Tap® module

**I** Select Byrne Interlink® IQ System w/Mini-Tap® module quantity.

<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
<b>MOD4</b>	- Four Modules; add \$1566

**J** Select Byrne Interlink® IQ System w/Mini-Tap® module location(s).

<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RRFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFRL</b>	- Left Front, Left Rear Facing Power
<b>LFRR</b>	- Left Front, Right Front Facing Power

<b>LFRR</b>	- Left Front, Right Rear Facing Power
<b>LRFR</b>	- Left Rear, Right Front Facing Power
<b>RRRR</b>	- Left Rear, Right Rear Facing Power
<b>RRFR</b>	- Right Rear, Right Front Facing Power
<b>LFLRRR</b>	- Left Front, Left Rear, Right Rear Facing Power
<b>FLFRRL</b>	- Left Front, Right Front, Left Rear Facing Power
<b>LFRRFR</b>	- Left Front, Right Front, Right Rear Facing Power
<b>RFLRRR</b>	- Right Front, Left Rear, Right Rear Facing Power
<b>LFRRFLRRR</b>	- Left Front, Right Front, Left Rear, Right Rear Facing Power

**K** Select power module color.

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

**L** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

**M** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

**N** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MCIH46	\$479
MCOH46	\$424
MCIH66	\$563
MCOH66	\$479
MCIH96	\$758
MCOH96	\$591

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean up, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.

## Special Carton Marking

With specially marked information N/C

## Shipping

**Ships partially assembled, FOB High Point, NC  
27263, freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.



**MC046**

**Outside Back, 45° Curve, 60" High-Back - Non-contrast**

- Non-contrast C.O.M = 4.5 yds
- Gangers included to gang to other 60" High-Back models.
- Ganging to backless units or High-Back back to side ganging (specify kit separately)
- Does not gang with 32" Low-Back units
- Cannot be retrofitted to 48" model
- All base models have foot leveling capacity
- Removable seat design, debris clean-out location, and painted wood base to protect against liquids.

Overall Dimensions:

- W=41.5" D=26" H=60"

Seat Dimensions:

- D=18.5" H=18"

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)

**D** Select power type.

<b>DCP</b>	- Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered seperately)
<b>RPT</b>	- Mini-Tap® power module w/3-prong plug; add \$304

**F** Select Byrne Interlink® IQ System type.

<b>DCJ</b>	- Byrne Interlink® IQ System jumper only;
------------	---

**G** Select Byrne Interlink® IQ System w/Mini-Tap® module quantity.

**H** Select Byrne Interlink® IQ System w/Mini-Tap® module location(s).

<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RRFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFLR</b>	- Left Front, Left Rear Facing Power
<b>LRFR</b>	- Left Front, Right Front Facing Power
<b>LFRR</b>	- Left Front, Right Rear Facing Power
<b>LRFR</b>	- Left Rear, Right Front Facing Power
<b>LRRR</b>	- Left Rear, Right Rear Facing Power
<b>RRRR</b>	- Right Rear, Right Front Facing Power
<b>LFLRRR</b>	- Left Front, Left Rear, Right Rear Facing Power
<b>LFRLLR</b>	- Left Front, Right Front, Left Rear Facing Power

1 Select power module color.

**J** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

**K** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

**L** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MCIH46	\$479
MCOH46	\$424
MCIH66	\$563
MCOH66	\$479
MCIH96	\$758
MCOH96	\$591

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean-out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.



With specially marked information N/C

**Ships partially assembled, FOB High Point, NC  
27263, freight prepaid. Freight class 250.**


Specifications and prices are subject to change without prior notice.





		MODEL NUMBER																												
		Basic Model	Non-Cont or Fabric Cont 1	Fab Con 2	Fab Con 3	Pwr Opt	Pwr Type	MT Pwr Loc	IQ Pwr Type	IQ Mod Qty	IQ Pwr Loc	Power Color	Wd Feet Fin	Alum Feet Fin	Moist Barr															
Features																Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div></div> <div></div>	Concealed Glides	MCOH46/CGL/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	145.0#	\$ 2738	\$ 2990	\$ 3055	\$ 3135	\$ 3187	\$ 3293	\$ 3398	\$ 3549	\$ 3795	\$ 4060	\$ 4323	\$ 4851	\$ 237	
	Poly Feet	MCOH46/PFT/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	145.0#	2738	2990	3055	3135	3187	3293	3398	3549	3795	4060	4323	4851	237	
	Wood Feet	MCOH46/WFT/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	145.0#	2863	3114	3179	3259	3312	3418	3523	3673	3919	4184	4447	4975	237
	Aluminum Feet	MCOH46/AFT/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	145.0#	2863	3114	3179	3259	3312	3418	3523	3673	3919	4184	4447	4975	237
MCO46																														
Outside Back, 45° Curve, 60” High-Back - Contrast																														
<ul style="list-style-type: none"><li>• 1 = Base (Contrast 1) C.O.M. = 2 yd</li><li>• 2 = Seat (Contrast 2) C.O.M. = .75 yd</li><li>• 3 = Back (Contrast 3) C.O.M. = 2.75 yd</li><li>• Gangers included to gang to other 60” High-Back models.</li><li>• Ganging to backless units or High-Back back to side ganging (specify kit separately)</li><li>• Does not gang with 32” Low-Back units</li><li>• Cannot be retrofitted to 48” model</li><li>• All base models have foot leveling capacity</li><li>• Removable seat design, debris clean-out location, and painted wood base to protect against liquids.</li></ul>																														
Overall Dimensions:																														
<ul style="list-style-type: none"><li>• W=41.5” D=26” H=60”</li></ul>																														
Seat Dimensions:																														
<ul style="list-style-type: none"><li>• D=18.5” H=18”</li></ul>																														
<ul style="list-style-type: none"><li>• Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.</li></ul>																														



		MODEL NUMBER																										
		Basic Model	Non-Cont or Fabric Cont 1	Pwr Opt	Pwr Type	MT Pwr Loc	IQ Pwr Type	IQ Mod Qty	IQ Pwr Loc	Power Color	Wd Feet Fin	Alum Feet Fin	Moist Barr	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div></div>	Concealed Glides	MCIH66/CGL/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	170.0#	\$ 3416	\$ 3730	\$ 3812	\$ 3911	\$ 3977	\$ 4109	\$ 4241	\$ 4430	\$ 4736	\$ 5068	\$ 5397	\$ 6058	\$ 273	
	Poly Feet	MCIH66/PFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	170.0#	3416	3730	3812	3911	3977	4109	4241	4430	4736	5068	5397	6058	273	
	Wood Feet	MCIH66/WFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	170.0#	3538	3852	3935	4033	4099	4231	4364	4552	4859	5190	5519	6180	273
	Aluminum Feet	MCIH66/AFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	170.0#	3538	3852	3935	4033	4099	4231	4364	4552	4859	5190	5519	6180	273	
MCI66																												
Inside Back, 60° Curve, 60” High-Back - Non-contrast																												
• Non-contrast C.O.M = 7 yds																												
• Gangers included to gang to other 60” high-back models.																												
• Ganging to backless units or high-back back to side ganging (specify kit separately)																												
• Does not gang with 32” low-back units																												
• Cannot be retrofitted to 48” model																												
• All base models have foot leveling capacity																												
• Removable seat design, debris clean-out location, and painted wood base to protect against liquids.																												
Overall Dimensions:																												
• W=54” D=26” H=60”																												
Seat Dimensions:																												
• D=18.5” H=18”																												
		<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	<b>J</b>	<b>K</b>	<b>L</b>															

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

**C** Select power option.

<b>NP</b>	- No power
<b>WP</b>	- With power

**D** Select power type.

**DCP** — Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered seperately)

**RPT** — Mini-Tap® power module w/3-prong plug; add \$304

**E** Select Mini-Tap® module w/3-prong plug location.

<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RRFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power

**F** Select Byrne Interlink® IQ System type.

<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$120
<b>DSMOD</b>	- Byrne Interlink®IQ System w/Mini-Tap® module

**G** Select Byrne Interlink®IQ System w/Mini-Tap® module quantity.

<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
<b>MOD4</b>	- Four Modules; add \$1566

**H** Select Byrne Interlink® IQ System w/Mini-Tap® module location(s).

<b>LFFP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFLR</b>	- Left Front, Left Rear Facing Power
<b>LRFR</b>	- Left Front, Right Front Facing Power
<b>LRFR</b>	- Left Front, Right Rear Facing Power
<b>LRRF</b>	- Left Rear, Right Front Facing Power
<b>LRFR</b>	- Left Rear, Right Rear Facing Power
<b>RRFR</b>	- Right Rear, Right Front Facing Power
<b>LFLRRR</b>	- Left Front, Left Rear, Right Rear Facing Power
<b>LRFLRL</b>	- Left Front, Right Front, Left Rear Facing Power
<b>LRFRFR</b>	- Left Front, Right Front, Right Rear Facing Power
<b>RFLRRR</b>	- Right Front, Left Rear, Right Rear Facing Power

**LFRFLRRR** - Left Front, Right Front, Left Rear, Right Rear Facing Power

**1** Select power module color.

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

**J** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

**K** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

**L** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MCIH46	\$479
MCOH46	\$424
MCIH66	\$563
MCOH66	\$479
MCIH96	\$758
MCOH96	\$591

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean-out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.

## Special Carton Marking

With specially marked information N/C

## Shipping

Ships **partially assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



**MC166**

**Inside Back, 60° Curve, 60" High-Back**  
**- Contrast**

- 1 = Base (Contrast 1) C.O.M. = 2 yd
- 2 = Seat (Contrast 2) C.O.M. = 1 yd
- 3 = Back (Contrast 3) C.O.M. = 6.75 yd
- Gangers included to gang to other 60" High-Back models.
- Ganging to backless units or High-Back back to side ganging (specify kit separately)
- Does not gang with 32" Low-Back units
- Cannot be retrofitted to 48" model
- All base models have foot leveling capacity
- Removable seat design, debris clean-out location, and painted wood base to protect against liquids.

**Overall Dimensions:**

- W=54" D=26" H=60"

**Seat Dimensions:**

- D=18.5" H=18"
- Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

**D** Select fabric contrast 3.  
Refer to [\*\*ki.com/fabrics\*\*](http://ki.com/fabrics)

**G** Select Mini-Tap® module w/3-prong plug location.  
**LFFP** - Left Front Facing Power

**H** Select Byrne Interlink®IQ System type.

<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$120
<b>DSMOD</b>	- Byrne Interlink®IQ System w/Mini-Tap® module

<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
<b>MOD4</b>	- Four Modules; add \$1566

<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RRFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFLR</b>	- Left Front, Left Rear Facing Power
<b>LRFR</b>	- Left Front, Right Front Facing Power
<b>LFRR</b>	- Left Front, Right Rear Facing Power

**K** Select power module color.

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

**M** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

**N** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MCIH46	\$479
MCOH46	\$424
MCIH66	\$563
MCOH66	\$479
MCIH96	\$758
MCOH96	\$591

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean-out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.

With specially marked information N/C

**Shipping**  
Ships **partially assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



**MC066**

**Outside Back, 60° Curve, 60" High-Back - Non-contrast**

- Non-contrast C.O.M = 5.5 yds
- Gangers included to gang to other 60" High-Back models.
- Ganging to backless units or High-Back back to side ganging (specify kit separately)
- Does not gang with 32" Low-Back units
- Cannot be retrofitted to 48" model
- All base models have foot leveling capacity
- Removable seat design, debris clean-out location, and painted wood base to protect against liquids.

Overall Dimensions:

- W=54" D=26" H=60"

Seat Dimensions:

- D=18.5" H=18"

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](http://ki.com/fabrics)

**C** Select power option.

<b>NP</b>	- No power
<b>WP</b>	- With power

**D** Select power type.

<b>DCP</b>	- Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered seperately)
<b>RPT</b>	- Mini-Tap® power module w/3-prong plug; add \$304

**E** Select Mini-Tap® module w/3-prong plug location.

<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RRFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power

**F** Select Byrne Interlink® IQ System type.

<b>DCJ</b>	- Byrne Interlink®IQ System jumper only; add \$120
<b>DSMOD</b> module	- Byrne Interlink®IQ System w/Mini-Tap®

**G** Select Byrne Interlink® IQ System w/Mini-Tap® module quantity.

<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
<b>MOD4</b>	- Four Modules; add \$1566

**H** Select Byrne Interlink® IQ System w/Mini-Tap® module location(s).

<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFPP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFLR</b>	- Left Front, Left Rear Facing Power
<b>LFRR</b>	- Left Front, Right Front Facing Power
<b>LRFR</b>	- Left Front, Right Rear Facing Power
<b>LRRF</b>	- Left Rear, Right Front Facing Power
<b>LRRR</b>	- Left Rear, Right Rear Facing Power
<b>RRFR</b>	- Right Rear, Right Front Facing Power
<b>LFLRRR</b>	- Left Front, Left Rear, Right Rear Facing

Power

<b>LFRLR</b>	- Left Front, Right Front, Left Rear Facing Power
<b>LFRRR</b>	- Left Front, Right Front, Right Rear Facing Power
<b>RFLRR</b>	- Right Front, Left Rear, Right Rear Facing Power
<b>RRFLRR</b>	- Left Front, Right Front, Left Rear, Right Rear Facing Power

**1** Select power module color.

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

**J** Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

**K** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

**L** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MCIH46	\$479
MCOH46	\$424
MCIH66	\$563
MCOH66	\$479
MCIH96	\$758
MCOH96	\$591

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean-out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.

With specially marked information N/C

Ships **partially assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



**MC066**

**Outside Back, 60° Curve, 60" High-Back - Contrast**

- 1 = Base (Contrast 1) C.O.M. = 2 yd
- 2 = Seat (Contrast 2) C.O.M. = 1 yd
- 3 = Back (Contrast 3) C.O.M. = 3.25 yd
- Gangers included to gang to other 60" High-Back models.
- Ganging to backless units or High-Back back to side ganging (specify kit separately)
- Does not gang with 32" Low-Back units
- Cannot be retrofitted to 48" model
- All base models have foot leveling capacity
- Removable seat design, debris clean-out location, and painted wood base to protect against liquids.

**Overall Dimensions:**

- W=54" D=26" H=60"

**Seat Dimensions:**

- D=18.5" H=18"
- Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

**A** Select basic model.

**B** Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

**D** Select fabric contrast 3.  
Refer to **ki.com/fabrics**

<b>NP</b>	- No power
<b>WP</b>	- With power

**G** Select Mini-Tap® module w/3-prong plug location.

<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RRFP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power

**1** Select Byrne Interlink® IQ System w/Mini-Tap® module quantity.

<b>MOD1</b>	- One Module; add \$392
<b>MOD2</b>	- Two Modules; add \$783
<b>MOD3</b>	- Three Modules; add \$1175
<b>MOD4</b>	- Four Modules; add \$1566

<b>LFPP</b>	- Left Front Facing Power
<b>LRFP</b>	- Left Rear Facing Power
<b>RFPP</b>	- Right Front Facing Power
<b>RRFP</b>	- Right Rear Facing Power
<b>LFRL</b>	- Left Front, Left Rear Facing Power
<b>LFRR</b>	- Left Front, Right Front Facing Power
<b>LFRR</b>	- Left Front, Right Rear Facing Power
<b>LRRL</b>	- Left Rear, Right Front Facing Power
<b>LRRL</b>	- Left Rear, Right Rear Facing Power

<b>LRRR</b>	- Left Rear, Right Rear Facing Power
<b>RRRF</b>	- Right Rear, Right Front Facing Power
<b>FLFLRR</b>	- Left Front, Left Rear, Right Rear Facing Power
<b>LFRLFR</b>	- Left Front, Right Front, Left Rear Facing Power
<b>FLFLRR</b>	- Left Front, Right Front, Right Rear Facing Power
<b>RLRRRL</b>	- Right Front, Left Rear, Right Rear Facing Power
<b>LFRLFR</b>	- Left Front, Right Front, Left Rear, Right Rear Facing Power

<b>MPB</b>	- Black power module
<b>MPS</b>	- Silver power module
<b>MPW</b>	- White power module

**M** Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

**N** Select moisture barrier.

<b>MB</b>	- Moisture barrier
<b>NMB</b>	- No moisture barrier

See pricing column for moisture barrier upcharge.

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MCIH46	\$479
MCOH46	\$424
MCIH66	\$563
MCOH66	\$479
MCIH96	\$758
MCOH96	\$591

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean-out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.

With specially marked information N/C

**Ships partially assembled, FOB High Point, NC  
27263, freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

2. Model number, including options. See “How To Build a Model Number”.

3. Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

Select basic model.

B

Select non-contrast or fabric contrast 1.  
Refer to [ki.com/fabrics](#)

C

Select fabric contrast 2.  
Refer to [ki.com/fabrics](#)

D

Select fabric contrast 3.  
Refer to [ki.com/fabrics](#)

E

Select power option.

NP

- No power

WP

- With power

F

Select power type.

DCP

- Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered seperately)

RPT

- Mini-Tap® power module w/3-prong plug; add \$304

G

Select Mini-Tap® module w/3-prong plug location.

LFFP

- Left Front Facing Power

LRFP

- Left Rear Facing Power

RFFP

- Right Front Facing Power

RRFP

- Right Rear Facing Power

H

Select Byrne Interlink®IQ System type.

DCJ

- Byrne Interlink®IQ System jumper only; add \$120

DSMOD

- Byrne Interlink®IQ System w/Mini-Tap® module

I

Select Byrne Interlink®IQ System w/Mini-Tap® module quantity.

MOD1

- One Module; add \$392

MOD2

- Two Modules; add \$783

MOD3

- Three Modules; add \$1175

MOD4

- Four Modules; add \$1566

J

Select Byrne Interlink®IQ System w/Mini-Tap® module location(s).

LFFP

- Left Front Facing Power

LRFP

- Left Rear Facing Power

RFFP

- Right Front Facing Power

RRFP

- Right Rear Facing Power

LFLR

- Left Front, Left Rear Facing Power

LFRF

- Left Front, Right Front Facing Power

LFRR

- Left Front, Right Rear Facing Power

LRRF

- Left Rear, Right Front Facing Power

K

Select power module color.

MPB

- Black power module

MPS

- Silver power module

MPW

- White power module

L

Select wood feet finish.  
Refer to the **Product Color Options** page in this price list.

M

Select brushed aluminum feet finish.  
Refer to the **Product Color Options** page in this price list.

N

Select moisture barrier.

MB

- Moisture barrier

NMB

- No moisture barrier

See pricing column for moisture barrier upcharge.

Compliance to TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model

MCIH46

\$479

MCOH46

\$424

MCIH66

\$563

MCOH66

\$479

MCIH96

\$758

MCOH96

\$591

INFORMATION

The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C


Shipping

Ships **partially assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.





		MODEL NUMBER																											
		Basic Model	Non-Cont or Fabric Cont 1	Pwr Opt	Pwr Type	MT Pwr Loc	IQ Pwr Type	IQ Mod Qty	IQ Pwr Loc	Power Color	Wd Feet Fin	Alum Feet Fin	Moist Barr																
Features														Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price		
<div>concealed glides shown</div> <div></div>	Concealed Glides	MCIH96/CGL/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	260.0#	\$ 3782	\$ 4252	\$ 4377	\$ 4526	\$ 4624	\$ 4824	\$ 5020	\$ 5301	\$ 5764	\$ 6259	\$ 6755	\$ 7745	\$ 325		
	Poly Feet	MCIH96/PFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	260.0#	3782	4252	4377	4526	4624	4824	5020	5301	5764	6259	6755	7745	325		
	Wood Feet	MCIH96/WFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	260.0#	3904	4374	4499	4647	4747	4946	5142	5423	5886	6381	6877	7867	325	
	Aluminum Feet	MCIH96/AFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	260.0#	3904	4374	4499	4647	4747	4946	5142	5423	5886	6381	6877	7867	325		
<div>MCI96</div> <div>Inside Back, 90° Curve, 60” High-Back - Non-contrast</div> <div><ul style="list-style-type: none"><li>Non-contrast C.O.M = 10.5 yds</li><li>Gangers included to gang to other 60” High-Back models.</li><li>Ganging to backless units or High-Back back to side ganging (specify kit separately)</li><li>Does not gang with 32” Low-Back units</li><li>If Byrne Interlink®IQ Power is specified, an additional jumper is always included due to product size, impacting total count for one-infeed. See Planning Guide for more information.</li><li>All base models have foot leveling capacity</li><li>Removable seat design, debris clean-out location, and painted wood base to protect against liquids.</li><li>Overall Dimensions:<ul style="list-style-type: none"><li>W=76.5” D=26” H=60”</li></ul></li></ul></div> <div>Seat Dimensions:<ul style="list-style-type: none"><li>D=18.5” H=18”</li></ul></div>																													

A

B

C

D

E

F

G

H

I

J

K

L

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
  - Model number, including options. See “How To Build a Model Number”.
  - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](#)
- C**Select power option.
- |           |              |
|-----------|--------------|
| <b>NP</b> | - No power   |
| <b>WP</b> | - With power |
- D**Select power type.
- |            |   |
|------------|---|
| <b>DCP</b> | - Byrne Interlink®IQ System w/Mini-Tap® module OR jumper (Interlink®IQ Infeed to power Interlink®IQ Systems ordered seperately) |
| <b>RPT</b> | - Mini-Tap® power module w/3-prong plug; add \$304  |
- E**Select Mini-Tap® module w/3-prong plug location.
- |             |                            |
|-------------|----------------------------|
| <b>LFPP</b> | - Left Front Facing Power  |
| <b>LRFP</b> | - Left Rear Facing Power   |
| <b>RFFP</b> | - Right Front Facing Power |
| <b>RRFP</b> | - Right Rear Facing Power  |
- F**Select Byrne Interlink®IQ System type.
- |            |  |
|------------|--|
| <b>DCJ</b> | - Byrne Interlink®IQ System jumper only; add \$177 |
|------------|--|

**DSMOD** - Byrne Interlink®IQ System w/Mini-Tap® module

- G**Select Byrne Interlink®IQ System w/Mini-Tap® Module quantity.
- |             |                             |
|-------------|-----------------------------|
| <b>MOD1</b> | - One Module; add \$480     |
| <b>MOD2</b> | - Two Modules; add \$872    |
| <b>MOD3</b> | - Three Modules; add \$1262 |
| <b>MOD4</b> | - Four Modules; add \$1654  |
- H**Select Byrne Interlink®IQ System w/Mini-Tap® module location(s).
- |                 |   |
|-----------------|---|
| <b>LFPP</b>     | - Left Front Facing Power                                     |
| <b>LRFP</b>     | - Left Rear Facing Power                                      |
| <b>RFFP</b>     | - Right Front Facing Power                                    |
| <b>RRFP</b>     | - Right Rear Facing Power                                     |
| <b>LFLR</b>     | - Left Front, Left Rear Facing Power                          |
| <b>LFRF</b>     | - Left Front, Right Front Facing Power                        |
| <b>LFRR</b>     | - Left Front, Right Rear Facing Power                         |
| <b>LRRF</b>     | - Left Rear, Right Front Facing Power                         |
| <b>LRRR</b>     | - Left Rear, Right Rear Facing Power                          |
| <b>RRRF</b>     | - Right Rear, Right Front Facing Power                        |
| <b>LFLRRR</b>   | - Left Front, Left Rear, Right Rear Facing Power              |
| <b>LFRFLR</b>   | - Left Front, Right Front, Left Rear Facing Power             |
| <b>LFRFRR</b>   | - Left Front, Right Front, Right Rear Facing Power            |
| <b>RFLRRR</b>   | - Right Front, Left Rear, Right Rear Facing Power             |
| <b>LFRFLRRR</b> | - Left Front, Right Front, Left Rear, Right Rear Facing Power |

- I**Select power module color.
- |            |                       |
|------------|-----------------------|
| <b>MPB</b> | - Black power module  |
| <b>MPS</b> | - Silver power module |
| <b>MPW</b> | - White power module  |
- J**Select wood feet finish. Refer to the **Product Color Options** page in this price list.
- K**Select brushed aluminum feet finish. Refer to the **Product Color Options** page in this price list.
- L**Select moisture barrier.
- |            |                       |
|------------|-----------------------|
| <b>MB</b>  | - Moisture barrier    |
| <b>NMB</b> | - No moisture barrier |
- See pricing column for moisture barrier upcharge.

**Compliance to TB133 Fire Safety Code**  
For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
MCIH46	\$479
MCOH46	\$424
MCIH66	\$563
MCOH66	\$479
MCIH96	\$758
MCOH96	\$591

**INFORMATION**  
The removable seat design of MyPlace™ High-Back units allows for ease of installation and clean out, as well as inspection of electrical components. MyPlace™ High-Back offers UL recognized power components and an ETL-Listed power system (Byrne Interlink® IQ). MyPlace™ Lounge is not a UL listed Office Furnishing.

**SPECIAL SERVICES**

**Special Carton Marking**


With specially marked information	N/C
-----------------------------------	-----

**Shipping**  
Ships **partially assembled, FOB High Point, NC 27263, freight prepaid**. Freight class 250.

Specifications and prices are subject to change without prior notice.









		MODEL NUMBER																											
		Basic Model	Non-Cont or Fabric Cont 1	Fab Con 2	Fab Con 3	Pwr Opt	Pwr Type	MT Pwr Loc	IQ Pwr Type	IQ Mod Qty	IQ Pwr Loc	Power Color	Wd Feet Fin	Alum Feet Fin	Moist Barr														
Features																Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
<div>concealed glides shown</div> <div></div>	Concealed Glides	MCIH96/CGL/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	260.0#	\$ 3850	\$ 4374	\$ 4512	\$ 4677	\$ 4789	\$ 5010	\$ 5230	\$ 5543	\$ 6059	\$ 6611	\$ 7163	\$ 8268	\$ 325
	Poly Feet	MCIH96/PFT/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	260.0#	3850	4374	4512	4677	4789	5010	5230	5543	6059	6611	7163	8268	325
	Wood Feet	MCIH96/WFT/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	260.0#	3974	4498	4636	4802	4913	5135	5355	5667	6183	6735	7287	8393	325
	Aluminum Feet	MCIH96/AFT/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	260.0#	3974	4498	4636	4802	4913	5135	5355	5667	6183	6735	7287	8393	325
MC196																													
Inside Back, 90° Curve, 60” High-Back - Contrast																													
<ul style="list-style-type: none"><li>• 1 = Base (Contrast 1) C.O.M. = 2.5 yd</li><li>• 2 = Seat (Contrast 2) C.O.M. = 1.5 yd</li><li>• 3 = Back (Contrast 3) C.O.M. = 7.5 yd</li><li>• Gangers included to gang to other 60” High-Back models.</li><li>• Ganging to backless units or High-Back back to side ganging (specify kit separately)</li><li>• Does not gang with 32” Low-Back units</li><li>• Cannot be retrofitted to 48” model</li><li>• If Byrne Interlink®IQ Power is specified, an additional jumper is always included due to product size, impacting total count for one-infeed. See Planning Guide for more information.</li><li>• All base models have foot leveling capacity</li><li>• Removable seat design, debris clean-out location, and painted wood base to protect against liquids.</li><li>• Overall Dimensions:<ul style="list-style-type: none"><li>• W=76.5” D=26” H=60”</li></ul></li><li>• Seat Dimensions:<ul style="list-style-type: none"><li>• D=18.5” H=18”</li></ul></li><li>• Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.</li></ul>																													








		MODEL NUMBER																											
		Basic Model	Non-Cont or Fabric Cont 1	Pwr Opt	Pwr Type	MT Pwr Loc	IQ Pwr Type	IQ Mod Qty	IQ Pwr Loc	Power Color	Wd Feet Fin	Alum Feet Fin	Moist Barr																
Features															Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price	
<div>concealed glides shown</div> <div></div> <div>  </div>	Concealed Glides	MCOH96/CGL/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	210.0#	\$ 3544	\$ 3880	\$ 3969	\$ 4075	\$ 4146	\$ 4287	\$ 4430	\$ 4629	\$ 4960	\$ 5313	\$ 5667	\$ 6375	\$ 281		
	Poly Feet	MCOH96/PFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	210.0#	3544	3880	3969	4075	4146	4287	4430	4629	4960	5313	5667	6375	281		
	Wood Feet	MCOH96/WFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	210.0#	3666	4002	4091	4197	4268	4409	4552	4751	5083	5435	5789	6497	281	
	Aluminum Feet	MCOH96/AFT/NC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	210.0#	3666	4002	4091	4197	4268	4409	4552	4751	5083	5435	5789	6497	281		
																				</									





		MODEL NUMBER																																
		Basic Model	Non-Cont or Fabric Cont 1	Fab Con 2	Fab Con 3	Pwr Opt	Pwr Type	MT Pwr Loc	IQ Pwr Type	IQ Mod Qty	IQ Pwr Loc	Power Color	Wd Feet Fin	Alum Feet Fin	Moist Barr																			
<div>concealed glides shown</div> <div></div>	Concealed Glides	MCOH96/CGL/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>																			
	Poly Feet	MCOH96/PFT/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>																			
	Wood Feet	MCOH96/WFT/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>																		
	Aluminum Feet	MCOH96/AFT/FC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>																			
MC096																																		
<b>Outside Back, 90° Curve, 60” High-Back - Contrast</b>																																		
<ul style="list-style-type: none"><li>• 1 = Base (Contrast 1) C.O.M. = 2.5 yd</li><li>• 2 = Seat (Contrast 2) C.O.M. = 1.75 yd</li><li>• 3 = Back (Contrast 3) C.O.M. = 4.5 yd</li><li>• Gangers included to gang to other 60” high-back models.</li><li>• Ganging to backless units or high-back back to side ganging (specify kit separately)</li><li>• Does not gang with 32” low-back units</li><li>• Cannot be retrofitted to 48” model</li><li>• If Byrne Interlink®IQ Power is specified, an additional jumper is always included due to product size, impacting total count for one-infeed. See Planning Guide for more information.</li><li>• All base models have foot leveling capacity</li><li>• Removable seat design, debris clean-out location, and painted wood base to protect against liquids.</li><li>• Overall Dimensions:<ul style="list-style-type: none"><li>• W=76.5” D=26” H=60”</li></ul></li><li>• Seat Dimensions:<ul style="list-style-type: none"><li>• D=18.5” H=18”</li></ul></li><li>• Price is based off of highest grade base or back fabric. Exclude seat fabric when selecting highest grade contrasting fabric.</li></ul>																																		



		MODEL NUMBER																				
		Basic Model	Non-Contrast or Fabric Contrast 1	Wood Feet Finish	Laminate Color	Edge Color (74P)	Alum-inum Feet Finish	Moisture Barrier	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
<div>concealed glides shown</div> <div></div> <div>MT18R</div> <div>18" Round Table</div> <div><ul style="list-style-type: none"><li>Non-contrast C.O.M = 1.25 yds</li><li>Dia=18" H=18"</li></ul></div>	Concealed Glide, Non-contrast	MPT18R/CGL/NC	□□□□		□□□	□□□		□□□	31.0#	\$ 836	\$ 895	\$ 910	\$ 929	\$ 941	\$ 966	\$ 990	\$ 1020	\$ 1083	\$ 1143	\$ 1204	\$ 1328	\$ 122
	Poly Feet, Non-contrast	MPT18R/PFT/NC	□□□□		□□□	□□□		□□□	31.0#	836	895	910	929	941	966	990	1020	1083	1143	1204	1328	122
	Wood Feet, Non-contrast	MPT18R/WFT/NC	□□□□	□□□	□□□	□□□		□□□	31.0#	963	1021	1037	1057	1068	1092	1117	1147	1210	1271	1331	1454	122
	Casters, Non-contrast	MPT18R/CST/NC	□□□□		□□□	□□□		□□□	31.0#	836	895	910	929	941	966	990	1020	1083	1143	1204	1328	122
	Aluminum Feet, Non-contast	MPT18R/AFT/NC	□□□□		□□□	□□□	□□	□□□	31.0#	963	1021	1037	1057	1068	1092	1117	1147	1210	1271	1331	1454	122
<div>concealed glides shown</div> <div></div> <div>MT26R</div> <div>26" Round Table</div> <div><ul style="list-style-type: none"><li>Non-contrast C.O.M = 1.75 yds</li><li>Ganging (specify kit separately)</li><li>Dia=26" H=18"</li></ul></div>	Concealed Glide, Non-contrast	MPT26R/CGL/NC	□□□□		□□□	□□□		□□□	39.0#	\$ 1006	\$ 1087	\$ 1108	\$ 1133	\$ 1151	\$ 1185	\$ 1220	\$ 1263	\$ 1348	\$ 1434	\$ 1520	\$ 1693	\$ 127
	Poly Feet, Non-contrast	MPT26R/PFT/NC	□□□□		□□□	□□□		□□□	39.0#	1006	1087	1108	1133	1151	1185	1220	1263	1348	1434	1520	1693	127
	Wood Feet, Non-contrast	MPT26R/WFT/NC	□□□□	□□□	□□□	□□□		□□□	39.0#	1132	1213	1235	1261	1278	1313	1346	1390	1475	1561	1646	1819	127
	Casters, Non-contrast	MPT26R/CST/NC	□□□□		□□□	□□□		□□□	39.0#	1006	1087	1108	1133	1151	1185	1220	1263	1348	1434	1520	1693	127
	Aluminum Feet, Non-contast	MPT26R/AFT/NC	□□□□		□□□	□□□	□□	□□□	39.0#	1132	1213	1235	1261	1278	1313	1346	1390	1475	1561	1646	1819	127
<div>concealed glides shown</div> <div></div> <div>MTSQR</div> <div>Square Table</div> <div><ul style="list-style-type: none"><li>Non-contrast C.O.M = 2.75 yds</li><li>Ganging (specify kit separately)</li><li>W=26" D=26" H=18"</li></ul></div>	Concealed Glide, Non-contrast	MPTSQR/CGL/NC	□□□□		□□□	□□□		□□□	39.0#	\$ 1140	\$ 1268	\$ 1302	\$ 1343	\$ 1370	\$ 1423	\$ 1477	\$ 1545	\$ 1679	\$ 1814	\$ 1950	\$ 2219	\$ 148
	Poly Feet, Non-contrast	MPTSQR/PFT/NC	□□□□		□□□	□□□		□□□	39.0#	1140	1268	1302	1343	1370	1423	1477	1545	1679	1814	1950	2219	148
	Wood Feet, Non-contrast	MPTSQR/WFT/NC	□□□□	□□□	□□□	□□□		□□□	39.0#	1267	1395	1429	1470	1496	1550	1604	1672	1806	1940	2078	2347	148
	Casters, Non-contrast	MPTSQR/CST/NC	□□□□		□□□	□□□		□□□	39.0#	1140	1268	1302	1343	1370	1423	1477	1545	1679	1814	1950	2219	148
	Aluminum Feet, Non-contrast	MPTSQR/AFT/NC	□□□□		□□□	□□□	□□	□□□	39.0#	1267	1395	1429	1470	1496	1550	1604	1672	1806	1940	2078	2347	148

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are avail-able.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

**B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](#)

**C**Select wood feet finish. Refer to the **Product Color Options** page in this price list.

**D**Select laminate color. Refer to the **Product Color Options** page in this price list.

**E**Select 74P edge color. Refer to the **Product Color Options** page in this price list.

**F**Select brushed aluminum feet finish. Refer to the **Product Color Options** page in this price list.
- G**Select moisture barrier.

MB

- Moisture barrier

NMB

- No moisture barrier

See pricing column for moisture barrier upcharge.

**Compliance to TB133 Fire Safety Code**  
For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information      N/C




**Shipping**  
Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



</



	MODEL	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
		Basic Model			
  MPM	<b>Ganging Kit</b> <ul style="list-style-type: none"><li>• One ganging kit to be specified for each lounge-to-lounge connection</li><li>• Ganging specified for use with glides, wood feet or poly feet</li><li>• Ganging kit also used with In-Line Table models MPTEDP and MYPTED</li><li>• For use to gang backless, 32" low-back units, or table units together</li><li>• Not for use ganging low-back to high-back, or high-back models</li></ul>	MPGANGKIT	0.0#		\$ 110
  MPM	<b>High-Back to Low-Back Gangers</b> <ul style="list-style-type: none"><li>• For use to gang a high-back (48" or 60" height) model to a backless unit</li><li>• For use with linear/side-to-side planning configurations</li><li>• Not for use with high-back to high-back models</li><li>• Ships as a kit; one ganging kit to be specified for each lounge-to-lounge connection.</li></ul>	MPHBLBGANG	0.0#		\$ 75
  MPM	<b>High-Back Model Back-to-Side Gangers</b> <ul style="list-style-type: none"><li>• For use with high-back models only, where configuration requires a back of a unit to gang to a side of another unit.</li><li>• Not for use for high-back model lineal/side-to-side ganging.</li><li>• Ships as a kit; one ganging kit to be specified for each lounge-to-lounge connection.</li></ul>	MPHB2SDGANG	0.0#		\$ 80

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking



With specially marked information      N/C

**Shipping**  
Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.





	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
	Basic Model			
<div></div> <div>MODEL</div> <div>Byrne Interlink®IQ Infeed Unit</div> <div><ul style="list-style-type: none"><li>For use with multi-unit power and Byrne Interlink®IQ power modules</li><li>Power up to 8 locations with one single circuit infeed unit</li><li>10' cord</li></ul></div>	INLINKFEED	0.0#	\$	404
MPM				
<div></div> <div>MPM</div> <div>Byrne Interlink®IQ Jumper</div> <div><ul style="list-style-type: none"><li>For use with multi-unit power and Byrne Interlink®IQ power modules</li><li>Allows for additional electrical reach through lounge units</li><li>Jumper cords are considered one “unit” of the 8 maximum units powered by one infeed</li></ul></div>	INLINKJUMP	0.0#	\$	120

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information      N/C

**Shipping**  
Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.





C-Table Personal Worksurface  
(27" Fixed Height)

Dimensions	
Base diameter	15-1/2"
Tabletop diameter	18"
Overall height	27"

Tabletop

Tabletops are 18" diameter and consist of 3/4" thick high-density 45 lb particleboard core with a .03" thick high-pressure laminate top and a .028" thick phenolic backer (bottom). The table edge is 2 mm polypropylene (73P) and is available in a variety of colors. See KI Color Addendum for laminate and edge finish options.

Base Frame

The table base frame is constructed of welded steel. The spider plate is 14-gauge, base is 3/8" thick and the vertical post is 1 1/2" diameter by .083" thick wall. The base frame is finished in electrostatically applied hybrid powdercoating. The coating is then fused and cured in a baking oven to form a smooth, continuous finish that is chemical-resistant, hard, tough and mar-resistant. Powder-coated paint is available in all standard KI paint colors except for chrome. See KI Color Addendum for complete options.


Glides

Six 1" diameter self-adhesive white polyurethane glides are recessed into machined pockets within the steel base.


Table Assembly

Tabletops are attached to the base frame using seven #12 x 3/4" Phillips truss head screws. Tables are shipped completely assembled with a packaged weight of 23 lbs. Assembled tables without packaging weigh 17 1/2" lbs.

DIMENSIONS




STATEMENT OF LINE





CTBL



				
<div>C-Table Max - Small Rectangle Top (26" Fixed height or 29" Fixed height)</div> <div>C-Table Max - Large Rectangle Top (26" Fixed height or 29" Fixed height)</div> <div>C-Table Max - Small Rectangle with Curve Top (26" Fixed height or 29" Fixed height)</div> <div>C-Table Max - Large Rectangle with Curve Top (26" Fixed height or 29" Fixed height)</div>				
Dimensions				
Base diameter	19 - 3/4"	19 - 3/4"	19 - 3/4"	19 - 3/4"
Base depth	16 - 3/8"	16 - 3/8"	16 - 3/8"	16 - 3/8"
Tabletop width	26"	30"	26"	30"
Tabletop depth	20"	24"	20"	24"
Overall height	26" / 29"	26" / 29"	26" / 29"	26" / 29"

				
<div>C-Table Max - Small Rectangle Top (25" - 30" Adjustable Height)</div> <div>C-Table Max - Large Rectangle Top (25" - 30" Adjustable Height)</div> <div>C-Table Max - Small Rectangle with Curve Top (25" - 30" Adjustable Height)</div> <div>C-Table Max - Large Rectangle with Curve Top (25" - 30" Adjustable Height)</div>				
Dimensions				
Base diameter	19 - 3/4"	19 - 3/4"	19 - 3/4"	19 - 3/4"
Base depth	16 - 3/8"	16 - 3/8"	16 - 3/8"	16 - 3/8"
Tabletop width	26"	30"	26"	30"
Tabletop depth	20"	24"	20"	24"
Overall height	25" - 30"	25" - 30"	25" - 30"	25" - 30"

				
<div>C-Table Max - Round Top (26" Fixed height or 29" Fixed height)</div> <div>C-Table Max - Round with Curved Top (26" Fixed height or 29" Fixed height)</div> <div>C-Table Max - OddQuad Top (26" Fixed height or 29" Fixed height)</div> <div>C-Table Max - Triangle Top (26" Fixed height or 29" Fixed height)</div> <div>C-Table Max - Square Top (26" Fixed height or 29" Fixed height)</div>				
Dimensions				
Base diameter	19 - 3/4"	19 - 3/4"	19 - 3/4"	19 - 3/4"
Base depth	16 - 3/8"	16 - 3/8"	16 - 3/8"	16 - 3/8"
Tabletop diameter	24"	24"		
Tabletop width			35 - 2/5"	32"
Tabletop depth		19 - 4/5"	22 - 1/10"	28 - 2/5"
Overall height	26" / 29"	26" / 29"	26" / 29"	26" / 29"

				
<div>C-Table Max - Round Top (25" - 30" Adjustable Height)</div> <div>C-Table Max - Round with Curve Top (25" - 30" Adjustable Height)</div> <div>C-Table Max - Oddquad Top (25" - 30" Adjustable Height)</div> <div>C-Table Max - Triangle Top (25" - 30" Adjustable Height)</div> <div>C-Table Max - Square Top (25" - 30" Adjustable Height)</div>				
Dimensions				
Base diameter	19 - 3/4"	19 - 3/4"	19 - 3/4"	19 - 3/4"
Base depth	16 - 3/8"	16 - 3/8"	16 - 3/8"	16 - 3/8"
Tabletop diameter	24"	24"		
Tabletop width			35 - 2/5"	32"
Tabletop depth		19 - 4/5"	22 - 1/10"	28 - 2/5"
Overall height	25" - 30"	25" - 30"	25" - 30"	25" - 30"





TECHNICAL SPECIFICATIONS

Fixed-Height Table - Dual-Post Cantilever

The fixed-height table is offered in 26" or 29" tabletop heights. The base frame is constructed of welded 1 1/2" diameter, 16-gauge steel tubing with a top mounting plate of 7-gauge (.179" thick) steel and a 3/8" (10 mm) thick C-shaped steel base. A 1/2" diameter welded steel cross brace member stabilizes the entire frame.

Adjustable-Height Table - Dual-Post Cantilever

The adjustable-height table raises and lowers in 1" locking increments, between 25" and 30" overall table height. Adjustability is controlled by a lever assembly that protrudes from the base, underneath the tabletop. When compressed, the lever assembly unlocks the upper frame weldment from the lower frame weldment, allowing height adjustment that is assisted by a pneumatic cylinder enclosed within one of the vertical leg tubes. When the tabletop is positioned at the desired height, the lever can be released, and the bottom of the lever assembly locks into one of six height positioning holes in one of the lower leg tubes. Delrin bushings are installed between the tubes of the upper and lower frames, allowing for smooth adjustment. The outer portion of the lever assembly ships loose and is secured to the inner portion of the lever with a hex jam nut during assembly of the table units.

The upper frame of the adjustable-height table is constructed with two 1 1/4" diameter, 14-gauge steel tubes and a 7-gauge (.179" thick) steel mounting plate, all welded together. The lower frame of the adjustable-height table is constructed with two 1 1/2" diameter, 16-gauge steel tubes, a 7-gauge (.179") steel mounting plate, and a 3/8" (10 mm) thick C-shaped steel base, all welded together. The height adjustment lever is 5/16" diameter welded steel. A 1/2" diameter welded steel cross brace member stabilizes the entire frame.

Base Finish

Base frames are powder-coat painted, and may be specified in all standard KI colors. Chrome-plated finish is not available. See KI Color Addendum for color options offered.

Table Surfaces


Table surfaces are 3/4" thick high-density 45 lb particle board core with .03" thick high pressure laminate and .028" thick phenolic backer (bottom). The table edge is 2 mm polypropylene (73P) and is available in a variety of colors. See KI Color Addendum for laminate and edge finish options.

Glides


Seven 1" diameter self-adhesive white polyurethane glides are recessed into machined pockets within the steel base.

Table Assembly

The tabletop is secured to the base using seven #12 x 3/4" Phillips truss head screws. All tabletops are shipped separately from bases.




Round Table  
CMDGB24 (26" Fixed-Height)  
CMDAB24 (29" Fixed-Height)  
CMDEB24 (Adjustable-Height)



Round Table with Comfort Curve  
CMDGP24 (26" Fixed-Height)  
CMDAP24 (29" Fixed-Height)  
CMDEP24 (Adjustable-Height)



20" x 26" Rectangular Table  
CMDGA2026 (26" Fixed-Height)  
CMDAA2026 (29" Fixed-Height)  
CMDEA2026 (Adjustable-Height)




24" x 30" Rectangular Table  
CMDGA2430 (26" Fixed-Height)  
CMDAA2430 (29" Fixed-Height)  
CMDEA2430 (Adjustable-Height)




20" x 26" Rectangular Table  
with Comfort Curve  
CMDGN2026 (26" Fixed-Height)  
CMDAN2026 (29" Fixed-Height)  
CMDEN2026 (Adjustable-Height)



24" x 30" Rectangular Table  
with Comfort Curve  
CMDGN2430 (26" Fixed-Height)  
CMDAN2430 (29" Fixed-Height)  
CMDEN2430 (Adjustable-Height)



Square Table  
CMDGC26 (26" Fixed-Height)  
CMDAC26 (29" Fixed-Height)  
CMDEC26 (Adjustable-Height)



Triangle Table  
CMDGK32 (26" Fixed-Height)  
CMDAK32 (29" Fixed-Height)  
CMDEK32 (Adjustable-Height)




Oddquad Table  
CMDGZ36 (26" Fixed-Height)  
CMDAZ36 (29" Fixed-Height)  
CMDEZ36 (Adjustable-Height)






C-Table Max - Tabletops




(bottom view)


C-Table Max - 26" Fixed-Height Table



C-Table Max - 29" Fixed-Height Table



C-Table Max - Adjustable-Height Table







Surface Finish - Laminate		Edge Style for 73P Edge		Base Finish	
Belair	LBQ	Belair	EBQ	Black	BL
Biltmore Cherry	LBT	Biltmore Cherry	EBT	Blue Grey	GR
Black	LBK	Black	EBL	Bronze Metallic	ZM
Brighton Walnut	LBW	Blue Grey	EGR	Cayenne	CY
Canyon Zephyr	LCA	Brighton Walnut	EBW	Champagne Metallic	CM
Castle Oak	LCO	Castle Oak	ECO	Cool Grey	CG
Casual Linen	LCU	Cayenne	ECY	Cottonwood	CO
Cherry Storm	LCX	Cherry Storm	ECX	Earthen Clay	EY
Classic Linen	LCI	Cocobala	ECC	Espresso Metallic	EX
Cloud Zephyr	LCL	Cool Grey	ECG	Everglade Shade	EV
Cocobala	LCC	Earthen Clay	EEY	Flannel	FN
Crisp Linen	LRI	Everglade Shade	EEV	Glitz Metallic	GZ
Desert Zephyr	LDZ	Flannel	EFN	Hazy Jade	HJ
Dove Grey	LDG	Florence Walnut	EFC	Honey Bee	HY
Fired Steel	LIL	Friston Ash	EFH	Light Tone	LG
Flax Linen	LXF	Frosty White	EFW	Mardi Gras	MG
Florence Walnut	LFC	Hazy Jade	EHJ	Misty Brown	MY
Forged Steel	LOL	Honey Bee	EHY	Nemo	NE
Friston Ash	LFH	Italian Silver Ash	EIT	Nordic	ND
Frosty White	LFW	Kensington Maple	EKM	Poppy Red	PR
Graphite Nebula	LGN	Light Tone	ELG	Purple Haze	PH
Grey	LGE	Mardi Gras	EMG	Rubber Ducky	RK
High Rise	LHE	Misty Brown	EMY	Sand	SA
Hollyberry	LHY	Monticello Maple	EMT	Sky Blue	SK
Irish Linen	LIH	Multiplex	EMB	Starlight Silver Metallic	SX
Island	LID	Nemo	ENE	Surf's Up	SP
Italian Silver Ash	LIT	Nordic	END	Twilight Shadow	TI
Kensington Maple	LKM	Poppy Red	EPR	Ultra Blue	UB
Lapis Blue	LLB	Purple Haze	EPH	Warm Grey	WG
Markerboard White	LMK	River Cherry	ERY	Zesty Lime	ZL
Misted Zephyr	LMR	Rubber Ducky	ERK		
Monticello Maple	LMT	Sand	ESA		
Nickel Evolv	LNV	Sky Blue	ESK		
North Sea	LNA	Sterling Ash	EAZ		
Ocean	LON	Surf's Up	ESP		
Pearl Bisque	LPB	Twilight Shadow	ETI		
Pearl Silver	LPS	Ultra Blue	EUB		
Pressed Linen	LPR	Warm Grey	EWG		
River Cherry	LRY	Windsor Mahogany	EWY		
Rugged Linen	LRG	Zesty Lime	EZL		
Satin Stainless	LSS				
Shadow Zephyr	LSR				
Silicon evolv	LSV				
Sterling Ash	LAZ				
Tailored Linen	LTL				
Titanium evolv	LTV				
White Nebula	LWL				
White Sand	LWN				
Windsor Mahogany	LWY				

Finish Cards

View color swatches for items listed within this document.

Paints

Wood/Veneer

Molded Edges

Hard Plastics

Plastics/Poly



Laminates

Edge Styles

Glass

Certain options referenced may not be available on GSA Schedule.



		MODEL NUMBER						
		Basic Model	Edge Style	Edge Color	Surface Finish	Base Finish		
 CTBL	MODEL						Approx. Packaged Weight	 3/4" 73P Edge (73P)
	Features							
	27" High	CTABLE	73P	□□□	□□□	□□	23.0#	\$ 591
	• C-Table, Personal Worksurface							
	• C-Table features single column base							
	• 18" diameter round worksurface							
	• Fixed height only							
	• Recommended for use with soft seating elements. 27" height allows for this product to be stored under standard 29" work surfaces.							
	• Ships fully assembled							
		A	B	C	D	E		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.

**73P** - 3/4" 73P edge
- C** Select edge color.

Refer to the **Product Color Options** page in this price list.
- D** Select surface finish.

Refer to the **Product Color Options** page in this price list.
- E** Select base finish.

Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

ADDITIONAL LAMINATE OFFERING

Additional laminates, beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an up-charge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information      N/C

**Shipping**

Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.











# C-Table™ Max

26” Fixed Height

# C-Table™ Max

26” Fixed Height

		MODEL NUMBER					Approx. Packaged Weight		<div></div> 3/4" 73P Edge (73P)	
		Basic Model	Edge Style	Edge Color	Surface Finish	Base Finish				
MODEL	Features									
<div></div> <div>CMDGA</div>	<b>Fixed Height - Small Rectangle Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>20" x 26" worksurface</li><li>Generally recommended for use with seating that have seat heights less than 17.5" and/or seating which has significant seat pitch.</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	26" High	CMDGA2026	73P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	40.0#	\$ 635	
<div></div> <div>CMDGA</div>	<b>Fixed Height - Large Rectangle Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>24" x 30" worksurface</li><li>Generally recommended for use with seating that have seat heights less than 17.5" and/or seating which has significant seat pitch.</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	26" High	CMDGA2430	73P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	47.0#	\$ 635	
<div></div> <div>CMDGN</div>	<b>Fixed Height - Small Rectangle with Curve Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>20" x 26" worksurface</li><li>Generally recommended for use with seating that have seat heights less than 17.5" and/or seating which has significant seat pitch.</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	26" High	CMDGN2026	73P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	38.0#	\$ 635	
<div></div> <div>CMDGN</div>	<b>Fixed Height - Large Rectangle with Curve Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>24" x 30" worksurface</li><li>Generally recommended for use with seating that have seat heights less than 17.5" and/or seating which has significant seat pitch.</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	26" High	CMDGN2430	73P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	45.0#	\$ 635	
		<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>				

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.  
73P - 3/4” 73P edge
- C**Select edge color.  
Refer to the **Product Color Options** page in this price list.
- D**Select surface finish.  
Refer to the **Product Color Options** page in this price list.
- E**Select base finish.  
Refer to the **Product Color Options** page in this price list.

## FINISH INFORMATION

ADDITIONAL LAMINATE OFFERING

Additional laminates, beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.  
Note: Nonstandard laminates from these suppliers (example: textured laminates), require an up-charge and additional leadtime. Contact KI.

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information      N/C








**Shipping**  
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



C-Table™ Max  
26” Fixed Height

C-Table™ Max  
26” Fixed Height

		MODEL	Features	MODEL NUMBER					Approx. Packaged Weight	 3/4" 73P Edge (73P)
				Basic Model	Edge Style	Edge Color	Surface Finish	Base Finish		
  CMDGB	  <b>Fixed Height - Round Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>24" round worksurface</li><li>Generally recommended for use with seating that have seat heights less than 17.5" and/or seating which has significant seat pitch.</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	26" High	CMDGB24	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	38.0#	\$ 635	
  CMDGP	  <b>Fixed Height - Round with Curve Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>24" round worksurface</li><li>Generally recommended for use with seating that have seat heights less than 17.5" and/or seating which has significant seat pitch.</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	26" High	CMDGP24	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	35.0#	\$ 635	
  CMDGZ	  <b>Fixed Height - Oddquad Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>22" x 36" Worksurface</li><li>Generally recommended for use with seating that have seat heights less than 17.5" and/or seating which has significant seat pitch.</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	26" High	CMDGZ36	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	39.0#	\$ 635	
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.  
73P - 3/4" 73P edge
- C**Select edge color.  
Refer to the **Product Color Options** page in this price list.
- D**Select surface finish.  
Refer to the **Product Color Options** page in this price list.
- E**Select base finish.  
Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

ADDITIONAL LAMINATE OFFERING  
Additional laminates, beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.  
Note: Nonstandard laminates from these suppliers (example: textured laminates), require an up-charge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information      N/C



**Shipping**  
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



C-Table™ Max  
26" Fixed Height

C-Table™ Max  
26" Fixed Height

		MODEL NUMBER					Approx. Packaged Weight		3/4" 73P Edge (73P)	
		Basic Model	Edge Style	Edge Color	Surface Finish	Base Finish				
 CMDGK	<b>Fixed Height - Triangle Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>28" x 32" triangle worksurface</li><li>Generally recommended for use with seating that have seat heights less than 17.5" and/or seating which has significant seat pitch.</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	26" High	CMDGK32	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	38.0#	\$	635
 CMDGC	<b>Fixed Height - Square Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>26" square worksurface</li><li>Generally recommended for use with seating that have seat heights less than 17.5" and/or seating which has significant seat pitch.</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	26" High	CMDGC26	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	45.0#	\$	635
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.  
73P - 3/4" 73P edge
- C**Select edge color.  
Refer to the **Product Color Options** page in this price list.
- D**Select surface finish.  
Refer to the **Product Color Options** page in this price list.
- E**Select base finish.  
Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

ADDITIONAL LAMINATE OFFERING

Additional laminates, beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.  
Note: Nonstandard laminates from these suppliers (example: textured laminates), require an up-charge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information      N/C

**Shipping**  
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.





Specifications and prices are subject to change without prior notice.



C-Table™ Max  
29" Fixed Height

KI

C-Table™ Max  
29" Fixed Height

		MODEL NUMBER						
MODEL		Features	Basic Model	Edge Style	Edge Color	Surface Finish	Base Finish	Approx. Packaged Weight
 CMDAA	<b>Fixed Height - Small Rectangle Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>20" x 26" worksurface</li><li>Generally recommended for use with seating that have seat heights higher than 17.5" and/or seating which has no significant seat pitch</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>		CMDAA2026	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	40.0#
 CMDAA	<b>Fixed Height - Large Rectangle Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>24" x 30" worksurface</li><li>Generally recommended for use with seating that have seat heights higher than 17.5" and/or seating which has no significant seat pitch</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>		CMDAA2430	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	47.0#
 CMDAN	<b>Fixed Height - Small Rectangle with Curve Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>20" x 36" worksurface</li><li>Generally recommended for use with seating that have seat heights higher than 17.5" and/or seating which has no significant seat pitch</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>		CMDAN2036	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	39.0#
 CMDAN	<b>Fixed Height - Large Rectangle with Curve Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>24" x 30" worksurface</li><li>Generally recommended for use with seating that have seat heights higher than 17.5" and/or seating which has no significant seat pitch</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>		CMDAN2430	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	45.0#

**A**   **B**   **C**   **D**   **E**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.  
73P - 3/4" 73P edge
- C**Select edge color.  
Refer to the **Product Color Options** page in this price list.
- D**Select surface finish.  
Refer to the **Product Color Options** page in this price list.
- E**Select base finish.  
Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

ADDITIONAL LAMINATE OFFERING  
Additional laminates, beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.  
Note: Nonstandard laminates from these suppliers (example: textured laminates), require an up-charge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information      N/C

**Shipping**  
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.





Specifications and prices are subject to change without prior notice.



C-Table™ Max  
29" Fixed Height

KI

C-Table™ Max  
29" Fixed Height

		MODEL NUMBER									
	MODEL	Features	Basic Model	Edge Style	Edge Color	Surface Finish	Base Finish	Approx. Packaged Weight		3/4" 73P Edge (73P)	
 CMDAB	<b>Fixed Height - Round Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>24" round worksurface</li><li>Generally recommended for use with seating that have seat heights higher than 17.5" and/or seating which has no significant seat pitch</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	29" High	CMDAB24	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	38.0#	\$	635	
 CMDAP	<b>Fixed Height - Round with Curve Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>24" round worksurface</li><li>Generally recommended for use with seating that have seat heights higher than 17.5" and/or seating which has no significant seat pitch</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	29" High	CMDAP24	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	35.0#	\$	635	
 CMDAZ	<b>Fixed Height - OddQuad Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>22" x 36" worksurface</li><li>Generally recommended for use with seating that have seat heights higher than 17.5" and/or seating which has no significant seat pitch</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	29" High	CMDAZ36	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	40.0#	\$	635	
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.  
73P - 3/4" 73P edge
- C**Select edge color.  
Refer to the **Product Color Options** page in this price list.
- D**Select surface finish.  
Refer to the **Product Color Options** page in this price list.
- E**Select base finish.  
Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

ADDITIONAL LAMINATE OFFERING

Additional laminates, beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.  
Note: Nonstandard laminates from these suppliers (example: textured laminates), require an up-charge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information      N/C

**Shipping**  
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.






Specifications and prices are subject to change without prior notice.



C-Table™ Max  
29" Fixed Height

KI

C-Table™ Max  
29" Fixed Height

		MODEL NUMBER					Approx. Packaged Weight		<div></div> 3/4" 73P Edge (73P)	
		Basic Model	Edge Style	Edge Color	Surface Finish	Base Finish				
MODEL	Features									
<div></div> <div>CMDAK</div>	<b>Fixed Height - Triangle Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>28" x 32" triangle worksurface</li><li>Generally recommended for use with seating that have seat heights higher than 17.5" and/or seating which has no significant seat pitch</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	29" High	CMDAK32	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	38.0#	\$ 635	
<div></div> <div>CMDAC</div>	<b>Fixed Height - Square Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>26" square worksurface</li><li>Generally recommended for use with seating that have seat heights higher than 17.5" and/or seating which has no significant seat pitch.</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	29" High	CMDAC26	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	46.0#	\$ 635	
		<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.  
73P - 3/4" 73P edge
- C**Select edge color.  
Refer to the **Product Color Options** page in this price list.
- D**Select surface finish.  
Refer to the **Product Color Options** page in this price list.
- E**Select base finish.  
Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

ADDITIONAL LAMINATE OFFERING

Additional laminates, beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an up-charge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information      N/C

**Shipping**

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.









Specifications and prices are subject to change without prior notice.



C-Table™ Max  
25" - 30" Adjustable Height

KI

C-Table™ Max  
25" - 30" Adjustable Height

			MODEL NUMBER							<div></div> <div>3/4" 73P Edge (73P)</div>	
			Basic Model	Edge Style	Edge Color	Surface Finish	Base Finish				
MODEL	Features							Approx. Packaged Weight			
<div></div> <div>CMDEA</div>	<b>Adjustable Height - Small Rectangle Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>20" x 26" worksurface</li><li>Lever actuated base height adjustment</li><li>Generally recommended for use in environments with varying seat heights and/or varying seat pitch</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	25" - 30" High	CMDEA2026	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	43.0#	\$	789	
<div></div> <div>CMDEA</div>	<b>Adjustable Height - Large Rectangle Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>24" x 30" worksurface</li><li>Lever actuated base height adjustment</li><li>Generally recommended for use in environments with varying seat heights and/or varying seat pitch</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	25" - 30" High	CMDEA2430	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	50.0#	\$	789	
<div></div> <div>CMDEN</div>	<b>Adjustable Height - Small Rectangle with Curve Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>20" x 26" worksurface</li><li>Lever actuated base height adjustment</li><li>Generally recommended for use in environments with varying seat heights and/or varying seat pitch</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	25" - 30" High	CMDEN2026	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	42.0#	\$	789	
<div></div> <div>CMDEN</div>	<b>Adjustable Height - Large Rectangle with Curve Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>24" x 30" worksurface</li><li>Lever actuated base height adjustment</li><li>Generally recommended for use in environments with varying seat heights and/or varying seat pitch</li><li>Top and base ships in separate packaging; limited assembly required</li></ul>	25" - 30" High	CMDEN2430	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	48.0#	\$	789	
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.  
73P - 3/4" 73P edge
- C**Select edge color.  
Refer to the **Product Color Options** page in this price list.
- D**Select surface finish.  
Refer to the **Product Color Options** page in this price list.
- E**Select base finish.  
Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

ADDITIONAL LAMINATE OFFERING

Additional laminates, beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an up-charge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information      N/C

**Shipping**

Ships **knocked down**, **FOB Bonduel, WI 54107**, **freight prepaid**. Freight class 125.




Specifications and prices are subject to change without prior notice.



C-Table™ Max  
25" - 30" Adjustable Height

KI

C-Table™ Max  
25" - 30" Adjustable Height

		MODEL NUMBER						
		Basic Model	Edge Style	Edge Color	Surface Finish	Base Finish		
 CMDEB	<b>Adjustable Height - Round Top</b> • C-Table Max features a two column base • 24" round worksurface • Lever actuated base height adjustment • Generally recommended for use in environments with varying seat heights and/or varying seat pitch • Top and base ships in separate packaging; limited assembly required	25" - 30" High	CMDEB24	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	Approx. Packaged Weight 41.0#
								3/4" 73P Edge (73P) \$ 789
 CMDEP	<b>Adjustable Height - Round with Curve Top</b> • C-Table Max features a two column base • 24" round worksurface • Lever actuated base height adjustment • Generally recommended for use in environments with varying seat heights and/or varying seat pitch • Top and base ships in separate packaging; limited assembly required	25" - 30" High	CMDEP24	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	38.0# \$ 789
 CMDEZ	<b>Adjustable Height - OddQuad Top</b> • C-Table Max features a two column base • 22" x 36" worksurface • Lever actuated base height adjustment • Generally recommended for use in environments with varying seat heights and/or varying seat pitch • Top and base ships in separate packaging; limited assembly required	25" - 30" High	CMDEZ36	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	42.0# \$ 789
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.  
73P - 3/4" 73P edge
- C**Select edge color.  
Refer to the **Product Color Options** page in this price list.
- D**Select surface finish.  
Refer to the **Product Color Options** page in this price list.
- E**Select base finish.  
Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

ADDITIONAL LAMINATE OFFERING

Additional laminates, beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an up-charge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

**Shipping**  
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.






Specifications and prices are subject to change without prior notice.



C-Table™ Max  
25" - 30" Adjustable Height

KI

C-Table™ Max  
25" - 30" Adjustable Height

			MODEL NUMBER						
			Basic Model	Edge Style	Edge Color	Surface Finish	Base Finish	Approx. Packaged Weight	 3/4" 73P Edge (73P)
MODEL	Features								
  CMDEK	<b>Adjustable Height - Triangle Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>28" x 32" triangle worksurface</li><li>Lever actuated base height adjustment</li><li>Generally recommended for use in environments with varying seat heights and/or varying seat pitc</li><li>Top and base ships in separate packag- ing; limited assembly required</li></ul>	25" - 30" High	CMDEK32	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	41.0#	\$ 789
  CMDEC	<b>Adjustable Height - Square Top</b> <ul style="list-style-type: none"><li>C-Table Max features a two column base</li><li>26" square worksurface</li><li>Lever actuated base height adjustment</li><li>Generally recommended for use in environments with varying seat heights and/or varying seat pitch</li><li>Top and base ships in separate packag- ing; limited assembly required</li></ul>	25" - 30" High	CMDEC26	73P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	49.0#	\$ 789
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are avail-able.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.  
73P - 3/4" 73P edge
- C**Select edge color.  
Refer to the **Product Color Options** page in this price list.
- D**Select surface finish.  
Refer to the **Product Color Options** page in this price list.
- E**Select base finish.  
Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

ADDITIONAL LAMINATE OFFERING

Additional laminates, beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designa-tors followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.  
Note: Nonstandard laminates from these suppliers (example: textured laminates), require an up-charge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

**Shipping**  
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.





PRODUCT SPECIFICATIONS

Athens® Table

December 2020

TECHNICAL SPECIFICATIONS

Table Bases

Tapered Base (ATH3)

Tapered round pedestal base is .07" thick steel. Tapered base is 26" in diameter for 36" square and 42" Round tops only. Tapered base is 22" diameter for all other top sizes. 3" diameter column is constructed of 14-gauge steel. Table mounting plate is 7-gauge steel, and attaches to the underside of the worksurface using eight # 12 Phillips pan head screws. Adjustable glides are 1" diameter, nickel plated with 5/16" stems. No tools are required for glide adjustment.

Disc Base (ATH4)

Flat round pedestal base is a .07" thick steel cover over a 1/4" thick steel plate. Base is 20" diameter for all 24" and 30" round table units and for all 24" square table units. Base is 24" diameter for all 36" round table units, for 42" round table units at 29" OTH (overall table height), and for all 30" square table units. Base is 32" diameter for 42" round table units at 42" OTH, and for all 36" and 42" square table units. 4" diameter column is constructed of 14-gauge steel. Table mounting plate is 7-gauge steel, and attaches to the underside of the worksurface using eight # 12 Phillips pan head screws. Adjustable glides are 1" diameter nickel plated with 5/16" stems. No tools are required for glide adjustment.

Table Base ATH5

Flat round pedestal base is a .07" thick steel cover over a 1/4" thick steel plate. Base is 32" diameter for all round and square table units. 5" diameter column is constructed of 14-gauge steel and is used for all 48" and 54" round table units and all square table units. 6" diameter column is used on 60" round table units and is constructed of 14-gauge steel. Table mounting plate is 7-gauge steel, and attaches to the underside of the worksurface with eight # 12 Phillips pan head screws. Adjustable glides are 1" diameter nickel plated with 5/16" stems. No tools are required for glide adjustment.

Booth Table Base

Heavy Base (AHDAA & AHDAC)

Heavy round pedestal base consists of a 14-gauge spun steel cover adhered to two 1/4" thick steel plates. Heavy base is 20" in diameter for all 24" and 26" booth table units, 24" in diameter for all 30" and 36" units and 32" in diameter for 42" and 48" units. 4" diameter column is constructed of 14-gauge steel. Table mounting plate is 7-gauge steel, and attaches to the underside of the worksurface using eight # 12 Phillips pan head screws. Adjustable glides are 1" diameter nickel plated with 5/16" stems. No tools are required for glide adjustment.

Base Finishes

Standard base finishes include electroplated chrome and powder-coated, oven-cured paint.

Laminate Table Surfaces

Laminate tops feature a 1 1/8" thick high-density particleboard core with high-pressure laminate top and phenolic backing sheet. Total thickness of table top is 1 1/4". Tops are pre-drilled.

Veneer Table Surfaces



Veneer tops feature a 1 1/8" thick high-density particleboard core with wood veneer and backing sheet, and finished with a catalyzed varnish finish. Total thickness of table top is 1 1/4". Tops are pre-drilled.

DIMENSIONS


Athens Rectangular & Square Booth Tables

Model Number	A Table Depth	B Table Width	C Table Height	D Base Diameter	E Column Diameter
AHDAA2448	24"	48"	29"	20"	4"
AHDAA2648	26"			24"	
AHDAA3048	30"			24"	
AHDAA3648	36"			32"	
AHDAA4248	42"				
AHDAC48	48"				

(model AHDAA2448 with disc base (ATH4) shown)









STATEMENT OF LINE


Athens Rectangular Booth Tables




AHDAA2448




AHDAA2648



AHDAA3048




AHDAA3648



AHDAA4248

Athens Square Booth Tables



AHDAC48





Surface Finish--Laminate		Flannel	EFN	Warm Grey	EWG
Belair	LBQ	Frosty White	EFW	Windsor Mahogany	EWY
Biltmore Cherry	LBT	Hazy Jade	EHJ	Zesty Lime	EZL
Black	LBK	Honey Bee	EHY	Veneer Surface and Edge Colors for RE and PT Edge	
Brighton Walnut	LBW	Light Tone	ELG	Cherry Storm on Maple	MCX
Canyon Zephyr	LCA	Mardi Gras	EMG	Cinnamon on Maple	MCN
Castle Oak	LCO	Misty Brown	EMY	Cocoa on Maple	MCA
Casual Linen	LCU	Nemo	ENE	Kensington Maple on Maple	MMA
Cherry Storm	LCX	Nordic	END	Monticello Maple on Maple	MMT
Classic Linen	LCI	Poppy Red	EPR	River Cherry on Maple	MRY
Cloud Zephyr	LCL	Purple Haze	EPH	Wood Edge Finish for 34R and 34S Edge	
Cocobala	LCC	Rubber Ducky	ERK		
Crisp Linen	LRI	Sand	ESA	Biltmore Cherry on Maple	MBT
Desert Zephyr	LDZ	Sky Blue	ESK	Brighton Walnut on Maple	MBW
Dove Grey	LDG	Surf's Up	ESP	Castle Oak on Maple	VOK
Fired Steel	LIL	Twilight Shadow	ETI	Cherry Storm on Maple	MCX
Flax Linen	LXF	Ultra Blue	EUB	Cinnamon on Maple	MCN
Florence Walnut	LFC	Warm Grey	EWG	Cocoa on Maple	MCA
Forged Steel	LOL	Zesty Lime	EZL	Florence Walnut on Maple	MFC
Friston Ash	LFH	Edge Color for 74P Edge		Kensington Maple on Maple	MMA
Frosty White	LFW	Belair	EBQ	Monticello Maple on Maple	MMT
Graphite Nebula	LGN	Biltmore Cherry	EBT	River Cherry on Maple	MRY
Grey	LGE	Black	EBL	MBT and MBW are not supported with samples	
High Rise	LHE	Blue Grey	EGR	Base Finish	
Hollyberry	LHY	Brighton Walnut	EBW	Black	BL
Irish Linen	LIH	Castle Oak	ECO	Blue Grey	GR
Island	LID	Cayenne	ECY	Bronze Metallic	ZM
Italian Silver Ash	LIT	Cherry Storm	ECX	Cayenne	CY
Kensington Maple	LKM	Cocobala	ECC	Champagne Metallic	CM
Lapis Blue	LLB	Cool Grey	ECG	Cool Grey	CG
Markerboard White	LMK	Earthen Clay	EEY	Cottonwood	CO
Misted Zephyr	LMR	Everglade Shade	EEV	Earthen Clay	EY
Monticello Maple	LMT	Flannel	EFN	Espresso Metallic	EX
Nickel Evolv	LNV	Florence Walnut	EFC	Everglade Shade	EV
North Sea	LNA	Friston Ash	EFH	Flannel	FN
Ocean	LON	Frosty White	EFW	Glitz Metallic	GZ
Pearl Bisque	LPB	Hazy Jade	EHJ	Hazy Jade	HJ
Pearl Silver	LPS	Honey Bee	EHY	Honey Bee	HY
Pressed Linen	LPR	Italian Silver Ash	EIT	Light Tone	LG
River Cherry	LRY	Kensington Maple	EKM	Mardi Gras	MG
Rugged Linen	LRG	Light Tone	ELG	Misty Brown	MY
Satin Stainless	LSS	Mardi Gras	EMG	Nemo	NE
Shadow Zephyr	LSR	Misty Brown	EMY	Nordic	ND
Silicon evolv	LSV	Monticello Maple	EMT	Poppy Red	PR
Sterling Ash	LAZ	Multiplex	EMB	Purple Haze	PH
Tailored Linen	LTL	Nemo	ENE	Rubber Ducky	RK
Titanium evolv	LTV	Nordic	END	Sand	SA
White Nebula	LWL	Poppy Red	EPR	Sky Blue	SK
White Sand	LWN	Purple Haze	EPH	Starlight Silver Metallic	SX
Windsor Mahogany	LWY	River Cherry	ERY	Surf's Up	SP
Edge Color for 54B Edge		Rubber Ducky	ERK	Twilight Shadow	TI
Black	EBL	Sand	ESA	Ultra Blue	UB
Blue Grey	EGR	Sky Blue	ESK	Warm Grey	WG
Cayenne	ECY	Sterling Ash	EAZ	Zesty Lime	ZL
Cool Grey	ECG	Surf's Up	ESP	Chrome is available at an upcharge.	
Earthen Clay	EEY	Twilight Shadow	ETI		
Everglade Shade	EEV	Ultra Blue	EUB		

Finish Cards

View color swatches for items listed within this document.

- Paints
- Plastics/Poly
- Wood/Veneer
- Laminates
- Molded Edges
- Edge Styles
- Hard Plastics
- Glass

Certain options referenced may not be available on GSA Schedule.







# Athens® Booth Tables

Square--Flat Disc Base, 4" Column, Fixed Height

# Athens® Booth Tables

Square--Flat Disc Base, 4" Column, Fixed Height

			MODEL NUMBER								
			Basic Model	Edge Style	Edge Color	Base Finish	Surface Finish				
MODEL	Features	A x B						Approx. Packaged Weight	 1-1/4" Vinyl Bullnose (54B)	 74P Edge (74P)	 1-1/4" Wood Band Edge (34R)
 AHDAC	<b>Square Tables, 4" column, 29"H</b> <ul style="list-style-type: none"><li>• 4" column diameter</li><li>• 29" unit height</li><li>• Square top with rounded corners</li><li>• 32" base diameter on 48" tables</li><li>• Flat disc base</li></ul>	Powdercoat 48 x 48"	AHDAC48P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 1694	\$ 1717	\$ 2678
	Chrome 48 x 48"	AHDAC48C	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	CH	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	2266	2289	3187	
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>				

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A**

Select basic model.
- B**

Select edge style.

**54B**

- 1-1/4" Vinyl bullnose

**74P**

- 74P edge

**34R**

- 1-1/4" Wood band, radius corner

**C**

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

**D**

Select base finish.

Refer to the **Product Color Options** page in this price list.

**E**

Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

## FINISH INFORMATION

**Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require a Product Modification Request. Contact customer service for details.

**Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information      N/C

**Shipping**

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Fixed tables are freight class 70. Folding tables are freight class 125.

Specifications and prices are subject to change without prior notice.








# Athens® Booth Tables

Rectangular--Flat Disc Base, 4" Column, Fixed Height

# Athens® Booth Tables

Rectangular--Flat Disc Base, 4" Column, Fixed Height

MODEL				MODEL NUMBER					Approx. Packaged Weight	 1-1/4" Vinyl Bullnose (54B)	 74P Edge (74P)	 1-1/4" Wood Band Edge (34R)
				Basic Model	Edge Style	Edge Color	Base Finish	Surface Finish				
  AHDAA	<b>Rectangular Tables, 4" column, 29"H</b> <ul style="list-style-type: none"><li>• 4" column diameter</li><li>• 29" unit height</li><li>• Rectangular top with rounded corners</li><li>• 20" base diameter on 24" tables</li><li>• 24" base diameter on 26", 30" and 36" tables</li><li>• 32" base diameter on 42" tables</li><li>• Flat disc base</li></ul>	Powdercoat	24 x 48"	AHDAA2448P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 938	\$ 961	\$ 1671
		Chrome	24 x 48"	AHDAA2448C	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	CH	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	1431	1454	2152
		Powdercoat	26 x 48"	AHDAA2648P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	996	1019	1763
		Chrome	26 x 48"	AHDAA2648C	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	CH	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	1488	1511	2175
		Powdercoat	30 x 48"	AHDAA3048P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	1058	1081	1808
		Chrome	30 x 48"	AHDAA3048C	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	CH	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	1557	1579	2220
		Powdercoat	36 x 48"	AHDAA3648P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	1088	1111	1946
		Chrome	36 x 48"	AHDAA3648C	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	CH	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	1602	1625	2449
		Powdercoat	42 x 48"	AHDAA4248P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	1625	1694	2632
		Chrome	42 x 48"	AHDAA4248C	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	CH	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	2197	2220	3141
					<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>			

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- 54B**- 1-1/4" Vinyl bullnose

**74P**- 74P edge

**34R**- 1-1/4" Wood band, radius corner
- C**Select edge color.  
Refer to the **Product Color Options** page in this price list.  
Edge color offerings are based on edge style selections.
- D**Select base finish.  
Refer to the **Product Color Options** page in this price list.
- E**Select surface finish.  
Refer to the **Product Color Options** page in this price list.  
Surface finish offerings are based on edge style selections.

## FINISH INFORMATION

**Additional Laminate Offering**  
Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require a Product Modification Request. Contact customer service for details.

**Color Match**  
KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information      N/C

**Shipping**  
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Fixed tables are freight class 70. Folding tables are freight class 125.

Specifications and prices are subject to change without prior notice.



PRODUCT SPECIFICATIONS

Pillar® Tables

June 2022

TECHNICAL SPECIFICATIONS

Tabletops

Standard Tabletops

Standard tabletops are nominal 1 1/4" overall thickness with .030" thick high-pressure laminate top surface and .028" phenolic backer (bottom surface). The density of the core in standard tops is 45 lb/cu ft particleboard, M3 grade. The Pillar Table is available with the 2 mm (74P) edge.

90° Outside Curve Tabletops

Outside curve tabletops are nominal 1 1/4" overall thickness with .030" thick high-pressure laminate top surface and .028" phenolic backer (bottom surface). The density of the core in outside curve tops is 45 lb/cu ft particleboard, M3 grade. The tabletop is available with the 2 mm (74P) edge. This outside curve is supported at the underside, between two tables of equal depth by four 1 1/2"-gauge (.125" thick) splice plates. While secured between two tables, no leg is required to support the tabletop.

Leg Assembly

Leg assemblies come in three variations to accommodate three overall table heights: 29" standard, 36" standard and 42" standing height depending on the table shape. The leg construction consist of a 2 1/4" O.D., 14-gauge steel tubing welded to a 1/4" thick 8" x 8" steel plate. A 1/4" thick steel insert is welded in the bottom of each leg tube with a 1/2"-13 UNC threaded hole where the casters or glides attach. The legs are attached to the tabletop using #12 x 1" screws. Casters and glides are shipped in separate cartons and must to be installed upon assembly of the table.

Casters & Glides

Each table includes either casters or glides. Each caster table includes a set of locking and non-locking wheel casters. Casters are made of molded nylon and come in two colors. Glides are black nylon, overmolded on a steel insert for strength. Glides and casters are not interchangeable without changing the table height. Caster wheels are a minimum of 2 7/16" (63 mm) diameter. Caster wheel treads are a medium hard (75 max Shore A) for easy mobility on carpet or hard floors. Glides have a smooth bottom surface for mobility. Glides have a height adjustment range of 1" to allow for uneven surfaces.

Ganging Mechanism

Molded of black, high-strength nylon, the hook and peg combination draws tables together back-to-back or side-by-side. Once the ganging mechanism is installed, no tools are required when joining tables. Gangers are self-storing under the table when not in use. Tops are pre-drilled for placement of ganging pegs. Two gangers, four pegs and all mounting screws are included in the kit. One kit per table joint is required. Field installed.

Wire Management

Wire Trough

The wire trough is a cord management accessory that is provided with the Pillar table if Pattern electrical components are specified with the order. If the Pillar table is specified with any 3-prong plug module unit, then a wire trough must be ordered separately. Constructed of 18-gauge steel with a powder-coated finish in all KI standard finishes. Screws are provided for attachment to the underside of the tabletop, and tops are pre-drilled for wire trough locations. Provides multiple access holes to feed wires, and includes cutouts for installation of additional Pattern snap-in RPT power modules.

Vertical Leg Wire Management

A color matched extrusion made of aluminum "snaps" to the Pillar leg, managing cables and wires exiting power modules or standard grommets installed on the tabletop. The extrusion is 12" long. Vertical wire managers are included when powered Pillar tables are ordered.

TECHNICAL SPECIFICATIONS

Wire Management (cont.)

Velcro® Wire Management

The Velcro wire manager is constructed of 2" x 4 1/2" Velcro hook and loop material with a looped pull tab. The wire manager is provided with adhesive backing and screws for attachment to the underside of the top. Tops are pre-drilled for locating wire manager, but the manager may be applied in any convenient location. One or two Velcro wire managers are included when Pattern power modules are ordered, and wire clips are provided when power modules with 3-prong plugs are ordered. Field installed.

Grommets

Grommets for Villa™

The grommet for Villa is a surface mounted cover constructed of ABS plastic or 18-gauge steel. On tables with one grommet, it is located centered within the width. Grommets are spaced 3" from the back edge on 24" and 30" deep tops, and centered (front to back) on 36", 42" & 48" deep tops. 36" deep large rectangular tables are available with two grommets. They are located along the centerline depth of the top (front to back) and approximately 23" to 35" from the edge of the top, depending on the top's width.

Grommets have a flip-up receding door and are identical in size to the PowerUp Module to allow for retrofitting of PowerUp at a later date. When the flip-up door is closed, the available opening for power or data cords is 1/2" wide by 5 3/4" long. Open door available space is 2 1/4" x 5 3/4". Grommets are available in a variety of colors. Field installed.

Flip-Top Grommets for Dean® & Nacre® Power Modules

Flip-top grommets are surface-mounted covers, constructed of 18-gauge steel. Grommets have a flip-up receding door and are identical in cutout size to the Nacre or Dean power modules listed below, which allows for retrofitting corresponding power modules at a later date. One grommet ships per table, which is located in the center of the tops. Two grommets ship per conference table, which are located near the center of the tops. Grommets are finished with powder-coat paint and available in all KI paint colors. The flip-up door is designed to allow cords to remain routed through the opening while it is closed and allows for more cord routing space when the flip-up door is opened. Field installed.

Circular Grommet for Node® Power Module

The Node circular grommet is an open top, surface-mounted grommet constructed of aluminum. The overall diameter of 3.15" fits into a 3" diameter cutout in the surface. One grommet ships per table, which is located in the center of the tops. Two grommets ship per conference table, which are located near the center of the tops. Grommets are finished with powder-coat paint and available in all KI paint colors. Not available in chrome. Field installed.


Power Modules

Dean In-Surface Power Module

Dean In-Surface power module consists of two simplex receptacles (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be modified to fit various brand jacks. Data tree ships with Dean in-surface power modules. Data connectors are not supplied with the module and are purchased by the customer. The Dean in-surface module is 8.12" long by 2.31" wide by 2.5" high and fits securely into a 7.81" x 1.93" cutout. Module is mechanically attached to the worksurface with screws from the underside. The module has a molded plastic faceplate with steel trim and an aluminum housing. Modules comes standard with either 9' or 15' cord with a 3-prong plug, or a 20" cord with a Pattern™ connector. A 40" cord option is available for larger conference tables with two power modules. Dean power module is rated at 15 amps/120 volts and is UL listed.







TECHNICAL SPECIFICATIONS

Power Modules (cont.)

Dean Clamp-On Power Module

Dean clamp-on power module consists of two simplex receptacles (rated at 15 amps/125 volts), one USB-A and one USB-C port, 2 amps per port. Dean clamp-on module ls 5.50" long by 3.06" wide by 3.38" high. The module has a smooth molded plastic faceplate with an anodized aluminum housing. Clamp-on mounting style positions the module at a right angle to the worksurface and uses two thumb screws for attachment, without the need for table cutouts. Clamp is 3" wide, extends 1¾" onto edge of surface and can accommodate a maximum surface thickness of 1½". Modules come standard with either 3', 9' or 15' cord with a 3-prong plug, or a 40" cord with a Pattern connector. Dean power module is rated at 15 amps/120 volts and is UL listed.

Dubbel™ Undersurface Power Module

Dubbel undersurface module consists of two simplex receptacles (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port. Dubbel is 7.63" wide by 1.75" tall by 5.25" deep. The module is made of molded plastic and secures under the worksurface with two 5⁄16 x 2" Phillips round-head screws. Modules come standard with either 3', 9' or 15' cord with a 3-prong plug, or a 40" cord with a Pattern connector. Dubbel power module is rated at 15 amps/120 volts and is UL listed.

Nacre Pop-Up In-Surface Module

Nacre Pop-Up In-Surface consists of two simplex receptacles (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be modified to fit various brand jacks. Data tree ships with Nacre power modules. Data connectors are not supplied with the module and are purchased by the customer. Nacre is 7.25" long by 3.31" wide by 2.92" high and fits securely into a 6.94" x 3" cutout with .38" radius corners. The module is made of molded plastic. The module is a pop-up design with a dampened spring-loaded mechanism to allow the unit to smoothly open for use and close smoothly when not in use. Modules come standard with either 9' or 15' cord with a 3-prong plug, or a 20" cord with a Pattern connector. A 40" cord option is available for larger conference tables with two power modules. Nacre power module is rated at 15 amps/120 volts and is UL listed.

Node® In-Surface Power Module

Node In-Surface power module consists of one simplex receptacle (rated at 15 amps/125 volts), includes one USB-A port, and one USB-C port, 2 amps per port. Node is 3.38" in diameter by 3.30" tall fits and securely into a 3" diameter cutout. The module housing is made of plastic with a powder-coat painted aluminum faceplate. Modules come standard with either 9' or 15' cord with a 3-prong plug, or a 20" or 40" cord with a Pattern connector. Node power module is rated at 15 amps/120 volts and is UL listed.

PowerUp® Module

Several tables are available with one or two PowerUp power modules with 3-prong plug per table. Modules are spaced 3" from the back edge on 24" and 30" deep tops, and centered (front to back) on 36", 42" & 48" deep tops. Some larger conference style tables are available with two modules. They are located along the centerline of the table depth (front to back) and approximately 23" to 35" from the side edge of the top depending on the top width.

The PowerUp Module is a UL listed relocatable power tap which is a surface mounted power module with a plastic cover. When open, two simplex power receptacles and two data jack openings are exposed. The module is 3¼" wide by 7" long and 2¼" tall when opened and fits securely into a 6¼" x 3" cutout, still allowing removal without tools. It is provided with either a 9 ft or 15 ft cord and 3-prong plug, rated 120VAC, 15A. The module is constructed of polycarbonate with a textured finish, meeting UL 94 V-0 Flame Class minimum requirements. The module has two simplex receptacles, rated at 15 Amps/125 Volts and two locations for data connectors. Snap-in data plates hold data connectors and allow the standard module to accommodate most manufacturers. The data connectors are not supplied with the module and are purchased by the customer. The module has a dampened spring-loaded mechanism to allow the unit to open for use and close when not in use. The power receptacles open above the plane of the tabletop to avoid accidental spills into the receptacle. Data jacks remain stationary to avoid excess wear and tear on the wire connections and promote transmission of data communication. Data ports are molded to accept RJ45 jacks, but can be modified to accept various brands of jacks.

TECHNICAL SPECIFICATIONS

Power Modules (cont.)

Villa™ Power Module with 3-Prong Plug

Select tables are available with one or two Villa power modules with 3-prong plug per table. Modules are spaced 3" from the back edge on 24" and 30" deep tops, and centered (front to back) on 36", 42" & 48" deep tops. Some larger conference style tables are available with two modules. They are located along the centerline depth of the top (front to back) and approximately 23" to 35" from the edge of the top, depending on the top's width.

The Villa power module with 3-prong plug is an Intertek ETL Listed Furniture Power Distribution Unit surface module that mounts below a 6¼" x 3" grommet cutout in the tabletop. The module is 3½" wide by 6¾" long and 2" tall when opened. It is provided with either a 9 ft or 15 ft cord and 3-prong plug, rated 120VAC, 15A. When open, two simplex power receptacles, two USB charging ports and one data jack opening are exposed. An additional simplex receptacle is located at the underside. The module can be modified to fit various brand jacks. Data connectors are not supplied with the module and are purchased by the customer. Metal grommet cover is included.

Snap-In RPT Power Module

Snap-In RPT module is only available for use with Pattern™ electrical system. Snap-in module consists of two simplex receptacles (rated at 15 amps/125 volts). Snap-in RPT fits securely in user facing cutouts located on the wire trough, mounted under the table. Modules comes standard with a 20" or 40" pattern connector, rated at 15 amps/120 volts and is UL listed.

Pattern Electrical System

Select Pillar table models can be configured with Pattern electrical system. The Pattern electrical system is ETL Listed, evaluated to safety standard UL 962A (USA) and CAN/CSA-C22.2 No. 308 (Canada). It allows for a maximum up to ten distribution blocks and up to 50' of power jumpers from the power infeed (in either direction), whichever comes first. Pattern allows up to eighteen power modules depending on table width, and connects to one 15-amp power supply cord (power infeed with 3-prong plug). Pattern is a non-sequential system and the infeed is compatible with ground fault interrupter (GFI/GFCL) outlets. Power modules for Pattern are specified as an option on Pillar tables.

Pattern Power Distribution Blocks

Pattern power distributions blocks are standalone connectors, each containing four port locations. Distribution blocks are included with appropriate power jumper and power infeed kits, so do not need to be ordered separately. Distribution blocks bring the power infeed, power jumpers, and power modules together and allow power to be efficiently supplied to each table. Two distribution block types are included with the Pattern system, grey and white.

Pattern Table-to-Table Power Jumper Kits


Pattern table-to-table jumper power kits come with one grey distribution block and an appropriately sized power jumper. Jumpers are nonsequential and are keyed on each end to connect between distribution blocks. Table-to-table power jumper kits are ordered separately, according to layout configuration.

Pattern Power Infeed Kits

The Pattern power infeed kit must be ordered separately. Site configurations vary and will affect the number of power infeeds required. The number and size of tables, as well as the number of receptacles per table and amperage needs in each ganging configuration will determine the number of power infeed kits required at any given installation. Infeeds can be installed anywhere in the run.

Kit comes with one grey Pattern power distribution block, one 12" power jumper, one white Pattern power distribution block and Pattern power infeed cord. Power infeed consists of a 15-amp 3-prong plug on one end of the 108" cord and a keyed connector at the opposite end of the cord.





TECHNICAL SPECIFICATIONS

Modesty Panels

Optional 10" modesty panels are available on select Pillar models and available in perforated steel or laminate.

Laminated Modesty Panel

Laminated modesty panels have a .685" overall thickness with .30" thick high-pressure laminate on front and back surfaces. The density of the core inside the panel is 45 lb/cu ft particleboard, M3 grade. Modesty panels are 10" tall and vary in shape depending on the table it is paired with. On 48" wide rectangle tables, the modesty panel is 47¾" wide. On 90° inside curve tables, the modesty panel has a 54" radius, with an arc length of 85", so it can follow the curve of the back edge of the table. On 90° outside curve tables, the modesty panel has a 27½" radius, with an arc length of 38". The laminate is color matched to the tabletop. The modesty panel mounts to the table using 14-gauge (.075" thick) formed steel brackets, secured to the underside of the table.

Perforated Steel Modesty Panel

Panels are constructed of 14-gauge (.075" thick) by 10" tall perforated steel with powder-coated paint matched to the leg color. On 48" wide rectangular tables, the modesty panel is 47¾" wide. On 90° inside curve tables, the modesty panel has a 54" radius, with an arc length of 85", so it can follow the curve of the back edge of the table. On 90° outside curve tables, the modesty panel has a 27½" radius, with an arc length of 38". The modesty panel mounts to the table using 14-gauge (.075" thick) formed steel brackets, secured to the underside of the table.

Note: When specifying a perforated steel modesty panel on a table with chrome legs, the modesty panel will be flannel.

Polyester Felt Modesty Panel


Polyester felt modesty panels are constructed from a sound-absorbing, 100% polyester felt. The panels have a density of 0.5 lb/ft² and is sound absorbing tested to ASTM C423 with an NRC rating of .44 when using no air gap (A-Mount testing method) and an NRC rating of .81" with 2" air gap. The polyester felt is in accordance with ASTM-E84 and achieve a Class A Flame Spread. Standard sizes are 9¼" high on 29" high tables, or 15" high on 36" and 42" high tables by 29", 35", 41", 47", 53", 59" and 65" wide.

Mounting Hooks

The mounting hooks are 18-gauge steel and attach underneath the tabletop using two steel screws. Panels 29", 35", 41" and 47" wide use two hooks per panel. Panels 53", 59" and 65" wide use three hooks per panel.

STATEMENT OF LINE


Pillar® Tables






STATEMENT OF LINE

Pillar® Tables for MyPlace™ Lounge Furniture



Pillar Table Modesty Panels for MyPlace Lounge Furniture





Surface Finish--Laminate						
Belair	LBQ	Cool Grey	CG	Purple Haze	EPH	(Corded, Pattern)
Biltmore Cherry	LBT	Cottonwood	CO	River Cherry	ERY	Black
Black	LBK	Earthen Clay	EY	Rubber Ducky	ERK	Cool Grey
Brighton Walnut	LBW	Espresso Metallic	EX	Sand	ESA	Cottonwood
Canyon Zephyr	LCA	Everglade Shade	EV	Sky Blue	ESK	Warm Grey
Castle Oak	LCO	Flannel	FN	Sterling Ash	EAZ	
Casual Linen	LCU	Glitz Metallic	GZ	Surf's Up	ESP	
Cherry Storm	LCX	Hazy Jade	HJ	Twilight Shadow	ETI	
Classic Linen	LCI	Honey Bee	HY	Ultra Blue	EUB	
Cloud Zephyr	LCL	Light Tone	LG	Warm Grey	EWG	
Cocobala	LCC	Mardi Gras	MG	Windsor Mahogany	EWY	
Crisp Linen	LRI	Misty Brown	MY	Zesty Lime	EZL	
Desert Zephyr	LDZ	Nemo	NE			
Dove Grey	LDG	Nordic	ND	Plastic Grommet Color		
Fired Steel	LIL	Poppy Red	PR	(Corded, Pattern)		
Flax Linen	LXF	Purple Haze	PH	Black grommet	GBL	
Florence Walnut	LFC	Rubber Ducky	RK	Blue Grey grommet	GGR	
Forged Steel	LOL	Sand	SA	Cool Grey grommet	GCG	
Friston Ash	LFH	Sky Blue	SK	Flannel grommet	GFN	
Frosty White	LFW	Starlight Silver Metallic	SX	Misty Brown grommet	GMY	
Graphite Nebula	LGN	Surf's Up	SP	Sand grommet	MSA	
Grey	LGE	Twilight Shadow	TI	Warm Grey grommet	GWG	
High Rise	LHE	Ultra Blue	UB			
Hollyberry	LHY	Warm Grey	WG	Villa, Nacre, Dean, Node Grommet Color		
Irish Linen	LIH	Zesty Lime	ZL	(Corded, Pattern)		
Island	LID			Black grommet	GBL	
Italian Silver Ash	LIT	Booth Tables: Steel modesty panel color matches the paint finish		Blue Grey grommet	GGR	
Kensington Maple	LKM	with the following exception:		Bronze Metallic grommet	GZM	
Lapis Blue	LLB	-When paint finish is chrome, steel modesty panel willl be flannel.		Champagne Metallic grommet	GCM	
Markerboard White	LMK			Cool Grey grommet	GCG	
Misted Zephyr	LMR	Edge Color for 74P Edge		Cottonwood grommet	GCO	
Monticello Maple	LMT	Belair	EBQ	Flannel grommet	GFN	
Nickel Evolv	LNV	Biltmore Cherry	EBT	Misty Brown grommet	GMY	
North Sea	LNA	Black	EBL	Starlight Silver grommet	GSX	
Ocean	LON	Blue Grey	EGR	Warm Grey grommet	GWG	
Pearl Bisque	LPB	Brighton Walnut	EBW			
Pearl Silver	LPS	Castle Oak	ECO	Villa Power Module Color		
Pressed Linen	LPR	Cayenne	ECY	(Corded)		
River Cherry	LRY	Cherry Storm	ECX	Villa Module Black	PUBL	
Rugged Linen	LRG	Cocobala	ECC	Villa Module Blue Grey	PUGR	
Satin Stainless	LSS	Cool Grey	ECG	Villa Module Bronze Metallic	PUZM	
Shadow Zephyr	LSR	Earthen Clay	EEY	Villa Module Champagne Metallic	PUCM	
Silicon evolv	LSV	Everglade Shade	EEV	Villa Module Cool Grey	PUCG	
Sterling Ash	LAZ	Flannel	EFN	Villa Module Cottonwood	PUCO	
Tailored Linen	LTL	Florence Walnut	EFC	Villa Module Flannel	PUFN	
Titanium evolv	LTV	Friston Ash	EFH	Villa Module Misty Brown	PUMY	
White Nebula	LWL	Frosty White	EFW	Villa Module Starlight Silver	PUSX	
White Sand	LWN	Hazy Jade	EHJ	Villa Module Warm Grey	PUWG	
Windsor Mahogany	LWY	Honey Bee	EHY			
		Italian Silver Ash	EIT	Power-Up Module Color		
		Kensington Maple	EKM	(Corded)		
		Light Tone	ELG	PowerUp Black	PUBL	
		Mardi Gras	ELG	PowerUp Blue Grey	PUGR	
		Misty Brown	EMG	PowerUp Cool Grey	PUCG	
	BL	Monticello Maple	EMY	PowerUp Flannel	PUFN	
	GR	Multiplex	EMT	PowerUp Misty Brown	PUMY	
	ZM	Nemo	EMB	PowerUp Sand	PUSA	
	CY	Nordic	ENE	PowerUp Warm Grey	PUWG	
	CM	Poppy Red	END			
	CH		EPR	Nacre, Dubbel, Dean, Node Power Module Color		






# MyPlace™ Pillar™ Tables

Inside Curve - 29" High, 18" and 24" Deep

# MyPlace™ Pillar™ Tables

Inside Curve - 29" High, 18" and 24" Deep

	A x B	MODEL NUMBER										Approx. Packaged Weight	 74P Edge (74P)	Laminate Modesty Panel add to list price	Steel Modesty Panel add to list price
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Paint Color	Base	Grommet/Module Color	Cord (feet)				
 PLIC Inside Curve - 18"D <ul style="list-style-type: none"><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Vertical and horizontal wire management are included automatically when power options are specified</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 29" high</li></ul>	18 x 102"	PLIC18	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 2014	\$ 1941	\$ 347
 PLIC Inside Curve - 24"D <ul style="list-style-type: none"><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Vertical and horizontal wire management are included automatically when power options are specified</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 29" high</li></ul>	24 x 110"	PLIC24	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 2266	\$ 1941	\$ 347

## HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
  - Model number, including options. See "How To Build a Model Number".
  - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.  
**74P** - 74P edge
- C**Select power option.  
**NNN** - No grommets, PowerUp or wire management/No cutouts  
**WMO** - Wire management only-no cutouts; add \$66  
**2PG** - Two plastic grommets; add \$420  
**2PU** - Two PowerUp modules; add \$669  
**2VG** - Two grommets for Villa; add \$543  
**2VM** - Two Villa modules w/dual USB-A; add \$1185  
**MA2** - Modules, Nacre in-surface w/USB-A/C (2); add \$839  
**MB2** - Modules, Dubbel under-surface w/ dual USB-A (2); add \$528  
**MD2** - Modules, Dean in-surface w/USB-A/C (2) ; add \$707  
**MO2** - Modules, Node in-surface w/USB-A/C (2); add \$528

- GA2** - Grommets, Nacre (2); add \$408  
**GD2** - Grommets, Dean (2); add \$408  
**GO2** - Grommets, Node (2); add \$276  
CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.  
**NMP** - No modesty panel  
**LMP** - Laminate modesty panel  
**SMP** - Perforated steel modesty panel  
See pricing column for full modesty panel upcharge.
- E**Select edge color.  
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.  
Refer to the **Product Color Options** page in this price list.

- G**Select paint finish.  
Refer to the **Product Color Options** page in this price list.  
If chrome is specified with a steel modesty panel, modesty panel will be flannel.
- H**Select base.  
**CST** - Casters  
**GLD** - Glides  
Casters=2 locking/2 non-locking, black wheel, silver hub
- I**Select grommet/module color.  
Refer to the **Product Color Options** page in this price list.
- J**Select Cord Length (feet).  
**15** - 15' cord length  
**9** - 9' cord length

## FINISH INFORMATION

**Additional Laminate Offering**  
Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require a Product Modification Request. Contact customer service for details.

**Color Match**  
KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

## SPECIAL SERVICES

**Special Carton Marking**  
With specially marked information N/C

**Shipping**  
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.






# MyPlace™ Pillar™ Tables

Inside Curve - 36” High, 18” and 24” Deep

# MyPlace™ Pillar™ Tables

Inside Curve - 36” High, 18” and 24” Deep

	A x B	MODEL NUMBER										Approx. Packaged Weight	 74P Edge (74P)	Laminate Modesty Panel add to list price	Steel Modesty Panel add to list price
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Paint Color	Base	Grommet/Module Color	Cord (feet)				
 Steel Perforated Modesty Panel Shown  PLIC Inside Curve - 18”D	18 x 102”	PLIC18H36	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 2065	\$ 1941	\$ 347
 Steel Perforated Modesty Panel Shown  PLIC Inside Curve - 24”D	24 x 110”	PLIC24H36	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 2317	\$ 1941	\$ 347

## HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
  - Model number, including options. See “How To Build a Model Number”.
  - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.  
**74P** - 74P edge
- C**Select power option.  
**NNN** - No grommets, PowerUp or wire management/No cutouts  
**WMO** - Wire management only-no cutouts; add \$66  
**2PG** - Two plastic grommets; add \$420  
**2PU** - Two PowerUp modules; add \$669  
**2VG** - Two grommets for Villa; add \$543  
**2VM** - Two Villa modules w/dual USB-A; add \$1185  
**MA2** - Modules, Nacre in-surface w/USB-A/C (2); add \$839  
**MB2** - Modules, Dubbel under-surface w/ dual USB-A (2); add \$528  
**MD2** - Modules, Dean in-surface w/USB-A/C (2) ; add \$707  
**MO2** - Modules, Node in-surface w/USB-A/C (2); add \$528

- GA2** - Grommets, Nacre (2); add \$408  
**GD2** - Grommets, Dean (2); add \$408  
**GO2** - Grommets, Node (2); add \$276  
CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.  
**NMP** - No modesty panel  
**LMP** - Laminate modesty panel  
**SMP** - Perforated steel modesty panel  
See pricing column for full modesty panel upcharge.
- E**Select edge color.  
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.  
Refer to the **Product Color Options** page in this price list.

- G**Select paint finish.  
Refer to the **Product Color Options** page in this price list.  
If chrome is specified with a steel modesty panel, modesty panel will be flannel.
- H**Select base.  
**CST** - Casters  
**GLD** - Glides  
Casters=2 locking/2 non-locking, black wheel, silver hub
- I**Select grommet/module color.  
Refer to the **Product Color Options** page in this price list.
- J**Select Cord Length (feet).  
**15** - 15' cord length  
**9** - 9' cord length

## FINISH INFORMATION

**Additional Laminate Offering**  
Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require a Product Modification Request. Contact customer service for details.

**Color Match**  
KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

## SPECIAL SERVICES

**Special Carton Marking**  
With specially marked information N/C

**Shipping**  
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.






# MyPlace™ Pillar™ Tables

Inside Curve - 42” High, 18” and 24” Deep

# MyPlace™ Pillar™ Tables

Inside Curve - 42” High, 18” and 24” Deep

	MODEL NUMBER											Approx. Packaged Weight	 74P Edge (74P)	Laminate Modesty Panel add to list price	Steel Modesty Panel add to list price
	A x B	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Paint Color	Base	Grommet/Module Color	Cord (feet)				
 PLIC Inside Curve - 18”D <ul style="list-style-type: none"><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Vertical and horizontal wire management are included automatically when power options are specified</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 42” high</li></ul>	18 x 102”	PLIC18H42	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 2115	\$ 1941	\$ 347
 PLIC Inside Curve - 24”D <ul style="list-style-type: none"><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Vertical and horizontal wire management are included automatically when power options are specified</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 42” high</li></ul>	24 x 110”	PLIC24H42	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 2367	\$ 1941	\$ 347
<div><div>A</div><div>B</div><div>C</div><div>D</div><div>E</div><div>F</div><div>G</div><div>H</div><div>I</div><div>J</div></div>															

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

**B**Select edge style.  
74P - 74P edge

**C**Select power option.  
NNN - No grommets, PowerUp or wire management/No cutouts  
WMO - Wire management only-no cutouts; add \$66  
2PG - Two plastic grommets; add \$420  
2PU - Two PowerUp modules; add \$669  
2VG - Two grommets for Villa; add \$543  
2VM - Two Villa modules w/dual USB-A; add \$1185  
MA2 - Modules, Nacre in-surface w/USB-A/C (2); add \$839  
MB2 - Modules, Dubbel under-surface w/ dual USB-A (2); add \$528  
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707  
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$528

- GA2** - Grommets, Nacre (2); add \$408  
**GD2** - Grommets, Dean (2); add \$408  
**GO2** - Grommets, Node (2); add \$276

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.  
NMP - No modesty panel  
LMP - Laminate modesty panel  
SMP - Perforated steel modesty panel

See pricing column for full modesty panel upcharge.

**E**Select edge color.  
Refer to the **Product Color Options** page in this price list.

**F**Select surface finish.  
Refer to the **Product Color Options** page in this price list.

- G**Select paint finish.  
Refer to the **Product Color Options** page in this price list.  
If chrome is specified with a steel modesty panel, modesty panel will be flannel.

**H**Select base.  
CST - Casters  
GLD - Glides  
Casters=2 locking/2 non-locking, black wheel, silver hub

**I**Select grommet/module color.  
Refer to the **Product Color Options** page in this price list.

**J**Select Cord Length (feet).  
15 - 15' cord length  
9 - 9' cord length

## FINISH INFORMATION

**Additional Laminate Offering**  
Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require a Product Modification Request. Contact customer service for details.

**Color Match**  
KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

**Shipping**  
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.






# MyPlace™ Pillar™ Tables

Outside Curve - 18” and 24” Deep

# MyPlace™ Pillar™ Tables

Outside Curve - 18” and 24” Deep

		MODEL NUMBER							Approx. Packaged Weight	 74P Edge (74P)	Laminate Modesty Panel add to list price	Steel Modesty Panel add to list price
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Paint Color				
 PLOC	<b>MODEL</b>											
	<b>Outside Curve - 18”D</b> • Top only; attached with 4 splice plates	18”	PLOC18	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NNN	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 579	\$ 1031	\$ 334
 PLOC	<b>MODEL</b>											
	<b>Outside Curve - 24”D</b> • Top only; attached with 4 splice plates	24”	PLOC24	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NNN	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 629	\$ 1031	\$ 334
		<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>				

### HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.  
**74P** - 74P edge
- C**Select power option.  
**NNN** - No grommets, PowerUp or wire management/No cutouts
- D**Select modesty panel.  
**NMP** - No modesty panel  
**LMP** - Laminate modesty panel  
**SMP** - Perforated steel modesty panel  
See pricing column for full modesty panel upcharge.
- E**Select edge color.  
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.  
Refer to the **Product Color Options** page in this price list.
- G**Select paint finish.  
Refer to the **Product Color Options** page in this price list.  
Steel modesty panel color matches the paint finish.  
When planned with other tables with chrome bases, specify flannel paint finish.

### FINISH INFORMATION

**Additional Laminate Offering**  
Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require a Product Modification Request. Contact customer service for details.

**Color Match**  
KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

### SPECIAL SERVICES

**Special Carton Marking**

With specially marked information      N/C

**Shipping**  
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 125.

Specifications and prices are subject to change without prior notice.






# MyPlace™ Pillar™ Tables

Rectangular - 29" High, 18" and 24" Deep

# MyPlace™ Pillar™ Tables

Rectangular - 29" High, 18" and 24" Deep

	MODEL NUMBER										Approx. Packaged Weight	 74P Edge (74P)	Laminate Modesty Panel add to list price	Steel Modesty Panel add to list price
	A x B	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Paint Color	Base	Grommet/Module Color	Cord (feet)			
 PLRM <b>Rectangular Tables - 18"D</b>  <ul style="list-style-type: none"><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Vertical and horizontal wire management are included automatically when power options are specified</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 29" hig, le</li></ul>	18 x 48"	PLRM1848	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 756	\$ 334 \$ 272
 PLRM <b>Rectangular Tables - 24"D</b>  <ul style="list-style-type: none"><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Vertical and horizontal wire management are included automatically when power options are specified</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 29" high</li></ul>	24 x 48"	PLRM2448	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 805	\$ 334 \$ 272
<div><div>A</div><div>B</div><div>C</div><div>D</div><div>E</div><div>F</div><div>G</div><div>H</div><div>I</div><div>J</div></div>														

## HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
  - Model number, including options. See "How To Build a Model Number".
  - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select edge style.

74P- 74P edge
- C

Select power option.

NNN- No grommets, PowerUp or wire management/No cutouts

WMO- Wire management only-no cutouts; add \$66

1PG- One plastic grommet w/wire management; add \$209

1PU- One PowerUp w/wire management; add \$334

1VG- One grommet for Villa w/wire management; add \$271

1VM- One Villa module with USB w/wire management; add \$592

MD1- Module, Dean in-surface w/USB-A/C (1) ; add \$354

MB1- Module, Dubbel under-surface w/ dual USB-A (1); add \$264

MA1- Module, Nacre in-surface w/USB-
- A/C (1); add \$420

MO1

- Module, Node in-surface w/USB-A/C (1) ; add \$264

GA1

- Grommet, Nacre (1); add \$209

GD1

- Grommet, Dean (1); add \$209

GO1

- Grommet, Node (1); add \$144
- CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D

Select modesty panel.

NMP- No modesty panel

LMP- Laminate modesty panel

SMP- Perforated steel modesty panel
- See pricing column for full modesty panel upcharge.

- E

Select edge color.

Refer to the **Product Color Options** page in this price list.

- F

Select surface finish.

Refer to the **Product Color Options** page in this price list.

- G

Select paint finish.

Refer to the **Product Color Options** page in this price list.

If chrome is specified with a steel modesty panel, modesty panel will be flannel.

- H

Select base.

CST- Casters

GLD- Glides
- Casters=2 locking/2 non-locking, black wheel, silver hub

- I

Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- J

Select Cord Length (feet).

15- 15' cord length

9- 9' cord length

## FINISH INFORMATION

### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require a Product Modification Request. Contact customer service for details.

### Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.





# MyPlace™ Pillar™ Tables

Rectangular - 36” High, 18” and 24” Deep

# MyPlace™ Pillar™ Tables

Rectangular - 36” High, 18” and 24” Deep

	A x B	MODEL NUMBER										Approx. Packaged Weight	74P Edge (74P)	Laminate Modesty Panel add to list price	Steel Modesty Panel add to list price
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Paint Color	Base	Grommet/Module Color	Cord (feet)				
 PLRM <b>Rectangular Tables - 18”D</b>  <ul style="list-style-type: none"><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Vertical and horizontal wire management are included automatically when power options are specified</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 36” high</li></ul>	18 x 48”	PLRM1848H36	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 794	\$ 334	\$ 272
 PLRM <b>Rectangular Tables - 24”D</b>  <ul style="list-style-type: none"><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Vertical and horizontal wire management are included automatically when power options are specified</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 36” high</li></ul>	24 x 48”	PLRM2448H36	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 838	\$ 334	\$ 272

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P - 74P edge
- C**Select power option.

NNN - No grommets, PowerUp or wire management/No cutouts

WMO - Wire management only-no cutouts; add \$66

1PG - One plastic grommet w/wire management; add \$209

1PU - One PowerUp w/wire management; add \$334

1VG - One grommet for Villa w/wire management; add \$271

1VM - One Villa module with USB w/wire management; add \$592

MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354

MB1 - Module, Dubbel under-surface w/ dual USB-A (1); add \$264

MA1 - Module, Nacre in-surface w/USB-
- A/C (1); add \$420

MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264

GA1 - Grommet, Nacre (1); add \$209

GD1 - Grommet, Dean (1); add \$209

GO1 - Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.
- WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.
- D**Select modesty panel.

NMP - No modesty panel

LMP - Laminate modesty panel

SMP - Perforated steel modesty panel

See pricing column for full modesty panel upcharge.
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- G**Select paint finish.

Refer to the **Product Color Options** page in this price list.

If chrome is specified with a steel modesty panel, modesty panel will be flannel.
- H**Select base.

CST - Casters

GLD - Glides

Casters=2 locking/2 non-locking, black wheel, silver hub
- I**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.
- J**Select Cord Length (feet).

15 - 15' cord length

9 - 9' cord length
- ## FINISH INFORMATION
- ### Additional Laminate Offering
- Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:
- Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code
- KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require a Product Modification Request. Contact customer service for details.
- ### Color Match
- KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.
- ## SPECIAL SERVICES
- ### Special Carton Marking
- With specially marked information N/C
- ### Shipping
- Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.
- Specifications and prices are subject to change without prior notice.






# MyPlace™ Pillar™ Tables

Rectangular - 42” High, 18” and 24” Deep

# MyPlace™ Pillar™ Tables

Rectangular - 42” High, 18” and 24” Deep

	MODEL NUMBER										Approx. Packaged Weight	  74P Edge (74P)	Laminate Modesty Panel add to list price	Steel Modesty Panel add to list price
	A x B	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Paint Color	Base	Grommet/ Module Color	Cord (feet)			
  PLRM <b>Rectangular Tables - 18”D</b>  <ul style="list-style-type: none"><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Vertical and horizontal wire management are included automatically when power options are specified</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 42” high</li></ul>	18 x 48”	PLRM1848H42	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 835	\$ 334 \$ 272
  PLRM <b>Rectangular Tables - 24”D</b>  <ul style="list-style-type: none"><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Vertical and horizontal wire management are included automatically when power options are specified</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 42” high</li></ul>	24 x 48”	PLRM2448H42	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 873	\$ 334 \$ 272

## HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
  2. Model number, including options. See “How To Build a Model Number”.
  3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.  
**74P** - 74P edge
- C**Select power option.  
**NNN** - No grommets, PowerUp or wire management/No cutouts  
**WMO** - Wire management only-no cutouts; add \$66  
**1PG** - One plastic grommet w/wire management; add \$209  
**1PU** - One PowerUp w/wire management; add \$334  
**1VG** - One grommet for Villa w/wire management; add \$271  
**1VM** - One Villa module with USB w/wire management; add \$592  
**MD1** - Module, Dean in-surface w/USB-A/C (1) ; add \$354  
**MB1** - Module, Dubbel under-surface w/ dual USB-A (1); add \$264  
**MA1** - Module, Nacre in-surface w/USB-

A/C (1); add \$420  
**MO1** - Module, Node in-surface w/USB-A/C (1) ; add \$264  
**GA1** - Grommet, Nacre (1); add \$209  
**GD1** - Grommet, Dean (1); add \$209  
**GO1** - Grommet, Node (1); add \$144  
CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.  
**NMP** - No modesty panel  
**LMP** - Laminate modesty panel  
**SMP** - Perforated steel modesty panel  
See pricing column for full modesty panel upcharge.

- E**Select edge color.  
Refer to the **Product Color Options** page in this price list.

- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.

- G**Select paint finish.  
Refer to the **Product Color Options** page in this price list.  
If chrome is specified with a steel modesty panel, modesty panel will be flannel.

- H**Select base.  
**CST** - Casters  
**GLD** - Glides  
Casters=2 locking/2 non-locking, black wheel, silver hub

- I**Select grommet/module color.  
Refer to the **Product Color Options** page in this price list.

- J**Select Cord Length (feet).  
**15** - 15' cord length  
**9** - 9' cord length

## FINISH INFORMATION

### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require a Product Modification Request. Contact customer service for details.

### Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.




# MyPlace™ Pillar™ Tables

Inside Curve - 29" High w/Single Circuit

# MyPlace™ Pillar™ Tables

Inside Curve - 29" High w/Single Circuit

			MODEL NUMBER																
MODEL			A x B	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Paint Color	Grommet/Module Color	Base			Approx. Packaged Weight	74P Edge (74P)	Laminate Modesty Panel add to list price	Steel Modesty Panel add to list price	
<div></div> <div>PLPIC</div>	<b>Inside Curve - 18”D</b>		18 x 102”	PLPIC18	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			0.0#	\$ 2014	\$ 1941	\$ 347	
	<ul style="list-style-type: none"><li>Two module/grommet per table unit</li><li>Velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included</li><li>Infeed kits and table-to-table jumpers ordered separately</li><li>Tables are designed for maximum leg spacing</li><li>Glides and casters are not interchangeable without changing the height of the table</li><li>Ganger kit with 2 ganging hooks included</li><li>Post Leg at 29” high</li></ul>																		
<div>PLPIC</div>	<b>Inside Curve - 24”D</b>		24 x 110”	PLPIC24	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			0.0#	\$ 2266	\$ 1941	\$ 347	
	<ul style="list-style-type: none"><li>Two module/grommet per table unit</li><li>Velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included</li><li>Infeed kits and table-to-table jumpers ordered separately</li><li>Tables are designed for maximum leg spacing</li><li>Glides and casters are not interchangeable without changing the height of the table</li><li>Ganger kit with 2 ganging hooks included</li><li>Post Leg at 29” high</li></ul>																		
				<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>							

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P - 74P edge
- C**Select power option.

PMA2 - Pattern modules, Nacre in-surface (2) ; add \$1260

PMB2 - Pattern modules, Dubbel under-surface (2) ; add \$815

PMD2 - Pattern modules, Dean in-surface (2) ; add \$983

PMO2 - Pattern modules, Node in-surface (2) ; add \$768
- D**Select modesty panel.

NMP - No modesty panel

LMP - Laminate modesty panel

SMP - Perforated steel modesty panel

See pricing column for full modesty panel upcharge.
- E**Select edge color.

- Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select paint finish.

Refer to the **Product Color Options** page in this price list.

If chrome is specified with a steel modesty panel, modesty panel will be flannel.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.
- I**Select base.

CST - Casters

GLD - Glides

Casters=2 locking/2 non-locking, black wheel, silver hub
- ## FINISH INFORMATION
- Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designers followed by the supplier's color/pattern code:
- Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code
- KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.
- Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.
- INFORMATION**

Contact KI Customer Service for specific models that are UL listed.
- ## SPECIAL SERVICES
- ### Special Carton Marking
- With specially marked information N/C
- Shipping**

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.
- Specifications and prices are subject to change without prior notice.





# MyPlace™ Pillar™ Tables

Inside Curve - 36" High w/Single Circuit

# MyPlace™ Pillar™ Tables

Inside Curve - 36" High w/Single Circuit

		MODEL NUMBER										<div></div>			
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Paint Color	Grommet/Module Color	Base					
MODEL		A x B										Approx. Packaged Weight	74P Edge (74P)	Laminate Modesty Panel add to list price	Steel Modesty Panel add to list price
<div></div> <div>PLPIC</div>	<b>Inside Curve - 18”D</b> <ul style="list-style-type: none"><li>• Velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included</li><li>• Infeed kits and table-to-table jumpers ordered separately</li><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 36” high</li></ul>	18 x 102”	PLPIC18H36	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 2065	\$ 1941	\$ 347	
PLPIC	<b>Inside Curve - 24”D</b> <ul style="list-style-type: none"><li>• Velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included</li><li>• Infeed kits and table-to-table jumpers ordered separately</li><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 36” high</li></ul>	24 x 110”	PLPIC24H36	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 2376	\$ 1941	\$ 347	
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>				

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P - 74P edge
- C**Select power option.

PMA2 - Pattern modules, Nacre in-surface (2) ; add \$1260

PMB2 - Pattern modules, Dubbel under-surface (2) ; add \$815

PMD2 - Pattern modules, Dean in-surface (2) ; add \$983

PMO2 - Pattern modules, Node in-surface (2) ; add \$768
- D**Select modesty panel.

NMP - No modesty panel

LMP - Laminate modesty panel

SMP - Perforated steel modesty panel

See pricing column for full modesty panel upcharge.
- E**Select edge color.

- Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select paint finish.

Refer to the **Product Color Options** page in this price list.

If chrome is specified with a steel modesty panel, modesty panel will be flannel.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.
- I**Select base.

CST - Casters

GLD - Glides

Casters=2 locking/2 non-locking, black wheel, silver hub
- ## FINISH INFORMATION
- Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designers followed by the supplier's color/pattern code:
- Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code
- KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.
- Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.
- INFORMATION**

Contact KI Customer Service for specific models that are UL listed.
- ## SPECIAL SERVICES
- ### Special Carton Marking
- With specially marked information N/C
- Shipping**

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.
- Specifications and prices are subject to change without prior notice.




# MyPlace™ Pillar™ Tables

Inside Curve - 42” High w/Single Circuit

# MyPlace™ Pillar™ Tables

Inside Curve - 42” High w/Single Circuit

			MODEL NUMBER													
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Paint Color	Grommet/Module Color	Base			Laminate Modesty Panel add to list price	Steel Modesty Panel add to list price	
MODEL			A x B									Approx. Packaged Weight	74P Edge (74P)			
<div></div> <div>PLPIC</div>	<b>Inside Curve - 18”D</b>		18 x 102”	PLPIC18H42	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 2115	\$ 1941	\$ 347	
	<ul style="list-style-type: none"><li>• Velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included</li><li>• Infeed kits and table-to-table jumpers ordered separately</li><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 42” high</li></ul>															
<div>PLPIC</div>	<b>Inside Curve - 24”D</b>		24 x 110”	PLPIC24H42	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 2367	\$ 1941	\$ 347	
	<ul style="list-style-type: none"><li>• Velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included</li><li>• Infeed kits and table-to-table jumpers ordered separately</li><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 42” high</li></ul>															
				<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>				

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P - 74P edge
- C**Select power option.

PMA2 - Pattern modules, Nacre in-surface (2) ; add \$1260

PMB2 - Pattern modules, Dubbel under-surface (2) ; add \$815

PMD2 - Pattern modules, Dean in-surface (2) ; add \$983

PMO2 - Pattern modules, Node in-surface (2) ; add \$768
- D**Select modesty panel.

NMP - No modesty panel

LMP - Laminate modesty panel

SMP - Perforated steel modesty panel

See pricing column for full modesty panel upcharge.
- E**Select edge color.

- Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select paint finish.

Refer to the **Product Color Options** page in this price list.

If chrome is specified with a steel modesty panel, modesty panel will be flannel.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.
- I**Select base.

CST - Casters

GLD - Glides

Casters=2 locking/2 non-locking, black wheel, silver hub
- ## FINISH INFORMATION
- Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designers followed by the supplier’s color/pattern code:
- Formica - LF/supplier’s color pattern code  
Nevamar - LN/supplier’s color pattern code  
Wilsonart - LW/supplier’s color pattern code
- KI’s standard laminate finish is the supplier’s recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.
- Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.
- INFORMATION**

Contact KI Customer Service for specific models that are UL listed.
- ## SPECIAL SERVICES
- ### Special Carton Marking
- With specially marked information N/C
- Shipping**

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.
- Specifications and prices are subject to change without prior notice.



# MyPlace™ Pillar™ Tables

Rectangular - 29" High w/Single Circuit, 18" and 24" Deep

# MyPlace™ Pillar™ Tables

Rectangular - 29" High w/Single Circuit, 18" and 24" Deep

			MODEL NUMBER									<div><div></div></div>					
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Paint Color	Grommet/ Module Color	Base						
MODEL	A x B											Approx. Packaged Weight	74P Edge (74P)		Laminate Modesty Panel add to list price	Steel Modesty Panel add to list price	
<div><div><div>Steel Perforated Modesty Panel Shown</div></div><div>PLPRM</div></div>	<b>Rectangular Tables - 18"D</b>	18 x 48"	PLPRM1848	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 756		\$ 334	\$ 272	
	<ul style="list-style-type: none"><li>• Velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included</li><li>• Infeed kits and table-to-table jumpers ordered separately</li><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 29" high</li></ul>																
<div>PLPRM</div>	<b>Rectangular Tables - 24"D</b>	24 x 48"	PLPRM2448	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 805		\$ 334	\$ 272	
	<ul style="list-style-type: none"><li>• Velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included</li><li>• Infeed kits and table-to-table jumpers ordered separately</li><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 29" high</li></ul>																
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>						

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

**B**Select edge style.

74P - 74P edge

**C**Select power option.

PMA1 - Pattern module, Nacre in-surface (1) ; add \$660

PMB1 - Pattern module, Dubbel under-surface (1) ; add \$408

PMD1 - Pattern module, Dean in-surface (1) ; add \$491

PMO1 - Pattern module, Node in-surface (1) ; add \$384

**D**Select modesty panel.

NMP - No modesty panel

LMP - Laminate modesty panel

SMP - Perforated steel modesty panel

See pricing column for full modesty panel upcharge.

**E**Select edge color.
- Refer to the **Product Color Options** page in this price list.

**F**Select surface finish.

Refer to the **Product Color Options** page in this price list.

**G**Select paint finish.

Refer to the **Product Color Options** page in this price list.

If chrome is specified with a steel modesty panel, modesty panel will be flannel.

**H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

**I**Select base.

CST - Casters

GLD - Glides

Casters=2 locking/2 non-locking, black wheel, silver hub
- ## FINISH INFORMATION
- Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:
- Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code
- KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.
- Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.
- INFORMATION**

Contact KI Customer Service for specific models that are UL listed.
- ## SPECIAL SERVICES
- ### Special Carton Marking
- With specially marked information N/C
- Shipping**

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.
- Specifications and prices are subject to change without prior notice.




# MyPlace™ Pillar™ Tables

Rectangular - 36" High w/Single Circuit, 18" and 24" Deep

# MyPlace™ Pillar™ Tables

Rectangular - 36" High w/Single Circuit, 18" and 24" Deep

	A x B	MODEL NUMBER									Approx. Packaged Weight	74P Edge (74P)	Laminate Modesty Panel add to list price	Steel Modesty Panel add to list price
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Paint Color	Grommet/Module Color	Base				
 PLPRM <b>Rectangular Tables - 18"D</b> <ul style="list-style-type: none"><li>• Velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included</li><li>• Infeed kits and table-to-table jumpers ordered separately</li><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 36" high</li></ul>	18 x 48"	PLPRM1848H36	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 794	\$ 334	\$ 272
 PLPRM <b>Rectangular Tables - 24"D</b> <ul style="list-style-type: none"><li>• Velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included</li><li>• Infeed kits and table-to-table jumpers ordered separately</li><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not interchangeable without changing the height of the table</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 36" high</li></ul>	24 x 48"	PLPRM2448H36	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 838	\$ 334	\$ 272
		<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>				

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P - 74P edge
- C**Select power option.

PMA1 - Pattern module, Nacre in-surface (1) ; add \$660

PMB1 - Pattern module, Dubbel under-surface (1) ; add \$408

PMD1 - Pattern module, Dean in-surface (1) ; add \$491

PMO1 - Pattern module, Node in-surface (1) ; add \$384
- D**Select modesty panel.

NMP - No modesty panel

LMP - Laminate modesty panel

SMP - Perforated steel modesty panel

See pricing column for full modesty panel upcharge.
- E**Select edge color.

- Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select paint finish.

Refer to the **Product Color Options** page in this price list.

If chrome is specified with a steel modesty panel, modesty panel will be flannel.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.
- I**Select base.

CST - Casters

GLD - Glides

Casters=2 locking/2 non-locking, black wheel, silver hub
- ## FINISH INFORMATION
- Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:
- Formica - LF/supplier's color pattern code  
Nevamar - LN/supplier's color pattern code  
Wilsonart - LW/supplier's color pattern code
- KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.
- Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.
- INFORMATION**

Contact KI Customer Service for specific models that are UL listed.
- ## SPECIAL SERVICES
- ### Special Carton Marking
- With specially marked information N/C
- Shipping**

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.
- Specifications and prices are subject to change without prior notice.




# MyPlace™ Pillar™ Tables

Rectangular - 42" High w/Single Circuit, 18" and 24" Deep

# MyPlace™ Pillar™ Tables

Rectangular - 42" High w/Single Circuit, 18" and 24" Deep

	A x B	MODEL NUMBER									Approx. Packaged Weight	74P Edge (74P)	Laminate Modesty Panel add to list price	Steel Modesty Panel add to list price
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Paint Color	Grommet/Module Color	Base				
 PLPRM <b>Rectangular Tables - 18”D</b> <ul style="list-style-type: none"><li>• Velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jump-ers) are included</li><li>• Infeed kits and table-to-table jumpers ordered separately</li><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not inter-changeable without changing the height of the table</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 42” high</li></ul>	18 x 48”	PLPRM1848H42	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 835	\$ 334	\$ 272
 PLPRM <b>Rectangular Tables - 24”D</b> <ul style="list-style-type: none"><li>• Velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jump-ers) are included</li><li>• Infeed kits and table-to-table jumpers ordered separately</li><li>• Tables are designed for maximum leg spacing</li><li>• Glides and casters are not inter-changeable without changing the height of the table</li><li>• Ganger kit with 2 ganging hooks included</li><li>• Post Leg at 42” high</li></ul>	24 x 48”	PLPRM2448H42	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.0#	\$ 873	\$ 334	\$ 272
		<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>				

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are avail-able.

## HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P - 74P edge
- C**Select power option.

PMA1 - Pattern module, Nacre in-surface (1) ; add \$660

PMB1 - Pattern module, Dubbel un-der-surface (1) ; add \$408

PMD1 - Pattern module, Dean in-surface (1) ; add \$491

PMO1 - Pattern module, Node in-surface (1) ; add \$384
- D**Select modesty panel.

NMP - No modesty panel

LMP - Laminate modesty panel

SMP - Perforated steel modesty panel

See pricing column for full modesty panel upcharge.
- E**Select edge color.

- Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select paint finish.

Refer to the **Product Color Options** page in this price list.

If chrome is specified with a steel modesty panel, modesty panel will be flannel.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.
- I**Select base.

CST - Casters

GLD - Glides

Casters=2 locking/2 non-locking, black wheel, silver hub
- ## FINISH INFORMATION
- Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designa-tors followed by the supplier’s color/pattern code:
- Formica - LF/supplier’s color pattern code  
Nevamar - LN/supplier’s color pattern code  
Wilsonart - LW/supplier’s color pattern code
- KI’s standard laminate finish is the supplier’s recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.
- Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.
- INFORMATION**

Contact KI Customer Service for specific models that are UL listed.
- ## SPECIAL SERVICES
- ### Special Carton Marking
- With specially marked information N/C
- Shipping**

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.
- Specifications and prices are subject to change without prior notice.



1330 Bellevue Street  
P.O. Box 8100  
Green Bay, WI 54308-8100  
800.424.2432  
ki.com

KI and Furnishing Knowledge are registered  
trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc.  
All Rights Reserved.  
Code KI-PLW-000035/KI/PDF



Furnishing Knowledge®