December 11, 2013 Updated May 11, 2016 800-424-2432



# Ordering C.O.M., C.O.L., and C.O.V.

# Customer's Own Material ■

Specifications Form March 2015

All fabrics, including COM, COL, KOM and in grades will be applied at the factory's discretion. If a pattern or stripe is to be applied in a certain direction, the customer MUST specify this in writing on the P.O. and attach a sample of the fabric with it running in the application direction to the P.O. Specifying fabric direction may increase the amount of COM or KOM yardage required. Check with KI Customer Service to see if an increase in yardage is necessary BEFORE specifying, ordering and sending COM and COL to the factory or having KOM quoted.

ALL C.O.M AND C.O.L SHIPMENTS

MUST BE PREPAID TO:

217 Feld Avenue High Point, NC 27263

COM and COL must be identified as follows:

- 1. Name and address
- 2. Your purchase order number
- 3. Our style number to which fabric is to be applied
- 4. Supplier name and fabric name, number, and color

COLLECT SHIPMENTS WILL BE REFUSED.

SHIPMENT SCHEDULE WILL BE GIVEN WHEN ALL FABRIC IS RECEIVED FOR ENTIRE ORDER

YARDAGE REQUIREMENTS LISTED IN PRICE LIST ARE BASED ON PLAIN GOODS 54" WIDE. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. FABRIC WITH NAP: IF USING MOHAIR, VELVET OR ANY FABRIC WITH A "NAP", INCREASE YARDAGE REQUIRE BY 11%. CONSULT MATRIX BELOW FOR ADDITIONAL YARDAGE NEEDED.

C.O.M. INCREASE MATRIX (The yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or KOM upholsteries).

This table is a general guide.


FABRIC WIDTH	PLAIN FABRIC	UNDER 7" REPEAT	8"-13" REPEAT	14"-21" REPEAT	22"-27" REPEAT	28"-33" REPEAT	34"-40" REPEAT	41"-48" REPEAT
54"	0	20%	25%	30%	40%	50%	60%	70%
51"-53"	15%	25%	30%	35%	45%	60%	70%	80%
48"-50"	20%	30%	35%	40%	50%	65%	75%	85%
45"-47"	30%	45%	50%	55%	60%	80%	90%	100%
36"-44"	50%	65%	70%	75%	80%	100%	110%	120%

FABRIC WITH DOUBLE REPEAT: IF USING A FABRIC WITH A DOUBLE REPEAT, PLEASE FOLLOW THIS FORMULA: TAKE THE TOTAL AMOUNT OF THE LARGER AND HALF OF THE SMALLER REPEAT; ADD TOGETHER TO FIND THE CORRECT OVERALL REPEAT. EXAMPLE: 10" VERTICAL WITH 14" HORIZONTAL WOULD BE 14+5=19.

IF FABRIC COMES IN ON MULTIPLE ROLLS, ONE ADDITIONAL YARD PER ROLL NEEDS TO BE ADDED TO THE YARDAGE REQUIREMENT.

SPECIAL NOTE: WE CAN ASSUME NO RESPONSIBILITY FOR THE DURABILITY OR TAILORING QUALITY OF CUSTOMER FURNISHED COVERINGS (C.O.M.) OR KOM. KOM: is fabric that KI will purchase for you at jobber's price (net) plus a nominal charge for handling, shipping, and managing.







# Customer's Own Material ■

Specifications Form March 2015


#### ADDITIONAL NOTES:

- Orders cannot go into production without the information listed at right.
- Attach memo sample to this approval sheet.
- If your order has been placed, list PO#
- The cost of the COM sample will be paid by the client.
- Even after preliminary approval, KI reserves the right to reject COM/COL if necessary when the quality is not satisfactory for the product to be upholstered. KI assumes no responsibility for its overall appearance, flammability, durability, color fastness or any other quality after upholstered on a KI product.

#### ALL COM MUST BE APPROVED.

Photocopy this form and submit with COM fabric for approval:

(This fabric approval is for the purpose of advising how to apply your COM fabric, verify yardage required, and suitability.)



FAX
Number
Width
rizontal Repeat



# Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location

# C.O.M. SHIPPING LOCATION

Architectural Walls  Genius Walls
Casegoods       Dante Benches     AG       Darwin Tackboards     MN       Aristotle Tackboards     MN
Classroom Furniture BW  360° Classroom Furniture BW  Intellect Wave Chairs GB  Dorsal 1090 Chairs GB  Learn2 GB
Desking       700 Series Desking.     KP       Balance Overheads     MN       Genesis Desking.     MN       True Desking.     KP       Universal Overheads.     MN       WorkZone Desking.     MN
700 Series Pedestal Cushion
Fixed Seating
Concerto Auditorium Seating
Panel Systems
All Terrain

Unite	. I*IIN
Residence Hall Furniture	
RoomScape Furniture	MNI
Noomscape rumiture	. 1 11 1
Screens	
True/Volition	ΚP
Genesis	
Gerresis	131
Seating	
100 Series Folding Chairs	. BW
300 Series Folding Chairs	
600 Series Stools	
700 Series Folding Chairs	
1000 Series	
Aerdyn Guest Seating	. HN
Affina Collection	
Arissa Lounge	. HN
Altus Task Chairs	TM
Apply Stack Chairs	GB
Auditorium Folding Chairs	. BW
Avail Task Chairs	.OM
Bantam Guest Seating	. HN
Boss Design Chairs	. HN
Cinturon Lounge & Professional Seating.	. HN
Cody Lounge Seating	. HN
Connection Zone Privacy Booths	. HN
Doni Collection	GB
Dorsal Stack & Tandem Seating	
Engage Task Chairs & Stools	GB
Front Row Seats (Silk Screening)	
GateOne Public Seating	
Grazie Seating	
Hub Modular Lounge Seating	. HN
Impress Task Chairs	
Impress Ultra Task Chairs	
Jessa Lounge Seating	
Jubi Guest Chair	GB

Wireworks......MN

Kismet Task/Guest Chairs & Stools	OM
Kurv Benches	HN
_aResta Day Beds	HN
Maestro Stack Chairs	GB
Matrix Stack Chairs	GB
Medical & Laboratory Stools	OM
Mesa Lounge & Task Seating	HN
MyWay Seating	HN
Veena Benches	
Opt4	GB
Perry Stack Chairs	GB
Perth Multiple & Healthcare Seating	HN
Perth II Healthcare Seating	HN
Pilot Task Chairs	OM
Piretti Stack Chairs	GB
Promenade Seating System	BW
Rapture Stack Chairs & Stools	GB
Relax Lounge Seating	HN
Rose Healthcare	BW
Sela Lounge Seating	HN
Sift Task Chairs	
Silhouette Stack Chairs & Stools	BW
Soltice Metal Collection	HN
Soltice Multiple, Healthcare & Guest	
Soltice II Healthcare Seating	HN
Strive Multiple, Stack & Task	GB
Sway	BW
Tea Cup Lounge Seating	HN
Torsion-on-the-Go! Nesting Chairs	
Torsion Air Stack and Task Seating	
Torsion Stack and Task Seating	
Versa Stack Chairs & Stools	GB
Furnishings	

Logix.....BW

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

<u>AG</u> Contact KI at I-800-424-2432 GB KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302 HN KI-HN Attn: COM Storage 217 Feld Avenue High Point, NC 27263

Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 MN KI Manitowoc Attn: COM Storage I 400 S. 41st St. Manitowoc, WI 54220

BW KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107 KI Crossroads Attn: Brianne Linn 280 North Road Clinton County Industrial Park McElhattan, PA 17748 OM KI-Impress Attn: COM Storage IIIO S. Mildred Ave. Ontario, CA 91761

KI Pembroke

KI Tupelo 2112 South Green St. Tupelo, MS 38804

Ordering C.O.M., C.O.L., and C.O.V. Shipping Location



General Information



	Armless Sled Chair (MYNN)	No Arm/Low Arm Sled Chair (MYNL or MYLN)	No Arm/High Arm Sled Chair (MYNH or MYHN)	No Arm/Work Arm Sled Chair (MYNW or MYWN)	Low Arm Sled Chair (MYLL)	Low Arm/High Arm Sled Chair (MYLH or MYHL)
General Dimensions						
Seat width	32-3/4"	26"	26"	26"	20"	20"
Seat depth	20"	20"	20"	20"	20"	20"
Seat height	18"	18"	18"	18"	18"	18"
Arm width		4-1/4"	4-1/4"	11" Front of Work Arm	4-1/4"	4-1/4"
Arm height		21"	29-1/2"	29-1/2"	21"	21" Low Arm/ 29-1/2" High Arm
Overall Dimensions						
Width	33"	33"	36"	36"	33"	36"
Depth	32"	33"	34-1/2"	33-1/2"	33"	34-1/2"
Height	29-1/2"	29-1/2"	29-1/2"	29-1/2"	29-1/2"	29-1/2"
Tablet width				9-1/2"		
Tablet depth				13-3/8"		

#### **UPHOLSTERY INFORMATION**

# C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yeild as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can delay an order. For each roll that is sent, one yard needs to be added to one of the rolls, not separately.

#### **Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

#### FINISH INFORMATION

#### **SPECIAL FINISH MATCHES**

KI can match special finish requests at an upcharge of \$72 List per item, up to 12 or a maximum charge of \$865 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders



# MyWay<sup>™</sup> Lobby and Lounge Seating General Information











	Low Arm/Work Arm Sled Chair (MYLW or MYWL)	High Arm Sled Chair (MYHH)	High Arm/Work Arm Sled Chair (MYHW or MYWH)	Small End Table (MYTB9012)	End Table (MYTB9013)	Coffee Table (MYTB9014)
General Dimensions						
Seat width	20"	20"	20"			
Seat depth	20"	20"	20"			
Seat height	18"	18"	18"			
Arm width	11" Front of Work Arm/ 4-1/4" Low Arm	4-1/4"	11" Front of Work Arm/ 4-1/4" High Arm			
Arm height	21" Low Arm/ 29-1/2" High Arm	29-1/2"	29-1/2"			
Overall Dimensions						
Width	36"	40"	40"	24"	24"	42"
Depth	33-1/2"	34-1/2"	34-1/2"	24"	24"	24"
Height	29-1/2"	29-1/2"	29-1/2"	16"	22"	16"
Tablet width	9-1/2"		9-1/2"			
Tablet depth	13-3/8"		13-3/8"			

# INFORMATION

# Warranty

Refer to KI Terms & Conditions document or visit ki.com.

# MyWay™ Lobby and Lounge Seating

General Information



	Armless 4-Leg Chair (MYNN4L)	No Arm/Low Arm 4-Leg Chair (MYNL4L or MYLN4L)	No Arm/High Arm 4-Leg Chair (MYNH4L or MYHN4L)	No Arm/Work Arm 4-Leg Chair (MYNW4L or MYWN4L)	Low Arm 4-Leg Chair (MYLL4L)	Low Arm/High Arm 4-Leg Chair (MYLH4L or MYHL4L)
General Dimensions						
Seat width	32-3/4"	26"	26"	26"	20"	20"
Seat depth	20"	20"	20"	20"	20"	20"
Seat height	18"	18"	18"	18"	18"	18"
Arm width		4-1/4"	4-1/4"	11" Front of Work Arm	4-1/4"	4-1/4"
Arm height		21"	29-1/2"	29-1/2"	21"	21" Low Arm/ 29-1/2" High Arm
Overall Dimensions						
Width	33"	33"	36"	36"	33"	36"
Depth	32"	33"	34-1/2"	33-1/2"	33"	34-1/2"
Height	29-1/2"	29-1/2"	29-1/2"	29-1/2"	29-1/2"	29-1/2"
Tablet width				9-1/2"		
Tablet depth				13-3/8"		

# UPHOLSTERY INFORMATION

# C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yeild as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can delay an order. For each roll that is sent, one yard needs to be added to one of the rolls, not separately.

#### **Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

#### FINISH INFORMATION

#### **SPECIAL FINISH MATCHES**

KI can match special finish requests at an upcharge of \$72 List per item, up to 12 or a maximum charge of \$865 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders




# MyWay<sup>™</sup> Lobby and Lounge Seating General Information



	Low Arm/Work Arm 4-Leg Chair (MYLW4L or MYWL4L)	High Arm 4-Leg Chair (MYHH4L)	High Arm/Work Arm 4-Leg Chair (MYHW4L or MYWH4L)
General Dimensions			
Seat width	20"	20"	20"
Seat depth	20"	20"	20"
Seat height	18"	18"	18"
Arm width	11" Front of Work Arm/ 4-1/4" Low Arm	4-1/4"	11" Front of Work Arm/ 4-1/4" High Arm
Arm height	21" Low Arm/ 29-1/2" High Arm	29-1/2"	29-1/2"
Overall Dimensions			
Width	36"	40"	40"
Depth	33-1/2"	34-1/2"	34-1/2"
Height	29-1/2"	29-1/2"	29-1/2"
Tablet width	9-1/2"		9-1/2"
Tablet depth	13-3/8"		13-3/8"


# INFORMATION

**Warranty** Refer to KI Terms & Conditions document or visit ki.com.





**Model MYHL** 







**Model MYWN** 





Two Seat - Low Arm/High Arm Configuration







Two Seat - No Arm/High Arm Configuration









Three Seat - Low Arm/No Arm Configuration



Three Seat - Work Arm/No Arm Configuration








Two Seat - No Arm/High Arm Configuration




# **MyWay's Optional Power Locations**









<sup>\*</sup>Power can be specified on either the left-facing side, or the right-facing side of MyWay Lounge chairs. (Left-facing side power shown in images above)

				MODEL NUN	IRFR					
	MODEL	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Base Finish	Ganging Option	Glide Option	Moisture Barrier	
	No Arm Sled Base Lounge	Non-contrast	4 yd	MYNN/NC						
MYN1										
	No Arm 4-Leg Lounge	Non-contrast	4 yd	MYNN4L/NC						
$\forall$										
MYN1										
					•	•	-			
				A	$oldsymbol{eta}$	$oldsymbol{\Theta}$	<b>O</b>	ⅎ	<b>(3</b> )	

# **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select ganging option.

HNG - No gangers

HWG - Ganging; add \$54 Two ganging assemblies shipped per unit.

add \$5

Select moisture barrier.

NMB - No moisture barrier - Moisture barrier

See pricing column for moisture barrier upcharge.



Approx. Packaged Weight	ade D.M.	Gr C	ade	Gra D	nde	Εð	ade & O.L.	Gra F	ade	Gra G	ade	Gr H	ade	Gr I	ade	Gra J	ade	Gr K	ade	ade _eather	Gra M I	ade Leather	Mois Barri add t price	er
80.0#	\$ 1518	\$	1656	\$	1692	\$	1736	\$	1764	\$	1823	\$	1882	\$	1955	\$	2099	\$	2245	\$ 2392	\$	2682	\$	148
80.0#	\$ 1764	\$	1903	\$	1938	\$	1983	\$	2012	\$	2070	\$	2129	\$	2201	\$	2346	\$	2493	\$ 2639	\$	2929	\$	148

# NOTE

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

## INFORMATION

### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54\* wide. If less than 54\* wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of

fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5 \text{ sq. ft.}$ ).

# **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

# Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

# California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model

MYNN \$208 MYNN4L \$208

# **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

			MODEL N	UMBER								
	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Cup Holder	Glide Option	Power Option	Power Location	Ganging Option	Moisture Barrier
	Non-contrast	4.75 yd	MYNL/NC							RFP		
2 2 1	Contrast		MYNL/FC							RFP		
MYL2												
Left Facing No Arm/ Right Facing Low Arm Sled Base Lounge												
• 1 = Arm (Fabric Contrast 1) C.O.M. =												
1.5 yd • 2 = Seat and back (Fabric Contrast 2)												
C.O.M. = 3.25 yd												
	Non-contrast	4.75 yd	MYLN/NC							LFP		
2	Contrast		MYLN/FC							LFP		
1 2												
MYL2												
Left Facing Low Arm/ Right Facing No												
<ul><li>Arm Sled Base Lounge</li><li>1 = Arm (Fabric Contrast 1) C.O.M. =</li></ul>												
1.5 yd												
• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd												
			A	B	œ	0	<b>(3</b>	<b>3</b>	G	0	0	0

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select cup holder option.

  MNCH No cup holder

- Left facing cup holder; add MWLC

MWRC - Right facing cup holder; add

Cup holder is available on Low Arm only.

Select glide option.

NGL - No glides - Nylon glides (cream color); GNY add \$5

**G**Select power option.

- No power MPB - Black power module; add \$252 MPS - Silver power module; add \$252 MPW - White power module; add

Select location of power.

\$252

- Left facing power - Right facing power No location selection is needed if No Power (NP) is selected.

Select ganging option.

- No gangers - Ganging; add \$54 Two ganging assemblies shipped per unit.

Select moisture barrier.

NMB - No moisture barrier - Moisture barrier

See pricing column for moisture bar-





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
90.0#	\$ 1663	\$ 1822	\$ 1863	\$ 1914	\$ 1947	\$ 2013	\$ 2081	\$ 2163	\$ 2330	\$ 2496	\$ 2662	\$ 2995	\$ 150
90.0#	1725	1884	1925	1976	2009	2074	2142	2225	2392	2557	2723	3057	153

90.0#	\$ 1663	\$ 1822	\$ 1863	\$ 1914	\$ 1947	\$ 2013	\$ 2081	\$ 2163	\$ 2330	\$ 2496	\$ 2662	\$ 2995	\$ 1	153
90.0#	1725	1884	1925	1976	2009	2074	2142	2225	2392	2557	2723	3057	1	153

#### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

## INFORMATION

### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5 \text{ sq. ft.}$ ).

### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

# Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

# California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNL	\$225
MYLN	\$225
MYNL4L	\$225
MYLN4L	\$225

# **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information  $\,$  N/C  $\,$ 

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

### C.O.L. Requirements

			MODEL NUM	/IBER						
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Cup Holder	Power Option	Power Location	Ganging Option	Moisture Barrier
	Non-contrast	4.75 yd	MYNL4L/NC					RFP		
2 2 1	Contrast		MYNL4L/FC					RFP		
A A										
MYL2										
Left Facing No Arm/ Right Facing Low Arm 4-Leg Lounge										
• 1 = Arm (Fabric Contrast 1) C.O.M. = 1.5 yd										
• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 vd										
^	Non-contrast	4.75 yd	MYLN4L/NC					LFP		
	Contrast		MYLN4L/FC					LFP		
2 2										
1										
MYL2										
Left Facing Low Arm/ Right Facing No Arm 4-Leg Lounge										
• 1 = Arm (Fabric Contrast 1) C.O.M. =										
<ul><li>1.5 yd</li><li>2 = Seat and back (Fabric Contrast 2)</li></ul>										
• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd										
			A	<b>3</b>	•	0	<b>(3</b>	•	<b>(</b>	•

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select cup holder option.

MNCH - No cup holder

MWLC - Left facing cup holder; add

\$169 MWRC - Right facing cup holder; add

Cup holder is available on Low Arm only.

Select power option.

MPS

- No power MPB - Black power module; add \$252

- Silver power module; add

\$252 **MPW** - White power module; add \$252

Select location of power.

- Left facing power - Right facing power No location selection is needed if No Power (NP) is selected.

Select ganging option.

HNG - No gangers

HWG - Ganging; add \$54
Two ganging assemblies shipped per unit.

Select moisture barrier.

NMB - No moisture barrier - Moisture barrier

See pricing column for moisture barrier upcharge.





Approx Packag Weight	ed Grade	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
90.0i	# \$ 1911	\$ 2069	\$ 2110	\$ 2161	\$ 2194	\$ 2260	\$ 2328	\$ 2410	\$ 2577	\$ 2743	\$ 2909	\$ 3242	\$ 153
90.0a	# 1972	2131	2172	2223	2256	2322	2390	2472	2639	2805	2971	3304	153

00.0# 1070 0101 0170 0000 0000 0000 0000 0470 0000 000	90.0#	\$ 1911	\$ 2069	\$ 2110	\$ 2161	\$ 2194	\$ 2260	\$ 2328	\$ 2410	\$ 2577	\$ 2743	\$ 2909	\$ 3242	\$ 153
90.0# 1972 2131 2172 2223 2250 2322 2390 2472 2039 2805	90.0#	1972	2131	2172	2223	2256	2322	2390	2472	2639	2805	2971	3304	153

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

# INFORMATION

#### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5 \text{ sq. ft.}$ ).

# **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

### Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-

mately 50 sq. ft).

#### California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Vlodel	
MYNL	\$225
MYLN	\$225
MYNL4L	\$225
MYLN4L	\$225

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

N/C

			MODEL N	JMBER							
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Glide Option	Power Option	Power Location	Ganging Option	Moisture Barrier
	Non-contrast	5.25 yd	MYNH/NC						RFP		
2 1	Contrast		MYNH/FC						RFP		
MYN2											
Left Facing No Arm/ Right Facing High Arm Sled Base Lounge											
• 1 = Arm (Fabric Contrast 1) C.O.M. =											
2.5 yd • 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd											
-	Non-contrast	5.25 yd	MYHN/NC						LFP		
2	Contrast		MYHN/FC						LFP		
1 2											
MYN2											
Left Facing High Arm/ Right Facing No											
Arm Sled Base Lounge											
• 1 = Arm (Fabric Contrast 1) C.O.M. =											
2.5 yd • 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd											
			A	3	•	0	•	(3	<b>©</b>	0	0

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select glide option.

NGL - No glides GNY - Nylon glides (cream color); add \$5

Select power option.

NP - No pow

- No power MPB - Black power module; add \$252

MPS - Silver power module; add \$252

MPW - White power module; add \$252

GSelect location of power.

LFP - Left facing power - Right facing power No location selection is needed if No

Power (NP) is selected.

Select ganging option.

HNG - No gangers

HWG - Ganging; add \$54 Two ganging assemblies shipped per unit.

Select moisture barrier.

NMB - No moisture barrier MB - Moisture barrier

See pricing column for moisture barrier





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
105.0#	\$ 1824	\$ 2001	\$ 2049	\$ 2105	\$ 2142	\$ 2218	\$ 2292	\$ 2385	\$ 2572	\$ 2759	\$ 2947	\$ 3321	\$ 158
105.0#	1886	2063	2110	2167	2204	2279	2354	2447	2634	2821	3009	3383	158

105.0#	\$ 1824	\$ 2001	\$ 2049	\$ 2105	\$ 2142	\$ 2218	\$ 2292	\$ 2385	\$ 2572	\$ 2759	\$ 2947	\$ 3321	\$ 158
105.0#	1886	2063	2110	2167	2204	2279	2354	2447	2634	2821	3009	3383	158

# Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

# INFORMATION

#### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

## C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each

yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

#### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

#### Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

# California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNH	\$230
MYHN	\$230
MYNH4L	\$230
MYHN4L	\$230

# SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

vitii specially marked imormation

# Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory.
Freight class #175.

			MODEL NUM	IBER						
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Power Option	Power Location	Ganging Option	Moisture Barrier	Approx. Packaged Weight
	Non-contrast	5.25 yd	MYNH4L/NC				RFP			105.0#
2 1	Contrast	Í	MYNH4L/FC				RFP			105.0#
MYN2										
Left Facing No Arm/ Right Facing High Arm 4-Leg Lounge										
• 1 = Arm (Fabric Contrast 1) C.O.M. =										
<ul><li>2.5 yd</li><li>2 = Seat and back (Fabric Contrast 2)</li></ul>										
C.O.M. = 3 yd										
	Non-contrast	5.25 yd	MYHN4L/NC				LFP			105.0#
2	Contrast		MYHN4L/FC				LFP			105.0#
2										
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \										
$\downarrow$										
MYN2										
Left Facing High Arm/ Right Facing No										
Arm 4-Leg Lounge										
• 1 = Arm (Fabric Contrast 1) C.O.M. = 2.5 vd										
<ul> <li>2 = Seat and back (Fabric Contrast 2)</li> </ul>										
C.O.M. = 3 yd										
			A	<b>B</b>	Θ	<b>O</b>	<b>(3</b>	<b>(3</b> )	O	

# **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select power option

Select boy	ver option.
NP	- No power
MPB	- Black power module; add
\$252	
MPS	- Silver power module; add
\$252	
MPW	- White power module; add
\$252	

Select location of power.

LFP - Left facing power

RFP - Right facing power - Right facing power No location selection is needed if No Power (NP) is selected.

Select ganging option.

HNG - No gangers

HWG - Ganging; add \$54 Two ganging assemblies shipped per unit.

GSelect moisture barrier.

NMB - No moisture barrier - Moisture barrier

See pricing column for moisture barrier upcharge.



Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 2071	\$ 2248	\$ 2296	\$ 2353	\$ 2390	\$ 2465	\$ 2538	\$ 2633	\$ 2819	\$ 3007	\$ 3194	\$ 3568	\$ 158
2133	2310	2358	2414	2450	2527	2600	2694	2881	3068	3256	3630	158

2133 2310 2358 2414 2450 2527 2600 2694 2881 3068 3256 3630	\$ 2071	\$ 2248	\$ 2296	\$ 2353	\$ 2390	\$ 2465	\$ 2538	\$ 2633	\$ 2819	\$ 3007	\$ 3194	\$ 3568	\$ 158
	2133			2414	2450								158

# NOTE

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

# INFORMATION

# C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5$  sq. ft.).

# **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

#### Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-

mately 50 sq. ft).

# California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNH	\$230
MYHN	\$230
MYNH4L	\$230
MYHN4L	\$230

# **SPECIAL SERVICES**

# **Special Carton Marking**

With specially marked information

Shipping
Shipped assembled freight prepaid f.o.b.
High Point, North Carolina 27263 factory.
Freight class #175.

N/C

			MODEL NU	IMBER								
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Glide Option	Lam Clr	Power Option	Power Location	Ganging Option	Moisture Barrier
	Non-contrast	5 yd	MYNW/NC							RFP		
2 2	Contrast		MYNW/FC							RFP		
MYN3												
Left Facing No Arm/ Right Facing Work Arm Sled Base Lounge												
• 1 = Arm (Fabric Contrast 1) C.O.M. =												
2 yd • 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 vd												
	Non-contrast	5 yd	MYWN/NC							LFP		
2 2	Contrast		MYWN/FC							LFP		
MYN3												
Left Facing Work Arm/ Right Facing No												
Arm Sled Base Lounge												
• 1 = Arm (Fabric Contrast 1) C.O.M. = 2 yd												
• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd												
			A	B	•	0	<b>3</b>	<b>(3</b>	Э	0	0	•

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

NGL - No glides GNY - Nylon glides (cream color); add \$5

Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Tablet edge finish is always Natural on

#### beech.

GSelect power option.

- No power MPB - Black power module; add \$252 MPS - Silver power module; add \$252

MPW - White power module; add \$252

Select location of power.

RFP - Right facing power

LFP - Left facing power No location selection is needed if No Power (NP) is selected.

Select ganging option.

HNG - No gangers

- Ganging; add \$54 Two ganging assemblies shipped per unit.

Select moisture barrier.

NMB - No moisture barrier - Moisture barrier

See pricing column for moisture barrier upcharge.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
110.0#	\$ 1799	\$ 1987	\$ 2036	\$ 2095	\$ 2135	\$ 2213	\$ 2294	\$ 2393	\$ 2590	\$ 2786	\$ 2984	\$ 3379	\$ 163
110.0#	1861	2049	2098	2157	2197	2275	2356	2454	2652	2848	3046	3441	163

110.0#	\$ 1799	\$ 1987	\$ 2036	\$ 2095	\$ 2135	\$ 2213	\$ 2294	\$ 2393	\$ 2590	\$ 2786	\$ 2984	\$ 3379	\$ 163
110.0#	1861	2049	2098	2157	2197	2275	2356	2454	2652	2848	3046	3441	163

# Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

#### INFORMATION

#### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each

yard shown (i.e.,  $4.75 \times 18 = 85.5 \text{ sq. ft.}$ ).

#### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

# Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

### California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNW	\$241
MYWN	\$241
MYNW4L	\$241
MYWN4L	\$241
MYLL	\$241
MYLL4L	\$241

# **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

			MODEL NUM	BER							
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Lam Clr	Power Option	Power Location	Ganging Option	Moisture Barrier	Approx. Packaged Weight
_	Non-contrast	5 yd	MYNW4L/NC					RFP			110.0#
2 2	Contrast		MYNW4L/FC					RFP			110.0#
MYN3											
Left Facing No Arm/ Right Facing Work Arm 4-Leg Lounge											
• 1 = Arm (Fabric Contrast 1) C.O.M. =											
2 yd • 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd											
	Non-contrast	5 yd	MYWN4L/NC					LFP			110.0#
2 2	Contrast		MYWN4L/FC					LFP			110.0#
MYN3											
Left Facing Work Arm/ Right Facing No											
Arm 4-Leg Lounge											
• 1 = Arm (Fabric Contrast 1) C.O.M. = 2 yd											
<ul> <li>2 = Seat and back (Fabric Contrast 2)</li> </ul>											
C.O.M. = 3.25 yd			A	B	•	0	<b>3</b>	<b>3</b>	О	•	1
			•	•	•	_	•	_	_	•	

# **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Tablet edge finish is always Natural on beech.

Select power option.

NP - No pow - No power MPB · Black power module; add \$252 MPS - Silver power module; add \$252 MPW - White power module; add \$252

Select location of power.

RFP - Right facing power

- Left facing power No location selection is needed if No Power (NP) is selected.

Select ganging option.

HNG - No gangers

- Ganging; add \$54

Two ganging assemblies shipped per unit.

Select moisture barrier.

- No moisture barrier - Moisture barrier See pricing column for moisture barrier upcharge.



Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 2047	\$ 2234	\$ 2284	\$ 2342	\$ 2382	\$ 2461	\$ 2541	\$ 2640	\$ 2837	\$ 3033	\$ 3231	\$ 3627	\$ 163
2108	2296	2345	2404	2444	2522	2603	2702	2898	3095	3293	3688	163

2108 2296 2345 2404 2444 2522 2603 2702 2898 3095 3293 3688 163	\$ 2047	\$ 2234	\$ 2284	\$ 2342	\$ 2382	\$ 2461	\$ 2541	\$ 2640	\$ 2837	\$ 3033	\$ 3231	\$ 3627	\$ 1	163
	2108	2296			2444	2522		2702		3095		3688	1	163

# NOTE

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

# Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

# INFORMATION

#### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5 \text{ sq. ft.}$ ).

# **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

#### Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-

mately 50 sq. ft).

# California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNW	\$241
MYWN	\$241
MYNW4L	\$241
MYWN4L	\$241
MYLL	\$241
MYLL4L	\$241

# **SPECIAL SERVICES**

# **Special Carton Marking**

With specially marked information

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

N/C

			MODEL NUI	VIBER								
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Cup Holder	Glide Option	Power Option	Power Location	Ganging Option	Moisture Barrier
	Non-contrast	5.25 yd	MYLL/NC									
	Contrast		MYLL/FC									
2 2 1												
MYL1												
Low Arm Sled Base Lounge												
-												
<ul><li>1 = Arms (Fabric Contrast 1) C.O.M.</li><li>= 2.5 yd</li></ul>												
<ul> <li>2 = Seat and back (Fabric Contrast 2)</li> <li>C.O.M. = 3 yd</li> </ul>												
	Non-contrast	5.25 yd	MYLL4L/NC									
	Contrast		MYLL4L/FC									
2												
2 1												
MYL1												
Low Arm 4-Leg Lounge												
• 1 = Arms (Fabric Contrast 1) C.O.M.												
= 2.5 yd												
• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd												
			A	3	О	0	<b>3</b>	•	G	0	0	•

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base finish color.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select cup holder option.

MNCH - No cup holder
MWLC - Left facing cup holder; add
\$169

MWRC - Right facing cup holder; add

Cup holder is available on Low Arm only.

Select glide option.

NGL	- No glides
GNY	<ul> <li>Nylon glides (cream color);</li> </ul>
add \$5	

Calcat nawar antion

Select power option.

NP - No power

MPB - Black power module; add \$252 MPS - Silver power module; add \$252 - White power module; add \$252

• Select location of power.

FFP - Left facing power
FFP - Right facing power
No location selection is needed if No
Power (NP) is selected.

Select ganging option.

HNG - No gangers
HWG - Ganging; add \$54
Two ganging assemblies shipped per unit.

Select moisture barrier.

IMB - No moisture barrier

- Moisture barrier

See pricing column for moisture barrier upcharge.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
100.0#	\$ 1682	\$ 1869	\$ 1919	\$ 1979	\$ 2018	\$ 2097	\$ 2175	\$ 2274	\$ 2472	\$ 2670	\$ 2868	\$ 3263	\$ 163
100.0#	1744	1931	1981	2040	2080	2159	2237	2336	2534	2732	2929	3324	163

100.0#	\$ 1929	\$ 2117	\$ 2166	\$ 2225	\$ 2265	\$ 2344	\$ 2423	\$ 2521	\$ 2719	\$ 2917	\$ 3115	\$ 3509	\$ 163
100.0#	1991	2178	2228	2287	2326	2406	2484	2583	2781	2979	3177	3571	163

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

# Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

# INFORMATION

# $\hbox{C.O.M. Requirements}$

C.O.M. yardage requirements listed above are based on plain goods 54\* wide. If less than 54\* wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of

fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5 \text{ sq. ft.}$ ).

# **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

#### Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

# California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNW	\$241
MYWN	\$241
MYNW4L	\$241
MYWN4L	\$241
MYLL	\$241
MYLL4L	\$241

# **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

# MyWay™ Lobby and Lounge Seating

			MODEL N	UMBER								
	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Cup Holder	Glide Option	Power Option	Power Location	Ganging Option	Moisture Barrier
	Non-contrast	5.75 yd	MYLH/NC									
2 1 2 1	Contrast		MYLH/FC									
MYL3												
Left Facing Low Arm/ Right Facing High Arm Sled Base Lounge  1 = Arms (Fabric Contrast 1) C.O.M.												
= 3 yd												
<ul> <li>2 = Seat and back (Fabric Contrast 2)</li> <li>C.O.M. = 3 vd</li> </ul>												
	Non-contrast	5.75 yd	MYHL/NC									
2 2 1	Contrast		MYHL/FC									
1 1												
MYL3												
Left Facing High Arm/ Right Facing Low Arm Sled Base Lounge												
• 1 = Arms (Fabric Contrast 1) C.O.M.												
<ul><li>3 yd</li><li>2 = Seat and back (Fabric Contrast 2)</li><li>C.O.M. = 3 yd</li></ul>												_
			A	B	œ	0	<b>(3</b>	<b>(3</b>	О	0	0	•

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select cup holder option.

  MNCH No cup holder

- Left facing cup holder; add MWLC

MWRC - Right facing cup holder; add

Cup holder is available on Low Arm only.

Select glide option.

NGL	- No glides
GNY	<ul> <li>Nylon glides (cream color);</li> </ul>
add \$5	

**G**Select power option.

- No power MPB - Black power module; add \$252 MPS - Silver power module; add \$252 - White power module; add MPW

Select location of power.

\$252

- Left facing power - Right facing power No location selection is needed if No Power (NP) is selected.

Select ganging option.

HNG - No gangers - Ganging; add \$54

Two ganging assemblies shipped per unit.

Select moisture barrier.

- No moisture barrier MB - Moisture barrier

See pricing column for moisture barrier upcharge.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
110.0#	\$ 1887	\$ 2094	\$ 2149	\$ 2213	\$ 2258	\$ 2345	\$ 2433	\$ 2542	\$ 2759	\$ 2979	\$ 3196	\$ 3633	\$ 169
110.0#	1949	2156	2210	2275	2320	2407	2495	2604	2821	3041	3258	3695	169

110.0# \$ 1	1887 \$ 2	094 \$ 2149	\$ 2213	\$ 2258	\$ 2345	\$ 2433	\$ 2542	\$ 2759	\$ 2979	\$ 3196	\$ 3633	\$ 169
110.0#	1949 2	156 2210	2275	2320	2407	2495	2604	2821	3041	3258	3695	169

# Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

# INFORMATION

## C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each

yard shown (i.e.,  $4.75 \times 18 = 85.5 \text{ sq. ft.}$ ).

#### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

#### Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

### California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYLH	\$252
MYHL	\$252
MYLH4L	\$252
MYHL4L	\$252
MYHH	\$252
MYHH4L	\$252

# **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

			MODEL NUI	MBER						
	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Cup Holder	Power Option	Power Location	Ganging Option	Moisture Barrier
	Non-contrast	5.75 yd	MYLH4L/NC							
	Contrast		MYLH4L/FC							
2 1										
2										
1										
$\bigvee$										
MYL3										
Left Facing Low Arm/ Right Facing										
High Arm 4-Leg Lounge										
<ul> <li>1 = Arms (Fabric Contrast 1) C.O.M.</li> <li>= 3 vd</li> </ul>										
<ul> <li>2 = Seat and back (Fabric Contrast 2)</li> </ul>										
C.O.M. = 3 yd										
	Non-contrast	5.75 yd								
	Contrast		MYHL4L/FC							
2										
1 2										
MYL3										
Left Facing High Arm/ Right Facing										
Low Arm 4-Leg Lounge										
• 1 = Arms (Fabric Contrast 1) C.O.M.										
= 3 yd										
• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd										
			A	<b>3</b>	G	0	<b>(3</b>	(3	<b>G</b>	0

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select non-contrast or fabric contrast 1.
  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select fabric contrast 2.
  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select cup holder option.

  MNCH No cup holder

MWLC - No cup holder

MWLC - Left facing cup holder; add

MWRC - Right facing cup holder; add \$169

Cup holder is available on Low Arm only.

Select power option.

NP - No power
MPB - Black power module; add
\$252
MPS - Silver power module; add

\$252

MPW - White power module; add \$252

Select location of power.

LFP - Left facing power

RFP - Right facing power
No location selection is needed if No
Power (NP) is selected.

GSelect ganging option.

HNG - No gangers

HWG - Ganging; add \$54

Two ganging assemblies shipped per unit.

Select moisture barrier.

NMB - No moisture barrier

MB - Moisture barrier

See pricing column for moisture barrier upcharge.





Approx. Package Weight	d Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Barrier add to list price
110.0#	\$ 2134	\$ 2341	\$ 2396	\$ 2461	\$ 2505	\$ 2593	\$ 2680	\$ 2789	\$ 3007	\$ 3226	\$ 3443	\$ 3880	\$ 169
110.0#	2196	2403	2458	2522	2567	2654	2742	2851	3068	3288	3505	3942	169

110.0#	\$ 2134	\$ 2341	\$ 2396	\$ 2461	\$ 2505	\$ 2593	\$ 2680	\$ 2789	\$ 3007	\$ 3226	\$ 3443	\$ 3880	\$ 169
110.0#	2196	2403	2458	2522	2567	2654	2742	2851	3068	3288	3505	3942	169

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

# INFORMATION

# C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5$  sq. ft.).

# **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

#### Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-

mately 50 sq. ft).

# California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYLH	\$252
MYHL	\$252
MYLH4L	\$252
MYHL4L	\$252
MYHH	\$252
MYHH4L	\$252

### **SPECIAL SERVICES**

# **Special Carton Marking**

With specially marked information

lany marked imormation

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

			MODEL NUMBER											
			Basic	Non- Contrast or Fabric	Fabric Contrast	Base	Cup	Glide	Lam	Power	Power	Ganging	Moist.	
	Features	COM	Model	Contrast 1	2	Finish	Holder	Option	Clr	Option	Location	Option	Barrier	
	Non-contrast	5.5 yd	MYLW/NC											
2 2 1	Contrast		MYLW/FC											
MYL4														
=														
Left Facing Low Arm/ Right Facing Work Arm Sled Base Lounge														
• 1 = Arms (Fabric Contrast 1) C.O.M.														
<ul><li>= 2.75 yd</li><li>2 = Seat and back (Fabric Contrast 2)</li></ul>														
C.O.M. = 3 vd														
	Non-contrast	5.5 yd	MYWL/NC											
	Contrast		MYWL/FC											
2														
2 1														
MYL4														
Left Facing Work Arm/ Right Facing														
Low Arm Sled Base Lounge														
• 1 = Arms (Fabric Contrast 1) C.O.M.														
<ul><li>= 2.75 yd</li><li>2 = Seat and back (Fabric Contrast 2)</li></ul>														
C.O.M. = 3 yd														
			A	•	•	0	•	(3	0	•	0	•	(3)	

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select non-contrast or fabric contrast 1.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select fabric contrast 2.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select cup holder option.

MNCH - No cup holder
MWLC - Left facing cup holder; add
\$169

**MWRC** - Right facing cup holder; add \$169

Cup holder is available on Low Arm only.

Select glide option.

NGL - No glides GNY - Nylon glides (cream color); add \$5

Select laminate color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Tablet edge finish is always Natural on beech.

①Select power option.

NP - No power
MPB - Black power module; add
\$252
MPS - Silver power module; add
\$252
MPW - White power module; add
\$252

• Select location of power.

FFP - Left facing power
FFP - Right facing power
No location selection is needed if No
Power (NP) is selected.

Select ganging option.

HNG - No gangers
HWG - Ganging; add \$54
Two ganging assemblies shipped
per unit.

Select moisture barrier.

NMB - No moisture barrier
MB - Moisture barrier

See pricing column for moisture barrier upcharge.



Approx. Packaged Weight	).M.	С	ade	D	ade	E 8	D.L.	F	ade	Gra G		Gra H		Gr.	ade	Gra J		K	ade	Ll	ade .eather	M	Leather	Moist Barrie add to price	r list
115.0#	\$ 1867	\$	2085	\$	2141	\$	2210	\$	2256	\$	2347		2438	\$	2553	\$	2782	\$	3011	\$	3239	\$	3697	\$	169
115.0#	1929		2147		2203		2272		2318		2409		2500		2615		2844		3072		3301		3758		169
115.0#	\$ 1867	\$	2085	\$	2141	\$	2210	\$	2256	\$	2347	\$	2438	\$	2553	\$	2782	\$	3011	\$	3239	\$	3697	\$	169
115.0#	1929		2147		2203		2272		2318		2409		2500		2615		2844		3072		3301		3758		169

#### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

#### INFORMATION

#### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5 \text{ sq. ft.}$ ).

#### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

## Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

## California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYLW	\$259
MYWL	\$259
MYLW4L	\$259
MYWL4L	\$259

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information N/C

# Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory.
Freight class #175.

MyWay<sup>™</sup>
Lobby and Lounge Seating

			MODEL NUM	IBER							
			Basic	Non- Contrast or Fabric	Fabric Contrast	Cup	Lam	Power	Power	Ganging	Moist.
	Features	COM	Model	Contrast 1	2	Holder	Clr	Option	Location	Option	Barrier
	Non-contrast	5.5 yd	MYLW4L/NC								
1	Contrast		MYLW4L/FC								
2											
2											
1											
MYL4											
Left Facing Low Arm/ Right Facing											
Work Arm 4-Leg Lounge											
• 1 = Arms (Fabric Contrast 1) C.O.M.											
= 2.75 yd • 2 = Seat and back (Fabric Contrast 2)											
C.O.M. = 3 yd											
	Non-contrast	5.5 yd	MYWL4L/NC								
	Contrast		MYWL4L/FC								
2											
2 1											
***											
MYL4											
Left Facing Work Arm/ Right Facing											
Low Arm 4-Leg Lounge											
• 1 = Arms (Fabric Contrast 1) C.O.M.											
<ul><li>= 2.75 yd</li><li>2 = Seat and back (Fabric Contrast 2)</li></ul>											
C.O.M. = 3 yd											
•			A	B	Θ	<b>O</b>	<b>3</b>	(a)	Э	0	0
			•	•	•	•	_	•	_	•	•

## **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select cup holder option.

  MNCH No cup holder

MWLC - Left facing cup holder; add

MWRC - Right facing cup holder; add \$169

Cup holder is available on Low Arm only.

Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Tablet edge finish is always Natural on beech.

Select power option.

NP - No power MPB - Black power module; add \$252

**MPS** - Silver power module; add \$252 MPW - White power module; add

GSelect location of power.

\$252

- Left facing power RFP - Right facing power
No location selection is needed if No Power (NP) is selected.

Select ganging option. - No gangers

**HWG** - Ganging; add \$54
Two ganging assemblies shipped per unit.

See pricing column for moisture barrier

Select moisture barrier.

- No moisture barrier - Moisture barrier

upcharge.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
115.0#	\$ 2114	\$ 2332	\$ 2388	\$ 2458	\$ 2503	\$ 2595	\$ 2685	\$ 2800	\$ 3029	\$ 3258	\$ 3486	\$ 3944	\$ 169
115.0#	2175	2394	2449	2519	2565	2656	2747	2861	3091	3320	3547	4006	169

115.0# \$ 2114 \$ 2332	\$ 2388 \$ 2458	\$ 2503 \$ 259	5 \$ 2685 \$	2800 \$ 3029	\$ 3258 \$	3486 \$ 3944	\$ 169
115.0# 2175 2394	2449 2519	2565 265	6 2747	2861 3091	3320	3547 4006	169

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

## Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

## INFORMATION

#### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

## C.0.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5 \text{ sq. ft.}$ ).

## **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

#### Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-

mately 50 sq. ft).

## California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Vlodel	
MYLW	\$259
MYWL	\$259
MYLW4L	\$259
MYWL4L	\$259

## **SPECIAL SERVICES**

## **Special Carton Marking**

With specially marked information

.

N/C

#### Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #175.

# MyWay<sup>™</sup> Lobby and Lounge Seating

			MODEL NUN	IBER							
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Glide Option	Power Option	Power Location	Moisture Barrier	Approx. Packaged Weight
^	Non-contrast	6.75 yd	MYHH/NC								115.0#
2 1	Contrast		MYHH/FC								115.0#
MYH1											
High Arm Sled Base Lounge											
• 1 = Arms (Fabric Contrast 1) C.O.M. = 4 vd											
• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd											
	Non-contrast	6.75 yd	MYHH4L/NC								115.0#
	Contrast		MYHH4L/FC								115.0#
2 1											
1 2											
$\bigvee$											
MYH1											
High Arm 4-Leg Lounge											
• 1 = Arms (Fabric Contrast 1) C.O.M. = 4 vd											
• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd											
			A	3	•	0	<b>3</b>	•	Ф	0	

## **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select glide option. NGL - No glides GNY - Nylon glides (cream color); add \$5
- Select power option. NP - No power MPB - Black power module; add \$252

MPS - Silver power module; add \$252 MPW - White power module; add \$252

GSelect location of power.

LFP - Left facing power
RFP - Right facing power
No location selection is needed if No
Power (NP) is selected.

Select moisture barrier.

NMB - No moisture barrier - Moisture barrier

See pricing column for moisture barrier upcharge.





Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 1910	\$ 2157	\$ 2222	\$ 2299	\$ 2353	\$ 2456	\$ 2560	\$ 2690	\$ 2949	\$ 3209	\$ 3469	\$ 3989	\$ 179
1971	2219	2284	2361	2414	2517	2621	2752	3011	3271	3531	4051	179

\$ 2	157 \$	2404	\$ 2469	\$ 2546	\$ 2599	\$ 2703	\$ 2807	\$ 2937	\$ 3196	\$ 3457	\$ 3716	\$ 4236	\$ 179
22	219	2466	2531	2608	2660	2765	2869	2998	3258	3518	3778	4298	179

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

## Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

## INFORMATION

## C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5$  sq. ft.).

## **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

#### Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

#### California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYLH	\$252
MYHL	\$252
MYLH4L	\$252
MYHL4L	\$252
MYHH	\$252
MYHH4L	\$252

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information N/C

## Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

# MyWay<sup>™</sup> Lobby and Lounge Seating

			MODEL NU	IMBER							
	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Glide Option	Lam Clr	Power Option	Power Location	Moisture Barrier
^	Non-contrast	6 yd	MYHW/NC								
	Contrast		MYHW/FC								
2 2 1											
MYH2											
Left Facing High Arm/ Right Facing											
Work Arm Sled Base Lounge											
• 1 = Arms (Fabric Contrast 1) C.O.M.											
<ul><li>= 3.25 yd</li><li>2 = Seat and back (Fabric Contrast 2)</li><li>C.O.M. = 3 yd</li></ul>											
0.0.ivi. – 0 yu	Non-contrast	6 yd	MYWH/NC								
	Contrast		MYWH/FC								
2 1											
2											
MYH2											
Left Facing Work Arm/ Right Facing											
High Arm Sled Base Lounge											
• 1 = Arms (Fabric Contrast 1) C.O.M.											
= 3.25 yd • 2 = Seat and back (Fabric Contrast 2)											
C.O.M. = 3 yd											
			A	•	•	0	<b>(3</b>	(3	œ	0	0

## **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

## **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select base finish color.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select glide option.

  NGL No glide

NGL - No glides
GNY - Nylon glides (cream color);
add \$5

Select laminate color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Tablet edge finish is always Natural on

#### beech.

GSelect power option.

NP - No power
MPB - Black power module; add
\$252
MPS - Silver power module; add
\$252
MPW - White power module; add
\$252

Select location of power.

LFP - Left facing power

RFP - Right facing power
No location selection is needed if No
Power (NP) is selected.

Select moisture barrier.

NMB - No moisture barrier
MB - Moisture barrier
See pricing column for moisture barrier
upcharge.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
120.0#	\$ 2068	\$ 2315	\$ 2380	\$ 2459	\$ 2510	\$ 2614	\$ 2718	\$ 2848	\$ 3108	\$ 3368	\$ 3628	\$ 4147	\$ 179
120.0#	2130	2377	2442	2520	2572	2675	2780	2910	3169	3430	3689	4209	179

120.0#	\$ 2068	\$ 2315	\$ 2380	\$ 2459	\$ 2510	\$ 2614	\$ 2718	\$ 2848	\$ 3108	\$ 3368	\$ 3628	\$ 4147	\$ 179
120.0#	2130	2377	2442	2520	2572	2675	2780	2910	3169	3430	3689	4209	179

## Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

#### INFORMATION

### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5$  sq. ft.).

#### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

## Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

## California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYHW	\$281
MYWH	\$281
MYHW4L	\$281
MYWH4L	\$281

## **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information N/C

## Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory.
Freight class #175.

# MyWay<sup>TM</sup> Lobby and Lounge Seating

MODEL NUMBER   Non-Contrast   Fabric   Contrast   Lam   Power   Option   Lam   Down   Packaged   Weight											
Non-contrast   6 yd   Non-contrast   2				MODEL NUM	IBER						
MYH2  Left Facing High Arm/ Right Facing Work Arm 4-Leg Lounge  • 1 = Arms (Fabric Contrast 1) C.O.M.  = 3.25 yd  • 2 = Seat and back (Fabric Contrast 2)  Contrast  Non-contrast  MYHH4L/FC  MYWH4L/FC  120.0#  MYWH4L/FC  120.0#  120.0#  MYWH4L/FC  120.0#  MYWH4L/FC  120.0#		Features	СОМ		or Fabric	Contrast					Packaged
MYH2  Left Facing High Arm/ Right Facing Work Arm 4-Leg Lounge  • 1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd • 2 = Seat and back (Fabric Contrast 2)  C.O.M. = 3 yd  Non-contrast  Non-contrast  MYWH4L/FC  MYWH4L/FC  120.0#  MYWH4L/FC  120.0#  MYWH4L/FC  120.0#  Arms (Fabric Contrast 1) C.O.M. = 3.25 yd  • 1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd  • 2 = Seat and back (Fabric Contrast 2)		Non-contrast	6 yd	MYHW4L/NC							120.0#
Left Facing High Arm/ Right Facing Work Arm 4-Leg Lounge  • 1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd  • 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 vd  Non-contrast 6 yd MYWH4L/NC Contrast  Non-contrast 6 yd MYWH4L/FC  120.0#  MYWH4L/FC  120.0#  Left Facing Work Arm/ Right Facing High Arm 4-Leg Lounge  • 1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd • 2 = Seat and back (Fabric Contrast 2)	2 1 2	Contrast		MYHW4L/FC							120.0#
Left Facing High Arm/ Right Facing Work Arm 4-Leg Lounge  1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd Contrast  Non-contrast 6 yd MYWH4L/NC Contrast  MYWH4L/FC  120.0#  MYWH4L/FC  120.0#  MYWH4L/FC  120.0#  Left Facing Work Arm/ Right Facing High Arm 4-Leg Lounge 1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd 2 = Seat and back (Fabric Contrast 2)	(110)										
Work Arm 4-Leg Lounge  1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd  2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd  Non-contrast  Non-contrast  MYWH4L/RC  MYWH4L/FC  MYW											
= 3.25 yd • 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd  Non-contrast 6 yd Contrast  Non-contrast 6 yd MYWH4L/FC  MYWH4L/FC  MYWH4L/FC  120.0#  MYWH4L/FC  120.0#  MYWH4L/FC  120.0#  MYWH4L/FC  120.0#  MYWH4L/FC  120.0#											
Non-contrast 2											
Non-contrast   6 yd   MYWH4L/NC   120.0#   120											
MYH2  Left Facing Work Arm/ Right Facing High Arm 4-Leg Lounge  • 1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd • 2 = Seat and back (Fabric Contrast 2)											
MYH2  Left Facing Work Arm/ Right Facing High Arm 4-Leg Lounge  • 1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd • 2 = Seat and back (Fabric Contrast 2)		Non-contrast	6 yd	MYWH4L/NC							120.0#
Left Facing Work Arm/ Right Facing High Arm 4-Leg Lounge  • 1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd • 2 = Seat and back (Fabric Contrast 2)		Contrast		MYWH4L/FC							120.0#
Left Facing Work Arm/ Right Facing High Arm 4-Leg Lounge  • 1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd • 2 = Seat and back (Fabric Contrast 2)	2 1										
Left Facing Work Arm/ Right Facing High Arm 4-Leg Lounge  1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd 2 = Seat and back (Fabric Contrast 2)	1 2										
Left Facing Work Arm/ Right Facing High Arm 4-Leg Lounge  • 1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd • 2 = Seat and back (Fabric Contrast 2)	MA										
High Arm 4-Leg Lounge  • 1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd  • 2 = Seat and back (Fabric Contrast 2)	/H2										
High Arm 4-Leg Lounge  • 1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd  • 2 = Seat and back (Fabric Contrast 2)	ft Facing Work Arm/ Right Facing										
= 3.25 yd • 2 = Seat and back (Fabric Contrast 2)	gh Arm 4-Leg Lounge										
2 = Seat and back (Fabric Contrast 2)											
0.0 M . 0											
U.U.M. = 3 ya	C.O.M. = 3 yd										
				A	<b>B</b>	•	O	<b>(3</b>	•	<b>(</b>	

## **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Tablet edge finish is always Natural on beech.

Select po	wer option.
NP	- No power
MPB	- Black power module; add
\$252	
MPS	- Silver power module; add
\$252	
MPW	- White power module: add

\$252

Select location of power.

LFP - Left facing power

RFP - Right facing power
No location selection is needed if No Power (NP) is selected.

GSelect moisture barrier.

NMB - No moisture barrier - Moisture barrier

See pricing column for moisture barrier upcharge.





Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 2315	\$ 2562	\$ 2628	\$ 2706	\$ 2757	\$ 2860	\$ 2965	\$ 3095	\$ 3355	\$ 3615	\$ 3875	\$ 4394	\$ 179
2377	2623	2689	2768	2819	2922	3027	3157	3417	3677	3937	4456	179

2377 2623 2689 2768 2819 2922 3027 3157 3417 3677 3937 4456 179	\$ 2315	\$ 2562	\$ 2628	\$ 2706	\$ 2757	\$ 2860	\$ 2965	\$ 3095	\$ 3355	\$ 3615	\$ 3875	\$ 4394	\$ 1
	2377	2623			2819	2922			3417			4456	1

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

#### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

## INFORMATION

#### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5$  sq. ft.).

## **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

#### Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-

mately 50 sq. ft).

#### California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYHW	\$281
MYWH	\$281
MYHW4L	\$281
MYWH4L	\$281

# SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.



	MODEL NUMBER							
	MODEL	Basic Model	Base Finish	Glide Option	Laminate Color	Edge Color	Power Option	Approx. Packaged Weight
	Small Laminate End Table	MYTB9012						45.0#
MYTB								
	Laminate End Table	MYTB9013						50.0#
MYTB								
	Laminate Coffee Table	MYTB9014						75.0#
MYTB								
		A	<b>B</b>	•	0	(3	•	

## **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

## **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

NGL - No glides
GNY - Nylon glides (cream color); add \$5

- DSelect laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select primary edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select power option.

NP - No power

MTPB - Black table power module; add \$325

MTPS - Silver table power module;

add \$325

MTPW - White table power module; add \$325





Delivered
Pricing
\$ 775
\$ 786
\$ 999

## SPECIAL SERVICES

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2013 Krueger International, Inc. All Rights Reserved. Code KI-11604/KI/PDF/1213