

Glass Tiles with Frame

3-High

GSA Contract Pending



W	Trim H	Support H	Model	Price
3-High				
18"	37 ¹⁹ / ₃₂ "	37 ⁷ / ₃₂ "	33P183IT	\$360
24"			33P243IT	392
30"			33P303IT	413
36"			33P363IT	457
42"			33P423IT	499
48"			33P483IT	533

Specify one glass tile model to complete both sides of Narrate frame. Each model includes two frames with glass, one for each side of the frame.

Power and data cables cannot be routed through glass tiles.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Two frames with glass: clear or frosted

How to Specify

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
GAP = Glass with painted frame
- 4 Glass type:
3 = Clear
9 = Frosted both sides (+25%)
- 5 Finish type:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- 6 Finish designator

Back-Painted Glass Tiles

1-High

GSA Contract Pending



W	Trim H	Support H	Model	Price
1-High				
18"	12 ³ / ₈ "	12"	33P181IT	\$309
24"			33P241IT	390
30"			33P301IT	471
36"			33P361IT	552
42"			33P421IT	633
48"			33P481IT	713
54"			33P541IT	793
60"			33P601IT	873
66"			33P661IT	954
72"			33P721IT	1034
78"			33P781IT	1118
84"			33P841IT	1202
90"			33P901IT	1286
96"			33P961IT	1368

Specify tiles for both sides of frame.
Note: Does not need to be glass tiles on both sides

54"–96"W glass tiles for use with
1-high stacking frames only.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Glass pane: back painted


How to Specify

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
BPG = Back-painted glass
- 4 Finish designator
405 = Designer White
425 = Shadow
440 = Cloud
450 = Fog
462 = Cinder
501 = Platinum Metallic

Back-Painted Glass Tiles

1.5-High

GSA Contract Pending



W	Trim H	Support H	Model	Price
1.5-High				
18"	19 ⁵ / ₁₆ "	18 ¹⁵ / ₁₆ "	33P18H18IT	\$405
24"			33P24H18IT	517
30"			33P30H18IT	629
36"			33P36H18IT	743
42"			33P42H18IT	855
48"			33P48H18IT	973
54"			33P54H18IT	1084
60"			33P60H18IT	1196
66"			33P66H18IT	1307
72"			33P72H18IT	1419
78"			33P78H18IT	1534
84"			33P84H18IT	1649
90"			33P90H18IT	1763
96"			33P96H18IT	1878

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Glass pane: back painted

How to Specify


- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
BPG = Back-painted glass
- 4 Finish designator
405 = Designer White
425 = Shadow
440 = Cloud
450 = Fog
462 = Cinder
501 = Platinum Metallic

Specify tiles for both sides of frame.
Note: Does not need to be glass tiles on both sides

Back-Painted Glass Tiles

2-High

GSA Contract Pending



W	Trim H	Support H	Model	Price
2-High				
18"	25"	24 ⁵ / ₈ "	33P182IT	\$600
24"			33P242IT	649
30"			33P302IT	784
36"			33P362IT	918
42"			33P422IT	1060
48"			33P482IT	1202
54"			33P542IT	1349
60"			33P602IT	1495
66"			33P662IT	1633
72"			33P722IT	1770
78"			33P782IT	1914
84"			33P842IT	2057
90"			33P902IT	2201
96"			33P962IT	2345

Specify tiles for both sides of frame.
Note: Does not need to be glass tiles on both sides

54"–96"W glass tiles for use with
2-high stacking frames only.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Glass pane: back painted

How to Specify

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
BPG = Back-painted glass
- 4 Finish designator
405 = Designer White
425 = Shadow
440 = Cloud
450 = Fog
462 = Cinder
501 = Platinum Metallic

Back-Painted Glass Tiles

3-High

GSA Contract Pending



W	Trim H	Support H	Model	Price
3-High				
18"	37 ¹⁹ / ₃₂ "	37 ⁷ / ₃₂ "	33P183IT	\$717
24"			33P243IT	908
30"			33P303IT	1105
36"			33P363IT	1302
42"			33P423IT	1499
48"			33P483IT	1702
54"			33P543IT	1920
60"			33P603IT	2138
66"			33P663IT	2356
72"			33P723IT	2572
78"			33P783IT	2781
84"			33P843IT	2990
90"			33P903IT	3199
96"			33P963IT	3408

Specify tiles for both sides of frame.
(Note: does not need to be glass tiles on both sides).

➤ See page 126 for back-painted glass tile for use with TV frame.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Back-painted glass pane


How to Specify

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
BPG = Back-painted glass
- 4 Finish designator
405 = Designer White
425 = Shadow
440 = Cloud
450 = Fog
462 = Cinder
501 = Platinum Metallic

Back-Painted Glass Tiles

3-High for TV Frame

GSA Contract Pending



W	Trim H	Support H	Model	Price
3-High				
48"	37 ¹⁹ / ₃₂ "	37 ⁷ / ₃₂ "	33P483IT	\$1987
84"			33P843IT	3288
96"			33P963IT	3704

Tiles for use with 48" TV centered.
48" glass tile used with 48"W frame;
84" glass tile used with 48"W and two
18"W frames; 96" glass tile used with
48"W and two 24"W frames.

Recommended for use with Sharp
monitor PN-Y496.

Specify tiles for both sides of frame.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Back-painted glass pane

How to Specify

- 1 Model
- 2 Tile type:
STV = Support
TTV = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
BPG = Back-painted glass
- 4 Finish designator
405 = Designer White
425 = Shadow
440 = Cloud
450 = Fog
462 = Cinder
501 = Platinum Metallic

Combination Tackable Fabric Tiles

2-High

GSA Contract Pending
COM GSA Non-Contract



W	Trim	Support	Model	Fabric Price Grade				
	H	H		A or COM	B	C	D	E
2-High								
18"	25"	24 ⁵ / ₈ "	33P182IT	\$82	\$114	\$134	\$166	\$214
24"			33P242IT	89	131	157	201	265
30"			33P302IT	101	153	187	241	321
36"			33P362IT	117	179	221	285	381
42"			33P422IT	145	213	257	327	431
48"			33P482IT	161	239	291	371	491
54"			33P542IT	175	263	321	413	549
60"			33P602IT	190	284	344	442	586
66"			33P662IT	205	309	377	485	645
72"			33P722IT	230	344	420	538	714
78"			33P782IT	247	367	445	569	753
84"			33P842IT	264	394	480	614	814
90"			33P902IT	281	421	513	659	875
96"			33P962IT	303	449	543	695	919

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile

How to Specify

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
1F1F = 1-high fabric (upper) + 1-high fabric (lower)
- 4 Upper fabric grade
- 5 Upper fabric number
- 6 Lower fabric grade
- 7 Lower fabric number


Fabric is applied railroaded.

Specify tiles for both sides of frame.

Combination Tackable Fabric Tiles

To-the-Floor 2-High

GSA Contract Pending
COM GSA Non-Contract



W	Trim	Support	Model	Fabric Price Grade				
	H	H		A or COM	B	C	D	E
To-the-Floor 2-High								
18"	28 ¹³ / ₁₆ "	28 ⁷ / ₁₆ "	33P182IT	\$91	\$123	\$143	\$175	\$223
24"			33P242IT	102	144	170	214	278
30"			33P302IT	122	174	208	262	342
36"			33P362IT	140	202	244	308	404
42"			33P422IT	168	236	280	350	454
48"			33P482IT	190	268	320	400	520
54"			33P542IT	211	299	357	449	585
60"			33P602IT	226	320	380	478	622
66"			33P662IT	244	348	416	524	684
72"			33P722IT	263	377	453	571	747
78"			33P782IT	292	412	490	614	798
84"			33P842IT	317	447	533	667	867
90"			33P902IT	338	478	570	716	932
96"			33P962IT	374	520	614	766	990

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile

How to Specify

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
1F1FF = 1-high fabric (upper) + 1-high fabric (lower)
- 4 Upper fabric grade
- 5 Upper fabric number
- 6 Lower fabric grade
- 7 Lower fabric number

Fabric is applied railroaded.

Specify tiles for both sides of frame.


Combination Tackable Fabric Tiles

3-High

GSA Contract Pending
COM GSA Non-Contract



1F2F



2F1F

W	Trim	Support	Model	Fabric Price Grade				
	H	H		A or COM	B	C	D	E
3-High								
18"	37 ¹⁹ / ₃₂ "	37 ⁷ / ₃₂ "	33P183IT	\$104	\$136	\$156	\$188	\$236
24"			33P243IT	115	157	183	227	291
30"			33P303IT	135	187	221	275	355
36"			33P363IT	162	224	266	330	426
42"			33P423IT	189	257	301	371	475
48"			33P483IT	211	289	341	421	541
54"			33P543IT	235	323	381	473	609
60"			33P603IT	253	347	407	505	649
66"			33P663IT	271	375	443	551	711
72"			33P723IT	294	408	484	602	778
78"			33P783IT	318	438	516	640	824
84"			33P843IT	342	472	558	692	892
90"			33P903IT	366	506	598	744	960
96"			33P963IT	393	539	633	785	1009

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile

How to Specify

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
1F2F = 1-high fabric (upper) + 2-high fabric (lower)
2F1F = 2-high fabric on (upper) + 1-high fabric (lower)
- 4 Upper fabric grade
- 5 Upper fabric number
- 6 Lower fabric grade
- 7 Lower fabric number

Fabric is applied railroaded.

Specify tiles for both sides of frame.

Combination Tackable Fabric Tiles

To-the-Floor 3-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
To-the-Floor 3-High								
1-High Fabric (Upper) + 2-High Fabric (Lower)								
18"	41 ¹³ / ₃₂ "	41 ¹ / ₃₂ "	33P183IT	\$120	\$152	\$172	\$204	\$252
24"			33P243IT	140	182	208	252	316
30"			33P303IT	163	215	249	303	383
36"			33P363IT	193	255	297	361	457
42"			33P423IT	226	294	338	408	512
48"			33P483IT	253	331	383	463	583
54"			33P543IT	282	370	428	520	656
60"			33P603IT	307	401	461	559	703
66"			33P663IT	342	446	514	622	782
72"			33P723IT	379	493	569	687	863
78"			33P783IT	403	523	601	725	909
84"			33P843IT	424	554	640	774	974
90"			33P903IT	453	593	685	831	1047
96"			33P963IT	488	634	728	880	1104
2-High Fabric (Upper) + 1-High Fabric (Lower)								
18"	41 ¹³ / ₃₂ "	41 ¹ / ₃₂ "	33P183IT	\$113	\$145	\$165	\$197	\$245
24"			33P243IT	128	170	196	240	304
30"			33P303IT	156	208	242	296	376
36"			33P363IT	185	247	289	353	449
42"			33P423IT	212	280	324	394	498
48"			33P483IT	240	318	370	450	570
54"			33P543IT	271	359	417	509	645
60"			33P603IT	289	383	443	541	685
66"			33P663IT	310	414	482	590	750
72"			33P723IT	327	441	517	635	811
78"			33P783IT	363	483	561	685	869
84"			33P843IT	395	525	611	745	945
90"			33P903IT	423	563	655	801	1017
96"			33P963IT	464	610	704	856	1080



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile

How to Specify



- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
1F2FF = 1-high fabric (upper) + 2-high fabric (lower)
2F1FF = 2-high fabric on (upper) + 1-high fabric (lower)
- 4 Upper fabric grade
- 5 Upper fabric number
- 6 Lower fabric grade
- 7 Lower fabric number

Combination Tackable Fabric Tiles

3.5-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
3.5-High								
.5-High Fabric (Upper) + 3-High Fabric (Lower)								
18"	44 ¹⁷ / ₃₂ "	44 ⁵ / ₃₂ "	33P1844IT	\$116	\$148	\$168	\$200	\$248
24"			33P2444IT	136	178	204	248	312
30"			33P3044IT	159	211	245	299	379
36"			33P3644IT	188	250	292	356	452
42"			33P4244IT	215	283	327	397	501
48"			33P4844IT	243	321	373	453	573
1.5-High Fabric (Upper) + 2-High Fabric (Lower)								
18"	44 ¹⁷ / ₃₂ "	44 ⁵ / ₃₂ "	33P1844IT	\$113	\$145	\$165	\$197	\$245
24"			33P2444IT	128	170	196	240	304
30"			33P3044IT	156	208	242	296	376
36"			33P3644IT	185	247	289	353	449
42"			33P4244IT	212	280	324	394	498
48"			33P4844IT	240	318	370	450	570
2.5-High Fabric (Upper) + 1-High Fabric (Lower)								
18"	44 ¹⁷ / ₃₂ "	44 ⁵ / ₃₂ "	33P1844IT	\$123	\$155	\$175	\$207	\$255
24"			33P2444IT	140	182	208	252	316
30"			33P3044IT	166	218	252	306	386
36"			33P3644IT	193	255	297	361	457
42"			33P4244IT	221	289	333	403	507
48"			33P4844IT	248	326	378	458	578



IMPORTANT 3.5-high tile is only for use with 3.5-high frame.

Fabric is applied railroaded.

Specify tiles for both sides of frame.

Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile

How to Specify




- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
06F3F = .5-high fabric (upper) + 3-high fabric (lower)
18F2F = 1.5-high fabric (upper) + 2-high fabric (lower)
30F1F = 2.5-high fabric (upper) + 1-high fabric (lower)
- 4 Upper fabric grade
- 5 Upper fabric number
- 6 Lower fabric grade
- 7 Lower fabric number

Combination Tackable Fabric Tiles

To-the-Floor 3.5-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
To-the-Floor 3.5-High								
.5-High Fabric (Upper) + 3-High Fabric (Lower)								
18"	48 ¹¹ / ₃₂ "	47 ³¹ / ₃₂ "	33P1844IT	\$120	\$152	\$172	\$204	\$252
24"			33P2444IT	143	185	211	255	319
30"			33P3044IT	172	224	258	312	392
36"			33P3644IT	212	274	316	380	476
42"			33P4244IT	235	303	347	417	521
48"			33P4844IT	276	354	406	486	606
1.5-High Fabric (Upper) + 2-High Fabric (Lower)								
18"	48 ¹¹ / ₃₂ "	47 ³¹ / ₃₂ "	33P1844IT	\$129	\$161	\$181	\$213	\$261
24"			33P2444IT	153	195	221	265	329
30"			33P3044IT	184	236	270	324	404
36"			33P3644IT	216	278	320	384	480
42"			33P4244IT	249	317	361	431	535
48"			33P4844IT	282	360	412	492	612
2.5-High Fabric (Upper) + 1-High Fabric (Lower)								
18"	48 ¹¹ / ₃₂ "	47 ³¹ / ₃₂ "	33P1844IT	\$128	\$160	\$180	\$212	\$260
24"			33P2444IT	151	193	219	263	327
30"			33P3044IT	180	232	266	320	400
36"			33P3644IT	210	272	314	378	474
42"			33P4244IT	245	313	357	427	531
48"			33P4844IT	280	358	410	490	610



IMPORTANT 3.5-high tile is only for use with 3.5-high frame.

Fabric is applied railroaded.

Specify tiles for both sides of frame.

Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile

How to Specify



- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
06F3FF = .5-high fabric (upper) + 3-high fabric (lower)
18F2FF = 1.5-high fabric (upper) + 2-high fabric (lower)
2F18FF = 2-high fabric (upper) + 1.5-high fabric (lower)
- 4 Upper fabric grade
- 5 Upper fabric number
- 6 Lower fabric grade
- 7 Lower fabric number

Combination Tackable Fabric Tiles

4-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
4-High								
1-High Fabric (Upper) + 3-High Fabric (Lower)								
18"	50 ³ / ₁₆ "	49 ¹³ / ₁₆ "	33P184IT	\$120	\$152	\$172	\$204	\$252
24"			33P244IT	140	182	208	252	316
30"			33P304IT	163	215	249	303	383
36"			33P364IT	193	255	297	361	457
42"			33P424IT	226	294	338	408	512
48"			33P484IT	253	331	383	463	583
2-High Fabric (Upper) + 2-High Fabric (Lower)								
18"	50 ³ / ₁₆ "	49 ¹³ / ₁₆ "	33P184IT	\$126	\$158	\$178	\$210	\$258
24"			33P244IT	141	183	209	253	317
30"			33P304IT	169	221	255	309	389
36"			33P364IT	207	269	311	375	471
42"			33P424IT	233	301	345	415	519
48"			33P484IT	261	339	391	471	591
3-High Fabric (Upper) + 1-High Fabric (Lower)								
18"	50 ³ / ₁₆ "	49 ¹³ / ₁₆ "	33P184IT	\$120	\$152	\$172	\$204	\$252
24"			33P244IT	140	182	208	252	316
30"			33P304IT	163	215	249	303	383
36"			33P364IT	193	255	297	361	457
42"			33P424IT	226	294	338	408	512
48"			33P484IT	253	331	383	463	583



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile

How to Specify




- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
1F3F = 1-high fabric (upper) + 3-high fabric (lower)
2F2F = 2-high fabric (upper) + 2-high fabric (lower)
3F1F = 3-high fabric (upper) + 1-high fabric (lower)
- 4 Upper fabric grade
- 5 Upper fabric number
- 6 Bottom fabric grade
- 7 Bottom fabric number

Combination Tackable Fabric Tiles

To-the-Floor 4-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim	Support	Model	Fabric Price Grade				
	H	H		A or COM	B	C	D	E
To-the-Floor 4-High								
1-High Fabric (Upper) + 3-High Fabric (Lower)								
18"	54"	53 ⁵ / ₈ "	33P184IT	\$124	\$156	\$176	\$208	\$256
24"			33P244IT	147	189	215	259	323
30"			33P304IT	176	228	262	316	396
36"			33P364IT	217	279	321	385	481
42"			33P424IT	246	314	358	428	532
48"			33P484IT	286	364	416	496	616
2-High Fabric (Upper) + 2-High Fabric (Lower)								
18"	54"	53 ⁵ / ₈ "	33P184IT	\$142	\$174	\$194	\$226	\$274
24"			33P244IT	166	208	234	278	342
30"			33P304IT	197	249	283	337	417
36"			33P364IT	238	300	342	406	502
42"			33P424IT	270	338	382	452	556
48"			33P484IT	303	381	433	513	633
3-High Fabric (Upper) + 1-High Fabric (Lower)								
18"	54"	53 ⁵ / ₈ "	33P184IT	\$129	\$161	\$181	\$213	\$261
24"			33P244IT	153	195	221	265	329
30"			33P304IT	184	236	270	324	404
36"			33P364IT	216	278	320	384	480
42"			33P424IT	249	317	361	431	535
48"			33P484IT	282	360	412	492	612



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile

How to Specify



- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
1F3FF = 1-high fabric (upper) + 3-high fabric (lower)
2F2FF = 2-high fabric (upper) + 2-high fabric (lower)
3F1FF = 3-high fabric (upper) + 1-high fabric (lower)
- 4 Upper fabric grade
- 5 Upper fabric number
- 6 Lower fabric grade
- 7 Lower fabric number

Combination Tackable Fabric Tiles

5-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
5-High								
1-High Fabric (Upper) + 4-High Fabric (Lower)								
18"	62 ²⁵ / ₃₂ "	62 ³ / ₈ "	33P185IT	\$133	\$165	\$185	\$217	\$265
24"			33P245IT	158	200	226	270	334
30"			33P305IT	193	245	279	333	413
36"			33P365IT	230	292	334	398	494
42"			33P425IT	268	336	380	450	554
48"			33P485IT	304	382	434	514	634
2-High Fabric (Upper) + 3-High Fabric (Lower)								
18"	62 ²⁵ / ₃₂ "	62 ³ / ₈ "	33P185IT	\$142	\$174	\$194	\$226	\$274
24"			33P245IT	166	208	234	278	342
30"			33P305IT	197	249	283	337	417
36"			33P365IT	238	300	342	406	502
42"			33P425IT	270	338	382	452	556
48"			33P485IT	303	381	433	513	633
3-High Fabric (Upper) + 2-High Fabric (Lower)								
18"	62 ²⁵ / ₃₂ "	62 ³ / ₈ "	33P185IT	\$142	\$174	\$194	\$226	\$274
24"			33P245IT	166	208	234	278	342
30"			33P305IT	197	249	283	337	417
36"			33P365IT	238	300	342	406	502
42"			33P425IT	270	338	382	452	556
48"			33P485IT	303	381	433	513	633
4-High Fabric (Upper) + 1-High Fabric (Lower)								
18"	62 ²⁵ / ₃₂ "	62 ³ / ₈ "	33P185IT	\$133	\$165	\$185	\$217	\$265
24"			33P245IT	158	200	226	270	334
30"			33P305IT	193	245	279	333	413
36"			33P365IT	230	292	334	398	494
42"			33P425IT	268	336	380	450	554
48"			33P485IT	304	382	434	514	634



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile

How to Specify

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
1F4FF = 1-high fabric (upper) +
4-high fabric (lower)
2F3FF = 2-high fabric (upper) +
3-high fabric (lower)
3F2FF = 3-high fabric (upper) +
2-high fabric (lower)
4F1FF = 4-high fabric (upper) +
1-high fabric (lower)
- 4 Upper fabric grade
- 5 Upper fabric number
- 6 Lower fabric grade
- 7 Lower fabric number





Combination Tackable Fabric Tiles

To-the-Floor 5-High

GSA Contract Pending
COM GSA Non-Contract

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
To-the-Floor 5-High								
1-High Fabric (Upper) + 4-High Fabric (Lower)								
18"	62 ²⁵ / ₃₂ "	62 ³ / ₈ "	33P185IT	\$151	\$183	\$203	\$235	\$283
24"			33P245IT	176	218	226	288	352
30"			33P305IT	243	295	329	383	463
36"			33P365IT	254	316	358	422	518
42"			33P425IT	302	370	414	484	588
48"			33P485IT	343	421	473	553	673
2-High Fabric (Upper) + 3-High Fabric (Lower)								
18"	62 ²⁵ / ₃₂ "	62 ³ / ₈ "	33P185IT	\$146	\$178	\$198	\$230	\$278
24"			33P245IT	173	215	241	285	349
30"			33P305IT	210	262	296	350	430
36"			33P365IT	262	324	366	430	526
42"			33P425IT	290	358	402	472	576
48"			33P485IT	336	414	466	546	666
3-High Fabric (Upper) + 2-High Fabric (Lower)								
18"	62 ²⁵ / ₃₂ "	62 ³ / ₈ "	33P185IT	\$158	\$190	\$210	\$242	\$290
24"			33P245IT	191	233	259	303	367
30"			33P305IT	225	277	311	365	445
36"			33P365IT	269	331	373	437	533
42"			33P425IT	307	375	419	489	593
48"			33P485IT	345	423	475	555	633
4-High Fabric (Upper) + 1-High Fabric (Lower)								
18"	62 ²⁵ / ₃₂ "	62 ³ / ₈ "	33P185IT	\$142	\$174	\$194	\$226	\$274
24"			33P245IT	171	213	239	283	347
30"			33P305IT	214	266	300	354	434
36"			33P365IT	253	315	357	421	517
42"			33P425IT	291	359	403	473	577
48"			33P485IT	333	411	463	543	663



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Standard Includes

- Tackable tile

How to Specify


- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
1F4FF = 1-high fabric (upper) +
4-high fabric (lower)
2F3FF = 2-high fabric (upper) +
3-high fabric (lower)
3F2FF = 3-high fabric (upper) +
2-high fabric (lower)
4F1FF = 4-high fabric (upper) +
1-high fabric (lower)
- 4 Upper fabric grade
- 5 Upper fabric number
- 6 Lower fabric grade
- 7 Lower fabric number

Combination Fabric/Laminate Tiles

2-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
2-High								
18"	25"	24 ⁵ / ₈ "	33P182IT	\$243	\$259	\$269	\$285	\$309
24"			33P242IT	255	276	289	311	343
30"			33P302IT	270	296	313	340	380
36"			33P362IT	288	319	340	372	420
42"			33P422IT	311	345	367	402	454
48"			33P482IT	327	366	392	432	492
54"			33P542IT	342	386	415	461	529
60"			33P602IT	357	404	434	483	555
66"			33P662IT	373	425	459	513	593
72"			33P722IT	394	451	489	548	636
78"			33P782IT	410	470	509	571	663
84"			33P842IT	426	491	534	601	701
90"			33P902IT	442	512	558	631	739
96"			33P962IT	471	544	591	667	779
To-the-Floor 2-High								
18"	28 ¹³ / ₁₆ "	28 ⁷ / ₁₆ "	33P182IT	\$256	\$272	\$282	\$298	\$322
24"			33P242IT	271	292	305	327	359
30"			33P302IT	290	316	333	360	400
36"			33P362IT	310	341	362	394	442
42"			33P422IT	337	371	393	428	480
48"			33P482IT	357	396	422	462	522
54"			33P542IT	376	420	449	495	563
60"			33P602IT	395	442	472	521	593
66"			33P662IT	414	466	500	554	634
72"			33P722IT	438	495	533	592	680
78"			33P782IT	460	520	559	621	713
84"			33P842IT	482	547	590	657	757
90"			33P902IT	504	574	620	693	801
96"			33P962IT	529	602	649	725	837



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify

2-High Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
1F1LL = 1-high fabric (upper) +
1-high laminate (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Laminate finish designator

To-the-Floor 2-High Tiles



- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
1F1LLF = 1-high fabric (upper) +
1-high laminate (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Laminate finish designator

Combination Fabric/Laminate Tiles

3-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
3-High								
1-High Fabric (Upper) + 2-High Laminate (Lower)								
18"	37 ¹⁹ / ₃₂ "	37 ⁷ / ₃₂ "	33P183IT	\$263	\$279	\$289	\$305	\$329
24"			33P243IT	279	300	313	335	367
30"			33P303IT	300	326	343	370	410
36"			33P363IT	321	352	373	405	453
42"			33P423IT	348	382	404	439	491
48"			33P483IT	378	417	443	483	543
54"			33P543IT	405	449	478	524	592
60"			33P603IT	427	474	504	553	625
66"			33P663IT	450	502	536	590	670
72"			33P723IT	473	530	568	627	715
78"			33P783IT	498	558	597	659	751
84"			33P843IT	523	588	631	698	798
90"			33P903IT	548	618	664	737	845
96"			33P963IT	576	649	696	772	884
2-High Fabric (Upper) + 1-High Laminate (Lower)								
18"	37 ¹⁹ / ₃₂ "	37 ⁷ / ₃₂ "	33P183IT	\$265	\$281	\$291	\$307	\$331
24"			33P243IT	281	302	315	337	369
30"			33P303IT	304	330	347	374	414
36"			33P363IT	333	364	385	417	465
42"			33P423IT	355	389	411	446	498
48"			33P483IT	377	416	442	482	542
54"			33P543IT	402	446	475	521	589
60"			33P603IT	420	467	497	546	618
66"			33P663IT	439	491	525	579	659
72"			33P723IT	458	515	553	612	700
78"			33P783IT	481	541	580	642	734
84"			33P843IT	504	569	612	679	779
90"			33P903IT	527	597	643	716	824
96"			33P963IT	561	634	681	757	869



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify



- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
1F2LL = 1-high fabric (upper) + 2-high laminate (lower)
2F1LL = 2-high fabric (upper) + 1-high laminate (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Laminate finish designator

Combination Fabric/Laminate Tiles

To-the-Floor 3-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
To-the-Floor 3-High								
1-High Fabric (Upper) + 2-High Laminate (Lower)								
18"	41 13/32"	41 1/32"	33P183IT	\$272	\$288	\$298	\$314	\$338
24"			33P243IT	286	307	320	342	374
30"			33P303IT	319	345	362	389	429
36"			33P363IT	343	374	395	427	475
42"			33P423IT	373	407	429	464	516
48"			33P483IT	400	439	465	505	565
54"			33P543IT	424	468	497	543	611
60"			33P603IT	446	493	523	572	644
66"			33P663IT	470	522	556	610	690
72"			33P723IT	499	556	594	653	741
78"			33P783IT	525	585	624	686	778
84"			33P843IT	551	616	659	726	826
90"			33P903IT	579	649	695	768	876
96"			33P963IT	609	682	729	805	917
2-High Fabric (Upper) + 1-High Laminate (Lower)								
18"	41 13/32"	41 1/32"	33P183IT	\$278	\$294	\$304	\$320	\$344
24"			33P243IT	297	318	331	353	385
30"			33P303IT	324	350	367	394	434
36"			33P363IT	355	386	407	439	487
42"			33P423IT	381	415	437	472	524
48"			33P483IT	407	446	472	512	572
54"			33P543IT	436	480	509	555	623
60"			33P603IT	458	505	535	584	656
66"			33P663IT	480	532	566	620	700
72"			33P723IT	502	559	597	656	744
78"			33P783IT	531	591	630	692	784
84"			33P843IT	560	625	668	735	835
90"			33P903IT	589	659	705	778	886
96"			33P963IT	619	692	739	815	927



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify



- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
1F2LLF = 1-high fabric (upper) + 2-high laminate (lower)
2F1LLF = 2-high fabric (upper) + 1-high laminate (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Laminate finish designator

Combination Fabric/Laminate Tiles

3.5-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
3.5-High								
.5-High Fabric (Upper) + 3-High Laminate (Lower)								
18"	44 ¹⁷ / ₃₂ "	44 ⁵ / ₃₂ "	33P1844IT	\$277	\$293	\$303	\$319	\$343
24"			33P2444IT	291	312	325	347	379
30"			33P3044IT	323	349	366	393	433
36"			33P3644IT	360	391	412	444	492
42"			33P4244IT	427	461	483	518	570
48"			33P4844IT	449	488	514	554	614
1.5-High Fabric (Upper) + 2-High Laminate (Lower)								
18"	44 ¹⁷ / ₃₂ "	44 ⁵ / ₃₂ "	33P1844IT	\$272	\$288	\$298	\$314	\$338
24"			33P2444IT	292	313	326	348	380
30"			33P3044IT	321	347	364	391	431
36"			33P3644IT	344	375	396	428	476
42"			33P4244IT	371	405	427	462	514
48"			33P4844IT	409	448	474	514	574
2.5-High Fabric (Upper) + 1-High Laminate (Lower)								
18"	44 ¹⁷ / ₃₂ "	44 ⁵ / ₃₂ "	33P1844IT	\$277	\$293	\$303	\$319	\$343
24"			33P2444IT	294	315	328	350	382
30"			33P3044IT	323	349	366	393	433
36"			33P3644IT	353	384	405	437	485
42"			33P4244IT	401	435	457	492	544
48"			33P4844IT	430	469	495	535	595



IMPORTANT 3.5-high tile is only for use with 3.5-high frame.

Fabric is applied railroded.

Specify tiles for both sides of frame.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify




- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
06F3LL = .5-high fabric (upper) + 3-high laminate (lower)
18F2LL = 1.5-high fabric (upper) + 2-high laminate (lower)
30F1LL = 2.5-high fabric (upper) + 1-high laminate (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Laminate finish designator

Combination Fabric/Laminate Tiles

To-the-Floor 3.5-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
To-the-Floor 3.5-High								
.5-High Fabric (Upper) + 3-High Laminate (Lower)								
18"	48 ¹¹ / ₃₂ "	47 ³¹ / ₃₂ "	33P1844IT	\$292	\$308	\$318	\$334	\$358
24"			33P2444IT	315	336	349	371	403
30"			33P3044IT	344	370	387	414	454
36"			33P3644IT	381	412	433	465	513
42"			33P4244IT	413	447	469	504	556
48"			33P4844IT	445	484	510	550	610
1.5-High Fabric (Upper) + 2-High Laminate (Lower)								
18"	48 ¹¹ / ₃₂ "	47 ³¹ / ₃₂ "	33P1844IT	\$281	\$297	\$307	\$323	\$347
24"			33P2444IT	299	320	333	355	387
30"			33P3044IT	340	366	383	410	450
36"			33P3644IT	366	397	418	450	498
42"			33P4244IT	396	430	452	487	539
48"			33P4844IT	429	468	494	534	594
2.5-High Fabric (Upper) + 1-High Laminate (Lower)								
18"	48 ¹¹ / ₃₂ "	47 ³¹ / ₃₂ "	33P1844IT	\$290	\$306	\$316	\$332	\$356
24"			33P2444IT	310	331	344	366	398
30"			33P3044IT	343	369	386	413	453
36"			33P3644IT	375	406	427	459	507
42"			33P4244IT	407	441	463	498	550
48"			33P4844IT	438	477	503	543	603



IMPORTANT 3.5-high tile is only for use with 3.5-high frame.

Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify



- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
06F3LLF = .5-high fabric (upper) + 3-high laminate (lower)
18F2LLF = 1.5-high fabric (upper) + 2-high laminate (lower)
30F1LLF = 2.5-high fabric (upper) + 1-high laminate (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Laminate finish designator

Combination Fabric/Laminate Tiles

4-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
4-High								
1-High Fabric (Upper) + 3-High Laminate (Lower)								
18"	50 ³ / ₁₆ "	49 ¹³ / ₁₆ "	33P184IT	\$281	\$297	\$307	\$323	\$347
24"			33P244IT	295	316	329	351	383
30"			33P304IT	327	353	370	397	437
36"			33P364IT	365	396	417	449	497
42"			33P424IT	438	472	494	529	581
48"			33P484IT	459	498	524	564	624
2-High Fabric (Upper) + 2-High Laminate (Lower)								
18"	50 ³ / ₁₆ "	49 ¹³ / ₁₆ "	33P184IT	\$285	\$301	\$311	\$327	\$351
24"			33P244IT	305	326	339	361	393
30"			33P304IT	334	360	377	404	444
36"			33P364IT	366	397	418	450	498
42"			33P424IT	392	426	448	483	535
48"			33P484IT	428	467	493	533	593
3-High Fabric (Upper) + 1-High Laminate (Lower)								
18"	50 ³ / ₁₆ "	49 ¹³ / ₁₆ "	33P184IT	\$281	\$297	\$307	\$323	\$347
24"			33P244IT	306	327	340	362	394
30"			33P304IT	332	358	375	402	442
36"			33P364IT	364	395	416	448	496
42"			33P424IT	392	426	448	483	535
48"			33P484IT	419	458	484	524	584



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify




- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
1F3LL = 1-high fabric (upper) + 3-high laminate (lower)
2F2LL = 2-high fabric (upper) + 2-high laminate (lower)
3F1LL = 3-high fabric (upper) + 1-high laminate (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Laminate finish designator

Combination Fabric/Laminate Tiles

To-the-Floor 4-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
To-the-Floor 4-High								
1-High Fabric (Upper) + 3-High Laminate (Lower)								
18"	54"	53 ⁵ / ₈ "	33P184IT	\$296	\$312	\$322	\$338	\$362
24"			33P244IT	319	340	353	375	407
30"			33P304IT	348	374	391	418	458
36"			33P364IT	386	417	438	470	518
42"			33P424IT	424	458	480	515	567
48"			33P484IT	455	494	520	560	620
2-High Fabric (Upper) + 2-High Laminate (Lower)								
18"	54"	53 ⁵ / ₈ "	33P184IT	\$294	\$310	\$320	\$336	\$360
24"			33P244IT	312	333	346	368	400
30"			33P304IT	353	379	396	423	463
36"			33P364IT	388	419	440	472	520
42"			33P424IT	417	451	473	508	560
48"			33P484IT	450	489	515	555	615
3-High Fabric (Upper) + 1-High Laminate (Lower)								
18"	54"	53 ⁵ / ₈ "	33P184IT	\$294	\$310	\$320	\$336	\$360
24"			33P244IT	322	343	356	378	410
30"			33P304IT	352	378	395	422	462
36"			33P364IT	386	417	438	470	518
42"			33P424IT	418	452	474	509	561
48"			33P484IT	449	488	514	554	614



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify



- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
1F3LLF = 1-high fabric (upper) + 3-high laminate (lower)
2F2LLF = 2-high fabric (upper) + 2-high laminate (lower)
3F1LLF = 3-high fabric (upper) + 1-high laminate (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Laminate finish designator

Combination Fabric/Laminate Tiles

5-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
5-High								
2-High Fabric (Upper) + 3-High Laminate (Lower)								
18"	62 ²⁵ / ₃₂ "	62 ³ / ₈ "	33P185IT	\$303	\$319	\$329	\$345	\$369
24"			33P245IT	321	342	355	377	409
30"			33P305IT	361	387	404	431	471
36"			33P365IT	410	441	462	494	542
42"			33P425IT	482	516	538	573	625
48"			33P485IT	509	548	574	614	674
3-High Fabric (Upper) + 2-High Laminate (Lower)								
18"	62 ²⁵ / ₃₂ "	62 ³ / ₈ "	33P185IT	\$301	\$317	\$327	\$343	\$367
24"			33P245IT	330	351	364	386	418
30"			33P305IT	362	388	405	432	472
36"			33P365IT	397	428	449	481	529
42"			33P425IT	429	463	485	520	572
48"			33P485IT	471	510	536	576	636
4-High Fabric (Upper) + 1-High Laminate (Lower)								
18"	62 ²⁵ / ₃₂ "	62 ³ / ₈ "	33P185IT	\$294	\$310	\$320	\$336	\$360
24"			33P245IT	324	345	358	380	412
30"			33P305IT	362	388	405	432	472
36"			33P365IT	401	432	453	485	533
42"			33P425IT	434	468	490	525	577
48"			33P485IT	470	509	535	575	635



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify



- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
2F3LL = 2-high fabric (upper) + 3-high laminate (lower)
3F2LL = 3-high fabric (upper) + 2-high laminate (lower)
4F1LL = 4-high fabric (upper) + 1-high laminate (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Laminate finish designator

Combination Fabric/Laminate Tiles

To-the-Floor 5-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
To-the-Floor 5-High								
2-High Fabric (Upper) + 3-High Laminate (Lower)								
18"	66 ⁵ / ₈ "	66 ¹ / ₄ "	33P185IT	\$318	\$334	\$344	\$360	\$384
24"			33P245IT	345	366	379	401	433
30"			33P305IT	382	408	425	452	492
36"			33P365IT	431	462	483	515	563
42"			33P425IT	468	502	524	559	611
48"			33P485IT	505	544	570	610	670
3-High Fabric (Upper) + 2-High Laminate (Lower)								
18"	66 ⁵ / ₈ "	66 ¹ / ₄ "	33P185IT	\$310	\$326	\$336	\$352	\$376
24"			33P245IT	337	358	371	393	425
30"			33P305IT	381	407	424	451	491
36"			33P365IT	419	450	471	503	551
42"			33P425IT	454	488	510	545	597
48"			33P485IT	493	532	558	598	658
4-High Fabric (Upper) + 1-High Laminate (Lower)								
18"	66 ⁵ / ₈ "	66 ¹ / ₄ "	33P185IT	\$307	\$323	\$333	\$349	\$373
24"			33P245IT	340	361	374	396	428
30"			33P305IT	382	408	425	452	492
36"			33P365IT	423	454	475	507	555
42"			33P425IT	460	494	516	551	603
48"			33P485IT	500	539	565	605	665



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
2F3LLF = 2-high fabric (upper) + 3-high laminate (lower)
3F2LLF = 3-high fabric (upper) + 2-high laminate (lower)
4F1LLF = 4-high fabric (upper) + 1-high laminate (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Laminate finish designator

Combination Fabric/Wood Tiles

2-High

GSA Contract Pending
COM GSA Non-Contract



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
2-High								
18"	25"	24 ⁵ / ₈ "	33P182IT	\$331	\$347	\$357	\$373	\$397
24"			33P242IT	346	367	380	402	434
30"			33P302IT	380	406	423	450	490
36"			33P362IT	416	447	468	500	548
42"			33P422IT	464	498	520	555	607
48"			33P482IT	491	530	556	596	656
54"			33P542IT	526	570	599	645	713
60"			33P602IT	560	607	637	686	758
66"			33P662IT	643	695	729	783	863
72"			33P722IT	731	788	826	885	973
78"			33P782IT	761	821	860	922	1014
84"			33P842IT	790	855	898	965	1065
90"			33P902IT	808	878	924	997	1105
96"			33P962IT	831	904	951	1027	1139
To-the-Floor 2-High								
18"	28 ¹³ / ₁₆ "	28 ⁷ / ₁₆ "	33P182IT	\$392	\$408	\$418	\$434	\$458
24"			33P242IT	417	438	451	473	505
30"			33P302IT	461	487	504	531	571
36"			33P362IT	502	533	554	586	634
42"			33P422IT	555	589	611	646	698
48"			33P482IT	600	639	665	705	765
54"			33P542IT	642	686	715	761	829
60"			33P602IT	684	731	761	810	882
66"			33P662IT	787	839	873	927	1007
72"			33P722IT	896	953	991	1050	1138
78"			33P782IT	931	991	1030	1092	1184
84"			33P842IT	966	1031	1074	1141	1241
90"			33P902IT	985	1055	1101	1174	1282
96"			33P962IT	1010	1083	1130	1206	1318

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify

2-High Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
1F1W = 1-high fabric (upper) +
1-high wood (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Wood finish type:
STD = Group 1
STD2 = Group 2 (+20%)
- 7 Wood finish designator

To-the-Floor 2-High Tiles


- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
1F1WF = 1-high fabric (upper) +
1-high wood (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Wood finish type:
STD = Group 1
STD2 = Group 2 (+20%)
- 7 Wood finish designator

Combination Fabric/Wood Tiles

3-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
3-High								
1-High Fabric (Upper) + 2-High Wood (Lower)								
18"	37 ¹⁹ / ₃₂ "	37 ⁷ / ₃₂ "	33P183IT	\$407	\$423	\$433	\$449	\$473
24"			33P243IT	432	453	466	488	520
30"			33P303IT	476	502	519	546	586
36"			33P363IT	517	548	569	601	649
42"			33P423IT	544	578	600	635	687
48"			33P483IT	585	624	650	690	750
54"			33P543IT	624	668	697	743	811
60"			33P603IT	667	714	744	793	865
66"			33P663IT	807	859	893	947	1027
72"			33P723IT	918	975	1013	1072	1160
78"			33P783IT	954	1014	1053	1115	1207
84"			33P843IT	989	1054	1097	1164	1264
90"			33P903IT	1009	1079	1125	1198	1306
96"			33P963IT	1034	1107	1154	1230	1342
2-High Fabric (Upper) + 1-High Wood (Lower)								
18"	37 ¹⁹ / ₃₂ "	37 ⁷ / ₃₂ "	33P183IT	\$353	\$369	\$379	\$395	\$419
24"			33P243IT	372	393	406	428	460
30"			33P303IT	414	440	457	484	524
36"			33P363IT	461	492	513	545	593
42"			33P423IT	508	542	564	599	651
48"			33P483IT	541	580	606	646	706
54"			33P543IT	586	630	659	705	773
60"			33P603IT	623	670	700	749	821
66"			33P663IT	709	761	795	849	929
72"			33P723IT	795	852	890	949	1037
78"			33P783IT	832	892	931	993	1085
84"			33P843IT	868	933	976	1043	1143
90"			33P903IT	893	963	1009	1082	1190
96"			33P963IT	921	994	1041	1117	1229



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify


- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
1F2W = 1-high fabric (upper) + 2-high wood (lower)
2F1W = 2-high fabric (upper) + 1-high wood (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Wood finish type:
STD = Group 1
STD2 = Group 2 (+20%)
- 7 Wood finish designator

Combination Fabric/Wood Tiles

To-the-Floor 3-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
To-the-Floor 3-High								
1-High Fabric (Upper) + 2-High Wood (Lower)								
18"	41 13/32"	41 1/32"	33P183IT	\$455	\$471	\$481	\$497	\$521
24"			33P243IT	473	494	507	529	561
30"			33P303IT	527	553	570	597	637
36"			33P363IT	578	609	630	662	710
42"			33P423IT	640	674	696	731	783
48"			33P483IT	691	730	756	796	856
54"			33P543IT	739	783	812	858	926
60"			33P603IT	787	834	864	913	985
66"			33P663IT	908	960	994	1048	1128
72"			33P723IT	1034	1091	1129	1188	1276
78"			33P783IT	1073	1133	1172	1234	1326
84"			33P843IT	1112	1177	1220	1287	1387
90"			33P903IT	1132	1202	1248	1321	1429
96"			33P963IT	1159	1232	1279	1355	1467
2-High Fabric (Upper) + 1-High Wood (Lower)								
18"	41 13/32"	41 1/32"	33P183IT	\$414	\$430	\$440	\$456	\$480
24"			33P243IT	443	464	477	499	531
30"			33P303IT	495	521	538	565	605
36"			33P363IT	547	578	599	631	679
42"			33P423IT	599	633	655	690	742
48"			33P483IT	650	689	715	755	815
54"			33P543IT	702	746	775	821	889
60"			33P603IT	747	794	824	873	945
66"			33P663IT	853	905	939	993	1073
72"			33P723IT	960	1017	1055	1114	1202
78"			33P783IT	1002	1062	1101	1163	1255
84"			33P843IT	1044	1109	1152	1219	1319
90"			33P903IT	1070	1140	1186	1259	1367
96"			33P963IT	1100	1173	1220	1296	1408



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify



- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
1F2WF = 1-high fabric (upper) + 2-high wood (lower)
2F1WF = 2-high fabric (upper) + 1-high wood (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Wood finish type:
STD = Group 1
STD2 = Group 2 (+20%)
- 7 Wood finish designator

Combination Fabric/Wood Tiles

3.5-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
3.5-High								
.5-High Fabric (Upper) + 3-High Wood (Lower)								
18"	44 ¹⁷ / ₃₂ "	44 ⁵ / ₃₂ "	33P1844IT	\$479	\$495	\$505	\$521	\$545
24"			33P2444IT	507	528	541	563	595
30"			33P3044IT	568	594	611	638	678
36"			33P3644IT	631	662	683	715	763
42"			33P4244IT	695	729	751	786	838
48"			33P4844IT	757	796	822	862	922
1.5-High Fabric (Upper) + 2-High Wood (Lower)								
18"	44 ¹⁷ / ₃₂ "	44 ⁵ / ₃₂ "	33P1844IT	\$416	\$432	\$442	\$458	\$482
24"			33P2444IT	445	466	479	501	533
30"			33P3044IT	497	523	540	567	607
36"			33P3644IT	529	560	581	613	661
42"			33P4244IT	567	601	623	658	710
48"			33P4844IT	614	653	679	719	779
2.5-High Fabric (Upper) + 1-High Wood (Lower)								
18"	44 ¹⁷ / ₃₂ "	44 ⁵ / ₃₂ "	33P1844IT	\$440	\$456	\$466	\$482	\$506
24"			33P2444IT	480	501	514	536	568
30"			33P3044IT	534	560	577	604	644
36"			33P3644IT	587	618	639	671	719
42"			33P4244IT	630	664	686	721	773
48"			33P4844IT	688	727	753	793	853



IMPORTANT 3.5-high tile is only for use with 3.5-high frame.

Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify




- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
06F3W = .5-high fabric (upper) + 3-high wood (lower)
18F2W = 1.5-high fabric (upper) + 2-high wood (lower)
30F1W = 2.5-high fabric (upper) + 1-high wood (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Wood finish type:
STD = Group 1
STD2 = Group 2 (+20%)
- 7 Wood finish designator

Combination Fabric/Wood Tiles

To-the-Floor 3.5-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
To-the-Floor 3.5-High								
.5-High Fabric (Upper) + 3-High Wood (Lower)								
18"	48 ¹¹ / ₃₂ "	47 ³¹ / ₃₂ "	33P1844IT	\$494	\$510	\$520	\$536	\$560
24"			33P2444IT	522	543	556	578	610
30"			33P3044IT	583	609	626	653	693
36"			33P3644IT	631	662	683	715	763
42"			33P4244IT	710	744	766	801	853
48"			33P4844IT	770	809	835	875	935
1.5-High Fabric (Upper) + 2-High Wood (Lower)								
18"	48 ¹¹ / ₃₂ "	47 ³¹ / ₃₂ "	33P1844IT	\$464	\$480	\$490	\$506	\$530
24"			33P2444IT	486	507	520	542	574
30"			33P3044IT	548	574	591	618	658
36"			33P3644IT	601	632	653	685	733
42"			33P4244IT	663	697	719	754	806
48"			33P4844IT	720	759	785	825	885
2.5-High Fabric (Upper) + 1-High Wood (Lower)								
18"	48 ¹¹ / ₃₂ "	47 ³¹ / ₃₂ "	33P1844IT	\$481	\$497	\$507	\$523	\$547
24"			33P2444IT	506	527	540	562	594
30"			33P3044IT	567	593	610	637	677
36"			33P3644IT	617	648	669	701	749
42"			33P4244IT	690	724	746	781	833
48"			33P4844IT	747	786	812	852	912



IMPORTANT 3.5-high tile is only for use with 3.5-high frame.

Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify



- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
06F3WF = .5-high fabric (upper) + 3-high wood (lower)
18F2WF = 1.5-high fabric (upper) + 2-high wood (lower)
30F1WF = 2.5-high fabric (upper) + 1-high wood (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Wood finish type:
STD = Group 1
STD2 = Group 2 (+20%)
- 7 Wood finish designator

Combination Fabric/Wood Tiles

4-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
4-High								
1-High Fabric (Upper) + 3-High Wood (Lower)								
18"	50 ³ / ₁₆ "	49 ¹³ / ₁₆ "	33P184IT	\$483	\$499	\$509	\$525	\$549
24"			33P244IT	511	532	545	567	599
30"			33P304IT	572	598	615	642	682
36"			33P364IT	636	667	688	720	768
42"			33P424IT	706	740	762	797	849
48"			33P484IT	767	806	832	872	932
2-High Fabric (Upper) + 2-High Wood (Lower)								
18"	50 ³ / ₁₆ "	49 ¹³ / ₁₆ "	33P184IT	\$429	\$445	\$455	\$471	\$495
24"			33P244IT	458	479	492	514	546
30"			33P304IT	510	536	553	580	620
36"			33P364IT	562	593	614	646	694
42"			33P424IT	588	622	644	679	731
48"			33P484IT	635	674	700	740	800
3-High Fabric (Upper) + 1-High Wood (Lower)								
18"	50 ³ / ₁₆ "	49 ¹³ / ₁₆ "	33P184IT	\$369	\$385	\$395	\$411	\$435
24"			33P244IT	397	418	431	453	485
30"			33P304IT	442	468	485	512	552
36"			33P364IT	492	523	544	576	624
42"			33P424IT	545	579	601	636	688
48"			33P484IT	584	623	649	689	749



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify




- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
1F3W = 1-high fabric (upper) + 3-high wood (lower)
2F2W = 2-high fabric (upper) + 2-high wood (lower)
3F1W = 3-high fabric (upper) + 1-high wood (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Wood finish type:
STD = Group 1
STD2 = Group 2 (+20%)
- 7 Wood finish designator

Combination Fabric/Wood Tiles

To-the-Floor 4-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
To-the-Floor 4-High								
1-High Fabric (Upper) + 3-High Wood (Lower)								
18"	54"	53 ⁵ / ₈ "	33P184IT	\$498	\$514	\$524	\$540	\$564
24"			33P244IT	526	547	560	582	614
30"			33P304IT	587	613	630	657	697
36"			33P364IT	636	667	688	720	768
42"			33P424IT	721	755	777	812	864
48"			33P484IT	780	819	845	885	945
2-High Fabric (Upper) + 2-High Wood (Lower)								
18"	54"	53 ⁵ / ₈ "	33P184IT	\$477	\$493	\$503	\$519	\$543
24"			33P244IT	499	520	533	555	587
30"			33P304IT	561	587	604	631	671
36"			33P364IT	623	654	675	707	755
42"			33P424IT	684	718	740	775	827
48"			33P484IT	741	780	806	846	906
3-High Fabric (Upper) + 1-High Wood (Lower)								
18"	54"	53 ⁵ / ₈ "	33P184IT	\$430	\$446	\$456	\$472	\$496
24"			33P244IT	468	489	502	524	556
30"			33P304IT	523	549	566	593	633
36"			33P364IT	578	609	630	662	710
42"			33P424IT	636	670	692	727	779
48"			33P484IT	693	732	758	798	858



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify



- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
1F3WF = 1-high fabric (upper) + 3-high wood (lower)
2F2WF = 2-high fabric (upper) + 2-high wood (lower)
3F1WF = 3-high fabric (upper) + 1-high wood (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Wood finish type:
STD = Group 1
STD2 = Group 2 (+20%)
- 7 Wood finish designator

Combination Fabric/Wood Tiles

5-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
5-High								
2-High Fabric (Upper) + 3-High Wood (Lower)								
18"	62 ²⁵ / ₃₂ "	62 ³ / ₈ "	33P185IT	\$505	\$521	\$531	\$547	\$571
24"			33P245IT	537	558	571	593	625
30"			33P305IT	606	632	649	676	716
36"			33P365IT	681	712	733	765	813
42"			33P425IT	750	784	806	841	893
48"			33P485IT	817	856	882	922	982
3-High Fabric (Upper) + 2-High Wood (Lower)								
18"	62 ²⁵ / ₃₂ "	62 ³ / ₈ "	33P185IT	\$445	\$461	\$471	\$487	\$511
24"			33P245IT	483	504	517	539	571
30"			33P305IT	538	564	581	608	648
36"			33P365IT	593	624	645	677	725
42"			33P425IT	625	659	681	716	768
48"			33P485IT	678	717	743	783	843
4-High Fabric (Upper) + 1-High Wood (Lower)								
18"	62 ²⁵ / ₃₂ "	62 ³ / ₈ "	33P185IT	\$382	\$398	\$408	\$424	\$448
24"			33P245IT	415	436	449	471	503
30"			33P305IT	472	498	515	542	582
36"			33P365IT	529	560	581	613	661
42"			33P425IT	587	621	643	678	730
48"			33P485IT	634	673	699	739	799



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify



- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
2F3W = 2-high fabric (upper) + 3-high wood (lower)
3F2W = 3-high fabric (upper) + 2-high wood (lower)
4F1W = 4-high fabric (upper) + 1-high wood (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Wood finish type:
STD = Group 1
STD2 = Group 2 (+20%)
- 7 Wood finish designator

Combination Fabric/Wood Tiles

To-the-Floor 5-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
To-the-Floor 5-High								
2-High Fabric (Upper) + 3-High Wood (Lower)								
18"	66 ⁵ / ₈ "	66 ¹ / ₄ "	33P185IT	\$520	\$536	\$546	\$562	\$586
24"			33P245IT	552	573	586	608	640
30"			33P305IT	621	647	664	691	731
36"			33P365IT	681	712	733	765	813
42"			33P425IT	765	799	821	856	908
48"			33P485IT	830	869	895	935	995
3-High Fabric (Upper) + 2-High Wood (Lower)								
18"	66 ⁵ / ₈ "	66 ¹ / ₄ "	33P185IT	\$493	\$509	\$519	\$535	\$559
24"			33P245IT	524	545	558	580	612
30"			33P305IT	589	615	632	659	699
36"			33P365IT	654	685	706	738	786
42"			33P425IT	721	755	777	812	864
48"			33P485IT	783	822	848	888	948
4-High Fabric (Upper) + 1-High Wood (Lower)								
18"	66 ⁵ / ₈ "	66 ¹ / ₄ "	33P185IT	\$443	\$459	\$469	\$485	\$509
24"			33P245IT	486	507	520	542	574
30"			33P305IT	553	579	596	623	663
36"			33P365IT	615	646	667	699	747
42"			33P425IT	678	712	734	769	821
48"			33P485IT	743	782	808	848	908



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Combination tile

How to Specify

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
2F3WF = 2-high fabric (upper) + 3-high wood (lower)
3F2WF = 3-high fabric (upper) + 2-high wood (lower)
4F1WF = 4-high fabric (upper) + 1-high wood (lower)
- 4 Fabric grade
- 5 Fabric number
- 6 Wood finish type:
STD = Group 1
STD2 = Group 2 (+20%)
- 7 Wood finish designator

Markerboard Tiles

.5-High, 1-High, and 1.5-High

GSA Contract Pending



W	Trim H	Support H	Model	Metal †	Laminate
.5-High Tiles					
30"	6 ²³ / ₃₂ "	6 ¹¹ / ₃₂ "	33P30H06IT	—	\$208
36"			33P36H06IT	—	245
42"			33P42H06IT	—	249
48"			33P48H06IT	—	264
1-High Tiles					
30"	12 ³ / ₈ "	12"	33P301IT	\$116	\$280
36"			33P361IT	140	290
42"			33P421IT	165	299
48"			33P481IT	187	314
1.5-High Tiles					
30"	19 ⁵ / ₁₆ "	18 ¹⁵ / ₁₆ "	33P30H18IT	\$200	\$333
36"			33P36H18IT	240	367
42"			33P42H18IT	278	397
48"			33P48H18IT	322	448
54"			33P54H18IT	359	508
60"			33P60H18IT	400	584

IMPORTANT .5-high and 1.5-high tiles are only for use with 3.5-high frame.

Specify tiles for both sides of frame. Markerboard tiles should not be used on unsupported runs due to panel movement when writing on the surface.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tile: painted metal or laminate

Note: Expo or Expo2 dry erase markers are recommended for use on markerboards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

How to Specify

Metal Markerboard Tile

- 1 Model
- 2 Traxx type:
STDMP = Support Traxx
TTDMP = Trim Traxx
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Finish designator:
405M = Designer White

Laminate Markerboard Tile



- 1 Model
- 2 Traxx type:
STK = Support Traxx
TTK = Trim Traxx
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Finish designator:
409M = Icy White
483M = Off White

Markerboard Tiles

2-High and 3-High

GSA Contract Pending
† GSA Contract Pending

W	Trim H	Support H	Model	Metal †	Laminate
2-High Tiles					
30"	25"	24 ⁵ / ₈ "	33P302IT	\$236	\$346
36"			33P362IT	280	404
42"			33P422IT	325	458
48"			33P482IT	362	519
54"			33P542IT	423	577
60"			33P602IT	469	634
3-High Tiles					
30"	37 ¹⁹ / ₃₂ "	37 ⁷ / ₃₂ "	33P303IT	\$351	\$441
36"			33P363IT	416	474
42"			33P423IT	—	522
48"			33P483IT	—	544
54"			33P543IT	—	661
60"			33P603IT	—	766



Specify tiles for both sides of frame.

Markerboard tiles should not be used on unsupported runs due to panel movement when writing on the surface.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tile: painted metal or laminate

Note: Expo or Expo2 dry erase markers are recommended for use on markerboards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

How to Specify

Metal Markerboard Tile

- 1 Model
- 2 Traxx type:
STDMP = Support Traxx
TTDMP = Trim Traxx
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Finish designator:
405M = Designer White

Laminate Markerboard Tile

- 1 Model
- 2 Traxx type:
STK = Support Traxx
TTK = Trim Traxx
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 2 Finish designator:
409M = Icy White
483M = Off White



Plain Metal Tiles

GSA Contract Pending

W	Trim H	Support H	Model	Price
1-High Tiles				
18"	12 ³ / ₈ "	12"	33P181IT	\$93
24"			33P241IT	102
30"			33P301IT	111
36"			33P361IT	120
42"			33P421IT	128
48"			33P481IT	137
1.5-High Tiles				
18"	19 ⁵ / ₁₆ "	18 ¹⁵ / ₁₆ "	33P18H18IT	\$103
24"			33P24H18IT	115
30"			33P30H18IT	127
36"			33P36H18IT	140
42"			33P42H18IT	155
48"			33P48H18IT	167
54"			33P54H18IT	185
60"			33P60H18IT	203
2-High Tiles				
18"	25"	24 ⁵ / ₈ "	33P182IT	\$111
24"			33P242IT	127
30"			33P302IT	143
36"			33P362IT	159
42"			33P422IT	171
48"			33P482IT	182
54"			33P542IT	195
60"			33P602IT	210
3-High Tiles				
18"	37 ¹⁹ / ₃₂ "	37 ⁷ / ₃₂ "	33P183IT	\$130
24"			33P243IT	153
30"			33P303IT	176
36"			33P363IT	200



IMPORTANT 1.5-high tile is only for use with 3.5-high frame. Specify tiles for both sides of frame.



Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tile: metal

How to Specify

- 1 Model
- 2 Traxx type:
STPM = Support Traxx
TTPM = Trim Traxx
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Finish type:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- 4 Finish designator

Patterned Metal Tiles

.5-High and 1-High

GSA Contract Pending



W	Trim H	Support H	Model	Price
.5-High Tiles				
18"	6 ²³ / ₃₂ "	6 ¹¹ / ₃₂ "	33P18H06IT	\$54
24"			33P24H06IT	69
30"			33P30H06IT	85
36"			33P36H06IT	98
42"			33P42H06IT	110
48"			33P48H06IT	128
54"			33P54H06IT	140
60"			33P60H06IT	154
72"			33P72H06IT	184
1-High Tiles				
18"	12 ³ / ₈ "	12"	33P181IT	\$68
24"			33P241IT	77
30"			33P301IT	96
36"			33P361IT	110
42"			33P421IT	124
48"			33P481IT	142
54"			33P541IT	159
60"			33P601IT	173
72"			33P721IT	213

IMPORTANT .5-high tile is only for use with 3.5-high frame.

Specify tiles for both sides of frame.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tile: metal


How to Specify

- 1 Model
- 2 Traxx type:
STM = Support Traxx
TTM = Trim Traxx
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Metal pattern:
A = Perforated
B = Embossed
- 4 Finish type:
STD = Group 1
STD M = Group M (+10%)
STD 21 = Group 21 (+10%)
- 5 Finish designator

Patterned Metal Tiles

1.5-High and 2-High

GSA Contract Pending



W	Trim H	Support H	Model	Price
1.5-High Tiles				
18"	19 ⁵ / ₁₆ "	18 ¹⁵ / ₁₆ "	33P18H18IT	\$88
24"			33P24H18IT	108
30"			33P30H18IT	139
36"			33P36H18IT	161
42"			33P42H18IT	198
48"			33P48H18IT	216
54"			33P54H18IT	231
60"			33P60H18IT	247
72"			33P72H18IT	276
2-High Tiles				
18"	25"	24 ⁵ / ₈ "	33P182IT	\$108
24"			33P242IT	128
30"			33P302IT	159
36"			33P362IT	191
42"			33P422IT	224
48"			33P482IT	236
54"			33P542IT	251
60"			33P602IT	267
72"			33P722IT	296

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tile: metal

How to Specify

- ① Model
- ② Traxx type:
STM = Support Traxx
TTM = Trim Traxx
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- ③ Metal pattern:
A = Perforated
B = Embossed
- ④ Finish type:
STD = Group 1
STD M = Group M (+10%)
STD 21 = Group 21 (+10%)
- ⑤ Finish designator

IMPORTANT 1.5-high tile is only for use with 3.5-high frame.

Specify tiles for both sides of frame.

Slat Tiles

.5-High, 1-High, and 1.5-High

GSA Contract Pending



W	Trim H	Support H	Model	Price
.5-High Tiles				
18"	6 ²³ / ₃₂ "	6 ¹ / ₃₂ "	33P18H06IT	\$176
24"			33P24H06IT	223
30"			33P30H06IT	278
36"			33P36H06IT	334
42"			33P42H06IT	391
48"			33P48H06IT	446
1-High Tiles				
18"	12 ³ / ₈ "	12"	33P181IT	\$198
24"			33P241IT	251
30"			33P301IT	314
36"			33P361IT	377
42"			33P421IT	439
48"			33P481IT	502
1.5-High Tiles				
18"	19 ⁵ / ₁₆ "	18 ¹⁵ / ₁₆ "	33P18H18IT	\$323
24"			33P24H18IT	426
30"			33P30H18IT	533
36"			33P36H18IT	641
42"			33P42H18IT	746
48"			33P48H18IT	852

IMPORTANT .5 and 1.5-high tiles are for only use with 3.5-high frame.

Specify tiles for both sides of frame.

Monitor arms can be used on 18", 24", and 30"W 1-high and 2-high slat tiles. 2-high tiles require an additional mid-frame support for stability, specified separately. One single monitor arm per slat tile can be accommodated.

➤ See the Perks Price List.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Slat tile
- Two trim channels

How to Specify

- 1 Model
- 2 Traxx type:
STS = Support Traxx
TTS = Trim Traxx
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Finish type:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- 4 Finish designator