

Connectors

2-Way/V

GSA Contract Pending



H	Segment	Model	Connector Material		
			Paint	Fabric	Wood
No Wireway Cover					
29½"	2-high	33P22FCV	166	166	397
42⅛"	3-high	33P23FCV	179	179	424
49"	3.5-high	33P2H50FCV	183	183	448
54 ²³ / ₃₂ "	4-high	33P24FCV	185	185	469
67 ⁵ / ₁₆ "	5-high	33P25FCV	188	—	484
79 ²⁹ / ₃₂ "	6-high	33P26FCV	231	—	529
92½"	7-high	33P27FCV	263	—	566
With Wireway Cover					
29½"	2-high	33P22FCVW	\$176	\$176	\$407
42⅛"	3-high	33P23FCVW	189	189	434
49"	3.5-high	33P2H50FCVW	193	193	458
54 ²³ / ₃₂ "	4-high	33P24FCVW	195	195	479
67 ⁵ / ₁₆ "	5-high	33P25FCVW	198	198	494
79 ²⁹ / ₃₂ "	6-high	33P26FCVW	241	—	539
92½"	7-high	33P27FCVW	273	—	576

Standard Includes

- Top cap
- Attachment hardware
- Wireway cover on applicable models

How to Specify

- 1 Model
- 2 Top cap material:
W = Wood
P = Paint
- 3 Connector material:
P = Paint
F = Fabric
W = Wood
- 4 Top cap profile:
F = Flat
- 5 Top cap finish price group:
STD = Group 1
STDM = Group M
STD2 = Group 2
STD21 = Group 21
- 6 Top cap finish designator
- 7 Connector finish price group for wood or paint connector:
STD = Group 1
STDM = Group M
STD2 = Group 2
STD21 = Group 21
- 8 Connector finish designator for wood or paint connector
- 9 Fabric grade for fabric connector, if applicable
- 10 Fabric number for fabric connector, if applicable
- 11 Connector (inside) finish price group:
STD = Group 1
STDM = Group M
STD21 = Group 21
- 12 Connector (inside) finish designator
- 13 Wireway cover finish group (include if applicable):
STD = Group 1
STDM = Group M (+10%)
STD21 = Group 21 (+10%)
- 14 Wireway cover finish designator (include if applicable)

Connectors

3-Way/Y

GSA Contract Pending



<i>H</i>	<i>Segment</i>	<i>Model</i>	<i>Price</i>
No Wireway Cover			
29½"	2-high	33P32FCY	284
42⅙"	3-high	33P33FCY	301
49"	3.5-high	33P3H50FCY	324
54 ²³ / ₃₂ "	4-high	33P34FCY	337
67 ⁵ / ₁₆ "	5-high	33P35FCY	341
79 ²⁹ / ₃₂ "	6-high	33P36FCY	377
92½"	7-high	33P37FCY	397

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Top cap
- Attachment hardware
- Wireway cover on applicable models


How to Specify

- 1 Model
- 2 Top cap material:
W = Wood
P = Paint
- 3 Connector material:
P = Paint
- 4 Top cap profile:
F = Flat
- 5 Top cap finish price group:
STD = Group 1
STD_M = Group M
STD2 = Group 2
STD21 = Group 21
- 6 Top cap finish designator
- 7 Connector finish price group:
STD = Group 1
STD_M = Group M
STD2 = Group 2
STD21 = Group 21
- 8 Connector finish designator

Connectors

Brackets and Post

GSA Contract Pending



<i>W</i>	<i>H</i>	<i>Segment</i>	<i>Model</i>	<i>Price</i>
Off-Module Brackets				
1 ¹¹ / ₁₆ "	25 ³ / ₈ "	2-high	33P2FCW	\$88
	37 ¹⁵ / ₁₆ "	3-high	33P3FCW	91
	44 ⁷ / ₈ "	3.5-high	33PH50FCW	96
	50 ¹ / ₂ "	4-high	33P4FCW	102
	63 ¹ / ₈ "	5-high	33P5FCW	104
	75 ³ / ₄ "	6-high	33P6FCW	142
	88 ³ / ₈ "	7-high	33P7FCW	187
Wall-Mount Bracket				
1 ¹¹ / ₁₆ "	25 ³ / ₈ "	2-high	33P2WMB	\$86
	37 ¹⁵ / ₁₆ "	3-high	33P3WMB	89
	44 ⁷ / ₈ "	3.5-high	33P50WMB	96
	50 ¹ / ₂ "	4-high	33P4WMB	98
	63 ¹ / ₈ "	5-high	33P5WMB	101
	75 ³ / ₄ "	6-high	33P6WMB	142
	88 ³ / ₈ "	7-high	33P7WMB	153
Frame-Support Post				
3 ⁷ / ₁₆ "	28"		33PFSP	\$120

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

Off-Module Bracket

- Bracket
- Attachment hardware

Wall-Mount Bracket

- Bracket
- Attachment hardware

Frame-Support Post

- Metal Tube
- Plate

How to Specify

Off-Module Bracket

- ① Model
- ② Finish:
462 = Cinder



Wall-Mount Bracket or Frame-Support Post

- ① Model

Stacking Connectors

2-Way/L, 2-Way/V, 3-Way/T, and 4-Way/X

GSA Contract Pending



H	Segment	Model	Connector Material		
			Paint	Fabric	Wood
2-Way/L					
12 ⁵ / ₈ "	1-high	33P1FCLS	\$145	\$145	\$218
25 ¹ / ₄ "	2-high	33P2FCLS	235	235	353

2-Way/V (120°)					
12 ⁵ / ₈ "	1-high	33P1FCVS	\$145	\$145	\$218
25 ¹ / ₄ "	2-high	33P2FCVS	235	235	353

3-Way/T					
12 ⁵ / ₈ "	1-high	33P1FCTS	\$148	\$148	\$222
25 ¹ / ₄ "	2-high	33P2FCTS	240	240	360

<i>H</i>	<i>Segment</i>	<i>Model</i>	<i>Price</i>
4-Way/X			
12 ⁵ / ₈ "	1-high	33P1FCXS	\$150
25 ¹ / ₄ "	2-high	33P2FCXS	242

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Attachment hardware

Note: Stacking connectors are not applicable on 3.5-high frames.


How to Specify

- 1 Model
- 2 Connector material (omit for 4-Way/X connector):
P = Paint
F = Fabric
W = Wood
- 3 Connector finish price group (for wood or paint):
STD = Group 1
STD M = Group M
STD2 = Group 2
STD21 = Group 21
- 4 Connector finish designator (wood or paint connector)
- 5 Fabric grade for fabric connector, if applicable
- 6 Fabric number for fabric connector, if applicable
- 7 Inside finish price group:
STD = Group 1
STD M = Group M
STD21 = Group 21
- 8 Inside finish designator

Stacking Connectors

Straight and 3-Way/Y

GSA Contract Pending



<i>H</i>	<i>Segment</i>	<i>Model</i>	Connector Material		
			<i>Paint</i>	<i>Fabric</i>	<i>Wood</i>
Straight Connector					
12 ⁵ / ₈ "	1-high	33P1FCSS	\$145	\$145	\$218
25 ¹ / ₄ "	2-high	33P2FCSS	235	235	353

<i>H</i>	<i>Segment</i>	<i>Model</i>	<i>Price</i>
3-Way/Y (120°)			
12 ⁵ / ₈ "	1-high	33P1FCYSP	\$145
25 ¹ / ₄ "	2-high	33P2FCYSP	235

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Attachment hardware

How to Specify

- 1 Model
- 2 Connector material (omit for 3-way/Y):
P = Paint
F = Fabric
W = Wood
- 3 Connector finish price group (for wood or paint):
STD = Group 1
STDM = Group M
STD2 = Group 2
STD21 = Group 21
- 4 Connector finish designator (wood or paint connector)
- 5 Fabric grade for fabric connector, if applicable
- 6 Fabric number for fabric connector, if applicable

Stacking connectors are not applicable on 3.5-high frames.

Stacking Off-Module Brackets

GSA Contract Pending



<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
1-High			
1 ¹¹ / ₁₆ "	12 ⁵ / ₈ "	33P2FCW1SP	\$45
2-High			
1 ¹¹ / ₁₆ "	25 ¹ / ₄ "	33P2FCW2SP	\$89

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Metal post: painted steel
- Attachment hardware for support Traxx attachment


How to Specify

- ① Model
- ② Finish:
462 = Cinder

IMPORTANT: When connector is wall-mounted, installers must supply appropriate fasteners for anchoring connector to the wall.

End Trim

GSA Contract Pending



<i>H</i>	<i>Segment</i>	<i>Model</i>	<i>Paint</i>	<i>Wood</i>
End Trim				
29½"	2-high	33P2ETC	\$63	\$95
42⅛"	3-high	33P3ETC	70	105
49⅓"	3.5-high	33PH50ETC	89	134
54 ²³ / ₃₂ "	4-high	33P4ETC	103	155
67 ⁵ / ₁₆ "	5-high	33P5ETC	115	173
79 ²⁹ / ₃₂ "	6-high	33P6ETC	148	222
92½"	7-high	33P7ETC	170	255

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes


- End trim
- Attachment brackets

How to Specify

- ① Model
- ② Material:
P = Paint
W = Wood
- ③ Trim profile:
F = Flat
- ④ End trim finish type:
STD = Group 1
STD_M = Group M (+10%)
STD₂ = Group 2 (+20%)
STD₂₁ = Group 21 (+10%)
- ⑤ End trim finish designator

Stacking End Trim

GSA Contract Pending



<i>H</i>	<i>Segment</i>	<i>Model</i>	<i>Paint</i>	<i>Wood</i>
Stacking End Trim				
12 ⁹ / ₁₆ "	1-high	33P1ETCS	\$57	\$89
25 ³ / ₁₆ "	2-high	33P2ETCS	66	99

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- End trim
- Attachment brackets

How to Specify

- ① Model
- ② Material:
P = Paint
W = Wood
- ③ Trim profile:
F = Flat
- ④ End trim finish type:
STD = Group 1
STD_M = Group M (+10%)
STD₂ = Group 2 (+20%)
STD₂₁ = Group 21 (+10%)
- ⑤ End trim finish designator

Hi-Lo Vertical Trim

Panel-to-Panel

GSA Contract Pending

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215


Standard Includes

- One vertical trim: wood or paint

How to Specify

- ① Model
- ② Material:
P = Paint
W = Wood
- ③ Top cap:
F = Flat
- ④ End trim finish type:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
STD21 = Group 21 (+10%)
- ⑤ End trim finish designator

<i>H</i>	<i>Segment</i>	<i>Model</i>	<i>Paint</i>	<i>Wood</i>
For Use with 1-, 2-, 3-, 4-, and 5-High Frames				
12 ⁹ / ₁₆ "	1-high	33P1HSC	\$58	\$87
25 ³ / ₁₆ "	2-high	33P2HSC	63	95
37 ¹³ / ₁₆ "	3-high	33P3HSC	70	105
50 ³ / ₈ "	4-high	33P4HSC	103	155
63"	5-high	33P5HSC	115	173
For Use with 3.5-High Base Frames				
5 ⁵ / ₈ "	from 3.5-high to 4-high	33PH06HSC	\$56	\$84
6 ⁷ / ₈ "	from 3.5-high to 3-high	33PH07HSC	56	84
18 ¹ / ₄ "	from 3.5-high to 5-high	33PH18HSC	63	95
19 ¹ / ₂ "	from 3.5-high to 2-high	33PH19HSC	63	95



Top Caps

GSA Contract Pending



<i>W</i>	<i>Model</i>	<i>Paint</i>	<i>Wood</i>
Top Caps			
18"	33P18TC	\$30	\$87
24"	33P24TC	32	92
30"	33P30TC	35	102
36"	33P36TC	38	111
42"	33P42TC	43	117
48"	33P48TC	46	125
54"	33P54TC	50	128
60"	33P60TC	54	138
66"	33P66TC	58	148
72"	33P72TC	62	156
78"	33P78TC	74	161
84"	33P84TC	86	176
90"	33P90TC	97	187
96"	33P96TC	108	190

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Top cap: paint or wood

How to Specify

- ① Model
- ② Material:
P = Paint
W = Wood
- ③ Top cap profile:
F = Flat
- ④ Finish type:
STD = Group 1
STD_M = Group M
STD₂ = Group 2 (+20%)
STD₂₁ = Group 21
- ⑤ Finish designator

Top caps for use with frameless glass
➤ See page 91.

Top Caps

For Use with Frameless Glass or Resin

GSA Contract Pending



<i>W</i>	<i>Model</i>	<i>Price</i>
Top Caps with Insert Channel		
18"	33P18TCFGIP	\$148
24"	33P24TCFGIP	157
30"	33P30TCFGIP	183
36"	33P36TCFGIP	209
42"	33P42TCFGIP	236
48"	33P48TCFGIP	262
54"	33P54TCFGIP	282
60"	33P60TCFGIP	301
66"	33P66TCFGIP	321
72"	33P72TCFGIP	340
78"	33P78TCFGIP	367
84"	33P84TCFGIP	393
90"	33P90TCFGIP	419
96"	33P96TCFGIP	445

IMPORTANT: Frameless glass pane must be specified separately. Specify pane and top cap to match the widest of the panel frame or the combined widest of multiple frames to which they will attach.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Top cap: paint

How to Specify

- ① Model
- ② Top cap profile:
F = Flat
- ③ Finish type:
STD = Group 1
STD M = Group M
STD21 = Group 21
- ④ Finish designator
- ⑤ Retainer clip color:
446 = Black
447 = White
448 = Light Grey
449 = Charcoal

Frameless Glass

GSA Contract Pending



D	W	H	Model	Clear	Bronze	Charcoal	Etched
Glass Panes							
1/4"	17 7/8"	13 3/8"	33P182FG	\$279	\$279	\$279	\$380
	23 7/8"		33P242FG	295	295	295	396
	29 7/8"		33P302FG	313	313	313	461
	35 7/8"		33P362FG	338	338	338	527
	41 7/8"		33P422FG	385	385	385	640
	47 7/8"		33P482FG	403	403	403	705
	53 7/8"		33P542FG	487	487	487	740
	59 7/8"		33P602FG	504	504	504	867
	65 7/8"		33P662FG	560	560	560	975
	71 7/8"		33P722FG	617	617	617	1040
	77 7/8"		33P782FG	660	660	660	1110
	83 7/8"		33P842FG	733	733	733	1175
	89 7/8"		33P902FG	787	787	787	1248
	95 7/8"		33P962FG	834	834	834	1313
For Use on Lower Panel in a Hi-Lo Application							
1/4"	17 3/8"	13 3/8"	33P182FGH	\$279	\$279	\$279	\$380
	23 7/8"		33P242FGH	295	295	295	396
	29 3/8"		33P302FGH	313	313	313	461
	35 3/8"		33P362FGH	338	338	338	527
	41 3/8"		33P422FGH	385	385	385	640
	47 3/8"		33P482FGH	403	403	403	705
	53 3/8"		33P542FGH	487	487	487	740
	59 3/8"		33P602FGH	504	504	504	867
	65 3/8"		33P662FGH	560	560	560	975
	71 3/8"		33P722FGH	617	617	617	1040
	77 3/8"		33P782FGH	660	660	660	1110
	83 3/8"		33P842FGH	733	733	733	1175
	89 3/8"		33P902FGH	787	787	787	1248
	95 3/8"		33P962FGH	834	834	834	1313

IMPORTANT Frameless glass top cap must be specified separately. Specify pane and top cap to match the width of the panel frame or the combined width of multiple frames to which they will attach.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Frameless glass pane: tempered glass

How to Specify

Glass Panes

- 1 Model
- 2 Glass type:
22 = Charcoal
32 = Clear
42 = Bronze
72 = Etched

Hi-Lo Application Glass

- 1 Model
- 2 Glass type:
2 = Charcoal
3 = Clear
4 = Bronze
7 = Etched

Frameless Resin

GSA Contract Pending



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Resin Panes				
1/4"	17 ⁷ / ₈ "	13 ³ / ₈ "	33P181FR	\$195
	24 ⁷ / ₈ "		33P241FR	213
	29 ⁷ / ₈ "		33P301FR	229
	35 ⁷ / ₈ "		33P361FR	248
	41 ⁷ / ₈ "		33P421FR	280
	47 ⁷ / ₈ "		33P481FR	302
	53 ⁷ / ₈ "		33P541FR	339
	59 ⁷ / ₈ "		33P601FR	383
	65 ⁷ / ₈ "		33P661FR	429
	71 ⁷ / ₈ "		33P721FR	462
	77 ⁷ / ₈ "		33P781FR	517
	83 ⁷ / ₈ "		33P841FR	542
	89 ⁷ / ₈ "		33P901FR	607
	95 ⁷ / ₈ "		33P961FR	621
For Use on Lower Panel in a Hi-Lo Application				
1/4"	17 ³ / ₈ "	13 ³ / ₈ "	33P181FRH	\$195
	23 ³ / ₈ "		33P241FRH	213
	29 ³ / ₈ "		33P301FRH	229
	35 ³ / ₈ "		33P361FRH	248
	41 ³ / ₈ "		33P421FRH	280
	47 ³ / ₈ "		33P481FRH	302
	53 ³ / ₈ "		33P541FRH	339
	59 ³ / ₈ "		33P601FRH	383
	65 ³ / ₈ "		33P661FRH	429
	71 ³ / ₈ "		33P721FRH	462
	77 ³ / ₈ "		33P781FRH	517
	83 ³ / ₈ "		33P841FRH	542
	89 ³ / ₈ "		33P901FRH	607
	95 ³ / ₈ "		33P961FRH	621

IMPORTANT Frameless glass top cap must be specified separately. Specify pane and top cap to match the width of the panel frame or the combined width of multiple frames to which they will attach.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes



- Frameless resin pane

How to Specify

- ① Model
- ② Resin color:
25 = Glacier

Cover Slats

GSA Contract Pending



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Metal</i>
Horizontal				
2"	60"	1"	33P60HCSP	\$206
	66"		33P66HCSP	222
	72"		33P72HCSP	238
	78"		33P78HCSP	254
	84"		33P84HCSP	270
	90"		33P90HCSP	286
	96"		33P96HCSP	303
	102"		33P102HCSP	317
	108"		33P108HCSP	331
	114"		33P114HCSP	345
	120"		33P120HCSP	359

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>TFL</i>	<i>Wood</i>
Vertical					
1"	60"	3"	33P60VCS	\$231	\$328
	66"		33P66VCS	249	332
	72"		33P72VCS	267	336
	78"		33P78VCS	285	352
	84"		33P84VCS	303	368
	90"		33P90VCS	321	384
	96"		33P96VCS	340	400

Vertical slats are not applicable to hinged doors.

Sold as individual slats, determine quantity needed based on how far apart you wish to space slats.

Statement of Line	► See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Slat
- Attachment hardware

How to Specify

Horizontal Slat


- ① Model
- ② Finish type:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- ③ Finish designator

Vertical Slat

- ① Model
- ② Slat type
LL = TFL
W = Wood
- ③ Finish type:
STD = Group 1
STD2 = Group 2 (+20%)
- ④ Finish designator

Narrate Traxx

GSA Contract Pending



Traxx is required at top location on both sides of frame to allow for top cap attachment.

Traxx are required at top and bottom of each tile except when bottom tile rests on bottom channel of frame.

Support traxx are required anywhere that components (worksurfaces, overheads, work tools, etc.) will be placed.

Trim traxx are used for cleaner aesthetics when no components will be attached to the Traxx.

Note: Appropriate height tiles must be specified. This is determined by the type of upper Traxx used to hold the tile in place.

W	Model	Support Traxx	Trim Traxx
Frame-Mounted Traxx			
18"	33P18P	\$24	\$14
24"	33P24P	29	19
30"	33P30P	34	24
36"	33P36P	39	29
42"	33P42P	44	34
48"	33P48P	53	43
54"	33P54P	58	48
60"	33P60P	61	51
66"	33P66P	65	55
72"	33P72P	72	62
78"	33P78P	77	67
84"	33P84P	85	75
90"	33P90P	89	79
96"	33P96P	98	88
102"	33P102P	101	91
108"	33P108P	104	94
114"	33P114P	111	101
120"	33P120P	117	107
126"	33P126P	121	111
132"	33P132P	125	115
138"	33P138P	129	119
144"	33P144P	132	122

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Traxx lock brackets

How to Specify

- 1 Model
- 2 Traxx type:
ST = Support Traxx
TT = Trim Traxx
- 3 Finish type:
STD = Group 1
STDM = Group M (+10%)
STD21 = Group 21 (+10%)
- 4 Finish designator

Standard Fabric Tiles

.5-High

GSA Contract Pending
COM GSA Non-Contract



W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
.5-High								
18"	6 ²³ / ₃₂ "	6 ¹¹ / ₃₂ "	33P18H06IT	\$25	\$41	\$51	\$67	\$91
24"			33P24H06IT	27	48	61	83	115
30"			33P30H06IT	30	56	73	100	140
36"			33P36H06IT	34	65	86	118	166
42"			33P42H06IT	39	73	95	130	182
48"			33P48H06IT	46	85	111	151	211
54"			33P54H06IT	53	97	126	172	240
60"			33P60H06IT	58	105	135	184	256
66"			33P66H06IT	63	115	149	203	283
72"			33P72H06IT	69	126	164	223	311
78"			33P78H06IT	73	133	172	234	326
84"			33P84H06IT	80	145	188	255	355
90"			33P90H06IT	86	156	202	275	383
96"			33P96H06IT	94	167	214	290	402

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile

How to Specify

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
BP = Tackable fabric
- 4 Fabric grade
- 5 Fabric number

IMPORTANT .5-high tile is only for use with 3.5-high frame.

Fabric is applied railroaded.

Specify tiles for both sides of frame.

Standard Fabric Tiles

1-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
1-High								
18"	12 ³ / ₈ "	12"	33P181IT	\$29	\$45	\$55	\$71	\$95
24"			33P241IT	31	52	65	87	119
30"			33P301IT	34	60	77	104	144
36"			33P361IT	39	70	91	123	171
42"			33P421IT	50	84	106	141	193
48"			33P481IT	56	95	121	161	221
54"			33P541IT	61	105	134	180	248
60"			33P601IT	67	114	144	193	265
66"			33P661IT	73	125	159	213	293
72"			33P721IT	84	141	179	238	326
78"			33P781IT	89	149	188	250	342
84"			33P841IT	94	159	202	269	369
90"			33P901IT	99	169	215	288	396
96"			33P961IT	106	179	226	302	414
To-the-Floor 1-High								
18"	16 ⁷ / ₃₂ "	15 ²⁷ / ₃₂ "	33P181IT	\$38	\$54	\$64	\$80	\$104
24"			33P241IT	44	65	78	100	132
30"			33P301IT	55	81	98	125	165
36"			33P361IT	62	93	114	146	194
42"			33P421IT	73	107	129	164	216
48"			33P481IT	85	124	150	190	250
54"			33P541IT	97	141	170	216	284
60"			33P601IT	103	150	180	229	301
66"			33P661IT	112	164	198	252	332
72"			33P721IT	117	174	212	271	359
78"			33P781IT	134	194	233	295	387
84"			33P841IT	147	212	255	322	422
90"			33P901IT	156	226	272	345	453
96"			33P961IT	177	250	297	373	485

Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile

How to Specify

1-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

BP = Tackable fabric

④ Fabric grade

⑤ Fabric number

To-the-Floor 1-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

BPF = Tackable fabric


④ Fabric grade

⑤ Fabric number

Standard Fabric Tiles

1.5-High

GSA Contract Pending
COM GSA Non-Contract



<i>W</i>	<i>Trim H</i>	<i>Support H</i>	<i>Model</i>	Fabric Price Grade				
				<i>A or COM</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
1.5-High								
18"	19 ⁵ / ₁₆ "	18 ¹⁵ / ₁₆ "	33P18H18IT	\$38	\$54	\$64	\$80	\$104
24"			33P24H18IT	44	65	78	100	132
30"			33P30H18IT	55	81	98	125	165
36"			33P36H18IT	62	93	114	146	194
42"			33P42H18IT	73	107	129	164	216
48"			33P48H18IT	85	124	150	190	250
54"			33P54H18IT	97	141	170	216	284
60"			33P60H18IT	103	150	180	229	301
66"			33P66H18IT	112	164	198	252	332
72"			33P72H18IT	117	174	212	271	359
78"			33P78H18IT	134	194	233	295	387
84"			33P84H18IT	147	212	255	322	422
90"			33P90H18IT	156	226	272	345	453
96"			33P96H18IT	177	250	297	373	485

IMPORTANT 1.5-high tile is only for use with 3.5-high frame.

Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile

How to Specify

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
BP = Tackable fabric
- 4 Fabric grade
- 5 Fabric number

Standard Fabric Tiles

2-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
2-High								
18"	25"	24 ⁵ / ₈ "	33P182IT	\$51	\$67	\$77	\$93	\$117
24"			33P242IT	57	78	91	113	145
30"			33P302IT	68	94	111	138	178
36"			33P362IT	84	115	136	168	216
42"			33P422IT	94	128	150	185	237
48"			33P482IT	106	145	171	211	271
54"			33P542IT	121	165	194	240	308
60"			33P602IT	130	177	207	256	328
66"			33P662IT	139	191	225	279	359
72"			33P722IT	148	205	243	302	390
78"			33P782IT	160	220	259	321	413
84"			33P842IT	172	237	280	347	447
90"			33P902IT	184	254	300	373	481
96"			33P962IT	196	269	316	392	504
To-the-Floor 2-High								
18"	28 ¹³ / ₁₆ "	28 ⁷ / ₁₆ "	33P182IT	\$67	\$83	\$93	\$109	\$133
24"			33P242IT	82	103	116	138	170
30"			33P302IT	96	122	139	166	206
36"			33P362IT	115	146	167	199	247
42"			33P422IT	131	165	187	222	274
48"			33P482IT	148	187	213	253	313
54"			33P542IT	168	212	241	287	355
60"			33P602IT	184	231	261	310	382
66"			33P662IT	210	262	296	350	430
72"			33P722IT	233	290	328	387	475
78"			33P782IT	245	305	344	406	498
84"			33P842IT	254	319	362	429	529
90"			33P902IT	271	341	387	460	568
96"			33P962IT	291	364	411	487	599

Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile

How to Specify

2-High Tiles

- 1 Model

- 2 Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

- 3 Tile material:

BP = Tackable fabric

- 4 Fabric grade

- 5 Fabric number

To-the-Floor 2-High Tiles

- 1 Model

- 2 Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

- 3 Tile material:

BPF = Tackable fabric

- 4 Fabric grade


- 5 Fabric number

Standard Fabric Tiles

3-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
3-High								
18"	37 ¹⁹ / ₃₂ "	37 ⁷ / ₃₂ "	33P183IT	\$67	\$83	\$93	\$109	\$133
24"			33P243IT	82	103	116	138	170
30"			33P303IT	96	122	139	166	206
36"			33P363IT	115	146	167	199	247
42"			33P423IT	131	165	187	222	274
48"			33P483IT	148	187	213	253	313
54"			33P543IT	168	212	241	287	355
60"			33P603IT	184	231	261	310	382
66"			33P663IT	210	262	296	350	430
72"			33P723IT	233	290	328	387	475
78"			33P783IT	245	305	344	406	498
84"			33P843IT	254	319	362	429	529
90"			33P903IT	271	341	387	460	568
96"			33P963IT	291	364	411	487	599
To-the-Floor 3-High								
18"	41 ¹⁵ / ₃₂ "	41 ¹ / ₃₂ "	33P183IT	\$71	\$87	\$97	\$113	\$137
24"			33P243IT	89	110	123	145	177
30"			33P303IT	109	135	152	179	219
36"			33P363IT	139	170	191	223	271
42"			33P423IT	151	185	207	242	294
48"			33P483IT	181	220	246	286	346
54"			33P543IT	199	243	272	318	386
60"			33P603IT	214	261	291	340	412
66"			33P663IT	230	282	316	370	450
72"			33P723IT	257	314	352	411	499
78"			33P783IT	277	337	376	438	530
84"			33P843IT	298	363	406	473	573
90"			33P903IT	318	388	434	507	615
96"			33P963IT	339	412	459	535	647



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile

How to Specify

3-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

BP = Tackable fabric

④ Fabric grade

⑤ Fabric number

To-the-Floor 3-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

BPF = Tackable fabric

④ Fabric grade

⑤ Fabric number

Standard Fabric Tiles

3.5-High

GSA Contract Pending
COM GSA Non-Contract

<i>W</i>	<i>Trim H</i>	<i>Support H</i>	<i>Model</i>	Fabric Price Grade				
				<i>A or COM</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
3.5-High								
18"	49 ¹⁷ / ₃₂ "	44 ⁵ / ₃₂ "	33P18H44IT	\$71	\$87	\$97	\$113	\$137
24"			33P24H44IT	89	110	123	145	177
30"			33P30H44IT	109	135	152	179	219
36"			33P36H44IT	139	170	191	223	271
42"			33P42H44IT	151	185	207	242	294
48"			33P48H44IT	181	220	246	286	346
To-the-Floor 3.5-High								
18"	48 ¹¹ / ₃₂ "	47 ³¹ / ₃₂ "	33P18H44IT	\$80	\$96	\$106	\$122	\$146
24"			33P24H44IT	100	121	134	156	188
30"			33P30H44IT	126	152	171	196	236
36"			33P36H44IT	152	183	206	236	284
42"			33P42H44IT	173	207	229	264	316
48"			33P48H44IT	199	238	264	304	364



IMPORTANT 3.5-high tile is only for use with 3.5-high frame.

Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile

How to Specify

3.5-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

BP = Tackable fabric

④ Fabric grade

⑤ Fabric number

To-the-Floor 3.5-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

BPF = Tackable fabric

④ Fabric grade




⑤ Fabric number

Standard Fabric Tiles

4-High and 5-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
4-High								
18"	50 ³ / ₁₆ "	49 ¹³ / ₁₆ "	33P184IT	\$80	\$96	\$106	\$122	\$146
24"			33P244IT	100	121	134	156	188
30"			33P304IT	126	152	169	196	236
36"			33P364IT	152	183	204	236	284
42"			33P424IT	173	207	229	264	316
48"			33P484IT	199	238	264	304	364
To-the-Floor 4-High								
18"	54"	53 ⁵ / ₈ "	33P184IT	\$98	\$114	\$124	\$140	\$164
24"			33P244IT	118	139	152	174	206
30"			33P304IT	146	172	189	216	256
36"			33P364IT	176	207	228	260	308
42"			33P424IT	207	241	263	298	350
48"			33P484IT	238	277	303	343	403
5-High								
18"	62 ²⁵ / ₃₂ "	62 ³ / ₈ "	33P185IT	\$98	\$114	\$124	\$140	\$164
24"			33P245IT	118	139	152	174	206
30"			33P305IT	146	172	189	216	256
36"			33P365IT	176	207	228	260	308
42"			33P425IT	207	241	263	298	350
48"			33P485IT	238	277	303	343	403



Fabric is applied railroaded.

Specify tiles for both sides of frame. 5-high tiles are not available in to-the-floor models due to fabric limitations.

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile

How to Specify

4- and 5-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

BP = Tackable fabric

④ Fabric grade

⑤ Fabric number

To-the-Floor 4-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

BPF = Tackable fabric


④ Fabric grade

⑤ Fabric number

Fire-Rated Fabric Tiles

.5-High

GSA Contract Pending
COM GSA Non-Contract



W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
.5-High								
18"	6 ²³ / ₃₂ "	6 ¹¹ / ₃₂ "	33P18H06IT	\$27	\$43	\$53	\$69	\$93
24"			33P24H06IT	29	50	63	85	117
30"			33P30H06IT	32	58	75	102	142
36"			33P36H06IT	36	67	88	120	168
42"			33P42H06IT	41	75	97	132	184
48"			33P48H06IT	48	87	113	153	213
54"			33P54H06IT	55	99	128	174	242
60"			33P60H06IT	60	107	137	186	258
66"			33P66H06IT	65	117	151	205	285
72"			33P72H06IT	71	128	166	225	313
78"			33P78H06IT	75	135	174	236	328
84"			33P84H06IT	82	147	190	257	357
90"			33P90H06IT	88	158	204	277	385
96"			33P96H06IT	96	169	216	292	404

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile (class A fire rating)

How to Specify

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
A = Tackable acoustical
- 4 Fabric grade
- 5 Fabric number

IMPORTANT .5-high tile is only for use with 3.5-high frame.

Fabric is applied railroaded.

Specify tiles for both sides of frame.

Fire-Rated Fabric Tiles

1-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
1-High								
18"	12 ³ / ₈ "	12"	33P181IT	\$31	\$47	\$57	\$73	\$97
24"			33P241IT	33	54	67	89	121
30"			33P301IT	36	62	79	106	146
36"			33P361IT	41	72	93	125	173
42"			33P421IT	52	86	108	143	195
48"			33P481IT	58	97	123	163	223
54"			33P541IT	63	107	136	182	250
60"			33P601IT	69	116	146	195	267
66"			33P661IT	75	127	161	215	295
72"			33P721IT	86	143	181	240	328
78"			33P781IT	91	151	190	252	344
84"			33P841IT	96	161	204	271	371
90"			33P901IT	101	171	217	290	398
96"			33P961IT	108	181	228	304	416
To-the-Floor 1-High								
18"	16 ⁷ / ₃₂ "	15 ²⁷ / ₃₂ "	33P181IT	\$40	\$56	\$66	\$82	\$106
24"			33P241IT	46	67	80	102	134
30"			33P301IT	58	84	101	128	168
36"			33P361IT	67	98	119	151	199
42"			33P421IT	75	109	131	166	218
48"			33P481IT	87	126	152	192	252
54"			33P541IT	99	143	172	218	286
60"			33P601IT	105	152	182	231	303
66"			33P661IT	120	172	206	260	340
72"			33P721IT	127	184	222	281	369
78"			33P781IT	136	196	235	297	389
84"			33P841IT	149	214	257	324	424
90"			33P901IT	158	228	274	347	455
96"			33P961IT	179	252	299	375	487

Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	► See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile (class A fire rating)

How to Specify

1-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

A = Tackable acoustical

④ Fabric grade

⑤ Fabric number

To-the-Floor 1-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

AF = Tackable acoustical

④ Fabric grade

⑤ Fabric number

Fire-Rated Fabric Tiles

1.5-High

GSA Contract Pending
COM GSA Non-Contract



W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
1.5-High								
18"	19 ⁵ / ₁₆ "	18 ¹⁵ / ₁₆ "	33P18H18IT	\$40	\$56	\$66	\$82	\$106
24"			33P24H18IT	46	67	80	102	134
30"			33P30H18IT	58	84	101	128	168
36"			33P36H18IT	67	98	119	151	199
42"			33P42H18IT	75	109	131	166	218
48"			33P48H18IT	87	126	152	192	252
54"			33P54H18IT	99	143	172	218	286
60"			33P60H18IT	105	152	182	231	303
66"			33P66H18IT	120	172	206	260	340
72"			33P72H18IT	127	184	222	281	369
78"			33P78H18IT	136	196	235	297	389
84"			33P84H18IT	149	214	257	324	424
90"			33P90H18IT	158	228	274	347	455
96"			33P96H18IT	179	252	299	375	487

IMPORTANT 1.5-high tile is only for use with 3.5-high frame.

Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile (class A fire rating)

How to Specify

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
A = Tackable acoustical
- 4 Fabric grade
- 5 Fabric number

Fire-Rated Fabric Tiles

2-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
2-High								
18"	25"	24 ⁵ / ₈ "	33P182IT	\$53	\$69	\$79	\$95	\$119
24"			33P242IT	59	80	93	115	147
30"			33P302IT	70	96	113	140	180
36"			33P362IT	86	117	138	170	218
42"			33P422IT	96	130	152	187	239
48"			33P482IT	108	147	173	213	273
54"			33P542IT	123	167	196	242	310
60"			33P602IT	132	179	209	258	330
66"			33P662IT	149	201	235	289	369
72"			33P722IT	158	215	253	312	400
78"			33P782IT	171	231	270	332	424
84"			33P842IT	185	250	293	360	460
90"			33P902IT	197	267	313	386	494
96"			33P962IT	211	284	331	407	519
To-the-Floor 2-High								
18"	28 ¹³ / ₁₆ "	28 ⁷ / ₁₆ "	33P182IT	\$69	\$85	\$95	\$111	\$135
24"			33P242IT	88	109	122	144	176
30"			33P302IT	104	130	147	174	214
36"			33P362IT	125	156	177	209	257
42"			33P422IT	142	176	198	233	285
48"			33P482IT	161	200	226	266	326
54"			33P542IT	183	227	256	302	370
60"			33P602IT	199	246	276	325	397
66"			33P662IT	220	272	306	360	440
72"			33P722IT	238	295	333	392	480
78"			33P782IT	259	319	358	420	512
84"			33P842IT	276	341	384	451	551
90"			33P902IT	295	365	411	484	592
96"			33P962IT	316	389	436	512	624

Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	► See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile (class A fire rating)

How to Specify

2-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

A = Tackable acoustical

④ Fabric grade

⑤ Fabric number

To-the-Floor 2-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

AF = Tackable acoustical

④ Fabric grade


⑤ Fabric number

Fire-Rated Fabric Tiles

3-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
3-High								
18"	37 ¹⁹ / ₃₂ "	37 ⁷ / ₃₂ "	33P183IT	\$69	\$85	\$95	\$111	\$135
24"			33P243IT	88	109	122	144	176
30"			33P303IT	104	130	147	174	214
36"			33P363IT	125	156	177	209	257
42"			33P423IT	142	176	198	233	285
48"			33P483IT	161	200	226	266	326
54"			33P543IT	183	227	256	302	370
60"			33P603IT	199	246	276	325	397
66"			33P663IT	220	272	306	360	440
72"			33P723IT	238	295	333	392	480
78"			33P783IT	259	319	358	420	512
84"			33P843IT	276	341	384	451	551
90"			33P903IT	295	365	411	484	592
96"			33P963IT	316	389	436	512	624
To-the-Floor 3-High								
18"	41 ¹⁵ / ₃₂ "	41 ¹ / ₃₂ "	33P183IT	\$77	\$93	\$103	\$119	\$143
24"			33P243IT	97	118	131	153	185
30"			33P303IT	119	145	162	189	229
36"			33P363IT	141	172	193	225	273
42"			33P423IT	164	198	220	255	307
48"			33P483IT	189	228	254	294	354
54"			33P543IT	214	258	287	333	401
60"			33P603IT	232	279	309	358	430
66"			33P663IT	257	309	343	397	477
72"			33P723IT	280	337	375	434	522
78"			33P783IT	302	362	401	463	555
84"			33P843IT	323	388	431	498	598
90"			33P903IT	346	416	462	535	643
96"			33P963IT	368	441	488	564	676



Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile (class A fire rating)

How to Specify

3-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

A = Tackable acoustical

④ Fabric grade

⑤ Fabric number

To-the-Floor 3-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

AF = Tackable acoustical

④ Fabric grade

⑤ Fabric number

Fire-Rated Fabric Tiles

3.5-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim H	Support H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
3.5-High								
18"	49 ¹⁷ / ₃₂ "	44 ⁵ / ₃₂ "	33P18H44IT	\$77	\$93	\$103	\$119	\$143
24"			33P24H44IT	97	118	131	153	185
30"			33P30H44IT	119	145	162	189	229
36"			33P36H44IT	141	172	193	225	273
42"			33P42H44IT	164	198	220	255	307
48"			33P48H44IT	189	228	254	294	354
To-the-Floor 3.5-High								
18"	48 ¹¹ / ₃₂ "	47 ³¹ / ₃₂ "	33P18H44IT	\$82	\$98	\$108	\$124	\$148
24"			33P24H44IT	102	123	136	158	190
30"			33P30H44IT	128	154	171	198	238
36"			33P36H44IT	154	185	206	238	286
42"			33P42H44IT	181	215	237	272	324
48"			33P48H44IT	204	243	269	309	369



IMPORTANT 3.5-high tile is only for use with 3.5-high frame.

Fabric is applied railroaded.

Specify tiles for both sides of frame.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile (class A fire rating)

How to Specify

3.5-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

A = Tackable acoustical

④ Fabric grade

⑤ Fabric number

To-the-Floor 3.5-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

AF = Tackable acoustical

④ Fabric grade



⑤ Fabric number

Fire-Rated Fabric Tiles

4-High and 5-High

GSA Contract Pending
COM GSA Non-Contract

W	Trim	Support	Model	Fabric Price Grade				
	H	H		A or COM	B	C	D	E
4-High								
18"	50 ³ / ₁₆ "	49 ¹³ / ₁₆ "	33P184IT	\$82	\$98	\$108	\$124	\$148
24"			33P244IT	102	123	136	158	190
30"			33P304IT	128	154	171	198	238
36"			33P364IT	154	185	206	238	286
42"			33P424IT	181	215	237	272	324
48"			33P484IT	204	243	269	309	369
To-the-Floor 4-High								
18"	54"	53 ⁵ / ₈ "	33P184IT	\$100	\$116	\$126	\$142	\$166
24"			33P244IT	128	149	162	184	216
30"			33P304IT	158	184	201	228	268
36"			33P364IT	191	222	243	275	323
42"			33P424IT	225	259	281	316	368
48"			33P484IT	258	297	323	363	423
5-High								
18"	62 ²⁵ / ₃₂ "	62 ³ / ₈ "	33P185IT	\$100	\$116	\$126	\$142	\$166
24"			33P245IT	128	149	162	184	216
30"			33P305IT	158	184	201	228	268
36"			33P365IT	191	222	243	275	323
42"			33P425IT	225	259	281	316	368
48"			33P485IT	258	297	323	363	423



Fabric is applied railrooded.

Specify tiles for both sides of frame.

5-high tiles are not available in to-the-floor models due to fabric limitations.

Statement of Line	► See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tackable tile (class A fire rating)

How to Specify

4- and 5-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

A = Tackable acoustical

④ Fabric grade

⑤ Fabric number

To-the-Floor 4-High Tiles

① Model

② Tile type:

ST = Support

TT = Trim

Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

③ Tile material:

AF = Tackable acoustical

④ Fabric grade

⑤ Fabric number

Laminate, Paint, and Wood Tiles

.5-High

GSA Contract Pending



W	Trim H	Support H	Model	Laminate	Paint	Wood
.5-High						
18"	6 ²³ / ₃₂ "	6 ¹¹ / ₃₂ "	33P18H06IT	\$175	\$240	\$248
24"			33P24H06IT	177	250	258
30"			33P30H06IT	178	260	268
36"			33P36H06IT	179	270	278
42"			33P42H06IT	181	278	286
48"			33P48H06IT	183	285	293
54"			33P54H06IT	185	293	308
60"			33P60H06IT	187	312	327
66"			33P66H06IT	189	347	362
72"			33P72H06IT	191	356	373
78"			33P78H06IT	193	374	391
84"			33P84H06IT	195	383	400
90"			33P90H06IT	197	398	415
96"			33P96H06IT	198	415	432

IMPORTANT .5-high tile is only for use with 3.5-high frame.

Specify tiles for both sides of frame.

Wood grain direction runs vertical.

Metallic paint not available.

Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

Woodgrain laminate is available on laminate tiles in widths up to 57".

Statement of Line	► See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tile

How to Specify

Laminate Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
LL = Laminate
- 4 Laminate designator

Paint Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
P = Paint
- 5 Finish type:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- 6 Finish designator

Note: **544** Silver Pearl is not applicable.


Wood Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
W = Wood
- 4 Finish type:
STD = Group 1
STD2 = Group 2 (+20%)
- 5 Finish designator

Laminate, Paint, and Wood Tiles

1-High

GSA Contract Pending



W	Trim H	Support H	Model	Laminate	Paint	Wood
1-High						
18"	12 ³ / ₈ "	12"	33P181IT	\$190	\$265	\$278
24"			33P241IT	197	274	288
30"			33P301IT	203	290	313
36"			33P361IT	210	314	338
42"			33P421IT	216	341	369
48"			33P481IT	222	355	386
54"			33P541IT	228	375	412
60"			33P601IT	234	393	437
66"			33P661IT	241	427	511
72"			33P721IT	248	442	585
78"			33P781IT	252	455	603
84"			33P841IT	256	465	620
90"			33P901IT	260	481	626
96"			33P961IT	274	487	634

Specify tiles for both sides of frame.

Wood grain direction runs vertical.

Metallic paint not available.

Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

Woodgrain laminate is available on laminate tiles in widths up to 57".

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tile

How to Specify

Laminate Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
LL = Laminate
- 4 Laminate designator

Paint Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
P = Paint
- 5 Finish type:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- 6 Finish designator

Note: **544** Silver Pearl is not applicable.

Wood Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
W = Wood
- 4 Finish type:
STD = Group 1
STD2 = Group 2 (+20%)
- 5 Finish designator

Laminate, Paint, and Wood Tiles

To-the-Floor 1-High

GSA Contract Pending



W	Trim H	Support H	Model	Laminate	Paint	Wood
To-the-Floor 1-High						
18"	16 ⁷ / ₃₂ "	15 ²⁷ / ₃₂ "	33P181IT	\$203	\$312	\$339
24"			33P241IT	213	324	359
30"			33P301IT	223	340	394
36"			33P361IT	232	351	424
42"			33P421IT	242	366	460
48"			33P481IT	252	383	495
54"			33P541IT	262	397	528
60"			33P601IT	272	412	561
66"			33P661IT	282	426	655
72"			33P721IT	292	440	750
78"			33P781IT	302	454	773
84"			33P841IT	312	468	796
90"			33P901IT	322	482	803
96"			33P961IT	332	491	813

Specify tiles for both sides of frame.

Wood grain direction runs vertical.

Metallic paint is not available.

Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

Woodgrain laminate is available on laminate tiles in widths up to 57".

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tile

How to Specify

Laminate Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
FLL = Laminate
- 4 Laminate designator

Paint Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
FP = Paint
- 5 Finish type:
STD = Group 1
STD_M = Group M (+10%)
STD₂₁ = Group 21 (+10%)
- 6 Finish designator

Note: **544** Silver Pearl is not applicable.


Wood Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
FW = Wood
- 4 Finish type:
STD = Group 1
STD₂ = Group 2 (+20%)
- 5 Finish designator

Laminate, Paint, and Wood Tiles

1.5-High

GSA Contract Pending



W	Trim H	Support H	Model	Laminate	Paint	Wood
1.5-High						
18"	19 ⁵ / ₁₆ "	18 ¹⁵ / ₁₆ "	33P18H18IT	\$203	\$316	\$347
24"			33P24H18IT	213	330	366
30"			33P30H18IT	223	344	402
36"			33P36H18IT	232	355	432
42"			33P42H18IT	242	370	470
48"			33P48H18IT	252	387	503
54"			33P54H18IT	262	401	536
60"			33P60H18IT	272	416	569
66"			33P66H18IT	282	430	665
72"			33P72H18IT	292	444	761
78"			33P78H18IT	303	458	784
84"			33P84H18IT	312	472	807
90"			33P90H18IT	322	486	815
96"			33P96H18IT	332	495	825

IMPORTANT 1.5-high tile is only for use with 3.5-high frame.

Specify tiles for both sides of frame.

Wood grain direction runs vertical.

Metallic paint is not available.

Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

Woodgrain laminate is available on laminate tiles in widths up to 57".

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tile

How to Specify

Laminate Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
LL = Laminate
- 4 Laminate designator

Paint Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
P = Paint
- 5 Finish type:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- 6 Finish designator

Note: **544** Silver Pearl is not applicable.


Wood Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
W = Wood
- 4 Finish type:
STD = Group 1
STD2 = Group 2 (+20%)
- 5 Finish designator

Laminate, Paint, and Wood Tiles

2-High

GSA Contract Pending



W	Trim H	Support H	Model	Laminate	Paint	Wood
2-High						
18"	25"	24 $\frac{5}{8}$ "	33P182IT	\$162	\$323	\$354
24"			33P242IT	221	336	374
30"			33P302IT	232	349	409
36"			33P362IT	243	364	428
42"			33P422IT	253	379	449
48"			33P482IT	273	394	480
54"			33P542IT	291	409	510
60"			33P602IT	304	424	544
66"			33P662IT	318	435	675
72"			33P722IT	327	450	772
78"			33P782IT	340	465	796
84"			33P842IT	353	480	819
90"			33P902IT	366	493	827
96"			33P962IT	379	505	837

Specify tiles for both sides of frame.

Wood grain direction runs vertical.

Metallic paint is not available.

Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

Woodgrain laminate is available on laminate tiles in widths up to 57".

Statement of Line	► See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tile

How to Specify

Laminate Tiles

- Model
- Tile type:
ST = Support
TT = Trim
- Tile material:
LL = Laminate
- Laminate designator

Paint Tiles

- Model
- Tile type:
ST = Support
TT = Trim
- Tile material:
P = Paint
- Finish type:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- Finish designator

Note: **544** Silver Pearl is not applicable.


Wood Tiles

- Model
- Tile type:
ST = Support
TT = Trim
- Tile material:
W = Wood
- Finish type:
STD = Group 1
STD2 = Group 2 (+20%)
- Finish designator

Laminate, Paint, and Wood Tiles

To-the-Floor 2-High

GSA Contract Pending



W	Trim H	Support H	Model	Laminate	Paint	Wood
To-the-Floor 2-High						
18"	28 ¹³ / ₁₆ "	28 ⁷ / ₁₆ "	33P182IT	\$219	\$350	\$402
24"			33P242IT	228	357	415
30"			33P302IT	252	365	460
36"			33P362IT	265	380	500
42"			33P422IT	278	393	545
48"			33P482IT	295	406	586
54"			33P542IT	310	419	625
60"			33P602IT	323	431	664
66"			33P662IT	338	443	776
72"			33P722IT	354	455	888
78"			33P782IT	367	468	915
84"			33P842IT	383	480	942
90"			33P902IT	397	493	950
96"			33P962IT	413	505	962

Specify tiles for both sides of frame.

Wood grain direction runs vertical.

Metallic paint is not available.

Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

Woodgrain laminate is available on laminate tiles in widths up to 57".

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tile

How to Specify

Laminate Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
FLL = Laminate
- 4 Laminate designator

Paint Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
FP = Paint
- 5 Finish type:
STD = Group 1
STD_M = Group M (+10%)
STD₂₁ = Group 21 (+10%)
- 6 Finish designator

Note: **544** Silver Pearl is not applicable.


Wood Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
FW = Wood
- 4 Finish type:
STD = Group 1
STD₂ = Group 2 (+20%)
- 5 Finish designator

Laminate, Paint, and Wood Tiles

3-High

GSA Contract Pending



W	Trim H	Support H	Model	Laminate	Paint	Wood
3-High						
18"	37 ¹⁹ / ₃₂ "	37 ⁷ / ₃₂ "	33P183IT	\$228	\$354	\$430
24"			33P243IT	237	361	453
30"			33P303IT	260	369	505
36"			33P363IT	287	384	558
42"			33P423IT	343	397	611
48"			33P483IT	354	410	662
54"			33P543IT	365	423	706
60"			33P603IT	379	435	750
66"			33P663IT	395	447	877
72"			33P723IT	404	459	1003
78"			33P783IT	416	472	1034
84"			33P843IT	429	484	1064
90"			33P903IT	439	497	1074
96"			33P963IT	454	509	1087

Specify tiles for both sides of frame.

Wood grain direction is vertical.

Metallic paint is not available.

Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

Woodgrain laminate is available on laminate tiles in widths up to 57".

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tile

How to Specify

Laminate Tiles

- Model
- Tile type:
ST = Support
TT = Trim
- Tile material:
LL = Laminate
- Laminate designator

Paint Tiles

- Model
- Tile type:
ST = Support
TT = Trim
- Tile material:
P = Paint
- Finish type:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- Finish designator

Note: **544** Silver Pearl is not applicable.


Wood Tiles

- Model
- Tile type:
ST = Support
TT = Trim
- Tile material:
W = Wood
- Finish type:
STD = Group 1
STD2 = Group 2 (+20%)
- Finish designator

Laminate, Paint, and Wood Tiles

To-the-Floor 3-High

GSA Contract Pending



W	Trim H	Support H	Model	Laminate	Paint	Wood
To-the-Floor 3-High						
18"	4 115/32"	4 11/32"	33P183IT	\$243	\$371	\$445
24"			33P243IT	261	377	468
30"			33P303IT	281	385	520
36"			33P363IT	308	400	558
42"			33P423IT	329	411	626
48"			33P483IT	350	422	675
54"			33P543IT	370	432	722
60"			33P603IT	442	765	391
66"			33P663IT	410	455	892
72"			33P723IT	423	464	1015
78"			33P783IT	438	474	1050
84"			33P843IT	453	484	1080
90"			33P903IT	468	500	1091
96"			33P963IT	483	515	1105

Specify tiles for both sides of frame.

Wood grain direction is vertical.

Metallic paint is not available.

Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)

Woodgrain laminate is available on laminate tiles in widths up to 57".

Statement of Line	▶ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Tile

How to Specify

Laminate Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
FLL = Laminate
- 4 Laminate designator

Paint Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
FP = Paint
- 5 Finish type:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- 6 Finish designator

Note: **544** Silver Pearl is not applicable.

Wood Tiles

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
- 3 Tile material:
FW = Wood
- 4 Finish type:
STD = Group 1
STD2 = Group 2 (+20%)
- 5 Finish designator

Glass Tiles with Frame

1-High

GSA Contract Pending



W	Trim H	Support H	Model	Price
1-High				
18"	12 ³ / ₈ "	12"	33P181IT	\$227
24"			33P241IT	255
30"			33P301IT	272
36"			33P361IT	302
42"			33P421IT	350
48"			33P481IT	382
54"			33P541IT	407
60"			33P601IT	426
66"			33P661IT	465
72"			33P721IT	492
78"			33P781IT	512
84"			33P841IT	534
90"			33P901IT	549
96"			33P961IT	571

Specify one glass tile model to complete both sides of Narrate frame. Each model includes two frames with glass, one for each side of the frame.

Power and data cables cannot be routed through glass tiles.

54"–96"W glass tiles for use with 1-high stacking frames only.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Two frames with glass: clear or frosted


How to Specify

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
GAP = Glass with painted frame
- 4 Glass type:
3 = Clear
9 = Frosted both sides (+25%)
- 5 Finish type:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- 6 Finish designator

Glass Tiles with Frame

1.5-High

GSA Contract Pending



W	Trim H	Support H	Model	Price
1.5-High				
18"	19 ⁵ / ₁₆ "	18 ¹⁵ / ₁₆ "	33P18H18IT	\$248
24"			33P24H18IT	263
30"			33P30H18IT	284
36"			33P36H18IT	316
42"			33P42H18IT	370
48"			33P48H18IT	405

Specify one glass tile model to complete both sides of Narrate frame. Each model includes two frames with glass, one for each side of the frame.

Power and data cables cannot be routed through glass tiles.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Two frames with glass: clear or frosted

How to Specify

- Model
- Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- Tile material:
GAP = Glass with painted frame
- Glass type:
3 = Clear
9 = Frosted both sides (+25%)
- Finish type:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- Finish designator

Glass Tiles with Frame

2-High

GSA Contract Pending



W	Trim H	Support H	Model	Price
2-High				
18"	25"	24 ⁵ / ₈ "	33P182IT	\$334
24"			33P242IT	352
30"			33P302IT	371
36"			33P362IT	394
42"			33P422IT	437
48"			33P482IT	471
54"			33P542IT	513
60"			33P602IT	555
66"			33P662IT	596
72"			33P722IT	637
78"			33P782IT	662
84"			33P842IT	687
90"			33P902IT	696
96"			33P962IT	705

Specify one glass tile model to complete both sides of Narrate frame. Each model includes two frames with glass, one for each side of the frame.

Power and data cables cannot be routed through glass tiles.

54"–96"W glass tiles for use with 1-High stacking frames only.

Statement of Line	➤ See page 7
Planning	17
Pricing	61
Finishes & Materials	215

Standard Includes

- Two frames with glass: clear or frosted

How to Specify

- 1 Model
- 2 Tile type:
ST = Support
TT = Trim
Note: Tile type must match the upper Traxx in which it will be installed (i.e., support tile is used with support Traxx, trim tile is used with trim Traxx.)
- 3 Tile material:
GAP = Glass with painted frame
- 4 Glass type:
3 = Clear
9 = Frosted both sides (+25%)
- 5 Finish type:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- 6 Finish designator