


New-Jax

FINISH

REFLECTION

Metal Interlocked Floor
Finish and Basecoat



CAUTION: May cause eye irritation. See precautions and first aid statement on side panel.
KEEP OUT OF REACH OF CHILDREN. FOR INSTITUTIONAL AND COMMERCIAL USE.



WARNING
AVERTISSEMENT
AVISO



CHILDREN CAN FALL INTO BUCKET AND DROWN.
KEEP CHILDREN AWAY FROM BUCKET WITH
EVEN A SMALL AMOUNT OF LIQUID.

ENFANTS PEUVENT TOMBER DANS SEAU ET NOIENT.
ENFANTS DE LA NOURRITURE LOIN DE SEAU
AVEC MÊME UN PETIT QUANTITÉ DE LIQUIDE.

LOS NIÑOS CORREN PELIGRO DE CAERSE
DENTRO DEL BALDE Y AHOGARSE.
MANTENER A LOS NIÑOS LEJOS DE LOS
BALDES, INCLUSO CUANDO SOLO TENGAN
UNA PEQUEÑA CANTIDAD DE LIQUIDO.

WHERE TO USE: Recommended for use on all types of resilient tile flooring and properly prepared hard surfaces.

DIRECTIONS FOR USE: Read the entire label before using this product.

RESTORATIVE MAINTENANCE: Completely remove all old wax, finish and soil from floor surface following strip procedure instructions on stripper label. Floor surface must be clean, dry and free of residue before finish is applied. Rinse with clean water if necessary. Apply finish in uniform, thin to medium coats using a clean synthetic finish mop or applicator system. Allow each coat to dry thoroughly before applying additional coats, usually 20 - 30 minutes. 4-5 coats of finish are recommended. **ROUTINE MAINTENANCE:** Sweep large debris and dust mop (using a water based treatment). Damp mop or automatic scrub using a neutral pH cleaner. Buff or burnish the floor as desired. The use of a cleaner/restorer is recommended to condition the floor and extend the time between top scrub and recoating. **INTERIM MAINTENANCE:** Sweep large debris and dust mop (using a water-based treatment). Top scrub the floor using a top scrub cleaner and recommended floor pad to remove the top soiled layers of finish. Floor surface must be clean, dry and free of residue before finish is applied. Apply 1 - 2 coats of finish as directed above. Note: Slip resistance meets or exceeds CSMA standard, (ASTM D 2047-93) James Machine 0.5 minimum. —

NPCA Hazardous Materials I.D. SYSTEM

Health	1
Flammability	0
Physical Hazard	0

96063

NET CONTENTS: 5 gallons (U.S.) 18.9 L

SAFETY: CAUTION: Contains emulsifiers. Avoid contact with skin and eyes. Harmful if swallowed. **FIRST AID:** If splashed on skin or in eyes, flush with large quantities of water. If swallowed, drink two glasses of water. Call a physician.

KEEP FROM FREEZING

INGREDIENTS (CAS No.): Water (7732-18-5); Acrylic Emulsion (N/A); Diethylene Glycol Ethyl Ether (111-90-0); Homopolymer (68441-73-6); Tributoxethyl Phosphate (78-51-3).

This product's VOC content complies with the standard as established by the EPA under 40 CFR 59 subpart D of less than or equal to 450g/Liter.

Sold by:

NEWELL PAPER CO.
DEMOPOLIS, AL. - 1-800-652-2768
MERIDIAN, MS. - 1-800-844-8894
COLUMBUS, MS. - 1-800-844-1467
HATTIESBURG, MS. - 1-800-530-7537
JACKSON PAPER CO.
JACKSON, MS. - 1-800-844-5449

WARNING: May cause eye irritation. See precautions and first aid statement on panel below. KEEP OUT OF REACH OF CHILDREN. FOR INSTITUTIONAL AND COMMERCIAL USE.

166010

Children can fall into buckets and drown. Keep children away from buckets with even a small amount of liquid.

**Los niños pueden caerse en el
baño y ahogarse.**

Mantenga los niños alejados de baldes, incluso los que solo contienen una cantidad de fluido

Les enfants peuvent tomber dans le seau et se noyer.

[illegible]

NCPA Hazardous Materials I.D. SYSTEM	
Health	1
Flammability	0
Physical Hazard	0

NET CONTENTS: 5 gallons

WARNING: MAY CAUSE EYE IRRITATION. Contains Glycol Ether. Avoid contact with skin and eyes. Harmful if swallowed. **FIRST AID:** If splashed on skin or in eyes, flush with large quantities of water. If irritation persists, get medical attention. If swallowed, drink two glasses of water. Call a physician. **KEEP OUT OF REACH OF CHILDREN.**

INGREDIENTS (CAS No.): Water (7732-18-6); Acrylic Emulsion (N/A); Diethylene Glycol Ethyl Ether (111-90-0); Tributoxo Ethyl Phosphate (78-51-3); Polyethylene Wax Emulsion (N/A).

KEEP FROM FREEZING

SOLD BY:


NEWELL PAPER CO.
DEMOPOLIS, AL. - 1-800-652-2768
MERIDIAN, MS. - 1-800-844-8894
COLUMBUS, MS. - 1-800-844-1457
HATTIESBURG, MS. - 1-800-530-7537
JACKSON PAPER CO.
JACKSON, MS. - 1-800-844-5449

New-Jax

STRIPPER

ELIMINATOR PLUS

Very Aggressive No-Rinse Stripper



DANGER: CORROSIVE. Causes burns. Vapors harmful. Harmful if swallowed. See precautions and first aid statement on side panel. **KEEP OUT OF REACH OF CHILDREN. FOR INSTITUTIONAL AND COMMERCIAL USE.**



WARNING
AVERTISSEMENT
AVISO



**CHILDREN CAN FALL INTO BUCKET AND DROWN.
KEEP CHILDREN AWAY FROM BUCKET WITH
EVEN A SMALL AMOUNT OF LIQUID.**

**ENFANTS PEUVENT TOMBER DANS SEAU ET NOIENT.
ENFANTS DE LA NOURRITURE LOIN DE SEAU
AVEC MÊME UN PETIT QUANTITÉ DE LIQUIDE.**

**LOS NIÑOS CORREN PELIGRO DE CAERSE
DENTRO DEL BALDE Y AHOGARSE.
MANTENER A LOS NIÑOS LEJOS DE LOS
BALDES, INCLUSO CUANDO SOLO TENGAN
UNA PEQUEÑA CANTIDAD DE LÍQUIDO.**

USE:



DIRECTIONS FOR USE: Read the entire label before using this product. Recommended for removing water-based acrylic and urethane fortified floor finishes from all types of resilient tile and hard surfaces. Pre-test in a small area; color bleeding or discoloration may occur on linoleum, rubber tile or asphalt tile. Not recommended for stripping linoleum or sheet vinyl floors. Sweep or dust mop the floor to remove any large debris. Dilute with cool to warm water. For normal stripping, dilute 13 oz./gal. or 100 mL/L (1:10) of water. For heavy stripping, dilute 25 oz./gal. or 200 mL/L (1:5) of water. Apply solution liberally to floor surface. Allow 4 - 5 minutes contact time. Be sure to keep surface wet at all times. Agitate with a low-speed rotary machine, automatic scrubber or stripping machine. Pick up the solution with a wet vacuum, an automatic scrubber or a mop and bucket and thoroughly rinse the floor. Allow floor to dry completely before applying finish or sealer. No flood rinsing is necessary if surface appears free of dust and residue.

NET CONTENTS: 5 gallons (U.S.) 18.9 L

0815406

SAFETY: DANGER: CORROSIVE. CAUSES BURNS. VAPORS HARMFUL. HARMFUL IF SWALLOWED. Contains Potassium Hydroxide, 2-Butoxyethanol and Monoethanolamine. Avoid contact with skin and eyes. Wear chemical anti-splash goggles and suitable gloves and boots. **FIRST AID:** Remove contaminated clothing immediately. **SKIN AND EYES:** Flush skin and eyes immediately with large quantities of water for at least 15 minutes. Seek immediate medical attention. **INGESTION:** If swallowed, contact a poison control center immediately for treatment advice. Have conscious person take sips of water if able to swallow. Never give anything by mouth to an unconscious person. Do not induce vomiting unless instructed to do so by poison control center or doctor. **INHALATION:** Remove to fresh air. If not breathing, call 911 or ambulance, then administer artificial respiration, preferably mouth-to-mouth.

INGREDIENTS (CAS No.): Water (7732-18-5); 2-Butoxyethanol (111-76-2); Monoethanolamine (141-43-5); Potassium Hydroxide (1310-58-3); Sodium Xylene Sulfonate (1300-72-7).

Sold by:

NEWELL PAPER CO.

DEMOPOLIS, AL. - 1-800-652-2768

MERIDIAN, MS. - 1-800-844-8894

COLUMBUS, MS. - 1-800-844-1467

HATTIESBURG, MS. - 1-800-530-7537

JACKSON PAPER CO.

JACKSON, MS. - 1-800-844-5449

New-Jax

NEUTRAL DISINFECTANT CLE DISINFECTANT • DEODORANT • CL

Kills Pseudomonas, Salmonella, and Staphylococcus • Vin

KEEP OUT OF RE

DA

PELIGRO: Si no se usa correctamente puede ser perjudicial para la salud. VER LA INSTRUCCION EN EL FONDO DEL PRODUCTO.

SEE SIDE PANEL FOR AD
STATEMENT

ACTIVE INGREDIENTS:

alkyl (58% C₁₂, 28% C₁₄, 14% C₁₆) 2.00%

dimethyl benzyl ammonium chloride 86.00%

OTHER INGREDIENTS 86.00%

TOTAL 100.00%

[illegible]

PRECAUTIONARY MEASURES
Hazards to Humans and Domestic Animals

HAZARDOUS INGREDIENTS: This product contains chemicals known to cause cancer, genetic defects, or irreversible injury to the reproductive system. Use only as directed. Wear protective eyewear (goggles, face shield or safety glasses) and protective gloves (rubber, chemical resistant) when handling. Handle if water is spilled. Do not breathe vapors. Do not get in eyes. Do not get on skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and flush slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, and continue flushing. Get medical attention immediately.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Flush skin immediately with plenty of water for 15 - 20 minutes. Wash thoroughly with soap and water. Get medical attention immediately.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not get anything by mouth to an unconscious person.

IF INHALED: Move person to a fresh air area. If breathing is difficult, use oxygen. Get medical attention immediately.

First Aid Kit: First aid kit for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Permissible Storage: Open dumping is prohibited. Store in original container in area inaccessible to children.
PETITIQUE DISPOSAL:
Permissible storage: Store in original container in area inaccessible to children.
Permissible wastes are acutely hazardous. Improper disposal of acutely hazardous wastes or materials is a violation of Federal Resource Conservation and Recovery Act (RCRA) and related laws. For more information, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representatives at the nearest EPA Regional Office.

CONTAINER DISPOSAL

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying.
Triple rinse as follows: Fill container to full with water and replace the container's cap tightly. Invert, drain, and repeat procedure three times. Then pour contents into other approved storage and use containers. Follow pesticide disposal instructions for materials found in the other procedures approved by state and local authorities. Follow pesticide disposal instructions for materials found in the other procedures approved by state and local authorities. These containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

Sold by:

newell Paper company

1215 GRAND AVENUE, 39301
MERIDIAN, MS. - 1-800-444-6894
1000 N. 10TH AVE., 39201
COLLINGSWOOD, MS. - 1-800-444-6887
HATTIESBURG, MS. - 1-800-530-7537
JACKSON, MS. - 1-800-444-6649

newell *Paper* company

Sold by:

1219 GRAND AVENUE, 39201
METROJAN, MS. - 1-800-844-8894

DEMOPOLIS, AL - 1-800-853-2768
COLUMBUS, MS. - 1-800-444-1467
HATTIESBURG, MS. - 1-800-930-7537
JACKSON, MS. - 1-800-844-6649

ONE GALLON

1031510

Sold by:

newell *Paper* company

1212 GRAND AVENUE, 39201
MERIDIAN, MS. - 1-800-344-4594
DEMOPOLIS, AL - 1-800-852-2768
WETUMPK, MS. - 1-800-441-1667
HATTIESBURG, MS. - 1-800-530-7337
JACKSON, MS. - 1-800-444-5649

CAUTION: May cause eye irritation. See precautions and first aid statement on side panel.. KEEP OUT OF REACH OF CHILDREN. FOR INSTITUTIONAL AND COMMERCIAL USE.

Children can fall into bucket and drown.
Keep children away from buckets with
even a small amount of liquid.

Los niños pueden caerse en el
balde y ahogarse.

Mantenga los niños alejados de baldes,
incluso los que solo contienen una
pequeña cantidad de líquido.

Les enfants peuvent tomber dans le
seau et se noyer.

Gardez le seau loin des enfants, même
s'il ne contient qu'un peu de liquide.

NPCA Hazardous Materials I.D. SYSTEM	
Health	1
Flammability	0
Physical Hazard	0

INGREDIENTS (CAS No.): Water (7732-18-5); Acrylate Emulsion (N/A); Diethylene Glycol Ethyl Ether (111-90-0); Tributaoxyethyl Phosphate (78-51-3); Polyoctylene Wax Emulsion (N/A).


1212 GRAND AVENUE, 39301
MERIDIAN, MS. - 1-800-844-8894
DEMOPOLIS, AL. - 1-800-652-2768
COLUMBUS, MS. - 1-800-844-1457
HATTESBURG, MS. - 1-800-530-7533
JACKSON PAPER CO.
JACKSON, MS. - 1-800-844-5449

1160731

New-Jax

ENCORE

Metal Interlocked Acrylic Polymer Floor Finish



CAUTION: May cause eye irritation. See precautions and first aid statement on panel below.
KEEP OUT OF REACH OF CHILDREN. FOR INSTITUTIONAL AND COMMERCIAL USE.

NET CONTENTS: 55 gallons

FINISH

DIRECTIONS FOR USE: Read the entire label before using this product. Recommended for use on all types of resilient tile flooring and properly prepared hard surfaces. **RESTORATIVE MAINTENANCE:** Completely remove all old wax, finish and soil from floor surface following strip procedure instructions on stripper label. Floor surface must be clean, dry and free of residue before finish is applied. Rinse with clean water if necessary. Apply finish in uniform, thin to medium coats using a clean synthetic finish mop or applicator system. Allow each coat to dry thoroughly before applying additional coats, usually 20 - 30 minutes. Elevated temperatures and humidity may extend dry time. 4 - 5 coats of finish are recommended. **Note:** This product is a self sealing finish, however, if tile is old, worn or porous, initially applying 1 - 2 coats of a sealer will enhance gloss and long term performance. **ROUTINE MAINTENANCE:** Sweep large debris and dust mop (using a water based treatment). Damp mop or automatic scrub using a neutral pH cleaner. Buff or burnish the floor as desired. The use of a cleaner/restorer is recommended to condition the floor and extend the time between top scrub and recoating. **INTERIM MAINTENANCE:** Sweep large debris and dust mop (using a mended floor pad to remove the top soiled layers of finish. Floor surface must be clean, dry and free of residue before finish is applied. Apply 1 - 2 coats of finish as directed above. **Note: Slip resistance meets or exceeds standard, (ASTM D 2047-04) James Machine 0.5 minimum.**


SOLD BY:

NEWELL PAPER CO.
DEMOPOLIS, AL. - 1-800-652-2768
MERIDIAN, MS. - 1-800-844-8894
COLUMBUS, MS. - 1-800-844-1467
HATTIESBURG, MS. - 1-800-530-7537
JACKSON PAPER CO.
JACKSON, MS. - 1-800-844-5449

New-Jax

GRIZZLY

HEAVY DUTY NONAMMONIATED STRIPPER



DANGER: CORROSIVE. Causes burns. Vapors harmful. See precautions and first aid statement on panel below. KEEP OUT OF REACH OF CHILDREN. FOR INSTITUTIONAL AND COMMERCIAL USE.

NET CONTENTS: 55 gallons

STRIPPER

DIRECTIONS FOR USE: Read the entire label before using this product. Recommended for removing water-based acrylic and urethane fortified floor finishes from all types of resilient tile and hard surfaces. Pre-test in a small area; color bleeding or discoloration may occur on linoleum, rubber tile, or asphalt tile. *Not recommended for stripping linoleum or sheet vinyl floors.* Sweep or dust mop floor to remove any large debris. Dilute with hot water. For normal stripping dilute 13 oz./gal. or 100 mL/L (1:10) of water. For heavy stripping dilute 25 oz./gal. or 200 mL/L (1:5) of water. Apply solution liberally to floor surface. Allow 4 - 5 minutes contact time. Be sure to keep surface wet at all times. Agitate with a low speed rotary machine, automatic scrubber or matic scrubber or mop and bucket and thoroughly rinse the floor. Allow floor to dry completely before applying finish or sealer.

DANGER: CORROSIVE. CAUSES BURNS. VAPORS HARMFUL. Contains Sodium Hydroxide, 2-Butoxyethanol, and Monoethanolamine. Avoid contact with skin and eyes. Wear chemical anti-splash goggles and suitable gloves and boots. Harmful if swallowed. **FIRST AID:** Remove contaminated clothing immediately. **SKIN AND EYES:** Flush skin and eyes immediately with large quantities of water for at least 15 minutes. Seek immediate medical attention. **INGESTION:** If swallowed, contact a poison control center immediately for treatment advice. Have conscious person take sips of water if able to swallow. Never give anything by mouth to an unconscious person. Do not induce vomiting unless instructed to do so by poison control center or doctor. **INHALATION:** Remove to fresh air. If not breathing, call 911 or ambulance, then administer artificial respiration, preferably mouth-to-mouth.

INGREDIENTS (CAS No.): Water (7732-18-5); Sodium Metasilicate (6834-92-0); 2-Butoxyethanol (111-76-2); Monoethanolamine (141-43-5); Sodium Hydroxide (1310-73-2).

SOLD BY:

NEWELL PAPER CO.
DEMOPOLIS, AL. - 1-800-652-2768
MERIDIAN, MS. - 1-800-844-8894
COLUMBUS, MS. - 1-800-844-1467
HATTIESBURG, MS. - 1-800-530-7537
JACKSON PAPER CO.
JACKSON, MS. - 1-800-844-5449

FLOOR CLEANER

New-Jax

NEUTRAL ZONE

Neutral All Purpose Cleaner



CAUTION: May cause irritation. See precautions and first aid statement on side panel.
KEEP OUT OF REACH OF CHILDREN. FOR INSTITUTIONAL AND COMMERCIAL USE.

DIRECTIONS FOR USE: Read the entire label before using this product. Recommended for mopping or autoscrubbing finished floors. Can also be used as a spray and wipe cleaner on appliances, desks, plastic, stainless steel and painted surfaces.

1. Dilute 1 to 3 U.S. oz./U.S. gal. or 8 to 23 mL/L of water, depending on soil conditions.
2. Apply cleaning solution using a mop or autoscrubber.
3. Pick up the solution. Rinsing is not required except in very dirty situations.
4. Allow floor to dry thoroughly.

SAFETY: CAUTION: May cause eye irritation. Contains detergents. Avoid contact with skin and eyes. Wear suitable eye wear and gloves. Do not ingest. **FIRST AID:** If splashed on skin or in eyes, flush with large quantities of water. If swallowed, do not induce vomiting. Rinse out mouth. Call a physician.

INGREDIENTS (CAS No.): Water (7732-18-5); Alcohol Alkoxylate (68439-46-3); Tetrasodium EDTA (64-02-8); Citric Acid (77-92-9); Cationic Surfactant (5197-80-8).

Sold by:

newell *Paper* company

MERIDIAN, MS. - 1-800-844-5884
1212 GRAND AVENUE, 39201
DEMOPOLIS, AL. - 1-800-652-2768
COLUMBUS, MS. - 1-800-494-1487
HATTIESBURG, MS. - 1-800-544-1257
JACKSON, MS. - 1-800-444-5449

NET CONTENTS: 1 gallon (U.S./É.U.) 3.78 L

0513813

New-Jay

LEMON DISINFECTANT CLEANER

DISINFECTANT • DEODORANT • CLEANER

Kills Pseudomonas, Salmonella, and Staphylococcus • Virucidal*

ACTIVE INGREDIENTS:

Alky (58% C₁₄, 28% C₁₆, 14% C₁₂)

dimethyl benzyl ammonium chloride

2.00%

OTHER INGREDIENTS

98.00%

TOTAL

100.00%

EPA EST. NO. 417D-OH-1
EPA REG. NO. 6936-105-11876

KEEP OUT OF REACH OF CHILDREN
DANGER

PELIGRO. Si no sabe inglés pida instrucciones a su supervisor antes de usar este producto.
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND FIRST AID.

ONE GALLON

Sold by:

newell *Paper company*

1212 GRAND AVENUE, 39301
MERIDIAN, MS. - 1-800-844-8894
DEMOPOLIS, AL. - 1-800-552-2768
COLUMBUS, MS. - 1-800-844-1467
HATTIESBURG, MS. - 1-800-530-7537
JACKSON, MS. - 1-800-644-5449

Sold by:

**1212 GRAND AVENUE, 39301
MERIDIAN, MS. - 1-800-844-8894**

**DEMOPOLIS, AL. - 1-800-652-2768
COLUMBUS, MS. - 1-800-844-1457
HATTIESBURG, MS. - 1-800-530-7537
JACKSON, MS. - 1-800-844-5449**

PRECAUTIONARY STATEMENTS
Keep out of reach of children. **Domestic Animals**
Hazards to Humans: Irritant.
HAZARD TO WATER
Corrosive. Causes irreversible eye damage. Do not get in eyes. Avoid contact with skin. Wear protective gloves (polymer, latex, nitrile, or neoprene), goggles, face shield or safety glasses and protective gloves (rubber, chemical resistant) when handling. If swallowed, wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

FIRST AID
EYES: Flush eyes with clean, cool water for 15-20 minutes. Remove contact lenses, if present, and continue flushing. Get medical attention immediately.
SKIN: Wash immediately with plenty of water for 15-20 minutes.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. **Do not induce vomiting.** Give nothing by mouth to an unconscious person.
Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

STORAGE AND DISPOSAL
Do not put combustible waste, food or feed in storage or disposal.
Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.
PESTICIDE DISPOSAL
Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL
Nonrefillable container: Do not reuse or refill this container. Clean container promptly after emptying.
Triple rinse as follows: Fill container 1/4 with water and recap the container. Agitate vigorously, and dispose of contents consistent with pesticide disposal instructions. Repeat two more times. Then allow for evaporating if applicable or puncture and dispose of residue as follows: For liquid formulations, puncture in upper half next to bottom. For unit dose or ready-to-apply formulations, puncture in lower half next to bottom. Residue remains in these containers as acute hazardous waste and must be disposed in accordance with local, state, and federal regulations.

New-Jax

FAST STRIP

High Power • Fast Acting • Low Odor
No-Rinse Floor Stripper



DANGER: CORROSIVE. Causes burns. Vapors harmful. Harmful if swallowed.
See additional precautionary and first aid statement on side panel.
KEEP OUT OF REACH OF CHILDREN. FOR INSTITUTIONAL AND COMMERCIAL USE.

STRIPPER



WARNING
AVERTISSEMENT
AVISO



CHILDREN CAN FALL INTO BUCKET AND DROWN.
KEEP CHILDREN AWAY FROM BUCKET WITH
EVEN A SMALL AMOUNT OF LIQUID.

ENFANTS PEUVENT TOMBER DANS SEAU ET NOIENT.
ENFANTS DE LA NOURRITURE LOIN DE SEAU
AVEC MÊME UN PETIT QUANTITÉ DE LIQUIDE.

LOS NIÑOS CORREN PELIGRO DE CAERSE
DENTRO DEL BALDE Y AHOGARSE.
MANTENER A LOS NIÑOS LEJOS DE LOS
BALDES, INCLUSO CUANDO SOLO TENGAN
UNA PEQUEÑA CANTIDAD DE LIQUIDO.

USE:



WHERE TO USE: Recommended for removing multiple coats of water-based acrylic and urethane fortified floor finishes from all types of resilient tile and hard surfaces. Pre-test in a small area; color bleeding or discoloration may occur on linoleum, rubber tile, or asphalt tile.

DIRECTIONS FOR USE: *Read the entire label before using this product.*

1. Sweep or dust mop the floor to remove any large debris.
2. Dilute 25 oz./gal. or 200 mL/L (1:5) with cool water. Liberally apply this solution to floor surface and allow to remain for about 5 minutes. Be sure the surface stays wet with stripper solution at all times.
3. Agitate with scrubbing machine. In most cases, one pass with the scrubber will remove even the toughest finish build-ups.
4. Pick up the stripper solution with a wet vacuum, autoscrubber, or mop and bucket.
5. Damp mop with clear, cool water. Allow floor to dry thoroughly before applying finish or sealer.

NOTE: To determine the optimum use-dilution, pretest on a small area. Strip only a manageable area at one time.

NPCA Hazardous Materials I.D. SYSTEM

Health	3
Flammability	0
Physical Hazard	0

91843

NET CONTENTS: 5 gallons (U.S.) 18.9 L

SAFETY: DANGER: TOXIC. CORROSIVE. CAUSES BURNS. VAPORS HARMFUL IF INHALED. HARMFUL IF SWALLOWED. Harmful if swallowed. Contains 2-Butoxyethanol and Monoethanolamine. Avoid contact with skin and eyes. Wear chemical anti-splash goggles and suitable gloves. **FIRST AID:** Remove contaminated clothing immediately. **SKIN AND EYES:** Flush skin and eyes immediately with large quantities of water for at least 15 minutes. Seek immediate medical attention. **INGESTION:** If swallowed, contact a poison control center immediately for treatment advice. Have conscious person take sips of water if able to swallow. Never give anything by mouth to an unconscious person. Do not induce vomiting unless instructed to do so by poison control center or doctor. **INHALATION:** Remove to fresh air. If not breathing, call 911 or ambulance, then administer artificial respiration, preferably mouth - to - mouth.

INGREDIENTS (CAS No.): Water (7732-18-5); 2-Butoxyethanol (111-76-2); Benzyl Alcohol (100-51-6); Monoethanolamine (141-43-5); Sodium Xylene Sulfonate (1300-72-7)

Sold by:

NEWELL PAPER CO.

DEMOPOLIS, AL. - 1-800-652-2768

MERIDIAN, MS. - 1-800-844-8894

COLUMBUS, MS. - 1-800-844-1467


HATTIESBURG, MS. - 1-800-530-7537

JACKSON PAPER CO.

JACKSON, MS. - 1-800-844-5449

New-Jax

**FAST TRACK
UHS CLEANER/RESTORER**



**Concentrate 1:128
Cleaner • Restorer**

CAUTION: May cause eye irritation. See precautions and first aid statement on side panel.
KEEP OUT OF REACH OF CHILDREN. FOR INSTITUTIONAL AND COMMERCIAL USE.

RESTORER

USE:



WHERE TO USE:

Recommended for use on floor finishes (acrylic/urethane) in propane or other high-speed floor maintenance programs.

DIRECTIONS FOR USE:

Read the entire label before using this product.

1. Sweep large debris and dust mop (using water-based dust mop treatment).
2. For mop on application dilute 1 oz./gal. or 8 mL/L (1:128) with water, for use in an automatic scrubber dilute 2 oz./gal. or 16 mL/L (1:64) with water.
3. Damp mop or autoscrub to clean the floor, and allow to dry thoroughly.
4. High-speed buff or burnish as desired using the appropriate pad.

NFPA Hazardous Materials I.D. SYSTEM	
Health	1
Flammability	0
Reactivity	0
Maximum Personal Protection	A

SAFETY:

CAUTION: Contains detergents. Undiluted product may cause eye irritation. Avoid contact with skin and eyes. **FIRST AID:** If splashed on skin or in eyes, flush with large quantities of water. If swallowed, drink two glasses of water. Call a physician.

INGREDIENTS (CAS No.): Water (7732-18-5); Ethylene Glycol (107-21-1); Acrylic Emulsion (25085-34-1); Propylene Glycol (57-55-6); Nonionic Surfactant (9016-45-9).

Sold by: **NEWELL PAPER CO.**
DEMOPOLIS, AL. - 1-800-652-2768
MERIDIAN, MS. - 1-800-844-8894
COLUMBUS, MS. - 1-800-844-1467
HATTIESBURG, MS. - 1-800-530-7537
JACKSON PAPER CO.
JACKSON, MS. - 1-800-844-5449

NET CONTENTS: 1 gallon (U.S.) 3.78 L

CONTACT TIME: Leave surface wet for 30 seconds. Use a 1 minute contact time for disinfection against influenza and bacteria and a 10 minute contact time against all other viruses and fungi claimed. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION.

Causes eye and skin irritation. Do not get in eyes, on skin or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Sold by:

newell Paper company

MERIDIAN, MS. - 1-800-844-8894

1212 GRAND AVENUE, 39301

DEMOPOLIS, AL. - 1-800-652-2768

COLUMBUS, MS. - 1-800-844-1467

HATTIESBURG, MS. - 1-800-530-7537

JACKSON, MS. - 1-800-844-5449

New-Jax

**NON ACID
BATHROOM CLEANER²**

**Disinfectant, Cleaner, Fungicide,
Mildewstat, Virucide*, Deodorizer**

Bactericidal against *Pseudomonas aeruginosa*,
Staphylococcus aureus and *Salmonella enterica*

Ready-To-Use

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

See side panel
for Precautionary
Statements and First Aid.
FOR INSTITUTIONAL AND
COMMERCIAL USE.

Active Ingredient:
Alkyl (C₁₂-40%; C₁₄, 50%; C₁₆, 10%)
dimethyl benzyl
ammonium chloride 0.3%
Other Ingredients.....99.7%
Total.....100.0%

NET CONTENTS: 1 quart

EPA EST. NO. 4170-OH-1

EPA REG. NO. 6836-193-11876

Use this product to clean and disinfect bathroom surfaces and for non-scratch cleaning of showers and tubs, shower doors and vinyl shower curtains, fixtures, and toilet bowls. This product is effective as a disinfectant against: Bacteria: *Pseudomonas aeruginosa* (in one minute), *Staphylococcus aureus* (in one minute), *Salmonella enterica* (in one minute), *Herpes Simplex Type 2* (in 10 minutes), *HIV-1 (AIDS Virus)* (in 30 seconds), *Influenza A/Hong Kong (Influenza)* (in 60 seconds), *Fungi: Trichophyton mentagrophytes* (The Athlete's Foot Fungus) (in 10 minutes), *Pandemic 2009 H1N1 Influenza A virus* (formerly called swine flu). Use this product in Hospitals, Nursing Homes, Day care centers, Correctional facilities, Institutional facilities, Schools, Colleges, Locker rooms, Public rest rooms, Motels, Restaurants, PELABRO: Si no sabe el ingles, solicite instrucciones a su supervisor antes de esto producto.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **GENERAL CLEANING/DEODORIZING DIRECTIONS:** Spray soiled area then wipe clean. Repeat for heavily soiled areas. **DISINFECTION DIRECTIONS:** Pre-clean prior to disinfection. Apply this product until surfaces are thoroughly wet. Treated surfaces must remain wet for 1 minute for disinfection against bacteria. Follow virucidal or fungicidal directions when using as a virucidal or fungicidal agent. Wipe dry with a clean cloth, sponge, mop or wiper or allow to air dry. Food contact surfaces must be rinsed with potable water after disinfection. Do not use to disinfect utensils, glassware and dishes. Change this product at least daily or when solution becomes visibly dirty. **VIROCIDAL DIRECTIONS:** Follow disinfection directions for application instructions. Treated surfaces must remain wet for 10 minutes for Herpes Simplex Type 2 and 60 seconds (1 minute) for Influenza A/Hong Kong, **MOLD AND MILDEW CONTROL DIRECTIONS:** This product effectively inhibits the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Allow to air dry on surface. Repeat when mildew growth returns. **FUNGICIDAL DIRECTIONS:** This product is an effective fungicide against *Trichophyton mentagrophytes* in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities, health clubs and spas. Follow disinfection directions for application instructions. Treated surfaces must remain wet for 10 minutes. This product is not for use on medical device surfaces. **NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANER DIRECTIONS:** Empty toilet bowl or urinal and apply this product to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer. Repeat and allow to stand for 1 minute, then flush. ***KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS). **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. PERSONAL PROTECTION:** Clean-up must always be done wearing protective gloves, gowns, masks and eye protection. **CLEANING PROCEDURE:** Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this product.

DIRECTIONS CONTINUED ON NEXT PANEL

0807911

BATHROOM CLEANER

DANGER: POISON. CORROSIVE. Causes irreversible eye damage or skin burns. May be fatal if swallowed. Harmful if adsorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear safety glasses, goggles, or face shield. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. **FIRST AID:** IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR ON CLOTHING: Immediately take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **STORAGE AND DISPOSAL:** Do not reuse empty container (bottle, can, bucket). Wrap (container) and put in trash.


INGREDIENTS (CAS No.): Water (7732-18-5); Phosphoric Acid (7664-38-2); Alcohol Ethoxylate (68439-46-3); Xanthan Gum (11138-66-2); Benzaldehyde (100-52-7).

0207612

New-Jax

PINK KLING

Toilet Bowl • Hard Non-Porous
Shower Tile Cleaner



DANGER: POISON. CORROSIVE. CAUSES EYE, SKIN, AND DIGESTIVE TRACT BURNS. See side panel for additional precautionary statements. KEEP OUT OF REACH OF CHILDREN. FOR INSTITUTIONAL AND COMMERCIAL USE.

NET CONTENTS: 1 quart (U.S.) 946 mL

DIRECTIONS FOR USE: Read the entire label before using this product. This product is designed for cleaning toilet bowls, urinals, sinks, bathtubs and shower stalls. It removes scale, soap scum and filth. **TO CLEAN TOILETS AND URINALS:** Remove water by forcing it over the trap with swab mop. Saturate swab with cleaner and wet all surfaces thoroughly. It is most important to swab under the rim of bowl or urinal to clean water outlets. Allow this cleaner to remain for at least 10 minutes until all rust, scale, and stains are loosened. Rinse by flushing. **TO CLEAN SINKS, BATHTUBS, SHOWER STALLS, DRINKING FOUNTAINS:** Apply to wet all surfaces thoroughly with swab mop, sponge, brush or cloth. Rinse with water after cleaning.

Sold by:

newell *Paper* company

MERIDIAN, MS. - 1-800-844-8894
1212 GRAND AVENUE, 39301
DEMOPOLIS, AL. - 1-800-552-2768
COLUMBUS, MS. - 1-800-844-1467
HATTIESBURG, MS. - 1-800-530-7537
JACKSON, MS. - 1-800-844-5449

DANGER: CORROSIVE. CAUSES BURNS. VAPORS HARMFUL. Contains Caustic Soda and Sodium Hypochlorite. Avoid contact with skin and eyes. Wear chemical anti-splash goggles and suitable gloves. Do not inhale vapors.

FIRST AID: Remove contaminated clothing immediately. **SKIN AND EYES:** Flush skin and eyes immediately with large quantities of water for at least 15 minutes. Seek immediate medical attention. **INGESTION:** If swallowed, contact a poison control center immediately for treatment advice. Have conscious person take sips of water if able to swallow. Never give anything by mouth to an un-conscious person. Do not induce vomiting unless instructed to do so by poison control center or doctor. **INHALATION:** Remove to fresh air. If not breathing, call 911 or ambulance, then administer artificial respiration, preferably mouth-to-mouth.

Sold by: **NEWELL PAPER CO.**
DEMOPOLIS, AL. - 1-800-652-2768
MERIDIAN, MS. - 1-800-844-8894
COLUMBUS, MS. - 1-800-844-1467
HATTIESBURG, MS. - 1-800-530-7537
JACKSON PAPER CO.
JACKSON, MS. - 1-800-844-5449

New-Jax

BATH PLUS

Instant Mildew Stain Remover
Bathroom Cleaner



Ready-To-Use

DANGER: CORROSIVE. Causes burns. Vapors harmful. KEEP OUT OF REACH OF CHILDREN. FOR INSTITUTIONAL AND COMMERCIAL USE.

NET CONTENTS: 1 quart (U.S.) 946 mL

DIRECTIONS FOR USE: Read the entire label before using this product. Use only in well ventilated areas. 1. Spray surface until thoroughly wet. 2. Let stand several minutes until mildew stains disappear. **NOTE:** For lower odor, a foaming trigger sprayer is recommended. This product will cause permanent discoloration of clothing and carpet. Never mix this product with acids or other cleaning agents. May discolor Aluminum and other soft metals. Test in an inconspicuous area prior to use on fixtures and appliances. Not recommended for use on glass or water based paints. Do not use this product on painted surfaces.

INGREDIENTS (CAS No.): Water (7732-18-5); Sodium Hypochlorite (7681-52-9); Anionic Surfactant (119345-04-9); Soda Ash (533-96-0); Sodium Triphosphate (7758-29-4).

1232106

WASHROOM

DANGER: Contains alkaline detergents and 2-Butoxyethanol. Harmful if swallowed. Avoid contact with skin and eyes. Wear chemical anti-splash goggles and suitable gloves. **FIRST AID:** Remove contaminated clothing immediately. **SKIN AND EYES:** Flush skin and eyes immediately with large quantities of water for at least 15 minutes. Seek immediate medical attention. **INGESTION:** If swallowed, contact a poison control center immediately for treatment advice. Have conscious person take sips of water if able to swallow. Never give anything by mouth to an unconscious person. Do not induce vomiting unless instructed to do so by poison control center or doctor. **INHALATION:** Remove to fresh air. If not breathing, call 911 or ambulance, then administer artificial respiration, preferably mouth-to-mouth.


Sold by: **NEWELL PAPER CO.**
 DEMOPOLIS, AL. - 1-800-652-2768
 MERIDIAN, MS. - 1-800-844-8894
 COLUMBUS, MS. - 1-800-844-1467
 HATTIESBURG, MS. - 1-800-530-7537
JACKSON PAPER CO.
 JACKSON, MS. - 1-800-844-5449

CLEANER

New-Jax

747

Spray and Wipe Cleaner



Ready-To-Use

DANGER: CORROSIVE. Causes burns. Vapors harmful. Harmful if swallowed. KEEP OUT OF REACH OF CHILDREN. FOR INSTITUTIONAL AND COMMERCIAL USE.

NET CONTENTS: 1 quart (U.S.) 946 mL

DIRECTIONS FOR USE: Read the entire label before using this product. This is a ready-to-use product. No mixing required. Leaves no residue or streaks. Spray surface. Wipe clean with a lint free towel or sponge. Not recommended for use on glass or water based paints.

INGREDIENTS (CAS No.): Water (7732-18-5); 2-Butoxyethanol (111-76-2); Sodium Metasilicate (6834-92-0); Isopropyl Alcohol (67-63-0); Nonionic Surfactant (9016-45-9).

1217306

ENZYMES

New-Jax

BAC

Liquid Bacteria/Digester/Spotter

with O₃ Odor Counteractant

Authorized by the USDA for use in federally inspected meat and poultry plants.

CAUTION:
May cause eye irritation.
See precautions and first aid statement on back panel.

KEEP OUT OF REACH OF CHILDREN. FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY.

DESCRIPTION
This synergistic blend of cultured bacteria, enzymes, detergent, and O₃ odor counteractant will digest, liquify, and clean organic waste, paper, detergent, grease, hair, fat, and other wastes to free drains, pipes and grease traps. It will restore normal biological activity to septic tanks and sewer lines, and remove odors from drains, pipes, and grease traps. It is safe for use on all available surfaces. Very effective for destroying odors from urine and other organic matter.

DIRECTIONS FOR USE
Read the entire label before using this product. Although this product is safe on most surfaces, be sure to pretest before using.

CARPETS: To remove pet odors from carpets, rugs, or floors, simply pour product directly on odor spot. Use a clean white cloth to blot out product. If the odor persists, repeat the procedure.

FLOORS: To remove musty odors from upholstered cushions and chairs, simply mist the fabric with product.

CARPET MACHINES: To deodorize carpets, add 1/4 cup of product each time the solution tank is refilled.

RESTROOMS: To deodorize urinals and bowls, spray surfaces and surrounding area.

SEPTIC TANKS: To deodorize septic tanks, add 1 quart of product to the tank.

GREASE TRAPS: For traps less than 20 cubic feet capacity add 4 - 5 ounces of product daily, by pouring in a sink or pipeline closest to the trap. This should be done at night or when the traps are used the least. After adding, flush down with a cup of lukewarm water. For grease traps larger than 20 cubic feet, add 8 - 10 ounces daily, using the same procedure.

MUNICIPAL SEWAGE TREATMENT SYSTEMS TRICKLING FILTERS: Use 5 - 6 gallons per million gallons of daily flow. For preventive maintenance, use 2 gallons per MGD weekly to maintain proper flow and odorless.

DRAIN LINES AND DOWN PIPES: Use product a minimum of 2 times weekly, to a maximum of 4 times depending on the usage of the building. Add product in the amounts listed below. Start on the lowest floor and work up at the rate of one floor per day. Do not treat the same floor twice. When the top floor is reached, continue treatment for the top floor only.

PIPE SIZE	DOSAGE	FREQUENCY
2"	4 ounces	2 times/week
4"	8 ounces	2 times/week
6"	12 ounces	2 times/week
8"	16 ounces	2 times/week

SAFETY
Contains emulsifiers. Undiluted product may cause eye irritation. Avoid contact with eyes. Avoid contact with open wounds. Wear affected area with soap and water. Seek medical attention if irritation persists. **EYES:** Flush eyes with large quantities of water. Seek medical attention. **INGESTION:** Drink two glasses of water. Seek medical attention immediately.

NOTE: Do not subject product to disinfectants, hot or boiling water, or chlorinated products.

Each lot of bacteria used to manufacture this product has been tested and found to be free from *Salmonella* bacteria.

KEEP FROM FREEZING

INGREDIENTS (CAS No.): Water (7732-18-9); Live Bacteria (N/A); Nonionic Surfactant (127087-97-0); Nonionic Surfactant (9016-49-9); and Acrylic Emulsion (25065-34-1).

PRECAUTION
AL USARIO: Si usted no lee inglés, no use este producto hasta que le etiqueta le haya sido explicada ampliamente.
(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

Sold by:
NEWELL PAPER CO.
DEMOPOLIS, AL. - 1-800-652-2765
MERIDIAN, MS. - 1-800-844-8894
COLUMBUS, MS. - 1-800-844-1467
HATTIESBURG, MS. - 1-800-530-7537
JACKSON PAPER CO.
JACKSON, MS. - 1-800-844-5449

121337

ONE GALLON

WASHROOM

New-Jax

SMOOTH

Liquid Creme Cleanser



DANGER: CORROSIVE. May cause burns. Harmful if swallowed. See precautions and first aid statement on side panel. KEEP OUT OF REACH OF CHILDREN. FOR INSTITUTIONAL AND COMMERCIAL USE.

NET CONTENTS: 1 U.S. QUART (946 mL)

USE:



DIRECTIONS FOR USE: *Read the entire label before using this product.* For cleaning bathtubs, chrome, stainless steel, porcelain, sinks, tile, Fiberglas® enamel and a variety of other water washable surfaces. To clean and deodorize hard surfaces, apply to soiled surface with damp sponge or cloth. Loosen soil with agitation. Rinse with water. Polish with soft, dry cloth. Rub with grain on metals.

DANGER: CORROSIVE. MAY CAUSE BURNS. HARMFUL IF SWALLOWED. Avoid contact with skin and eyes. Wear chemical anti-splash goggles and suitable gloves.

FIRST AID: If splashed on skin or in eyes, flush with large quantities of water for 15 minutes. If swallowed, call a poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do NOT induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Inhalation is not an expected route of exposure from this product.

INGREDIENTS (CAS No.): Water (7732-18-5); Silica Abrasive (14808-60-7); Alcohol Alkoxylate (68439-46-3); Dodecylbenzene Sulfonic Acid (27176-87-6); Methyl Salicylate (119-36-8).

Sold by:

newell Paper company

MERIDIAN, MS. - 1-800-844-8894
1212 GRAND AVENUE, 39301
DEMOPOLIS, AL. - 1-800-652-2768
COLUMBUS, MS. - 1-800-844-1467
HATTIESBURG, MS. - 1-800-530-7537
JACKSON, MS. - 1-800-844-5449

0507713
RLB1322

WARNING: SKIN AND EYE IRRITANT. VAPORS HARMFUL IF INHALED. Contains 2-Butoxyethanol and Ammonium Hydroxide. Avoid contact with skin and eyes. Wear eye protection and suitable gloves. **FIRST AID:** If splashed on skin or in eyes, flush with large quantities of water. If swallowed, drink two glasses of water and induce vomiting. Call a physician immediately. SEE MATERIAL SAFETY DATA SHEET


Sold by: **NEWELL PAPER CO.**
DEMOPOLIS, AL. - 1-800-652-2768
MERIDIAN, MS. - 1-800-844-8894
COLUMBUS, MS. - 1-800-844-1467
HATTIESBURG, MS. - 1-800-530-7537
JACKSON PAPER CO.
JACKSON, MS. - 1-800-844-5449

New-Jax

GLASS CLEANER

777

Glass and Surface Cleaner




Ready-To-Use

WARNING: Skin and eye irritant. See precautions and first aid statement on side panel. **KEEP OUT OF REACH OF CHILDREN.** FOR INSTITUTIONAL AND COMMERCIAL USE.

NET CONTENTS: 1 quart (U.S.) 946 mL

USE:



WHERE TO USE: For cleaning glass, windows, stainless steel, chrome, Formica®, mirrors, plastic, vinyl and a variety of other water washable surfaces. Not recommended for use on Plexiglas®.

DIRECTIONS FOR USE: Read the entire label before using this product. Use undiluted for heavy-duty glass and surface cleaning. Spray glass cleaner on surface to be cleaned and wipe with a lint free towel or squeegee.

INGREDIENTS (CAS No.): Water (7732-18-5); 2-Butoxyethanol (111-76-2); Ammonium Hydroxide (1336-21-6); Anionic Surfactant (151-21-3); Tetrasodium EDTA (64-02-8).


71083

RESTORER

New-Jah

SHINE ON

Thermoplastic Spray Buff



Ready-To-Use

CAUTION: May cause irritation. Harmful if swallowed. See precautions and first aid statement on side panel.
KEEP OUT OF REACH OF CHILDREN. FOR INSTITUTIONAL AND COMMERCIAL USE.

DIRECTIONS FOR USE: Read the entire label before using this product. Remove gross soil and dust mop the floor. Spray a light mist of product on the floor in front of the floor machine. **DO NOT OVERWET.** Using a nylon or polyester spray buff pad, buff the floor where the fine mist of spray buff has been applied. Flip or change pad as necessary. After spray buffing the floor is completed, dust mop the floor if dust is still present. **NOTE: In order for spray buff to work correctly, three or four base coats of floor finish must be applied before using spray buff in order to achieve maximum gloss and wear properties.** Heavy traffic areas may require dust mopping, followed by damp mopping, followed by spray buffing. Use of this spray buff will eliminate powdering and will never yellow the floor. **NOTE: Slip resistance meets or exceeds standard, (ASTM D 2047-94) James Machine 0.5 minimum.**

CAUTION: MAY CAUSE EYE IRRITATION. Contains ethylene glycol. Harmful if swallowed. Use with adequate ventilation. Do not breathe vapor or mist. Avoid contact with eyes, skin, and clothing. **FIRST AID:** If inhaled: Remove to fresh air. If splashed on skin or in eyes, flush with large quantities of water. Seek medical attention if irritation persists. If swallowed, call a physician immediately. **KEEP OUT OF REACH OF CHILDREN.**

INGREDIENTS (CAS No.): Water (7732-18-9); Ethylene Glycol (107-21-1); Nonionic Surfactant (68439-46-3); Acrylic Copolymer Dispersion (N/A); Tetrasodium EDTA (64-02-9).

Sold by:

newell *Paper* company

MERIDIAN, MS. • 1-800-844-5854
1212 GRAND AVENUE, 39301
DEMOPOLIS, AL • 1-800-652-2786
TULSA, OK • 1-800-844-5854
HATTIESBURG, MS • 1-800-530-2537
JACKSON, MS • 1-800-944-5449


NET CONTENTS: 1 gallon (U.S./É.U.) 3.78 L

0660813

DEGREASER

New-Jax

TOP PERFORMER
High Performance Degreaser



DANGER: CORROSIVE. Causes burns. See precautions and first aid statement on side panel. KEEP OUT OF REACH OF CHILDREN. FOR INSTITUTIONAL AND COMMERCIAL USE.

DIRECTIONS FOR USE: Read the entire label before using this product.
Dilute with water according to the table below. **DO NOT USE FULL STRENGTH. IF SPRAYING, USE THOROUGH COARSE SPRAY DEVICE ONLY.**

LIGHT SOIL	Dilute 4 oz./gal. or 31 mL/L (1:32) with water.
MODERATE SOIL	Dilute 8 oz./gal. or 63 mL/L (1:16) with water.
HEAVY SOIL	Dilute 13 oz./gal. or 100 mL/L (1:10) with water.
VERY HEAVY SOIL	Dilute 26 oz./gal. or 200 mL/L (1:5) with water.

DANGER: CORROSIVE. CAUSES BURNS. Contains Sodium Hydroxide. Avoid contact with skin and eyes. Wear chemical anti-splash goggles and suitable gloves. **FIRST AID:** Remove contaminated clothing immediately. **SKIN AND EYES:** Flush skin and eyes immediately with large quantities of water for at least 15 minutes. Seek immediate medical attention. **INGESTION:** If swallowed, contact a poison control center immediately for treatment advice. Have conscious person take sips of water if able to swallow. Never give anything by mouth to an unconscious person. Do not induce vomiting unless instructed to do so by poison control center or doctor. **INHALATION:** Remove to fresh air. If not breathing, call 911 or ambulance, then administer artificial respiration.

INGREDIENTS (CAS No.): Water (7732-18-6); Alcohol Alkoxylate (68439-46-3); Sodium Xylene Sulfonate (1300-72-7); Sodium Carbonate (497-19-8); Sodium Hydroxide (1310-73-2).

Sold by:

newell Paper company

MERIDIAN, MS. - 1-800-844-8884
1212 GRAND AVENUE, 39501
DEMOPOLIS, AL - 1-800-652-2769
COLUMBIA, SC - 1-800-844-8884
HATTESBURG, MS. - 1-800-530-7537
JACKSON, MS. - 1-800-444-5449

NET CONTENTS: 1 gallon (U.S./É.U.) 3.78 L

0519313

TOILET CLEANER

DANGER: POISON. CORROSIVE. Keep out of reach of children. Causes irreversible eye damage or skin burns. May be fatal if swallowed. Harmful if adsorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear safety glasses, goggles, or face shield. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

FIRST AID: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR ON CLOTHING:** Immediately take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.


INGREDIENTS (CAS No.): Water (7732-18-5); Hydrochloric Acid (7647-01-0); Alcohol Ethoxylate (68439-46-3); Acrylic Emulsion (N/A); Quaternary Ammonium Chloride (68424-85-1).

0207112

New-Jax

707 BOWL CLEANER

Toilet Bowl • Urinal Cleaner



DANGER: POISON. CORROSIVE. See side panel for additional precautionary statements. **KEEP OUT OF REACH OF CHILDREN. FOR INSTITUTIONAL AND COMMERCIAL USE.**

NET CONTENTS: 1 quart (U.S.) 946 mL

DIRECTIONS FOR USE: Read the entire label before using this product. **TO CLEAN TOILET BOWLS AND URINALS:** Remove water from bowl by forcing it over the trap with a swab mop. Saturate swab mop with cleaner and wet all surfaces thoroughly. It is most important to swab under rim of bowl or urinal to clean water outlets. Allow cleaner to remain for at least 10 minutes until all rust, scale, and stains are loosened. Rinse by flushing.

Sold by:

newell *Paper* company

MERIDIAN, MS. - 1-800-844-8894
1212 GRAND AVENUE, 39301
DENOPOLIS, AL. - 1-800-652-2768
COLUMBUS, MS. - 1-800-844-1467
HATTIESBURG, MS. - 1-800-530-7537
JACKSON, MS. - 1-800-844-5449

New-Jax

DISHWASH LIQUID



COMMERCIAL MANUAL DISH WASH
HIGH FOAMING • NON SPOTTING
NON IRRITATING

PRECAUTIONARY STATEMENTS

DANGER
KEEP AWAY FROM
CHILDREN

FIRST AID:

Eye Contact: Flush eyes with running water for 15 minutes while lifting upper and lower eyelids.

Ingestion: Do not induce vomiting, drink large quantities of water or milk. Contact a physician.

Skin Contact: Flush contact area with running water for 15 minutes. Remove contaminated clothing

New-Jax Dish Wash is recommended for use in restaurants, institutions and hospitals for all hand dishwashing purposes. Easily removes food and grease from pots, pans, glasses and silverware. Cleans quickly and thoroughly while remaining gentle to hands. Biodegradable and also rinses freely. Deters scum even in the hardest of water.

DIRECTIONS FOR USE

DISHES AND GLASSES: For average cleaning pour ounce of New-Jax's Dish Wash, for each gallon of water to be used, into sink or dish pan. Add hot water. Put dishes and glasses into sudsy solution. Allow to soak for a few minutes. Wash in regular manner. Rinse in hot water and allow to drain dry.

POTS, PANS AND SILVERWARE

Clean using same instructions as above. For extremely soiled articles it may be necessary to use an additional amount of New-Jax's Dish Wash.

NET CONTENTS:
ONE U.S. GALLON
8.33 LITERS

NEWELL PAPER CO.
DEMOPOLIS, AL. - 1-800-652-2768
MERIDIAN, MS. - 1-800-844-8894
COLUMBUS, MS. - 1-800-844-1467
HATTIESBURG, MS. - 1-800-530-7537
JACKSON PAPER COMPANY
JACKSON, MS. - 1-800-844-5449