

NeutralPosture

State of Mississippi

RFx # 3130000600



2017 Equity Price List

September




TABLE OF CONTENTS

GENERAL INFORMATION	4
Panels	4
Power	4
Raceway	4
Environmental Impact	4
Storage	4
Legacy Customers	4
SUSTAINABLE DESIGN	5
NP's Green Manufacturing Process	5
NP's Green Shipping Initiatives	5
TERMS AND CONDITIONS	6
Ordering	6
Pricing	6
Taxes	6
Lead Time	6
Storage Fee	6
Shipping	6
Accessorial Charges	6
Freight Damage	7
Returns	7
Warranty Claims	7
Customer's Own Material	7
Delay/force Majeure	7
Compliance with Law	7
Warranty	8
General Information	8
Key Alike Program	9
GSA Contract Overview	10
GSA Contract Details	11
Wall Mounting Suggestions	12
Wall Mounting Details	13
FINISHES	14
Fabrics	14
Laminates	14
Edge Bands	14
Paints	15
Plexiglass	15
Glass	15
Designer Glass	15
CUSTOM FINISHES PROGRAM	16
Customer's Own Fabrics	16
Customer's Own Laminates	16
Custom RAL Paint Finishes	16
LEGACY FINISHES	17
Legacy – Laminates	17
Legacy – Edge Bands	17
Legacy – Painted & Plastics	17

PANELS	18
Features	18
Construction	18
Surface Materials	18
Fabric Panels	20 – 21
Insert Panels	22 – 23
Perforated Aluminum Insert Panels	24 – 25
Sliding Doors	26 – 27
Post Assemblies	28 – 29
End Kits	30
Wall Starter/Wall Mounted Channel	31
Posts (Multi-Height)	32
Connectors/Shrouds	33
STACK-ON PANELS	34
Components	34
Stack-on Panel Connectors	34
Specifying Stack-on	34
Stack-on Diagram	35
Stack-on Configurations	36 – 37
Fabric with slots	38 – 39
Fabric without slots	40 – 41
Insert with slots	42 – 43
Insert without slots	44 – 45
Perforated Aluminum Insert w/ slots	46 – 47
Perforated Aluminum Insert w/o slots	48 – 49
Stack-on Posts	50
Panel Accessories	51
Add-on Screens	52
Slat Rail	53
Slat Rail Accessories	53
ELECTRICAL	54
How to Order	54
Infeeds	56
Technical Data	57
Ceiling Infeeds	58
Base Infeeds	59
Components	60
Knock-out Replacement Cover	60
Jumper	61
Dedicated Neutral System Components	62
Dedicated Neutral Jumpers	63
Charge Spot (Wireless Charger)	64
Desktop Data & Power	65

WORKSURFACES	66
Features	66
Wiring & Cabling	66
Edge Detail	66
Surface Materials	66
General Info	68
Support Information	69
Grain Direction	70 – 71
Straights	72 – 73
Corners	74
Split Corner	74
Extended Corners	75
Corner Peninsulas	76
Peninsulas	77
Half Round & Linking	78
Blended Double Corner	79
135° Curved Corner	79
Supports	80 – 81
Personal Drawer	81
Panel Supported Height Adjustable	82
Electric Height Adjustable Base	83
120° Planning	84 – 85
120°	86 – 87
Transition Tops	88
CASCADE WORKSURFACES	89
Cascade Edge	89
Straights	90
Corners & Extended Corners	91
Corner Peninsulas	92
Waves	93
Rounds	94
Accessories	95
Personal Drawer	95
COUNTER CAPS	96
Straights	96
Corners	97
PANEL SUPPORTED STORAGE	98
Shelves	98
Overheads	99
Tackboards	100
Wall Mounted Channel	102
Task Lights	103
TABLES	104
Features	104
Construction	104
Surface Materials	104
Round & Squares	106
Rectangle & Ovals	107
Legs & Bases	108
Privacy/Modesty Panels	109

STORAGE	110
Accessories Availability	112
Accessories	113
PEDESTALS	114
Features	114
Construction	114
Surface Materials	114
Pedestals	116 – 117
FILE CENTERS	118
Features	118
Construction	118
Surface Materials	118
File Centers	120 – 121
LATERALS	122
Features	122
Construction	122
Surface Materials	122
Laterals	124
Lateral – BF	125
Lateral – Worksurface Supporting	125
Lateral – 6B, BBF & BBFF	126
Lateral – Common Tops	127
Lateral – Cushions	127
TOWERS	128
Features	128
Construction	128
Surface Materials	128
24" Wide	130
24" Wide – Side Access	131
15" Wide	132
15" Wide – Side Access	133
CREDENZAS	134
Features	134
Construction	134
Surface Materials	134
Credenzas	136
Accessories	136
Credenza – Drawers	137
Credenza – Shelves	137
Credenza – Common Tops	137
CABINETS	138
Features	138
Construction	138
Surface Materials	138
Cabinets	140 – 141
LOCKERS	142
Features	142
Construction	142
Surface Materials	142
Lockers	144
Lockers – Double	145
Lockers – Quad	145
Lockers – Cubby	145
BOOKCASES	146
Features	146
Construction	146
Surface Materials	146
Bookcases	148 – 149

WORKPLACE ACCESSORIES	150
Keyboard Trays	152
Keyboard Arms	152
Easy Combos	153
Monitor Arms	154
Monitor Arm Attachments	154
CPU Holders	154
Forearm Supports	155
Anti-Fatigue Floor Mats	155
Tablet Holder	155
StandUp	156
StandUp A1	156
StandUp X1	157

GRADED IN FABRICS	158
Carnegie	158
C.F. Stinson	159
Designtex	159
KnollTextiles	159
Guilford of Maine	159
Luna	160
Maharam	160
Mayer	161
Momentum	161
Victor	161

General Information

PANELS

Width dimension of all panels is centerline to centerline of adjacent panel connectors.

Panel thickness is 1½". Panel thickness at the base covers is 2".

FABRIC PANELS

Fabric panels incorporate a mineral wool core construction. Fabric panels are acoustical and fully tackable. The base raceway is nominally 5" high.

INSERT PANELS

Insert panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with plexiglass, laminate or as an open frame for complete accessibility through the panel.

STACK-ON PANELS

Stack-on panels connect on the top of any standard panel to provide additional privacy or new aesthetic options and are also load bearing.

PANEL CONNECTORS

Panel connectors are 1½" diameter and required at every panel connection and panel end (except when postless end assembly is used). Posts are painted to match the selected trim finish and include an adjustable glide on the bottom for leveling.

POWER

Fabric and insert panels accept electrical components.

Equity panels distribute power through the office and directly to the individual workstation through field-installed modular, electrical wiring components in the base of the panels. The panel base is factory prepared to accept a terminal block in a centered location where two 20-amp receptacles can be installed; one on each side of a panel, arranged back-to-back. An auxiliary side mount duplex receptacle is also available and plugs directly into the side of the terminal block connector end when a second duplex receptacle is required.

RACEWAY

The panel base cover provides openings for receptacles and/or communication outlets, which can be covered when not in use.

All panel bases provide a cable management segment to facilitate lay-in of workstation cables and cords.

CABLE CAPACITY

ELECTRICAL FILL	WITH		WITHOUT	
	100%	40%	100%	40%
Cat 5	36	14	102	40
Cat 6	28	11	80	32

STORAGE

All storage components come standard locking.

Master key and key alike are available upon request.

LEGACY PRODUCTS

Neutral Posture offers legacy products for existing Equity which was ordered before February of 2016.

For any code compliance testing data, please contact your Customer Service Representative.

ENVIRONMENTAL IMPACT

Neutral Posture takes great pride in providing one of the most environmentally friendly furniture systems available on the market today.

Building an effective Green Program takes a company-wide effort, but we think it's worth the effort to ensure that our manufacturing process leaves the smallest possible footprint on the environment. Neutral Posture products are designed and manufactured to support a long and useful product life. Our products, if need be, can withstand repeated service, repairs and handling; and our products are made with standardized parts and components which make replacing worn out parts easy and as green as possible.

The steel and plastic materials used to construct Equity can be recycled after the product's life. The system is also designed to be cleaned with low environmental impact materials.

The clean technology used to manufacture the Equity system results in negligible off-gassing from the product.

We continually work with many 3rd party organizations to firmly establish a quality Sustainability Program.

- BIFMA level® Certification
- SCS Indoor Advantage Gold Certification
- LEED
- Underwriters Laboratories (UL)
- Canadian Standards Association (CSA)
- Occupational Safety and Health Administration (OSHA)
- ISO 9001:2015

GREEN MANUFACTURING PROCESS

Neutral Posture is highly efficient in its manufacturing process. New roll forming machines can change between parts with zero scrap. The company has also established a 100% solid waste diversion goal for its manufacturing process and is very close to reaching it. Current manufacturing efforts recycle process water and refrain from using hazardous process chemicals.

PLASTIC

Neutral Posture uses plastic which contains up to 25% pre-consumer recycled plastics. The majority of the plastics used in Neutral Posture products are #3 & #7 plastics and can be recycled in many areas.

STEEL & ALUMINUM

Neutral Posture products contain steel and aluminum that is 100% recyclable. Additionally, up to 25% of this steel comes from pre-consumer recycled product. Aluminum maintains a high scrap value and is known for having a very long working life.

FABRIC

Neutral Posture maintains an excellent supply of green fabrics. These fabrics are made from pre- and post-consumer recycled materials. Some fabrics contain 100% recycled materials and continues to divert recycled plastic from landfills, turning it into beautiful designs.

PANEL INNER

Neutral Posture uses mineral wool, spun from basalt and volcanic rocks to provide lightweight, sound resistant panels. These mineral wool inserts are considered rapidly renewable products.

WOOD

Wood worksurfaces and panels use 100% recycled/recovered wood fiber. All adhesives used in these products are virtually VOC-free and pass stringent emission standards.

GREEN SHIPPING INITIATIVES

Neutral Posture holds their freight carrier partners accountable to similar criteria as suppliers, however, due to the immense impact freight companies have on the environment, all carriers must also become a partner in the Environmental Protection Agency (EPA) SmartWay program within one year of service. All freight carriers are screened through a logistics company and become a partner associate with Neutral Posture based on annual evaluation reports.

PACKAGING OPTIONS

Our cardboard shipping boxes are produced from 45% recycled material and 100% of the materials come from renewable pulp sources. For large orders, customers can choose to use a box made from 100% recycled materials for an upcharge.

A LONG AND HEALTHY PRODUCT LIFE

Neutral Posture products are made to last, as is evidenced by our limited lifetime warranty. Neutral Posture has been around since the 1980s and it is not unusual to find original products from our first year of production in perfect working condition. Although we are continually improving our products, we allow for retrofitting of earlier generations. This allows the customer to upgrade individual components as desired without having to discard the product they already have or purchase a new one. This helps avoid filling landfills with used chairs and is another way in which Neutral Posture customers contribute to their immediate health and wellbeing as well as the continued wellness of our environment.

For more information about Neutral Posture's sustainable design, visit NeutralPosture.com/sustainability.

TERMS AND CONDITIONS

For all non-rated or new accounts, payment terms are Cash in Advance (C.I.A.) until credit has been approved or rated. Please send full credit information and references and allow time for Credit Department approval.

For all established accounts, payment is due within thirty (30) days from the invoice date. Neutral Posture (NP) reserves the right to change or cancel the terms of sale based on volume, credit rating and/or credit information. Prepayment, whole or in part, may be requested at any time at the discretion of the corporate office. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

Past due accounts are subject to a 1.5% late charge or maximum amount permitted under local law, for each thirty (30) days the outstanding balance remains open after the due date.

Withholding of payments based on carrier damages, shortages or other disputes is illegal and subject to charges.

Neutral Posture does not accept credit cards.

ORDERING

All orders must be in writing; faxed, e-mailed or mailed. The product model number(s) contained in the order acknowledgment shall be the final expression of the order. A purchase order is not binding on NP until customer has received NP's order confirmation or acknowledgment. Orders must have a contact name and phone number. Orders may not be canceled without written consent of Neutral Posture.

To expedite complete/correct entry of your order, be certain all model numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order number(s), bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Orders should be sent to:
Neutral Posture, Inc.
3904 N Texas Avenue Bryan, TX 77803
979.778.0502 (Option 2)
800.446.3746
979.778.0408 FAX
E-mail: oe@neutralposture.com

When an order is received, it is assigned a scheduled ship date. That date is shown on the customer's acknowledgment.

Purchase orders may not be changed or canceled, in whole or in part, without prior written consent of NP. Changes may affect delivery dates. Expenses incurred because of changes shall be charged to customer. In the event of cancellations, customer will be liable for reasonable cancellation charges established by NP. Orders for special product, orders including customer's own material (COM) and orders pursuant to expedited delivery programs, may not be canceled.

A minimum of 3% of net expedite fee will be charged for orders requiring less than standard lead times.

PRICES

Prices are subject to change without notice. List prices shall be those in effect on the date of receipt of purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. Prices in effect at time of shipment prevails in the event of a discrepancy.

TAXES

All sales, use, excise and other taxes applicable to the sale of the products shall be paid by customer. If customer claims an exemption from any tax, customer shall submit to NP the appropriate exemption certificates.

LEAD TIME

Please contact Customer Service for current lead time at customerservice@neutralposture.com or 979.778.0502.

CUSTOMER'S OWN MATERIAL

A customer who requests a fabric or other surface material not standard to NP's line of products (COM), must submit samples of the requested material to NP prior to entry of a customer order. NP shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories and/or Canadian Standards Association. If the COM is acceptable, NP will then establish a price for using the COM. For a description of the procedures for submitting samples and testing, contact Customer Service. NP shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Customer shall indemnify and hold NP harmless for any damages, injuries or losses arising out of or related to use of the COM on the product.

STORAGE FEE

Any changes made by the customer to postpone the delivery date on orders which have already gone into production, will be charged a storage fee. This fee will be applied to both partially and fully built orders. NP will advise of fee prior to applying charge.

COMPLIANCE WITH LAW

Customer is solely responsible for compliance with all applicable federal, state and local laws, ordinances, regulations, rules and standards relating to the installation, maintenance, use and operation of the products.

TERMS AND CONDITIONS

SHIPPING

Most NP products include shipping. All standard discount orders are F.O.B destination delivered by way of parcel or freight carrier service dock to dock within the forty-eight (48) contiguous United States, District of Columbia and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland. NP will designate the shipping mode and carrier based on geographical location and best service as defined by our Logistics Department.

For orders shipping outside the forty-eight (48) contiguous United States, District of Columbia and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland, customer pays shipping from port of embarkation to destination and order will be shipped "best way". Customer will incur additional charges if they choose to specify a freight carrier.

Any order requiring special delivery service, other than normal dock to dock delivery, will incur additional charges. These services include, but are not limited to residential delivery, limited access delivery, lift gate service, inside delivery, call before delivery, re-routed deliveries, specific delivery date/time requests or congestion fees. These charges will be quoted at customer request.

Conditions beyond the control of NP, including weather, available facilities and traffic conditions, may affect exact time of delivery. NP shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.

Delivery date and time are at the discretion of the carrier within reasonable transit time unless special arrangements have been agreed to in writing between customer and NP prior to shipment.

Accessorial Charges (Net)

Inside Delivery/Pick Up
Lift Gate Required
Limited Access Delivery
Notification/CBD
Residential Delivery
Ship Fully Assembled
Pre-delivery Notification
Re-delivery/Return Trip

DELAY/FORCE MAJEURE

Neutral Posture shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the customer, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Neutral Posture may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available product or cancel any purchase order.

FREIGHT DAMAGE

Upon receipt of shipment consignee is responsible for checking delivery for shortages or signs of damage. If a problem is discovered, bring it to the driver's attention immediately. If any of the goods called for on the Bill of Lading are shorted or damaged, consignees should not accept them until the carrier makes a notation on the freight bill of the shorted or damaged goods. The more precise the notation, the easier the claim can be resolved. NP's responsibility ceases when the consignee signs the freight delivery receipt as received in good condition. Shipping claims must be made within thirty (30) days of shipment delivery.

RETURNS

The return of product without written authorization by NP shall not be accepted. All merchandise returns must be pre-approved by the corporate office and sent freight prepaid. Contact the Warranty Department, warrantyrequest@neutralposture.com, to receive a Return Merchandise Authorization (RMA) number for any return. RMAs are valid for thirty (30) days and any returned merchandise without a RMA number will be refused.

No deductions from any NP invoices can be made for return merchandise until it is approved by the corporate office. No deductions will be honored until returned goods are processed through our Quality Control Audit.

All returns for canceled orders must be pre-approved by the corporate office and sent freight prepaid. No returns will be authorized unless our inventory allows it, the parts are in good reusable condition and it was sold within the last thirty (30) days. Authorized seating returns will be charged a thirty percent (30%) (twenty percent (20%) for GSA) restocking fee, by agreement, to cover handling, inspection, stocking and repackaging. Authorized systems returns are subject to a forty-five percent (45%) of list restocking charge. Products not currently offered for sale by NP (including COM) shall not be authorized for return. All returned products must be unused, in original condition and in the original NP packing cartons. No refund or credit will be given for damaged products.

WARRANTY CLAIMS

Neutral Posture reserves the right to specify that items or parts claimed to be defective, be returned to the factory for our inspection. If the claim is justified, repair or replacement of defective parts under warranty will be made through NP at no cost to the customer. NP will, at its discretion, reimburse the furniture dealer for labor (actual costs only) on warranty parts. The furniture dealer must submit a quote to be approved prior to service. If approved, the furniture dealer must then submit an invoice to NP for reimbursement after the service is completed. Freight for products and parts covered under warranty will be covered for the forty-eight (48) contiguous states, the District of Columbia and Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland, with the method of shipping at NP's discretion. All claims must include the product serial number. NP will have no warranty obligation if the product was subjected to abuse, alteration, misuse, negligence or accident or if the user fails to perform the proper maintenance for the product.

Selling Policy

WARRANTY

Neutral Posture warrants to the original purchaser only that the products Neutral Posture manufactures and sells to purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.

This comprehensive warranty applies to all products installed or reconfigured by an authorized installer.

Warranty period set forth below is for 24-hour, 7 days a week, multi-shift use. Should any failure occur to a product listed below during the applicable warranty period from the date of shipment, Neutral Posture shall, upon prompt written notice, repair or replace, at its option, the affected part or parts.

PRODUCT AND PERIOD OF WARRANTY

Lifetime

Panels and panel connector parts, high pressure laminate worksurfaces, table tops and common tops, storage, modesty/privacy screens

10 Years

Cascade worksurfaces, height adjustable worksurface supports (except for gas lift), laminate overhead doors, desktop and storage accessories (unless otherwise specified)

5 Years

Table bases, tapered table legs, anti-fatigue mats, operational parts, controls, electrical, lighting (except light ballasts, bulbs and power supply), special or custom product, height adjustable worksurface support gas lift

3 Years

Electric height adjustable bases (including motor), fabric

1 Year

Light ballasts, bulbs and power supply

This warranty does not apply to:

- Damage caused by a carrier.
- Normal wear and tear or acts or omissions of parties other than Neutral Posture (including user modification, improper use or installation of products).
- COM or other third party materials applied to products.
- Products not installed by or under the auspices of a Neutral Posture Dealer.
- Dramatic temperature variations or exposure to unusual conditions.
- Changes in surface finishes including colorfastness due to aging or exposure to light.

The express warranties contained herein are in lieu of all other warranties, express or implied, including any warranties of merchantability and fitness for particular purpose and all other warranties arising from course of dealing or usage of trade.

The remedies provided above are the customer's sole remedies for any failure of Neutral Posture to comply with its obligations regarding the workmanship of its products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Neutral Posture, with respect to or arising out of the product furnished hereunder.

CERTIFICATIONS & STANDARDS

ANSI/BIFMA

Independent tests show that Equity components meet or exceed current ANSI/BIFMA X5.6 Panel System and ANSI/BIFMA X5.9 Storage Unit standards. Electrical components are UL listed. Panels have tested to NRC ratings of 0.75.

SCS INDOOR ADVANTAGE CERTIFICATION

The Equity product line is certified by SCS Global Services for indoor air quality.

DESIGN

NP reserves the right to make changes and improvements in design and materials and to discontinue parts and components at the discretion of NP.

WOMEN'S BUSINESS ENTERPRISE (WBE)

This certification is administered by the Women's Business Enterprise National Council (WBENC) and is used by most large corporations to qualify potential vendors as credible diversity suppliers.

WOMAN OWNED SMALL BUSINESS (WOSB)

The U.S. Small Business Administration's WOSB Federal Contract Program provides greater access to federal contracting opportunities for WOSBs. The program allows contracting officers to set aside specific contracts for certified WOSBs and helps federal agencies achieve the existing statutory goal of five percent of federal contracting dollars being awarded to WOSBs. NP is certified as a WOSB.

HISTORICALLY UNDERUTILIZED BUSINESS (HUB)

The Texas Historically Underutilized Business (HUB) program encourages the use of HUBs in state procurement and provides information to minority and woman-owned businesses on the state's procurement process.

BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

NP is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of office furniture in its everyday use. Although this testing does not serve as a warranty or guarantee, NP standard products within this price list meet or exceed applicable ANSI/BIFMA X5.6 Panel Systems and ANSI/BIFMA X5.9 Storage Unit standards. Combinations of options added on to the standard products may not meet ANSI/ BIFMA standards. Those combinations which do not meet ANSI/BIFMA standards are not available on GSA. Additionally, Equity is BIFMA level 1 certified. For more information, contact Customer Service at customerservice@neutralposture.com.

GENERAL INFORMATION

Neutral Posture pedestals, overheads, and storage cabinets ship with lock cores installed. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

KEY-ALIKE

Furniture may be keyed alike at no charge. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

KEYS

A key is shipped with every lock core. 199 Key numbers are available. For numbers above 199, contact Customer Service. Additional keys and key blanks are available.

MASTER KEYING

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately. See service parts for master key model # and pricing.

INSTALLING LOCK CORES

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key model number and pricing.

SERVICE PARTS

MODEL #	DESCRIPTION	LIST
NLCKE_ _ _	Shrouded Key (<i>Specify key number desired</i>)	\$18
NAKC	Change Key	\$18
NKM	Master Key	\$18

NOTE: A letter of approval on company letterhead from the client must accompany all orders for master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

HOW TO SPECIFY KEY-ALIKE

Following is an example of how to specify key-alike for a cluster of 10 workstations.

STEP 1

Using the project floor plan, count the number of locks in each workstation.



STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

STEP 3

For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

QTY	MODEL #	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

STEP 4

Then enter the pattern number "NSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL #	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

STEP 5

Repeat for other groups.

QTY	MODEL #	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C
3	NSPEC 4	Set of 4 cores/keys	N/C	N/C
2	NSPEC 5	Set of 5 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

GSA Contract Overview

GSA CONTRACT

We have had a contract with GSA for over 20 years.

NP is dedicated to helping government agencies meet their facilities and acquisition needs. NP is registered with the Central Contractor Registry (CCR) with ORCA certifications, has an assigned cage code of 0UTL8 and is eligible to receive federal contract awards. NP is also recognized as a Woman Owned Small Disadvantaged Business by the Small Business Administration.

WOMAN OWNED SMALL BUSINESS (WOSB)

The U.S. Small Business Administration (SBA) has issued the Final Rule to amend its regulations governing small business contracting procedures. The SBA has increased the emphasis and awareness of contracting mandates regarding the new 5% spend mandate for WOSB similar to those in place for 8a, SDV and HUB Zones businesses.

As a WOSB, woman owned office furniture manufacturer, we have a Packaged Office contract that includes many great manufacturing partners. We are also willing to team with other manufacturers to help support strong GSA Dealers and meet the needs of our customers. As a WOSB, NP is perfectly positioned with a strong Packaged Office contract and partners to capture this business.

For more information please visit
NeutralPosture.com/WOSB

GSA OVERVIEW

GSA Contract# GS-27F-0014Y

Schedule 71 – Furniture

SIN 71–1	Packaged Office
SIN 71–205	Chairs–Dining Room, Desk, Side, Period Style and Bar Stools
SIN 711–1	Furniture Systems and Workstation Clusters
SIN 711–11	Tables and Accessories
SIN 711–18	Multipurpose Seating
SIN 711–19	Stacking Chairs and Dollies
SIN 711–2	Worksurfaces, Workstations, Computer Furniture and Accessories
SIN 711–3	Filing and Storage Cabinets, Shelves, Mobile Carts, Dollies, Racks & Accessories
SIN 711–91	Project Management (Furniture Related)
SIN 711–94	Office Design/Layout Services
SIN 711–95	Installation services

NAICS CODES

337214	Office Furniture (except wood) Manufacturing
337211	Wood Office Furniture Manufacturing
337127	Institutional Furniture Manufacturing
423210	Furniture Merchant Wholesalers

NP products may be found on GSA Advantage and AF Advantage.

1a. Special Item Numbers Awarded

SIN 711-1	Furniture Systems and Workstation Clusters
SIN 711-11	Tables and Accessories
SIN 711-18	Multipurpose Seating
SIN 711-19	Stacking Chairs and Dollies
SIN 711-95	Installation Services
SIN 711-2	Worksurfaces, Workstations, Computer Furniture and Accessories
SIN 711-3	Filing and Storage Cabinets, Shelves, Mobile Carts, Dollies, Racks & Accessories
SIN 711-91	Project Management (Furniture Related)
SIN 711-94	Office Design/Layout Services
SIN 71-1	Packaged Office
SIN 71-205	Chairs-Dining Room, Desk, Side, Period Style and Bar Stools

1b. Lowest Priced Item

SIN 71-1	Call Corporate Office	
SIN 71-205	ONGO	\$336.00
SIN 711-1	EP3P29 Single Post	\$32.55
SIN 711-11	Call Corporate Office	
SIN 711-18	NCUGG1 Urethane	\$151.20
SIN 711-19	NSID115 Grade C	\$336.00
SIN 711-2	Call Corporate Office	
SIN 711-3	SPTRY Pencil Tray	\$5.95
SIN 711-95	Not Applicable	

1c. Installation Rate — SIN 711-1, 711-3, 711-11

\$51.50 per hour (non-union inclusive IFF)

\$106.25 per hour (union inclusive of IFF)

Project Management Fee — SIN 711-91

Senior Project Manager	\$75 per hour (inclusive IFF)
Project Manager	\$55.58 per hour (inclusive IFF)
Project Coordinator	\$50 per hour (inclusive IFF)

Design/Layout Fee — SIN 711-94

\$65 per hour (inclusive IFF)

\$85 per hour CADD service (inclusive IFF)

2. Maximum Order

SIN 71-1	\$5,000,000
SIN 71-205	\$1,000,000
SIN 711-1	\$500,000
SIN 711-11	\$500,000
SIN 711-18	\$200,000
SIN 711-19	\$200,000
SIN 711-2	\$200,000
SIN 711-3	\$500,000
SIN 711-91	\$150,000
SIN 711-94	\$150,000
SIN 711-95	\$150,000

3. Minimum Order

All SINS	\$50
----------	------

4. Geographic Coverage

CONUS & OCONUS

5. Point of Production

3904 N. Texas Avenue, Bryan, Brazos County, Texas, USA

6. Discount from List Price

Seating/Workplace Accessories

SIN 711-2, 711-18, 711-19, 711-205 — Discount 58%

Systems

SIN 711-1, 711-3, 711-11 — Discount 70%

7. Quantity Discounts

No discount tiers have been negotiated.

8. Prompt Payment Terms

Net 30 Days

9. Government Purchase Cards Accepted

Visa/Master Card

10. Foreign Item

None

11a. Time of Delivery

5 – 90 days after receipt of order

11b. Expedited Delivery

Expedited delivery available. Contact NP Customer Service.

11c. Overnight and 2-day Delivery

Available with an upcharge. Contact NP Customer Service.

12. F.O.B. Points

Destination/CONUS, within the 48 contiguous states and the District of Columbia. Port of embarkation for delivery to Alaska, Hawaii, Puerto Rico, the Virgin Islands and U.S. Government installations overseas.

13. Ordering Address

Neutral Posture, Inc.
attn: Order Entry/ * or dealer
3904 N. Texas Avenue
Bryan, TX 77803
979.778.0502
800.446.3746
fax 979.778.0408
oe@neutralposture.com
* Authorized Dealers should be cited on order

14. Payment Address:

Neutral Posture, Inc.
3904 N. Texas Avenue
Bryan, TX 77803

15. Warranty Provision:

Neutral Posture's commercial warranty applies.

16. Export Packing Charges:

Contact NP Customer Service for quote.

17. Terms and Conditions of Government Purchase Card:

Government purchase cards will be accepted for purchases at prices shown in this authorized price list (no additional discount offered).

18. Terms and Conditions Of Rental, Maintenance, and Repair:

Not applicable

19. Terms and Conditions of Installation:

Installation and instruction are available from authorized dealers. Please contact your local NP Dealer for pricing.

20. Terms and Conditions of Repair Parts:

Repair parts are offered at the agreed upon discount from the NP repair parts price list in effect at the time the repair parts are ordered.

20a. Terms and Conditions for Any Other Services:

GSA has accepted all of our standard terms and conditions as noted on page 6-8.

21. List of Service and Distribution Points:

Not applicable

22. List of Dealers:

Please contact NP, or visit NeutralPosture.com for the name of your nearest authorized Dealer.

23. Preventive Maintenance:

Not offered or applicable

24. Environmental Attributes:

Not applicable

25. Other Information:

Tax Identification Number (TIN):	74-2983577
DUNS:	61-0339723
Cage Code:	OUTL8
CEC:	61134982
SIC/NAICS:	2522/337214

26. CCR:

NP is registered in System For Award Management (SAM) and Central Contractor Registration (CCR) database.

NOTE: It is mandatory that all Government purchase orders be made out to NP only. Local Dealers are not authorized to accept purchase orders, issue invoices or receive payment of Government funds for these items without serious violation of this Federal Supply Schedule Contract.

WALL MOUNTING SUGGESTIONS

The following information is provided only as a guide, and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the

Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

New Construction

Existing Construction

	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.		Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	<p>Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud.</p> <p>Fasten the wood block to each stud using three screws at the ends of each block.</p> <p>(Fasten the locally approved wood backing system as directed by the manufacturer.)</p> <p>Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6".</p> <p>For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.</p>	<p>Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6".</p> <p>For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".</p>	<p>In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.</p> <p>Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.</p> <p>Fasten the wood block to each stud using three screws at the ends of each block.</p> <p>Replace the drywall and repair as desired.</p> <p>Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".</p> <p>For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.</p>	<p>In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.</p> <p>Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs.</p> <p>Fasten the wood block to each stud using three screws at the ends of each block.</p> <p>Replace the drywall and repair as desired.</p> <p>Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".</p> <p>For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.</p>	<p>In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.</p> <p>Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs.</p> <p>Fasten the wood block to each stud using three screws at the ends of each block.</p> <p>Replace the drywall and repair as desired.</p> <p>Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".</p> <p>For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.</p>
Fasten the Neutral Posture supplied wall cleat with...	#10 x 2 1/2" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	3/8" x 3 1/2" masonry screws or equiv. in every mounting hole provided with 1 1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 1/2" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 1/2" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

Finishes

FABRICS

A

Aerial	Victor	F1206
Candid	Guilford of Maine	F3007
Cross Check	Mayer	F299
Forte	Mayer	F298
Netiquette	Victor	F1241
Quattro	Mayer	F300
Sprite	Guilford of Maine	F2671
Strata	Mayer	F164
Verse	Momentum	F0910

B

Cape Cod	Guilford of Maine	F3073
Dashing	Victor	F1204
Dune	Victor	F4505
Grasscloth	Mayer	F137
Infinity	Momentum	F0914A
Luminary	Mayer	F100
Marathon	Momentum	F0914B
Metallation	Guilford of Maine	F5118
Metro	Guilford of Maine	F3077
Millennium	Momentum	F0914C
Odyssey	Momentum	F0914D
Off the Grid	Victor	F1233
Pact	Momentum	F0911
Quadrille	Victor	F4701
Quasar	Victor	F4226
Rattan	Guilford of Maine	F3087
Reverb	Mayer	F421
Tradition	Momentum	F0914E
Tweed	Guilford of Maine	F2737

D

Echo	Mayer	F388
------	-------	------

LAMINATES

L1

Casual Linen	SS-CLN
Grey Mesh	SP-GRM
Linen	SS-LN
Mangalore Mango	SW-MGM
Mission Maple	SW-MNM
Nickle Ev	SS-NEV
Organic Cotton	SS-OC
Soft Gold Mesh	SP-SGM
Sterling Ash	SW-STA

L2

Asian Sand	PW-ASD
Astro Strandz	PP-AST
Biltmore Cherry	PW-BCH
Cosmic Strandz	PP-CST
Empire Mahogany	PW-EMH
Fired Steel	PP-FIS
Forged Steel	PP-FOS
Shaker Cherry	PW-SCH
Silver Alchemy	PW-SAL
Studio Teak	PW-STK
Vapor Strandz	PP-VST

EDGE BANDS

Asian Sand	EB-ASD
Astro Strandz	EB-AST
Beige	EB-BEI
Biltmore Cherry	EB-BCH
Casual Linen	EB-CLN
Cosmic Strandz	EB-CST
Custom Laminate	EB-COL
Empire Mahogany	EB-EMH
Fashion Grey	EB-FGR
Fired Steel	EB-FIS
Forged Steel	EB-FOR
Grey	EB-GRY
Grey Mesh	EB-GRM
Khaki Brown	EB-BRN
Linen	EB-LN
Mangalore Mango	EB-MGM
Mission Maple	EB-MNM
Nickle Ev	EB-NEV
Organic Cotton	EB-OC
Pepperdust	EB-PPR
Platinum	EB-PLT
Sand	EB-SND
Shadow	EB-SHD
Shaker Cherry	EB-SCH
Silver Alchemy	EB-SAL
Slate Grey	EB-SGR
Soft Gold Mesh	EB-SGM
Sterling Ash	EB-STA
Studio Teak	EB-STK
Vapor Strandz	EB-VST
Virtual Design Laminate	EB-VL

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

PAINTS

P1

Cream	201
Designer Beige	202
Grey	203
Jet Black	204
Sky White	200

P2

Brass	303
Champagne	301
Copper	304
Platinum	302

PLEXIGLASS

Clear	CL
Ice	IC
Smoked	SM
Translucent	TR

NOT AVAILABLE ON INSERT PANELS

Frost	LF
-------	----

GLASS

Clear	CL
Grey	GR
Smoked	SM
Translucent	TR

DESIGNER GLASS

Patterns from Skyline Design.
Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call customer service for a quote 979.778.0502 ext 301.

Custom Finishes Program

While Neutral Posture offers a large selection of unique finishes, we understand you might want to create a signature on your project or brand your project. We are offering an easy way for you to provide pricing to your client.

Legacy finishes are only available for existing customers to match existing installs

LEGACY – LAMINATES

L1

Jet Black	111
Folkstone Grey (was LA)	114
Soft Grey (was M42)	117
Bright White	118
Pumice (was LF)	119
Micro Grey	121
Brushed Sand	122
Brushed Grey	123
Medium Cherry	124
Natural Maple	125
Natural Cherry	126
Walnut	127
Fog	128
Micro Sand	129
Caramel Maple	MC
Clear Maple	CM
Deep Mahogany	MP58
Grey Granite	M95
Light Oak	MP70
Pearwood	PA
Rose Granite	M96
Sand	SD
Med. Grey (Slate)	M89
Taupe	M80
Warm Cherry	WM
White Essence	ES7
Winter Grey Matrix	MR6

LEGACY – EDGE BANDS

Jet Black	111
Dark Grey (was Y3)	113
Folkstone Grey (was LA)	114
Medium Grey (was Y2)	115
Soft Grey (was E)	117
Bright White	118
Pumice (was LF)	119
Medium Cherry	124
Natural Maple	125
Natural Cherry	126
Walnut	127
Fog	128
Dark Neutral	D
Taupe	R
Sand	SD
Caramel Maple	MC
Clear Maple	CM

LEGACY – PAINTS & PLASTICS

P1

Jet Black	111
Brown	112
Dark Grey (was Y3)	113
Folkstone Grey (was LA)	114
Med. Grey (was Y2)	115
Sandstone	116
Soft Grey (was E)	117
Dark Neutral	D
Taupe	R

P2

Beige Mist Metallic	611
Medium Metallic Grey	612
Beige Metallic	H
Light Tan Metallic	W

P3

Bright White	118
Silver	613

NOTE: EP1 and EP2 panels and components are not available in the following:

Bright White	118
Brown	112
Jet Black	111

Panels

General Info

Step 1 – Model

Top Cap		Panel Type	W	H	Raceway
EP Equity Panel	3 Beveled N Flat	FA Fabric Panel	36	29	K with knockouts N without knockouts
EP	N	FA	36	29	K

Step 2 – Surface Finish

Fabric
F298 Forte
F298

Step 3 – Trim Finish

Paint
301 Champagne
301

FEATURES

HEIGHTS

29" H
41" H
49" H
54" H
61" H
66" H
81" H


WIDTHS

12" W
18" W
24" W
30" W
36" W
42" W
48" W
60" W


THICKNESS

1 ½"

TOP CAP



3 – Beveled



N – Flat

RACEWAY

(K) with knockouts
(N) without knockouts

PANEL RATINGS

NRC	.75
STC	15

CONSTRUCTION

FABRIC PANEL FRAME

Galvaneal roll formed steel frame

FABRIC PANEL CORE

Mineral wool
Fiberglass backer

INSERT PANEL FRAME

Extruded aluminum

INSERT PANEL CORE

¼" Laminate
¼" Plexiglass
Open Frame

TOP CAP, SLOTTED STANDARD

Cold rolled roll formed steel

TOP CAP CLIP

Spring steel

RACEWAY COVER, RACEWAY BASE & RACEWAY RETENTION CHANNEL

Cold rolled roll formed steel

RACEWAY STANCHIONS

Pressed & folded steel

PANEL HOOKS

Steel

POSTS

Steel tube

POST CONNECTORS

Diecast aluminum

SHROUDS

Pressed & folded steel

SURFACE MATERIALS

ALL PANELS

Trim – Paint

FABRIC PANELS (FA)

Fabric

INSERT PANELS

Plexiglass (PG)

Clear	CL
Ice	IC
Smoked	SM
Translucent	TR

Glass (GL)

Clear	CL
Frosted	FR
Bronzed	BR
Smoked	SM

Designer Glass (DG)

Patterns from Skyline Design.
Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call customer service for a quote 979.778.0502 ext 301.

Laminate (LM)

Laminate


Open Frame (OF)

Paint


POSTS, CONNECTORS & SHROUDS

Paint

PANELS



Fabric Panels



29" H

W	MODEL #	FABRIC								PAINT	
		A	B	C	D	E	F	G	H	P2	P3
12"	EP(3/N)FA1229(K/N)	\$430	\$460	\$500	\$550	\$610	\$680	\$760	\$850	+ \$25	+ \$50
18"	EP(3/N)FA1829(K/N)	\$480	\$510	\$550	\$600	\$660	\$730	\$810	\$900	+ \$25	+ \$50
24"	EP(3/N)FA2429(K/N)	\$530	\$560	\$600	\$650	\$710	\$780	\$860	\$950	+ \$25	+ \$50
30"	EP(3/N)FA3029(K/N)	\$580	\$610	\$650	\$700	\$760	\$830	\$910	\$1,000	+ \$25	+ \$50
36"	EP(3/N)FA3629(K/N)	\$650	\$710	\$790	\$890	\$1,010	\$1,150	\$1,310	\$1,490	+ \$25	+ \$50
42"	EP(3/N)FA4229(K/N)	\$690	\$750	\$830	\$930	\$1,050	\$1,190	\$1,350	\$1,530	+ \$25	+ \$50
48"	EP(3/N)FA4829(K/N)	\$730	\$790	\$870	\$970	\$1,090	\$1,230	\$1,390	\$1,570	+ \$25	+ \$50
60"	EP(3/N)FA6029(K/N)	\$770	\$830	\$910	\$1,010	\$1,130	\$1,270	\$1,430	\$1,610	+ \$25	+ \$50

41" H

12"	EP(3/N)FA1241(K/N)	\$480	\$520	\$570	\$630	\$710	\$800	\$910	\$1,040	+ \$25	+ \$50
18"	EP(3/N)FA1841(K/N)	\$530	\$570	\$620	\$680	\$760	\$850	\$960	\$1,090	+ \$25	+ \$50
24"	EP(3/N)FA2441(K/N)	\$580	\$620	\$670	\$730	\$810	\$900	\$1,010	\$1,140	+ \$25	+ \$50
30"	EP(3/N)FA3041(K/N)	\$630	\$670	\$720	\$780	\$860	\$950	\$1,060	\$1,190	+ \$25	+ \$50
36"	EP(3/N)FA3641(K/N)	\$700	\$780	\$880	\$1,000	\$1,160	\$1,350	\$1,590	\$1,880	+ \$25	+ \$50
42"	EP(3/N)FA4241(K/N)	\$750	\$830	\$930	\$1,050	\$1,210	\$1,400	\$1,640	\$1,930	+ \$25	+ \$50
48"	EP(3/N)FA4841(K/N)	\$800	\$880	\$980	\$1,100	\$1,260	\$1,450	\$1,690	\$1,980	+ \$25	+ \$50
60"	EP(3/N)FA6041(K/N)	\$850	\$930	\$1,030	\$1,150	\$1,310	\$1,500	\$1,740	\$2,030	+ \$25	+ \$50

49" H

12"	EP(3/N)FA1249(K/N)	\$540	\$580	\$630	\$690	\$770	\$870	\$990	\$1,140	+ \$25	+ \$50
18"	EP(3/N)FA1849(K/N)	\$590	\$630	\$680	\$740	\$820	\$920	\$1,040	\$1,190	+ \$25	+ \$50
24"	EP(3/N)FA2449(K/N)	\$640	\$680	\$730	\$790	\$870	\$970	\$1,090	\$1,240	+ \$25	+ \$50
30"	EP(3/N)FA3049(K/N)	\$690	\$730	\$780	\$840	\$920	\$1,020	\$1,140	\$1,290	+ \$25	+ \$50
36"	EP(3/N)FA3649(K/N)	\$760	\$840	\$940	\$1,060	\$1,230	\$1,440	\$1,710	\$2,030	+ \$25	+ \$50
42"	EP(3/N)FA4249(K/N)	\$810	\$890	\$990	\$1,110	\$1,280	\$1,490	\$1,760	\$2,080	+ \$25	+ \$50
48"	EP(3/N)FA4849(K/N)	\$860	\$940	\$1,040	\$1,160	\$1,330	\$1,540	\$1,810	\$2,130	+ \$25	+ \$50
60"	EP(3/N)FA6049(K/N)	\$930	\$1,010	\$1,110	\$1,230	\$1,400	\$1,610	\$1,880	\$2,200	+ \$25	+ \$50

54" H

12"	EP(3/N)FA1254(K/N)	\$590	\$630	\$680	\$750	\$850	\$960	\$1,090	\$1,250	+ \$25	+ \$50
18"	EP(3/N)FA1854(K/N)	\$640	\$680	\$730	\$800	\$900	\$1,010	\$1,140	\$1,300	+ \$25	+ \$50
24"	EP(3/N)FA2454(K/N)	\$690	\$730	\$780	\$850	\$950	\$1,060	\$1,190	\$1,350	+ \$25	+ \$50
30"	EP(3/N)FA3054(K/N)	\$740	\$780	\$830	\$900	\$1,000	\$1,110	\$1,240	\$1,400	+ \$25	+ \$50
36"	EP(3/N)FA3654(K/N)	\$820	\$910	\$1,010	\$1,150	\$1,360	\$1,590	\$1,860	\$2,190	+ \$25	+ \$50
42"	EP(3/N)FA4254(K/N)	\$870	\$960	\$1,060	\$1,200	\$1,410	\$1,640	\$1,910	\$2,240	+ \$25	+ \$50
48"	EP(3/N)FA4854(K/N)	\$920	\$1,010	\$1,110	\$1,250	\$1,460	\$1,690	\$1,960	\$2,290	+ \$25	+ \$50
60"	EP(3/N)FA6054(K/N)	\$990	\$1,080	\$1,180	\$1,320	\$1,530	\$1,760	\$2,030	\$2,360	+ \$25	+ \$50

Specify

1. Model #
2. Surface finish
3. Trim finish

Application Notes

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the most expensive panel fabric.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

Assembly

Included


- Panel
- Top cap
- Metal raceway covers

Ordered Separately


- Posts
- Panel connectors
- Electrical components


Top Cap Styles

3 – Beveled



N – Flat





61" H

W	MODEL #	FABRIC								PAINT	
		A	B	C	D	E	F	G	H	P2	P3
12"	EP(3/N)FA1261(K/N)	\$640	\$690	\$750	\$830	\$940	\$1,060	\$1,200	\$1,370	+ \$25	+ \$50
18"	EP(3/N)FA1861(K/N)	\$690	\$740	\$800	\$880	\$990	\$1,110	\$1,250	\$1,420	+ \$25	+ \$50
24"	EP(3/N)FA2461(K/N)	\$740	\$790	\$850	\$930	\$1,040	\$1,160	\$1,300	\$1,470	+ \$25	+ \$50
30"	EP(3/N)FA3061(K/N)	\$790	\$840	\$900	\$980	\$1,090	\$1,210	\$1,350	\$1,520	+ \$25	+ \$50
36"	EP(3/N)FA3661(K/N)	\$860	\$960	\$1,080	\$1,240	\$1,470	\$1,720	\$2,000	\$2,340	+ \$25	+ \$50
42"	EP(3/N)FA4261(K/N)	\$910	\$1,010	\$1,130	\$1,290	\$1,520	\$1,770	\$2,050	\$2,390	+ \$25	+ \$50
48"	EP(3/N)FA4861(K/N)	\$960	\$1,060	\$1,180	\$1,340	\$1,570	\$1,820	\$2,100	\$2,440	+ \$25	+ \$50
60"	EP(3/N)FA6061(K/N)	\$1,050	\$1,150	\$1,270	\$1,430	\$1,660	\$1,910	\$2,190	\$2,530	+ \$25	+ \$50

66" H

12"	EP(3/N)FA1266(K/N)	\$660	\$710	\$770	\$850	\$970	\$1,100	\$1,250	\$1,430	+ \$25	+ \$50
18"	EP(3/N)FA1866(K/N)	\$710	\$760	\$820	\$900	\$1,020	\$1,150	\$1,300	\$1,480	+ \$25	+ \$50
24"	EP(3/N)FA2466(K/N)	\$760	\$810	\$870	\$950	\$1,070	\$1,200	\$1,350	\$1,530	+ \$25	+ \$50
30"	EP(3/N)FA3066(K/N)	\$810	\$860	\$920	\$1,000	\$1,120	\$1,250	\$1,400	\$1,580	+ \$25	+ \$50
36"	EP(3/N)FA3666(K/N)	\$890	\$1,000	\$1,130	\$1,290	\$1,540	\$1,820	\$2,140	\$2,530	+ \$25	+ \$50
42"	EP(3/N)FA4266(K/N)	\$940	\$1,050	\$1,180	\$1,340	\$1,590	\$1,870	\$2,190	\$2,580	+ \$25	+ \$50
48"	EP(3/N)FA4866(K/N)	\$990	\$1,100	\$1,230	\$1,390	\$1,640	\$1,920	\$2,240	\$2,630	+ \$25	+ \$50
60"	EP(3/N)FA6066(K/N)	\$1,080	\$1,190	\$1,320	\$1,480	\$1,730	\$2,010	\$2,330	\$2,720	+ \$25	+ \$50

81" H

12"	EP(3/N)FA1281(K/N)	\$710	\$770	\$830	\$920	\$1,070	\$1,240	\$1,430	\$1,650	+ \$25	+ \$50
18"	EP(3/N)FA1881(K/N)	\$760	\$820	\$880	\$970	\$1,120	\$1,290	\$1,480	\$1,700	+ \$25	+ \$50
24"	EP(3/N)FA2481(K/N)	\$810	\$870	\$930	\$1,020	\$1,170	\$1,340	\$1,530	\$1,750	+ \$25	+ \$50
30"	EP(3/N)FA3081(K/N)	\$860	\$920	\$980	\$1,070	\$1,220	\$1,390	\$1,580	\$1,800	+ \$25	+ \$50
36"	EP(3/N)FA3681(K/N)	\$1,040	\$1,160	\$1,280	\$1,470	\$1,800	\$2,170	\$2,580	\$3,040	+ \$25	+ \$50
42"	EP(3/N)FA4281(K/N)	\$1,160	\$1,280	\$1,400	\$1,590	\$1,920	\$2,290	\$2,700	\$3,160	+ \$25	+ \$50
48"	EP(3/N)FA4881(K/N)	\$1,250	\$1,370	\$1,490	\$1,680	\$2,010	\$2,380	\$2,790	\$3,250	+ \$25	+ \$50
60"	EP(3/N)FA6081(K/N)	\$1,340	\$1,460	\$1,580	\$1,770	\$2,100	\$2,470	\$2,880	\$3,340	+ \$25	+ \$50

Guardian® Panel Option

BULLET RESISTANT PANEL


- NIJ Level IIIA Compliant
- Protection against handguns up to .44 Magnum
- Inconspicuous – looks like a regular panel

UPCHARGES (NET)

WIDTH	HEIGHT					
	29"	42"	49"	54"	66"	81"
30"	\$218	\$315	\$368	\$405	\$495	\$607
36"	\$261	\$378	\$441	\$486	\$594	\$729
42"	\$305	\$441	\$515	\$567	\$693	\$850
48"	\$348	\$504	\$588	\$648	\$792	\$972

Top Cap		Panel Type		W	H	Raceway		Options	
EP	Equity panel	3 Beveled N Flat	FA Fabric panel	36	29	K With knockouts N Without knockouts		G	Guardian Panel
EP		N	FA	36	29	K		G	

Insert Panels



29" H

W	MODEL #	OF	GLASS INSERT			LAMINATE INSERT			PAINT	
			DG	GL	PG	L1	L2	L3	P2	P3
12"	EP(3/N)()1229(K/N)	\$697	\$1,097	\$937	\$847	\$897	\$987	\$1,076	+ \$25	+ \$50
18"	EP(3/N)()1829(K/N)	\$707	\$1,197	\$967	\$867	\$947	\$1,042	\$1,136	+ \$25	+ \$50
24"	EP(3/N)()2429(K/N)	\$717	\$1,297	\$997	\$887	\$977	\$1,075	\$1,172	+ \$25	+ \$50
30"	EP(3/N)()3029(K/N)	\$737	\$1,397	\$1,037	\$917	\$1,007	\$1,108	\$1,208	+ \$25	+ \$50
36"	EP(3/N)()3629(K/N)	\$757	\$1,487	\$1,087	\$957	\$1,057	\$1,163	\$1,268	+ \$25	+ \$50
42"	EP(3/N)()4229(K/N)	\$777	\$1,587	\$1,137	\$1,007	\$1,107	\$1,218	\$1,328	+ \$25	+ \$50
48"	EP(3/N)()4829(K/N)	\$797	\$1,697	\$1,197	\$1,067	\$1,167	\$1,284	\$1,400	+ \$25	+ \$50
60"	EP(3/N)()6029(K/N)	\$837	\$1,867	\$1,267	\$1,137	\$1,237	\$1,361	\$1,484	+ \$25	+ \$50

41" H

12"	EP(3/N)()1241(K/N)	\$737	\$1,237	\$1,057	\$947	\$947	\$1,042	\$1,136	+ \$25	+ \$50
18"	EP(3/N)()1841(K/N)	\$747	\$1,327	\$1,077	\$967	\$1,047	\$1,152	\$1,256	+ \$25	+ \$50
24"	EP(3/N)()2441(K/N)	\$757	\$1,437	\$1,117	\$997	\$1,087	\$1,196	\$1,304	+ \$25	+ \$50
30"	EP(3/N)()3041(K/N)	\$777	\$1,567	\$1,167	\$1,037	\$1,137	\$1,251	\$1,364	+ \$25	+ \$50
36"	EP(3/N)()3641(K/N)	\$797	\$1,667	\$1,217	\$1,087	\$1,187	\$1,306	\$1,424	+ \$25	+ \$50
42"	EP(3/N)()4241(K/N)	\$817	\$1,777	\$1,277	\$1,147	\$1,247	\$1,372	\$1,496	+ \$25	+ \$50
48"	EP(3/N)()4841(K/N)	\$837	\$1,957	\$1,357	\$1,217	\$1,327	\$1,460	\$1,592	+ \$25	+ \$50
60"	EP(3/N)()6041(K/N)	\$877	\$2,247	\$1,447	\$1,297	\$1,417	\$1,559	\$1,700	+ \$25	+ \$50

49" H

12"	EP(3/N)()1249(K/N)	\$747	\$1,257	\$1,077	\$967	\$997	\$1,097	\$1,196	+ \$25	+ \$50
18"	EP(3/N)()1849(K/N)	\$757	\$1,357	\$1,107	\$997	\$1,077	\$1,185	\$1,292	+ \$25	+ \$50
24"	EP(3/N)()2449(K/N)	\$767	\$1,477	\$1,157	\$1,037	\$1,127	\$1,240	\$1,352	+ \$25	+ \$50
30"	EP(3/N)()3049(K/N)	\$787	\$1,637	\$1,217	\$1,087	\$1,187	\$1,306	\$1,424	+ \$25	+ \$50
36"	EP(3/N)()3649(K/N)	\$807	\$1,797	\$1,277	\$1,147	\$1,247	\$1,372	\$1,496	+ \$25	+ \$50
42"	EP(3/N)()4249(K/N)	\$827	\$1,967	\$1,347	\$1,217	\$1,317	\$1,449	\$1,580	+ \$25	+ \$50
48"	EP(3/N)()4849(K/N)	\$847	\$2,147	\$1,427	\$1,297	\$1,397	\$1,537	\$1,676	+ \$25	+ \$50
60"	EP(3/N)()6049(K/N)	\$887	\$2,377	\$1,557	\$1,407	\$1,527	\$1,680	\$1,832	+ \$25	+ \$50

Specify

1. Model #
2. Insert type
3. Insert color
4. Paint trim color

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

Plexiglass Finishes

CL ... Clear
IC ... Ice
SM ... Smoked
TR ... Translucent

Glass Finishes

CL ... Clear
GR ... Grey
SM ... Smoked
TR ... Translucent

Application Notes

Insert Panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with multiple insert options, or as an open frame for complete accessibility through the panel.

Assembly

Included


- Panel
- Top cap
- Metal raceway covers

Ordered Separately


- Posts
- Panel connectors
- Electrical components


Top Cap Styles

3 – Beveled



N – Flat





54" H

W	MODEL #	OF	GLASS INSERT			LAMINATE INSERT			PAINT	
			DG	GL	PG	L1	L2	L3	P2	P3
12"	EP(3/N)()1254(K/N)	\$777	\$1,267	\$1,087	\$977	\$1,047	\$1,152	\$1,256	+ \$25	+ \$50
18"	EP(3/N)()1854(K/N)	\$787	\$1,377	\$1,127	\$1,017	\$1,097	\$1,207	\$1,316	+ \$25	+ \$50
24"	EP(3/N)()2454(K/N)	\$797	\$1,507	\$1,187	\$1,067	\$1,157	\$1,273	\$1,388	+ \$25	+ \$50
30"	EP(3/N)()3054(K/N)	\$817	\$1,677	\$1,257	\$1,127	\$1,227	\$1,350	\$1,472	+ \$25	+ \$50
36"	EP(3/N)()3654(K/N)	\$837	\$1,847	\$1,327	\$1,197	\$1,297	\$1,427	\$1,556	+ \$25	+ \$50
42"	EP(3/N)()4254(K/N)	\$857	\$2,027	\$1,407	\$1,277	\$1,377	\$1,515	\$1,652	+ \$25	+ \$50
48"	EP(3/N)()4854(K/N)	\$877	\$2,227	\$1,507	\$1,367	\$1,477	\$1,625	\$1,772	+ \$25	+ \$50
60"	EP(3/N)()6054(K/N)	\$917	\$2,447	\$1,627	\$1,477	\$1,597	\$1,757	\$1,916	+ \$25	+ \$50

61" H

12"	EP(3/N)()1261(K/N)	\$787	\$1,307	\$1,107	\$987	\$1,067	\$1,174	\$1,280	+ \$25	+ \$50
18"	EP(3/N)()1861(K/N)	\$797	\$1,407	\$1,157	\$1,037	\$1,117	\$1,229	\$1,340	+ \$25	+ \$50
24"	EP(3/N)()2461(K/N)	\$807	\$1,557	\$1,227	\$1,097	\$1,187	\$1,306	\$1,424	+ \$25	+ \$50
30"	EP(3/N)()3061(K/N)	\$827	\$1,737	\$1,307	\$1,167	\$1,267	\$1,394	\$1,520	+ \$25	+ \$50
36"	EP(3/N)()3661(K/N)	\$847	\$1,917	\$1,387	\$1,247	\$1,347	\$1,482	\$1,616	+ \$25	+ \$50
42"	EP(3/N)()4261(K/N)	\$867	\$2,117	\$1,487	\$1,337	\$1,447	\$1,592	\$1,736	+ \$25	+ \$50
48"	EP(3/N)()4861(K/N)	\$887	\$2,327	\$1,597	\$1,437	\$1,557	\$1,713	\$1,868	+ \$25	+ \$50
60"	EP(3/N)()6061(K/N)	\$937	\$2,657	\$1,717	\$1,547	\$1,677	\$1,845	\$2,012	+ \$25	+ \$50

66" H

12"	EP(3/N)()1266(K/N)	\$797	\$1,317	\$1,117	\$997	\$1,077	\$1,185	\$1,292	+ \$25	+ \$50
18"	EP(3/N)()1866(K/N)	\$807	\$1,447	\$1,177	\$1,057	\$1,137	\$1,251	\$1,364	+ \$25	+ \$50
24"	EP(3/N)()2466(K/N)	\$817	\$1,607	\$1,257	\$1,127	\$1,217	\$1,339	\$1,460	+ \$25	+ \$50
30"	EP(3/N)()3066(K/N)	\$837	\$1,797	\$1,347	\$1,207	\$1,307	\$1,438	\$1,568	+ \$25	+ \$50
36"	EP(3/N)()3666(K/N)	\$857	\$1,987	\$1,437	\$1,297	\$1,397	\$1,537	\$1,676	+ \$25	+ \$50
42"	EP(3/N)()4266(K/N)	\$877	\$2,197	\$1,547	\$1,397	\$1,507	\$1,658	\$1,808	+ \$25	+ \$50
48"	EP(3/N)()4866(K/N)	\$897	\$2,417	\$1,667	\$1,507	\$1,627	\$1,790	\$1,952	+ \$25	+ \$50
60"	EP(3/N)()6066(K/N)	\$947	\$2,737	\$1,787	\$1,627	\$1,747	\$1,922	\$2,096	+ \$25	+ \$50


81" H

12"	EP(3/N)()1281(K/N)	\$857	\$1,547	\$1,327	\$1,187	\$1,287	\$1,416	\$1,544	+ \$25	+ \$50
18"	EP(3/N)()1881(K/N)	\$867	\$1,727	\$1,427	\$1,287	\$1,387	\$1,526	\$1,664	+ \$25	+ \$50
24"	EP(3/N)()2481(K/N)	\$877	\$1,927	\$1,527	\$1,387	\$1,487	\$1,636	\$1,784	+ \$25	+ \$50
30"	EP(3/N)()3081(K/N)	\$897	\$2,127	\$1,627	\$1,487	\$1,587	\$1,746	\$1,904	+ \$25	+ \$50
36"	EP(3/N)()3681(K/N)	\$917	\$2,327	\$1,727	\$1,587	\$1,687	\$1,856	\$2,024	+ \$25	+ \$50
42"	EP(3/N)()4281(K/N)	\$937	\$2,527	\$1,827	\$1,687	\$1,787	\$1,966	\$2,144	+ \$25	+ \$50
48"	EP(3/N)()4881(K/N)	\$957	\$2,747	\$1,947	\$1,807	\$1,907	\$2,098	\$2,288	+ \$25	+ \$50
60"	EP(3/N)()6081(K/N)	\$1,027	\$3,347	\$2,097	\$1,957	\$2,057	\$2,263	\$2,468	+ \$25	+ \$50

		Top Cap		Panel Type		W	H	Raceway	
EP	Equity panel	3 Beveled	OF Open frame	OF Open frame	36	29	K	With knockouts	
		N Flat	DG Designer glass insert	DG Designer glass insert			N	Without knockouts	
			GL Glass insert	GL Glass insert					
			PG Plexiglass insert	PG Plexiglass insert					
			LM Laminate insert	LM Laminate insert					
EP		N	PG		36	29	K		

Insert Panels

Perforated Aluminum



29" H

W	MODEL #	PA	INSERT PAINT			PAINT	
			P1	P2	P3	P2	P3
12"	EP(3/N)PA1229(K/N)	\$797	\$847	\$857	\$867	+ \$25	+ \$50
18"	EP(3/N)PA1829(K/N)	\$807	\$867	\$887	\$907	+ \$25	+ \$50
24"	EP(3/N)PA2429(K/N)	\$827	\$887	\$917	\$947	+ \$25	+ \$50
30"	EP(3/N)PA3029(K/N)	\$857	\$917	\$947	\$987	+ \$25	+ \$50
36"	EP(3/N)PA3629(K/N)	\$897	\$957	\$987	\$1,027	+ \$25	+ \$50
42"	EP(3/N)PA4229(K/N)	\$937	\$1,007	\$1,047	\$1,087	+ \$25	+ \$50
48"	EP(3/N)PA4829(K/N)	\$997	\$1,067	\$1,117	\$1,167	+ \$25	+ \$50
60"	EP(3/N)PA6029(K/N)	\$1,067	\$1,137	\$1,197	\$1,257	+ \$25	+ \$50

41" H

12"	EP(3/N)PA1241(K/N)	\$877	\$947	\$967	\$987	+ \$25	+ \$50
18"	EP(3/N)PA1841(K/N)	\$897	\$967	\$987	\$1,017	+ \$25	+ \$50
24"	EP(3/N)PA2441(K/N)	\$927	\$997	\$1,027	\$1,067	+ \$25	+ \$50
30"	EP(3/N)PA3041(K/N)	\$967	\$1,037	\$1,077	\$1,127	+ \$25	+ \$50
36"	EP(3/N)PA3641(K/N)	\$1,017	\$1,087	\$1,137	\$1,197	+ \$25	+ \$50
42"	EP(3/N)PA4241(K/N)	\$1,067	\$1,147	\$1,207	\$1,277	+ \$25	+ \$50
48"	EP(3/N)PA4841(K/N)	\$1,137	\$1,217	\$1,297	\$1,367	+ \$25	+ \$50
60"	EP(3/N)PA6041(K/N)	\$1,217	\$1,297	\$1,397	\$1,487	+ \$25	+ \$50

49" H

12"	EP(3/N)PA1249(K/N)	\$897	\$967	\$987	\$1,007	+ \$25	+ \$50
18"	EP(3/N)PA1849(K/N)	\$927	\$997	\$1,027	\$1,057	+ \$25	+ \$50
24"	EP(3/N)PA2449(K/N)	\$967	\$1,037	\$1,087	\$1,127	+ \$25	+ \$50
30"	EP(3/N)PA3049(K/N)	\$1,017	\$1,087	\$1,147	\$1,197	+ \$25	+ \$50
36"	EP(3/N)PA3649(K/N)	\$1,067	\$1,147	\$1,217	\$1,287	+ \$25	+ \$50
42"	EP(3/N)PA4249(K/N)	\$1,137	\$1,217	\$1,297	\$1,387	+ \$25	+ \$50
48"	EP(3/N)PA4849(K/N)	\$1,217	\$1,297	\$1,397	\$1,497	+ \$25	+ \$50
60"	EP(3/N)PA6049(K/N)	\$1,327	\$1,407	\$1,527	\$1,637	+ \$25	+ \$50

Specify

1. Model #
2. Insert type
3. Insert color
4. Paint trim color

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

Application Notes

Insert Panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with plexiglass, laminate, or as an open frame for complete accessibility through the panel.

Assembly


- Included**
- Panel
 - Top cap
 - Metal raceway covers

Ordered Separately


- Posts
- Panel connectors
- Electrical components


Top Cap Styles

3 – Beveled



N – Flat





54" H

W	MODEL #	PA	INSERT PAINT			PAINT	
			P1	P2	P3	P2	P3
12"	EP(3/N)PA1254(K/N)	\$907	\$977	\$997	\$1,017	+ \$25	+ \$50
18"	EP(3/N)PA1854(K/N)	\$947	\$1,017	\$1,047	\$1,077	+ \$25	+ \$50
24"	EP(3/N)PA2454(K/N)	\$997	\$1,067	\$1,117	\$1,167	+ \$25	+ \$50
30"	EP(3/N)PA3054(K/N)	\$1,047	\$1,127	\$1,187	\$1,247	+ \$25	+ \$50
36"	EP(3/N)PA3654(K/N)	\$1,117	\$1,197	\$1,277	\$1,357	+ \$25	+ \$50
42"	EP(3/N)PA4254(K/N)	\$1,197	\$1,277	\$1,367	\$1,457	+ \$25	+ \$50
48"	EP(3/N)PA4854(K/N)	\$1,287	\$1,367	\$1,467	\$1,567	+ \$25	+ \$50
60"	EP(3/N)PA6054(K/N)	\$1,397	\$1,477	\$1,607	\$1,737	+ \$25	+ \$50

61" H

12"	EP(3/N)PA1261(K/N)	\$917	\$987	\$1,007	\$1,037	+ \$25	+ \$50
18"	EP(3/N)PA1861(K/N)	\$967	\$1,037	\$1,077	\$1,117	+ \$25	+ \$50
24"	EP(3/N)PA2461(K/N)	\$1,017	\$1,097	\$1,147	\$1,197	+ \$25	+ \$50
30"	EP(3/N)PA3061(K/N)	\$1,087	\$1,167	\$1,227	\$1,297	+ \$25	+ \$50
36"	EP(3/N)PA3661(K/N)	\$1,167	\$1,247	\$1,327	\$1,407	+ \$25	+ \$50
42"	EP(3/N)PA4261(K/N)	\$1,257	\$1,337	\$1,427	\$1,527	+ \$25	+ \$50
48"	EP(3/N)PA4861(K/N)	\$1,357	\$1,437	\$1,537	\$1,657	+ \$25	+ \$50
60"	EP(3/N)PA6061(K/N)	\$1,687	\$1,747	\$1,867	\$2,007	+ \$25	+ \$50

66" H


12"	EP(3/N)PA1266(K/N)	\$927	\$997	\$1,027	\$1,057	+ \$25	+ \$50
18"	EP(3/N)PA1866(K/N)	\$987	\$1,057	\$1,097	\$1,147	+ \$25	+ \$50
24"	EP(3/N)PA2466(K/N)	\$1,047	\$1,127	\$1,177	\$1,237	+ \$25	+ \$50
30"	EP(3/N)PA3066(K/N)	\$1,127	\$1,207	\$1,277	\$1,347	+ \$25	+ \$50
36"	EP(3/N)PA3666(K/N)	\$1,217	\$1,297	\$1,387	\$1,477	+ \$25	+ \$50
42"	EP(3/N)PA4266(K/N)	\$1,307	\$1,397	\$1,497	\$1,597	+ \$25	+ \$50
48"	EP(3/N)PA4866(K/N)	\$1,397	\$1,507	\$1,627	\$1,747	+ \$25	+ \$50
60"	EP(3/N)PA6066(K/N)	\$1,707	\$1,877	\$2,007	\$2,157	+ \$25	+ \$50

81" H

12"	EP(3/N)PA1281(K/N)	\$1,087	\$1,187	\$1,227	\$1,277	+ \$25	+ \$50
18"	EP(3/N)PA1881(K/N)	\$1,187	\$1,287	\$1,347	\$1,427	+ \$25	+ \$50
24"	EP(3/N)PA2481(K/N)	\$1,287	\$1,387	\$1,467	\$1,567	+ \$25	+ \$50
30"	EP(3/N)PA3081(K/N)	\$1,487	\$1,587	\$1,687	\$1,807	+ \$25	+ \$50
36"	EP(3/N)PA3681(K/N)	\$1,587	\$1,687	\$1,807	\$1,947	+ \$25	+ \$50
42"	EP(3/N)PA4281(K/N)	\$1,647	\$1,747	\$1,907	\$2,057	+ \$25	+ \$50
48"	EP(3/N)PA4881(K/N)	\$1,697	\$1,797	\$2,007	\$2,167	+ \$25	+ \$50
60"	EP(3/N)PA6081(K/N)	\$2,197	\$2,397	\$2,647	\$2,847	+ \$25	+ \$50

Top Cap		Panel Type		W	H	Raceway	
EP	Equity panel	3 Beveled N Flat	PA Perforated Aluminum	36	29	K With knockouts N Without knockouts	
EP		N	PA	36	29	K	

Sliding Doors




49" H			INSERT TYPE		LAMINATE INSERT			PAINT	
OPENING	ACTUAL OPENING	MODEL #	CR	PG	LM 1	LM 2	LM 3	P2	P3
36"	34.5"	EDR()3649(L/R)B48	\$2,207	\$1,577	\$1,507	\$1,658	\$1,808	+ \$25	+ \$50
36"	34.5"	EDR()3649(L/R)B60	\$2,207	\$1,577	\$1,507	\$1,658	\$1,808	+ \$25	+ \$50
42"	40.5"	EDR()4249(L/R)B48	\$2,407	\$1,657	\$1,557	\$1,713	\$1,868	+ \$25	+ \$50
42"	40.5"	EDR()4249(L/R)B60	\$2,407	\$1,657	\$1,557	\$1,713	\$1,868	+ \$25	+ \$50

54" H			INSERT TYPE		LAMINATE INSERT			PAINT	
OPENING	ACTUAL OPENING	MODEL #	CR	PG	LM 1	LM 2	LM 3	P2	P3
36"	34.5"	EDR()3654(L/R)B48	\$2,407	\$1,657	\$1,677	\$1,845	\$2,012	+ \$25	+ \$50
36"	34.5"	EDR()3654(L/R)B60	\$2,407	\$1,657	\$1,677	\$1,845	\$2,012	+ \$25	+ \$50
42"	40.5"	EDR()4254(L/R)B48	\$2,607	\$1,727	\$1,727	\$1,900	\$2,072	+ \$25	+ \$50
42"	40.5"	EDR()4254(L/R)B60	\$2,407	\$1,657	\$1,677	\$1,845	\$2,012	+ \$25	+ \$50

61" H			INSERT TYPE		LAMINATE INSERT			PAINT	
OPENING	ACTUAL OPENING	MODEL #	CR	PG	LM 1	LM 2	LM 3	P2	P3
36"	34.5"	EDR()3661(L/R)B48	\$2,707	\$1,727	\$1,757	\$1,933	\$2,108	+ \$25	+ \$50
36"	34.5"	EDR()3661(L/R)B60	\$2,707	\$1,727	\$1,757	\$1,933	\$2,108	+ \$25	+ \$50
42"	40.5"	EDR()4261(L/R)B48	\$3,007	\$1,807	\$1,807	\$1,988	\$2,168	+ \$25	+ \$50
42"	40.5"	EDR()4261(L/R)B60	\$3,007	\$1,807	\$1,807	\$1,988	\$2,168	+ \$25	+ \$50

Specify	Application Notes	Insert Type	Plexiglass Finishes	Assembly
1. Model # 2. Insert type 3. Insert color 4. Paint trim color	Sliding doors fit on 42"/48" wide walls only.	CR . . Corian PG . . Plexiglass LM . . Laminate	IC . . Ice SM . . Smoked TR . . Translucent LF . . Frost	Included • Door • Hardware • Modified trim for anchor panel




66" H			INSERT TYPE		LAMINATE INSERT			PAINT	
OPENING	ACTUAL OPENING	MODEL #	CR	PG	LM 1	LM 2	LM 3	P2	P3
36"	34.5"	EDR()3666(L/R)B48	\$2,907	\$1,827	\$1,877	\$2,065	\$2,252	+ \$25	+ \$50
36"	34.5"	EDR()3666(L/R)B60	\$2,907	\$1,827	\$1,877	\$2,065	\$2,252	+ \$25	+ \$50
42"	40.5"	EDR()4266(L/R)B48	\$3,207	\$1,877	\$1,957	\$2,153	\$2,348	+ \$25	+ \$50
42"	40.5"	EDR()4266(L/R)B60	\$3,207	\$1,877	\$1,957	\$2,153	\$2,348	+ \$25	+ \$50

81" H			INSERT TYPE		LAMINATE INSERT			PAINT	
OPENING	ACTUAL OPENING	MODEL #	CR	PG	LM 1	LM 2	LM 3	P2	P3
36"	34.5"	EDR()3681(L/R)B48	\$3,307	\$1,877	\$2,157	\$2,373	\$2,588	+ \$25	+ \$50
36"	34.5"	EDR()3681(L/R)B60	\$3,307	\$1,877	\$2,157	\$2,373	\$2,588	+ \$25	+ \$50
42"	40.5"	EDR()4281(L/R)B48	\$3,707	\$1,977	\$2,227	\$2,450	\$2,672	+ \$25	+ \$50
42"	40.5"	EDR()4281(L/R)B60	\$3,707	\$1,977	\$2,227	\$2,450	\$2,672	+ \$25	+ \$50


		Insert Type		W	H	Door Open	Door Handle	Anchor Panel Width
EDR	Equity door	CR	Corian	36	61	L R	B Bar	48
		PG	Plexiglass					60
		LM	Laminate					
EDR		LM		36	61	L	B	48

Post Assemblies




Straight

H	MODEL #	PAINT		
		P1	P2	P3
29"	EP(3/N)P29S	\$148	\$155	\$162
41"	EP(3/N)P41S	\$150	\$157	\$164
49"	EP(3/N)P49S	\$152	\$159	\$166
54"	EP(3/N)P54S	\$154	\$161	\$168
61"	EP(3/N)P61S	\$156	\$163	\$170
66"	EP(3/N)P66S	\$158	\$165	\$172
81"	EP(3/N)P81S	\$175	\$182	\$189



2-way L

H	MODEL #	PAINT		
		P1	P2	P3
29"	EP(3/N)P29L	\$148	\$155	\$162
41"	EP(3/N)P41L	\$150	\$157	\$164
49"	EP(3/N)P49L	\$153	\$160	\$167
54"	EP(3/N)P54L	\$157	\$164	\$171
61"	EP(3/N)P61L	\$165	\$172	\$179
66"	EP(3/N)P66L	\$172	\$179	\$186
81"	EP(3/N)P81L	\$185	\$192	\$199



2-way 120

29"	EP(3/N)P29120	\$159	\$166	\$173
41"	EP(3/N)P41120	\$167	\$174	\$181
49"	EP(3/N)P49120	\$171	\$178	\$185
54"	EP(3/N)P54120	\$175	\$182	\$189
61"	EP(3/N)P61120	\$183	\$190	\$197
66"	EP(3/N)P66120	\$190	\$197	\$204
81"	EP(3/N)P81120	\$202	\$209	\$216

Specify

1. Model #
2. Paint trim color

Application Notes

Used to connect panels of the same height


Bottom glides on post allow for up to 1 1/2" of vertical adjustment.

Assembly


- Included**
- Single height post
 - Panel connector
 - Appropriate metal shroud


Top Cap Styles

3 – Beveled



N – Flat






3-way T

H	MODEL #	PAINT		
		P1	P2	P3
29"	EP(3/N)P29T	\$148	\$155	\$162
41"	EP(3/N)P41T	\$150	\$157	\$164
49"	EP(3/N)P49T	\$152	\$159	\$166
54"	EP(3/N)P54T	\$154	\$161	\$168
61"	EP(3/N)P61T	\$157	\$164	\$171
66"	EP(3/N)P66T	\$164	\$171	\$178
81"	EP(3/N)P81T	\$176	\$183	\$190



4-way X

H	MODEL #	PAINT		
		P1	P2	P3
29"	EP(3/N)P29X	\$148	\$155	\$162
41"	EP(3/N)P41X	\$150	\$157	\$164
49"	EP(3/N)P49X	\$152	\$159	\$166
54"	EP(3/N)P54X	\$154	\$161	\$168
61"	EP(3/N)P61X	\$156	\$163	\$170
66"	EP(3/N)P66X	\$158	\$165	\$172
81"	EP(3/N)P81X	\$171	\$178	\$185



3-way 120

29"	EP(3/N)P29Y	\$179	\$188	\$197
41"	EP(3/N)P41Y	\$181	\$190	\$199
49"	EP(3/N)P49Y	\$183	\$192	\$201
54"	EP(3/N)P54Y	\$185	\$194	\$203
61"	EP(3/N)P61Y	\$187	\$196	\$205
66"	EP(3/N)P66Y	\$193	\$202	\$211
81"	EP(3/N)P81Y	\$206	\$215	\$224



Carpet Gripper

DESCRIPTION	MODEL #	BLACK ONLY
12 Pack	EP1CG12	\$38

Top Cap			H	Connection Type	
EP	Equity panel	3 Beveled N Flat	P Post	29	120 2-way 120 E End w/post ETK Postless end L 2-way L T 3-way T S Straight X 4-way Y 3-way 120
EP		N	P	29	S



End Kits



End w/Post		PAINT		
H	MODEL #	P1	P2	P3
29"	EP(3/N)P29E	\$159	\$166	\$173
41"	EP(3/N)P41E	\$164	\$171	\$178
49"	EP(3/N)P49E	\$168	\$175	\$182
54"	EP(3/N)P54E	\$171	\$178	\$185
61"	EP(3/N)P61E	\$180	\$187	\$194
66"	EP(3/N)P66E	\$186	\$193	\$200
81"	EP(3/N)P81E	\$199	\$206	\$213

End w/Post

Specify	Application Notes
1. Model # 2. Paint trim color	Used to finish a panel end that is not being connected to another panel.

Assembly	Top Cap Styles	
Included <ul style="list-style-type: none">• Single height post• Panel connector• Appropriate metal shroud	3 – Beveled	N – Flat
		



Panel Wall Starter

W	D	H	H (Actual)	MODEL #	PAINT		
					P1	P2	P3
1 ½"	½"	29"	23"	EP(3/N)PWS29	\$44	\$45	\$47
1 ½"	½"	41"	35"	EP(3/N)PWS41	\$44	\$45	\$47
1 ½"	½"	49"	43"	EP(3/N)PWS49	\$48	\$50	\$55
1 ½"	½"	54"	49"	EP(3/N)PWS54	\$50	\$55	\$59
1 ½"	½"	61"	55"	EP(3/N)PWS61	\$50	\$55	\$59
1 ½"	½"	66"	60"	EP(3/N)PWS66	\$52	\$56	\$62
1 ½"	½"	81"	75"	EP(3/N)PWS81	\$59	\$63	\$69



Wall Mounted Channel

2 ⅞"	¾"	29"	23"	EP3WMC29	\$112	\$116	\$122
2 ⅞"	¾"	41"	35"	EP3WMC41	\$112	\$116	\$122
2 ⅞"	¾"	49"	43"	EP3WMC49	\$114	\$120	\$128
2 ⅞"	¾"	54"	49"	EP3WMC54	\$116	\$122	\$129
2 ⅞"	¾"	61"	55"	EP3WMC61	\$130	\$135	\$145
2 ⅞"	¾"	66"	60"	EP3WMC66	\$133	\$144	\$148
2 ⅞"	¾"	81"	75"	EP3WMC81	\$162	\$168	\$178
2 ⅞"	¾"	120"	120"	EP3WMC120	\$249	\$262	\$276

Panel Wall Starter

Specify

1. Model #
2. Paint trim color

Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face of wall to centerline of post. Constructed of steel.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

Assembly

Included

- Panel top & bottom hook
- Panel connector

Not Included


- Fasteners to attach to wall

Ordered Separately


- Post
- Shrouds

Top Cap Styles

3 – Beveled



N – Flat



Wall Mounted Channel

Specify

1. Model #
2. Paint trim color

Application Notes

Allows hanging of all components and accessories on reinforced building walls.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

Assembly

Included

- Extruded aluminum channel

Single Height

H	MODEL #	PAINT		
		P1	P2	P3
29"	EP3P29	\$93	\$96	\$99
41"	EP3P41	\$94	\$97	\$100
49"	EP3P49	\$96	\$99	\$102
54"	EP3P54	\$99	\$102	\$105
61"	EP3P61	\$105	\$108	\$111
66"	EP3P66	\$107	\$110	\$113
81"	EP3P81	\$117	\$120	\$123

Dual Height

29"/41"	EP3DP2941	\$155	\$165	\$175
29"/49"	EP3DP2949	\$165	\$175	\$185
29"/54"	EP3DP2954	\$165	\$175	\$185
29"/61"	EP3DP2961	\$175	\$185	\$195
29"/66"	EP3DP2966	\$175	\$185	\$195
29"/81"	EP3DP2981	\$195	\$205	\$215
41"/49"	EP3DP4149	\$165	\$175	\$185
41"/54"	EP3DP4154	\$165	\$175	\$185
41"/61"	EP3DP4161	\$175	\$185	\$195
41"/66"	EP3DP4166	\$175	\$185	\$195
41"/81"	EP3DP4181	\$195	\$205	\$215
49"/54"	EP3DP4954	\$165	\$175	\$185
49"/61"	EP3DP4961	\$175	\$185	\$195
49"/66"	EP3DP4966	\$175	\$185	\$195
49"/81"	EP3DP4981	\$195	\$205	\$215
54"/61"	EP3DP5461	\$175	\$185	\$195
54"/66"	EP3DP5466	\$175	\$185	\$195
54"/81"	EP3DP5481	\$195	\$205	\$215
61"/66"	EP3DP6166	\$175	\$185	\$195
61"/81"	EP3DP6181	\$195	\$205	\$215
66"/81"	EP3DP6681	\$195	\$205	\$215

Triple Height

H	MODEL #	PAINT		
		P1	P2	P3
29"/41"/49"	EP3TP294149	\$195	\$205	\$215
29"/41"/54"	EP3TP294154	\$195	\$205	\$215
29"/41"/61"	EP3TP294161	\$200	\$210	\$220
29"/41"/66"	EP3TP294166	\$200	\$210	\$220
29"/41"/81"	EP3TP294181	\$230	\$240	\$250
29"/49"/54"	EP3TP294954	\$195	\$205	\$215
29"/49"/61"	EP3TP294961	\$200	\$210	\$220
29"/49"/66"	EP3TP294966	\$200	\$210	\$220
29"/49"/81"	EP3TP294981	\$230	\$240	\$250
29"/54"/61"	EP3TP295461	\$200	\$210	\$220
29"/54"/66"	EP3TP295466	\$200	\$210	\$220
29"/54"/81"	EP3TP295481	\$230	\$240	\$250
29"/61"/66"	EP3TP296166	\$200	\$210	\$220
29"/61"/81"	EP3TP296181	\$230	\$240	\$250
29"/66"/81"	EP3TP296681	\$230	\$240	\$250
41"/49"/54"	EP3TP414954	\$195	\$205	\$215
41"/49"/61"	EP3TP414961	\$200	\$210	\$220
41"/49"/66"	EP3TP414966	\$200	\$210	\$220
41"/49"/81"	EP3TP414981	\$230	\$240	\$250
41"/54"/61"	EP3TP415461	\$200	\$210	\$220
41"/54"/66"	EP3TP415466	\$200	\$210	\$220
41"/54"/81"	EP3TP415481	\$230	\$240	\$250
41"/61"/66"	EP3TP416166	\$200	\$210	\$220
41"/61"/81"	EP3TP416181	\$230	\$240	\$250
41"/66"/81"	EP3TP416681	\$230	\$240	\$250
49"/54"/61"	EP3TP495461	\$200	\$210	\$220
49"/54"/66"	EP3TP495466	\$200	\$210	\$220
49"/54"/81"	EP3TP495481	\$230	\$240	\$250
49"/61"/66"	EP3TP496166	\$200	\$210	\$220
49"/61"/81"	EP3TP496181	\$230	\$240	\$250
49"/66"/81"	EP3TP496681	\$230	\$240	\$250
54"/61"/66"	EP3TP546166	\$200	\$210	\$220
54"/61"/81"	EP3TP546181	\$230	\$240	\$250
54"/66"/81"	EP3TP546681	\$230	\$240	\$250
61"/66"/81"	EP3TP616681	\$230	\$240	\$250

Specify

1. Model #
2. Paint trim color

Application Notes

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Specify one multi-height panel connector (EP3PCMF) for each low panel when using either a dual or triple height post in a multi-height connection.

Dual Height Posts

Used where 2 monolithic panels of 2 different heights intersect.

Triple Height Posts

Used where 3 monolithic panels of 3 different heights intersect.

Assembly

Included

- Multi-height post

Ordered Separately

- Panel Connectors
- Metal shrouds

Connectors/Shrouds

Connectors

DESCRIPTION	MODEL #	PAINT		
		P1	P2	P3
Straight	EP(3/N)PCS	\$37	\$40	\$43
2-way L	EP(3/N)PCL	\$37	\$40	\$43
2-way 120	EP3PC120	\$37	\$40	\$43
2-way adjustable angle	EPNPCA	\$47	\$50	\$53
3-way T	EP(3/N)PCT	\$47	\$50	\$53
3-way Y 120	EP(3/N)PCY	\$47	\$50	\$53
4-way X	EP(3/N)PCX	\$47	\$50	\$53
End with post	EP(3/N)PCEP	\$37	\$40	\$43
Multi-height filler	EP(3/N)PCMF	\$37	\$40	\$43
Trim filler	EPNCTF	\$37	\$40	\$43



Straight



2-way L


2-way
adjustable angle


3-way T



3-way Y 120



4-way X



End with post



Multi-height filler



Trim filler

Metal Shrouds

DESCRIPTION	MODEL #	PAINT		
		P1	P2	P3
Straight	EP3SS	\$27	\$30	\$34
L outside	EP3SL	\$37	\$40	\$44
120 outside	EP3SO120	\$37	\$40	\$44
120 inside	EP3SI120	\$37	\$40	\$44
End w/post	EP3SEP	\$47	\$50	\$54



Straight



L outside



120 outside



120 inside




End w/post

Specify


1. Model #
2. Paint trim color

Top Cap Styles

3 – Beveled



N – Flat



Stack-On Panels

COMPONENTS

Equity stack-on panels provide the flexibility to increase the overall height of any standard Equity panel.

The stack-on panel is available in all standard Equity widths and a variety of heights in both slotted and slotless versions.

STACK-ON PANELS W/ SLOTS

Stack-on panels with slots provide the capability to hang standard Equity components such as shelves and overheads as long as the weight load does not exceed 3lbs. per lineal inch.

STACK-ON PANELS W/O SLOTS

Stack-on panels without slots do not allow for hanging components, but do provide a cleaner aesthetic when specifying window applications.

Up to two (2) load bearing stack-on panels may be stacked on top of a standard Equity panel as long as the total height above the base panels is no taller than 40" and neither individual stack-on panel is taller than 20".

Stack-on panel width must match the width of the panel it is stacking on.

Stack-on panel connectors must be used between adjacent stack-on panels.


STACK-ON PANEL CONNECTORS

STANDARD STACK-ON POST

Standard stack-on post bottom uses a conical shaped bolt that connects it to the full height post directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.


EXTENDED STACK-ON POST

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (**EPNPMCME**) must be used on either side of this connector to provide a smooth transition for full-height post covers. Standard panel connectors are used along the top of the stack-on panels.







SPECIFYING STACK-ON CONFIGURATIONS

All connectors between the base panel and Stack-on Panel **MUST** have flat (N) profile.



Stack-On Configurations


Using Standard Stack-on Posts



BEVELED TOP CAP

LEVEL 1


Trim Filler
EPNCTF



Beveled L
EP3PCL

LEVEL 2


Trim Filler
EPNCTF



Beveled End w/post
EP3PCE

LEVEL 1

Trim Filler
EPNCTF




Beveled End w/post
EP3PCE

Flat Multi-height Filler
EPNCMF


Trim Filler
EPNCTF

FLAT TOP CAP


Flat X
EPNPCX



Flat X
EPNPCX




Flat X
EPNPCX



LEVEL 1


Trim Filler
EPNCTF







Beveled End w/post
EP3PCE


Flat Multi-height Filler
EPNCMF

Flat T
EPNPCT





BEVELED TOP CAP




FLAT TOP CAP

LEVEL 1

Trim Filler
EPNCTF

Beveled End w/post
EP3PCE




Flat L
EPNPCL




LEVEL 1

Beveled End w/post
EP3PCE

Multi-height Filler
EPNCMF




Flat Straight
EPNPSC




LEVEL 1

Trim Filler
EPNCTF

Beveled Straight
EP3PCS




Flat T
EPNPCT



Stack-on Panels

Fabric with slots




12" H		FABRIC								PAINT	
W	MODEL #	A	B	C	D	E	F	G	H	P2	P3
12"	EP1SF1212	\$400	\$420	\$450	\$490	\$530	\$575	\$625	\$680	+ \$20	+ \$40
18"	EP1SF1812	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
24"	EP1SF2412	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
30"	EP1SF3012	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
36"	EP1SF3612	\$480	\$510	\$550	\$600	\$670	\$750	\$840	\$950	+ \$20	+ \$40
42"	EP1SF4212	\$500	\$530	\$570	\$620	\$690	\$770	\$860	\$970	+ \$20	+ \$40
48"	EP1SF4812	\$520	\$550	\$590	\$640	\$710	\$790	\$880	\$990	+ \$20	+ \$40
60"	EP1SF6012	\$540	\$570	\$610	\$660	\$730	\$810	\$900	\$1,010	+ \$20	+ \$40

13" H											
12"	EP1SF1213	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
18"	EP1SF1813	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
24"	EP1SF2413	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
30"	EP1SF3013	\$480	\$520	\$570	\$630	\$700	\$790	\$890	\$1,010	+ \$20	+ \$40
36"	EP1SF3613	\$500	\$540	\$590	\$650	\$720	\$810	\$910	\$1,030	+ \$20	+ \$40
42"	EP1SF4213	\$520	\$560	\$610	\$670	\$740	\$830	\$930	\$1,050	+ \$20	+ \$40
48"	EP1SF4813	\$540	\$580	\$630	\$690	\$760	\$850	\$950	\$1,070	+ \$20	+ \$40
60"	EP1SF6013	\$560	\$600	\$650	\$710	\$780	\$870	\$970	\$1,090	+ \$20	+ \$40

15" H											
12"	EP1SF1215	\$440	\$460	\$490	\$530	\$575	\$625	\$680	\$740	+ \$20	+ \$40
18"	EP1SF1815	\$460	\$480	\$510	\$550	\$595	\$645	\$700	\$760	+ \$20	+ \$40
24"	EP1SF2415	\$480	\$500	\$530	\$570	\$615	\$665	\$720	\$780	+ \$20	+ \$40
30"	EP1SF3015	\$500	\$540	\$590	\$650	\$720	\$820	\$930	\$1,050	+ \$20	+ \$40
36"	EP1SF3615	\$520	\$560	\$610	\$670	\$740	\$840	\$950	\$1,070	+ \$20	+ \$40
42"	EP1SF4215	\$540	\$580	\$630	\$690	\$760	\$860	\$970	\$1,090	+ \$20	+ \$40
48"	EP1SF4815	\$560	\$600	\$650	\$710	\$780	\$880	\$990	\$1,110	+ \$20	+ \$40
60"	EP1SF6015	\$580	\$620	\$670	\$730	\$800	\$900	\$1,010	\$1,130	+ \$20	+ \$40

Specify	Assembly		Insert Type		W	H
1. Model # 2. Panel fabric 3. Paint trim color	Included • Stack-on panel • Flat top cap (N) attached to the bottom of stack-on panel	Ordered Separately • Stack-on posts • Panel connectors	EP1S	Stack-on panel	36	15
	Not Included • Top cap (use top cap from base panel)		EP1S	F	36	15



17" H

W	MODEL #	FABRIC								PAINT	
		A	B	C	D	E	F	G	H	P2	P3
12"	EP1SF1217	\$460	\$490	\$530	\$575	\$625	\$680	\$740	\$805	+ \$20	+ \$40
18"	EP1SF1817	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$825	+ \$20	+ \$40
24"	EP1SF2417	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$845	+ \$20	+ \$40
30"	EP1SF3017	\$520	\$570	\$630	\$700	\$790	\$900	\$1,020	\$1,150	+ \$20	+ \$40
36"	EP1SF3617	\$540	\$590	\$650	\$720	\$810	\$920	\$1,040	\$1,170	+ \$20	+ \$40
42"	EP1SF4217	\$560	\$610	\$670	\$740	\$830	\$940	\$1,060	\$1,190	+ \$20	+ \$40
48"	EP1SF4817	\$580	\$630	\$690	\$760	\$850	\$960	\$1,080	\$1,210	+ \$20	+ \$40
60"	EP1SF6017	\$600	\$650	\$710	\$780	\$870	\$980	\$1,100	\$1,230	+ \$20	+ \$40

20" H

12"	EP1SF1220	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$830	+ \$20	+ \$40
18"	EP1SF1820	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$850	+ \$20	+ \$40
24"	EP1SF2420	\$520	\$550	\$590	\$635	\$685	\$740	\$800	\$870	+ \$20	+ \$40
30"	EP1SF3020	\$540	\$590	\$650	\$720	\$820	\$950	\$1,090	\$1,240	+ \$20	+ \$40
36"	EP1SF3620	\$560	\$610	\$670	\$740	\$840	\$970	\$1,110	\$1,260	+ \$20	+ \$40
42"	EP1SF4220	\$580	\$630	\$690	\$760	\$860	\$990	\$1,130	\$1,280	+ \$20	+ \$40
48"	EP1SF4820	\$610	\$660	\$720	\$790	\$890	\$1,020	\$1,160	\$1,310	+ \$20	+ \$40
60"	EP1SF6020	\$630	\$680	\$740	\$810	\$910	\$1,040	\$1,180	\$1,330	+ \$20	+ \$40

Specify

1. Model #
2. Panel fabric
3. Paint trim color

Assembly

Included

- Stack-on panel
- Flat top cap (N) attached to the bottom of stack-on panel

Ordered Separately

- Stack-on posts
- Panel connectors


Not Included

- Top cap
(use top cap from base panel)

Insert Type				W	H
EP1S	Stack-on Panel	F	Fabric	36	20
EP1S		F		36	20

Stack-on Panels

Fabric without slots



12" H

W	MODEL #	FABRIC								PAINT	
		A	B	C	D	E	F	G	H	P2	P3
12"	EP1SF1212N	\$400	\$420	\$450	\$490	\$530	\$575	\$625	\$680	+ \$20	+ \$40
18"	EP1SF1812N	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
24"	EP1SF2412N	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
30"	EP1SF3012N	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
36"	EP1SF3612N	\$480	\$510	\$550	\$600	\$670	\$750	\$840	\$950	+ \$20	+ \$40
42"	EP1SF4212N	\$500	\$530	\$570	\$620	\$690	\$770	\$860	\$970	+ \$20	+ \$40
48"	EP1SF4812N	\$520	\$550	\$590	\$640	\$710	\$790	\$880	\$990	+ \$20	+ \$40
60"	EP1SF6012N	\$540	\$570	\$610	\$660	\$730	\$810	\$900	\$1,010	+ \$20	+ \$40

13" H

12"	EP1SF1213N	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
18"	EP1SF1813N	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
24"	EP1SF2413N	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
30"	EP1SF3013N	\$480	\$520	\$570	\$630	\$700	\$790	\$890	\$1,010	+ \$20	+ \$40
36"	EP1SF3613N	\$500	\$540	\$590	\$650	\$720	\$810	\$910	\$1,030	+ \$20	+ \$40
42"	EP1SF4213N	\$520	\$560	\$610	\$670	\$740	\$830	\$930	\$1,050	+ \$20	+ \$40
48"	EP1SF4813N	\$540	\$580	\$630	\$690	\$760	\$850	\$950	\$1,070	+ \$20	+ \$40
60"	EP1SF6013N	\$560	\$600	\$650	\$710	\$780	\$870	\$970	\$1,090	+ \$20	+ \$40

15" H

12"	EP1SF1215N	\$440	\$460	\$490	\$530	\$575	\$625	\$680	\$740	+ \$20	+ \$40
18"	EP1SF1815N	\$460	\$480	\$510	\$550	\$595	\$645	\$700	\$760	+ \$20	+ \$40
24"	EP1SF2415N	\$480	\$500	\$530	\$570	\$615	\$665	\$720	\$780	+ \$20	+ \$40
30"	EP1SF3015N	\$500	\$540	\$590	\$650	\$720	\$820	\$930	\$1,050	+ \$20	+ \$40
36"	EP1SF3615N	\$520	\$560	\$610	\$670	\$740	\$840	\$950	\$1,070	+ \$20	+ \$40
42"	EP1SF4215N	\$540	\$580	\$630	\$690	\$760	\$860	\$970	\$1,090	+ \$20	+ \$40
48"	EP1SF4815N	\$560	\$600	\$650	\$710	\$780	\$880	\$990	\$1,110	+ \$20	+ \$40
60"	EP1SF6015N	\$580	\$620	\$670	\$730	\$800	\$900	\$1,010	\$1,130	+ \$20	+ \$40

17" H

12"	EP1SF1217N	\$460	\$490	\$530	\$575	\$625	\$680	\$740	\$805	+ \$20	+ \$40
18"	EP1SF1817N	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$825	+ \$20	+ \$40
24"	EP1SF2417N	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$845	+ \$20	+ \$40
30"	EP1SF3017N	\$520	\$570	\$630	\$700	\$790	\$900	\$1,020	\$1,150	+ \$20	+ \$40
36"	EP1SF3617N	\$540	\$590	\$650	\$720	\$810	\$920	\$1,040	\$1,170	+ \$20	+ \$40
42"	EP1SF4217N	\$560	\$610	\$670	\$740	\$830	\$940	\$1,060	\$1,190	+ \$20	+ \$40
48"	EP1SF4817N	\$580	\$630	\$690	\$760	\$850	\$960	\$1,080	\$1,210	+ \$20	+ \$40
60"	EP1SF6017N	\$600	\$650	\$710	\$780	\$870	\$980	\$1,100	\$1,230	+ \$20	+ \$40

Specify

1. Model #
2. Panel fabric
3. Paint trim color

Assembly

Included


- Stack-on panel
- Flat top cap (N) attached to the bottom of stack-on panel

Not Included

- Top cap
(use top cap from base panel)

Ordered Separately

- Stack-on posts
- Panel connectors



20" H

W	MODEL #	FABRIC								PAINT	
		A	B	C	D	E	F	G	H	P2	P3
12"	EP1SF1220N	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$830	+ \$20	+ \$40
18"	EP1SF1820N	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$850	+ \$20	+ \$40
24"	EP1SF2420N	\$520	\$550	\$590	\$635	\$685	\$740	\$800	\$870	+ \$20	+ \$40
30"	EP1SF3020N	\$540	\$590	\$650	\$720	\$820	\$950	\$1,090	\$1,240	+ \$20	+ \$40
36"	EP1SF3620N	\$560	\$610	\$670	\$740	\$840	\$970	\$1,110	\$1,260	+ \$20	+ \$40
42"	EP1SF4220N	\$580	\$630	\$690	\$760	\$860	\$990	\$1,130	\$1,280	+ \$20	+ \$40
48"	EP1SF4820N	\$610	\$660	\$720	\$790	\$890	\$1,020	\$1,160	\$1,310	+ \$20	+ \$40
60"	EP1SF6020N	\$630	\$680	\$740	\$810	\$910	\$1,040	\$1,180	\$1,330	+ \$20	+ \$40

25" H

12"	EP1SF1225N	\$500	\$530	\$570	\$615	\$675	\$745	\$825	\$915	+ \$20	+ \$40
18"	EP1SF1825N	\$520	\$550	\$590	\$635	\$695	\$765	\$845	\$935	+ \$20	+ \$40
24"	EP1SF2425N	\$540	\$570	\$610	\$655	\$715	\$785	\$865	\$955	+ \$20	+ \$40
30"	EP1SF3025N	\$560	\$610	\$670	\$750	\$880	\$1,030	\$1,190	\$1,360	+ \$20	+ \$40
36"	EP1SF3625N	\$580	\$630	\$690	\$770	\$900	\$1,050	\$1,210	\$1,380	+ \$20	+ \$40
42"	EP1SF4225N	\$600	\$650	\$710	\$790	\$920	\$1,070	\$1,230	\$1,400	+ \$20	+ \$40
48"	EP1SF4825N	\$630	\$680	\$740	\$820	\$950	\$1,100	\$1,260	\$1,430	+ \$20	+ \$40
60"	EP1SF6025N	\$670	\$720	\$780	\$860	\$990	\$1,140	\$1,300	\$1,470	+ \$20	+ \$40

32" H

12"	EP1SF1232N	\$520	\$550	\$590	\$635	\$695	\$785	\$885	\$995	+ \$20	+ \$40
18"	EP1SF1832N	\$540	\$570	\$610	\$655	\$715	\$805	\$905	\$1,015	+ \$20	+ \$40
24"	EP1SF2432N	\$560	\$590	\$630	\$675	\$735	\$825	\$925	\$1,035	+ \$20	+ \$40
30"	EP1SF3032N	\$580	\$630	\$690	\$780	\$930	\$1,100	\$1,290	\$1,510	+ \$20	+ \$40
36"	EP1SF3632N	\$600	\$650	\$710	\$800	\$950	\$1,120	\$1,310	\$1,530	+ \$20	+ \$40
42"	EP1SF4232N	\$620	\$670	\$730	\$820	\$970	\$1,140	\$1,330	\$1,550	+ \$20	+ \$40
48"	EP1SF4832N	\$650	\$700	\$760	\$850	\$1,000	\$1,170	\$1,360	\$1,580	+ \$20	+ \$40
60"	EP1SF6032N	\$680	\$730	\$790	\$880	\$1,030	\$1,200	\$1,390	\$1,610	+ \$20	+ \$40


37" H

12"	EP1SF1237N	\$540	\$580	\$630	\$690	\$770	\$860	\$960	\$1,070	+ \$20	+ \$40
18"	EP1SF1837N	\$560	\$600	\$650	\$710	\$790	\$880	\$980	\$1,090	+ \$20	+ \$40
24"	EP1SF2437N	\$580	\$620	\$670	\$730	\$810	\$900	\$1,000	\$1,110	+ \$20	+ \$40
30"	EP1SF3037N	\$600	\$670	\$750	\$840	\$1,000	\$1,170	\$1,370	\$1,620	+ \$20	+ \$40
36"	EP1SF3637N	\$620	\$690	\$770	\$860	\$1,020	\$1,190	\$1,390	\$1,640	+ \$20	+ \$40
42"	EP1SF4237N	\$640	\$710	\$790	\$880	\$1,040	\$1,210	\$1,410	\$1,660	+ \$20	+ \$40
48"	EP1SF4837N	\$670	\$740	\$820	\$910	\$1,070	\$1,240	\$1,440	\$1,690	+ \$20	+ \$40
60"	EP1SF6037N	\$700	\$770	\$850	\$940	\$1,100	\$1,270	\$1,470	\$1,720	+ \$20	+ \$40

Insert Type		W	H	Slots	
EP1S	Stack-on panel	F Fabric	36	37	N Without slots
EP1S		F	36	37	N

Stack-on Panels

Insert with slots



12" H

W	MODEL #	GLASS INSERT			LAMINATE INSERT			PAINT	
		DG	GL	PG	L1	L2	L3	P2	P3
12"	EP2S()1212	\$927	\$707	\$647	\$677	\$745	\$812	+ \$20	+ \$40
18"	EP2S()1812	\$957	\$737	\$667	\$697	\$767	\$836	+ \$20	+ \$40
24"	EP2S()2412	\$1,002	\$782	\$697	\$732	\$805	\$878	+ \$20	+ \$40
30"	EP2S()3012	\$1,052	\$812	\$717	\$752	\$827	\$902	+ \$20	+ \$40
36"	EP2S()3612	\$1,107	\$847	\$737	\$777	\$855	\$932	+ \$20	+ \$40
42"	EP2S()4212	\$1,157	\$877	\$757	\$797	\$877	\$956	+ \$20	+ \$40
48"	EP2S()4812	\$1,197	\$917	\$777	\$827	\$910	\$992	+ \$20	+ \$40
60"	EP2S()6012	\$1,327	\$977	\$797	\$877	\$965	\$1,052	+ \$20	+ \$40

13" H

12"	EP2S()1213	\$967	\$747	\$687	\$717	\$789	\$860	+ \$20	+ \$40
18"	EP2S()1813	\$997	\$777	\$707	\$737	\$811	\$884	+ \$20	+ \$40
24"	EP2S()2413	\$1,052	\$812	\$727	\$762	\$838	\$914	+ \$20	+ \$40
30"	EP2S()3013	\$1,102	\$842	\$747	\$782	\$860	\$938	+ \$20	+ \$40
36"	EP2S()3613	\$1,157	\$877	\$767	\$807	\$888	\$968	+ \$20	+ \$40
42"	EP2S()4213	\$1,207	\$907	\$787	\$827	\$910	\$992	+ \$20	+ \$40
48"	EP2S()4813	\$1,287	\$947	\$807	\$857	\$943	\$1,028	+ \$20	+ \$40
60"	EP2S()6013	\$1,397	\$997	\$817	\$897	\$987	\$1,076	+ \$20	+ \$40

15"

12"	EP2S()1215	\$987	\$767	\$707	\$737	\$811	\$884	+ \$20	+ \$40
18"	EP2S()1815	\$1,017	\$797	\$727	\$757	\$833	\$908	+ \$20	+ \$40
24"	EP2S()2415	\$1,072	\$832	\$747	\$782	\$860	\$938	+ \$20	+ \$40
30"	EP2S()3015	\$1,122	\$862	\$767	\$802	\$882	\$962	+ \$20	+ \$40
36"	EP2S()3615	\$1,177	\$897	\$787	\$827	\$910	\$992	+ \$20	+ \$40
42"	EP2S()4215	\$1,227	\$927	\$807	\$847	\$932	\$1,016	+ \$20	+ \$40
48"	EP2S()4815	\$1,297	\$957	\$817	\$867	\$954	\$1,040	+ \$20	+ \$40
60"	EP2S()6015	\$1,417	\$1,017	\$837	\$917	\$1,009	\$1,100	+ \$20	+ \$40

Specify

1. Model #
2. Insert color
3. Paint trim color

Plexiglass Finishes

CL . . Clear
 IC . . Ice
 SM . . Smoked
 TR . . Translucent

Glass Finishes

CL . . Clear
 GR . . Grey
 SM . . Smoked
 TR . . Translucent

Assembly

Included

- Stack-on panel
- Flat top cap (N) attached to the bottom of stack-on panel

Not Included


- Top cap
(use top cap from base panel)

Ordered Separately

- Stack-on posts
- Panel connectors

Stack-on Panels

Insert with slots



17" H

W	MODEL #	GLASS INSERT			LAMINATE INSERT			PAINT	
		DG	GL	PG	L1	L2	L3	P2	P3
12"	EP2S()1217	\$1,007	\$787	\$727	\$747	\$822	\$896	+ \$20	+ \$40
18"	EP2S()1817	\$1,057	\$817	\$747	\$777	\$855	\$932	+ \$20	+ \$40
24"	EP2S()2417	\$1,112	\$852	\$767	\$802	\$882	\$962	+ \$20	+ \$40
30"	EP2S()3017	\$1,162	\$882	\$787	\$822	\$904	\$986	+ \$20	+ \$40
36"	EP2S()3617	\$1,217	\$917	\$807	\$847	\$932	\$1,016	+ \$20	+ \$40
42"	EP2S()4217	\$1,277	\$937	\$817	\$857	\$943	\$1,028	+ \$20	+ \$40
48"	EP2S()4817	\$1,357	\$977	\$837	\$887	\$976	\$1,064	+ \$20	+ \$40
60"	EP2S()6017	\$1,477	\$1,037	\$857	\$937	\$1,031	\$1,124	+ \$20	+ \$40

20" H

12"	EP2S()1220	\$1,067	\$807	\$747	\$777	\$855	\$932	+ \$20	+ \$40
18"	EP2S()1820	\$1,097	\$837	\$767	\$797	\$877	\$956	+ \$20	+ \$40
24"	EP2S()2420	\$1,152	\$872	\$787	\$822	\$904	\$986	+ \$20	+ \$40
30"	EP2S()3020	\$1,182	\$902	\$807	\$842	\$926	\$1,010	+ \$20	+ \$40
36"	EP2S()3620	\$1,267	\$927	\$817	\$857	\$943	\$1,028	+ \$20	+ \$40
42"	EP2S()4220	\$1,337	\$957	\$837	\$877	\$965	\$1,052	+ \$20	+ \$40
48"	EP2S()4820	\$1,417	\$997	\$857	\$907	\$998	\$1,088	+ \$20	+ \$40
60"	EP2S()6020	\$1,537	\$1,057	\$877	\$957	\$1,053	\$1,148	+ \$20	+ \$40

Plexiglass Finishes

CL ... Clear
 IC ... Ice
 SM ... Smoked
 TR ... Translucent

Glass Finishes


CL ... Clear
 GR ... Grey
 SM ... Smoked
 TR ... Translucent

Insert Type				W	H
EP2S	Stack-on panel	OF	Open frame	36	15
		DG	Designer glass insert		
		GL	Glass insert		
		PG	Plexiglass insert		
		LM	Laminate insert		
EP2S		PG		36	15

Pricing is for P1 paint trim colors. Add the appropriate upcharge if using P2 or P3 trim.

Stack-on Panels

Insert without slots



12" H

W	MODEL #	GLASS INSERT			LAMINATE INSERT			PAINT	
		DG	GL	PG	L1	L2	L3	P2	P3
12"	EP2S()1212N	\$927	\$707	\$647	\$677	\$745	\$812	+ \$20	+ \$40
18"	EP2S()1812N	\$957	\$737	\$667	\$697	\$767	\$836	+ \$20	+ \$40
24"	EP2S()2412N	\$1,002	\$782	\$697	\$732	\$805	\$878	+ \$20	+ \$40
30"	EP2S()3012N	\$1,052	\$812	\$717	\$752	\$827	\$902	+ \$20	+ \$40
36"	EP2S()3612N	\$1,107	\$847	\$737	\$777	\$855	\$932	+ \$20	+ \$40
42"	EP2S()4212N	\$1,157	\$877	\$757	\$797	\$877	\$956	+ \$20	+ \$40
48"	EP2S()4812N	\$1,197	\$917	\$777	\$827	\$910	\$992	+ \$20	+ \$40
60"	EP2S()6012N	\$1,327	\$977	\$797	\$877	\$965	\$1,052	+ \$20	+ \$40

13" H

12"	EP2S()1213N	\$967	\$747	\$687	\$717	\$789	\$860	+ \$20	+ \$40
18"	EP2S()1813N	\$997	\$777	\$707	\$737	\$811	\$884	+ \$20	+ \$40
24"	EP2S()2413N	\$1,052	\$812	\$727	\$762	\$838	\$914	+ \$20	+ \$40
30"	EP2S()3013N	\$1,102	\$842	\$747	\$782	\$860	\$938	+ \$20	+ \$40
36"	EP2S()3613N	\$1,157	\$877	\$767	\$807	\$888	\$968	+ \$20	+ \$40
42"	EP2S()4213N	\$1,207	\$907	\$787	\$827	\$910	\$992	+ \$20	+ \$40
48"	EP2S()4813N	\$1,287	\$947	\$807	\$857	\$943	\$1,028	+ \$20	+ \$40
60"	EP2S()6013N	\$1,397	\$997	\$817	\$897	\$987	\$1,076	+ \$20	+ \$40

15" H

12"	EP2S()1215N	\$987	\$767	\$707	\$737	\$811	\$884	+ \$20	+ \$40
18"	EP2S()1815N	\$1,017	\$797	\$727	\$757	\$833	\$908	+ \$20	+ \$40
24"	EP2S()2415N	\$1,072	\$832	\$747	\$782	\$860	\$938	+ \$20	+ \$40
30"	EP2S()3015N	\$1,122	\$862	\$767	\$802	\$882	\$962	+ \$20	+ \$40
36"	EP2S()3615N	\$1,177	\$897	\$787	\$827	\$910	\$992	+ \$20	+ \$40
42"	EP2S()4215N	\$1,227	\$927	\$807	\$847	\$932	\$1,016	+ \$20	+ \$40
48"	EP2S()4815N	\$1,297	\$957	\$817	\$867	\$954	\$1,040	+ \$20	+ \$40
60"	EP2S()6015N	\$1,417	\$1,017	\$837	\$917	\$1,009	\$1,100	+ \$20	+ \$40

17" H

12"	EP2S()1217N	\$1,007	\$787	\$727	\$747	\$822	\$896	+ \$20	+ \$40
18"	EP2S()1817N	\$1,057	\$817	\$747	\$777	\$855	\$932	+ \$20	+ \$40
24"	EP2S()2417N	\$1,112	\$852	\$767	\$802	\$882	\$962	+ \$20	+ \$40
30"	EP2S()3017N	\$1,162	\$882	\$787	\$822	\$904	\$986	+ \$20	+ \$40
36"	EP2S()3617N	\$1,217	\$917	\$807	\$847	\$932	\$1,016	+ \$20	+ \$40
42"	EP2S()4217N	\$1,277	\$937	\$817	\$857	\$943	\$1,028	+ \$20	+ \$40
48"	EP2S()4817N	\$1,357	\$977	\$837	\$887	\$976	\$1,064	+ \$20	+ \$40
60"	EP2S()6017N	\$1,477	\$1,037	\$857	\$937	\$1,031	\$1,124	+ \$20	+ \$40

Specify

1. Model #
2. Insert color
3. Paint trim color

Plexiglass Finishes

CL . . . Clear
 IC . . . Ice
 SM . . . Smoked
 TR . . . Translucent

Glass Finishes

CL . . . Clear
 GR . . . Grey
 SM . . . Smoked
 TR . . . Translucent

Assembly

Included


- Stack-on panel
- Flat top cap (N) attached to the bottom of stack-on panel

Not Included

- Top cap
(use top cap from base panel)

Ordered Separately

- Stack-on posts
- Panel connectors



20" H

W	MODEL #	GLASS INSERT			LAMINATE INSERT			PAINT	
		DG	GL	PG	L1	L2	L3	P2	P3
12"	EP2S()1220N	\$1,067	\$807	\$747	\$777	\$855	\$932	+ \$20	+ \$40
18"	EP2S()1820N	\$1,097	\$837	\$767	\$797	\$877	\$956	+ \$20	+ \$40
24"	EP2S()2420N	\$1,152	\$872	\$787	\$822	\$904	\$986	+ \$20	+ \$40
30"	EP2S()3020N	\$1,182	\$902	\$807	\$842	\$926	\$1,010	+ \$20	+ \$40
36"	EP2S()3620N	\$1,267	\$927	\$817	\$857	\$943	\$1,028	+ \$20	+ \$40
42"	EP2S()4220N	\$1,337	\$957	\$837	\$877	\$965	\$1,052	+ \$20	+ \$40
48"	EP2S()4820N	\$1,417	\$997	\$857	\$907	\$998	\$1,088	+ \$20	+ \$40
60"	EP2S()6020N	\$1,537	\$1,057	\$877	\$957	\$1,053	\$1,148	+ \$20	+ \$40

25" H

12"	EP2S()1225N	\$1,097	\$837	\$777	\$807	\$888	\$968	+ \$20	+ \$40
18"	EP2S()1825N	\$1,127	\$867	\$797	\$827	\$910	\$992	+ \$20	+ \$40
24"	EP2S()2425N	\$1,182	\$902	\$817	\$852	\$937	\$1,022	+ \$20	+ \$40
30"	EP2S()3025N	\$1,232	\$932	\$837	\$872	\$959	\$1,046	+ \$20	+ \$40
36"	EP2S()3625N	\$1,307	\$967	\$857	\$897	\$987	\$1,076	+ \$20	+ \$40
42"	EP2S()4225N	\$1,377	\$997	\$877	\$917	\$1,009	\$1,100	+ \$20	+ \$40
48"	EP2S()4825N	\$1,457	\$1,037	\$907	\$947	\$1,042	\$1,136	+ \$20	+ \$40
60"	EP2S()6025N	\$1,617	\$1,097	\$937	\$997	\$1,097	\$1,196	+ \$20	+ \$40

32" H

12"	EP2S()1232N	\$1,117	\$857	\$797	\$827	\$910	\$992	+ \$20	+ \$40
18"	EP2S()1832N	\$1,167	\$887	\$817	\$847	\$932	\$1,016	+ \$20	+ \$40
24"	EP2S()2432N	\$1,222	\$922	\$837	\$872	\$959	\$1,046	+ \$20	+ \$40
30"	EP2S()3032N	\$1,312	\$952	\$857	\$892	\$981	\$1,070	+ \$20	+ \$40
36"	EP2S()3632N	\$1,407	\$987	\$877	\$917	\$1,009	\$1,100	+ \$20	+ \$40
42"	EP2S()4232N	\$1,497	\$1,017	\$897	\$937	\$1,031	\$1,124	+ \$20	+ \$40
48"	EP2S()4832N	\$1,587	\$1,067	\$927	\$977	\$1,075	\$1,172	+ \$20	+ \$40
60"	EP2S()6032N	\$1,757	\$1,157	\$977	\$1,057	\$1,163	\$1,268	+ \$20	+ \$40

37" H

12"	EP2S()1237N	\$1,157	\$877	\$817	\$847	\$932	\$1,016	+ \$20	+ \$40
18"	EP2S()1837N	\$1,217	\$917	\$837	\$877	\$965	\$1,052	+ \$20	+ \$40
24"	EP2S()2437N	\$1,317	\$957	\$857	\$907	\$998	\$1,088	+ \$20	+ \$40
30"	EP2S()3037N	\$1,417	\$997	\$877	\$937	\$1,031	\$1,124	+ \$20	+ \$40
36"	EP2S()3637N	\$1,517	\$1,037	\$897	\$967	\$1,064	\$1,160	+ \$20	+ \$40
42"	EP2S()4237N	\$1,597	\$1,077	\$917	\$997	\$1,097	\$1,196	+ \$20	+ \$40
48"	EP2S()4837N	\$1,687	\$1,127	\$947	\$1,037	\$1,141	\$1,244	+ \$20	+ \$40
60"	EP2S()6037N	\$1,897	\$1,197	\$997	\$1,097	\$1,207	\$1,316	+ \$20	+ \$40

Plexiglass Finishes

CL ... Clear
IC ... Ice
SM ... Smoked
TR ... Translucent

Glass Finishes


CL ... Clear
GR ... Grey
SM ... Smoked
TR ... Translucent

Insert Type				W	H
EP2S	Stack-on panel	OF	Open frame	36	15
		DG	Designer glass insert		
		GL	Glass insert		
		PG	Plexiglass insert		
		LM	Laminate insert		
EP2S		PG		36	15

Pricing is for P1 paint trim colors. Add the appropriate upcharge if using P2 or P3 trim.

Stack-on Panels

Perforated Aluminum Insert with slots



12" H			INSERT PAINT			PAINT	
W	MODEL #	PA	P1	P2	P3	P2	P3
12"	EP2SPA1212	\$647	\$697	\$717	\$737	+ \$20	+ \$40
18"	EP2SPA1812	\$667	\$717	\$737	\$757	+ \$20	+ \$40
24"	EP2SPA2412	\$697	\$747	\$767	\$787	+ \$20	+ \$40
30"	EP2SPA3012	\$717	\$777	\$797	\$817	+ \$20	+ \$40
36"	EP2SPA3612	\$737	\$797	\$817	\$837	+ \$20	+ \$40
42"	EP2SPA4212	\$757	\$817	\$837	\$857	+ \$20	+ \$40
48"	EP2SPA4812	\$777	\$837	\$857	\$877	+ \$20	+ \$40
60"	EP2SPA6012	\$797	\$877	\$907	\$937	+ \$20	+ \$40


13" H			INSERT PAINT			PAINT	
W	MODEL #	PA	P1	P2	P3	P2	P3
12"	EP2SPA1213	\$687	\$737	\$757	\$777	+ \$20	+ \$40
18"	EP2SPA1813	\$707	\$757	\$777	\$797	+ \$20	+ \$40
24"	EP2SPA2413	\$727	\$787	\$807	\$827	+ \$20	+ \$40
30"	EP2SPA3013	\$747	\$807	\$827	\$847	+ \$20	+ \$40
36"	EP2SPA3613	\$767	\$827	\$847	\$867	+ \$20	+ \$40
42"	EP2SPA4213	\$787	\$847	\$867	\$887	+ \$20	+ \$40
48"	EP2SPA4813	\$807	\$867	\$887	\$917	+ \$20	+ \$40
60"	EP2SPA6013	\$817	\$907	\$937	\$977	+ \$20	+ \$40

15"			INSERT PAINT			PAINT	
W	MODEL #	PA	P1	P2	P3	P2	P3
12"	EP2SPA1215	\$707	\$757	\$777	\$797	+ \$20	+ \$40
18"	EP2SPA1815	\$727	\$777	\$797	\$817	+ \$20	+ \$40
24"	EP2SPA2415	\$747	\$797	\$827	\$847	+ \$20	+ \$40
30"	EP2SPA3015	\$767	\$817	\$857	\$877	+ \$20	+ \$40
36"	EP2SPA3615	\$787	\$847	\$887	\$907	+ \$20	+ \$40
42"	EP2SPA4215	\$807	\$867	\$917	\$937	+ \$20	+ \$40
48"	EP2SPA4815	\$817	\$887	\$947	\$967	+ \$20	+ \$40
60"	EP2SPA6015	\$837	\$937	\$997	\$1,027	+ \$20	+ \$40

Specify	Assembly	
1. Model #	Included <ul style="list-style-type: none"> Stack-on panel Flat top cap (N) attached to the bottom of stack-on panel 	Ordered Separately <ul style="list-style-type: none"> Stack-on posts Panel connectors
2. Insert color		
3. Paint trim color	Not Included <ul style="list-style-type: none"> Top cap (use top cap from base panel) 	

Stack-on Panels

Perforated Aluminum Insert with slots



17" H

W	MODEL #	PA	INSERT PAINT			PAINT	
			P1	P2	P3	P2	P3
12"	EP2SPA1217	\$727	\$777	\$797	\$817	+ \$20	+ \$40
18"	EP2SPA1817	\$747	\$797	\$817	\$837	+ \$20	+ \$40
24"	EP2SPA2417	\$767	\$827	\$847	\$867	+ \$20	+ \$40
30"	EP2SPA3017	\$787	\$847	\$877	\$897	+ \$20	+ \$40
36"	EP2SPA3617	\$807	\$877	\$907	\$927	+ \$20	+ \$40
42"	EP2SPA4217	\$817	\$897	\$937	\$957	+ \$20	+ \$40
48"	EP2SPA4817	\$837	\$927	\$977	\$997	+ \$20	+ \$40
60"	EP2SPA6017	\$857	\$977	\$1,027	\$1,057	+ \$20	+ \$40


20" H

12"	EP2SPA1220	\$747	\$797	\$817	\$837	+ \$20	+ \$40
18"	EP2SPA1820	\$767	\$817	\$837	\$857	+ \$20	+ \$40
24"	EP2SPA2420	\$787	\$837	\$867	\$887	+ \$20	+ \$40
30"	EP2SPA3020	\$807	\$867	\$897	\$917	+ \$20	+ \$40
36"	EP2SPA3620	\$817	\$897	\$937	\$957	+ \$20	+ \$40
42"	EP2SPA4220	\$837	\$917	\$977	\$997	+ \$20	+ \$40
48"	EP2SPA4820	\$857	\$947	\$1,017	\$1,047	+ \$20	+ \$40
60"	EP2SPA6020	\$877	\$1,017	\$1,067	\$1,117	+ \$20	+ \$40

Insert Type				W	H
EP2S	Stack-on panel	PA	Perforated Aluminum	36	15
EP2S		PA		36	15

Stack-on Panels

Perforated Aluminum Insert without slots



12" H

W	MODEL #	PA	INSERT PAINT			PAINT	
			L1	L2	L3	P2	P3
12"	EP2SPA1212N	\$647	\$697	\$717	\$737	+ \$20	+ \$40
18"	EP2SPA1812N	\$667	\$717	\$737	\$757	+ \$20	+ \$40
24"	EP2SPA2412N	\$697	\$747	\$767	\$787	+ \$20	+ \$40
30"	EP2SPA3012N	\$717	\$777	\$797	\$817	+ \$20	+ \$40
36"	EP2SPA3612N	\$737	\$797	\$817	\$837	+ \$20	+ \$40
42"	EP2SPA4212N	\$757	\$817	\$837	\$857	+ \$20	+ \$40
48"	EP2SPA4812N	\$777	\$837	\$857	\$877	+ \$20	+ \$40
60"	EP2SPA6012N	\$797	\$877	\$907	\$937	+ \$20	+ \$40

13" H

12"	EP2SPA1213N	\$687	\$737	\$757	\$777	+ \$20	+ \$40
18"	EP2SPA1813N	\$707	\$757	\$777	\$797	+ \$20	+ \$40
24"	EP2SPA2413N	\$727	\$787	\$807	\$827	+ \$20	+ \$40
30"	EP2SPA3013N	\$747	\$807	\$827	\$847	+ \$20	+ \$40
36"	EP2SPA3613N	\$767	\$827	\$847	\$867	+ \$20	+ \$40
42"	EP2SPA4213N	\$787	\$847	\$867	\$887	+ \$20	+ \$40
48"	EP2SPA4813N	\$807	\$867	\$887	\$917	+ \$20	+ \$40
60"	EP2SPA6013N	\$817	\$907	\$937	\$977	+ \$20	+ \$40

15" H

12"	EP2SPA1215N	\$707	\$757	\$777	\$797	+ \$20	+ \$40
18"	EP2SPA1815N	\$727	\$777	\$797	\$817	+ \$20	+ \$40
24"	EP2SPA2415N	\$747	\$797	\$827	\$847	+ \$20	+ \$40
30"	EP2SPA3015N	\$767	\$817	\$857	\$877	+ \$20	+ \$40
36"	EP2SPA3615N	\$787	\$847	\$887	\$907	+ \$20	+ \$40
42"	EP2SPA4215N	\$807	\$867	\$917	\$937	+ \$20	+ \$40
48"	EP2SPA4815N	\$817	\$887	\$947	\$967	+ \$20	+ \$40
60"	EP2SPA6015N	\$837	\$937	\$997	\$1,027	+ \$20	+ \$40

17" H

12"	EP2SPA1217N	\$727	\$777	\$797	\$817	+ \$20	+ \$40
18"	EP2SPA1817N	\$747	\$797	\$817	\$837	+ \$20	+ \$40
24"	EP2SPA2417N	\$767	\$827	\$847	\$867	+ \$20	+ \$40
30"	EP2SPA3017N	\$787	\$847	\$877	\$897	+ \$20	+ \$40
36"	EP2SPA3617N	\$807	\$877	\$907	\$927	+ \$20	+ \$40
42"	EP2SPA4217N	\$817	\$897	\$937	\$957	+ \$20	+ \$40
48"	EP2SPA4817N	\$837	\$927	\$977	\$997	+ \$20	+ \$40
60"	EP2SPA6017N	\$857	\$977	\$1,027	\$1,057	+ \$20	+ \$40

Specify

1. Model #
2. Insert color
3. Paint trim color

Assembly

Included

- Stack-on panel
- Flat top cap (N) attached to the bottom of stack-on panel

Not Included


- Top cap
(use top cap from base panel)

Ordered Separately

- Stack-on posts
- Panel connectors

Stack-on Panels

Perforated Aluminum Insert without slots



20" H

W	MODEL #	PA	INSERT PAINT			PAINT	
			L1	L2	L3	P2	P3
12"	EP2SPA1220N	\$747	\$797	\$817	\$837	+ \$20	+ \$40
18"	EP2SPA1820N	\$767	\$817	\$837	\$857	+ \$20	+ \$40
24"	EP2SPA2420N	\$787	\$837	\$867	\$887	+ \$20	+ \$40
30"	EP2SPA3020N	\$807	\$867	\$897	\$917	+ \$20	+ \$40
36"	EP2SPA3620N	\$817	\$897	\$937	\$957	+ \$20	+ \$40
42"	EP2SPA4220N	\$837	\$917	\$977	\$997	+ \$20	+ \$40
48"	EP2SPA4820N	\$857	\$947	\$1,017	\$1,047	+ \$20	+ \$40
60"	EP2SPA6020N	\$877	\$1,017	\$1,067	\$1,117	+ \$20	+ \$40

25" H

12"	EP2SPA1225N	\$777	\$827	\$847	\$867	+ \$20	+ \$40
18"	EP2SPA1825N	\$797	\$847	\$877	\$897	+ \$20	+ \$40
24"	EP2SPA2425N	\$817	\$877	\$907	\$927	+ \$20	+ \$40
30"	EP2SPA3025N	\$837	\$897	\$947	\$967	+ \$20	+ \$40
36"	EP2SPA3625N	\$857	\$927	\$987	\$1,007	+ \$20	+ \$40
42"	EP2SPA4225N	\$877	\$957	\$1,027	\$1,047	+ \$20	+ \$40
48"	EP2SPA4825N	\$907	\$997	\$1,067	\$1,097	+ \$20	+ \$40
60"	EP2SPA6025N	\$937	\$1,077	\$1,117	\$1,157	+ \$20	+ \$40

32" H

12"	EP2SPA1232N	\$797	\$847	\$867	\$887	+ \$20	+ \$40
18"	EP2SPA1832N	\$817	\$867	\$897	\$917	+ \$20	+ \$40
24"	EP2SPA2432N	\$837	\$897	\$927	\$947	+ \$20	+ \$40
30"	EP2SPA3032N	\$857	\$947	\$977	\$997	+ \$20	+ \$40
36"	EP2SPA3632N	\$877	\$987	\$1,027	\$1,047	+ \$20	+ \$40
42"	EP2SPA4232N	\$897	\$1,017	\$1,077	\$1,097	+ \$20	+ \$40
48"	EP2SPA4832N	\$927	\$1,047	\$1,127	\$1,147	+ \$20	+ \$40
60"	EP2SPA6032N	\$977	\$1,137	\$1,217	\$1,247	+ \$20	+ \$40

37" H

12"	EP2SPA1237N	\$817	\$867	\$887	\$907	+ \$20	+ \$40
18"	EP2SPA1837N	\$837	\$887	\$917	\$937	+ \$20	+ \$40
24"	EP2SPA2437N	\$857	\$917	\$947	\$977	+ \$20	+ \$40
30"	EP2SPA3037N	\$877	\$977	\$1,007	\$1,037	+ \$20	+ \$40
36"	EP2SPA3637N	\$897	\$1,027	\$1,057	\$1,097	+ \$20	+ \$40
42"	EP2SPA4237N	\$917	\$1,057	\$1,107	\$1,157	+ \$20	+ \$40
48"	EP2SPA4837N	\$947	\$1,097	\$1,157	\$1,217	+ \$20	+ \$40
60"	EP2SPA6037N	\$997	\$1,197	\$1,257	\$1,317	+ \$20	+ \$40

Insert Type		W	H
EP2S	Stack-on panel	36	15
PA	Perforated Aluminum	36	15
EP2S	PG	36	15

Stack-on Posts



Standard

H	MODEL #	PAINT		
		P1	P2	P3
12"	EP1SPC12	\$125	\$130	\$135
13"	EP1SPC13	\$135	\$140	\$145
15"	EP1SPC15	\$145	\$150	\$155
17"	EP1SPC17	\$155	\$160	\$165
20"	EP1SPC20	\$175	\$185	\$195
25"	EP1SPC25	\$190	\$200	\$210
32"	EP1SPC32	\$200	\$210	\$220
37"	EP1SPC37	\$210	\$220	\$230

Panel connectors must be ordered separately.

Extended

12"	EP1SPC12E	\$125	\$130	\$135
13"	EP1SPC13E	\$135	\$140	\$145
15"	EP1SPC15E	\$145	\$150	\$155
17"	EP1SPC17E	\$155	\$160	\$165
20"	EP1SPC20E	\$175	\$185	\$195
25"	EP1SPC25E	\$190	\$200	\$210
32"	EP1SPC32E	\$200	\$210	\$220
37"	EP1SPC37E	\$210	\$220	\$230

Panel connectors must be ordered separately.

Specify	Application Notes	Standard Stack-on	Extended Stack-on
1. Model # 2. Paint trim color	Stack-on post must be used between adjacent stack-on panels.	Standard stack-on post bottom uses a conical shaped bolt that connects it to the connector directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.	Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of the bottom of this connector to provide a smooth transition. Standard panel connectors are used along the top of the stack-on panels.



Coat Hook Straight

DESCRIPTION	W	D	H	MODEL #	PAINT		
					P1	P2	P3
5 Pack	1/8"	1 3/8"	2 3/8"	EP3MMCH (B/P)	\$141	N/A	N/A



Coat Hook Postless End

DESCRIPTION	W	D	H	MODEL #	P1	P2	P3
5 Pack	1 3/8"	3/8"	2 3/8"	EP3MMCHPE (R/L)(B/P)	\$141	N/A	N/A

Specify

- 1. Model #
- 2. Paint trim color

Coat Hook


Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and

extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel.

Available in two colors

- Black (B)
- Matte Aluminum (P)


Add-On Screens



Add-on Screens

W	H	MODEL #	PAINT		
			P1	P2	P3
12"	15"	EP3AOPG1215	\$602	\$625	\$643
18"	15"	EP3AOPG1815	\$683	\$706	\$725
24"	15"	EP3AOPG2415	\$709	\$732	\$750
30"	15"	EP3AOPG3015	\$749	\$772	\$786
36"	15"	EP3AOPG3615	\$798	\$820	\$838
42"	15"	EP3AOPG4215	\$885	\$910	\$924
48"	15"	EP3AOPG4815	\$966	\$991	\$1,006
60"	15"	EP3AOPG6015	\$988	\$1,010	\$1,028

Specify	Plexiglass Finishes	Application Notes	
1. Model #	CL . . Clear	Add-on screens mount on the slotted standard with (2) die cast stanchion brackets that are included.	Add-on screens are compatible with flat (N) and beveled (3) top caps.
2. Insert color	IC . . Ice		
3. Paint trim color	SM . . Smoked		
	TR . . Translucent		
	LF . . Frost	All attachment hardware is included.	
		Two add-on screens may not be mounted next to each other on the inside corner of a 90° connection.	
			Assembly
			Included
			• Attachment hardware



Slat Rail

W	H	MODEL #	MATTE ALUM	PAINT		
				P1	P2	P3
12"	6"	SR612	\$120	\$150	\$165	\$180
18"	6"	SR618	\$130	\$160	\$176	\$192
24"	6"	SR624	\$150	\$180	\$198	\$216
30"	6"	SR630	\$160	\$190	\$209	\$228
36"	6"	SR636	\$170	\$200	\$220	\$240
42"	6"	SR642	\$180	\$220	\$242	\$264
48"	6"	SR648	\$200	\$240	\$264	\$288
60"	6"	SR660	\$210	\$260	\$286	\$312


Slat Rail Accessories

DESCRIPTION	MODEL #	MATTE ALUM	PAINT		
			P1	P2	P3
File hanger	SRAFLH	\$70	\$100	\$110	\$120
Paper tray	SRAPAT	\$80	\$110	\$121	\$132
Upright tray	SRAUPT	\$60	\$90	\$99	\$108
Small tray	SRASMT	\$50	\$80	\$88	\$96
Pencil holder	SRAPNH	\$50	\$80	\$88	\$96

Specify

1. Model #
2. Paint trim color

"E" Series electrical systems consist of a 4-circuit and a 6-circuit system. Each circuit in the systems provides a maximum of 20 amps. The four circuit system has eight wires; the six-circuit system has ten wires. Both 8- and 10-wire systems contain two 10-gauge "super" neutrals and two ground wires so that sensitive electronic equipment may be easily protected from unwanted electrical interference. "E" Series electrical can be connected to either single phase or three-phase building power supplies.




SPECIFICATION CHECKLIST

The following is a general checklist to ensure your order has been specified properly and to expedite entry of your order. It should be reviewed by a licensed electrician to ensure compliance with any local code requirements.

1. Base or ceiling infeed modules. One for each point of connection to the building power supply. Select model desired. Electrical connection to the building power supply must be made by a licensed electrician to ensure proper installation.
2. Select panels. Conduit jumpers are used to pass power to electrified panels. These panels do not have factory-installed power wiring, but modular power components are field-installed.
3. Shrouds must be used for each panel to panel point to complete the raceway connection. Shrouds are included when post assemblies are ordered. Shrouds can also be ordered separately when building a multiple height connection.
4. Duplex receptacles. Specify the circuit which receptacles are to access: #1, #2, #3 and #4D for 2+2 info eight-wire applications and additionally #5D and #6D for ten wire applications. If connecting to single-phase supply, do not order #2 and #5D receptacles.
5. Select and order appropriate conduit jumpers to pass power between panels.
6. Conduit Jumpers are for regular panel to panel connections or used to pass power through panels from terminal block to terminal block, which can be located up to 12 feet apart.

Calculate Correct Jumper Length

- 1) Add widths of both panels containing terminal blocks.
- 2) Divide by 2.
- 3) Add width of any non-electrified panels in-between. The result is the correct jumper length.



7. Modular wiring components. Internal panel wiring is fully modular and is field-installed into the raceway of panels. When wiring is field-installed the following components must be specified:

A. Terminal blocks

To branch circuits, splice jumpers or locate receptacles. Blocks snap-lock into place and are always located in the center of a panel. Panels have one block location only. Base infeed and ceiling infeed modules are each designed to plug into a terminal block, which must be ordered separately from the infeed.

B. Duplex Receptacles

Always specified separately according to circuit access.

C. Side Mount Receptacles

Available for panels 24" and wider. All standard receptacles fit into side mount position on right side of terminal block connector end. Therefore, no circuit number restriction.


SPECIAL CONSIDERATIONS

In addition to the checklist the following points should be remembered when planning a layout utilizing this electrical distribution system.

1. "E" Series electrical consists of four or six 20-amp circuits, any of which can be accessed as desired by plugging in a specially numbered receptacle at terminal block locations in panels.
2. Electrified panels can be interspersed between non-electrified panels with the use of extra-length jumpers which pass circuitry to the next electrified panel.
3. For isolation, the 2nd ground must be properly and separately grounded to the building by the installing licensed electrician.
4. Certain cities or localities carry special codes limiting the use of certain items within this system. Equity products are available which comply with these code requirements. Neutral Posture recommends contacting your local sales representative for clarification and possible restrictions.

Because of our continuous product improvements, these specifications are subject to change without notice. Please consult your sales representative for the latest information prior to ordering.

ELECTRICAL



BASE INFEED MODULE

Modular base-mounted infeed conduits in eight-wire and ten-wire versions are provided for connection to building power supplies housed in underfloor outlet boxes, floor mounted (monuments) or wall outlet boxes. Available “unhanded” for ease in introducing power from left or right of infeed location. The cover plates provided by others, for floor monuments, recessed floor boxes or wall boxes are to be punched to receive a half-inch (trade size) knockout hole for installation of the box fitting, which is included on the infeed circuit. The wiring connection is to be made within the box inside the monument or behind the floor or wall flush plate. The 4' 6" conduit can be shortened to meet field conditions by cutting the infeed (loose) end. Base Infeed Module plugs into terminal block at the receptacle location. For New York and San Francisco base infeed, see page 59.

Connecting to the building power source must be performed by a licensed electrician.

CEILING INFEED MODULE

The straight tubular infeed may be shortened (on its bottom end) if it will not fit field conditions. ceiling infeed module is filled with 8- or 10- wire conduit and plugs into terminal block in adjacent panel. Harness length is 19'. Upper tube of module is 6' 7" in length.

RACEWAY PANELS WITH FIELD-INSTALLED COMPONENTRY:

- 1. An independent cableway with capacity for up to ten ¾" dia. communications cables.
- 2. A terminal block at the center of the panel allows for jumpers to connect panel to panel electrical connections and placement of duplex receptacles.
- 3. Terminal block allows for receptacles in two locations, one on each side of the center of the panel (back to back), into which duplex 15-amp receptacles can be placed. The raceway covers are provided with removable knockouts.
- 4. For increased electric demands a second duplex receptacle per panel side can be added to panels 24" and wider. This receptacle plugs directly into the right side terminal block connector ends. Any standard “E” Series receptacle may be used.
- 5. The faceplates on both sides of the panel are removable without removing receptacles.

The system and all standard components are UL-listed. Because of our continuous product improvements, these specifications are subject to change without notice. Please consult a Neutral Posture sales representative for the latest information prior to ordering.

CABLE CAPACITY

FILL	100%	40%
Cat 5	35	14
Cat 6	28	11

8-WIRE SYSTEM

2 + 2

The 2+2 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. The system components have a 20 amp capacity. The (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 – 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets.

3 + 1


The 3+1 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will power a 120 volt single phase, a 120/240 volt split and a 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8-10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets. If each workstation has two convenience duplex outlets and one protected duplex, the 8-wire (4-circuit) system can supply a cluster of 6 – 10 workstations from each infeed.

10-WIRE SYSTEM


3 + 3

The 3+3 electrical system consists of six 20 amp, 120 volt, 60-Hertz circuits. The circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 – 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets. If each workstation has two convenience duplex outlets and one protected duplex, the 10-wire (6-circuit) system can supply a cluster of 9 – 15 workstations from each infeed.


2 + 2



3 + 3



3 + 1



COMPATIBILITY

Equity power systems use similar components in all electrical systems. However, all parts are

not functionally interchangeable and should be used based on instructions given.



Ceiling Infeeds

				PAINT		
W	D	H	MODEL #	P1	P2	P3
4"	1 ½"	120"	EE3CM41M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM49M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM54M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM61M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM66M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM81M	\$625	\$656	\$689

Ceiling Infeed Harness

DESCRIPTION	MODEL #	LIST
E-Series 10-wire	EE1CH-10	\$573
E-Series 8-wire	EE1CH-8	\$470

Specify

- 1. Model #
 - 2. Paint trim color
- Fabric cover modules are not available

Configurations

- 8-wire**
2 + 2
3 + 1
- 10-wire**
3 + 3

Application Notes

To connect a metal ceiling infeed to a corner or straight connection use an adjustable angle connector or an adjustable angle connector with multi-height connector for a three-way connection.

Ceiling Infeeds

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/or data cables from source into systems furniture.

With electrical harness installed, infeed holds 28 Cat 6 cables.

No “hang on” capabilities. Module cannot be used for panel support.

Powder coated module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.

Cables/conduit are laid into module by removal of two-piece front 1½" wide vertical access cover which runs the length of the extrusion.

Includes escutcheon plate which is white to integrate with ceiling. Tube is trim colored to match system trim.



Base Infeeds

DESCRIPTION	W	MODEL #	LIST
8-wire (right handed)	54"	EE1BI-8	\$244
8-wire (right handed)	72"	EE1BI72-8	\$301
10-wire (right handed)	54"	EE1BI-10	\$295
10-wire (right handed)	72"	EE1BI72-10	\$358
8-wire (left handed)	54"	EE1BI-8-L	\$244
8-wire (left handed)	72"	EE1BI72-8-L	\$301
10-wire (left handed)	54"	EE1BI-10-L	\$295
10-wire (left handed)	72"	EE1BI72-10-L	\$358




Base Infeeds – New York

DESCRIPTION	MODEL #	LIST
10-wire	EE1BI-10N	\$371
8-wire	EE1BI-8N	\$304



Base Infeeds – San Francisco

DESCRIPTION	W	MODEL #	LIST
8-wire (non-handed)	54"	EE1BI-8SF	\$244
8-wire (non-handed)	72"	EE1BI72-8SF	\$301
10-wire (non-handed)	54"	EE1BI-10SF	\$295
10-wire (non-handed)	72"	EE1BI72-10SF	\$358



Jumper End Base Feeds

DESCRIPTION	W	MODEL #	LIST
10-wire w/ground	72"	EE1BIJ-10G	\$411
8-wire w/ground	72"	EE1BIJ-8G	\$340
8-wire	72"	EE1BIJ-8	\$313
10-wire	72"	EE1BIJ-10	\$386

Configurations

8-wire

2 + 2
3 + 1

10-wire

3 + 3

Base Infeeds

An infeed conduit connects to the wall or floor outlet box of a building's power supply and plugs into a terminal block in panel raceway. Power entry can be from either left or right side of panel. Metal cover conceals the baseboard connection and is reversible for either left or right entry. Can be field-cut to proper lengths. Color is black. A terminal block must be ordered separately.

Jumper End Infeeds

Connects by hardwiring to a building's electrical supply in floor or wall box by a licensed electrician. Plugs into one set of terminal connections at end of terminal block. Terminal block must be located in panel adjacent to source. Terminal block is ordered separately.

Base infeed can be field cut by a licensed electrician to necessary length. Conduit is encased in black plastic sealer.



Terminal Block

DESCRIPTION	MODEL #	8-WIRE	10-WIRE
8-wire or 10-wire	EE1TB(8/10)	\$56	\$72



Duplex Receptacle

DESCRIPTION	MODEL #	8-WIRE		10-WIRE
		(3+1)	(2+2)	(3+3)
Circuit #1	EE1R1	\$50	\$50	\$50
Circuit #2	EE1R2	\$50	\$50	\$50
Circuit #3 dedicated for 2+2	EE1R3D	N/A	\$50	N/A
Circuit #3 for 3+1	EE1R3	\$50	N/A	\$50
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D	\$50	\$50	\$50
Circuit #5 dedicated circuit for 3+3	EE1R5D	N/A	N/A	\$50
Circuit #6 dedicated circuit for 3+3	EE1R6D	N/A	N/A	\$50



Duplex Receptacle (10 Pack)

DESCRIPTION	MODEL #	8-WIRE		10-WIRE
		(3+1)	(2+2)	(3+3)
Circuit #1	EE1R1 P10	\$411	\$411	\$411
Circuit #2	EE1R2 P10	\$411	\$411	\$411
Circuit #3 dedicated for 2+2	EE1R3D P10	N/A	\$411	N/A
Circuit #3 for 3+1	EE1R3 P10	\$411	N/A	\$411
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D P10	\$411	\$411	\$411
Circuit #5 dedicated circuit for 3+3	EE1R5D P10	N/A	N/A	\$411
Circuit #6 dedicated circuit for 3+3	EE1R6D P10	N/A	N/A	\$411



Receptacle – Side Mount

DESCRIPTION	MODEL #	8-WIRE		10-WIRE
		(3+1)	(2+2)	(3+3)
10 Pack	EE1SMRB10	\$250	\$250	\$250

Data Shield

DESCRIPTION	MODEL #	8-WIRE		10-WIRE
		(3+1)	(2+2)	(3+3)
Terminal block shield	EE15BR	\$77	\$77	\$77



Knock-out Replacement Cover

DESCRIPTION	MODEL #	LIST
10 Pack	EE1KC10	\$68

Application Notes

Receptacles are black only.
Neutral wires are 10 gauge.


Terminal Block

A modular eight or ten wire block that snaps into the base location in center of the panel. Used to branch circuits, splice jumpers or locate duplex receptacles back to back.

Side Mount Receptacles

Plugs directly into the right side of terminal block to provide a second duplex receptacle where required.

Any "E" Series receptacle can be used in panels 24" wide and wider. Side mount receptacle bracket (EE1SMRB10) is needed when using a side mount receptacle.



			8-WIRE	10-WIRE
LENGTH (NOMINAL)	LENGTH (ACTUAL)	MODEL #		
18"	11 ½"	EE1C18-(8/10)	\$109	\$129
21"	14 ½"	EE1C21-(8/10)	\$113	\$132
24"	17 ½"	EE1C24-(8/10)	\$116	\$135
27"	20 ½"	EE1C27-(8/10)	\$117	\$144
30"	23 ½"	EE1C30-(8/10)	\$120	\$146
33"	26 ½"	EE1C33-(8/10)	\$123	\$152
36"	29 ½"	EE1C36-(8/10)	\$124	\$154
39"	32 ½"	EE1C39-(8/10)	\$130	\$161
42"	35 ½"	EE1C42-(8/10)	\$133	\$166
45"	38 ½"	EE1C45-(8/10)	\$136	\$168
48"	41 ½"	EE1C48-(8/10)	\$141	\$170
51"	44 ½"	EE1C51-(8/10)	\$146	\$178
54"	47 ½"	EE1C54-(8/10)	\$146	\$178
57"	50 ½"	EE1C57-(8/10)	\$154	\$185
60"	53 ½"	EE1C60-(8/10)	\$157	\$190
63"	56 ½"	EE1C63-(8/10)	\$162	\$193
66"	59 ½"	EE1C66-(8/10)	\$165	\$201
69"	62 ½"	EE1C69-(8/10)	\$165	\$201
72"	65 ½"	EE1C72-(8/10)	\$170	\$207
75"	68 ½"	EE1C75-(8/10)	\$172	\$210
78"	71 ½"	EE1C78-(8/10)	\$174	\$216
81"	74 ½"	EE1C81-(8/10)	\$177	\$217
84"	77 ½"	EE1C84-(8/10)	\$178	\$219
87"	80 ½"	EE1C87-(8/10)	\$186	\$229
90"	83 ½"	EE1C90-(8/10)	\$190	\$232
93"	86 ½"	EE1C93-(8/10)	\$192	\$235
96"	89 ½"	EE1C96-(8/10)	\$199	\$241
99"	92 ½"	EE1C99-(8/10)	\$202	\$244
102"	95 ½"	EE1C102-(8/10)	\$205	\$249
105"	98 ½"	EE1C105-(8/10)	\$207	\$253
108"	101 ½"	EE1C108-(8/10)	\$208	\$254
111"	104 ½"	EE1C111-(8/10)	\$216	\$259
114"	107 ½"	EE1C114-(8/10)	\$220	\$266
120"	113 ½"	EE1C120-(8/10)	\$230	\$278
126"	119 ½"	EE1C126-(8/10)	\$234	\$283
132"	125 ½"	EE1C132-(8/10)	\$238	\$292
144"	137 ½"	EE1C144-(8/10)	\$253	\$307

Configurations

8-wire

2 + 2

3 + 1

10-wire

3 + 3


Application Notes

Jumpers transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

Calculate the Correct Length

1. Add widths of both panels containing terminal blocks.
2. Divide by two.
3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





Terminal Block

NOMINAL LENGTH	MODEL #	LIST
	EE1TB-(N3/N4)	\$72

Duplex Receptacles (10 pack)

	EE1RIIIN P10	\$437
	EE1RIIN P10	\$437
	EE1RIN P10	\$437
	EE1RIVN P10	\$437

Duplex Receptacles

	EE1RIIIN	\$58
	EE1RIIN	\$58
	EE1RIN	\$58
	EE1RIVN	\$58

Base Infeeds

54"	EE1BI-(N3/N4)	\$312
72"	EE1BI72-(N3/N4)	\$330

Base Infeeds – San Francisco

54"	EE1BI-(N3/N4)SF	\$312
72"	EE1BI72-(N3/N4)SF	\$330

Specification Information

8-wire N3

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

10-wire N4

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)

Application Notes


Jumpers


Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

Calculate the Correct Length

1. Add widths of both panels containing terminal blocks.
2. Divide by two.
3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





Jumper

NOMINAL LENGTH	MODEL #	LIST
18"	EE1C18-(N3/N4)	\$133
21"	EE1C21-(N3/N4)	\$141
24"	EE1C24-(N3/N4)	\$145
27"	EE1C27-(N3/N4)	\$152
30"	EE1C30-(N3/N4)	\$157
33"	EE1C33-(N3/N4)	\$161
36"	EE1C36-(N3/N4)	\$162
39"	EE1C39-(N3/N4)	\$167
42"	EE1C42-(N3/N4)	\$174
45"	EE1C45-(N3/N4)	\$178
48"	EE1C48-(N3/N4)	\$179
51"	EE1C51-(N3/N4)	\$187
54"	EE1C54-(N3/N4)	\$187
57"	EE1C57-(N3/N4)	\$193
60"	EE1C60-(N3/N4)	\$202
63"	EE1C63-(N3/N4)	\$206
66"	EE1C66-(N3/N4)	\$208
69"	EE1C69-(N3/N4)	\$208
72"	EE1C72-(N3/N4)	\$219
75"	EE1C75-(N3/N4)	\$223
78"	EE1C78-(N3/N4)	\$227
81"	EE1C81-(N3/N4)	\$230
84"	EE1C84-(N3/N4)	\$232
87"	EE1C87-(N3/N4)	\$241
90"	EE1C90-(N3/N4)	\$244
93"	EE1C93-(N3/N4)	\$247
96"	EE1C96-(N3/N4)	\$253
99"	EE1C99-(N3/N4)	\$255
102"	EE1C102-(N3/N4)	\$259
105"	EE1C105-(N3/N4)	\$266
108"	EE1C108-(N3/N4)	\$267
111"	EE1C111-(N3/N4)	\$277
114"	EE1C114-(N3/N4)	\$280
120"	EE1C120-(N3/N4)	\$293
126"	EE1C126-(N3/N4)	\$298
132"	EE1C132-(N3/N4)	\$305
144"	EE1C144-(N3/N4)	\$322

Specification Information

8-wire N3
8-wire N3 = 2+1 system (2
hots and 2 neutrals sharing
one ground, 1 isolated
hot and 1 isolated neutral
on an isolated ground)


10-wire N4
10-wire N4 = 2+2 system
(2 hots and 2 neutrals
sharing one ground,
2 hots and 2 neutrals
sharing another ground)

Application Notes

Jumpers
Transmit power circuits
from one panel mounted
terminal block to
another. Can carry power
through panels where
no terminal blocks are
installed. The length of
the jumper corresponds
to the distance between
the terminal blocks.

Calculate the Correct Length

1. Add widths of both
panels containing
terminal blocks.
 2. Divide by two.
 3. Add width of any
non-electrified panels
in-between.
- The result is the correct
jumper length.





Charge Spot

DESCRIPTION	MODEL #	LIST
Wireless device charger	AWDC1	\$427
Wireless device charger (4 Pack) w/multi unit power supply	AWDC4	\$1,447

Charge Spot Dongles

Apple Lightning dongle	AWDCSA	\$77
mUSB dongle	AWDCSU	\$77

Charge Spot Replacement Power

Single unit power supply	AWDCRPS1	\$57
Multi unit power supply	AWDCRPS4	\$257


Specify

1. Model #



Ashley Duo

DESCRIPTION	W	D	H	MODEL #	LIST
120" Cord length	5 1/2"	3 1/8"	2"	EE4WSAD120	\$390
72" Cord length	5 1/2"	3 1/8"	2"	EE4WSAD72	\$380



Ashley Duo Air

In-worksurface pop-up power	7"		5"	EPUPM72	\$497
-----------------------------	----	--	----	---------	-------



Desktop Power

108" Cord length	3 3/4"		4 1/2"	EE4WSME108	\$177
72" Cord length	3 3/4"		4 1/2"	EE4WSME72	\$157



Desktop Data

	3 3/4"	2 1/2"	5"	EE4WSMC	\$133
--	--------	--------	----	---------	-------



Desktop Power & Data

108" Cord length				EE4WSMED108	\$379
72" Cord length				EE4WSMED72	\$347

Ashley Duo

The Ashley duo features two receptacles and dual USB ports in a convenient 2 piece clamp on surface mount.

The USB charging ports provide 2.1 amps per port, 4.2 amps total. They also feature a Smart Device Recognition Chip that monitors the power request from plugged in devices, self-regulating and supplying the appropriate

amps, up to 2.1 amps, as needed by device. The result is each device receives the appropriate amount of power and charges as fast as possible.

Accommodates surfaces 1" to 1 3/4" thick.

Installation

Clamps to back of worksurface with included bracketry.

Ashley Duo & Air Outer Finishes

OBLK Black
OWHT White
OSIL Silver

Ashley Duo & Air Face Finishes

FBLK Black
FWHT White
FSIL Silver

Desktop Modules

Duplex electrical and communications outlets that attach at any point along the rear of a worksurface.

Accommodates surfaces 1" to 1 3/4" thick.

Installation

Clamps to back of worksurface with included bracketry.

Available in black only.

Data Wiring

Data wiring and keystones provided by customer's cabling contractor.

Step 1 – Model #

				Options			
Worksurface Type		W	D	Wiring		Extended Ends	
EW1	Rectangle	48	24	G	Grommets	\$25	E One End
				G2	Scallop	\$50	EE Both Ends
							\$21
							\$42
EW1		48	24	G			E

Step 2 – Surface Finish

Laminate	
PW-STK	Studio Teak
PW-STK	

Step 3 – Edge Finish

Edge Band	
EB-STK	Studio Teak
EB-STK	

FEATURES

DEPTHS

20"
24"
30"
36"

WIDTHS


24"
30"
36"
42"
48"
54"
60"
66"
72"
78"
84"
90"
96"
102"
108"
114"
120"

THICKNESS

1 1/8"

WIRING & CABLING

GROMMETS



When standard grommets are specified they are in a rear, centered location and are available in black only. Corner worksurfaces provide two edge grommets.

SCALLOP



Scalloped grommets feature additional half grommets on either end to provide a full grommet when two tops meet. The half grommet also allows for cord management by itself when it is wrapped by panels and not adjacent to other worksurfaces.

CABLE DROP

3/8" cable management gap

EDGE DETAIL

STANDARD

3mm ABS

WOODGRAIN

2mm PVC

SURFACE MATERIALS

STANDARD WORKSURFACE

High pressure laminate

CASCADE WORKSURFACE

Thermafoil (available on Cascade edge only)


EDGEBAND

Available matching or contrasting.
Upcharge may be applicable.

SUPPORTS

Under worksurface — black powdercoat
Countercap supports — paint

WORKSURFACES



Top surface available in standard laminates. For a complete list of color offering consult the Finishes page at the beginning of the price list.

Underside of all 24" deep and deeper rectangular worksurfaces are predrilled for mounting of support bracketry.

The front edge of 30" deep cantilevered surfaces should not be loaded in excess of 180 pounds.

Worksurfaces are designed to provide a 3/8" cable management gap between the back edge of the worksurface and wall panel.


D & P TOPS

Equity "D" and "P" tops are actual depth plus 1 1/2" to cover two posts and may not be panel wrapped. This allows an adjustable bar support to support the flat end without being visually obtrusive. Adjacent worksurfaces should be specified so as not to cover a post where a "D" or "P" top may be used.


WORKSURFACE DIMENSIONS

Equity is measured from the center of the posts on each end of the panel. A standard worksurface is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1-1/2" narrower than the nominal panel dimension. If you would like the worksurface to extend to cover one post you will need to add an "E" to the worksurface item number. This will add 1-1/2" to the width of the surface. If you would like the worksurface to extend to cover both posts then you will need to add "EE", extending the surface by 3" from the standard. Adjustable height work surfaces, page 82, are 2" narrower than a standard surface to meet anti-pinch point requirements around their perimeter.

- E . . . Covers 1 post
- EE . . Covers 2 posts



24" DEEP STRAIGHTS & 15" TOWERS




When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".


(T) – Available on			
W	H	W (actual)	
48"	24"	43 1/4"	EW14824T
54"	24"	49 1/4"	EW15424T
60"	24"	55 1/4"	EW16024T
66"	24"	61 1/4"	EW16624T
72"	24"	67 1/4"	EW17224T
78"	24"	73 1/4"	EW17824T
84"	24"	79 1/4"	EW18424T

MOUNTING CORNER WORKSURFACES

USING ALL CANTILEVERS



USING 2 CANTILEVERS AND 1 PANEL TO WORKSURFACE BRACKET



Worksurface Sizes		Cantilever-C		Adjustable Bar Support-S		Supporting Pedestal	Supporting Pedestal
W	D	EB1C20(L/R)		EB1SR(S/L)		24" Deep	30" Deep
24"	20"	200 lbs	2C	200 lbs	2S	N/A	N/A
24"	24"	200 lbs	2C	200 lbs	2S	+1 Support	N/A
30"	20"	200 lbs	2C	200 lbs	2S	N/A	N/A
30"	24"	200 lbs	2C	200 lbs	2S	+1 Support	N/A
30"	30"	200 lbs	2C	200 lbs	2S	—	+1 Support
36"	20"	200 lbs	2C	200 lbs	2S	N/A	N/A
36"	24"	200 lbs	2C	200 lbs	2S	+1 Support	N/A
36"	30"	200 lbs	2C	200 lbs	2S	—	+1 Support
42"	20"	200 lbs	2C	200 lbs	2S	N/A	N/A
42"	24"	200 lbs	2C	200 lbs	2S	+1 Support	N/A
42"	30"	200 lbs	2C	200 lbs	2S	—	+1 Support
48"	20"	216 lbs	2C	216 lbs	2S	N/A	N/A
48"	24"	216 lbs	2C	216 lbs	2S	+1 Support	N/A
48"	30"	216 lbs	2C	216 lbs	2S	—	+1 Support
54"	20"	243 lbs	3C	243 lbs	2S/1C	N/A	N/A
54"	24"	243 lbs	3C	243 lbs	2S/1C	+2 Support	N/A
54"	30"	243 lbs	3C	243 lbs	2S/1C	—	+2 Support
60"	20"	270 lbs	3C	270 lbs	2S/1C	N/A	N/A
60"	24"	270 lbs	3C	270 lbs	2S/1C	+2 Support	N/A
60"	30"	270 lbs	3C	270 lbs	2S/1C	—	+2 Support
66"	20"	297 lbs	3C	297 lbs	2S/1C	N/A	N/A
66"	24"	297 lbs	3C	297 lbs	2S/1C	+2 Support	N/A
66"	30"	297 lbs	3C	297 lbs	2S/1C	—	+2 Support
72"	20"	324 lbs	3C	324 lbs	2S/1C	N/A	N/A
72"	24"	324 lbs	3C	324 lbs	2S/1C	+2 Support	N/A
72"	30"	324 lbs	3C	324 lbs	2S/1C	—	+2 Support
78"	20"	351 lbs	3C	351 lbs	2S/1C	N/A	N/A
78"	24"	351 lbs	3C	351 lbs	2S/1C	+2 Support	N/A
84"	20"	378 lbs	3C	378 lbs	2S/1C	N/A	N/A
84"	24"	378 lbs	3C	378 lbs	2S/1C	+2 Support	N/A
84"	30"	—		378 lbs	2S/1C	—	+2 Support
90"	20"	405 lbs	3C	405 lbs	2S/1C	N/A	N/A
90"	24"	405 lbs	3C	405 lbs	2S/1C	+2 Support	N/A
96"	20"	432 lbs	3C	432 lbs	2S/1C	N/A	N/A
96"	24"	432 lbs	3C	432 lbs	2S/1C	+2 Support	N/A
96"	30"	—		432 lbs	2S/2C	—	+2 Support
108"	20"	486 lbs	4C	486 lbs	2S/2C	N/A	N/A
108"	24"	486 lbs	4C	486 lbs	2S/2C	+3 Support	N/A
108"	30"	—		486 lbs	2S/2C	—	+3 Support
120"	20"	540 lbs	4C	540 lbs	2S/2C	N/A	N/A
120"	24"	540 lbs	4C	540 lbs	2S/2C	+3 Support	N/A
120"	30"	—		540 lbs	2S/2C	—	+3 Support

Weights listed are the Business Institutional Furniture Manufacturers Association (BIFMA) functional load requirements for panel hung worksurface loading. If loads larger than these listed are anticipated, approval from Neutral Posture is required.

INSTALLATIONS WHICH VIOLATE THESE REQUIREMENTS WILL NOT BE COVERED BY THE NEUTRAL POSTURE WARRANTY.

- Support must be installed for every four feet of width. As indicated, 5' worksurfaces require three supports; two panels are required to install the center support.
- The applications shown in the table emphasize the fundamentals of worksurface loading and support. As long as these criteria are met, supports can be interchanged.
- Supporting drawer pedestals can replace only one support.
- Depth of stretchered worksurfaces must be equal to or less than side panel widths.
- Stretchered worksurfaces should be used where heavy loading is anticipated.
- Cantilevers cannot be used as primary support for 36" deep surfaces or 30" deep surfaces wider than 72".
- The front edge of 30" deep surfaces should not be loaded in excess of 180 pounds.

Rectangle






Blended Corner




Corner Round



Corner




Blended Peninsula




D Top




Blended Double Corner



P/9 Tops






135° Curved Cluster




Half Round




W3




W6



W7



W13




T3



W4




W11




T4



W5




W12




T5





20" Deep


			LAMINATE		
W	D	MODEL #	L1	L2	L3
24"	20"	EW12420	\$310	\$341	\$372
30"	20"	EW13020	\$335	\$369	\$402
36"	20"	EW13620	\$365	\$402	\$438
42"	20"	EW14220	\$390	\$429	\$468
48"	20"	EW14820	\$420	\$462	\$504
54"	20"	EW15420	\$445	\$490	\$534
60"	20"	EW16020	\$475	\$523	\$570
66"	20"	EW16620	\$500	\$550	\$600
72"	20"	EW17220	\$510	\$561	\$612
78"	20"	EW17820	\$530	\$583	\$636
84"	20"	EW18420	\$560	\$616	\$672
90"	20"	EW19020	\$585	\$644	\$702
96"	20"	EW19620	\$615	\$677	\$738
102"	20"	EW110220	\$640	\$704	\$768
108"	20"	EW110820	\$670	\$737	\$804
114"	20"	EW111420	\$695	\$765	\$834
120"	20"	EW112020	\$725	\$798	\$870



24" Deep


24"	24"	EW12424	\$340	\$374	\$408
30"	24"	EW13024	\$360	\$396	\$432
36"	24"	EW13624	\$380	\$418	\$456
42"	24"	EW14224	\$400	\$440	\$480
48"	24"	EW14824	\$420	\$462	\$504
54"	24"	EW15424	\$450	\$495	\$540
60"	24"	EW16024	\$505	\$556	\$606
66"	24"	EW16624	\$555	\$611	\$666
72"	24"	EW17224	\$565	\$622	\$678
78"	24"	EW17824	\$580	\$638	\$696
84"	24"	EW18424	\$590	\$649	\$708
90"	24"	EW19024	\$600	\$660	\$720
96"	24"	EW19624	\$635	\$699	\$762
102"	24"	EW110224	\$670	\$737	\$804
108"	24"	EW110824	\$695	\$765	\$834
114"	24"	EW111424	\$725	\$798	\$870
120"	24"	EW112024	\$750	\$825	\$900

24" DEEP STRAIGHTS & 15" TOWERS




When adding a 15" tower to the end of a work surface you will need to add a "T" to the end of the model number in order to make the work surface and tower completely flush. This will only be necessary on 24" deep work surfaces with a width from 48" – 84".

				Options					
		W	D	Wiring			Extended Ends		
EW1	Rectangle	48	24	G	Grommets	\$25	E	One End	\$21
				G2	Scallop	\$50	EE	Both Ends	\$42
EW1		48	24	G			E		



30" Deep

W	D	MODEL #	LAMINATE		
			L1	L2	L3
24"	30"	EW12430	\$390	\$429	\$468
30"	30"	EW13030	\$420	\$462	\$504
36"	30"	EW13630	\$445	\$490	\$534
42"	30"	EW14230	\$475	\$523	\$570
48"	30"	EW14830	\$490	\$539	\$588
54"	30"	EW15430	\$570	\$627	\$684
60"	30"	EW16030	\$615	\$677	\$738
66"	30"	EW16630	\$655	\$721	\$786
72"	30"	EW17230	\$690	\$759	\$828
78"	30"	EW17830	\$710	\$781	\$852
84"	30"	EW18430	\$750	\$825	\$900
90"	30"	EW19030	\$790	\$869	\$948
96"	30"	EW19630	\$815	\$897	\$978
102"	30"	EW110230	\$900	\$990	\$1,080
108"	30"	EW110830	\$945	\$1,040	\$1,134
114"	30"	EW111430	\$980	\$1,078	\$1,176
120"	30"	EW112030	\$1,020	\$1,122	\$1,224




36" Deep

48"	36"	EW14836	\$680	\$748	\$816
54"	36"	EW15436	\$705	\$776	\$846
60"	36"	EW16036	\$735	\$809	\$882
66"	36"	EW16636	\$775	\$853	\$930
72"	36"	EW17236	\$830	\$913	\$996
78"	36"	EW17836	\$875	\$963	\$1,050
84"	36"	EW18436	\$900	\$990	\$1,080
90"	36"	EW19036	\$945	\$1,040	\$1,134
96"	36"	EW19636	\$1,000	\$1,100	\$1,200
102"	36"	EW110236	\$1,055	\$1,161	\$1,266
108"	36"	EW110836	\$1,115	\$1,227	\$1,338
114"	36"	EW111436	\$1,175	\$1,293	\$1,410
120"	36"	EW112036	\$1,225	\$1,348	\$1,470


Specify

1. Model #
2. Surface color
3. Edge color

Grain Direction



Wiring & Cabling



Grommets \$25



Scallop \$50


Support Information

All supports must be ordered separately. See page 80 – 81.

Worksurface Loading & Support


See page 69.

A center support must be used with a 54" wide or larger worksurface.




Straight Front

				LAMINATE		
A	L	R	MODEL #	L1	L2	L3
36"	20"	20"	EW1C3620	\$565	\$622	\$678
36"	24"	24"	EW1C3624	\$565	\$622	\$678
36"	30"	30"	EW1C3630	\$635	\$699	\$762
42"	20"	20"	EW1C4220	\$715	\$787	\$858
42"	24"	24"	EW1C4224	\$715	\$787	\$858
42"	30"	30"	EW1C4230	\$775	\$853	\$930
48"	20"	20"	EW1C4820	\$855	\$941	\$1,026
48"	24"	24"	EW1C4824	\$855	\$941	\$1,026
48"	30"	30"	EW1C4830	\$870	\$957	\$1,044




Curved Front

36"	24"	24"	EW1CC3624	\$620	\$682	\$744
42"	24"	24"	EW1CC4224	\$790	\$869	\$948
48"	24"	24"	EW1CC4824	\$940	\$1,034	\$1,128
60"	24"	24"	EW1CC6024	\$1,050	\$1,155	\$1,260




Corner with Cutout

48"	24"	24"	EW1C4824K	\$850	\$935	\$1,020
-----	-----	-----	-----------	-------	-------	---------



Different Returns

36"	24"	30"	EW1C362430	\$760	\$836	\$912
36"	30"	24"	EW1C363024	\$760	\$836	\$912
42"	24"	30"	EW1C422430	\$855	\$941	\$1,026
42"	30"	24"	EW1C423024	\$855	\$941	\$1,026
48"	24"	30"	EW1C482430	\$945	\$1,040	\$1,134
48"	30"	24"	EW1C483024	\$945	\$1,040	\$1,134



Split Corner — all hardware included


				LAMINATE			PAINT (CANTILEVERS ONLY)	
A	L	R	MODEL #	L1	L2	L3	P2	P3
36"	24"	24"	EW1SC3624	\$1,885	\$2,074	\$2,262	+ \$15	+ \$30
42"	24"	24"	EW1SC4224	\$1,935	\$2,129	\$2,322	+ \$15	+ \$30
42"	30"	30"	EW1SC4230	\$1,965	\$2,162	\$2,358	+ \$15	+ \$30
48"	24"	24"	EW1SC4824	\$2,045	\$2,250	\$2,454	+ \$15	+ \$30
48"	30"	30"	EW1SC4830	\$2,180	\$2,398	\$2,616	+ \$15	+ \$30

Paint option is for cantilevers only. All other hardware is only available in black.

Specify

1. Model #
2. Options
3. Surface color
4. Edge color
5. Grain direction


Grain Direction



Insert the desired direction after the laminate finish code.

Add \$25 to list price for diagonal grain (D).

Wiring & Cabling



Grommets \$25

Scallops \$50

Application Notes


A return panel may not be used next to corner worksurfaces, as they cover both posts for a smooth transition with adjacent rectangular worksurfaces.

Support Information

All supports must be ordered separately. See page 80 – 81.


Worksurface Loading & Support
See page 69.

A center support must be used with a 54" wide or larger worksurface.



Right Hand

					LAMINATE		
L	A	B	R	MODEL #	L1	L2	L3
24"	36"	60"	24"	EW1BS3660S(X/L/R/B)	\$845	\$930	\$1,014
24"	48"	60"	24"	EW1BS4860S(X/L/R/B)	\$865	\$952	\$1,038
24"	48"	66"	24"	EW1BS4866S(X/L/R/B)	\$890	\$979	\$1,068
24"	36"	72"	24"	EW1BS3672S(X/L/R/B)	\$890	\$979	\$1,068
24"	48"	72"	24"	EW1BS4872S(X/L/R/B)	\$930	\$1,023	\$1,116
24"	48"	60"	30"	EW1BS4860D(X/L/R/B)	\$890	\$979	\$1,068
24"	48"	66"	30"	EW1BS4866D(X/L/R/B)	\$910	\$1,001	\$1,092
24"	48"	72"	30"	EW1BS4872D(X/L/R/B)	\$965	\$1,062	\$1,158
30"	48"	60"	24"	EW1BD4860S(X/L/R/B)	\$890	\$979	\$1,068
30"	48"	66"	24"	EW1BD4866S(X/L/R/B)	\$895	\$985	\$1,074
30"	48"	72"	24"	EW1BD4872S(X/L/R/B)	\$940	\$1,034	\$1,128



Left Hand

24"	60"	36"	24"	EW1BS6036S(X/L/R/B)	\$845	\$930	\$1,014
24"	60"	48"	24"	EW1BS6048S(X/L/R/B)	\$870	\$957	\$1,044
24"	66"	48"	24"	EW1BS6648S(X/L/R/B)	\$890	\$979	\$1,068
24"	72"	36"	24"	EW1BS7236S(X/L/R/B)	\$895	\$985	\$1,074
24"	72"	48"	24"	EW1BS7248S(X/L/R/B)	\$930	\$1,023	\$1,116
24"	60"	48"	30"	EW1BS6048D(X/L/R/B)	\$870	\$957	\$1,044
24"	66"	48"	30"	EW1BS6648D(X/L/R/B)	\$890	\$979	\$1,068
24"	72"	48"	30"	EW1BS7248D(X/L/R/B)	\$940	\$1,034	\$1,128
30"	60"	48"	24"	EW1BD6048S(X/L/R/B)	\$870	\$957	\$1,044
30"	66"	48"	24"	EW1BD6648S(X/L/R/B)	\$910	\$1,001	\$1,092
30"	72"	48"	24"	EW1BD7248S(X/L/R/B)	\$965	\$1,062	\$1,158

										Options		
										Wiring		
		L		A	B	R		Posts Covered				
EW1BS	Blended Worksurface	S	24"	36	72	S	24"	X	No Posts Covered	G	Grommets	\$25
		D	30"			D	30"	L	Left Side Post Covered	G2	Scallop	\$50
									R	Right Side Post Covered		
									B	Both Side Posts Covered		
EW1BS		S		36	72	S		X		G		


Specify

1. Model #
2. Options
3. Surface color
4. Edge color

Grain Direction



Wiring & Cabling



Grommets \$25



Scallops \$50

Application Notes


Blended worksurfaces are designed to take the place of two adjacent worksurfaces by blending them into one top. The front of the worksurface is curved to provide a smooth transition to the next attached worksurface.

Support Information

All supports must be ordered separately.

Worksurface Loading & Support
See page 69.

A center support must be used with a 54" wide or larger worksurface.



Right Hand


				LAMINATE		
A	B	C	MODEL #	L1	L2	L3
60"	48"	24"	EW1BP6048SR	\$975	\$1,073	\$1,170
72"	48"	24"	EW1BP7248SR	\$995	\$1,095	\$1,194
72"	48"	30"	EW1BP7248DR	\$1,020	\$1,122	\$1,224
78"	48"	24"	EW1BP7848SR	\$1,040	\$1,144	\$1,248
78"	48"	30"	EW1BP7848DR	\$1,040	\$1,144	\$1,248
84"	48"	24"	EW1BP8448SR	\$1,225	\$1,348	\$1,470
84"	48"	30"	EW1BP8448DR	\$1,250	\$1,375	\$1,500

Left Hand

60"	48"	24"	EW1BP6048SL	\$975	\$1,073	\$1,170
72"	48"	24"	EW1BP7248SL	\$995	\$1,095	\$1,194
72"	48"	30"	EW1BP7248DL	\$1,020	\$1,122	\$1,224
78"	48"	24"	EW1BP7848SL	\$1,040	\$1,144	\$1,248
78"	48"	30"	EW1BP7848DL	\$1,040	\$1,144	\$1,248
84"	48"	24"	EW1BP8448SL	\$1,225	\$1,348	\$1,470
84"	48"	30"	EW1BP8448DL	\$1,250	\$1,375	\$1,500

		A	B	C	Posts Covered	
EW1BP	Blended Peninsula	36	72	S 24" Deep D 30" Deep	X L R B	No Posts Covered Left Side Post Covered Right Side Post Covered Both Side Posts Covered
EW1BP		36	72	S	X	

- Specify**
1. Model #
 2. Options
 3. Surface color
 4. Edge color



Grommets

Blended peninsulas do not come with grommets. Due to this, if the worksurface adjacent to the "C" side is ordered with scallops there will be a one-half scallop where the return meets the peninsula.



Support Information

All supports must be ordered separately. See page 80 – 81.

Worksurface Loading & Support

See page 69.

Center support must be used for all surfaces which exceed 48" in length.



D Peninsula


			LAMINATE		
W	D	MODEL #	L1	L2	L3
60"	30"	EW1D6030	\$550	\$605	\$660
72"	30"	EW1D7230	\$955	\$1,051	\$1,146
72"	36"	EW1D7236	\$1,115	\$1,227	\$1,338
84"	30"	EW1D8430	\$1,250	\$1,375	\$1,500
84"	36"	EW1D8436	\$1,390	\$1,529	\$1,668

9 & P Peninsula

72"	30"	EW1(9/P)7230	\$955	\$1,051	\$1,146
72"	36"	EW1(9/P)7236	\$1,115	\$1,227	\$1,338
84"	30"	EW1(9/P)8430	\$1,250	\$1,375	\$1,500
84"	36"	EW1(9/P)8436	\$1,390	\$1,529	\$1,668


		W	D
EW1D	D Peninsula	72	30
EW19	9 Peninsula		
EW1P	P Peninsula		
EW1BP		72	30

Specify	Grain Direction	Application Notes	Support Information
1. Model # 2. Options 3. Surface color 4. Edge color	 	Designed for use as primary worksurfaces and for conferencing in small groups. NOTE: P and D worksurfaces cannot be panel wrapped.	Column bases and adjustable bar supports must be ordered separately. See page 80 – 81. Worksurface Loading & Support See page 69.



Half Round without Notch

			LAMINATE		
W	D	MODEL #	L1	L2	L3
48"	30"	EW1HR4830	\$745	\$820	\$894
60"	36"	EW1HR6036	\$934	\$1,027	\$1,121



Half Round Round with Notch

W	D	MODEL #	L1	L2	L3
48"	30"	EW1HR4830N	\$745	\$820	\$894
60"	36"	EW1HR6036N	\$934	\$1,027	\$1,121



Corner Round

D	MODEL #	L1	L2	L3
24"	EW1CR24	\$335	\$369	\$402
30"	EW1CR30	\$365	\$402	\$438

				Options
		W	D	Notch
EW1HR	Half Round	36	72	N Round Notch
EW1HR		36	72	N

Specify

- 1. Model #
- 2. Surface color
- 3. Edge color

Grain Direction



Half Round Without Notches

Half rounds without notches attach to panels by means of an adjustable bar support and are supported by column bases, available in standard trim colors. Column is fixed height.


Half Round With Notches

- Included**
- Splice plates
- Not Included nor Required**
- Bar support

Support Information


All supports must be ordered separately. See page 80 – 81.

Worksurface Loading & Support
See page 69.




Blended Double Corner

A	B	C	MODEL #	LAMINATE		
				L1	L2	L3
96"	48"	24"	EW1BC9648	\$1,250	\$1,375	\$1,500



135° Curved Cluster

A	B	MODEL #	L1	L2	L3
36"	24"	EW11353624	\$917	\$1,009	\$1,100
42"	24"	EW11354224	\$1,145	\$1,260	\$1,374
48"	24"	EW11354824	\$1,317	\$1,449	\$1,580




135° Cluster Core

A	MODEL #	L1	L2	L3
36"	EW1135C36	\$586	\$645	\$703
42"	EW1135C42	\$647	\$712	\$776
48"	EW1135C48	\$711	\$782	\$853

Specify


1. Model #
2. Surface color
3. Edge color

Wiring & Cabling



Grommets \$25 Scallop \$50

Grain Direction



Double Corner

Double corner work surface is designed to take the place of two adjacent corners by combining them into one top.

48" deep sides are designed to cover a post and cannot be panel wrapped.


135° Curved Cluster

Used in 135° planning configurations.

Support Information


All supports must be ordered separately. See page 80 – 81.

Worksurface Loading & Support
See page 69.




Cantilever

DESCRIPTION	D	MODEL #	BLACK	PAINT		
				P1	P2	P3
Left hand	20"	EB1C20L	\$90	\$150	\$165	\$180
Left hand (10 pack)	20"	EB1C20L10	\$700	\$1,000	\$1,100	\$1,200
Right hand	20"	EB1C20R	\$90	\$150	\$165	\$180
Right hand (10 pack)	20"	EB1C20R10	\$700	\$1,000	\$1,100	\$1,200



120 Cantilever

DESCRIPTION	D	MODEL #	BLACK	PAINT		
				P1	P2	P3
Left hand 60°	18"	EB3C18L60	\$92	\$152	\$167	\$182
Left hand 90°	18"	EB3C18L90	\$92	\$152	\$167	\$182
Right hand 60°	18"	EB3C18R60	\$92	\$152	\$167	\$182
Right hand 90°	18"	EB3C18R90	\$92	\$152	\$167	\$182




Splice Plate

DESCRIPTION	MODEL #	BLACK	P1	P2	P3
20" flat bracket (20" & 24" tops)	EB1F24	\$45	N/A	N/A	N/A
26" flat bracket (30" & 36" tops)	EB1F3	\$52	N/A	N/A	N/A
Alignment plate	EB1APW	\$14	N/A	N/A	N/A




Bracket

DESCRIPTION	MODEL #	BLACK	PAINT		
			P1	P2	P3
Panel to worksurface bracket	EB1PWS(L/R)	\$15	\$50	\$55	\$60
Panel to worksurface bracket (Pair – L/R)	EB1PWSP	\$29	\$90	\$99	\$108



V Channel Support

DESCRIPTION	MODEL #	BLACK	P1	P2	P3
54"	VS54	\$125	N/A	N/A	N/A
100"	VS100	\$240	N/A	N/A	N/A



Worksurface Support Rail

DESCRIPTION	WORKSURFACE	MODEL #	BLACK	P1	P2	P3
46"	60"	WSR46	\$80	N/A	N/A	N/A
57"	72"	WSR57	\$95	N/A	N/A	N/A

Cantilevers

Worksurface cantilevers lock into panel slotted standards at 1" increments. Cantilevers are handed.

Adjustable Bar Support

Adjustable bar supports position in the slotted standards at 1" increments. Two sizes of adjustable bar supports are available. Small adjustable bar support fits 24" through 36" wide panels; the larger adjustable bar support fits 42" through 60" wide panels. All have keyhole slots to mount worksurfaces and are non-handed.

Panel to Worksurface Bracket

Can be specified in lieu of cantilever when worksurface is same depth as adjacent panel.

A single bracket can be specified behind a pedestal to secure adjacent panel to worksurface.




Column Bases

DESCRIPTION	H	MODEL #	PAINT		
			P1	P2	P3
Fixed height support column	27 ¾"	EB1FCOL	\$320	\$348	\$362



Tapered Legs

DESCRIPTION	H	MODEL #	PAINT		
			P1	P2	P3
Single leg	27 ¾"	TBTL	\$350	\$385	\$420
Single leg w/caster	27 ¾"	TBTLC	\$375	\$410	\$445
Set of 2	27 ¾"	TBTL2	\$600	\$660	\$720
Set of 2 w/casters	27 ¾"	TBTL2C	\$650	\$710	\$770
Set of 4	27 ¾"	TBTL4	\$1,150	\$1,265	\$1,380
Set of 4 w/casters	27 ¾"	TBTL4C	\$1,250	\$1,365	\$1,480
Bar height single leg	40 ½"	TBTLBH	\$790	\$890	\$990
Bar height set of 2	40 ½"	TBTLBH2	\$1,500	\$1,875	\$1,850
Bar height set of 4	40 ½"	TBTLBH4	\$2,700	\$3,000	\$3,400



Desk End Panels

H	W	MODEL #	LAMINATE		
			L1	L2	L3
29"	18"	EB1DEP18	\$607	\$668	\$730
29"	20"	EB1DEP20	\$613	\$674	\$736
29"	24"	EB1DEP24	\$625	\$688	\$750
29"	30"	EB1DEP30	\$661	\$727	\$793



Adjustable Bar Support


DESCRIPTION	MODEL #	BLACK	PAINT		
			P1	P2	P3
24", 30" and 36"	EB1SRS	\$200	\$250	\$275	\$300
24", 30" and 36" (10 pack)	EB1SRS10	\$1,900	\$2,400	\$2,640	\$2,880
42", 48" and 60"	EB1SRL	\$225	\$275	\$303	\$330
42", 48" and 60" (10 pack)	EB1SRL10	\$2,000	\$2,600	\$2,860	\$3,120

Specify

1. Model #
2. Trim color

Height Adjustable Worksurfaces

Panel Supported



Panel Supported Height Adjustable

			LAMINATE		
W	D	MODEL #	L1	L2	L3
42"	24"	EAW14224	\$2,047	\$2,137	\$2,177
48"	24"	EAW14824	\$2,137	\$2,179	\$2,221
54"	24"	EAW15424	\$2,237	\$2,242	\$2,287
60"	24"	EAW16024	\$2,252	\$2,303	\$2,353
72"	24"	EAW17224	\$2,352	\$2,409	\$2,465
42"	30"	EAW14230	\$2,147	\$2,220	\$2,267
48"	30"	EAW14830	\$2,207	\$2,256	\$2,305
54"	30"	EAW15430	\$2,317	\$2,374	\$2,431
60"	30"	EAW16030	\$2,362	\$2,424	\$2,485
72"	30"	EAW17230	\$2,477	\$2,546	\$2,615

Panel Supported Height Adjustable – Mech Only

W	D	MODEL #	BLACK OR SILVER
42"	24"	EAW4224M	\$1,697
42"	30"	EAW4230M	\$1,697
48"	24"	EAW4824M	\$1,717
48"	30"	EAW4830M	\$1,717
54"	24"	EAW5424M	\$1,717
54"	30"	EAW5430M	\$1,717
60"	24"	EAW6024M	\$1,747
60"	30"	EAW6030M	\$1,747
72"	24"	EAW7224M	\$1,787
72"	30"	EAW7230M	\$1,787

			Options		
Worksurface Type		W	D	Grommet	
EAW1	Height Adjustable	42	24	G Standard	\$25
				G2 Scallop	\$50
EAW1		42	24	G	


Specify

1. Model #
2. Surface color
3. Edge color
4. Support color
Black or Silver


Application Notes

Provides 18" of vertical movement.

Grain Direction



Wiring & Cabling



Grommets \$25 Scallop \$50

Specification Guidelines


Order an adjustable height work surface to match the panel(s) width the worksurface will be attached to. The worksurface cannot be configured to cover a partial panel.

There will be a 1" space around the perimeter of the adjustable height worksurface in order to prevent pinch points.

When used as a solitary work surface perpendicular panels of 18" minimum width must be specified on both sides for stability.

When used in conjunction with a stationary worksurface there should be a perpendicular panel at the free end of the adjustable worksurface. The free end of the fixed worksurface should be supported with a cantilever or pedestal.

NOTE: Adjustable worksurface meets BIFMA loading requirements for safety. Mechanism is designed to have up to 100 lbs. of load and function smoothly.







Worksurface Only — For Height Adjustable Supports

W	D	MODEL #	LAMINATE		
			L1	L2	L3
42"	24"	EAW14224WS	\$400	\$440	\$480
42"	30"	EAW14230WS	\$475	\$523	\$570
48"	24"	EAW14824WS	\$420	\$462	\$504
48"	30"	EAW14830WS	\$490	\$539	\$588
54"	24"	EAW15424WS	\$460	\$506	\$552
54"	30"	EAW15430WS	\$550	\$605	\$659
60"	24"	EAW16024WS	\$505	\$556	\$606
60"	30"	EAW16030WS	\$615	\$677	\$738
72"	24"	EAW17224WS	\$565	\$622	\$678
72"	30"	EAW17230WS	\$690	\$759	\$828

Electric Height Adjustable Base

DESCRIPTION	FOOT DEPTH	MODEL #	BLACK OR SILVER
2 legs	23 3/8"	TBAHL224	\$1,997
2 legs	29"	TBAHL230	\$1,997
3 legs	23 3/8"	TBAHL324	\$2,797
3 legs	29"	TBAHL330	\$2,797



Specify

1. Model #
2. Trim color

Application Notes

Electric Height Adjustable Base

Adjustable height bases can be used with 24" & 30" deep worksurfaces. Worksurfaces must be between 48" – 84" wide.

Adjustable height bases have a capacity of 264 lbs evenly distributed.

Comes with four position memory controller.

3-stage legs offer a large height adjustment range of 24" – 50".


Worksurfaces

120°

These worksurfaces are designed specifically for Equity 120° applications. The (L/R) suffix at the end of a pattern number indicates a defined pedestal location. If the worksurface has no defined pedestal location, the (L/R) represents the curved side of the top. All tops and tables are available with 2mm edge band or a cascading edge.


Worksurface: W3

This worksurface, combined with the T3 transition top, works best with the "apartment" layout. This application allows for stations on both sides of the spine, and is ideal for high density layouts. Available in extended versions for placement directly next to another worksurface.




Worksurface: W4

This top works well in the "open house," "full house," and "big house" layouts for call center, professional and managerial applications.



Worksurface: W5 (L/R)


With transition top T5 and this worksurface, teaming is made easy using the "townhouse" or "open house" layout. The shared space allows for call center, professional or technical applications.



Worksurface: W6 (L/R)


In the "big house," "full house" or "open house," this worksurface allows for a pedestal on one side (determined by the L/R).

Applications for this top include a call center with the "open house," technical applications with the "full house," and managerial layouts with the "big house."




Worksurface: W7 (L/R)

Used in conjunction with a T4 transition top, the W7 worksurface provides a great teaming space when the "townhouse" layout is used. The "open house" layout incorporates the T2 transition top for professional or technical stations with shared space for conferencing. Available in extended versions for placement directly next to another worksurface.




Worksurface: W11 / W1118 (L/R)

This top is a spacious option for a technical station in the "open house" layout. Adding a T2 transition top provides additional teaming space. The W11 surface also fits nicely in a private managerial office or a "full house" professional application.




Worksurface: W12 / W1218 (L/R)


This top, with the T5/T518 transition top provides a technical office with shared conferencing space in the “open house” layout. The 18” return allows ample space in the supervisory application of the “full house.”

**Worksurface: W13 / W1318 (L/R)**

This surface provides a teaming space with the T2/T218 transition in the “open house” layout. The W13/W1318 creates generous workspace space in the “full house” as well as the management layout of the “big house.”

**Transition Tops**

Transition tops require columns (not included — page 81) for support. Flat brackets (not included — page 80) are required to attach transition tops to adjacent worksurfaces.




Transition top: T2



Transition top: T3



Transition top: T4




Transition top: T5


Peninsula Tops

Peninsula tops provide additional workspace in a “big house” layout.


Peninsula tops are freestanding and supported by table legs, columns or a combination of both (not included — page 81).




Peninsula top: P1



Peninsula top: P2 right hand





Peninsula top: P2 left hand




				LAMINATE		
W	L	R	MODEL #	L1	L2	L3
48"	24"	24"	EW1W34824	\$1,020	\$1,122	\$1,224

Woodgrain Direction




W	L	R	MODEL #	L1	L2	L3
48"	24"	24"	EW1W44824	\$1,030	\$1,133	\$1,236

Woodgrain Direction



W	L	R	MODEL #	L1	L2	L3
48"	24"	24"	EW1W54824L	\$975	\$1,073	\$1,170
48"	24"	24"	EW1W54824R	\$975	\$1,073	\$1,170

Woodgrain Direction




W	L	R	MODEL #	L1	L2	L3
48"	24"	24"	EW1W64824L	\$1,090	\$1,199	\$1,308
48"	24"	24"	EW1W64824R	\$1,090	\$1,199	\$1,308

Woodgrain Direction




Specify	Support Information	Application Notes	W3
1. Model # 2. Surface color 3. Edge color	All supports must be ordered separately. See page 80 – 81. Worksurface Loading & Support See page 69.	Refer to the worksurface planning page (86) for worksurface drawings and applications.	W3 top may be extended on either the left or right hand side by adding an "EL" or "ER" to the end of the pattern number and adding \$21 (list). W3 top may be extended on both ends by adding an "EB" to the end of the pattern number and adding \$42 (list).



W7

W	L	R	MODEL #	LAMINATE		
				L1	L2	L3
48"	24"	24"	EW1W74824L	\$1,085	\$1,194	\$1,302
48"	24"	24"	EW1W74824R	\$1,085	\$1,194	\$1,302



Woodgrain Direction



W11

48"	24"	18"	EW1W11482418	\$1,280	\$1,408	\$1,536
48"	18"	24"	EW1W11481824	\$1,280	\$1,408	\$1,536



Woodgrain Direction



W12

48"	24"	18"	EW1W12482418	\$1,360	\$1,496	\$1,632
48"	18"	24"	EW1W12481824	\$1,360	\$1,496	\$1,632
48"	24"	24"	EW1W124824L	\$1,360	\$1,496	\$1,632
48"	24"	24"	EW1W124824R	\$1,360	\$1,496	\$1,632

Woodgrain Direction



W13

48"	24"	18"	EW1W13482418	\$1,310	\$1,441	\$1,572
48"	18"	24"	EW1W13481824	\$1,310	\$1,441	\$1,572
48"	24"	24"	EW1W134824L	\$1,310	\$1,441	\$1,572
48"	24"	24"	EW1W134824R	\$1,310	\$1,441	\$1,572

Woodgrain Direction



Specify

1. Model #
2. Surface color
3. Edge color

Support Information

All supports must be ordered separately. See page 80 – 81.


Worksurface Loading & Support
See page 69.

Application Notes

Refer to the worksurface planning page (86) for worksurface drawings and applications.

W7


Straight ends are available extended by adding an "E" to the end of the pattern number and adding \$21 (list).




			LAMINATE		
			L1	L2	L3
W	RETURN	MODEL #			
50"	24"	EW1T224	\$655	\$721	\$786
37 ½"	18"	EW1T218	\$615	\$677	\$738



26"	24"	EW1T324	\$625	\$688	\$750



26"	24"	EW1T424	\$645	\$710	\$774




37 ½"	18"	EW1T518	\$675	\$743	\$810
50"	24"	EW1T524	\$660	\$726	\$792



35"	52"	EW1P15235	\$725	\$798	\$870
36"	38"	EW1P23836(L/R)	\$700	\$770	\$840

Specify	Grain Direction	T2 Transition Top	Support Information
1. Model # 2. Surface color 3. Edge color		T2 transition top comes cut to fit against a postless end. If placing against an end with a post, add an "N" to the end of the pattern number so it is notched for the post.	Transition and peninsula tops require a column base for support. All supports must be ordered separately. See page 80 – 81. Worksurface Loading & Support See page 69.

CASCADE EDGE



Cascade edge worksurfaces are wrapped with a thermafoil sheet that is heated and pressed around a substrate. This substrate can be FSC certified upon request. Thermafoil is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat cascade edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non-PVC construction and are also free of any plasticizers, phthalates and lead content.


AVAILABLE LAMINATES

Solid

114 Folkstone Grey
117 Soft Grey
118 Bright White
119 Pumice


Woodgrain

124 Medium Cherry
125 Natural Maple
126 Natural Cherry
127 Walnut



24" Deep

W	D	MODEL #	LAMINATE	
			SOLID	WOODGRAIN
24"	24"	ECE1R2424N	\$222	\$255
30"	24"	ECE1R3024N	\$255	\$293
36"	24"	ECE1R3624N	\$281	\$324
42"	24"	ECE1R4224N	\$324	\$373
48"	24"	ECE1R4824N	\$364	\$419
54"	24"	ECE1R5424N	\$391	\$449
60"	24"	ECE1R6024N	\$424	\$488
66"	24"	ECE1R6624N	\$459	\$526
72"	24"	ECE1R7224N	\$479	\$551
78"	24"	ECE1R7824N	\$515	\$591
84"	24"	ECE1R8424N	\$544	\$625
90"	24"	ECE1R9024N	\$614	\$704
96"	24"	ECE1R9624N	\$670	\$770




30" Deep

24"	30"	ECE1R2430N	\$282	\$326
30"	30"	ECE1R3030N	\$317	\$364
36"	30"	ECE1R3630N	\$353	\$406
42"	30"	ECE1R4230N	\$383	\$439
48"	30"	ECE1R4830N	\$424	\$488
54"	30"	ECE1R5430N	\$480	\$552
60"	30"	ECE1R6030N	\$528	\$606
66"	30"	ECE1R6630N	\$589	\$677
72"	30"	ECE1R7230N	\$614	\$704
78"	30"	ECE1R7830N	\$654	\$752
84"	30"	ECE1R8430N	\$696	\$800
90"	30"	ECE1R9030N	\$748	\$860
96"	24"	ECE1R9630N	\$800	\$919

Sample


12"	12"	ECE1R1212G2	\$137	\$159
-----	-----	-------------	-------	-------

Specify	Grain Direction	Wiring & Cabling	Available Laminates	Support Information
1. Model # 2. Options 3. Surface/edge color		Scallop \$50	Solid 114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice Woodgrain 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut	All supports must be ordered separately. See page 80 – 81. Worksurface Loading & Support See page 69. A center support must be used with a 54" wide or larger worksurface.
Extended Ends	Edge Profile			
E . . . Covers 1 post				




Corner – Curved Front

				LAMINATE	
A	B	C	MODEL #	SOLID	WOODGRAIN
36"	24"	24"	ECE1L3636SSN	\$554	\$639
42"	24"	24"	ECE1L4242SSN	\$670	\$770
42"	24"	30"	ECE1L4242SDN	\$796	\$913
42"	30"	24"	ECE1L4242DSN	\$796	\$913
48"	24"	24"	ECE1L4848SSN	\$752	\$865
48"	24"	30"	ECE1L4848SDN	\$901	\$1,036
48"	30"	24"	ECE1L4848DSN	\$901	\$1,036
48"	30"	30"	ECE1L4848DDN	\$808	\$930



Right Hand

A	B	C	D	MODEL #	SOLID	WOODGRAIN
24"	42"	60"	24"	ECE1L4260SS()N	\$919	\$1,058
24"	42"	66"	24"	ECE1L4266SS()N	\$943	\$1,086
24"	42"	72"	24"	ECE1L4272SS()N	\$979	\$1,127
24"	42"	78"	24"	ECE1L4278SS()N	\$991	\$1,138
24"	48"	60"	24"	ECE1L4860SS()N	\$932	\$1,070
30"	48"	60"	24"	ECE1L4860DS()N	\$913	\$1,052
24"	48"	66"	24"	ECE1L4866SS()N	\$965	\$1,109
24"	48"	66"	30"	ECE1L4866SD()N	\$961	\$1,106
30"	48"	66"	24"	ECE1L4866DS()N	\$961	\$1,106
24"	48"	72"	24"	ECE1L4872SS()N	\$1,000	\$1,150
24"	48"	72"	30"	ECE1L4872SD()N	\$1,006	\$1,158
30"	48"	72"	24"	ECE1L4872DS()N	\$1,006	\$1,158
24"	48"	78"	24"	ECE1L4878SS()N	\$1,102	\$1,268
24"	48"	84"	24"	ECE1L4884SS()N	\$1,239	\$1,426
24"	48"	84"	30"	ECE1L4860SD()N	\$913	\$1,052



Left Hand

24"	60"	42"	24"	ECE1L6042SS()N	\$919	\$1,058
24"	60"	48"	24"	ECE1L6048SS()N	\$932	\$1,070
24"	60"	48"	30"	ECE1L6048SD()N	\$913	\$1,052
30"	60"	48"	24"	ECE1L6048DS()N	\$913	\$1,052
24"	66"	42"	24"	ECE1L6642SS()N	\$943	\$1,086
24"	66"	48"	24"	ECE1L6648SS()N	\$965	\$1,109
24"	66"	48"	30"	ECE1L6648SD()N	\$961	\$1,106
30"	66"	48"	24"	ECE1L6648DS()N	\$961	\$1,106
24"	72"	42"	24"	ECE1L7242SS()N	\$979	\$1,127
24"	72"	48"	24"	ECE1L7248SS()N	\$1,000	\$1,150
24"	72"	48"	30"	ECE1L7248SD()N	\$1,006	\$1,158
30"	72"	48"	24"	ECE1L7248DS()N	\$1,006	\$1,158
24"	78"	42"	24"	ECE1L7842SS()N	\$991	\$1,138
24"	78"	48"	24"	ECE1L7848SS()N	\$1,102	\$1,268
24"	84"	48"	24"	ECE1L8448SS()N	\$1,239	\$1,426

Application Notes

Center-Located Edge Grommet



To Specify, replace the "N" suffix from the pattern number with "G". Add \$42.

Equity "L" worksurfaces are handed and may or may not cover a post on either or both sides. Hand is determined from the seated position. Option suffixes for Equity blended corners are as follows:

- X** . . . No posts covered
- L** . . . Left post covered
- R** . . . Right post covered
- B** . . . Both posts covered

Cascade Worksurfaces

Corner Peninsulas



Right Hand

				LAMINATE	
A	C	D	MODEL #	SOLID	WOODGRAIN
24"	66"	48"	ECE1BD6648SR	\$898	\$1,032
30"	66"	48"	ECE1BD6648DR	\$943	\$1,086
24"	72"	48"	ECE1BD7248SR	\$917	\$1,057
30"	72"	48"	ECE1BD7248DR	\$978	\$1,125
24"	78"	48"	ECE1BD7848SR	\$1,060	\$1,219
30"	78"	48"	ECE1BD7848DR	\$1,096	\$1,259
24"	84"	48"	ECE1BD8448SR	\$1,089	\$1,252
30"	84"	48"	ECE1BD8448DR	\$1,158	\$1,330

Left Hand

A	C	D	MODEL #	SOLID	WOODGRAIN
24"	48"	66"	ECE1BD6648SL	\$898	\$1,032
30"	48"	66"	ECE1BD6648DL	\$943	\$1,086
24"	48"	72"	ECE1BD7248SL	\$917	\$1,057
30"	48"	72"	ECE1BD7248DL	\$978	\$1,125
24"	48"	78"	ECE1BD7848SL	\$1,060	\$1,219
30"	48"	78"	ECE1BD7848DL	\$1,096	\$1,259
24"	48"	84"	ECE1BD8448SL	\$1,089	\$1,252
30"	48"	84"	ECE1BD8448DL	\$1,158	\$1,330

Specify

1. Model #
 2. Options
 3. Surface/edge color

Grain Direction

Wiring & Cabling

Scallop \$50

Available Laminates

Solid
 114 Folkstone Grey
 117 Soft Grey
 118 Bright White
 119 Pumice


Woodgrain
 124 Medium Cherry
 125 Natural Maple
 126 Natural Cherry
 127 Walnut

Support Information

All supports must be ordered separately. See page 80 – 81.


Worksurface Loading & Support
 See page 69.

Edge Profile




Right Hand

W	L	R	A	B	MODEL #	SOLID	WOODGRAIN
36"	24"	30"	3"	15"	ECE1W362430N	\$596	\$685
42"	24"	30"	9"	15"	ECE1W422430N	\$626	\$721
48"	24"	30"	15"	15"	ECE1W482430N	\$671	\$772
72"	24"	30"	30 ½"	23 ½"	ECE1W722430N	\$854	\$980



Left Hand

LAMINATE							
W	L	R	A	B	MODEL #	SOLID	WOODGRAIN
36"	30"	24"	15"	1 ½"	ECE1W363024N	\$596	\$685
42"	30"	24"	15"	7 ½"	ECE1W423024N	\$626	\$721
48"	30"	24"	15"	15"	ECE1W483024N	\$671	\$772
72"	30"	24"	23 ½"	30 ½"	ECE1W723024N	\$854	\$980



120° Worksurface

W	W	L	R	MODEL #	SOLID	WOODGRAIN
48"	48"	24"	24"	ECE1W34824G	\$979	\$1,127


Specify

- 1. Model #
- 2. Options
- 3. Surface/edge color

Grain Direction



Edge Profile



Wiring & Cabling



Scallop \$50

Available Laminates

- Solid**
- 114 Folkstone Grey
 - 117 Soft Grey
 - 118 Bright White
 - 119 Pumice
- Woodgrain**
- 124 Medium Cherry
 - 125 Natural Maple
 - 126 Natural Cherry
 - 127 Walnut


Support Information

All supports must be ordered separately. See page 80 – 81.

Worksurface Loading & Support
See page 69.

Cascade Worksurfaces

Rounds



Half Round

W	D	MODEL #	LAMINATE	
			SOLID	WOODGRAIN
18"	48"	ECE1H4818P	\$479	\$551
48"	18"	ECE1H4818PC	\$479	\$551
48"	18"	ECE1H4818PE	\$479	\$551
60"	24"	ECE1H6024P	\$659	\$760
60"	24"	ECE1H6024PC	\$659	\$760
60"	24"	ECE1H6024PE	\$659	\$760



Corner Round

W	D	MODEL #	SOLID	WOODGRAIN
24"	24"	ECE1CR24L/R	\$255	\$293



Corner Round w/Notch

W	D	MODEL #	SOLID	WOODGRAIN
24"	24"	ECE1CR24N	\$255	\$293

Specify

1. Model #
2. Options
3. Surface/edge color

Grain Direction

Wiring & Cabling

G2

Scalloped \$50

Available Laminates

Solid

114 Folkstone Grey
117 Soft Grey
118 Bright White
119 Pumice

Woodgrain

124 Medium Cherry
125 Natural Maple
126 Natural Cherry
127 Walnut

Support Information

All supports must be ordered separately. See page 80 – 81.

Worksurface Loading & Support
See page 69.

Half Round

P

Notched for post

PE

Notched for postless end

PC

Notched for post with cover

Edge Profile



Cable Sleeve w/Cover

H	D	MODEL #	BLACK ONLY
1 3/8"	3 1/4"	EW1CS	\$28




Edge Grommet

H	W	D	MODEL #	BLACK ONLY
1 3/8"	2 1/4"	1 3/8"	EW1WSG	\$28



Worksurface Cable Basket

H	W	D	MODEL #	PAINT			
				BLACK	P1	P2	P3
2"	20"	4"	EW1CB20	\$55	\$100	\$110	\$120
2"	32"	4"	EW1CB32	\$76	\$125	\$138	\$150
2"	42"	4"	EW1CB42	\$82	\$150	\$165	\$180



Personal Drawer

DESCRIPTION	MODEL #	BLACK ONLY
Personal Drawer	SPD18	\$350

Cable Sleeve with Cover

Used to pass cables through a worksurface. Fits 3" diameter hole, field cut, in worksurface. Smooth plastic prevents abrasion of cords and cables.

Cover snaps into sleeve. Cover has slots that allow passage of one or two cables, yet gives appearance of surface continuity.

Available in black only.

Edge Grommet

Designed to accommodate various styles and quantities of cords/plugs between rear of worksurface and panel for improved cord/plug management. Designed to work with Equity EW1 tops shipped after 2005.


Available in black only.

Worksurface Cable Basket

Attaches to the underside of worksurface for excess cable management. Slides forward from its position adjacent to the panel face to allow passage of plugs. Constructed of steel wire.


Counter Caps

Straights




Straight

W (NOMINAL)	W (ACTUAL)	D	MODEL #	LAMINATE			PAINT	
				L1	L2	L3	P2	P3
12"	10 1/2"	15 1/4"	EW(3/N)1215	\$320	\$352	\$384	+ \$25	+ \$50
24"	22 1/2"	15 1/4"	EW(3/N)2415	\$340	\$374	\$408	+ \$25	+ \$50
30"	28 1/2"	15 1/4"	EW(3/N)3015	\$345	\$380	\$414	+ \$25	+ \$50
36"	34 1/2"	15 1/4"	EW(3/N)3615	\$350	\$385	\$420	+ \$25	+ \$50
42"	40 1/2"	15 1/4"	EW(3/N)4215	\$365	\$402	\$438	+ \$25	+ \$50
48"	46 1/2"	15 1/4"	EW(3/N)4815	\$390	\$429	\$468	+ \$25	+ \$50
60"	58 1/2"	15 1/4"	EW(3/N)6015	\$425	\$468	\$510	+ \$25	+ \$50
72"	70 1/2"	15 1/4"	EW(3/N)7215	\$480	\$528	\$576	+ \$25	+ \$50
84"	82 1/2"	15 1/4"	EW(3/N)8415	\$530	\$583	\$636	+ \$25	+ \$50
96"	94 1/2"	15 1/4"	EW(3/N)9615	\$570	\$627	\$684	+ \$25	+ \$50
108"	106 1/2"	15 1/4"	EW(3/N)10815	\$620	\$682	\$744	+ \$25	+ \$50
120"	118 1/2"	15 1/4"	EW(3/N)12015	\$675	\$743	\$810	+ \$25	+ \$50



Extended One End

12"	12"	15 1/4"	EW(3/N)1215E	\$330	\$363	\$396	+ \$25	+ \$50
24"	24"	15 1/4"	EW(3/N)2415E	\$350	\$385	\$420	+ \$25	+ \$50
30"	30"	15 1/4"	EW(3/N)3015E	\$355	\$391	\$426	+ \$25	+ \$50
36"	36"	15 1/4"	EW(3/N)3615E	\$360	\$396	\$432	+ \$25	+ \$50
42"	42"	15 1/4"	EW(3/N)4215E	\$375	\$413	\$450	+ \$25	+ \$50
48"	48"	15 1/4"	EW(3/N)4815E	\$400	\$440	\$480	+ \$25	+ \$50
60"	60"	15 1/4"	EW(3/N)6015E	\$435	\$479	\$522	+ \$25	+ \$50
72"	72"	15 1/4"	EW(3/N)7215E	\$490	\$539	\$588	+ \$25	+ \$50
84"	84"	15 1/4"	EW(3/N)8415E	\$540	\$594	\$648	+ \$25	+ \$50
96"	96"	15 1/4"	EW(3/N)9615E	\$580	\$638	\$696	+ \$25	+ \$50
108"	108"	15 1/4"	EW(3/N)10815E	\$630	\$693	\$756	+ \$25	+ \$50



Extended Both End

12"	13 1/2"	15 1/4"	EW(3/N)1215EE	\$340	\$374	\$408	+ \$25	+ \$50
24"	25 1/2"	15 1/4"	EW(3/N)2415EE	\$360	\$396	\$432	+ \$25	+ \$50
30"	31 1/2"	15 1/4"	EW(3/N)3015EE	\$365	\$402	\$438	+ \$25	+ \$50
36"	37 1/2"	15 1/4"	EW(3/N)3615EE	\$370	\$407	\$444	+ \$25	+ \$50
42"	43 1/2"	15 1/4"	EW(3/N)4215EE	\$385	\$424	\$462	+ \$25	+ \$50
48"	49 1/2"	15 1/4"	EW(3/N)4815EE	\$410	\$451	\$492	+ \$25	+ \$50
60"	61 1/2"	15 1/4"	EW(3/N)6015EE	\$445	\$490	\$534	+ \$25	+ \$50
72"	73 1/2"	15 1/4"	EW(3/N)7215EE	\$500	\$550	\$600	+ \$25	+ \$50
84"	85 1/2"	15 1/4"	EW(3/N)8415EE	\$550	\$605	\$660	+ \$25	+ \$50
96"	97 1/2"	15 1/4"	EW(3/N)9615EE	\$590	\$649	\$708	+ \$25	+ \$50
108"	109 1/2"	15 1/4"	EW(3/N)10815EE	\$640	\$704	\$768	+ \$25	+ \$50

Specify

1. Model #
2. Options
3. Surface color
4. Edge color
5. Cantilever color

Extended Ends

E . . . Covers 1 post
EE . . . Covers 2 posts

Application Notes

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a duel/triple height connectors.



Support Information


Steel cantilevers are supplied.

Top Cap Compatibility

3 – Beveled


N – Flat






Corner

W	D	MODEL #	LAMINATE			PAINT	
			L1	L2	L3	P2	P3
24"	15 1/4"	EW(3/N)CC2415	\$420	\$462	\$504	+ \$25	+ \$50
30"	15 1/4"	EW(3/N)CC3015	\$435	\$479	\$522	+ \$25	+ \$50
36"	15 1/4"	EW(3/N)CC3615	\$450	\$495	\$540	+ \$25	+ \$50




Extended Left

24"	15 1/4"	EW(3/N)CC2415LHE	\$430	\$473	\$516	+ \$25	+ \$50
30"	15 1/4"	EW(3/N)CC3015LHE	\$445	\$490	\$534	+ \$25	+ \$50
36"	15 1/4"	EW(3/N)CC3615LHE	\$460	\$506	\$552	+ \$25	+ \$50



Extended Right

24"	15 1/4"	EW(3/N)CC2415RHE	\$430	\$473	\$516	+ \$25	+ \$50
30"	15 1/4"	EW(3/N)CC3015RHE	\$445	\$490	\$534	+ \$25	+ \$50
36"	15 1/4"	EW(3/N)CC3615RHE	\$460	\$506	\$552	+ \$25	+ \$50



Extended Both

24"	15 1/4"	EW(3/N)CC2415EE	\$440	\$484	\$528	+ \$25	+ \$50
30"	15 1/4"	EW(3/N)CC3015EE	\$455	\$501	\$546	+ \$25	+ \$50
36"	15 1/4"	EW(3/N)CC3615EE	\$470	\$517	\$564	+ \$25	+ \$50

Specify

1. Model #
2. Options
3. Surface color
4. Edge color
5. Cantilever color

Extended Ends

- E** . . . Covers 1 post
EE . . . Covers 2 posts

Application Notes

Counter caps are designed for mounting on top of panels.


Counter caps fit between posts, appropriate to fit between two taller panels and a duel/triple height connectors.

Support Information

Steel cantilevers are supplied.

Top Cap Compatibility


3 – Beveled



N – Flat




Shelves




Shelf

W	D	H	MODEL #	PAINT		
				P1	P2	P3
24"	12 3⁄8"	10 1⁄4"	ES2OS24	\$232	\$247	\$257
30"	12 3⁄8"	10 1⁄4"	ES2OS30	\$254	\$269	\$279
36"	12 3⁄8"	10 1⁄4"	ES2OS36	\$254	\$269	\$279
42"	12 3⁄8"	10 1⁄4"	ES2OS42	\$266	\$281	\$291
48"	12 3⁄8"	10 1⁄4"	ES2OS48	\$278	\$293	\$303
60"	12 3⁄8"	10 1⁄4"	ES2OS60	\$298	\$313	\$323
72"	12 3⁄8"	10 1⁄4"	ES2OS72	\$322	\$337	\$347



Half Height

24"	12 3⁄8"	7 1⁄4"	ES3OS24	\$280	\$295	\$305
30"	12 3⁄8"	7 1⁄4"	ES3OS30	\$310	\$325	\$335
36"	12 3⁄8"	7 1⁄4"	ES3OS36	\$310	\$325	\$335
42"	12 3⁄8"	7 1⁄4"	ES3OS42	\$322	\$337	\$347
48"	12 3⁄8"	7 1⁄4"	ES3OS48	\$339	\$354	\$364
60"	12 3⁄8"	7 1⁄4"	ES3OS60	\$364	\$379	\$389
72"	12 3⁄8"	7 1⁄4"	ES3OS72	\$392	\$407	\$417



Shelf Back

24"	EC2SB24	\$191	\$201	\$207
30"	EC2SB30	\$210	\$220	\$230
36"	EC2SB36	\$210	\$220	\$230
42"	EC2SB42	\$220	\$230	\$237
48"	EC2SB48	\$230	\$237	\$244
60"	EC2SB60	\$259	\$269	\$277
72"	EC2SB72	\$295	\$304	\$313



Shelf – Divider

2"	9"	6"	EC2SD	\$133	N/A	N/A
----	----	----	-------	-------	-----	-----


Panel Supported

Specify
1. Model #
2. Paint trim color

Application Notes
Open shelf consists of two steel end panels and one steel shelf.
NOTE: Cannot be converted to an enclosed cabinet.


Shelf Divider
Available in black only.

		W
ES2OS	Open Shelf	36
ES3OS	Open Shelf – Half Height	
ES2OS		36




Side Hinge Laminate Front

W	D	H	# DOORS	MODEL #	LAMINATE			PAINT	
					L1	L2	L3	P2	P3
24"	12 ½"	14 ¼"	2	EC2OL24	\$677	\$745	\$812	+\$25	+\$50
30"	12 ½"	14 ¼"	2	EC2OL30	\$727	\$800	\$872	+\$25	+\$50
36"	12 ½"	14 ¼"	2	EC2OL36	\$777	\$855	\$932	+\$25	+\$50
42"	12 ½"	14 ¼"	2	EC2OL42	\$827	\$910	\$992	+\$25	+\$50
48"	12 ½"	14 ¼"	2	EC2OL48	\$877	\$965	\$1,052	+\$25	+\$50
60"	12 ½"	14 ¼"	4	EC2OL60	\$1,227	\$1,350	\$1,472	+\$25	+\$50
72"	12 ½"	14 ¼"	4	EC2OL72	\$1,327	\$1,460	\$1,592	+\$25	+\$50



Painted Steel Flipper Door

W	D	H	# DOORS	MODEL #	PAINT		
					P1	P2	P3
24"	12 ½"	14 ¼"	1	EC2OP24	\$602	\$627	\$652
30"	12 ½"	14 ¼"	1	EC2OP30	\$681	\$706	\$731
36"	12 ½"	14 ¼"	1	EC2OP36	\$681	\$706	\$731
42"	12 ½"	14 ¼"	1	EC2OP42	\$759	\$784	\$809
48"	12 ½"	14 ¼"	1	EC2OP48	\$801	\$826	\$851
60"	12 ½"	14 ¼"	1	EC2OP60	\$913	\$938	\$963
72"	12 ½"	14 ¼"	1	EC2OP72	1,004	\$1,029	\$1,054
72"	12 ½"	14 ¼"	2	EC2OP272	\$1,219	\$1,244	\$1,269



Overhead Back

24"	¾"	14"	EC2CB24	\$191	\$201	\$207
30"	¾"	14"	EC2CB30	\$210	\$220	\$230
36"	¾"	14"	EC2CB36	\$210	\$220	\$230
42"	¾"	14"	EC2CB42	\$220	\$230	\$237
48"	¾"	14"	EC2CB48	\$230	\$237	\$244
60"	¾"	14"	EC2CB60	\$259	\$269	\$277
72"	¾"	14"	EC2CB72	\$295	\$304	\$313

Specify

1. Model #
2. Paint trim color
3. Optional Laminate

Overhead – Side Hinge


Includes matching ABS edge band.

Overhead – Flipper Door

Door uses heavy-duty ball bearing hinges to allow door to flip forward and up and over top of cabinet. Can be opened at an angle. Door rolls on glides for smooth, friction-free operation.

Overhead Type		W
EC2OL	Side Hinge	36
EC2OP	Flipper Door	
ES2OL		36

Tackboards




12" H		FABRIC							
W	MODEL #	A	B	C	D	E	F	G	H
24"	EP1TB2412	\$200	\$225	\$250	\$300	\$400	\$500	\$600	\$700
30"	EP1TB3012	\$250	\$275	\$300	\$350	\$450	\$550	\$650	\$750
36"	EP1TB3612	\$300	\$325	\$350	\$400	\$500	\$600	\$700	\$800
42"	EP1TB4212	\$325	\$350	\$375	\$425	\$525	\$625	\$725	\$825
48"	EP1TB4812	\$350	\$375	\$400	\$450	\$550	\$650	\$750	\$850
60"	EP1TB6012	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900

20" H									
24"	EP1TB2420	\$300	\$325	\$350	\$400	\$500	\$600	\$700	\$800
30"	EP1TB3020	\$325	\$350	\$375	\$425	\$525	\$625	\$725	\$825
36"	EP1TB3620	\$350	\$375	\$400	\$450	\$550	\$650	\$750	\$850
42"	EP1TB4220	\$375	\$400	\$425	\$475	\$575	\$675	\$775	\$875
48"	EP1TB4820	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900
60"	EP1TB6020	\$450	\$475	\$500	\$550	\$650	\$750	\$850	\$950

Panel Supported

Specify	Application Notes		
1. Model # 2. Fabric	Specify in areas where heavy tacking application is required. Solid core construction will easily accept T-pins, push pins and thumbtacks. Clips attach unit to slotted standards.	W	H
		EP1TB Tackboard	36 20
		EP1TB	36



25" H		FABRIC							
W	MODEL #	A	B	C	D	E	F	G	H
24"	EP1TB2425	\$350	\$375	\$400	\$450	\$550	\$650	\$750	\$850
30"	EP1TB3025	\$375	\$400	\$425	\$475	\$575	\$675	\$775	\$875
36"	EP1TB3625	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900
42"	EP1TB4225	\$425	\$450	\$475	\$525	\$625	\$725	\$825	\$925
48"	EP1TB4825	\$450	\$475	\$500	\$550	\$650	\$750	\$850	\$950
60"	EP1TB6025	\$500	\$525	\$550	\$600	\$700	\$800	\$900	\$1,000

36" H		A	B	C	D	E	F	G	H
24"	EP1TB2436	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900
30"	EP1TB3036	\$450	\$475	\$500	\$550	\$650	\$750	\$850	\$950
36"	EP1TB3636	\$475	\$500	\$525	\$575	\$675	\$775	\$875	\$975
42"	EP1TB4236	\$500	\$525	\$550	\$600	\$700	\$800	\$900	\$1,000
48"	EP1TB4836	\$525	\$550	\$575	\$625	\$725	\$825	\$925	\$1,025
60"	EP1TB6036	\$575	\$600	\$625	\$675	\$775	\$875	\$975	\$1,075

Panel Supported

Specify	Application Notes	W	H
1. Model # 2. Fabric	Specify in areas where heavy tacking application is required. Solid core construction will easily accept T-pins, push pins and thumbtacks. Clips attach unit to slotted standards.	EP1TB Tackboard 36	20 36

Wall Mounted Channel



Wall Mounted Channel					PAINT		
W	D	H	H (Actual)	MODEL #	P1	P2	P3
2 7/8"	3/4"	29"	23"	EP3WMC29	\$112	\$116	\$122
2 7/8"	3/4"	41"	35"	EP3WMC41	\$112	\$116	\$122
2 7/8"	3/4"	49"	43"	EP3WMC49	\$114	\$120	\$128
2 7/8"	3/4"	54"	49"	EP3WMC54	\$116	\$122	\$129
2 7/8"	3/4"	61"	55"	EP3WMC61	\$130	\$135	\$145
2 7/8"	3/4"	66"	60"	EP3WMC66	\$133	\$144	\$148
2 7/8"	3/4"	81"	75"	EP3WMC81	\$162	\$168	\$178
2 7/8"	3/4"	120"	120"	EP3WMC120	\$249	\$262	\$276


Panel Supported

Specify	Application Notes	Assembly
1. Model # 2. Paint trim color	<p>Allows hanging of all components and accessories on reinforced building walls.</p> <p>Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.</p> <p>NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.</p>	<p>Included</p> <ul style="list-style-type: none">• Extruded aluminum channel• Insert which snaps into place



T5 – Task Light

DESCRIPTION	H	W	D	MODEL #	LIST
Use with 24" and wider overhead	1 ½"	19"	4"	EL4T5E19S	\$259
Use with 30" and wider overhead	1 ½"	25"	4"	EL4T5E25S	\$268
Use with 42" and wider overhead	1 ½"	37"	4"	EL4T5E37S	\$275
Use with 60" and wider overhead	1 ½"	49"	4"	EL4T5E49S	\$291



LED – Task Light

Use with 24" and wider overhead	1"	16"	1"	EL4LED16	\$495
Use with 30" and wider overhead	1"	25"	1"	EL4LED25	\$595
Use with 42" and wider overhead	1"	31"	1"	EL4LED31	\$655
Use with 60" and wider overhead	1"	37"	1"	EL4LED37	\$727

Specify	Application Notes	T5 Task Light	LED
1. Model #	<p>All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.</p> <p>All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.</p> <p>Each light comes standard with 3 wire management clips.</p>	<p>120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cord-set, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.</p> <p>T5 task lights come with mounting supports.</p> <p>City of Chicago Installations Specify suffix – CH and add \$45 list. Example: EL4T525S-CH</p>	<ul style="list-style-type: none">• Consumes only 9.4 Watts• Color temperature: 3300 K• Non-handed toggle switch location• Cord location can be either end <p>LED task lights are magnetic and require no mounting supports.</p>

Graded In Fabrics

GRADED-IN AND COM UPHOLSTERY

Neutral Posture's furniture is manufactured to the highest standards. Our artisans are skilled in creating consistent finishes across all products and materials. However, the unique nature of upholstery and the other materials that are used in production means that no two pieces of furniture will be exactly alike. Fabrics will upholster differently based on composition and construction. Neutral Posture makes every effort to ensure that each item is produced to our exacting standards, but cannot be held responsible for slight variations in upholstery, color and general appearance.

Similarly, the images in our publications are as accurate as your monitor is calibrated. Customers are reminded that colors and finishes may vary according to the unique nature of each item of furniture.

Neutral Posture will not be responsible for variances in the acoustical performance of a panel due to the fact that certain fabrics perform differently from others. Additionally, Neutral Posture cannot guarantee that the graded-in fabrics will be Indoor Air Quality and/or BIFMA Level compliant. Please see the fabric manufacturer's website for these details and cleaning instructions specific to selected fabric.

For specific color matching requirements please contact the Customer Service Department. Please note: The Finish Codes used by Neutral Posture are used as a guide to the appearance of the furniture and should not be used to determine the specific materials used in the construction of an item of furniture.

The Neutral Posture Upholstery Department is pleased to offer a Graded-in program and also accepts C.O.M. for most products. For certain items or in cases of unusual or difficult fabric patterns additional material may be required. Any unusual or special cutting requirements must be requested in writing and a full-width fabric repeat sent to the Customer Service Department in order for a quotation to be provided. The customer is responsible for shipping C.O.M. to our Upholstery Department.

CARNEGIE		
Manufacturer	Pattern	Grade
Carnegie	360	H
Carnegie	Abacus Embroider	H
Carnegie	Adagio	F
Carnegie	Adrenaline	F
Carnegie	Affirmation	F
Carnegie	Alchemy	G
Carnegie	Alex	G
Carnegie	Align	D
Carnegie	Allegro	H
Carnegie	Allure	E
Carnegie	Alphacoustic	Call
Carnegie	Amulet	G
Carnegie	Anchor	G
Carnegie	Aria	Call
Carnegie	Artisan Embroider	H
Carnegie	Aura	H
Carnegie	Aves	H
Carnegie	Awning Graphic	G
Carnegie	Axis Embroider	H
Carnegie	Bangle	G
Carnegie	Bardot	F
Carnegie	Barre	G
Carnegie	Basilica	H
Carnegie	Basilica Paperbacked	H
Carnegie	Bauble	H
Carnegie	Betacoustic	Call
Carnegie	Billiard	D
Carnegie	Bliss	G
Carnegie	Blowing Bubbles	G
Carnegie	Bounce	E
Carnegie	Braid	F
Carnegie	Brick Lane	F
Carnegie	Brimfield	F
Carnegie	Buff	E
Carnegie	Buzz	G
Carnegie	Cache	Call
Carnegie	Cadence	F
Carnegie	Camden	F
Carnegie	Canale	H
Carnegie	Canopy	F
Carnegie	Cascade Applique	Call
Carnegie	Chamois	Call
Carnegie	Chamois	H
Carnegie	Chamois Ivy	Call
Carnegie	Chamois Loop	Call
Carnegie	Chamois Matrix	Call
Carnegie	Chamois Reload	Call
Carnegie	Chamois Sky	Call
Carnegie	Channel	E
Carnegie	Chelsea	E
Carnegie	Chroma	H
Carnegie	Circuit	E
Carnegie	Cirque Couture	Call
Carnegie	Coil	F
Carnegie	Conservatory	F
Carnegie	Corso UN	Call
Carnegie	Craft	E

Manufacturer	Pattern	Grade
Carnegie	Crosshatch	E
Carnegie	Crossing	F
Carnegie	Cue	E
Carnegie	Current	E
Carnegie	Curve	F
Carnegie	Cycle	E
Carnegie	Cypress	E
Carnegie	Dash	E
Carnegie	Dazzle	H
Carnegie	Delight	G
Carnegie	Deltacoustic	Call
Carnegie	Departure	E
Carnegie	Don	Call
Carnegie	Double Dutch	E
Carnegie	Drift	E
Carnegie	Eden	H
Carnegie	Eden Solid	H
Carnegie	Edge	F
Carnegie	Emerald	Call
Carnegie	Essence	F
Carnegie	Essence II	F
Carnegie	Fields	G
Carnegie	Filigree	E
Carnegie	Fizzle Graphic	G
Carnegie	Flash Back	E
Carnegie	Flax	E
Carnegie	Flux	E
Carnegie	Flying Kites	G
Carnegie	Forecast	H
Carnegie	Foundation	F
Carnegie	Four Square	G
Carnegie	Fractal Emboss	F
Carnegie	Fragment Emboss	F
Carnegie	Fresco	F
Carnegie	Gamma	E
Carnegie	Gammacoustic	Call
Carnegie	Genome Embroider	H
Carnegie	Glacier	E
Carnegie	Infinity Flora	Call
Carnegie	Infinity Plaid	H
Carnegie	Infinity Plush	G
Carnegie	Infinity Stripe	H
Carnegie	Journey	G
Carnegie	Joy	F
Carnegie	Kaleidoscope	F
Carnegie	Kid	E
Carnegie	Koi	G
Carnegie	Legacy	Call
Carnegie	Lexi	Call
Carnegie	Lithograph	E
Carnegie	Malta	Call
Carnegie	Meta	Call
Carnegie	Mist	G
Carnegie	Naxos	H
Carnegie	Ola	Call
Carnegie	Palazzo	H
Carnegie	Pizazz	F
Carnegie	Ponte	H
Carnegie	Porto	H

Manufacturer	Pattern	Grade
Carnegie	Prima	Call
Carnegie	Prism	E
Carnegie	Quarry	E
Carnegie	Rail Trail	G
Carnegie	Reef	E
Carnegie	Rigato	H
Carnegie	Saddle	D
Carnegie	Sandstone	F
Carnegie	Santana	Call
Carnegie	Saphir	H
Carnegie	Semiramis	Call
Carnegie	Sisal	D
Carnegie	Soloc	Call
Carnegie	Soprano	G
Carnegie	Strata	E
Carnegie	Topas	Call
Carnegie	Toronto	H
Carnegie	Turmalin	H
Carnegie	Tweed	E
Carnegie	Zephyr	G

C.F. STINSON

Manufacturer	Pattern	Grade
Stinson	Acclaim	D
Stinson	Aerie	D
Stinson	Ally	C
Stinson	Array	D
Stinson	Axis Too!	C
Stinson	Backdrop	C
Stinson	Brush Style-54"	D
Stinson	Code	C
Stinson	Dapple	D
Stinson	Del Mar	D
Stinson	Focus	C
Stinson	Galaxy	D
Stinson	Genesis	C
Stinson	Imprint	C
Stinson	Isis	E
Stinson	Linea	E
Stinson	Luther II	D
Stinson	Mira	C
Stinson	Nikko	D
Stinson	Prime	B
Stinson	Repetition	D
Stinson	Ringer	C
Stinson	Sight Line	C
Stinson	Spree	C
Stinson	Surf	C
Stinson	Tally	E
Stinson	Tussah	D
Stinson	Venture	C

DESIGNTEX

Manufacturer	Pattern	Grade
Designtex	Billiard Panel	E
Designtex	Brunswick	C
Designtex	Bubble Wrap	E
Designtex	Cesta	D
Designtex	Chiyogami	G
Designtex	Clew	E
Designtex	Decibel	D
Designtex	Foxtrot	E
Designtex	Gravity	D
Designtex	Kabuto	G
Designtex	Niche	E
Designtex	Pick Up Sticks	E
Designtex	Plateau	D
Designtex	Rain	E
Designtex	Ringlet	D
Designtex	Rowan	D
Designtex	Shift	E
Designtex	Singing In The Rain	E
Designtex	That Straw Stuff	E
Designtex	Twist	E
Designtex	Union Cloth	D
Designtex	Velocity	D
Designtex	Waste Not Want Not	F

KNOLLTEXTILES

Manufacturer	Pattern	Grade
KnollTextiles	Amplify	E
KnollTextiles	Annex	C
KnollTextiles	Bandwidth	E
KnollTextiles	Basket Draft	E
KnollTextiles	Bauhaus Block	D
KnollTextiles	Beacon	B
KnollTextiles	Broadcloth II	C
KnollTextiles	Cable Twist	D
KnollTextiles	Circle Line	C
KnollTextiles	Circuit	B
KnollTextiles	Criss Cross	D
KnollTextiles	Dristi	E
KnollTextiles	Element	C
KnollTextiles	Film Reel	E
KnollTextiles	Flow	C
KnollTextiles	Foil Rap	E
KnollTextiles	Foundation	C
KnollTextiles	Growth Spurt	C
KnollTextiles	Hard Rock	E
KnollTextiles	Heavy Metal	E
KnollTextiles	Logic	C
KnollTextiles	Macro	E
KnollTextiles	Mainframe	C
KnollTextiles	Match Point	C
KnollTextiles	Mezzo	E
KnollTextiles	Micro	E
KnollTextiles	Nematic II	C
KnollTextiles	Ornament	E

Manufacturer	Pattern	Grade
KnollTextiles	Palladium	E
KnollTextiles	Photon II	D
KnollTextiles	Pivot	B
KnollTextiles	Reflect	D
KnollTextiles	Relay	E
KnollTextiles	Skylark	B
KnollTextiles	Spellbound	C
KnollTextiles	Symbolic Details	B
KnollTextiles	Tailor Made II	C
KnollTextiles	Twister	B
KnollTextiles	Versatility	D
KnollTextiles	Zenith	D

GUILFORD OF MAINE

Manufacturer	Pattern	Grade
Guilford of Maine	Anchorage	B
Guilford of Maine	Auster	B
Guilford of Maine	Axiom	B
Guilford of Maine	Bailey	B
Guilford of Maine	Basketweave	B
Guilford of Maine	Beacon	B
Guilford of Maine	BeeHave	B
Guilford of Maine	Belgrade	B
Guilford of Maine	Birdseye	B
Guilford of Maine	Bix	A
Guilford of Maine	Block Party	B
Guilford of Maine	Broadcast	A
Guilford of Maine	Candid	A
Guilford of Maine	Cape Cod	B
Guilford of Maine	Celestial	B
Guilford of Maine	Coastline	B
Guilford of Maine	Coral Reef	A
Guilford of Maine	Cosmos	B
Guilford of Maine	Crescent	B
Guilford of Maine	Crosstown	B
Guilford of Maine	Digit	A
Guilford of Maine	Drift	B
Guilford of Maine	Dune	A
Guilford of Maine	FR701®	B
Guilford of Maine	Framework	A
Guilford of Maine	Galaxy	B
Guilford of Maine	Groove	B
Guilford of Maine	Hatchet	A
Guilford of Maine	Here & Now	B
Guilford of Maine	Highbeams	B
Guilford of Maine	Hopscotch	B
Guilford of Maine	Jane	B
Guilford of Maine	Lido	B
Guilford of Maine	Lily Pad	B
Guilford of Maine	Madison	B
Guilford of Maine	Meander	B
Guilford of Maine	Metallation	B
Guilford of Maine	Metro	B
Guilford of Maine	Mingle	B
Guilford of Maine	Network	B

Graded In Fabrics

Manufacturer	Pattern	Grade	LUNA			MAHARAM		
Manufacturer	Pattern	Grade	Manufacturer	Pattern	Grade	Manufacturer	Pattern	Grade
Guilford of Maine	Nitro	B	Luna	Affinity	G	Maharam	Crisp Backed	D
Guilford of Maine	Open House	B	Luna	Aspect	G	Maharam	Field	E
Guilford of Maine	Otto	B	Luna	Eclipse	E	Maharam	Flock	E
Guilford of Maine	Paradise	B	Luna	Facet	G	Maharam	Gauge	E
Guilford of Maine	Parameter	B	Luna	Freehand	E	Maharam	Glance	E
Guilford of Maine	Phone Tag	B	Luna	Halo	D	Maharam	Glint	E
Guilford of Maine	Rattan	B	Luna	Hammered Metal	E	Maharam	Hum	E
Guilford of Maine	Reeds	B	Luna	HiFi	E	Maharam	Morse	D
Guilford of Maine	Regatta	B	Luna	Horizon	E	Maharam	Nano Point	E
Guilford of Maine	Sand	B	Luna	Idyll	E	Maharam	Parallel	E
Guilford of Maine	Sensa	B	Luna	Impression	E	Maharam	Reply	D
Guilford of Maine	Shoreline	A	Luna	Incandescent	E	Maharam	Sharkskin 2	F
Guilford of Maine	Snapshot	B	Luna	Intersect	E	Maharam	Sketch	E
Guilford of Maine	Spinel	B	Luna	Linea	D	Maharam	Solo	D
Guilford of Maine	Sprite	B	Luna	Luminescence	E	Maharam	Spiral	D
Guilford of Maine	Strata	A	Luna	Odeon	D	Maharam	Unit	E
Guilford of Maine	Streetwise	B	Luna	Quad	E			
Guilford of Maine	Studio 54	C	Luna	Radar	E			
Guilford of Maine	Tempest	B	Luna	Scintillate	E			
Guilford of Maine	Theory	A	Luna	Signal	E			
Guilford of Maine	Tidepool	A	Luna	Sonic	E			
Guilford of Maine	Tweed	B	Luna	Stepping Stones	E			
Guilford of Maine	Vertical Surface Blends	B	Luna	Stitch	E			
Guilford of Maine	Vertical Surface Solids	B	Luna	Struttura	E			
Guilford of Maine	Vortex	B	Luna	Synthesis	E			
Guilford of Maine	Woodland	B	Luna	Transmission	E			
Guilford of Maine	Zirconia	B	Luna	Twiggy	H			
			Luna	Twilight	E			
			Luna	Twist	E			
			Luna	Vega	E			

MAYER			MOMENTUM			VICTOR		
Manufacturer	Pattern	Grade	Manufacturer	Pattern	Grade	Manufacturer	Pattern	Grade
Mayer	Align	C	Momentum	Alpha	B	Victor	Aerial	B
Mayer	Basic	A	Momentum	Backdrop	B	Victor	Asana	C
Mayer	Copa	B	Momentum	Cameo	B	Victor	Avalon	C
Mayer	Cross Check	A	Momentum	Curtain Call	B	Victor	Celestial	B
Mayer	Dazzle	E	Momentum	Edict	B	Victor	Centric	B
Mayer	Echo	D	Momentum	Encore	B	Victor	Colonnade	C
Mayer	Equal	B	Momentum	Extend	B	Victor	Dashing	B
Mayer	Formations	C	Momentum	Inlay	C	Victor	Dune	B
Mayer	Forte	A	Momentum	Meander	B	Victor	Echelon	C
Mayer	Foundation 10	B	Momentum	Overture	A	Victor	Espalier XPS2	B
Mayer	Fresco	B	Momentum	Pact	A	Victor	Essence	B
Mayer	Grasscloth	B	Momentum	Saga	B	Victor	Fine Point	B
Mayer	Interlude	B	Momentum	Tenor	A	Victor	Galet	C
Mayer	Luminary	B	Momentum	Universe	B	Victor	Imprint	B
Mayer	Meander	C	Momentum	Verse	A	Victor	Labyrinth	B
Mayer	Melange	C				Victor	Lumiere	C
Mayer	Multi-Crepe	B				Victor	Lupina	C
Mayer	Nexus	B				Victor	Netiquette	B
Mayer	Origin	C				Victor	Nuance	B
Mayer	Ovation	C				Victor	Oasis	B
Mayer	Paragon	C				Victor	Off The Grid	B
Mayer	Pick Up Sticks	C				Victor	Quadrille	B
Mayer	Quattro	A				Victor	Quasar	B
Mayer	Rain Drops	C				Victor	Renaissance	C
Mayer	Reverb	C				Victor	Resonance	C
Mayer	Space Odyssey	C				Victor	Rhythm And Hues	B
Mayer	Spacer Mesh	B				Victor	Ripple	B
Mayer	Spectre	C				Victor	Strata	B
Mayer	Stardust	C				Victor	Stratford E-84	B
Mayer	Strata	A				Victor	Tango	B
Mayer	Terrain	C				Victor	Tivoli	D
Mayer	Volante	H				Victor	Traff1c	B
Mayer	Whirlwind	B				Victor	Treillage	B
Mayer	Zest	B				Victor	Twigs	B
						Victor	Whisper	B

NeutralPosture

GSA NeutralPosture.com

SCS Indoor Advantage 3904 N. Texas Ave.

BIFMA e3/LEVEL Bryan, TX 77803

ISO 9001:2015 Approved **T** 979.778.0502

F 979.778.0408

Item #901302 07/14/2017 SB © 2017 Neutral Posture, Inc. All rights reserved.

