

NU-HIDE®

Vinyl and Plastic Rejuvenator Polish

DESCRIPTION

NU-HIDE shines and protects leather, vinyl, rubber, chrome, stainless steel and Formica™. Protects against cracks, hardening, rot or dulling from sun, ozone and smog. NU-HIDE creates an elegant, smooth, static free wet look surface that resists water, dust, dirt and other soils. Leaves surfaces oil free and resistant to scuffs and fingerprints.

PRODUCT FEATURES / BENEFITS

- Multiple use / For use on plastics, including Plexiglas™, vinyl, wood laminates, rubber, leather, brass, chrome, stainless steel and most other non-woven materials
- Shines, restores, and protects surfaces / Imparts a deep luster while protecting against drying, fading, and cracking caused by sun, ozone, and smog
- Dissipates static charge / Actually retards the attraction of dust and other airborne soils
- Safe to use / Safe for virtually any non-woven material and to operations personnel
- Retards fingerprints and re-soiling / Saves time and labor by prolonging times between re-cleaning

DIRECTIONS FOR USE

Penetrates into plastic, vinyl, wood, laminates, rubber, leather and other resilient surfaces to give them new lustrous beauty and a longer product life. Shines and protects chrome, brass, stainless steel, copper, aluminum, and painted surfaces. Protects against cracks, hardening, rot or dulling from sun, ozone and smog. Creates an elegant, smooth, static-free, wet-look surface that resists water, dust, dirt and other soils. Surface is left completely

free of oily films that smear, scuff or finger mark. Actually reduces surface tension so that nothing adheres to treated surfaces and re-soiling is eliminated. Safe on all surfaces that will tolerate water. Non-toxic and non-flammable. Clean surface to be treated. Spray or wipe a uniform coat on the clean surface and allow to thoroughly dry. Buff to a beautiful, deep gloss finish. For maximum protection and beauty use three applications.

SPECIFICATIONS

Color	White, Opaque
Odor	None
pH	8.0 ± 0.3
High Temp. Stability (°F)	160
Low Temp. Stability (°F)	

Freeze-Thaw	Stable 2 Cycles
Specific Gravity (g/cc)	0.99 ± 0.01
Density (Ibs/gal)	8.3 ± 0.1
Flash Point	None
Shelf Life 1 year minimum i	n original unopened container

SAFETY INFORMATION

WARNING: CAUSES SERIOUS EYE IRRITATION. KEEP OUT OF REACH OF CHILDREN.

Prevention: Wash thoroughly after handling. Wear eye/face protection.

Response: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage: Store away from incompatible materials.

Disposal: Dispose of waste and residues in accordance with local authority requirements.


This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

Additional safety measures:

Read the entire label and SDS before using this product, and for additional first-aid measures. SDS for this product is available on the web at www.nclonline.com

Meets the requirements for USDA Authorization Class A7. For Commercial and Industrial Use Only





World Class Cleaning Solutions®

401 N. 10th Street • Philadelphia, PA 19123
1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517
www.nclonline.com • e-mail:info@nclonline.com

World Class Cleaning Solutions®

NATIONAL CHEMICAL LABORATORIES, INC.

2A

SAFETY DATA SHEET

Section 1 - Identification

Product Identifier NU-HIDE Plastic Polish

Other means of identification 1330

Recommended use Polishing compound.

Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company Name National Chemical Laboratories of PA, Inc.
Address 401 N. 10th Street - Philadelphia, PA 19123

 Telephone
 1 (215) 922-1200

 Supplier Email
 info@nclonline.com

 Contact
 CHEM-TEL

 Emergency Phone
 1 (800) 255-3924

Section 2 - Hazard(s) Identification

Classification Category

Physical Hazards Not Classified

Health Hazards Serious eye damage/eye irritation

OSHA defined hazards Label Elements

Hazard Symbol

Not Classified.

Signal Word Warning

Hazard Statement Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. If eye irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC)

None known.

Section 3 - Composition/Information on ingredients

Mixture

 Hazardous Components
 Ingredient Name
 CAS #
 %

 Polyalkyl siloxane
 63148-62-9
 10 - 20

 Poly(oxy-1,2-ethanediyl), A-(2-propylheptyl)-w-hydroxy 160875-66-1
 1 - 5

Section 4 - First-aid Measures

Inhalation Move to fresh air. Get medical attention if irritation persists.

Skin contact Wash off with soap and water. Get medical attention if irritation persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention if irritation persists.

Ingestion Rinse mouth. Get medical attention if irritation persists.

Most Important symptoms /effects, acute and delayed Indication of immediate medical

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. **attention and special treatment**

General Information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5 - Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment

/instructions

Move containers from fire area if you can do it without risk. Use water spray to keep fire-exposed containers cool.

General fire hazards No unusual fire or explosion hazards noted.

Specific Methods Use standard firefighting procedures and consider the hazards of other involved materials.

Section 6 - Accidental release measures

Personal precautions, protective

equipment and emergency procedures.

Isolate area. Keep unnecessary personnel away. Use personal protection as recommended in Section 8 of the SDS.

Methods and materials for containment and cleaning up SMALL SPILLAGE: Absorb spillage with suitable absorbent material. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with water.

LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After

removal flush contaminated area thoroughly with water.

Avoid discharge into drains, water courses or onto the ground. **Environmental precautions**

Section 7 - Handling and storage

Precautions for safe handling

Avoid contact with eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Section 8 - Exposure control/personal protection

Occupational exposure limits

Biological limit values

No exposure limits noted for ingredient(s)

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eywash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, General hygiene

considerations and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance Opaque.

Physical state Liquid. Form Thin Liquid. Color White. Odor Bland. Odor threshold Not available.

рН

Melting point/freezing point

Initial boinging point and boiling range

Not available.

212 °F (100 °C)

Flash point None to boiling. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available.

1330

Explosive limit - upper (%) Not available. Vapor pressure Similar to water. Vapor density Similar to water. Relative density 0.99 ± 0.01 Relative density temperature 75 °F (23.89 °C) Solubilities Not available. Partition Coefficient n-Not available.

octanol/water

Auto-ignition temperature Not Available. **Decomposition temperature** Not Available. Viscosity < 20 cSt **Viscosity Temperature** 75 °F (23.89 °C)

Section 10 - Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possiblity of hazardous reactions No dangerous reaction known under conditions of normal use

Conditions to Avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

No hazardous decomposition products are known. **Hazardous Decomposition**

Products

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard.

Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected.

Eve contact Causes serious eve irritation.

Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological effects.

Acute toxicity Not expected to be acutely toxic.

> Components Level Type Code **Species** Results Poly(oxy-1,2-ethanediyl), A-(2-propylheptyl)-w-Acute Oral LD50 Rat > 500 mg/kg

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

hydroxy- (CAS 160875-66-1)

Remarks: Based on data for similar materials.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/ eye

Causes serious eye irritation.

irritation

Respiratory sensitization This product is not expected to cause respiratory sensitization. Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Germ cell mutagenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

Reproductive toxicity Specific target organ toxicity - This product is not expected to cause reproductive or developmental effects. Not classified.

single exposure

Specific target organ toxicity -

Not classified.

repeated exposure

Not classified.

Aspiration hazard

Chronic effects Prolonged inhalation may be harmful.

Section 12 - Ecological Information

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or **Ecotoxicity**

frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product. No data is available on the degradability of this product. Bioaccumulative potential

No data available Mobility in soil Mobility in general No data available

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine

1330

disruption, global warming potential) are expected from this component.

Section 13 - Disposal considerations

Disposal instructions Dispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code

Waste codes should be assigned by the user based on the application for which the product was used.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

DOT Not regulated as dangerous goods.

IATA Not regulated as dangerous goods.

IMDG Not regulated as dangerous goods.

Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code

This substance/mixture is not intended to be transported in bulk.

Section 15 - Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

CERCLA Hazardous Substance List (40 CFR 302.4

Not regulated.
Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard Yes

Delayed Hazard No Fire Hazard No Pressure Hazard No Reactivity Hazard No

SARA 302 Extremely hazardous substance Not listed.
SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting) Not regulated.

 Chemical name
 CAS #
 % by wt.

 Acetaldehyde
 75-07-0
 0.1 - 1

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.
Food and Drug Administration (FDA) Not regulated.

US state regulations

US.Massachusetts RTK - Substance List Not regulated.
US.New Jersey Worker and Community Right-to-Know Act Components

Polyalkyl siloxane (CAS 63148-62-9)

Poly(oxy-1,2-ethanediyl), A-(2-propylheptyl)-w-hydroxy- (CAS 160875-66-1)

US.Pennsylvania RTK - Hazardous Substances Components

Polyalkyl siloxane (CAS 63148-62-9)

Poly(oxy-1,2-ethanediyl), A-(2-propylheptyl)-w-hydroxy- (CAS 160875-66-1)

Acetaldehyde (CAS 75-07-0)

US.Rhode Island RTK Not regulated.

US - California Propsition 65 WARNING: This product contains a chemical known to the State of California to cause

cancer.

US - California Propsition 65 - Acetaldehyde (CAS 75-07-0)

Carcinogens Reproductive Toxicity (CRT): Listed

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No

Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	No
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Issue date 10/9/2014 Version # 01

Disclaimer T

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should

review these regulations to ensure full compliance.

1330

^{*}A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Directions for Use:

Penetrates into plastic, vinyl, wood, laminates, rubber, leather and other resilient surfaces to give them new lustrous beauty and a longer product life. Shines and protects chrome, brass, stainless steel, copper, aluminum, and painted surfaces. Protects against cracks, hardening, rot or dulling from sun, ozone and smog. Creates an elegant, smooth, static-free, wet-look surface that resists water, dust, dirt and other soils. Surface is left completely free of oily films that smear, scuff or finger mark. Actually reduces surface tension so that nothing adheres to treated surfaces and resoiling is eliminated. Safe on all surfaces that will tolerate water. Non-toxic and non-flammable.

- 1. Clean surface to be treated.
- 2. Spray or wipe a uniform coat on the clean surface and allow to
- 3. Buff to a beautiful, deep gloss finish. For maximum protection and beauty use three applications.

Instrucciones para Uso:

Penetra en el plástico, vinilo, madera, lamina, caucho, cuero y otras superficies resistentes para daros nueva belleza brillante y una vida de un producto más largo. Los brillos y protegen el cromo, el latón, el acero inoxidable, el cobre, el aluminio, y superficies pintadas. rotege contra las grietas, el endurecer, putrefacción o el dulling del sol, del ozono y de la niebla con humo. Crea un elegante, liso, estático-libre, mojado-mira la superficie que resiste el agua, el polvo, la suciedad y otros suelos. La superficie se deja totalmente libre de las películas aceitosas que se manchan, de desgaste o de marca de los dedos. Reduce realmente la tensión de superficie de modo que nada adhiera a se elimina las superficies tratadas y el re-manchar. Caja fuerte en todas las superficies que tolerarán el agua. No tóxico e inflamable.

- Limpiar la superficie que se tratará.
- Rociar o limpiar una capa uniforme en la superficie limpia y permitir para secarse a fondo.
- 3. Piel de ante a un final hermoso, profundo del lustre. Para los usos máximos del uso tres de la protección y de la belleza.

TO LEARN MORE
ABOUT THIS PRODUCT,
SCAN THIS QR CODE
TO VISIT OUR WEBSITE.









Polish

Nu-Hide[™]

Vinyl and Plastic Rejuvenator Polish

A versatile polish for plastic, vinyl, & leather that cleans, polishes & protects leaving surfaces with a lustrous shine!

WARNING: CAUSES SERIOUS EYE IRRITATION.
See back panel for additional precautions and treatment.

ATENCIÓN: PROVOCA IRRITACIÓN OCULAR GRAVE.

Ver panel lateral para las medidas preventivas adicionales. NET CONTENTS: 1 Quart / .946 Liters

National Chemical Laboratories, Inc. Philadelphia, PA 19123 USA (800) 628-2436 • www.nclonline.com



WARNING: CAUSES SERIOUS EYE IRRITATION. KEEP OUT OF THE REACH OF CHILDREN.

Precautionary statement
Prevention: Wash thoroughly after
handling. Wear eye/face protection.
Response: If in eyes: Rinse
cautiously with water for several
minutes. Remove contact lenses,
if present and easy to do. Continue
rinsing. If eye irritation persists: Get
medical advice/attention.

Storage: Store away from incompatible materials. **Disposal:** Dispose of waste and

residues in accordance with local authority requirements.

This product is a "Hazardous

Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

Additional safety measures:

Read the entire label and SDS before using this product, and for additional first aid measures. SDS for this product is available on the web at www.nclonline.com

ATENCIÓN: PROVOCA IRRITACIÓN OCULAR GRAVE. MANTENER FUERA DEL ALCANCE DE LOS NIÑOS.

Consejos de prudencia

Prevención: Lávese cuidadosamente después de la manipulación. Use protección para los ojos/la cara.

Respuesta: En caso de contacto con los ojos: Enjuague cuidadosamente con agua durante varios minutos. Quítese los lentes de contacto, si los usa y si puede hacerse con facilidad. Continué enjuagando. Si persiste la irritación de los ojos: Busque consulta médica/atención médica.

Almacenamiento: Consérvese alejado de

Almacenamiento: Consérvese alejado de materiales incompatibles.

Eliminación: Eliminar los desperdicios y

residuos de conformidad con la normativa promulgada por las autoridades locales. Este producto es calificado como "químicamente peligroso" según el Estándar de Comunicación de Riesgos de la OSHA Hazard Communication Standard, 29 CFR 1910.1200. Todos los componentes están en la Lista de inventario de la EPA

Medidas additional de primeros auxilios:

Lea toda la etiqueta y SDS antes de usar este producto, así como medidas adicionales de primeros auxilios. SDS para el artículo está disponible en la web en www.nclonline.com

CONTAINS: Polyalkyl siloxane CAS# 63148-62-9, Poly(oxy-1,2-ethanediyl), A-(2-propylheptyl)-w-hydroxy- CAS# 160875-66-1

★★ MADE IN USA ★★1331-36-1014 ⑥

